U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
ARTHUR S. FLEMMING, SECRETARY
PUBLIC HEALTH SERVICE
LEROY E. BURNEY, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES
1958

VOLUME II
MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M.D.
Chief, National Office of Vital Statistics

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M.D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

CARL C. DAUER, M.D., *Medical Advisor*

IWAO M. MORIYAMA, *Mortality Analysis*

JOSEPH SCHACHTER, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis and Survey Methods*

HAZEL V. AUNE, *National Consulting Service*

WILLIAM S. WAGENER, *Statistical Processing*

MYRTLE E. BURGDORF, *Administrative Officer*

WILLIAM C. HUDELSON, *Program Management Officer*

JOHN STORCK, *Publications Officer*

J. K. KNEE, *Public Health Advisor*

UNITED STATES GOVERNMENT PRINTING OFFICE

WASHINGTON : 1960

For sale by the Superintendent of Documents, U.S. Government Printing Office ; Washington 25, D.C. - Price $5.25

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and two possessions for the year 1958. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and text tables.
Statistics for Alaska, Hawaii, the Commonwealth of Puerto Rico, and the Virgin Islands (U.S.).
Marriage, divorce, natality, fetal mortality, and infant mortality statistics for the United States and each State.

Volume II. Mortality statistics for the United States and each State.

In using statistics from either volume, it is recommended that reference be made to the text in Volume I which describes the sources and characteristics of the data.

CONTENTS

Total Deaths (exclusive of fetal deaths)

Table		Page
61.	Deaths by State of occurrence and type of institution in which death occurred distributed according to State of residence: United States and each State, 1958	2
62.	Deaths by place of occurrence, place of residence, and type of institution in which death occurred: United States, each State and county, metropolitan and nonmetropolitan counties, and specified urban places, 1958	14
63.	Deaths by month: United States and each State, 1958	78
64.	Deaths by month, color, and sex: United States and each State, 1958	79
65.	Deaths by specified race and sex: United States and each State, 1958	84
66.	Deaths by color and by age, for metropolitan and nonmetropolitan counties: United States and each State, 1958	85
67.	Deaths by color, sex, and type of control of institution in which death occurred: United States and each State, 1958	87
68.	Deaths from each cause by report of autopsy and by color and sex, and death rates for each cause by color and sex: United States, 1958	93
69.	Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1958	113
70.	Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1958	115
71.	Deaths from 255 selected causes, by month: United States, 1958	119
72.	Deaths from 255 selected causes, by specified race and sex: United States, 1958	124
73.	Deaths from 255 selected causes, by age, race, and sex: United States, 1958	132
74.	Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1958	182
75.	Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1958	184
76.	Deaths from 255 selected causes, by color and sex: United States and each State, 1958	190
77.	Deaths from nontransport accidents by place of accident, color, and sex: United States and each State, 1958	258
78.	Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1958	262
79.	Deaths from 255 selected causes, by color, sex, and type of service of institution in which death occurred: United States, 1958	266
80.	Deaths from 255 selected causes, by color, sex, and type of control of institution in which death occurred: United States, 1958	289
81A.	Deaths from 59 selected causes, by age, color, and sex: United States, 1958	312
81B.	Deaths from 59 selected causes, by age, color, and sex: Each State, 1958	322
82.	Deaths from 59 selected causes: United States and each State, 1958	518
83.	Deaths from 59 selected causes, by type of service of institution in which death occurred: United States and each State, 1958	522
84.	Deaths from selected causes: United States, each State and county, metropolitan and nonmetropolitan counties, and specified urban places, 1958	572
85A.	Deaths from specified infective diseases: United States, specified States and counties, 1958	706
85B.	Deaths from specified infective diseases: Specified urban places in the United States, 1958	712

Explanation of Symbols

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-

TOTAL DEATHS

(exclusive of fetal deaths)

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,647,886	[2]1,098,257	[2]549,629	[2]496,964	52,665	932	385	909	1,739	464	880	221	839	1,646	902	440	3,592
Not in institution	644,548	572,761	71,787	56,611	15,176	264	115	236	797	213	231	56	163	579	306	101	912
In resident institution	158,030	63,490	94,540	90,790	3,750	32	16	46	73	20	80	18	179	125	76	27	263
In nonresident institution	821,234	448,913	372,321	339,374	32,947	620	241	617	849	223	558	145	479	923	508	308	2,341
In institution of type not specified	24,074	13,093	10,981	10,189	792	16	13	10	20	8	11	2	18	19	12	4	76
ALABAMA	29,285	20,938	8,347	7,651	696	...	4	10	8	3	-	-	1	164	164	2	22
Not in institution	16,402	15,172	1,230	1,008	222	...	1	7	6	3	-	-	1	40	38	-	10
In resident institution	1,725	467	1,258	1,141	117	...	2	1	-	-	-	-	-	22	46	-	1
In nonresident institution	10,913	5,183	5,730	5,379	351	...	1	2	2	-	-	-	-	102	78	2	11
In institution of type not specified	245	116	129	123	6	...	-	-	-	-	-	-	-	-	2	-	-
ARIZONA	9,492	5,692	3,800	2,991	809	3	...	11	200	30	6	-	-	6	2	9	48
Not in institution	3,623	2,844	779	431	348	-	...	8	97	15	2	-	-	2	2	3	17
In resident institution	492	227	265	251	14	-	...	-	5	1	-	-	-	-	-	-	-
In nonresident institution	5,261	2,535	2,726	2,281	445	3	...	3	98	13	4	-	-	4	-	6	31
In institution of type not specified	116	86	30	28	2	-	...	-	-	1	-	-	-	-	-	-	-
ARKANSAS	17,017	10,758	6,259	5,384	875	8	2	...	25	3	2	-	2	3	6	-	43
Not in institution	8,616	7,559	1,057	828	229	5	1	...	9	1	-	-	1	-	4	-	22
In resident institution	1,156	332	824	786	38	-	-	...	1	-	-	-	-	-	-	-	1
In nonresident institution	6,928	2,737	4,191	3,595	596	3	1	...	14	2	2	-	1	3	2	-	20
In institution of type not specified	317	130	187	175	12	-	-	...	1	-	-	-	-	-	-	-	-
CALIFORNIA	125,842	76,449	49,393	47,736	1,657	8	161	14	...	54	9	1	5	30	7	45	105
Not in institution	41,981	36,512	5,469	4,795	674	4	42	6	...	26	4	-	-	16	3	15	38
In resident institution	11,737	4,111	7,626	7,533	93	-	4	1	...	2	-	-	-	-	-	4	8
In nonresident institution	69,454	34,435	35,019	34,167	852	3	112	7	...	25	4	1	5	13	4	25	56
In institution of type not specified	2,670	1,391	1,279	1,241	38	1	3	-	...	1	1	-	-	1	-	1	3
COLORADO	14,807	9,477	5,330	4,503	827	4	21	8	77	...	7	-	2	18	7	4	37
Not in institution	4,723	3,953	770	515	255	1	9	3	34	...	2	-	-	6	2	1	12
In resident institution	1,404	449	955	906	49	-	3	-	3	...	1	-	-	-	-	-	4
In nonresident institution	8,565	5,014	3,551	3,045	506	2	9	5	38	...	4	-	2	11	5	3	19
In institution of type not specified	115	61	54	37	17	1	-	-	2	...	-	-	-	1	-	-	2
CONNECTICUT	22,875	15,227	7,648	7,127	521	1	-	-	8	-	...	-	4	28	1	-	4
Not in institution	7,604	7,023	581	406	175	-	-	-	1	-	...	-	1	10	-	-	1
In resident institution	3,148	1,319	1,829	1,774	55	1	-	-	1	-	...	-	1	-	-	-	-
In nonresident institution	11,042	6,185	4,857	4,584	273	-	-	-	6	-	...	-	2	17	1	-	3
In institution of type not specified	1,081	700	381	363	18	-	-	-	-	-	...	-	-	1	-	-	-
DELAWARE	4,235	2,410	1,825	1,467	358	-	-	-	-	-	2	...	5	9	-	-	-
Not in institution	1,655	1,380	275	194	81	-	-	-	-	-	1	...	4	3	-	-	-
In resident institution	510	195	315	272	43	-	-	-	-	-	-	...	-	1	-	-	-
In nonresident institution	2,033	816	1,217	991	226	-	-	-	-	-	1	...	1	5	-	-	-
In institution of type not specified	37	19	18	10	8	-	-	-	-	-	-	...	-	-	-	-	-
DISTRICT OF COLUMBIA	10,096	8,113	1,983	...	1,983	8	2	5	9	3	3	3	...	28	14	-	13
Not in institution	2,818	2,658	160	...	160	-	-	-	2	1	-	-	...	4	-	-	3
In resident institution	704	655	49	...	49	-	-	-	-	-	-	1	...	-	-	-	1
In nonresident institution	6,565	4,795	1,770	...	1,770	8	2	5	7	2	3	2	...	24	14	-	8
In institution of type not specified	9	5	4	...	4	-	-	-	-	-	-	-	...	-	-	-	1
FLORIDA	45,102	28,263	16,839	13,705	3,134	134	1	4	25	6	102	15	25	...	202	-	196
Not in institution	18,382	15,028	3,354	2,021	1,333	61	-	2	9	6	36	6	11	...	82	-	80
In resident institution	2,862	1,202	1,660	1,551	109	2	-	-	3	-	1	-	1	...	6	-	12
In nonresident institution	23,299	11,722	11,577	9,903	1,674	71	1	2	12	-	65	8	13	...	108	-	103
In institution of type not specified	559	311	248	230	18	-	-	-	1	-	-	1	-	...	6	-	1
GEORGIA	33,493	22,567	10,926	9,817	1,109	241	4	4	7	2	1	-	5	228	...	-	19
Not in institution	16,991	15,301	1,690	1,372	318	52	1	2	-	1	-	-	3	74	...	-	8
In resident institution	2,418	466	1,952	1,813	139	12	-	-	-	-	-	-	-	19	...	-	1
In nonresident institution	13,765	6,656	7,109	6,471	638	173	2	2	7	1	1	-	2	133	...	-	10
In institution of type not specified	319	144	175	161	14	4	1	-	-	-	-	-	-	2	...	-	-
IDAHO	5,093	3,215	1,878	1,585	293	-	1	5	23	6	-	-	2	1	-	...	5
Not in institution	2,113	1,651	462	301	161	-	1	5	14	3	-	-	1	1	-	...	1
In resident institution	621	257	364	350	14	-	-	-	1	-	-	-	1	-	-	...	-
In nonresident institution	2,130	1,171	959	846	113	-	-	-	8	3	-	-	-	-	-	...	4
In institution of type not specified	229	136	93	88	5	-	-	-	-	-	-	-	-	-	-	...	-

See footnotes at end of table.

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
ILLINOIS	100,172	68,748	31,424	29,327	2,097	10	11	21	64	13	6	-	3	68	10	5	...
Not in institution	36,317	32,891	3,426	2,734	692	7	4	12	34	5	2	-	-	29	6	-	...
In resident institution	11,904	4,263	7,641	7,420	221	-	2	-	4	2	1	-	1	9	1	1	...
In nonresident institution	50,674	30,984	19,690	18,539	1,151	3	5	9	24	4	3	-	2	28	3	4	...
In institution of type not specified	1,277	610	667	634	33	-	-	-	2	2	-	-	-	2	-	-	...
INDIANA	43,867	29,396	14,471	13,091	1,380	7	1	11	21	4	3	-	2	32	2	-	529
Not in institution	18,004	16,081	1,923	1,502	421	5	-	4	7	2	-	-	1	11	2	-	131
In resident institution	5,054	2,342	2,712	2,567	145	-	-	1	5	1	-	-	1	2	-	-	58
In nonresident institution	20,251	10,671	9,580	8,781	799	2	1	6	8	1	3	-	-	17	-	-	334
In institution of type not specified	558	302	256	241	15	-	-	-	1	-	-	-	-	2	-	-	6
IOWA	27,782	18,489	9,293	8,240	1,053	1	1	4	35	11	-	-	1	7	1	2	403
Not in institution	9,772	8,744	1,028	831	197	-	-	-	17	8	-	-	-	3	1	-	40
In resident institution	2,898	1,530	1,368	1,280	88	-	-	-	6	1	-	-	1	-	-	1	19
In nonresident institution	15,734	7,376	6,358	5,625	733	1	1	4	12	2	-	-	-	4	-	1	335
In institution of type not specified	1,378	839	539	504	35	-	-	-	-	-	-	-	-	-	-	-	9
KANSAS	20,196	13,683	6,513	5,465	1,048	-	7	24	36	41	-	-	-	-	3	1	20
Not in institution	7,239	6,365	874	644	230	-	1	15	18	13	-	-	-	-	2	-	4
In resident institution	1,770	808	962	931	31	-	1	-	2	2	-	-	-	-	-	-	-
In nonresident institution	10,745	6,260	4,485	3,722	763	-	5	9	14	24	-	-	-	-	1	1	16
In institution of type not specified	442	250	192	168	24	-	-	-	2	2	-	-	-	-	-	-	-
KENTUCKY	29,071	20,038	9,033	7,993	1,040	9	-	3	14	-	1	-	2	23	9	-	72
Not in institution	14,535	13,268	1,267	991	276	5	-	2	7	-	-	-	1	8	4	-	19
In resident institution	2,050	784	1,266	1,214	52	-	-	-	1	-	-	-	-	-	-	-	6
In nonresident institution	12,030	5,747	6,283	5,584	699	4	-	1	6	-	1	-	1	15	5	-	45
In institution of type not specified	456	239	217	204	13	-	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA	29,059	20,016	9,043	8,283	760	49	1	79	12	3	-	-	1	30	13	-	11
Not in institution	13,941	12,541	1,400	1,138	262	15	1	18	6	1	-	-	-	9	5	-	5
In resident institution	1,260	487	773	757	16	-	-	2	-	-	-	-	-	-	-	-	1
In nonresident institution	13,590	6,841	6,749	6,277	472	34	-	57	6	2	-	-	1	20	8	-	5
In institution of type not specified	268	147	121	111	10	-	-	2	-	-	-	-	-	1	-	-	-
MAINE	10,420	6,918	3,502	3,177	325	-	-	-	5	-	20	-	2	12	-	-	3
Not in institution	4,517	3,958	559	405	154	-	-	-	4	-	9	-	1	7	-	-	1
In resident institution	1,575	638	937	902	35	-	-	-	-	-	-	-	-	1	-	-	-
In nonresident institution	4,094	2,192	1,902	1,790	112	-	-	-	1	-	11	-	1	4	-	-	2
In institution of type not specified	234	130	104	80	24	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	27,059	18,467	8,592	6,819	1,773	8	-	2	9	3	7	77	558	57	19	5	19
Not in institution	9,838	8,917	921	618	303	-	-	-	4	1	1	17	55	17	4	1	7
In resident institution	2,777	953	1,824	1,514	310	-	-	-	-	-	1	10	151	6	3	-	4
In nonresident institution	14,197	8,451	5,746	4,614	1,132	8	-	2	5	1	4	49	338	34	12	4	8
In institution of type not specified	247	146	101	73	28	-	-	-	-	1	1	1	14	-	-	-	-
MASSACHUSETTS	56,866	---	---	---	1,364	7	2	1	23	1	210	2	5	49	5	4	15
Not in institution	20,076	---	---	---	328	1	1	-	7	-	33	1	2	14	1	2	4
In resident institution	7,664	---	---	---	154	-	-	-	2	1	27	-	-	3	-	-	1
In nonresident institution	28,239	---	---	---	857	6	1	1	14	-	148	1	2	31	4	2	10
In institution of type not specified	887	---	---	---	25	-	-	-	-	-	2	-	1	1	-	-	-
MICHIGAN	65,630	40,778	24,852	23,729	1,123	16	3	10	27	4	4	-	2	71	10	1	168
Not in institution	21,750	18,567	3,183	2,796	387	6	-	4	13	2	1	-	-	28	-	-	75
In resident institution	5,729	2,304	3,425	3,350	75	-	-	-	-	-	1	-	-	5	-	-	21
In nonresident institution	37,126	19,328	17,798	17,148	650	10	3	6	14	2	2	-	2	37	10	1	71
In institution of type not specified	1,025	579	446	435	11	-	-	-	-	-	-	-	-	1	-	-	1
MINNESOTA	31,191	19,906	11,285	9,855	1,430	4	2	3	39	7	2	-	2	21	8	6	101
Not in institution	9,895	8,693	1,202	987	215	-	-	-	8	2	1	-	-	2	-	3	20
In resident institution	3,378	1,239	2,139	2,085	54	-	-	-	1	-	-	-	-	1	-	-	3
In nonresident institution	17,307	9,658	7,649	6,512	1,137	4	2	3	30	5	-	-	2	18	8	3	77
In institution of type not specified	611	316	295	271	24	-	-	-	-	-	1	-	-	-	-	-	1
MISSISSIPPI	21,366	15,299	6,067	5,433	634	144	-	21	10	3	1	-	2	30	12	1	32
Not in institution	12,505	11,400	1,105	864	241	36	-	10	3	2	1	-	1	12	3	1	21
In resident institution	872	234	638	607	31	5	-	3	1	-	-	-	-	2	-	-	2
In nonresident institution	7,493	5,425	4,068	3,727	341	98	-	8	6	1	-	-	1	14	9	-	8
In institution of type not specified	496	240	256	235	21	5	-	-	-	-	-	-	-	2	-	-	1
MISSOURI	47,318	32,084	15,234	12,974	2,260	10	7	130	52	17	1	-	2	11	5	3	907
Not in institution	19,222	16,863	2,359	1,873	486	1	2	47	26	8	-	-	1	4	3	3	100
In resident institution	4,623	2,301	2,322	2,181	141	-	1	9	1	-	-	-	-	1	-	-	41
In nonresident institution	22,779	12,547	10,232	8,675	1,557	7	4	68	24	9	1	-	-	5	2	-	723
In institution of type not specified	694	373	321	245	76	2	-	6	1	-	-	-	1	1	-	-	43

See footnotes at end of table.

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS												
			Total	Intrastate nonresidents	Interstate nonresidents										
					Total	State of residence									
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
MONTANA	6,175	4,081	2,094	1,898	196	-	5	1	21	3	-	-	-	-	-	10	7
Not in institution	2,161	1,797	364	274	90	-	4	-	12	3	-	-	-	-	-	6	3
In resident institution	430	149	281	279	2	-	-	-	-	-	-	-	-	-	-	-	-
In nonresident institution	3,478	2,070	1,408	1,304	104	-	1	1	9	-	-	-	-	-	-	4	4
In institution of type not specified	106	65	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	13,640	9,384	4,256	3,725	531	2	1	2	30	27	-	-	-	2	-	4	25
Not in institution	4,524	3,976	548	423	125	1	1	1	11	12	-	-	-	1	-	1	6
In resident institution	1,262	510	752	719	33	-	-	-	3	-	-	-	-	1	-	-	2
In nonresident institution	7,511	4,686	2,825	2,463	362	1	-	1	16	14	-	-	-	-	-	3	17
In institution of type not specified	343	212	131	120	11	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA	2,482	1,506	976	584	392	-	5	2	265	11	3	-	-	2	-	8	5
Not in institution	1,032	684	348	131	217	-	3	1	137	8	-	-	-	1	-	5	4
In resident institution	52	10	42	41	1	-	-	-	1	-	-	-	-	-	-	-	-
In nonresident institution	1,391	810	581	408	173	-	2	1	127	3	3	-	-	1	-	3	1
In institution of type not specified	7	2	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	6,632	4,383	2,249	1,736	513	-	-	-	4	1	9	-	3	5	1	-	2
Not in institution	2,219	1,961	258	123	135	-	-	-	1	-	4	-	2	3	-	-	-
In resident institution	876	392	484	420	64	-	-	-	3	-	3	-	-	2	-	-	-
In nonresident institution	3,415	1,942	1,473	1,162	311	-	-	-	-	1	2	-	1	-	1	-	2
In institution of type not specified	122	88	34	31	3	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	56,395	33,802	22,593	20,976	1,617	3	-	-	10	-	28	21	10	60	8	-	12
Not in institution	22,832	20,158	2,674	1,962	712	1	-	-	4	-	13	8	4	33	7	-	7
In resident institution	5,895	1,245	4,650	4,473	177	-	-	-	2	-	6	1	1	2	-	-	-
In nonresident institution	27,360	12,299	15,061	14,347	714	1	-	-	4	-	9	12	5	25	1	-	5
In institution of type not specified	308	100	208	194	14	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO	6,200	3,999	2,201	1,669	532	5	69	8	64	64	4	-	1	-	1	5	14
Not in institution	2,468	1,981	487	244	243	3	19	2	34	29	2	-	1	-	1	3	6
In resident institution	210	68	142	139	3	-	-	-	1	1	-	-	-	-	-	-	-
In nonresident institution	3,451	1,912	1,539	1,259	280	2	46	6	29	34	1	-	-	-	-	2	8
In institution of type not specified	71	38	33	27	6	-	4	-	-	-	1	-	-	-	-	-	-
NEW YORK	173,874	127,047	46,827	43,641	3,186	16	3	7	53	5	283	14	22	162	21	2	49
Not in institution	59,136	54,234	4,902	4,048	854	7	1	4	27	1	69	5	10	60	11	-	21
In resident institution	20,883	9,402	11,481	11,253	228	-	1	-	1	-	22	-	1	11	1	-	7
In nonresident institution	92,432	62,500	29,932	27,863	2,069	9	-	3	25	4	189	9	11	90	8	2	21
In institution of type not specified	1,423	911	512	477	35	-	1	-	-	-	3	-	-	1	1	-	-
NORTH CAROLINA	35,794	23,093	12,701	11,678	1,023	13	2	1	2	-	5	2	15	106	39	-	8
Not in institution	17,015	15,497	1,518	1,213	305	3	2	1	2	-	2	1	6	30	11	-	3
In resident institution	1,883	492	1,391	1,359	32	1	-	-	-	-	-	-	2	6	3	-	-
In nonresident institution	16,509	6,917	9,592	8,915	677	9	-	-	-	-	3	1	6	70	25	-	5
In institution of type not specified	387	187	200	191	9	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA	5,222	3,083	2,139	1,782	357	1	1	-	5	-	-	-	-	1	-	-	4
Not in institution	1,568	1,353	215	168	47	-	-	-	3	-	-	-	-	-	-	-	1
In resident institution	357	95	262	253	9	-	-	-	-	-	-	-	-	-	-	-	-
In nonresident institution	3,296	1,635	1,661	1,361	300	1	1	-	2	-	-	-	-	1	-	-	3
In institution of type not specified	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OHIO	91,296	60,889	30,407	28,407	2,000	7	5	3	33	2	4	1	4	77	5	-	53
Not in institution	35,064	30,830	4,234	3,689	545	5	-	1	14	1	2	1	1	30	5	-	19
In resident institution	9,888	4,826	5,062	4,878	184	-	-	-	1	1	1	-	1	5	-	-	5
In nonresident institution	45,061	24,647	20,414	19,172	1,242	2	4	2	17	-	1	-	2	40	-	-	29
In institution of type not specified	1,283	586	697	668	29	-	1	-	1	-	-	-	-	2	-	-	-
OKLAHOMA	21,339	14,261	7,078	6,520	558	1	8	44	38	16	5	-	1	3	1	1	13
Not in institution	8,746	7,615	1,131	879	252	1	2	18	20	6	4	-	1	-	1	1	7
In resident institution	1,840	698	1,142	1,110	32	-	-	3	1	1	-	-	-	-	-	-	1
In nonresident institution	10,439	5,806	4,633	4,368	265	-	6	23	17	9	1	-	-	3	-	-	5
In institution of type not specified	314	142	172	163	9	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	15,382	9,501	5,881	5,366	515	-	5	2	126	3	1	-	-	5	-	76	6
Not in institution	5,495	4,577	918	710	208	-	1	1	51	2	1	-	-	1	-	17	2
In resident institution	2,609	1,155	1,454	1,418	36	-	1	-	8	-	-	-	-	1	-	4	-
In nonresident institution	7,097	3,678	3,419	3,153	266	-	3	1	65	1	-	-	-	3	-	53	4
In institution of type not specified	181	91	90	85	5	-	-	-	2	-	-	-	-	-	-	2	-
PENNSYLVANIA	118,460	79,734	38,726	36,073	2,653	3	2	-	24	-	19	74	20	85	10	-	37
Not in institution	47,646	43,588	4,058	3,430	628	1	-	-	12	-	7	11	12	32	2	-	18
In resident institution	11,967	4,653	7,314	7,121	193	-	-	-	-	-	-	6	2	9	1	-	3
In nonresident institution	57,834	31,053	26,781	24,980	1,801	2	2	-	11	-	11	57	6	44	7	-	16
In institution of type not specified	1,013	440	573	542	31	-	-	-	1	-	1	-	-	-	-	-	-

See footnotes at end of table.

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS												
			Total	Intrastate nonresidents	Interstate nonresidents										
					Total	State of residence									
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
RHODE ISLAND	8,863	5,338	3,525	3,136	389	-	-	-	2	-	89	-	-	5	-	-	4
Not in institution	3,329	2,993	336	227	109	-	-	-	1	-	17	-	-	4	-	-	3
In resident institution	1,125	298	827	791	36	-	-	-	-	-	9	-	-	1	-	-	-
In nonresident institution	4,370	2,025	2,345	2,102	243	-	-	-	1	-	62	-	-	-	-	-	1
In institution of type not specified	39	22	17	16	1	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA	19,459	12,517	6,942	6,478	464	5	-	1	1	-	1	2	5	32	91	-	2
Not in institution	9,936	8,919	1,017	802	215	3	-	1	-	-	-	1	2	19	45	-	1
In resident institution	1,315	294	1,021	996	25	-	-	-	-	-	-	-	-	1	4	-	-
In nonresident institution	8,069	3,237	4,832	4,618	214	2	-	-	1	-	1	1	3	12	41	-	1
In institution of type not specified	139	67	72	62	10	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH DAKOTA	6,229	3,932	2,297	1,914	383	-	1	1	9	14	1	-	-	3	-	1	7
Not in institution	2,094	1,770	324	244	80	-	-	-	5	4	1	-	-	-	-	-	2
In resident institution	510	175	335	301	34	-	-	-	1	-	-	-	-	-	-	-	1
In nonresident institution	3,554	1,953	1,601	1,334	267	-	1	1	3	10	-	-	-	3	-	1	4
In institution of type not specified	71	34	37	35	2	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE	33,644	22,239	11,405	9,253	2,152	160	-	353	7	3	1	-	1	44	185	-	44
Not in institution	15,600	14,209	1,391	1,072	319	21	-	26	3	-	1	-	-	8	38	-	11
In resident institution	1,797	534	1,263	1,157	106	7	-	15	-	-	-	-	-	6	10	-	-
In nonresident institution	15,924	7,346	8,578	6,860	1,718	130	-	312	4	3	-	-	1	30	135	-	32
In institution of type not specified	323	150	173	164	9	2	-	-	-	-	-	-	-	-	2	-	1
TEXAS	73,431	52,534	20,897	19,401	1,496	22	18	107	118	27	6	2	2	40	7	2	46
Not in institution	32,315	28,273	4,042	3,559	483	7	5	32	42	15	2	-	1	14	3	1	20
In resident institution	3,939	1,534	2,405	2,334	71	3	-	10	3	3	3	-	-	1	-	-	4
In nonresident institution	35,496	21,749	13,747	12,830	917	12	13	63	68	9	1	2	1	25	4	1	22
In institution of type not specified	1,681	978	703	678	25	-	-	2	5	-	-	-	-	-	-	-	-
UTAH	6,007	3,851	2,156	1,794	362	-	23	-	61	20	1	-	2	1	1	79	7
Not in institution	2,644	2,068	576	454	122	-	12	-	29	12	-	-	2	-	1	12	4
In resident institution	311	102	209	201	8	-	-	-	-	-	-	-	-	-	-	2	-
In nonresident institution	2,984	1,646	1,338	1,113	225	-	8	-	32	8	1	-	-	1	-	65	3
In institution of type not specified	68	35	33	26	7	-	3	-	-	-	-	-	-	-	-	-	-
VERMONT	4,267	2,633	1,634	1,364	270	-	-	-	-	1	11	-	1	2	4	-	3
Not in institution	1,621	1,415	206	129	77	-	-	-	-	1	7	-	-	-	4	-	1
In resident institution	645	271	374	322	52	-	-	-	-	-	1	-	1	1	-	-	1
In nonresident institution	1,924	887	1,037	897	140	-	-	-	-	-	3	-	-	1	-	-	1
In institution of type not specified	77	60	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	32,634	20,975	11,659	10,314	1,345	15	1	2	14	2	14	6	92	53	22	1	19
Not in institution	15,105	13,547	1,558	1,111	447	8	-	1	6	-	4	4	33	31	12	-	8
In resident institution	2,768	840	1,928	1,790	138	1	-	-	1	1	3	-	14	5	1	1	4
In nonresident institution	14,524	6,499	8,025	7,284	741	6	1	1	7	1	7	2	44	16	9	-	6
In institution of type not specified	237	89	148	129	19	-	-	-	-	-	-	-	1	1	-	-	1
WASHINGTON	25,626	17,435	8,191	7,476	715	3	-	2	70	5	3	-	-	2	4	153	11
Not in institution	8,306	7,201	1,105	942	163	2	-	1	29	3	1	-	-	-	2	19	7
In resident institution	4,099	2,322	1,777	1,723	54	-	-	-	5	-	-	-	-	-	-	14	-
In nonresident institution	12,777	7,613	5,164	4,672	492	1	-	1	36	2	2	-	-	2	2	119	4
In institution of type not specified	444	299	145	139	6	-	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA	17,745	10,923	6,822	5,632	1,190	4	-	1	2	2	1	1	26	11	1	-	2
Not in institution	7,875	7,031	842	624	218	2	-	-	1	2	-	1	4	3	-	-	1
In resident institution	1,120	311	809	784	25	-	-	-	-	-	-	-	-	-	-	-	-
In nonresident institution	8,419	3,441	4,978	4,090	888	2	-	1	1	-	1	-	22	8	1	-	1
In institution of type not specified	331	140	193	134	59	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN	37,184	23,196	13,988	12,986	1,002	-	4	1	18	3	2	-	1	19	1	2	433
Not in institution	12,437	10,993	1,444	1,147	297	-	1	-	8	-	-	-	-	9	1	-	133
In resident institution	3,718	1,663	2,055	1,944	111	-	1	1	1	1	-	-	-	1	-	-	51
In nonresident institution	20,214	10,015	10,199	9,621	578	-	2	-	8	2	2	-	1	9	-	2	245
In institution of type not specified	815	525	290	274	16	-	-	-	1	-	-	-	-	-	-	-	4
WYOMING	2,572	1,544	1,028	753	275	-	1	1	33	41	2	-	-	-	-	8	7
Not in institution	863	627	236	99	137	-	-	1	19	14	1	-	-	-	-	7	5
In resident institution	200	37	163	140	23	-	-	-	4	2	-	-	-	-	-	-	-
In nonresident institution	1,491	874	617	504	113	-	1	-	10	25	1	-	-	-	-	1	2
In institution of type not specified	18	6	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
UNITED STATES	1,740	1,047	1,173	1,390	590	403	1,830	1,118	1,430	914	841	1,711	282	620	221	444	3,151	437	3,126
Not in institution	459	287	286	348	198	121	307	416	499	254	212	467	98	172	74	112	669	110	1,195
In resident institution	133	67	100	104	37	31	109	113	98	83	36	104	20	47	9	40	195	21	260
In nonresident institution	1,125	679	764	908	332	247	1,398	573	814	585	586	1,115	163	388	134	270	2,255	302	1,630
In institution of type not specified	23	14	23	30	23	4	16	16	19	12	7	25	1	13	4	22	32	4	41
ALABAMA	6	2	1	7	26	-	3	-	22	3	87	6	-	-	-	-	1	-	12
Not in institution	3	1	1	5	9	-	-	-	14	1	24	4	-	-	-	-	1	-	5
In resident institution	-	-	-	-	9	-	-	-	-	-	11	-	-	-	-	-	-	-	-
In nonresident institution	3	1	-	2	7	-	3	-	8	2	50	2	-	-	-	-	-	-	7
In institution of type not specified	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
ARIZONA	19	22	9	4	4	-	1	5	22	13	5	14	15	11	13	-	6	75	29
Not in institution	7	11	4	-	1	-	1	3	9	3	1	9	6	4	2	-	4	11	10
In resident institution	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
In nonresident institution	12	9	5	4	3	-	-	2	12	9	4	5	9	7	11	-	1	64	19
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	7	7	21	4	39	1	-	1	11	2	17	186	-	4	1	-	1	1	3
Not in institution	6	3	7	4	17	1	-	-	5	1	10	42	-	1	-	-	1	1	-
In resident institution	-	1	2	-	2	-	-	-	1	-	3	12	-	-	-	-	-	-	-
In nonresident institution	1	3	12	-	19	-	-	1	5	1	4	126	-	3	1	-	-	-	3
In institution of type not specified	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	-	-
CALIFORNIA	31	45	39	4	9	2	6	16	49	51	4	47	26	29	111	1	38	24	94
Not in institution	14	20	15	2	3	-	1	7	14	22	3	19	12	20	33	1	22	11	35
In resident institution	1	2	4	-	-	-	2	1	2	2	-	8	2	3	4	-	2	1	5
In nonresident institution	16	23	17	2	6	2	2	7	32	26	1	19	12	5	72	-	13	12	52
In institution of type not specified	-	-	3	-	-	-	1	1	1	1	-	1	-	1	2	-	1	-	2
COLORADO	4	16	95	5	6	-	6	6	15	12	1	29	25	92	3	-	6	73	24
Not in institution	1	5	29	2	2	-	2	1	3	7	1	6	6	24	1	-	3	25	2
In resident institution	-	2	6	-	1	-	1	-	-	-	-	5	-	5	1	-	-	6	1
In nonresident institution	3	9	80	3	3	-	3	5	10	5	-	17	19	62	1	-	3	42	19
In institution of type not specified	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	2
CONNECTICUT	1	1	2	2	-	12	4	84	5	-	1	2	-	-	-	7	39	-	249
Not in institution	-	1	1	-	-	4	1	38	1	-	-	1	-	-	-	5	19	-	67
In resident institution	-	-	-	-	-	2	1	9	-	-	-	-	-	-	-	-	4	-	30
In nonresident institution	1	-	1	1	-	6	2	33	4	-	1	1	-	-	-	2	16	-	145
In institution of type not specified	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	7
DELAWARE	-	-	1	3	-	1	101	3	-	-	-	-	-	-	-	-	99	-	12
Not in institution	-	-	-	3	-	1	18	1	-	-	-	-	-	-	-	-	9	-	8
In resident institution	-	-	-	-	-	-	26	-	-	-	-	-	-	-	-	-	5	-	1
In nonresident institution	-	-	1	-	-	-	51	2	-	-	-	-	-	-	-	-	85	-	3
In institution of type not specified	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	8	2	6	7	5	6	1,022	8	5	4	3	10	-	-	-	2	22	-	58
Not in institution	-	-	-	1	2	-	72	2	-	-	-	1	-	-	-	1	3	-	8
In resident institution	-	-	1	-	-	-	28	-	1	-	-	-	-	-	-	-	-	-	1
In nonresident institution	8	2	5	6	3	6	920	6	4	4	3	9	-	-	-	1	19	-	49
In institution of type not specified	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	107	26	12	47	15	47	53	152	218	41	12	32	3	3	1	31	190	1	606
Not in institution	40	10	9	25	5	26	27	73	99	18	5	15	2	1	-	9	74	-	261
In resident institution	5	3	-	2	-	-	5	6	4	-	1	-	-	-	-	3	3	-	17
In nonresident institution	61	13	3	20	9	21	21	73	113	22	6	17	1	2	1	19	113	1	327
In institution of type not specified	1	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1
GEORGIA	15	3	2	18	4	1	7	9	11	4	9	4	1	-	1	-	10	3	27
Not in institution	7	1	1	4	1	-	3	5	8	2	4	2	-	-	-	-	2	-	8
In resident institution	1	-	-	7	1	-	3	-	-	-	1	-	-	-	-	-	-	2	3
In nonresident institution	7	1	1	7	2	1	1	3	3	2	4	2	1	-	1	-	7	1	16
In institution of type not specified	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
IDAHO	1	3	4	1	-	-	1	1	2	3	1	-	15	5	20	-	-	1	2
Not in institution	-	2	3	1	-	-	1	-	1	1	1	-	7	4	18	-	-	-	2
In resident institution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
In nonresident institution	1	1	1	-	-	-	-	1	1	2	-	-	8	1	1	-	-	-	-
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
ILLINOIS	601	125	25	93	14	3	5	9	178	29	14	286	-	11	3	-	8	-	44
Not in institution	103	54	9	28	6	-	3	2	54	16	8	102	-	5	1	-	3	-	19
In resident institution	68	17	4	5	-	-	-	1	18	3	-	37	-	-	-	-	1	-	3
In nonresident institution	422	53	11	59	8	3	2	6	102	9	6	142	-	6	2	-	4	-	22
In institution of type not specified	8	1	1	1	-	-	-	-	4	1	-	5	-	-	-	-	-	-	-
INDIANA	...	5	5	151	3	-	5	4	196	5	4	17	-	1	1	-	5	3	22
Not in institution	...	2	1	55	-	-	1	2	52	5	-	11	-	-	-	-	1	1	11
In resident institution	...	1	1	15	-	-	1	1	15	-	-	2	-	-	-	-	-	-	3
In nonresident institution	...	2	3	81	3	-	3	1	128	-	4	4	-	1	1	-	4	2	8
In institution of type not specified	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
IOWA	11	...	12	5	4	1	-	1	11	61	-	150	2	168	1	-	-	1	-
Not in institution	3	...	4	1	1	-	-	-	5	21	-	28	1	26	1	-	-	-	-
In resident institution	1	...	3	1	-	-	-	-	1	7	-	15	-	17	-	-	-	-	-
In nonresident institution	6	...	4	2	2	1	-	1	4	33	-	101	1	116	-	-	-	1	-
In institution of type not specified	1	...	1	1	1	-	-	-	1	-	-	6	-	9	-	-	-	-	-
KANSAS	7	20	...	10	4	-	1	-	4	5	3	551	1	51	-	-	2	5	4
Not in institution	4	7	...	6	-	-	-	-	2	3	1	80	-	10	-	-	1	1	1
In resident institution	-	-	...	-	-	-	-	-	-	-	-	13	-	7	-	-	-	1	-
In nonresident institution	3	13	...	4	4	-	1	-	2	2	2	453	1	34	-	-	1	3	3
In institution of type not specified	-	-	...	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
KENTUCKY	262	2	1	...	1	-	6	2	25	3	5	15	2	1	-	-	4	4	15
Not in institution	47	1	1	...	1	-	2	-	13	2	2	6	2	-	-	-	2	4	4
In resident institution	11	-	-	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3
In nonresident institution	201	-	-	...	-	-	4	1	11	1	3	8	-	1	-	-	2	-	7
In institution of type not specified	3	1	-	...	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
LOUISIANA	3	6	-	5	...	1	3	3	4	1	192	7	-	1	-	-	-	-	7
Not in institution	-	4	-	2	...	-	-	3	3	-	66	2	-	-	-	-	-	-	3
In resident institution	-	-	-	-	...	-	-	-	-	-	6	-	-	-	-	-	-	-	-
In nonresident institution	3	2	-	3	...	1	3	-	1	1	116	5	-	1	-	-	-	-	4
In institution of type not specified	-	-	-	-	...	-	-	-	-	-	4	-	-	-	-	-	-	-	-
MAINE	-	-	1	-	24	...	8	105	-	1	-	-	-	-	-	52	17	1	42
Not in institution	-	-	1	-	5	...	6	53	-	1	-	-	-	-	-	14	10	-	22
In resident institution	-	-	-	-	6	...	1	9	-	-	-	-	-	-	-	10	-	1	3
In nonresident institution	-	-	-	-	13	...	1	37	-	-	-	-	-	-	-	14	7	-	15
In institution of type not specified	-	-	-	-	-	...	-	6	-	-	-	-	-	-	-	14	-	-	2
MARYLAND	11	2	1	17	9	3	...	11	9	3	-	6	-	-	-	4	50	1	81
Not in institution	5	1	-	3	1	2	...	3	4	-	-	1	-	-	-	2	9	-	19
In resident institution	1	-	-	-	1	-	...	1	-	-	-	-	-	-	-	-	6	-	6
In nonresident institution	5	1	1	14	7	1	...	7	5	3	-	5	-	-	-	2	35	1	55
In institution of type not specified	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS	5	3	1	2	2	136	13	...	6	1	2	4	-	1	-	226	45	-	215
Not in institution	2	2	1	-	-	34	6	...	3	-	-	2	-	-	-	53	18	-	78
In resident institution	-	-	-	-	-	11	-	...	2	-	-	-	-	-	-	19	4	-	11
In nonresident institution	3	1	-	2	2	87	7	...	1	1	2	2	-	1	-	146	23	-	123
In institution of type not specified	-	-	-	-	-	4	-	...	-	-	-	-	-	-	-	8	-	-	3
MICHIGAN	133	11	1	23	-	1	3	11	...	18	5	23	-	2	-	-	11	1	39
Not in institution	61	7	-	10	-	-	-	3	...	7	3	11	-	1	-	-	5	-	15
In resident institution	10	1	-	-	-	-	1	2	...	1	-	2	-	-	-	-	-	-	2
In nonresident institution	59	3	1	13	-	1	1	6	...	10	2	10	-	1	-	-	5	1	22
In institution of type not specified	3	-	-	-	-	-	1	-	...	-	-	-	-	-	-	-	1	-	-
MINNESOTA	42	239	14	6	4	6	4	2	46	...	5	16	30	24	-	-	11	3	18
Not in institution	5	43	1	2	2	6	-	1	8	...	2	4	2	5	-	-	-	-	3
In resident institution	-	4	-	-	-	-	-	-	1	...	-	-	1	1	-	-	1	-	1
In nonresident institution	36	189	12	4	1	-	4	1	37	...	3	12	26	18	-	-	10	3	13
In institution of type not specified	1	3	1	-	1	-	-	-	-	...	-	-	1	-	-	-	-	-	1
MISSISSIPPI	4	2	2	7	171	-	4	-	12	4	...	14	-	4	-	-	6	-	3
Not in institution	2	-	1	2	48	-	3	-	9	3	...	9	-	2	-	-	3	-	-
In resident institution	-	1	-	1	7	-	-	-	-	-	...	-	-	1	-	-	-	-	1
In nonresident institution	2	1	1	4	104	-	1	-	3	1	...	5	-	1	-	-	3	-	2
In institution of type not specified	-	-	-	-	12	-	-	-	-	-	...	-	-	-	-	-	-	-	-
MISSOURI	35	84	626	28	8	-	1	2	25	12	17	...	4	25	-	-	4	3	19
Not in institution	10	24	105	4	2	-	-	1	13	5	7	...	4	11	-	-	-	1	6
In resident institution	2	4	55	5	-	-	-	-	3	3	-	...	-	1	-	-	1	-	3
In nonresident institution	22	54	455	19	5	-	1	1	8	4	9	...	-	12	-	-	3	2	10
In institution of type not specified	1	2	11	-	1	-	-	-	1	-	1	...	-	1	-	-	-	-	-

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
MONTANA	2	3	-	-	1	-	-	1	3	17	-	3	...	1	2	-	-	-	1
Not in institution	1	1	-	-	1	-	-	1	1	10	-	3	...	1	-	-	-	-	-
In resident institution	-	-	-	-	-	-	-	-	-	-	-	-	...	-	1	-	-	-	-
In nonresident institution	1	2	-	-	-	-	-	-	2	7	-	-	...	-	1	-	-	-	1
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
NEBRASKA	1	191	94	2	1	-	-	-	3	8	-	18	4	...	1	-	4	-	2
Not in institution	-	29	13	2	-	-	-	-	2	4	-	3	1	...	1	-	-	-	1
In resident institution	-	14	8	-	-	-	-	-	-	-	-	-	1	...	-	-	-	-	-
In nonresident institution	1	147	70	-	1	-	-	-	1	4	-	15	2	...	-	-	4	-	1
In institution of type not specified	-	1	3	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-
NEVADA	3	2	-	2	1	-	-	2	3	5	-	4	5	1	...	-	4	1	5
Not in institution	2	2	-	2	1	-	-	-	2	4	-	4	4	1	...	-	2	-	5
In resident institution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-
In nonresident institution	1	-	-	-	-	-	-	2	1	1	-	-	1	-	...	-	2	1	-
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-
NEW HAMPSHIRE	1	1	-	-	1	106	1	165	3	-	-	1	-	-	-	...	4	4	30
Not in institution	-	1	-	-	-	12	-	81	-	-	-	-	-	-	-	...	2	4	15
In resident institution	1	-	-	-	1	11	-	16	3	-	-	-	-	-	-	...	1	-	4
In nonresident institution	-	-	-	-	-	83	1	67	-	-	-	1	-	-	-	...	1	-	11
In institution of type not specified	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	...	-	-	-
NEW JERSEY	11	2	2	1	2	3	32	23	7	3	2	3	-	9	-	7	...	-	624
Not in institution	5	1	1	-	2	2	16	3	6	2	-	3	-	3	-	5	...	-	262
In resident institution	2	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	...	-	91
In nonresident institution	4	1	1	1	-	1	14	15	1	1	2	-	-	6	-	2	...	-	262
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	9
NEW MEXICO	8	4	16	2	4	1	2	5	6	4	1	15	1	6	3	-	3	...	12
Not in institution	6	1	9	1	3	-	1	2	5	2	-	7	-	3	1	-	2	...	5
In resident institution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
In nonresident institution	2	2	7	1	1	1	1	3	1	2	1	8	1	3	2	-	1	...	7
In institution of type not specified	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
NEW YORK	20	3	3	14	7	28	32	148	49	7	1	14	1	2	1	11	1,336	6	...
Not in institution	10	1	1	6	5	12	11	51	19	3	-	9	-	1	1	4	265	2	...
In resident institution	-	-	-	1	-	3	4	10	4	-	-	-	-	-	-	-	88	1	...
In nonresident institution	10	2	2	7	2	13	17	84	26	4	1	5	1	1	-	7	972	3	...
In institution of type not specified	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	11	-	...
NORTH CAROLINA	11	3	-	7	3	3	18	6	11	1	7	2	2	1	-	2	20	-	44
Not in institution	6	-	-	4	1	1	11	3	6	-	5	-	2	-	-	-	9	-	20
In resident institution	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2
In nonresident institution	5	2	-	2	1	2	6	3	5	-	2	2	-	1	-	2	9	-	21
In institution of type not specified	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA	-	2	4	-	-	-	-	-	-	245	-	1	19	-	-	-	1	-	-
Not in institution	-	1	2	-	-	-	-	-	-	22	-	-	3	-	-	-	-	-	-
In resident institution	-	-	-	-	-	-	-	-	-	8	-	-	1	-	-	-	-	-	-
In nonresident institution	-	1	2	-	-	-	-	-	-	214	-	1	15	-	-	-	1	-	-
In institution of type not specified	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OHIO	238	7	6	369	1	1	15	7	268	5	3	10	1	3	-	1	25	6	100
Not in institution	50	4	1	88	-	-	7	4	56	3	1	4	1	2	-	1	9	3	44
In resident institution	21	2	-	32	1	-	1	1	26	-	-	2	-	-	-	-	-	1	6
In nonresident institution	164	1	5	247	-	1	7	2	184	2	2	4	-	1	-	-	16	2	46
In institution of type not specified	3	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4
OKLAHOMA	3	6	86	-	7	1	-	-	3	7	3	47	3	8	2	-	1	12	3
Not in institution	2	4	34	-	4	-	-	-	2	3	2	21	1	4	-	-	1	5	1
In resident institution	1	-	10	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-
In nonresident institution	-	2	41	-	3	1	-	-	1	3	1	22	1	4	2	-	-	7	2
In institution of type not specified	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	2	3	4	2	1	-	2	1	3	9	1	1	16	6	4	-	-	3	-
Not in institution	1	1	2	2	1	-	1	1	2	4	1	-	8	5	1	-	-	3	-
In resident institution	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
In nonresident institution	1	2	2	-	-	-	1	-	-	5	-	1	8	1	2	-	-	-	-
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	16	5	4	13	13	7	195	15	26	6	4	13	-	1	3	6	1,075	2	403
Not in institution	7	2	1	5	5	3	47	8	15	1	2	4	-	1	1	4	139	-	139
In resident institution	1	-	-	2	1	1	15	-	2	1	-	2	-	-	-	-	64	1	36
In nonresident institution	8	3	3	6	7	3	132	7	9	4	2	7	-	-	2	2	855	1	225
In institution of type not specified	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	17	-	3

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
RHODE ISLAND	-	-	-	2	1	8	1	214	1	-	-	2	-	-	-	1	15	-	23
Not in institution	-	-	-	1	1	5	-	37	1	-	-	-	-	-	-	-	11	-	13
In resident institution	-	-	-	-	-	-	-	22	-	-	-	-	-	-	-	-	2	-	2
In nonresident institution	-	-	-	1	-	3	1	155	-	-	-	2	-	-	-	1	2	-	8
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	11	1	1	3	2	2	4	5	4	-	1	2	-	-	1	1	16	-	40
Not in institution	5	-	-	1	2	1	2	3	3	-	1	2	-	-	1	-	8	-	29
In resident institution	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
In nonresident institution	6	1	-	2	-	1	2	2	-	-	-	-	-	-	-	1	7	-	9
In institution of type not specified	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2
SOUTH DAKOTA	3	62	5	-	-	-	-	2	1	84	1	8	9	66	-	-	-	1	1
Not in institution	3	7	2	-	-	-	-	-	-	13	1	2	2	6	-	-	-	1	1
In resident institution	-	2	1	-	-	-	-	-	-	7	-	-	-	6	-	-	-	-	-
In nonresident institution	-	53	2	-	-	-	-	2	1	63	-	6	7	54	-	-	-	-	-
In institution of type not specified	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE	21	8	3	325	19	2	6	4	23	1	395	68	-	4	-	-	8	1	12
Not in institution	11	6	-	41	5	-	1	1	10	-	53	10	-	2	-	-	2	-	6
In resident institution	1	-	-	28	2	-	-	1	-	-	12	1	-	1	-	-	-	-	1
In nonresident institution	9	2	3	254	12	2	5	2	13	1	330	57	-	1	-	-	6	1	5
In institution of type not specified	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS	19	27	38	9	164	2	5	4	12	22	27	47	3	12	4	1	8	197	27
Not in institution	4	7	18	4	57	1	1	1	4	8	4	22	-	3	2	-	2	35	11
In resident institution	-	3	3	-	5	-	-	-	-	3	1	-	-	2	-	-	-	6	2
In nonresident institution	14	17	15	5	98	1	4	3	7	11	22	25	3	7	2	1	6	152	13
In institution of type not specified	1	-	2	-	4	-	-	-	1	-	-	-	-	-	-	-	-	4	1
UTAH	-	3	2	2	-	1	-	-	3	1	-	1	9	4	38	-	-	3	4
Not in institution	-	3	-	1	-	1	-	-	1	1	-	1	3	1	7	-	-	2	3
In resident institution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
In nonresident institution	-	-	2	1	-	-	-	-	2	-	-	-	6	3	29	-	-	1	1
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT	-	-	-	1	-	7	1	54	1	-	-	-	1	-	-	88	14	-	63
Not in institution	-	-	-	1	-	4	1	11	-	-	-	-	1	-	-	12	7	-	17
In resident institution	-	-	-	-	-	2	-	23	-	-	-	-	-	-	-	7	3	-	9
In nonresident institution	-	-	-	-	-	1	-	20	1	-	-	-	-	-	-	69	4	-	37
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	14	2	-	33	5	5	102	20	9	5	2	7	1	7	-	1	28	-	70
Not in institution	8	-	-	10	2	2	37	8	5	-	2	3	-	6	-	-	16	-	21
In resident institution	3	1	-	1	-	-	16	4	2	-	-	1	1	-	-	1	4	-	8
In nonresident institution	3	1	-	22	3	3	48	8	2	5	-	3	-	1	-	-	7	-	41
In institution of type not specified	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
WASHINGTON	3	2	12	-	3	-	1	-	6	10	3	5	43	7	3	-	4	1	10
Not in institution	1	-	4	-	1	-	-	-	2	6	2	1	10	2	1	-	2	-	3
In resident institution	-	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	2	-	2
In nonresident institution	2	1	8	-	2	-	1	-	3	3	1	4	28	5	2	-	-	1	4
In institution of type not specified	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
WEST VIRGINIA	9	1	2	151	1	-	154	1	5	2	-	4	1	1	-	1	5	-	15
Not in institution	5	-	1	18	-	-	24	-	2	-	-	4	1	-	-	-	2	-	7
In resident institution	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
In nonresident institution	3	-	1	107	1	-	127	1	2	2	-	-	-	1	-	1	3	-	8
In institution of type not specified	1	-	-	23	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN	27	73	7	2	-	4	1	6	102	193	3	8	2	2	3	1	5	-	9
Not in institution	10	11	2	-	-	3	-	3	34	48	-	3	1	2	2	1	-	-	3
In resident institution	3	4	1	-	-	-	-	-	10	25	1	-	-	-	-	-	-	-	3
In nonresident institution	14	55	4	2	-	1	-	3	57	114	2	5	1	-	1	-	5	-	3
In institution of type not specified	-	3	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	-
WYOMING	4	10	3	1	1	1	1	-	2	3	-	8	37	46	1	-	-	-	3
Not in institution	2	6	1	1	1	-	-	-	1	2	-	6	18	15	-	-	-	-	2
In resident institution	-	1	-	-	-	1	1	-	-	-	-	-	8	3	1	-	-	-	-
In nonresident institution	2	3	2	-	-	-	-	-	1	1	-	2	11	27	-	-	-	-	1
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	903	350	2,379	989	612	2,764	404	714	402	893	1,416	197	298	1,842	589	1,159	1,098	239	1,647,886
Not in institution	302	78	737	271	181	921	81	160	81	297	550	103	54	329	250	196	272	56	644,548
In resident institution	63	30	161	40	39	230	76	93	27	42	37	6	30	80	43	114	84	13	158,030
In nonresident institution	526	238	1,429	655	392	1,575	239	459	282	549	811	85	206	1,418	286	828	721	168	821,234
In institution of type not specified	12	4	52	23	-	38	8	2	12	5	18	3	8	15	10	21	21	2	24,074
ALABAMA	11	-	13	3	1	6	4	10	-	66	15	-	-	7	4	2	-	-	29,521
Not in institution	2	-	9	-	-	3	2	1	-	17	7	-	-	3	3	1	-	-	16,444
In resident institution	3	-	-	1	-	2	1	3	-	8	4	-	-	2	-	1	-	-	1,640
In nonresident institution	6	-	4	1	1	1	1	6	-	41	4	-	-	2	1	-	-	-	11,182
In institution of type not specified	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	255
ARIZONA	2	7	32	28	12	20	-	1	9	2	55	14	-	2	20	5	10	8	9,068
Not in institution	1	3	13	18	3	12	-	1	3	1	29	8	-	2	13	3	4	2	3,390
In resident institution	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	494
In nonresident institution	1	4	18	10	9	7	-	-	6	1	25	6	-	-	6	2	6	6	5,057
In institution of type not specified	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	127
ARKANSAS	2	2	6	190	5	1	-	1	-	44	210	-	-	5	5	-	4	-	17,051
Not in institution	1	1	4	17	4	1	-	-	-	21	32	-	-	3	2	-	1	-	8,623
In resident institution	-	-	-	8	-	-	-	-	-	1	6	-	-	-	-	-	-	-	1,164
In nonresident institution	1	1	2	162	1	-	-	1	-	22	171	-	-	2	3	-	3	-	6,949
In institution of type not specified	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	315
CALIFORNIA	9	13	55	35	125	27	6	1	6	9	86	40	-	10	126	4	32	8	125,924
Not in institution	4	5	21	18	58	14	3	-	2	3	47	15	-	4	53	3	14	2	42,104
In resident institution	1	1	2	1	7	1	1	1	-	-	3	1	-	2	10	-	2	2	11,717
In nonresident institution	4	6	31	15	60	12	1	-	4	6	33	22	-	4	61	1	15	3	69,451
In institution of type not specified	-	1	1	1	-	-	1	-	-	-	3	2	-	-	2	-	1	1	2,652
COLORADO	4	3	12	24	2	11	-	-	11	3	54	14	-	5	8	4	9	60	14,444
Not in institution	1	1	5	9	-	4	-	-	2	2	24	1	-	1	2	1	4	8	4,681
In resident institution	-	-	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	5	1,375
In nonresident institution	3	2	5	12	2	6	-	-	8	1	28	13	-	4	6	3	4	47	8,282
In institution of type not specified	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	106
CONNECTICUT	3	-	4	-	-	22	17	-	-	1	-	-	9	5	-	3	2	-	23,234
Not in institution	2	-	-	-	-	6	7	-	-	-	-	-	6	3	-	-	-	-	7,660
In resident institution	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	3,173
In nonresident institution	1	-	3	-	-	12	4	-	-	1	-	-	3	2	-	3	2	-	11,327
In institution of type not specified	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	1,074
DELAWARE	5	-	2	-	-	110	-	1	-	1	1	-	-	2	-	-	-	-	4,098
Not in institution	2	-	1	-	-	29	-	-	-	-	-	-	-	1	-	-	-	-	1,630
In resident institution	1	-	-	-	-	8	-	-	-	-	-	-	-	1	-	-	-	-	485
In nonresident institution	2	-	-	-	-	72	-	1	-	1	1	-	-	-	-	-	-	-	1,952
In institution of type not specified	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
DISTRICT OF COLUMBIA	28	-	15	4	1	49	7	13	2	13	15	1	1	542	2	26	8	-	8,952
Not in institution	2	-	5	-	-	3	1	3	-	2	1	-	-	39	-	4	-	-	2,821
In resident institution	1	-	-	-	-	6	1	-	1	-	-	-	-	6	-	-	1	-	834
In nonresident institution	25	-	10	4	1	40	5	10	1	11	14	1	1	496	2	22	7	-	5,274
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	23
FLORIDA	63	2	251	7	4	215	21	27	5	50	29	-	19	42	4	25	62	1	43,614
Not in institution	30	2	108	2	3	72	7	9	2	22	16	-	6	15	1	12	33	1	17,628
In resident institution	2	-	5	-	-	16	-	-	-	2	-	-	-	5	-	1	4	-	2,878
In nonresident institution	30	-	138	5	1	126	14	18	3	26	13	-	13	22	2	12	25	-	22,548
In institution of type not specified	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	560
GEORGIA	50	-	19	3	1	15	1	256	-	85	13	-	-	11	-	9	6	-	33,286
Not in institution	18	-	9	2	-	8	1	37	-	34	7	-	-	4	-	4	5	-	16,979
In resident institution	7	-	-	-	-	1	-	76	-	4	-	-	-	1	-	-	-	-	2,355
In nonresident institution	23	-	10	1	1	6	-	142	-	47	6	-	-	5	-	5	1	-	13,635
In institution of type not specified	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	317
IDAHO	5	-	1	2	55	-	-	-	5	-	8	30	-	-	76	1	1	6	5,240
Not in institution	5	-	1	1	22	-	-	-	1	-	3	18	-	-	40	-	-	3	2,053
In resident institution	-	-	-	-	7	-	-	-	2	-	-	-	-	-	2	-	-	-	634
In nonresident institution	-	-	-	1	26	-	-	-	2	-	5	11	-	-	31	1	1	3	2,325
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	228

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
ILLINOIS	6	5	75	7	5	34	2	1	10	36	16	3	1	8	5	4	217	3	101,667
Not in institution	2	2	32	1	3	19	-	1	2	15	7	1	1	6	3	2	82	1	36,537
In resident institution	-	1	7	3	1	-	-	-	2	-	1	-	-	-	1	-	27	-	11,946
In nonresident institution	4	2	34	3	1	15	2	-	6	20	7	2	-	2	1	2	106	2	51,864
In institution of type not specified	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	1,320
INDIANA	2	2	240	2	1	22	-	-	1	12	21	1	-	4	3	8	21	1	44,227
Not in institution	1	1	67	1	1	10	-	-	1	5	11	1	-	3	2	3	9	-	18,042
In resident institution	-	-	25	1	-	3	-	-	-	2	-	-	-	1	-	1	5	-	5,042
In nonresident institution	1	1	144	-	-	9	-	-	-	4	10	-	-	-	1	4	7	1	20,577
In institution of type not specified	-	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	566
IOWA	1	4	2	4	-	2	-	1	72	3	3	1	-	1	3	1	59	2	27,776
Not in institution	1	2	1	4	-	2	-	1	9	2	3	1	-	-	2	1	7	1	9,862
In resident institution	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	-	9	-	2,877
In nonresident institution	-	2	1	-	-	-	-	-	54	1	-	-	-	-	1	-	41	1	13,680
In institution of type not specified	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	-	1,357
KANSAS	-	-	6	176	3	6	1	-	5	6	36	1	-	-	6	-	2	-	20,321
Not in institution	-	-	2	35	1	2	1	-	4	-	11	1	-	-	2	-	2	-	7,295
In resident institution	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,839
In nonresident institution	-	-	3	122	2	4	-	-	1	6	25	-	-	-	4	-	-	-	10,746
In institution of type not specified	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	441
KENTUCKY	13	1	189	5	1	18	2	2	1	154	9	-	-	37	2	121	4	-	29,421
Not in institution	6	-	71	-	1	10	-	2	-	24	5	-	-	6	2	14	2	-	14,607
In resident institution	-	-	22	-	-	-	1	-	-	6	-	-	-	-	-	1	-	-	2,102
In nonresident institution	7	1	94	5	-	8	1	-	1	123	4	-	-	31	-	105	2	-	12,239
In institution of type not specified	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	473
LOUISIANA	10	-	7	16	1	4	-	5	4	16	251	-	-	2	2	3	7	-	28,889
Not in institution	6	-	4	7	-	-	-	3	2	5	84	-	-	2	1	1	4	-	13,877
In resident institution	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	1,281
In nonresident institution	4	-	3	9	1	3	-	2	2	11	158	-	-	-	1	2	3	-	13,450
In institution of type not specified	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	281
MAINE	-	-	5	-	1	7	6	-	-	-	1	1	10	-	1	-	-	-	10,498
Not in institution	-	-	4	-	1	4	3	-	-	-	1	1	5	-	1	-	-	-	4,484
In resident institution	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	1,571
In nonresident institution	-	-	1	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	4,229
In institution of type not specified	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	214
MARYLAND	33	-	21	4	-	258	9	14	-	10	3	3	-	270	3	172	1	-	27,116
Not in institution	9	-	4	-	-	69	1	-	-	-	2	1	-	46	-	14	-	-	9,842
In resident institution	2	-	2	-	-	48	4	-	-	-	-	1	-	28	-	35	-	-	2,576
In nonresident institution	22	-	15	4	-	136	4	14	-	10	1	1	-	191	3	123	1	-	14,463
In institution of type not specified	-	-	-	-	-	5	-	-	-	-	-	-	-	5	-	-	-	-	235
MASSACHUSETTS	2	1	17	1	-	31	252	3	-	2	4	1	51	7	-	4	2	-	56,620
Not in institution	-	-	6	-	-	13	24	1	-	1	1	1	12	2	-	1	1	-	20,164
In resident institution	-	-	1	-	-	2	55	-	-	-	-	-	13	-	-	2	-	-	7,623
In nonresident institution	2	1	10	1	-	16	171	2	-	1	2	-	23	5	-	1	1	-	27,955
In institution of type not specified	-	-	-	-	-	-	2	-	-	-	1	-	3	-	-	-	-	-	878
MICHIGAN	-	-	240	-	2	33	1	-	3	16	9	1	-	3	5	10	201	1	65,937
Not in institution	-	-	77	-	1	16	1	-	2	9	3	1	-	1	2	3	19	-	21,862
In resident institution	-	-	15	-	-	-	-	-	1	2	1	-	-	-	-	-	9	1	5,752
In nonresident institution	-	-	145	-	1	17	-	-	-	5	5	-	-	2	3	7	172	-	37,290
In institution of type not specified	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1,033
MINNESOTA	2	195	24	7	6	15	-	-	121	8	24	3	-	3	19	2	331	5	30,675
Not in institution	1	26	1	-	3	3	-	-	14	1	5	-	-	-	5	-	34	2	9,934
In resident institution	1	14	1	-	1	-	-	-	6	-	-	-	-	-	1	-	16	-	3,387
In nonresident institution	-	153	22	7	2	12	-	-	99	7	19	3	-	3	13	2	271	3	16,755
In institution of type not specified	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	10	-	599
MISSISSIPPI	5	-	9	5	1	4	-	-	-	91	22	-	-	2	1	-	5	-	21,573
Not in institution	2	-	6	5	1	1	-	-	-	41	10	-	-	-	1	-	2	-	12,476
In resident institution	-	-	-	-	-	-	-	-	-	5	2	-	-	-	-	-	-	-	877
In nonresident institution	3	-	3	-	-	3	-	-	-	45	10	-	-	2	-	-	2	-	7,738
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	482
MISSOURI	6	3	22	72	7	8	7	1	4	20	41	1	-	5	7	2	14	2	46,769
Not in institution	4	1	7	28	4	6	6	1	1	8	20	1	-	1	3	-	6	1	19,203
In resident institution	-	-	2	4	-	1	-	-	1	-	-	-	-	1	-	-	2	-	4,586
In nonresident institution	2	2	13	40	3	1	1	-	2	10	20	-	-	2	4	2	6	1	22,337
In institution of type not specified	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	643

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
MONTANA	-	29	2	1	8	2	-	-	9	-	6	4	-	1	21	-	3	29	6,261
Not in institution	-	10	1	1	4	2	-	-	6	-	2	3	-	-	8	-	1	5	2,169
In resident institution	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	448
In nonresident institution	-	19	1	-	4	-	-	-	2	-	4	1	-	1	13	-	2	24	3,537
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	107
NEBRASKA	1	2	2	7	4	3	-	1	51	-	8	1	-	-	8	1	5	15	13,729
Not in institution	-	-	1	3	1	1	-	1	10	-	4	1	-	-	5	1	2	5	4,571
In resident institution	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	1,276
In nonresident institution	1	2	1	4	3	1	-	-	34	-	3	-	-	-	3	-	2	10	7,537
In institution of type not specified	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	-	345
NEVADA	-	-	4	2	11	2	-	-	1	1	8	17	-	1	5	-	1	-	2,311
Not in institution	-	-	2	1	5	-	-	-	1	-	4	13	-	1	2	-	-	-	889
In resident institution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
In nonresident institution	-	-	2	1	6	1	-	-	-	1	4	4	-	-	3	-	1	-	1,352
In institution of type not specified	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	10
NEW HAMPSHIRE	-	-	-	1	-	4	3	1	1	-	1	-	151	-	-	2	7	-	6,563
Not in institution	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	2	-	2,196
In resident institution	-	-	-	1	-	1	-	-	1	-	-	-	12	-	-	1	3	-	852
In nonresident institution	-	-	-	-	-	3	3	1	-	-	1	-	129	-	-	1	2	-	3,374
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	141
NEW JERSEY	11	2	18	-	-	655	6	5	-	3	4	-	4	18	1	5	2	-	57,929
Not in institution	4	2	5	-	-	289	3	3	-	1	3	-	1	12	-	1	-	-	22,789
In resident institution	2	-	3	-	-	55	1	-	-	-	-	-	1	2	-	-	1	-	5,913
In nonresident institution	5	-	10	-	-	307	2	2	-	2	1	-	2	4	1	4	1	-	28,901
In institution of type not specified	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	326
NEW MEXICO	3	1	6	30	1	6	-	1	3	3	132	7	-	3	1	-	6	1	6,105
Not in institution	1	-	5	19	-	3	-	-	2	2	54	1	-	2	-	-	5	1	2,335
In resident institution	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	228
In nonresident institution	2	1	1	11	1	3	-	1	1	1	77	6	-	1	1	-	1	-	3,473
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
NEW YORK	33	1	92	3	1	558	30	20	-	5	20	1	45	31	7	8	9	2	173,814
Not in institution	13	-	32	1	-	135	10	7	-	3	11	-	10	4	4	1	5	1	59,477
In resident institution	3	-	18	-	-	41	2	3	-	-	1	-	1	2	-	1	1	-	20,915
In nonresident institution	17	1	41	2	1	375	17	10	-	2	8	1	32	24	2	4	3	1	91,993
In institution of type not specified	-	-	1	-	-	7	1	-	-	-	-	-	2	1	1	2	-	-	1,429
NORTH CAROLINA	...	1	23	2	-	26	3	268	-	78	9	-	1	263	-	14	-	1	35,674
Not in institution	...	1	10	-	-	12	1	61	-	13	2	-	1	69	-	5	-	1	17,012
In resident institution	...	-	1	-	-	1	-	6	-	1	-	-	-	4	-	-	-	-	1,914
In nonresident institution	...	-	11	2	-	12	2	200	-	64	7	-	-	188	-	9	-	-	16,358
In institution of type not specified	...	-	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	390
NORTH DAKOTA	-	...	-	-	7	-	-	1	47	-	5	-	-	1	6	1	4	1	5,215
Not in institution	-	...	-	-	4	-	-	1	5	-	1	-	-	1	-	1	2	-	1,599
In resident institution	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	378
In nonresident institution	-	...	-	-	3	-	-	-	42	-	4	-	-	-	6	-	2	1	3,234
In institution of type not specified	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
OHIO	8	5	...	15	6	287	2	3	2	27	7	-	2	21	3	340	12	-	91,675
Not in institution	1	1	...	9	4	75	2	1	1	15	5	-	1	8	2	58	5	-	35,256
In resident institution	1	2	...	-	-	29	-	-	-	1	1	-	1	2	1	39	-	-	9,865
In nonresident institution	6	2	...	6	2	180	-	2	1	11	1	-	-	11	-	232	7	-	45,248
In institution of type not specified	-	-	...	-	-	3	-	-	-	-	-	-	-	-	-	11	-	-	1,306
OKLAHOMA	3	1	13	...	-	6	1	1	2	2	189	1	-	-	5	3	6	2	21,770
Not in institution	3	-	2	...	-	3	-	-	-	-	88	1	-	-	3	2	4	1	8,765
In resident institution	-	-	3	...	-	-	-	-	-	-	4	-	-	-	1	-	-	1	1,848
In nonresident institution	-	1	6	...	-	3	1	1	2	2	91	-	-	-	1	1	2	-	10,829
In institution of type not specified	-	-	2	...	-	-	-	-	-	-	6	-	-	-	-	-	-	-	328
OREGON	-	5	4	7	...	-	1	5	1	2	10	4	-	1	190	-	2	1	15,479
Not in institution	-	3	2	4	...	-	-	3	1	1	7	2	-	1	73	-	1	1	5,468
In resident institution	-	-	-	-	...	-	-	1	-	-	-	-	-	-	19	-	-	-	2,612
In nonresident institution	-	2	2	3	...	-	1	1	-	1	3	2	-	-	97	-	1	-	7,223
In institution of type not specified	-	-	-	-	...	-	-	-	-	-	-	-	-	-	1	-	-	-	176
PENNSYLVANIA	19	-	348	1	1	...	5	10	2	9	4	-	-	50	2	111	9	1	118,571
Not in institution	7	-	85	1	1	...	1	4	1	3	2	-	-	18	1	18	7	-	47,939
In resident institution	1	-	28	-	-	...	1	1	-	-	-	-	-	8	-	7	-	-	12,004
In nonresident institution	11	-	230	-	-	...	1	5	1	6	2	-	-	23	1	86	2	1	57,608
In institution of type not specified	-	-	5	-	-	...	2	-	-	-	-	-	-	1	-	-	-	-	1,020

Table 61. Deaths by State of Occurrence and Type of Institution in Which Death Occurred Distributed According to State of Residence: United States and Each State, 1958—Con.

(Excludes fetal deaths)

STATE OF OCCURRENCE AND TYPE OF INSTITUTION IN WHICH DEATH OCCURRED	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
RHODE ISLAND	1	-	-	-	-	9	...	-	-	-	8	-	1	2	-	-	-	-	8,878
Not in institution	-	-	-	-	-	6	...	-	-	-	6	-	1	2	-	-	-	-	3,301
In resident institution	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	1,165
In nonresident institution	1	-	-	-	-	3	...	-	-	-	2	-	-	-	-	-	-	-	4,366
In institution of type not specified	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	46
SOUTH CAROLINA	167	-	15	-	-	16	2	...	-	6	4	1	-	15	-	3	1	-	19,709
Not in institution	62	-	7	-	-	3	1	...	-	3	2	-	-	5	-	1	1	-	9,881
In resident institution	11	-	1	-	-	-	-	...	-	1	-	-	-	4	-	1	-	-	1,383
In nonresident institution	89	-	7	-	-	13	1	...	-	2	2	1	-	5	-	1	-	-	8,314
In institution of type not specified	5	-	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	-	131
SOUTH DAKOTA	-	49	3	3	3	3	-	-	...	-	4	1	-	-	9	-	7	21	6,248
Not in institution	-	10	-	2	1	2	-	-	...	-	2	-	-	-	4	-	2	7	2,095
In resident institution	-	10	2	-	-	-	-	-	...	-	-	-	-	-	4	-	-	-	503
In nonresident institution	-	28	1	1	2	1	-	-	...	-	2	1	-	-	1	-	5	14	3,569
In institution of type not specified	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	81
TENNESSEE	70	-	42	7	1	11	-	23	2	...	23	1	1	254	1	13	5	-	32,385
Not in institution	12	-	19	-	1	1	-	2	1	...	6	1	1	16	-	2	1	-	15,578
In resident institution	6	-	1	-	-	2	-	1	-	...	2	-	-	8	-	-	1	-	1,733
In nonresident institution	52	-	22	7	-	8	-	20	1	...	15	-	-	229	1	11	2	-	14,755
In institution of type not specified	-	-	-	-	-	-	-	-	-	...	-	-	-	1	-	-	1	-	319
TEXAS	17	2	29	299	10	22	1	10	4	30	...	14	1	12	7	4	7	2	73,351
Not in institution	5	2	13	76	3	10	-	5	-	16	...	13	-	6	4	4	-	-	32,382
In resident institution	1	-	1	12	-	-	-	-	1	2	...	-	-	1	1	-	-	-	3,905
In nonresident institution	11	-	14	208	7	12	1	5	3	12	...	1	1	5	2	-	6	2	35,390
In institution of type not specified	-	-	1	3	-	-	-	-	-	-	...	-	-	-	-	-	1	-	1,674
UTAH	1	-	2	4	9	3	-	-	1	1	5	...	-	1	11	-	2	56	5,842
Not in institution	1	-	1	2	4	-	-	-	1	1	3	...	-	-	3	-	1	9	2,625
In resident institution	-	-	-	1	1	-	-	-	-	-	-	...	-	-	-	-	-	3	309
In nonresident institution	-	-	1	1	4	3	-	-	-	-	2	...	-	1	6	-	1	43	2,844
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	...	-	-	2	-	-	1	64
VERMONT	-	-	3	-	-	6	7	1	-	1	-	-	...	-	-	-	-	-	4,295
Not in institution	-	-	1	-	-	4	4	1	-	-	-	-	...	-	-	-	-	-	1,598
In resident institution	-	-	-	-	-	1	3	-	-	-	-	-	...	-	-	-	-	-	623
In nonresident institution	-	-	1	-	-	1	-	-	-	1	-	-	...	-	-	-	-	-	1,990
In institution of type not specified	-	-	1	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	84
VIRGINIA	302	2	43	4	3	84	4	23	-	62	16	2	-	...	1	242	5	-	33,131
Not in institution	89	-	20	2	-	39	1	9	-	16	9	-	-	...	-	34	1	-	14,987
In resident institution	20	2	3	1	1	4	-	-	-	7	-	1	-	...	1	23	2	-	2,710
In nonresident institution	189	-	19	1	2	40	3	14	-	39	6	1	-	...	-	178	2	-	15,201
In institution of type not specified	4	-	1	-	-	1	-	-	-	-	1	-	-	...	-	7	-	-	233
WASHINGTON	-	5	4	2	308	1	-	2	3	5	7	3	-	1	...	1	3	4	25,500
Not in institution	-	3	4	1	45	1	-	1	-	3	4	-	-	1	...	-	-	1	8,393
In resident institution	-	-	-	-	21	-	-	-	-	-	-	2	-	-	...	1	1	-	4,088
In nonresident institution	-	2	-	1	242	-	-	1	2	2	2	1	-	-	...	-	2	3	12,571
In institution of type not specified	-	-	-	-	-	-	-	-	1	-	1	-	-	-	...	-	-	-	448
WEST VIRGINIA	5	-	439	-	-	133	1	2	1	8	1	-	-	193	-	...	3	-	17,714
Not in institution	4	-	61	-	-	23	1	1	1	6	-	-	-	41	-	...	2	-	7,851
In resident institution	-	-	13	-	-	5	-	1	-	-	-	-	-	1	-	...	-	-	1,209
In nonresident institution	1	-	341	-	-	98	-	-	-	2	1	-	-	150	-	...	1	-	8,359
In institution of type not specified	-	-	24	-	-	7	-	-	-	-	-	-	-	1	-	...	-	-	295
WISCONSIN	-	4	14	3	4	7	2	-	7	2	9	-	1	1	5	5	...	6	37,280
Not in institution	-	1	5	1	1	3	-	-	2	1	1	-	1	-	2	1	...	3	12,412
In resident institution	-	-	2	-	-	1	-	-	2	-	1	-	-	-	1	-	...	1	3,691
In nonresident institution	-	3	7	2	3	3	2	-	3	1	7	-	-	1	2	4	...	2	20,357
In institution of type not specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	820
WYOMING	-	3	6	3	1	2	-	-	6	-	10	25	-	-	4	-	1	...	2,536
Not in institution	-	1	3	-	1	2	-	-	4	-	5	17	-	-	1	-	1	...	782
In resident institution	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	...	190
In nonresident institution	-	2	2	3	-	-	-	-	1	-	5	7	-	-	3	-	-	...	1,546
In institution of type not specified	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	18

[1]Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group, or the rural area of the county, of which the decedent was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation rules, see "Residence statistics" in section 1 of text in Volume I of Vital Statistics of the United States, 1958.

[2]Includes estimate for Massachusetts; for explanation, see "Massachusetts data" in section 1 of text in Volume I.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
UNITED STATES	1,647,886	644,548	158,030	821,234	24,074	1,647,886	644,548	158,030	821,234	24,074
Metropolitan counties[1]	998,824	349,239	93,662	543,575	12,348	972,733	352,130	97,104	511,411	12,088
Nonmetropolitan counties[1]	649,062	295,309	64,368	277,659	11,726	675,153	292,418	60,926	309,823	11,986
ALABAMA	29,285	16,402	1,725	10,913	245	29,521	16,444	1,640	11,182	255
Metropolitan counties	11,856	5,728	790	5,298	40	11,221	5,752	787	4,633	49
Nonmetropolitan counties	17,429	10,674	935	5,615	205	18,300	10,692	853	6,549	206
Autauga	196	123	27	41	5	200	117	17	65	1
Baldwin	396	272	31	79	14	420	244	27	140	9
Barbour	281	221	-	59	1	311	223	8	79	1
Bibb	117	117	-	-	-	177	116	7	54	-
Blount	215	129	-	86	-	227	121	7	97	2
Bullock	156	128	-	27	1	181	129	11	39	2
Butler	278	162	-	116	-	263	167	12	84	-
Calhoun	714	381	16	310	7	750	401	41	299	9
Anniston	484	196	16	270	2	390	203	25	159	3
Balance of county	230	185	-	40	5	360	198	16	140	6
Chambers	357	230	-	125	2	388	232	14	137	5
Cherokee	106	73	-	33	-	144	74	7	63	-
Chilton	196	137	-	59	-	237	138	12	84	3
Choctaw	164	121	-	43	-	191	124	7	58	2
Clarke	213	139	-	74	-	229	134	9	86	-
Clay	101	65	-	32	4	114	66	3	42	3
Cleburne	55	55	-	-	-	87	54	4	28	1
Coffee	173	102	-	71	-	232	117	4	111	-
Colbert	287	173	8	105	1	330	175	16	136	3
Sheffield	157	53	-	104	-	104	53	4	47	-
Balance of county	130	120	8	1	1	226	122	12	89	3
Conecuh	161	124	-	37	-	189	124	4	60	1
Coosa	76	76	-	-	-	114	71	9	31	3
Covington	341	181	4	148	8	348	186	13	141	8
Crenshaw	132	117	-	14	1	178	119	8	49	2
Cullman	321	193	-	128	-	353	193	17	143	-
Dale	177	108	-	67	2	219	118	9	90	2
Dallas	715	301	16	396	2	614	295	34	284	1
Selma	534	129	16	387	2	300	113	21	166	-
Balance of county	181	172	-	9	-	314	182	13	118	1
DeKalb	275	189	1	85	-	329	191	13	124	1
Elmore	210	185	7	17	1	297	189	27	80	1
Escambia	321	166	1	153	1	325	164	17	144	-
Etowah	803	433	51	319	-	805	449	39	317	-
Gadsden	616	261	36	319	-	485	259	26	200	-
Balance of county	187	172	15	-	-	320	190	13	117	-
Fayette	150	112	-	28	10	190	113	13	52	12
Franklin	189	104	-	23	62	219	110	10	43	56
Geneva	202	124	-	78	-	226	132	5	89	-
Greene	154	154	-	-	-	193	154	7	32	-
Hale	185	154	25	1	5	214	154	14	44	2
Henry	127	113	-	13	1	159	117	2	39	1
Houston	460	285	10	165	-	447	281	19	147	-
Dothan	322	148	9	165	-	236	144	11	81	-
Balance of county	138	137	1	-	-	211	137	8	66	-
Jackson	339	235	-	103	1	358	232	9	117	-
Jefferson	6,281	3,006	364	2,895	16	5,976	3,024	475	2,462	15
Birmingham	4,510	1,869	161	2,468	12	3,666	1,822	306	1,528	10
Bessemer	319	184	12	122	1	355	190	25	139	1
Fairfield	294	88	-	206	-	129	67	6	56	-
Homewood	130	78	-	52	-	137	71	10	56	-
Balance of county	1,028	787	191	47	3	1,689	874	128	683	4
Lamar	134	94	-	40	-	164	97	6	60	1
Lauderdale	432	209	5	217	1	434	204	14	216	-
Florence	328	111	1	216	-	242	103	5	134	-
Balance of county	104	98	4	1	1	192	101	9	82	-
Lawrence	160	125	-	34	1	196	132	7	55	2
Lee	347	241	-	106	-	386	239	10	136	1
Auburn	39	38	-	1	-	73	39	3	31	-
Opelika	192	87	-	105	-	129	80	4	44	1
Balance of county	116	116	-	-	-	184	120	3	61	-
Limestone	305	187	-	117	1	328	186	13	128	1
Lowndes	127	125	-	-	2	161	119	6	34	2
Macon	537	168	206	163	-	273	169	21	83	-
Madison	688	416	10	261	1	737	421	24	287	5
Huntsville	498	231	10	256	1	416	230	15	168	3
Balance of county	190	185	-	5	-	321	191	9	119	2
Marengo	301	242	-	58	1	317	238	15	62	2
Marion	187	89	16	81	1	174	78	9	85	2
Marshall	370	221	-	147	2	370	216	15	138	1
Mobile	2,673	1,189	296	1,173	15	2,436	1,192	139	1,084	21
Mobile	2,037	779	96	1,153	9	1,514	727	107	667	13
Prichard	128	128	-	-	-	304	145	11	147	1
Balance of county	508	282	200	20	6	618	320	21	270	7
Monroe	183	152	-	31	-	213	156	5	51	1

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
ALABAMA—Continued										
Montgomery	1,728	867	79	773	9	1,560	851	111	586	12
Montgomery	1,298	660	79	552	7	1,231	636	99	486	10
Balance of county	430	207	-	221	2	329	215	12	100	2
Morgan	522	277	24	216	5	523	276	28	214	5
Decatur	294	131	14	146	3	243	122	16	103	2
Balance of county	228	146	10	70	2	280	154	12	111	3
Perry	190	124	-	65	1	209	124	10	73	2
Pickens	168	112	-	56	-	209	115	15	78	1
Pike	314	188	-	126	-	304	190	12	101	1
Randolph	176	109	2	62	3	204	111	9	82	2
Russell	371	233	-	138	-	444	236	23	184	1
Phenix City	261	123	-	138	-	247	117	14	115	1
Balance of county	110	110	-	-	-	197	119	9	69	-
St. Clair	214	148	34	25	7	246	146	21	74	5
Shelby	201	199	-	1	1	287	196	4	86	1
Sumter	217	197	-	20	-	264	198	13	53	-
Talladega	554	307	-	230	17	587	303	31	236	17
Talladega	161	69	-	92	-	127	67	13	46	1
Balance of county	393	238	-	138	17	460	236	18	190	16
Tallapoosa	388	217	28	128	15	365	219	18	121	7
Tuscaloosa	1,222	376	440	401	5	801	370	60	365	6
Tuscaloosa	994	207	382	401	4	445	185	44	212	4
Balance of county	228	169	58	-	1	356	185	16	153	2
Walker	492	285	13	192	2	569	291	24	253	1
Washington	100	68	-	32	-	129	70	5	51	3
Wilcox	197	187	-	-	10	248	188	10	44	6
Winston	163	62	11	90	-	149	65	12	72	-
ARIZONA	9,492	3,623	492	5,261	116	9,068	3,390	494	5,057	127
Metropolitan counties	4,524	1,698	429	2,377	20	4,264	1,628	302	2,306	28
Nonmetropolitan counties	4,968	1,925	63	2,884	96	4,804	1,762	192	2,751	99
Apache	282	80	-	196	6	248	88	7	144	9
Cochise	383	129	-	254	-	412	118	10	284	-
Coconino	231	124	-	106	1	207	82	8	114	3
Gila	228	96	-	129	3	230	89	5	135	1
Graham	94	50	-	43	1	110	51	4	54	1
Greenlee	62	26	-	35	1	73	26	3	43	1
Maricopa	4,524	1,698	429	2,377	20	4,264	1,628	302	2,306	28
Phoenix	2,385	765	265	1,349	6	1,949	727	172	1,039	11
Mesa	257	77	11	169	-	203	73	11	118	1
Balance of county	1,882	856	153	859	14	2,112	828	119	1,149	16
Mohave	120	54	-	66	-	103	39	4	59	1
Navajo	259	108	-	129	22	293	110	4	157	22
Pima	2,028	754	58	1,213	3	1,925	731	108	1,082	4
Tucson	928	411	55	461	1	1,206	445	97	662	2
Balance of county	1,100	343	3	752	2	719	286	11	420	2
Pinal	466	204	4	252	6	477	179	15	277	6
Santa Cruz	98	52	-	44	2	93	40	5	46	2
Yavapai	393	97	-	262	34	322	87	11	194	30
Yuma	324	151	1	155	17	311	122	8	162	19
ARKANSAS	17,017	8,616	1,156	6,928	317	17,051	8,623	1,164	6,949	315
Metropolitan counties	3,271	903	699	1,638	31	2,129	882	323	899	25
Nonmetropolitan counties	13,746	7,713	457	5,290	286	14,922	7,741	841	6,050	290
Arkansas	164	119	3	41	1	195	115	13	65	2
Ashley	139	111	-	28	-	191	112	8	71	-
Baxter	122	57	8	55	2	120	52	7	59	2
Benton	410	172	40	186	12	404	171	50	171	12
Boone	171	58	5	107	1	129	51	10	66	2
Bradley	142	79	-	60	3	142	79	6	55	2
Calhoun	39	35	-	3	1	65	41	3	15	6
Carroll	99	72	1	14	12	133	70	7	49	7
Chicot	257	169	-	88	-	223	160	3	60	-
Clark	161	106	-	55	-	189	100	8	79	2
Clay	146	108	10	26	2	225	114	13	95	3
Cleburne	96	51	-	44	1	126	55	8	62	1
Cleveland	48	37	-	-	11	83	41	6	21	15
Columbia	230	152	-	78	-	261	157	10	93	1
Conway	140	65	-	75	-	141	70	9	62	-
Craighead	408	203	2	202	1	362	204	15	140	3
Jonesboro	296	98	-	198	-	165	88	8	68	1
Balance of county	112	105	2	4	1	197	116	7	72	2
Crawford	160	88	16	56	-	197	86	20	88	3
Crittenden	377	300	-	77	-	454	298	17	139	-
Cross	134	90	-	40	4	179	89	12	74	4
Dallas	115	72	11	1	31	119	68	7	33	11
Desha	151	115	-	26	10	193	115	8	64	6
Drew	144	94	-	50	-	172	106	3	60	3
Faulkner	196	99	11	86	-	208	90	20	97	1
Franklin	85	44	-	38	3	95	45	5	43	2
Fulton	41	40	-	-	1	79	47	4	27	1
Garland	700	320	29	342	9	672	297	49	322	4
Hot Springs	603	244	10	342	7	510	218	33	255	4
Balance of county	97	76	19	-	2	162	79	16	67	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
ARKANSAS—Continued										
Grant	31	30	-	-	1	51	27	8	14	2
Greene	248	107	1	134	6	223	104	7	105	7
Hempstead	229	131	-	89	9	248	135	5	102	6
Hot Spring	148	83	-	61	4	182	85	13	81	3
Howard	132	41	15	58	18	106	45	4	48	9
Independence	251	94	-	138	19	211	95	6	96	14
Izard	43	33	-	9	1	74	36	3	31	4
Jackson	226	100	-	122	4	215	79	14	120	2
Jefferson	678	405	25	245	3	773	408	46	311	8
Pine Bluff	502	249	8	243	2	492	251	29	207	5
Balance of county	176	156	17	2	1	281	157	17	104	3
Johnson	117	59	2	56	-	133	61	8	64	-
Lafayette	110	66	-	44	-	121	69	6	46	-
Lawrence	112	95	-	14	3	189	108	9	68	4
Lee	128	110	-	-	18	171	109	7	37	18
Lincoln	77	68	-	8	1	115	71	6	32	6
Little River	71	46	-	13	12	98	47	7	34	10
Logan	230	113	7	105	5	188	110	14	58	6
Lonoke	155	129	9	-	17	236	127	18	81	10
Madison	51	47	-	4	-	84	50	6	28	-
Marion	51	25	-	26	-	56	21	6	29	-
Miller	448	163	17	268	-	298	162	19	114	3
Texarkana[2]	379	99	12	268	-	193	94	11	86	2
Balance of county	69	64	5	-	-	105	68	8	28	1
Mississippi	469	310	6	149	4	537	311	20	201	5
Blytheville	175	84	-	91	-	168	89	7	72	-
Balance of county	294	226	6	58	4	369	222	13	129	5
Monroe	175	130	-	45	-	204	127	10	64	3
Montgomery	29	29	-	-	-	53	27	4	21	1
Nevada	108	73	-	35	-	125	71	3	45	6
Newton	30	30	-	-	-	56	30	2	24	-
Ouachita	298	153	-	141	4	324	157	11	155	1
Camden	225	81	-	141	3	186	90	7	89	-
Balance of county	73	72	-	-	1	138	67	4	66	1
Perry	44	29	12	-	3	61	29	9	20	3
Phillips	387	292	-	95	-	464	295	22	146	1
Helena	195	101	-	94	-	149	97	8	44	-
Balance of county	192	191	-	1	-	315	198	14	102	1
Pike	45	44	-	-	1	89	49	6	29	5
Poinsett	123	116	-	7	-	229	125	6	97	1
Polk	169	64	-	101	4	176	62	3	106	5
Pope	174	87	9	75	3	168	90	9	68	1
Prairie	70	66	-	3	1	104	67	7	28	2
Pulaski	3,271	903	699	1,638	31	2,129	862	323	899	25
Little Rock	2,737	545	534	1,631	27	1,252	498	212	531	11
North Little Rock	301	199	96	5	1	513	224	61	219	9
Balance of county	233	159	69	2	3	364	160	50	149	5
Randolph	137	77	1	59	-	144	78	6	59	1
St. Francis	261	186	-	67	8	318	180	17	114	7
Saline	300	80	139	80	1	178	77	28	70	3
Scott	39	39	-	-	-	71	46	6	19	-
Searcy	61	44	-	17	-	75	44	-	31	-
Sebastian	806	254	29	513	10	677	251	36	382	8
Fort Smith	702	173	29	490	10	520	169	27	317	7
Balance of county	104	81	-	23	-	157	82	9	65	1
Sevier	103	45	-	58	-	110	50	5	50	5
Sharp	21	21	-	-	-	65	28	6	29	2
Stone	26	24	-	-	2	51	28	1	20	2
Union	400	219	-	179	2	437	227	8	199	3
El Dorado	286	106	-	179	1	217	106	5	106	-
Balance of county	114	113	-	-	1	220	121	3	93	3
Van Buren	42	30	-	9	3	55	31	5	16	3
Washington	608	204	43	353	8	464	203	47	207	7
Fayetteville	331	53	15	260	3	117	45	11	60	1
Balance of county	277	151	28	93	5	347	158	36	147	6
White	253	130	6	115	2	317	140	17	155	5
Woodruff	70	70	-	-	-	121	74	8	39	-
Yell	87	66	-	17	4	120	62	6	47	5
CALIFORNIA	125,842	41,981	11,737	69,454	2,670	125,924	42,104	11,717	69,451	2,652
Metropolitan counties	101,501	33,146	9,271	56,927	2,157	102,390	33,842	10,195	56,215	2,133
Nonmetropolitan counties	24,341	8,835	2,466	12,527	513	23,534	8,262	1,522	13,236	514
Alameda	8,276	2,700	759	4,648	169	8,100	2,783	937	4,228	152
Oakland	4,880	1,467	353	3,007	53	4,475	1,502	532	2,378	63
Berkeley	983	400	159	389	35	1,054	395	160	473	26
Alameda	336	136	19	158	23	511	156	65	271	19
San Leandro	183	137	23	1	2	468	161	48	250	9
Albany	88	43	-	44	1	139	58	11	68	2
Hayward	213	86	67	52	8	439	127	39	267	6
Piedmont	38	38	-	-	-	99	43	18	37	1
Balance of county	1,575	393	138	997	47	915	341	64	484	26
Alpine	6	6	-	-	-	4	3	-	1	-
Amador	95	40	-	55	-	108	39	4	65	-

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
CALIFORNIA—Continued										
Butte	782	295	33	444	10	882	306	61	505	10
Chico	169	69	18	81	1	219	71	23	121	4
Balance of county	613	226	15	363	9	663	235	38	384	6
Calaveras	160	44	-	116	-	128	43	5	80	-
Colusa	136	62	-	66	8	138	50	4	76	8
Contra Costa	1,883	746	73	1,059	5	2,416	793	166	1,438	19
Richmond	276	141	3	132	-	565	166	35	360	4
Antioch	62	36	-	26	-	100	33	3	64	-
El Cerrito	54	54	-	-	-	170	68	14	87	1
Pittsburg	115	41	-	74	-	143	44	10	89	-
San Pablo	202	49	5	148	-	134	41	7	86	-
Balance of county	1,174	425	65	679	5	1,304	441	97	752	14
Del Norte	142	52	9	73	8	142	45	15	74	8
El Dorado	216	132	-	84	-	219	95	12	111	1
Fresno	2,881	1,050	169	1,603	59	2,902	1,037	217	1,591	57
Fresno	2,120	515	132	1,443	30	1,261	443	131	663	24
Balance of county	761	535	37	160	29	1,641	594	86	928	33
Glenn	164	73	1	90	-	184	72	7	104	1
Humboldt	761	296	29	427	9	799	297	44	447	11
Eureka	447	106	23	314	4	346	116	19	206	5
Balance of county	314	190	6	113	5	453	181	25	241	6
Imperial	511	232	7	271	1	497	182	20	294	1
Brawley	31	24	7	-	-	95	35	3	57	-
El Centro	95	38	-	56	1	109	32	6	70	1
Balance of county	385	170	-	215	-	293	115	11	167	-
Inyo	126	53	5	59	9	117	41	9	58	9
Kern	1,949	682	53	1,196	18	1,987	635	99	1,231	22
Bakersfield	545	132	34	373	6	529	145	40	339	5
Balance of county	1,404	550	19	823	12	1,458	490	59	892	17
Kings	398	129	2	266	1	416	127	11	278	-
Hanford	137	38	1	98	-	142	47	4	91	-
Balance of county	261	91	1	168	1	274	80	7	187	-
Lake	179	95	41	42	1	194	82	48	63	1
Lassen	103	35	-	37	31	114	34	6	43	31
Los Angeles	50,793	16,038	4,928	28,616	1,211	51,145	16,532	5,493	27,918	1,202
Long Beach	2,884	977	91	1,793	23	3,555	1,012	274	2,228	41
Los Angeles	25,156	8,010	1,931	14,651	564	24,367	8,103	2,697	13,033	534
Pasadena	1,809	667	323	814	5	1,614	640	308	640	26
Alhambra	413	242	11	137	23	664	256	98	300	10
Burbank	651	205	27	419	-	701	233	86	377	5
Glendale	1,704	419	341	912	32	1,327	450	220	636	21
Santa Monica	1,413	335	187	885	6	1,016	336	123	545	12
South Gate	240	125	-	46	69	464	136	38	264	26
Belvedere (twp.)[3 4]	170	65	-	105	-	289	67	16	205	1
Beverly Hills	177	176	-	1	-	389	174	51	158	6
Compton	158	86	20	47	5	441	97	32	267	45
Huntington Park	233	68	27	136	2	371	77	44	248	2
Inglewood	808	158	114	528	8	566	176	64	306	20
Lynwood	569	64	6	492	7	231	65	18	139	9
Pomona	563	168	53	333	9	526	171	79	263	13
Redondo Beach	156	124	23	2	7	348	136	24	173	15
Arcadia	322	131	-	190	1	327	119	51	153	4
Azusa	41	38	-	-	3	125	40	10	71	4
Bell	78	55	1	22	-	181	58	14	107	2
Culver City	284	78	1	205	-	213	73	18	120	2
Gardena	327	50	81	144	52	190	56	12	114	8
Hawthorne	240	52	-	160	28	205	58	21	118	8
Hermosa Beach	107	42	37	-	28	127	41	18	61	7
Manhattan Beach	53	49	3	-	1	161	47	26	79	9
Maywood	184	22	-	162	-	135	29	9	95	2
Monrovia	207	100	42	60	5	325	112	43	163	7
Montebello	265	73	14	177	1	234	76	22	132	4
Monterey Park	147	81	1	64	1	234	83	21	125	5
San Fernando	141	59	-	81	1	153	67	22	64	-
San Gabriel	213	74	16	123	-	225	77	32	113	3
San Marino	49	49	-	-	-	125	54	12	54	5
South Pasadena	112	67	30	-	15	220	79	33	103	5
Torrance	304	137	-	167	-	429	135	23	260	11
Whittier	345	102	96	144	3	362	114	82	159	7
Balance of county	10,270	2,890	1,452	5,616	312	10,305	3,085	852	6,045	323
Madera	356	127	-	226	3	343	110	8	224	1
Madera	96	33	-	62	1	134	35	4	95	-
Balance of county	260	94	-	164	2	209	75	4	129	1
Marin	809	309	30	459	11	935	301	69	555	10
San Rafael	192	60	11	121	-	209	59	20	124	6
Balance of county	617	249	19	338	11	726	242	49	431	4
Mariposa	71	33	-	38	-	59	21	-	38	-
Mendocino	530	181	100	247	2	484	174	35	272	3
Merced	555	225	3	321	6	621	225	16	377	3
Merced	280	49	-	231	-	172	49	7	115	1
Balance of county	275	176	3	90	6	449	176	9	262	2
Modoc	78	36	-	42	-	84	29	-	55	-
Mono	24	17	-	3	4	17	4	-	9	4

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
CALIFORNIA—Continued										
Monterey	1,121	421	29	640	31	1,236	418	60	730	28
Monterey	148	51	-	97	-	142	47	9	84	2
Salinas	381	63	3	307	8	239	62	13	160	4
Balance of county	592	307	26	236	23	855	309	38	486	22
Napa	1,295	195	703	281	116	568	190	107	166	105
Napa	242	82	43	11	106	266	93	55	53	65
Balance of county	1,053	113	660	270	10	302	97	52	113	40
Nevada	303	101	-	200	2	284	78	8	196	2
Orange	3,489	1,417	363	1,622	87	3,754	1,400	349	1,919	86
Santa Ana	529	266	70	182	11	738	282	96	345	15
Anaheim	304	154	15	95	40	475	156	30	274	15
Fullerton	287	94	-	192	1	290	101	18	162	9
Newport Beach	361	124	31	203	3	226	85	32	105	4
Orange	406	59	118	228	1	176	56	36	84	-
Balance of county	1,602	720	129	722	31	1,849	720	137	949	43
Placer	639	178	163	293	5	462	142	31	283	6
Plumas	126	59	-	67	-	127	41	2	84	-
Riverside	2,412	1,069	94	1,194	55	2,506	979	180	1,291	56
Riverside	1,083	251	42	764	26	701	237	72	371	21
Corona	105	51	5	49	-	128	44	20	64	-
Balance of county	1,224	767	47	381	29	1,677	698	88	856	35
Sacramento	3,331	1,056	118	2,043	114	3,606	1,132	204	2,158	112
Sacramento	2,741	596	72	1,968	105	2,159	639	149	1,282	89
Balance of county	590	460	46	75	9	1,447	493	55	876	23
San Benito	132	47	5	80	-	148	46	13	87	2
San Bernardino	4,147	1,412	595	2,014	126	3,960	1,311	329	2,199	121
San Bernardino	1,565	290	43	1,153	79	970	264	91	568	47
Colton	42	42	-	-	-	159	60	8	83	8
Ontario	231	134	54	41	2	366	144	52	165	5
Redlands	241	95	5	137	4	267	98	26	137	6
Balance of county	2,068	851	493	683	41	2,198	745	152	1,246	55
San Diego	6,606	2,334	588	3,555	129	6,675	2,340	695	3,508	132
San Diego	4,229	1,329	138	2,720	42	4,040	1,349	435	2,166	90
Chula Vista	223	69	22	130	2	203	74	16	109	4
Coronado	78	24	-	52	2	107	23	12	71	1
La Mesa	264	60	24	178	2	181	51	29	96	5
National City	281	66	49	165	1	222	62	26	131	3
Oceanside	150	63	4	83	-	155	59	10	82	4
Balance of county	1,381	723	351	227	80	1,767	722	167	853	25
San Francisco, coextensive with San Francisco (city)	9,833	3,014	172	6,510	137	9,417	3,079	820	5,381	137
San Joaquin	2,356	687	434	1,214	21	2,210	691	186	1,312	21
Stockton	1,030	266	411	337	16	981	284	95	592	10
Lodi	211	67	15	129	-	201	68	15	117	1
Balance of county	1,115	354	8	748	5	1,028	339	76	603	10
San Luis Obispo	713	309	30	360	14	712	284	36	383	9
San Luis Obispo	330	62	-	267	1	170	70	11	86	3
Balance of county	383	247	30	93	13	542	214	25	297	6
San Mateo	2,233	768	320	1,114	31	2,620	803	277	1,507	33
Redwood City	118	81	9	24	4	384	99	40	240	5
San Mateo	685	162	3	514	6	497	169	61	260	7
Burlingame	354	81	48	220	5	213	66	23	122	2
Daly City	97	33	62	-	2	188	50	9	127	2
Menlo Park	138	57	78	-	3	219	67	32	116	4
San Bruno	39	38	-	-	1	147	45	19	80	3
San Carlos	30	25	4	-	1	102	32	9	61	-
South San Francisco	122	64	-	57	1	192	71	13	105	3
Balance of county	650	227	116	299	8	678	204	71	396	7
Santa Barbara	1,176	410	67	678	21	1,193	384	117	674	18
Santa Barbara	645	227	66	333	19	697	222	89	372	14
Santa Maria	177	39	-	138	-	133	36	9	88	-
Balance of county	354	144	1	207	2	363	126	19	214	4
Santa Clara	4,022	1,252	712	2,002	56	3,704	1,276	392	1,984	52
San Jose	1,212	432	32	742	6	1,276	433	152	678	13
Palo Alto	592	155	12	419	6	381	138	54	174	15
Santa Clara	91	64	14	13	-	232	78	20	134	-
Balance of county	2,127	601	654	828	44	1,815	627	166	998	24
Santa Cruz	1,152	457	118	558	19	1,194	448	147	582	17
Santa Cruz	688	211	36	433	8	531	195	77	251	8
Watsonville	182	53	12	117	-	156	45	18	92	1
Balance of county	282	193	70	8	11	507	208	52	239	8
Shasta	462	171	5	282	4	458	160	11	282	5
Redding	186	48	-	138	-	154	51	5	95	3
Balance of county	276	123	5	144	4	304	109	6	187	2
Sierra	11	6	-	5	-	27	5	3	19	-
Siskiyou	285	119	-	163	3	293	97	6	186	4
Solano	842	363	10	468	1	946	364	61	517	4
Vallejo	249	133	4	111	1	479	166	35	276	2
Balance of county	593	230	6	357	-	467	198	26	241	2
Sonoma	1,459	510	129	794	26	1,441	498	86	832	25
Petaluma	152	46	-	104	2	157	44	9	102	2
Santa Rosa	688	109	8	553	18	379	112	29	227	11
Balance of county	619	355	121	137	6	905	342	48	503	12

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
CALIFORNIA—Continued										
Stanislaus	1,404	414	223	761	6	1,295	429	83	772	11
Modesto	643	118	1	522	2	364	110	31	219	4
Balance of county	761	296	222	239	4	931	319	52	553	7
Sutter	218	86	5	126	1	265	87	13	162	3
Tehama	256	99	3	152	2	235	76	6	151	2
Trinity	76	38	-	35	3	77	28	1	45	3
Tulare	1,337	518	126	631	62	1,331	498	85	684	64
Tulare	342	60	-	278	4	124	42	13	69	-
Visalia	194	56	5	131	2	174	57	10	104	3
Balance of county	801	402	121	222	56	1,033	399	62	511	61
Tuolumne	160	57	-	102	1	174	62	6	105	1
Ventura	1,511	429	464	590	28	1,180	423	74	649	34
Oxnard	199	59	4	136	-	201	66	14	120	1
San Buenaventura	545	99	-	441	5	263	82	19	158	4
Santa Paula	32	24	2	2	4	96	25	6	60	5
Balance of county	735	247	458	11	19	620	250	35	311	24
Yolo	491	201	19	270	1	529	191	34	300	4
Yuba	260	96	-	162	2	262	84	9	168	1
COLORADO	14,807	4,723	1,404	8,565	115	14,444	4,681	1,375	8,282	106
Metropolitan counties	8,384	2,356	989	4,979	60	7,474	2,378	736	4,315	45
Nonmetropolitan counties	6,423	2,367	415	3,586	55	6,970	2,303	639	3,967	61
Adams	303	145	12	143	3	435	149	26	256	4
Aurora (part)	102	20	1	81	-	68	23	7	38	-
Aurora (total)	139	53	5	81	-	187	61	14	112	-
Balance of county	201	125	11	62	3	367	126	19	218	4
Alamosa	99	25	-	74	-	77	18	4	55	-
Arapahoe	350	198	35	115	2	594	215	47	330	2
Aurora (part)	37	33	4	-	-	119	38	7	74	-
Englewood	228	88	24	115	1	264	98	30	135	1
Balance of county	85	77	7	-	1	211	79	10	121	1
Archuleta	13	13	-	-	-	27	10	1	16	-
Baca	20	20	-	-	-	45	19	3	23	-
Bent	90	31	29	29	1	78	28	7	42	1
Boulder	524	158	38	322	6	554	156	58	333	7
Boulder	280	69	3	208	-	257	72	18	167	-
Balance of county	244	89	35	114	6	297	84	40	166	7
Chaffee	113	29	3	77	4	105	28	11	64	2
Cheyenne	21	6	-	15	-	26	6	3	17	-
Clear Creek	23	23	-	-	-	31	18	2	11	-
Conejos	38	38	-	-	-	68	35	2	31	-
Costilla	24	24	-	-	-	42	27	2	13	-
Crowley	14	14	-	-	-	41	16	3	22	-
Custer	15	15	-	-	-	18	8	2	8	-
Delta	166	76	21	68	1	190	78	32	79	1
Denver, coextensive with Denver (city)	5,763	1,503	206	4,009	45	4,811	1,530	452	2,799	30
Dolores	5	5	-	-	-	14	5	-	9	-
Douglas	28	23	5	-	-	42	17	6	19	-
Eagle	17	17	-	-	-	44	17	4	23	-
Elbert	12	12	-	-	-	31	17	3	11	-
El Paso	1,082	346	58	672	6	1,015	339	82	589	5
Colorado Springs	791	228	4	559	-	750	240	59	447	4
Balance of county	291	118	54	113	6	265	99	23	142	1
Fremont	255	66	19	169	1	294	75	35	181	3
Garfield	113	39	10	63	1	107	31	11	64	1
Gilpin	7	7	-	-	-	15	5	3	7	-
Grand	37	26	-	11	-	33	10	1	22	-
Gunnison	39	24	-	15	-	42	15	3	24	-
Hinsdale	3	3	-	-	-	2	2	-	-	-
Huerfano	96	62	-	34	-	134	62	13	59	-
Jackson	2	2	-	-	-	10	5	1	4	-
Jefferson	490	245	101	136	8	659	216	68	368	7
Kiowa	19	4	-	15	-	28	7	-	21	-
Kit Carson	61	16	2	43	-	59	19	4	36	-
Lake	48	19	-	29	-	60	27	-	33	-
La Plata	182	73	1	108	-	172	73	4	95	-
Larimer	462	179	78	202	3	486	171	70	243	2
Fort Collins	74	55	18	-	1	204	71	36	96	1
Balance of county	388	124	60	202	2	282	100	34	147	1
Las Animas	211	82	12	117	-	256	89	26	141	-
Trinidad	179	51	11	117	-	172	55	19	98	-
Balance of county	32	31	1	-	-	84	34	7	43	-
Lincoln	12	11	1	-	-	51	13	5	33	-
Logan	152	50	4	98	-	172	53	6	112	1
Mesa	537	152	34	348	3	483	158	45	276	4
Grand Junction	365	62	23	280	-	226	69	22	134	1
Balance of county	172	90	11	68	3	257	89	23	142	3
Mineral	6	6	-	-	-	4	1	1	1	1
Moffat	51	24	5	22	-	50	22	6	22	-
Montezuma	92	38	-	53	1	104	41	5	57	1
Montrose	154	57	10	77	10	167	61	13	83	10
Morgan	154	42	3	107	2	187	46	14	126	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
COLORADO—Continued										
Otero	262	72	4	186	-	277	79	18	179	1
Ouray	9	9	-	-	-	13	8	-	4	1
Park	18	13	-	5	-	19	5	3	11	-
Phillips	38	9	-	29	-	42	9	5	28	-
Pitkin	14	11	-	3	-	22	11	1	10	-
Prowers	124	38	7	75	4	116	34	10	68	4
Pueblo	1,478	265	635	576	2	975	268	143	562	2
Pueblo	778	196	5	575	2	799	208	125	464	2
Balance of county	700	69	630	1	-	176	60	18	98	-
Rio Blanco	22	9	-	13	-	32	5	2	25	-
Rio Grande	149	43	1	103	2	118	37	4	76	1
Routt	59	33	-	26	-	71	27	9	35	-
Saguache	26	24	1	-	1	50	20	3	26	1
San Juan	10	9	-	-	1	13	6	1	5	1
San Miguel	15	15	-	-	-	26	13	1	12	-
Sedgwick	27	10	-	17	-	35	12	4	18	1
Summit	7	7	-	-	-	15	8	-	7	-
Teller	32	15	4	13	-	44	14	6	24	-
Washington	39	11	-	28	-	46	10	1	35	-
Weld	488	154	47	279	8	577	149	64	353	11
Greeley	399	65	47	279	8	274	65	31	172	6
Balance of county	89	89	-	-	-	303	84	33	181	5
Yuma	87	28	18	41	-	90	28	16	46	-
CONNECTICUT	22,875	7,604	3,148	11,042	1,081	23,234	7,660	3,173	11,327	1,074
Metropolitan counties	17,728	5,732	1,937	9,197	862	18,191	5,805	2,400	9,112	874
Nonmetropolitan counties	5,147	1,872	1,211	1,845	219	5,043	1,855	773	2,215	200
Fairfield	5,560	1,859	830	2,792	79	5,799	1,874	786	3,058	81
Bridgeport	1,978	586	119	1,264	9	1,801	594	254	925	28
Stamford	816	235	118	460	3	795	236	117	436	6
Norwalk	669	149	43	474	3	547	140	72	332	3
Stratford (town)[3]	199	113	81	-	5	356	111	55	185	5
Danbury	456	113	8	334	1	430	118	63	243	6
Shelton	108	33	18	29	28	123	36	17	64	6
Balance of county	1,334	630	443	231	30	1,747	639	208	873	27
Hartford	5,806	1,942	410	2,831	623	6,009	1,990	698	2,712	609
Hartford	2,627	513	79	2,022	13	2,015	542	239	1,196	38
New Britain	700	251	17	74	358	735	256	69	118	292
Bristol	310	68	5	236	1	321	71	28	213	9
East Hartford (town)[3]	140	95	-	44	1	316	105	33	170	8
West Hartford (town)[3]	285	205	61	1	18	533	206	70	239	18
Balance of county	1,744	810	248	454	232	2,089	810	259	776	244
Litchfield	1,009	454	75	456	24	1,240	453	154	608	25
Torrington	337	115	14	202	6	320	118	34	162	6
Balance of county	672	339	61	254	18	920	335	120	446	19
Middlesex	1,099	313	455	296	35	828	306	152	349	21
Middletown	735	91	336	296	12	283	92	44	141	6
Balance of county	364	222	119	-	23	545	214	108	208	15
New Haven	6,362	1,931	697	3,574	160	6,383	1,941	916	3,342	184
New Haven	2,423	441	144	1,783	55	1,893	460	284	1,084	65
Waterbury	1,375	356	143	862	14	1,149	361	141	628	19
Meriden	590	186	56	342	6	530	184	65	268	13
West Haven (town)[3]	417	109	52	220	36	380	109	49	207	15
Ansonia	58	56	1	-	1	220	56	34	122	8
Derby	286	36	1	249	-	101	39	6	54	2
Naugatuck	113	71	35	-	7	182	76	32	70	4
Wallingford	149	81	51	9	8	270	79	71	110	10
Balance of county	951	595	214	109	33	1,658	577	234	799	48
New London	1,863	633	511	637	102	1,725	626	284	735	80
New London	450	122	35	286	7	360	129	61	158	12
Norwich	559	137	36	345	41	458	141	81	213	23
Balance of county	874	374	440	6	54	907	356	142	364	45
Tolland	477	200	53	191	33	516	196	48	228	44
Windham	679	272	117	265	25	734	274	135	295	30
Willimantic	182	39	3	139	1	148	51	16	77	4
Balance of county	497	233	114	126	24	586	223	119	218	26
DELAWARE	4,235	1,655	510	2,033	37	4,098	1,630	485	1,952	31
Metropolitan counties	2,813	1,006	310	1,482	15	2,668	999	334	1,323	12
Nonmetropolitan counties	1,422	649	200	551	22	1,430	631	151	629	19
Kent	571	244	157	164	6	574	255	69	247	3
New Castle	2,813	1,006	310	1,482	15	2,668	999	334	1,323	12
Wilmington	1,942	620	75	1,237	10	1,490	539	199	744	8
Balance of county	871	386	235	245	5	1,178	460	135	579	4
Sussex	851	405	43	387	16	856	376	82	382	16
DISTRICT OF COLUMBIA	10,096	2,818	704	6,565	9	8,952	2,821	834	5,274	23
FLORIDA	45,102	18,382	2,862	23,299	559	43,614	17,628	2,878	22,548	560
Metropolitan counties	23,324	8,448	1,394	13,210	272	22,199	8,196	1,569	12,174	260
Nonmetropolitan counties	21,778	9,934	1,468	10,089	287	21,415	9,432	1,309	10,374	300
Alachua	635	294	3	329	9	553	283	21	239	10
Gainesville	396	123	-	266	7	216	96	8	107	5
Balance of county	239	171	3	63	2	337	187	13	132	5

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
FLORIDA—Continued										
Baker	41	24	-	17	-	52	25	2	25	-
Bay	385	164	11	203	7	400	162	18	213	7
Panama City	301	106	6	182	7	274	108	9	152	5
Balance of county	84	58	5	21	-	126	54	9	61	2
Bradford	113	61	-	49	3	131	63	8	57	3
Brevard	568	252	28	267	21	594	226	39	307	22
Broward	2,547	1,054	104	1,356	33	2,395	968	95	1,303	29
Fort Lauderdale	1,095	354	37	690	14	891	323	53	499	16
Hollywood	569	166	2	391	10	337	130	15	189	3
Balance of county	883	534	65	275	9	1,167	515	27	615	10
Calhoun	46	41	4	1	-	71	42	4	24	1
Charlotte	110	57	-	53	-	100	39	1	60	-
Citrus	105	59	-	45	1	117	58	10	49	-
Clay	129	61	41	26	1	129	59	10	59	1
Collier	120	61	-	59	-	113	51	1	61	-
Columbia	380	105	4	271	-	189	95	9	85	-
Dade	8,496	3,080	548	4,784	84	7,979	2,938	581	4,375	85
Miami	4,171	1,300	368	2,455	48	3,607	1,275	341	1,950	41
Miami Beach	1,252	449	2	800	1	888	327	42	511	8
Coral Gables	911	144	11	756	-	313	133	27	150	3
Hialeah	270	98	47	116	9	351	123	20	201	7
North Miami	77	71	2	-	4	197	75	15	105	2
Balance of county	1,815	1,018	118	657	22	2,623	1,005	136	1,458	24
De Soto	242	34	151	57	-	101	33	10	58	-
Dixie	43	43	-	-	-	45	36	2	7	-
Duval	3,650	1,538	225	1,804	83	3,565	1,536	244	1,733	72
Jacksonville	2,968	1,054	127	1,719	68	2,460	1,043	177	1,187	53
Balance of county	682	484	98	85	15	1,125	493	67	546	19
Escambia	1,246	545	6	680	15	1,221	534	45	628	14
Pensacola	480	237	3	234	6	577	260	28	287	2
Balance of county	766	308	3	446	9	644	274	17	341	12
Flagler	36	23	-	12	1	53	25	2	25	1
Franklin	65	39	-	26	-	68	34	3	31	-
Gadsden	780	201	459	118	2	342	195	23	122	2
Gilchrist	12	12	-	-	-	30	18	1	11	-
Glades	10	10	-	-	-	24	8	-	16	-
Gulf	64	37	-	26	1	72	34	3	35	-
Hamilton	60	41	-	19	-	84	42	2	39	1
Hardee	91	32	1	57	1	124	39	12	71	2
Hendry	63	24	-	38	1	55	23	1	30	1
Hernando	113	59	3	49	2	114	54	7	52	1
Highlands	237	103	-	130	4	242	96	7	135	4
Hillsborough	3,531	1,142	126	2,210	53	3,567	1,132	194	2,192	49
Tampa	3,040	928	50	2,014	48	2,775	859	135	1,741	40
Balance of county	491	214	76	196	5	792	273	59	451	9
Holmes	78	69	2	7	-	106	69	7	28	2
Indian River	251	97	24	118	12	244	93	21	119	11
Jackson	241	174	-	61	6	296	174	18	101	3
Jefferson	95	87	-	-	8	116	84	3	23	6
Lafayette	16	16	-	-	-	26	18	-	8	-
Lake	584	265	38	275	6	600	249	40	302	9
Lee	453	220	8	222	3	445	202	21	218	4
Fort Myers	349	123	2	222	2	248	100	16	131	1
Balance of county	104	97	6	-	1	197	102	5	87	3
Leon	547	226	10	304	7	482	217	23	239	3
Tallahassee	438	149	10	273	6	334	140	18	176	-
Balance of county	109	77	-	31	1	148	77	5	63	3
Levy	86	84	-	-	2	121	78	3	38	2
Liberty	11	11	-	-	-	24	11	2	11	-
Madison	136	88	-	48	-	168	94	9	62	3
Manatee	753	324	40	382	7	776	314	62	393	7
Bradenton	544	130	27	380	7	306	113	39	150	4
Balance of county	209	194	13	2	-	470	201	23	243	3
Marion	538	282	16	234	6	537	269	32	227	9
Ocala	354	109	9	233	3	186	90	16	79	1
Balance of county	184	173	7	1	3	351	179	16	148	8
Martin	164	94	1	67	2	170	78	5	83	4
Monroe	279	139	-	140	-	281	117	6	158	-
Key West	226	86	-	140	-	224	88	6	130	-
Balance of county	53	53	-	-	-	57	29	-	28	-
Nassau	108	65	-	42	1	133	56	5	71	1
Okaloosa	223	122	-	97	4	260	122	12	123	3
Okeechobee	50	31	-	19	-	55	28	3	24	-
Orange	2,241	775	161	1,261	44	2,103	780	186	1,095	42
Orlando	1,514	390	24	1,093	7	1,012	340	102	549	21
Balance of county	727	385	137	168	37	1,091	440	84	546	21
Osceola	272	128	23	109	12	289	122	30	126	11
Palm Beach	2,186	967	45	1,153	21	2,151	894	90	1,144	23
West Palm Beach	1,264	331	16	909	8	681	256	41	380	4
Lake Worth	242	140	13	78	11	323	134	18	164	7
Balance of county	680	496	16	166	2	1,147	504	31	600	12
Pasco	325	217	17	87	4	410	206	33	164	7
Pinellas	5,406	1,913	334	3,151	8	4,965	1,810	364	2,779	12
St. Petersburg	3,335	1,135	209	1,984	7	2,987	1,057	232	1,689	9
Clearwater	590	184	19	387	-	440	160	40	239	1
Balance of county	1,481	594	106	780	1	1,538	593	92	851	2

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
FLORIDA--Continued										
Polk	1,521	629	104	761	27	1,552	613	132	778	29
Lakeland	512	213	37	251	11	479	206	43	223	7
Balance of county	1,009	416	67	510	16	1,073	407	89	555	22
Putnam	324	202	34	85	3	382	204	44	131	3
St. Johns	344	143	27	174	-	317	137	27	151	2
St. Augustine	267	75	18	174	-	182	70	18	93	1
Balance of county	77	68	9	-	-	135	67	9	58	1
St. Lucie	374	158	14	198	4	350	145	16	188	1
Fort Pierce	329	116	14	198	1	258	103	14	140	1
Balance of county	45	42	-	-	3	92	42	2	48	-
Santa Rosa	146	98	-	42	6	190	98	5	79	8
Sarasota	858	319	88	446	5	780	283	94	396	7
Sarasota	614	184	45	383	2	471	157	64	247	3
Balance of county	244	135	43	63	3	309	126	30	149	4
Seminole	364	164	33	164	3	399	161	39	193	6
Sanford	243	63	13	164	3	165	63	12	88	2
Balance of county	121	101	20	-	-	234	98	27	105	4
Sumter	59	57	-	-	2	95	61	4	30	-
Suwannee	129	65	-	64	-	165	70	16	78	1
Taylor	97	71	-	26	-	108	66	3	39	-
Union	62	23	-	39	-	52	22	3	27	-
Volusia	1,578	689	129	728	32	1,593	652	151	759	31
Daytona Beach	732	267	3	449	13	540	230	29	273	8
Balance of county	846	422	126	279	19	1,053	422	122	486	23
Wakulla	31	31	-	-	-	59	37	3	18	1
Walton	148	92	-	56	-	150	94	5	51	-
Washington	106	51	-	53	2	114	52	6	52	4
GEORGIA	33,493	16,991	2,418	13,765	319	33,286	16,979	2,355	13,635	317
Metropolitan counties	13,948	5,845	1,020	6,933	150	13,063	5,809	1,068	6,061	125
Nonmetropolitan counties	19,545	11,146	1,398	6,832	169	20,223	11,170	1,287	7,574	192
Appling	105	64	-	39	2	119	65	6	47	1
Atkinson	52	52	-	-	-	70	51	4	15	-
Bacon	68	46	-	22	-	78	50	4	24	-
Baker	19	19	-	-	-	31	19	-	12	-
Baldwin	1,203	111	1,033	58	1	212	104	57	50	1
Banks	26	26	-	-	-	44	26	3	15	-
Barrow	107	56	-	50	1	108	53	5	49	1
Bartow	187	129	1	57	-	222	127	8	86	1
Ben Hill	157	71	8	78	-	161	79	12	70	-
Berrien	79	54	-	24	1	92	52	6	34	-
Bibb	1,356	608	88	658	2	1,275	596	85	592	2
Macon	1,107	430	19	657	1	883	413	60	408	2
Balance of county	249	178	69	1	1	392	183	25	184	-
Bleckley	62	53	9	-	-	94	55	5	33	1
Brantley	36	36	-	-	-	61	34	2	24	1
Brooks	150	94	11	45	-	160	97	10	52	1
Bryan	38	38	-	-	-	76	44	3	28	1
Bulloch	233	78	33	122	-	192	76	12	101	3
Burke	258	177	36	43	2	257	178	20	58	1
Butts	48	47	1	-	-	62	46	6	9	1
Calhoun	74	53	-	21	-	90	50	2	38	-
Camden	49	49	-	-	-	59	40	2	17	-
Candler	51	30	-	21	-	62	30	2	30	-
Carroll	262	156	7	98	1	286	155	21	109	1
Catoosa	252	67	-	177	8	121	58	3	56	4
Charlton	71	36	-	35	-	54	31	1	21	1
Chatham	1,898	753	99	1,020	26	1,802	741	131	916	14
Savannah	1,692	618	61	1,005	8	1,476	605	116	745	10
Balance of county	206	135	38	15	18	326	136	15	171	4
Chattahoochee	130	23	-	107	-	28	11	-	17	-
Chattooga	154	82	-	72	-	166	81	7	78	-
Cherokee	128	70	-	58	-	164	71	8	83	2
Clarke	498	149	21	326	2	384	145	17	219	3
Athens	471	123	20	326	2	299	112	15	169	3
Balance of county	27	26	1	-	-	85	33	2	50	-
Clay	51	36	-	15	-	53	35	3	15	-
Clayton	119	118	1	-	-	226	127	11	87	1
College Park (part)	8	8	-	-	-	21	14	1	6	-
Balance of county	111	110	1	-	-	205	113	10	81	1
Clinch	60	30	-	30	-	62	29	-	33	-
Cobb	553	285	20	242	6	626	281	57	283	5
Marietta	330	100	-	230	-	215	80	26	109	-
Balance of county	223	185	20	12	6	411	201	31	174	5
Coffee	204	106	-	98	-	216	100	11	104	1
Colquitt	256	162	-	94	-	284	165	13	104	2
Moultrie	197	103	-	94	-	155	98	9	47	1
Balance of county	59	59	-	-	-	129	67	4	57	1
Columbia	49	49	-	-	-	93	54	11	28	-
Cook	73	42	-	31	-	89	44	4	40	1
Coweta	277	136	-	141	-	268	131	13	124	-
Crawford	26	26	-	-	-	36	25	2	8	1
Crisp	162	94	-	68	-	178	96	17	64	1
Dade	36	29	-	7	-	57	31	1	25	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
GEORGIA—Continued										
Dawson	8	8	-	-	-	36	12	8	15	1
Decatur	207	155	3	47	2	228	157	13	55	3
De Kalb	1,309	575	98	622	14	1,359	610	108	618	23
Atlanta (part)	154	135	16	-	3	414	173	22	210	9
Decatur	139	104	28	-	7	340	129	52	156	3
Balance of county	1,016	336	54	622	4	605	308	34	252	11
Dodge	117	76	-	41	-	165	81	12	72	-
Dooly	127	104	-	23	-	151	99	10	41	1
Dougherty	532	275	-	255	2	528	280	32	215	1
Albany	472	231	-	239	2	439	231	28	179	1
Balance of county	60	44	-	16	-	89	49	4	36	-
Douglas	92	62	9	21	-	102	62	8	32	-
Early	155	126	-	28	1	186	134	5	46	1
Echols	7	7	-	-	-	12	6	-	5	1
Effingham	61	59	-	-	2	87	56	3	24	4
Elbert	134	68	-	66	-	160	70	10	78	2
Emanuel	163	94	-	67	2	190	96	12	80	2
Evans	56	31	-	25	-	61	36	7	18	-
Fannin	74	71	-	3	-	115	70	4	41	-
Fayette	44	44	-	-	-	76	46	6	23	1
Floyd	698	226	42	399	31	561	229	51	251	30
Rome	474	147	41	255	31	355	149	32	149	25
Balance of county	224	79	1	144	-	206	80	19	102	5
Forsyth	73	43	-	30	-	78	43	2	33	-
Franklin	110	80	-	30	-	126	79	9	38	-
Fulton	5,736	2,432	388	2,831	85	5,271	2,425	443	2,345	58
Atlanta (part)	5,439	2,162	361	2,831	85	4,535	2,079	389	2,020	47
Atlanta (total)	5,593	2,297	377	2,831	88	4,949	2,252	411	2,230	56
College Park (part)	33	31	2	-	-	122	47	7	65	3
College Park (total)	41	39	2	-	-	143	61	8	71	3
East Point	68	68	-	-	-	206	85	13	105	3
Balance of county	196	171	25	-	-	408	214	34	155	5
Gilmer	64	38	-	26	-	79	41	2	36	-
Glascock	24	17	7	-	-	34	19	2	13	-
Glynn	313	129	-	176	8	294	121	10	155	8
Brunswick	257	79	-	176	2	197	80	8	104	5
Balance of county	56	50	-	-	6	97	41	2	51	3
Gordon	166	104	5	57	-	176	97	13	63	3
Grady	146	114	1	29	2	167	111	11	43	2
Greene	132	67	-	65	-	134	70	7	55	2
Gwinnett	258	178	-	74	6	307	179	15	106	7
Habersham	140	88	-	52	-	145	83	5	57	-
Hall	367	157	30	177	3	338	156	32	150	-
Gainesville	271	82	9	177	3	160	74	15	71	-
Balance of county	96	75	21	-	-	178	82	17	79	-
Hancock	89	89	-	-	-	123	91	11	21	-
Haralson	99	72	5	19	3	122	64	15	41	2
Harris	74	71	-	-	3	99	70	4	23	2
Hart	81	51	-	30	-	112	58	9	45	-
Heard	63	32	-	31	-	65	33	5	27	-
Henry	95	93	1	-	1	138	97	14	26	1
Houston	118	105	-	12	1	172	94	11	65	2
Irwin	65	43	-	22	-	76	45	5	26	-
Jackson	109	79	-	30	-	155	82	8	63	2
Jasper	54	33	-	21	-	62	33	8	21	-
Jeff Davis	46	42	-	2	2	68	44	3	20	1
Jefferson	146	129	-	14	3	191	135	13	39	4
Jenkins	106	77	17	12	-	100	73	11	16	-
Johnson	63	63	-	-	-	99	59	6	34	-
Jones	54	54	-	-	-	71	53	4	14	-
Lamar	57	54	-	3	-	91	56	7	27	1
Lanier	30	26	-	-	4	49	27	2	16	4
Laurens	458	153	8	296	1	291	151	16	124	-
Dublin	373	74	2	296	1	132	67	5	60	-
Balance of county	85	79	6	-	-	159	84	11	64	-
Lee	32	32	-	-	-	55	35	1	19	-
Liberty	72	61	-	11	-	86	54	2	29	1
Lincoln	37	36	-	1	-	59	36	2	19	2
Long	24	22	-	2	-	37	24	3	10	-
Lowndes	410	215	-	180	15	388	216	20	140	12
Valdosta	299	152	-	137	10	270	152	19	89	10
Balance of county	111	63	-	43	5	118	64	1	51	2
Lumpkin	34	28	-	6	-	45	26	4	15	-
McDuffie	127	63	-	63	1	128	59	10	58	1
McIntosh	47	47	-	-	-	76	48	4	24	-
Macon	137	69	6	54	8	125	72	1	47	5
Madison	50	50	-	-	-	117	57	10	50	-
Marion	31	31	-	-	-	51	35	2	13	1
Meriwether	164	131	-	33	-	188	128	8	51	1
Miller	44	28	-	16	-	48	28	3	17	-
Mitchell	186	96	2	86	2	193	98	12	80	3
Monroe	91	63	4	22	2	98	58	8	31	1
Montgomery	42	42	-	-	-	60	41	3	15	1
Morgan	62	62	-	-	-	100	69	5	26	-
Murray	47	30	-	17	-	66	36	3	26	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
GEORGIA—Continued										
Muscogee	983	407	33	531	12	1,034	401	77	546	10
Columbus	794	350	2	436	6	858	335	69	446	8
Balance of county	189	57	31	95	6	176	66	8	100	2
Newton	187	131	-	56	-	214	130	17	67	-
Oconee	24	24	-	-	-	57	23	3	31	-
Oglethorpe	42	35	-	-	7	68	35	3	29	1
Paulding	76	62	-	15	1	107	62	7	34	4
Peach	114	73	-	41	-	123	75	9	38	1
Pickens	85	31	-	51	3	79	31	7	40	1
Pierce	92	45	-	45	2	119	50	5	63	1
Pike	64	60	-	-	4	78	60	5	12	1
Polk	214	111	3	89	11	238	112	18	99	9
Pulaski	133	53	-	80	-	95	51	5	39	-
Putnam	59	44	-	15	-	71	43	7	21	-
Quitman	18	18	-	-	-	26	17	1	8	-
Rabun	46	31	-	15	-	57	30	6	21	-
Randolph	150	80	-	70	-	134	80	11	42	1
Richmond	1,694	493	289	909	3	1,141	468	138	531	4
Augusta	1,489	405	208	874	2	920	380	113	425	2
Balance of county	205	88	81	35	1	221	88	25	106	2
Rockdale	73	54	-	19	-	100	56	2	42	-
Schley	40	40	-	-	-	51	37	7	7	-
Screven	141	89	-	52	-	164	89	9	66	-
Seminole	119	45	-	74	-	82	38	5	39	-
Spalding	300	139	-	159	2	314	144	17	151	2
Griffin	262	103	-	159	-	209	95	13	99	2
Balance of county	38	36	-	-	2	105	49	4	52	-
Stephens	146	66	6	73	1	137	70	7	58	2
Stewart	80	50	-	30	-	84	53	4	27	-
Sumter	322	174	14	134	-	293	173	10	110	-
Americus	236	102	-	134	-	167	94	8	65	-
Balance of county	86	72	14	-	-	126	79	2	45	-
Talbot	55	51	3	-	1	73	51	6	16	-
Taliaferro	26	22	4	-	-	38	23	3	11	1
Tattnall	118	81	-	36	1	135	82	9	43	1
Taylor	104	83	-	20	1	109	86	5	17	1
Telfair	131	97	-	34	-	142	93	6	43	-
Terrell	154	97	-	56	1	179	98	9	71	1
Thomas	334	182	9	137	6	325	179	19	121	6
Thomasville	237	100	-	136	1	179	98	10	67	4
Balance of county	97	82	9	1	5	146	81	9	54	2
Tift	182	105	23	53	1	182	105	20	56	1
Toombs	194	113	17	64	-	195	117	18	60	-
Towns	29	12	-	17	-	24	12	2	10	-
Treutlen	40	23	-	17	-	47	21	-	26	-
Troup	436	206	-	230	-	448	199	27	221	1
La Grange	295	100	-	195	-	229	93	19	117	-
Balance of county	141	106	-	35	-	219	106	8	104	1
Turner	72	42	-	30	-	85	43	2	40	-
Twiggs	45	44	-	-	1	62	45	4	12	1
Union	35	35	-	-	-	51	36	4	11	-
Upson	221	135	-	85	1	249	138	18	91	2
Walker	171	164	5	1	1	355	182	18	148	7
Walton	151	101	-	50	-	182	95	13	73	1
Ware	309	145	-	163	1	303	151	14	137	1
Waycross	268	104	-	163	1	214	102	8	103	1
Balance of county	41	41	-	-	-	89	49	6	34	-
Warren	63	63	-	-	-	95	62	7	26	-
Washington	204	137	-	67	-	231	141	19	71	-
Wayne	122	57	-	65	-	125	53	7	65	-
Webster	23	23	-	-	-	35	20	5	10	-
Wheeler	27	26	-	1	-	42	29	2	11	-
White	42	35	7	-	-	57	39	3	13	2
Whitfield	261	145	11	105	-	290	143	23	122	2
Dalton	197	81	11	105	-	174	79	18	75	2
Balance of county	64	64	-	-	-	116	64	5	47	-
Wilcox	47	47	-	-	-	83	49	5	29	-
Wilkes	119	78	-	39	2	127	81	11	33	2
Wilkinson	63	63	-	-	-	102	60	11	31	-
Worth	137	84	-	53	-	161	82	7	72	-
IDAHO	5,093	2,113	621	2,130	229	5,240	2,053	634	2,325	228
Nonmetropolitan counties	5,093	2,113	621	2,130	229	5,240	2,053	634	2,325	228
Ada	745	275	61	361	48	694	278	86	290	40
Boise City	528	205	26	249	48	548	220	65	228	35
Balance of county	217	70	35	112	-	146	58	21	62	5
Adams	23	10	-	12	1	14	8	-	5	1
Bannock	339	130	24	183	2	336	134	36	161	5
Pocatello (part)	275	98	5	171	1	248	107	19	120	2
Pocatello (total)	275	98	5	171	1	248	107	19	120	2
Balance of county	64	32	19	12	1	88	27	17	41	3
Bear Lake	57	33	-	24	-	59	31	1	27	-
Benewah	54	24	1	25	4	63	22	5	34	2
Bingham	255	95	103	53	4	200	94	13	90	3
Blaine	36	23	-	13	-	43	20	4	17	2

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
IDAHO—Continued										
Boise	22	22	-	-	-	11	8	1	2	-
Bonner	125	66	16	41	2	160	65	23	69	3
Bonneville	277	91	10	159	17	239	93	18	114	14
Idaho Falls	240	54	10	159	17	177	60	17	90	10
Balance of county	37	37	-	-	-	62	33	1	24	4
Boundary	63	26	4	32	1	71	25	8	36	2
Butte	19	19	-	-	-	26	18	1	7	-
Camas	3	3	-	-	-	11	4	2	5	-
Canyon	540	175	131	225	9	513	178	98	225	12
Caldwell	190	45	28	111	6	134	43	26	60	5
Nampa	246	63	67	113	3	195	70	39	84	2
Balance of county	104	67	36	1	-	184	65	33	81	5
Caribou	33	11	-	22	-	42	13	-	29	-
Cassia	104	56	11	36	1	108	55	10	41	2
Clark	1	1	-	-	-	7	3	1	2	1
Clearwater	129	35	60	24	10	79	29	7	34	9
Custer	25	20	-	-	5	37	17	3	13	4
Elmore	52	32	1	19	-	74	29	8	35	2
Franklin	52	32	-	14	6	57	32	-	22	3
Fremont	58	29	1	28	-	64	22	6	34	2
Gem	64	20	7	36	1	74	22	10	39	3
Gooding	86	39	3	42	2	96	37	8	44	7
Idaho	110	56	4	47	3	114	44	16	52	2
Jefferson	39	33	5	-	1	63	31	7	21	4
Jerome	90	28	-	57	5	92	34	9	44	5
Kootenai	238	81	52	85	20	262	81	58	104	19
Coeur d'Alene	185	41	52	73	19	159	46	39	63	11
Balance of county	53	40	-	12	1	103	35	19	41	8
Latah	142	62	3	76	1	163	68	16	77	2
Moscow	97	18	3	76	-	59	19	5	34	1
Balance of county	45	44	-	-	1	104	49	11	43	1
Lemhi	78	26	6	46	-	79	26	7	44	2
Lewis	10	8	2	-	-	27	13	3	10	1
Lincoln	34	19	10	-	5	30	13	7	9	1
Madison	65	34	5	20	6	60	33	2	23	2
Minidoka	72	39	1	9	23	90	35	7	26	22
Nez Perce	243	89	40	113	1	263	89	50	122	2
Lewiston	212	60	38	113	1	205	66	44	93	2
Balance of county	31	29	2	-	-	58	23	6	29	-
Oneida	39	15	-	24	-	46	17	3	26	-
Owyhee	30	30	-	-	-	53	30	4	19	-
Payette	82	63	17	-	2	112	44	22	44	2
Power	36	12	-	24	-	35	10	4	21	-
Pocatello (part)	-	-	-	-	-	-	-	-	-	-
Balance of county	36	12	-	24	-	35	10	4	21	-
Shoshone	171	69	4	60	38	184	67	11	69	37
Teton	14	6	-	6	2	16	7	1	6	2
Twin Falls	318	125	30	155	8	347	134	44	163	6
Twin Falls	243	69	11	155	8	191	77	23	86	5
Balance of county	75	56	19	-	-	156	57	21	77	1
Valley	27	15	-	11	1	23	7	3	11	2
Washington	93	36	9	48	-	103	33	11	59	-
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-
ILLINOIS	100,172	36,317	11,904	50,674	1,277	101,667	36,537	11,946	51,864	1,320
Metropolitan counties	72,504	26,392	7,138	38,073	901	73,097	26,624	7,943	37,647	883
Nonmetropolitan counties	27,668	9,925	4,766	12,601	376	28,570	9,913	4,003	14,217	437
Adams	966	261	193	508	4	914	265	194	450	5
Quincy	787	181	100	503	3	639	178	112	346	3
Balance of county	179	80	93	5	1	275	87	82	104	2
Alexander	297	104	-	193	-	288	101	41	145	1
Cairo	260	67	-	193	-	183	63	29	90	1
Balance of county	37	37	-	-	-	105	38	12	55	-
Bond	67	47	19	-	1	181	53	22	105	1
Boone	231	60	24	145	2	196	58	24	112	2
Brown	44	25	8	-	11	77	27	8	32	10
Bureau	393	163	15	214	1	432	168	50	211	3
Calhoun	38	25	13	-	-	68	22	18	28	-
Carroll	173	100	8	64	1	212	100	23	89	-
Cass	157	58	30	68	1	217	58	48	110	1
Champaign	899	281	88	527	3	848	274	110	459	5
Champaign	408	100	23	284	1	341	107	46	186	2
Urbana	311	55	41	213	2	181	49	27	103	2
Balance of county	180	126	24	30	-	326	118	37	170	1
Christian	391	113	36	241	1	433	117	43	265	8
Clark	124	108	12	-	4	213	111	26	67	9
Clay	147	67	10	70	-	200	73	19	108	-
Clinton	152	88	5	59	-	247	92	34	120	1
Centralia (part)	2	2	-	-	-	7	2	1	4	-
Balance of county	150	86	5	59	-	240	90	33	116	1
Coles	512	169	87	152	104	488	173	79	151	85
Mattoon	266	84	27	152	3	223	86	26	108	3
Balance of county	246	85	60	-	101	265	87	53	43	82

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
ILLINOIS—Continued										
Cook	51,086	19,611	3,628	27,285	562	53,032	19,944	5,314	27,221	553
Chicago	39,410	15,453	1,771	21,932	254	42,439	15,764	4,252	21,980	443
Berwyn	744	290	10	444	-	617	295	37	279	6
Cicero	288	287	-	-	1	680	305	48	322	5
Evanston	1,266	316	96	850	4	868	312	156	397	3
Oak Park	1,049	292	16	726	15	734	290	97	332	15
Elgin (part)	13	5	7	-	1	16	9	2	5	-
Maywood	133	107	26	-	-	298	114	38	140	6
Blue Island	430	98	74	254	4	219	76	14	128	1
Brookfield	91	69	22	-	-	159	66	22	69	2
Calumet City	62	62	-	-	-	176	62	9	104	1
Chicago Heights	432	134	36	261	1	317	112	37	166	2
Des Plaines	144	84	60	-	-	235	101	25	107	2
Elmwood Park	63	63	-	-	-	177	63	22	90	2
Evergreen Park	760	131	29	599	1	125	49	9	66	1
Forest Park	102	62	40	-	-	145	64	18	63	-
Harvey	297	87	-	210	-	236	87	16	131	2
La Grange	74	47	7	-	20	159	46	12	96	5
Melrose Park	179	67	-	112	-	189	66	11	109	3
Park Ridge	86	86	-	-	-	213	89	27	97	-
River Forest	48	48	-	-	-	123	49	17	56	1
Skokie	94	94	-	-	-	254	100	22	129	3
Wilmette	138	77	60	1	-	194	81	18	93	2
Winnetka	57	44	12	-	1	105	48	15	42	-
Balance of county	5,126	1,608	1,362	1,896	260	4,354	1,696	390	2,220	48
Crawford	186	107	5	66	8	243	101	24	111	7
Cumberland	77	73	1	-	3	137	73	10	47	7
De Kalb	488	171	34	258	25	500	174	59	255	12
De Kalb	158	45	-	111	2	165	51	20	91	3
Balance of county	330	126	34	147	23	335	123	39	164	9
De Witt	162	63	9	89	1	219	65	20	130	4
Douglas	191	73	42	74	2	226	67	49	104	6
Du Page	1,728	757	259	703	9	1,878	747	240	876	15
Downers Grove	60	60	-	-	-	176	72	19	82	3
Elmhurst	512	123	-	389	-	258	101	34	122	1
Wheaton	67	51	16	-	-	131	53	21	55	2
Balance of county	1,089	523	243	314	9	1,313	521	166	617	9
Edgar	277	125	15	137	-	289	126	35	124	4
Edwards	51	41	8	-	2	95	43	13	39	-
Effingham	246	72	2	168	4	220	78	20	117	5
Fayette	271	93	11	157	10	240	86	23	126	5
Ford	193	59	32	101	1	180	59	33	88	-
Franklin	517	215	39	260	3	614	220	78	312	4
West Frankfort	151	44	15	92	-	154	45	21	88	-
Balance of county	366	171	24	168	3	460	175	57	224	4
Fulton	378	153	21	203	1	479	155	70	251	3
Canton	262	51	7	203	1	152	52	17	83	-
Balance of county	116	102	14	-	-	327	103	53	168	3
Gallatin	56	56	-	-	-	119	56	10	52	1
Greene	164	64	21	79	-	227	67	47	111	2
Grundy	203	102	27	73	1	233	98	30	105	-
Hamilton	78	62	5	10	1	130	65	15	49	1
Hancock	231	89	16	121	5	343	95	44	193	11
Hardin	73	28	-	42	3	76	28	1	45	2
Henderson	27	26	-	-	1	86	27	2	55	2
Henry	561	180	94	286	1	611	178	113	318	2
Kewanee	283	66	5	212	-	255	66	32	157	-
Balance of county	278	114	89	74	1	356	112	81	161	2
Iroquois	348	155	49	140	4	395	154	45	190	6
Jackson	458	149	61	248	-	471	151	64	255	1
Carbondale	188	43	1	144	-	148	47	19	82	-
Balance of county	270	106	60	104	-	323	104	45	173	1
Jasper	55	54	1	-	-	139	55	15	67	2
Jefferson	401	151	37	210	3	371	149	41	179	2
Mount Vernon	311	69	32	210	-	192	69	23	98	2
Balance of county	90	82	5	-	3	179	80	18	81	-
Jersey	151	65	35	51	-	164	54	35	75	-
Jo Daviess	129	90	39	-	-	250	92	38	118	2
Johnson	63	61	2	-	-	116	56	15	45	-
Kane	2,811	645	848	1,279	39	1,850	606	304	908	32
Aurora	818	221	62	528	7	748	229	113	396	10
Elgin (part)	1,414	180	688	519	27	491	150	105	224	12
Elgin (total)	1,427	185	695	519	28	507	159	107	229	12
Balance of county	579	244	98	232	5	611	227	86	288	10
Kankakee	1,602	310	1,000	288	4	741	284	112	339	6
Kankakee	433	120	31	280	2	330	110	66	153	1
Balance of county	1,169	190	969	8	2	411	174	46	186	5
Kendall	76	49	25	-	2	129	47	17	63	2
Knox	723	197	130	392	4	678	201	93	380	4
Galesburg	585	119	73	392	1	430	119	53	257	1
Balance of county	138	78	57	-	3	248	82	40	123	3
Lake	2,135	704	293	1,133	5	2,024	684	197	1,136	7
Waukegan	716	138	2	576	-	470	122	52	294	2
Highland Park	187	58	14	115	-	202	59	16	126	1
Balance of county	1,232	508	277	442	5	1,352	503	129	716	4

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
ILLINOIS—Continued										
La Salle	1,195	382	134	672	7	1,190	376	159	647	8
La Salle	181	44	-	137	-	160	40	21	98	1
Ottawa	301	67	58	175	1	241	71	41	127	2
Streator (part)	277	51	28	198	-	184	53	24	106	1
Streator (total)	277	51	28	198	-	186	54	25	106	1
Balance of county	436	220	48	162	6	605	212	73	316	4
Lawrence	233	89	43	94	7	236	92	37	100	7
Lee	455	128	162	165	-	368	130	61	172	5
Dixon	332	49	136	147	-	171	51	38	81	1
Balance of county	123	79	26	18	-	197	79	23	91	4
Livingston	497	141	32	324	-	420	145	57	215	3
Streator (part)	-	-	-	-	-	2	1	1	-	-
Balance of county	497	141	32	324	-	418	144	56	215	3
Logan	405	83	130	190	2	289	78	34	175	2
Lincoln	306	40	74	190	2	157	39	19	99	-
Balance of county	99	43	56	-	-	132	39	15	76	2
McDonough	340	100	42	170	28	383	114	59	187	23
Macomb	126	32	-	68	26	126	31	19	67	9
Balance of county	214	68	42	102	2	257	83	40	120	14
McHenry	589	302	91	187	9	738	275	120	333	10
McLean	814	266	57	478	13	882	265	106	496	15
Bloomington	479	128	11	328	12	464	128	55	272	9
Balance of county	335	138	46	150	1	418	137	51	224	6
Macon	1,223	335	98	772	18	1,142	345	142	644	11
Decatur	1,114	254	72	772	16	891	256	103	526	6
Balance of county	109	81	26	-	2	251	89	39	118	5
Macoupin	398	187	76	132	3	598	189	112	290	7
Madison	1,925	558	455	905	7	1,827	558	251	1,001	17
Alton	566	99	82	382	3	372	92	68	209	3
Granite City	309	108	-	201	-	314	90	27	193	4
Collinsville (part)	67	52	15	-	-	150	55	21	73	1
Collinsville (total)	69	54	15	-	-	167	58	21	87	1
Wood River	24	24	-	-	-	70	24	5	40	1
Balance of county	959	275	358	322	4	921	297	130	486	8
Marion	464	192	49	222	1	496	198	55	239	4
Centralia (part)	243	71	14	157	1	191	74	24	91	2
Centralia (total)	245	73	14	157	1	198	76	25	95	2
Balance of county	221	121	35	65	-	305	124	31	148	2
Marshall	69	60	9	-	-	147	61	28	58	-
Mason	134	53	13	64	4	192	52	24	110	6
Massac	176	88	10	75	3	197	89	22	83	3
Menard	60	39	20	-	1	138	38	28	65	7
Mercer	147	50	11	79	7	180	52	18	103	7
Monroe	88	58	30	-	-	175	59	38	75	3
Montgomery	469	133	53	276	7	439	136	64	231	8
Morgan	866	100	447	314	5	377	97	65	209	6
Jacksonville	817	56	446	310	5	249	57	48	138	6
Balance of county	49	44	1	4	-	128	40	17	71	-
Moultrie	120	56	63	-	1	148	55	25	63	5
Ogle	246	133	35	77	1	346	129	48	166	3
Peoria	2,284	629	494	1,151	10	1,864	640	311	909	4
Peoria	1,656	415	100	1,140	1	1,276	401	226	648	1
Balance of county	628	214	394	11	9	588	239	85	261	3
Perry	225	95	-	129	1	274	102	30	139	3
Piatt	106	41	16	43	6	157	45	25	81	6
Pike	246	96	22	125	3	298	97	39	158	4
Pope	38	38	-	-	-	74	40	7	25	2
Pulaski	81	81	-	-	-	167	83	20	64	-
Putnam	24	24	-	-	-	54	23	3	26	2
Randolph	480	134	40	303	3	366	127	40	196	3
Richland	266	58	15	192	1	184	53	17	113	1
Rock Island	1,554	464	343	743	4	1,452	454	192	800	6
Moline	656	164	13	479	-	468	145	53	269	1
Rock Island	453	169	19	264	1	587	183	79	325	-
East Moline	272	40	232	-	-	131	41	15	73	2
Balance of county	173	91	79	-	3	266	85	45	133	3
St. Clair	2,278	911	165	1,104	98	2,484	882	281	1,215	106
East St. Louis	1,239	511	42	684	2	1,195	443	109	620	23
Belleville	651	134	61	375	81	465	118	80	227	40
Collinsville (part)	2	2	-	-	-	17	3	-	14	-
Balance of county	386	264	62	45	15	807	318	92	354	43
Saline	447	154	32	249	12	410	154	38	206	12
Harrisburg	170	45	-	115	10	139	49	11	72	7
Balance of county	277	109	32	134	2	271	105	27	134	5
Sangamon	1,869	423	170	1,145	131	1,642	415	202	917	108
Springfield	1,679	262	165	1,121	131	1,140	258	154	652	76
Balance of county	190	161	5	24	-	502	157	48	265	32
Schuyler	98	33	5	60	-	111	37	17	55	2
Scott	35	31	4	-	-	86	29	14	43	-
Shelby	199	104	7	73	15	282	102	33	132	15
Stark	47	36	10	-	1	116	37	25	53	1
Stephenson	591	181	30	380	-	526	177	55	294	-
Freeport	521	122	19	380	-	357	116	32	209	-
Balance of county	70	59	11	-	-	169	61	23	85	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
ILLINOIS—Continued										
Tazewell	502	242	60	200	-	689	240	98	351	-
Pekin	271	85	11	175	-	253	86	29	138	-
Balance of county	231	157	49	25	-	436	154	69	213	-
Union	488	81	284	121	2	209	77	22	108	2
Vermilion	1,189	380	246	560	3	1,121	387	209	522	3
Danville	777	183	34	560	-	594	172	123	299	-
Balance of county	412	197	212	-	3	527	215	86	223	3
Wabash	190	75	35	75	5	176	75	27	71	3
Warren	271	81	21	169	-	261	72	36	153	-
Monmouth	197	45	7	145	-	145	41	15	89	-
Balance of county	74	36	14	24	-	116	31	21	64	-
Washington	130	100	30	-	-	189	100	20	67	2
Wayne	183	86	-	97	-	212	89	19	100	4
White	209	71	36	101	1	243	76	50	117	-
Whiteside	458	209	44	204	1	541	212	77	249	3
Sterling	228	54	20	154	-	149	47	26	76	-
Balance of county	230	155	24	50	1	392	165	51	173	3
Will	1,559	585	138	821	15	1,578	571	173	815	19
Joliet	1,127	237	89	790	11	739	241	85	400	13
Balance of county	432	348	49	31	4	839	330	88	415	6
Williamson	705	200	19	486	-	616	205	63	348	-
Marion	204	53	-	151	-	150	56	9	85	-
Balance of county	501	147	19	335	-	466	149	54	263	-
Winnebago	1,550	528	187	832	3	1,635	538	238	854	5
Rockford	1,368	376	157	832	3	1,163	359	176	623	5
Balance of county	182	152	30	-	-	472	179	62	231	-
Woodford	170	94	54	21	1	223	88	47	85	3
INDIANA	43,867	18,004	5,054	20,251	558	44,227	18,042	5,042	20,577	566
Metropolitan counties	20,502	7,461	1,852	11,021	168	19,333	7,482	2,006	9,666	179
Nonmetropolitan counties	23,365	10,543	3,202	9,230	390	24,894	10,560	3,036	10,911	387
Adams	179	93	8	77	1	198	95	22	80	1
Allen	2,064	641	159	1,246	18	1,871	667	180	1,006	18
Fort Wayne	1,835	488	126	1,208	13	1,462	504	148	797	13
Balance of county	229	153	33	38	5	409	163	32	209	5
Bartholomew	390	146	15	214	15	402	143	35	213	11
Columbus	298	77	5	213	3	204	71	14	116	3
Balance of county	92	69	10	1	12	198	72	21	97	8
Benton	46	43	1	-	2	125	48	17	57	3
Blackford	173	57	32	84	-	180	58	24	98	-
Boone	254	157	13	83	1	303	151	40	106	6
Brown	39	39	-	-	-	83	41	16	26	-
Carroll	147	100	44	-	3	194	94	36	62	2
Cass	645	158	247	240	-	472	159	54	256	3
Logansport	324	80	7	237	-	289	85	36	168	-
Balance of county	321	78	240	3	-	183	74	18	88	3
Clark	429	224	38	167	-	508	210	50	248	-
Jeffersonville	273	82	24	167	-	222	80	24	118	-
Balance of county	156	142	14	-	-	286	130	26	130	-
Clay	261	131	2	112	16	294	132	17	129	16
Clinton	321	130	42	140	9	368	126	47	189	6
Frankfort	222	65	12	140	5	192	66	18	107	1
Balance of county	99	65	30	-	4	176	60	29	82	5
Crawford	57	57	-	-	-	119	71	13	33	2
Daviess	296	88	42	147	19	283	87	51	141	4
Washington	256	48	42	147	19	153	45	24	81	3
Balance of county	40	40	-	-	-	130	42	27	60	1
Dearborn	154	147	5	-	2	266	152	23	87	4
Decatur	232	96	71	64	1	230	96	46	87	1
De Kalb	294	121	50	119	4	293	114	49	127	3
Delaware	926	380	93	443	10	953	390	115	438	10
Muncie	770	276	44	443	5	717	283	78	348	8
Balance of county	156	102	49	-	5	236	107	37	90	2
Dubois	345	123	23	197	2	258	120	19	118	1
Elkhart	934	372	134	425	3	934	373	140	416	5
Elkhart	504	168	28	306	2	450	169	58	222	1
Goshen	204	39	46	119	-	133	44	28	61	-
Balance of county	226	165	60	-	1	351	160	54	133	4
Fayette	231	99	10	121	1	245	102	21	121	1
Connersville	203	71	10	121	1	184	72	18	93	1
Balance of county	28	28	-	-	-	61	30	3	28	-
Floyd	557	207	42	303	5	512	208	59	238	7
New Albany	503	171	40	287	5	391	164	36	184	7
Balance of county	54	36	2	16	-	121	44	23	54	-
Fountain	114	98	4	-	12	247	104	30	101	12
Franklin	115	90	25	-	-	177	88	20	69	-
Fulton	229	98	37	92	2	227	99	31	94	3
Gibson	308	159	59	88	2	341	160	52	128	1
Grant	691	332	121	230	8	675	335	67	265	8
Marion	435	173	31	230	1	361	176	35	145	5
Balance of county	256	159	90	-	7	314	159	32	120	3
Greene	357	183	25	149	-	380	188	27	163	2
Hamilton	345	173	48	116	8	356	152	51	146	7
Hancock	240	120	10	109	1	270	118	29	122	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
INDIANA—Continued										
Harrison	168	86	9	73	-	215	88	23	103	1
Hendricks	174	149	25	-	-	295	149	51	94	1
Henry	464	179	66	218	1	481	189	62	229	1
New Castle	176	75	44	57	-	215	81	26	107	1
Balance of county	288	104	22	161	1	266	108	36	122	-
Howard	568	277	34	232	25	620	280	64	254	22
Kokomo	495	204	34	232	25	473	210	50	197	16
Balance of county	73	73	-	-	-	147	70	14	57	6
Huntington	318	143	65	109	1	369	139	66	160	4
Huntington	184	67	21	95	1	178	66	24	85	3
Balance of county	134	76	44	14	-	191	73	42	75	1
Jackson	288	146	21	121	-	297	149	29	118	1
Jasper	149	73	-	75	1	187	75	19	91	2
Jay	253	102	23	118	10	279	99	41	128	11
Jefferson	456	140	208	106	2	264	145	35	82	2
Jennings	132	91	-	37	4	158	90	14	47	7
Johnson	419	108	129	174	8	400	122	97	179	2
Knox	559	202	26	328	3	511	196	33	277	5
Vincennes	434	94	15	322	3	248	83	12	151	2
Balance of county	125	108	11	6	-	263	113	21	126	3
Kosciusko	337	173	62	63	39	386	155	58	140	33
Lagrange	150	74	12	60	4	165	63	26	73	3
Lake	3,728	1,352	242	2,111	23	3,872	1,365	330	2,147	30
Gary	1,602	531	56	1,001	14	1,521	545	108	853	15
East Chicago	672	177	1	492	2	567	174	26	363	4
Hammond	902	277	17	601	7	824	277	71	471	5
Hobart	50	50	-	-	-	123	51	6	65	1
Balance of county	502	317	168	17	-	837	318	119	395	5
La Porte	1,044	313	212	507	12	852	309	80	452	11
Michigan City	436	145	8	277	6	326	138	20	164	4
La Porte	325	64	44	217	-	217	63	23	127	4
Balance of county	283	104	160	13	6	309	108	37	161	3
Lawrence	375	196	19	149	11	382	199	19	159	5
Bedford	228	69	8	149	2	158	70	10	76	2
Balance of county	147	127	11	-	9	224	129	9	83	3
Madison	974	433	92	437	12	1,070	437	117	505	11
Anderson	634	203	58	373	-	537	197	59	281	-
Elwood	140	60	4	64	12	138	60	13	56	9
Balance of county	200	170	30	-	-	395	180	45	168	2
Marion	7,356	2,737	757	3,808	54	6,510	2,711	740	3,007	52
Indianapolis	6,337	2,190	609	3,487	51	5,403	2,184	630	2,546	43
Balance of county	1,019	547	148	321	3	1,107	527	110	461	9
Marshall	287	132	26	114	15	336	136	44	142	14
Martin	71	57	14	-	-	117	58	14	45	-
Miami	337	137	45	154	1	378	140	60	177	1
Peru	245	58	32	154	1	199	62	31	105	1
Balance of county	92	79	13	-	-	179	78	29	72	-
Monroe	353	220	9	116	8	410	214	35	154	7
Bloomington	235	110	4	116	5	228	105	21	97	5
Balance of county	118	110	5	-	3	182	109	14	57	2
Montgomery	399	163	61	152	23	383	162	52	152	17
Crawfordsville	253	54	27	151	21	167	60	19	78	10
Balance of county	146	109	34	1	2	216	102	33	74	7
Morgan	165	104	9	50	2	284	109	42	130	3
Newton	70	69	1	-	-	133	64	20	49	-
Noble	254	116	60	77	1	315	118	41	153	3
Ohio	33	31	2	-	-	63	35	11	16	1
Orange	131	84	30	17	-	200	83	33	82	2
Owen	141	75	65	-	1	144	82	26	29	7
Parke	150	92	39	18	1	195	91	34	65	5
Perry	188	115	-	73	-	218	117	14	84	3
Pike	82	76	3	-	3	177	82	13	62	20
Porter	401	149	52	199	1	417	145	46	223	3
Valparaiso	236	31	5	199	1	124	34	12	77	1
Balance of county	165	118	47	-	-	293	111	34	146	2
Posey	111	94	16	-	1	187	96	23	66	2
Pulaski	90	79	-	10	1	137	74	14	48	1
Putnam	210	89	18	101	2	221	93	31	96	1
Randolph	307	140	16	146	5	330	141	31	153	5
Ripley	357	107	71	176	3	261	114	37	110	-
Rush	237	118	30	88	1	240	114	39	86	1
St. Joseph	2,001	771	170	1,032	28	2,038	787	221	998	32
South Bend	1,435	464	98	848	25	1,276	478	122	654	22
Mishawaka	308	133	13	162	-	314	116	28	166	4
Balance of county	258	174	59	22	3	448	193	71	178	6
Scott	77	73	-	4	-	115	70	12	32	1
Shelby	312	142	33	127	10	344	137	40	157	10
Shelbyville	198	63	-	127	8	158	59	13	79	7
Balance of county	114	79	33	-	2	186	78	27	78	3
Spencer	111	97	-	-	14	189	100	12	66	11
Starke	243	112	44	79	8	214	102	20	90	2
Steuben	222	76	21	121	4	205	67	27	108	3
Sullivan	256	149	5	99	3	314	154	20	138	2
Switzerland	40	40	-	-	-	91	43	16	31	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
INDIANA—Continued										
Tippecanoe	965	256	103	602	4	893	261	91	336	5
Lafayette	768	144	80	543	1	435	148	70	215	2
West Lafayette	25	22	2	-	1	55	23	3	28	1
Balance of county	172	90	21	59	2	203	90	18	93	2
Tipton	181	70	2	108	1	188	76	14	96	2
Union	42	34	8	-	-	69	36	8	25	-
Vanderburgh	1,976	591	254	1,107	24	1,674	593	182	876	23
Evansville	1,717	492	151	1,052	22	1,440	495	158	766	21
Balance of county	259	99	103	55	2	234	98	24	110	2
Vermillion	230	74	18	129	9	236	76	30	125	5
Vigo	1,465	558	97	804	6	1,395	551	129	708	7
Terre Haute	1,287	398	82	803	4	1,028	395	87	542	4
Balance of county	178	160	15	1	2	367	156	42	166	3
Wabash	272	130	42	98	2	344	135	60	144	5
Wabash	175	48	29	98	-	127	48	24	55	-
Balance of county	97	82	13	-	2	217	87	36	89	5
Warren	79	28	-	50	1	82	25	7	49	1
Warrick	145	121	24	-	-	265	121	39	104	1
Washington	178	86	8	81	3	193	85	16	88	4
Wayne	789	277	177	329	6	707	271	77	353	6
Richmond	165	143	18	2	2	461	158	45	257	1
Balance of county	624	134	159	327	4	246	113	32	96	5
Wells	249	81	31	136	1	225	84	26	114	1
White	146	80	21	45	-	205	82	26	97	-
Whitley	229	75	27	117	10	218	77	24	111	6
IOWA	27,782	9,772	2,898	13,734	1,378	27,776	9,862	2,877	13,680	1,357
Metropolitan counties	8,072	2,436	674	4,645	317	7,601	2,471	744	4,106	280
Nonmetropolitan counties	19,710	7,336	2,224	9,089	1,061	20,175	7,391	2,133	9,574	1,077
Adair	78	35	3	34	6	111	38	17	50	6
Adams	79	42	3	30	4	81	41	5	29	6
Allamakee	164	69	1	91	3	195	73	11	103	8
Appanoose	228	94	17	88	29	248	96	22	106	24
Audubon	76	51	2	23	-	104	48	14	40	2
Benton	146	78	20	45	3	185	77	22	76	10
Black Hawk	998	329	120	475	74	963	333	105	455	70
Waterloo	757	212	84	403	58	644	213	74	302	55
Cedar Falls	164	49	27	72	16	165	56	19	81	9
Balance of county	77	68	9	-	-	154	64	12	72	6
Boone	339	88	94	154	3	309	94	38	170	7
Boone	224	50	20	154	-	173	54	19	100	-
Balance of county	115	38	74	-	3	136	40	19	70	7
Bremer	203	83	-	107	13	215	89	15	100	11
Buchanan	268	92	96	70	10	252	91	25	125	11
Buena Vista	228	93	3	104	28	231	87	13	111	20
Butler	88	72	10	-	6	149	72	10	61	6
Calhoun	125	60	19	37	9	178	62	25	78	13
Carroll	258	79	21	149	9	228	78	28	116	6
Cass	184	75	23	86	-	218	72	23	121	2
Cedar	113	86	26	-	1	178	85	32	55	6
Cerro Gordo	571	156	95	287	33	469	157	69	216	27
Mason City	457	74	78	287	18	278	71	46	147	14
Balance of county	114	82	17	-	15	191	86	23	69	13
Cherokee	263	53	108	98	4	178	53	19	101	5
Chickasaw	145	72	9	54	10	155	70	18	61	6
Clarke	115	24	16	60	15	104	26	18	51	9
Clay	164	42	16	106	-	164	44	22	95	3
Clayton	166	120	4	39	3	259	118	16	119	6
Clinton	536	202	54	259	21	581	216	64	287	14
Clinton	376	112	33	220	11	383	126	46	203	8
Balance of county	160	90	21	39	10	198	90	18	84	6
Crawford	145	55	14	73	3	171	50	25	93	3
Dallas	247	105	24	92	26	272	100	35	114	23
Davis	116	54	7	43	12	117	53	10	48	6
Decatur	153	56	18	78	1	170	58	26	83	3
Delaware	169	70	23	72	4	176	69	20	82	5
Des Moines	545	147	6	360	32	493	143	9	311	30
Burlington	474	108	3	358	5	377	106	5	247	19
Balance of county	71	39	3	2	27	116	37	4	64	11
Dickinson	108	53	11	40	4	123	44	14	61	4
Dubuque	898	236	118	513	31	840	246	108	451	35
Dubuque	829	167	118	513	31	655	179	92	352	32
Balance of county	69	69	-	-	-	185	67	16	99	3
Emmet	180	60	7	102	11	142	60	5	68	9
Fayette	290	112	30	124	24	320	115	34	144	27
Floyd	216	76	23	106	11	221	72	23	114	12
Charles City	161	42	7	106	6	135	42	9	77	7
Balance of county	55	34	16	-	5	86	30	14	37	5
Franklin	122	40	12	60	10	142	45	14	72	11
Fremont	105	39	14	49	3	140	39	18	80	3
Greene	131	60	2	67	2	153	59	12	79	3
Grundy	95	55	-	36	4	126	54	13	52	7
Guthrie	112	62	10	28	12	156	68	17	61	10
Hamilton	177	77	1	84	15	215	76	9	117	13
Hancock	98	54	-	43	1	136	49	8	73	6

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
IOWA—Continued										
Hardin	219	90	25	87	17	252	93	28	113	18
Harrison	119	84	13	-	22	200	89	18	69	24
Henry	294	69	133	80	12	217	73	28	107	9
Howard	125	47	12	65	1	156	56	16	79	5
Humboldt	89	58	18	-	13	149	59	20	55	15
Ida	76	47	3	17	9	100	50	10	34	6
Iowa	146	89	3	43	11	185	97	9	64	15
Jackson	227	89	23	103	12	246	89	24	125	8
Jasper	236	110	15	101	10	316	111	21	170	14
Newton	152	41	8	101	2	135	44	7	81	3
Balance of county	84	69	7	-	8	181	67	14	89	11
Jefferson	156	63	9	73	11	175	64	14	88	9
Johnson	1,503	169	9	1,313	12	386	149	24	195	18
Iowa City	1,377	97	6	1,267	7	241	83	14	134	10
Balance of county	126	72	3	46	5	145	66	10	61	8
Jones	166	68	8	74	16	199	70	18	94	17
Keokuk	172	90	22	35	25	231	93	34	81	23
Kossuth	176	79	11	72	14	236	84	20	118	14
Lee	588	160	9	399	20	499	155	27	299	18
Fort Madison	198	64	-	127	7	183	64	6	101	12
Keokuk	324	44	4	272	4	209	45	15	146	3
Balance of county	66	52	5	-	9	107	46	6	52	3
Linn	1,110	404	96	540	70	1,165	416	120	568	61
Cedar Rapids	920	277	51	540	52	821	280	81	415	45
Balance of county	190	127	45	-	18	344	136	39	153	16
Louisa	60	42	16	-	2	125	45	19	56	5
Lucas	135	60	40	29	6	148	56	34	52	6
Lyon	83	46	3	32	2	119	50	9	53	7
Madison	136	51	24	57	4	153	55	19	76	3
Mahaska	303	102	36	150	15	290	106	37	130	17
Oskaloosa	239	52	30	150	7	177	53	27	87	10
Balance of county	64	50	6	-	8	113	53	10	43	7
Marion	217	95	47	57	18	263	92	30	120	21
Marshall	428	134	53	188	53	408	136	32	198	42
Marshalltown	311	89	15	188	19	254	86	20	133	15
Balance of county	117	45	38	-	34	154	50	12	65	27
Mills	95	47	7	30	11	114	49	11	44	10
Mitchell	129	56	-	65	8	134	50	10	70	4
Monona	112	45	3	59	5	153	50	10	82	11
Monroe	105	53	5	38	9	125	53	14	48	10
Montgomery	149	62	8	55	24	165	65	17	64	19
Muscatine	394	138	69	157	30	404	134	63	182	25
Muscatine	308	87	57	157	7	255	86	43	122	4
Balance of county	86	51	12	-	23	149	48	20	60	21
O'Brien	158	82	22	41	13	179	82	22	65	10
Osceola	65	30	-	25	10	82	29	3	45	5
Page	405	70	192	136	7	243	68	41	124	10
Palo Alto	119	58	1	53	7	155	61	10	79	5
Plymouth	203	88	7	107	1	226	82	20	119	5
Pocahontas	74	61	13	-	-	147	69	12	60	6
Polk	2,790	778	253	1,705	54	2,493	787	283	1,374	49
Des Moines	2,642	678	214	1,705	45	2,199	677	251	1,228	43
Balance of county	148	100	39	-	9	294	110	32	146	6
Pottawattamie	785	235	56	484	10	755	224	69	451	11
Council Bluffs	702	160	56	484	2	561	159	53	346	3
Balance of county	83	75	-	-	8	194	65	16	105	8
Poweshiek	197	77	15	97	8	206	69	19	110	8
Ringgold	113	59	16	36	2	128	59	17	49	3
Sac	116	60	12	39	5	159	58	15	78	8
Scott	1,086	338	58	657	33	1,119	353	68	666	32
Davenport	1,006	272	45	657	32	921	284	53	556	28
Balance of county	80	66	13	-	1	198	69	15	110	4
Shelby	139	40	17	79	3	153	50	15	84	4
Sioux	176	76	12	86	2	201	82	14	101	4
Story	355	118	21	193	23	376	119	26	206	25
Ames	139	39	5	87	8	130	45	8	71	6
Balance of county	216	79	16	106	15	246	74	18	135	19
Tama	159	112	38	-	9	239	112	37	82	8
Taylor	85	58	22	-	5	147	62	27	52	6
Union	187	62	25	83	17	190	62	28	82	18
Van Buren	103	43	9	40	11	131	46	12	59	14
Wapello	512	194	58	246	14	520	193	61	255	11
Ottumwa	410	144	24	236	6	380	141	35	197	7
Balance of county	102	50	34	10	8	140	52	26	58	4
Warren	136	94	34	-	8	202	89	44	58	11
Washington	160	67	19	52	22	200	68	20	93	19
Wayne	110	48	7	44	11	140	47	16	62	15
Webster	555	136	54	351	14	441	133	57	241	10
Fort Dodge	495	82	49	351	13	280	75	41	156	8
Balance of county	60	54	5	-	1	161	58	16	85	2
Winnebago	123	64	12	45	2	147	67	17	60	3
Winneshiek	180	97	22	13	48	207	91	22	48	46
Woodbury	1,303	352	91	784	76	1,106	358	99	592	57
Sioux City	1,214	275	84	784	71	932	283	84	514	51
Balance of county	89	77	7	-	5	174	75	15	78	6

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
IOWA—Continued										
Worth	54	53	1	-	-	116	58	17	40	1
Wright	144	69	11	53	11	187	75	19	82	11
KANSAS	20,196	7,239	1,770	10,745	442	20,321	7,295	1,839	10,746	441
Metropolitan counties	6,297	2,193	360	3,701	43	5,873	2,198	379	3,245	51
Nonmetropolitan counties	13,899	5,046	1,410	7,044	399	14,448	5,097	1,460	7,501	390
Allen	230	88	44	93	5	257	88	56	110	3
Anderson	137	53	17	66	1	141	50	20	71	-
Atchison	243	91	14	135	3	288	98	21	164	5
Atchison	213	64	11	135	3	198	70	13	113	2
Balance of county	30	27	3	-	-	90	28	8	51	3
Barber	98	34	-	64	-	97	37	11	49	-
Barton	231	62	2	167	-	224	63	10	146	5
Great Bend	118	20	-	98	-	74	22	3	49	-
Balance of county	113	42	2	69	-	150	41	7	97	5
Bourbon	244	77	5	162	-	232	80	17	134	1
Fort Scott	213	47	4	162	-	152	47	7	98	-
Balance of county	31	30	1	-	-	80	33	10	36	1
Brown	206	53	47	101	5	203	59	47	94	3
Butler	251	115	23	110	3	336	124	34	175	3
El Dorado	162	49	-	110	3	133	53	8	72	-
Balance of county	89	66	23	-	-	203	71	26	103	3
Chase	37	34	2	-	1	59	28	6	24	1
Chautauqua	105	36	15	49	5	94	31	17	43	3
Cherokee	227	113	16	36	62	293	122	19	107	45
Cheyenne	81	10	38	24	9	47	11	8	27	1
Clark	40	7	4	29	-	45	7	6	32	-
Clay	141	53	7	78	3	153	52	9	89	3
Cloud	284	56	30	197	1	195	57	22	116	-
Coffey	86	46	3	34	3	126	52	9	61	4
Comanche	32	17	-	15	-	42	19	4	18	1
Cowley	518	155	69	290	4	457	154	42	257	4
Arkansas City	220	83	2	135	-	212	91	8	113	-
Winfield	210	32	20	155	3	141	32	17	90	2
Balance of county	88	40	47	-	1	104	31	17	54	2
Crawford	506	219	36	246	5	521	216	43	255	7
Pittsburg	140	106	29	-	5	262	107	18	133	4
Balance of county	366	113	7	246	-	259	109	25	122	3
Decatur	54	17	-	37	-	70	21	2	46	1
Dickinson	217	71	34	56	56	247	77	32	92	46
Doniphan	62	56	6	-	-	132	57	21	53	1
Douglas	293	109	21	150	13	305	101	31	160	13
Lawrence	247	66	19	150	12	211	62	20	121	8
Balance of county	46	43	2	-	1	94	39	11	39	5
Edwards	57	23	3	29	2	69	23	4	38	4
Elk	41	32	3	-	6	78	33	8	29	8
Ellis	162	50	-	112	-	139	48	8	82	1
Ellsworth	120	30	26	63	1	101	30	19	51	1
Finney	141	40	15	79	7	121	37	13	67	4
Garden City	129	30	14	79	6	108	29	13	63	3
Balance of county	12	10	1	-	1	13	8	-	4	1
Ford	240	52	8	162	18	205	55	10	128	12
Dodge City	168	31	8	127	2	133	41	8	82	2
Balance of county	72	21	-	35	16	72	14	2	46	10
Franklin	242	95	26	119	2	272	98	37	133	4
Ottawa	196	49	26	119	2	148	49	18	80	1
Balance of county	46	46	-	-	-	124	49	19	53	3
Geary	187	61	12	114	-	188	76	11	101	-
Junction City	139	40	12	87	-	139	47	10	82	-
Balance of county	48	21	-	27	-	49	29	1	19	-
Gove	26	9	-	17	-	27	7	2	18	-
Graham	34	15	-	19	-	51	19	1	30	1
Grant	25	11	-	14	-	18	7	1	10	-
Gray	19	11	8	-	-	42	8	7	25	2
Greeley	18	5	-	13	-	13	3	-	10	-
Greenwood	135	62	28	44	1	156	61	33	61	1
Hamilton	25	9	-	15	1	29	7	4	17	1
Harper	101	29	9	59	4	98	34	13	50	1
Harvey	324	89	17	211	7	237	76	18	140	3
Newton	192	41	14	134	3	136	41	14	80	1
Balance of county	132	48	3	77	4	101	35	4	60	2
Haskell	17	2	-	15	-	13	2	1	10	-
Hodgeman	15	7	-	8	-	25	9	-	15	1
Jackson	98	55	2	41	-	126	55	14	56	1
Jefferson	115	48	19	36	12	136	51	17	62	6
Jewell	51	50	-	-	1	112	50	12	46	4
Johnson	333	234	11	80	8	631	238	34	350	9
Kearny	20	4	-	16	-	22	3	3	14	2
Kingman	106	32	15	57	2	109	31	12	64	2
Kiowa	51	13	14	20	4	50	14	7	29	-
Labette	349	144	13	181	11	356	145	12	183	16
Parsons	114	75	13	22	4	186	78	8	98	2
Balance of county	235	69	-	159	7	170	67	4	85	14

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
KANSAS—Continued										
Lane	7	7	-	-	-	23	5	-	18	-
Leavenworth	645	146	37	459	3	431	148	43	235	5
Leavenworth	283	86	36	160	1	277	91	26	159	1
Balance of county	362	60	1	299	2	154	57	17	76	4
Lincoln	61	34	-	27	-	74	32	5	37	-
Linn	68	50	13	-	5	121	62	17	37	5
Logan	27	4	-	23	-	30	4	2	24	-
Lyon	329	79	13	236	1	286	84	20	181	1
Emporia	284	46	1	236	1	194	54	12	127	1
Balance of county	45	33	12	-	-	92	30	8	54	-
McPherson	230	86	7	136	1	240	78	12	147	3
Marion	165	47	14	103	1	179	49	17	109	4
Marshall	204	96	70	22	16	227	98	69	44	16
Meade	33	10	-	23	-	41	9	2	30	-
Miami	277	88	124	55	10	179	80	15	75	9
Mitchell	124	45	13	65	1	118	45	10	63	-
Montgomery	546	187	56	292	11	571	191	64	308	8
Coffeyville	270	64	14	185	7	245	70	17	155	3
Independence	178	51	24	100	3	146	52	26	64	4
Balance of county	98	72	18	7	1	180	69	21	89	1
Morris	85	34	16	34	1	93	34	10	46	3
Morton	26	6	-	20	-	18	7	-	11	-
Nemaha	140	56	8	63	13	154	51	5	84	14
Neosho	251	99	29	119	4	246	99	32	110	5
Chanute	180	50	21	106	3	147	55	21	69	2
Balance of county	71	49	8	13	1	99	44	11	41	3
Ness	63	23	-	40	-	72	26	1	43	2
Norton	105	30	12	63	-	95	30	18	46	1
Osage	118	97	16	-	5	178	95	16	61	6
Osborne	74	48	18	-	8	103	55	13	28	7
Ottawa	34	31	3	-	-	68	21	6	41	-
Pawnee	239	31	130	64	14	100	29	11	53	7
Phillips	77	31	13	33	-	96	29	18	48	1
Pottawatomie	142	70	11	55	6	141	68	10	60	3
Pratt	110	35	11	64	-	117	33	18	64	2
Rawlins	39	16	1	22	-	46	17	3	23	3
Reno	463	192	14	256	1	535	196	33	302	4
Hutchinson	394	138	-	256	-	374	134	22	218	-
Balance of county	69	54	14	-	1	161	62	11	84	4
Republic	122	66	15	37	4	142	63	17	61	1
Rice	107	36	-	67	4	129	37	13	75	4
Riley	221	83	7	130	1	232	75	26	129	2
Manhattan	183	51	1	130	1	152	51	8	92	1
Balance of county	38	32	6	-	-	80	24	18	37	1
Rooks	61	26	-	34	1	85	24	11	49	1
Rush	59	23	4	30	2	81	22	7	50	2
Russell	73	32	3	38	-	100	34	9	56	1
Saline	447	112	43	289	3	408	124	41	240	3
Salina	405	84	42	276	3	332	97	38	194	3
Balance of county	42	28	1	13	-	76	27	3	46	-
Scott	38	10	1	27	-	34	12	3	17	2
Sedgwick	2,415	822	45	1,541	7	2,304	823	83	1,389	9
Wichita	2,232	664	36	1,526	6	1,986	667	74	1,238	7
Balance of county	183	158	9	15	1	318	156	9	151	2
Seward	123	41	6	75	1	125	51	3	70	1
Shawnee	1,538	475	237	802	24	1,245	463	153	604	25
Topeka	1,333	401	117	792	23	1,097	396	138	542	21
Balance of county	205	74	120	10	1	148	67	15	62	4
Sheridan	21	14	-	-	7	31	14	1	11	5
Sherman	35	14	1	20	-	46	16	4	26	-
Smith	82	33	5	37	7	80	33	9	31	7
Stafford	77	19	-	58	-	102	21	6	73	2
Stanton	2	2	-	-	-	13	3	1	9	-
Stevens	22	5	-	17	-	27	4	3	20	-
Sumner	227	83	15	128	1	263	82	18	159	4
Thomas	54	14	-	39	1	63	18	4	39	2
Trego	43	14	1	28	-	44	13	1	30	-
Wabaunsee	43	40	3	-	-	80	36	10	34	-
Wallace	4	4	-	-	-	23	5	2	14	2
Washington	86	43	1	41	1	136	44	14	70	8
Wichita	16	6	-	10	-	23	8	2	13	-
Wilson	162	57	17	82	6	173	57	23	87	6
Woodson	50	41	8	-	1	69	40	8	18	3
Wyandotte	2,011	662	67	1,278	4	1,693	674	109	902	8
Kansas City	1,786	541	22	1,222	1	1,430	560	89	774	7
Balance of county	225	121	45	56	3	263	114	20	128	1
KENTUCKY	29,071	14,535	2,050	12,030	456	29,421	14,607	2,102	12,239	473
Metropolitan counties	10,705	3,788	1,104	5,684	129	9,479	3,800	868	4,696	115
Nonmetropolitan counties	18,366	10,747	946	6,346	327	19,942	10,807	1,234	7,543	358
Adair	84	84	-	-	-	137	88	9	40	-
Allen	156	87	1	66	2	176	89	7	77	3
Anderson	57	57	-	-	-	101	59	13	28	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
KENTUCKY—Continued										
Ballard	68	64	1	1	2	115	67	6	40	2
Barren	429	146	11	271	1	276	138	16	120	2
Bath	74	66	4	-	4	103	65	5	31	2
Bell	400	171	-	229	-	333	164	13	154	2
Middlesborough	193	68	-	125	-	133	68	4	59	2
Balance of county	207	103	-	104	-	200	96	9	95	-
Boone	84	82	-	-	2	175	85	5	82	3
Bourbon	209	119	1	83	6	216	120	11	79	6
Boyd	472	209	3	229	31	476	220	14	220	22
Ashland	385	137	3	218	27	326	144	10	155	17
Balance of county	87	72	-	11	4	150	76	4	65	5
Boyle	371	95	146	128	2	216	93	20	100	3
Bracken	59	59	-	-	-	102	58	6	38	-
Breathitt	49	49	-	-	-	92	50	5	36	1
Breckinridge	141	99	8	32	2	177	106	10	58	3
Bullitt	68	68	-	-	-	117	63	12	41	1
Butler	69	69	-	-	-	103	76	6	19	2
Caldwell	172	102	-	58	12	170	99	10	53	8
Calloway	219	142	1	76	-	220	142	12	66	-
Campbell	833	355	41	428	9	952	355	76	505	16
Newport	140	123	17	-	-	377	130	33	208	6
Fort Thomas	314	67	16	225	6	160	62	9	84	5
Balance of county	379	165	8	203	3	415	163	34	213	5
Carlisle	34	32	-	-	2	85	34	6	35	10
Carroll	109	54	-	51	4	107	54	10	39	4
Carter	124	114	-	10	-	170	111	3	41	15
Casey	120	87	6	25	2	150	92	6	50	2
Christian	761	312	215	222	12	505	290	52	153	10
Hopkinsville	306	133	10	156	7	253	138	34	76	5
Balance of county	455	179	205	66	5	252	152	18	77	5
Clark	217	113	18	86	-	223	107	18	97	1
Clay	112	100	-	12	-	138	95	4	39	-
Clinton	123	55	-	68	-	114	60	1	53	-
Crittenden	104	66	-	33	5	131	69	2	52	8
Cumberland	42	40	-	-	2	69	39	3	25	2
Daviess	711	256	75	371	9	618	253	69	288	8
Owensboro	605	159	66	371	9	427	155	51	215	6
Balance of county	106	97	9	-	-	191	98	18	73	2
Edmonson	44	42	-	-	2	60	41	2	16	1
Elliott	32	32	-	-	-	50	37	-	13	-
Estill	69	67	-	-	2	119	69	4	40	6
Fayette	1,673	506	355	795	17	1,096	483	125	475	13
Lexington	1,430	340	279	795	16	753	328	101	318	6
Balance of county	243	166	76	-	1	343	155	24	157	7
Fleming	87	82	5	-	-	132	85	7	40	-
Floyd	255	171	-	84	-	315	178	7	126	4
Franklin	265	105	21	139	-	269	107	29	130	3
Frankfort	232	72	21	139	-	197	77	18	99	3
Balance of county	33	33	-	-	-	72	30	11	31	-
Fulton	208	90	6	109	3	166	85	4	73	4
Gallatin	26	26	-	-	-	50	21	4	25	-
Garrard	95	51	-	43	1	126	49	9	65	3
Grant	74	50	24	-	-	113	51	15	46	1
Graves	330	185	11	132	2	380	200	32	146	2
Grayson	128	88	-	28	12	172	92	13	54	13
Green	64	64	-	-	-	116	69	9	38	-
Greenup	193	118	1	74	-	238	120	4	113	1
Hancock	32	32	-	-	-	57	36	4	17	-
Hardin	394	206	-	186	2	341	188	13	137	3
Harlan	428	227	-	196	5	434	236	8	185	5
Harrison	178	72	26	79	1	186	70	27	88	1
Hart	76	76	-	-	-	143	70	7	66	-
Henderson	305	174	-	130	1	355	171	21	162	1
Henderson	235	105	-	130	-	234	108	13	113	-
Balance of county	70	69	-	-	1	121	63	8	49	1
Henry	121	71	17	18	15	154	71	12	66	5
Hickman	93	36	-	46	11	95	37	5	48	5
Hopkins	427	204	47	173	3	419	208	49	160	2
Madisonville	236	62	13	160	1	147	63	17	67	-
Balance of county	191	142	34	13	2	272	145	32	93	2
Jackson	42	42	-	-	-	75	44	4	25	2
Jefferson	6,357	2,238	633	3,438	48	5,725	2,262	551	2,863	49
Louisville	5,611	1,836	372	3,369	34	4,639	1,836	463	2,300	40
Balance of county	746	402	261	69	14	1,086	426	88	563	9
Jessamine	92	81	11	-	-	123	87	12	24	-
Johnson	247	121	-	123	3	214	120	2	89	3
Kenton	1,370	480	72	794	24	1,230	480	102	633	15
Covington	1,170	290	70	790	20	787	270	79	428	10
Balance of county	200	190	2	4	4	443	210	23	205	5
Knott	60	60	-	-	-	102	71	1	28	2
Knox	152	152	-	-	-	227	160	1	66	-
Larue	55	55	-	-	-	98	60	5	32	1
Laurel	230	173	-	57	-	241	176	10	55	-
Lawrence	125	61	-	63	1	128	64	4	56	4
Lee	57	57	-	-	-	76	59	1	15	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
KENTUCKY—Continued										
Leslie	65	52	-	13	-	74	51	1	21	1
Letcher	200	122	-	78	-	229	132	4	93	-
Lewis	94	92	-	-	2	148	91	9	43	5
Lincoln	124	97	-	27	-	186	102	14	68	2
Livingston	63	53	-	8	2	77	54	1	20	2
Logan	232	123	5	104	-	247	124	15	104	4
Lyon	35	30	4	-	1	57	32	9	16	-
McCracken	696	279	65	343	9	619	278	60	276	5
Paducah	612	197	65	342	8	473	203	50	215	5
Balance of county	84	82	-	1	1	146	75	10	61	-
McCreary	80	80	-	-	-	125	81	1	40	3
McLean	47	45	1	-	1	98	47	9	40	2
Madison	336	130	12	166	28	290	132	17	123	18
Richmond	207	63	6	114	24	131	65	8	47	11
Balance of county	129	67	6	52	4	159	67	9	76	7
Magoffin	50	50	-	-	-	81	51	2	28	-
Marion	172	96	-	65	11	177	93	12	60	12
Marshall	106	105	-	1	-	141	94	4	42	1
Martin	56	56	-	-	-	84	62	1	21	-
Mason	283	114	16	153	-	228	115	19	93	1
Meade	67	66	-	1	-	94	62	2	30	-
Menifee	47	28	-	18	1	49	28	1	19	1
Mercer	162	69	22	68	3	153	64	15	72	2
Metcalfe	60	60	-	-	-	100	62	6	32	-
Monroe	110	58	-	52	-	123	65	4	53	1
Montgomery	153	84	4	63	2	158	80	10	67	1
Morgan	122	90	-	32	-	136	93	2	39	2
Muhlenberg	305	180	9	114	2	342	180	25	136	1
Nelson	160	98	-	45	17	206	100	15	76	15
Nicholas	91	55	2	33	1	101	55	12	33	1
Ohio	170	124	-	44	2	225	125	15	84	1
Oldham	163	60	-	99	4	109	50	6	51	2
Owen	85	33	-	49	3	87	36	3	43	5
Owsley	45	45	-	-	-	64	47	1	16	-
Pendleton	75	63	12	-	-	110	65	14	31	-
Perry	294	139	-	115	40	252	135	5	77	35
Pike	481	219	-	259	3	446	223	11	208	4
Powell	41	41	-	-	-	61	40	6	15	-
Pulaski	384	237	-	141	6	363	238	10	114	1
Robertson	27	26	1	-	-	45	27	4	14	-
Rockcastle	88	61	-	27	-	108	57	4	46	1
Rowan	52	51	-	-	1	102	59	4	33	6
Russell	91	91	-	-	-	111	86	4	21	-
Scott	148	64	4	79	1	194	63	23	108	2
Shelby	256	114	28	111	3	218	112	9	93	4
Simpson	118	65	10	43	-	147	65	23	59	-
Spencer	43	43	-	-	-	67	41	6	20	-
Taylor	160	73	22	65	-	146	77	14	55	-
Todd	97	94	3	-	-	156	98	13	43	2
Trigg	92	54	-	38	-	93	52	3	38	-
Trimble	19	19	-	-	-	43	23	1	17	2
Union	146	78	-	57	11	148	74	6	63	5
Warren	509	237	60	182	30	488	229	52	185	22
Bowling Green	380	134	38	180	28	299	134	29	124	12
Balance of county	129	103	22	2	2	189	95	23	61	10
Washington	69	60	8	-	1	123	61	16	45	1
Wayne	108	101	-	7	-	137	102	6	27	2
Webster	147	129	-	12	6	215	132	11	63	9
Whitley	250	155	-	92	3	273	159	13	99	2
Wolfe	42	42	-	-	-	61	45	6	10	-
Woodford	100	58	2	40	-	114	60	10	44	-
LOUISIANA	29,059	13,941	1,260	13,590	268	28,889	13,877	1,281	13,450	281
Metropolitan parishes	14,130	5,336	430	8,290	74	12,129	5,284	627	6,150	68
Nonmetropolitan parishes	14,929	8,605	830	5,300	194	16,760	8,593	654	7,300	213
Acadia	299	193	5	85	16	418	201	17	184	16
Crowley	136	55	5	76	-	138	58	7	71	2
Balance of parish	163	138	-	9	16	280	143	10	113	14
Allen	181	95	-	85	1	208	88	12	107	1
Ascension	163	152	-	9	2	260	157	9	92	2
Assumption	140	111	-	28	1	194	113	10	68	3
Avoyelles	294	236	3	42	13	425	246	13	153	13
Beauregard	142	67	7	67	1	196	68	7	118	3
Bienville	137	115	5	8	9	207	120	8	72	7
Bossier	197	171	-	12	14	352	172	6	158	16
Bossier City	60	57	-	-	3	169	65	5	88	11
Balance of parish	137	114	-	12	11	183	107	1	70	5
Caddo	2,766	879	35	1,822	30	1,995	872	64	1,034	25
Shreveport	2,485	619	35	1,805	26	1,560	628	56	856	20
Balance of parish	281	260	-	17	4	435	244	8	178	5
Calcasieu	845	421	28	394	2	949	420	43	484	2
Lake Charles	474	200	5	268	1	460	191	20	248	1
Balance of parish	371	221	23	126	1	489	229	23	236	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
LOUISIANA—Continued										
Caldwell	81	42	1	38	-	98	40	7	50	1
Cameron	40	37	-	1	2	38	17	4	15	2
Catahoula	58	48	2	8	-	91	51	4	35	1
Claiborne	167	113	-	54	-	220	115	8	96	1
Concordia	160	117	-	39	4	193	114	6	63	10
De Soto	171	139	-	32	-	258	138	4	116	-
East Baton Rouge	1,447	709	13	708	17	1,576	711	58	795	12
Baton Rouge	1,248	537	13	683	15	1,241	547	52	634	8
Balance of parish	199	172	-	25	2	335	164	6	161	4
East Carroll	151	106	11	26	8	172	104	14	49	5
East Feliciana	400	75	304	19	2	151	81	14	55	1
Evangeline	223	133	-	82	8	277	140	4	126	7
Franklin	172	92	32	42	6	201	93	13	90	5
Grant	67	67	-	-	-	133	67	12	53	1
Iberia	341	241	-	99	1	461	244	9	206	2
New Iberia	202	117	-	84	1	233	124	5	104	-
Balance of parish	139	124	-	15	-	228	120	4	102	2
Iberville	280	217	8	50	5	321	211	14	92	4
Jackson	125	55	5	64	1	138	61	8	68	1
Jefferson	776	520	-	252	4	1,235	531	43	658	3
Gretna	78	78	-	-	-	190	83	8	98	1
Balance of parish	698	442	-	252	4	1,045	448	35	560	2
Jefferson Davis	183	139	-	43	1	222	134	6	80	2
Lafayette	1,041	284	12	741	4	543	270	13	257	3
Lafayette	924	167	12	741	4	344	155	11	176	2
Balance of parish	117	117	-	-	-	199	115	2	81	1
Lafourche	352	186	-	164	2	402	179	8	214	1
La Salle	87	58	-	22	7	113	59	3	46	5
Lincoln	205	108	9	84	4	201	105	5	86	5
Ruston	132	43	8	77	4	83	40	3	39	1
Balance of parish	73	65	1	7	-	118	65	2	47	4
Livingston	108	106	2	-	-	217	110	8	96	3
Madison	158	143	-	15	-	195	137	8	49	1
Morehouse	245	178	-	65	2	326	184	4	136	2
Bastrop	129	64	-	65	-	137	63	1	73	-
Balance of parish	116	114	-	-	2	189	121	3	63	2
Natchitoches	285	208	15	50	12	365	213	13	131	8
Orleans, coextensive with New Orleans	9,056	3,172	364	5,498	22	7,181	3,109	455	3,591	26
Ouachita	1,161	392	64	703	2	890	389	46	452	3
Monroe	583	249	42	290	2	559	241	31	285	2
West Monroe	57	57	-	-	-	137	61	4	72	-
Balance of parish	521	86	22	413	-	194	87	11	95	1
Plaquemines	110	98	-	12	-	146	75	4	67	-
Pointe Coupee	192	132	10	47	3	246	130	12	103	1
Rapides	1,540	420	243	876	1	1,004	414	51	535	4
Alexandria	508	192	6	310	-	497	193	20	280	4
Balance of parish	1,032	228	237	566	1	507	221	31	255	-
Red River	89	63	-	26	-	132	68	5	58	1
Richland	199	141	-	57	1	270	143	11	115	1
Sabine	149	85	-	57	7	173	86	6	71	10
St. Bernard	85	56	18	10	1	142	61	7	72	2
St. Charles	77	73	-	-	4	128	65	3	55	5
St. Helena	39	39	-	-	-	60	37	-	21	2
St. James	110	99	-	11	-	169	104	4	61	-
St. John the Baptist	50	49	1	-	-	111	53	4	54	-
St. Landry	492	377	-	108	7	677	382	12	280	3
Opelousas	168	98	-	67	3	187	107	4	75	1
Balance of parish	324	279	-	41	4	490	275	8	205	2
St. Martin	191	159	-	32	-	256	157	2	93	4
St. Mary	312	219	-	92	1	392	221	12	159	-
St. Tammany	275	203	19	51	2	374	196	21	154	3
Tangipahoa	519	323	14	177	5	606	322	34	245	5
Tensas	118	79	-	37	2	143	82	6	52	3
Terrebonne	304	221	-	83	-	401	223	12	165	1
Houma	179	96	-	83	-	185	95	7	82	1
Balance of parish	125	125	-	-	-	216	128	5	83	-
Union	111	77	-	23	11	180	81	15	74	10
Vermilion	248	160	-	88	-	322	167	4	150	1
Vernon	196	89	28	75	4	251	91	26	129	5
Washington	337	187	2	140	8	401	194	14	185	8
Bogalusa	232	87	2	137	6	211	95	8	107	1
Balance of parish	105	100	-	3	2	190	99	6	78	7
Webster	230	162	-	61	7	343	164	8	165	6
West Baton Rouge	91	91	-	-	-	154	89	5	59	1
West Carroll	83	63	-	19	1	137	67	9	60	1
West Feliciana	73	58	-	15	-	83	58	5	20	-
Winn	135	93	-	42	-	166	83	9	73	1
MAINE	10,420	4,517	1,575	4,094	234	10,498	4,484	1,571	4,229	214
Metropolitan counties	2,081	868	139	1,033	41	2,053	867	237	910	39
Nonmetropolitan counties	8,339	3,649	1,436	3,061	193	8,445	3,617	1,334	3,319	175
Androscoggin	949	344	148	437	20	969	353	193	402	21
Lewiston	640	135	52	437	16	428	142	78	193	15
Auburn	191	100	89	-	2	236	85	48	100	3
Balance of county	118	109	7	-	2	305	126	67	109	3

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MAINE—Continued										
Aroostook	710	327	27	351	5	747	323	64	354	6
Cumberland	2,081	868	139	1,033	41	2,053	867	237	910	39
Portland	1,362	394	19	945	4	999	380	94	516	9
South Portland	127	104	23	-	-	219	104	22	92	1
Westbrook	99	54	19	-	26	113	47	18	37	11
Balance of county	493	316	78	88	11	722	336	103	265	18
Franklin	212	131	22	56	3	220	120	30	67	3
Hancock	424	191	86	144	3	450	192	97	158	3
Kennebec	1,348	373	566	400	9	945	381	216	336	12
Augusta	349	80	149	120	-	191	79	48	62	2
Waterville	323	91	24	207	1	181	84	28	67	2
Balance of county	676	202	393	73	8	573	218	140	207	8
Knox	385	203	58	122	2	416	203	91	122	-
Lincoln	255	116	43	89	7	266	115	48	98	5
Oxford	425	233	55	127	10	514	234	79	190	11
Penobscot	1,233	477	194	508	54	1,119	470	130	463	56
Bangor	701	149	140	393	19	363	140	36	163	24
Balance of county	532	328	54	115	35	756	330	94	300	32
Piscataquis	193	86	27	75	5	217	86	31	94	6
Sagadahoc	244	111	51	82	-	271	102	50	119	-
Bath	155	47	26	82	-	124	42	22	60	-
Balance of county	89	64	25	-	-	147	60	28	59	-
Somerset	377	214	30	120	13	476	215	74	174	13
Waldo	240	136	28	75	1	291	129	51	110	1
Washington	309	203	9	93	4	397	202	47	145	3
York	1,035	504	92	382	57	1,147	492	133	487	35
Biddeford	286	84	-	201	1	195	77	17	101	-
Saco	71	41	8	22	-	98	31	15	51	1
Balance of county	678	379	84	159	56	854	384	101	335	34
MARYLAND	27,059	9,838	2,777	14,197	247	27,116	9,842	2,576	14,463	235
Metropolitan counties	19,468	6,329	1,678	11,282	179	19,442	6,395	1,818	11,064	165
Nonmetropolitan counties	7,591	3,509	1,099	2,915	68	7,674	3,447	758	3,399	70
Allegany	1,018	388	16	614	-	1,053	393	59	600	1
Cumberland	725	195	14	516	-	526	192	34	299	1
Balance of county	293	193	2	98	-	527	201	25	301	-
Anne Arundel	1,032	479	225	321	7	1,220	457	103	654	6
Annapolis	367	98	11	254	4	248	74	29	145	-
Balance of county	665	381	214	67	3	972	383	74	509	6
Baltimore	2,359	1,302	629	379	49	3,057	1,268	314	1,441	34
District 12[3] [4]	117	117	-	-	-	351	119	14	217	1
District 13[3] [4]	91	86	5	-	-	219	83	19	117	-
Balance of county	2,151	1,099	624	379	49	2,487	1,066	281	1,107	33
Baltimore (city)	12,627	3,232	503	8,813	79	11,485	3,348	1,098	6,941	98
Calvert	174	67	25	79	3	162	60	18	83	1
Caroline	143	138	3	-	2	260	149	27	78	6
Carroll	740	250	436	39	15	496	262	56	169	9
Cecil	439	163	138	128	10	373	152	36	174	11
Charles	167	97	-	69	1	249	99	25	123	2
Dorchester	428	170	115	139	4	390	174	32	182	2
Cambridge	223	72	13	138	-	183	69	16	97	1
Balance of county	205	98	102	1	4	207	105	16	85	1
Frederick	679	355	70	245	9	729	348	102	267	12
Frederick	357	97	31	225	4	238	90	43	102	3
Balance of county	322	258	39	20	5	491	258	59	165	9
Garrett	190	84	40	66	-	166	81	18	66	1
Harford	466	266	17	177	6	547	254	64	225	4
Howard	160	128	31	-	1	261	125	23	113	-
Kent	195	114	4	76	1	226	111	19	91	5
Montgomery	2,169	686	228	1,228	27	1,866	687	174	989	16
Takoma Park (part)	340	67	26	246	1	148	52	11	84	1
Takoma Park (total)	354	80	26	247	1	176	67	13	95	1
Balance of county	1,829	619	202	982	26	1,718	635	163	905	15
Prince Georges	1,281	630	93	541	17	1,814	635	129	1,039	11
College Park	16	16	-	-	-	95	27	8	60	-
Hyattsville	128	68	58	-	2	319	91	24	203	1
Mount Rainier	16	16	-	-	-	80	26	8	46	-
Takoma Park (part)	14	13	-	1	-	28	15	2	11	-
Balance of county	1,107	517	35	540	15	1,292	476	87	719	10
Queen Annes	114	110	-	-	4	192	104	18	69	1
St. Marys	189	133	-	55	1	226	116	14	94	2
Somerset	198	144	-	52	2	284	142	18	121	3
Talbot	363	115	12	235	1	289	111	28	148	2
Washington	927	388	137	400	2	890	377	108	403	2
Hagerstown	645	196	49	399	1	491	181	58	252	-
Balance of county	282	192	88	1	1	399	196	50	151	2
Wicomico	816	216	55	541	4	562	216	68	273	5
Salisbury	673	92	45	535	1	280	84	37	157	2
Balance of county	143	124	10	6	3	282	132	31	116	3
Worcester	185	183	-	-	2	319	173	25	120	1

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MASSACHUSETTS[5]	56,866	20,076	7,664	28,239	887	56,620	20,164	7,623	27,955	878
MICHIGAN	65,630	21,750	5,729	37,126	1,025	65,937	21,862	5,752	37,290	1,033
Metropolitan counties	41,493	12,276	3,150	25,503	564	41,796	12,573	3,283	25,373	567
Nonmetropolitan counties	24,137	9,474	2,579	11,623	461	24,141	9,289	2,469	11,917	466
Alcona	53	43	10	-	-	93	42	8	41	2
Alger	89	45	13	30	1	123	43	19	59	2
Allegan	446	239	21	173	13	560	238	38	271	13
Alpena	257	98	16	142	1	246	94	27	123	2
Alpena	201	59	-	142	-	152	58	17	76	1
Balance of county	56	39	16	-	1	94	36	10	47	1
Antrim	95	56	38	-	1	126	54	38	34	-
Arenac	114	63	4	41	6	120	54	10	50	6
Baraga	95	27	-	67	1	91	23	7	61	-
Barry	284	137	13	127	7	337	137	26	167	7
Bay	930	361	71	494	4	933	374	80	475	4
Bay City	748	242	26	478	2	611	248	55	304	4
Balance of county	182	119	45	16	2	322	126	25	171	-
Benzie	100	41	6	52	1	118	45	13	59	1
Berrien	1,512	503	89	699	21	1,371	485	119	744	23
Benton Harbor	306	110	17	178	1	300	94	25	179	2
Niles	199	50	3	141	5	132	51	10	67	4
St. Joseph	184	41	9	134	-	119	36	12	71	-
Balance of county	623	302	60	246	15	820	304	72	427	17
Branch	392	131	73	175	13	390	126	33	217	14
Calhoun	1,392	434	126	814	18	1,283	429	109	729	16
Battle Creek	713	209	36	461	7	561	187	53	311	10
Albion	130	34	2	93	1	112	32	14	65	1
Balance of county	549	191	88	260	10	610	210	42	353	5
Cass	298	152	25	117	4	381	142	42	192	5
Charlevoix	176	108	5	59	4	174	77	12	81	4
Cheboygan	145	69	9	65	2	182	66	19	94	3
Chippewa	284	117	-	165	2	309	104	20	184	1
Sault Ste. Marie	232	67	-	165	-	195	64	14	117	-
Balance of county	52	50	-	-	2	114	40	6	67	1
Clare	136	80	5	50	1	134	68	13	52	1
Clinton	297	111	36	135	15	354	118	35	185	16
Crawford	68	28	-	40	-	43	19	4	20	-
Delta	312	125	19	168	-	334	125	31	177	1
Escanaba	220	52	-	168	-	148	57	6	85	-
Balance of county	92	73	19	-	-	186	68	25	92	1
Dickinson	337	66	21	249	1	238	72	26	137	3
Eaton	350	169	54	120	7	447	189	60	193	5
Emmet	255	74	28	150	3	183	63	28	89	3
Genesee	2,504	723	209	1,559	13	2,574	769	239	1,547	19
Flint	1,971	444	86	1,437	4	1,555	396	148	1,001	10
Balance of county	533	279	123	122	9	1,019	373	91	546	9
Gladwin	91	49	15	23	4	98	41	10	42	5
Gogebic	386	107	27	232	-	341	112	35	193	1
Ironwood	67	50	-	17	-	144	56	11	77	-
Balance of county	299	57	27	215	-	197	56	24	116	1
Grand Traverse	629	107	265	247	10	299	105	23	162	9
Traverse City	529	62	257	210	-	166	64	16	82	4
Balance of county	100	45	8	37	10	133	41	7	80	5
Gratiot	403	166	79	144	14	382	171	20	178	13
Hillsdale	255	85	68	100	2	322	92	78	148	4
Houghton	532	208	10	207	107	553	219	29	214	91
Huron	361	162	21	178	-	394	162	28	204	-
Ingham	1,632	583	45	995	9	1,604	589	96	908	11
Lansing	1,233	343	11	875	4	955	328	45	578	4
East Lansing	30	27	2	1	-	93	37	6	50	-
Balance of county	369	213	32	119	5	556	224	45	280	7
Ionia	346	188	60	87	11	422	190	47	172	13
Iosco	154	79	12	56	7	151	69	17	64	1
Iron	206	79	22	105	-	228	85	20	120	3
Isabella	241	104	9	120	8	265	108	10	139	8
Mount Pleasant	146	34	8	98	6	99	39	4	53	3
Balance of county	95	70	1	22	2	166	69	6	86	5
Jackson	1,193	475	133	572	13	1,251	487	156	593	15
Jackson	831	251	66	506	8	699	260	101	325	13
Balance of county	362	224	67	66	5	552	227	55	268	2
Kalamazoo	1,622	452	384	761	25	1,343	463	135	736	9
Kalamazoo	1,287	265	318	703	1	818	267	90	457	4
Balance of county	335	187	66	58	24	525	196	45	279	5
Kalkaska	42	25	1	16	-	57	31	3	23	-
Kent	3,271	1,188	421	1,631	31	3,119	1,206	399	1,479	35
Grand Rapids	2,135	689	196	1,234	16	1,978	710	297	947	24
Balance of county	1,136	499	225	397	15	1,141	496	102	532	11
Keweenaw	19	19	-	-	-	41	16	4	4	17
Lake	60	49	11	-	-	94	48	15	30	1
Lapeer	402	134	127	133	8	396	129	71	186	10
Leelanau	57	39	-	15	3	95	35	10	47	3

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MICHIGAN—Continued										
Lenawee	665	298	71	283	13	710	290	94	313	13
Adrian	250	82	6	157	5	202	73	27	96	6
Balance of county	415	216	65	126	8	508	217	67	217	7
Livingston	320	169	20	127	4	346	158	36	146	6
Luce	180	29	117	33	1	67	26	11	30	-
Mackinac	87	60	-	27	-	102	51	5	45	1
Macomb	1,490	645	81	753	11	2,087	675	107	1,286	19
East Detroit	62	62	-	-	-	249	76	10	160	3
Mount Clemens	786	104	34	644	4	266	64	23	178	1
Roseville	37	37	-	-	-	185	45	5	134	1
St. Clair Shores	76	76	-	-	-	334	94	13	222	5
Balance of county	529	366	47	109	7	1,053	396	56	592	9
Manistee	224	97	4	122	1	240	98	16	123	3
Marquette	556	164	34	357	1	554	160	58	334	2
Marquette	256	53	-	203	-	173	45	18	110	-
Balance of county	300	111	34	154	1	381	115	40	224	2
Mason	218	103	6	106	3	250	107	10	129	4
Mecosta	194	71	30	89	4	206	72	25	105	4
Menominee	279	85	25	159	10	271	93	32	145	1
Menominee	211	38	13	159	1	137	44	12	81	-
Balance of county	68	47	12	-	9	134	49	20	64	1
Midland	209	96	1	112	-	264	114	25	122	3
Midland	152	39	1	112	-	131	48	12	69	2
Balance of county	57	57	-	-	-	133	66	13	53	1
Missaukee	35	35	-	-	-	83	39	11	33	-
Monroe	571	338	46	186	1	750	312	81	356	1
Monroe	319	106	26	186	1	227	95	23	109	-
Balance of county	252	232	20	-	-	523	217	58	247	1
Montcalm	428	176	14	227	11	407	177	31	189	10
Montmorency	31	31	-	-	-	52	24	5	22	1
Muskegon	1,113	460	95	542	16	1,195	470	137	569	19
Muskegon	770	187	34	538	11	514	182	69	256	7
Muskegon Heights	59	55	4	-	-	175	61	18	93	3
Balance of county	284	218	57	4	5	506	227	50	220	9
Newaygo	255	117	29	93	16	261	119	28	105	9
Oakland	3,493	1,395	691	1,345	62	4,041	1,417	508	2,083	33
Pontiac	1,552	317	394	835	6	794	248	125	417	4
Ferndale	109	83	-	25	1	259	95	31	130	3
Royal Oak	710	199	113	366	32	430	128	42	254	6
Berkley	36	36	-	-	-	108	48	14	46	-
Birmingham	46	45	-	-	1	199	59	16	121	3
Hazel Park	54	44	-	10	-	167	56	15	93	3
Balance of county	986	671	184	109	22	2,084	783	265	1,022	14
Oceana	167	59	10	94	4	176	56	20	96	4
Ogemaw	142	62	14	65	1	115	55	7	52	1
Ontonagon	91	35	13	43	-	136	36	17	83	-
Osceola	158	62	16	79	1	158	62	16	78	2
Oscoda	21	11	-	8	2	27	12	3	10	2
Otsego	87	30	-	56	1	77	24	5	48	-
Ottawa	744	332	79	329	4	770	323	94	348	5
Holland	255	65	6	184	-	193	69	16	107	1
Balance of county	489	267	73	145	4	577	254	78	241	4
Presque Isle	116	50	-	65	1	157	76	9	71	1
Roscommon	49	48	-	-	1	95	41	5	48	1
Saginaw	1,770	619	134	1,013	4	1,609	577	180	844	8
Saginaw	1,260	316	102	840	2	967	308	126	529	4
Balance of county	510	303	32	173	2	642	269	54	315	4
St. Clair	1,066	451	98	504	13	1,115	434	119	550	12
Port Huron	685	175	70	430	10	475	166	51	250	8
Balance of county	381	276	28	74	3	640	268	68	300	4
St. Joseph	467	163	23	272	9	482	160	43	271	8
Sanilac	289	169	12	100	8	358	172	33	143	10
Schoolcraft	108	31	7	70	-	101	30	7	63	1
Shiawassee	492	186	28	271	7	521	186	35	294	6
Owosso	238	67	1	168	2	193	66	12	115	-
Balance of county	254	119	27	103	5	328	120	23	179	6
Tuscola	419	205	61	150	3	468	200	58	208	2
Van Buren	499	255	74	164	6	569	241	94	228	6
Washtenaw	2,201	412	312	1,466	11	1,086	382	128	565	11
Ann Arbor	1,186	155	4	1,021	6	407	143	46	214	4
Ypsilanti	206	61	8	136	1	202	51	24	124	3
Balance of county	809	196	300	309	4	477	188	58	227	4
Wayne	23,588	5,835	981	16,380	392	23,235	6,016	1,383	15,422	414
Detroit	16,759	4,020	652	11,751	336	17,299	4,203	1,135	11,621	340
Dearborn	610	237	26	344	3	919	303	42	565	9
Hamtramck	362	91	-	271	-	421	77	12	326	6
Highland Park	961	129	12	817	3	508	119	44	328	17
Lincoln Park	272	68	1	203	-	269	62	5	201	1
Wyandotte	386	96	1	289	-	355	96	8	249	2
Allen Park	548	50	-	498	-	147	57	3	85	2
Ecorse	32	32	-	-	-	150	32	3	114	1
Grosse Pointe Park	36	36	-	-	-	113	40	7	66	-
Grosse Pointe Woods	52	52	-	-	-	101	50	4	45	2
Inkster	40	40	-	-	-	218	65	8	142	3
Livonia	117	70	43	-	4	257	84	15	156	2
River Rouge	70	40	-	30	-	172	55	3	114	-
Balance of county	3,343	874	246	2,177	46	2,306	773	94	1,410	29

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MICHIGAN—Continued										
Wexford	205	68	2	123	12	197	63	14	110	10
Cadillac	159	30	-	118	11	105	25	9	64	7
Balance of county	46	38	2	5	1	92	38	5	46	3
MINNESOTA	31,191	9,895	3,378	17,307	611	30,675	9,934	3,387	16,755	599
Metropolitan counties	14,874	4,340	1,314	9,019	201	14,497	4,471	1,623	8,211	192
Nonmetropolitan counties	16,317	5,555	2,064	8,288	410	16,178	5,463	1,764	8,544	407
Aitkin	105	52	13	38	2	151	53	30	65	3
Anoka	308	136	149	19	4	360	134	31	190	5
Becker	213	79	15	117	2	251	77	41	130	3
Beltrami	227	83	31	111	2	223	86	39	96	2
Bemidji	145	39	6	99	1	99	34	20	45	-
Balance of county	82	44	25	12	1	124	52	19	51	2
Benton	66	56	9	-	1	122	52	11	56	3
St. Cloud (part)	19	19	-	-	-	30	18	4	8	-
Balance of county	47	37	9	-	1	92	34	7	48	3
Big Stone	105	28	6	70	1	93	26	7	60	-
Blue Earth	481	137	11	333	-	444	145	40	256	3
Mankato	406	62	11	333	-	241	68	22	149	2
Balance of county	75	75	-	-	-	203	77	18	107	1
Brown	333	88	-	214	31	264	85	10	154	15
Carlton	343	88	175	49	31	230	79	26	99	26
Carver	140	68	7	58	7	191	70	17	98	6
Cass	105	73	4	25	3	174	60	12	100	2
Chippewa	125	51	6	68	-	154	59	13	79	3
Chisago	159	48	20	84	7	175	48	26	96	5
Clay	189	99	5	84	1	287	102	25	159	1
Moorhead	118	29	5	84	-	132	30	12	89	1
Balance of county	71	70	-	-	1	155	72	13	70	-
Clearwater	83	20	11	49	3	104	18	12	71	3
Cook	15	14	-	-	1	32	13	4	13	2
Cottonwood	129	36	-	87	6	140	40	4	88	8
Crow Wing	363	105	31	225	2	330	93	33	199	5
Brainerd	238	39	17	181	1	146	40	16	89	1
Balance of county	125	66	14	44	1	184	53	17	110	4
Dakota	363	147	116	93	7	460	147	53	256	4
South St. Paul	32	30	2	-	-	133	37	18	78	-
Balance of county	331	117	114	93	7	327	110	35	178	4
Dodge	94	57	35	-	2	132	58	35	38	1
Douglas	252	86	52	111	3	227	88	40	95	4
Faribault	178	89	4	82	3	234	100	19	109	6
Fillmore	193	111	14	52	16	295	118	42	119	16
Freeborn	323	138	16	164	5	319	142	20	153	4
Albert Lea	249	65	15	164	5	172	73	14	81	4
Balance of county	74	73	1	-	-	147	69	6	72	-
Goodhue	358	117	8	227	6	375	103	37	228	7
Red Wing	225	34	5	185	1	141	33	9	97	2
Balance of county	133	83	3	42	5	234	70	28	131	5
Grant	44	31	11	-	2	98	36	16	44	2
Hennepin	8,045	2,249	650	5,006	140	7,500	2,342	973	4,062	123
Minneapolis	5,572	1,744	440	4,315	73	5,978	1,835	792	3,257	94
Richfield	44	43	-	-	1	123	37	9	77	-
Robbinsdale	242	39	51	152	-	99	33	13	50	3
St. Louis Park	66	55	11	-	-	193	65	22	103	3
Balance of county	1,121	368	148	539	66	1,107	372	137	575	23
Houston	106	42	3	59	2	134	38	20	73	3
Hubbard	117	39	5	72	1	106	36	11	59	-
Isanti	146	28	6	112	-	126	33	11	81	1
Itasca	302	124	9	161	8	337	118	26	183	10
Jackson	135	47	22	62	4	149	47	20	77	5
Kanabec	103	37	5	57	4	116	36	13	64	3
Kandiyohi	345	84	117	143	1	249	87	17	139	6
Kittson	99	28	4	62	5	92	28	3	56	5
Koochiching	132	63	4	64	1	157	58	16	81	2
Lac qui Parle	106	35	9	58	4	151	43	18	80	10
Lake	104	30	-	67	7	98	31	5	56	6
Lake of the Woods	58	20	3	21	14	57	18	6	20	13
Le Sueur	95	84	5	-	6	190	81	15	90	4
Lincoln	111	32	-	75	4	94	32	7	53	2
Lyon	206	78	6	121	1	224	85	13	125	1
McLeod	225	83	25	105	12	224	86	25	103	10
Mahnomen	26	20	6	-	-	51	19	5	24	3
Marshall	107	46	2	58	1	154	48	8	96	2
Martin	214	86	21	77	30	224	82	25	94	23
Meeker	180	62	4	100	14	203	63	18	113	9
Mille Lacs	160	53	24	98	5	165	47	28	87	3
Morrison	204	63	2	137	2	233	67	16	148	2
Mower	335	121	33	179	2	347	116	41	189	1
Austin	267	58	29	179	1	209	57	23	129	-
Balance of county	68	63	4	-	1	138	59	18	60	1
Murray	82	32	6	41	3	118	36	10	68	4
Nicollet	335	50	227	58	-	175	49	16	110	-
Nobles	200	63	27	110	-	188	64	23	100	1
Norman	111	47	12	50	2	138	46	17	74	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MINNESOTA—Continued										
Olmsted	1,407	187	242	970	8	503	165	72	264	2
Rochester	1,329	126	227	969	7	357	106	51	199	1
Balance of county	78	61	15	1	1	146	59	21	65	1
Otter Tail	580	158	197	221	4	454	151	68	232	3
Fergus Falls	339	43	172	124	-	113	38	19	56	-
Balance of county	241	115	25	97	4	341	113	49	176	3
Pennington	117	26	6	84	1	120	29	18	71	2
Pine	161	71	22	61	7	197	66	22	101	8
Pipestone	96	37	-	58	1	119	36	8	72	3
Polk	333	91	26	208	8	351	90	30	225	6
Pope	101	43	1	57	-	112	41	15	56	-
Ramsey	3,862	1,137	342	2,372	11	3,810	1,167	385	2,241	17
St. Paul	3,682	1,001	299	2,372	10	3,366	1,025	347	1,978	16
Balance of county	180	136	43	-	1	444	142	38	263	1
Red Lake	21	7	-	14	-	50	12	5	33	-
Redwood	153	72	14	61	6	203	80	23	82	18
Renville	134	80	4	42	8	222	75	15	124	8
Rice	423	134	84	202	3	376	132	47	191	6
Faribault	261	63	61	136	1	179	62	21	94	2
Balance of county	162	71	23	66	2	197	70	26	97	4
Rock	88	34	2	40	12	108	35	11	52	10
Roseau	97	27	4	61	5	104	28	8	63	5
St. Louis	2,296	671	57	1,529	39	2,367	681	181	1,462	43
Duluth	1,310	315	36	953	6	1,206	316	102	776	12
Hibbing	203	51	-	150	2	178	52	17	106	3
Virginia	312	35	-	275	2	155	46	6	102	1
Balance of county	471	270	21	151	29	828	267	56	478	27
Scott	222	66	5	136	15	176	59	12	91	14
Sherburne	50	38	10	1	1	125	37	17	67	4
St. Cloud (part)	6	2	3	1	-	20	2	3	15	-
Balance of county	44	36	7	-	1	105	35	14	52	4
Sibley	153	59	21	70	3	154	55	14	84	1
Stearns	718	227	72	398	21	568	211	44	301	12
St. Cloud (part)	368	68	12	288	-	207	65	19	120	3
St. Cloud (total)	393	89	15	289	-	257	85	26	143	3
Balance of county	350	159	60	110	21	361	146	25	181	9
Steele	158	62	16	80	-	187	63	23	101	-
Owatonna	130	34	16	80	-	100	31	12	57	-
Balance of county	28	28	-	-	-	87	32	11	44	-
Stevens	110	45	12	52	1	108	47	11	50	-
Swift	115	38	2	67	8	126	37	11	74	4
Todd	194	72	20	99	3	227	69	32	123	3
Traverse	42	19	-	22	1	58	17	6	34	1
Wabasha	219	71	38	109	1	213	73	36	103	1
Wadena	155	55	29	71	-	136	54	22	60	-
Waseca	122	68	4	47	3	159	69	12	75	3
Washington	282	124	32	125	1	381	117	41	219	4
Watonwan	130	47	10	70	3	157	44	17	89	7
Wilkin	173	20	25	128	-	91	21	13	57	-
Winona	337	144	30	162	1	413	139	65	201	8
Winona	261	90	9	162	-	286	90	42	150	4
Balance of county	76	54	21	-	1	127	49	23	51	4
Wright	269	116	65	80	8	287	108	45	126	8
Yellow Medicine	170	66	-	97	7	148	58	9	75	6
MISSISSIPPI	21,366	12,505	872	7,493	496	21,573	12,476	877	7,738	482
Metropolitan counties	2,139	783	107	1,200	49	1,508	755	87	628	38
Nonmetropolitan counties	19,227	11,722	765	6,293	447	20,065	11,721	790	7,110	444
Adams	434	226	11	82	115	389	223	13	74	79
Natchez	267	169	11	82	5	288	166	11	56	55
Balance of county	167	57	-	-	110	101	57	2	18	24
Alcorn	262	139	1	122	-	262	140	6	114	2
Amite	83	79	1	-	3	134	81	7	39	7
Attala	227	134	-	91	2	249	140	9	94	6
Benton	37	36	1	-	-	71	42	-	29	-
Bolivar	631	408	48	170	5	648	402	56	184	6
Calhoun	129	100	4	13	12	142	96	7	30	9
Carroll	87	85	1	-	1	131	86	9	34	2
Chickasaw	152	100	2	50	-	168	100	10	56	2
Choctaw	91	62	2	27	-	108	66	5	37	-
Claiborne	100	86	-	14	-	133	88	1	44	-
Clarke	152	98	-	53	1	188	97	9	81	1
Clay	178	112	3	61	2	186	111	11	62	2
Coahoma	566	384	9	163	10	601	380	21	191	9
Clarksdale	327	145	9	163	10	273	139	15	111	8
Balance of county	239	239	-	-	-	328	241	6	80	1
Copiah	275	200	1	71	3	314	203	10	97	4
Covington	88	66	-	22	-	114	67	5	41	1
De Soto	164	162	2	-	-	226	169	10	46	1
Forrest	480	223	19	237	1	473	211	23	237	2
Hattiesburg	391	138	16	236	1	302	130	15	155	2
Balance of county	89	85	3	1	-	171	81	8	82	-
Franklin	80	57	-	21	2	101	62	-	31	8
George	75	34	1	38	2	80	33	2	44	1
Greene	68	51	-	1	16	84	50	2	19	13
Grenada	222	135	-	86	1	202	130	5	67	

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MISSISSIPPI—Continued										
Hancock	99	85	8	-	6	138	81	14	38	5
Harrison	895	344	42	501	8	786	325	40	411	10
Biloxi	275	120	-	154	1	274	113	14	142	5
Gulfport	345	100	26	217	2	222	91	10	120	1
Balance of county	275	124	16	130	5	290	121	16	149	4
Hinds	2,139	763	107	1,200	49	1,508	755	87	628	38
Jackson	1,842	537	62	1,196	47	1,075	490	61	494	30
Balance of county	297	246	45	4	2	433	265	26	134	8
Holmes	307	215	1	72	19	335	211	11	99	14
Humphreys	175	138	3	33	1	209	141	7	60	1
Issaquena	30	30	-	-	-	49	36	1	12	-
Itawamba	107	95	1	-	11	120	86	5	17	12
Jackson	363	203	9	147	4	376	190	8	174	4
Pascagoula	77	76	-	1	-	137	71	3	59	4
Balance of county	286	127	9	146	4	239	119	5	115	-
Jasper	114	111	-	-	3	185	113	5	63	4
Jefferson	87	87	-	-	-	127	92	3	20	12
Jefferson Davis	136	86	-	50	-	145	86	1	58	-
Jones	662	243	11	383	25	560	245	16	278	21
Laurel	539	133	3	378	25	296	128	10	148	10
Balance of county	123	110	8	5	-	264	117	6	130	11
Kemper	104	73	-	31	-	131	75	1	53	2
Lafayette	158	115	1	42	-	173	117	10	46	-
Lamar	73	60	1	6	6	109	56	6	43	4
Lauderdale	880	351	96	429	4	723	348	37	336	2
Meridian	760	245	91	422	2	499	228	26	244	1
Balance of county	120	106	5	7	2	224	120	11	92	1
Lawrence	67	67	-	-	-	128	81	6	34	7
Leake	161	92	10	56	3	181	84	10	86	1
Lee	364	231	-	124	9	358	230	6	117	5
Tupelo	199	84	-	108	7	135	80	4	51	-
Balance of county	165	147	-	16	2	223	150	2	66	5
Leflore	612	322	64	212	14	541	316	20	193	12
Greenwood	374	141	8	212	13	266	128	13	117	8
Balance of county	238	181	56	-	1	275	188	7	76	4
Lincoln	276	174	6	93	3	292	171	8	111	2
Lowndes	397	249	5	141	2	387	235	14	135	3
Columbus	265	123	-	140	2	206	115	7	82	2
Balance of county	132	126	5	1	-	181	120	7	53	1
Madison	358	228	15	114	1	368	229	7	131	1
Marion	217	138	4	75	-	230	143	3	82	2
Marshall	250	153	12	84	1	238	150	9	78	1
Monroe	331	217	3	85	26	357	214	15	105	23
Montgomery	118	76	-	42	-	155	81	9	62	3
Neshoba	189	110	-	79	-	223	115	9	99	-
Newton	213	130	1	80	2	223	126	2	93	2
Noxubee	190	130	1	58	1	196	129	3	63	1
Oktibbeha	202	126	8	67	1	216	128	13	74	1
Panola	299	251	7	41	-	345	248	22	75	-
Pearl River	197	98	3	94	2	209	98	5	102	4
Perry	48	48	-	-	-	88	49	3	36	-
Pike	397	207	8	182	-	401	212	16	169	4
McComb	192	55	8	129	-	144	57	9	77	1
Balance of county	205	152	-	53	-	257	155	7	92	3
Pontotoc	165	109	1	55	-	191	119	4	64	4
Prentiss	164	72	7	83	2	149	69	5	74	1
Quitman	182	164	5	5	8	226	169	10	41	6
Rankin	390	132	251	5	2	224	129	15	77	3
Scott	216	141	1	54	20	243	143	5	74	21
Sharkey	102	82	1	19	-	114	81	1	32	-
Simpson	234	126	2	95	11	224	129	10	74	11
Smith	74	72	1	-	1	131	79	5	41	6
Stone	61	30	-	30	1	71	32	1	37	1
Sunflower	400	302	2	94	2	458	300	21	132	5
Tallahatchie	249	199	1	43	6	283	198	13	64	8
Tate	114	114	-	-	-	172	115	10	47	-
Tippah	153	90	4	58	1	168	91	6	70	1
Tishomingo	88	77	1	10	-	136	83	2	47	4
Tunica	192	137	1	53	1	203	137	6	60	-
Union	207	121	-	86	-	207	126	3	78	-
Walthall	131	62	-	37	32	116	60	1	38	17
Warren	687	265	11	407	4	510	259	24	223	4
Vicksburg	612	193	8	407	4	390	185	22	179	4
Balance of county	75	72	3	-	-	120	74	2	44	-
Washington	782	492	15	258	17	803	489	21	276	17
Greenville	467	224	9	229	5	410	221	10	172	7
Balance of county	315	268	6	29	12	393	268	11	104	10
Wayne	138	88	-	48	2	175	98	6	69	2
Webster	72	54	17	-	1	89	51	19	18	1
Wilkinson	155	88	-	67	-	144	96	3	38	7
Winston	161	108	1	44	8	197	109	9	72	7
Yalobusha	131	103	17	11	-	156	112	9	35	-
Yazoo	322	234	-	88	-	369	229	15	125	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MISSOURI	47,318	19,222	4,623	22,779	694	46,769	19,203	4,586	22,337	643
Metropolitan counties	27,192	8,669	2,290	15,780	453	25,054	8,679	2,306	13,716	353
Nonmetropolitan counties	20,126	10,553	2,333	6,999	241	21,715	10,524	2,280	8,621	290
Adair	411	81	44	276	10	217	78	27	106	6
Kirksville	380	50	44	276	10	135	47	16	68	4
Balance of county	31	31	-	-	-	82	31	11	38	2
Andrew	87	63	24	-	-	132	67	24	41	-
Atchison	105	34	3	68	-	98	38	4	56	-
Audrain	295	98	36	161	-	262	91	39	132	-
Mexico	221	35	25	161	-	124	37	21	66	-
Balance of county	74	63	11	-	-	138	54	18	66	-
Barry	226	112	16	88	10	230	115	14	93	8
Barton	161	88	16	51	6	174	84	26	59	5
Bates	204	125	17	61	1	249	125	36	87	1
Benton	59	59	-	-	-	122	63	18	41	-
Bollinger	75	62	9	-	4	97	59	11	23	4
Boone	658	186	61	409	2	452	174	65	210	3
Columbia	531	103	19	408	1	253	97	30	125	1
Balance of county	127	83	42	1	1	199	77	35	85	2
Buchanan	1,412	465	281	659	7	1,193	470	163	554	6
St. Joseph	1,325	383	280	655	7	1,013	394	142	471	6
Balance of county	87	82	1	4	-	180	76	21	83	-
Butler	661	239	22	399	1	427	214	29	182	2
Poplar Bluff	530	111	20	398	1	222	99	17	105	1
Balance of county	131	128	2	1	-	205	115	12	77	1
Caldwell	99	87	9	-	3	152	84	22	44	2
Callaway	329	99	147	81	2	240	95	28	116	1
Fulton	244	25	136	81	2	91	27	13	50	1
Balance of county	85	74	11	-	-	149	68	15	66	-
Camden	55	53	2	-	-	94	51	9	34	-
Cape Girardeau	473	156	32	283	2	363	152	32	176	3
Cape Girardeau	381	73	23	283	2	212	73	19	119	1
Balance of county	92	83	9	-	-	151	79	13	57	2
Carroll	140	90	2	45	3	174	85	15	69	5
Carter	27	27	-	-	-	51	28	4	19	-
Cass	186	110	10	60	6	222	101	14	102	5
Cedar	74	74	-	-	-	130	80	21	28	1
Chariton	104	95	9	-	-	169	91	24	54	-
Christian	74	66	8	-	-	115	65	12	37	1
Clark	78	63	13	-	2	141	66	15	57	3
Clay	503	231	2	200	70	741	302	30	347	62
Kansas City (part)	53	53	-	-	-	328	151	17	161	19
Balance of county	450	178	2	200	70	413	171	13	186	43
Clinton	200	91	11	90	8	188	94	13	73	8
Cole	404	151	2	249	2	315	145	27	141	2
Jefferson City	351	98	2	249	2	230	97	20	111	2
Balance of county	53	53	-	-	-	85	48	7	30	-
Cooper	193	83	25	84	1	201	82	25	92	2
Crawford	76	72	3	-	1	134	68	20	46	-
Dade	88	65	-	23	-	111	63	6	42	-
Dallas	71	70	1	-	-	111	71	12	27	1
Daviess	113	89	22	-	2	144	83	27	32	2
De Kalb	68	60	8	-	-	105	55	12	36	2
Dent	116	73	17	24	2	133	78	14	39	2
Douglas	69	69	-	-	-	106	74	9	22	1
Dunklin	344	167	24	146	7	388	176	19	186	7
Franklin	427	198	5	222	2	452	204	30	215	3
Gasconade	99	86	12	-	1	156	88	19	49	-
Gentry	128	72	19	31	6	157	75	19	56	7
Greene	1,560	509	93	889	69	1,174	478	85	567	44
Springfield	1,441	407	78	889	67	932	361	69	465	37
Balance of county	119	102	15	-	2	242	117	16	102	7
Grundy	202	110	26	63	3	178	108	13	55	2
Harrison	139	70	13	54	2	160	66	24	67	3
Henry	297	97	37	162	1	280	95	39	146	-
Hickory	32	32	-	-	-	52	35	7	10	-
Holt	87	63	24	-	-	125	61	22	42	-
Howard	155	69	20	62	4	165	72	13	78	2
Howell	268	173	4	81	10	269	164	11	87	7
Iron	140	45	40	55	-	124	45	39	40	-
Jackson	7,099	2,334	615	4,073	77	6,451	2,264	626	3,487	74
Kansas City (part)	6,224	1,918	543	3,698	65	5,398	1,857	547	2,929	65
Kansas City (total)	6,277	1,971	543	3,698	65	5,726	1,988	564	3,090	84
Independence	430	163	55	209	3	454	152	45	254	3
Balance of county	445	253	17	166	9	599	255	34	304	6
Jasper	1,112	439	49	609	15	1,093	435	64	577	17
Joplin (part)	598	183	18	396	1	538	187	43	304	4
Joplin (total)	604	189	18	396	1	549	194	43	308	4
Carthage	205	82	4	118	1	165	75	6	82	2
Balance of county	309	174	27	95	13	390	173	15	191	11
Jefferson	447	218	164	60	5	517	228	80	201	8
Johnson	247	127	18	83	19	287	128	24	118	17
Knox	68	51	1	16	-	98	55	8	34	1
Laclede	193	85	29	78	1	187	85	13	89	-
Lafayette	257	174	9	74	-	336	176	33	126	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MISSOURI—Continued										
Lawrence	319	144	16	156	3	301	149	32	115	5
Lewis	94	79	14	-	1	148	78	18	51	1
Lincoln	218	101	31	80	6	218	102	28	84	4
Linn	258	133	48	77	-	279	136	47	96	-
Livingston	267	114	46	102	5	228	112	26	88	2
McDonald	105	90	12	-	3	149	85	15	45	4
Macon	212	128	22	62	-	274	130	28	114	2
Madison	49	49	-	-	-	97	52	7	38	-
Maries	34	33	-	-	1	67	38	5	22	2
Marion	470	110	66	294	-	374	100	60	211	3
Hannibal (part)	414	69	51	294	-	278	64	40	173	1
Hannibal (total)	415	70	51	294	-	282	67	40	174	1
Balance of county	56	41	15	-	-	96	36	20	38	2
Mercer	78	41	4	30	3	89	41	12	34	2
Miller	138	113	1	24	-	162	108	15	38	1
Mississippi	142	140	-	-	2	236	144	20	68	4
Moniteau	133	88	4	40	1	174	91	12	69	2
Monroe	120	95	23	-	2	176	104	23	48	1
Montgomery	105	84	20	-	1	182	90	32	59	1
Morgan	114	90	19	-	5	125	83	12	25	5
New Madrid	187	183	3	-	1	289	169	17	100	3
Sikeston (part)	-	-	-	-	-	1	1	-	-	-
Balance of county	187	183	3	-	1	288	168	17	100	3
Newton	286	156	23	103	4	337	158	37	137	5
Joplin (part)	6	6	-	-	-	11	7	-	4	-
Balance of county	280	150	23	103	4	326	151	37	133	5
Nodaway	268	87	32	145	4	263	87	43	129	4
Oregon	87	86	1	-	-	111	89	4	17	1
Osage	78	49	29	-	-	110	52	16	40	2
Ozark	46	45	-	-	1	66	44	4	16	2
Pemiscot	337	234	3	97	3	406	245	15	141	5
Perry	136	62	16	58	-	141	62	21	58	-
Pettis	435	178	38	218	1	428	182	43	198	5
Sedalia	373	126	28	218	1	297	123	26	144	4
Balance of county	62	52	10	-	-	131	59	17	54	1
Phelps	310	92	117	98	3	229	90	47	90	2
Pike	232	98	18	116	-	249	100	24	125	-
Platte	81	66	15	-	-	168	60	25	77	6
Polk	151	96	28	25	2	197	98	41	55	3
Pulaski	183	68	-	113	2	180	59	11	108	2
Putnam	83	55	-	27	1	108	58	6	43	1
Ralls	40	39	-	1	-	100	44	7	49	-
Hannibal (part)	1	1	-	-	-	4	3	-	1	-
Balance of county	39	38	-	1	-	96	41	7	48	-
Randolph	366	159	38	169	-	342	165	37	140	-
Moberly	266	87	10	169	-	201	92	19	90	-
Balance of county	100	72	28	-	-	141	73	18	50	-
Ray	172	112	11	47	2	202	109	19	72	2
Reynolds	32	32	-	-	-	55	35	7	13	-
Ripley	95	70	-	25	-	133	72	6	54	1
St. Charles	378	158	39	177	4	374	137	42	188	7
St. Charles	271	73	20	174	4	176	57	22	95	2
Balance of county	107	85	19	3	-	198	80	20	93	5
St. Clair	116	69	2	44	1	130	63	5	61	1
St. Francois	494	190	146	156	2	410	191	47	167	5
St. Louis	3,464	1,548	753	1,137	26	4,572	1,564	534	2,427	47
University City	130	117	13	-	-	489	150	43	293	3
Clayton	786	377	1	408	-	169	51	14	104	-
Ferguson	74	38	36	-	-	139	49	23	67	-
Jennings	71	63	7	-	1	194	78	17	99	-
Kirkwood	299	95	37	164	3	269	90	46	127	6
Maplewood	65	42	23	-	-	162	57	24	79	2
Overland	82	45	34	-	3	180	68	17	91	4
Richmond Heights	416	48	1	367	-	159	57	15	83	4
Webster Groves	75	70	3	-	2	253	86	26	136	3
Balance of county	1,466	653	598	198	17	2,558	878	307	1,348	25
St. Louis (city)	12,776	3,424	507	8,645	200	10,549	3,464	826	6,146	113
Ste. Genevieve	82	75	7	-	-	112	72	6	33	1
Saline	291	151	48	90	2	313	144	35	132	2
Schuyler	53	46	5	-	2	69	42	8	18	1
Scotland	39	38	1	-	-	88	40	9	31	8
Scott	280	114	32	132	2	269	118	21	129	1
Sikeston (part)	216	52	31	132	1	116	52	11	53	-
Sikeston (total)	216	52	31	132	1	117	53	11	53	-
Balance of county	64	62	1	-	1	153	66	10	76	1
Shannon	38	36	-	-	2	71	39	9	20	3
Shelby	101	86	12	-	3	160	84	26	48	2
Stoddard	169	154	6	2	7	262	157	13	85	7
Stone	56	56	-	-	-	87	56	6	21	4
Sullivan	124	70	4	46	4	159	77	14	62	6
Taney	109	60	10	39	-	105	56	6	43	-
Texas	133	125	3	-	5	189	126	10	45	8
Vernon	469	100	252	117	-	272	94	53	123	2
Warren	66	38	28	-	-	106	37	20	48	1
Washington	102	99	1	-	2	143	98	10	33	2

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
MISSOURI—Continued										
Wayne	70	70	-	-	-	119	70	4	45	-
Webster	92	87	5	-	-	151	91	7	50	3
Worth	41	37	2	-	2	66	39	3	22	2
Wright	119	87	8	18	6	158	94	15	46	3
MONTANA	6,175	2,161	430	3,478	106	6,261	2,169	448	3,537	107
Nonmetropolitan counties	6,175	2,161	430	3,478	106	6,261	2,169	448	3,537	107
Beaverhead	67	29	9	29	-	93	26	17	50	-
Big Horn	89	41	-	47	1	108	42	2	62	2
Blaine	30	19	5	6	-	64	20	6	38	-
Broadwater	33	12	-	18	3	22	7	3	11	1
Carbon	83	35	2	39	7	103	36	6	54	7
Carter	11	5	-	6	-	21	6	-	14	1
Cascade	641	221	32	385	3	593	224	46	320	3
Great Falls	592	179	32	378	3	499	185	39	274	1
Balance of county	49	42	-	7	-	94	39	7	46	2
Chouteau	42	22	-	20	-	59	25	3	31	-
Custer	202	37	16	147	2	150	34	18	98	-
Daniels	28	17	-	11	-	33	14	1	18	-
Dawson	96	26	-	70	-	97	27	3	67	-
Deer Lodge	367	45	187	135	-	173	49	16	108	-
Anaconda	126	38	4	84	-	150	42	14	94	-
Balance of county	241	7	183	51	-	23	7	2	14	-
Fallon	25	14	-	11	-	37	14	1	20	2
Fergus	141	48	11	82	-	142	50	14	78	-
Flathead	314	132	8	165	9	332	133	14	176	9
Gallatin	196	71	10	110	5	213	76	16	119	2
Bozeman	141	28	1	110	2	109	36	8	64	1
Balance of county	55	43	9	-	3	104	40	8	55	1
Garfield	23	14	-	9	-	28	10	2	16	-
Glacier	84	36	-	48	-	92	34	1	57	-
Golden Valley	6	6	-	-	-	18	6	4	7	1
Granite	27	17	-	10	-	28	11	5	12	-
Hill	161	48	9	104	-	137	47	8	82	-
Jefferson	21	16	4	-	1	33	10	4	18	1
Judith Basin	17	17	-	-	-	31	16	-	15	-
Lake	118	36	1	79	2	135	36	7	90	2
Lewis and Clark	350	109	25	210	6	302	107	38	151	6
Helena	224	80	3	141	-	236	85	31	120	-
Balance of county	126	29	22	69	6	66	22	7	31	6
Liberty	17	7	-	10	-	15	8	1	6	-
Lincoln	83	48	10	22	3	84	42	10	29	3
McCone	17	9	-	8	-	29	10	-	18	1
Madison	53	41	-	12	-	57	28	1	27	1
Meagher	14	7	-	-	7	34	11	1	11	11
Mineral	17	3	-	14	-	26	2	1	22	1
Missoula	387	111	26	246	4	347	116	39	191	1
Missoula	325	69	8	245	3	266	76	31	158	1
Balance of county	62	42	18	1	1	81	40	8	33	-
Musselshell	50	20	9	18	3	60	21	6	31	2
Park	128	44	-	78	6	157	50	12	88	7
Petroleum	1	1	-	-	-	7	3	-	3	1
Phillips	51	23	-	25	3	64	27	3	32	2
Pondera	62	25	-	34	3	64	24	2	36	2
Powder River	8	7	1	-	-	14	2	3	9	-
Powell	84	32	11	41	-	82	29	4	48	1
Prairie	24	10	-	12	2	33	8	1	22	2
Ravalli	131	49	14	65	3	156	55	16	82	3
Richland	89	34	2	53	-	95	33	7	54	1
Roosevelt	103	25	-	75	3	100	26	2	70	2
Rosebud	45	17	-	28	-	64	16	2	46	-
Sanders	62	37	1	24	-	78	36	6	35	1
Sheridan	44	16	-	28	-	51	21	2	28	-
Silver Bow	565	173	13	377	2	622	186	36	398	2
Butte	431	129	11	289	2	495	149	32	312	2
Balance of county	134	44	2	88	-	127	37	4	86	-
Stillwater	59	20	6	18	15	57	17	9	28	3
Sweet Grass	33	20	-	8	5	38	19	2	12	5
Teton	47	10	6	29	2	58	15	5	34	4
Toole	49	22	2	25	-	67	22	6	39	-
Treasure	9	9	-	-	-	16	10	-	6	-
Valley	98	30	-	68	-	109	29	6	74	-
Wheatland	40	17	-	23	-	38	16	2	20	-
Wibaux	3	3	-	-	-	14	4	-	10	-
Yellowstone	630	218	10	396	6	581	223	28	316	14
Billings	505	143	8	348	6	405	155	22	220	8
Balance of county	125	75	2	48	-	176	68	6	96	6
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-
NEBRASKA	13,640	4,524	1,262	7,511	343	13,729	4,571	1,276	7,537	345
Metropolitan counties	5,146	1,350	338	3,417	41	4,541	1,387	340	2,776	38
Nonmetropolitan counties	8,494	3,174	924	4,094	302	9,188	3,184	936	4,761	307
Adams	442	78	143	206	15	266	85	22	147	12
Hastings	290	59	12	205	14	210	69	16	115	10
Balance of county	152	19	131	1	1	56	16	6	32	2

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEBRASKA—Continued										
Antelope	111	39	4	57	11	109	37	10	57	5
Arthur	1	1	-	-	-	2	1	-	1	-
Banner	5	5	-	-	-	7	1	1	5	-
Blaine	4	4	-	-	-	9	2	-	7	-
Boone	79	29	6	40	4	114	28	12	71	3
Box Butte	112	37	4	69	2	107	35	10	60	2
Boyd	43	14	-	29	-	45	12	6	26	1
Brown	63	24	1	36	2	70	24	5	38	3
Buffalo	303	100	42	159	2	286	105	34	144	3
Kearney	239	38	40	159	2	133	35	16	81	1
Balance of county	64	62	2	-	-	153	70	18	63	2
Burt	79	48	5	26	-	114	47	6	61	-
Butler	85	41	3	38	3	113	38	7	64	4
Cass	137	91	38	-	8	180	89	23	61	7
Cedar	46	36	10	-	-	101	36	16	48	1
Chase	51	20	3	24	4	54	20	6	25	3
Cherry	64	30	4	21	9	69	31	6	27	5
Cheyenne	79	26	-	50	3	94	29	3	57	5
Clay	52	39	9	-	4	120	43	18	51	8
Colfax	75	33	1	39	2	94	35	9	46	4
Cuming	88	33	7	47	1	92	34	13	43	2
Custer	167	63	12	83	9	193	66	18	100	9
Dakota	38	37	-	-	1	82	32	7	40	3
Dawes	77	22	3	46	6	93	27	3	57	6
Dawson	195	67	26	101	1	192	64	23	104	1
Deuel	12	6	-	6	-	23	10	3	10	-
Dixon	64	28	13	20	3	89	32	14	36	7
Dodge	255	83	5	159	8	307	88	28	180	11
Fremont	222	50	5	159	8	194	52	15	120	7
Balance of county	33	33	-	-	-	113	36	13	60	4
Douglas	3,612	833	191	2,559	29	3,179	863	250	2,039	27
Omaha	3,503	755	182	2,537	29	2,945	784	237	1,901	23
Balance of county	109	78	9	22	-	234	79	13	138	4
Dundy	24	7	-	16	1	37	11	7	18	1
Fillmore	53	38	6	-	9	106	38	9	49	10
Franklin	53	28	2	23	-	78	28	6	44	-
Frontier	19	19	-	-	-	46	20	1	25	-
Furnas	81	31	3	39	8	97	32	8	49	8
Gage	372	134	59	175	4	307	137	18	150	2
Beatrice	233	78	7	147	1	174	78	8	87	1
Balance of county	139	56	52	28	3	133	59	10	63	1
Garden	37	11	1	25	-	35	10	-	25	-
Garfield	34	9	5	20	-	37	12	4	21	-
Gosper	4	4	-	-	-	21	8	5	8	-
Grant	5	5	-	-	-	12	5	-	7	-
Greeley	33	14	3	16	-	44	12	4	28	-
Hall	463	135	5	312	11	358	132	28	189	9
Grand Island	427	100	5	312	10	268	98	17	144	9
Balance of county	36	35	-	-	1	90	34	11	45	-
Hamilton	84	32	8	40	4	98	31	8	57	2
Harlan	52	17	3	28	4	65	18	5	39	3
Hayes	9	9	-	-	-	16	7	-	9	-
Hitchcock	33	25	-	2	6	54	20	2	26	6
Holt	117	47	7	61	2	149	50	16	80	3
Hooker	10	5	1	-	4	15	6	1	5	3
Howard	56	21	-	32	3	77	23	5	46	3
Jefferson	143	67	3	68	5	164	73	14	74	3
Johnson	52	29	2	-	21	77	30	10	16	21
Kearney	57	15	8	31	3	63	15	12	33	3
Keith	55	25	4	24	2	59	20	4	33	2
Keya Paha	4	4	-	-	-	14	5	1	8	-
Kimball	48	15	-	33	-	61	13	3	44	1
Knox	103	60	3	35	5	147	56	17	70	4
Lancaster	1,477	476	147	843	11	1,236	483	80	663	10
Lincoln	1,174	425	20	718	11	1,101	423	69	600	9
Balance of county	303	51	127	125	-	135	60	11	63	1
Lincoln	250	95	10	140	5	247	84	20	137	6
North Platte	205	59	10	131	5	180	57	14	104	5
Balance of county	45	36	-	9	-	67	27	6	33	1
Logan	5	5	-	-	-	7	3	-	4	-
Loup	4	4	-	-	-	8	5	-	3	-
McPherson	3	3	-	-	-	6	3	-	3	-
Madison	472	87	164	199	22	291	88	32	151	20
Norfolk	256	38	8	193	17	167	39	20	96	12
Balance of county	216	49	156	6	5	124	49	12	55	8
Merrick	85	37	11	37	-	98	30	12	55	1
Morrill	55	33	1	16	5	72	32	2	34	4
Nance	75	15	22	31	7	64	19	7	35	3
Nemaha	68	29	8	30	1	107	31	9	65	2
Nuckolls	74	36	5	31	2	88	33	14	38	3
Otoe	203	62	22	116	3	206	66	28	109	3
Pawnee	66	24	16	24	2	85	26	21	35	3

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEBRASKA—Continued										
Perkins	27	10	-	17	-	36	9	3	23	1
Phelps	103	30	11	60	2	92	29	9	54	-
Pierce	73	39	-	33	1	103	40	8	49	6
Platte	202	73	7	121	1	215	72	23	118	2
Polk	75	25	11	37	2	86	26	12	48	-
Red Willow	165	42	-	123	-	156	45	10	98	3
Richardson	178	73	19	84	2	189	72	32	82	3
Rock	18	2	-	16	-	23	2	2	19	-
Saline	180	55	23	98	4	181	56	24	96	5
Sarpy	57	41	-	15	1	126	41	10	74	1
Saunders	106	59	7	36	4	177	60	18	92	7
Scotts Bluff	281	103	8	157	13	267	104	14	143	6
Scottsbluff	223	51	5	157	10	131	52	6	68	5
Balance of county	58	52	3	-	3	136	52	8	75	1
Seward	122	43	20	56	3	134	38	18	76	2
Sheridan	94	36	10	47	1	110	34	13	60	3
Sherman	46	27	2	17	-	52	29	3	20	-
Sioux	9	9	-	-	-	22	8	3	8	3
Stanton	22	22	-	-	-	44	18	9	17	-
Thayer	118	51	34	32	1	121	51	25	44	1
Thomas	4	4	-	-	-	4	4	-	-	-
Thurston	66	16	-	46	4	83	20	4	55	4
Valley	78	36	2	36	4	85	38	5	37	5
Washington	104	45	10	44	5	127	44	17	59	7
Wayne	69	31	9	18	11	86	29	13	34	10
Webster	91	29	17	44	1	95	30	20	45	-
Wheeler	7	7	-	-	-	14	5	2	7	-
York	168	37	13	112	6	145	38	13	89	5
NEVADA	2,482	1,032	52	1,391	7	2,311	889	60	1,352	10
Nonmetropolitan counties	2,482	1,032	52	1,391	7	2,311	889	60	1,352	10
Churchill	66	32	-	34	-	92	30	4	58	-
Clark	847	380	-	463	4	810	312	9	484	5
Las Vegas	517	183	-	333	1	524	194	7	319	4
Balance of county	330	197	-	130	3	286	118	2	165	1
Douglas	19	19	-	-	-	27	11	2	14	-
Elko	129	66	-	62	1	120	54	3	62	1
Esmeralda	4	4	-	-	-	13	3	1	9	-
Eureka	10	10	-	-	-	11	7	-	4	-
Humboldt	78	42	-	36	-	83	43	1	39	-
Lander	16	11	-	5	-	20	10	-	10	-
Lincoln	32	14	-	18	-	34	12	1	21	-
Lyon	43	22	-	21	-	63	22	1	39	1
Mineral	60	30	-	30	-	63	24	2	37	-
Nye	68	20	-	48	-	60	14	1	45	-
Ormsby	81	30	2	48	1	72	30	4	38	-
Pershing	41	18	-	23	-	36	10	1	25	-
Storey	3	3	-	-	-	11	2	1	8	-
Washoe	899	295	50	553	1	705	274	24	404	3
Reno	788	229	5	553	1	511	201	15	293	2
Balance of county	111	66	45	-	-	194	73	9	111	1
White Pine	86	36	-	50	-	91	31	5	55	-
NEW HAMPSHIRE	6,632	2,219	876	3,415	122	6,563	2,196	852	3,374	141
Metropolitan counties	1,897	614	138	1,134	11	1,900	633	226	1,026	15
Nonmetropolitan counties	4,735	1,605	738	2,281	111	4,663	1,563	626	2,348	126
Belknap	342	107	63	169	3	337	93	42	199	3
Laconia	261	44	46	169	2	167	40	17	108	2
Balance of county	81	63	17	-	1	170	53	25	91	1
Carroll	242	91	13	135	3	239	82	26	125	6
Cheshire	374	167	41	156	10	467	174	69	215	9
Keene	244	74	13	156	1	192	78	25	87	2
Balance of county	130	93	28	-	9	275	96	44	128	7
Coos	395	116	19	253	7	423	123	36	256	8
Berlin	182	48	-	134	-	179	58	13	106	2
Balance of county	213	68	19	119	7	244	65	23	150	6
Grafton	672	195	45	409	23	531	187	63	259	22
Hillsborough	1,897	614	138	1,134	11	1,900	633	226	1,026	15
Manchester	966	294	60	606	6	940	307	102	525	6
Nashua	490	136	45	307	2	429	132	58	236	3
Balance of county	441	184	33	221	3	531	194	66	265	6
Merrimack	1,060	246	413	387	14	803	249	160	384	10
Concord	692	98	353	239	2	348	89	84	171	4
Balance of county	368	148	60	148	12	455	160	76	213	6
Rockingham	872	383	89	366	34	969	349	127	444	49
Portsmouth	286	81	52	150	3	247	77	46	107	17
Balance of county	586	302	37	216	31	722	272	81	337	32
Strafford	523	217	45	250	11	582	223	78	268	13
Dover	237	69	31	130	7	211	68	30	105	8
Rochester	202	68	11	120	3	154	66	14	72	2
Balance of county	84	80	3	-	1	217	89	34	91	3
Sullivan	255	83	10	156	6	312	83	25	198	6
Claremont	112	39	3	70	-	145	39	12	92	2
Balance of county	143	44	7	86	6	167	44	13	106	4

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEW JERSEY	56,395	22,832	5,895	27,360	308	57,929	22,789	5,913	28,901	326
Metropolitan counties	48,792	19,439	4,637	24,453	263	50,594	19,581	5,021	25,711	281
Nonmetropolitan counties	7,603	3,393	1,258	2,907	45	7,335	3,208	892	3,190	45
Atlantic	2,084	1,015	253	809	7	2,122	952	330	834	6
Atlantic City	1,137	479	86	569	3	1,057	435	182	437	3
Pleasantville	57	57	-	-	-	147	66	21	59	1
Balance of county	890	479	167	240	4	918	451	127	338	2
Bergen	4,681	2,309	206	2,162	4	5,993	2,349	478	3,136	30
Garfield	126	126	-	-	-	267	127	12	128	-
Hackensack	582	131	1	450	-	343	130	31	180	2
Teaneck (twp.)[3 4]	410	126	3	281	-	309	125	20	162	2
Bergenfield	66	66	-	-	-	176	75	11	90	-
Cliffside Park	58	58	-	-	-	173	65	13	94	1
Dumont	65	55	-	10	-	139	57	13	68	1
East Paterson	35	35	-	-	-	107	35	3	68	1
Englewood	443	89	7	347	-	241	77	22	141	1
Fair Lawn	79	79	-	-	-	223	73	15	135	-
Fort Lee	42	42	-	-	-	147	48	6	91	2
Lodi	72	68	2	-	2	154	69	10	72	3
Lyndhurst (twp.)[3 4]	90	87	3	-	-	182	87	8	87	-
North Arlington	54	54	-	-	-	134	55	7	72	-
Ridgefield Park	44	44	-	-	-	136	49	8	78	1
Ridgewood	246	96	10	140	-	232	95	27	109	1
Rutherford	115	115	-	-	-	255	116	28	111	-
Balance of county	2,154	1,038	180	934	2	2,775	1,086	244	1,450	15
Burlington	1,328	699	140	475	14	1,495	671	163	653	8
Burlington	94	68	25	-	1	150	72	14	64	-
Balance of county	1,234	631	115	475	13	1,345	599	149	589	8
Camden	3,895	1,692	559	1,626	18	3,751	1,701	323	1,700	27
Camden	2,175	746	2	1,427	-	1,509	660	132	706	11
Collingswood	108	104	4	-	-	246	121	26	97	2
Gloucester City	49	49	-	-	-	172	62	10	98	2
Haddonfield	69	66	2	-	1	176	74	23	78	1
Pennsauken (twp.)[3 4]	113	113	-	-	-	225	116	16	90	3
Balance of county	1,381	614	551	199	17	1,423	668	116	631	8
Cape May	631	365	53	212	1	679	300	76	301	2
Cumberland	1,203	512	188	502	1	1,133	498	140	491	4
Bridgeton	337	129	31	177	-	263	120	34	108	1
Millville	197	99	-	98	-	214	99	25	90	-
Balance of county	669	284	157	227	1	656	279	81	293	3
Essex	10,285	3,509	934	5,820	22	10,226	3,618	1,237	5,340	31
Newark	4,977	1,650	166	3,148	13	5,014	1,672	529	2,799	14
East Orange	1,055	339	1	715	-	989	375	140	471	3
Irvington	517	227	13	276	1	675	235	63	376	1
Belleville	503	108	1	393	1	276	111	26	139	-
Bloomfield	296	188	107	-	1	518	197	82	238	1
Montclair	416	186	50	178	2	556	197	107	250	2
Nutley	93	93	-	-	-	257	104	24	128	1
Orange	818	138	35	642	3	435	139	51	244	1
West Orange	112	110	2	-	-	297	110	34	152	1
Maplewood (twp.)[3 4]	115	107	8	-	-	245	120	35	90	-
Millburn (twp.)[3 4]	56	56	-	-	-	152	56	23	71	2
South Orange	79	79	-	-	-	182	75	32	73	2
Verona	68	35	-	32	1	91	35	12	43	1
Balance of county	1,180	193	551	436	-	539	192	79	266	2
Gloucester	763	488	23	247	5	1,188	500	142	540	6
Woodbury	283	50	-	233	-	156	55	28	70	3
Balance of county	480	438	23	14	5	1,032	445	114	470	3
Hudson	6,742	2,547	291	3,852	52	7,153	2,580	455	4,073	45
Jersey City	3,701	1,104	70	2,523	4	3,346	1,133	195	2,005	13
Bayonne	692	374	-	318	-	781	339	50	390	2
Hoboken	642	217	-	424	1	606	211	45	345	5
Union City	251	219	-	32	-	639	242	46	348	3
Kearny	364	157	1	206	-	393	160	23	209	1
North Bergen (twp.)[3 4]	146	145	1	-	-	444	158	32	245	9
West New York	116	116	-	-	-	371	130	19	218	4
Harrison	59	59	-	-	-	158	59	9	89	1
Weehawken (twp.)[3 4]	351	69	-	282	-	169	55	16	94	4
Balance of county	420	87	219	67	47	246	93	20	130	3
Hunterdon	592	269	62	252	9	619	261	91	260	7
Mercer	3,182	1,001	534	1,640	7	2,669	990	245	1,427	7
Trenton	2,295	569	416	1,308	2	1,504	524	131	845	4
Princeton	222	43	1	176	2	128	37	23	66	2
Balance of county	665	389	117	156	3	1,037	429	91	516	1
Middlesex	2,728	1,206	89	1,375	58	3,140	1,215	239	1,637	49
New Brunswick	817	178	13	578	48	454	164	44	224	22
Perth Amboy	736	180	-	556	-	483	165	26	290	2
Woodbridge (twp.)[3 4]	162	153	8	-	1	415	155	32	228	-
Carteret	58	58	-	-	-	141	58	10	73	-
Sayreville	59	59	-	-	-	115	60	7	48	-
South River	47	47	-	-	-	119	54	6	58	1
Balance of county	849	531	68	241	9	1,413	559	114	716	24

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEW JERSEY—Continued										
Monmouth	3,481	1,469	755	1,242	15	3,285	1,466	399	1,404	16
Asbury Park	105	104	-	-	1	327	125	37	163	2
Long Branch	663	138	12	532	1	262	113	28	121	-
Neptune (twp.)[3 4]	715	135	56	523	1	226	93	49	83	1
Red Bank	233	63	29	141	-	162	57	28	77	-
Balance of county	1,745	1,029	658	46	12	2,308	1,078	257	960	13
Morris	2,656	731	819	1,072	34	2,062	708	286	1,052	16
Dover	284	48	1	235	-	150	49	27	74	-
Madison	103	36	67	-	-	120	44	20	56	-
Morristown	574	74	14	486	-	245	59	41	142	3
Balance of county	1,695	573	737	351	34	1,547	556	198	780	13
Ocean	1,202	560	163	465	14	1,120	477	139	494	10
Passaic	4,265	1,506	313	2,417	29	4,048	1,554	413	2,056	25
Paterson	2,112	629	25	1,456	2	1,819	657	189	962	11
Clifton	347	283	64	-	-	648	297	65	282	4
Passaic	1,054	214	21	817	2	639	223	66	348	2
Hawthorne	58	58	-	-	-	173	60	14	97	2
Balance of county	694	322	203	144	25	769	317	79	367	6
Salem	554	245	33	274	2	587	238	85	262	2
Somerset	978	417	217	341	3	1,069	414	110	533	12
North Plainfield	81	61	20	-	-	162	65	16	80	1
Somerville	353	38	-	315	-	138	42	28	67	1
Balance of county	544	318	197	26	3	769	307	66	386	10
Sussex	494	218	37	234	5	499	206	47	240	6
Union	4,060	1,745	143	2,164	8	4,358	1,764	402	2,181	11
Elizabeth	1,500	490	15	995	-	1,270	491	106	672	1
Linden	114	114	-	-	-	288	107	24	156	1
Plainfield	800	178	17	605	-	524	176	63	284	1
Union (twp.)[3 4]	166	166	-	-	-	409	182	32	194	1
Cranford (twp.)[3 4]	156	74	82	-	-	178	82	14	82	-
Hillside (twp.)[3 4]	92	92	-	-	-	192	95	13	84	-
Rahway	262	91	-	171	-	223	88	20	114	1
Roselle	70	70	-	-	-	177	77	13	87	-
Roselle Park	62	55	7	-	-	113	56	6	51	-
Summit	442	111	11	312	8	237	115	31	89	2
Westfield	99	99	-	-	-	219	94	33	92	-
Balance of county	297	205	11	81	-	528	201	47	276	4
Warren	591	329	83	179	-	733	327	113	287	6
Phillipsburg	290	101	10	179	-	261	99	39	120	3
Balance of county	301	228	73	-	-	472	228	74	167	3
NEW MEXICO	6,200	2,468	210	3,451	71	6,105	2,335	228	3,473	69
Metropolitan counties	1,744	494	27	1,209	14	1,435	462	43	916	14
Nonmetropolitan counties	4,456	1,974	183	2,242	57	4,670	1,873	185	2,557	55
Bernalillo	1,744	494	27	1,209	14	1,435	462	43	916	14
Albuquerque	1,458	398	13	1,033	14	1,175	368	38	758	11
Balance of county	286	96	14	176	-	260	94	5	158	3
Catron	22	22	-	-	-	35	22	3	8	2
Chaves	310	117	-	190	3	317	118	6	191	2
Roswell	268	83	-	183	2	247	90	6	150	1
Balance of county	42	34	-	7	1	70	28	-	41	1
Colfax	143	54	-	89	-	129	49	1	79	-
Curry	223	74	25	123	1	223	79	19	124	1
Clovis	182	52	25	105	-	179	55	18	106	-
Balance of county	41	22	-	18	1	44	24	1	18	1
De Baca	22	9	-	13	-	24	5	3	16	-
Dona Ana	262	115	17	128	2	317	121	22	172	2
Las Cruces	186	56	2	128	-	154	54	13	85	2
Balance of county	76	59	15	-	2	163	67	9	87	-
Eddy	312	112	1	199	-	325	109	9	207	-
Carlsbad	207	57	-	150	-	181	61	2	118	-
Balance of county	105	55	1	49	-	144	48	7	89	-
Grant	163	46	4	109	4	145	50	7	83	5
Guadalupe	52	34	-	18	-	46	24	1	21	-
Harding	9	9	-	-	-	18	8	1	9	-
Hidalgo	40	21	-	19	-	34	12	1	20	1
Lea	210	101	-	107	2	232	97	4	128	3
Hobbs	139	38	-	101	-	126	49	2	74	1
Balance of county	71	63	-	6	2	106	48	2	54	2
Lincoln	92	37	-	54	1	66	33	1	31	1
Los Alamos	26	6	-	20	-	26	9	3	14	-
Luna	111	42	-	50	19	108	40	6	50	12
McKinley	266	103	-	161	2	305	79	4	219	3
Mora	45	43	-	2	-	87	44	2	41	-
Otero	170	81	-	89	-	201	81	3	116	1
Quay	119	55	12	51	1	119	46	16	56	1
Rio Arriba	174	85	4	83	2	192	84	7	98	3
Roosevelt	111	51	-	60	-	119	49	6	63	1
Sandoval	45	44	-	-	1	94	41	1	51	1
San Juan	246	122	-	108	16	273	120	5	137	11
San Miguel	366	91	82	193	-	236	84	9	143	-
Santa Fe	327	134	16	176	1	291	131	16	144	-
Santa Fe	294	102	16	175	1	224	106	13	105	-
Balance of county	33	32	-	1	-	67	25	3	39	-
Sierra	115	61	4	50	-	125	53	10	60	2

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEW MEXICO—Continued										
Socorro	90	45	-	45	-	97	40	2	55	-
Taos	110	72	-	38	-	144	75	2	67	-
Torrance	53	35	-	18	-	50	28	-	22	-
Union	60	32	13	14	1	67	30	14	21	2
Valencia	162	121	5	35	1	225	112	1	111	1
NEW YORK	173,874	59,136	20,883	92,432	1,423	173,814	59,477	20,915	91,993	1,429
Metropolitan counties	143,870	47,901	15,346	79,760	863	144,098	48,506	16,133	78,551	908
Nonmetropolitan counties	30,004	11,235	5,537	12,672	560	29,716	10,971	4,782	13,442	521
Albany	3,448	1,001	308	2,113	26	3,223	1,029	486	1,683	25
Albany	2,519	476	84	1,937	22	1,917	511	323	1,065	18
Cohoes	197	100	2	95	-	268	101	35	132	-
Watervliet	62	62	-	-	-	227	73	26	128	-
Balance of county	670	363	222	81	4	811	344	102	358	7
Allegany	394	198	20	160	16	516	202	53	241	20
Broome	2,275	600	535	1,130	10	2,043	622	323	1,085	13
Binghamton	1,372	284	430	656	2	1,019	289	172	552	6
Endicott	176	53	9	113	1	205	58	27	119	1
Johnson City	396	53	-	343	-	202	53	32	115	2
Balance of county	331	210	96	18	7	617	222	92	299	4
Cattaraugus	906	317	79	501	9	942	308	139	488	7
Olean	398	76	21	298	3	264	72	27	162	3
Balance of county	508	241	58	203	6	678	236	112	326	4
Cayuga	765	287	138	315	45	826	284	174	331	37
Auburn	521	119	51	315	36	462	123	96	224	19
Balance of county	264	168	87	-	9	364	161	78	107	18
Chautauqua	1,454	610	133	705	6	1,625	613	238	767	7
Jamestown	626	166	57	403	-	520	165	79	276	-
Dunkirk	263	72	3	187	1	219	73	29	116	1
Balance of county	565	372	73	115	5	886	375	130	375	6
Chemung	945	341	44	543	17	1,009	344	103	546	16
Elmira	761	199	10	543	9	611	195	65	341	10
Balance of county	184	142	34	-	8	398	149	38	205	6
Chenango	490	210	90	176	14	544	207	112	210	15
Clinton	590	219	84	267	20	575	214	79	269	13
Plattsburgh	362	59	30	260	13	174	54	26	89	5
Balance of county	228	160	54	7	7	401	160	53	180	8
Columbia	543	214	145	181	3	558	210	141	203	4
Hudson	258	40	36	180	2	140	40	33	64	3
Balance of county	285	174	109	1	1	418	170	108	139	1
Cortland	426	179	54	190	3	423	180	65	176	2
Cortland	307	77	38	190	2	191	80	29	81	1
Balance of county	119	102	16	-	1	232	100	36	95	1
Delaware	569	209	49	303	8	554	203	81	263	7
Dutchess	2,702	551	1,361	778	12	1,590	528	284	765	13
Poughkeepsie	567	159	53	354	1	582	174	107	300	1
Beacon	184	50	75	56	3	146	47	32	63	4
Balance of county	1,951	342	1,233	368	8	862	307	145	402	8
Erie	11,237	3,843	1,386	5,930	78	10,734	3,860	1,208	5,585	81
Buffalo	8,696	2,422	754	5,481	39	6,938	2,423	796	3,677	42
Lackawanna	394	88	1	301	4	268	73	21	171	3
Kenmore	79	71	8	-	-	206	85	29	91	1
Tonawanda	47	47	-	-	-	234	64	43	126	1
Balance of county	2,021	1,215	623	148	35	3,088	1,215	319	1,520	34
Essex	439	172	30	221	16	432	171	62	184	15
Franklin	526	232	27	265	2	559	236	72	246	5
Fulton	613	254	74	272	13	666	253	90	311	12
Gloversville	357	100	34	212	11	305	104	41	157	3
Johnstown	163	63	40	60	-	168	62	31	75	-
Balance of county	93	91	-	-	2	193	87	18	79	9
Genesee	615	187	46	370	12	566	174	74	306	12
Batavia	443	57	14	370	2	215	57	27	125	6
Balance of county	172	130	32	-	10	351	117	47	181	6
Greene	407	173	65	153	16	451	167	82	190	12
Hamilton	34	34	-	-	-	55	29	6	20	-
Herkimer	683	298	46	332	7	753	303	95	350	5
Jefferson	1,153	428	96	608	21	1,148	417	127	582	22
Watertown	692	147	27	510	8	474	150	37	281	6
Balance of county	461	281	69	98	13	674	267	90	301	16
Lewis	203	89	35	77	2	258	85	47	125	1
Livingston	448	204	136	105	3	469	203	71	191	4
Madison	574	237	79	247	11	585	237	107	235	6
Oneida	238	46	14	175	3	150	40	26	84	-
Balance of county	336	191	65	72	8	435	197	81	151	6
Monroe	6,034	1,924	870	3,206	34	5,869	1,938	775	3,118	38
Rochester	5,256	1,292	793	3,142	29	4,171	1,287	606	2,248	30
Irondequoit (town)[3]	102	102	-	-	-	319	114	20	184	1
Balance of county	676	530	77	64	5	1,379	537	149	686	7
Montgomery	679	277	105	284	13	730	287	110	319	14
Amsterdam	459	139	36	284	-	390	142	52	191	5
Balance of county	220	138	69	-	13	340	145	58	128	9

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEW YORK—Continued										
Nassau	7,336	3,129	290	3,913	4	8,586	3,147	815	4,596	28
Hempstead	235	114	9	112	-	380	125	37	217	1
Valley Stream	117	108	9	-	-	368	128	26	214	-
Floral Park	104	77	27	-	-	206	81	26	97	2
Freeport	299	119	-	180	-	369	124	47	198	-
Garden City	91	91	-	-	-	214	90	22	102	-
Glen Cove	337	67	25	244	1	204	70	22	112	-
Long Beach	215	102	22	91	-	270	95	30	145	-
Lynbrook	84	84	-	-	-	246	91	26	128	1
Mineola	469	66	-	403	-	162	61	13	87	1
Rockville Centre	398	119	21	258	-	300	122	36	142	-
Balance of county	4,987	2,182	177	2,625	3	5,867	2,160	530	3,154	23
New York City	84,584	28,132	4,977	51,027	448	87,902	28,751	8,829	49,822	500
Bronx Borough (Bronx)	13,478	4,414	579	8,443	42	15,247	4,697	1,252	9,242	56
Brooklyn Borough (Kings)	26,154	9,345	1,710	14,860	239	28,712	9,850	2,820	15,802	240
Manhattan Borough (New York)	28,088	7,670	1,272	19,056	90	24,866	7,207	3,205	14,353	101
Queens Borough (Queens)	14,507	5,994	1,199	7,264	50	16,809	6,263	1,319	9,153	74
Richmond Borough (Richmond)	2,357	709	217	1,404	27	2,268	734	233	1,272	29
Niagara	1,849	623	186	1,010	30	2,033	613	257	1,133	30
Niagara Falls	806	258	15	528	5	890	246	89	548	7
Lockport	362	90	54	218	-	339	89	76	171	3
North Tonawanda	318	94	18	205	1	272	85	33	153	1
Balance of county	363	181	99	59	24	532	193	59	261	19
Oneida	3,230	936	1,047	1,241	6	2,625	937	370	1,306	12
Utica	1,426	369	482	573	2	1,204	370	199	629	6
Rome	567	138	84	345	-	413	140	36	237	-
Balance of county	1,237	429	481	323	4	1,008	427	135	440	6
Onondaga	4,067	1,556	367	2,114	30	4,180	1,571	642	1,930	37
Syracuse	3,237	940	268	2,005	23	2,787	974	453	1,335	25
Balance of county	830	616	99	108	7	1,393	597	189	595	12
Ontario	783	244	139	381	19	695	243	113	323	16
Geneva	191	68	4	114	5	184	71	18	89	6
Balance of county	592	176	135	267	14	511	172	95	234	10
Orange	2,363	730	563	1,051	19	2,163	709	421	1,017	16
Newburgh	550	136	45	369	-	492	145	110	237	-
Middletown	749	72	390	285	2	288	65	79	144	-
Balance of county	1,064	522	128	397	17	1,383	499	232	636	16
Orleans	363	146	65	152	-	429	148	93	186	2
Oswego	827	408	98	298	23	968	405	147	392	24
Fulton	163	69	1	80	13	163	73	18	66	6
Oswego	368	109	37	218	4	309	107	41	158	3
Balance of county	296	230	60	-	6	496	225	88	168	15
Otsego	622	272	89	243	18	617	262	107	233	15
Oneonta	218	56	34	127	1	175	53	33	87	2
Balance of county	404	216	55	116	17	442	209	74	146	13
Putnam	242	130	34	75	3	327	115	68	140	4
Rensselaer	1,690	565	307	811	7	1,793	570	335	879	9
Troy	1,185	247	135	801	2	1,023	252	216	549	6
Rensselaer	56	46	10	-	-	135	50	28	57	-
Balance of county	449	272	162	10	5	635	268	91	273	3
Rockland	1,575	366	705	490	14	1,028	344	162	512	10
St. Lawrence	1,293	429	326	527	11	1,145	418	173	542	12
Massena	151	32	23	96	-	107	31	14	61	1
Ogdensburg	469	48	226	195	-	206	60	37	109	-
Balance of county	673	349	77	236	11	832	327	122	372	11
Saratoga	742	410	109	212	11	959	401	149	400	9
Saratoga Springs	228	84	8	133	3	215	77	35	100	3
Balance of county	514	326	101	79	8	744	324	114	300	6
Schenectady	1,512	518	141	835	18	1,650	523	288	818	21
Schenectady	1,210	346	88	776	-	1,127	348	217	552	10
Balance of county	302	172	53	59	18	523	175	71	266	11
Schoharie	244	142	32	55	15	295	136	47	96	16
Schuyler	154	73	12	63	6	178	73	28	73	4
Seneca	561	120	325	102	14	341	114	61	151	15
Steuben	1,170	396	105	629	40	1,076	385	148	505	38
Corning	261	58	16	187	-	200	58	27	114	1
Hornell	234	62	31	135	6	197	68	34	91	4
Balance of county	675	276	58	307	34	679	259	87	300	33
Suffolk	7,318	1,931	3,539	1,745	103	4,511	1,836	700	1,900	75
Sullivan	654	274	37	340	3	595	211	74	310	-
Tioga	323	144	72	104	3	378	143	88	143	4
Tompkins	493	208	64	206	15	558	212	102	229	15
Ithaca	284	84	30	167	3	282	90	53	133	6
Balance of county	209	124	34	39	12	276	122	49	96	9
Ulster	1,309	540	195	556	18	1,419	517	239	649	14
Kingston	757	156	114	482	5	461	138	86	233	4
Balance of county	552	384	81	74	13	958	379	153	416	10
Warren	667	230	56	378	3	576	206	90	277	3
Glens Falls	469	75	35	357	2	272	73	45	151	3
Balance of county	198	155	21	21	1	304	133	45	126	-
Washington	462	208	84	135	35	572	207	99	233	33
Wayne	668	281	147	217	23	729	283	109	314	23
Newark	199	36	87	60	16	105	37	19	38	11
Balance of county	469	245	60	157	7	624	246	90	276	12

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NEW YORK—Continued										
Westchester	7,032	2,479	642	3,863	48	7,168	2,462	848	3,834	24
Yonkers	1,589	592	105	872	30	1,686	592	164	922	8
Mount Vernon	745	272	129	343	1	850	275	107	467	1
New Rochelle	702	217	57	428	-	709	231	95	381	2
White Plains	638	194	22	419	3	585	192	67	323	3
Mamaroneck	42	40	2	-	-	139	44	22	73	-
Ossining	101	55	35	11	-	191	57	35	99	-
Peekskill	249	97	9	143	-	233	97	40	96	-
Port Chester	370	83	7	280	-	260	82	26	152	-
Rye	67	39	28	-	-	118	44	9	65	-
Scarsdale	52	52	-	-	-	142	54	16	71	1
Balance of county	2,467	838	248	1,367	14	2,255	794	267	1,185	9
Wyoming	355	128	81	135	11	366	133	80	148	5
Yates	214	100	14	92	8	249	98	29	113	9
NORTH CAROLINA	35,794	17,015	1,883	16,509	387	35,674	17,012	1,914	16,358	390
Metropolitan counties	10,166	3,443	740	5,910	73	8,528	3,440	660	4,356	72
Nonmetropolitan counties	25,628	13,572	1,143	10,599	314	27,146	13,572	1,254	12,002	318
Alamance	502	303	13	166	20	564	298	27	218	21
Burlington	275	101	2	166	6	203	100	12	81	10
Balance of county	227	202	11	-	14	361	198	15	137	11
Alexander	91	54	3	34	-	131	55	8	67	1
Alleghany	71	45	-	24	2	74	43	-	29	2
Anson	219	146	6	67	-	252	143	7	100	2
Ashe	140	88	-	46	6	163	89	8	60	6
Avery	118	44	1	67	6	95	38	3	49	5
Beaufort	360	210	20	129	1	371	206	28	136	1
Bertie	193	134	-	57	2	219	131	5	82	1
Bladen	206	156	4	45	1	263	160	19	83	1
Brunswick	157	115	1	41	-	199	110	5	84	-
Buncombe	1,567	518	103	927	19	1,219	518	125	557	19
Asheville	1,009	291	85	622	11	666	265	76	315	10
Balance of county	558	227	18	305	8	553	253	49	242	9
Burke	509	120	235	148	6	310	121	20	166	3
Cabarrus	443	168	21	240	14	458	172	20	260	7
Concord	307	55	6	240	6	159	54	5	97	3
Balance of county	136	113	15	-	8	300	118	15	163	4
Caldwell	292	169	2	119	2	339	167	10	161	1
Camden	38	37	-	-	1	59	36	3	19	1
Carteret	207	107	-	100	-	227	105	5	115	2
Caswell	103	99	2	-	2	166	103	11	51	1
Catawba	410	195	-	215	-	460	197	27	232	4
Hickory	213	63	-	150	-	182	61	10	89	2
Balance of county	197	132	-	65	-	298	136	17	143	2
Chatham	204	117	-	82	5	245	117	12	113	3
Cherokee	131	64	-	66	1	143	69	8	64	2
Chowan	111	60	-	50	1	108	60	3	43	2
Clay	34	34	-	-	-	51	35	1	15	-
Cleveland	459	224	4	224	7	494	227	17	245	5
Shelby	217	59	-	158	-	155	67	5	81	2
Balance of county	242	165	4	66	7	339	160	12	164	3
Columbus	367	259	3	105	-	451	258	15	178	-
Craven	427	182	14	225	6	414	184	20	207	3
New Bern	287	77	-	207	3	179	71	8	98	2
Balance of county	140	105	14	18	3	235	113	12	109	1
Cumberland	861	318	17	510	16	722	316	26	368	12
Fayetteville	459	146	5	298	10	379	154	14	203	8
Balance of county	402	172	12	212	6	343	162	12	165	4
Currituck	49	47	-	-	2	71	45	2	20	4
Dare	51	50	-	-	1	67	41	1	23	2
Davidson	393	210	3	161	19	483	214	24	226	19
Lexington	152	61	-	91	-	140	53	7	78	2
Thomasville	103	31	-	70	2	99	35	3	58	3
Balance of county	138	118	3	-	17	244	126	14	90	14
Davie	124	59	33	30	2	129	62	17	50	-
Duplin	272	229	5	38	-	357	228	14	113	2
Durham	1,616	380	43	1,182	11	902	376	81	434	11
Durham	1,506	281	35	1,182	8	696	275	65	349	7
Balance of county	110	99	8	-	3	206	101	16	85	4
Edgecombe	433	264	11	146	12	508	268	29	199	12
Rocky Mount (part)	112	67	-	45	-	149	70	5	68	6
Balance of county	321	197	11	101	12	359	198	24	131	6
Forsyth	1,826	606	92	1,125	3	1,453	610	81	759	3
Winston-Salem	1,544	423	16	1,103	2	1,045	408	46	589	2
Balance of county	282	183	76	22	1	408	202	35	170	1
Franklin	224	160	3	60	1	307	163	13	127	4
Gaston	750	399	15	336	-	908	407	50	447	4
Gastonia	464	120	9	335	-	330	125	21	183	1
Balance of county	286	279	6	1	-	578	282	29	264	3
Gates	55	55	-	-	-	85	54	5	25	1
Graham	26	25	-	-	1	36	21	-	13	2
Granville	430	138	204	88	-	277	136	20	121	-
Greene	105	103	-	-	2	145	100	3	41	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NORTH CAROLINA—Continued										
Guilford	1,628	595	121	898	14	1,694	612	145	924	13
Greensboro	968	275	66	624	3	816	265	69	473	9
High Point	410	128	8	274	-	391	135	32	223	1
Balance of county	250	192	47	-	11	487	212	44	228	3
Halifax	547	293	6	243	5	536	292	16	222	6
Harnett	380	230	-	139	11	444	235	14	185	10
Haywood	289	143	15	126	5	304	140	18	144	2
Henderson	302	111	7	176	8	313	110	15	181	7
Hertford	215	112	-	103	-	182	113	7	61	1
Hoke	112	68	-	42	2	115	65	4	46	-
Hyde	42	42	-	-	-	55	39	1	15	-
Iredell	570	251	12	304	3	513	250	26	235	2
Statesville	271	68	6	197	-	158	65	8	85	-
Balance of county	299	183	6	107	3	355	185	18	150	2
Jackson	110	81	-	28	1	139	83	9	46	1
Johnston	451	265	2	176	8	541	273	19	245	4
Jones	44	44	-	-	-	83	44	3	36	-
Lee	240	106	2	132	-	229	107	7	114	1
Sanford	179	47	-	132	-	107	41	4	61	1
Balance of county	61	59	2	-	-	122	66	3	53	-
Lenoir	488	246	14	218	10	467	252	13	192	10
Kinston	340	116	-	218	6	236	120	8	102	6
Balance of county	148	130	14	-	4	231	132	5	90	4
Lincoln	195	90	1	103	1	214	97	4	110	3
McDowell	161	95	-	62	4	189	92	14	79	4
Macon	117	87	-	30	-	118	82	6	29	1
Madison	91	82	8	-	1	151	83	8	59	1
Martin	186	124	7	55	-	230	129	13	87	1
Mecklenburg	2,145	819	101	1,207	18	2,032	804	139	1,070	19
Charlotte	1,779	525	57	1,186	11	1,396	516	87	780	13
Balance of county	366	294	44	21	7	636	288	52	290	6
Mitchell	101	73	-	27	1	142	75	7	55	5
Montgomery	135	74	-	61	-	148	66	7	74	1
Moore	289	126	15	145	3	306	125	26	153	2
Nash	568	286	28	247	7	551	276	37	230	8
Rocky Mount (part)	325	78	-	247	-	172	70	10	89	3
Rocky Mount (total)	437	145	-	292	-	321	140	15	157	9
Balance of county	243	208	28	-	7	379	206	27	141	5
New Hanover	752	275	11	454	12	692	266	29	385	12
Wilmington	583	192	-	389	2	512	198	21	287	6
Balance of county	169	83	11	65	10	180	68	8	98	6
Northampton	198	190	7	-	1	265	178	10	77	-
Onslow	326	137	-	187	2	342	144	5	191	2
Orange	494	125	-	363	6	267	124	15	121	7
Pamlico	45	44	-	-	1	90	45	4	39	2
Pasquotank	276	154	-	120	2	265	161	9	90	5
Elizabeth City	223	101	-	120	2	178	106	6	61	5
Balance of county	53	53	-	-	-	87	55	3	29	-
Pender	148	98	-	50	-	159	97	7	55	-
Perquimans	79	67	3	-	9	106	71	3	32	-
Person	147	81	4	62	-	183	85	9	88	1
Pitt	540	341	2	188	9	606	349	24	223	10
Greenville	91	90	-	-	1	179	99	6	73	1
Balance of county	449	251	2	188	8	427	250	18	150	9
Polk	111	50	-	61	-	104	52	4	47	1
Randolph	312	162	2	138	10	404	166	29	196	13
Richmond	303	164	2	135	2	347	174	12	160	1
Robeson	774	395	101	271	7	768	390	26	344	8
Rockingham	515	279	12	223	1	550	279	28	242	1
Reidsville	210	50	6	154	-	127	49	7	71	-
Balance of county	305	229	6	69	1	423	230	21	171	1
Rowan	541	256	49	233	3	580	253	39	284	4
Salisbury	357	75	47	233	2	190	70	17	103	-
Balance of county	184	181	2	-	1	390	183	22	181	4
Rutherford	352	177	2	165	8	380	171	15	187	7
Sampson	359	240	-	119	-	415	242	11	160	2
Scotland	263	90	3	168	2	209	90	12	106	1
Stanly	258	136	2	119	1	286	139	11	134	2
Albemarle	158	39	-	119	-	102	37	5	60	-
Balance of county	100	97	2	-	1	184	102	6	74	2
Stokes	111	93	-	18	-	167	96	15	55	1
Surry	339	168	2	164	5	392	172	17	198	5
Swain	74	45	-	29	-	83	45	2	36	-
Transylvania	119	82	-	36	1	137	81	8	47	1
Tyrrell	43	28	-	15	-	46	29	2	15	-
Union	381	175	3	203	-	392	175	18	197	2
Monroe	250	47	-	203	-	105	44	6	55	-
Balance of county	131	128	3	-	-	287	131	12	142	2
Vance	259	125	12	119	3	291	124	20	145	2
Henderson	173	42	10	119	2	111	43	8	60	-
Balance of county	86	83	2	-	1	180	81	12	85	2

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
NORTH CAROLINA—Continued										
Wake	1,384	525	280	571	8	1,228	520	89	612	7
Raleigh	1,062	246	245	569	2	657	244	52	357	4
Balance of county	322	279	35	2	6	571	276	37	255	3
Warren	161	111	3	46	1	187	107	11	68	1
Washington	126	69	-	57	-	144	72	2	70	-
Watauga	134	48	7	76	3	122	50	6	66	-
Wayne	773	356	171	244	2	658	353	34	262	9
Goldsboro	393	160	1	232	-	306	162	13	128	3
Balance of county	380	196	170	12	2	352	191	21	134	6
Wilkes	306	200	-	106	-	375	198	15	160	2
Wilson	587	244	8	324	11	515	240	27	240	8
Wilson	447	114	4	324	5	290	122	16	145	7
Balance of county	140	130	4	-	6	225	118	11	95	1
Yadkin	122	67	-	55	-	178	64	12	101	1
Yancey	102	84	-	15	3	119	83	3	33	-
NORTH DAKOTA	5,222	1,568	357	3,296	1	5,215	1,599	378	3,234	4
Nonmetropolitan counties	5,222	1,568	357	3,296	1	5,215	1,599	378	3,234	4
Adams	25	9	-	16	-	35	11	1	23	-
Barnes	158	33	1	124	-	164	35	10	119	-
Benson	42	25	-	17	-	93	26	5	62	-
Billings	4	4	-	-	-	9	4	-	5	-
Bottineau	85	31	5	49	-	107	30	5	72	-
Bowman	29	7	-	22	-	36	10	3	23	-
Burke	28	19	-	9	-	66	18	5	43	-
Burleigh	387	62	6	319	-	196	51	8	137	-
Bismarck	370	46	6	318	-	162	39	7	116	-
Balance of county	17	16	-	1	-	34	12	1	21	-
Cass	744	163	39	541	1	537	159	50	328	-
Fargo	554	103	36	414	1	366	102	39	225	-
Balance of county	190	60	3	127	-	171	57	11	103	-
Cavalier	39	24	-	15	-	67	26	4	37	-
Dickey	93	20	2	71	-	76	20	4	51	1
Divide	66	18	6	42	-	66	19	6	41	-
Dunn	8	8	-	-	-	41	12	3	26	-
Eddy	45	20	-	25	-	58	20	2	36	-
Emmons	48	27	-	21	-	69	32	3	34	-
Foster	54	17	-	37	-	50	13	1	36	-
Golden Valley	30	10	-	20	-	32	10	2	20	-
Grand Forks	444	89	28	327	-	351	91	32	228	-
Grand Forks	355	60	19	276	-	238	62	23	153	-
Balance of county	89	29	9	51	-	113	29	9	75	-
Grant	40	17	-	23	-	41	17	-	24	-
Griggs	38	16	1	21	-	46	17	4	24	1
Hettinger	18	18	-	-	-	35	16	2	17	-
Kidder	14	14	-	-	-	45	15	1	29	-
La Moure	33	26	7	-	-	83	26	14	43	-
Logan	21	18	-	3	-	40	17	3	20	-
McHenry	33	28	5	-	-	108	31	10	67	-
McIntosh	44	14	-	30	-	55	12	2	41	-
McKenzie	32	16	-	16	-	50	15	1	34	-
McLean	66	36	1	29	-	115	37	8	69	1
Mercer	52	18	1	33	-	58	17	3	38	-
Morton	82	56	3	23	-	147	56	10	81	-
Mountrail	56	27	-	28	-	96	26	3	66	1
Nelson	46	15	1	30	-	68	12	8	48	-
Oliver	6	6	-	-	-	20	8	-	12	-
Pembina	73	31	4	38	-	98	31	12	55	-
Pierce	108	17	-	91	-	70	18	2	50	-
Ramsey	175	39	11	125	-	138	38	11	89	-
Ransom	75	35	1	39	-	102	41	5	56	-
Renville	34	9	-	25	-	39	6	3	30	-
Richland	86	49	8	29	-	178	49	24	105	-
Rolette	101	26	1	74	-	117	33	4	80	-
Sargent	18	18	-	-	-	52	20	1	31	-
Sheridan	15	15	-	-	-	45	17	1	27	-
Sioux	26	11	-	15	-	33	11	2	20	-
Slope	5	5	-	-	-	12	4	-	8	-
Stark	185	53	14	118	-	140	55	15	70	-
Steele	11	11	-	-	-	29	13	-	16	-
Stutsman	351	56	152	143	-	190	61	16	113	-
Jamestown	328	33	152	143	-	123	37	11	75	-
Balance of county	23	23	-	-	-	67	24	5	38	-
Towner	45	14	2	29	-	60	19	3	38	-
Traill	73	31	-	42	-	92	34	9	49	-
Walsh	170	45	30	95	-	152	49	13	90	-
Ward	466	102	20	344	-	327	97	28	202	-
Minot	405	78	20	307	-	233	75	19	139	-
Balance of county	61	24	-	37	-	94	22	9	63	-
Wells	81	28	-	53	-	88	29	6	53	-
Williams	214	62	8	144	-	193	65	10	118	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
OHIO	91,296	35,064	9,888	45,061	1,283	91,675	35,256	9,865	45,248	1,306
Metropolitan counties	63,510	22,568	6,185	33,973	784	61,432	22,780	6,242	31,600	810
Nonmetropolitan counties	27,786	12,496	3,703	11,088	499	30,243	12,476	3,623	13,648	496
Adams	249	107	19	119	4	265	101	26	134	4
Allen	1,208	320	55	833	-	943	318	88	533	4
Lima	982	182	4	796	-	566	169	51	344	2
Balance of county	226	138	51	37	-	377	149	37	189	2
Ashland	371	136	29	196	10	418	134	53	217	14
Ashland	230	54	18	157	1	193	50	27	112	4
Balance of county	141	82	11	39	9	225	84	26	105	10
Ashtabula	984	439	173	369	3	1,005	441	151	409	4
Ashtabula	340	122	3	215	-	303	122	30	151	-
Conneaut	145	55	4	86	-	133	50	19	64	-
Balance of county	499	262	166	68	3	569	269	102	194	4
Athens	627	235	159	230	3	510	231	54	221	4
Athens	159	49	15	94	1	122	42	20	59	1
Balance of county	468	186	144	136	2	388	189	34	162	3
Auglaize	312	167	55	85	5	382	173	48	158	3
Belmont	1,049	442	82	510	15	1,071	443	117	503	8
Bellaire	255	62	-	188	5	167	58	13	96	-
Martins Ferry	301	66	3	232	-	162	61	20	81	-
Balance of county	493	314	79	90	10	742	324	84	326	8
Brown	294	126	39	124	5	287	116	45	122	4
Butler	1,638	468	130	1,037	3	1,584	461	161	955	7
Hamilton	875	194	55	626	-	697	185	84	428	-
Middletown	480	126	-	354	-	385	111	29	240	5
Balance of county	283	148	75	57	3	502	165	48	287	2
Carroll	174	121	43	-	10	208	117	31	49	11
Champaign	244	133	18	89	4	317	128	29	156	4
Clark	1,374	425	240	667	42	1,275	438	125	676	36
Springfield	1,117	291	128	659	39	961	301	95	532	33
Balance of county	257	134	112	8	3	314	137	30	144	3
Clermont	266	241	17	-	8	519	248	53	208	10
Clinton	360	166	35	158	1	335	148	45	141	1
Columbiana	1,139	481	120	527	11	1,180	486	145	538	11
East Liverpool	442	119	23	298	2	324	121	30	169	4
Salem	288	51	5	229	3	143	44	20	77	2
Balance of county	409	311	92	-	6	713	321	95	292	5
Coshocton	374	172	41	156	5	417	176	61	175	5
Coshocton	249	77	11	156	5	183	77	21	83	2
Balance of county	125	95	30	-	-	234	99	40	92	3
Crawford	439	187	30	219	3	459	195	42	217	5
Bucyrus	151	51	6	94	-	138	61	8	68	1
Balance of county	288	136	24	125	3	321	134	34	149	4
Cuyahoga	16,298	6,081	833	9,004	380	15,975	6,165	1,219	8,220	371
Cleveland	10,827	3,948	533	6,248	98	10,386	4,007	795	5,390	194
Cleveland Heights	456	265	39	152	-	679	282	58	318	21
Lakewood	684	292	26	364	2	741	302	54	375	10
East Cleveland	625	130	16	479	-	435	146	30	253	6
Euclid	501	170	6	297	28	376	142	26	199	9
Parma	292	168	115	-	9	458	175	44	238	1
Shaker Heights	116	116	-	-	-	308	122	17	156	13
Berea	249	43	4	182	20	99	38	9	52	-
Garfield Heights	365	92	16	257	-	237	90	14	128	5
Maple Heights	39	39	-	-	-	144	48	8	72	16
Rocky River	61	56	5	-	-	141	65	9	63	4
South Euclid	70	70	-	-	-	187	75	14	90	8
University Heights	36	36	-	-	-	98	43	2	48	5
Balance of county	1,977	656	73	1,025	223	1,686	630	139	838	79
Darke	394	194	50	145	5	475	195	69	204	7
Defiance	263	106	28	124	5	284	105	43	131	5
Defiance	132	43	8	80	1	106	40	21	45	-
Balance of county	131	63	20	44	4	178	65	22	86	5
Delaware	340	155	40	142	3	374	151	51	168	4
Delaware	208	55	11	142	-	180	57	23	97	3
Balance of county	132	100	29	-	3	194	94	28	71	1
Erie	659	240	24	385	10	686	232	72	378	4
Sandusky	452	102	8	341	1	399	114	41	240	4
Balance of county	207	138	16	44	9	287	118	31	138	-
Fairfield	579	285	47	243	4	637	280	72	283	2
Lancaster	377	119	12	242	4	315	121	36	158	-
Balance of county	202	166	35	1	-	322	159	36	125	2
Fayette	311	110	51	149	1	283	107	38	137	1
Washington Court House	255	69	36	149	1	166	64	21	81	-
Balance of county	56	41	15	-	-	117	43	17	56	1
Franklin	6,651	2,367	877	3,345	62	5,843	2,367	742	2,672	62
Columbus	6,008	1,860	770	3,325	53	4,575	1,814	608	2,103	50
Bexley	50	50	-	-	-	142	55	6	80	1
Balance of county	593	457	107	20	9	1,126	498	128	489	11
Fulton	238	118	41	77	2	272	117	45	106	4
Gallia	464	115	67	276	6	254	114	16	123	1
Geauga	214	154	16	31	13	324	152	27	131	14

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
OHIO—Continued										
Greene	533	253	64	205	11	577	237	63	270	7
Xenia	273	84	20	162	7	220	81	21	114	4
Balance of county	260	169	44	43	4	357	156	42	156	3
Guernsey	701	177	294	229	1	466	179	77	209	1
Cambridge	331	69	33	229	-	189	63	35	91	-
Balance of county	370	108	261	-	1	277	116	42	118	1
Hamilton	9,558	3,438	1,193	4,844	83	9,104	3,437	1,183	4,403	81
Cincinnati	8,436	2,418	1,152	4,801	65	6,526	2,350	874	3,250	52
Norwood	146	141	5	-	-	329	155	34	136	4
Balance of county	976	879	36	43	18	2,249	932	275	1,017	25
Hancock	612	200	84	317	11	528	199	90	230	9
Findlay	380	104	51	222	3	297	93	52	148	4
Fostoria (part)	107	10	-	95	2	34	8	6	19	1
Balance of county	125	86	33	-	6	197	98	32	63	4
Hardin	333	108	50	166	9	342	107	47	178	10
Harrison	104	95	9	-	-	204	91	36	73	4
Henry	194	120	22	49	3	234	112	34	84	4
Highland	262	145	13	91	13	345	154	37	143	11
Hocking	171	109	11	46	5	221	115	17	82	7
Holmes	354	70	189	67	28	185	71	38	71	5
Huron	476	189	29	252	6	501	186	44	269	2
Jackson	218	168	28	20	2	326	171	37	115	3
Jefferson	931	365	82	470	14	1,068	381	119	553	15
Steubenville	659	134	48	470	7	455	131	63	255	6
Balance of county	272	231	34	-	7	613	250	56	298	9
Knox	510	129	113	263	5	459	127	77	249	6
Mount Vernon	332	50	18	263	1	184	50	29	104	1
Balance of county	178	79	95	-	4	275	77	48	145	5
Lake	719	360	95	255	9	895	352	87	443	13
Painesville	319	55	6	255	3	161	49	20	91	1
Balance of county	400	305	89	-	6	734	303	67	352	12
Lawrence	481	236	4	229	12	589	242	22	305	20
Ironton	317	89	-	227	1	223	80	15	124	4
Balance of county	164	147	4	2	11	366	162	7	181	16
Licking	784	354	68	359	3	907	348	108	448	3
Newark	592	180	54	355	3	490	167	69	252	2
Balance of county	192	174	14	4	-	417	181	39	196	1
Logan	396	192	56	143	5	450	197	59	189	5
Bellefontaine	201	49	8	143	1	141	51	18	70	2
Balance of county	195	143	48	-	4	309	146	41	119	3
Lorain	1,584	629	187	759	9	1,648	634	165	838	11
Lorain	639	229	33	376	1	597	211	57	327	2
Elyria	470	140	58	270	2	337	115	44	175	3
Balance of county	475	260	96	113	6	714	308	64	336	6
Lucas	5,056	1,536	767	2,728	25	4,664	1,567	585	2,482	30
Toledo	4,412	1,186	713	2,494	19	3,710	1,232	470	1,985	23
Balance of county	644	350	54	234	6	954	335	115	497	7
Madison	120	112	4	4	-	224	119	26	77	2
Mahoning	2,793	951	203	1,624	15	2,699	975	245	1,460	19
Youngstown (part)	2,358	642	94	1,611	11	1,851	636	159	1,043	13
Youngstown (total)	2,359	643	94	1,611	11	1,862	639	163	1,047	13
Campbell	41	41	-	-	-	111	45	4	62	-
Struthers	30	29	-	-	1	112	35	7	70	-
Balance of county	364	239	109	13	3	625	259	75	285	6
Marion	542	257	22	257	6	572	258	37	271	6
Marion	434	174	6	248	6	392	170	17	203	2
Balance of county	108	83	16	9	-	180	88	20	68	4
Medina	529	192	70	257	10	506	179	63	251	13
Meigs	217	134	8	69	6	287	132	31	117	7
Mercer	256	111	10	130	5	316	108	25	179	4
Miami	681	238	68	370	5	701	245	72	379	5
Piqua	194	50	20	122	2	208	56	24	126	2
Troy	175	41	4	128	2	142	40	13	87	2
Balance of county	312	147	44	120	1	351	149	35	166	1
Monroe	120	116	3	-	1	205	113	18	72	2
Montgomery	4,860	1,472	360	2,989	39	4,440	1,495	357	2,549	39
Dayton	3,771	967	318	2,469	17	2,925	919	249	1,734	23
Balance of county	1,089	505	42	520	22	1,515	576	108	815	16
Morgan	120	72	32	15	1	167	78	39	48	2
Morrow	150	81	3	57	9	192	88	16	82	6
Muskingum	1,002	332	92	563	15	957	326	120	495	16
Zanesville	809	166	74	563	6	541	151	70	313	7
Balance of county	193	166	18	-	9	416	175	50	182	9
Noble	81	78	-	-	3	150	80	15	54	1
Ottawa	278	163	21	93	1	341	151	38	149	3
Paulding	104	63	1	36	4	155	59	10	80	6
Perry	172	163	6	1	2	291	172	19	98	2
Pickaway	286	137	97	48	4	293	144	52	96	1
Pike	100	93	5	-	2	172	101	6	60	5
Portage	658	292	89	263	14	749	296	88	350	15
Kent	41	40	-	-	1	136	49	17	67	3
Balance of county	617	252	89	263	13	613	247	71	263	12
Preble	190	145	43	-	2	309	147	41	118	3
Putnam	109	102	6	-	1	258	109	28	121	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
OHIO—Continued										
Richland	954	347	83	518	6	992	357	91	537	7
Mansfield	561	188	35	337	1	546	188	49	308	1
Balance of county	393	159	48	181	5	446	169	42	229	6
Ross	638	286	92	250	10	578	273	48	247	10
Chillicothe	412	133	23	249	7	301	126	31	137	7
Balance of county	226	153	69	1	3	277	147	17	110	3
Sandusky	627	208	78	309	32	609	207	87	290	25
Fremont	332	81	10	210	31	247	73	37	125	12
Balance of county	295	127	68	99	1	362	134	50	165	13
Scioto	906	398	72	434	2	927	398	75	441	13
Portsmouth	667	194	37	434	2	449	182	41	218	8
Balance of county	239	204	35	-	-	478	216	34	223	5
Seneca	541	211	131	189	10	624	207	92	311	14
Fostoria (part)	59	49	10	-	-	157	56	22	76	3
Fostoria (total)	166	59	10	95	2	191	64	28	95	4
Tiffin	346	72	76	189	9	231	66	25	134	6
Balance of county	136	90	45	-	1	236	85	45	101	5
Shelby	303	156	21	125	1	330	155	31	143	1
Sidney	209	72	12	125	-	168	68	20	80	-
Balance of county	94	84	9	-	1	162	87	11	63	1
Stark	3,270	1,209	538	1,486	37	3,087	1,199	401	1,449	38
Canton	1,630	514	138	961	17	1,273	470	194	591	18
Alliance	399	152	15	230	2	318	136	31	147	4
Massillon	446	142	31	263	10	408	137	52	213	6
Balance of county	795	401	354	32	8	1,088	456	124	498	10
Summit	4,189	1,381	408	2,380	20	4,299	1,417	442	2,404	36
Akron	2,957	911	49	1,986	11	2,831	880	290	1,638	23
Barberton	432	124	11	297	-	320	103	28	188	1
Cuyahoga Falls	180	89	8	83	-	293	103	27	161	2
Balance of county	620	257	340	14	9	855	331	97	417	10
Trumbull	1,318	635	67	608	8	1,671	652	121	885	13
Youngstown (part)	1	1	-	-	-	11	3	4	4	-
Warren	831	220	1	604	6	563	201	35	323	4
Girard	35	35	-	-	-	127	44	9	73	1
Niles	93	93	-	-	-	198	94	16	88	-
Balance of county	358	286	66	4	2	772	310	57	397	8
Tuscarawas	787	362	132	278	15	827	363	135	311	18
New Philadelphia	108	71	34	-	3	180	75	39	61	5
Balance of county	679	291	98	278	12	647	288	96	250	13
Union	187	121	8	48	10	250	119	23	95	13
Van Wert	254	123	20	107	4	322	124	31	162	5
Van Wert	175	50	17	107	1	129	51	10	64	4
Balance of county	79	73	3	-	3	193	73	21	98	1
Vinton	61	61	-	-	-	109	64	12	33	-
Warren	275	181	80	-	14	462	193	58	197	14
Washington	557	262	26	262	7	576	258	39	272	7
Marietta	368	93	7	262	6	227	85	21	118	3
Balance of county	189	169	19	-	1	349	173	18	154	4
Wayne	639	226	138	217	58	617	222	77	264	54
Wooster	222	53	25	140	4	171	50	26	78	17
Balance of county	417	173	113	77	54	446	172	51	186	37
Williams	291	107	33	137	14	315	108	43	150	14
Wood	452	237	70	133	12	560	234	74	243	9
Bowling Green	218	41	41	133	3	105	42	20	42	1
Balance of county	234	196	29	-	9	455	192	54	201	8
Wyandot	189	85	31	72	1	241	85	46	109	1
OKLAHOMA	21,339	8,746	1,840	10,439	314	21,770	8,765	1,848	10,829	328
Metropolitan counties	6,501	2,426	354	3,683	38	5,970	2,444	459	3,034	33
Nonmetropolitan counties	14,838	6,320	1,486	6,756	276	15,800	6,321	1,389	7,795	295
Adair	102	55	9	38	-	146	61	15	70	-
Alfalfa	85	37	2	44	2	115	39	12	59	5
Atoka	82	65	17	-	-	124	62	13	46	3
Beaver	51	22	3	26	-	59	18	9	32	-
Beckham	209	74	10	124	1	206	74	15	116	1
Blaine	154	62	10	81	1	165	66	16	83	-
Bryan	254	136	12	54	52	290	133	25	92	40
Durant	174	61	9	53	51	140	66	13	38	23
Balance of county	80	75	3	1	1	150	67	12	54	17
Caddo	221	125	3	90	3	314	129	29	151	5
Canadian	185	107	6	71	1	217	98	10	107	2
El Reno	142	64	6	71	1	138	62	6	69	1
Balance of county	43	43	-	-	-	79	36	4	38	1
Carter	406	163	14	206	23	417	161	29	208	19
Ardmore	317	80	12	205	20	235	77	19	132	7
Balance of county	89	83	2	1	3	182	84	10	76	12
Cherokee	182	72	5	105	-	180	69	9	101	1
Choctaw	177	77	6	87	7	202	75	11	111	5
Cimarron	36	20	-	16	-	41	15	2	21	3
Cleveland	430	101	226	103	-	273	102	32	138	1
Norman	378	61	214	103	-	187	63	19	105	-
Balance of county	52	40	12	-	-	86	39	13	33	1
Coal	77	34	2	40	1	83	34	16	33	-
Comanche	479	181	14	279	5	442	177	20	244	1
Lawton	335	119	14	197	5	330	124	17	188	1
Balance of county	144	62	-	82	-	112	53	3	56	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
OKLAHOMA—Continued										
Cotton	76	43	4	29	-	109	41	9	58	1
Craig	390	69	247	74	-	170	70	15	82	3
Creek	305	152	25	122	6	422	156	40	215	11
Sapulpa	144	48	15	81	-	155	54	11	90	-
Balance of county	161	104	10	41	6	267	102	29	125	11
Custer	317	74	18	223	2	203	71	20	110	2
Delaware	99	90	5	-	4	166	82	17	61	6
Dewey	47	37	10	-	-	74	37	11	25	1
Ellis	95	30	-	64	1	81	32	6	41	2
Garfield	600	160	37	395	8	513	162	30	317	4
Enid	508	110	8	385	5	381	109	21	248	3
Balance of county	92	50	29	10	3	132	53	9	69	1
Garvin	241	102	25	109	5	250	105	26	117	2
Grady	297	177	31	88	1	353	176	39	137	1
Chickasha	197	88	21	87	1	198	91	21	85	1
Balance of county	100	89	10	1	-	155	85	18	52	-
Grant	36	36	-	-	-	104	37	6	57	4
Greer	83	28	7	47	1	98	30	13	54	1
Harmon	47	31	15	-	1	65	30	12	20	3
Harper	19	19	-	-	-	62	23	5	34	-
Haskell	71	68	1	-	2	119	74	5	37	3
Hughes	175	70	18	84	3	195	79	19	95	2
Jackson	199	102	1	90	6	225	102	15	105	3
Jefferson	102	59	4	39	-	128	63	8	56	1
Johnston	56	56	-	-	-	124	60	8	52	4
Kay	465	192	19	244	10	483	202	23	252	6
Ponca City	236	71	3	158	4	203	79	9	113	2
Balance of county	229	121	16	86	6	280	123	14	139	4
Kingfisher	92	40	-	52	-	112	40	11	60	1
Kiowa	143	72	6	61	4	182	72	18	88	4
Latimer	135	43	10	82	-	106	40	18	47	1
Le Flore	284	134	17	129	4	351	133	31	182	5
Lincoln	204	141	20	40	3	243	135	32	67	9
Logan	240	93	47	91	9	255	90	46	113	6
Guthrie	195	59	47	83	6	172	60	35	74	3
Balance of county	45	34	-	8	3	83	30	11	39	3
Love	47	47	-	-	-	61	42	6	12	1
McClain	110	52	20	35	3	123	48	16	57	2
McCurtain	226	122	13	90	1	286	124	18	138	6
McIntosh	114	91	3	20	-	164	85	10	69	-
Major	46	37	8	-	1	97	36	13	45	3
Marshall	66	48	4	14	-	89	48	3	36	2
Mayes	188	85	6	97	-	201	83	17	101	-
Murray	148	40	13	92	3	125	39	16	64	6
Muskogee	856	298	68	486	4	656	291	52	310	3
Muskogee	724	205	31	486	2	469	199	38	232	-
Balance of county	132	93	37	-	2	187	92	14	78	3
Noble	97	43	12	40	2	132	45	19	64	4
Nowata	137	54	7	75	1	172	57	21	91	3
Okfuskee	118	52	17	47	2	146	58	22	64	2
Oklahoma	3,924	1,389	252	2,256	27	3,380	1,388	292	1,679	21
Oklahoma City	3,525	1,161	192	2,151	21	2,785	1,151	251	1,368	15
Midwest City	26	24	-	1	1	87	32	3	51	1
Balance of county	373	204	60	104	5	508	205	38	260	5
Okmulgee	378	148	26	203	1	428	149	35	243	1
Okmulgee	215	59	19	137	-	203	59	19	125	-
Balance of county	163	89	7	66	1	225	90	16	118	1
Osage	246	138	31	72	5	316	143	41	124	8
Ottawa	314	144	19	145	6	355	150	31	159	15
Miami	185	51	13	119	2	129	53	15	60	1
Balance of county	129	93	6	26	4	226	97	16	99	14
Pawnee	140	60	7	65	8	151	57	12	76	6
Payne	348	123	17	197	11	336	117	25	186	8
Stillwater	132	42	2	88	-	116	42	7	66	1
Balance of county	216	81	15	109	11	220	75	18	120	7
Pittsburg	427	145	30	247	5	411	148	40	218	5
McAlester	333	68	29	231	5	187	63	21	101	2
Balance of county	94	77	1	16	-	224	85	19	117	3
Pontotoc	340	96	21	220	3	299	92	26	177	4
Ada	295	57	16	219	3	178	51	14	111	2
Balance of county	45	39	5	1	-	121	41	12	66	2
Pottawatomie	427	180	25	217	5	471	185	36	244	6
Shawnee	339	112	19	205	3	275	99	20	153	3
Balance of county	88	68	6	12	2	196	96	16	91	3
Pushmataha	78	40	-	37	1	104	43	5	56	-
Roger Mills	30	18	-	11	1	55	19	4	30	2
Rogers	171	76	1	93	1	189	71	16	101	1
Seminole	260	126	5	115	14	334	127	16	178	13
Seminole	103	24	2	69	8	85	26	6	49	4
Balance of county	157	102	3	46	6	249	101	10	129	9
Sequoyah	120	70	14	33	3	165	69	13	82	1
Stephens	300	131	12	156	1	316	125	18	171	2
Duncan	177	67	3	106	1	161	68	8	83	2
Balance of county	123	64	9	50	-	155	57	10	88	-
Texas	114	55	10	45	4	121	49	10	61	1
Tillman	147	68	9	66	4	185	73	19	89	4

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
OKLAHOMA—Continued										
Tulsa	2,577	1,037	102	1,427	11	2,590	1,056	167	1,355	12
Tulsa	2,306	841	62	1,401	2	2,135	845	133	1,151	6
Balance of county	271	196	40	26	9	455	211	34	204	6
Wagoner	87	61	-	26	-	145	61	16	67	1
Washington	321	95	16	200	10	345	106	28	202	9
Bartlesville	261	53	6	200	2	237	62	16	151	8
Balance of county	60	42	10	-	8	108	44	12	51	1
Washita	88	50	9	29	-	108	46	14	48	-
Woods	116	42	10	55	9	122	46	12	60	4
Woodward	285	36	147	101	1	125	34	13	78	-
OREGON	15,382	5,495	2,609	7,097	181	15,479	5,468	2,612	7,223	176
Metropolitan counties	7,140	2,342	1,021	3,705	72	7,191	2,372	1,270	3,486	63
Nonmetropolitan counties	8,242	3,153	1,588	3,392	109	8,288	3,096	1,342	3,737	113
Baker	158	66	-	85	7	175	63	10	95	7
Benton	180	69	27	84	-	201	80	36	85	-
Corvallis	147	36	27	84	-	107	35	25	47	-
Balance of county	33	33	-	-	-	94	45	11	38	-
Clackamas	600	331	114	153	2	882	324	158	395	5
Clatsop	286	112	3	170	1	314	109	17	186	2
Astoria	162	36	1	124	1	119	40	6	73	-
Balance of county	124	76	2	46	-	195	69	11	113	2
Columbia	196	112	33	47	4	253	120	46	83	4
Coos	355	124	64	166	1	369	129	72	165	3
Crook	51	27	-	22	2	67	32	5	27	3
Curry	64	52	-	11	1	67	38	6	22	1
Deschutes	215	74	16	120	5	201	74	27	99	1
Bend	120	39	8	72	1	99	38	12	48	1
Balance of county	95	35	8	48	4	102	36	15	51	-
Douglas	382	194	21	162	5	422	184	40	193	5
Gilliam	6	5	-	-	1	20	5	-	15	-
Grant	60	31	-	29	-	83	31	10	41	1
Harney	60	29	-	31	-	57	22	6	28	1
Hood River	124	54	28	42	-	131	43	27	59	2
Jackson	617	255	104	245	13	615	254	93	256	12
Medford	323	85	24	205	9	225	90	31	99	5
Balance of county	294	170	80	40	4	390	164	62	157	7
Jefferson	15	15	-	-	-	42	10	3	27	2
Josephine	284	106	58	120	-	318	107	70	139	2
Klamath	344	159	19	165	1	369	163	30	175	1
Klamath Falls	241	60	16	164	1	151	63	8	79	1
Balance of county	103	99	3	1	-	218	100	22	96	-
Lake	56	18	3	35	-	62	16	7	39	-
Lane	1,039	410	162	459	8	1,038	396	182	455	5
Eugene	572	130	115	324	3	344	112	87	142	3
Springfield	99	37	-	62	-	104	47	13	44	-
Balance of county	368	243	47	73	5	590	237	82	269	2
Lincoln	193	105	35	48	5	223	86	45	87	5
Linn	402	172	42	186	2	449	172	62	211	4
Albany	150	39	19	91	1	108	35	16	56	1
Balance of county	252	133	23	95	1	341	137	46	155	3
Malheur	191	66	19	103	3	162	67	25	69	1
Marion	1,395	339	627	394	35	1,021	351	241	395	34
Salem (part)	955	167	470	288	30	459	163	112	165	19
Salem (total)	957	169	470	288	30	473	166	117	171	19
Balance of county	440	172	157	106	5	562	188	129	230	15
Morrow	51	22	-	27	2	50	20	3	27	-
Multnomah	6,128	1,776	832	3,465	55	5,712	1,804	1,007	2,855	46
Portland	5,225	1,528	411	3,264	22	4,632	1,489	788	2,318	37
Balance of county	903	248	421	201	33	1,080	315	219	537	9
Polk	139	67	40	30	2	197	71	51	72	3
Salem (part)	2	2	-	-	-	14	3	5	6	-
Balance of county	137	65	40	30	2	183	68	46	66	3
Sherman	8	8	-	-	-	21	9	1	11	-
Tillamook	164	58	13	88	5	166	54	20	87	5
Umatilla	449	127	166	151	5	377	135	41	195	6
Pendleton	308	39	162	105	2	125	42	19	62	2
Balance of county	141	88	4	46	3	252	93	22	133	4
Union	180	56	7	117	-	195	51	21	123	-
Wallowa	56	28	-	28	-	58	21	4	33	-
Wasco	185	63	29	93	-	183	57	42	84	-
Washington	412	235	75	87	15	597	244	105	236	12
Wheeler	15	15	-	-	-	21	9	4	6	2
Yamhill	322	115	72	134	1	361	117	95	148	1
PENNSYLVANIA	118,460	47,646	11,967	57,834	1,013	118,571	47,939	12,004	57,608	1,020
Metropolitan counties	94,080	36,757	9,177	47,278	868	92,984	37,097	9,353	45,673	861
Nonmetropolitan counties	24,380	10,889	2,790	10,556	145	25,587	10,842	2,651	11,935	159
Adams	464	260	53	131	20	479	257	41	165	16
Allegheny	17,556	6,346	1,466	9,427	317	16,546	6,456	1,463	8,293	314
Pittsburgh	9,683	2,849	200	6,570	64	8,385	2,998	871	4,322	194
McKeesport	876	240	2	630	4	608	211	40	340	17
Mount Lebanon (twp.)[3,4]	357	118	34	205	-	245	108	17	120	-
Wilkinsburg	472	149	15	308	-	349	138	37	171	3
Bellevue	279	59	-	220	-	153	62	11	76	4

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
PENNSYLVANIA—Continued										
Bethel	45	45	-	-	-	120	44	16	57	3
Braddock	320	87	-	233	-	207	76	13	111	7
Brentwood	52	52	-	-	-	108	50	8	50	-
Carnegie	61	61	-	-	-	141	69	14	57	1
Clairton	93	92	-	-	1	198	91	7	94	6
Coraopolis	43	43	-	-	-	132	51	13	64	4
Dormont	47	47	-	-	-	128	58	9	61	-
Duquesne	88	87	-	-	1	194	86	14	91	3
Harrison (twp.)[3 4]	338	55	-	283	-	114	52	2	59	1
Homestead	286	55	-	228	3	101	42	1	57	1
McKees Rocks	63	63	-	-	-	215	79	24	111	1
Munhall	59	59	-	-	-	164	66	9	88	1
North Braddock	50	50	-	-	-	117	55	9	53	-
Shaler (twp.)[3 4]	89	84	5	-	-	166	81	10	74	1
Stowe (twp.)[3 4]	33	33	-	-	-	71	29	-	42	-
Swissvale	84	72	12	-	-	146	72	10	64	-
Turtle Creek	46	46	-	-	-	131	59	12	58	2
West Mifflin	52	52	-	-	-	109	58	4	47	-
Balance of county	4,040	1,848	1,198	750	244	4,244	1,821	332	2,026	65
Armstrong	627	355	63	207	2	779	361	86	327	5
Beaver	1,387	652	110	623	2	1,728	664	146	914	4
Aliquippa	258	103	-	155	-	284	104	20	158	2
Ambridge	72	71	-	-	1	191	73	14	103	1
Beaver Falls	201	72	-	128	1	197	69	22	106	-
Ellwood City (part)	3	3	-	-	-	12	4	1	7	-
Balance of county	853	403	110	340	-	1,044	414	89	540	1
Bedford	356	223	13	119	1	421	204	24	191	2
Berks	3,073	1,334	382	1,338	19	3,047	1,331	352	1,355	9
Reading	1,119	503	21	593	2	1,390	524	191	671	4
Balance of county	1,954	831	361	745	17	1,657	807	161	684	5
Blair	1,832	633	245	950	4	1,667	837	210	817	3
Altoona	1,132	340	93	698	1	991	339	117	532	3
Balance of county	700	293	152	252	3	676	298	93	285	-
Bradford	677	283	62	330	2	648	296	71	279	2
Bucks	1,832	847	144	815	26	1,955	837	202	904	12
Bristol	115	54	9	52	-	163	63	16	84	-
Balance of county	1,517	793	135	563	26	1,792	774	186	820	12
Butler	1,009	487	90	419	13	1,041	473	84	473	11
Butler	112	105	-	-	7	281	112	19	143	7
Balance of county	897	382	90	419	6	760	361	65	330	4
Cambria	2,085	685	153	1,233	14	2,044	697	188	1,150	9
Johnstown	1,183	209	-	974	-	852	209	100	539	4
Balance of county	902	476	153	259	14	1,192	488	88	611	5
Cameron	35	34	1	-	-	83	36	8	39	-
Carbon	479	267	57	152	3	589	270	37	277	5
Centre	594	257	32	296	9	544	254	47	234	9
State College	21	21	-	-	-	81	25	6	45	5
Balance of county	573	236	32	296	9	463	229	41	189	4
Chester	1,970	767	371	806	26	1,903	755	211	919	18
Coatesville	72	63	-	9	-	199	66	20	111	2
Phoenixville	214	60	-	154	-	180	64	14	102	-
West Chester	422	87	24	306	5	258	86	41	126	5
Balance of county	1,262	557	347	337	21	1,266	539	136	580	11
Clarion	254	215	11	28	-	404	214	44	145	1
Clearfield	765	357	54	354	-	896	366	97	432	1
Du Bois	234	65	-	219	-	174	63	12	99	-
Balance of county	481	292	54	135	-	722	303	85	333	1
Clinton	348	149	9	181	9	410	149	33	219	9
Lock Haven	227	56	9	153	9	150	54	16	77	3
Balance of county	121	93	-	28	-	260	95	17	142	6
Columbia	577	234	54	285	4	620	227	71	318	4
Berwick	187	51	-	132	4	167	50	20	94	3
Bloomsburg	204	51	-	153	-	115	39	7	69	-
Balance of county	186	132	54	-	-	338	138	44	155	1
Crawford	911	354	128	422	7	913	343	128	431	11
Meadville	401	79	23	299	-	260	80	35	145	-
Balance of county	510	275	105	123	7	653	263	93	286	11
Cumberland	826	438	67	309	12	1,035	441	97	486	11
Carlisle	332	64	11	255	2	198	61	32	103	2
Balance of county	494	374	56	54	10	837	380	65	383	9
Dauphin	2,931	994	455	1,471	11	2,444	983	298	1,155	8
Harrisburg	1,873	446	5	1,422	-	1,351	445	186	716	4
Steelton	44	44	-	-	-	138	47	13	78	-
Balance of county	1,014	504	450	49	11	955	491	99	361	4
Delaware	3,849	1,799	640	1,368	42	4,587	1,840	568	2,134	45
Chester	710	311	9	389	1	789	307	79	398	5
Upper Darby (twp.)[3 4]	535	314	31	188	2	778	316	103	350	9
Haverford (twp.)[3 4]	165	152	-	-	13	432	176	58	194	4
Darby	598	78	103	415	2	177	64	25	86	2
Lansdowne	48	47	1	-	-	160	50	32	78	-
Yeadon	188	56	131	-	1	124	54	17	53	-
Balance of county	1,605	841	365	376	23	2,127	873	254	975	25
Elk	347	142	5	199	1	377	140	24	212	1
Erie	2,366	945	179	1,233	9	2,407	945	289	1,164	9
Erie	1,667	532	48	1,087	-	1,487	545	181	760	1
Balance of county	699	413	131	146	9	920	400	108	404	8

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
PENNSYLVANIA—Continued										
Fayette	1,869	868	152	839	10	1,971	876	173	910	12
Connellsville	294	95	-	199	-	200	93	12	95	-
Uniontown	692	141	54	490	7	369	128	76	163	2
Balance of county	883	632	98	150	3	1,402	655	85	652	10
Forest	26	26	-	-	-	59	21	10	27	1
Franklin	787	305	62	419	1	766	309	115	341	1
Chambersburg	305	51	2	252	-	194	56	35	102	1
Waynesboro	158	62	-	96	-	134	65	20	49	-
Balance of county	324	192	60	71	1	438	188	60	190	-
Fulton	91	56	2	30	3	109	53	12	40	4
Greene	365	179	9	173	4	409	181	26	198	4
Huntingdon	365	184	6	173	2	393	183	26	180	4
Indiana	616	316	60	231	9	769	325	73	366	5
Indiana	84	61	21	-	2	136	63	22	51	-
Balance of county	532	255	39	231	7	633	262	51	315	5
Jefferson	524	225	53	246	-	544	215	52	277	-
Juniata	99	96	2	-	1	176	101	19	56	-
Lackawanna	3,220	1,249	384	1,557	30	3,163	1,276	346	1,509	32
Scranton	1,806	623	56	1,119	8	1,639	630	191	808	10
Carbondale	280	82	-	198	-	213	85	21	107	-
Dunmore	152	100	32	18	2	224	108	25	88	3
Balance of county	982	444	296	222	20	1,087	453	109	506	19
Lancaster	2,664	1,065	463	1,117	19	2,582	1,071	397	1,091	23
Lancaster	1,169	268	43	847	11	909	278	170	452	9
Columbia	182	59	61	62	-	146	63	12	70	1
Balance of county	1,313	738	359	208	8	1,527	730	215	569	13
Lawrence	1,145	446	94	603	2	1,167	449	116	600	2
New Castle	750	227	43	479	1	630	228	70	332	-
Ellwood City (part)	170	46	-	124	-	119	46	7	66	-
Ellwood City (total)	173	49	-	124	-	131	50	8	73	-
Balance of county	225	173	51	-	1	418	175	39	202	2
Lebanon	906	370	228	302	6	880	370	142	358	10
Lebanon	443	148	1	294	-	414	152	60	198	4
Balance of county	463	222	227	8	6	466	218	82	160	6
Lehigh	2,837	979	223	1,598	37	2,209	958	188	1,029	34
Allentown	1,700	485	124	1,060	31	1,239	489	123	602	25
Bethlehem (part)	57	57	-	-	-	157	51	10	96	-
Balance of county	1,080	437	99	538	6	813	418	55	331	9
Luzerne	4,335	1,956	124	2,222	33	4,415	1,965	238	2,179	33
Wilkes-Barre	1,326	397	29	893	7	1,015	411	72	521	11
Hazleton	588	145	3	440	-	395	152	15	223	5
Hanover (twp.)[3 4]	74	74	-	-	-	136	69	4	62	1
Kingston	392	118	-	274	-	282	127	13	141	1
Nanticoke	256	98	-	158	-	232	95	17	118	2
Pittston	79	79	-	-	-	185	78	18	89	-
Plains (twp.)[3 4]	314	61	-	253	-	102	60	2	38	2
Plymouth	67	67	-	-	-	156	70	7	79	-
Balance of county	1,239	917	92	204	26	1,912	903	90	908	11
Lycoming	1,213	479	72	654	8	1,184	475	107	595	7
Williamsport	749	215	34	498	2	569	220	61	283	5
Balance of county	464	264	38	156	6	615	255	46	312	2
McKean	562	195	33	334	-	615	193	75	346	1
Bradford	281	66	2	213	-	242	66	25	151	-
Balance of county	281	129	31	121	-	373	127	50	195	1
Mercer	1,273	526	50	688	9	1,233	529	84	612	8
Sharon	489	135	16	334	4	299	121	24	151	3
Farrell	53	51	-	1	1	150	58	10	82	-
Balance of county	731	340	34	353	4	784	350	50	379	5
Mifflin	479	177	25	276	1	440	174	41	225	-
Lewistown	76	58	1	17	-	182	65	18	99	-
Balance of county	403	119	24	259	1	258	109	23	126	-
Monroe	409	218	11	179	1	406	197	30	177	2
Montgomery	4,994	1,823	801	2,341	29	4,401	1,784	628	1,955	34
Abington (twp.)[3 4]	624	159	40	425	-	427	168	58	199	2
Lower Merion (twp.)[3 4]	1,094	259	13	819	3	587	228	74	282	3
Norristown	1,060	173	394	492	1	498	170	91	234	3
Cheltenham (twp.)[3 4]	267	139	24	92	12	300	141	35	117	7
Conshohocken	48	48	-	-	-	134	55	12	67	-
Pottstown	450	104	3	343	-	314	89	41	180	4
Balance of county	1,451	931	327	180	13	2,141	933	317	876	15
Montour	594	61	235	298	-	162	62	23	77	-
Northampton	1,529	838	148	528	15	2,105	859	179	1,053	14
Bethlehem (part)	207	186	10	9	2	566	195	35	331	5
Bethlehem (total)	264	243	10	9	2	723	246	45	427	5
Easton	228	160	27	41	-	491	173	69	246	3
Balance of county	1,094	492	111	478	13	1,048	491	75	476	6
Northumberland	1,050	554	83	411	2	1,277	572	144	559	2
Mount Carmel	68	68	-	-	-	147	74	11	62	-
Shamokin	93	93	-	-	-	217	99	26	91	1
Sunbury	304	82	-	222	-	215	79	24	112	-
Balance of county	585	311	83	189	2	698	320	83	294	1
Perry	145	120	24	-	1	258	116	29	111	2
Philadelphia, coextensive with Philadelphia (city)	25,899	9,042	2,026	14,672	159	25,120	9,277	2,450	13,215	178
Pike	90	89	-	-	1	140	80	10	50	-
Potter	148	68	23	52	5	192	68	25	94	5

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
PENNSYLVANIA—Continued										
Schuylkill	2,188	888	149	1,151	-	2,352	899	232	1,217	4
Mahanoy City	62	62	-	-	-	158	69	18	71	-
Pottsville	759	109	1	649	-	326	96	25	205	-
Shenandoah	72	72	-	-	-	200	79	20	101	-
Tamaqua	65	65	-	-	-	160	66	14	79	1
Balance of county	1,230	580	148	502	-	1,508	589	155	761	3
Snyder	230	122	108	-	-	252	119	23	108	2
Somerset	804	358	97	342	7	810	353	72	380	5
Sullivan	52	40	12	-	-	88	41	20	27	-
Susquehanna	286	213	23	50	-	380	202	42	136	-
Tioga	393	171	28	192	2	415	175	33	201	6
Union	270	91	24	153	2	218	87	20	111	-
Venango	702	235	117	340	10	703	242	98	357	6
Franklin	53	44	9	-	-	134	44	15	73	2
Oil City	294	72	30	190	2	244	74	46	122	2
Balance of county	355	119	78	150	8	325	124	37	162	2
Warren	785	187	400	198	-	492	187	83	222	-
Warren	299	79	24	196	-	195	71	35	89	-
Balance of county	486	108	376	2	-	297	116	48	133	-
Washington	2,008	922	112	946	28	2,183	927	174	1,048	34
Washington	611	133	38	430	10	338	123	36	169	10
Canonsburg	150	57	12	81	-	132	57	10	65	-
Donora	40	40	-	-	-	135	47	11	76	1
Balance of county	1,207	692	62	435	18	1,578	700	117	738	23
Wayne	361	184	90	84	3	333	171	32	128	2
Westmoreland	2,872	1,467	347	1,046	12	3,166	1,438	266	1,447	15
New Kensington	355	107	-	247	1	252	87	25	139	1
Arnold	24	24	-	-	-	83	27	7	49	-
Greensburg	543	140	5	393	5	217	96	28	92	1
Jeannette	95	82	-	13	-	191	87	21	82	1
Latrobe	303	70	-	232	1	146	59	12	75	-
Monessen	86	83	-	-	3	189	83	11	93	2
Balance of county	1,486	961	342	161	2	2,088	999	162	917	10
Wyoming	197	109	33	55	-	233	109	25	99	-
York	2,138	1,092	190	848	8	2,234	1,074	287	864	9
York	872	289	4	579	-	707	288	115	303	1
Hanover	260	60	1	197	2	184	59	24	98	3
Balance of county	1,006	743	185	72	6	1,343	727	148	463	5
RHODE ISLAND	8,863	3,329	1,125	4,370	39	8,878	3,301	1,165	4,366	46
Metropolitan counties	7,796	2,914	1,020	3,842	20	7,783	2,927	1,040	3,785	31
Nonmetropolitan counties	1,067	415	105	528	19	1,095	374	125	581	15
Bristol	191	155	36	-	-	319	160	30	126	3
Bristol (town)[3]	86	59	27	-	-	130	58	11	60	1
Balance of county	105	96	9	-	-	189	102	19	66	2
Kent	587	384	68	131	4	933	385	105	440	3
Warwick	402	234	36	131	1	564	226	61	275	2
West Warwick (town)[3]	91	80	11	-	-	202	84	21	97	-
Balance of county	94	70	21	-	3	167	75	23	68	1
Newport	567	218	43	303	3	643	195	65	381	2
Newport	453	128	22	303	-	376	106	39	231	-
Balance of county	114	90	21	-	3	267	89	26	150	2
Providence	7,018	2,375	916	3,711	16	6,531	2,382	905	3,219	25
Providence	3,420	979	110	2,326	5	2,826	986	410	1,422	8
Cranston	1,026	224	454	346	2	626	226	70	328	2
Pawtucket	862	401	73	386	2	975	395	128	445	7
Woonsocket	489	164	16	306	3	531	173	76	280	2
East Providence (town)[3]	230	152	78	-	-	406	151	65	189	1
Central Falls	158	71	59	28	-	245	82	39	123	1
Cumberland (town)[3]	60	47	12	-	1	110	47	12	51	-
Johnston (town)[3]	49	47	2	-	-	126	48	11	67	-
Lincoln (town)[3]	83	69	14	-	-	125	63	14	47	1
North Providence (town)[3]	318	57	10	251	-	153	57	17	79	-
Balance of county	323	164	88	68	3	408	154	63	188	3
Washington	500	197	62	225	16	452	179	60	200	13
Westerly (town)[3]	207	58	25	122	2	122	46	17	58	1
Balance of county	293	139	37	103	14	330	133	43	142	12
SOUTH CAROLINA	19,459	9,936	1,315	8,069	139	19,709	9,881	1,383	8,314	131
Metropolitan counties	6,361	2,317	763	3,254	27	5,243	2,279	339	2,596	29
Nonmetropolitan counties	13,098	7,619	552	4,815	112	14,466	7,602	1,044	5,718	102
Abbeville	210	121	-	89	-	235	118	11	106	-
Aiken	468	299	-	169	-	590	294	42	254	-
Allendale	122	90	-	32	-	140	92	9	38	1
Anderson	786	418	-	359	9	807	415	35	346	11
Anderson	473	117	-	353	3	251	114	15	119	3
Balance of county	313	301	-	6	6	556	301	20	227	8
Bamberg	132	90	-	42	-	160	86	14	60	-
Barnwell	103	67	-	36	-	134	66	14	54	-
Beaufort	245	160	-	85	-	271	152	8	110	1
Berkeley	253	170	-	83	-	290	172	8	109	1
Calhoun	87	87	-	-	-	114	84	1	28	1

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
SOUTH CAROLINA—Continued										
Charleston	1,788	899	25	853	11	1,709	891	67	740	11
Charleston	1,266	449	9	802	6	823	406	33	378	6
Balance of county	522	450	16	51	5	886	485	34	362	5
Cherokee	289	130	6	153	-	305	136	9	160	-
Chester	285	159	-	126	-	317	162	16	138	1
Chesterfield	205	159	-	43	3	306	160	28	113	5
Clarendon	257	145	5	107	-	267	141	12	113	1
Colleton	219	133	-	86	-	250	138	6	106	-
Darlington	436	275	-	159	2	510	274	68	166	2
Dillon	215	155	2	58	-	277	155	26	96	-
Dorchester	184	131	-	53	-	211	128	13	69	1
Edgefield	117	112	-	5	-	157	112	18	27	-
Fairfield	155	128	-	27	-	199	129	17	53	-
Florence	848	378	342	123	5	747	379	224	140	4
Florence	565	134	323	105	3	298	139	106	52	1
Balance of county	283	244	19	18	2	449	240	118	88	3
Georgetown	269	175	-	94	-	279	162	14	102	1
Greenville	1,586	586	50	936	14	1,559	597	93	854	15
Greenville	1,105	272	38	787	8	597	188	39	365	5
Balance of county	481	314	12	149	6	962	409	54	489	10
Greenwood	431	192	5	233	1	426	201	23	199	3
Greenwood	315	77	5	233	-	188	74	12	100	2
Balance of county	116	115	-	-	1	238	127	11	99	1
Hampton	167	122	-	44	1	185	123	5	56	1
Horry	508	291	4	188	25	534	274	23	223	14
Jasper	116	85	-	31	-	123	84	6	33	-
Kershaw	277	159	-	117	1	296	157	13	124	2
Lancaster	236	125	1	108	2	296	126	22	145	3
Laurens	381	204	35	133	9	428	207	34	178	9
Lee	195	137	5	46	7	202	138	4	60	-
Lexington	289	215	70	-	4	467	215	52	199	1
McCormick	56	56	-	-	-	86	56	6	24	-
Marion	305	164	-	141	-	293	161	25	106	1
Marlboro	360	242	5	111	2	374	246	15	112	1
Newberry	239	134	-	105	-	259	136	15	107	1
Oconee	234	131	10	90	3	276	131	20	122	3
Orangeburg	605	353	8	239	5	621	343	39	234	5
Orangeburg	298	55	3	239	1	131	50	14	65	2
Balance of county	307	298	5	-	4	490	293	25	169	3
Pickens	257	173	4	64	16	339	179	21	130	9
Richland	2,519	533	688	1,296	2	1,385	497	137	748	3
Columbia	1,643	328	418	895	2	938	303	97	536	2
Balance of county	876	205	270	401	-	447	194	40	212	1
Saluda	85	85	-	-	-	129	82	8	39	-
Spartanburg	1,189	539	50	587	13	1,280	546	85	636	13
Spartanburg	745	177	13	547	8	396	148	34	210	4
Balance of county	444	362	37	40	5	884	398	51	426	9
Sumter	566	306	-	259	1	594	307	20	265	2
Sumter	318	92	-	225	1	228	93	10	123	2
Balance of county	248	214	-	34	-	366	214	10	142	-
Union	228	112	-	114	2	263	114	13	134	2
Williamsburg	352	226	-	126	-	381	232	21	128	-
York	605	285	-	319	1	638	283	23	330	2
Rock Hill	154	99	-	55	-	258	98	13	147	-
Balance of county	451	186	-	264	1	380	185	10	183	2
SOUTH DAKOTA	6,229	2,094	510	3,554	71	6,248	2,095	503	3,569	81
Metropolitan counties	972	218	53	697	4	736	223	69	440	4
Nonmetropolitan counties	5,257	1,876	457	2,857	67	5,512	1,872	434	3,129	77
Armstrong	-	-	-	-	-	-	-	-	-	-
Aurora	26	24	2	-	-	54	24	2	28	-
Beadle	220	71	-	149	-	182	69	12	100	1
Huron	197	49	-	148	-	125	42	11	71	1
Balance of county	23	22	-	1	-	57	27	1	29	-
Bennett	28	20	-	8	-	41	20	2	19	-
Bon Homme	58	37	-	21	-	91	40	7	43	1
Brookings	136	35	4	87	10	136	33	9	85	9
Brown	310	75	26	206	3	306	74	28	202	2
Aberdeen	270	49	18	203	-	187	45	18	123	1
Balance of county	40	26	8	3	3	119	29	10	79	1
Brule	58	18	-	40	-	61	18	2	41	-
Buffalo	5	5	-	-	-	12	4	-	8	-
Butte	94	36	-	58	-	86	34	6	46	-
Campbell	6	6	-	-	-	24	5	2	16	1
Charles Mix	105	37	-	68	-	115	36	8	71	-
Clark	22	22	-	-	-	57	23	6	28	-
Clay	95	40	16	32	7	99	40	15	39	5
Codington	199	55	1	141	2	176	60	15	100	1
Watertown	185	42	1	140	2	133	49	12	71	1
Balance of county	14	13	-	1	-	43	11	3	29	-
Corson	23	15	-	8	-	46	14	3	29	-
Custer	33	26	2	5	-	63	25	4	33	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
SOUTH DAKOTA—Continued										
Davison	292	47	19	221	5	201	49	14	135	3
Mitchell	279	34	19	221	5	160	36	10	111	3
Balance of county	13	13	-	-	-	41	13	4	24	-
Day	109	37	18	53	1	111	39	17	54	1
Deuel	61	25	4	32	-	76	24	4	47	1
Dewey	27	16	-	11	-	48	17	3	27	1
Douglas	26	11	-	15	-	47	14	5	28	-
Edmunds	36	18	-	18	-	42	16	6	20	-
Fall River	197	31	-	165	1	118	26	4	88	-
Faulk	52	11	1	40	-	55	12	3	40	-
Grant	69	28	1	40	-	86	30	5	51	-
Gregory	71	27	1	43	-	85	29	3	53	-
Haakon	18	6	-	12	-	29	5	3	20	1
Hamlin	46	25	12	9	-	79	26	11	42	-
Hand	56	18	-	37	1	65	18	4	42	1
Hanson	14	14	-	-	-	44	14	6	23	1
Harding	8	8	-	-	-	23	6	2	15	-
Hughes	102	21	10	70	1	78	23	11	43	1
Hutchinson	101	41	7	53	-	93	37	8	48	-
Hyde	13	13	-	-	-	27	14	-	13	-
Jackson	26	13	-	13	-	28	13	2	13	-
Jerauld	52	9	-	43	-	47	10	3	34	-
Jones	15	5	-	10	-	22	3	-	19	-
Kingsbury	66	32	5	27	2	85	31	6	47	1
Lake	128	54	10	64	-	121	54	12	55	-
Lawrence	177	52	24	98	3	158	51	24	80	3
Lincoln	118	44	18	55	1	131	42	12	76	1
Lyman	15	14	-	-	1	45	12	5	27	1
McCook	35	35	-	-	-	85	38	6	41	-
McPherson	66	19	10	35	2	60	19	4	37	-
Marshall	79	27	-	51	1	76	28	2	45	1
Meade	127	29	44	38	16	102	29	17	52	4
Mellette	20	18	2	-	-	41	18	4	17	2
Miner	23	20	3	-	-	55	21	7	27	-
Minnehaha	972	218	53	697	4	736	223	69	440	4
Sioux Falls	855	153	44	656	2	566	165	50	348	3
Balance of county	117	65	9	41	2	170	58	19	92	1
Moody	68	30	4	34	-	80	31	7	41	1
Pennington	379	118	12	246	3	364	125	21	203	15
Rapid City	317	69	12	236	-	270	81	20	162	7
Balance of county	62	49	-	10	3	94	44	1	41	8
Perkins	46	17	-	29	-	49	19	1	29	-
Potter	51	11	-	40	-	52	12	3	37	-
Roberts	113	39	7	62	5	139	42	10	81	6
Sanborn	15	15	-	-	-	49	15	4	29	1
Shannon	67	34	-	33	-	77	40	-	37	-
Spink	142	39	28	75	-	130	34	9	87	-
Stanley	16	16	-	-	-	25	12	-	13	-
Sully	9	4	-	5	-	18	3	2	13	-
Todd	57	28	-	29	-	57	25	-	29	3
Tripp	69	32	3	32	2	78	35	3	39	1
Turner	60	44	8	8	-	118	51	10	55	2
Union	51	49	2	-	-	122	49	12	58	3
Walworth	50	18	-	32	-	59	21	3	34	1
Washabaugh	11	11	-	-	-	15	10	-	5	-
Yankton	385	76	153	156	-	162	56	15	91	-
Ziebach	5	5	-	-	-	6	5	-	1	-
TENNESSEE	33,644	15,600	1,797	15,924	323	32,385	15,578	1,733	14,755	319
Metropolitan counties	16,870	5,761	1,101	9,931	77	14,222	5,690	754	7,712	66
Nonmetropolitan counties	16,774	9,839	696	5,993	246	18,163	9,888	979	7,043	253
Anderson	344	168	5	159	12	364	161	29	167	7
Bedford	172	84	2	85	1	197	87	15	93	2
Benton	80	66	-	5	9	123	73	7	33	10
Bledsoe	76	51	6	19	-	79	54	2	23	-
Blount	374	179	11	183	1	393	177	17	197	2
Bradley	322	168	14	139	1	334	170	21	142	1
Cleveland	214	74	-	139	1	174	81	12	81	-
Balance of county	108	94	14	-	-	160	89	9	61	1
Campbell	293	158	-	135	-	261	144	9	108	-
Cannon	79	35	7	33	4	82	37	9	33	3
Carroll	208	184	4	10	10	262	183	13	60	6
Carter	275	148	-	127	-	329	141	12	176	-
Elizabethton	175	48	-	127	-	93	35	4	54	-
Balance of county	100	100	-	-	-	236	106	8	122	-
Cheatham	47	46	1	-	-	90	41	11	38	-
Chester	71	64	-	7	-	105	65	6	34	-
Claiborne	115	115	-	-	-	202	119	5	78	-
Clay	51	51	-	-	-	76	53	4	19	-
Cocke	210	156	-	53	1	232	160	6	65	1
Coffee	194	112	-	82	-	223	110	14	99	-
Crockett	114	109	-	3	2	162	112	2	46	2
Cumberland	156	85	-	67	4	137	75	5	54	3

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
TENNESSEE—Continued										
Davidson	4,511	1,356	518	2,613	24	3,534	1,331	308	1,874	21
Nashville	3,032	862	176	1,972	22	2,247	827	200	1,209	11
Balance of county	1,479	494	342	641	2	1,287	504	108	665	10
Decatur	57	57	-	-	-	77	57	5	15	-
De Kalb	99	61	10	27	1	115	58	8	47	2
Dickson	226	125	17	53	31	218	126	20	54	18
Dyer	355	224	9	120	2	380	227	20	131	2
Dyersburg	234	104	9	120	1	180	101	8	71	-
Balance of county	121	120	-	-	1	200	126	12	60	2
Fayette	223	184	-	39	-	245	178	6	61	-
Fentress	77	73	2	-	2	126	75	4	45	2
Franklin	209	136	1	62	10	227	139	7	73	8
Gibson	446	324	5	114	3	503	329	19	151	4
Giles	254	147	-	107	-	293	146	12	134	1
Grainger	67	67	-	-	-	115	69	1	43	2
Greene	391	180	11	193	7	370	177	14	175	4
Grundy	76	51	6	10	9	97	51	8	32	6
Hamblen	249	110	-	109	30	267	103	12	129	23
Morristown	189	50	-	109	30	154	52	9	79	14
Balance of county	60	60	-	-	-	113	51	3	50	9
Hamilton	2,450	917	113	1,398	22	2,262	897	122	1,221	22
Chattanooga	2,099	673	50	1,361	15	1,623	601	80	929	13
Balance of county	351	244	63	37	7	639	296	42	292	9
Hancock	45	38	-	5	2	61	40	1	18	2
Hardeman	316	133	160	22	1	209	139	11	58	1
Hardin	149	77	-	71	1	138	75	6	55	2
Hawkins	150	134	-	16	-	250	140	12	94	4
Haywood	214	140	-	72	2	235	139	5	89	2
Henderson	126	116	-	7	3	168	125	3	36	4
Henry	288	148	1	138	1	279	149	16	112	2
Hickman	74	66	-	7	1	139	70	6	51	12
Houston	42	41	-	-	1	56	42	5	7	2
Humphreys	86	70	15	-	1	109	67	11	29	2
Jackson	95	53	-	41	1	101	51	3	47	-
Jefferson	196	100	-	95	1	187	96	8	81	2
Johnson	68	67	-	-	1	115	75	2	37	1
Knox	2,526	855	330	1,334	7	2,097	872	141	1,080	4
Knoxville	1,386	475	50	860	1	1,271	509	88	671	3
Balance of county	1,140	380	280	474	6	826	363	53	409	1
Lake	77	75	-	-	2	98	74	1	22	1
Lauderdale	198	116	-	80	2	220	116	3	100	1
Lawrence	193	109	4	79	1	210	115	12	82	1
Lewis	52	39	-	13	-	63	38	2	22	1
Lincoln	273	112	-	161	-	278	112	11	154	1
Loudon	151	97	-	54	-	199	100	7	92	-
McMinn	299	187	15	95	2	323	195	18	108	2
McNairy	113	110	1	-	2	156	110	4	40	2
Macon	99	59	-	40	-	124	58	5	58	3
Madison	772	336	18	414	4	642	324	34	278	6
Jackson	604	174	13	414	3	381	172	19	185	5
Balance of county	168	162	5	-	1	261	152	15	93	1
Marion	115	111	-	1	3	212	121	12	71	8
Marshall	193	94	14	84	1	193	95	15	82	1
Maury	393	221	23	149	-	421	221	29	170	1
Columbia	214	64	2	148	-	158	60	16	82	-
Balance of county	179	157	21	1	-	263	161	13	88	1
Meigs	31	31	-	-	-	50	30	-	20	-
Monroe	212	136	-	74	2	224	129	15	78	2
Montgomery	393	183	63	146	1	403	192	43	168	-
Clarksville	298	94	57	146	1	217	97	26	94	-
Balance of county	95	89	6	-	-	186	95	17	74	-
Moore	16	16	-	-	-	33	17	2	14	-
Morgan	91	91	-	-	-	139	92	7	37	3
Obion	280	122	3	152	3	280	125	13	139	3
Overton	165	98	-	64	3	159	96	4	55	4
Perry	54	33	-	20	1	60	33	3	24	-
Pickett	19	19	-	-	-	34	17	1	16	-
Polk	124	66	-	58	-	109	67	4	38	-
Putnam	236	129	3	102	2	252	131	13	106	2
Rhea	111	77	3	6	25	139	80	4	33	22
Roane	281	154	-	122	5	299	160	5	124	10
Robertson	236	145	-	90	1	288	149	20	114	5
Rutherford	424	161	82	174	7	401	162	40	193	6
Murfreesboro	248	63	33	148	4	165	63	19	80	3
Balance of county	176	98	49	26	3	236	99	21	113	3
Scott	135	76	1	57	1	141	78	6	57	-
Sequatchie	44	29	-	13	2	53	29	3	20	1
Sevier	122	114	-	8	-	186	112	7	66	1
Shelby	6,665	2,286	124	4,244	11	5,572	2,252	137	3,173	10
Memphis	5,929	1,930	103	3,889	7	4,774	1,867	124	2,777	6
Balance of county	736	356	21	355	4	798	385	13	396	4
Smith	120	76	-	41	3	141	80	11	48	2
Stewart	55	53	2	-	-	81	50	10	21	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
TENNESSEE—Continued										
Sullivan	852	331	14	506	1	711	326	34	350	1
Bristol[6]	296	75	13	208	-	173	75	12	86	-
Kingsport	391	93	-	298	-	179	75	6	97	1
Balance of county	165	163	1	-	1	359	176	16	167	-
Sumner	289	182	9	93	5	357	178	24	152	3
Tipton	189	176	-	13	-	294	182	8	104	-
Trousdale	57	19	3	30	5	56	20	2	31	3
Unicoi	98	49	-	49	-	120	53	10	57	-
Union	28	27	-	-	1	51	26	5	18	2
Van Buren	24	21	-	-	3	38	25	1	10	2
Warren	209	107	25	76	1	222	106	24	90	2
Washington	881	255	62	564	-	570	259	45	265	1
Johnson City	700	115	21	564	-	292	119	22	151	-
Balance of county	181	140	41	-	-	278	140	23	114	1
Wayne	61	58	-	3	-	100	63	2	35	-
Weakley	267	206	9	48	4	343	206	23	108	6
White	142	86	17	37	2	143	85	13	44	1
Williamson	246	142	34	65	5	266	137	36	89	4
Wilson	313	151	20	139	3	307	147	22	135	3
TEXAS	73,431	32,315	3,939	35,496	1,681	73,351	32,382	3,905	35,390	1,674
Metropolitan counties	38,482	15,037	2,301	20,452	692	35,852	15,082	1,855	18,271	644
Nonmetropolitan counties	34,949	17,278	1,638	15,044	989	37,499	17,300	2,050	17,119	1,030
Anderson	334	154	24	154	2	332	153	28	147	4
Palestine	278	98	24	154	2	193	81	24	88	-
Balance of county	56	56	-	-	-	139	72	4	59	4
Andrews	55	26	-	28	1	49	18	1	29	1
Angelina	321	134	-	184	3	333	140	9	183	1
Lufkin	248	61	-	184	3	159	54	7	98	-
Balance of county	73	73	-	-	-	174	86	2	85	1
Aransas	39	32	-	1	6	61	30	1	22	8
Archer	26	14	-	12	-	40	11	3	26	-
Armstrong	15	9	3	-	3	21	6	2	13	-
Atascosa	164	89	-	65	10	186	95	8	74	9
Austin	149	94	-	52	3	175	93	11	66	5
Bailey	52	12	-	31	9	46	15	2	22	7
Bandera	28	27	-	-	1	42	19	7	15	1
Bastrop	166	105	8	45	8	211	109	12	81	9
Baylor	47	15	-	31	1	56	14	6	36	-
Bee	167	88	-	79	-	176	87	6	81	2
Bell	851	258	6	560	27	616	246	28	315	27
Temple	615	116	6	470	23	274	108	13	136	17
Balance of county	236	142	-	90	4	342	138	15	179	10
Bexar	5,326	1,956	437	2,898	35	5,021	2,010	349	2,619	43
San Antonio	4,973	1,812	434	2,708	19	4,569	1,816	317	2,405	31
Balance of county	353	144	3	190	16	452	194	32	214	12
Blanco	46	24	-	11	11	50	24	-	15	11
Borden	1	1	-	-	-	2	2	-	-	-
Bosque	123	51	9	60	3	135	49	8	77	1
Bowie	424	289	27	94	14	551	292	22	224	13
Texarkana[7]	251	138	27	80	6	284	142	12	126	4
Balance of county	173	151	-	14	8	267	150	10	98	9
Brazoria	328	195	1	130	2	415	181	11	220	3
Brazos	273	138	-	133	2	314	148	14	150	2
Bryan	222	88	-	133	1	214	94	8	112	-
Balance of county	51	50	-	-	1	100	54	6	38	2
Brewster	60	36	-	24	-	54	32	-	22	-
Briscoe	12	9	-	-	3	32	13	2	13	4
Brooks	52	16	-	36	-	49	17	3	28	1
Brown	273	94	41	113	25	268	92	44	116	16
Brownwood	227	65	35	113	14	193	69	29	85	10
Balance of county	46	29	6	-	11	75	23	15	31	6
Burleson	107	90	-	17	-	148	88	10	49	1
Burnet	99	56	-	42	1	95	51	7	34	3
Caldwell	183	117	-	60	6	217	119	8	83	7
Calhoun	91	29	-	62	-	91	26	3	61	1
Callahan	65	56	-	9	-	91	49	5	33	4
Cameron	1,054	471	21	527	35	1,070	476	39	525	30
Brownsville	368	137	-	221	10	350	148	8	186	8
Harlingen	333	110	14	208	1	238	102	11	118	7
San Benito	140	54	-	85	1	136	60	6	68	2
Balance of county	213	170	7	13	23	346	166	14	153	13
Camp	89	57	-	31	1	92	54	1	36	1
Carson	57	20	2	22	13	59	29	4	22	4
Cass	174	111	3	58	2	218	118	5	88	7
Castro	48	19	-	29	-	56	18	-	37	1
Chambers	74	48	-	26	-	89	36	3	48	2
Cherokee	512	139	167	197	9	346	141	37	160	8
Childress	100	32	12	54	2	104	33	14	53	4
Clay	60	30	-	30	-	80	29	5	45	1
Cochran	32	10	-	21	1	40	11	1	28	-
Coke	41	10	-	31	-	31	5	-	26	-
Coleman	127	63	1	61	2	164	68	7	86	3

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
TEXAS—Continued										
Collin	558	227	24	291	16	460	230	28	187	15
McKinney	247	73	22	146	6	156	72	11	69	4
Balance of county	311	154	2	145	10	304	158	17	118	11
Collingsworth	69	32	-	31	6	71	32	-	34	5
Colorado	167	93	1	63	10	192	93	17	72	10
Comal	178	68	1	95	14	174	69	8	88	9
New Braunfels	161	51	1	95	14	139	56	6	70	7
Balance of county	17	17	-	-	-	35	13	2	18	2
Comanche	116	58	3	45	10	153	58	8	75	12
Concho	27	18	3	6	-	42	17	4	19	2
Cooke	214	114	-	98	2	214	106	10	94	4
Gainesville	175	76	-	97	2	147	68	7	69	3
Balance of county	39	38	-	1	-	67	38	3	25	1
Coryell	133	52	19	60	2	157	51	22	82	2
Cottle	39	19	-	20	-	46	23	1	22	-
Crane	25	18	-	7	-	25	18	-	7	-
Crockett	19	11	-	8	-	14	6	1	7	-
Crosby	74	50	-	24	-	93	44	2	45	2
Culberson	15	14	-	-	1	22	12	1	8	1
Dallam	17	17	-	-	-	55	19	6	15	15
Dallas	6,648	2,765	353	3,340	190	6,244	2,749	386	2,938	171
Dallas	6,010	2,256	279	3,302	173	5,008	2,182	293	2,397	136
Garland	78	51	-	24	3	106	49	6	45	6
Grand Prairie (part)	53	49	-	4	-	145	64	7	72	2
Grand Prairie (total)	53	49	-	4	-	147	65	7	73	2
Highland Park	39	39	-	-	-	120	48	6	61	5
University Park	75	74	-	1	-	179	79	17	78	5
Balance of county	393	296	74	9	14	686	327	57	285	17
Dawson	138	53	-	80	5	147	55	1	82	9
Lamesa	121	36	-	80	5	108	42	1	59	6
Balance of county	17	17	-	-	-	39	13	-	23	3
Deaf Smith	76	21	-	54	1	85	28	4	50	3
Delta	47	33	1	13	-	72	34	8	29	1
Denton	325	150	6	161	8	380	153	21	198	8
Denton	230	64	4	160	2	168	66	9	92	1
Balance of county	95	86	2	1	6	212	87	12	106	7
De Witt	257	105	15	122	15	282	110	18	143	11
Dickens	59	24	4	31	-	55	21	3	30	1
Dimmit	67	46	-	21	-	74	47	3	24	-
Donley	47	28	3	13	3	55	24	9	19	3
Duval	68	62	-	6	-	104	61	2	41	-
Eastland	262	111	5	141	5	272	115	17	132	8
Ector	315	110	-	202	3	354	118	4	230	2
Odessa	301	96	-	202	3	332	111	4	215	2
Balance of county	14	14	-	-	-	22	7	-	15	-
Edwards	20	12	-	7	1	27	13	2	12	-
Ellis	404	237	23	133	11	453	241	28	171	13
Waxahachie	132	61	4	62	5	125	66	7	47	5
Balance of county	272	176	19	71	6	328	175	21	124	8
El Paso	1,959	692	19	1,226	22	1,890	683	43	1,139	25
El Paso	1,886	637	19	1,216	14	1,754	624	39	1,073	18
Balance of county	73	55	-	10	8	136	59	4	66	7
Erath	212	80	22	107	3	216	83	22	106	5
Falls	322	121	15	178	8	251	119	18	107	7
Fannin	242	106	2	114	20	280	116	13	133	18
Fayette	243	131	54	51	7	256	133	34	84	5
Fisher	60	20	-	39	1	70	15	3	49	3
Floyd	87	34	-	53	-	93	36	4	51	2
Foard	29	12	-	17	-	36	8	4	24	-
Fort Bend	243	142	3	97	1	298	134	12	151	1
Franklin	46	31	-	13	2	51	30	3	17	1
Freestone	139	77	-	57	5	141	73	3	60	5
Frio	69	47	-	21	1	87	49	-	35	3
Gaines	78	25	-	49	4	74	31	-	41	2
Galveston	1,598	520	11	1,060	7	1,213	508	38	659	8
Galveston	1,319	362	11	943	3	812	344	31	432	5
Texas City	194	77	-	116	1	161	69	2	89	1
Balance of county	85	81	-	1	3	240	95	5	138	2
Garza	39	20	-	18	1	51	18	2	29	2
Gillespie	138	59	18	56	5	117	48	12	52	5
Glasscock	3	3	-	-	-	6	3	-	3	-
Goliad	42	18	-	24	-	55	17	4	32	2
Gonzales	184	125	8	48	3	206	120	14	68	4
Gray	181	72	-	109	-	179	76	4	98	3
Pampa	161	52	-	109	-	141	60	2	76	3
Balance of county	20	20	-	-	-	38	16	2	20	-
Grayson	800	331	50	398	21	793	329	62	379	23
Denison	301	105	12	176	8	268	108	12	140	8
Sherman	337	110	6	213	8	228	99	10	114	5
Balance of county	162	116	32	9	5	297	122	40	125	10
Gregg	582	255	17	302	8	575	263	20	283	9
Longview	339	126	17	191	5	259	134	9	112	4
Balance of county	243	129	-	111	3	316	129	11	171	5
Grimes	190	120	3	63	4	198	115	11	69	3
Guadalupe	218	153	6	55	4	242	142	5	89	6

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
TEXAS—Continued										
Hale	197	51	-	145	1	215	52	13	146	4
Plainview	163	29	-	133	1	131	28	8	93	2
Balance of county	34	22	-	12	-	84	24	5	53	2
Hall	76	39	-	37	-	76	34	6	35	1
Hamilton	113	48	15	36	14	122	52	15	45	10
Hansford	18	12	-	6	-	39	13	1	24	1
Hardeman	102	36	-	59	7	110	40	7	59	4
Hardin	159	110	1	43	5	201	109	12	75	5
Harris	9,018	3,497	222	5,154	145	8,425	3,547	295	4,443	140
Houston	7,908	2,838	197	4,758	113	6,605	2,772	238	3,499	96
Baytown	239	80	-	142	17	202	84	4	101	13
Bellaire	43	43	-	-	-	108	48	5	55	-
Pasadena	231	73	1	149	8	203	72	7	121	3
West University Place	22	22	-	-	-	78	32	4	41	1
Balance of county	577	441	24	105	7	1,229	539	37	626	27
Harrison	414	259	-	135	20	439	254	16	153	16
Marshall	282	128	-	135	19	229	124	7	86	12
Balance of county	132	131	-	-	1	210	130	9	67	4
Hartley	33	8	-	-	25	13	2	-	4	7
Haskell	82	43	1	34	4	103	42	7	50	4
Hays	137	92	-	42	3	163	87	10	65	1
Hemphill	30	18	-	11	1	28	14	1	12	1
Henderson	214	123	2	83	6	260	125	13	117	5
Hidalgo	1,045	538	49	436	22	1,117	535	56	495	31
Edinburg	167	51	-	135	1	109	42	8	57	2
McAllen	212	74	-	137	1	187	73	7	103	4
Mercedes	100	45	11	41	3	84	47	7	26	4
Mission	96	51	3	41	1	79	46	2	31	-
Balance of county	450	317	35	82	16	658	327	32	278	21
Hill	251	155	6	70	20	314	159	20	110	25
Hockley	112	54	-	58	-	146	53	2	89	2
Hood	47	32	-	14	1	67	34	6	23	4
Hopkins	215	103	10	98	4	250	106	20	121	3
Houston	176	104	-	68	4	206	109	8	84	5
Howard	489	107	135	227	20	289	109	47	118	15
Big Spring	357	76	34	227	20	221	82	37	92	10
Balance of county	132	31	101	-	-	68	27	10	26	5
Hudspeth	5	5	-	-	-	14	4	1	9	-
Hunt	391	245	1	131	14	419	243	18	143	15
Greenville	260	147	-	100	13	212	129	8	65	10
Balance of county	131	98	1	31	1	207	114	10	78	5
Hutchinson	127	37	-	88	2	171	50	6	110	5
Borger	124	34	-	88	2	120	40	3	74	3
Balance of county	3	3	-	-	-	51	10	3	36	2
Irion	9	9	-	-	-	15	8	-	7	-
Jack	70	44	-	25	1	79	39	7	32	1
Jackson	78	41	-	36	1	117	50	3	62	2
Jasper	176	118	-	57	1	209	123	5	78	3
Jeff Davis	2	2	-	-	-	8	2	-	5	1
Jefferson	1,745	771	119	773	82	1,724	761	108	787	68
Beaumont	1,049	411	101	525	12	922	394	69	449	10
Port Arthur	520	221	17	248	34	491	226	27	207	31
Balance of county	176	139	1	-	36	311	141	12	131	27
Jim Hogg	23	23	-	-	-	37	24	3	10	-
Jim Wells	236	128	19	85	4	248	131	16	100	1
Alice	173	65	19	85	4	151	75	12	64	-
Balance of county	63	63	-	-	-	97	56	4	36	1
Johnson	387	146	34	178	9	375	148	36	187	4
Cleburne	300	80	34	177	9	196	72	21	100	3
Balance of county	87	66	-	1	-	179	76	15	87	1
Jones	210	78	-	123	9	214	79	9	114	12
Karnes	123	76	1	43	3	148	73	6	65	4
Kaufman	472	169	188	111	4	321	175	15	129	2
Terrell	323	66	173	83	1	129	67	5	56	1
Balance of county	149	103	15	28	3	192	108	10	73	1
Kendall	36	21	14	-	1	54	18	13	23	-
Kenedy	7	7	-	-	-	5	2	-	3	-
Kent	3	3	-	-	-	18	4	1	13	-
Kerr	389	67	126	171	5	182	68	23	90	1
Kimble	37	34	-	-	3	43	32	3	5	3
King	-	-	-	-	-	5	-	1	4	-
Kinney	11	11	-	-	-	24	11	1	12	-
Kleberg	152	76	-	75	1	168	79	4	84	1
Kingsville	141	66	-	74	1	143	65	4	73	1
Balance of county	11	10	-	1	-	25	14	-	11	-
Knox	55	30	-	24	1	70	34	1	33	2
Lamar	499	212	14	272	1	477	217	24	235	1
Paris	434	156	6	272	-	323	155	9	159	-
Balance of county	65	56	8	-	1	154	62	15	76	1
Lamb	147	52	1	83	11	171	56	7	99	9
Lampasas	100	45	9	46	-	115	47	14	50	4
La Salle	33	18	-	15	-	46	21	2	22	1
Lavaca	240	100	10	126	4	228	99	22	102	5
Lee	79	39	3	37	-	98	38	8	50	2
Leon	81	71	-	5	5	132	81	6	40	5

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
TEXAS—Continued										
Liberty	311	144	10	157	-	323	146	14	162	1
Limestone	204	130	9	65	-	249	139	18	90	2
Lipscomb	12	10	-	-	2	34	12	2	19	1
Live Oak	35	18	-	17	-	56	20	2	34	-
Llano	46	31	1	7	7	51	26	3	16	6
Loving	-	-	-	-	-	-	-	-	-	-
Lubbock	979	376	49	539	15	871	388	37	434	12
Lubbock	848	302	49	483	14	667	295	31	334	7
Balance of county	131	74	-	56	1	204	93	6	100	5
Lynn	61	44	-	13	4	95	41	2	46	6
McCulloch	138	47	16	71	4	129	50	17	59	3
McLennan	1,218	634	88	484	12	1,208	625	40	526	17
Waco	987	428	77	470	12	826	416	24	380	6
Balance of county	231	206	11	14	-	382	209	16	146	11
McMullen	7	7	-	-	-	11	7	-	3	1
Madison	64	46	-	18	-	77	47	2	27	1
Marion	73	58	-	14	1	85	58	-	24	3
Martin	21	18	3	-	-	37	20	4	10	3
Mason	41	16	-	23	2	46	16	1	27	2
Matagorda	188	108	-	75	5	219	100	7	103	9
Maverick	87	50	-	37	-	101	53	1	47	-
Medina	127	81	2	43	1	166	83	9	71	3
Menard	7	6	-	-	1	19	10	1	7	1
Midland	233	117	-	115	1	270	119	7	140	4
Midland	224	108	-	115	1	261	114	7	136	4
Balance of county	9	9	-	-	-	9	5	-	4	-
Milam	199	128	-	70	1	245	129	17	96	3
Mills	33	33	-	-	-	51	32	4	14	1
Mitchell	108	53	-	52	3	122	52	5	61	4
Montague	162	86	-	73	3	182	88	11	82	1
Montgomery	239	117	15	103	4	264	109	16	135	4
Moore	61	20	-	40	1	73	22	6	43	2
Morris	85	50	2	25	8	93	48	6	37	2
Motley	29	18	-	11	-	31	17	2	11	1
Nacogdoches	256	117	3	131	5	280	120	15	141	4
Nacogdoches	177	42	1	131	3	110	44	6	59	1
Balance of county	79	75	2	-	2	170	76	9	82	3
Navarro	407	194	28	183	2	423	198	31	192	2
Corsicana	326	113	28	183	2	262	110	24	126	2
Balance of county	81	81	-	-	-	161	88	7	66	-
Newton	56	38	3	15	-	73	39	5	28	1
Nolan	195	43	3	117	32	182	35	13	112	22
Sweetwater	161	23	-	117	21	125	21	10	81	13
Balance of county	34	20	3	-	11	57	14	3	31	9
Nueces	1,364	478	31	846	9	1,301	486	53	756	6
Corpus Christi	1,129	348	31	743	7	988	355	51	577	5
Balance of county	235	130	-	103	2	313	131	2	179	1
Ochiltree	65	19	2	42	2	46	19	1	25	1
Oldham	4	4	-	-	-	11	3	1	7	-
Orange	268	128	5	134	1	325	131	15	174	5
Orange	103	56	5	42	-	188	67	9	111	1
Balance of county	165	72	-	92	1	137	64	6	63	4
Palo Pinto	219	120	24	72	3	236	119	26	87	4
Panola	153	96	-	56	1	170	93	6	69	2
Parker	193	90	1	82	20	243	91	16	117	19
Parmer	44	23	1	20	-	51	20	2	28	1
Pecos	73	28	-	37	8	73	24	1	41	7
Polk	142	96	-	32	14	158	94	4	45	15
Potter	957	267	94	584	12	748	246	63	425	14
Amarillo (part)	864	241	92	526	5	704	226	59	407	12
Amarillo (total)	883	260	92	526	5	761	248	61	438	14
Balance of county	93	26	2	58	7	44	20	4	18	2
Presidio	19	17	-	1	1	32	17	5	9	1
Rains	23	23	-	-	-	36	23	1	11	1
Randall	51	31	-	18	2	96	33	6	55	2
Amarillo (part)	19	19	-	-	-	57	22	2	31	2
Balance of county	32	12	-	18	2	39	11	4	24	-
Reagan	11	5	-	6	-	24	7	1	16	-
Real	6	6	-	-	-	17	6	-	11	-
Red River	184	119	1	64	-	211	122	6	83	-
Reeves	107	53	-	54	-	102	50	1	50	1
Refugio	71	37	-	34	-	84	38	-	46	-
Roberts	2	2	-	-	-	8	3	1	4	-
Robertson	167	127	-	40	-	189	125	6	58	-
Rockwall	43	42	-	1	-	71	49	2	19	1
Runnels	149	84	-	64	1	194	90	9	91	4
Rusk	283	163	10	109	1	316	159	11	144	2
Sabine	49	44	-	-	5	80	47	4	24	5
San Augustine	78	53	-	25	-	83	46	1	35	1
San Jacinto	33	32	-	-	1	62	36	2	23	1
San Patricio	242	149	-	93	-	312	154	3	153	2
San Saba	63	25	3	33	2	73	26	4	41	2
Schleicher	10	10	-	-	-	15	10	-	5	-
Scurry	121	64	-	51	6	147	60	7	71	9
Snyder	37	28	-	3	6	91	37	6	41	7
Balance of county	84	36	-	48	-	56	23	1	30	2

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
TEXAS—Continued										
Shackelford	34	19	-	15	-	41	17	1	23	-
Shelby	141	113	-	27	1	196	132	6	56	2
Sherman	9	8	-	-	1	19	6	1	11	1
Smith	723	321	40	357	5	709	335	45	323	6
Tyler	462	168	1	289	4	377	162	24	188	3
Balance of county	261	153	39	68	1	332	173	21	135	3
Somervell	38	13	-	20	5	41	13	4	19	5
Starr	87	76	-	5	6	106	80	5	15	6
Stephens	85	34	4	41	6	101	38	9	49	5
Sterling	12	8	-	4	-	9	2	-	7	-
Stonewall	12	11	-	1	-	27	10	2	13	2
Sutton	36	20	-	16	-	33	13	2	18	-
Swisher	79	42	-	36	1	94	38	6	49	1
Tarrant	3,774	1,746	171	1,763	94	3,869	1,760	208	1,820	81
Fort Worth	3,251	1,432	78	1,695	46	3,064	1,398	132	1,481	53
Grand Prairie (part)	-	-	-	-	-	2	1	-	1	-
White Settlement	8	7	-	-	1	35	12	1	21	1
Balance of county	515	307	93	68	47	768	349	75	317	27
Taylor	612	219	60	316	17	555	234	26	282	13
Abilene	473	177	11	268	17	444	188	17	228	11
Balance of county	139	42	49	48	-	111	46	9	54	2
Terrell	14	14	-	-	-	20	15	1	4	-
Terry	125	54	-	38	33	134	52	6	47	29
Throckmorton	25	8	-	17	-	37	10	4	23	-
Titus	167	91	-	74	2	171	91	5	70	5
Tom Green	593	195	2	374	22	533	201	14	298	20
San Angelo	536	169	2	343	22	484	183	12	271	18
Balance of county	57	26	-	31	-	49	18	2	27	2
Travis	1,732	555	430	725	22	1,442	540	161	729	12
Austin	1,637	497	430	696	14	1,303	486	148	658	11
Balance of county	95	58	-	29	8	139	54	13	71	1
Trinity	64	48	-	16	-	94	55	2	37	-
Tyler	107	78	1	25	3	118	75	2	36	5
Upshur	168	112	-	55	1	200	117	7	73	3
Upton	17	4	-	13	-	30	8	2	20	-
Uvalde	147	68	1	65	13	146	63	3	68	12
Val Verde	166	86	-	80	-	164	86	2	76	-
Del Rio	139	71	-	68	-	144	80	2	62	-
Balance of county	27	15	-	12	-	20	6	-	14	-
Van Zandt	189	138	-	39	12	251	135	19	84	13
Victoria	347	141	22	183	1	366	141	17	208	-
Victoria	275	93	-	181	1	260	94	8	158	-
Balance of county	72	48	22	2	-	106	47	9	50	-
Walker	191	91	-	97	3	169	80	8	80	1
Waller	96	68	-	27	1	109	62	3	43	1
Ward	81	39	-	42	-	96	37	2	57	-
Washington	254	127	44	76	7	253	134	27	86	6
Webb	471	227	-	238	6	480	219	4	250	7
Laredo	448	209	-	233	6	458	209	3	239	7
Balance of county	23	18	-	5	-	22	10	1	11	-
Wharton	333	140	14	172	7	308	142	15	147	4
Wheeler	72	25	-	47	-	80	18	3	58	1
Wichita	1,049	327	275	430	17	787	326	50	393	18
Wichita Falls	666	230	9	418	9	558	221	34	289	14
Balance of county	383	97	266	12	8	229	105	16	104	4
Wilbarger	188	70	20	91	7	179	65	9	102	3
Vernon	171	57	20	91	3	135	54	7	71	3
Balance of county	17	13	-	-	4	44	11	2	31	-
Willacy	113	66	-	43	4	132	67	5	56	4
Williamson	344	157	2	163	22	390	155	30	182	23
Wilson	74	72	2	-	-	114	78	4	30	2
Winkler	77	11	-	65	1	77	11	-	65	1
Wise	157	91	-	61	5	158	70	14	68	6
Wood	161	115	16	15	15	191	113	16	48	14
Yoakum	38	20	-	18	-	44	19	-	24	1
Young	137	49	-	85	3	144	52	5	84	3
Zapata	16	16	-	-	-	24	16	1	7	-
Zavala	56	36	-	20	-	86	39	4	43	-
UTAH	6,007	2,644	311	2,984	68	5,842	2,625	309	2,844	64
Metropolitan counties	3,704	1,464	130	2,099	11	3,293	1,469	171	1,642	11
Nonmetropolitan counties	2,303	1,180	181	885	57	2,549	1,156	138	1,202	53
Beaver	30	18	-	12	-	38	15	1	20	2
Box Elder	130	84	1	43	2	158	85	4	69	-
Cache	218	130	9	77	2	264	145	18	98	3
Logan	150	63	8	77	2	127	62	12	52	1
Balance of county	68	67	1	-	-	137	83	6	46	2
Carbon	163	53	-	99	11	158	54	3	90	11
Daggett	2	2	-	-	-	2	2	-	-	-
Davis	130	115	2	13	-	257	123	14	117	3
Duchesne	45	24	-	20	1	49	20	-	26	3
Emery	36	33	2	-	1	56	30	4	20	2
Garfield	32	20	-	12	-	31	20	1	10	-
Grand	29	18	-	11	-	28	17	-	11	-

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
UTAH—Continued										
Iron	90	38	-	49	3	69	34	3	32	-
Juab	38	20	-	17	1	49	20	2	26	1
Kane	28	10	-	17	1	29	9	-	19	1
Millard	57	29	-	28	-	68	27	1	39	1
Morgan	12	8	-	-	4	18	9	3	6	-
Piute	4	4	-	-	-	6	3	-	3	-
Rich	8	8	-	-	-	6	3	-	3	-
Salt Lake	2,946	1,186	72	1,680	8	2,612	1,196	104	1,305	7
Salt Lake City	2,537	806	59	1,667	5	1,826	807	86	931	2
Balance of county	409	380	13	13	3	786	389	18	374	5
San Juan	61	49	-	8	4	51	32	-	17	2
Sanpete	84	52	-	30	2	133	62	15	53	3
Sevier	82	44	-	36	2	88	39	3	45	1
Summit	59	38	-	20	1	56	31	-	23	2
Tooele	88	44	4	38	2	104	37	6	61	-
Uintah	70	34	-	34	2	86	36	1	49	-
Utah	681	244	159	273	5	604	244	50	306	4
Provo	353	81	119	150	3	195	87	23	83	2
Balance of county	328	163	40	123	2	409	157	27	223	2
Wasatch	43	22	-	8	13	52	22	5	12	13
Washington	80	36	4	40	-	82	33	4	44	1
Wayne	3	3	-	-	-	7	4	-	3	-
Weber	758	278	58	419	3	681	273	67	337	4
Ogden	672	224	26	419	3	554	218	44	288	4
Balance of county	86	54	32	-	-	127	55	23	49	-
VERMONT	4,267	1,621	645	1,924	77	4,295	1,598	623	1,990	84
Nonmetropolitan counties	4,267	1,621	645	1,924	77	4,295	1,598	623	1,990	84
Addison	186	98	22	52	14	223	90	36	83	14
Bennington	265	125	32	107	1	292	119	44	127	2
Caledonia	269	113	7	142	7	293	115	31	137	10
Chittenden	664	200	38	424	2	605	194	83	325	3
Burlington	490	101	17	370	2	348	99	55	191	3
Balance of county	174	99	21	54	-	257	95	28	134	-
Essex	40	33	5	2	-	70	31	9	30	-
Franklin	303	124	27	143	9	328	127	38	154	9
Grand Isle	25	16	9	-	-	43	14	12	16	1
Lamoille	103	58	8	36	1	127	52	18	56	1
Orange	145	84	14	44	3	194	83	26	81	4
Orleans	268	102	20	137	9	276	102	24	141	9
Rutland	545	235	65	240	5	570	234	79	252	5
Rutland	336	107	23	205	1	246	107	23	114	2
Balance of county	209	128	42	35	4	324	127	56	138	3
Washington	579	135	230	201	13	423	140	81	192	10
Barre	153	39	7	107	-	132	37	20	74	1
Balance of county	426	96	223	94	13	291	103	61	118	9
Windham	458	130	125	194	9	394	125	72	186	11
Windsor	417	168	43	202	4	457	172	70	210	5
VIRGINIA[8]	32,634	15,105	2,768	14,524	237	33,131	14,987	2,710	15,201	233
Metropolitan counties	12,605	4,649	893	6,981	82	12,231	4,650	1,100	6,391	90
Nonmetropolitan counties	20,029	10,456	1,875	7,543	155	20,900	10,337	1,610	8,810	143
Accomack	310	286	20	3	1	462	291	40	127	4
Albemarle	756	140	10	605	1	281	117	40	123	1
Alleghany	107	46	9	40	12	110	44	12	52	2
Amelia	84	84	-	-	-	121	87	4	30	-
Amherst	185	111	73	-	1	198	112	18	68	-
Appomattox	70	69	-	-	1	96	66	7	23	-
Arlington[3]	862	400	-	461	1	945	376	65	499	5
Augusta	206	149	56	-	1	305	161	38	104	2
Bath	58	33	-	25	-	68	30	3	33	2
Bedford	306	160	65	79	2	312	162	33	117	-
Bland	33	32	-	-	1	50	34	3	13	-
Botetourt	90	88	-	-	2	181	88	21	70	2
Brunswick	118	118	-	-	-	191	124	12	53	2
Buchanan	225	121	-	104	-	243	115	2	126	-
Buckingham	74	74	-	-	-	126	81	12	33	-
Campbell	122	120	-	-	2	256	129	19	106	2
Caroline	98	98	-	-	-	155	91	16	48	-
Carroll	132	128	-	4	-	223	139	16	67	1
Charles City	32	32	-	-	-	52	33	1	18	-
Charlotte	98	89	9	-	-	145	89	11	45	-
Chesterfield	539	137	9	390	3	381	153	33	193	2
Clarke	59	59	-	-	-	97	61	4	32	-
Craig	17	17	-	-	-	35	17	2	15	1
Culpeper	127	99	28	-	-	174	98	25	50	1
Cumberland	42	42	-	-	-	77	44	11	22	-
Dickenson	77	76	-	1	-	137	82	3	52	-
Dinwiddie	381	75	306	-	-	149	76	7	65	1
Essex	51	51	-	-	-	92	51	7	34	-
Fairfax	523	321	110	88	4	904	342	87	471	4
Fauquier	193	135	2	52	4	254	135	20	97	2
Floyd	84	84	-	-	-	129	79	7	43	-

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
VIRGINIA[9]—Continued										
Fluvanna	67	53	14	-	-	88	53	9	26	-
Franklin	174	114	-	60	-	218	116	17	84	1
Frederick	94	88	6	-	-	198	87	14	96	1
Giles	150	70	-	77	3	151	68	3	79	1
Gloucester	71	71	-	-	-	128	72	9	45	2
Goochland	54	49	-	4	1	74	45	8	21	-
Grayson	91	91	-	-	-	166	92	9	62	3
Greene	30	30	-	-	-	57	35	2	20	-
Greensville	80	79	-	-	1	137	77	9	49	2
Halifax	323	179	-	143	1	338	172	25	140	1
Hanover	149	147	-	1	1	234	146	17	70	1
Henrico	283	252	31	-	-	651	268	55	326	2
Henry	119	119	-	-	-	261	118	17	125	1
Highland	19	19	-	-	-	34	21	2	11	-
Isle of Wight	88	88	-	-	-	155	87	7	59	2
James City	56	56	-	-	-	86	54	2	29	1
King and Queen	38	38	-	-	-	52	37	2	12	1
King George	36	36	-	-	-	55	35	3	17	-
King William	55	55	-	-	-	89	51	10	28	-
Lancaster	81	78	-	3	-	100	74	4	22	-
Lee	187	124	-	63	-	238	124	9	104	1
Loudoun	265	121	25	117	2	285	127	33	123	2
Louisa	106	83	-	20	3	168	82	12	70	4
Lunenburg	111	111	-	-	-	159	111	13	35	-
Madison	40	40	-	-	-	82	41	7	32	2
Mathews	116	69	47	-	-	117	68	27	22	-
Mecklenburg	264	199	-	64	1	319	193	16	110	-
Middlesex	65	58	7	-	-	88	53	3	32	-
Montgomery	176	108	-	66	2	257	112	24	117	4
Nansemond	400	164	-	236	-	300	159	9	132	-
Nelson	82	82	-	-	-	143	83	16	44	-
New Kent	26	26	-	-	-	42	23	4	15	-
Norfolk	427	202	-	225	-	510	192	19	292	7
Northampton	291	140	-	148	3	212	128	10	72	2
Northumberland	85	85	-	-	-	122	89	3	29	1
Nottoway	144	91	24	29	-	178	92	25	61	-
Orange	121	76	1	39	5	160	79	13	66	2
Page	91	55	-	36	-	153	58	19	78	-
Patrick	70	58	-	11	1	129	82	10	55	2
Pittsylvania	251	241	10	-	-	479	255	32	191	1
Powhatan	34	32	-	-	2	63	33	6	23	1
Prince Edward	211	90	9	112	-	166	87	23	55	1
Prince George	65	45	-	20	-	89	38	6	45	-
Prince William	136	107	-	28	1	235	108	19	107	1
Princess Anne	353	203	27	101	22	464	201	21	233	9
Pulaski	235	119	8	95	13	230	109	16	100	5
Rappahannock	34	34	-	-	-	62	36	4	21	1
Richmond	51	51	-	-	-	79	47	5	27	-
Roanoke	359	153	174	31	1	404	169	57	178	-
Rockbridge	171	110	-	61	-	201	106	21	72	2
Rockingham	200	167	23	-	10	351	169	30	145	7
Russell	159	109	-	50	-	218	102	6	110	-
Scott	111	111	-	-	-	211	118	18	75	-
Shenandoah	226	107	26	87	6	260	104	30	122	4
Smyth	432	140	138	154	-	295	139	17	136	3
Southampton	263	179	-	84	-	305	174	13	113	5
Spotsylvania	48	48	-	-	-	103	49	4	50	-
Stafford	43	42	1	-	-	92	37	7	48	-
Surry	40	40	-	-	-	68	41	2	25	-
Sussex	92	92	-	-	-	147	88	9	49	1
Tazewell	370	169	-	201	-	407	183	10	214	-
Warren	103	51	8	44	-	116	47	19	46	4
Washington	334	160	8	161	5	339	152	29	156	2
Westmoreland	81	81	-	-	-	123	78	16	28	1
Wise	228	168	-	53	7	390	167	20	196	7
Wythe	201	105	18	78	-	234	107	17	110	-
York	61	61	-	-	-	128	57	4	65	2
Independent Cities[9]										
Alexandria	668	186	32	446	4	662	193	57	411	1
Bristol[10]	112	72	18	21	1	148	70	10	67	1
Buena Vista	21	19	-	-	2	33	17	6	8	2
Charlottesville	275	117	54	103	1	336	120	56	159	1
Clifton Forge	200	16	1	183	-	53	15	4	32	2
Colonial Heights	22	22	-	-	-	61	26	3	32	-
Covington[11]	41	36	4	-	1	95	36	5	54	-
Danville	610	198	28	384	-	435	185	34	216	-
Falls Church	20	14	6	-	-	112	29	7	75	1
Fredericksburg	302	54	32	216	-	107	41	13	53	-
Galax[12]	93	15	-	73	5	31	15	1	14	1
Hampton[13]	654	178	-	474	2	552	187	19	339	7
Harrisonburg	333	45	2	283	3	114	36	2	74	2
Hopewell	115	69	-	46	-	142	71	4	67	-
Lynchburg	826	246	75	505	-	561	228	81	250	2
Martinsville	219	67	-	152	-	136	64	10	62	-
Newport News[14]	979	288	-	653	38	831	283	31	505	12

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
VIRGINIA[9]—Continued										
Independent Cities[9]—Continued										
Norfolk	2,483	946	48	1,474	15	2,328	928	106	1,277	17
Norton[15]	197	28	-	169	-	57	23	1	33	-
Petersburg	549	193	25	330	1	455	188	41	224	2
Portsmouth	818	272	17	526	3	796	278	45	464	9
Radford	149	38	-	111	-	81	36	9	36	-
Richmond	3,961	1,095	403	2,442	21	2,896	1,058	430	1,389	19
Roanoke	1,238	397	36	797	8	977	387	108	471	11
South Norfolk	71	71	-	-	-	201	76	10	112	3
Staunton	633	92	376	163	2	218	91	29	98	-
Suffolk	73	60	13	-	-	154	61	7	85	1
Virginia Beach[16]	89	32	-	57	-	71	25	2	44	-
Waynesboro	124	46	9	69	-	115	40	11	64	-
Williamsburg	312	21	261	29	1	52	21	6	24	1
Winchester	371	79	26	264	2	179	67	26	85	1
WASHINGTON	25,626	8,306	4,099	12,777	444	25,500	8,393	4,088	12,571	448
Metropolitan counties	15,393	4,790	2,491	7,865	247	14,820	4,945	2,399	7,227	249
Nonmetropolitan counties	10,233	3,516	1,608	4,912	197	10,680	3,448	1,689	5,344	199
Adams	54	21	1	20	12	61	23	9	19	10
Asotin	133	43	23	66	1	125	42	20	62	1
Benton	278	92	1	183	2	305	96	22	187	-
Kennewick	80	27	-	53	-	86	30	8	48	-
Balance of county	198	65	1	130	2	219	66	14	139	-
Chelan	405	120	50	235	-	398	112	61	222	3
Wenatchee	262	46	42	174	-	183	45	36	101	1
Balance of county	143	74	8	61	-	215	67	25	121	2
Clallam	261	113	36	108	4	272	108	36	125	3
Port Angeles	154	46	-	108	-	141	49	13	79	-
Balance of county	107	67	36	-	4	131	59	23	46	3
Clark	985	217	113	633	22	847	232	112	480	23
Vancouver	662	85	24	546	7	381	90	37	243	11
Balance of county	323	132	89	87	15	466	142	75	237	12
Columbia	55	24	13	17	1	61	21	14	25	1
Cowlitz	402	115	60	220	7	447	123	72	244	8
Longview	305	41	38	220	6	163	41	24	95	3
Balance of county	97	74	22	-	1	284	82	48	149	5
Douglas	50	26	10	13	1	86	28	7	48	3
Ferry	24	13	-	-	11	38	16	-	12	10
Franklin	126	34	13	78	1	138	38	11	88	1
Pasco	100	20	1	78	1	95	25	6	63	1
Balance of county	26	14	12	-	-	43	13	5	25	-
Garfield	28	11	-	15	2	38	12	4	20	2
Grant	187	84	6	94	3	214	68	14	120	12
Grays Harbor	586	202	73	308	3	630	190	99	338	3
Aberdeen	383	83	13	286	1	258	69	46	141	2
Hoquiam	59	35	24	-	-	125	38	17	69	1
Balance of county	144	84	36	22	2	247	83	36	128	-
Island	70	56	10	-	4	118	57	21	34	6
Jefferson	97	33	11	53	-	100	27	13	60	-
King	8,469	2,954	1,036	4,312	167	8,571	3,043	1,297	4,055	176
Seattle	6,979	2,169	747	3,941	122	6,538	2,265	1,003	3,140	130
Renton	249	73	36	140	-	161	56	23	82	-
Balance of county	1,241	712	253	231	45	1,872	722	271	833	46
Kitsap	709	228	207	263	11	703	228	166	298	11
Bremerton	438	104	61	263	10	235	77	44	110	4
Balance of county	271	124	146	-	1	468	151	122	188	7
Kittitas	224	78	6	138	2	232	70	16	145	1
Klickitat	119	54	1	64	-	115	48	11	56	-
Lewis	490	158	115	213	4	494	158	105	227	4
Lincoln	49	39	1	9	-	105	39	25	31	10
Mason	161	67	16	77	1	183	67	19	96	1
Okanogan	255	85	17	126	27	237	80	21	127	9
Pacific	173	41	15	115	2	182	36	20	122	4
Pend Oreille	64	21	-	40	3	67	15	5	44	3
Pierce	3,052	833	687	1,502	30	2,813	851	485	1,455	22
Tacoma	2,042	499	236	1,299	8	1,756	505	319	920	12
Puyallup	184	54	44	83	3	151	51	33	64	3
Balance of county	826	280	407	120	19	906	295	133	471	7
San Juan	20	20	-	-	-	30	15	6	9	-
Skagit	623	149	206	258	10	495	139	83	264	9
Skamania	30	23	7	-	-	36	14	8	14	-
Snohomish	1,298	581	152	511	54	1,386	570	164	602	50
Everett	651	210	26	410	5	427	189	40	189	9
Balance of county	647	371	126	101	49	959	381	124	413	41
Spokane	2,887	786	655	1,418	28	2,589	819	505	1,237	28
Spokane	2,368	575	423	1,343	27	2,035	614	406	989	26
Balance of county	519	211	232	75	1	554	205	99	248	2
Stevens	156	53	8	95	-	176	45	20	110	1
Thurston	417	160	81	173	3	477	159	106	208	4
Olympia	304	63	68	173	-	216	59	61	93	3
Balance of county	113	97	13	-	3	261	100	45	115	1
Wahkiakum	22	16	6	-	-	36	15	7	14	-

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
WASHINGTON—Continued										
Walla Walla	524	111	49	363	1	419	118	59	240	2
Walla Walla	451	71	22	358	-	299	74	46	177	2
Balance of county	73	40	27	5	1	120	44	13	63	-
Whatcom	727	222	138	346	21	749	236	149	343	21
Bellingham	446	118	122	197	9	466	125	108	220	13
Balance of county	281	104	16	149	12	283	111	41	123	8
Whitman	184	77	26	80	1	221	77	39	103	2
Pullman	30	7	-	23	-	38	8	4	26	-
Balance of county	154	70	26	57	1	183	69	35	77	2
Yakima	1,232	346	250	631	5	1,306	358	257	687	4
Yakima	686	117	92	477	-	542	129	114	298	1
Balance of county	546	229	158	154	5	764	229	143	389	3
WEST VIRGINIA	17,745	7,873	1,120	8,419	333	17,714	7,851	1,209	8,359	295
Metropolitan counties	6,002	2,410	409	3,016	167	5,641	2,397	470	2,666	108
Nonmetropolitan counties	11,743	5,463	711	5,403	166	12,073	5,454	739	5,693	187
Barbour	181	86	5	89	1	164	81	15	68	-
Berkeley	535	117	2	415	1	301	117	14	169	1
Martinsburg	249	65	2	181	1	183	64	11	107	1
Balance of county	286	52	-	234	-	118	53	3	62	-
Boone	160	105	-	50	5	228	102	7	114	5
Braxton	159	81	-	78	-	151	82	8	61	-
Brooke	159	114	37	-	8	242	112	20	99	11
Weirton (part)	8	8	-	-	-	24	10	-	12	2
Balance of county	151	106	37	-	8	218	102	20	87	9
Cabell	1,432	455	202	758	17	1,038	434	95	482	27
Huntington (part)	1,305	345	190	754	16	818	319	79	397	23
Huntington (total)	1,320	360	190	754	16	855	340	81	410	24
Balance of county	127	110	12	4	1	220	115	16	85	4
Calhoun	50	47	-	-	3	86	53	5	26	2
Clay	41	40	-	-	1	93	43	6	43	1
Doddridge	45	40	5	-	-	77	46	8	23	-
Fayette	544	274	23	239	8	618	276	28	309	5
Gilmer	50	50	-	-	-	78	49	7	19	3
Grant	58	39	-	2	17	71	40	8	20	3
Greenbrier	298	185	-	107	6	352	179	10	155	8
Hampshire	87	84	3	-	-	122	80	8	34	-
Hancock	263	96	23	139	5	279	89	28	160	2
Weirton (part)	189	45	-	139	5	171	46	13	110	2
Weirton (total)	197	53	-	139	5	195	56	13	122	4
Balance of county	74	51	23	-	-	108	43	15	50	-
Hardy	43	43	-	-	-	82	40	8	25	9
Harrison	896	431	23	427	15	842	428	54	346	14
Clarksburg	536	180	16	336	4	379	179	25	170	5
Balance of county	360	251	7	91	11	463	249	29	176	9
Jackson	109	105	-	1	3	167	106	14	42	5
Jefferson	184	83	4	92	5	216	77	10	124	5
Kanawha	2,019	875	100	1,025	19	1,964	876	157	898	33
Charleston	1,309	384	94	821	10	880	368	91	409	12
South Charleston	259	58	1	194	6	133	42	11	76	4
Balance of county	451	433	5	10	3	951	466	55	413	17
Lewis	453	106	261	69	17	237	108	32	84	13
Lincoln	89	88	-	-	1	152	91	9	49	3
Logan	443	206	-	234	3	480	199	19	254	8
McDowell	634	288	-	341	5	658	272	19	362	5
Marion	682	319	9	331	23	737	313	52	352	20
Fairmont	488	130	5	331	22	329	114	30	169	16
Balance of county	194	189	4	-	1	408	199	22	183	4
Marshall	280	155	-	113	12	386	161	36	178	11
Moundsville	66	60	-	6	-	146	61	10	74	1
Balance of county	214	95	-	107	12	240	100	26	104	10
Mason	165	111	20	25	9	205	114	6	76	9
Mercer	801	281	-	518	2	722	281	36	404	1
Bluefield[17]	454	80	-	374	-	226	80	19	127	-
Balance of county	347	201	-	144	2	496	201	17	277	1
Mineral	215	96	6	113	-	232	97	13	120	2
Mingo	283	156	13	112	2	366	151	14	199	2
Monongalia	547	225	22	292	8	524	222	28	264	10
Morgantown	437	121	20	291	5	258	107	18	130	3
Balance of county	110	104	2	1	3	266	115	10	134	7
Monroe	132	71	61	-	-	148	78	6	59	5
Morgan	81	38	-	41	2	95	37	4	53	1
Nicholas	230	114	17	95	4	250	113	23	108	6
Ohio	981	281	18	668	14	810	277	89	431	13
Wheeling	940	244	14	668	14	702	241	71	378	12
Balance of county	41	37	4	-	-	108	36	18	53	1
Pendleton	39	39	-	-	-	71	39	7	23	2
Pleasants	75	52	22	-	1	79	55	6	17	1
Pocahontas	126	52	-	74	-	110	50	9	51	-
Preston	208	118	-	90	-	285	124	28	133	-
Putnam	79	77	1	-	1	168	83	5	78	-
Raleigh	803	298	1	504	-	666	294	19	349	4
Beckley	339	74	-	265	-	179	73	5	101	-
Balance of county	464	224	1	239	-	487	221	14	248	4

See footnotes at end of table.

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
WEST VIRGINIA—Continued										
Randolph	292	116	42	128	6	272	115	24	127	6
Ritchie	92	63	28	-	1	144	62	30	49	3
Roane	179	79	56	42	2	152	88	7	56	1
Summers	160	68	-	90	2	181	71	13	95	2
Taylor	186	66	8	109	3	221	76	12	129	4
Tucker	83	44	5	34	-	101	44	6	50	1
Tyler	96	56	9	30	1	112	54	13	43	2
Upshur	227	105	-	117	5	236	103	15	113	5
Wayne	324	160	6	74	84	304	172	17	109	6
Huntington (part)	15	15	-	-	-	37	21	2	13	1
Balance of county	309	145	6	74	84	267	151	15	96	5
Webster	90	53	-	37	-	133	56	5	70	2
Wetzel	232	108	8	114	2	234	119	8	106	1
Wirt	21	18	-	-	3	40	18	3	17	2
Wood	961	303	80	572	6	824	299	85	431	9
Parkersburg	817	203	36	572	6	563	197	57	302	7
Balance of county	144	100	44	-	-	261	102	28	129	2
Wyoming	143	113	-	30	-	210	105	1	103	1
WISCONSIN	37,184	12,437	3,718	20,214	815	37,280	12,412	3,691	20,357	820
Metropolitan counties	15,516	4,333	1,274	9,509	400	14,752	4,438	1,300	8,611	403
Nonmetropolitan counties	21,668	8,104	2,444	10,705	415	22,528	7,974	2,391	11,746	417
Adams	70	50	20	-	-	104	49	24	30	1
Ashland	258	72	13	171	2	219	74	19	124	2
Ashland	218	35	10	171	2	120	40	12	66	2
Balance of county	40	37	3	-	-	99	34	7	58	-
Barron	339	107	21	209	2	338	107	21	208	2
Bayfield	102	60	8	30	4	167	61	17	87	2
Brown	1,116	312	112	688	4	1,023	314	121	563	5
Green Bay	879	181	16	679	3	597	194	71	328	4
Balance of county	237	131	96	9	1	426	120	50	255	1
Buffalo	86	50	6	25	5	155	50	17	87	1
Burnett	106	39	5	59	3	111	35	7	67	2
Calumet	126	69	-	55	2	164	67	9	86	2
Chippewa	484	156	88	236	4	429	154	62	210	3
Eau Claire (part)	-	-	-	-	-	4	3	-	1	-
Chippewa Falls	226	35	5	185	1	132	36	27	68	1
Balance of county	258	121	83	51	3	293	115	35	141	2
Clark	230	116	48	63	3	327	130	47	147	3
Columbia	497	176	45	276	-	438	165	40	233	-
Crawford	160	61	8	89	2	170	59	15	94	2
Dane	2,068	472	219	1,317	60	1,531	474	189	807	61
Madison	1,552	260	94	1,197	1	858	271	99	483	5
Balance of county	516	212	125	120	59	673	203	90	324	56
Dodge	634	228	70	333	3	655	225	70	355	5
Beaver Dam	252	33	-	218	1	148	35	11	101	1
Watertown (part)	13	13	-	-	-	31	12	4	15	-
Balance of county	369	182	70	115	2	476	178	55	239	4
Door	195	108	9	77	1	233	108	19	105	1
Douglas	522	142	62	317	1	557	132	57	364	4
Superior	451	106	29	316	-	439	99	46	291	3
Balance of county	71	36	33	1	1	118	33	11	73	1
Dunn	296	154	36	102	4	314	145	22	142	5
Eau Claire	692	155	74	456	7	587	159	72	348	8
Eau Claire (part)	587	101	25	456	5	415	103	53	254	5
Eau Claire (total)	587	101	25	456	5	419	106	53	255	5
Balance of county	105	54	49	-	2	172	56	19	94	3
Florence	20	17	3	-	-	46	12	6	28	-
Fond du Lac	765	265	45	452	3	747	260	48	437	2
Fond du Lac	516	109	9	396	2	373	108	22	241	2
Balance of county	249	156	36	56	1	374	152	26	196	-
Forest	89	49	16	24	-	115	44	15	53	3
Grant	476	209	47	204	16	510	212	55	232	11
Green	341	118	53	167	3	289	121	36	128	4
Green Lake	153	64	3	86	-	165	62	14	89	-
Iowa	239	76	15	141	7	236	76	16	140	4
Iron	27	27	-	-	-	88	23	8	56	1
Jackson	147	48	10	81	8	164	45	18	93	8
Jefferson	613	229	140	229	15	570	227	121	211	11
Watertown (part)	178	53	11	114	-	152	55	27	67	3
Watertown (total)	191	66	11	114	-	183	67	31	82	3
Balance of county	435	176	129	115	15	418	172	94	144	8
Juneau	160	101	7	41	11	195	88	16	81	10
Kenosha	850	290	12	509	39	944	296	42	565	41
Kenosha	686	176	4	504	2	702	189	32	459	22
Balance of county	164	114	8	5	37	242	107	10	106	19
Kewaunee	134	76	1	56	1	182	79	13	87	3
La Crosse	829	185	77	502	65	678	182	71	369	56
La Crosse	700	133	7	495	65	498	134	51	270	43
Balance of county	129	52	70	7	-	180	48	20	99	13
Lafayette	111	69	3	34	5	189	68	14	100	7
Langlade	219	82	9	127	1	235	78	23	133	1
Lincoln	256	75	25	149	7	246	68	37	134	7

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
WISCONSIN—Continued										
Manitowoc	624	217	50	357	-	675	216	51	408	-
Manitowoc	390	91	7	292	-	333	93	30	210	-
Two Rivers	81	23	-	58	-	78	21	4	53	-
Balance of county	153	103	43	7	-	264	102	17	145	-
Marathon	612	237	12	362	1	671	242	30	398	1
Wausau	459	93	12	353	1	310	92	14	204	-
Balance of county	153	144	-	9	-	361	150	16	194	1
Marinette	360	157	69	133	1	399	146	50	200	3
Marinette	201	64	4	133	-	183	62	18	101	2
Balance of county	159	93	65	-	1	216	84	32	99	1
Marquette	98	65	31	-	2	138	62	21	53	2
Milwaukee	9,791	2,749	807	5,962	273	9,514	2,858	848	5,537	271
Milwaukee	6,749	2,111	304	4,067	267	7,435	2,228	619	4,338	250
Wauwatosa	2,462	199	431	1,829	3	529	131	118	276	4
West Allis	195	139	54	-	2	545	160	48	335	2
Cudahy	122	55	-	66	1	132	51	5	74	2
Shorewood	56	47	9	-	-	161	50	9	98	4
South Milwaukee	36	36	-	-	-	152	44	9	98	1
Whitefish Bay	30	30	-	-	-	107	37	10	60	-
Balance of county	141	132	9	-	-	453	157	30	258	8
Monroe	344	106	87	146	5	325	102	60	163	-
Oconto	245	107	22	68	48	294	106	30	111	47
Oneida	266	74	14	178	-	230	62	19	148	1
Outagamie	751	286	23	439	3	781	293	41	420	27
Appleton	432	140	2	290	-	402	145	15	227	15
Balance of county	319	146	21	149	3	379	148	26	193	12
Ozaukee	244	111	17	116	-	292	107	28	157	-
Pepin	64	20	11	32	1	69	20	8	39	2
Pierce	171	70	50	48	3	231	77	48	102	4
Polk	254	91	8	153	2	250	90	21	135	4
Portage	328	103	13	212	-	346	111	24	211	-
Stevens Point	261	42	9	210	-	164	40	11	113	-
Balance of county	67	61	4	2	-	182	71	13	98	-
Price	164	86	22	55	1	182	84	20	77	1
Racine	1,169	368	62	716	23	1,183	364	43	755	21
Racine	758	225	18	513	2	837	241	33	558	5
Balance of county	411	143	44	203	21	346	123	10	197	16
Richland	214	71	28	114	1	214	75	30	108	1
Rock	964	355	62	520	27	1,012	359	81	544	28
Beloit	397	115	12	270	-	350	103	31	208	8
Janesville	308	98	23	182	5	281	100	16	159	6
Balance of county	259	142	27	68	22	381	156	34	177	14
Rusk	174	52	6	114	2	182	52	13	114	3
St. Croix	267	110	48	107	2	281	103	38	139	1
Sauk	405	142	60	201	2	425	138	68	213	6
Sawyer	97	49	12	36	-	108	40	16	50	2
Shawano	323	156	36	121	10	379	151	36	186	6
Sheboygan	950	280	93	571	6	893	278	72	537	6
Sheboygan	637	129	35	473	-	534	138	43	351	2
Balance of county	313	151	58	98	6	359	140	29	186	4
Taylor	119	56	6	56	1	182	58	18	100	6
Trempealeau	216	109	15	90	2	290	110	17	155	8
Vernon	279	97	46	126	10	285	102	48	126	9
Vilas	73	55	-	17	1	108	40	9	58	1
Walworth	456	207	95	145	9	554	199	97	246	12
Washburn	122	42	6	71	3	143	38	12	90	3
Washington	387	183	16	188	-	393	170	25	197	1
Waukesha	953	417	175	346	15	1,031	404	156	456	15
Waukesha	357	90	2	264	1	246	96	30	118	2
Balance of county	596	327	173	82	14	785	308	126	338	13
Waupaca	425	128	95	168	34	399	127	53	209	10
Waushara	108	69	5	33	1	173	68	15	88	2
Winnebago	1,108	324	221	529	35	1,003	322	94	550	37
Oshkosh	576	158	60	348	10	535	165	54	289	27
Menasha	45	40	5	-	-	121	43	10	66	2
Neenah	214	36	-	178	-	140	37	9	87	7
Balance of county	274	90	156	3	25	207	77	21	108	1
Wood	648	181	85	379	3	524	189	70	264	1
Marshfield	305	42	12	249	2	105	35	11	59	-
Wisconsin Rapids	185	55	-	130	-	188	62	23	103	-
Balance of county	158	84	73	-	1	231	92	36	102	1
WYOMING	2,572	863	200	1,491	18	2,536	782	190	1,546	18
Nonmetropolitan counties	2,572	863	200	1,491	18	2,536	782	190	1,546	18
Albany	145	55	-	90	-	133	44	7	81	1
Laramie	125	35	-	90	-	108	34	4	69	1
Balance of county	20	20	-	-	-	25	10	3	12	-
Big Horn	92	27	2	56	7	103	28	7	66	2
Campbell	44	17	-	27	-	50	16	4	30	-
Carbon	127	67	-	60	-	141	55	6	80	-
Converse	64	29	5	30	-	64	21	6	36	1
Crook	13	8	3	1	1	31	9	6	15	1
Fremont	189	64	18	106	1	194	69	8	116	1
Goshen	70	28	3	39	-	98	27	11	59	1

Table 62. Deaths by Place of Occurrence, Place of Residence, and Type of Institution in Which Death Occurred: United States, Each State and County, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

(Excludes fetal deaths. Data are shown for urban places with populations of 10,000 or more in 1950)

AREA	DEATHS BY PLACE OF OCCURRENCE					DEATHS BY PLACE OF RESIDENCE				
	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified	Total	Not in institution	In resident institution	In nonresident institution	In institution of type not specified
WYOMING—Continued										
Hot Springs	94	13	34	47	-	61	10	10	40	1
Johnson	57	22	7	26	2	65	17	13	33	2
Laramie	408	92	-	315	1	332	80	19	233	-
Cheyenne	294	66	-	227	1	264	62	18	184	-
Balance of county	114	26	-	88	-	68	18	1	49	-
Lincoln	64	39	-	25	-	74	37	4	33	-
Natrona	310	81	2	226	1	332	90	14	225	3
Casper	288	59	2	226	1	279	72	12	193	2
Balance of county	22	22	-	-	-	53	18	2	32	1
Niobrara	51	14	3	34	-	47	11	3	33	-
Park	106	41	5	58	2	121	36	14	70	1
Platte	65	23	-	41	1	80	25	5	49	1
Sheridan	223	86	35	102	-	216	83	26	106	1
Sheridan	80	65	15	-	-	171	68	19	83	1
Balance of county	143	21	20	102	-	45	15	7	23	-
Sublette	10	10	-	-	-	30	10	1	19	-
Sweetwater	167	65	-	101	1	180	60	15	104	1
Rock Springs	134	32	-	101	1	122	37	10	74	1
Balance of county	33	33	-	-	-	58	23	5	30	-
Teton	31	16	-	15	-	18	5	1	12	-
Uinta	133	20	83	30	-	60	17	5	38	-
Washakie	39	17	-	22	-	45	14	3	28	-
Weston	50	14	-	35	1	61	18	2	40	1
Yellowstone National Park (part)	20	15	-	5	-	-	-	-	-	-
Yellowstone National Park (total	20	15	-	5	-	-	-	-	-	-

[1]Includes estimate for Massachusetts; for explanation, see "Massachusetts data" in section 1 of text in Volume I.
[2]Includes data for Texarkana, Ark., only.
[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.
[5]Data are shown only for the State as a whole; for explanation, see "Massachusetts data" in section 1 of text in Volume I.
[6]Includes data for Bristol, Tenn., only.
[7]Includes data for Texarkana, Tex., only.
[8]Independent cities have the same status as counties and are listed after counties.
[9]Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Waynesboro, and Winchester.
[10]Includes data for Bristol, Va., only.
[11]Covington, formerly a town in Alleghany County, shown as an independent city beginning with 1953.
[12]Galax, formerly a town in Carroll and Grayson Counties, shown as an independent city beginning with 1955.
[13]Elizabeth City County annexed to the independent city of Hampton in 1952.
[14]Warwick, formerly an independent city, annexed to Newport News in 1958.
[15]Norton, formerly a town in Wise County, shown as an independent city beginning with 1955.
[16]Virginia Beach, formerly a town in Princess Anne County, shown as an independent city beginning with 1955.
[17]Includes data for Bluefield, W. Va., only.

NOTES:

The category "metropolitan counties" includes all counties within a State that are in "standard metropolitan areas" as defined by the U.S. Bureau of the Census in 1950, except in New England, where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Urban places of 10,000 or more listed in this table include incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Grand Prairie, Tex., under Dallas County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

Table 63. Deaths by Month: United States and Each State, 1958

(By place of occurrence. Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,647,886	156,658	147,494	148,211	135,585	133,940	127,975	129,194	125,442	122,915	135,358	134,629	150,485
Alabama	29,285	2,989	2,988	2,721	2,342	2,227	2,288	2,123	2,158	2,077	2,278	2,441	2,653
Arizona	9,492	994	815	844	757	764	694	779	706	659	711	863	906
Arkansas	17,017	1,628	1,542	1,544	1,400	1,353	1,320	1,347	1,290	1,209	1,483	1,383	1,518
California	125,842	11,504	9,915	11,303	10,598	10,297	9,635	10,085	9,967	9,898	10,309	10,808	11,523
Colorado	14,807	1,313	1,148	1,272	1,235	1,236	1,205	1,201	1,185	1,161	1,325	1,238	1,288
Connecticut	22,875	2,112	2,091	2,098	1,934	1,815	1,762	1,727	1,708	1,703	1,975	1,827	2,123
Delaware	4,235	415	400	418	318	326	319	371	310	321	313	337	387
District of Columbia	10,096	986	1,010	879	806	804	793	751	770	736	833	792	936
Florida	45,102	4,696	4,884	4,473	3,756	3,410	3,310	3,382	3,204	3,055	3,342	3,508	4,082
Georgia	33,493	3,181	3,274	3,065	2,854	2,628	2,568	2,511	2,473	2,457	2,647	2,648	3,187
Idaho	5,093	435	351	453	414	446	413	454	429	405	451	419	423
Illinois	100,172	9,878	9,073	8,746	8,173	8,248	7,802	7,692	7,668	7,374	8,154	8,246	9,118
Indiana	43,867	4,078	3,878	4,000	3,657	3,647	3,371	3,410	3,406	3,276	3,653	3,486	4,005
Iowa	27,782	2,521	2,305	2,401	2,355	2,309	2,159	2,107	2,229	2,098	2,407	2,374	2,517
Kansas	20,196	1,880	1,748	1,775	1,690	1,606	1,580	1,598	1,570	1,565	1,623	1,685	1,876
Kentucky	29,071	2,711	2,673	2,701	2,449	2,407	2,185	2,220	2,084	2,185	2,299	2,389	2,768
Louisiana	29,059	3,094	2,664	2,536	2,278	2,230	2,332	2,265	2,314	2,103	2,216	2,342	2,685
Maine	10,420	938	829	895	837	823	903	927	799	805	831	846	987
Maryland	27,059	2,611	2,438	2,619	2,201	2,132	2,101	2,128	2,000	2,031	2,197	2,192	2,409
Massachusetts	56,886	5,163	6,605	5,144	4,443	4,591	4,252	4,365	4,133	4,081	4,503	4,408	5,178
Michigan	65,630	6,048	5,636	5,745	5,543	5,428	5,251	5,151	5,174	5,069	5,360	5,347	5,878
Minnesota	31,191	2,775	2,652	2,819	2,544	2,697	2,554	2,480	2,396	2,343	2,601	2,552	2,778
Mississippi	21,366	2,216	2,152	1,983	1,667	1,657	1,608	1,608	1,549	1,489	1,712	1,685	2,040
Missouri	47,318	4,500	4,322	4,280	3,880	3,898	3,592	3,526	3,608	3,415	3,942	4,029	4,326
Montana	6,175	543	505	517	499	512	502	519	523	489	492	539	535
Nebraska	13,640	1,282	1,127	1,166	1,138	1,172	1,093	1,122	1,067	1,029	1,153	1,115	1,176
Nevada	2,482	188	187	210	251	203	218	197	192	175	221	222	218
New Hampshire	6,632	569	568	553	566	564	522	522	530	561	562	518	597
New Jersey	56,395	5,577	5,058	4,774	4,612	4,599	4,335	4,601	4,244	4,371	4,626	4,426	5,172
New Mexico	6,200	545	474	525	562	541	489	444	506	496	538	538	542
New York	173,874	16,959	15,592	15,182	14,136	14,011	13,273	13,749	13,027	12,999	14,785	14,184	15,977
North Carolina	35,794	3,342	3,142	3,251	2,965	2,938	2,820	2,726	2,691	2,585	2,901	2,965	3,468
North Dakota	5,222	451	390	458	377	471	447	419	441	398	464	418	488
Ohio	91,296	8,445	8,065	8,403	7,663	7,345	7,074	7,049	7,001	6,846	7,553	7,389	8,463
Oklahoma	21,339	2,072	1,845	1,928	1,730	1,763	1,727	1,664	1,642	1,558	1,753	1,749	1,908
Oregon	15,382	1,317	1,122	1,328	1,283	1,320	1,282	1,262	1,230	1,192	1,303	1,336	1,407
Pennsylvania	118,460	11,246	10,544	10,914	9,856	9,652	9,181	9,454	8,705	8,897	9,632	9,585	10,794
Rhode Island	8,863	836	731	837	757	693	630	679	665	725	730	721	859
South Carolina	19,459	1,936	1,832	1,870	1,625	1,443	1,538	1,444	1,447	1,394	1,530	1,563	1,837
South Dakota	6,229	569	488	555	504	546	507	513	489	496	523	533	506
Tennessee	33,644	3,126	3,218	3,177	2,689	2,773	2,543	2,668	2,433	2,478	2,805	2,686	3,048
Texas	73,431	7,224	6,560	6,521	5,763	5,785	5,764	5,794	5,930	5,353	6,031	5,960	6,746
Utah	6,007	529	420	488	505	546	541	474	532	438	508	500	526
Vermont	4,267	393	300	312	349	415	357	353	339	329	382	350	388
Virginia	32,634	3,072	2,924	3,084	2,724	2,589	2,547	2,580	2,311	2,414	2,600	2,622	3,167
Washington	25,626	2,266	1,932	2,197	2,139	2,258	2,052	2,182	1,961	1,990	2,230	2,162	2,257
West Virginia	17,745	1,640	1,610	1,611	1,540	1,518	1,346	1,330	1,325	1,297	1,510	1,439	1,579
Wisconsin	37,184	3,636	3,275	3,413	3,021	3,089	2,987	2,999	2,861	2,706	3,119	3,049	3,029
Wyoming	2,572	229	192	223	200	215	203	242	220	184	242	215	207

Table 64. Deaths by Month, Color, and Sex: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,647,886	156,658	147,494	148,211	135,585	133,940	127,975	129,194	125,442	122,915	135,358	134,629	150,485
Male	936,794	88,460	83,426	83,786	76,800	76,013	72,634	73,530	71,898	70,392	77,611	76,549	85,495
Female	711,092	68,198	64,068	64,425	58,785	57,927	55,141	55,664	53,544	52,523	57,747	58,080	64,990
White	1,451,077	137,232	128,729	130,230	119,846	118,558	112,829	114,121	110,782	108,568	119,507	118,665	132,010
Male	828,550	77,884	73,253	74,018	68,246	67,452	64,398	65,131	63,722	62,489	68,881	67,780	75,296
Female	622,527	59,348	55,476	56,212	51,600	51,106	48,431	48,990	47,060	46,079	50,626	50,885	56,714
Nonwhite	196,809	19,426	18,765	17,981	15,739	15,382	15,146	15,073	14,660	14,347	15,851	15,964	18,475
Male	108,244	10,576	10,173	9,768	8,554	8,561	8,436	8,399	8,176	7,903	8,730	8,769	10,199
Female	88,565	8,850	8,592	8,213	7,185	6,821	6,710	6,674	6,484	6,444	7,121	7,195	8,276
ALABAMA	29,521	2,998	3,004	2,745	2,346	2,238	2,293	2,160	2,186	2,105	2,303	2,455	2,688
Male	16,792	1,677	1,678	1,558	1,321	1,244	1,298	1,218	1,266	1,234	1,310	1,427	1,561
Female	12,729	1,321	1,326	1,187	1,025	994	995	942	920	871	993	1,028	1,127
White	18,123	1,772	1,735	1,672	1,438	1,365	1,434	1,362	1,370	1,324	1,445	1,517	1,689
Male	10,689	1,009	1,033	997	854	766	837	784	815	792	842	931	1,029
Female	7,434	763	702	675	584	599	597	578	555	532	603	586	660
Nonwhite	11,398	1,226	1,269	1,073	908	873	859	798	816	781	858	938	999
Male	6,103	668	645	561	467	478	461	434	451	442	468	496	532
Female	5,295	558	624	512	441	395	398	364	365	339	390	442	467
ARIZONA	9,068	952	733	781	715	737	679	748	698	644	706	831	844
Male	5,759	601	447	506	442	471	424	480	443	404	462	527	552
Female	3,309	351	286	275	273	266	255	268	255	240	244	304	292
White	7,849	840	639	666	614	628	585	654	604	546	615	724	734
Male	5,016	537	389	441	394	399	365	422	378	345	406	458	482
Female	2,833	303	250	225	220	229	220	232	226	201	209	266	252
Nonwhite	1,219	112	94	115	101	109	94	94	94	98	91	107	110
Male	743	64	58	65	48	72	59	58	65	59	56	69	70
Female	476	48	36	50	53	37	35	36	29	39	35	38	40
ARKANSAS	17,051	1,629	1,549	1,553	1,397	1,350	1,335	1,330	1,302	1,201	1,488	1,381	1,536
Male	10,051	951	931	920	827	791	803	759	771	709	865	827	897
Female	7,000	678	618	633	570	559	532	571	531	492	623	554	639
White	12,678	1,181	1,106	1,164	1,055	1,035	1,008	993	961	891	1,107	1,014	1,163
Male	7,680	711	680	712	630	619	617	588	583	538	681	624	697
Female	4,998	470	426	452	425	416	391	405	378	353	426	390	466
Nonwhite	4,373	448	443	389	342	315	327	337	341	310	381	367	373
Male	2,371	240	251	208	197	172	186	171	188	171	184	203	200
Female	2,002	208	192	181	145	143	141	166	153	139	197	164	173
CALIFORNIA	125,924	11,421	9,859	11,269	10,605	10,316	9,679	10,159	10,007	9,926	10,346	10,811	11,526
Male	72,127	6,599	5,611	6,381	6,063	5,884	5,527	5,747	5,781	5,752	6,007	6,188	6,587
Female	53,797	4,822	4,248	4,888	4,542	4,432	4,152	4,412	4,226	4,174	4,339	4,623	4,939
White	118,106	10,726	9,276	10,542	9,919	9,698	9,057	9,503	9,424	9,328	9,688	10,108	10,837
Male	67,387	6,198	5,284	5,934	5,648	5,502	5,147	5,345	5,415	5,388	5,614	5,763	6,149
Female	50,719	4,528	3,992	4,608	4,271	4,196	3,910	4,158	4,009	3,940	4,074	4,345	4,688
Nonwhite	7,818	695	583	727	686	618	622	656	583	598	658	703	689
Male	4,740	401	327	447	415	382	380	402	366	364	393	425	438
Female	3,078	294	256	280	271	236	242	254	217	234	265	278	251
COLORADO	14,444	1,295	1,139	1,245	1,225	1,205	1,158	1,163	1,119	1,110	1,296	1,205	1,284
Male	8,251	765	641	694	701	683	658	658	616	660	769	691	715
Female	6,193	530	498	551	524	522	500	505	503	450	527	514	569
White	14,080	1,260	1,111	1,208	1,197	1,182	1,134	1,140	1,092	1,087	1,251	1,169	1,249
Male	8,052	750	626	674	686	669	645	646	606	646	735	673	696
Female	6,028	510	485	534	511	513	489	494	486	441	516	496	553
Nonwhite	364	35	28	37	28	23	24	23	27	23	45	36	35
Male	199	15	15	20	15	14	13	12	10	14	34	18	19
Female	165	20	13	17	13	9	11	11	17	9	11	18	16
CONNECTICUT	23,234	2,134	2,143	2,139	1,973	1,841	1,784	1,752	1,725	1,706	2,009	1,869	2,159
Male	12,964	1,191	1,181	1,187	1,052	1,022	1,005	982	976	995	1,140	1,043	1,190
Female	10,270	943	962	952	921	819	779	770	749	711	869	826	969
White	22,417	2,066	2,062	2,067	1,906	1,773	1,722	1,674	1,666	1,658	1,948	1,799	2,076
Male	12,513	1,154	1,135	1,144	1,018	979	972	944	942	969	1,102	1,005	1,149
Female	9,904	912	927	923	888	794	750	730	724	689	846	794	927
Nonwhite	817	68	81	72	67	68	62	78	59	48	61	70	83
Male	451	37	46	43	34	43	33	38	34	26	38	38	41
Female	366	31	35	29	33	25	29	40	25	22	23	32	42
DELAWARE	4,098	403	389	406	313	316	308	351	294	306	298	341	373
Male	2,296	220	227	228	183	185	168	193	162	186	151	189	204
Female	1,802	183	162	178	130	131	140	158	132	120	147	152	169
White	3,369	323	314	344	252	259	252	302	250	255	258	279	281
Male	1,864	169	185	186	151	150	134	170	136	153	128	152	150
Female	1,505	154	129	158	101	109	118	132	114	102	130	127	131
Nonwhite	729	80	75	62	61	57	56	49	44	51	40	62	92
Male	432	51	42	42	32	35	34	23	26	33	23	37	54
Female	297	29	33	20	29	22	22	26	18	18	17	25	38
DISTRICT OF COLUMBIA	8,952	852	904	797	740	725	724	691	666	637	721	684	811
Male	4,809	449	472	416	417	405	404	373	351	342	384	362	434
Female	4,143	403	432	381	323	320	320	318	315	295	337	322	377
White	4,940	472	481	433	432	406	409	390	362	354	407	354	440
Male	2,603	249	248	228	246	212	222	196	186	186	209	178	243
Female	2,337	223	233	205	186	194	187	194	176	168	198	176	197
Nonwhite	4,012	380	423	364	308	319	315	301	304	283	314	330	371
Male	2,206	200	224	188	171	193	182	177	165	156	175	184	191
Female	1,806	180	199	176	137	126	133	124	139	127	139	146	180
FLORIDA	43,614	4,330	4,381	4,037	3,523	3,374	3,339	3,445	3,333	3,128	3,384	3,429	3,911
Male	26,324	2,601	2,604	2,424	2,151	2,025	2,020	2,029	1,966	1,911	2,065	2,094	2,434
Female	17,290	1,729	1,777	1,613	1,372	1,349	1,319	1,416	1,367	1,217	1,319	1,335	1,477
White	34,796	3,438	3,451	3,223	2,816	2,696	2,645	2,760	2,689	2,533	2,712	2,735	3,098
Male	21,384	2,090	2,092	1,980	1,758	1,647	1,632	1,650	1,599	1,568	1,691	1,709	1,968
Female	13,412	1,348	1,359	1,243	1,058	1,049	1,013	1,110	1,090	965	1,021	1,026	1,130
Nonwhite	8,818	892	930	814	707	678	694	685	644	595	672	694	813
Male	4,940	511	512	444	393	378	388	379	367	343	374	385	466
Female	3,878	381	418	370	314	300	306	306	277	252	298	309	347

Table 64. Deaths by Month, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	33,286	3,151	3,264	3,042	2,825	2,615	2,574	2,489	2,450	2,426	2,644	2,635	3,171
Male	18,666	1,745	1,788	1,698	1,587	1,463	1,462	1,439	1,372	1,344	1,473	1,517	1,778
Female	14,620	1,406	1,476	1,344	1,238	1,152	1,112	1,050	1,078	1,082	1,171	1,118	1,393
White	21,089	1,964	1,962	1,910	1,838	1,701	1,657	1,611	1,560	1,554	1,678	1,708	1,946
Male	12,254	1,139	1,107	1,130	1,068	1,000	950	951	910	889	968	1,014	1,128
Female	8,835	825	855	780	770	701	707	660	650	665	710	694	818
Nonwhite	12,197	1,187	1,302	1,132	987	914	917	878	890	872	966	927	1,225
Male	6,412	606	681	568	519	463	512	488	462	455	505	503	650
Female	5,785	581	621	564	468	451	405	390	428	417	461	424	575
IDAHO	5,240	455	360	471	431	470	419	445	444	413	446	449	437
Male	3,254	280	202	292	277	288	251	275	295	240	296	283	275
Female	1,986	175	158	179	154	182	168	170	149	173	150	166	162
White	5,156	449	355	465	426	458	409	438	440	401	437	443	435
Male	3,210	276	201	289	275	280	245	273	292	237	288	280	274
Female	1,946	173	154	176	151	178	164	165	148	164	149	163	161
Nonwhite	84	6	5	6	5	12	10	7	4	12	9	6	2
Male	44	4	1	3	2	8	6	2	3	3	8	3	1
Female	40	2	4	3	3	4	4	5	1	9	1	3	1
ILLINOIS	101,667	9,973	9,243	8,881	8,346	8,342	7,915	7,672	7,632	7,499	8,229	8,324	9,211
Male	57,665	5,671	5,300	5,030	4,712	4,718	4,448	4,498	4,439	4,248	4,684	4,712	5,205
Female	44,002	4,302	3,943	3,851	3,634	3,624	3,467	3,374	3,393	3,251	3,545	3,612	4,006
White	91,567	8,974	8,322	8,017	7,528	7,474	7,120	7,064	7,017	6,727	7,411	7,570	8,343
Male	52,070	5,121	4,755	4,555	4,260	4,236	4,008	4,048	3,994	3,812	4,239	4,300	4,742
Female	39,497	3,853	3,567	3,462	3,268	3,238	3,112	3,016	3,023	2,915	3,172	3,270	3,601
Nonwhite	10,100	999	921	864	818	868	795	808	815	772	818	754	868
Male	5,595	550	545	475	452	462	440	450	445	436	445	412	463
Female	4,505	449	376	389	366	386	355	358	370	336	373	342	405
INDIANA	44,227	4,139	3,907	4,057	3,672	3,654	3,395	3,442	3,457	3,284	3,669	3,503	4,048
Male	25,101	2,339	2,232	2,278	2,062	2,112	1,931	1,981	1,987	1,905	2,080	1,987	2,227
Female	19,126	1,800	1,675	1,779	1,610	1,542	1,464	1,461	1,470	1,379	1,589	1,536	1,821
White	41,702	3,905	3,688	3,814	3,446	3,460	3,210	3,253	3,263	3,094	3,445	3,302	3,822
Male	23,721	2,218	2,117	2,139	1,941	2,005	1,825	1,875	1,877	1,807	1,955	1,850	2,112
Female	17,981	1,687	1,571	1,675	1,505	1,455	1,385	1,378	1,386	1,287	1,490	1,452	1,710
Nonwhite	2,525	234	219	243	226	194	185	189	194	190	224	201	226
Male	1,380	121	115	139	121	107	106	106	110	98	125	117	115
Female	1,145	113	104	104	105	87	79	83	84	92	99	84	111
IOWA	27,776	2,557	2,293	2,412	2,335	2,313	2,146	2,107	2,249	2,112	2,387	2,356	2,509
Male	15,693	1,432	1,269	1,400	1,329	1,302	1,233	1,204	1,297	1,173	1,343	1,329	1,382
Female	12,083	1,125	1,024	1,012	1,006	1,011	913	903	952	939	1,044	1,027	1,127
White	27,414	2,523	2,274	2,381	2,299	2,280	2,124	2,072	2,226	2,083	2,352	2,326	2,474
Male	15,510	1,416	1,257	1,388	1,315	1,287	1,222	1,183	1,285	1,156	1,324	1,315	1,362
Female	11,904	1,107	1,017	993	984	993	902	889	941	927	1,028	1,011	1,112
Nonwhite	362	34	19	31	36	33	22	35	23	29	35	30	35
Male	183	16	12	12	14	15	11	21	12	17	19	14	20
Female	179	18	7	19	22	18	11	14	11	12	16	16	15
KANSAS	20,321	1,891	1,759	1,792	1,673	1,631	1,601	1,598	1,583	1,561	1,642	1,717	1,873
Male	11,605	1,052	994	983	895	942	934	935	940	944	939	955	1,092
Female	8,716	839	765	809	778	689	667	663	643	617	703	762	781
White	19,316	1,796	1,672	1,699	1,578	1,551	1,531	1,525	1,507	1,487	1,557	1,637	1,776
Male	11,079	998	956	932	850	894	894	899	901	902	893	921	1,039
Female	8,237	798	716	767	728	657	637	626	606	585	664	716	737
Nonwhite	1,005	95	87	93	95	80	70	73	76	74	85	80	97
Male	526	54	38	51	45	48	40	36	39	42	46	34	53
Female	479	41	49	42	50	32	30	37	37	32	39	46	44
KENTUCKY	29,421	2,744	2,710	2,761	2,488	2,439	2,188	2,256	2,090	2,214	2,337	2,407	2,786
Male	16,708	1,543	1,544	1,513	1,412	1,359	1,224	1,329	1,184	1,237	1,404	1,384	1,575
Female	12,713	1,201	1,166	1,248	1,076	1,080	965	927	906	977	933	1,023	1,211
White	26,288	2,460	2,394	2,434	2,244	2,192	1,944	2,042	1,876	1,996	2,108	2,140	2,458
Male	15,025	1,377	1,377	1,342	1,292	1,223	1,103	1,212	1,072	1,115	1,282	1,231	1,399
Female	11,263	1,083	1,017	1,092	952	969	841	830	804	881	826	909	1,059
Nonwhite	3,133	284	316	327	244	247	245	214	214	218	229	267	328
Male	1,683	166	167	171	120	136	121	117	112	122	122	153	176
Female	1,450	118	149	156	124	111	124	97	102	96	107	114	152
LOUISIANA	28,889	3,079	2,644	2,527	2,253	2,220	2,316	2,269	2,303	2,091	2,203	2,325	2,659
Male	16,500	1,715	1,479	1,457	1,269	1,303	1,330	1,276	1,305	1,212	1,240	1,355	1,559
Female	12,389	1,364	1,165	1,070	984	917	986	993	998	879	963	970	1,100
White	17,623	1,875	1,601	1,531	1,418	1,379	1,372	1,365	1,413	1,297	1,342	1,429	1,601
Male	10,403	1,081	909	913	825	832	813	791	843	778	776	861	981
Female	7,220	794	692	618	593	547	559	574	570	519	566	568	620
Nonwhite	11,266	1,204	1,043	996	835	841	944	904	890	794	861	896	1,058
Male	6,097	634	570	544	444	471	517	485	462	434	464	494	578
Female	5,169	570	473	452	391	370	427	419	428	360	397	402	480
MAINE	10,498	961	848	927	856	844	905	877	765	815	844	849	1,007
Male	5,847	527	456	524	481	490	519	501	422	451	471	455	550
Female	4,651	434	392	403	375	354	386	376	343	364	373	394	457
White	10,447	954	845	922	851	843	899	876	757	811	839	846	1,004
Male	5,817	523	454	522	477	489	516	501	418	448	466	454	549
Female	4,630	431	391	400	374	354	383	375	339	363	373	392	455
Nonwhite	51	7	3	5	5	1	6	1	8	4	5	3	3
Male	30	4	2	2	4	1	3	-	4	3	5	1	1
Female	21	3	1	3	1	-	3	1	4	1	-	2	2
MARYLAND	27,116	2,654	2,445	2,617	2,172	2,118	2,106	2,120	2,000	2,053	2,211	2,195	2,425
Male	15,218	1,493	1,353	1,463	1,212	1,182	1,197	1,153	1,148	1,160	1,242	1,249	1,366
Female	11,898	1,161	1,092	1,154	960	936	909	967	852	893	969	946	1,059
White	21,730	2,114	1,951	2,070	1,762	1,708	1,695	1,724	1,606	1,675	1,758	1,756	1,911
Male	12,188	1,186	1,079	1,151	985	961	963	922	920	950	984	1,009	1,078
Female	9,542	928	872	919	777	747	732	802	686	725	774	747	833
Nonwhite	5,386	540	494	547	410	410	411	396	394	378	453	439	514
Male	3,030	307	274	312	227	221	234	231	228	210	258	240	288
Female	2,356	233	220	235	183	189	177	165	166	168	195	199	226

Table 64. Deaths by Month, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	56,620	5,182	6,578	5,122	4,443	4,554	4,197	4,355	4,081	4,066	4,486	4,398	5,158
Male	29,895	2,712	3,491	2,715	2,333	2,369	2,242	2,301	2,159	2,185	2,365	2,318	2,707
Female	26,725	2,470	3,087	2,409	2,110	2,185	1,955	2,054	1,922	1,881	2,121	2,080	2,451
White	55,471	5,075	6,429	5,017	4,359	4,449	4,112	4,278	4,000	3,984	4,415	4,301	5,052
Male	29,281	2,661	3,414	2,658	2,290	2,311	2,201	2,259	2,106	2,137	2,327	2,268	2,649
Female	26,190	2,414	3,015	2,359	2,069	2,138	1,911	2,019	1,894	1,847	2,088	2,033	2,403
Nonwhite	1,149	107	149	105	84	105	85	77	81	82	71	97	106
Male	614	51	77	55	43	58	41	42	53	48	38	50	58
Female	535	56	72	50	41	47	44	35	28	34	33	47	48
MICHIGAN	65,937	6,116	5,701	5,818	5,589	5,461	5,247	5,121	5,124	5,050	5,390	5,380	5,940
Male	38,337	3,511	3,306	3,331	3,249	3,151	3,054	3,025	2,998	2,943	3,097	3,139	3,533
Female	27,600	2,605	2,395	2,487	2,340	2,310	2,193	2,096	2,126	2,107	2,293	2,241	2,407
White	60,654	5,608	5,260	5,375	5,149	5,053	4,828	4,695	4,703	4,600	4,929	4,950	5,504
Male	35,469	3,235	3,055	3,089	3,007	2,930	2,816	2,783	2,785	2,711	2,855	2,911	3,292
Female	25,185	2,373	2,205	2,286	2,142	2,123	2,012	1,912	1,918	1,889	2,074	2,039	2,212
Nonwhite	5,283	508	441	443	440	408	419	426	421	450	461	430	436
Male	2,868	276	251	242	242	221	238	242	213	232	242	228	241
Female	2,415	232	190	201	198	187	181	184	208	218	219	202	195
MINNESOTA	30,675	2,737	2,667	2,797	2,520	2,646	2,503	2,410	2,325	2,276	2,559	2,499	2,736
Male	17,812	1,565	1,506	1,625	1,446	1,520	1,421	1,386	1,409	1,331	1,500	1,483	1,620
Female	12,863	1,172	1,161	1,172	1,074	1,126	1,082	1,024	916	945	1,059	1,016	1,116
White	30,313	2,702	2,631	2,775	2,485	2,612	2,481	2,381	2,300	2,249	2,534	2,462	2,701
Male	17,599	1,547	1,492	1,611	1,423	1,498	1,403	1,370	1,392	1,312	1,488	1,464	1,599
Female	12,714	1,155	1,139	1,164	1,062	1,114	1,078	1,011	908	937	1,046	998	1,102
Nonwhite	362	35	36	22	35	34	22	29	25	27	25	37	35
Male	213	18	14	14	23	22	18	16	17	19	12	19	21
Female	149	17	22	8	12	12	4	13	8	8	13	18	14
MISSISSIPPI	21,573	2,229	2,168	1,996	1,685	1,685	1,634	1,626	1,554	1,497	1,732	1,715	2,052
Male	12,051	1,220	1,225	1,116	941	904	894	929	888	864	959	964	1,147
Female	9,522	1,009	943	880	744	781	740	697	666	633	773	751	905
White	10,853	1,110	1,042	994	875	826	828	845	811	755	885	867	1,015
Male	6,398	635	627	590	523	462	483	489	475	470	516	522	606
Female	4,455	475	415	404	352	364	345	356	336	285	369	345	409
Nonwhite	10,720	1,119	1,126	1,002	810	859	806	781	743	742	847	848	1,037
Male	5,653	585	598	526	418	442	411	440	413	394	443	442	541
Female	5,067	534	528	476	392	417	395	341	330	348	404	406	496
MISSOURI	46,769	4,455	4,286	4,216	3,848	3,826	3,540	3,498	3,563	3,395	3,890	3,965	4,287
Male	26,363	2,477	2,427	2,406	2,161	2,118	1,993	1,971	2,039	1,886	2,269	2,196	2,420
Female	20,406	1,978	1,859	1,810	1,687	1,708	1,547	1,527	1,524	1,509	1,621	1,769	1,867
White	42,075	4,004	3,857	3,796	3,482	3,461	3,193	3,145	3,202	3,057	3,479	3,557	3,842
Male	23,730	2,228	2,179	2,182	1,957	1,920	1,804	1,781	1,820	1,689	2,020	1,976	2,164
Female	18,345	1,776	1,678	1,614	1,515	1,541	1,389	1,364	1,382	1,368	1,459	1,581	1,678
Nonwhite	4,694	451	429	420	366	365	347	353	361	338	411	408	445
Male	2,633	249	248	224	194	198	189	190	219	197	249	220	256
Female	2,061	202	181	196	172	167	158	163	142	141	162	188	189
MONTANA	6,261	559	520	529	503	522	495	529	526	487	496	555	540
Male	3,971	355	320	346	307	332	320	350	350	286	302	357	346
Female	2,290	204	200	183	196	190	175	179	176	201	194	198	194
White	6,033	535	504	517	475	510	477	505	509	469	484	528	520
Male	3,836	340	311	341	287	323	309	335	340	275	296	344	335
Female	2,197	195	193	176	188	187	168	170	169	194	188	184	185
Nonwhite	228	24	16	12	28	12	18	24	17	18	12	27	20
Male	135	15	9	5	20	9	11	15	10	11	6	13	11
Female	93	9	7	7	8	3	7	9	7	7	6	14	9
NEBRASKA	13,729	1,298	1,137	1,171	1,149	1,198	1,098	1,117	1,071	1,034	1,149	1,121	1,186
Male	8,095	753	691	707	688	682	654	645	615	643	687	641	689
Female	5,634	545	446	464	461	516	444	472	456	391	462	480	497
White	13,335	1,264	1,098	1,132	1,118	1,185	1,068	1,084	1,045	1,012	1,112	1,086	1,151
Male	7,879	729	667	681	669	670	637	631	600	631	666	629	669
Female	5,456	535	431	451	449	495	431	453	445	381	446	457	482
Nonwhite	394	34	39	39	31	33	30	33	26	22	37	35	35
Male	216	24	24	26	19	12	17	14	15	12	21	12	20
Female	178	10	15	13	12	21	13	19	11	10	16	23	15
NEVADA	2,311	185	177	210	190	187	208	190	175	159	217	211	202
Male	1,557	115	116	142	134	145	143	130	123	107	138	133	131
Female	754	70	61	68	56	42	65	60	52	52	79	78	71
White	2,127	172	163	193	167	175	193	176	164	139	202	192	191
Male	1,454	109	110	133	121	136	131	122	118	96	129	124	125
Female	673	63	53	60	46	39	62	54	46	43	73	68	66
Nonwhite	184	13	14	17	23	12	15	14	11	20	15	19	11
Male	103	6	6	9	13	9	12	8	5	11	9	9	6
Female	81	7	8	8	10	3	3	6	6	9	6	10	5
NEW HAMPSHIRE	6,563	570	591	557	563	551	507	507	506	544	552	509	606
Male	3,611	311	315	290	303	322	283	289	285	303	306	273	331
Female	2,952	259	276	267	260	229	224	218	221	241	246	236	275
White	6,550	569	590	556	561	549	507	506	506	544	550	509	603
Male	3,605	310	315	290	302	321	283	288	285	303	306	273	329
Female	2,945	259	275	266	259	228	224	218	221	241	244	236	274
Nonwhite	13	1	1	1	2	2	-	1	-	-	2	-	3
Male	6	1	-	-	1	1	-	1	-	-	-	-	2
Female	7	-	1	1	1	1	-	-	-	-	2	-	1
NEW JERSEY	57,929	5,759	5,245	4,931	4,741	4,729	4,450	4,651	4,327	4,441	4,747	4,572	5,336
Male	32,137	3,198	2,943	2,678	2,658	2,618	2,486	2,529	2,354	2,538	2,641	2,545	2,951
Female	25,792	2,563	2,302	2,253	2,083	2,111	1,964	2,122	1,973	1,903	2,106	2,027	2,385
White	53,217	5,324	4,847	4,530	4,347	4,333	4,088	4,268	3,984	4,053	4,369	4,171	4,903
Male	29,488	2,974	2,696	2,455	2,435	2,396	2,278	2,301	2,169	2,322	2,416	2,336	2,710
Female	23,729	2,350	2,151	2,075	1,912	1,937	1,810	1,967	1,815	1,731	1,953	1,835	2,193
Nonwhite	4,712	435	398	401	394	396	362	383	343	388	378	401	433
Male	2,649	222	247	223	223	222	208	228	185	216	225	209	241
Female	2,063	213	151	178	171	174	154	155	158	172	153	192	192

Table 64. Deaths by Month, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	6,105	531	477	504	552	537	464	437	498	503	542	537	523
Male	3,655	319	279	280	331	339	267	244	291	322	331	333	319
Female	2,450	212	198	224	221	198	197	193	207	181	211	204	204
White	5,511	481	423	452	504	488	423	390	452	444	484	488	482
Male	3,289	286	251	252	300	313	242	215	263	284	293	298	292
Female	2,222	195	172	200	204	175	181	175	189	160	191	190	190
Nonwhite	594	50	54	52	48	49	41	47	46	59	58	49	41
Male	366	33	28	28	31	26	25	29	28	38	38	35	27
Female	228	17	26	24	17	23	16	18	18	21	20	14	14
NEW YORK	173,814	16,982	15,646	15,247	14,164	13,974	13,197	13,738	13,079	12,972	14,711	14,135	15,969
Male	95,486	9,312	8,535	8,210	7,765	7,768	7,270	7,608	7,334	7,150	8,135	7,763	8,636
Female	78,328	7,670	7,111	7,037	6,399	6,206	5,927	6,130	5,745	5,822	6,576	6,372	7,333
White	160,790	15,754	14,474	14,120	13,132	12,934	12,234	12,763	12,058	11,943	13,601	13,067	14,710
Male	88,478	8,647	7,918	7,598	7,205	7,195	6,748	7,078	6,781	6,581	7,567	7,195	7,965
Female	72,312	7,107	6,556	6,522	5,927	5,739	5,486	5,685	5,277	5,362	6,034	5,872	6,745
Nonwhite	13,024	1,228	1,172	1,127	1,032	1,040	963	975	1,021	1,029	1,110	1,068	1,259
Male	7,008	665	617	612	560	573	522	530	553	569	568	568	671
Female	6,016	563	555	515	472	467	441	445	468	460	542	500	588
NORTH CAROLINA	35,674	3,351	3,129	3,244	2,974	2,939	2,779	2,721	2,658	2,572	2,898	2,966	3,443
Male	20,600	1,917	1,748	1,883	1,686	1,672	1,618	1,614	1,588	1,456	1,713	1,688	2,017
Female	15,074	1,434	1,381	1,361	1,288	1,267	1,161	1,107	1,070	1,116	1,185	1,278	1,426
White	24,534	2,200	2,117	2,186	2,078	2,052	1,964	1,867	1,889	1,795	2,016	2,042	2,328
Male	14,470	1,310	1,215	1,292	1,190	1,190	1,171	1,113	1,161	1,051	1,208	1,187	1,382
Female	10,064	890	902	894	888	862	793	754	728	744	808	855	946
Nonwhite	11,140	1,151	1,012	1,058	896	887	815	854	769	777	882	924	1,115
Male	6,130	607	533	591	496	482	447	501	427	405	505	501	635
Female	5,010	544	479	467	400	405	368	353	342	372	377	423	480
NORTH DAKOTA	5,215	455	388	460	373	465	434	417	438	411	457	424	493
Male	3,278	277	264	287	229	286	272	264	275	274	279	269	302
Female	1,937	178	124	173	144	179	162	153	163	137	178	155	191
White	5,087	438	381	454	364	454	425	407	427	402	442	411	482
Male	3,196	268	257	281	224	279	267	258	268	269	270	258	297
Female	1,891	170	124	173	140	175	158	149	159	133	172	153	185
Nonwhite	128	17	7	6	9	11	9	10	11	9	15	13	11
Male	82	9	7	6	5	7	5	6	7	5	9	11	5
Female	46	8	-	-	4	4	4	4	4	4	6	2	6
OHIO	91,675	8,484	8,159	8,439	7,722	7,368	7,064	7,055	7,041	6,840	7,565	7,429	8,509
Male	51,496	4,748	4,578	4,771	4,331	4,103	3,923	3,965	3,993	3,859	4,284	4,138	4,805
Female	40,179	3,736	3,583	3,668	3,391	3,265	3,141	3,090	3,048	2,981	3,281	3,291	3,704
White	84,296	7,811	7,495	7,778	7,085	6,780	6,506	6,473	6,466	6,286	6,974	6,821	7,821
Male	47,305	4,366	4,203	4,396	3,980	3,767	3,602	3,636	3,648	3,552	3,933	3,801	4,421
Female	36,991	3,445	3,292	3,382	3,105	3,013	2,904	2,837	2,818	2,734	3,041	3,020	3,400
Nonwhite	7,379	673	664	661	637	588	558	582	575	554	591	608	688
Male	4,191	382	373	375	351	336	321	329	345	307	351	337	384
Female	3,188	291	291	286	286	252	237	253	230	247	240	271	304
OKLAHOMA	21,770	2,103	1,890	1,955	1,750	1,783	1,779	1,699	1,682	1,602	1,802	1,780	1,945
Male	12,748	1,230	1,063	1,135	1,042	1,024	1,036	1,063	980	947	1,079	1,040	1,109
Female	9,022	873	827	820	708	759	743	636	702	655	723	740	836
White	19,444	1,870	1,682	1,738	1,563	1,604	1,562	1,524	1,503	1,435	1,630	1,584	1,749
Male	11,466	1,100	960	1,015	934	930	920	954	867	855	996	934	1,001
Female	7,978	770	722	723	629	674	642	570	636	580	634	650	748
Nonwhite	2,326	233	208	217	187	179	217	175	179	167	172	196	196
Male	1,282	130	103	120	108	94	116	109	113	92	83	106	108
Female	1,044	103	105	97	79	85	101	66	66	75	89	90	88
OREGON	15,479	1,354	1,133	1,341	1,293	1,318	1,286	1,282	1,232	1,186	1,306	1,342	1,406
Male	9,365	819	667	833	780	829	786	754	723	688	828	801	857
Female	6,114	535	466	508	513	489	500	528	509	498	478	541	549
White	15,192	1,328	1,112	1,316	1,263	1,290	1,269	1,256	1,208	1,163	1,285	1,315	1,387
Male	9,196	802	656	817	758	810	777	741	711	674	817	784	849
Female	5,996	526	456	499	505	480	492	515	497	489	468	531	538
Nonwhite	287	26	21	25	30	28	17	26	24	23	21	27	19
Male	169	17	11	16	22	19	9	13	12	14	11	17	8
Female	118	9	10	9	8	9	8	13	12	9	10	10	11
PENNSYLVANIA	118,571	11,221	10,566	10,957	9,856	9,660	9,197	9,532	8,730	8,933	9,581	9,568	10,770
Male	66,328	6,167	6,030	6,176	5,484	5,419	5,123	5,331	4,934	4,992	5,405	5,324	5,943
Female	52,243	5,054	4,536	4,781	4,372	4,241	4,074	4,201	3,796	3,941	4,176	4,244	4,827
White	109,922	10,382	9,761	10,175	9,177	9,007	8,524	8,799	8,081	8,295	8,873	8,873	9,975
Male	61,540	5,702	5,617	5,726	5,111	5,047	4,756	4,922	4,569	4,642	5,018	4,935	5,495
Female	48,382	4,680	4,144	4,449	4,066	3,960	3,768	3,877	3,512	3,653	3,855	3,938	4,480
Nonwhite	8,649	839	805	782	679	653	673	733	649	638	708	695	795
Male	4,788	465	413	450	373	372	367	409	365	350	387	389	448
Female	3,861	374	392	332	306	281	306	324	284	288	321	306	347
RHODE ISLAND	8,878	830	747	848	747	706	657	661	643	718	742	727	852
Male	4,733	438	420	452	403	366	355	349	337	372	408	381	452
Female	4,145	392	327	396	344	340	302	312	306	346	334	346	400
White	8,670	810	731	833	727	689	641	644	623	706	720	711	835
Male	4,627	429	412	444	392	354	348	342	328	364	401	373	440
Female	4,043	381	319	389	335	335	293	302	295	342	319	338	395
Nonwhite	208	20	16	15	20	17	16	17	20	12	22	16	17
Male	106	9	8	8	11	12	7	7	9	8	7	8	12
Female	102	11	8	7	9	5	9	10	11	4	15	8	5
SOUTH CAROLINA	19,709	1,968	1,859	1,918	1,631	1,458	1,553	1,458	1,465	1,418	1,546	1,577	1,858
Male	11,156	1,081	1,030	1,064	935	831	881	825	813	803	880	905	1,098
Female	8,553	877	829	854	696	627	672	633	652	615	666	672	760
White	11,184	1,074	1,040	1,118	922	836	909	851	872	793	875	921	973
Male	6,624	625	605	636	542	500	541	511	505	474	532	553	600
Female	4,560	449	435	482	380	336	368	340	367	319	343	368	373
Nonwhite	8,525	894	819	800	709	622	644	607	593	625	671	656	885
Male	4,532	466	425	428	393	331	340	314	308	329	348	352	498
Female	3,993	428	394	372	316	291	304	293	285	296	323	304	387

Table 64. Deaths by Month, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	6,248	573	504	568	515	536	517	515	475	501	503	529	512
Male	3,732	325	303	338	308	311	296	309	265	328	313	330	306
Female	2,516	248	201	230	207	225	221	206	210	173	190	199	206
White	5,941	547	470	538	491	517	493	487	449	472	479	501	497
Male	3,554	310	284	319	296	299	283	293	248	310	299	312	301
Female	2,387	237	186	219	195	218	210	194	201	162	180	189	196
Nonwhite	307	26	34	30	24	19	24	28	26	29	24	28	15
Male	178	15	19	19	12	12	13	16	17	18	14	18	5
Female	129	11	15	11	12	7	11	12	9	11	10	10	10
TENNESSEE	32,385	3,018	3,096	3,062	2,597	2,655	2,455	2,572	2,339	2,373	2,677	2,587	2,954
Male	18,301	1,684	1,703	1,723	1,428	1,532	1,405	1,458	1,340	1,361	1,540	1,450	1,677
Female	14,084	1,334	1,393	1,339	1,169	1,123	1,050	1,114	999	1,012	1,137	1,137	1,277
White	25,320	2,332	2,355	2,412	2,065	2,093	1,947	1,992	1,837	1,873	2,106	2,038	2,270
Male	14,516	1,309	1,302	1,378	1,161	1,223	1,115	1,137	1,073	1,110	1,237	1,152	1,319
Female	10,804	1,023	1,053	1,034	904	870	832	855	764	763	869	886	951
Nonwhite	7,065	686	741	650	532	562	508	580	502	500	571	549	684
Male	3,785	375	401	345	267	309	290	321	267	251	303	298	358
Female	3,280	311	340	305	265	253	218	259	235	249	268	251	326
TEXAS	73,351	7,187	6,503	6,464	5,775	5,798	5,785	5,821	5,919	5,360	6,051	5,962	6,726
Male	42,881	4,259	3,794	3,733	3,318	3,350	3,387	3,369	3,461	3,192	3,596	3,482	3,940
Female	30,470	2,928	2,709	2,731	2,457	2,448	2,398	2,452	2,458	2,168	2,455	2,480	2,786
White	61,416	5,995	5,343	5,413	4,922	4,869	4,836	4,907	4,991	4,497	5,076	5,010	5,557
Male	36,244	3,587	3,164	3,187	2,861	2,813	2,842	2,871	2,932	2,726	3,037	2,940	3,284
Female	25,172	2,408	2,179	2,226	2,061	2,056	1,994	2,036	2,059	1,771	2,039	2,070	2,273
Nonwhite	11,935	1,192	1,160	1,051	853	929	949	914	928	863	975	952	1,169
Male	6,637	672	630	546	457	537	545	498	529	466	559	542	656
Female	5,298	520	530	505	396	392	404	416	399	397	416	410	513
UTAH	5,842	522	417	485	492	520	524	464	509	422	485	485	517
Male	3,367	287	231	274	295	299	306	262	290	254	287	281	301
Female	2,475	235	186	211	197	221	218	202	219	168	198	204	216
White	5,707	511	410	473	479	508	513	457	500	411	469	471	505
Male	3,278	282	226	267	288	290	297	259	284	248	274	273	290
Female	2,429	229	184	206	191	218	216	198	216	163	195	198	215
Nonwhite	135	11	7	12	13	12	11	7	9	11	16	14	12
Male	89	5	5	7	7	9	9	3	6	6	13	8	11
Female	46	6	2	5	6	3	2	4	3	5	3	6	1
VERMONT	4,295	413	310	321	360	416	360	350	318	326	378	350	393
Male	2,363	221	176	160	205	230	207	208	180	171	205	191	209
Female	1,932	192	134	161	155	186	153	142	138	155	173	159	184
White	4,283	412	310	319	359	415	360	347	318	325	378	350	390
Male	2,354	221	176	159	204	229	207	206	180	170	205	191	206
Female	1,929	191	134	160	155	186	153	141	138	155	173	159	184
Nonwhite	12	1	-	2	1	1	-	3	-	1	-	-	3
Male	9	-	-	1	1	1	-	2	-	1	-	-	3
Female	3	1	-	1	-	-	-	1	-	-	-	-	-
VIRGINIA	33,131	3,118	2,983	3,121	2,764	2,629	2,577	2,581	2,375	2,454	2,645	2,666	3,218
Male	18,929	1,753	1,725	1,735	1,573	1,494	1,483	1,437	1,350	1,431	1,537	1,527	1,878
Female	14,202	1,365	1,258	1,386	1,191	1,135	1,088	1,144	1,025	1,023	1,108	1,139	1,340
White	24,139	2,241	2,164	2,252	1,999	1,941	1,862	1,914	1,739	1,816	1,926	1,934	2,351
Male	13,906	1,275	1,263	1,286	1,158	1,092	1,088	1,071	981	1,060	1,129	1,123	1,380
Female	10,233	966	901	966	841	849	774	843	758	756	797	811	971
Nonwhite	8,992	877	819	869	765	688	715	667	636	638	719	732	867
Male	5,023	478	462	449	415	402	401	366	369	371	408	404	498
Female	3,969	399	357	420	350	286	314	301	267	267	311	328	369
WASHINGTON	25,500	2,268	1,937	2,189	2,134	2,248	2,054	2,147	1,937	1,981	2,207	2,141	2,257
Male	15,191	1,367	1,193	1,309	1,305	1,320	1,217	1,246	1,192	1,140	1,304	1,290	1,308
Female	10,309	901	744	880	829	928	837	901	745	841	903	851	949
White	24,666	2,186	1,862	2,114	2,071	2,176	1,993	2,076	1,866	1,922	2,125	2,066	2,209
Male	14,672	1,315	1,145	1,268	1,263	1,276	1,178	1,202	1,146	1,112	1,249	1,236	1,282
Female	9,994	871	717	846	808	900	815	874	720	810	876	830	927
Nonwhite	834	82	75	75	63	72	61	71	71	59	82	75	48
Male	519	52	48	41	42	44	39	44	46	28	55	54	26
Female	315	30	27	34	21	28	22	27	25	31	27	21	22
WEST VIRGINIA	17,714	1,655	1,619	1,604	1,527	1,506	1,384	1,291	1,318	1,300	1,514	1,435	1,561
Male	10,639	984	931	994	904	914	840	780	803	777	934	867	931
Female	7,075	691	688	610	623	592	544	511	515	523	580	568	630
White	16,515	1,550	1,500	1,489	1,429	1,420	1,284	1,202	1,217	1,210	1,414	1,342	1,458
Male	9,916	894	863	930	849	864	772	728	739	722	874	807	874
Female	6,599	656	637	559	580	556	512	474	478	488	540	535	584
Nonwhite	1,199	105	119	115	98	86	100	89	101	90	100	93	103
Male	723	70	68	64	55	50	68	52	64	55	60	60	57
Female	476	35	51	51	43	36	32	37	37	35	40	33	46
WISCONSIN	37,280	3,683	3,288	3,449	3,034	3,105	2,968	2,958	2,825	2,689	3,132	3,078	3,071
Male	21,498	2,078	1,883	1,978	1,726	1,768	1,708	1,719	1,670	1,579	1,808	1,752	1,829
Female	15,782	1,605	1,405	1,471	1,308	1,337	1,260	1,239	1,155	1,110	1,324	1,326	1,242
White	36,684	3,625	3,247	3,383	2,980	3,058	2,916	2,921	2,778	2,648	3,089	3,030	3,009
Male	21,169	2,050	1,863	1,939	1,698	1,739	1,673	1,698	1,642	1,559	1,789	1,724	1,795
Female	15,515	1,575	1,384	1,444	1,282	1,319	1,243	1,223	1,136	1,089	1,300	1,306	1,214
Nonwhite	596	58	41	66	54	47	52	37	47	41	43	48	62
Male	329	28	20	39	28	29	35	21	28	20	19	28	34
Female	267	30	21	27	26	18	17	16	19	21	24	20	28
WYOMING	2,536	234	199	229	206	212	197	217	206	174	235	220	207
Male	1,589	138	126	145	139	128	122	140	138	103	156	134	120
Female	947	96	73	84	67	84	75	77	68	71	79	86	87
White	2,458	230	192	220	199	206	186	213	201	169	228	211	203
Male	1,546	136	123	141	135	125	116	137	134	101	151	129	118
Female	912	94	69	79	64	81	70	76	67	68	77	82	85
Nonwhite	78	4	7	9	7	6	11	4	5	5	7	9	4
Male	43	2	3	4	4	3	6	3	4	2	5	5	2
Female	35	2	4	5	3	3	5	1	1	3	2	4	2

Table 65. Deaths by Specified Race and Sex: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,647,886	936,794	711,092	828,550	622,527	103,333	86,008	2,414	1,860	1,114	221	810	319	573	157
Alabama	29,521	16,792	12,729	10,689	7,434	6,101	5,293	1	-	-	-	-	-	1	2
Arizona	9,068	5,759	3,309	5,016	2,833	312	164	418	307	11	4	2	1	-	-
Arkansas	17,051	10,051	7,000	7,680	4,998	2,364	1,998	3	-	4	3	-	-	-	1
California	125,924	72,127	53,797	67,387	50,719	3,252	2,561	168	135	462	132	542	210	316	40
Colorado	14,444	8,251	6,193	8,052	6,028	154	142	12	11	7	1	23	9	3	2
Connecticut	23,234	12,964	10,270	12,513	9,904	445	361	2	-	2	2	-	1	2	2
Delaware	4,098	2,296	1,802	1,864	1,505	431	297	-	-	1	-	-	-	-	-
District of Columbia	8,952	4,809	4,143	2,603	2,337	2,169	1,795	-	-	25	7	1	-	11	4
Florida	43,614	26,324	17,290	21,384	13,412	4,930	3,869	3	7	3	-	1	1	3	1
Georgia	33,286	18,666	14,620	12,254	8,835	6,409	5,784	1	-	1	-	1	-	-	1
Idaho	5,240	3,254	1,986	3,210	1,946	5	5	31	31	1	-	7	4	-	-
Illinois	101,667	57,665	44,002	52,070	39,497	5,458	4,463	15	11	56	5	47	19	19	7
Indiana	44,227	25,101	19,126	23,721	17,981	1,372	1,145	3	-	4	-	-	-	1	-
Iowa	27,776	15,693	12,083	15,510	11,904	173	167	6	11	3	-	-	-	1	1
Kansas	20,321	11,605	8,716	11,079	8,237	504	464	16	13	-	1	-	-	6	1
Kentucky	29,421	16,708	12,713	15,025	11,263	1,678	1,446	1	1	1	1	-	2	3	-
Louisiana	28,889	16,500	12,389	10,403	7,220	6,088	5,166	3	1	4	1	-	1	2	-
Maine	10,498	5,847	4,651	5,817	4,630	18	10	8	6	2	-	-	2	2	3
Maryland	27,116	15,218	11,898	12,188	9,542	3,007	2,355	-	-	14	-	1	-	8	1
Massachusetts	56,620	29,895	26,725	29,281	26,190	550	523	8	5	53	4	1	2	2	1
Michigan	65,937	38,337	27,600	35,469	25,185	2,800	2,353	39	46	10	2	4	6	15	8
Minnesota	30,675	17,812	12,863	17,599	12,714	127	79	76	66	7	1	2	-	1	3
Mississippi	21,573	12,051	9,522	6,398	4,455	5,633	5,052	15	12	4	3	1	-	-	-
Missouri	46,789	26,363	20,406	23,730	18,345	2,618	2,058	4	1	7	2	1	-	3	-
Montana	6,261	3,971	2,290	3,836	2,197	14	8	114	85	2	-	2	-	3	-
Nebraska	13,729	8,095	5,634	7,879	5,456	176	147	32	31	1	-	7	-	-	-
Nevada	2,311	1,557	754	1,454	673	53	37	47	41	1	-	1	3	1	-
New Hampshire	6,563	3,611	2,952	3,605	2,945	6	6	-	-	-	-	-	-	-	1
New Jersey	57,929	32,137	25,792	29,488	23,729	2,608	2,038	3	2	15	-	4	5	19	18
New Mexico	6,105	3,655	2,450	3,289	2,222	88	37	275	191	-	-	2	-	1	-
New York	173,814	95,486	78,328	88,478	72,312	6,580	5,918	70	46	288	31	25	5	45	16
North Carolina	35,674	20,600	15,074	14,470	10,064	6,013	4,914	116	94	-	-	-	-	1	2
North Dakota	5,215	3,278	1,937	3,196	1,891	2	5	77	41	1	-	1	-	1	-
Ohio	91,675	51,496	40,179	47,305	36,991	4,166	3,181	1	1	14	1	3	-	7	5
Oklahoma	21,770	12,748	9,022	11,466	7,978	956	784	326	259	-	-	-	-	-	1
Oregon	15,479	9,365	6,114	9,196	5,996	77	63	50	41	10	3	24	4	8	7
Pennsylvania	118,571	66,328	52,243	61,540	48,382	4,735	3,854	6	1	31	1	2	1	14	4
Rhode Island	8,878	4,733	4,145	4,627	4,043	98	95	3	4	2	3	-	-	3	-
South Carolina	19,709	11,156	8,553	6,624	4,560	4,531	3,992	-	-	-	-	-	-	1	1
South Dakota	6,248	3,732	2,516	3,554	2,387	10	6	167	123	-	-	-	-	1	-
Tennessee	32,385	18,301	14,084	14,516	10,804	3,784	3,277	1	1	-	1	-	1	-	-
Texas	73,351	42,881	30,470	36,244	25,172	6,603	5,281	6	6	17	2	6	2	5	7
Utah	5,842	3,367	2,475	3,278	2,429	26	15	32	26	7	1	24	4	-	-
Vermont	4,295	2,363	1,932	2,354	1,929	5	1	-	-	3	1	-	1	1	-
Virginia	33,131	18,929	14,202	13,906	10,233	5,006	3,963	7	4	4	-	2	2	4	-
Washington	25,500	15,191	10,309	14,672	9,994	214	128	157	132	27	7	70	32	51	16
West Virginia	17,714	10,639	7,075	9,916	6,599	721	476	-	-	-	-	-	-	2	-
Wisconsin	37,280	21,498	15,782	21,169	15,515	251	213	65	51	8	1	-	1	5	1
Wyoming	2,536	1,589	947	1,546	912	12	19	26	16	1	-	3	-	1	-

Table 66. Deaths by Color and by Age, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	COLOR		AGE											
		White	Nonwhite	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,647,886	1,451,077	196,809	113,789	17,561	15,537	24,381	34,217	70,495	149,495	263,378	404,850	383,172	170,240	771
Metropolitan counties[1]	972,733	859,762	112,971	65,863	9,219	8,070	11,982	20,187	44,140	95,336	168,271	245,585	213,353	90,451	276
Nonmetropolitan counties[1]	675,153	591,315	83,838	47,926	8,342	7,467	12,399	14,030	26,355	54,159	95,107	159,265	169,819	79,789	495
Alabama	29,621	18,123	11,398	2,920	459	397	698	914	1,677	3,046	4,715	6,475	5,787	2,350	83
Metropolitan counties	11,221	6,290	4,931	1,166	169	122	195	371	704	1,314	2,046	2,502	1,874	750	8
Nonmetropolitan counties	18,300	11,833	6,467	1,754	290	275	503	543	973	1,732	2,669	3,973	3,913	1,600	75
Arizona	9,068	7,849	1,219	1,090	219	144	235	315	548	975	1,442	1,933	1,531	609	27
Metropolitan counties	4,264	3,940	324	417	71	55	95	129	242	507	709	986	759	286	8
Nonmetropolitan counties	4,804	3,909	895	673	148	89	140	186	306	468	733	947	772	323	19
Arkansas	17,051	12,678	4,373	1,075	245	220	348	366	706	1,417	2,493	4,250	4,172	1,757	2
Metropolitan counties	2,129	1,520	609	171	32	26	31	70	102	194	354	497	440	212	-
Nonmetropolitan counties	14,922	11,158	3,764	904	213	194	317	296	604	1,223	2,139	3,753	3,732	1,545	2
California	125,924	118,106	7,818	8,595	1,277	1,149	1,986	2,865	5,918	12,109	19,819	30,218	28,971	12,981	36
Metropolitan counties	102,390	95,544	6,846	6,985	988	907	1,476	2,322	4,875	9,999	16,280	24,509	23,514	10,523	12
Nonmetropolitan counties	23,534	22,562	972	1,610	289	242	510	543	1,043	2,110	3,539	5,709	5,457	2,458	24
Colorado	14,444	14,080	364	1,281	196	161	277	335	591	1,148	1,889	3,301	3,514	1,746	5
Metropolitan counties	7,474	7,189	285	675	88	77	120	175	336	680	1,076	1,740	1,661	845	1
Nonmetropolitan counties	6,970	6,891	79	606	108	84	157	160	255	468	813	1,561	1,853	901	4
Connecticut	23,234	22,417	817	1,339	190	138	184	328	868	1,994	3,861	6,226	5,466	2,632	8
Metropolitan counties	18,191	17,452	739	1,093	154	100	138	269	708	1,589	3,068	4,888	4,223	1,955	6
Nonmetropolitan counties	5,043	4,965	78	246	36	38	46	59	160	405	793	1,338	1,243	677	2
Delaware	4,098	3,369	729	325	54	33	52	92	224	380	671	967	875	416	9
Metropolitan counties	2,668	2,243	425	204	33	18	32	56	143	257	480	659	524	258	4
Nonmetropolitan counties	1,430	1,126	304	121	21	15	20	36	81	123	191	308	351	158	5
District of Columbia	8,952	4,940	4,012	760	100	65	86	223	612	1,189	1,596	1,931	1,660	722	8
Florida	43,614	34,796	8,818	3,426	593	442	706	1,116	2,274	4,466	7,301	11,083	8,668	3,522	17
Metropolitan counties	22,199	18,781	3,418	1,510	237	186	316	554	1,147	2,286	3,713	5,873	4,605	1,768	4
Nonmetropolitan counties	21,415	16,015	5,400	1,916	356	256	390	562	1,127	2,180	3,588	5,210	4,063	1,754	13
Georgia	33,286	21,089	12,197	3,111	498	447	715	1,117	2,142	3,942	5,771	7,252	5,987	2,288	16
Metropolitan counties	13,063	8,331	4,732	1,185	146	145	233	475	970	1,765	2,465	2,734	2,097	845	3
Nonmetropolitan counties	20,223	12,758	7,465	1,926	352	302	482	642	1,172	2,177	3,306	4,518	3,890	1,443	13
Idaho	5,240	5,156	84	398	85	77	155	113	240	420	675	1,227	1,255	586	9
Nonmetropolitan counties	5,240	5,156	84	398	85	77	155	113	240	420	675	1,227	1,255	586	9
Illinois	101,667	91,567	10,100	5,859	944	867	1,285	1,909	4,251	9,307	16,990	26,521	23,502	10,228	4
Metropolitan counties	73,097	63,697	9,400	4,625	708	640	913	1,541	3,418	7,453	13,317	19,315	15,130	6,034	3
Nonmetropolitan counties	28,570	27,870	700	1,234	236	227	372	368	833	1,854	3,673	7,206	8,372	4,194	1
Indiana	44,227	41,702	2,525	2,768	428	391	559	776	1,596	3,569	6,623	10,698	11,452	5,345	22
Metropolitan counties	19,333	17,121	2,212	1,462	222	173	239	413	858	1,865	3,327	4,651	4,324	1,794	5
Nonmetropolitan counties	24,894	24,581	313	1,306	206	218	320	363	738	1,704	3,296	6,047	7,128	3,551	17
Iowa	27,776	27,414	362	1,418	208	218	388	361	749	1,747	3,681	6,514	8,026	4,450	16
Metropolitan counties	7,601	7,333	268	523	62	52	88	115	236	546	1,172	1,849	1,943	1,011	4
Nonmetropolitan counties	20,175	20,081	94	895	146	166	300	246	513	1,201	2,509	4,665	6,083	3,439	12
Kansas	20,321	19,316	1,005	1,192	200	198	310	358	630	1,343	2,578	4,753	5,762	2,992	5
Metropolitan counties	5,873	5,229	644	497	81	70	93	128	278	512	851	1,282	1,359	719	3
Nonmetropolitan counties	14,448	14,087	361	695	119	128	217	230	352	831	1,727	3,471	4,403	2,273	2
Kentucky	29,421	26,288	3,133	2,164	350	307	524	684	1,228	2,452	4,278	6,578	7,341	3,506	9
Metropolitan counties	9,479	8,070	1,409	656	102	64	130	231	415	947	1,640	2,111	2,159	1,022	2
Nonmetropolitan counties	19,942	18,218	1,724	1,508	248	243	394	453	813	1,505	2,638	4,467	5,182	2,484	7
Louisiana	28,889	17,623	11,266	3,129	500	346	601	765	1,477	3,041	4,804	6,636	5,340	2,242	8
Metropolitan parishes	12,129	7,563	4,566	1,212	186	120	185	336	667	1,459	2,299	2,798	2,042	820	5
Nonmetropolitan parishes	16,760	10,060	6,700	1,917	314	226	416	429	810	1,582	2,505	3,838	3,298	1,422	3
Maine	10,498	10,447	51	613	97	79	140	179	313	699	1,412	2,521	2,940	1,498	7
Metropolitan counties	2,053	2,039	14	113	15	13	29	33	66	138	303	482	568	291	2
Nonmetropolitan counties	8,445	8,408	37	500	82	66	111	146	247	561	1,109	2,039	2,372	1,207	5
Maryland	27,116	21,730	5,386	2,189	298	275	350	624	1,415	2,924	4,783	6,428	5,454	2,363	13
Metropolitan counties	19,442	15,332	4,110	1,615	214	201	244	472	1,084	2,282	3,583	4,583	3,657	1,499	8
Nonmetropolitan counties	7,674	6,398	1,276	574	84	74	106	152	331	642	1,200	1,845	1,797	864	5
Massachusetts[2]	56,620	55,471	1,149	2,618	378	375	466	724	1,809	4,472	9,068	14,696	14,792	7,191	31
Michigan	65,937	60,654	5,283	4,982	728	629	863	1,331	2,852	6,119	10,924	16,742	14,587	6,175	5
Metropolitan counties	41,796	37,150	4,646	3,505	482	410	513	933	2,066	4,370	7,734	10,571	7,967	3,242	3
Nonmetropolitan counties	24,141	23,504	637	1,477	246	219	350	398	786	1,749	3,190	6,171	6,620	2,933	2
Minnesota	30,675	30,313	362	1,941	317	298	425	479	946	2,118	4,357	7,707	8,069	4,016	2
Metropolitan counties	14,497	14,259	238	991	141	128	186	231	510	1,121	2,202	3,749	3,558	1,680	-
Nonmetropolitan counties	16,178	16,054	124	950	176	170	239	248	436	997	2,155	3,958	4,511	2,336	2
Mississippi	21,573	10,853	10,720	2,430	452	309	443	555	951	1,985	2,973	4,769	4,483	2,189	34
Metropolitan counties	1,508	709	799	218	31	24	35	44	81	166	199	291	268	151	-
Nonmetropolitan counties	20,065	10,144	9,921	2,212	421	285	408	511	870	1,819	2,774	4,478	4,215	2,038	34
Missouri	46,769	42,075	4,694	2,553	386	318	575	730	1,497	3,676	7,029	11,526	12,439	6,021	19
Metropolitan counties	25,054	21,311	3,743	1,583	212	161	277	442	925	2,329	4,334	6,307	5,840	2,638	6
Nonmetropolitan counties	21,715	20,764	951	970	174	157	298	288	572	1,347	2,695	5,219	6,599	3,383	13

[1] Includes estimate for Massachusetts; for explanation, see "Massachusetts data" in section 1 of text in Volume I.
[2] Data are shown only for the State as a whole; for explanation, see "Massachusetts data" in section 1 of text in Volume I.

Table 66. Deaths by Color and by Age, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	COLOR		AGE										
		White	Nonwhite	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,261	6,033	228	444	81	84	144	165	285	483	842	1,612	1,532	579	10
Nonmetropolitan counties	6,261	6,033	228	444	81	84	144	165	285	483	842	1,612	1,532	579	10
Nebraska	13,729	13,335	394	814	141	128	199	197	389	943	1,903	3,311	3,782	1,920	2
Metropolitan counties	4,541	4,220	321	371	45	47	66	63	168	391	708	1,119	1,024	538	1
Nonmetropolitan counties	9,188	9,115	73	443	96	81	133	134	221	552	1,195	2,192	2,758	1,382	1
Nevada	2,311	2,127	184	217	34	32	71	79	139	306	418	480	399	135	1
Nonmetropolitan counties	2,311	2,127	184	217	34	32	71	79	139	306	418	480	399	135	1
New Hampshire	6,563	6,550	13	329	43	53	67	89	191	488	977	1,604	1,796	924	2
Metropolitan counties	1,900	1,898	2	114	15	17	21	32	59	145	302	504	484	227	-
Nonmetropolitan counties	4,663	4,652	11	215	28	36	46	57	132	343	675	1,100	1,332	697	2
New Jersey	57,929	53,217	4,712	3,185	459	408	554	954	2,421	5,472	10,416	15,574	13,071	5,393	22
Metropolitan counties	50,594	46,448	4,146	2,786	406	349	479	841	2,160	4,877	9,222	13,632	11,256	4,568	18
Nonmetropolitan counties	7,335	6,769	566	399	53	59	75	113	261	595	1,194	1,942	1,815	825	4
New Mexico	6,105	5,511	594	1,068	178	96	221	277	329	569	786	1,098	1,005	473	5
Metropolitan counties	1,435	1,378	57	218	35	18	41	63	85	152	200	299	232	92	-
Nonmetropolitan counties	4,670	4,133	537	850	143	78	180	214	244	417	586	799	773	381	5
New York	173,814	160,790	13,024	8,826	1,198	1,160	1,756	2,957	6,851	16,069	31,303	46,781	40,313	16,540	60
Metropolitan counties	144,098	131,544	12,554	7,377	964	924	1,369	2,532	5,995	13,998	27,232	39,346	32,021	12,301	39
Nonmetropolitan counties	29,716	29,246	470	1,449	234	236	387	425	856	2,071	4,071	7,435	8,292	4,239	21
North Carolina	35,674	24,534	11,140	3,604	538	488	865	1,118	2,265	3,993	5,739	7,665	6,786	2,599	14
Metropolitan counties	8,528	5,887	2,641	812	105	100	168	278	606	1,057	1,455	1,800	1,513	633	1
Nonmetropolitan counties	27,146	18,647	8,499	2,792	433	388	697	840	1,659	2,936	4,284	5,865	5,273	1,966	13
North Dakota	5,215	5,087	128	412	66	65	109	109	167	349	635	1,244	1,448	609	2
Nonmetropolitan counties	5,215	5,087	128	412	66	65	109	109	167	349	635	1,244	1,448	609	2
Ohio	91,675	84,296	7,379	5,939	891	849	1,127	1,719	3,681	7,853	14,096	22,616	22,654	10,234	16
Metropolitan counties	61,432	54,665	6,767	4,257	589	546	712	1,228	2,730	5,792	10,164	15,705	13,884	5,815	10
Nonmetropolitan counties	30,243	29,631	612	1,682	302	303	415	491	951	2,061	3,932	6,911	8,770	4,419	6
Oklahoma	21,770	19,444	2,326	1,377	246	220	394	434	800	1,723	3,052	4,957	5,733	2,805	29
Metropolitan counties	5,870	5,287	683	525	93	69	107	160	278	594	964	1,307	1,284	587	2
Nonmetropolitan counties	15,900	14,157	1,643	852	153	151	287	274	522	1,129	2,088	3,650	4,449	2,218	27
Oregon	15,479	15,192	287	848	156	170	240	270	621	1,329	2,309	3,875	3,923	1,725	13
Metropolitan counties	7,191	7,017	174	380	66	53	78	94	285	592	1,088	1,880	1,854	817	4
Nonmetropolitan counties	8,288	8,175	113	468	90	117	162	176	336	737	1,221	1,995	2,069	908	9
Pennsylvania	118,571	109,922	8,649	6,371	851	828	1,262	1,961	4,622	10,650	20,177	31,385	28,480	11,951	33
Metropolitan counties	92,984	84,648	8,336	5,184	656	623	933	1,584	3,773	8,603	16,381	24,808	21,558	8,853	28
Nonmetropolitan counties	25,587	25,274	313	1,187	195	205	329	377	849	2,047	3,796	6,577	6,922	3,098	5
Rhode Island	8,878	8,670	208	391	56	58	68	114	281	742	1,492	2,405	2,269	1,002	-
Metropolitan counties	7,783	7,625	158	316	47	46	61	92	250	650	1,325	2,170	1,969	857	-
Nonmetropolitan counties	1,095	1,045	50	75	9	12	7	22	31	92	167	235	300	145	-
South Carolina	19,709	11,184	8,525	2,055	382	336	502	693	1,358	2,491	3,593	4,060	3,096	1,064	79
Metropolitan counties	5,243	3,195	2,048	518	96	85	116	194	377	719	983	1,077	778	280	20
Nonmetropolitan counties	14,466	7,989	6,477	1,537	286	251	386	499	981	1,772	2,610	2,983	2,318	784	59
South Dakota	6,248	5,941	307	455	85	63	107	115	197	377	848	1,552	1,869	775	5
Metropolitan counties	736	727	9	43	12	7	7	12	25	46	120	187	195	82	-
Nonmetropolitan counties	5,512	5,214	298	412	73	56	100	103	172	331	728	1,365	1,474	693	5
Tennessee	32,385	25,320	7,065	2,560	389	339	598	829	1,521	3,122	4,813	7,415	7,560	3,234	5
Metropolitan counties	14,222	9,678	4,544	1,238	160	138	243	413	786	1,637	2,375	3,265	2,829	1,136	2
Nonmetropolitan counties	18,163	15,642	2,521	1,322	229	201	355	416	735	1,485	2,438	4,150	4,731	2,098	3
Texas	73,351	61,416	11,935	7,555	1,131	965	1,597	2,187	3,487	7,177	11,413	16,039	15,109	6,671	20
Metropolitan counties	35,852	29,654	6,198	4,175	580	457	766	1,219	2,002	3,939	5,894	7,634	6,450	2,727	9
Nonmetropolitan counties	37,499	31,762	5,737	3,380	551	508	831	968	1,485	3,238	5,519	8,405	8,659	3,944	11
Utah	5,842	5,707	135	565	108	80	142	154	257	502	835	1,273	1,306	617	3
Metropolitan counties	3,293	3,226	67	282	44	43	59	90	138	289	501	746	740	359	2
Nonmetropolitan counties	2,549	2,481	68	283	64	37	83	64	119	213	334	527	566	258	1
Vermont	4,295	4,283	12	211	24	42	64	61	112	297	603	1,015	1,197	667	2
Nonmetropolitan counties	4,295	4,283	12	211	24	42	64	61	112	297	603	1,015	1,197	667	2
Virginia	33,131	24,139	8,992	3,010	429	340	651	926	1,867	3,358	5,383	7,342	6,865	2,935	25
Metropolitan counties	12,231	8,853	3,378	1,200	150	115	196	350	805	1,432	2,193	2,634	2,226	924	6
Nonmetropolitan counties	20,900	15,286	5,614	1,810	279	225	455	576	1,062	1,926	3,190	4,708	4,639	2,011	19
Washington	25,500	24,666	834	1,712	268	266	388	477	979	2,122	3,545	6,282	6,487	2,964	10
Metropolitan counties	14,820	14,291	529	987	122	150	199	298	570	1,294	2,108	3,607	3,810	1,671	4
Nonmetropolitan counties	10,680	10,375	305	725	146	116	189	179	409	828	1,437	2,675	2,677	1,293	6
West Virginia	17,714	16,515	1,199	1,167	194	220	330	427	860	1,596	2,664	4,181	4,160	1,897	18
Metropolitan counties	5,641	5,223	418	328	56	55	92	126	282	528	942	1,375	1,263	590	6
Nonmetropolitan counties	12,073	11,292	781	839	138	165	238	301	578	1,068	1,722	2,808	2,897	1,307	12
Wisconsin	37,280	36,684	596	2,272	367	328	491	566	1,182	2,735	5,459	9,493	9,916	4,471	-
Metropolitan counties	14,752	14,299	453	1,048	138	109	165	249	548	1,263	2,488	3,861	3,470	1,413	-
Nonmetropolitan counties	22,528	22,385	143	1,224	229	219	326	317	634	1,472	2,971	5,632	6,446	3,058	-
Wyoming	2,536	2,458	78	226	44	36	63	80	119	211	344	639	543	231	-
Nonmetropolitan counties	2,536	2,458	78	226	44	36	63	80	119	211	344	639	543	231	-

NOTE.—The category "metropolitan counties" includes all counties within a State that are in "standard metropolitan areas" as defined by the U.S. Bureau of the Census in 1950, except in New England, where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 67. Deaths by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
UNITED STATES	1,647,886	644,548	1,003,338	6,893	33,252	3,275	79,952	219,364	201,655	305,016	126,107	27,824
Male	936,794	375,619	561,175	4,569	32,973	2,088	44,169	125,212	110,901	169,369	58,188	13,706
Female	711,092	268,929	442,163	2,324	279	1,187	35,783	94,152	90,754	135,647	67,919	14,118
White	1,451,077	552,377	898,700	6,100	28,761	1,533	66,038	178,483	191,144	280,390	120,331	25,920
Male	828,550	325,682	502,868	4,057	28,501	1,130	36,553	103,257	105,317	156,151	55,238	12,664
Female	622,527	226,695	395,832	2,043	260	403	29,485	75,226	85,827	124,239	65,093	13,256
Nonwhite	196,809	92,171	104,638	793	4,491	1,742	13,914	40,881	10,511	24,626	5,776	1,904
Male	108,244	49,937	58,307	512	4,472	958	7,616	21,955	5,584	13,218	2,950	1,042
Female	88,565	42,234	46,331	281	19	784	6,298	18,926	4,927	11,408	2,826	862
ALABAMA	29,521	16,444	13,077	32	656	124	921	4,506	1,885	1,983	2,689	281
Male	16,792	9,149	7,643	20	655	78	533	2,553	1,058	1,129	1,456	161
Female	12,729	7,295	5,434	12	1	46	388	1,953	827	854	1,233	120
White	18,123	8,942	9,181	20	409	107	528	3,019	1,212	1,452	2,195	239
Male	10,689	5,254	5,435	14	409	67	312	1,753	716	841	1,181	142
Female	7,434	3,688	3,746	6	-	40	216	1,266	496	611	1,014	97
Nonwhite	11,398	7,502	3,896	12	247	17	393	1,487	673	531	494	42
Male	6,103	3,895	2,208	6	246	11	221	800	342	288	275	19
Female	5,295	3,607	1,688	6	1	6	172	687	331	243	219	23
ARIZONA	9,068	3,390	5,678	71	421	237	187	1,630	1,317	1,185	502	128
Male	5,759	2,230	3,529	40	417	120	120	1,025	777	705	257	68
Female	3,309	1,160	2,149	31	4	117	67	605	540	480	245	60
White	7,849	2,928	4,921	61	402	8	170	1,422	1,182	1,107	479	90
Male	5,016	1,918	3,098	35	398	6	109	885	707	664	245	49
Female	2,833	1,010	1,823	26	4	2	61	537	475	443	234	41
Nonwhite	1,219	462	757	10	19	229	17	208	135	78	23	38
Male	743	312	431	5	19	114	11	140	70	41	12	19
Female	476	150	326	5	-	115	6	68	65	37	11	19
ARKANSAS	17,051	8,623	8,428	56	517	7	1,055	1,892	1,960	897	1,720	324
Male	10,051	4,985	5,066	36	515	5	621	1,071	1,131	540	968	179
Female	7,000	3,638	3,362	20	2	2	434	821	829	357	752	145
White	12,678	5,723	6,955	51	411	5	590	1,591	1,764	783	1,490	270
Male	7,680	3,454	4,226	34	409	3	361	915	1,031	477	842	154
Female	4,998	2,269	2,729	17	2	2	229	676	733	306	648	116
Nonwhite	4,373	2,900	1,473	5	106	2	465	301	196	114	230	54
Male	2,371	1,531	840	2	106	2	260	156	100	63	126	25
Female	2,002	1,369	633	3	-	-	205	145	96	51	104	29
CALIFORNIA	125,924	42,104	83,820	1,378	3,064	83	4,131	29,385	11,055	16,396	15,716	2,612
Male	72,127	25,350	46,777	950	3,013	73	2,249	16,897	6,047	9,191	7,126	1,231
Female	53,797	16,754	37,043	428	51	10	1,882	12,488	5,008	7,205	8,590	1,381
White	118,106	39,705	78,401	1,249	2,868	65	3,891	26,128	10,693	15,599	15,378	2,530
Male	67,387	23,855	43,532	862	2,818	60	2,092	15,034	5,841	8,721	6,926	1,178
Female	50,719	15,850	34,869	387	50	5	1,799	11,094	4,852	6,878	8,452	1,352
Nonwhite	7,818	2,399	5,419	129	196	18	240	3,257	362	797	338	82
Male	4,740	1,485	3,245	88	195	13	157	1,863	206	470	200	53
Female	3,078	904	2,174	41	1	5	83	1,394	156	327	138	29
COLORADO	14,444	4,681	9,763	124	371	3	1,115	1,617	3,902	1,764	763	104
Male	8,251	2,900	5,351	60	363	3	608	917	2,135	891	325	49
Female	6,193	1,781	4,412	64	8	-	507	700	1,767	873	438	55
White	14,080	4,568	9,512	110	361	2	1,076	1,533	3,842	1,734	752	102
Male	8,052	2,830	5,222	50	354	2	585	878	2,100	883	322	48
Female	6,028	1,738	4,290	60	7	-	491	655	1,742	851	430	54
Nonwhite	364	113	251	14	10	1	39	84	60	30	11	2
Male	199	70	129	10	9	1	23	39	35	8	3	1
Female	165	43	122	4	1	-	16	45	25	22	8	1
CONNECTICUT	23,234	7,660	15,574	20	370	9	1,284	440	2,546	8,042	1,785	1,078
Male	12,964	4,407	8,557	16	361	6	708	270	1,422	4,483	701	590
Female	10,270	3,253	7,017	4	9	3	576	170	1,124	3,559	1,084	488
White	22,417	7,481	14,936	18	348	9	1,232	359	2,463	7,695	1,759	1,053
Male	12,513	4,308	8,205	14	339	6	682	228	1,381	4,298	686	571
Female	9,904	3,173	6,731	4	9	3	550	131	1,082	3,397	1,073	482
Nonwhite	817	179	638	2	22	-	52	81	83	347	26	25
Male	451	99	352	2	22	-	26	42	41	185	15	19
Female	366	80	286	-	-	-	26	39	42	162	11	6
DELAWARE	4,098	1,630	2,468	29	92	1	350	9	26	1,762	167	32
Male	2,296	936	1,360	9	91	-	196	5	8	972	66	13
Female	1,802	694	1,108	20	1	1	154	4	18	790	101	19
White	3,369	1,330	2,039	27	68	1	264	8	24	1,451	165	31
Male	1,864	761	1,103	8	67	-	148	4	8	791	64	13
Female	1,505	569	936	19	1	1	116	4	16	660	101	18
Nonwhite	729	300	429	2	24	-	86	1	2	311	2	1
Male	432	175	257	1	24	-	48	1	-	181	2	-
Female	297	125	172	1	-	-	38	-	2	130	-	1
DISTRICT OF COLUMBIA	8,952	2,821	6,131	205	261	1,045	6	1,911	933	1,401	339	30
Male	4,809	1,501	3,308	132	255	559	5	1,061	449	720	113	14
Female	4,143	1,320	2,823	73	6	486	1	850	484	681	226	16
White	4,940	1,673	3,267	161	123	395	4	479	781	972	330	22
Male	2,603	883	1,720	107	118	226	3	287	376	484	111	8
Female	2,337	790	1,547	54	5	169	1	192	405	488	219	14
Nonwhite	4,012	1,148	2,864	44	138	650	2	1,432	152	429	9	8
Male	2,206	618	1,588	25	137	333	2	774	73	236	2	6
Female	1,806	530	1,276	19	1	317	-	658	79	193	7	2

Table 67. Deaths by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
FLORIDA	43,614	17,628	25,986	425	1,210	46	1,035	9,932	4,042	5,628	3,036	632
Male	26,324	10,863	15,461	271	1,189	40	614	5,818	2,346	3,347	1,526	310
Female	17,290	6,765	10,525	154	21	6	421	4,114	1,696	2,281	1,510	322
White	34,796	13,370	21,426	397	1,078	44	720	7,291	3,666	4,944	2,713	573
Male	21,384	8,465	12,919	253	1,057	38	427	4,387	2,144	2,977	1,350	286
Female	13,412	4,905	8,507	144	21	6	293	2,904	1,522	1,967	1,363	287
Nonwhite	8,818	4,258	4,560	28	132	2	315	2,641	376	684	323	59
Male	4,940	2,398	2,542	18	132	2	187	1,431	202	370	176	24
Female	3,878	1,860	2,018	10	-	-	128	1,210	174	314	147	35
GEORGIA	33,286	16,979	16,307	253	430	40	1,851	7,648	1,962	1,623	2,152	348
Male	18,666	9,345	9,321	153	427	36	1,026	4,335	1,206	905	1,055	178
Female	14,620	7,634	6,986	100	3	4	825	3,313	756	718	1,097	170
White	21,089	9,328	11,761	214	291	27	1,198	4,925	1,782	1,370	1,660	294
Male	12,254	5,425	6,829	123	288	23	671	2,905	1,085	772	814	148
Female	8,835	3,903	4,932	91	3	4	527	2,020	697	598	846	146
Nonwhite	12,197	7,651	4,546	39	139	13	653	2,723	180	253	492	54
Male	6,412	3,920	2,492	30	139	13	355	1,430	121	133	241	30
Female	5,785	3,731	2,054	9	-	-	298	1,293	59	120	251	24
IDAHO	5,240	2,053	3,187	10	157	3	174	694	709	667	545	228
Male	3,254	1,365	1,889	9	156	2	94	435	393	394	276	130
Female	1,986	688	1,298	1	1	1	80	259	316	273	269	98
White	5,156	2,018	3,138	10	156	2	173	687	683	659	542	226
Male	3,210	1,346	1,864	9	155	1	94	430	382	391	273	129
Female	1,946	672	1,274	1	1	1	79	257	301	268	269	97
Nonwhite	84	35	49	-	1	1	1	7	26	8	3	2
Male	44	19	25	-	1	1	-	5	11	3	3	1
Female	40	16	24	-	-	-	1	2	15	5	-	1
ILLINOIS	101,667	36,537	65,130	116	2,136	24	4,832	11,795	18,815	19,501	5,695	2,216
Male	57,665	21,777	35,888	85	2,131	18	2,667	6,884	10,132	10,546	2,300	1,125
Female	44,002	14,760	29,242	31	5	6	2,165	4,911	8,683	8,955	3,395	1,091
White	91,567	33,039	58,528	103	1,803	19	4,247	8,596	17,916	18,282	5,473	2,089
Male	52,070	19,828	32,242	78	1,799	13	2,356	5,176	9,638	9,941	2,201	1,040
Female	39,497	13,211	26,286	25	4	6	1,891	3,420	8,278	8,341	3,272	1,049
Nonwhite	10,100	3,498	6,602	13	333	5	585	3,199	899	1,219	222	127
Male	5,595	1,949	3,646	7	332	5	311	1,708	494	605	99	85
Female	4,505	1,549	2,956	6	1	-	274	1,491	405	614	123	42
INDIANA	44,227	18,042	26,185	38	780	10	1,740	6,423	8,733	4,207	3,549	705
Male	25,101	10,478	14,623	29	777	10	952	3,659	4,973	2,339	1,575	309
Female	19,126	7,564	11,562	9	3	-	788	2,764	3,760	1,868	1,974	396
White	41,702	17,022	24,680	37	706	9	1,629	5,949	8,155	4,050	3,452	693
Male	23,721	9,922	13,799	28	703	9	896	3,407	4,674	2,246	1,532	304
Female	17,981	7,100	10,881	9	3	-	733	2,542	3,481	1,804	1,920	389
Nonwhite	2,525	1,020	1,505	1	74	1	111	474	578	157	97	12
Male	1,380	556	824	1	74	1	56	252	299	93	43	5
Female	1,145	464	681	-	-	-	55	222	279	64	54	7
IOWA	27,776	9,862	17,914	11	597	3	1,353	3,792	6,308	1,983	2,444	1,433
Male	15,693	5,943	9,750	9	593	2	840	2,076	3,386	1,074	1,120	650
Female	12,083	3,919	8,164	2	4	1	513	1,706	2,922	909	1,324	783
White	27,414	9,754	17,660	11	586	2	1,317	3,714	6,219	1,968	2,433	1,410
Male	15,510	5,883	9,627	9	582	2	824	2,042	3,350	1,065	1,113	640
Female	11,904	3,871	8,033	2	4	-	493	1,672	2,869	903	1,320	770
Nonwhite	362	108	254	-	11	1	36	68	89	15	11	23
Male	183	60	123	-	11	-	16	34	36	9	7	10
Female	179	48	131	-	-	1	20	34	53	6	4	13
KANSAS	20,321	7,295	13,026	93	457	5	772	2,819	5,529	1,661	1,313	377
Male	11,605	4,329	7,276	58	454	3	465	1,563	3,034	935	584	180
Female	8,716	2,966	5,750	35	3	2	307	1,256	2,495	726	729	197
White	19,316	6,880	12,436	72	415	2	705	2,731	5,252	1,588	1,302	369
Male	11,079	4,120	6,959	43	412	2	425	1,524	2,904	894	578	177
Female	8,237	2,760	5,477	29	3	-	280	1,207	2,348	694	724	192
Nonwhite	1,005	415	590	21	42	3	67	88	277	73	11	8
Male	526	209	317	15	42	1	40	39	130	41	6	3
Female	479	206	273	6	-	2	27	49	147	32	5	5
KENTUCKY	29,421	14,607	14,814	90	553	12	848	3,320	4,140	3,419	1,951	481
Male	16,708	8,303	8,405	57	551	9	487	1,894	2,262	1,928	961	256
Female	12,713	6,304	6,409	33	2	3	361	1,426	1,878	1,491	990	225
White	26,288	12,986	13,302	79	446	11	740	2,686	3,904	3,162	1,824	450
Male	15,025	7,483	7,542	49	445	8	421	1,550	2,140	1,795	894	240
Female	11,263	5,503	5,760	30	1	3	319	1,136	1,764	1,367	930	210
Nonwhite	3,133	1,621	1,512	11	107	1	108	634	236	257	127	31
Male	1,683	820	863	8	106	1	66	344	122	133	67	16
Female	1,450	801	649	3	1	-	42	290	114	124	60	15
LOUISIANA	28,889	13,877	15,012	84	709	81	6,252	451	2,903	2,083	2,045	404
Male	16,500	7,832	8,668	50	704	71	3,548	266	1,581	1,125	1,109	216
Female	12,389	6,045	6,344	34	5	10	2,706	185	1,322	958	936	188
White	17,623	7,541	10,082	69	436	61	2,589	390	2,616	1,787	1,809	325
Male	10,403	4,515	5,888	44	434	53	1,576	231	1,430	967	981	172
Female	7,220	3,026	4,194	25	2	8	1,013	159	1,186	820	828	153
Nonwhite	11,266	6,336	4,930	15	273	20	3,663	61	287	296	236	79
Male	6,097	3,317	2,780	6	270	18	1,970	35	151	158	128	44
Female	5,169	3,019	2,150	9	3	2	1,693	26	136	138	108	35

Table 67. Deaths by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
MAINE	10,498	4,484	6,014	41	235	4	307	216	660	3,110	1,297	144
Male	5,847	2,640	3,207	26	233	4	167	116	344	1,689	572	56
Female	4,651	1,844	2,807	15	2	-	140	100	316	1,421	725	88
White	10,447	4,466	5,981	39	234	4	303	214	655	3,096	1,293	143
Male	5,817	2,629	3,188	26	232	4	164	115	341	1,680	570	56
Female	4,630	1,837	2,793	13	2	-	139	99	314	1,416	723	87
Nonwhite	51	18	33	2	1	-	4	2	5	14	4	1
Male	30	11	19	-	1	-	3	1	3	9	2	-
Female	21	7	14	2	-	-	1	1	2	5	2	1
MARYLAND	27,116	9,842	17,274	298	585	125	2,373	1,631	3,419	7,149	1,391	303
Male	15,218	5,376	9,842	185	582	68	1,310	954	1,901	4,169	555	118
Female	11,898	4,466	7,432	113	3	57	1,063	677	1,518	2,980	836	185
White	21,730	8,222	13,508	286	447	92	1,670	1,165	3,043	5,289	1,262	274
Male	12,188	4,551	7,637	165	444	52	895	689	1,701	3,098	494	99
Female	9,542	3,671	5,871	101	3	40	775	476	1,342	2,191	768	175
Nonwhite	5,386	1,620	3,766	32	138	33	703	466	376	1,860	129	29
Male	3,030	825	2,205	20	138	16	415	265	200	1,071	61	19
Female	2,356	795	1,561	12	-	17	288	201	176	789	68	10
MASSACHUSETTS	56,620	20,164	36,456	172	908	51	3,150	5,810	3,661	16,428	5,288	988
Male	29,895	10,858	19,037	111	898	42	1,796	3,223	1,869	8,701	1,935	462
Female	26,725	9,306	17,419	61	10	9	1,354	2,587	1,792	7,727	3,353	526
White	55,471	19,814	35,657	154	894	47	3,057	5,518	3,634	16,149	5,227	977
Male	29,281	10,679	18,602	100	884	38	1,745	3,059	1,854	8,551	1,915	456
Female	26,190	9,135	17,055	54	10	9	1,312	2,459	1,780	7,598	3,312	521
Nonwhite	1,149	350	799	18	14	4	93	292	27	279	61	11
Male	614	179	435	11	14	4	51	164	15	150	20	6
Female	535	171	364	7	-	-	42	128	12	129	41	5
MICHIGAN	65,937	21,862	44,075	29	985	35	2,186	10,862	9,282	15,094	4,111	1,491
Male	38,337	12,955	25,382	24	975	24	1,288	6,610	5,331	8,519	1,858	753
Female	27,600	8,907	18,693	5	10	11	898	4,252	3,951	6,575	2,253	738
White	60,654	20,827	39,827	28	860	31	2,033	8,975	8,911	13,682	5,904	1,403
Male	35,469	12,388	23,081	23	851	22	1,194	5,556	5,140	7,824	1,764	707
Female	25,185	8,439	16,746	5	9	9	839	3,419	3,771	5,858	2,140	696
Nonwhite	5,283	1,035	4,248	1	125	4	153	1,887	371	1,412	207	88
Male	2,868	567	2,301	1	124	2	94	1,054	191	695	94	46
Female	2,415	468	1,947	-	1	2	59	833	180	717	113	42
MINNESOTA	30,675	9,934	20,741	19	532	32	1,841	4,799	5,972	5,437	1,478	631
Male	17,812	6,313	11,499	14	527	16	1,051	2,732	3,216	2,937	652	354
Female	12,863	3,621	9,242	5	5	16	790	2,067	2,756	2,500	826	277
White	30,313	9,813	20,500	18	525	3	1,814	4,711	5,934	5,406	1,465	624
Male	17,599	6,231	11,368	14	520	1	1,033	2,681	3,199	2,921	647	352
Female	12,714	3,582	9,132	4	5	2	781	2,030	2,735	2,485	818	272
Nonwhite	362	121	241	1	7	29	27	88	38	31	13	7
Male	213	82	131	-	7	15	18	51	17	16	5	2
Female	149	39	110	1	-	14	9	37	21	15	8	5
MISSISSIPPI	21,573	12,476	9,097	58	431	24	1,471	3,089	906	1,629	799	690
Male	12,051	6,901	5,150	33	429	17	815	1,716	508	875	415	342
Female	9,522	5,575	3,947	25	2	7	656	1,373	398	754	384	348
White	10,853	5,074	5,779	55	290	14	594	1,961	734	1,151	570	410
Male	6,398	3,012	3,386	30	289	13	346	1,147	423	627	297	214
Female	4,455	2,062	2,393	25	1	1	248	814	311	524	273	196
Nonwhite	10,720	7,402	3,318	3	141	10	877	1,128	172	478	229	280
Male	5,653	3,889	1,764	3	140	4	469	569	85	248	118	128
Female	5,067	3,513	1,554	-	1	6	408	559	87	230	111	152
MISSOURI	46,769	19,203	27,566	56	936	12	1,300	6,662	7,594	4,713	5,476	817
Male	26,363	11,156	15,207	35	931	10	734	3,811	3,990	2,632	2,656	408
Female	20,406	8,047	12,359	21	5	2	566	2,851	3,604	2,081	2,820	409
White	42,075	17,338	24,737	46	818	11	1,160	4,742	7,348	4,450	5,397	765
Male	23,730	10,127	13,603	28	813	9	659	2,767	3,848	2,483	2,617	379
Female	18,345	7,211	11,134	18	5	2	501	1,975	3,500	1,967	2,780	386
Nonwhite	4,694	1,865	2,829	10	118	1	140	1,920	246	263	79	52
Male	2,633	1,029	1,604	7	118	1	75	1,044	142	149	39	29
Female	2,061	836	1,225	3	-	-	65	876	104	114	40	23
MONTANA	6,261	2,169	4,092	11	116	81	257	435	1,992	872	220	108
Male	3,971	1,490	2,481	8	115	47	184	259	1,187	503	123	55
Female	2,290	679	1,611	3	1	34	73	176	805	369	97	53
White	6,033	2,095	3,938	11	115	1	248	427	1,955	858	217	106
Male	3,836	1,446	2,390	8	114	1	180	253	1,165	496	120	53
Female	2,197	649	1,548	3	1	-	68	174	790	362	97	53
Nonwhite	228	74	154	-	1	80	9	8	37	14	3	2
Male	135	44	91	-	1	46	4	6	22	7	3	2
Female	93	30	63	-	-	34	5	2	15	7	-	-
NEBRASKA	13,729	4,571	9,158	30	376	19	680	1,481	3,797	1,345	1,082	348
Male	8,095	2,634	5,261	21	371	11	428	855	2,067	764	577	167
Female	5,634	1,737	3,897	9	5	8	252	626	1,730	581	505	181
White	13,335	4,462	8,873	30	359	3	646	1,397	3,704	1,314	1,074	346
Male	7,879	2,778	5,101	21	354	3	411	806	2,020	747	573	166
Female	5,456	1,684	3,772	9	5	-	235	591	1,684	567	501	180
Nonwhite	394	109	285	-	17	16	34	84	93	31	8	2
Male	216	56	160	-	17	8	17	49	47	17	4	1
Female	178	53	125	-	-	8	17	35	46	14	4	1

Table 67. Deaths by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
NEVADA	2,311	889	1,422	23	124	20	31	795	226	95	98	10
Male	1,557	632	925	14	121	11	22	511	125	60	56	5
Female	754	257	497	9	3	9	9	284	101	35	42	5
White	2,127	810	1,317	22	117	2	30	731	222	92	91	10
Male	1,454	586	868	14	114	2	21	478	123	58	53	5
Female	673	224	449	8	3	-	9	253	99	34	38	5
Nonwhite	184	79	105	1	7	18	1	64	4	3	7	-
Male	103	46	57	-	7	9	1	33	2	2	3	-
Female	81	33	48	1	-	9	-	31	2	1	4	-
NEW HAMPSHIRE	6,563	2,196	4,387	6	144	1	327	412	666	2,202	432	177
Male	3,611	1,324	2,287	4	143	1	172	245	339	1,157	152	75
Female	2,952	872	2,080	2	1	-	155	167	328	1,045	280	102
White	6,550	2,195	4,355	6	144	1	326	410	666	2,195	431	176
Male	3,605	1,324	2,281	4	143	1	171	245	338	1,153	151	75
Female	2,945	871	2,074	2	1	-	155	165	328	1,042	280	101
Nonwhite	13	1	12	-	-	-	1	2	-	7	1	1
Male	6	-	6	-	-	-	1	-	-	4	1	-
Female	7	1	6	-	-	-	-	2	-	3	-	1
NEW JERSEY	57,929	22,789	35,140	159	762	34	1,917	6,787	5,862	17,028	2,249	342
Male	32,137	12,849	19,288	110	758	29	942	3,715	3,281	9,504	800	149
Female	25,792	9,940	15,852	49	4	5	975	3,072	2,581	7,524	1,449	193
White	53,217	21,135	32,082	136	680	32	1,739	5,773	5,631	15,565	2,203	323
Male	29,488	11,932	17,556	95	677	28	850	3,157	3,148	8,687	776	138
Female	23,729	9,203	14,526	41	3	4	889	2,616	2,483	6,878	1,427	185
Nonwhite	4,712	1,654	3,058	23	82	2	178	1,014	231	1,463	46	19
Male	2,649	917	1,732	15	81	1	92	558	133	817	24	11
Female	2,063	737	1,326	8	1	1	86	456	98	646	22	8
NEW MEXICO	6,105	2,335	3,770	78	174	138	253	1,006	1,254	401	345	121
Male	3,655	1,451	2,204	48	172	82	146	562	716	235	168	75
Female	2,450	884	1,566	30	2	56	107	444	538	166	177	46
White	5,511	2,144	3,367	70	164	5	245	887	1,168	379	343	106
Male	3,289	1,327	1,962	43	162	2	142	494	672	218	166	63
Female	2,222	817	1,405	27	2	3	103	393	496	161	177	43
Nonwhite	594	191	403	8	10	133	8	119	86	22	2	15
Male	366	124	242	5	10	80	4	68	44	17	2	12
Female	228	67	161	3	-	53	4	51	42	5	-	3
NEW YORK	173,814	59,477	114,337	237	3,255	173	10,655	30,354	14,901	40,119	12,910	1,733
Male	95,486	34,312	61,174	166	3,236	162	4,983	16,626	7,834	21,764	5,644	759
Female	78,328	25,165	53,163	71	19	11	5,672	13,728	7,067	18,355	7,266	974
White	160,790	56,054	104,736	201	3,004	151	9,882	24,698	14,287	38,193	12,641	1,679
Male	88,478	32,322	56,156	145	2,987	141	4,593	13,785	7,511	20,737	5,527	730
Female	72,312	23,732	48,580	56	17	10	5,289	10,913	6,776	17,456	7,114	949
Nonwhite	13,024	3,423	9,601	36	251	22	773	5,656	614	1,926	269	54
Male	7,008	1,990	5,018	21	249	21	390	2,841	323	1,027	117	29
Female	6,016	1,433	4,583	15	2	1	383	2,815	291	899	152	25
NORTH CAROLINA	35,674	17,012	18,662	192	680	33	1,383	5,539	2,078	7,173	1,194	410
Male	20,600	9,962	10,638	111	673	21	727	3,136	1,117	4,081	591	181
Female	15,074	7,050	8,024	81	7	12	656	2,403	961	3,092	603	229
White	24,534	10,868	13,666	172	504	22	940	3,617	1,397	5,613	1,049	352
Male	14,470	6,567	7,903	96	497	14	506	2,115	742	3,254	529	150
Female	10,064	4,301	5,763	76	7	8	434	1,502	655	2,359	520	202
Nonwhite	11,140	6,144	4,996	20	176	11	423	1,922	681	1,560	145	58
Male	6,130	3,395	2,735	15	176	7	221	1,021	375	827	62	31
Female	5,010	2,749	2,261	5	-	4	202	901	306	733	83	27
NORTH DAKOTA	5,215	1,599	3,616	3	70	39	193	73	1,971	1,168	73	26
Male	3,278	1,080	2,198	3	69	24	129	52	1,170	690	42	19
Female	1,937	519	1,418	-	1	15	64	21	801	478	31	7
White	5,087	1,552	3,535	3	70	-	189	73	1,943	1,159	72	26
Male	3,196	1,047	2,149	3	69	-	128	52	1,152	685	41	19
Female	1,891	505	1,386	-	1	-	61	21	791	474	31	7
Nonwhite	128	47	81	-	-	39	4	-	28	9	1	-
Male	82	33	49	-	-	24	1	-	18	5	1	-
Female	46	14	32	-	-	15	3	-	10	4	-	-
OHIO	91,675	35,256	56,419	74	1,325	8	3,505	9,088	13,473	21,907	5,667	1,372
Male	51,496	20,394	31,102	56	1,317	8	1,991	5,282	7,467	12,075	2,238	668
Female	40,179	14,862	25,317	18	8	-	1,514	3,806	6,006	9,832	3,429	704
White	84,296	32,643	51,653	69	1,107	8	3,052	7,636	12,595	20,388	5,504	1,314
Male	47,305	18,904	28,401	51	1,099	8	1,739	4,463	6,986	11,282	2,163	630
Female	36,991	13,739	23,252	18	8	-	1,313	3,173	5,609	9,106	3,341	684
Nonwhite	7,379	2,613	4,766	5	218	-	453	1,452	878	1,519	163	58
Male	4,191	1,490	2,701	5	218	-	252	819	481	813	75	38
Female	3,188	1,123	2,065	-	-	-	201	633	397	726	88	20
OKLAHOMA	21,770	8,765	13,005	83	511	198	1,314	2,177	3,086	2,016	3,258	362
Male	12,748	5,184	7,564	47	509	94	780	1,269	1,777	1,152	1,720	216
Female	9,022	3,581	5,441	36	2	104	534	908	1,309	864	1,538	146
White	19,444	7,742	11,702	71	448	11	1,125	1,939	2,833	1,833	3,102	340
Male	11,466	4,610	6,856	43	447	6	688	1,129	1,644	1,062	1,633	204
Female	7,978	3,132	4,846	28	1	5	437	810	1,189	771	1,469	136
Nonwhite	2,326	1,023	1,303	12	63	187	189	238	253	183	156	22
Male	1,282	574	708	4	62	88	92	140	133	90	87	12
Female	1,044	449	595	8	1	99	97	98	120	93	69	10

Table 67. Deaths by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
OREGON	15,479	5,468	10,011	17	432	8	1,160	707	3,122	1,270	3,062	233
Male	9,365	3,599	5,766	16	428	7	699	462	1,768	771	1,505	110
Female	6,114	1,869	4,245	1	4	1	461	245	1,354	499	1,557	123
White	15,192	5,370	9,822	17	424	4	1,120	692	3,052	1,261	3,024	228
Male	9,196	3,538	5,658	16	420	4	676	454	1,727	766	1,488	107
Female	5,996	1,832	4,164	1	4	-	444	238	1,325	495	1,536	121
Nonwhite	287	98	189	-	8	4	40	15	70	9	38	5
Male	169	61	108	-	8	3	23	8	41	5	17	3
Female	118	37	81	-	-	1	17	7	29	4	21	2
PENNSYLVANIA	118,571	47,939	70,632	283	1,788	33	5,793	5,804	7,454	43,664	4,478	1,335
Male	66,328	26,908	39,420	240	1,764	27	3,212	3,259	3,996	24,500	1,784	638
Female	52,243	21,031	31,212	43	24	6	2,581	2,545	3,458	19,164	2,694	697
White	109,922	44,798	65,124	233	1,619	33	5,429	4,552	7,110	40,554	4,382	1,212
Male	61,540	25,213	36,327	199	1,595	27	3,012	2,564	3,789	22,829	1,743	569
Female	48,382	19,585	28,797	34	24	6	2,417	1,988	3,321	17,725	2,639	643
Nonwhite	8,649	3,141	5,508	50	169	-	364	1,252	344	3,110	96	123
Male	4,788	1,695	3,093	41	169	-	200	695	207	1,671	41	69
Female	3,861	1,446	2,415	9	-	-	164	557	137	1,439	55	54
RHODE ISLAND	8,878	3,301	5,577	55	282	9	845	38	783	2,984	530	51
Male	4,733	1,795	2,938	34	279	7	472	29	347	1,577	171	22
Female	4,145	1,506	2,639	21	3	2	373	9	436	1,407	359	29
White	8,670	3,233	5,437	52	279	9	811	37	775	2,898	528	50
Male	4,627	1,756	2,871	33	276	7	455	28	346	1,535	170	21
Female	4,043	1,477	2,566	19	3	2	356	9	429	1,361	358	29
Nonwhite	208	68	140	3	3	-	34	1	8	88	2	1
Male	106	39	67	1	3	-	17	1	1	42	1	1
Female	102	29	73	2	-	-	17	-	.7	46	1	-
SOUTH CAROLINA	19,709	9,881	9,828	162	417	11	816	4,072	726	2,921	542	161
Male	11,156	5,591	5,565	108	415	10	465	2,229	407	1,618	243	70
Female	8,553	4,290	4,263	54	2	1	351	1,843	319	1,303	299	91
White	11,184	4,668	6,516	136	274	6	520	2,618	651	1,782	399	130
Male	6,624	2,850	3,774	86	272	5	302	1,483	367	1,027	177	55
Female	4,560	1,818	2,742	50	2	1	218	1,135	284	755	222	75
Nonwhite	8,525	5,213	3,312	26	143	5	296	1,454	75	1,139	143	31
Male	4,532	2,741	1,791	22	143	5	163	746	40	591	66	15
Female	3,993	2,472	1,521	4	-	-	133	708	35	548	77	16
SOUTH DAKOTA	6,248	2,095	4,153	8	176	103	181	375	1,609	1,250	271	180
Male	3,732	1,358	2,374	3	175	55	98	220	913	700	121	89
Female	2,516	737	1,779	5	1	48	83	155	696	550	150	91
White	5,941	1,966	3,975	8	167	3	179	371	1,570	1,241	266	170
Male	3,554	1,277	2,277	3	166	2	97	220	892	696	119	82
Female	2,387	689	1,698	5	1	1	82	151	678	545	147	88
Nonwhite	307	129	178	-	9	100	2	4	39	9	5	10
Male	178	81	97	-	9	53	1	-	21	4	2	7
Female	129	48	81	-	-	47	1	4	18	5	3	3
TENNESSEE	32,385	15,578	16,807	52	760	24	1,124	5,892	2,601	3,152	2,855	347
Male	18,301	8,645	9,656	36	752	20	628	3,330	1,440	1,751	1,502	197
Female	14,084	6,933	7,151	16	8	4	496	2,562	1,161	1,401	1,353	150
White	25,320	11,850	13,470	45	562	20	877	3,906	2,485	2,607	2,655	313
Male	14,516	6,741	7,775	31	556	17	481	2,264	1,387	1,462	1,404	173
Female	10,804	5,109	5,695	14	6	3	396	1,642	1,098	1,145	1,251	140
Nonwhite	7,065	3,728	3,337	7	198	4	247	1,986	116	545	200	34
Male	3,785	1,904	1,881	5	196	3	147	1,066	53	289	98	24
Female	3,280	1,824	1,456	2	2	1	100	920	63	256	102	10
TEXAS	73,351	32,382	40,969	948	1,655	70	2,825	9,923	9,125	5,588	8,986	1,849
Male	42,881	18,923	23,958	668	1,653	70	1,650	5,830	5,030	3,241	4,839	977
Female	30,470	13,459	17,011	280	2	-	1,175	4,093	4,095	2,347	4,147	872
White	61,416	25,963	35,453	849	1,288	67	2,316	7,745	8,477	4,817	8,296	1,598
Male	36,244	15,417	20,827	601	1,286	67	1,362	4,659	4,728	2,821	4,464	839
Female	25,172	10,546	14,626	248	2	-	954	3,086	3,749	1,996	3,832	759
Nonwhite	11,935	6,419	5,516	99	367	3	509	2,178	648	771	690	251
Male	6,637	3,506	3,131	67	367	3	288	1,171	302	420	375	138
Female	5,298	2,913	2,385	32	-	-	221	1,007	346	351	315	113
UTAH	5,842	2,625	3,217	12	165	2	118	854	1,668	100	207	91
Male	3,367	1,525	1,842	9	164	1	57	510	909	54	98	40
Female	2,475	1,100	1,375	3	1	1	61	344	759	46	109	51
White	5,707	2,567	3,140	10	163	2	115	823	1,635	99	204	89
Male	3,278	1,489	1,789	7	162	1	54	488	889	53	96	39
Female	2,429	1,078	1,351	3	1	1	61	335	746	46	108	50
Nonwhite	135	58	77	2	2	-	3	31	33	1	3	2
Male	89	36	53	2	2	-	3	22	20	1	2	1
Female	46	22	24	-	-	-	-	9	13	-	1	1
VERMONT	4,295	1,598	2,697	3	80	-	201	11	287	1,618	366	131
Male	2,363	945	1,418	3	79	-	120	7	156	859	148	46
Female	1,932	653	1,279	-	1	-	81	4	131	759	218	85
White	4,283	1,592	2,691	3	80	-	201	11	284	1,615	366	131
Male	2,354	941	1,413	3	79	-	120	7	153	857	148	46
Female	1,929	651	1,278	-	1	-	81	4	131	758	218	85
Nonwhite	12	6	6	-	-	-	-	-	3	3	-	-
Male	9	4	5	-	-	-	-	-	3	2	-	-
Female	3	2	1	-	-	-	-	-	-	1	-	-

546215 O - 60 - 7

Table 67. Deaths by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
VIRGINIA	33,131	14,987	18,144	467	837	139	3,432	919	976	8,084	2,768	522
Male	18,929	8,720	10,209	277	831	96	1,948	480	498	4,475	1,367	237
Female	14,202	8,267	7,935	190	6	43	1,484	439	478	3,609	1,401	285
White	24,139	10,368	13,771	407	570	89	2,061	531	849	6,195	2,621	448
Male	13,906	6,132	7,774	248	566	62	1,211	279	440	3,481	1,290	197
Female	10,233	4,236	5,997	159	4	27	850	252	409	2,714	1,331	251
Nonwhite	8,992	4,619	4,373	60	267	50	1,371	388	127	1,889	147	74
Male	5,023	2,588	2,435	29	265	34	737	201	58	994	77	40
Female	3,969	2,031	1,938	31	2	16	634	187	69	895	70	34
WASHINGTON	25,500	8,393	17,107	221	555	87	644	2,639	3,925	4,558	3,815	463
Male	15,191	5,458	9,733	132	554	66	371	1,682	2,267	2,575	1,841	225
Female	10,309	2,935	7,374	89	1	21	273	1,157	1,658	1,983	1,974	238
White	24,666	8,103	16,563	195	539	67	632	2,640	3,819	4,448	3,772	451
Male	14,672	5,263	9,409	120	538	54	363	1,568	2,218	2,508	1,821	219
Female	9,994	2,840	7,154	75	1	13	269	1,072	1,601	1,940	1,951	232
Nonwhite	834	290	544	26	16	20	12	199	106	110	43	12
Male	519	195	324	12	16	12	8	114	69	67	20	6
Female	315	95	220	14	-	8	4	85	37	43	23	6
WEST VIRGINIA	17,714	7,851	9,863	21	331	17	903	1,305	1,707	2,553	2,674	352
Male	10,639	4,721	5,918	15	331	12	542	733	1,002	1,577	1,493	213
Female	7,075	3,130	3,945	6	-	5	361	572	705	976	1,181	139
White	16,515	7,343	9,172	20	288	15	790	1,277	1,634	2,358	2,452	338
Male	9,916	4,429	5,487	14	288	10	472	717	958	1,455	1,371	202
Female	6,599	2,914	3,685	6	-	5	318	560	676	903	1,081	136
Nonwhite	1,199	508	691	1	43	2	113	28	73	195	222	14
Male	723	292	431	1	43	2	70	16	44	122	122	11
Female	476	216	260	-	-	-	43	12	29	73	100	3
WISCONSIN	37,280	12,412	24,868	25	757	11	757	6,140	9,796	5,106	1,664	602
Male	21,498	7,496	14,002	17	760	10	433	3,434	5,393	2,893	751	311
Female	15,782	4,916	10,866	8	7	1	324	2,706	4,403	2,213	913	291
White	36,684	12,257	24,427	25	746	10	739	5,917	9,690	5,044	1,655	601
Male	21,169	7,407	13,762	17	739	9	425	3,312	5,340	2,865	745	310
Female	15,515	4,850	10,665	8	7	1	314	2,605	4,350	2,179	910	291
Nonwhite	596	155	441	-	21	1	18	223	106	62	9	1
Male	329	89	240	-	21	1	8	122	53	28	6	1
Female	267	66	201	-	-	-	10	101	53	34	3	-
WYOMING	2,536	782	1,754	15	77	1	124	1,015	311	80	110	21
Male	1,589	531	1,058	11	77	1	78	604	177	47	53	10
Female	947	251	696	4	-	-	46	411	134	33	57	11
White	2,458	757	1,701	14	75	1	122	981	299	78	110	21
Male	1,546	519	1,027	10	75	1	76	587	169	46	53	10
Female	912	238	674	4	-	-	46	394	130	32	57	11
Nonwhite	78	25	53	1	2	-	2	34	12	2	-	-
Male	43	12	31	1	2	-	2	17	8	1	-	-
Female	35	13	22	-	-	-	-	17	4	1	-	-

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE			
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex				Total deaths	Color and sex			
					White		Nonwhite			White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,647,886	315,203	1,009,064	828,550	622,527	108,244	88,565	951.3	1,090.0	798.2	1,155.8	898.3
	I. Infective and parasitic diseases												
001-008	Tuberculosis of respiratory system	11,477	3,328	6,211	6,486	2,182	1,923	886	6.6	8.5	2.8	20.5	9.0
001	Respiratory tuberculosis with mention of occupational disease of lung	461	118	280	411	9	41	-	0.3	0.5	0.0	0.4	0
002	Pulmonary tuberculosis	10,625	3,116	5,726	5,891	2,074	1,813	847	6.1	7.7	2.7	19.4	8.6
003	Pleural tuberculosis	131	39	69	63	44	16	8	0.1	0.1	0.1	0.2	0.1
.0	Pleurisy specified as tuberculous	33	9	16	16	7	8	2	0.0	0.0	0.0	0.1	0.0
.1	Pleurisy with effusion without mention of cause	98	30	53	47	37	8	6	0.1	0.1	0.0	0.1	0.1
004	Primary tuberculosis complex with symptoms	3	3	-	2	-	-	1	0.0	0.0	0	0	0.0
005	Tracheobronchial glandular tuberculosis with symptoms	2	1	1	1	-	-	1	0.0	0.0	0	0	0.0
007	Other respiratory tuberculosis	5	4	1	4	-	-	1	0.0	0.0	0	0	0.0
008	Tuberculosis, unspecified site	250	47	134	114	55	53	28	0.1	0.1	0.1	0.6	0.3
010-019	Tuberculosis, other forms	884	400	334	324	186	210	164	0.5	0.4	0.2	2.2	1.7
010	Tuberculosis of meninges and central nervous system	296	133	115	85	66	67	78	0.2	0.1	0.1	0.7	0.8
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	67	28	25	19	17	16	15	0.0	0.0	0.0	0.2	0.2
012	Tuberculosis of bones and joints, active or unspecified	82	29	35	38	19	16	9	0.0	0.0	0.0	0.2	0.1
.0	Active or unspecified tuberculosis of vertebral column	61	21	24	27	16	12	6	0.0	0.0	0.0	0.1	0.1
.1	Active or unspecified tuberculosis of hip	6	2	3	2	1	2	1	0.0	0.0	0.0	0.0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	15	6	8	9	2	2	2	0.0	0.0	0.0	0.0	0.0
013	Late effects of tuberculosis of bones and joints	2	1	1	1	1	-	-	0.0	0.0	0.0	0	0
.0	Late effects of tuberculosis of vertebral column	2	1	1	1	1	-	-	0.0	0.0	0.0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	3	1	2	-	1	1	1	0.0	0	0.0	0.0	0.0
.2	Lupus	2	1	1	-	1	-	1	0.0	0	0.0	0	0.0
.3	Other tuberculosis of skin and subcutaneous cellular tissue	1	-	1	-	-	1	-	0.0	0	0	0.0	0
015	Tuberculosis of lymphatic system	16	6	8	6	7	1	2	0.0	0.0	0.0	0.0	0.0
016	Tuberculosis of genitourinary system	118	35	59	64	34	14	6	0.1	0.1	0.0	0.1	0.1
017	Tuberculosis of adrenal glands	34	26	4	14	6	13	1	0.0	0.0	0.0	0.1	0.0
018	Tuberculosis of other organs	41	28	8	15	9	10	7	0.0	0.0	0.0	0.1	0.1
.2	Other	41	28	8	15	9	10	7	0.0	0.0	0.0	0.1	0.1
019	Disseminated tuberculosis	225	113	77	82	26	72	45	0.1	0.1	0.0	0.8	0.5
.1	Acute miliary tuberculosis, unspecified	9	6	3	3	1	5	-	0.0	0.0	0.0	0.1	0
.2	Other forms of disseminated tuberculosis	216	107	74	79	25	67	45	0.1	0.1	0.0	0.7	0.5
020-029	Syphilis and its sequelae	3,469	1,113	1,718	1,637	603	852	377	2.0	2.2	0.8	9.1	3.8
020	Congenital syphilis	37	10	13	11	5	16	5	0.0	0.0	0.0	0.2	0.1
.1	Juvenile neurosyphilis	2	-	2	1	1	-	-	0.0	0.0	0.0	0	0
.2	Other congenital syphilis	35	10	11	10	4	16	5	0.0	0.0	0.0	0.2	0.1
022	Aneurysm of aorta	1,434	621	590	802	293	221	118	0.8	1.1	0.4	2.4	1.2
023	Other cardiovascular syphilis	1,182	353	613	458	154	409	161	0.7	0.6	0.2	4.4	1.6
024	Tabes dorsalis	83	12	46	55	12	13	3	0.0	0.1	0.0	0.1	0.0
025	General paralysis of insane	292	39	185	135	55	69	33	0.2	0.2	0.1	0.7	0.3
026	Other syphilis of central nervous system	356	63	225	145	65	103	43	0.2	0.2	0.1	1.1	0.4
027	Other forms of late syphilis	52	10	29	21	13	11	7	0.0	0.0	0.0	0.1	0.1
028	Latent syphilis	1	-	1	-	-	1	-	0.0	0	0	0.0	0
.1	Late latent	1	-	1	-	-	1	-	0.0	0	0	0.0	0
029	Syphilis, unqualified	32	5	16	10	6	9	7	0.0	0.0	0.0	0.1	0.1
030-039	Gonococcal infection and other venereal diseases	38	10	21	6	2	16	14	0.0	0.0	0.0	0.2	0.1
030	Acute or unspecified gonorrhea	1	-	-	-	1	-	-	0.0	0	0.0	0	0
031	Chronic gonococcal infection of genitourinary system	1	1	-	-	-	-	1	0.0	0	0	0	0.0
035	Late effects of gonococcal infection	16	6	8	5	-	10	1	0.0	0.0	0	0.1	0.0
037	Lymphogranuloma venereum	14	2	10	-	-	5	9	0.0	0	0	0.1	0.1
038	Granuloma inguinale, venereal	4	1	1	1	-	1	2	0.0	0.0	0	0.0	0.0
039	Other and unspecified venereal diseases	2	-	2	-	1	-	1	0.0	0	0.0	0	0.0
040-049	Infectious diseases commonly arising in intestinal tract	558	149	267	209	153	120	76	0.3	0.3	0.2	1.3	0.8
040	Typhoid fever	23	11	8	9	9	2	3	0.0	0.0	0.0	0.0	0.0
041	Paratyphoid fever	3	1	1	1	1	-	1	0.0	0.0	0.0	0	0.0
042	Other Salmonella infections	62	40	14	28	14	10	10	0.0	0.0	0.0	0.1	0.1
.0	Without mention of food as vehicle of infection	57	37	13	26	12	9	10	0.0	0.0	0.0	0.1	0.1
.1	With food as vehicle of infection	5	3	1	2	2	1	-	0.0	0.0	0.0	0.0	0
044	Brucellosis (undulant fever)	8	2	5	3	3	2	-	0.0	0.0	0.0	0.0	0
045	Bacillary dysentery	157	35	77	42	46	46	23	0.1	0.1	0.1	0.5	0.2
.0	Flexner-Boyd group	9	2	6	3	1	3	2	0.0	0.0	0.0	0.0	0.0
.2	Shiga	3	2	1	1	1	-	1	0.0	0.0	0.0	0	0.0
.3	Sonne	3	2	1	-	2	1	-	0.0	0	0.0	0.0	0
.4	Bacillary, other and unspecified	142	29	69	38	42	42	20	0.1	0.0	0.1	0.4	0.2
046	Amebiasis	86	43	30	47	14	16	9	0.0	0.1	0.0	0.2	0.1
.0	Without mention of liver abscess	59	26	23	29	10	13	7	0.0	0.0	0.0	0.1	0.1
.1	With liver abscess	27	17	7	18	4	3	2	0.0	0.0	0.0	0.0	0.0
048	Unspecified forms of dysentery	164	8	107	64	50	30	20	0.1	0.1	0.1	0.3	0.2
049	Food poisoning (infection and intoxication)	55	9	25	15	16	14	10	0.0	0.0	0.0	0.1	0.1
.0	Staphylococcal	5	2	1	1	-	2	2	0.0	0.0	0	0.0	0.0
.1	Botulism	4	1	2	2	2	-	-	0.0	0.0	0.0	0	0
.2	Unspecified	46	6	22	12	14	12	8	0.0	0.0	0.0	0.1	0.1
050-064	Other bacterial diseases	3,182	1,418	1,176	1,330	1,109	396	347	1.8	1.7	1.4	4.2	3.5
050	Scarlet fever	12	2	7	3	6	1	2	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat	127	25	69	54	48	11	14	0.1	0.1	0.1	0.1	0.1

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex				Total deaths	Color and sex			
					White		Nonwhite			White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued												
	Other bacterial diseases—Continued												
052	Erysipelas	26	3	17	13	11	1	1	0.0	0.0	0.0	0.0	0.0
053	Septicemia and pyemia	1,663	775	612	749	594	175	145	1.0	1.0	0.8	1.9	1.5
.0	Streptococcus	64	33	21	23	29	9	3	0.0	0.0	0.0	0.1	0.0
.1	Staphylococcus	353	173	130	198	120	14	21	0.2	0.3	0.2	0.1	0.2
.2	Pneumococcus	30	17	9	15	9	3	3	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	90	50	36	47	24	12	7	0.1	0.1	0.0	0.1	0.1
.4	Organism unspecified	1,126	502	416	466	412	137	111	0.6	0.6	0.5	1.5	1.1
054	Bacterial toxemia	4	2	2	1	3	-	-	0.0	0.0	0.0	0	0
055	Diphtheria	74	20	35	24	23	12	15	0.0	0.0	0.0	0.1	0.2
056	Whooping cough	177	42	86	44	47	42	44	0.1	0.1	0.1	0.4	0.4
.0	Without mention of pneumonia	90	10	51	22	24	23	21	0.1	0.0	0.0	0.2	0.2
.1	With pneumonia	87	32	35	22	23	19	23	0.1	0.0	0.0	0.2	0.2
057	Meningococcal infections	746	419	209	310	309	68	59	0.4	0.4	0.4	0.7	0.6
.0	Meningococcal meningitis	388	192	137	155	156	48	29	0.2	0.2	0.2	0.5	0.3
.1	Acute and unspecified meningococcemia	355	225	72	154	152	19	30	0.2	0.2	0.2	0.2	0.3
.3	Other forms of meningococcal infection	3	2	-	1	1	1	-	0.0	0.0	0.0	0.0	0
059	Tularemia	6	2	2	3	-	3	-	0.0	0.0	0	0.0	0
060	Leprosy	3	1	2	2	-	1	-	0.0	0.0	0	0.0	0
.1	Neuroleprosy	1	-	1	1	-	-	-	0.0	0.0	0	0	0
.3	Unspecified	2	1	1	1	-	1	-	0.0	0.0	0	0.0	0
061	Tetanus	303	104	125	103	53	81	66	0.2	0.1	0.1	0.9	0.7
062	Anthrax	1	1	-	1	-	-	-	0.0	0.0	0	0	0
063	Gas gangrene	37	21	9	21	14	1	1	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases	3	1	1	2	1	-	-	0.0	0.0	0.0	0	0
.4	Other	3	1	1	2	1	-	-	0.0	0.0	0.0	0	0
070-074	Spirochetal diseases, except syphilis	22	5	12	9	4	4	5	0.0	0.0	0.0	0.0	0.1
070	Vincent's infection	10	-	7	3	3	1	3	0.0	0.0	0.0	0.0	0.0
072	Leptospirosis	11	5	5	5	1	3	2	0.0	0.0	0.0	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)	7	3	4	3	-	2	2	0.0	0.0	0	0.0	0.0
.1	Other and unspecified	4	2	1	2	1	1	-	0.0	0.0	0.0	0.0	0
074	Other spirochetal infections	1	-	-	1	-	-	-	0.0	0.0	0	0	0
.0	Rat-bite fever due to Spirochaeta morsus muris (sodoku)	1	-	-	1	-	-	-	0.0	0.0	0	0	0
080-096	Diseases attributable to viruses	3,087	1,264	1,275	1,345	1,327	206	209	1.8	1.8	1.7	2.2	2.1
080	Acute poliomyelitis	255	136	81	136	76	27	16	0.1	0.2	0.1	0.3	0.2
.0	Specified as bulbar or polioencephalitis	164	94	48	88	48	17	11	0.1	0.1	0.1	0.2	0.1
.1	With other paralysis	21	5	10	12	9	-	-	0.0	0.0	0.0	0	0
.3	Unspecified	70	37	23	36	19	10	5	0.0	0.0	0.0	0.1	0.1
081	Late effects of acute poliomyelitis	147	35	81	76	63	3	5	0.1	0.1	0.1	0.0	0.1
082	Acute infectious encephalitis	537	287	159	249	225	34	29	0.3	0.3	0.3	0.4	0.3
.0	Arthropod-borne encephalitis	8	1	4	3	4	1	-	0.0	0.0	0.0	0.0	0
.1	Lymphocytic choriomeningitis	37	19	11	18	12	3	4	0.0	0.0	0.0	0.0	0.0
.2	Lethargic encephalitis	20	2	12	10	10	-	-	0.0	0.0	0.0	0	0
.3	Other and unspecified infectious encephalitis	472	265	132	218	199	30	25	0.3	0.3	0.3	0.3	0.3
083	Late effects of acute infectious encephalitis	88	11	60	55	31	1	1	0.1	0.1	0.0	0.0	0.0
.0	Postencephalitic Parkinsonism	60	9	44	39	21	-	-	0.0	0.1	0.0	0	0
.1	Postencephalitic personality and character disorders	2	-	1	1	1	-	-	0.0	0.0	0.0	0	0
.2	Postencephalitic psychosis	2	-	2	2	-	-	-	0.0	0.0	0	0	0
.3	Other postencephalitic conditions	24	2	13	13	9	1	1	0.0	0.0	0.0	0.0	0.0
085	Measles	552	152	281	220	206	69	57	0.3	0.3	0.3	0.7	0.6
.0	Without mention of pneumonia	210	53	106	89	74	30	17	0.1	0.1	0.1	0.3	0.2
.1	With pneumonia	342	99	175	131	132	39	40	0.2	0.2	0.2	0.4	0.4
086	Rubella (German measles)	24	13	6	9	15	-	-	0.0	0.0	0.0	0	0
087	Chickenpox	146	64	61	63	60	16	7	0.1	0.1	0.1	0.2	0.1
088	Herpes zoster	46	5	31	17	29	-	-	0.0	0.0	0.0	0	0
089	Mumps	37	10	21	15	19	2	1	0.0	0.0	0.0	0.0	0.0
092	Infectious hepatitis	897	439	324	352	449	31	65	0.5	0.5	0.6	0.3	0.7
093	Glandular fever (infectious mononucleosis)	16	7	7	4	11	-	1	0.0	0.0	0.0	0	0.0
094	Rabies	5	4	1	2	2	-	1	0.0	0.0	0.0	0	0.0
096	Other diseases attributable to viruses	337	101	162	147	141	23	26	0.2	0.2	0.2	0.2	0.3
.0	Herpes febrilis	26	13	13	17	8	1	-	0.0	0.0	0.0	0.0	0
.2	Psittacosis and ornithosis	3	2	-	-	3	-	-	0.0	0	0.0	0	0
.9	Other	308	86	149	130	130	22	26	0.2	0.2	0.2	0.2	0.3
100-108	Typhus and other rickettsial diseases	18	9	7	10	6	1	1	0.0	0.0	0.0	0.0	0.0
104	Tick-borne typhus	14	7	6	7	6	-	1	0.0	0.0	0.0	0	0.0
107	Typhus, unspecified	4	2	1	3	-	1	-	0.0	0.0	0	0.0	0
110-117	Malaria	6	-	4	3	-	3	-	0.0	0.0	0	0.0	0
112	Falciparum malaria (malignant tertian)	1	-	-	1	-	-	-	0.0	0.0	0	0	0
115	Blackwater fever	1	-	1	1	-	-	-	0.0	0.0	0	0	0
116	Other and unspecified forms of malaria	4	-	3	1	-	3	-	0.0	0.0	0	0.0	0
120-138	Other infective and parasitic diseases	666	302	246	299	171	106	90	0.4	0.4	0.2	1.1	0.9
121	Trypanosomiasis	1	1	-	1	-	-	-	0.0	0.0	0	0	0
.0	African (sleeping sickness)	1	1	-	1	-	-	-	0.0	0.0	0	0	0
122	Other protozoal diseases	12	8	4	7	3	2	-	0.0	0.0	0.0	0.0	0
.1	Toxoplasmosis	12	8	4	7	3	2	-	0.0	0.0	0.0	0.0	0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued											
	Other infective and parasitic diseases—Continued											
123	Schistosomiasis	6	4	1	4	1	1	-	0.0	0.0	0.0	0.0	0
.3	Other and unspecified schistosomiasis	6	4	1	4	1	1	-	0.0	0.0	0.0	0.0	0
124	Other trematode infestation	1	1	-	-	-	-	1	0.0	0	0	0	0.0
.2	Other	1	1	-	-	-	-	1	0.0	0	0	0	0.0
125	Hydatid disease	14	8	3	7	5	2	-	0.0	0.0	0.0	0.0	0
126	Other cestode infestation	2	1	-	2	-	-	-	0.0	0.0	0	0	0
128	Trichinosis	4	1	2	1	3	-	-	0.0	0.0	0.0	0	0
129	Ancylostomiasis	3	-	-	1	-	-	2	0.0	0.0	0	0	0.0
130	Infestation with worms of other, mixed, and unspecified type	54	21	23	6	13	12	23	0.0	0.0	0.0	0.1	0.2
.0	Ascariasis	35	15	16	4	7	8	16	0.0	0.0	0.0	0.1	0.2
.1	Oxyuriasis	1	-	-	-	1	-	-	0.0	0	0.0	0	0
.2	Mixed intestinal helminth infestation	1	-	-	-	1	-	-	0.0	0	0.0	0	0
.3	Other	17	6	7	2	4	4	7	0.0	0.0	0.0	0.0	0.1
131	Dermatophytosis	2	1	1	1	1	-	-	0.0	0.0	0.0	0	0
132	Actinomycosis	21	12	5	13	4	2	2	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis	50	34	15	26	10	11	3	0.0	0.0	0.0	0.1	0.0
134	Other fungus infections	283	117	108	168	67	36	12	0.2	0.2	0.1	0.4	0.1
.0	Blastomycosis	24	10	10	17	1	5	1	0.0	0.0	0.0	0.1	0.0
.1	Cryptococcosis (torulosis)	39	25	9	22	11	4	2	0.0	0.0	0.0	0.0	0.0
.2	Histoplasmosis	73	29	25	49	16	6	2	0.0	0.1	0.0	0.1	0.0
.3	Moniliasis	93	30	43	49	28	14	2	0.1	0.1	0.0	0.1	0.0
.5	Other	54	23	21	31	11	7	5	0.0	0.0	0.0	0.1	0.1
136	Pediculosis	2	1	1	1	1	-	-	0.0	0.0	0.0	0	0
138	Other infective and parasitic diseases	211	92	83	61	63	40	47	0.1	0.1	0.1	0.4	0.5
.0	Sarcoid of Boeck	174	70	71	46	49	34	45	0.1	0.1	0.1	0.4	0.5
.1	Other	37	22	12	15	14	6	2	0.0	0.0	0.0	0.1	0.0
	II. Neoplasms												
140-148	Malignant neoplasm of buccal cavity and pharynx	5,766	1,160	3,546	4,069	1,219	352	126	3.3	5.4	1.6	3.8	1.3
140	Malignant neoplasm of lip	227	26	152	201	25	1	-	0.1	0.3	0.0	0.0	0
.0	Upper lip	12	1	9	9	3	-	-	0.0	0.0	0.0	0	0
.1	Lower lip	71	13	42	64	7	-	-	0.0	0.1	0.0	0	0
.9	Lip, unspecified (including commissure)	144	12	101	128	15	1	-	0.1	0.2	0.0	0.0	0
141	Malignant neoplasm of tongue	1,455	304	913	1,037	290	92	36	0.8	1.4	0.4	1.0	0.4
.0	Base of tongue	116	34	65	93	12	8	3	0.1	0.1	0.0	0.1	0.0
.7	Other specified parts of tongue	33	4	27	23	7	2	1	0.0	0.0	0.0	0.0	0.0
.8	Multiple parts of tongue	1	1	-	1	-	-	-	0.0	0.0	0	0	0
.9	Part unspecified	1,305	265	821	920	271	82	32	0.8	1.2	0.3	0.9	0.3
142	Malignant neoplasm of salivary gland	571	100	360	343	192	21	15	0.3	0.5	0.2	0.2	0.2
.0	Parotid gland	441	71	283	269	147	17	8	0.3	0.4	0.2	0.2	0.1
.7	Other salivary gland	89	20	55	55	28	2	4	0.1	0.1	0.0	0.0	0.0
.8	Multiple salivary glands	1	-	1	-	1	-	-	0.0	0	0.0	0	0
.9	Gland unspecified	40	9	21	19	16	2	3	0.0	0.0	0.0	0.0	0.0
143	Malignant neoplasm of floor of mouth	335	102	192	252	58	23	2	0.2	0.3	0.1	0.2	0.0
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified	872	158	560	565	239	44	24	0.5	0.7	0.3	0.5	0.2
145	Malignant neoplasm of oral mesopharynx	461	113	251	328	85	34	14	0.3	0.4	0.1	0.4	0.1
.0	Tonsil (excluding pillars)	431	111	232	304	81	33	13	0.2	0.4	0.1	0.4	0.1
.7	Other specified parts of mesopharynx	27	2	18	21	4	1	1	0.0	0.0	0.0	0.0	0.0
.9	Part unspecified	3	-	1	3	-	-	-	0.0	0.0	0	0	0
146	Malignant neoplasm of nasopharynx	403	95	238	265	86	44	8	0.2	0.3	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx	269	97	139	215	37	16	1	0.2	0.3	0.0	0.2	0.0
148	Malignant neoplasm of pharynx, unspecified	1,173	165	741	863	207	77	26	0.7	1.1	0.3	0.8	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum	88,984	17,629	55,035	43,984	37,090	4,661	3,249	51.4	57.9	47.6	49.8	33.0
150	Malignant neoplasm of esophagus	4,612	1,326	2,508	3,036	820	613	143	2.7	4.0	1.1	6.5	1.5
151	Malignant neoplasm of stomach	21,033	3,567	13,442	11,489	7,076	1,600	868	12.1	15.1	9.1	17.1	8.8
152	Malignant neoplasm of small intestine, including duodenum	723	204	394	363	304	28	28	0.4	0.5	0.4	0.3	0.3
.0	Duodenum	223	66	121	111	91	8	13	0.1	0.1	0.1	0.1	0.1
.7	Other specified parts of small intestine	288	104	149	156	116	10	6	0.2	0.2	0.1	0.1	0.1
.8	Multiple parts of small intestine	7	-	6	2	5	-	-	0.0	0.0	0.0	0	0
.9	Part unspecified	205	34	118	94	92	10	9	0.1	0.1	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum	26,903	4,563	17,324	11,559	13,705	712	927	15.5	15.2	17.6	7.6	9.4
.0	Cecum, appendix, and ascending colon	3,823	866	2,358	1,553	2,088	81	101	2.2	2.0	2.7	0.9	1.0
.1	Transverse colon, including hepatic and splenic flexures	1,573	346	977	717	775	37	44	0.9	0.9	1.0	0.4	0.4
.2	Descending colon	1,154	176	787	484	605	29	36	0.7	0.6	0.8	0.3	0.4
.3	Sigmoid colon	6,335	1,267	4,010	2,905	3,118	140	172	3.7	3.8	4.0	1.5	1.7
.7	Multiple parts of large intestine	64	14	39	31	29	3	1	0.0	0.0	0.0	0.0	0.0
.8	Large intestine (including colon), part unspecified	12,375	1,758	8,093	5,186	6,306	372	511	7.1	6.8	8.1	4.0	5.2
.9	Intestinal tract, part unspecified	1,579	136	1,060	683	784	50	62	0.9	0.9	1.0	0.5	0.6
154	Malignant neoplasm of rectum	10,864	1,987	6,970	5,784	4,387	365	328	6.3	7.6	5.6	3.9	3.3
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	5,948	1,733	3,289	2,195	3,288	279	186	3.4	2.9	4.2	3.0	1.9
.0	Liver	1,731	645	827	888	600	181	62	1.0	1.2	0.8	1.9	0.6
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	4,207	1,087	2,453	1,302	2,684	97	124	2.4	1.7	3.4	1.0	1.3
.8	Multiple sites	10	1	9	5	4	1	-	0.0	0.0	0.0	0.0	0
156	Malignant neoplasm of liver (secondary and unspecified)	4,528	607	2,876	2,067	1,972	279	210	2.6	2.7	2.5	3.0	2.1
A	Not stated whether primary or secondary	3,688	490	2,291	1,668	1,623	218	179	2.1	2.2	2.1	2.3	1.8
B	Secondary	840	117	585	399	349	61	31	0.5	0.5	0.4	0.7	0.3
157	Malignant neoplasm of pancreas	12,751	3,353	7,230	6,806	4,817	674	454	7.4	9.0	6.2	7.2	4.6
158	Malignant neoplasm of peritoneum	786	233	424	359	363	31	33	0.5	0.5	0.5	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	836	56	578	326	358	80	72	0.5	0.4	0.5	0.9	0.7

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
			Report of autopsy[1]		Color and sex				Color and sex			
					White		Nonwhite		White		Nonwhite	
Number	Cause of death	Total deaths	Performed	Not performed	Male	Female	Male	Female	Total deaths	Male	Female	Male	Female
	II. Neoplasms—Continued											
160-165	Malignant neoplasm of respiratory system	36,116	10,193	19,960	28,128	5,109	2,400	479	20.8	37.0	6.6	25.6	4.9
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	568	98	350	327	182	45	14	0.3	0.4	0.2	0.5	0.1
.0	Nose (internal) and nasal cavities	117	13	76	73	37	5	2	0.1	0.1	0.0	0.1	0.0
.1	Eustachian tube and middle ear	27	4	16	11	16	-	-	0.0	0.0	0.0	0	0
.2	Maxillary sinus	333	68	193	188	97	36	12	0.2	0.2	0.1	0.4	0.1
.7	Other specified sinus (accessory)	52	5	42	33	17	2	-	0.0	0.0	0.0	0.0	0
.8	Multiple sites	10	2	5	4	6	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	29	6	18	18	9	2	-	0.0	0.0	0.0	0.0	0
161	Malignant neoplasm of larynx	2,241	500	1,308	1,820	205	190	26	1.3	2.4	0.3	2.0	0.3
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	15,833	5,633	8,063	12,720	1,805	1,154	154	9.1	16.7	2.3	12.3	1.6
.0	Trachea	92	35	40	67	15	9	1	0.1	0.1	0.0	0.1	0.0
.1	Bronchus and lung	15,720	5,586	8,015	12,641	1,782	1,144	153	9.1	16.6	2.3	12.2	1.6
.2	Pleura	14	6	5	8	6	-	-	0.0	0.0	0.0	0	0
.8	Multiple sites	7	4	3	4	2	1	-	0.0	0.0	0.0	0.0	.0
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	16,483	3,750	9,652	12,694	2,587	959	243	9.5	16.7	3.3	10.2	2.5
164	Malignant neoplasm of mediastinum	298	100	141	197	75	19	7	0.2	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	693	112	446	370	255	33	35	0.4	0.5	0.3	0.4	0.4
170-181	Malignant neoplasm of breast and genitourinary organs	73,187	12,549	46,361	21,062	44,676	2,251	5,198	42.2	27.7	57.3	24.0	52.7
170	Malignant neoplasm of breast	22,675	3,509	14,850	195	20,806	20	1,654	13.1	0.3	26.7	0.2	16.8
171	Malignant neoplasm of cervix uteri	8,582	1,471	5,303	...	6,919	...	1,663	5.0	...	8.9	...	16.9
172	Malignant neoplasm of corpus uteri	1,243	256	767	...	1,116	...	127	0.7	...	1.4	...	1.3
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	74	42	22	...	55	...	19	0.0	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	5,041	516	3,274	...	4,234	...	807	2.9	...	5.4	...	8.2
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	7,579	1,395	4,865	...	7,072	...	507	4.4	...	9.1	...	5.1
.0	Ovary	7,490	1,373	4,809	...	6,990	...	500	4.3	...	9.0	...	5.1
.1	Fallopian tube and broad ligament	76	21	48	...	69	...	7	0.0	...	0.1	...	0.1
.8	Multiple sites	11	1	8	...	11	...	-	0.0	...	0.0	...	0
.9	Site unspecified	2	-	-	...	2	...	-	0.0	...	0.0	...	0
176	Malignant neoplasm of other and unspecified female genital organs	809	94	525	...	727	...	82	0.5	...	0.9	...	0.8
.0	Vulva	495	54	324	...	451	...	44	0.3	...	0.6	...	0.4
.1	Vagina	260	36	165	...	230	...	30	0.2	...	0.3	...	0.3
.7	Other specified sites	7	1	4	...	7	...	-	0.0	...	0.0	...	0
.8	Multiple sites	13	1	8	...	12	...	1	0.0	...	0.0	...	0.0
.9	Site unspecified	34	2	24	...	27	...	7	0.0	...	0.0	...	0.1
177	Malignant neoplasm of prostate	14,071	2,037	9,085	12,452	...	1,619	...	8.1	16.4	...	17.3	...
178	Malignant neoplasm of testis	698	267	343	674	...	24	...	0.4	0.9	...	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	293	60	183	230	...	63	...	0.2	0.3	...	0.7	...
.0	Penis	256	51	160	203	...	53	...	0.1	0.3	...	0.6	...
.1	Scrotum	15	-	12	8	...	7	...	0.0	0.0	...	0.1	...
.7	Other specified sites	16	9	6	14	...	2	...	0.0	0.0	...	0.0	...
.8	Multiple sites	1	-	1	1	...	-	...	0.0	0.0	...	0	...
.9	Site unspecified	5	-	4	4	...	1	...	0.0	0.0	...	0.0	...
180	Malignant neoplasm of kidney	4,743	1,332	2,630	2,761	1,668	201	113	2.7	3.6	2.1	2.1	1.1
181	Malignant neoplasm of bladder and other urinary organs	7,379	1,570	4,514	4,750	2,079	324	226	4.3	6.2	2.7	3.5	2.3
.0	Bladder	7,215	1,533	4,422	4,706	2,003	300	206	4.2	6.2	2.6	3.2	2.1
.7	Other urinary organs	154	34	87	42	70	23	19	0.1	0.1	0.1	0.2	0.2
.8	Multiple sites	10	3	5	2	6	1	1	0.0	0.0	0.0	0.0	0.0
190-199	Malignant neoplasm of other and unspecified sites	26,445	5,945	15,275	12,853	11,390	1,117	1,085	15.3	16.9	14.6	11.9	11.0
190	Malignant melanoma of skin	1,972	498	1,115	1,059	868	19	26	1.1	1.4	1.1	0.2	0.3
.0	Lips	6	-	5	4	1	-	1	0.0	0.0	0.0	0	0.0
.1	Eyelids, including canthi	3	-	2	2	1	-	-	0.0	0.0	0.0	0	0
.2	Ear and external auricular canal	15	4	9	11	4	-	-	0.0	0.0	0.0	0	0
.3	Other and unspecified parts of face	73	14	46	35	38	-	-	0.0	0.0	0.0	0	0
.4	Scalp and neck	81	17	47	50	30	-	1	0.0	0.1	0.0	0	0.0
.5	Trunk	186	51	104	113	70	1	2	0.1	0.1	0.1	0.0	0.0
.6	Upper limb	109	26	66	59	48	1	1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb	209	45	137	72	126	7	4	0.1	0.1	0.2	0.1	0.0
.8	Multiple sites	14	3	6	9	5	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	1,276	338	693	704	545	10	17	0.7	0.9	0.7	0.1	0.2
191	Other malignant neoplasm of skin	1,833	234	1,226	1,047	659	70	57	1.1	1.4	0.8	0.7	0.6
.0	Lips	99	22	60	77	20	1	1	0.1	0.1	0.0	0.0	0.0
.1	Eyelids, including canthi	23	4	18	11	11	1	-	0.0	0.0	0.0	0.0	0
.2	Ear and external auricular canal	82	12	54	54	28	-	-	0.0	0.1	0.0	0	0
.3	Other and unspecified parts of face	718	41	490	391	299	20	8	0.4	0.5	0.4	0.2	0.1
.4	Scalp and neck	190	27	128	125	53	9	3	0.1	0.2	0.1	0.1	0.0
.5	Trunk	184	39	116	74	75	13	22	0.1	0.1	0.1	0.1	0.2
.6	Upper limb	79	11	61	55	17	5	2	0.0	0.1	0.0	0.1	0.0
.7	Lower limb	56	8	36	20	23	7	6	0.0	0.0	0.0	0.1	0.1
.8	Multiple sites	55	10	36	39	15	-	1	0.0	0.1	0.0	0	0.0
.9	Site unspecified	347	60	227	201	118	14	14	0.2	0.3	0.2	0.1	0.1
192	Malignant neoplasm of eye	346	71	197	178	151	7	10	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	5,606	2,205	2,579	3,085	2,164	218	139	3.2	4.1	2.8	2.3	1.4
.0	Brain	4,485	1,787	2,043	2,474	1,742	167	102	2.6	3.3	2.2	1.8	1.0
.1	Spinal cord	133	31	83	65	56	7	5	0.1	0.1	0.1	0.1	0.1
.2	Meninges	45	18	20	26	15	2	2	0.0	0.0	0.0	0.0	0.0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Continued											
	Malignant neoplasms of other and unspecified sites—Con.											
	Malignant neoplasms of brain, etc.—Continued											
.3	Peripheral nerves	38	12	24	18	18	2	-	0.0	0.0	0.0	0.0	0
.4	Sympathetic nervous system	297	127	129	152	115	19	11	0.2	0.2	0.1	0.2	0.1
.8	Multiple sites	14	5	7	8	5	1	-	0.0	0.0	0.0	0.0	0
.9	Site unspecified	594	225	273	342	213	20	19	0.3	0.4	0.3	0.2	0.2
194	Malignant neoplasm of thyroid gland	981	263	541	321	581	24	55	0.6	0.4	0.7	0.3	0.6
195	Malignant neoplasm of other endocrine glands	398	228	125	215	154	10	19	0.2	0.3	0.2	0.1	0.2
.0	Suprarenal gland	267	169	72	153	93	9	12	0.2	0.2	0.1	0.1	0.1
.1	Parathyroid gland	6	3	2	1	5	-	-	0.0	0.0	0.0	0	0
.2	Thymus	62	30	23	32	30	-	-	0.0	0.0	0.0	0	0
.3	Pituitary gland and craniopharyngeal duct	45	20	18	20	19	1	5	0.0	0.0	0.0	0.0	0.1
.4	Pineal gland	9	2	5	3	4	-	2	0.0	0.0	0.0	0	0.0
.7	Other specified glands	7	2	5	5	2	-	-	0.0	0.0	0.0	0	0
.8	Multiple glands	2	2	-	1	1	-	-	0.0	0.0	0.0	0	0
196	Malignant neoplasm of bone	1,885	276	1,176	1,012	722	80	71	1.1	1.3	0.9	0.9	0.7
.0	Bones of the skull and face	290	31	183	172	89	14	15	0.2	0.2	0.1	0.1	0.2
.1	Lower jaw bone	205	14	136	138	54	7	6	0.1	0.2	0.1	0.1	0.1
.2	Vertebral column (excluding sacrum and coccyx)	307	30	196	150	130	14	13	0.2	0.2	0.2	0.1	0.1
.3	Ribs, sternum, and clavicle	71	13	45	39	27	4	1	0.0	0.1	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula	112	20	62	65	42	1	4	0.1	0.1	0.1	0.0	0.0
.5	Upper limb, short bones	4	-	3	4	-	-	-	0.0	0.0	0	0	0
.6	Pelvic bones, sacrum, coccyx	163	34	101	92	56	9	6	0.1	0.1	0.1	0.1	0.1
.7	Lower limb, long bones	328	62	199	160	143	11	14	0.2	0.2	0.2	0.1	0.1
.8	Lower limb, short bones	18	4	10	9	7	1	1	0.0	0.0	0.0	0.0	0.0
.9	Multiple sites and site unspecified	387	68	241	183	174	19	11	0.2	0.2	0.2	0.2	0.1
197	Malignant neoplasm of connective tissue	890	249	476	458	372	34	26	0.5	0.6	0.5	0.4	0.3
.0	Head, face, and neck	34	12	18	17	15	2	-	0.0	0.0	0.0	0.0	0
.1	Trunk	160	43	87	86	55	11	8	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)	66	19	32	33	29	1	3	0.0	0.0	0.0	0.0	0.0
.3	Lower limb (including hip)	241	61	140	127	99	10	5	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites	13	2	8	8	5	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	376	112	191	187	169	10	10	0.2	0.2	0.2	0.1	0.1
198	Secondary and unspecified malignant neoplasm of lymph nodes	219	24	142	131	72	6	10	0.1	0.2	0.1	0.1	0.1
.0	Head, face, and neck	117	8	78	75	37	2	3	0.1	0.1	0.0	0.0	0.0
.1	Intrathoracic	9	3	3	6	2	1	-	0.0	0.0	0.0	0.0	0
.2	Intra-abdominal	8	3	5	3	5	-	-	0.0	0.0	0.0	0	0
.3	Axillary and upper limb	14	-	9	6	6	-	2	0.0	0.0	0.0	0	0.0
.4	Inguinal and lower limb	20	2	15	9	7	3	1	0.0	0.0	0.0	0.0	0.0
.7	Other specified sites	4	1	3	4	-	-	-	0.0	0.0	0	0	0
.8	Multiple sites	6	3	2	5	-	-	1	0.0	0.0	0	0	0.0
.9	Site unspecified	41	4	27	23	15	-	3	0.0	0.0	0.0	0	0.0
199	Malignant neoplasm of other and unspecified sites	12,315	1,897	7,698	5,347	5,647	649	672	7.1	7.0	7.2	6.9	6.8
A	Of other specified sites, not specified as secondary	994	115	625	543	358	56	37	0.6	0.7	0.5	0.6	0.4
B	Primary site not indicated	11,321	1,782	7,073	4,804	5,289	593	635	6.5	6.3	6.8	6.3	6.4
200-205	Neoplasms of lymphatic and hematopoietic tissues	23,928	8,352	11,710	12,915	9,317	988	710	13.8	17.0	11.9	10.5	7.2
200	Lymphosarcoma and reticulosarcoma	5,408	1,888	2,731	2,893	2,204	203	108	3.1	3.8	2.8	2.2	1.1
.0	Reticulum cell sarcoma	1,174	443	586	601	495	47	31	0.7	0.8	0.6	0.5	0.3
.1	Lymphosarcoma	3,320	1,057	1,738	1,793	1,362	109	56	1.9	2.4	1.7	1.2	0.6
.2	Other primary malignant neoplasms of lymphoid tissue	914	388	407	499	347	47	21	0.5	0.7	0.4	0.5	0.2
201	Hodgkin's disease	3,036	1,096	1,459	1,715	1,130	123	68	1.8	2.3	1.4	1.3	0.7
202	Other forms of lymphoma (reticulosis)	835	311	376	452	333	25	25	0.5	0.6	0.4	0.3	0.3
.0	Giant follicular lymphoma (Brill-Symmers' disease)	93	35	39	52	40	-	1	0.1	0.1	0.1	0	0.0
.1	Other	742	276	337	400	293	25	24	0.4	0.5	0.4	0.3	0.2
203	Multiple myeloma (plasmocytoma)	2,603	781	1,391	1,298	962	194	149	1.5	1.7	1.2	2.1	1.5
204	Leukemia and aleukemia	11,980	4,247	5,723	6,524	4,669	432	355	6.9	8.6	6.0	4.6	3.6
.0	Lymphatic leukemia	2,916	782	1,645	1,716	1,026	118	56	1.7	2.3	1.3	1.3	0.6
.1	Myeloid leukemia	2,068	722	1,002	1,054	857	87	70	1.2	1.4	1.1	0.9	0.7
.2	Monocytic leukemia	954	390	415	529	357	32	36	0.6	0.7	0.5	0.3	0.4
.3	Acute leukemia	4,827	2,043	2,064	2,585	1,940	153	149	2.8	3.4	2.5	1.6	1.5
.4	Other and unspecified leukemia	1,215	310	597	640	489	42	44	0.7	0.8	0.6	0.4	0.4
205	Mycosis fungoides	66	29	30	33	19	9	5	0.0	0.0	0.0	0.1	0.1
210-229	Benign neoplasm	2,440	1,258	855	838	1,204	106	292	1.4	1.1	1.5	1.1	3.0
210	Benign neoplasm of buccal cavity and pharynx	5	1	3	3	1	1	-	0.0	0.0	0.0	0.0	
211	Benign neoplasm of other parts of digestive system	241	114	101	121	94	15	11	0.1	0.2	0.1	0.2	0.1
212	Benign neoplasm of respiratory system	120	68	35	60	46	8	6	0.1	0.1	0.1	0.1	0.1
213	Benign neoplasm of breast	2	1	1	-	1	-	1	0.0	0	0.0	0	0.0
214	Uterine fibromyoma	289	101	138	...	145	...	144	0.2	...	0.2	...	1.5
215	Other benign neoplasm of uterus	59	25	21	...	45	...	14	0.0	...	0.1	...	0.1
216	Benign neoplasm of ovary	159	63	64	...	129	...	30	0.1	...	0.2	...	0.3
217	Benign neoplasm of other female genital organs	1	1	-	...	1	...	-	0.0	...	0.0	...	0
218	Benign neoplasm of male genital organs	1	1	-	-	...	1	...	0.0	0	...	0.0	...
219	Benign neoplasm of kidney and other urinary organs	48	19	22	29	16	1	2	0.0	0.0	0.0	0.0	0.0
221	Pilonidal cyst	3	2	1	3	-	-	-	0.0	0.0	0	0	0
222	Other benign neoplasm of skin	2	1	1	-	1	-	1	0.0	0	0.0	0	0.0
223	Benign neoplasm of brain and other parts of nervous system	966	539	316	390	485	43	48	0.6	0.5	0.6	0.5	0.5
224	Benign neoplasm of endocrine glands	286	182	69	127	119	19	21	0.2	0.2	0.2	0.2	0.2
225	Benign neoplasm of bone and cartilage	26	9	11	12	9	3	2	0.0	0.0	0.0	0.0	0.0
226	Lipoma	14	9	3	6	7	1	-	0.0	0.0	0.0	0.0	0
227	Other benign neoplasm of muscular and connective tissue	50	30	14	19	26	1	4	0.0	0.0	0.0	0.0	0.0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued												
	Benign neoplasm—Continued												
228	Hemangioma and lymphangioma	133	77	43	59	58	9	7	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	35	15	12	9	21	4	1	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature	2,521	807	1,243	1,159	1,058	148	156	1.5	1.5	1.4	1.6	1.6
230	Neoplasm of unspecified nature of digestive organs	247	38	147	103	117	12	15	0.1	0.1	0.2	0.1	0.2
231	Neoplasm of unspecified nature of respiratory organs	219	26	149	117	73	18	11	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	2	1	-	1	1	-	-	0.0	0.0	0.0	0	0
233	Neoplasm of unspecified nature of uterus	8	1	7	...	7	...	1	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	23	6	16	...	18	...	5	0.0	...	0.0	...	0.1
235	Neoplasm of unspecified nature of other female genital organs	1	-	1	...	1	...	-	0.0	...	0.0	...	0
236	Neoplasm of unspecified nature of other genitourinary organs	97	21	57	56	31	7	3	0.1	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,633	636	702	781	667	95	90	0.9	1.0	0.9	1.0	0.9
238	Neoplasm of unspecified nature of skin and musculoskeletal system	29	12	16	13	10	3	3	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	262	66	148	88	133	13	28	0.2	0.1	0.2	0.1	0.3
	III. Allergic, endocrine system, metabolic, and nutritional diseases												
240-245	Allergic disorders	5,134	835	3,227	3,087	1,399	345	303	3.0	4.1	1.8	3.7	3.1
240	Hay fever	1	-	1	1	-	-	-	0.0	0.0	0	0	0
241	Asthma	5,035	789	3,194	3,046	1,359	338	292	2.9	4.0	1.7	3.6	3.0
242	Angioneurotic edema	14	7	4	7	5	1	1	0.0	0.0	0.0	0.0	0.0
243	Urticaria	3	-	1	3	-	-	-	0.0	0.0	0	0	0
244	Allergic eczema	3	1	2	3	-	-	-	0.0	0.0	0	0	0
245	Other allergic disorders	78	38	25	27	35	6	10	0.0	0.0	0.0	0.1	0.1
250-254	Diseases of thyroid gland	1,015	219	581	166	709	20	120	0.6	0.2	0.9	0.2	1.2
250	Simple goiter	59	21	32	9	40	-	10	0.0	0.0	0.1	0	0.1
251	Nontoxic nodular goiter	57	20	23	5	45	1	6	0.0	0.0	0.1	0.0	0.1
252	Thyrotoxicosis with or without goiter	626	112	377	93	435	14	84	0.4	0.1	0.6	0.1	0.9
.0	Toxic diffuse goiter	568	97	342	84	393	13	78	0.3	0.1	0.5	0.1	0.8
.1	Toxic nodular goiter	58	15	35	9	42	1	6	0.0	0.0	0.1	0.0	0.1
253	Myxedema and cretinism	219	50	123	49	156	4	10	0.1	0.1	0.2	0.0	0.1
254	Other diseases of thyroid gland	54	16	26	10	33	1	10	0.0	0.0	0.0	0.0	0.1
260	Diabetes mellitus	27,501	3,668	17,648	9,920	14,458	1,041	2,082	15.9	13.1	18.5	11.1	21.1
270-277	Diseases of other endocrine glands	931	488	325	406	396	63	66	0.5	0.5	0.5	0.7	0.7
270	Disorders of pancreatic internal secretion other than diabetes mellitus	32	17	6	13	10	4	5	0.0	0.0	0.0	0.0	0.1
271	Diseases of parathyroid gland	47	19	22	14	29	-	4	0.0	0.0	0.0	0	0.0
.0	Hyperparathyroidism	37	18	15	12	22	-	3	0.0	0.0	0.0	0	0.0
.1	Hypoparathyroidism	9	1	7	1	7	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified	1	-	-	1	-	-	-	0.0	0.0	0	0	0
272	Diseases of pituitary gland	219	108	84	86	98	17	18	0.1	0.1	0.1	0.2	0.2
273	Diseases of thymus gland	172	112	36	78	60	20	14	0.1	0.1	0.1	0.2	0.1
274	Diseases of adrenal glands	388	202	149	199	150	21	16	0.2	0.3	0.2	0.2	0.2
277	Polyglandular dysfunction and other diseases of endocrine glands	73	30	28	16	49	1	7	0.0	0.0	0.1	0.0	0.1
280-289	Avitaminoses and other metabolic diseases	2,270	541	1,232	1,005	873	212	180	1.3	1.3	1.1	2.3	1.8
280	Beriberi	32	12	15	17	13	1	1	0.0	0.0	0.0	0.0	0.0
281	Pellagra	56	3	36	14	22	8	12	0.0	0.0	0.0	0.1	0.1
282	Scurvy	6	3	3	3	2	-	1	0.0	0.0	0.0	0	0.0
283	Active rickets	7	3	2	1	2	1	3	0.0	0.0	0.0	0.0	0.0
284	Late effects of rickets	2	-	1	-	1	-	1	0.0	0	0.0	0	0.0
285	Osteomalacia	5	-	4	2	3	-	-	0.0	0.0	0.0	0	0
286	Other avitaminoses and nutritional deficiency states	1,513	193	946	607	605	164	137	0.9	0.8	0.8	1.8	1.4
.0	Steatorrhea and sprue	43	14	22	20	22	-	1	0.0	0.0	0.0	0	0.0
.2	Vitamin B deficiency, except beriberi and pellagra	3	-	2	2	1	-	-	0.0	0.0	0.0	0	0
.5	Malnutrition, unqualified	1,321	142	846	521	524	152	124	0.8	0.7	0.7	1.6	1.3
.6	Kwashiorkor (protein malnutrition)	3	1	2	1	1	1	-	0.0	0.0	0.0	0.0	0
.7	Other and multiple deficiency states	143	36	74	63	57	11	12	0.1	0.1	0.1	0.1	0.1
287	Obesity, not specified as of endocrine origin	22	4	14	12	9	-	1	0.0	0.0	0.0	0	0.0
288	Gout	44	13	24	38	4	2	-	0.0	0.0	0.0	0.0	0
289	Other metabolic diseases	583	310	187	311	212	36	24	0.3	0.4	0.3	0.4	0.2
.0	Lipidosis (disturbance of lipid metabolism)	98	46	33	47	43	5	3	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis	105	56	34	65	32	5	3	0.1	0.1	0.0	0.1	0.0
.2	Other	380	208	120	199	137	26	18	0.2	0.3	0.2	0.3	0.2
	IV. Diseases of the blood and blood-forming organs												
290-299	Diseases of blood and blood-forming organs	4,942	1,670	2,363	2,125	2,121	361	335	2.9	2.8	2.7	3.9	3.4
290	Pernicious and other hyperchromic anemias	729	72	486	301	400	13	15	0.4	0.4	0.5	0.1	0.2
.0	Pernicious anemia	673	57	459	273	374	13	13	0.4	0.4	0.5	0.1	0.1
.1	Subacute combined degeneration of spinal cord	28	5	13	14	12	-	2	0.0	0.0	0.0	0	0.0
.2	Other hyperchromic anemias	28	10	14	14	14	-	-	0.0	0.0	0.0	0	0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex				Total deaths	Color and sex			
					White		Nonwhite			White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs—Con.												
	Diseases of blood and blood-forming organs—Continued												
291	Iron deficiency anemias (hypochromic anemias)	110	26	63	42	43	17	8	0.1	0.1	0.1	0.2	0.1
292	Other anemias of specified type	1,477	642	614	598	555	174	150	0.9	0.8	0.7	1.9	1.5
.0	Familial acholuric jaundice	84	33	37	37	35	6	6	0.0	0.0	0.0	0.1	0.1
.1	Acute hemolytic anemia	22	14	5	14	7	-	1	0.0	0.0	0.0	0	0.0
.2	Other hemolytic anemias	85	43	33	38	38	3	6	0.0	0.0	0.0	0.0	0.1
.3	Leuko-erythroblastic anemia	182	82	82	97	74	9	2	0.1	0.1	0.1	0.1	0.0
.4	Aplastic anemia	843	335	369	406	386	23	28	0.5	0.5	0.5	0.2	0.3
.5	Nonregenerative anemia	15	7	8	4	10	1	-	0.0	0.0	0.0	0.0	0
.6	Sickle cell anemia	240	124	79	1	1	131	107	0.1	0.0	0.0	1.4	1.1
.7	Other specified anemias	6	4	1	1	4	1	-	0.0	0.0	0.0	0.0	0
293	Anemia of unspecified type	879	146	515	338	373	79	89	0.5	0.4	0.5	0.8	0.9
294	Polycythemia	404	133	198	255	135	8	6	0.2	0.3	0.2	0.1	0.1
295	Hemophilia	65	31	19	59	...	6	...	0.0	0.1	...	0.1	...
296	Purpura and other hemorrhagic conditions	674	334	255	277	326	29	42	0.4	0.4	0.4	0.3	0.4
297	Agranulocytosis	171	73	67	59	103	4	5	0.1	0.1	0.1	0.0	0.1
298	Diseases of spleen	233	123	77	108	104	12	9	0.1	0.1	0.1	0.1	0.1
.0	Hepatolienal fibrosis	107	34	51	48	51	3	5	0.1	0.1	0.1	0.0	0.1
.1	Other	126	89	26	60	53	9	4	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs	200	90	69	88	82	19	11	0.1	0.1	0.1	0.2	0.1
	V. Mental, psychoneurotic, and personality disorders												
300-309	Psychoses	1,405	287	838	683	544	106	72	0.8	0.9	0.7	1.1	0.7
300	Schizophrenic disorders (dementia precox)	169	49	77	61	76	11	21	0.1	0.1	0.1	0.1	0.2
.0	Simple type	4	-	4	2	2	-	-	0.0	0.0	0.0	0	0
.1	Hebephrenic type	16	10	6	6	7	1	2	0.0	0.0	0.0	0.0	0.0
.2	Catatonic type	52	13	25	19	18	5	10	0.0	0.0	0.0	0.1	0.1
.3	Paranoid type	24	7	8	6	17	1	-	0.0	0.0	0.0	0.0	0
.6	Schizo-affective psychosis	3	-	1	-	2	1	-	0.0	0	0.0	0.0	0
.7	Other and unspecified	70	19	33	28	30	3	9	0.0	0.0	0.0	0.0	0.1
301	Manic-depressive reaction	42	5	21	9	19	7	7	0.0	0.0	0.0	0.1	0.1
.0	Manic and circular	23	2	8	5	7	6	5	0.0	0.0	0.0	0.1	0.1
.1	Depressive	7	-	5	2	5	-	-	0.0	0.0	0.0	0	0
.2	Other	12	3	8	2	7	1	2	0.0	0.0	0.0	0.0	0.0
302	Involutional melancholia	19	4	12	8	11	-	-	0.0	0.0	0.0	0	0
303	Paranoia and paranoid states	2	-	1	2	-	-	-	0.0	0.0	0	0	0
304	Senile psychosis	457	18	324	170	255	12	20	0.3	0.2	0.3	0.1	0.2
305	Presenile psychosis	100	19	69	46	51	2	1	0.1	0.1	0.1	0.0	0.0
307	Alcoholic psychosis	406	145	210	313	32	54	7	0.2	0.4	0.0	0.6	0.1
309	Other and unspecified psychoses	210	47	124	74	100	20	16	0.1	0.1	0.1	0.2	0.2
310-318	Psychoneurotic disorders	90	20	48	27	57	2	4	0.1	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	4	2	2	2	2	-	-	0.0	0.0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	55	13	33	12	41	1	1	0.0	0.0	0.1	0.0	0.0
314	Neurotic-depressive reaction	2	1	1	1	-	-	1	0.0	0.0	0	0	0.0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	4	2	1	3	1	-	-	0.0	0.0	0.0	0	0
.0	Neurocirculatory asthenia	2	-	1	1	1	-	-	0.0	0.0	0.0	0	0
.1	Other heart manifestations specified as of psychogenic origin	1	1	-	1	-	-	-	0.0	0.0	0	0	0
.2	Other circulatory manifestations of psychogenic origin	1	1	-	1	-	-	-	0.0	0.0	0	0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	2	1	1	-	2	-	-	0.0	0	0.0	0	0
.2	Gastric neuroses	1	1	-	-	1	-	-	0.0	0	0.0	0	0
.3	Other digestive manifestations specified as of psychogenic origin	1	-	1	-	1	-	-	0.0	0	0.0	0	0
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	1	-	-	-	1	-	-	0.0	0	0.0	0	0
.0	Psychogenic reactions affecting respiratory system	1	-	-	-	1	-	-	0.0	0	0.0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	22	1	10	9	10	1	2	0.0	0.0	0.0	0.0	0.0
.0	Hypochondriacal reaction	1	-	-	-	-	1	-	0.0	0	0	0.0	0
.2	Occupational neurosis	1	-	1	-	1	-	-	0.0	0	0.0	0	0
.3	Asthenic reaction	4	-	2	2	2	-	-	0.0	0.0	0.0	0	0
.5	Of other and unspecified types	16	1	7	7	7	-	2	0.0	0.0	0.0	0	0.0
320-326	Disorders of character, behavior, and intelligence	2,991	1,000	1,527	1,769	536	473	213	1.7	2.3	0.7	5.1	2.2
320	Pathological personality	3	-	1	-	3	-	-	0.0	0	0.0	0	0
.1	Paranoid personality	1	-	1	-	1	-	-	0.0	0	0.0	0	0
.7	Other and unspecified	2	-	-	-	2	-	-	0.0	0	0.0	0	0
321	Immature personality	2	1	1	2	-	-	-	0.0	0.0	0	0	0
.0	Emotional instability	2	1	1	2	-	-	-	0.0	0.0	0	0	0
322	Alcoholism	2,501	874	1,294	1,535	347	437	182	1.4	2.0	0.4	4.7	1.8
.0	Acute	884	418	354	508	121	186	69	0.5	0.7	0.2	2.0	0.7
.1	Chronic	934	231	596	608	147	117	62	0.5	0.8	0.2	1.2	0.6
.2	Unspecified	683	225	344	419	79	134	51	0.4	0.6	0.1	1.4	0.5
323	Other drug addiction	69	37	25	32	16	13	8	0.0	0.0	0.0	0.1	0.1
325	Mental deficiency	415	87	206	200	169	23	23	0.2	0.3	0.2	0.2	0.2
.0	Idiocy	27	5	17	14	7	4	2	0.0	0.0	0.0	0.0	0.0
.1	Imbecility	8	1	4	2	5	1	-	0.0	0.0	0.0	0.0	0
.2	Moron	10	1	6	7	3	-	-	0.0	0.0	0.0	0	0
.4	Mongolism	243	55	115	115	107	12	9	0.1	0.2	0.1	0.1	0.1
.5	Other and unspecified types	127	25	64	62	47	6	12	0.1	0.1	0.1	0.1	0.1

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	V. Mental, psychoneurotic, and personality disorders—Con.											
	Disorders of character, behavior, and intelligence—Con.											
326	Other and unspecified character, behavior, and intelligence disorders	1	1	-	-	1	-	-	0.0	0	0.0	0	0
.4	Other and unspecified	1	1	-	-	1	-	-	0.0	0	0.0	0	0
	VI. Diseases of the nervous system and sense organs											
330-334	Vascular lesions affecting central nervous system	190,758	17,999	130,130	79,666	87,378	11,410	12,304	110.1	104.8	112.0	121.8	124.8
330	Subarachnoid hemorrhage	6,169	2,814	2,448	2,404	2,741	463	561	3.6	3.2	3.5	4.9	5.7
331	Cerebral hemorrhage	113,601	7,928	77,959	46,690	51,655	7,292	7,964	65.6	61.4	66.2	77.9	80.8
332	Cerebral embolism and thrombosis	53,548	6,145	37,664	23,420	25,057	2,550	2,521	30.9	30.8	32.1	27.2	25.6
333	Spasm of cerebral arteries	11	3	7	4	4	-	3	0.0	0.0	0.0	0	0.0
334	Other and ill-defined vascular lesions affecting central nervous system	17,429	1,109	12,052	7,148	7,921	1,105	1,255	10.1	9.4	10.2	11.8	12.7
340-345	Inflammatory diseases of central nervous system	5,195	2,238	2,026	2,241	1,957	549	448	3.0	2.9	2.5	5.9	4.5
340	Meningitis, except meningococcal and tuberculous	2,247	1,277	612	958	664	349	276	1.3	1.3	0.9	3.7	2.8
.0	H. influenzae	317	184	81	133	102	49	33	0.2	0.2	0.1	0.5	0.3
.1	Pneumococcus	400	211	125	157	126	65	52	0.2	0.2	0.2	0.7	0.5
.2	Due to other specified organism	288	173	62	142	90	36	20	0.2	0.2	0.1	0.4	0.2
.3	With no organism specified as cause	1,242	709	344	526	346	199	171	0.7	0.7	0.4	2.1	1.7
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	44	28	12	21	17	4	2	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	345	225	75	172	102	43	28	0.2	0.2	0.1	0.5	0.3
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	500	242	170	222	180	56	42	0.3	0.3	0.2	0.6	0.4
344	Late effects of intracranial abscess or pyogenic infection	545	265	258	282	252	58	53	0.4	0.4	0.3	0.6	0.5
A	Hydrocephalus not otherwise specified	432	192	159	184	166	41	41	0.2	0.2	0.2	0.4	0.4
B	Other late effects of intracranial abscess or pyogenic infection	213	73	99	98	86	17	12	0.1	0.1	0.1	0.2	0.1
345	Multiple sclerosis	1,414	201	899	586	742	39	47	0.8	0.8	1.0	0.4	0.5
350-357	Other diseases of central nervous system	8,502	1,494	5,165	4,202	3,224	679	397	4.9	5.5	4.1	7.3	4.0
350	Paralysis agitans	2,733	176	1,950	1,448	1,223	35	27	1.6	1.9	1.6	0.4	0.3
351	Cerebral spastic infantile paralysis	745	136	442	367	267	61	50	0.4	0.5	0.3	0.7	0.5
352	Other cerebral paralysis	604	53	355	267	193	74	70	0.3	0.4	0.2	0.8	0.7
353	Epilepsy	2,062	480	1,184	893	662	346	161	1.2	1.2	0.8	3.7	1.6
.0	Petit mal	8	2	4	3	5	-	-	0.0	0.0	0.0	0	0
.1	Grand mal	363	57	238	174	110	57	22	0.2	0.2	0.1	0.6	0.2
.2	Status epilepticus	511	134	284	228	157	78	48	0.3	0.3	0.2	0.8	0.5
.3	Other and unspecified	1,180	287	658	488	390	211	91	0.7	0.6	0.5	2.3	0.9
354	Migraine	1	-	1	-	1	-	-	0.0	0	0.0	0	0
355	Other diseases of brain	1,000	365	427	454	398	92	56	0.6	0.6	0.5	1.0	0.6
356	Motor neuron disease and muscular atrophy	1,174	241	704	686	410	57	21	0.7	0.9	0.5	0.6	0.2
.0	Progressive muscular atrophy	195	43	113	100	77	12	6	0.1	0.1	0.1	0.1	0.1
.1	Amyotrophic lateral sclerosis	937	185	570	560	321	42	14	0.5	0.7	0.4	0.4	0.1
.2	Spinal type of muscular atrophy	35	11	19	21	11	2	1	0.0	0.0	0.0	0.0	0.0
.3	Other and unspecified manifestations	7	2	2	5	1	1	-	0.0	0.0	0.0	0.0	0
357	Other diseases of spinal cord	183	43	102	87	70	14	12	0.1	0.1	0.1	0.1	0.1
360-369	Diseases of nerves and peripheral ganglia	254	113	99	137	93	10	14	0.1	0.2	0.1	0.1	0.1
360	Facial paralysis	2	-	2	1	1	-	-	0.0	0.0	0.0	0	0
361	Trigeminal neuralgia	18	8	8	7	9	-	2	0.0	0.0	0.0	0	0.0
364	Polyneuritis and polyradiculitis	169	85	59	101	58	5	5	0.1	0.1	0.1	0.1	0.1
366	Other and unspecified forms of neuralgia and neuritis	31	7	18	13	11	2	5	0.0	0.0	0.0	0.0	0.1
367	Other diseases of cranial nerves	8	5	2	4	4	-	-	0.0	0.0	0.0	0	0
368	Other diseases of peripheral nerves except autonomic	17	3	8	8	5	2	2	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	9	5	2	3	5	1	-	0.0	0.0	0.0	0.0	0
370-379	Inflammatory diseases of eye	13	7	5	7	4	1	1	0.0	0.0	0.0	0.0	0.0
370	Conjunctivitis and ophthalmia	1	-	1	-	-	1	-	0.0	0	0	0.0	0
371	Blepharitis	1	-	1	-	1	-	-	0.0	0	0.0	0	0
376	Other inflammation of uveal tract	5	3	1	3	2	-	-	0.0	0.0	0.0	0	0
377	Inflammation of optic nerve and retina	3	3	-	2	1	-	-	0.0	0.0	0.0	0	0
379	Other inflammatory diseases of eye	3	1	2	2	-	-	1	0.0	0.0	0	0	0.0
380-389	Other diseases and conditions of eye	49	18	20	23	19	3	4	0.0	0.0	0.0	0.0	0.0
384	Strabismus	11	4	4	5	5	1	-	0.0	0.0	0.0	0.0	0
385	Cataract	27	11	11	16	7	1	3	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina	5	2	1	2	2	-	1	0.0	0.0	0.0	0	0.0
387	Glaucoma	4	-	3	-	4	-	-	0.0	0	0.0	0	0
388	Other diseases of eye	2	1	1	-	1	1	-	0.0	0	0.0	0.0	0
390-398	Diseases of ear and mastoid process	438	265	131	196	158	46	38	0.3	0.3	0.2	0.5	0.4
391	Otitis media without mention of mastoiditis	332	195	108	140	120	37	35	0.2	0.2	0.2	0.4	0.4
.0	Acute	63	46	15	30	18	9	6	0.0	0.0	0.0	0.1	0.1
.1	Chronic	37	16	17	21	13	3	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	232	133	76	89	89	25	29	0.1	0.1	0.1	0.3	0.3

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.											
	Diseases of ear and mastoid process—Continued											
392	Otitis media with mastoiditis	43	32	6	19	19	4	1	0.0	0.0	0.0	0.0	0.0
.0	Acute	14	9	2	5	9	-	-	0.0	0.0	0.0	0	0
.1	Chronic	10	8	2	7	2	1	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	19	15	2	7	8	3	1	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media	58	33	17	35	16	5	2	0.0	0.0	0.0	0.1	0.0
.0	Acute	7	6	1	4	3	-	-	0.0	0.0	0.0	0	0
.1	Chronic	23	12	8	15	4	3	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	28	15	8	16	9	2	1	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear	1	1	-	1	-	-	-	0.0	0.0	0	0	0
396	Other diseases of ear and mastoid process	4	4	-	1	3	-	-	0.0	0.0	0.0	0	0
	VII. Diseases of the circulatory system												
400-402	Rheumatic fever	806	389	287	336	297	83	90	0.5	0.4	0.4	0.9	0.9
400	Rheumatic fever without mention of heart involvement	89	16	49	28	34	15	12	0.1	0.0	0.0	0.2	0.1
401	Rheumatic fever with heart involvement	713	372	238	307	260	68	78	0.4	0.4	0.3	0.7	0.8
.0	Active rheumatic pericarditis	174	147	16	93	56	11	14	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis	89	41	29	33	35	12	9	0.1	0.0	0.0	0.1	0.1
.2	Active rheumatic myocarditis	53	22	20	23	22	3	5	0.0	0.0	0.0	0.0	0.1
.3	Active rheumatic fever with other and multiple types of heart involvement	397	162	173	158	147	42	50	0.2	0.2	0.2	0.4	0.5
402	Chorea	4	1	-	1	3	-	-	0.0	0.0	0.0	0	0
.0	Without mention of heart involvement	3	1	-	-	3	-	-	0.0	0	0.0	0	0
.1	With heart involvement	1	-	-	1	-	-	-	0.0	0.0	0	0	0
410-416	Chronic rheumatic heart disease	17,990	5,262	9,793	7,938	8,639	673	740	10.4	10.4	11.1	7.2	7.5
410	Diseases of mitral valve	6,431	2,251	3,147	2,657	3,282	236	256	3.7	3.5	4.2	2.5	2.6
411	Diseases of aortic valve specified as rheumatic	1,718	792	725	1,194	447	56	21	1.0	1.8	0.6	0.6	0.2
412	Diseases of tricuspid valve	27	9	14	9	17	1	-	0.0	0.0	0.0	0.0	0
413	Diseases of pulmonary valve specified as rheumatic	3	1	1	-	3	-	-	0.0	0	0.0	0	0
414	Other endocarditis specified as rheumatic	1,023	219	641	454	493	43	33	0.6	0.6	0.6	0.5	0.3
415	Other myocarditis specified as rheumatic	509	80	321	216	249	16	28	0.3	0.3	0.3	0.2	0.3
416	Other heart disease specified as rheumatic	8,279	1,910	4,944	3,408	4,148	321	402	4.8	4.5	5.3	3.4	4.1
420-422	Arteriosclerotic and degenerative heart disease	519,968	58,423	361,378	296,987	187,078	20,454	15,449	300.2	390.7	239.9	218.4	156.7
420	Arteriosclerotic heart disease, including coronary disease	461,373	54,436	320,360	271,556	160,438	17,051	12,328	266.3	357.2	205.7	182.1	125.0
.0	Arteriosclerotic heart disease so described	183,425	18,678	133,208	94,706	76,900	6,532	5,287	105.9	124.8	98.6	69.7	53.6
.1	Heart disease specified as involving coronary arteries	277,275	35,746	186,706	176,471	83,332	10,467	7,005	160.1	232.2	106.8	111.8	71.1
.2	Angina pectoris without mention of coronary disease	673	12	446	379	206	52	36	0.4	0.5	0.3	0.6	0.4
421	Chronic endocarditis not specified as rheumatic	5,606	1,060	3,190	2,712	2,100	419	375	3.2	3.6	2.7	4.5	3.8
.0	Of mitral valve, specified as nonrheumatic	456	45	311	167	233	25	31	0.3	0.2	0.3	0.3	0.3
.1	Of aortic valve, not specified as rheumatic	1,998	858	792	1,218	549	145	86	1.2	1.6	0.7	1.5	0.9
.2	Of tricuspid valve, specified as nonrheumatic	1	1	-	1	-	-	-	0.0	0.0	0	0	0
.3	Of pulmonary valve, not specified as rheumatic	35	7	18	22	11	2	-	0.0	0.0	0.0	0.0	0
.4	Other and ill-defined, not specified as rheumatic	3,116	149	2,069	1,304	1,307	247	258	1.8	1.7	1.7	2.6	2.6
422	Other myocardial degeneration	52,989	2,927	37,828	22,719	24,540	2,984	2,746	30.6	29.9	32.5	31.9	27.9
.0	Fatty degeneration	63	26	25	26	32	3	2	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis	35,916	2,041	26,198	15,154	17,173	1,854	1,735	20.7	19.9	22.0	19.8	17.6
.2	Other	17,010	860	11,605	7,539	7,335	1,127	1,009	9.8	9.9	9.4	12.0	10.2
430-434	Other diseases of heart	24,548	3,322	14,724	12,004	8,479	2,382	1,683	14.2	15.8	10.9	25.4	17.1
430	Acute and subacute endocarditis	754	465	181	394	229	71	60	0.4	0.5	0.3	0.8	0.6
.0	Acute and subacute bacterial endocarditis	692	446	161	373	213	59	47	0.4	0.5	0.3	0.6	0.5
.1	Other acute endocarditis	62	19	20	21	16	12	13	0.0	0.0	0.0	0.1	0.1
431	Acute myocarditis not specified as rheumatic	986	204	570	404	358	108	116	0.6	0.5	0.5	1.2	1.2
432	Acute pericarditis specified as nonrheumatic	65	59	2	28	26	8	3	0.0	0.0	0.0	0.1	0.0
433	Functional disease of heart	5,047	700	3,217	2,374	2,300	205	168	2.9	3.1	2.9	2.2	1.7
.0	Heart block	1,602	263	957	814	603	103	82	0.9	1.1	0.8	1.1	0.8
.1	Other disorders of heart rhythm	3,430	433	2,251	1,551	1,693	102	84	2.0	2.0	2.2	1.1	0.9
.2	Other functional diseases of heart	15	4	9	9	4	-	2	0.0	0.0	0.0	0	0.0
434	Other and unspecified diseases of heart	17,696	1,894	10,754	8,804	5,566	1,990	1,336	10.2	11.6	7.1	21.2	13.6
.0	Kyphoscoliotic heart disease	150	37	88	70	71	4	5	0.1	0.1	0.1	0.0	0.1
.1	Congestive heart failure	7,272	625	4,471	3,186	2,879	676	531	4.2	4.2	3.7	7.2	5.4
.2	Left ventricular failure	798	86	507	419	261	67	51	0.5	0.6	0.3	0.7	0.5
.3	Other disease of heart	344	201	91	185	100	41	18	0.2	0.2	0.1	0.4	0.2
.4	Unspecified disease of heart	9,132	945	5,597	4,944	2,255	1,202	731	5.3	6.5	2.9	12.8	7.4
440-443	Hypertensive heart disease	73,934	7,583	49,557	25,239	33,552	6,816	8,327	42.7	33.2	43.0	72.8	84.5
440	Essential benign hypertensive heart disease	722	97	537	213	368	65	76	0.4	0.3	0.5	0.7	0.8
441	Essential malignant hypertensive heart disease	934	200	562	343	264	165	162	0.5	0.5	0.3	1.8	1.6
442	Hypertensive heart disease with arteriolar nephrosclerosis	17,601	1,699	11,357	7,033	7,479	1,481	1,608	10.2	9.3	9.6	15.8	16.3
443	Other and unspecified hypertensive heart disease	54,677	5,587	37,101	17,650	25,441	5,105	6,481	31.6	23.2	32.6	54.5	65.7
444-447	Other hypertensive disease	13,798	2,100	8,731	5,591	5,526	1,368	1,313	8.0	7.4	7.1	14.6	13.3
444	Essential benign hypertension	3,968	278	2,617	1,271	1,993	332	372	2.3	1.7	2.6	3.5	3.8
445	Essential malignant hypertension	2,969	621	1,679	985	877	564	545	1.7	1.3	1.1	6.0	5.5
446	Hypertension with arteriolar nephrosclerosis	6,699	1,184	4,325	3,294	2,576	456	373	3.9	4.3	3.3	4.9	3.8
447	Other hypertensive disease without mention of heart	162	17	110	43	80	16	23	0.1	0.1	0.1	0.2	0.2

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex				Total deaths	Color and sex			
					White		Nonwhite			White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued												
450-456	Diseases of arteries	44,110	7,282	27,645	21,425	19,183	1,801	1,701	25.5	28.2	24.6	19.2	17.3
450	General arteriosclerosis	34,483	2,545	24,065	15,264	16,599	1,324	1,296	19.9	20.1	21.3	14.1	13.1
.0	Without mention of gangrene	32,136	2,263	22,465	14,100	15,681	1,186	1,169	18.6	18.5	20.1	12.7	11.9
.1	With mention of gangrene as a consequence	2,347	282	1,600	1,164	918	138	127	1.4	1.5	1.2	1.5	1.3
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	7,086	3,721	2,483	4,894	1,641	341	210	4.1	6.4	2.1	3.6	2.1
452	Other aneurysm, except of heart and aorta	459	255	138	255	138	39	27	0.3	0.3	0.2	0.4	0.3
453	Peripheral vascular disease	264	37	162	181	68	13	2	0.2	0.2	0.1	0.1	0.0
.0	Raynaud's disease	18	4	9	10	8	-	-	0.0	0.0	0.0	0	0
.1	Thromboangiitis obliterans	191	26	117	143	39	8	1	0.1	0.2	0.1	0.1	0.0
.2	Chilblains	1	-	1	-	-	1	-	0.0	0	0	0.0	0
.3	Other	54	7	35	28	21	4	1	0.0	0.0	0.0	0.0	0.0
454	Arterial embolism and thrombosis	673	232	323	360	265	25	23	0.4	0.5	0.3	0.3	0.2
455	Gangrene of unspecified cause	243	41	138	118	80	21	24	0.1	0.2	0.1	0.2	0.2
456	Other diseases of arteries	902	431	336	353	392	38	119	0.5	0.5	0.5	0.4	1.2
460-468	Diseases of veins and other diseases of circulatory system	7,577	3,377	3,098	3,517	3,052	495	513	4.4	4.6	3.9	5.3	5.2
460	Varicose veins of lower extremities	237	69	130	74	131	9	23	0.1	0.1	0.2	0.1	0.2
461	Hemorrhoids	46	16	20	29	12	4	1	0.0	0.0	0.0	0.0	0.0
462	Varicose veins of other specified sites	328	101	162	198	97	20	13	0.2	0.3	0.1	0.2	0.1
.0	Varicocele	2	-	1	1	-	-	1	0.0	0.0	0	0	0.0
.1	Varicose veins of esophagus	294	87	152	183	82	18	11	0.2	0.2	0.1	0.2	0.1
.2	Other	32	14	9	14	15	2	1	0.0	0.0	0.0	0.0	0.0
463	Phlebitis and thrombophlebitis of lower extremities	1,069	426	511	473	497	40	59	0.6	0.6	0.6	0.4	0.6
464	Phlebitis and thrombophlebitis of other sites	641	245	283	278	284	34	45	0.4	0.4	0.4	0.4	0.5
465	Pulmonary embolism and infarction	3,256	1,605	1,220	1,571	1,186	271	228	1.9	2.1	1.5	2.9	2.3
466	Other venous embolism and thrombosis	1,432	781	469	648	625	71	88	0.8	0.9	0.8	0.8	0.9
467	Other diseases of circulatory system	500	105	274	226	185	41	48	0.3	0.3	0.2	0.4	0.5
.0	Hypotension	71	9	42	29	27	9	6	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	24	9	8	8	15	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified circulatory diseases	405	87	224	189	143	32	41	0.2	0.2	0.2	0.3	0.4
468	Certain diseases of lymph nodes and lymph channels	68	29	29	20	35	5	8	0.0	0.0	0.0	0.1	0.1
.1	Nonspecific mesenteric lymphadenitis	26	17	6	11	7	4	4	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified	20	6	12	6	13	-	1	0.0	0.0	0.0	0	0.0
.3	Noninfective diseases of lymphatic channels	22	6	11	3	15	1	3	0.0	0.0	0 0	0.0	0.0
	VIII. Diseases of the respiratory system												
470-475	Acute upper respiratory infections	936	302	476	408	303	126	99	0.5	0.5	0.4	1.3	1.0
470	Acute nasopharyngitis (common cold)	86	7	51	20	17	27	22	0.0	0.0	0.0	0.3	0.2
471	Acute sinusitis	17	7	8	9	6	1	1	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis	112	38	59	52	43	8	9	0.1	0.1	0.1	0.1	0.1
.0	Sore throat, unqualified	2	1	1	1	-	-	1	0.0	0.0	0	0	0.0
.1	Other	110	37	58	51	43	8	8	0.1	0.1	0.1	0.1	0.1
473	Acute tonsillitis	109	31	58	43	39	15	12	0.1	0.1	0.1	0.2	0.1
474	Acute laryngitis and tracheitis	247	150	66	117	80	31	19	0.1	0 2	0.1	0.3	0.2
475	Acute upper respiratory infection of multiple or unspecified sites	365	69	234	167	118	44	36	0.2	0.2	0.2	0.5	0.4
480-483	Influenza	4,442	296	2,717	1,732	1,608	610	492	2.6	2.3	2.1	6.5	5.0
480	Influenza with pneumonia	2,453	187	1,480	899	843	361	330	1.4	1.2	1.1	4.1	3.3
481	Influenza with other respiratory manifestations, and influenza unqualified	1,764	79	1,111	745	682	199	138	1.0	1.0	0.9	2.1	1.4
482	Influenza with digestive manifestations, but without respiratory symptoms	147	14	85	54	55	20	18	0.1	0.1	0.1	0.2	0.2
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	78	16	41	34	28	10	6	0.0	0.0	0.0	0.1	0.1
490-493	Pneumonia	52,997	16,345	27,915	24,817	18,308	5,772	4,100	30.6	32.6	23.5	61.6	41.6
490	Lobar pneumonia	9,339	3,113	4,513	4,471	2,842	1,273	753	5.4	5.9	3.6	13.6	7.6
491	Bronchopneumonia	31,183	10,183	16,657	14,822	11,242	2,980	2,139	18.0	19.5	14.4	31.8	21.7
492	Primary atypical pneumonia	4,864	1,676	2,375	2,297	1,678	506	383	2.8	3.0	2.2	5.4	3.9
493	Pneumonia, other and unspecified	7,611	1,373	4,370	3,227	2,546	1,013	825	4.4	4.2	3.3	10.8	8.4
500-502	Bronchitis	3,973	1,443	1,909	2,369	1,115	284	205	2.3	3.1	1.4	3.0	2.1
500	Acute bronchitis	1,352	663	491	637	482	124	109	0.8	0.8	0.6	1.3	1.1
501	Bronchitis, unqualified	817	301	344	392	268	89	66	0.5	0.5	0.3	1.0	0.7
502	Chronic bronchitis	1,804	479	1,074	1,340	365	71	28	1.0	1.8	0.5	0.8	0.3
.0	Bronchitis with emphysema	1,053	293	640	874	131	41	7	0.6	1.1	0.2	0.4	0.1
.1	Other	751	186	434	466	234	30	21	0.4	0.6	0.3	0.3	0.2
510-527	Other diseases of respiratory system	19,299	6,851	9,298	13,345	4,124	1,232	598	11.1	17.6	5.3	13.2	6.1
510	Hypertrophy of tonsils and adenoids	194	84	92	85	74	22	13	0.1	0.1	0.1	0.2	0.1
.0	Without mention of tonsillectomy or adenoidectomy	13	3	9	5	5	2	1	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	181	81	83	80	69	20	12	0.1	0.1	0.1	0.2	0.1
511	Peritonsillar abscess (quinsy)	17	5	9	10	5	1	1	0.0	0.0	0.0	0.0	0.0
512	Chronic pharyngitis and nasopharyngitis	5	1	4	2	1	1	1	0.0	0.0	0.0	0.0	0.0
.0	Chronic pharyngitis	1	-	1	1	-	-	-	0.0	0.0	0	0	0
.1	Chronic nasopharyngitis	4	1	3	1	1	1	1	0.0	0.0	0.0	0.0	0.0
513	Chronic sinusitis	104	49	37	49	38	11	6	0.1	0.1	0.0	0.1	0.1

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	VIII. Diseases of the respiratory system—Continued											
	Other diseases of respiratory system—Continued											
514	Deflected nasal septum	2	2	-	2	-	-	-	0.0	0.0	0	0	0
515	Nasal polyp	2	-	2	-	2	-	-	0.0	0	0.0	0	0
516	Chronic laryngitis	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0
517	Other diseases of upper respiratory tract	229	113	84	121	73	17	18	0.1	0.2	0.1	0.2	0.2
518	Empyema	243	134	67	149	50	34	10	0.1	0.2	0.1	0.4	0.1
519	Pleurisy	181	101	55	89	65	16	11	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis	106	58	29	55	33	12	6	0.1	0.1	0.0	0.1	0.1
.1	With effusion, with mention of a bacterial cause other than tuberculosis	3	1	1	3	-	-	-	0.0	0.0	0	0	0
.2	Other specified forms of effusion, except tuberculous	72	42	25	31	32	4	5	0.0	0.0	0.0	0.0	0.1
520	Spontaneous pneumothorax	98	45	37	61	19	10	8	0.1	0.1	0.0	0.1	0.1
521	Abscess of lung	652	419	158	362	161	95	34	0.4	0.5	0.2	1.0	0.3
522	Pulmonary congestion and hypostasis	1,955	473	1,040	854	847	133	121	1.1	1.1	1.1	1.4	1.2
523	Pneumoconiosis due to silica and silicates (occupational)	1,420	294	778	1,354	12	53	1	0.8	1.8	0.0	0.6	0.0
.0	Silicosis	531	145	286	498	2	31	-	0.3	0.7	0.0	0.3	0
.1	Anthracosilicosis	661	78	377	650	5	6	-	0.4	0.9	0.0	0.1	0
.2	Asbestosis	14	6	6	12	1	-	1	0.0	0.0	0.0	0	0.0
.3	Other, including pneumoconiosis unspecified	214	65	109	194	4	16	-	0.1	0.3	0.0	0.2	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	55	24	23	48	2	5	-	0.0	0.1	0.0	0.1	0
525	Other chronic interstitial pneumonia	3,550	1,459	1,600	2,190	889	293	178	2.0	2.9	1.1	3.1	1.8
526	Bronchiectasis	2,414	731	1,258	1,569	725	95	25	1.4	2.1	0.9	1.0	0.3
527	Other diseases of lung and pleural cavity	8,173	2,914	4,052	6,398	1,160	445	170	4.7	8.4	1.5	4.8	1.7
.0	Pulmonary collapse (1 year and over)	214	130	59	131	68	12	3	0.1	0.2	0.1	0.1	0.0
.1	Emphysema without mention of bronchitis	6,707	2,404	3,352	5,629	732	296	50	3.9	7.4	0.9	3.2	0.5
.2	Other	1,252	380	641	638	360	137	117	0.7	0.8	0.5	1.5	1.2
	IX. Diseases of the digestive system												
530-539	Diseases of buccal cavity and esophagus	918	419	360	444	381	44	49	0.5	0.6	0.5	0.5	0.5
530	Dental caries	5	3	2	3	1	-	1	0.0	0.0	0.0	0	0.0
.0	Dental caries, unqualified	3	1	2	2	-	-	1	0.0	0.0	0	0	0.0
.2	With periapical abscess	1	1	-	-	1	-	-	0.0	0	0.0	0	0
.3	Other	1	1	-	1	-	-	-	0.0	0.0	0	0	0
531	Abscesses of supporting structures of teeth	21	6	10	10	8	1	2	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal	1	-	1	1	-	-	-	0.0	0.0	0	0	0
.1	Periodontal (parietal)	4	2	2	3	-	-	1	0.0	0.0	0	0	0.0
.2	Other and unspecified	16	4	7	6	8	1	1	0.0	0.0	0.0	0.0	0.0
532	Other inflammatory diseases of supporting structures of teeth	33	6	18	14	9	6	4	0.0	0.0	0.0	0.1	0.0
.0	Gingivitis, except ulcerative	3	-	2	2	1	-	-	0.0	0.0	0.0	0	0
.1	Periodontitis (pyorrhea, inflammatory)	9	1	5	1	2	5	1	0.0	0.0	0.0	0.1	0.0
.3	Other	21	5	11	11	6	1	3	0.0	0.0	0.0	0.0	0.0
533	Disorders of occlusion, eruption, and tooth development	1	1	-	-	1	-	-	0.0	0	0.0	0	0
.2	Impacted teeth	1	1	-	-	1	-	-	0.0	0	0.0	0	0
535	Other diseases of teeth and supporting structures	34	14	14	13	11	3	7	0.0	0.0	0.0	0.0	0.1
536	Stomatitis	11	1	8	1	6	1	3	0.0	0.0	0.0	0.0	0.0
537	Diseases of salivary glands	130	27	88	42	83	1	4	0.1	0.1	0.1	0.0	0.0
538	Other diseases of buccal cavity	53	14	26	16	25	5	7	0.0	0.0	0.0	0.1	0.1
539	Diseases of esophagus	630	347	194	345	237	27	21	0.4	0.5	0.3	0.3	0.2
.0	Functional disorders of esophagus	39	14	13	15	21	-	3	0.0	0.0	0.0	0	0.0
.1	Other	591	333	181	330	216	27	18	0.3	0.4	0.3	0.3	0.2
540-545	Diseases of stomach and duodenum	12,085	5,724	4,656	8,314	2,741	708	322	7.0	10.9	3.5	7.6	3.3
540	Ulcer of stomach	5,478	2,463	2,218	3,615	1,349	352	162	3.2	4.8	1.7	3.8	1.6
.0	Without mention of perforation	3,626	1,492	1,595	2,413	890	228	95	2.1	3.2	1.1	2.4	1.0
.1	With perforation	1,852	971	623	1,202	459	124	67	1.1	1.6	0.6	1.3	0.7
541	Ulcer of duodenum	5,323	2,717	1,923	3,913	1,060	250	100	3.1	5.1	1.4	2.7	1.0
.0	Without mention of perforation	3,371	1,491	1,409	2,571	623	134	43	1.9	3.4	0.8	1.4	0.4
.1	With perforation	1,952	1,226	514	1,342	437	116	57	1.1	1.8	0.6	1.2	0.6
542	Gastrojejunal ulcer	288	119	119	210	59	13	6	0.2	0.3	0.1	0.1	0.1
.0	Without mention of perforation	188	72	80	135	38	11	4	0.1	0.2	0.0	0.1	0.0
.1	With perforation	100	47	39	75	21	2	2	0.1	0.1	0.0	0.0	0.0
543	Gastritis and duodenitis	347	146	142	182	114	32	19	0.2	0.2	0.1	0.3	0.2
544	Disorders of function of stomach	148	57	58	57	40	24	27	0.1	0.1	0.1	0.3	0.3
.0	Disorders of gastric secretion	1	-	1	1	-	-	-	0.0	0.0	0	0	0
.1	Disorders of gastric motility	66	50	12	34	23	3	6	0.0	0.0	0.0	0.0	0.1
.2	Other	81	7	45	22	17	21	21	0.0	0.0	0.0	0.2	0.2
545	Other diseases of stomach and duodenum	501	222	196	337	119	37	8	0.3	0.4	0.2	0.4	0.1
550-553	Appendicitis	1,845	776	803	978	575	168	124	1.1	1.3	0.7	1.8	1.3
550	Acute appendicitis	1,680	704	727	900	509	159	112	1.0	1.2	0.7	1.7	1.1
.0	Without mention of peritonitis	212	76	105	123	50	25	14	0.1	0.2	0.1	0.3	0.1
.1	With peritonitis	1,468	628	622	777	459	134	98	0.8	1.0	0.6	1.4	1.0
551	Appendicitis, unqualified	154	66	72	71	62	9	12	0.1	0.1	0.1	0.1	0.1
552	Other appendicitis	5	3	2	4	1	-	-	0.0	0.0	0.0	0	0
553	Other diseases of appendix	6	3	2	3	3	-	-	0.0	0.0	0.0	0	0
560,561	Hernia of abdominal cavity	3,381	1,379	1,508	1,624	1,398	216	143	2.0	2.1	1.8	2.3	1.5
560	Hernia of abdominal cavity without mention of obstruction	1,308	653	472	665	524	64	55	0.8	0.9	0.7	0.7	0.6
.0	Inguinal	146	66	68	117	8	21	-	0.1	0.2	0.0	0.2	0
.1	Femoral	14	6	8	4	10	-	-	0.0	0.0	0.0	0	0

[1] Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued											
	Hernia of abdominal cavity—Continued											
	Hernia of abdominal cavity without mention of obstruction—Con.											
.2	Umbilical	198	91	78	93	82	11	12	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)	136	51	50	43	80	3	10	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site	693	389	213	333	315	19	26	0.4	0.4	0.4	0.2	0.3
.5	Of unspecified site	121	50	55	75	29	10	7	0.1	0.1	0.0	0.1	0.1
561	Hernia of abdominal cavity with obstruction	2,073	726	1,036	959	874	152	88	1.2	1.3	1.1	1.6	0.9
.0	Inguinal	667	241	337	470	95	96	6	0.4	0.6	0.1	1.0	0.1
.1	Femoral	259	87	140	68	186	1	4	0.1	0.1	0.2	0.0	0.0
.2	Umbilical	213	68	114	60	121	7	25	0.1	0.1	0.2	0.1	0.3
.3	Ventral (incisional)	330	100	178	60	238	2	30	0.2	0.1	0.3	0.0	0.3
.4	Of other specified site	211	99	84	75	115	16	5	0.1	0.1	0.1	0.2	0.1
.5	Of unspecified site	393	131	183	226	119	30	18	0.2	0.3	0.2	0.3	0.2
570-578	Other diseases of intestines and peritoneum	16,376	5,782	7,748	6,776	6,647	1,548	1,405	9.5	8.9	8.5	16.5	14.3
570	Intestinal obstruction without mention of hernia	5,472	2,068	2,511	2,214	2,466	408	384	3.2	2.9	3.2	4.4	3.9
.0	Intussusception	142	83	41	70	45	17	10	0.1	0.1	0.1	0.2	0.1
.1	Paralytic ileus	284	111	132	129	115	27	13	0.2	0.2	0.1	0.3	0.1
.2	Mesenteric infarction	1,694	778	667	804	737	75	78	1.0	1.1	0.9	0.8	0.8
.3	Volvulus	791	443	262	353	306	86	46	0.5	0.5	0.4	0.9	0.5
.4	Impaction of intestine	179	69	79	54	107	9	9	0.1	0.1	0.1	0.1	0.1
.5	Other	2,382	584	1,330	804	1,156	194	228	1.4	1.1	1.5	2.1	2.3
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4,629	1,365	2,246	1,603	1,484	846	696	2.7	2.1	1.9	9.0	7.1
.0	Ages between 4 weeks and 2 years	3,066	813	1,529	969	818	704	575	1.8	1.3	1.0	7.5	5.8
.1	Ages 2 years and over	1,563	552	717	634	666	142	121	0.9	0.8	0.9	1.5	1.2
572	Chronic enteritis and ulcerative colitis	2,862	1,243	1,248	1,281	1,424	53	104	1.7	1.7	1.8	0.6	1.1
.0	Regional enteritis	159	69	71	85	66	3	5	0.1	0.1	0.1	0.0	0.1
.1	Diverticulitis	1,834	753	838	778	967	27	62	1.1	1.0	1.2	0.3	0.6
.2	Ulcerative colitis	776	398	291	381	350	14	31	0.4	0.5	0.4	0.1	0.3
.3	Other	93	23	48	37	41	9	6	0.1	0.0	0.1	0.1	0.1
573	Functional disorders of intestines	59	13	33	25	26	1	7	0.0	0.0	0.0	0.0	0.1
.0	Constipation	19	2	14	8	7	-	4	0.0	0.0	0.0	0	0.0
.1	Mucous colitis	8	1	6	2	3	1	2	0.0	0.0	0.0	0.0	0.0
.2	Irritability of colon	6	1	2	1	5	-	-	0.0	0.0	0.0	0	0
.3	Other	26	9	11	14	11	-	1	0.0	0.0	0.0	0	0.0
574	Anal fissure and fistula	6	2	4	6	-	-	-	0.0	0.0	0	0	0
575	Abscess of anal and rectal regions	74	30	37	36	26	8	4	0.0	0.0	0.0	0.1	0.0
576	Peritonitis	713	334	259	328	265	54	66	0.4	0.4	0.3	0.6	0.7
577	Peritoneal adhesion	32	17	7	10	15	2	5	0.0	0.0	0.0	0.0	0.1
578	Other diseases of intestines and peritoneum	2,529	710	1,403	1,273	941	176	139	1.5	1.7	1.2	1.9	1.4
580-587	Diseases of liver, gallbladder, and pancreas	28,812	12,127	12,456	15,760	10,585	1,410	1,057	16.6	20.7	13.6	15.1	10.7
580	Acute and subacute yellow atrophy of liver	560	299	182	240	236	49	35	0.3	0.3	0.3	0.5	0.4
581	Cirrhosis of liver	18,638	7,646	8,177	11,367	5,639	993	639	10.8	15.0	7.2	10.6	6.5
.0	Without mention of alcoholism	13,035	5,142	5,678	7,682	4,256	674	423	7.5	10.1	5.5	7.2	4.3
.1	With alcoholism	5,603	2,504	2,499	3,685	1,383	319	216	3.2	4.8	1.8	3.4	2.2
582	Suppurative hepatitis and liver abscess	138	101	21	63	46	16	13	0.1	0.1	0.1	0.2	0.1
583	Other diseases of liver	844	341	372	395	355	54	40	0.5	0.5	0.5	0.6	0.4
584	Cholelithiasis	2,959	1,298	1,302	1,123	1,701	46	89	1.7	1.5	2.2	0.5	0.9
585	Cholecystitis and cholangitis, without mention of calculi	1,761	528	959	704	946	45	66	1.0	0.9	1.2	0.5	0.7
586	Other diseases of gallbladder and biliary ducts	1,142	391	578	461	602	25	54	0.7	0.6	0.8	0.3	0.5
587	Diseases of pancreas	2,770	1,523	865	1,407	1,060	182	121	1.6	1.9	1.4	1.9	1.2
.0	Acute pancreatitis	1,846	1,041	568	940	678	140	88	1.1	1.2	0.9	1.5	0.9
.1	Chronic pancreatitis	202	114	68	111	62	14	15	0.1	0.1	0.1	0.1	0.2
A	Other diseases of pancreas, except fibrocystic disease	172	108	42	93	60	12	7	0.1	0.1	0.1	0.1	0.1
B	Fibrocystic disease of pancreas	550	260	187	263	260	16	11	0.3	0.3	0.3	0.2	0.1
	X. Diseases of the genitourinary system												
590-594	Nephritis and nephrosis	16,030	3,074	9,160	6,921	5,676	1,777	1,656	9.3	9.1	7.3	19.0	16.8
590	Acute nephritis	1,132	261	588	445	418	135	134	0.7	0.6	0.5	1.4	1.4
591	Nephritis with edema, including nephrosis	1,071	378	487	499	352	121	99	0.6	0.7	0.5	1.3	1.0
592	Chronic nephritis	10,909	2,032	6,386	4,744	3,963	1,120	1,082	6.3	6.2	5.1	12.0	11.0
593	Nephritis not specified as acute or chronic	2,778	375	1,627	1,159	905	384	330	1.6	1.5	1.2	4.1	3.3
594	Other renal sclerosis	140	28	72	74	38	17	11	0.1	0.1	0.0	0.2	0.1
600-609	Other diseases of urinary system	10,219	3,635	4,952	4,582	3,871	1,010	756	5.9	6.0	5.0	10.8	7.7
600	Infections of kidney	6,889	2,413	3,380	2,890	2,732	654	613	4.0	3.8	3.5	7.0	6.2
.0	Pyelitis, pyelocystitis, and pyelonephritis	6,668	2,296	3,312	2,799	2,631	636	602	3.8	3.7	3.4	6.8	6.1
.1	Abscess of kidney and perirenal tissue	152	106	27	55	74	13	10	0.1	0.1	0.1	0.1	0.1
.2	Other	69	11	41	36	27	5	1	0.0	0.0	0.0	0.1	0.0
601	Hydronephrosis	284	136	109	143	101	26	14	0.2	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	1,171	477	536	547	530	49	45	0.7	0.7	0.7	0.5	0.5
603	Other diseases of kidney and ureter	626	240	266	310	206	67	43	0.4	0.4	0.3	0.7	0.4
604	Calculi of other parts of urinary system	111	31	61	73	23	14	1	0.1	0.1	0.0	0.1	0.0
605	Cystitis	392	135	190	196	140	36	20	0.2	0.3	0.2	0.4	0.2
606	Other diseases of bladder	285	94	142	189	43	48	5	0.2	0.2	0.1	0.5	0.1
607	Urethritis (nonvenereal)	8	2	4	3	2	3	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	184	53	95	89	4	88	3	0.1	0.1	0.0	0.9	0.0
609	Other diseases of urethra	269	54	169	142	90	25	12	0.2	0.2	0.1	0.3	0.1

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genitourinary system—Continued											
610-617	Diseases of male genital organs	5,165	1,113	3,074	4,512	...	653	...	3.0	5.9	...	7.0	...
610	Hyperplasia of prostate	4,627	1,004	2,776	4,047	...	580	...	2.7	5.3	...	6.2	...
611	Prostatitis	309	40	186	269	...	40	...	0.2	0.4	...	0.4	...
612	Other diseases of prostate	145	35	76	131	...	14	...	0.1	0.2	...	0.1	...
613	Hydrocele	6	2	3	4	...	2	...	0.0	0.0	...	0.0	...
614	Orchitis and epididymitis	17	9	4	14	...	3	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	5	2	3	3	...	2	...	0.0	0.0	...	0.0	...
617	Other diseases of male genital organs	56	21	26	44	...	12	...	0.0	0.1	...	0.1	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	245	116	96	3	138	-	104	0.1	0.0	0.2	0	1.1
621	Other diseases of breast	6	3	2	3	3	-	-	0.0	0.0	0.0	0	0
.0	Acute mastitis not associated with lactation	1	-	-	1	-	-	-	0.0	0.0	0	0	0
.1	Hypertrophy of breast	2	1	1	1	1	-	-	0.0	0.0	0.0	0	0
.2	Other	3	2	1	1	2	-	-	0.0	0.0	0.0	0	0
622	Acute salpingitis and oophoritis	11	4	5	...	6	...	5	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	9	4	4	...	1	...	8	0.0	...	0.0	...	0.1
624	Salpingitis and oophoritis, unqualified	92	45	32	...	41	...	51	0.1	...	0.1	...	0.5
625	Other diseases of ovary and fallopian tube	13	8	4	...	9	...	4	0.0	...	0.0	...	0.0
626	Diseases of parametrium and pelvic peritoneum (female)	114	52	49	...	78	...	36	0.1	...	0.1	...	0.4
630-637	Diseases of uterus and other female genital organs	368	136	165	...	293	...	75	0.2	...	0.4	...	0.8
630	Infective disease of uterus, vagina, and vulva	44	26	12	...	33	...	11	0.0	...	0.0	...	0.1
.0	Cervicitis	6	1	4	...	5	...	1	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus	32	22	6	...	23	...	9	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis	6	3	2	...	5	...	1	0.0	...	0.0	...	0.0
631	Uterovaginal prolapse	88	25	45	...	86	...	2	0.1	...	0.1	...	0.0
632	Malposition of uterus	4	1	3	...	2	...	2	0.0	...	0.0	...	0.0
633	Other diseases of uterus	174	66	70	...	123	...	51	0.1	...	0.2	...	0.5
634	Disorders of menstruation	28	10	17	...	25	...	3	0.0	...	0.0	...	0.0
637	Other diseases of female genital organs	30	8	18	...	24	...	6	0.0	...	0.0	...	0.1
.1	Other	30	8	18	...	24	...	6	0.0	...	0.0	...	0.1
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium											
640-649	Complications of pregnancy	591	280	217	...	327	...	264	0.3	...	0.4	...	2.7
640	Pyelitis and pyelonephritis of pregnancy	6	4	2	...	4	...	2	0.0	...	0.0	...	0.0
641	Other infections of genitourinary tract during pregnancy	5	4	1	...	4	...	1	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy	338	125	143	...	179	...	159	0.2	...	0.2	...	1.6
.0	Hypertensive disease arising during pregnancy	37	9	21	...	15	...	22	0.0	...	0.0	...	0.2
.1	Renal disease arising during pregnancy	28	8	14	...	16	...	12	0.0	...	0.0	...	0.1
.2	Preeclampsia of pregnancy	23	10	9	...	13	...	10	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy	137	51	53	...	65	...	72	0.1	...	0.1	...	0.7
.4	Hyperemesis gravidarum	6	4	2	...	2	...	4	0.0	...	0.0	...	0.0
.5	Other	107	43	44	...	68	...	39	0.1	...	0.1	...	0.4
643	Placenta previa	2	1	-	...	2	...	-	0.0	...	0.0	...	0
644	Other hemorrhage of pregnancy	9	5	2	...	6	...	3	0.0	...	0.0	...	0.0
645	Ectopic pregnancy	115	72	33	...	44	...	71	0.1	...	0.1	...	0.7
.0	Without mention of sepsis	100	64	27	...	39	...	61	0.1	...	0.1	...	0.6
.1	With sepsis	15	8	6	...	5	...	10	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	4	1	1	...	2	...	2	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	1	1	-	...	-	...	1	0.0	...	0	...	0.0
648	Other complications arising from pregnancy	111	67	35	...	86	...	25	0.1	...	0.1	...	0.3
.0	Threatened abortion	1	-	1	...	1	...	-	0.0	...	0.0	...	0
.1	Hydatidiform mole	6	5	1	...	5	...	1	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	31	23	6	...	25	...	6	0.0	...	0.0	...	0.1
.3	Other	73	39	27	...	55	...	18	0.0	...	0.1	...	0.2
650-652	Abortion	259	190	51	...	136	...	123	0.1	...	0.2	...	1.2
650	Abortion without mention of sepsis or toxemia	81	55	20	...	50	...	31	0.0	...	0.1	...	0.3
.0	Spontaneous or unspecified	46	29	14	...	28	...	18	0.0	...	0.0	...	0.2
.2	Induced for other reasons	31	25	4	...	19	...	12	0.0	...	0.0	...	0.1
.3	Other	4	1	2	...	3	...	1	0.0	...	0.0	...	0.0
651	Abortion with sepsis	159	121	28	...	73	...	86	0.1	...	0.1	...	0.9
.0	Spontaneous or unspecified	106	77	23	...	49	...	57	0.1	...	0.1	...	0.6
.1	Induced for medical or legal indications	1	-	-	...	-	...	1	0.0	...	0	...	0.0
.2	Induced for other reasons	50	42	5	...	23	...	27	0.0	...	0.0	...	0.3
.3	Other	2	2	-	...	1	...	1	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis	19	14	3	...	13	...	6	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	15	10	3	...	10	...	5	0.0	...	0.0	...	0.1
.2	Induced for other reasons	4	4	-	...	3	...	1	0.0	...	0.0	...	0.0
660	Delivery without mention of complication	57	27	16	...	37	...	20	0.0	...	0.0	...	0.2
670-678	Delivery with specified complication	444	167	186	...	283	...	161	0.3	...	0.4	...	1.6
670	Delivery complicated by placenta previa or antepartum hemorrhage	131	41	62	...	86	...	45	0.1	...	0.1	...	0.5
671	Delivery complicated by retained placenta	23	8	9	...	12	...	11	0.0	...	0.0	...	0.1

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium--Continued											
	Delivery with specified complication—Continued											
672	Delivery complicated by other postpartum hemorrhage	110	27	55	...	67	...	43	0.1	...	0.1	...	0.4
673	Delivery complicated by abnormality of bony pelvis	3	1	2	...	1	...	2	0.0	...	0.0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	29	16	11	...	17	...	12	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin	23	7	12	...	15	...	8	0.0	...	0.0	...	0.1
676	Delivery with laceration of perineum, without mention of other laceration	1	1	-	...	1	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma	83	39	26	...	53	...	30	0.0	...	0.1	...	0.3
678	Delivery with other complications of childbirth	41	27	9	...	31	...	10	0.0	...	0.0	...	0.1
680-689	Complications of the puerperium	230	95	85	...	155	...	75	0.1	...	0.2	...	0.8
681	Sepsis of childbirth and the puerperium	50	26	14	...	34	...	16	0.0	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	41	15	17	...	32	...	9	0.0	...	0.0	...	0.1
684	Puerperal pulmonary embolism	52	14	22	...	36	...	16	0.0	...	0.0	...	0.2
685	Puerperal eclampsia	35	14	15	...	15	...	20	0.0	...	0.0	...	0.2
686	Other forms of puerperal toxemia	7	4	2	...	5	...	2	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	12	1	8	...	10	...	2	0.0	...	0.0	...	0.0
688	Other and unspecified complications of the puerperium	32	20	7	...	23	...	9	0.0	...	0.0	...	0.1
.0	Anemia of puerperium	2	1	1	...	1	...	1	0.0	...	0.0	...	0.0
.2	Sudden death from unknown cause in the puerperium	4	1	1	...	2	...	2	0.0	...	0.0	...	0.0
.3	Other	26	18	5	...	20	...	6	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	1	1	-	...	-	...	1	0.0	...	0	...	0.0
	XII. Diseases of the skin and cellular tissue											
690-698	Infections of skin and subcutaneous tissue	553	173	289	255	209	49	40	0.3	0.3	0.3	0.5	0.4
690	Boil and carbuncle	117	30	68	66	43	3	5	0.1	0.1	0.1	0.0	0.1
.0	Of face	14	10	3	7	5	-	2	0.0	0.0	0.0	0	0.0
.1	Of neck	19	4	13	12	5	1	1	0.0	0.0	0.0	0.0	0.0
.2	Of trunk	13	-	9	9	4	-	-	0.0	0.0	0.0	0	0
.3	Of upper arm and forearm	4	2	2	4	-	-	-	0.0	0.0	0	0	0
.5	Of buttock	9	2	5	4	4	1	-	0.0	0.0	0.0	0.0	0
.6	Of other parts of lower extremity	6	1	3	4	1	-	1	0.0	0.0	0.0	0	0.0
.7	Of other and multiple sites	28	5	19	16	10	1	1	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site	24	6	14	10	14	-	-	0.0	0.0	0.0	0	0
691	Cellulitis of finger and toe	5	3	1	3	-	1	1	0.0	0.0	0	0.0	0.0
692	Other cellulitis and abscess without mention of lymphangitis	359	120	178	158	142	32	27	0.2	0.2	0.2	0.3	0.3
.0	Of head and neck	63	22	25	21	32	5	5	0.0	0.0	0.0	0.1	0.1
.1	Of trunk	92	28	50	45	33	9	5	0.1	0.1	0.0	0.1	0.1
.2	Of upper arm and forearm	27	8	17	16	7	1	3	0.0	0.0	0.0	0.0	0.0
.3	Of hand, except fingers	3	-	2	3	-	-	-	0.0	0.0	0	0	0
.4	Of leg	73	20	41	28	33	5	7	0.0	0.0	0.0	0.1	0.1
.5	Of foot, except toes	18	5	10	11	6	1	-	0.0	0.0	0.0	0.0	0
.6	Of other, multiple, and unspecified sites	83	37	33	34	31	11	7	0.0	0.0	0.0	0.1	0.1
693	Other cellulitis and abscess with lymphangitis	7	2	4	2	4	-	1	0.0	0.0	0.0	0	0.0
.0	Of head and neck	1	-	1	-	1	-	-	0.0	0	0.0	0	0
.1	Of trunk	1	1	-	-	1	-	-	0.0	0	0.0	0	0
.2	Of upper arm and forearm	1	-	1	1	-	-	-	0.0	0.0	0	0	0
.4	Of leg	4	1	2	1	2	-	1	0.0	0.0	0.0	0	0.0
694	Acute lymphadenitis	3	-	3	1	2	-	-	0.0	0.0	0.0	0	0
695	Impetigo	5	3	1	1	-	2	2	0.0	0.0	0	0.0	0.0
698	Other local infections of skin and subcutaneous tissue	57	15	34	24	18	11	4	0.0	0.0	0.0	0.1	0.0
700-716	Other diseases of skin and subcutaneous tissue	1,238	398	600	364	630	86	158	0.7	0.5	0.8	0.9	1.6
700	Seborrheic dermatitis	1	1	-	1	-	-	-	0.0	0.0	0	0	0
701	Eczema	18	3	11	6	5	6	1	0.0	0.0	0.0	0.1	0.0
703	Other dermatitis	40	11	22	18	11	8	3	0.0	0.0	0.0	0.1	0.0
.0	Due to plants	2	-	1	2	-	-	-	0.0	0.0	0	0	0
.3	Due to drugs	8	3	5	2	4	1	1	0.0	0.0	0.0	0.0	0.0
.6	Due to other specified agents	7	2	3	2	3	2	-	0.0	0.0	0.0	0.0	0
.7	Unqualified	23	6	13	12	4	5	2	0.0	0.0	0.0	0.1	0.0
704	Pemphigus	142	37	79	56	65	10	11	0.1	0.1	0.1	0.1	0.1
.0	Dermatitis herpetiformis	9	4	4	6	3	-	-	0.0	0.0	0.0	0	0
.1	Other	133	33	75	50	62	10	11	0.1	0.1	0.1	0.1	0.1
705	Erythematous conditions	367	154	143	95	168	22	62	0.2	0.1	0.2	0.2	0.6
.0	Toxic erythema	4	-	3	-	3	1	-	0.0	0	0.0	0.0	0
.1	Erythema multiforme (erythema iris)	34	12	16	16	9	3	6	0.0	0.0	0.0	0.0	0.1
.2	Erythema nodosum	2	-	-	1	1	-	-	0.0	0.0	0.0	0	0
.4	Lupus erythematosus	276	120	100	53	159	12	52	0.2	0.1	0.2	0.1	0.5
.5	Other and unqualified	51	22	24	25	16	6	4	0.0	0.0	0.0	0.1	0.0
706	Psoriasis and similar disorders	7	2	4	3	4	-	-	0.0	0.0	0.0	0	0
.0	Psoriasis	7	2	4	3	4	-	-	0.0	0.0	0.0	0	0
708	Pruritus and related conditions	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0
.3	Lichenification and lichen simplex chronicus	3	1	2	1	1	1	-	0.0	0.0	0.0	0.0	0
.5	Other pruritic conditions	1	1	-	-	1	-	-	0.0	0	0.0	0	0
709	Corns and callosities	1	-	-	-	1	-	-	0.0	0	0.0	0	0
710	Other hypertrophic and atrophic conditions of skin	318	132	127	86	183	16	33	0.2	0.1	0.2	0.2	0.3
.0	Scleroderma and dermatomyositis	314	130	125	86	179	16	33	0.2	0.1	0.2	0.2	0.3
.2	Hereditary edema of legs (Milroy's disease)	3	1	2	-	3	-	-	0.0	0	0.0	0	0
.5	Other hypertrophic and atrophic conditions of skin	1	1	-	-	1	-	-	0.0	0	0.0	0	0
711	Other dermatoses	4	2	2	2	2	-	-	0.0	0.0	0.0	0	0
713	Diseases of hair and hair follicles	4	2	2	2	2	-	-	0.0	0.0	0.0	0	0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue—Continued											
	Other diseases of skin and subcutaneous tissue—Continued											
714	Diseases of sweat and sebaceous glands	4	3	1	2	1	-	1	0.0	0.0	0.0	0	0.0
.0	Diseases of sweat glands	3	2	1	1	1	-	1	0.0	0.0	0.0	0	0.0
.2	Other diseases of sebaceous glands	1	1	-	1	-	-	-	0.0	0.0	0	0	0
715	Chronic ulcer of skin	322	45	206	89	165	23	45	0.2	0.1	0.2	0.2	0.5
716	Other diseases of skin	6	4	1	3	1	-	2	0.0	0.0	0.0	0	0.0
	XIII. Diseases of the bones and organs of movement												
720-727	Arthritis and rheumatism, except rheumatic fever	1,865	195	1,201	581	1,112	61	111	1.1	0.8	1.4	0.7	1.1
720	Acute arthritis due to pyogenic organisms	27	10	12	12	9	5	1	0.0	0.0	0.0	0.1	0.0
722	Rheumatoid arthritis and allied conditions	1,075	135	681	338	664	23	50	0.6	0.4	0.9	0.2	0.5
.0	Rheumatoid arthritis	1,056	129	672	322	663	22	49	0.6	0.4	0.9	0.2	0.5
.1	Spondylitis ankylopoietica	19	6	9	16	1	1	1	0.0	0.0	0.0	0.0	0.0
723	Osteoarthritis (arthrosis) and allied conditions	364	26	247	108	228	13	15	0.2	0.1	0.3	0.1	0.2
.0	Osteoarthritis (arthrosis)	328	20	225	86	216	12	14	0.2	0.1	0.3	0.1	0.1
.1	Spondylitis osteoarthritica (spondylarthrosis)	36	6	22	22	12	1	1	0.0	0.0	0.0	0.0	0.0
724	Other specified forms of arthritis	13	3	5	5	7	1	-	0.0	0.0	0.0	0.0	0
725	Arthritis, unspecified	358	16	243	111	191	17	39	0.2	0.1	0.2	0.2	0.4
726	Muscular rheumatism	12	5	5	5	5	1	1	0.0	0.0	0.0	0.0	0.0
.3	Other muscular rheumatism, fibrositis, and myalgia	12	5	5	5	5	1	1	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified	16	-	8	2	8	1	5	0.0	0.0	0.0	0.0	0.1
730-738	Osteomyelitis and other diseases of bone and joint	594	171	335	280	274	22	18	0.3	0.4	0.4	0.2	0.2
730	Osteomyelitis periostitis	177	67	85	106	51	11	9	0.1	0.1	0.1	0.1	0.1
.0	Acute osteomyelitis	4	1	3	2	-	1	1	0.0	0.0	0	0.0	0.0
.1	Chronic osteomyelitis	52	15	32	30	18	3	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified osteomyelitis	121	51	50	74	33	7	7	0.1	0.1	0.0	0.1	0.1
731	Osteitis deformans	101	11	74	52	42	2	5	0.1	0.1	0.1	0.0	0.1
732	Osteochondrosis	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0
733	Other diseases of bone	245	54	149	91	147	3	4	0.1	0.1	0.2	0.0	0.0
734	Internal derangement of knee joint	1	1	-	-	1	-	-	0.0	0	0.0	0	0
735	Displacement of intervertebral disk	52	29	19	28	21	3	-	0.0	0.0	0.0	0.0	0
737	Ankylosis of joint	5	3	2	1	4	-	-	0.0	0.0	0.0	0	0
.0	Of spine	4	3	1	1	3	-	-	0.0	0.0	0.0	0	0
.6	Of knee	1	-	1	-	1	-	-	0.0	0	0.0	0	0
738	Other diseases of joint	10	4	5	1	7	2	-	0.0	0.0	0.0	0.0	0
740-749	Other diseases of musculoskeletal system	887	229	476	505	297	36	49	0.5	0.7	0.4	0.4	0.5
740	Bunion	2	2	-	-	-	-	2	0.0	0	0	0	0.0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	3	3	-	2	-	-	1	0.0	0.0	0	0	0.0
743	Infective myositis and other inflammatory diseases of tendon and fascia	1	1	-	-	-	1	-	0.0	0	0	0.0	0
744	Other diseases of muscle, tendon, and fascia	811	209	435	464	269	34	44	0.5	0.6	0.3	0.4	0.4
.0	Myasthenia gravis	217	64	115	80	101	9	27	0.1	0.1	0.1	0.1	0.3
.1	Inborn defect of muscle	559	128	309	369	155	21	14	0.3	0.5	0.2	0.2	0.1
.2	Other	35	17	11	15	13	4	3	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	50	11	29	25	22	1	2	0.0	0.0	0.0	0.0	0.0
749	Other deformities	20	3	12	14	6	-	-	0.0	0.0	0.0	0	0
	XIV. Congenital malformations												
750-759	Congenital malformations	21,411	11,018	6,610	10,070	8,583	1,514	1,244	12.4	13.2	11.0	16.2	12.6
750	Monstrosity	1,087	266	541	401	606	38	42	0.6	0.5	0.8	0.4	0.4
751	Spina bifida and meningocele	1,297	376	612	500	684	72	41	0.7	0.7	0.9	0.8	0.4
752	Congenital hydrocephalus	1,638	512	777	751	650	134	103	0.9	1.0	0.8	1.4	1.0
753	Other congenital malformations of nervous system and sense organs	836	334	343	377	364	52	43	0.5	0.5	0.5	0.6	0.4
.0	Congenital cataract	2	1	1	1	1	-	-	0.0	0.0	0.0	0	0
.1	Other	834	333	342	376	363	52	43	0.5	0.5	0.5	0.6	0.4
754	Congenital malformations of circulatory system	10,754	6,417	2,627	5,121	4,209	744	680	6.2	6.7	5.4	7.9	6.9
.0	Tetralogy of Fallot	547	375	101	274	213	37	23	0.3	0.4	0.3	0.4	0.2
.1	Patent ductus arteriosus (Botalli)	397	316	37	162	179	26	30	0.2	0.2	0.2	0.3	0.3
.2	Interventricular septal defect	941	698	135	432	402	50	57	0.5	0.6	0.5	0.5	0.6
.3	Interauricular septal defect	686	496	103	306	298	39	43	0.4	0.4	0.4	0.4	0.4
.4	Fibroelastosis cordis	466	336	65	201	175	41	49	0.3	0.3	0.2	0.4	0.5
.5	Other and unspecified malformations of heart	6,242	3,052	2,011	2,931	2,415	477	419	3.6	3.9	3.1	5.1	4.2
.6	Coarctation of aorta	338	265	37	194	116	10	18	0.2	0.3	0.1	0.1	0.2
.7	Other circulatory malformations	1,137	879	138	621	411	64	41	0.7	0.8	0.5	0.7	0.4
755	Cleft palate and harelip	77	30	33	36	30	3	8	0.0	0.0	0.0	0.0	0.1
756	Congenital malformations of digestive system	1,924	1,138	495	987	660	165	132	1.1	1.3	0.8	1.8	1.3
.0	Congenital hypertrophic pyloric stenosis	102	55	30	60	20	16	6	0.1	0.1	0.0	0.2	0.1
.1	Imperforate anus	123	67	38	78	31	10	4	0.1	0.1	0.0	0.1	0.0
.2	Other	1,699	1,016	427	829	609	139	122	1.0	1.1	0.8	1.5	1.2
757	Congenital malformations of genitourinary system	1,598	931	463	881	529	131	57	0.9	1.2	0.7	1.4	0.6
.0	Undescended testicle	3	2	-	2	...	1	...	0.0	0.0	...	0.0	...
.1	Polycystic disease of kidney	925	468	324	483	354	53	35	0.5	0.6	0.5	0.6	0.4
.2	Congenital malformations of external genital organs	25	14	10	12	9	2	2	0.0	0.0	0.0	0.0	0.0
.3	Other	645	447	129	384	166	75	20	0.4	0.5	0.2	0.8	0.2
758	Congenital malformations of bone and joint	316	137	111	154	126	19	17	0.2	0.2	0.2	0.2	0.2
.0	Congenital dislocation of hip	6	1	2	2	3	-	1	0.0	0.0	0.0	0	0.0
.1	Chondrodystrophy	77	32	26	41	29	1	6	0.0	0.1	0.0	0.0	0.1
.2	Congenital malformations of skull	62	23	25	22	31	6	3	0.0	0.0	0.0	0.1	0.0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex				Total deaths	Color and sex			
					White		Nonwhite			White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	XIV. Congenital malformations—Continued												
	Congenital malformations—Continued												
	Congenital malformations of bone and joint—Continued												
.3	Brittle bones	49	21	20	21	21	5	2	0.0	0.0	0.0	0.1	0.0
.5	Congenital abnormalities of lumbosacral region	4	-	3	2	2	-	-	0.0	0.0	0.0	0	0
.6	Other congenital malformations of bone and joint	118	60	35	66	40	7	5	0.1	0.1	0.1	0.1	0.1
759	Other and unspecified congenital malformations not elsewhere classified	1,884	877	608	882	725	156	121	1.1	1.2	0.9	1.7	1.2
.0	Of respiratory system	548	260	184	271	202	53	22	0.3	0.4	0.3	0.6	0.2
.1	Of skin	41	19	16	21	12	2	6	0.0	0.0	0.0	0.0	0.1
.2	Of muscle	188	150	12	97	76	9	6	0.1	0.1	0.1	0.1	0.1
.3	Other and unspecified	1,107	448	396	493	435	92	87	0.6	0.6	0.6	1.0	0.9
	XV. Certain diseases of early infancy												
760-769	Birth injuries, asphyxia, and infections of newborn	37,860	15,133	14,348	17,615	11,815	4,789	3,641	21.9	23.2	15.1	51.1	36.9
760	Intracranial and spinal injury at birth	3,904	2,313	878	1,903	1,089	533	379	2.3	2.5	1.4	5.7	3.8
.0	Without mention of immaturity	2,376	1,294	590	1,212	654	307	203	1.4	1.6	0.8	3.3	2.1
.5	With immaturity	1,528	1,019	288	691	435	226	176	0.9	0.9	0.6	2.4	1.8
761	Other birth injury	7,225	1,525	3,866	3,619	2,552	588	466	4.2	4.8	3.3	6.3	4.7
.0	Without mention of immaturity	2,192	689	935	1,035	705	248	204	1.3	1.4	0.9	2.6	2.1
.5	With immaturity	5,033	836	2,931	2,584	1,847	340	262	2.9	3.4	2.4	3.6	2.7
762	Postnatal asphyxia and atelectasis	20,396	8,309	7,568	9,641	6,443	2,434	1,878	11.8	12.7	8.3	26.0	19.0
.0	Without mention of immaturity	5,840	2,789	1,748	2,828	1,793	682	537	3.4	3.7	2.3	7.3	5.4
.5	With immaturity	14,556	5,520	5,820	6,813	4,650	1,752	1,341	8.4	9.0	6.0	18.7	13.6
763	Pneumonia of newborn	3,918	2,006	1,117	1,529	1,085	744	560	2.3	2.0	1.4	7.9	5.7
.0	Without mention of immaturity	2,737	1,459	746	1,053	737	549	398	1.6	1.4	0.9	5.9	4.0
.5	With immaturity	1,181	547	371	476	348	195	162	0.7	0.6	0.4	2.1	1.6
764	Diarrhea of newborn	531	158	254	165	103	147	116	0.3	0.2	0.1	1.6	1.2
.0	Without mention of immaturity	427	129	198	134	83	116	94	0.2	0.2	0.1	1.2	1.0
.5	With immaturity	104	29	56	31	20	31	22	0.1	0.0	0.0	0.3	0.2
765	Ophthalmia neonatorum	1	1	-	-	1	-	-	0.0	0	0.0	0	0
.5	With immaturity	1	1	-	-	1	-	-	0.0	0	0.0	0	0
766	Pemphigus neonatorum	26	12	7	12	8	6	-	0.0	0.0	0.0	0.1	0
.0	Without mention of immaturity	16	10	2	6	4	6	-	0.0	0.0	0.0	0.1	0
.5	With immaturity	10	2	5	6	4	-	-	0.0	0.0	0.0	0	0
767	Umbilical sepsis	110	52	33	28	25	33	24	0.1	0.0	0.0	0.4	0.2
.0	Without mention of immaturity	88	41	26	21	23	23	21	0.1	0.0	0.0	0.2	0.2
.5	With immaturity	22	11	7	7	2	10	3	0.0	0.0	0.0	0.1	0.0
768	Other sepsis of newborn	945	513	260	347	257	206	135	0.5	0.5	0.3	2.2	1.4
.0	Without mention of immaturity	576	326	142	234	154	122	66	0.3	0.3	0.2	1.3	0.7
.5	With immaturity	369	187	118	113	103	84	69	0.2	0.1	0.1	0.9	0.7
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	804	244	365	371	252	98	83	0.5	0.5	0.3	1.0	0.8
.0-.4	Without mention of immaturity	273	112	89	118	78	43	34	0.2	0.2	0.1	0.5	0.3
.0	Attributed to "toxemia of pregnancy"	119	35	47	51	29	21	18	0.1	0.1	0.0	0.2	0.2
.1	Attributed to maternal diabetes	93	54	20	47	32	10	4	0.1	0.1	0.0	0.1	0.0
.2	Attributed to maternal rubella	8	3	4	5	3	-	-	0.0	0.0	0.0	0	0
.4	Attributed to other or unspecified diseases of the mother during pregnancy	53	20	18	15	14	12	12	0.0	0.0	0.0	0.1	0.1
.5-.9	With immaturity	531	132	276	253	174	55	49	0.3	0.3	0.2	0.6	0.5
.5	Attributed to "toxemia of pregnancy"	227	51	118	87	84	31	25	0.1	0.1	0.1	0.3	0.3
.6	Attributed to maternal diabetes	102	44	37	71	28	2	1	0.1	0.1	0.0	0.0	0.0
.7	Attributed to maternal rubella	4	-	4	2	2	-	-	0.0	0.0	0.0	0	0
.9	Attributed to other or unspecified diseases of the mother during pregnancy	198	37	117	93	60	22	23	0.1	0.1	0.1	0.2	0.2
770-776	Other diseases peculiar to early infancy	31,100	7,401	14,621	13,313	9,871	4,325	3,591	18.0	17.5	12.7	46.2	36.4
770	Hemolytic disease of newborn (erythroblastosis)	2,389	1,248	648	1,187	1,013	103	86	1.4	1.6	1.3	1.1	0.9
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,797	949	476	873	793	76	55	1.0	1.1	1.0	0.8	0.6
.1	Kernicterus, without mention of immaturity	137	80	31	78	40	7	12	0.1	0.1	0.1	0.1	0.1
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	10	9	-	6	3	1	-	0.0	0.0	0.0	0.0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	404	182	135	207	164	17	16	0.2	0.3	0.2	0.2	0.2
.6	Kernicterus with immaturity	40	27	6	22	13	2	3	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	1	1	-	1	-	-	-	0.0	0.0	0	0	0
771	Hemorrhagic disease of newborn	683	422	135	301	207	106	69	0.4	0.4	0.3	1.1	0.7
.0	Without mention of immaturity	412	263	70	174	131	66	41	0.2	0.2	0.2	0.7	0.4
.5	With immaturity	271	159	65	127	76	40	28	0.2	0.2	0.1	0.4	0.3
772	Nutritional maladjustment	847	170	424	243	159	270	175	0.5	0.3	0.2	2.9	1.8
.0	Without mention of immaturity	683	145	338	194	135	215	139	0.4	0.3	0.2	2.3	1.4
.5	With immaturity	164	25	86	49	24	55	36	0.1	0.1	0.0	0.6	0.4
773	Ill-defined diseases peculiar to early infancy	5,860	1,765	2,597	2,670	1,738	837	615	3.4	3.5	2.2	8.9	6.2
.0	Without mention of immaturity	1,382	610	400	682	372	198	130	0.8	0.9	0.5	2.1	1.3
.5	With immaturity	4,478	1,155	2,197	1,988	1,366	639	485	2.6	2.6	1.8	6.8	4.9
774	Immaturity with mention of any other subsidiary condition	1,294	436	530	546	369	205	174	0.7	0.7	0.5	2.2	1.8
776	Immaturity, unqualified	20,027	3,360	10,287	8,366	6,385	2,804	2,472	11.6	11.0	8.2	29.9	25.1

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions											
780-789	Symptoms referable to systems or organs	2,777	318	1,669	1,349	857	336	235	1.6	1.8	1.1	3.6	2.4
780	Certain symptoms referable to nervous system and special senses	150	43	77	65	41	26	18	0.1	0.1	0.1	0.3	0.2
.0	Coma and stupor	21	6	9	8	5	5	3	0.0	0.0	0.0	0.1	0.0
.1	Delirium	2	-	1	2	-	-	-	0.0	0.0	0	0	0
.2	Convulsions	117	35	59	49	34	19	15	0.1	0.1	0.0	0.2	0.2
.3	Jacksonian epilepsy	3	-	3	2	-	1	-	0.0	0.0	0	0.0	0
.4	Abnormal involuntary movement	3	1	2	2	1	-	-	0.0	0.0	0.0	0	0
.5	Disturbance of coordination	3	1	2	2	1	-	-	0.0	0.0	0.0	0	0
.9	Meningismus	1	-	1	-	-	1	-	0.0	0	0	0.0	0
781	Other symptoms referable to nervous system and special senses	48	31	12	21	14	8	5	0.0	0.0	0.0	0.1	0.1
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory	1	-	1	-	-	-	1	0.0	0	0	0	0.0
.8	Encephalopathy	47	31	11	21	14	8	4	0.0	0.0	0.0	0.1	0.0
782	Symptoms referable to cardiovascular and lymphatic system	1,821	121	1,139	933	561	198	129	1.1	1.2	0.7	2.1	1.3
.2	Tachycardia	15	4	7	6	4	3	2	0.0	0.0	0.0	0.0	0.0
.3	Pallor and cyanosis (not of newborn)	1	-	-	-	1	-	-	0.0	0	0.0	0	0
.4	Acute heart failure, undefined	1,701	89	1,075	885	514	184	118	1.0	1.2	0.7	2.0	1.2
.5	Syncope or collapse	6	2	3	5	1	-	-	0.0	0.0	0.0	0	0
.6	Edema and dropsy (not of newborn)	11	3	7	4	3	3	1	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node	1	1	-	1	-	-	-	0.0	0.0	0	0	0
.8	Splenomegaly	3	-	2	1	2	-	-	0.0	0.0	0.0	0	0
.9	Shock without mention of trauma	83	22	45	31	36	8	8	0.0	0.0	0.0	0.1	0.1
783	Symptoms referable to respiratory system	220	46	114	108	68	28	16	0.1	0.1	0.1	0.3	0.2
.0	Epistaxis	18	7	9	11	5	1	1	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	189	36	100	91	62	24	12	0.1	0.1	0.1	0.3	0.1
.2	Dyspnea	3	2	1	1	1	-	1	0.0	0.0	0.0	0	0.0
.3	Cough	1	1	-	-	-	-	1	0.0	0	0	0	0.0
.7	Pain in chest	9	-	4	5	-	3	1	0.0	0.0	0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract	278	33	185	140	94	23	21	0.2	0.2	0.1	0.2	0.2
.0	Anorexia	2	-	1	-	2	-	-	0.0	0	0.0	0	0
.1	Nausea and vomiting	28	4	14	4	9	9	6	0.0	0.0	0.0	0.1	0.1
.2	Pylorospasm	1	-	-	-	-	1	-	0.0	0	0	0.0	0
.4	Dysphagia	2	-	2	1	-	-	1	0.0	0.0	0	0	0.0
.5	Hematemesis	245	29	168	135	83	13	14	0.1	0.2	0.1	0.1	0.1
785	Symptoms referable to abdomen and lower gastrointestinal tract	108	11	70	25	32	27	24	0.1	0.0	0.0	0.3	0.2
.1	Hepatomegaly	6	1	5	2	4	-	-	0.0	0.0	0.0	0	0
.2	Jaundice (not of newborn)	14	1	9	2	4	4	4	0.0	0.0	0.0	0.0	0.0
.3	Ascites	9	1	2	-	6	2	1	0.0	0	0.0	0.0	0.0
.4	Flatulence	2	-	1	-	-	-	2	0.0	0	0	0	0.0
.5	Abdominal pain	14	1	10	2	5	2	5	0.0	0.0	0.0	0.0	0.1
.6	Diarrhea, age 2 years and over	61	7	41	18	12	19	12	0.0	0.0	0.0	0.2	0.1
.8	Melena (age 1 year and over)	2	-	2	1	1	-	-	0.0	0.0	0.0	0	0
786	Symptoms referable to genitourinary system	25	-	15	10	8	5	2	0.0	0.0	0.0	0.1	0.0
.1	Retention of urine	9	-	6	6	-	3	-	0.0	0.0	0	0.0	0
.5	Oliguria, anuria (not of newborn)	16	-	9	4	8	2	2	0.0	0.0	0.0	0.0	0.0
787	Symptoms referable to limbs and back	2	-	1	1	-	-	1	0.0	0.0	0	0	0.0
.0	Transient paralysis of limb, cause unknown	1	-	-	-	-	-	1	0.0	0	0	0	0.0
.1	Pain in limb	1	-	1	1	-	-	-	0.0	0.0	0	0	0
788	Other general symptoms	116	33	51	42	35	20	19	0.1	0.1	0.0	0.2	0.2
.0	Dehydration	20	2	8	7	5	5	3	0.0	0.0	0.0	0.1	0.0
.5	Tetany	6	2	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0
.6	Acidosis	15	5	6	6	2	4	3	0.0	0.0	0.0	0.0	0.0
.8	Pyrexia of unknown origin	67	20	31	20	25	10	12	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere	8	4	3	7	1	-	-	0.0	0.0	0.0	0	0
789	Abnormal urinary constituents of unspecified cause	9	-	5	4	4	1	-	0.0	0.0	0.0	0.0	0
.2	Pyuria and bacteriuria	2	-	2	1	1	-	-	0.0	0.0	0.0	0	0
.4	Hematuria	7	-	3	3	3	1	-	0.0	0.0	0.0	0.0	0
790-795	Senility and ill-defined diseases	16,952	2,388	7,735	6,314	4,316	3,488	2,834	9.8	8.3	5.5	37.2	28.7
790	Nervousness and debility	40	4	29	16	18	2	4	0.0	0.0	0.0	0.0	0.0
.1	Debility and undue fatigue	40	4	29	16	18	2	4	0.0	0.0	0.0	0.0	0.0
791	Headache	3	-	2	1	-	-	2	0.0	0.0	0	0	0.0
792	Uremia	641	55	359	298	195	90	58	0.4	0.4	0.3	1.0	0.6
794	Senility without mention of psychosis	3,000	13	1,773	1,013	1,449	259	279	1.7	1.3	1.9	2.8	2.8
795	Ill-defined and unknown causes of mortality	13,268	2,316	5,572	4,986	2,654	3,137	2,491	7.7	6.6	3.4	33.5	25.3
.0	Other ill-defined conditions	975	601	220	406	277	178	114	0.6	0.5	0.4	1.9	1.2
.2	Sudden death (cause unknown)	458	46	237	179	95	109	75	0.3	0.2	0.1	1.2	0.8
.3	Found dead (cause unknown)	394	40	179	174	83	84	53	0.2	0.2	0.1	0.9	0.5
.4	Died without sign of disease	5,294	195	3,147	2,327	928	1,141	898	3.1	3.1	1.2	12.2	9.1
.5	Other unknown and unspecified causes	6,147	1,434	1,789	1,900	1,271	1,625	1,351	3.5	2.5	1.6	17.4	13.7
	XVII. Accidents, poisonings, and violence												
E800-E802	Railway accidents	1,164	230	765	824	106	208	26	0.7	1.1	0.1	2.2	0.3
E800	Railway accident involving railroad employee	195	52	114	180	1	14	-	0.1	0.2	0.0	0.1	0
E801	Railway accident involving passenger	64	8	55	49	11	3	1	0.0	0.1	0.0	0.0	0.0
E802	Railway accident involving other and unspecified person	905	170	596	595	94	191	25	0.5	0.8	0.1	2.0	0.3
E810-E825	Motor vehicle traffic accidents	36,052	9,359	21,838	23,555	8,334	3,235	928	20.8	31.0	10.7	34.5	9.4
E810	Motor vehicle traffic accident involving collision with railway train	1,316	189	945	897	303	86	30	0.8	1.2	0.4	0.9	0.3
E811	Motor vehicle traffic accident involving collision with streetcar	9	7	1	3	3	3	-	0.0	0.0	0.0	0.0	0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued											
	Motor vehicle traffic accidents—Continued											
E812	Motor vehicle traffic accident to pedestrian	7,083	2,713	3,542	4,264	1,656	863	300	4.1	5.6	2.1	9.2	3.0
E813	Motor vehicle traffic accident to pedal cyclist	413	109	248	346	38	27	2	0.2	0.5	0.0	0.3	0.0
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object	28	12	12	21	4	3	-	0.0	0.0	0.0	0.0	0
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	399	148	224	360	26	12	1	0.2	0.5	0.0	0.1	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles	12,018	2,854	7,545	7,332	3,576	840	270	6.9	9.6	4.6	9.0	2.7
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	-	1	-	1	-	-	0.0	0	0.0	0	0
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	60	10	37	32	15	12	1	0.0	0.0	0.0	0.1	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	1,467	328	926	1,013	251	154	49	0.8	1.3	0.3	1.6	0.5
E820	Motor vehicle traffic accident while boarding and alighting	42	17	19	25	15	-	2	0.0	0.0	0.0	0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	209	61	119	186	17	6	-	0.1	0.2	0.0	0.1	0
E822	Motor vehicle traffic accident involving overturning in roadway	1,292	243	859	953	197	127	15	0.7	1.3	0.3	1.4	0.2
E823	Motor vehicle traffic accident involving running off roadway	7,744	1,780	4,989	5,511	1,353	727	153	4.5	7.3	1.7	7.8	1.6
E824	Other noncollision motor vehicle traffic accident	605	194	320	388	116	80	21	0.3	0.5	0.1	0.9	0.2
E825	Motor vehicle traffic accident of unspecified nature	3,366	694	2,051	2,224	763	295	84	1.9	2.9	1.0	3.2	0.9
E830-E835	Motor vehicle nontraffic accidents	929	239	547	643	198	59	29	0.5	0.8	0.3	0.6	0.3
E830	Motor vehicle nontraffic accident to pedestrian	558	136	332	354	149	33	22	0.3	0.5	0.2	0.4	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist	2	1	-	2	-	-	-	0.0	0.0	0	0	0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle	17	7	8	17	-	-	-	0.0	0.0	0	0	0
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles	8	4	4	7	-	1	-	0.0	0.0	0	0.0	0
E834	Motor vehicle nontraffic accident while boarding and alighting	20	7	11	11	6	2	1	0.0	0.0	0.0	0.0	0.0
E835	Motor vehicle nontraffic accident of other and unspecified nature	324	84	192	252	43	23	6	0.2	0.3	0.1	0.2	0.1
E840-E845	Other road vehicle accidents	304	92	166	185	75	39	5	0.2	0.2	0.1	0.4	0.1
E840	Streetcar accident to pedestrian	25	10	7	13	5	5	2	0.0	0.0	0.0	0.1	0.0
E841	Other streetcar accident, except collision with motor vehicle	1	1	-	-	1	-	-	0.0	0	0.0	0	0
E842	Accident to pedestrian caused by pedal cycle	13	5	6	3	8	2	-	0.0	0.0	0.0	0.0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	55	29	22	36	15	3	1	0.0	0.0	0.0	0.0	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	9	-	8	6	3	-	-	0.0	0.0	0.0	0	0
E845	Other nonmotor road vehicle accidents	201	47	123	127	43	29	2	0.1	0.2	0.1	0.3	0.0
E850-E858	Water transport accidents	1,653	267	1,120	1,336	114	193	10	1.0	1.8	0.1	2.1	0.1
E850	Submersion of occupant of small boat	1,391	180	968	1,115	107	159	10	0.8	1.5	0.1	1.7	0.1
E851	Other water transport injury by submersion	126	36	78	110	1	15	-	0.1	0.1	0.0	0.2	0
E852	Fall on stairs and ladders in water transport	2	-	1	1	1	-	-	0.0	0.0	0.0	0	0
E853	Other falls from one level to another in water transport	24	13	10	21	-	3	-	0.0	0.0	0	0.0	0
E855	Unspecified falls in water transport	6	2	4	5	-	1	-	0.0	0.0	0	0.0	0
E856	Machinery accident in water transport	12	1	8	8	-	4	-	0.0	0.0	0	0.0	0
E857	Other specified accidents in water transport	90	34	50	74	5	11	-	0.1	0.1	0.0	0.1	0
E858	Water transport accident of unspecified cause	2	1	1	2	-	-	-	0.0	0.0	0	0	0
E860-E866	Aircraft accidents	1,511	571	799	1,361	137	13	-	0.9	1.8	0.2	0.1	0
E860	Accident to personnel in military aircraft	590	383	152	577	4	9	-	0.3	0.8	0.0	0.1	0
E861	Injury to occupant by accident to commercial "transport" aircraft	147	75	72	102	44	1	-	0.1	0.1	0.1	0.0	0
E863	Injury to occupant by accident to other specified aircraft	219	39	167	201	18	-	-	0.1	0.3	0.0	0	0
E864	Aircraft accident at airfield to person not in aircraft	11	5	5	11	-	-	-	0.0	0.0	0	0	0
E865	Aircraft accident elsewhere to person not in aircraft	15	3	10	9	5	1	-	0.0	0.0	0.0	0.0	0
E866	Other and unspecified aircraft accidents	529	66	393	461	66	2	-	0.3	0.6	0.1	0.0	0
E870-E888	Accidental poisoning by solid and liquid substances	1,429	819	450	648	409	224	148	0.8	0.9	0.5	2.4	1.5
E870	Accidental poisoning by morphine and other opium derivatives	28	27	1	16	3	6	3	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	220	151	56	78	130	9	3	0.1	0.1	0.2	0.1	0.0
E872	Accidental poisoning by aspirin and salicylates	119	64	38	55	39	11	14	0.1	0.1	0.1	0.1	0.1
E873	Accidental poisoning by bromides	3	3	-	1	2	-	-	0.0	0.0	0.0	0	0
E874	Accidental poisoning by other analgesic and soporific drugs	66	56	21	39	41	3	3	0.0	0.1	0.1	0.0	0.0
E875	Accidental poisoning by sulfonamides	1	1	-	1	-	-	-	0.0	0.0	0	0	0
E876	Accidental poisoning by strychnine	9	4	3	4	3	2	-	0.0	0.0	0.0	0.0	0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	4	4	-	2	-	1	1	0.0	0.0	0	0.0	0.0
E878	Accidental poisoning by other and unspecified drugs	79	42	24	30	31	10	8	0.0	0.0	0.0	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	5	3	1	3	2	-	-	0.0	0.0	0.0	0	0
E880	Accidental poisoning by alcohol	322	141	144	167	24	88	43	0.2	0.2	0.0	0.9	0.4
E881	Accidental poisoning by petroleum products	83	22	45	18	21	30	14	0.0	0.0	0.0	0.3	0.1
E882	Accidental poisoning by industrial solvents	41	27	10	25	9	4	3	0.0	0.0	0.0	0.0	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	57	30	17	27	11	14	5	0.0	0.0	0.0	0.1	0.1
E884	Accidental poisoning by mercury and its compounds	8	5	2	2	3	2	1	0.0	0.0	0.0	0.0	0.0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued											
	Accidental poisoning by solid and liquid substances—Con.											
E885	Accidental poisoning by lead and its compounds	70	53	10	19	11	16	24	0.0	0.0	0.0	0.2	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds	39	25	9	20	10	5	4	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides	3	3	-	-	2	-	1	0.0	0	0.0	0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances	252	158	69	141	67	23	21	0.1	0.2	0.1	0.2	0.2
E890-E895	Accidental poisoning by gases and vapors	1,187	423	634	784	253	95	55	0.7	1.0	0.3	1.0	0.6
E890	Accidental poisoning by utility (illuminating) gas	483	147	287	275	140	41	27	0.3	0.4	0.2	0.4	0.3
E891	Accidental poisoning by motor vehicle exhaust gas	352	123	198	279	43	19	11	0.2	0.4	0.1	0.2	0.1
E892	Accidental poisoning by other carbon monoxide gas	247	104	112	153	58	21	15	0.1	0.2	0.1	0.2	0.2
E893	Accidental poisoning by cyanide gas	2	-	2	1	1	-	-	0.0	0.0	0.0	0	0
E894	Accidental poisoning by other specified gases and vapors	87	44	28	66	7	12	2	0.1	0.1	0.0	0.1	0.0
E895	Accidental poisoning by unspecified gases and vapors	16	5	7	10	4	2	-	0.0	0.0	0.0	0.0	0
E900-E904	Accidental falls	18,248	5,042	10,529	8,169	8,921	706	452	10.5	10.7	11.4	7.5	4.6
E900	Fall on stairs	2,334	982	1,073	1,227	941	121	45	1.3	1.6	1.2	1.3	0.5
E901	Fall from ladders	334	142	156	291	25	14	4	0.2	0.4	0.0	0.1	0.0
E902	Other falls from one level to another	3,342	1,146	1,817	1,958	1,018	255	111	1.9	2.6	1.3	2.7	1.1
E903	Fall on same level	3,535	836	2,199	1,397	1,988	75	75	2.0	1.8	2.5	0.8	0.8
E904	Unspecified falls	8,703	1,936	5,284	3,296	4,949	241	217	5.0	4.3	6.3	2.6	2.2
E910-E936	Other accidents	26,436	6,586	15,393	15,394	5,015	3,913	2,114	15.3	20.3	6.4	41.8	21.4
E910	Blow from falling or projected object or missile	1,380	289	900	1,140	64	167	9	0.8	1.5	0.1	1.8	0.1
E911	Accident caused by vehicle	77	16	45	63	-	13	1	0.0	0.1	0	0.1	0.0
E912	Accident caused by machinery	1,812	339	1,192	1,578	76	155	3	1.0	2.1	0.1	1.7	0.0
E913	Accident caused by cutting and piercing instruments	104	43	42	54	10	35	5	0.1	0.1	0.0	0.4	0.1
E914	Accident caused by electric current	951	227	611	815	71	62	3	0.5	1.1	0.1	0.7	0.0
E915	Accident caused by explosion of pressure vessel	47	10	35	42	1	4	-	0.0	0.1	0.0	0.0	0
E916	Accident caused by fire and explosion of combustible material	7,291	1,294	4,582	2,828	2,091	1,160	1,212	4.2	3.7	2.7	12.4	12.3
E917	Accident caused by hot substance, corrosive liquid, and steam	382	121	210	164	133	46	39	0.2	0.2	0.2	0.5	0.4
E919	Accident caused by firearm	2,172	552	1,234	1,646	179	282	65	1.3	2.2	0.2	3.0	0.7
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,780	803	744	827	572	220	161	1.0	1.1	0.7	2.3	1.6
E922	Inhalation and ingestion of other object causing obstruction or suffocation	411	144	192	203	121	44	43	0.2	0.3	0.2	0.5	0.4
E923	Foreign body entering other orifice	124	64	48	64	35	14	11	0.1	0.1	0.0	0.1	0.1
E924	Accidental mechanical suffocation in bed and cradle	1,163	207	683	453	315	189	206	0.7	0.6	0.4	2.0	2.1
E925	Accidental mechanical suffocation in other and unspecified circumstances	495	115	287	288	79	87	41	0.3	0.4	0.1	0.9	0.4
E926	Lack of care of infants under 1 year of age	20	6	10	7	4	5	4	0.0	0.0	0.0	0.1	0.0
E927	Accidents caused by bites and stings of venomous animals and insects	48	15	23	28	11	3	6	0.0	0.0	0.0	0.0	0.1
E928	Other accidents caused by animals	134	37	75	93	25	15	1	0.1	0.1	0.0	0.2	0.0
E929	Accidental drowning	5,065	1,090	3,186	3,320	668	963	114	2.9	4.4	0.9	10.3	1.2
E931	Excessive heat and insolation	137	57	62	84	19	26	8	0.1	0.1	0.0	0.3	0.1
E932	Excessive cold	307	61	178	158	30	98	21	0.2	0.2	0.0	1.0	0.2
E933	Hunger, thirst, and exposure	224	37	119	102	35	51	36	0.1	0.1	0.0	0.5	0.4
E934	Cataclysm	166	9	128	110	42	11	3	0.1	0.1	0.1	0.1	0.0
E935	Lightning	104	14	75	73	7	18	6	0.1	0.1	0.0	0.2	0.1
E936	Other and unspecified accidents	2,042	1,036	732	1,254	427	245	116	1.2	1.6	0.5	2.6	1.2
E940-E946	Complications due to nontherapeutic medical and surgical procedures	68	40	22	31	25	6	6	0.0	0.0	0.0	0.1	0.1
E941	Postvaccinal encephalitis	7	7	-	4	3	-	-	0.0	0.0	0.0	0	0
E942	Other complications of smallpox vaccination	2	2	-	1	1	-	-	0.0	0.0	0.0	0	0
E943	Postimmunization jaundice and hepatitis	1	-	1	1	-	-	-	0.0	0.0	0	0	0
E944	Other complications of prophylactic inoculation	16	7	6	5	6	5	-	0.0	0.0	0.0	0.1	0
E945	Complications of anesthesia for nontherapeutic purpose	6	5	1	1	2	1	2	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	36	19	14	19	13	-	4	0.0	0.0	0.0	0	0.0
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	955	427	368	402	425	57	71	0.6	0.5	0.5	0.6	0.7
E950	Therapeutic misadventure in surgical treatment	467	189	196	201	196	35	35	0.3	0.3	0.3	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion	103	50	36	60	31	4	8	0.1	0.1	0.0	0.0	0.1
E952	Therapeutic misadventure in local applications	7	5	2	-	6	1	-	0.0	0	0.0	0.0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	148	74	49	58	71	6	13	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia	82	33	29	30	37	7	8	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	35	21	9	17	15	1	2	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation	102	50	41	30	64	3	5	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	1	-	1	1	-	-	-	0.0	0.0	0	0	0
E958	Late complication of irradiation	6	2	4	2	4	-	-	0.0	0.0	0.0	0	0
E959	Late complications of other forms of treatment	4	3	1	3	1	-	-	0.0	0.0	0.0	0	0
E960-E965	Late effects of injury and poisoning	708	196	368	367	241	80	20	0.4	0.5	0.3	0.9	0.2
E960	Late effect of motor vehicle accident	100	33	49	61	19	18	2	0.1	0.1	0.0	0.2	0.0
E961	Late effect of accidental poisoning	8	2	5	5	2	1	-	0.0	0.0	0.0	0.0	0
E962	Late effect of other accidental injury	560	144	297	271	218	53	18	0.3	0.4	0.3	0.6	0.2

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 68. Deaths From Each Cause by Report of Autopsy and by Color and Sex, and Death Rates for Each Cause by Color and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1958 and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE				
Number	Cause of death	Total deaths	Report of autopsy[1]		Color and sex			Total deaths	Color and sex			
					White		Nonwhite		White		Nonwhite	
			Performed	Not performed	Male	Female	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued											
	Late effects of injury and poisoning—Continued											
E963	Late effect of self-inflicted injury	6	4	2	4	2	-	-	0.0	0.0	0.0	0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	8	5	3	1	-	7	-	0.0	0.0	0	0.1	0
E965	Late effects of injuries due to war operations	26	8	12	25	-	1	-	0.0	0.0	0	0.0	0
E970-E979	Suicide	18,513	4,006	12,312	13,703	3,975	659	176	10.7	18.0	5.1	7.0	1.8
E970	Suicide from poisoning by analgesic and soporific substances	1,163	766	287	443	695	13	12	0.7	0.6	0.9	0.1	0.1
A	By morphine and other opium derivatives	21	18	2	15	3	1	2	0.0	0.0	0.0	0.0	0.0
B	By barbituric acid and derivatives	912	617	214	350	546	8	8	0.5	0.5	0.7	0.1	0.1
C	By acetylsalicylic acid	22	12	6	8	13	-	1	0.0	0.0	0.0	0	0.0
D	By methyl salicylate	14	8	5	4	10	-	-	0.0	0.0	0.0	0	0
E	By other salicylates	9	5	3	3	5	1	-	0.0	0.0	0.0	0.0	0
F	By bromides	1	-	-	-	1	-	-	0.0	0	0.0	0	0
G	By antipyretic substances, not elsewhere classified	1	1	-	-	1	-	-	0.0	0	0.0	0	0
H	By other analgesic and soporific substances	167	100	51	52	111	3	1	0.1	0.1	0.1	0.0	0.0
M	By unspecified drugs	16	5	6	11	5	-	-	0.0	0.0	0.0	0	0
E971	Suicide from poisoning by other solid and liquid substances	867	475	301	446	360	28	33	0.5	0.6	0.5	0.3	0.3
A	By strychnine	77	40	30	45	26	3	3	0.0	0.1	0.0	0.0	0.0
B	By phenol compounds	42	14	24	25	16	-	1	0.0	0.0	0.0	0	0.0
C	By lye and potash	37	20	13	13	20	2	2	0.0	0.0	0.0	0.0	0.0
D	By cresol compounds	13	6	4	5	5	1	2	0.0	0.0	0.0	0.0	0.0
E	By mercury and its compounds	23	12	8	7	15	1	-	0.0	0.0	0.0	0.0	0
F	By arsenic and its compounds	131	80	35	58	64	5	4	0.1	0.1	0.1	0.1	0.0
G	By fluorides	38	18	16	7	25	1	5	0.0	0.0	0.0	0.0	0.1
H	By other and unspecified solid and liquid substances	506	285	171	286	189	15	16	0.3	0.4	0.2	0.2	0.2
E972	Suicide from poisoning by gases in domestic use	207	50	132	122	82	2	1	0.1	0.2	0.1	0.0	0.0
E973	Suicide from poisoning by other gases	1,721	305	1,257	1,429	274	16	2	1.0	1.9	0.4	0.2	0.0
A	By motor vehicle exhaust gas	1,556	280	1,135	1,298	243	14	1	0.9	1.7	0.3	0.1	0.0
B	By other motor exhaust gas	6	1	5	6	-	-	-	0.0	0.0	0	0	0
C	By other carbon monoxide	135	17	102	110	23	1	1	0.1	0.1	0.0	0.0	0.0
D	By other poisonous gases	24	7	15	15	8	1	-	0.0	0.0	0.0	0.0	0
E974	Suicide by hanging and strangulation	3,562	408	2,766	2,587	837	115	23	2.1	3.4	1.1	1.2	0.2
E975	Suicide by submersion (drowning)	660	160	407	320	284	37	19	0.4	0.4	0.4	0.4	0.2
E976	Suicide by firearm and explosive	8,871	1,438	6,239	7,442	1,013	363	53	5.1	9.8	1.3	3.9	0.5
E977	Suicide by cutting and piercing instruments	416	106	273	298	96	18	4	0.2	0.4	0.1	0.2	0.0
E978	Suicide by jumping from high place	727	209	453	425	231	48	23	0.4	0.6	0.3	0.5	0.2
E979	Suicide by other and unspecified means	319	89	197	191	103	19	6	0.2	0.3	0.1	0.2	0.1
E980-E985	Homicide (not in war)	7,807	4,734	2,187	2,554	1,096	3,242	915	4.5	3.4	1.4	34.6	9.3
E980	Nonaccidental poisoning by another person	28	17	10	14	8	4	2	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearm and explosive	4,230	2,231	1,484	1,482	644	1,661	443	2.4	1.9	0.8	17.7	4.5
E982	Assault by cutting and piercing instruments	1,765	1,131	416	328	110	1,076	251	1.0	0.4	0.1	11.5	2.5
E983	Assault by other means	1,505	1,197	185	600	334	353	218	0.9	0.8	0.4	3.8	2.2
E984	Injury by intervention of police	229	154	53	111	-	117	1	0.1	0.1	0	1.2	0.0
E985	Execution	50	4	39	19	-	31	-	0.0	0.0	0	0.3	0

[1]Deaths for which autopsy item was not checked on death certificate are included in total deaths.

Table 69. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1958

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1958. Numbers under types of vehicle are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
E810-E825	MOTOR VEHICLE TRAFFIC ACCIDENTS	36,052	3,064	3,605	61	86	27,925	183	220	190	4	714
	White—Male	23,555	2,320	2,283	33	71	18,002	122	137	116	2	469
	White—Female	8,334	306	968	23	10	6,718	47	63	56	1	142
	Nonwhite—Male	3,235	379	269	4	4	2,451	14	17	10	1	86
	Nonwhite—Female	928	59	85	1	1	754	-	3	8	-	17
E810	Involving collision with railway train	1,316	208	-	-	-	1,076	-	-	1	-	31
	White—Male	897	183	-	-	-	692	-	-	-	-	22
	White—Female	303	7	-	-	-	290	-	-	1	-	5
	Nonwhite—Male	86	18	-	-	-	66	-	-	-	-	2
	Nonwhite—Female	30	-	-	-	-	28	-	-	-	-	2
E811	Involving collision with streetcar	9	-	-	-	-	9	-	-	-	-	-
	White—Male	3	-	-	-	-	3	-	-	-	-	-
	White—Female	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite—Male	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	7,083	821	28	-	-	5,872	5	1	137	-	219
	White—Male	4,264	508	18	-	-	3,521	3	-	79	-	135
	White—Female	1,656	174	5	-	-	1,397	1	1	44	-	34
	Nonwhite—Male	863	103	5	-	-	703	1	-	9	-	42
	Nonwhite—Female	300	36	-	-	-	251	-	-	5	-	8
E813	To pedal cyclist	413	69	1	-	-	330	-	-	7	-	6
	White—Male	346	56	-	-	-	278	-	-	7	-	5
	White—Female	38	7	-	-	-	31	-	-	-	-	-
	Nonwhite—Male	27	4	1	-	-	21	-	-	-	-	1
	Nonwhite—Female	2	2	-	-	-	-	-	-	-	-	-
E814	To rider or passenger of motorcycle, in collision with nonmotor vehicle or object	28	-	-	-	-	28	-	-	-	-	-
	White—Male	21	-	-	-	-	21	-	-	-	-	-
	White—Female	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite—Male	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	399	-	76	-	-	315	2	6	-	-	-
	White—Male	360	-	73	-	-	281	2	4	-	-	-
	White—Female	26	-	1	-	-	24	-	1	-	-	-
	Nonwhite—Male	12	-	2	-	-	9	-	1	-	-	-
	Nonwhite—Female	1	-	-	-	-	1	-	-	-	-	-
E816	Other, involving two or more motor vehicles	12,018	463	3,500	61	86	7,358	175	213	-	4	158
	White—Male	7,332	378	2,192	33	71	4,314	116	133	-	2	93
	White—Female	3,576	26	962	23	10	2,398	46	61	-	1	49
	Nonwhite—Male	840	52	261	4	4	473	13	16	-	1	16
	Nonwhite—Female	270	7	85	1	1	173	-	3	-	-	-
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	1	-	-	-	-	1	-	-	-	-	-
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	White—Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle	60	13	-	-	-	47	-	-	-	-	-
	White—Male	32	6	-	-	-	26	-	-	-	-	-
	White—Female	15	4	-	-	-	11	-	-	-	-	-
	Nonwhite—Male	12	3	-	-	-	9	-	-	-	-	-
	Nonwhite—Female	1	-	-	-	-	1	-	-	-	-	-
E819	Involving collision with fixed or unspecified object	1,467	83	-	-	-	1,359	-	-	1	-	24
	White—Male	1,013	74	-	-	-	920	-	-	-	-	19
	White—Female	251	2	-	-	-	244	-	-	1	-	4
	Nonwhite—Male	154	7	-	-	-	147	-	-	-	-	-
	Nonwhite—Female	49	-	-	-	-	48	-	-	-	-	1
E820	While boarding and alighting	42	5	-	-	-	25	-	-	11	-	1
	White—Male	25	5	-	-	-	12	-	-	8	-	-
	White—Female	15	-	-	-	-	12	-	-	2	-	1
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	2	-	-	-	-	1	-	-	1	-	-
E821	To rider of motorcycle not involving collision	209	-	-	-	-	209	-	-	7	-	-
	White—Male	186	-	-	-	-	186	-	-	-	-	-
	White—Female	17	-	-	-	-	17	-	-	-	-	-
	Nonwhite—Male	6	-	-	-	-	6	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E822	Involving overturning in roadway	1,292	322	-	-	-	951	-	-	-	-	19
	White—Male	953	262	-	-	-	680	-	-	-	-	11
	White—Female	197	19	-	-	-	173	-	-	-	-	5
	Nonwhite—Male	127	40	-	-	-	84	-	-	-	-	3
	Nonwhite—Female	15	1	-	-	-	14	-	-	-	-	-

Table 69. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1958. Numbers under types of vehicle are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	MOTOR VEHICLE TRAFFIC ACCIDENTS—Con.											
E823	Involving running off roadway	7,744	715	-	-	-	6,855	-	-	5	-	169
	White—Male	5,511	588	-	-	-	4,793	-	-	-	-	130
	White—Female	1,353	39	-	-	-	1,284	-	-	4	-	26
	Nonwhite—Male	727	82	-	-	-	633	-	-	1	-	11
	Nonwhite—Female	153	6	-	-	-	145	-	-	-	-	2
E824	Other noncollision accident	605	268	-	-	-	301	1	-	25	-	10
	White—Male	388	180	-	-	-	179	1	-	20	-	8
	White—Female	116	23	-	-	-	88	-	-	4	-	1
	Nonwhite—Male	80	59	-	-	-	21	-	-	-	-	-
	Nonwhite—Female	21	6	-	-	-	13	-	-	1	-	1
E825	Of unspecified nature	3,366	97	-	-	-	3,189	-	-	3	-	77
	White—Male	2,224	80	-	-	-	2,096	-	-	2	-	46
	White—Female	763	5	-	-	-	741	-	-	-	-	17
	Nonwhite—Male	295	11	-	-	-	273	-	-	-	-	11
	Nonwhite—Female	84	1	-	-	-	79	-	-	1	-	3
E830-E835	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	929	416	4	-	3	482	-	1	8	-	15
	White—Male	643	322	3	-	2	298	-	1	6	-	11
	White—Female	198	52	1	-	-	141	-	-	-	-	4
	Nonwhite—Male	59	31	-	-	1	25	-	-	2	-	-
	Nonwhite—Female	29	11	-	-	-	18	-	-	-	-	-
E830	To pedestrian	558	251	2	-	3	284	-	-	8	-	10
	White—Male	354	181	1	-	2	157	-	-	6	-	7
	White—Female	149	45	1	-	-	100	-	-	-	-	3
	Nonwhite—Male	33	16	-	-	1	14	-	-	2	-	-
	Nonwhite—Female	22	9	-	-	-	13	-	-	-	-	-
E831	To pedal cyclist	2	2	-	-	-	-	-	-	-	-	-
	White—Male	2	2	-	-	-	-	-	-	-	-	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E832	To rider or passenger of motorcycle	17	-	-	-	-	16	-	1	-	-	-
	White—Male	17	-	-	-	-	16	-	1	-	-	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E833	Other, involving two or more motor vehicles	8	3	2	-	-	3	-	-	-	-	-
	White—Male	7	3	2	-	-	2	-	-	-	-	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	20	5	-	-	-	15	-	-	-	-	-
	White—Male	11	3	-	-	-	8	-	-	-	-	-
	White—Female	6	-	-	-	-	6	-	-	-	-	-
	Nonwhite—Male	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	1	-	-	-	-	1	-	-	-	-	-
E835	Of other and unspecified nature	324	155	-	-	-	164	-	-	-	-	5
	White—Male	252	133	-	-	-	115	-	-	-	-	4
	White—Female	43	7	-	-	-	35	-	-	-	-	1
	Nonwhite—Male	23	13	-	-	-	10	-	-	-	-	-
	Nonwhite—Female	6	2	-	-	-	4	-	-	-	-	-

Table 70. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1958

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1958. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES	1,429	754	20	-	6	2	16	31	17	31	552
	White--Male	648	298	11	-	5	2	8	19	13	16	276
	White--Female	409	252	3	-	-	-	2	10	2	6	134
	Nonwhite--Male	224	118	6	-	-	-	6	1	2	8	83
	Nonwhite--Female	148	86	-	-	1	-	-	1	-	1	59
E870	Accidental poisoning by morphine and other opium derivatives	28	12	-	-	-	-	1	1	-	2	12
	White--Male	16	7	-	-	-	-	-	-	-	1	8
	White--Female	3	2	-	-	-	-	-	1	-	-	-
	Nonwhite--Male	6	2	-	-	-	-	1	-	-	1	2
	Nonwhite--Female	3	1	-	-	-	-	-	-	-	-	2
E871	Accidental poisoning by barbituric acid and derivatives	220	136	-	-	-	-	-	8	-	7	69
	White--Male	78	41	-	-	-	-	-	3	-	4	30
	White--Female	130	87	-	-	-	-	-	5	-	3	35
	Nonwhite--Male	9	5	-	-	-	-	-	-	-	-	4
	Nonwhite--Female	3	3	-	-	-	-	-	-	-	-	-
E872	Accidental poisoning by aspirin and salicylates	119	73	-	-	-	-	-	-	-	3	43
	White--Male	55	32	-	-	-	-	-	-	-	-	23
	White--Female	39	23	-	-	-	-	-	-	-	-	16
	Nonwhite--Male	11	8	-	-	-	-	-	-	-	2	1
	Nonwhite--Female	14	10	-	-	-	-	-	-	-	1	3
E873	Accidental poisoning by bromides	3	3	-	-	-	-	-	-	-	-	-
	White--Male	1	1	-	-	-	-	-	-	-	-	-
	White--Female	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	86	51	-	-	-	-	-	2	2	1	30
	White--Male	39	23	-	-	-	-	-	1	1	-	14
	White--Female	41	25	-	-	-	-	-	1	1	1	13
	Nonwhite--Male	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite--Female	3	2	-	-	-	-	-	-	-	-	1
E875	Accidental poisoning by sulfonamides	1	-	-	-	-	-	-	-	-	-	1
	White--Male	1	-	-	-	-	-	-	-	-	-	1
	White--Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	9	4	2	-	-	-	1	-	-	-	2
	White--Male	4	2	2	-	-	-	-	-	-	-	-
	White--Female	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	2	1	-	-	-	-	1	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	4	2	-	-	-	-	-	-	-	1	1
	White--Male	2	2	-	-	-	-	-	-	-	-	-
	White--Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	1	-	-	-	-	-	-	-	-	1	-
	Nonwhite--Female	1	-	-	-	-	-	-	-	-	-	1
E878	Accidental poisoning by other and unspecified drugs	79	43	-	-	-	-	1	3	2	1	29
	White--Male	30	14	-	-	-	-	-	2	2	-	12
	White--Female	31	18	-	-	-	-	1	1	-	1	10
	Nonwhite--Male	10	7	-	-	-	-	-	-	-	-	3
	Nonwhite--Female	8	4	-	-	-	-	-	-	-	-	4
E879	Accidental poisoning by noxious foodstuffs	5	2	-	-	-	-	-	-	-	-	3
	White--Male	3	1	-	-	-	-	-	-	-	-	2
	White--Female	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	322	115	2	-	2	1	9	8	9	7	169
	White--Male	167	50	1	-	2	1	5	8	7	5	88
	White--Female	24	16	-	-	-	-	-	-	-	-	8
	Nonwhite--Male	88	32	1	-	-	-	4	-	2	2	47
	Nonwhite--Female	43	17	-	-	-	-	-	-	-	-	26
E881	Accidental poisoning by petroleum products	83	59	2	-	-	-	-	-	-	-	22
	White--Male	18	11	1	-	-	-	-	-	-	-	6
	White--Female	21	14	1	-	-	-	-	-	-	-	6
	Nonwhite--Male	30	22	-	-	-	-	-	-	-	-	8
	Nonwhite--Female	14	12	-	-	-	-	-	-	-	-	2
E882	Accidental poisoning by industrial solvents	41	23	-	-	2	-	-	2	-	1	13
	White--Male	25	11	-	-	2	-	-	2	-	1	9
	White--Female	9	8	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	4	1	-	-	-	-	-	-	-	-	3
	Nonwhite--Female	3	3	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	57	34	2	-	1	-	-	1	-	2	17
	White--Male	27	13	1	-	1	-	-	1	-	1	10
	White--Female	11	7	-	-	-	-	-	-	-	-	4
	Nonwhite--Male	14	11	1	-	-	-	-	-	-	1	1
	Nonwhite--Female	5	3	-	-	-	-	-	-	-	-	2

See footnotes at end of table.

Table 70. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1958. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Residential institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES—Continued											
E884	Accidental poisoning by mercury and its compounds	8	5	-	-	-	-	-	-	-	-	3
	White—Male	2	1	-	-	-	-	-	-	-	-	1
	Female	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	2	1	-	-	-	-	-	-	-	-	1
	Female	1	1	-	-	-	-	-	-	-	-	-
E885	Accidental poisoning by lead and its compounds	70	43	1	-	-	-	-	-	-	-	26
	White—Male	19	8	-	-	-	-	-	-	-	-	11
	Female	11	5	1	-	-	-	-	-	-	-	5
	Nonwhite—Male	16	12	-	-	-	-	-	-	-	-	4
	Female	24	18	-	-	-	-	-	-	-	-	6
E886	Accidental poisoning by arsenic and antimony, and their compounds	39	22	2	-	-	-	-	-	-	-	15
	White—Male	20	13	1	-	-	-	-	-	-	-	6
	Female	10	6	-	-	-	-	-	-	-	-	4
	Nonwhite—Male	5	2	1	-	-	-	-	-	-	-	2
	Female	4	1	-	-	-	-	-	-	-	-	3
E887	Accidental poisoning by fluorides	3	2	-	-	1	-	-	-	-	-	-
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	252	125	9	-	-	1	4	6	4	6	97
	White—Male	141	68	5	-	-	1	3	2	3	4	55
	Female	67	33	1	-	-	-	1	2	1	1	28
	Nonwhite—Male	23	13	3	-	-	-	-	1	-	1	5
	Female	21	11	-	-	-	-	-	1	-	-	9
E890-E895	ACCIDENTAL POISONING BY GASES AND VAPORS	1,187	800	24	7	75	2	70	59	4	67	79
	White—Male	784	488	22	7	64	1	46	48	4	50	54
	Female	253	206	1	-	3	-	15	8	-	7	13
	Nonwhite—Male	95	63	1	-	8	1	4	2	-	7	9
	Female	55	43	-	-	-	-	5	1	-	3	3
E890	Accidental poisoning by utility (illuminating) gas	483	441	2	-	-	-	1	16	2	13	8
	White—Male	275	244	2	-	-	-	1	11	2	10	5
	Female	140	132	-	-	-	-	-	4	-	2	2
	Nonwhite—Male	41	39	-	-	-	-	-	1	-	-	1
	Female	27	26	-	-	-	-	-	-	-	1	-
E891	Accidental poisoning by motor vehicle exhaust gas	352	167	8	1	36	2	66	27	1	28	16
	White—Male	279	143	7	1	31	1	42	22	1	19	12
	Female	43	17	1	-	2	-	15	3	-	4	1
	Nonwhite—Male	19	5	-	-	3	1	4	1	-	3	2
	Female	11	2	-	-	-	-	5	1	-	2	1
E892	Accidental poisoning by other carbon monoxide gas	247	166	4	1	9	-	2	13	-	16	36
	White—Male	153	87	3	1	7	-	2	12	-	14	27
	Female	58	51	-	-	-	-	-	1	-	1	5
	Nonwhite—Male	21	15	1	-	2	-	-	-	-	1	2
	Female	15	13	-	-	-	-	-	-	-	-	2
E893	Accidental poisoning by cyanide gas	2	-	-	-	2	-	-	-	-	-	-
	White—Male	1	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	87	20	9	5	26	-	1	3	1	10	12
	White—Male	66	10	9	5	23	-	1	3	1	7	7
	Female	7	4	-	-	-	-	-	-	-	-	3
	Nonwhite—Male	12	4	-	-	3	-	-	-	-	3	2
	Female	2	2	-	-	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	16	6	1	-	2	-	-	-	-	-	7
	White—Male	10	4	1	-	2	-	-	-	-	-	3
	Female	4	2	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	2	-	-	-	-	-	-	-	-	-	2
	Female	-	-	-	-	-	-	-	-	-	-	-
E900-E904	ACCIDENTAL FALLS	18,248	10,049	196	36	540	66	972	678	2,458	537	2,716
	White—Male	8,169	3,849	162	34	479	50	635	479	1,000	406	1,075
	Female	8,921	5,542	23	1	4	10	246	161	1,392	67	1,475
	Nonwhite—Male	706	335	10	1	57	5	74	32	36	57	99
	Female	452	323	1	-	-	1	17	6	30	7	67
E900	Fall on stairs	2,334	1,897	2	-	11	3	16	233	65	47	60
	White—Male	1,227	955	1	-	9	2	9	151	38	29	33
	Female	941	799	1	-	-	1	7	72	26	12	23
	Nonwhite—Male	121	100	-	-	2	-	-	9	1	6	3
	Female	45	43	-	-	-	-	-	1	-	-	1

See footnotes at end of table.

Table 70. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1958. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL FALLS—Continued											
E901	Fall from ladders	334	191	25	2	54	-	5	23	1	14	19
	White—Male	291	154	25	2	51	-	5	21	1	13	19
	Female	25	24	-	-	-	-	-	-	-	1	-
	Nonwhite—Male	14	9	-	-	3	-	-	2	-	-	-
	Female	4	4	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,342	1,465	106	29	389	45	89	170	614	337	98
	White—Male	1,958	659	93	27	345	36	61	138	277	270	52
	Female	1,018	606	5	1	1	5	16	16	315	22	31
	Nonwhite—Male	255	115	8	1	43	3	10	14	10	40	11
	Female	111	85	-	-	-	1	2	2	12	5	4
E903	Fall on same level	3,535	2,102	21	1	10	12	582	73	649	39	66
	White—Male	1,397	650	17	1	7	9	360	45	253	23	32
	Female	1,988	1,365	3	-	1	1	167	26	383	10	32
	Nonwhite—Male	75	29	1	-	2	2	27	1	8	4	1
	Female	75	58	-	-	-	-	8	1	5	2	1
E904	Unspecified falls	8,703	4,394	42	4	76	6	300	179	1,129	100	2,473
	White—Male	3,296	1,431	26	4	67	3	200	124	431	71	939
	Female	4,949	2,748	14	-	2	3	56	47	668	22	1,389
	Nonwhite—Male	241	82	1	-	7	-	37	6	17	7	84
	Female	217	133	1	-	-	-	7	2	13	-	61
E910-E936	OTHER ACCIDENTS	26,436	11,146	2,149	594	1,691	496	731	573	579	5,007	3,470
	White—Male	15,394	4,727	1,722	533	1,422	363	539	383	307	3,589	1,809
	Female	5,015	3,149	160	10	30	68	53	125	193	477	750
	Nonwhite—Male	3,913	1,641	247	46	238	57	124	47	55	853	605
	Female	2,114	1,629	20	5	1	8	15	18	24	88	306
E910	Blow from falling or projected object or missile	1,380	225	147	225	374	22	82	35	4	207	59
	White—Male	1,140	162	125	219	319	18	60	29	3	165	40
	Female	64	37	11	-	1	2	2	3	1	4	3
	Nonwhite—Male	167	20	10	6	54	2	18	3	-	38	16
	Female	9	6	1	-	-	-	2	-	-	-	-
E911	Accident caused by vehicle	77	-	1	57	17	-	-	1	-	1	-
	White—Male	63	-	-	49	13	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	13	-	-	8	4	-	-	-	-	1	-
	Female	1	-	1	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	1,812	91	857	63	423	16	127	25	11	137	62
	White—Male	1,578	58	761	62	369	14	116	21	8	121	48
	Female	76	19	44	-	3	1	1	1	2	-	5
	Nonwhite—Male	155	12	52	1	51	1	10	2	1	16	9
	Female	3	2	-	-	-	-	-	1	-	-	-
E913	Accident caused by cutting and piercing instruments	104	48	9	1	7	-	4	5	2	8	20
	White—Male	54	24	5	1	5	-	3	3	1	4	8
	Female	10	6	-	-	-	-	-	-	1	-	3
	Nonwhite—Male	35	16	4	-	2	-	1	-	-	3	9
	Female	5	2	-	-	-	-	-	2	-	1	-
E914	Accident caused by electric current	951	266	74	22	213	13	112	28	7	170	46
	White—Male	815	193	68	22	195	13	101	22	5	159	37
	Female	71	58	1	-	2	-	-	1	2	3	4
	Nonwhite—Male	62	12	5	-	16	-	11	5	-	8	5
	Female	3	3	-	-	-	-	-	-	-	-	-
E915	Accident caused by explosion of pressure vessel	47	-	2	1	33	2	-	4	2	2	1
	White—Male	42	-	1	1	30	2	-	4	2	2	-
	Female	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—Male	4	-	1	-	2	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	7,291	5,842	124	57	304	9	40	276	123	140	376
	White—Male	2,828	1,937	94	53	240	8	24	166	73	89	144
	Female	2,091	1,822	14	-	20	1	7	89	33	15	90
	Nonwhite—Male	1,160	982	13	4	43	-	8	13	13	24	60
	Female	1,212	1,101	3	-	1	-	1	8	4	12	82
E917	Accident caused by hot substance, corrosive liquid, and steam	382	277	4	-	43	2	2	8	18	7	21
	White—Male	164	102	1	-	32	2	1	5	9	4	8
	Female	133	109	3	-	-	-	-	3	7	2	9
	Nonwhite—Male	46	30	-	-	11	-	-	-	2	1	2
	Female	39	36	-	-	-	-	1	-	-	-	2
E919	Accident caused by firearm	2,172	966	317	15	33	11	104	67	4	385	270
	White—Male	1,646	671	283	15	28	10	74	46	4	327	188
	Female	179	122	12	-	1	1	8	3	-	15	17
	Nonwhite—Male	282	122	19	-	4	-	21	15	-	43	58
	Female	65	51	3	-	-	-	1	3	-	-	7
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,780	881	-	-	3	6	10	43	206	23	608
	White—Male	827	378	-	-	2	3	7	29	98	12	298
	Female	572	270	-	-	-	3	2	13	82	9	193
	Nonwhite—Male	220	130	-	-	1	-	1	-	14	2	72
	Female	161	103	-	-	-	-	-	1	12	-	45

See footnotes at end of table.

Table 70. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1958—Continued

(Includes only deaths[1] occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1958. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	OTHER ACCIDENTS—Continued											
E922	Inhalation and ingestion of other object causing obstruction or suffocation	411	190	1	-	-	2	1	3	34	4	176
	White—Male	203	95	1	-	-	2	1	2	20	3	79
	White—Female	121	56	-	-	-	-	-	1	8	-	56
	Nonwhite—Male	44	16	-	-	-	-	-	-	3	1	24
	Nonwhite—Female	43	23	-	-	-	-	-	-	3	-	17
E923	Foreign body entering other orifice	124	43	1	-	-	2	-	1	11	1	65
	White—Male	64	20	-	-	-	1	-	1	5	1	36
	White—Female	35	12	1	-	-	1	-	-	3	-	18
	Nonwhite—Male	14	3	-	-	-	-	-	-	3	-	8
	Nonwhite—Female	11	8	-	-	-	-	-	-	-	-	3
E924	Accidental mechanical suffocation in bed and cradle	1,163	1,043	-	-	-	-	2	3	8	6	101
	White—Male	453	413	-	-	-	-	1	1	4	4	30
	White—Female	315	285	-	-	-	-	-	2	1	1	26
	Nonwhite—Male	189	165	-	-	-	-	1	-	3	-	20
	Nonwhite—Female	206	180	-	-	-	-	-	-	-	1	25
E925	Accidental mechanical suffocation in other and unspecified circumstances	495	208	28	7	61	4	28	5	12	45	97
	White—Male	288	105	25	7	49	2	17	5	5	38	35
	White—Female	79	40	3	-	-	1	1	-	4	2	28
	Nonwhite—Male	87	33	-	-	12	1	10	-	1	5	25
	Nonwhite—Female	41	30	-	-	-	-	-	-	2	-	9
E926	Lack of care of infants under 1 year of age	20	6	-	-	-	-	-	-	-	1	13
	White—Male	7	4	-	-	-	-	-	-	-	-	3
	White—Female	4	1	-	-	-	-	-	-	-	1	2
	Nonwhite—Male	5	-	-	-	-	-	-	-	-	-	5
	Nonwhite—Female	4	1	-	-	-	-	-	-	-	-	3
E927	Accidents caused by bites and stings of venomous animals and insects	48	12	12	-	1	-	1	1	-	6	15
	White—Male	28	6	5	-	-	-	1	1	-	5	10
	White—Female	11	4	5	-	-	-	-	-	-	1	1
	Nonwhite—Male	3	-	1	-	1	-	-	-	-	-	1
	Nonwhite—Female	6	2	1	-	-	-	-	-	-	-	3
E928	Other accidents caused by animals	134	24	84	-	4	2	1	-	-	12	7
	White—Male	93	11	63	-	3	-	-	-	-	11	5
	White—Female	25	10	12	-	-	2	-	-	-	-	1
	Nonwhite—Male	15	2	9	-	1	-	1	-	-	1	1
	Nonwhite—Female	1	1	-	-	-	-	-	-	-	-	-
E929	Accidental drowning	5,065	407	355	118	44	348	7	10	13	3,529	234
	White—Male	3,320	205	188	79	29	240	6	6	9	2,413	145
	White—Female	668	141	43	9	2	54	-	3	1	392	23
	Nonwhite—Male	963	35	114	26	13	46	1	1	3	664	60
	Nonwhite—Female	114	26	10	4	-	8	-	-	-	60	6
E931	Excessive heat and insolation	137	24	6	-	10	-	7	-	3	12	75
	White—Male	84	13	4	-	6	-	4	-	-	12	45
	White—Female	19	7	-	-	-	-	1	-	-	-	11
	Nonwhite—Male	26	4	2	-	4	-	2	-	2	-	12
	Nonwhite—Female	8	-	-	-	-	-	-	-	1	-	7
E932	Excessive cold	307	75	18	-	-	-	17	-	3	75	119
	White—Male	158	38	12	-	-	-	9	-	1	43	55
	White—Female	30	7	3	-	-	-	1	-	1	6	12
	Nonwhite—Male	98	21	3	-	-	-	5	-	1	20	48
	Nonwhite—Female	21	9	-	-	-	-	2	-	-	6	4
E933	Hunger, thirst, and exposure	224	30	8	2	2	-	8	1	-	38	135
	White—Male	102	11	4	-	2	-	4	1	-	19	61
	White—Female	35	4	-	1	-	-	-	-	-	3	27
	Nonwhite—Male	51	6	4	-	-	-	2	-	-	13	26
	Nonwhite—Female	36	9	-	1	-	-	2	-	-	3	21
E934	Cataclysm	166	49	14	-	1	1	13	2	-	75	11
	White—Male	110	22	9	-	1	-	9	2	-	63	4
	White—Female	42	22	5	-	-	-	2	-	-	11	2
	Nonwhite—Male	11	4	-	-	-	1	1	-	-	1	4
	Nonwhite—Female	3	1	-	-	-	-	1	-	-	-	1
E935	Lightning	104	13	34	-	3	14	3	-	1	23	13
	White—Male	73	7	26	-	2	13	2	-	1	19	3
	White—Female	7	1	1	-	-	1	1	-	-	2	1
	Nonwhite—Male	18	3	6	-	1	-	-	-	-	2	6
	Nonwhite—Female	6	2	1	-	-	-	-	-	-	-	3
E936	Other and unspecified accidents	2,042	426	53	26	115	42	162	55	117	100	946
	White—Male	1,254	252	47	25	97	35	99	38	59	75	527
	White—Female	427	116	2	-	-	1	27	6	47	10	218
	Nonwhite—Male	245	25	4	1	18	6	31	8	9	10	133
	Nonwhite—Female	116	33	-	-	-	-	5	3	2	5	68

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 71. Deaths From 255 Selected Causes, by Month: United States, 1958

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,647,886	156,658	147,494	148,211	135,585	133,940	127,975	129,194	125,442	122,915	135,358	134,629	150,485
I. Infective and parasitic diseases	23,407	2,257	2,087	2,157	2,024	1,987	1,833	1,807	1,799	1,785	1,892	1,826	1,953
Tuberculosis, all forms 001-019	12,361	1,242	1,142	1,163	1,098	1,050	957	968	929	897	967	948	1,000
Tuberculosis of respiratory system 001-008	11,477	1,187	1,075	1,095	1,012	961	875	890	855	825	887	879	936
Tuberculosis of meninges and central nervous system 010	296	16	29	20	27	33	29	30	19	24	25	26	18
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	67	2	6	1	9	5	8	6	9	9	5	6	1
Tuberculosis of bones and joints 012,013	84	7	4	3	9	13	3	8	6	4	11	4	12
Tuberculosis of other organs and systems 014-018	212	14	15	23	21	17	16	15	21	16	20	20	14
Disseminated tuberculosis 019	225	16	13	21	20	21	26	19	19	19	19	13	19
Syphilis and its sequelae 020-029	3,469	358	301	290	295	286	274	227	269	276	305	277	311
Congenital syphilis 020	37	5	4	4	2	-	2	6	3	3	2	5	1
Early syphilis 021	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta 022	1,434	148	125	125	115	110	114	85	111	112	139	112	138
Other cardiovascular syphilis 023	1,182	126	96	95	98	108	102	80	96	90	88	95	108
Tabes dorsalis 024	83	9	10	11	7	6	4	5	11	7	5	4	4
General paralysis of insane 025	292	27	27	18	33	27	13	23	21	31	27	22	23
Other syphilis of central nervous system 026	356	40	29	33	28	26	30	25	24	25	34	32	30
All other syphilis 027-029	85	3	10	4	12	9	9	3	3	8	10	7	7
Gonococcal infection 030-035	18	4	2	2	1	1	-	2	-	-	3	1	2
Typhoid fever 040	23	1	1	-	5	-	2	3	2	1	-	5	3
Paratyphoid fever and other Salmonella infections 041,042	65	3	4	4	6	2	5	7	4	11	10	5	4
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	8	-	1	-	1	-	-	2	2	-	-	1	1
Dysentery, all forms 045-048	407	41	23	22	18	30	41	39	46	38	46	33	30
Food poisoning (infection and intoxication) 049	55	3	4	9	1	11	4	5	4	4	3	2	5
Scarlet fever 050	12	1	3	2	1	1	2	1	-	-	-	-	1
Streptococcal sore throat 051	127	11	14	15	10	8	9	8	11	9	11	11	10
Erysipelas 052	26	1	2	2	2	3	1	1	4	4	1	3	2
Septicemia and pyemia 053	1,663	153	134	146	115	126	131	129	147	148	128	147	159
Diphtheria 055	74	3	5	10	6	5	1	1	3	6	10	13	11
Whooping cough 056	177	6	15	5	10	16	12	21	15	15	23	19	20
Meningococcal infections 057	746	89	93	88	74	54	39	32	33	41	64	64	75
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy 060	3	1	-	-	-	-	-	-	-	1	-	-	1
Tetanus 061	303	23	13	22	14	36	27	38	34	34	21	25	16
Anthrax 062	1	-	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis 080	255	10	5	4	3	4	9	19	49	54	50	28	20
Late effects of acute poliomyelitis 081	147	16	16	10	17	14	8	11	8	10	8	12	17
Acute infectious encephalitis 082	537	41	46	34	41	38	40	57	55	47	52	42	44
Late effects of acute infectious encephalitis 083	88	7	10	7	7	2	4	5	7	14	8	5	12
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	552	42	51	101	106	101	65	29	9	7	2	14	25
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	897	71	66	77	68	84	89	89	73	62	77	66	75
Rabies 094	5	-	1	1	-	-	-	-	-	-	2	1	-
Tick-borne typhus 104	14	-	-	-	-	4	5	2	1	1	-	1	-
Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	4	1	-	-	-	-	2	-	-	1	-	-	-
Malaria 110-117	6	-	-	-	2	-	1	2	1	-	-	-	-
Schistosomiasis 123	6	-	-	2	-	1	-	-	-	1	2	-	-
Hydatid disease 125	14	1	1	1	1	-	2	-	2	-	3	2	1
Filariasis 127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis 129	3	1	-	-	1	1	-	-	-	-	-	-	-
Other diseases due to helminths 124,126,128,130	61	6	5	4	5	4	4	3	5	4	8	10	3
All other infective and parasitic diseases 036-039, 054,059,063-074,086-090,093,095,096,120-122,131-138	1,280	121	129	136	116	105	99	105	86	99	88	91	105
II. Neoplasms	259,387	22,379	20,356	22,023	21,007	21,541	20,984	21,607	21,693	21,301	22,477	21,445	22,574
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	254,426	21,952	19,937	21,586	20,624	21,161	20,581	21,191	21,264	20,914	22,032	21,052	22,132
Malignant neoplasm of buccal cavity and pharynx 140-148	5,766	503	442	451	477	488	437	475	528	493	501	471	500
Of lip 140	227	19	11	14	15	16	20	22	30	17	19	26	18
Of tongue 141	1,455	135	125	128	134	110	102	107	137	134	127	111	105
Of other and unspecified parts of buccal cavity 142-144	1,778	152	128	142	155	145	136	153	151	137	161	149	169
Of pharynx 145-148	2,306	197	178	167	173	217	179	195	210	205	194	185	208
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	88,144	7,619	6,792	7,638	7,158	7,501	7,102	7,358	7,362	7,159	7,581	7,334	7,540
Of esophagus 150	4,612	388	344	378	354	388	354	429	376	387	406	384	424
Of stomach 151	21,033	1,730	1,647	1,854	1,664	1,834	1,749	1,682	1,826	1,754	1,792	1,740	1,761
Of small intestine, including duodenum 152	723	65	50	65	58	64	37	60	54	82	56	59	73
Of large intestine, except rectum 153	26,903	2,384	2,091	2,331	2,197	2,315	2,174	2,243	2,209	2,096	2,270	2,242	2,351
Cecum, appendix, and ascending colon 153.0	3,823	333	279	341	319	316	329	316	313	275	326	326	350
Transverse colon, including hepatic and splenic flexures 153.1	1,573	133	142	127	133	143	129	117	114	117	152	129	137
Descending colon 153.2	1,154	100	103	116	96	97	101	93	85	79	95	90	99
Sigmoid colon 153.3	6,335	586	461	570	496	557	527	530	467	509	551	551	530
Multiple parts of large intestine 153.7	64	7	5	6	5	1	3	7	5	6	7	4	8
Large intestine (including colon), part unspecified 153.8	12,375	1,095	973	1,030	1,013	1,065	968	1,039	1,079	989	1,010	1,015	1,099
Intestinal tract, part unspecified 153.9	1,579	130	128	141	135	136	117	141	146	121	129	127	128
Of rectum 154	10,864	923	881	915	925	920	854	912	935	851	975	883	890
Of biliary passages and of liver (stated to be primary site) 155	5,948	539	454	513	513	490	430	529	485	502	506	493	494
Liver 155.0	1,731	149	120	149	146	146	112	164	153	148	159	145	140
Other and multiple sites of biliary passages 155.1,155.8	4,217	390	334	364	367	344	318	365	332	354	347	348	354
Of liver not stated whether primary or secondary 156A	3,688	332	277	354	292	292	294	330	301	298	302	322	294
Of pancreas 157	12,751	1,105	918	1,095	1,031	1,051	1,079	1,045	1,029	1,051	1,143	1,073	1,131
Of peritoneum and of unspecified digestive organs 158,159	1,622	153	130	133	124	147	131	128	147	138	131	138	122

Table 71. Deaths From 255 Selected Causes, by Month: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms--Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued													
Malignant neoplasm of respiratory system, not specified as secondary---160-164	35,423	3,014	2,675	2,899	2,872	2,882	2,852	2,941	3,018	2,918	3,087	3,027	3,238
Of larynx---161	2,241	208	195	185	161	188	194	179	168	185	178	192	208
Of bronchus and trachea, and of lung specified as primary---162	15,833	1,374	1,146	1,243	1,319	1,268	1,254	1,316	1,371	1,363	1,391	1,322	1,466
Of lung, unspecified as to whether primary or secondary---163	16,483	1,364	1,257	1,406	1,331	1,339	1,347	1,385	1,403	1,286	1,438	1,436	1,491
Of other parts of respiratory system---160,164	866	68	77	65	61	87	57	61	76	84	80	77	73
Malignant neoplasm of breast---170	22,675	2,032	1,813	1,954	1,762	1,812	1,819	1,914	1,831	1,929	2,046	1,866	1,897
Malignant neoplasm of genital organs---171-179	38,390	3,324	3,090	3,306	3,135	3,106	3,174	3,165	3,157	3,110	3,365	3,109	3,349
Of cervix uteri---171	8,582	718	688	695	697	691	743	705	733	703	753	682	774
Of other and unspecified parts of uterus---172-174	6,358	556	508	562	503	515	518	510	508	529	533	527	589
Of ovary, fallopian tube, and broad ligament---175	7,579	683	568	635	644	586	617	635	661	628	670	596	656
Of other and unspecified female genital organs---176	809	82	58	70	70	68	83	75	58	50	77	51	67
Of prostate---177	14,071	1,212	1,185	1,259	1,131	1,168	1,114	1,146	1,141	1,121	1,226	1,179	1,189
Of testis, and of other and unspecified male genital organs---178,179	991	73	83	85	90	78	99	94	56	79	106	74	74
Malignant neoplasm of urinary organs---180,181	12,122	1,031	934	1,015	1,005	977	1,012	1,009	1,035	1,029	1,027	989	1,059
Of kidney---180	4,743	417	363	368	399	384	398	378	411	391	410	380	444
Of bladder and other urinary organs---181	7,379	614	571	647	606	593	614	631	624	638	617	609	615
Malignant neoplasm of other and unspecified sites---156B,165,190-199	27,978	2,386	2,231	2,330	2,278	2,385	2,197	2,370	2,385	2,317	2,412	2,255	2,432
Of skin---190,191	3,805	315	318	332	316	326	305	322	344	310	326	297	294
Of eye---192	346	31	41	24	40	36	29	25	22	26	21	21	30
Of brain and other parts of nervous system---193	5,606	456	451	485	416	486	417	475	457	480	515	491	477
Of thyroid gland---194	981	84	80	81	76	81	70	93	71	89	84	80	92
Of bone---196	1,885	163	155	144	177	192	148	158	141	141	166	135	165
Of connective tissue---197	890	70	70	71	80	74	67	65	84	74	92	70	73
Of other specified sites, not stated to be secondary---195,199A	1,392	117	108	125	120	116	108	112	119	104	140	109	114
Of unspecified sites---156B,165,198,199B	13,073	1,150	1,008	1,068	1,053	1,074	1,053	1,120	1,147	1,093	1,068	1,052	1,187
Leukemia and aleukemia---204	11,980	1,025	949	987	1,017	982	1,008	973	984	980	1,006	975	1,094
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	11,948	1,018	1,011	1,006	920	1,028	980	986	964	979	1,007	1,026	1,023
Lymphosarcoma and reticulosarcoma---200	5,408	441	443	450	403	488	442	458	453	425	463	464	478
Hodgkin's disease---201	3,036	272	227	264	224	247	281	254	236	279	250	254	248
Other neoplasms of lymphatic and hematopoietic tissues---202,203,205	3,504	305	341	292	293	293	257	274	275	275	294	308	297
Benign neoplasms and neoplasms of unspecified nature---210-239	4,961	427	419	437	383	380	403	416	429	387	445	393	442
Benign neoplasms of female genital organs---214-217	508	40	52	57	35	34	41	41	33	37	41	47	44
Benign neoplasm of brain and other parts of nervous system---223	966	72	74	89	81	71	78	92	78	76	108	59	88
Other benign neoplasms---210-213,218-222,224-229	966	66	81	83	75	80	82	87	79	88	78	76	91
Neoplasm of unspecified nature of female genital organs---233-235	32	5	2	2	-	4	4	3	2	2	2	3	3
Neoplasm of unspecified nature of brain and other parts of nervous system---237	1,633	158	135	132	116	126	137	112	158	123	148	137	151
Other neoplasms of unspecified nature-230-232,236,238,239	856	86	75	74	76	65	61	81	73	61	68	71	65
III. Allergic, endocrine system, metabolic, and nutritional diseases	36,851	3,770	3,430	3,451	3,077	2,989	2,764	2,821	2,676	2,683	2,931	2,945	3,314
Asthma---241	5,035	600	573	553	430	390	321	322	315	344	393	356	438
Nontoxic goiter---250,251	116	13	10	8	8	10	12	9	11	10	10	5	10
Thyrotoxicosis with or without goiter---252	626	77	66	51	58	60	44	60	37	39	47	39	48
Myxedema, cretinism, and other diseases of thyroid gland---253,254	273	34	21	23	20	31	24	18	12	19	26	22	23
Diabetes mellitus---260	27,501	2,693	2,462	2,504	2,298	2,245	2,106	2,174	2,078	2,018	2,183	2,241	2,499
Diseases of thymus gland---273	172	23	19	17	12	19	14	9	10	8	11	13	17
Diseases of adrenal glands---274	388	36	30	42	24	31	25	26	28	43	32	37	34
Pellagra---281	56	5	8	10	2	2	5	2	3	2	4	8	5
Other avitaminoses and nutritional deficiency states---280,282-286	1,565	174	153	151	121	120	114	116	99	116	133	123	145
All other allergic, endocrine, and metabolic diseases---240,242-245,270-272,275-277,287-289	1,119	115	88	92	104	81	99	85	83	84	92	101	95
IV. Diseases of the blood and blood-forming organs	4,942	423	442	433	406	409	401	388	397	381	405	404	453
Anemias---290-293	3,195	285	276	267	259	268	255	248	256	252	259	265	305
Pernicious and other hyperchromic anemias---290	729	60	62	69	63	72	56	62	53	58	60	56	58
Anemias of other and unspecified type---291-293	2,466	225	214	198	196	196	199	186	203	194	199	209	247
Purpura and other hemorrhagic conditions---296	674	54	64	64	56	55	63	51	49	54	50	54	60
Other diseases of blood and blood-forming organs---294,295,297-299	1,073	84	102	102	91	86	83	89	92	75	96	85	88
V. Mental, psychoneurotic, and personality disorders	4,486	434	433	404	355	382	325	340	310	32.	351	346	479
Senile psychosis---304	457	40	46	42	29	40	40	33	25	32	42	43	45
Alcoholic psychosis---307	406	44	45	44	36	32	22	30	30	30	25	25	43
Other psychoses---300-303,305,306,308,309	542	50	47	47	37	45	46	48	55	35	46	38	50
Alcoholism---322	2,501	238	241	218	214	226	168	189	166	180	186	195	280
Mental deficiency---325	415	40	41	42	28	25	30	29	19	38	38	35	50
Psychoneuroses and other disorders of personality---310-321,323,324,326	165	22	13	11	11	14	19	11	15	12	14	12	11
VI. Diseases of the nervous system and sense organs	205,209	19,749	18,528	18,827	16,643	16,563	15,896	15,983	15,190	14,689	16,883	16,901	19,357
Vascular lesions affecting central nervous system---330-334	190,758	18,346	17,270	17,508	15,497	15,419	14,813	14,814	14,088	13,654	15,700	15,692	17,957
Subarachnoid hemorrhage---330	6,169	563	491	515	505	518	494	506	456	466	534	538	583
Cerebral hemorrhage---331	113,601	11,136	10,434	10,704	9,403	9,316	8,788	8,793	8,349	7,961	9,137	9,130	10,450
Cerebral embolism and thrombosis---332	53,548	4,951	4,701	4,667	4,282	4,243	4,200	4,191	4,040	3,987	4,550	4,531	5,205
Other vascular lesions affecting central nervous system---333,334	17,440	1,696	1,644	1,622	1,307	1,342	1,331	1,324	1,243	1,240	1,479	1,493	1,719

Table 71. Deaths From 255 Selected Causes, by Month: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VI. Diseases of the nervous system and sense organs—Continued													
Meningitis, except meningococcal and tuberculous—340	2,247	243	210	233	199	168	144	153	155	151	173	176	242
Multiple sclerosis—345	1,414	130	117	125	116	100	102	111	120	112	124	122	135
Paralysis agitans—350	2,733	220	243	228	196	200	237	240	217	228	237	245	242
Cerebral spastic infantile paralysis—351	745	78	62	63	55	51	58	63	53	53	60	68	81
Epilepsy—353	2,062	200	168	198	156	168	168	186	150	137	165	165	181
Inflammatory diseases of eye—370-379	13	2	1	3	2	-	1	-	2	1	-	1	-
Cataract—385	27	3	1	1	2	3	2	6	2	1	3	2	1
Glaucoma—387	4	-	-	-	2	-	-	-	-	-	-	1	-
Otitis media and mastoiditis—391-393	433	52	55	52	33	39	31	19	17	29	25	31	50
Other diseases of nervous system and sense organs—341-344,352,354-369,380-384,386,388-390,394-398	4,773	475	401	415	385	395	340	391	386	323	386	398	468
VII. Diseases of the circulatory system	702,731	68,552	65,070	63,935	58,721	57,326	54,361	53,726	51,342	51,033	56,532	57,221	64,912
Diseases of heart—400-402,410-443	637,246	62,209	59,056	57,829	53,220	51,962	49,329	48,741	46,486	46,247	51,225	51,978	58,964
Rheumatic fever—400-402	806	87	91	84	62	64	62	78	41	43	56	54	84
Chronic rheumatic heart disease—410-416	17,990	1,769	1,711	1,667	1,574	1,414	1,446	1,321	1,275	1,305	1,487	1,442	1,579
Diseases of mitral valve—410	6,431	618	664	607	565	525	505	434	444	455	514	537	563
Diseases of aortic valve specified as rheumatic—411	1,718	155	133	146	141	133	155	147	127	128	146	155	152
Diseases of pulmonary valve and other endocarditis, specified as rheumatic—413,414	1,026	96	108	106	98	80	97	61	85	66	81	72	76
Other diseases of heart specified as rheumatic—412,415,416	8,815	900	806	808	770	676	689	679	619	656	746	678	788
Arteriosclerotic heart disease, including coronary disease—420	461,373	44,056	41,802	41,112	38,130	37,602	35,894	35,637	34,151	34,122	37,493	38,171	43,203
Arteriosclerotic heart disease so described—420.0	183,425	17,931	17,075	16,664	15,143	14,830	14,083	14,049	13,479	13,568	14,598	14,992	17,013
Heart disease specified as involving coronary arteries—420.1	277,275	26,060	24,670	24,391	22,928	22,710	21,761	21,535	20,629	20,500	22,840	23,121	26,130
Angina pectoris without mention of coronary disease—420.2	673	65	57	57	59	62	50	53	43	54	55	58	60
Chronic endocarditis not specified as rheumatic—421	5,606	555	536	515	493	460	405	415	424	409	457	459	478
Of mitral valve, specified as nonrheumatic—421.0	456	51	37	48	48	39	31	31	37	27	40	29	38
Of aortic valve, not specified as rheumatic—421.1	1,998	184	172	161	178	168	163	134	157	146	173	181	181
Of other valves, not specified as rheumatic—421.2-421.4	3,152	320	327	306	267	253	211	250	230	236	244	249	259
Other myocardial degeneration—422	52,989	5,464	5,345	5,133	4,523	4,268	4,028	3,907	3,705	3,605	4,042	4,098	4,871
With arteriosclerosis—422.1	35,916	3,563	3,612	3,492	3,006	2,890	2,785	2,647	2,496	2,472	2,727	2,848	3,378
Without mention of arteriosclerosis—422.0,422.2	17,073	1,901	1,733	1,641	1,517	1,378	1,243	1,260	1,209	1,133	1,315	1,250	1,493
Other diseases of heart—430-434	24,548	2,587	2,435	2,152	1,987	2,037	1,819	1,882	1,799	1,734	1,940	1,891	2,285
Acute and subacute endocarditis—430	754	68	53	72	74	68	54	56	54	68	58	59	70
Acute myocarditis and acute pericarditis, not specified as rheumatic—431,432	1,051	117	106	87	95	94	77	78	77	71	72	78	99
Functional disease of heart—433	5,047	517	469	407	429	438	404	412	373	336	414	390	458
Other and unspecified diseases of heart—434	17,696	1,885	1,807	1,586	1,389	1,437	1,284	1,336	1,295	1,259	1,396	1,364	1,658
Hypertensive heart disease—440-443	73,934	7,691	7,136	7,166	6,451	6,117	5,675	5,501	5,091	5,029	5,750	5,863	6,464
Hypertensive heart disease with arteriolar nephrosclerosis—442	17,601	1,824	1,639	1,666	1,603	1,446	1,446	1,339	1,198	1,165	1,369	1,342	1,564
Other hypertensive heart disease—440,441,443	56,333	5,867	5,497	5,500	4,848	4,671	4,229	4,162	3,893	3,864	4,381	4,521	4,900
Other hypertensive disease—444-447	13,798	1,392	1,269	1,270	1,214	1,103	1,070	1,036	942	1,029	1,017	1,124	1,332
Hypertension with arteriolar nephrosclerosis—446	6,699	643	591	580	597	534	532	520	434	533	509	553	673
Essential hypertension and other hypertensive disease without mention of heart—444,445,447	7,099	749	678	690	617	569	538	516	508	496	508	571	659
Diseases of arteries—450-456	44,110	4,279	4,083	4,158	3,659	3,635	3,416	3,365	3,299	3,205	3,589	3,475	3,947
General arteriosclerosis—450	34,483	3,386	3,305	3,308	2,873	2,800	2,657	2,613	2,559	2,465	2,750	2,683	3,084
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm—451	7,086	642	581	648	579	627	559	532	546	536	615	595	626
Gangrene of unspecified cause—455	243	25	20	19	22	25	17	19	21	14	16	19	26
Other arterial diseases—452-454,456	2,298	226	177	183	185	183	183	201	173	190	208	178	211
Diseases of veins and other diseases of circulatory system—460-468	7,577	672	662	678	628	626	546	564	615	552	701	644	669
VIII. Diseases of the respiratory system	81,647	10,440	10,729	9,688	6,929	5,550	4,676	4,709	4,379	4,518	5,796	6,112	8,121
Acute upper respiratory infections—470-475	936	116	113	110	77	59	41	48	42	50	75	92	113
Influenza—480-483	4,442	854	1,053	939	434	178	95	66	56	98	168	203	298
Pneumonia, except pneumonia of newborn—490-493	52,997	6,742	6,998	6,244	4,455	3,535	2,999	3,019	2,855	2,889	3,752	3,968	5,541
Lobar pneumonia—490	9,339	1,291	1,331	1,111	803	619	491	469	471	483	616	668	986
Bronchopneumonia—491	31,183	3,802	3,974	3,644	2,616	2,137	1,838	1,866	1,750	1,750	2,286	2,340	3,180
Primary atypical pneumonia—492	4,864	588	638	550	389	312	276	288	261	291	383	366	522
Pneumonia, other and unspecified—493	7,611	1,061	1,055	939	647	467	394	396	373	365	467	594	853
Acute bronchitis—500	1,352	195	169	164	122	88	82	66	42	74	99	111	140
Bronchitis, chronic and unqualified—501,502	2,621	368	313	273	213	166	148	157	149	150	197	243	244
Hypertrophy of tonsils and adenoids—510	194	14	24	21	17	26	21	8	11	9	13	13	17
Empyema and abscess of lung—518,521	895	102	84	111	78	80	60	65	57	63	79	61	55
Pleurisy—519	181	16	21	10	12	14	9	11	20	16	16	22	14
Emphysema without mention of bronchitis—527.1	6,707	776	737	694	576	496	444	439	429	407	537	513	659
Other respiratory diseases—511-517,520,522-527.0,527.2	11,322	1,257	1,217	1,122	945	908	777	830	718	762	860	886	1,040
IX. Diseases of the digestive system	63,417	6,121	5,543	5,526	5,118	5,078	4,889	5,008	4,967	4,980	5,307	5,238	5,642
Diseases of teeth and supporting structures—530-535	94	11	6	7	9	8	11	6	6	8	9	7	6
Ulcer of stomach—540	5,478	527	531	480	447	450	390	443	420	408	470	448	464
Ulcer of duodenum—541	5,323	525	481	477	459	431	421	399	348	408	458	433	483
Gastritis and duodenitis—543	347	38	26	39	27	35	18	27	26	28	24	34	25
Appendicitis—550-553	1,845	162	155	182	154	154	152	149	142	147	141	150	157
Hernia and intestinal obstruction—560,561,570	8,853	812	707	760	716	697	768	697	748	718	713	711	806
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over—571	4,629	635	443	356	286	290	298	327	350	359	436	396	453
Chronic enteritis and ulcerative colitis—572	2,862	246	239	235	224	235	229	253	231	228	259	260	223
Cirrhosis of liver—581	18,638	1,812	1,608	1,640	1,513	1,487	1,426	1,449	1,458	1,450	1,544	1,542	1,709
Without mention of alcoholism—581.0	13,035	1,293	1,135	1,180	1,044	1,015	981	1,035	1,013	989	1,092	1,085	1,173
With alcoholism—581.1	5,603	519	473	460	469	472	445	414	445	461	452	457	536

Table 71. Deaths From 255 Selected Causes, by Month: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Continued													
Cholelithiasis, cholecystitis, and cholangitis-------584,585	4,720	417	386	386	399	445	367	415	404	375	373	381	372
Fibrocystic disease of pancreas----------587B	550	63	50	49	41	50	44	40	28	49	55	32	49
Other diseases of digestive system----------536-539, 542,544,545,573-580,582,583,586,587.0,587.1,587A	10,078	873	911	915	843	796	765	803	806	802	825	844	895
X. Diseases of the genitourinary system----------	32,027	3,092	2,884	2,905	2,807	2,705	2,513	2,466	2,437	2,292	2,506	2,652	2,768
Nephritis and nephrosis----------590-594	16,030	1,638	1,522	1,505	1,454	1,380	1,237	1,191	1,134	1,063	1,200	1,307	1,399
Acute nephritis----------590	1,132	97	115	120	116	99	89	86	79	65	81	96	89
Nephritis with edema, including nephrosis----------591	1,071	115	84	101	98	89	80	84	80	89	73	81	97
Chronic and unspecified nephritis and other renal sclerosis----------592-594	13,827	1,426	1,323	1,284	1,240	1,192	1,068	1,021	975	909	1,046	1,130	1,213
Infections of kidney----------600	6,889	638	556	602	584	555	567	554	580	518	558	581	596
Calculi of urinary system----------602,604	1,282	129	123	94	120	118	94	109	97	92	98	102	106
Other diseases of urinary system----------601,603,605-609	2,048	164	190	161	171	155	141	154	175	160	186	197	194
Hyperplasia of prostate----------610	4,627	423	401	426	401	412	366	356	345	366	381	362	388
Diseases of breast----------620,621	8	1	-	1	-	-	-	-	-	-	2	1	1
Other diseases of genital organs----------611-617,622-637	1,145	99	92	116	77	85	108	102	106	93	81	102	84
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	1,581	130	109	123	140	152	129	149	126	141	138	123	121
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	154	10	8	15	11	10	12	15	17	16	13	16	11
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	380	32	29	35	32	44	31	28	34	24	31	27	33
Hemorrhage of pregnancy and childbirth----------643,644,670-672	275	24	26	21	21	30	15	25	24	24	25	25	15
Ectopic pregnancy----------645	115	11	9	8	14	10	11	14	5	6	9	9	9
Abortion without mention of sepsis or toxemia----------650	81	11	6	7	5	10	8	6	3	8	3	7	7
Abortion with sepsis----------651	159	10	8	8	25	14	13	22	15	14	14	8	8
Abortion with toxemia, without mention of sepsis---------652	19	1	1	1	2	1	-	5	-	3	1	3	1
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication----------646-649,660,673-680,683,687-689	398	31	22	28	30	33	39	34	28	46	42	28	37
XII. Diseases of the skin and cellular tissue---------	1,791	154	147	144	164	163	135	154	158	160	137	127	148
Infections of skin and subcutaneous tissue----------690-698	553	35	47	49	55	43	39	50	57	55	39	36	48
Other diseases of skin and subcutaneous tissue--------700-716	1,238	119	100	95	109	120	96	104	101	105	98	91	100
XIII. Diseases of the bones and organs of movement---	3,346	332	316	314	296	278	246	254	248	241	286	261	274
Arthritis and spondylitis----------720-725	1,837	185	167	175	158	166	131	136	137	139	166	132	145
Muscular rheumatism and rheumatism unspecified--------726,727	28	3	1	-	3	5	5	4	3	2	1	1	-
Osteomyelitis and periostitis----------730	177	23	17	10	12	17	15	14	28	9	17	8	7
Ankylosis and acquired musculoskeletal deformities----------737,745-749	75	10	5	9	6	1	6	10	4	3	8	4	9
Inborn defect of muscle----------744.1	559	47	55	44	49	41	38	40	36	38	49	58	64
Other diseases of musculoskeletal system----------731-736.738-744.0,744.2	670	64	71	76	68	48	51	50	40	50	45	58	49
XIV. Congenital malformations----------	21,411	1,835	1,654	1,824	1,797	1,735	1,747	1,769	1,687	1,667	1,941	1,812	1,943
Spina bifida and meningocele----------751	1,297	124	101	106	96	100	116	125	84	108	127	90	120
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs----752,753	2,474	237	199	189	196	195	215	193	180	177	235	201	257
Congenital malformations of circulatory system----------754	10,754	925	804	921	958	847	873	868	851	833	973	917	984
Other congenital malformations----------750,755-759	6,886	549	550	608	547	593	543	583	572	549	606	604	582
XV. Certain diseases of early infancy[1]----------	68,960	5,471	4,759	5,550	5,380	5,934	5,881	6,324	6,221	5,883	6,059	5,746	5,742
XVI. Symptoms, senility, and ill-defined conditions--	19,729	2,028	2,050	1,776	1,580	1,484	1,429	1,408	1,394	1,392	1,562	1,602	2,024
Senility without mention of psychosis----------794	3,000	344	291	289	254	261	170	226	215	205	218	228	299
Symptoms, ill-defined, and unknown causes--------780-793,795	16,729	1,684	1,759	1,487	1,326	1,223	1,259	1,182	1,179	1,187	1,344	1,374	1,725
XVII. Accidents, poisonings, and violence----------	116,964	9,491	8,957	9,131	9,141	9,664	9,786	10,281	10,418	9,432	10,155	9,868	10,660
Accidents----------E800-E962	90,604	7,314	7,095	6,856	6,837	7,387	7,547	7,961	8,151	7,244	7,947	7,716	8,549
Railway accidents----------E800-E802	1,164	76	61	76	78	102	98	119	135	160	92	89	78
Motor vehicle accidents----------E810-E835	36,981	2,709	2,398	2,598	2,595	2,937	3,078	3,098	3,550	3,325	3,586	3,526	3,581
Motor vehicle traffic accidents----------E810-E825	36,052	2,658	2,350	2,559	2,516	2,857	2,989	2,993	3,435	3,217	3,494	3,455	3,529
Motor vehicle traffic accident involving collision with railway train----------E810	1,316	138	118	120	84	78	78	81	106	110	132	121	150
Motor vehicle traffic accident to pedestrian------E812	7,083	633	494	497	525	489	528	549	551	599	726	702	788
Other motor vehicle traffic accidents involving collision----------E811,E813-E819	14,395	977	940	1,007	1,009	1,128	1,217	1,214	1,516	1,331	1,360	1,344	1,352
Motor vehicle noncollision traffic accidents----------E820-E824	9,892	638	610	719	682	891	892	837	967	858	952	937	909
Motor vehicle traffic accident of unspecified nature----------E825	3,366	270	188	216	216	271	274	312	295	319	324	351	330
Motor vehicle nontraffic accidents----------E830-E835	929	51	48	39	79	80	89	105	115	108	92	71	52
Other road vehicle accidents----------E840-E845	304	13	13	12	17	38	41	42	38	33	28	19	10
Water transport accidents----------E850-E858	1,653	44	62	75	191	227	239	229	233	114	96	92	51
Aircraft accidents----------E860-E866	1,511	91	157	135	194	116	127	109	143	128	125	90	96
Accidental poisoning by solid and liquid substances----------E870-E888	1,429	103	105	106	122	130	121	118	135	115	141	108	125
Accidental poisoning by gases and vapors---------E890-E895	1,187	157	205	162	63	31	26	34	35	40	94	114	226
Accidental falls----------E900-E904	18,248	1,710	1,564	1,551	1,453	1,451	1,390	1,523	1,424	1,429	1,574	1,504	1,675
Fall from one level to another----------E900-E902	6,010	491	412	444	456	478	505	605	518	531	564	500	506
Fall on same level----------E903	3,535	350	362	340	302	275	242	241	272	246	297	270	338
Unspecified falls----------E904	8,703	869	790	767	695	698	643	677	634	652	713	734	831
Blow from falling object or projected object or missile----------E910	1,380	101	103	120	97	114	101	125	125	127	162	98	107
Accident caused by machinery----------E912	1,812	109	81	102	174	180	166	169	182	202	214	139	94

[1]For detailed causes of infant death, see table 57 in Volume I.

Table 71. Deaths From 255 Selected Causes, by Month: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Continued													
Accidents—Continued													
Accident caused by electric current—E914	951	34	38	55	72	76	123	150	129	103	81	59	31
Accident caused by fire and explosion of combustible material—E916	7,291	1,006	1,057	798	584	444	348	249	252	267	527	616	1,143
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	382	51	41	35	28	31	15	23	31	26	33	25	43
Accident caused by firearm—E919	2,172	180	116	140	136	144	141	127	185	167	253	346	237
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	2,191	183	206	189	147	156	144	174	162	191	206	196	237
Accidental drowning—E929	5,065	130	147	174	356	709	848	1,066	844	325	205	127	134
Excessive heat and insolation—E931	137	3	1	2	5	7	20	53	29	12	3	-	2
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	1,023	78	98	82	99	85	96	77	87	80	82	78	81
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	5,723	536	642	444	426	409	425	476	432	400	445	490	598
Suicide—E963,E970-E979	18,519	1,575	1,361	1,618	1,700	1,672	1,550	1,563	1,519	1,544	1,567	1,443	1,407
Suicide by poisoning—E970-E973	3,958	331	298	370	367	348	322	309	314	348	336	327	288
Suicide by hanging and strangulation—E974	3,562	305	239	294	349	325	309	329	300	308	288	264	252
Suicide by firearm and explosive—E976	8,871	785	654	766	756	824	718	725	726	708	785	688	736
Suicide by all other means—E963,E975,E977-E979	2,128	154	170	188	228	175	201	200	179	180	158	164	131
Homicide—E964,E980-E985	7,815	599	498	653	603	603	668	756	747	644	638	707	699
Assault by firearm and explosive—E981	4,230	339	285	345	319	326	324	408	407	345	347	380	407
Assault by cutting and piercing instruments—E982	1,765	120	98	153	127	149	176	179	186	146	132	164	135
Assault by other means—E964,E980,E983	1,541	116	96	136	127	101	135	144	141	130	141	142	132
Injury by intervention of police—E984	229	19	17	17	24	25	27	19	11	19	17	14	20
Execution—E985	50	5	4	2	6	2	6	6	2	4	1	7	5
Injury resulting from operations of war—E965,E990-E999	26	3	3	4	1	2	1	1	1	-	3	2	5

Table 72. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,647,886	936,794	711,092
2		I. Infective and parasitic diseases	23,407	15,495	7,912
3		Tuberculosis, all forms-001-019	12,361	8,943	3,418
4	A 1	Tuberculosis of respiratory system-001-008	11,477	8,409	3,068
5	A 2	Tuberculosis of meninges and central nervous system-010	296	152	144
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	67	35	32
7	A 4	Tuberculosis of bones and joints-012,013	84	55	29
8	A 5 pt.	Tuberculosis of other organs and systems-014-018	212	138	74
9	A 5 pt.	Disseminated tuberculosis-019	225	154	71
10		Syphilis and its sequelae-020-029	3,469	2,489	980
11	A 6	Congenital syphilis-020	37	27	10
12	A 7	Early syphilis-021	-	-	-
13	A 10 pt.	Aneurysm of aorta-022	1,434	1,023	411
14	A 10 pt.	Other cardiovascular syphilis-023	1,182	867	315
15	A 8	Tabes dorsalis-024	83	68	15
16	A 9	General paralysis of insane-025	292	204	88
17	A 10 pt.	Other syphilis of central nervous system-026	356	248	108
18	A 10 pt.	All other syphilis-027-029	85	52	33
19	A 11	Gonococcal infection-030-035	18	15	3
20	A 12	Typhoid fever-040	23	11	12
21	A 13	Paratyphoid fever and other Salmonella infections-041,042	65	39	26
22	A 14	Cholera-043	-	-	-
23	A 15	Brucellosis (undulant fever)-044	8	5	3
24	A 16	Dysentery, all forms-045-048	407	245	162
25	A 43 pt.	Food poisoning (infection and intoxication)-049	55	29	26
26	A 17	Scarlet fever-050	12	4	8
27	A 18	Streptococcal sore throat-051	127	65	62
28	A 19	Erysipelas-052	26	14	12
29	A 20	Septicemia and pyemia-053	1,683	924	739
30	A 21	Diphtheria-055	74	36	38
31	A 22	Whooping cough-056	177	86	91
32	A 23	Meningococcal infections-057	746	378	368
33	A 24	Plague-058	-	-	-
34	A 25	Leprosy-060	3	3	-
35	A 26	Tetanus-061	303	184	119
36	A 27	Anthrax-062	1	1	-
37	A 28	Acute poliomyelitis-080	255	163	92
38	A 30 pt.	Late effects of acute poliomyelitis-081	147	79	68
39	A 29	Acute infectious encephalitis-082	537	283	254
40	A 30 pt.	Late effects of acute infectious encephalitis-083	88	56	32
41	A 31	Smallpox-084	-	-	-
42	A 32	Measles-085	552	289	263
43	A 33	Yellow fever-091	-	-	-
44	A 34	Infectious hepatitis-092	897	383	514
45	A 35	Rabies-094	5	2	3
46	A 36 pt.	Tick-borne typhus-104	14	7	7
47	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases-100-103,105-108	4	4	-
48	A 37	Malaria-110-117	6	6	-
49	A 38	Schistosomiasis-123	6	5	1
50	A 39	Hydatid disease-125	14	9	5
51	A 40	Filariasis-127	-	-	-
52	A 41	Ancylostomiasis-129	3	1	2
53	A 42	Other diseases due to helminths-124,126,128,130	61	21	40
54	A 43 pt.	All other infective and parasitic diseases-036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,280	716	564
55		II. Neoplasms	259,387	137,029	122,358
56		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	254,426	134,778	119,648
57	A 44	Malignant neoplasm of buccal cavity and pharynx-140-148	5,766	4,421	1,345
58		Of lip-140	227	202	25
59		Of tongue-141	1,455	1,129	326
60		Of other and unspecified parts of buccal cavity-142-144	1,778	1,248	530
61		Of pharynx-145-148	2,306	1,842	464
62		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-150-156A,157-159	88,144	48,185	39,959
63	A 45	Of esophagus-150	4,612	3,649	963
64	A 46	Of stomach-151	21,033	13,089	7,944
65	A 47 pt.	Of small intestine, including duodenum-152	723	391	332
66	A 47 pt.	Of large intestine, except rectum-153	26,903	12,271	14,632
67		Cecum, appendix, and ascending colon-153.0	3,823	1,634	2,189
68		Transverse colon, including hepatic and splenic flexures-153.1	1,573	754	819
69		Descending colon-153.2	1,154	513	641
70		Sigmoid colon-153.3	6,335	3,045	3,290
71		Multiple parts of large intestine-153.7	64	34	30
72		Large intestine (including colon), part unspecified-153.8	12,375	5,558	6,817
73		Intestinal tract, part unspecified-153.9	1,579	733	846
74	A 48	Of rectum-154	10,864	6,149	4,715
75	A 57 pt.	Of biliary passages and of liver (stated to be primary site)-155	5,948	2,474	3,474
76		Liver-155.0	1,731	1,069	662
77		Other and multiple sites of biliary passages-155.1,155.8	4,217	1,405	2,812
78	A 57 pt.	Of liver not stated whether primary or secondary-156A	3,688	1,886	1,802
79	A 57 pt.	Of pancreas-157	12,751	7,480	5,271
80	A 57 pt.	Of peritoneum and of unspecified digestive organs-158,159	1,622	796	826
81		Malignant neoplasm of respiratory system, not specified as secondary-160-164	35,423	30,125	5,298
82	A 49	Of larynx-161	2,241	2,010	231
83	A 50 pt.	Of bronchus and trachea, and of lung specified as primary-162	15,833	13,874	1,959
84	A 50 pt.	Of lung, unspecified as to whether primary or secondary-163	16,483	13,653	2,830
85	A 57 pt.	Of other parts of respiratory system-160,164	866	588	278
86	A 51	Malignant neoplasm of breast-170	22,675	215	22,460

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1958

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,451,077	828,550	622,527	189,341	103,333	86,008	4,274	2,414	1,860	1,335	1,114	221	1,129	810	319	730	573	157	1
17,401	11,658	5,743	5,630	3,594	2,036	233	127	106	66	57	9	36	27	9	41	32	9	2
9,178	6,810	2,368	2,948	1,980	968	145	79	66	45	41	4	21	17	4	24	16	8	3
8,668	6,486	2,182	2,617	1,793	824	111	64	47	41	37	4	19	15	4	21	14	7	4
151	85	66	121	57	64	22	8	14	2	2	-	-	-	-	-	-	-	5
36	19	17	29	15	14	2	1	1	-	-	-	-	-	-	-	-	-	6
59	39	20	22	13	9	2	2	-	-	-	-	1	1	-	-	-	-	7
156	99	57	51	35	16	2	1	1	1	1	-	1	1	-	1	1	-	8
108	82	26	108	67	41	6	3	3	1	1	-	-	-	-	2	1	1	9
2,240	1,637	603	1,198	826	372	8	6	2	12	11	1	5	3	2	6	6	-	10
16	11	5	20	15	5	1	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1,095	802	293	330	213	117	1	1	-	4	3	1	2	2	-	2	2	-	13
612	458	154	556	398	158	5	3	2	5	5	-	2	1	1	2	2	-	14
67	55	12	15	12	3	-	-	-	1	1	-	-	-	-	-	-	-	15
190	135	55	101	69	32	-	-	-	-	-	-	1	-	1	-	-	-	16
210	145	65	142	99	43	1	1	-	2	2	-	-	-	-	1	1	-	17
50	31	19	34	20	14	-	-	-	-	-	-	-	-	-	1	1	-	18
6	5	1	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	19
18	9	9	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	20
44	29	15	17	9	8	4	1	3	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
6	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	23
263	153	110	126	80	46	17	11	6	1	1	-	-	-	-	-	-	-	24
31	15	16	24	14	10	-	-	-	-	-	-	-	-	-	-	-	-	25
9	3	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	26
102	54	48	24	11	13	1	-	1	-	-	-	-	-	-	-	-	-	27
24	13	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	28
1,343	749	594	303	165	138	9	3	6	3	2	1	2	2	-	3	3	-	29
47	24	23	26	11	15	1	1	-	-	-	-	-	-	-	-	-	-	30
91	44	47	84	41	43	2	1	1	-	-	-	-	-	-	-	-	-	31
619	310	309	117	61	56	7	4	3	1	1	-	2	2	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
156	103	53	145	80	65	-	-	-	-	-	-	1	1	-	1	-	1	35
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
212	136	76	41	27	14	2	-	2	-	-	-	-	-	-	-	-	-	37
139	76	63	8	3	5	-	-	-	-	-	-	-	-	-	-	-	-	38
474	249	225	56	29	27	3	2	1	-	-	-	1	-	1	3	3	-	39
86	55	31	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
426	220	206	105	57	48	18	10	8	1	-	1	1	1	-	1	1	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
801	352	449	89	28	61	5	3	2	-	-	-	2	-	2	-	-	-	44
4	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	45
13	7	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	46
3	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
3	3	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	48
5	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
12	7	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	52
25	9	16	35	12	23	-	-	-	1	-	1	-	-	-	-	-	-	53
1,017	570	447	248	137	111	10	5	5	2	1	1	1	1	-	2	2	-	54
236,071	125,008	111,063	22,412	11,426	10,986	304	126	178	274	223	51	237	176	61	89	70	19	55
231,812	123,011	108,801	21,734	11,185	10,549	293	121	172	268	218	50	234	174	60	85	69	16	56
5,288	4,069	1,219	445	322	123	3	2	1	25	23	2	2	2	-	3	3	-	57
226	201	25	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1,327	1,037	290	126	90	36	1	1	-	1	1	-	-	-	-	-	-	-	59
1,649	1,160	489	128	87	41	-	-	-	1	1	-	-	-	-	-	-	-	60
2,086	1,671	415	190	144	46	2	1	1	23	21	2	2	2	-	3	3	-	61
80,326	43,585	36,741	7,422	4,324	3,098	115	47	68	109	92	17	139	108	31	33	29	4	62
3,856	3,036	820	738	597	141	1	-	1	9	8	1	7	7	-	1	1	-	63
18,565	11,489	7,076	2,336	1,499	837	39	23	16	21	20	1	64	51	13	8	7	1	64
667	363	304	56	28	28	-	-	-	-	-	-	-	-	-	-	-	-	65
25,264	11,559	13,705	1,577	675	902	18	5	13	22	18	4	18	11	7	4	3	1	66
3,641	1,553	2,088	174	77	97	2	-	2	3	2	1	3	2	1	-	-	-	67
1,492	717	775	80	37	43	-	-	-	-	-	-	1	-	1	-	-	-	68
1,089	484	605	61	25	36	1	1	-	2	2	-	1	1	-	-	-	-	69
6,023	2,905	3,118	296	128	168	4	1	3	6	6	-	4	3	1	2	2	-	70
60	31	29	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	71
11,492	5,186	6,306	850	355	495	11	3	8	11	8	3	9	5	4	2	1	1	72
1,467	683	784	112	50	62	-	-	-	-	-	-	-	-	-	-	-	-	73
10,171	5,784	4,387	657	337	320	5	2	3	10	8	2	18	15	3	3	3	-	74
5,483	2,195	3,288	402	244	158	25	6	19	24	18	6	10	8	2	4	3	1	75
1,488	888	600	217	160	57	1	-	1	18	14	4	4	4	-	3	3	-	76
3,995	1,307	2,688	185	84	101	24	6	18	6	4	2	6	4	2	1	-	1	77
3,291	1,668	1,623	371	196	175	6	3	3	12	12	-	2	1	1	6	6	-	78
11,623	6,806	4,817	1,073	641	432	21	8	13	11	8	3	17	12	5	6	5	1	79
1,406	665	721	212	107	105	-	-	-	-	-	-	3	3	-	1	1	-	80
32,612	27,758	4,854	2,686	2,262	424	21	16	5	59	51	8	32	26	6	13	12	1	81
2,025	1,820	205	212	186	26	1	1	-	2	2	-	1	1	-	-	-	-	82
14,525	12,720	1,805	1,244	1,097	147	8	7	1	35	32	3	12	9	3	9	9	-	83
15,281	12,694	2,587	1,151	921	230	10	6	4	21	16	5	17	14	3	3	2	1	84
781	524	257	79	58	21	2	2	-	1	1	-	2	2	-	1	1	-	85
21,001	195	20,806	1,643	19	1,624	16	-	16	7	-	7	5	-	5	3	1	2	86

Table 72. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1		Malignant neoplasm of genital organs—171-179	38,390	15,062	23,328
2	A 52	Of cervix uteri—171	8,582	...	8,582
3	A 53	Of other and unspecified parts of uterus—172-174	6,358	...	6,358
4	A 57 pt.	Of ovary, fallopian tube, and broad ligament—175	7,579	...	7,579
5	A 57 pt.	Of other and unspecified female genital organs—176	809	...	809
6	A 54	Of prostate—177	14,071	14,071	...
7	A 57 pt.	Of testis, and of other and unspecified male genital organs—178,179	991	991	...
8	A 57 pt.	Malignant neoplasm of urinary organs—180,181	12,122	8,036	4,086
9		Of kidney—180	4,743	2,962	1,781
10		Of bladder and other urinary organs—181	7,379	5,074	2,305
11		Malignant neoplasm of other and unspecified sites—156B,165,190-199	27,978	14,833	13,145
12	A 55	Of skin—190,191	3,805	2,195	1,610
13	A 57 pt.	Of eye—192	346	185	161
14	A 57 pt.	Of brain and other parts of nervous system—193	5,606	3,303	2,303
15	A 57 pt.	Of thyroid gland—194	981	345	636
16	A 56 pt.	Of bone—196	1,885	1,092	793
17	A 56 pt.	Of connective tissue—197	890	492	398
18	A 57 pt.	Of other specified sites, not stated to be secondary—195,199A	1,392	824	568
19	A 57 pt.	Of unspecified sites—156B,165,198,199B	13,073	6,397	6,676
20	A 58	Leukemia and aleukemia—204	11,980	6,956	5,024
21	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	11,948	6,945	5,003
22		Lymphosarcoma and reticulosarcoma—200	5,408	3,096	2,312
23		Hodgkin's disease—201	3,036	1,838	1,198
24		Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	3,504	2,011	1,493
25	A 60	Benign neoplasms and neoplasms of unspecified nature—210-239	4,961	2,251	2,710
26		Benign neoplasms of female genital organs—214-217	508	...	508
27		Benign neoplasm of brain and other parts of nervous system—223	966	433	533
28		Other benign neoplasms—210-213,218-222,224-229	966	511	455
29		Neoplasm of unspecified nature of female genital organs—233-235	32	...	32
30		Neoplasm of unspecified nature of brain and other parts of nervous system—237	1,633	876	757
31		Other neoplasms of unspecified nature—230-232,236,238,239	856	431	425
32		III. Allergic, endocrine system, metabolic, and nutritional diseases	36,851	16,265	20,586
33	A 66 pt.	Asthma—241	5,035	3,384	1,651
34	A 61	Nontoxic goiter—250,251	116	15	101
35	A 62	Thyrotoxicosis with or without goiter—252	626	107	519
36	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland—253,254	273	64	209
37	A 63	Diabetes mellitus—260	27,501	10,961	16,540
38	A 66 pt.	Diseases of thymus gland—273	172	98	74
39	A 66 pt.	Diseases of adrenal glands—274	388	220	168
40	A 64 pt.	Pellagra—281	56	22	34
41	A 64 pt.	Other avitaminoses and nutritional deficiency states—280,282-286	1,565	796	769
42	A 66 pt.	All other allergic, endocrine, and metabolic diseases—240,242-245,270-272,275-277,287-289	1,119	598	521
43		IV. Diseases of the blood and blood-forming organs	4,942	2,486	2,456
44	A 65	Anemias—290-293	3,195	1,562	1,633
45		Pernicious and other hyperchromic anemias—290	729	314	415
46		Anemias of other and unspecified type—291-293	2,466	1,248	1,218
47	A 66 pt.	Purpura and other hemorrhagic conditions—296	674	306	368
48	A 66 pt.	Other diseases of blood and blood-forming organs—294,295,297-299	1,073	618	455
49		V. Mental, psychoneurotic, and personality disorders	4,486	3,060	1,426
50	A 67 pt.	Senile psychosis—304	457	182	275
51	A 67 pt.	Alcoholic psychosis—307	406	367	39
52	A 67 pt.	Other psychoses—300-303,305,306,308,309	542	240	302
53	A 68 pt.	Alcoholism—322	2,501	1,972	529
54	A 69	Mental deficiency—325	415	223	192
55	A 68 pt.	Psychoneuroses and other disorders of personality—310-321,323,324,326	165	76	89
56		VI. Diseases of the nervous system and sense organs	205,209	99,170	106,039
57	A 70	Vascular lesions affecting central nervous system—330-334	190,758	91,076	99,682
58		Subarachnoid hemorrhage—330	6,169	2,867	3,302
59		Cerebral hemorrhage—331	113,601	53,982	59,619
60		Cerebral embolism and thrombosis—332	53,548	25,970	27,578
61		Other vascular lesions affecting central nervous system—333,334	17,440	8,257	9,183
62	A 71	Meningitis, except meningococcal and tuberculous—340	2,247	1,307	940
63	A 72	Multiple sclerosis—345	1,414	625	789
64	A 78 pt.	Paralysis agitans—350	2,733	1,483	1,250
65	A 78 pt.	Cerebral spastic infantile paralysis—351	745	428	317
66	A 73	Epilepsy—353	2,062	1,239	823
67	A 74	Inflammatory diseases of eye—370-379	13	8	5
68	A 75	Cataract—385	27	17	10
69	A 76	Glaucoma—387	4	-	4
70	A 77	Otitis media and mastoiditis—391-393	433	240	193
71	A 78 pt.	Other diseases of nervous system and sense organs—341-344,352,354-369,380-384,386,388-390,394-398	4,773	2,747	2,026
72		VII. Diseases of the circulatory system	702,731	407,109	295,622
73		Diseases of heart—400-402,410-443	637,246	372,912	264,334
74	A 79	Rheumatic fever—400-402	806	419	387
75	A 80	Chronic rheumatic heart disease—410-416	17,990	8,611	9,379
76		Diseases of mitral valve—410	6,431	2,893	3,538
77		Diseases of aortic valve specified as rheumatic—411	1,718	1,250	468
78		Diseases of pulmonary valve and other endocarditis, specified as rheumatic—413,414	1,026	497	529
79		Other diseases of heart specified as rheumatic—412,415,416	8,815	3,971	4,844

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
33,479	13,356	20,123	4,824	1,682	3,142	57	11	46	9	4	5	16	7	9	5	2	3	1
6,919	...	6,919	1,630	...	1,630	22	...	22	2	...	2	7	...	7	2	...	2	2
5,405	...	5,405	934	...	934	17	...	17	2	...	2	-	...	-	-	...	-	3
7,072	...	7,072	497	...	497	7	...	7	-	...	-	2	...	2	1	...	1	4
727	...	727	81	...	81	-	...	-	1	...	1	-	...	-	-	...	-	5
12,452	12,452	...	1,596	1,596	...	11	11	...	4	4	...	7	7	...	1	1	...	6
904	904	...	86	86	...	-	-	...	-	-	...	-	-	...	1	1	...	7
11,258	7,511	3,747	829	496	333	10	9	1	10	8	2	8	8	-	7	4	3	8
4,429	2,761	1,668	295	185	110	7	6	1	6	5	1	5	5	-	1	-	1	9
6,829	4,750	2,079	534	311	223	3	3	-	4	3	1	3	3	-	6	4	2	10
25,616	13,622	11,994	2,266	1,147	1,119	48	26	22	25	20	5	12	9	3	11	9	2	11
3,633	2,106	1,527	163	81	82	6	5	1	2	2	-	1	1	-	-	-	-	12
329	178	151	17	7	10	-	-	-	-	-	-	-	-	-	-	-	-	13
5,249	3,085	2,164	340	207	133	8	5	3	5	3	2	1	1	-	3	2	1	14
902	321	581	78	24	54	1	-	1	-	-	-	-	-	-	-	-	-	15
1,734	1,012	722	147	77	70	1	1	-	2	1	1	1	1	-	-	-	-	16
830	458	372	58	32	26	1	1	-	-	-	-	-	-	-	1	1	-	17
1,270	758	512	118	63	55	2	1	1	1	1	-	-	-	-	1	1	-	18
11,669	5,704	5,965	1,345	656	689	29	13	16	15	13	2	9	6	3	6	5	1	19
11,193	6,524	4,669	745	405	340	16	8	8	13	9	4	7	4	3	6	6	-	20
11,039	6,391	4,648	874	528	346	7	2	5	11	11	-	13	10	3	4	3	1	21
5,097	2,893	2,204	289	185	104	3	1	2	9	9	-	9	7	2	1	1	-	22
2,845	1,715	1,130	185	119	66	1	-	1	2	2	-	1	-	1	2	2	-	23
3,097	1,783	1,314	400	224	176	3	1	2	-	-	-	3	3	-	1	-	1	24
4,259	1,997	2,262	678	241	437	11	5	6	6	5	1	3	2	1	4	1	3	25
320	...	320	187	...	187	1	...	1	-	...	-	-	...	-	-	...	-	26
875	390	485	88	43	45	-	-	-	1	-	1	-	-	-	2	-	2	27
847	448	399	113	58	55	3	3	-	1	1	-	2	1	1	-	-	-	28
26	...	26	5	...	5	1	...	1	-	...	-	-	...	-	-	...	-	29
1,448	781	667	180	92	88	1	-	1	2	2	-	1	1	-	1	-	1	30
743	378	365	105	48	57	5	2	3	2	2	-	-	-	-	1	1	-	31
32,419	14,584	17,835	4,243	1,572	2,671	99	43	56	43	36	7	29	18	11	18	12	6	32
4,405	3,046	1,359	614	328	286	6	3	3	4	3	1	4	4	-	2	-	2	33
99	14	85	17	1	16	-	-	-	-	-	-	-	-	-	-	-	-	34
528	93	435	94	13	81	3	1	2	-	-	-	1	-	1	-	-	-	35
248	59	189	22	4	18	2	-	2	-	-	-	-	-	-	1	1	-	36
24,378	9,920	14,458	2,983	957	2,026	69	31	38	34	29	5	23	14	9	14	10	4	37
138	78	60	34	20	14	-	-	-	-	-	-	-	-	-	-	-	-	38
349	199	150	39	21	18	-	-	-	-	-	-	-	-	-	-	-	-	39
36	14	22	20	8	12	-	-	-	-	-	-	-	-	-	-	-	-	40
1,256	630	626	291	159	132	16	6	10	2	1	1	-	-	-	-	-	-	41
982	531	451	129	61	68	3	2	1	3	3	-	1	-	1	1	1	-	42
4,246	2,125	2,121	676	349	327	5	1	4	9	6	3	6	5	1	-	-	-	43
2,650	1,279	1,371	533	275	258	3	1	2	7	5	2	2	2	-	-	-	-	44
701	301	400	26	13	13	2	-	2	-	-	-	-	-	-	-	-	-	45
1,949	978	971	507	262	245	1	1	-	7	5	2	2	2	-	-	-	-	46
603	277	326	67	28	39	2	-	2	-	-	-	2	1	1	-	-	-	47
993	569	424	76	46	30	-	-	-	2	1	1	2	2	-	-	-	-	48
3,616	2,479	1,137	807	536	271	47	32	15	4	4	-	4	3	1	8	6	2	49
425	170	255	30	10	20	-	-	-	1	1	-	1	1	-	-	-	-	50
345	313	32	60	53	7	-	-	-	-	-	-	-	-	-	1	1	-	51
457	200	257	83	39	44	-	-	-	1	1	-	-	-	-	1	-	1	52
1,882	1,535	347	568	400	168	44	31	13	-	-	-	2	2	-	5	4	1	53
369	200	169	42	21	21	3	1	2	-	-	-	-	-	-	1	1	-	54
138	61	77	24	13	11	-	-	-	2	2	-	1	-	1	-	-	-	55
179,305	86,472	92,833	25,285	12,305	12,980	305	165	140	111	91	20	142	88	54	61	49	12	56
167,044	79,666	87,378	23,193	11,079	12,114	232	118	114	103	86	17	131	82	49	55	45	10	57
5,145	2,404	2,741	998	449	549	11	4	7	7	5	2	2	1	1	6	4	2	58
98,345	46,690	51,655	14,931	7,088	7,843	147	77	70	61	49	12	80	46	34	37	32	5	59
48,477	23,420	25,057	4,949	2,471	2,478	50	22	28	28	26	2	32	22	10	12	9	3	60
15,077	7,152	7,925	2,315	1,071	1,244	24	15	9	7	6	1	17	13	4	-	-	-	61
1,622	958	664	591	325	266	31	22	9	1	-	1	-	-	-	2	2	-	62
1,328	586	742	83	37	46	1	1	-	1	1	-	1	-	1	-	-	-	63
2,671	1,448	1,223	54	31	23	4	2	2	2	2	-	2	-	2	-	-	-	64
634	367	267	105	58	47	4	2	2	-	-	-	1	1	-	1	-	1	65
1,555	893	662	491	335	156	13	9	4	3	2	1	-	-	-	-	-	-	66
11	7	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	67
23	16	7	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	68
4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
349	194	155	77	43	34	5	2	3	-	-	-	1	1	-	1	-	1	70
4,064	2,337	1,727	686	395	291	14	9	5	1	-	1	6	4	2	2	2	-	71
638,843	373,037	265,806	62,112	32,775	29,337	773	449	324	440	386	54	352	281	71	211	181	30	72
580,549	342,504	238,045	55,078	29,222	25,856	708	414	294	408	357	51	308	247	61	195	168	27	73
633	336	297	163	79	84	10	4	6	-	-	-	-	-	-	-	-	-	74
16,577	7,938	8,639	1,357	636	721	24	15	9	11	7	4	9	7	2	12	8	4	75
5,939	2,657	3,282	475	227	248	4	1	3	5	2	3	3	3	-	5	3	2	76
1,641	1,194	447	74	54	20	-	-	-	-	-	-	2	1	1	1	1	-	77
950	454	496	69	39	30	5	2	3	1	1	-	-	-	-	1	1	-	78
8,047	3,633	4,414	739	316	423	15	12	3	5	4	1	4	3	1	5	3	2	79

Table 72. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Arteriosclerotic heart disease, including coronary disease---420	461,373	288,607	172,766
2		Arteriosclerotic heart disease so described---420.0	183,425	101,238	82,187
3		Heart disease specified as involving coronary arteries---420.1	277,275	186,938	90,337
4		Angina pectoris without mention of coronary disease---420.2	673	431	242
5	A 81 pt.	Chronic endocarditis not specified as rheumatic---421	5,606	3,131	2,475
6		Of mitral valve, specified as nonrheumatic---421.0	456	192	264
7		Of aortic valve, not specified as rheumatic---421.1	1,998	1,363	635
8		Of other valves, not specified as rheumatic---421.2-421.4	3,152	1,576	1,576
9	A 81 pt.	Other myocardial degeneration---422	52,989	25,703	27,286
10		With arteriosclerosis---422.1	35,916	17,008	18,908
11		Without mention of arteriosclerosis---422.0,422.2	17,073	8,695	8,378
12	A 82	Other diseases of heart---430-434	24,548	14,386	10,162
13		Acute and subacute endocarditis---430	754	465	289
14		Acute myocarditis and acute pericarditis, not specified as rheumatic---431,432	1,051	548	503
15		Functional disease of heart---433	5,047	2,579	2,468
16		Other and unspecified diseases of heart---434	17,696	10,794	6,902
17	A 83	Hypertensive heart disease---440-443	73,934	32,055	41,879
18		Hypertensive heart disease with arteriolar nephrosclerosis---442	17,601	8,514	9,087
19		Other hypertensive heart disease---440,441,443	56,333	23,541	32,792
20	A 84	Other hypertensive disease---444-447	13,798	6,959	6,839
21		Hypertension with arteriolar nephrosclerosis---446	6,699	3,750	2,949
22		Essential hypertension and other hypertensive disease without mention of heart---444,445,447	7,099	3,209	3,890
23	A 85	Diseases of arteries---450-456	44,110	23,226	20,884
24		General arteriosclerosis---450	34,483	16,588	17,895
25		Aortic aneurysm, nonsyphilitic, and dissecting aneurysm---451	7,086	5,235	1,851
26		Gangrene of unspecified cause---455	243	139	104
27		Other arterial diseases---452-454,456	2,298	1,264	1,034
28	A 86	Diseases of veins and other diseases of circulatory system---460-468	7,577	4,012	3,565
29		VIII. Diseases of the respiratory system----	81,647	50,695	30,952
30	A 87	Acute upper respiratory infections---470-475	936	534	402
31	A 88	Influenza---480-483	4,442	2,342	2,100
32		Pneumonia, except pneumonia of newborn---490-493	52,997	30,589	22,408
33	A 89	Lobar pneumonia---490	9,339	5,744	3,595
34	A 90	Bronchopneumonia---491	31,183	17,802	13,381
35	A 91 pt.	Primary atypical pneumonia---492	4,864	2,803	2,061
36	A 91 pt.	Pneumonia, other and unspecified---493	7,611	4,240	3,371
37	A 92	Acute bronchitis---500	1,352	761	591
38	A 93	Bronchitis, chronic and unqualified---501,502	2,621	1,892	729
39	A 94	Hypertrophy of tonsils and adenoids---510	194	107	87
40	A 95	Empyema and abscess of lung---518,521	895	640	255
41	A 96	Pleurisy---519	181	105	76
42	A 97 pt.	Emphysema without mention of bronchitis---527.1	6,707	5,925	782
43	A 97 pt.	Other respiratory diseases---511-517,520,522-527.0,527.2	11,322	7,800	3,522
44		IX. Diseases of the digestive system----	63,417	37,990	25,427
45	A 98	Diseases of teeth and supporting structures---530-535	94	50	44
46	A 99	Ulcer of stomach---540	5,478	3,967	1,511
47	A 100	Ulcer of duodenum---541	5,323	4,163	1,160
48	A 101	Gastritis and duodenitis---543	347	214	133
49	A 102	Appendicitis---550-553	1,845	1,146	699
50	A 103	Hernia and intestinal obstruction---560,561,570	8,853	4,462	4,391
51	A 104 pt.	Gastroenteritis, and colitis, except ulcerative, age 4 weeks and over---571	4,629	2,449	2,180
52	A 104 pt.	Chronic enteritis and ulcerative colitis---572	2,862	1,334	1,528
53	A 105	Cirrhosis of liver---581	18,638	12,360	6,278
54		Without mention of alcoholism---581.0	13,035	8,356	4,679
55		With alcoholism---581.1	5,603	4,004	1,599
56	A 106	Cholelithiasis, cholecystitis, and cholangitis---584,585	4,720	1,918	2,802
57	A 107 pt.	Fibrocystic disease of pancreas---587B	550	279	271
58	A 107 pt.	Other diseases of digestive system---536-539,542,544,545,573-580,582,583,586,587.0,587.1,587A	10,078	5,648	4,430
59		X. Diseases of the genitourinary system----	32,027	19,458	12,569
60		Nephritis and nephrosis---590-594	16,030	8,698	7,332
61	A 108	Acute nephritis---590	1,132	580	552
62	A 109 pt.	Nephritis with edema, including nephrosis---591	1,071	620	451
63	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis---592-594	13,827	7,498	6,329
64	A 110	Infections of kidney---600	6,889	3,544	3,345
65	A 111	Calculi of urinary system---602,604	1,282	683	599
66	A 114 pt.	Other diseases of urinary system---601,603,605-609	2,048	1,365	683
67	A 112	Hyperplasia of prostate---610	4,627	4,627	...
68	A 113	Diseases of breast---620,621	6	3	3
69	A 114 pt.	Other diseases of genital organs---611-617,622-637	1,145	538	607
70		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	1,581	...	1,581
71	A 115	Sepsis of pregnancy, childbirth, and puerperium---640,641,681,682,684	154	...	154
72	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia---642,685,686	380	...	380
73	A 117	Hemorrhage of pregnancy and childbirth---643,644,670-672	275	...	275
74	A 120 pt.	Ectopic pregnancy---645	115	...	115
75	A 118	Abortion without mention of sepsis or toxemia---650	81	...	81
76	A 119	Abortion with sepsis---651	159	...	159
77	A 116 pt.	Abortion with toxemia, without mention of sepsis---652	19	...	19
78	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication---646-649,660,673-680,683,687-689	398	...	398

[1] See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
431,994	271,556	160,438	28,287	16,220	12,067	449	268	181	286	256	30	218	181	37	139	126	13	1
171,606	94,706	76,900	11,373	6,207	5,166	171	87	84	134	119	15	86	72	14	55	47	8	2
259,803	176,471	83,332	16,829	9,964	6,865	277	180	97	152	137	15	130	107	23	84	79	5	3
585	379	206	85	49	36	1	1	-	-	-	-	2	2	-	-	-	-	4
4,812	2,712	2,100	782	409	373	4	3	1	1	-	1	4	4	-	3	3	-	5
400	167	233	55	24	31	1	1	-	-	-	-	-	-	-	-	-	-	6
1,767	1,218	549	226	140	86	-	-	-	-	-	-	3	3	-	2	2	-	7
2,645	1,327	1,318	501	245	256	3	2	1	1	-	1	1	1	-	1	1	-	8
47,259	22,719	24,540	5,588	2,881	2,707	85	51	34	29	28	1	17	15	2	11	9	2	9
32,327	15,154	17,173	3,490	1,777	1,713	54	35	19	24	24	-	15	13	2	6	5	1	10
14,932	7,565	7,367	2,098	1,104	994	31	16	15	5	4	1	2	2	-	5	4	1	11
20,483	12,004	8,479	3,957	2,315	1,642	72	37	35	14	14	-	18	14	4	4	2	2	12
623	394	229	127	70	57	2	-	2	1	1	-	1	-	1	-	-	-	13
816	432	384	229	114	115	4	1	3	1	1	-	1	-	1	-	-	-	14
4,674	2,374	2,300	358	197	161	9	3	6	2	2	-	4	3	1	-	-	-	15
14,370	8,804	5,566	3,243	1,934	1,309	57	33	24	10	10	-	12	11	1	4	2	2	16
58,791	25,239	33,552	14,944	6,682	8,262	64	36	28	67	52	15	42	26	16	26	20	6	17
14,512	7,033	7,479	3,055	1,461	1,594	17	8	9	6	4	2	9	7	2	2	1	1	18
44,279	18,206	26,073	11,889	5,221	6,668	47	28	19	61	48	13	33	19	14	24	19	5	19
11,117	5,591	5,526	2,642	1,342	1,300	14	5	9	12	12	-	10	6	4	3	3	-	20
5,870	3,294	2,576	811	442	369	6	2	4	6	6	-	3	3	-	3	3	-	21
5,247	2,297	2,950	1,831	900	931	8	3	5	6	6	-	7	3	4	-	-	-	22
40,608	21,425	19,183	3,408	1,728	1,680	36	25	11	19	16	3	28	23	5	11	9	2	23
31,863	15,264	16,599	2,556	1,275	1,281	32	23	9	13	12	1	15	11	4	4	3	1	24
6,535	4,894	1,641	526	318	208	2	1	1	4	4	-	13	12	1	6	6	-	25
198	118	80	45	21	24	-	-	-	-	-	-	-	-	-	-	-	-	26
2,012	1,149	863	281	114	167	2	1	1	2	-	2	-	-	-	1	-	1	27
6,569	3,517	3,052	984	483	501	15	5	10	1	1	-	6	5	1	2	1	1	28
68,129	42,671	25,458	12,852	7,620	5,232	483	267	216	83	69	14	53	40	13	47	28	19	29
711	408	303	209	115	94	14	9	5	-	-	-	1	1	-	1	1	-	30
3,340	1,732	1,608	1,077	597	480	22	11	11	1	1	-	2	1	1	-	-	-	31
43,125	24,817	18,308	9,360	5,463	3,897	365	212	173	61	50	11	35	27	8	31	20	11	32
7,313	4,471	2,842	1,932	1,215	717	60	33	27	12	11	1	13	8	5	9	6	3	33
26,064	14,822	11,242	4,863	2,824	2,039	180	96	84	41	32	9	19	18	1	16	10	6	34
3,975	2,297	1,678	850	482	368	30	19	11	5	4	1	3	1	2	1	-	1	35
5,773	3,227	2,546	1,715	942	773	115	64	51	3	3	-	-	-	-	5	4	1	36
1,119	637	482	217	118	99	13	4	9	1	1	-	1	-	1	1	1	-	37
2,365	1,732	633	246	153	93	8	6	2	-	-	-	1	1	-	1	-	1	38
159	85	74	32	20	12	2	1	1	-	-	-	-	-	-	1	1	-	39
722	511	211	167	124	43	4	3	1	2	2	-	-	-	-	-	-	-	40
154	89	65	26	15	11	-	-	-	1	1	-	-	-	-	-	-	-	41
6,361	5,629	732	322	275	47	9	8	1	9	9	-	4	3	1	2	1	1	42
10,073	7,031	3,042	1,196	740	456	26	13	13	8	5	3	9	7	2	10	4	6	43
56,223	33,896	22,327	6,639	3,757	2,882	384	187	197	78	75	3	42	30	12	51	45	6	44
70	40	30	23	9	14	1	1	-	-	-	-	-	-	-	-	-	-	45
4,964	3,615	1,349	479	320	159	7	6	1	13	13	-	7	5	2	8	8	-	46
4,973	3,913	1,060	333	235	98	2	2	-	8	8	-	5	3	2	2	2	-	47
296	182	114	46	27	19	3	3	-	-	-	-	-	-	-	2	2	-	48
1,553	978	575	281	158	123	6	5	1	2	2	-	-	-	-	3	3	-	49
7,702	3,838	3,864	1,101	597	504	36	16	20	5	4	1	4	3	1	5	4	1	50
3,087	1,603	1,484	1,391	772	619	145	69	76	3	2	1	3	3	-	-	-	-	51
2,705	1,281	1,424	145	47	98	7	2	5	1	1	-	3	2	1	1	1	-	52
17,006	11,367	5,639	1,476	888	588	96	50	46	28	27	1	8	7	1	24	21	3	53
11,938	7,682	4,256	1,005	608	397	52	30	22	17	16	1	6	5	1	17	15	2	54
5,068	3,665	1,383	471	280	191	44	20	24	11	11	-	2	2	-	7	6	1	55
4,474	1,827	2,647	208	73	135	25	10	15	5	5	-	5	2	3	3	1	2	56
523	263	260	25	14	11	2	2	-	-	-	-	-	-	-	-	-	-	57
8,870	4,989	3,881	1,131	617	514	54	21	33	13	13	-	7	5	2	3	3	-	58
25,996	16,018	9,978	5,867	3,326	2,541	99	58	41	30	27	3	16	14	2	19	15	4	59
12,597	6,921	5,676	3,350	1,720	1,630	47	28	19	18	16	2	7	6	1	11	7	4	60
863	445	418	264	132	132	4	2	2	1	1	-	-	-	-	-	-	-	61
851	499	352	213	116	97	3	2	1	1	-	1	1	1	-	2	2	-	62
10,883	5,977	4,906	2,873	1,472	1,401	40	24	16	16	15	1	6	5	1	9	5	4	63
5,622	2,890	2,732	1,233	634	599	23	10	13	5	4	1	1	1	-	5	5	-	64
1,173	620	553	103	60	43	2	-	2	-	-	-	2	1	1	2	2	-	65
1,658	1,072	586	379	284	95	8	6	2	1	1	-	2	2	-	-	-	-	66
4,047	4,047	...	556	556	...	13	13	...	6	6	...	4	4	...	1	1	...	67
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
893	465	428	246	72	174	6	1	5	-	-	-	-	-	-	-	-	-	69
938	...	938	621	...	621	14	...	14	3	...	3	4	...	4	1	...	1	70
110	...	110	43	...	43	1	...	1	-	...	-	-	...	-	-	...	-	71
199	...	199	174	...	174	7	...	7	-	...	-	-	...	-	-	...	-	72
173	...	173	96	...	96	3	...	3	2	...	2	1	...	1	-	...	-	73
44	...	44	69	...	69	-	...	-	1	...	1	1	...	1	-	...	-	74
50	...	50	31	...	31	-	...	-	-	...	-	-	...	-	-	...	-	75
73	...	73	85	...	85	-	...	-	-	...	-	1	...	1	-	...	-	76
13	...	13	6	...	6	-	...	-	-	...	-	-	...	-	-	...	-	77
276	...	276	117	...	117	3	...	3	-	...	-	1	...	1	1	...	1	78

Table 72. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XII. Diseases of the skin and cellular tissue	1,791	754	1,037
2	A 121	Infections of skin and subcutaneous tissue---690-698	553	304	249
3	A 126 pt.	Other diseases of skin and subcutaneous tissue---700-716	1,238	450	788
4		XIII. Diseases of the bones and organs of movement	3,346	1,485	1,861
5	A 122	Arthritis and spondylitis---720-725	1,837	633	1,204
6	A 123	Muscular rheumatism and rheumatism unspecified---726,727	28	9	19
7	A 124	Osteomyelitis and periostitis---730	177	117	60
8	A 125	Ankylosis and acquired musculoskeletal deformities---737,745-749	75	41	34
9	A 126 pt.	Inborn defect of muscle---744.1	559	390	169
10	A 126 pt.	Other diseases of musculoskeletal system---731-736.738-744.0,744.2	670	295	375
11		XIV. Congenital malformations	21,411	11,584	9,827
12	A 127	Spina bifida and meningocele---751	1,297	572	725
13	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,474	1,314	1,160
14	A 128	Congenital malformations of circulatory system---754	10,754	5,865	4,889
15	A 129 pt.	Other congenital malformations---750,755-759	6,886	3,833	3,053
16	A 130-A 135	XV. Certain diseases of early infancy[2]	68,960	40,042	28,918
17		XVI. Symptoms, senility, and ill-defined conditions	19,729	11,487	8,242
18	A 136	Senility without mention of psychosis---794	3,000	1,272	1,728
19	A 137	Symptoms, ill-defined, and unknown causes---780-793,795	16,729	10,215	6,514
20		XVII. Accidents, poisonings, and violence	116,964	82,685	34,279
21		Accidents---E800-E962	90,604	62,489	28,115
22	AE 139 pt.	Railway accidents---E800-E802	1,164	1,032	132
23	AE 138	Motor vehicle accidents---E810-E835	36,981	27,492	9,489
24		Motor vehicle traffic accidents---E810-E825	36,052	26,790	9,262
25		Motor vehicle traffic accident involving collision with railway train---E810	1,316	983	333
26		Motor vehicle traffic accident to pedestrian---E812	7,083	5,127	1,956
27		Other motor vehicle traffic accidents involving collision---E811,E813-E819	14,395	10,158	4,237
28		Motor vehicle noncollision traffic accidents---E820-E824	9,892	8,003	1,889
29		Motor vehicle traffic accident of unspecified nature---E825	3,366	2,519	847
30		Motor vehicle nontraffic accidents---E830-E835	929	702	227
31	AE 139 pt.	Other road vehicle accidents---E840-E845	304	224	80
32	AE 139 pt.	Water transport accidents---E850-E858	1,653	1,529	124
33	AE 139 pt.	Aircraft accidents---E860-E866	1,511	1,374	137
34	AE 140 pt.	Accidental poisoning by solid and liquid substances---E870-E888	1,429	872	557
35	AE 140 pt.	Accidental poisoning by gases and vapors---E890-E895	1,187	879	308
36	AE 141	Accidental falls---E900-E904	18,248	8,875	9,373
37		Fall from one level to another---E900-E902	6,010	3,866	2,144
38		Fall on same level---E903	3,535	1,472	2,063
39		Unspecified falls---E904	8,703	3,537	5,166
40	AE 147 pt.	Blow from falling object or projected object or missile---E910	1,380	1,307	73
41	AE 142	Accident caused by machinery---E912	1,812	1,733	79
42	AE 147 pt.	Accident caused by electric current---E914	951	877	74
43	AE 143	Accident caused by fire and explosion of combustible material---E916	7,291	3,988	3,303
44	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation---E917,E918	382	210	172
45	AE 145	Accident caused by firearm---E919	2,172	1,928	244
46	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	2,191	1,294	897
47	AE 146	Accidental drowning---E929	5,065	4,283	782
48	AE 147 pt.	Excessive heat and insolation---E931	137	110	27
49	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures---E940-E959	1,023	496	527
50	AE 147 pt.	All other accidents---E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	5,723	3,986	1,737
51	AE 148	Suicide---E963,E970-E979	18,519	14,366	4,153
52		Suicide by poisoning---E970-E973	3,958	2,499	1,459
53		Suicide by hanging and strangulation---E974	3,562	2,702	860
54		Suicide by firearm and explosive---E976	8,871	7,805	1,066
55		Suicide by all other means---E963,E975,E977-E979	2,128	1,360	768
56	AE 149	Homicide---E964,E980-E985	7,815	5,804	2,011
57		Assault by firearm and explosive---E981	4,230	3,143	1,087
58		Assault by cutting and piercing instruments---E982	1,765	1,404	361
59		Assault by other means---E964,E980,E983	1,541	979	562
60		Injury by intervention of police---E984	229	228	1
61		Execution---E985	50	50	-
62	AE 150	Injury resulting from operations of war---E965,E990-E999	26	26	-

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

[2]For detailed causes of infant death, see table 57 in Volume I.

Specified Race and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,458	619	839	315	128	187	11	3	8	4	2	2	3	2	1	-	-	-	1
464	255	209	80	46	34	8	2	6	1	1	-	-	-	-	-	-	-	2
994	364	630	235	82	153	3	1	2	3	1	2	3	2	1	-	-	-	3
3,049	1,366	1,683	283	114	169	8	1	7	3	1	2	2	2	-	1	1	-	4
1,673	574	1,099	154	55	99	7	1	6	1	1	-	2	2	-	-	-	-	5
20	7	13	8	2	6	-	-	-	-	-	-	-	-	-	-	-	-	6
157	106	51	20	11	9	-	-	-	-	-	-	-	-	-	-	-	-	7
72	40	32	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	8
524	369	155	34	21	13	1	-	1	-	-	-	-	-	-	-	-	-	9
603	270	333	64	24	40	-	-	-	2	-	2	-	-	-	1	1	-	10
18,653	10,070	8,583	2,584	1,411	1,173	97	57	40	23	11	12	23	13	10	31	22	9	11
1,184	500	684	107	67	40	5	4	1	-	-	-	1	1	-	-	-	-	12
2,142	1,128	1,014	308	173	135	15	8	7	2	-	2	2	1	1	5	4	1	13
9,330	5,121	4,209	1,330	685	645	46	30	16	16	10	6	17	9	8	15	10	5	14
5,997	3,321	2,676	839	486	353	31	15	16	5	1	4	3	2	1	11	8	3	15
52,614	30,926	21,686	15,803	8,814	6,989	346	185	161	47	32	15	88	47	41	62	36	26	16
12,836	7,663	5,173	6,616	3,681	2,935	265	135	130	5	3	2	6	5	1	1	-	1	17
2,462	1,013	1,449	505	245	260	31	13	18	1	-	1	1	1	-	-	-	-	18
10,374	6,650	3,724	6,111	3,436	2,675	234	122	112	4	3	1	5	4	1	1	-	1	19
99,280	69,956	29,324	16,596	11,925	4,671	801	578	223	112	91	21	86	59	27	89	76	13	20
77,920	53,669	24,251	11,835	8,200	3,635	671	481	190	57	44	13	60	43	17	61	52	9	21
930	824	106	211	188	23	21	18	3	1	1	-	-	-	-	1	1	-	22
32,730	24,198	8,532	3,823	2,974	849	344	255	89	25	19	6	24	14	10	35	32	3	23
31,889	23,555	8,334	3,746	2,923	823	336	250	86	25	19	6	23	13	10	33	30	3	24
1,200	897	303	99	75	24	16	10	6	-	-	-	1	1	-	-	-	-	25
5,920	4,264	1,656	1,068	788	280	73	61	12	11	7	4	7	3	4	4	4	-	26
13,021	9,107	3,914	1,243	955	288	97	69	28	8	7	1	9	6	3	17	14	3	27
8,761	7,063	1,698	989	829	160	123	94	29	6	5	1	3	2	1	10	10	-	28
2,987	2,224	763	347	276	71	27	16	11	-	-	-	3	1	2	2	2	-	29
841	643	198	77	51	26	8	5	3	-	-	-	1	1	-	2	2	-	30
260	185	75	37	33	4	6	6	-	1	-	1	-	-	-	-	-	-	31
1,450	1,336	114	180	172	8	17	15	2	1	1	-	5	5	-	-	-	-	32
1,498	1,361	137	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1,057	648	409	359	217	142	8	5	3	2	1	1	1	-	1	2	1	1	34
1,037	784	253	148	93	55	-	-	-	1	1	-	-	-	-	1	1	-	35
17,090	8,169	8,921	1,097	663	434	37	20	17	9	9	-	6	6	-	9	8	1	36
5,460	3,476	1,984	518	365	153	21	14	7	1	1	-	5	5	-	5	5	-	37
3,385	1,397	1,988	146	72	74	2	1	1	2	2	-	-	-	-	-	-	-	38
8,245	3,296	4,949	433	226	207	14	5	9	6	6	-	1	1	-	4	3	1	39
1,204	1,140	64	168	161	7	7	6	1	1	-	1	-	-	-	-	-	-	40
1,654	1,578	76	149	149	-	5	4	1	-	-	-	4	2	2	-	-	-	41
886	815	71	62	59	3	-	-	-	-	-	-	3	3	-	-	-	-	42
4,919	2,828	2,091	2,296	1,113	1,183	64	37	27	3	2	1	6	5	1	3	3	-	43
297	164	133	85	46	39	-	-	-	-	-	-	-	-	-	-	-	-	44
1,825	1,646	179	327	266	61	18	14	4	1	1	-	1	1	-	-	-	-	45
1,723	1,030	693	435	247	188	28	15	13	1	-	1	-	-	-	4	2	2	46
3,988	3,320	668	1,013	913	100	47	37	10	6	6	-	8	5	3	3	2	1	47
103	84	19	31	24	7	3	2	1	-	-	-	-	-	-	-	-	-	48
883	433	450	136	60	76	3	2	1	-	-	-	1	1	-	-	-	-	49
4,386	3,126	1.260	1,265	809	456	63	45	18	5	3	2	1	1	-	3	2	1	50
17,684	13,707	3,977	686	543	143	61	49	12	47	39	8	24	14	10	17	14	3	51
3,851	2,440	1,411	88	48	40	2	-	2	6	4	2	6	4	2	5	3	2	52
3,424	2,587	837	90	79	11	11	8	3	25	20	5	10	6	4	2	2	-	53
8,455	7,442	1,013	357	310	47	46	41	5	6	6	-	2	1	1	5	5	-	54
1,954	1,238	716	151	106	45	2	-	2	10	9	1	6	3	3	5	4	1	55
3,651	2,555	1,096	4,074	3,181	893	69	48	21	8	8	-	2	2	-	11	10	1	56
2,126	1,482	644	2,067	1,636	431	28	16	12	4	4	-	1	1	-	4	4	-	57
438	328	110	1,314	1,065	249	9	7	2	1	1	-	-	-	-	3	3	-	58
957	615	342	547	335	212	30	23	7	3	3	-	1	1	-	3	2	1	59
111	111	-	116	115	1	2	2	-	-	-	-	-	-	-	-	-	-	60
19	19	-	30	30	-	-	-	-	-	-	-	-	-	-	1	1	-	61
25	25	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL CAUSES	1,647,886	113,789	7,320	4,388	3,281	2,572	131,350	8,641	6,896	11,274
02	Male	936,794	65,082	3,885	2,442	1,824	1,392	74,625	5,056	4,386	7,927
03	Female	711,092	48,707	3,435	1,946	1,457	1,180	56,725	3,585	2,510	3,347
04	White--Male	828,550	49,027	2,845	1,865	1,457	1,132	56,326	4,205	3,705	6,752
05	White--Female	622,527	35,908	2,494	1,432	1,089	931	41,854	2,875	2,111	2,715
06	Negro--Male	103,333	15,320	966	539	341	246	17,412	797	653	1,098
07	Negro--Female	86,008	12,208	855	482	348	239	14,132	669	382	603
08	Other--Male	4,911	735	74	38	26	14	887	54	28	77
09	Other--Female	2,557	591	86	32	20	10	739	41	17	29
10	I. Infective and parasitic diseases	23,407	1,660	572	346	256	177	3,011	467	236	253
11	White--Male	11,658	611	221	138	108	75	1,151	191	94	97
12	White--Female	5,743	478	197	118	89	61	943	185	93	82
13	Negro--Male	3,594	297	78	31	25	19	450	42	22	28
14	Negro--Female	2,036	223	65	48	24	17	377	37	26	40
15	Other--Male	243	28	5	8	6	2	49	6	-	2
16	Other--Female	133	23	6	3	6	3	41	6	1	4
17	Tuberculosis, all forms (001-019)	12,361	60	64	34	29	15	202	38	30	59
18	White--Male	6,810	17	20	11	12	4	64	17	9	12
19	White--Female	2,368	17	16	7	3	3	46	5	10	11
20	Negro--Male	1,980	13	15	5	2	1	36	3	2	11
21	Negro--Female	968	11	10	7	6	5	39	6	8	20
22	Other--Male	153	-	2	2	2	1	7	3	-	2
23	Other--Female	82	2	1	2	4	1	10	4	1	3
24	Tuberculosis of respiratory system (001-008)	11,477	25	20	15	8	1	69	10	12	45
25	White--Male	6,486	8	5	5	4	1	23	4	2	7
26	White--Female	2,182	8	5	2	1	-	16	1	4	9
27	Negro--Male	1,793	6	7	2	-	-	15	1	2	9
28	Negro--Female	824	2	3	4	1	-	10	2	3	16
29	Other--Male	130	-	-	1	-	-	1	1	-	2
30	Other--Female	62	1	-	1	2	-	4	1	1	2
31	Tuberculosis of meninges and central nervous system (010)	296	28	36	18	20	13	115	26	16	5
32	White--Male	85	7	14	5	7	2	35	12	7	1
33	White--Female	66	9	9	5	2	3	28	4	4	1
34	Negro--Male	57	6	7	3	2	1	19	2	-	2
35	Negro--Female	64	5	3	3	5	5	21	4	5	1
36	Other--Male	10	-	2	1	2	1	6	1	-	-
37	Other--Female	14	1	1	1	2	1	6	3	-	-
38	Tuberculosis of intestines, peritoneum, and mesenteric glands (011)	67	-	-	-	1	-	1	-	1	1
39	White--Male	19	-	-	-	1	-	1	-	-	-
40	White--Female	17	-	-	-	-	-	-	-	1	-
41	Negro--Male	15	-	-	-	-	-	-	-	-	-
42	Negro--Female	14	-	-	-	-	-	-	-	-	1
43	Other--Male	1	-	-	-	-	-	-	-	-	-
44	Other--Female	1	-	-	-	-	-	-	-	-	-
45	Tuberculosis of bones and joints (012,013)	84	-	1	-	-	1	2	-	-	1
46	White--Male	39	-	-	-	-	1	1	-	-	1
47	White--Female	20	-	-	-	-	-	-	-	-	-
48	Negro--Male	13	-	1	-	-	-	1	-	-	-
49	Negro--Female	9	-	-	-	-	-	-	-	-	-
50	Other--Male	3	-	-	-	-	-	-	-	-	-
51	Other--Female	-	-	-	-	-	-	-	-	-	-
52	Tuberculosis of other organs and systems (014-018)	212	-	-	-	-	-	-	-	-	2
53	White--Male	99	-	-	-	-	-	-	-	-	2
54	White--Female	57	-	-	-	-	-	-	-	-	-
55	Negro--Male	35	-	-	-	-	-	-	-	-	-
56	Negro--Female	16	-	-	-	-	-	-	-	-	-
57	Other--Male	4	-	-	-	-	-	-	-	-	-
58	Other--Female	1	-	-	-	-	-	-	-	-	-
59	Disseminated tuberculosis (019)	225	7	7	1	-	-	15	2	1	5
60	White--Male	82	2	1	1	-	-	4	1	-	1
61	White--Female	26	-	2	-	-	-	2	-	1	1
62	Negro--Male	67	1	-	-	-	-	1	-	-	-
63	Negro--Female	41	4	4	-	-	-	8	-	-	2
64	Other--Male	5	-	-	-	-	-	-	1	-	-
65	Other--Female	4	-	-	-	-	-	-	-	-	1
66	Syphilis and its sequelae (020-029)	3,469	26	1	-	-	2	29	-	1	4
67	White--Male	1,637	3	-	-	-	-	3	-	-	2
68	White--Female	603	3	-	-	-	-	3	-	-	1
69	Negro--Male	826	15	-	-	-	1	16	-	1	-
70	Negro--Female	372	4	1	-	-	1	6	-	-	1
71	Other--Male	26	1	-	-	-	-	1	-	-	-
72	Other--Female	5	-	-	-	-	-	-	-	-	-
73	Congenital syphilis (020)	37	25	-	-	-	-	25	-	-	2
74	White--Male	11	3	-	-	-	-	3	-	-	2
75	White--Female	5	3	-	-	-	-	3	-	-	-
76	Negro--Male	15	14	-	-	-	-	14	-	-	-
77	Negro--Female	5	4	-	-	-	-	4	-	-	-
78	Other--Male	1	1	-	-	-	-	1	-	-	-
79	Other--Female	-	-	-	-	-	-	-	-	-	-
80	Early syphilis (021)	-	-	-	-	-	-	-	-	-	-
81	White--Male	-	-	-	-	-	-	-	-	-	-
82	White--Female	-	-	-	-	-	-	-	-	-	-
83	Negro--Male	-	-	-	-	-	-	-	-	-	-
84	Negro--Female	-	-	-	-	-	-	-	-	-	-
85	Other--Male	-	-	-	-	-	-	-	-	-	-
86	Other--Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,107	14,334	19,883	28,517	41,978	62,046	87,449	113,473	149,905	192,596	212,254	206,994	176,178	112,455	44,998	10,968	1,819	771	1
9,334	9,275	12,105	17,134	25,893	38,952	56,645	73,585	95,370	118,026	121,878	109,642	84,855	49,347	17,878	3,868	574	439	2
3,773	5,059	7,778	11,383	16,085	23,094	30,804	39,888	54,535	74,570	90,376	97,352	91,323	63,108	27,120	7,100	1,245	332	3
7,606	7,205	9,300	13,660	21,242	32,665	48,562	63,709	84,925	106,083	112,116	102,489	80,278	46,712	16,848	3,505	387	270	4
2,803	3,600	5,416	8,304	12,094	17,861	24,086	31,948	46,278	65,535	82,348	91,466	87,095	60,548	25,829	6,645	925	191	5
1,597	1,962	2,681	3,359	4,479	6,065	7,814	9,483	10,033	11,485	9,269	6,722	4,281	2,500	970	336	178	159	6
923	1,374	2,268	2,987	3,909	5,126	6,604	7,804	8,103	8,840	7,829	5,747	4,090	2,490	1,245	441	309	133	7
131	108	124	115	172	222	269	393	412	458	493	431	296	135	60	27	9	10	8
47	85	94	92	82	107	114	136	154	195	199	139	138	70	46	14	11	8	9
330	469	765	957	1,146	1,528	1,909	2,188	2,365	2,504	2,155	1,605	916	429	133	24	6	11	10
86	125	217	302	466	704	1,021	1,246	1,416	1,542	1,304	904	519	198	62	6	2	5	11
113	146	223	271	272	310	330	364	408	454	515	476	309	175	59	12	2	1	12
50	89	143	211	232	333	374	405	392	354	231	132	56	35	8	3	1	3	13
67	98	172	164	160	157	160	143	125	124	76	65	23	14	4	2	1	1	14
6	2	4	3	13	15	18	23	19	20	24	24	8	6	-	1	-	-	15
8	9	6	6	3	9	6	7	5	10	5	4	1	1	-	-	-	1	16
153	274	504	654	803	1,021	1,243	1,346	1,422	1,527	1,276	961	541	224	63	11	3	6	17
31	53	119	200	347	516	747	837	933	1,014	836	589	329	114	34	3	2	4	18
32	68	127	168	166	179	181	182	195	221	255	252	167	74	24	4	-	1	19
34	66	113	159	172	231	226	234	220	213	131	72	28	22	4	1	1	1	20
46	77	136	121	104	77	69	69	59	59	31	27	10	7	1	2	-	-	21
4	2	4	2	11	12	15	18	11	14	18	17	6	6	-	1	-	-	22
6	8	5	4	3	6	5	6	4	6	5	4	1	1	-	-	-	-	23
130	242	462	608	748	970	1,188	1,273	1,339	1,440	1,216	921	512	212	61	10	3	6	24
27	48	113	183	326	499	732	809	898	973	810	572	312	107	33	2	2	4	25
29	58	122	161	160	166	167	172	179	203	238	238	158	72	24	4	-	1	26
27	57	101	150	156	220	213	210	195	196	120	68	27	20	3	1	1	1	27
40	71	120	109	95	68	57	62	53	50	25	24	9	7	1	2	-	-	28
4	-	4	2	8	11	15	14	10	13	18	15	5	6	-	1	-	-	29
3	8	2	3	3	6	4	6	4	5	5	4	1	-	-	-	-	-	30
7	14	20	12	12	12	8	10	8	12	9	4	3	2	-	1	-	-	31
-	2	2	4	1	4	-	1	3	6	3	1	2	-	-	1	-	-	32
2	2	2	3	3	4	2	3	2	1	2	2	1	-	-	-	-	-	33
2	5	6	1	5	1	2	4	2	2	2	1	-	1	-	-	-	-	34
2	4	8	3	2	3	4	2	1	2	2	-	-	-	-	-	-	-	35
-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	36
1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	37
3	2	8	6	8	2	5	4	5	7	9	3	2	-	-	-	-	-	38
-	-	2	1	1	1	3	1	1	-	6	2	1	-	-	-	-	-	39
-	2	-	2	1	-	1	2	2	4	1	-	1	-	-	-	-	-	40
-	-	1	2	4	1	1	-	2	1	2	1	-	-	-	-	-	-	41
2	-	5	1	2	-	-	1	-	2	-	-	-	-	-	-	-	-	42
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	2	3	4	4	4	8	14	12	12	6	5	3	-	-	-	-	45
1	-	-	2	2	3	2	3	4	8	6	2	2	2	-	-	-	-	46
-	-	2	-	-	-	-	2	3	1	5	3	3	1	-	-	-	-	47
-	2	-	1	1	-	-	2	4	2	-	-	-	-	-	-	-	-	48
1	-	-	-	-	-	2	-	3	1	1	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	6	8	11	22	18	19	25	31	33	13	11	10	1	1	-	-	-	52
1	3	2	6	12	5	5	14	16	14	7	6	5	-	1	-	-	-	53
-	2	1	-	2	8	10	2	7	10	5	5	4	1	-	-	-	-	54
-	-	2	2	6	3	2	6	7	5	1	-	1	-	-	-	-	-	55
-	-	2	3	1	2	2	2	-	4	-	-	-	-	-	-	-	-	56
-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	57
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
10	8	4	14	9	15	19	26	25	23	17	16	9	6	1	-	-	-	59
2	-	-	4	6	4	5	9	11	13	4	6	7	5	-	-	-	-	60
1	4	-	2	-	1	1	1	2	2	4	4	-	-	-	-	-	-	61
5	2	3	3	-	6	8	12	10	7	6	2	-	1	1	-	-	-	62
1	2	1	5	3	4	4	2	2	-	3	3	1	-	-	-	-	-	63
-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	64
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	65
9	13	28	60	87	207	332	482	565	590	489	329	146	71	19	4	-	4	66
3	5	11	11	20	65	116	229	290	325	275	167	76	31	7	-	-	1	67
1	3	2	8	9	23	53	54	85	97	103	85	42	25	7	2	-	-	68
3	3	10	24	35	75	108	141	135	118	73	46	21	9	4	2	-	2	69
2	2	5	16	23	44	53	52	49	46	35	25	5	6	1	-	-	1	70
-	-	-	-	-	-	1	5	6	2	3	6	2	-	-	-	-	-	71
-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	72
-	1	2	-	-	1	3	1	-	-	2	-	-	-	-	-	-	-	73
-	-	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	74
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	I. Infective and parasitic diseases—Continued										
	Syphilis and its sequelae—Continued										
01	Aneurysm of aorta (022)	1,434	-	-	-	-	1	1	-	-	-
02	White--Male	802	-	-	-	-	-	-	-	-	-
03	Female	293	-	-	-	-	-	-	-	-	-
04	Negro--Male	213	-	-	-	-	-	-	-	-	-
05	Female	117	-	-	-	-	1	1	-	-	-
06	Other--Male	8	-	-	-	-	-	-	-	-	-
07	Female	1	-	-	-	-	-	-	-	-	-
08	Other cardiovascular syphilis (023)	1,182	-	-	-	-	-	-	-	-	-
09	White--Male	458	-	-	-	-	-	-	-	-	-
10	Female	154	-	-	-	-	-	-	-	-	-
11	Negro--Male	398	-	-	-	-	-	-	-	-	-
12	Female	158	-	-	-	-	-	-	-	-	-
13	Other--Male	11	-	-	-	-	-	-	-	-	-
14	Female	3	-	-	-	-	-	-	-	-	-
15	Tabes dorsalis (024)	83	-	-	-	-	-	-	-	-	-
16	White--Male	55	-	-	-	-	-	-	-	-	-
17	Female	12	-	-	-	-	-	-	-	-	-
18	Negro--Male	12	-	-	-	-	-	-	-	-	-
19	Female	3	-	-	-	-	-	-	-	-	-
20	Other--Male	1	-	-	-	-	-	-	-	-	-
21	Female	-	-	-	-	-	-	-	-	-	-
22	General paralysis of insane (025)	292	-	-	-	-	-	-	-	1	1
23	White--Male	135	-	-	-	-	-	-	-	-	-
24	Female	55	-	-	-	-	-	-	-	-	-
25	Negro--Male	69	-	-	-	-	-	-	-	-	1
26	Female	32	-	-	-	-	-	-	-	1	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Female	1	-	-	-	-	-	-	-	-	-
29	Other syphilis of central nervous system (026)	356	-	-	-	-	-	-	-	-	-
30	White--Male	145	-	-	-	-	-	-	-	-	-
31	Female	65	-	-	-	-	-	-	-	-	-
32	Negro--Male	99	-	-	-	-	-	-	-	-	-
33	Female	43	-	-	-	-	-	-	-	-	-
34	Other--Male	4	-	-	-	-	-	-	-	-	-
35	Female	-	-	-	-	-	-	-	-	-	-
36	All other syphilis (027-029)	85	1	1	-	-	1	3	-	-	1
37	White--Male	31	-	-	-	-	-	-	-	-	-
38	Female	19	-	-	-	-	-	-	-	-	-
39	Negro--Male	20	1	-	-	-	1	2	-	-	-
40	Female	14	-	1	-	-	-	1	-	-	1
41	Other--Male	1	-	-	-	-	-	-	-	-	-
42	Female	-	-	-	-	-	-	-	-	-	-
43	Gonococcal infection (030-035)	18	-	-	-	-	-	-	-	-	-
44	White--Male	5	-	-	-	-	-	-	-	-	-
45	Female	1	-	-	-	-	-	-	-	-	-
46	Negro--Male	10	-	-	-	-	-	-	-	-	-
47	Female	2	-	-	-	-	-	-	-	-	-
48	Other--Male	-	-	-	-	-	-	-	-	-	-
49	Female	-	-	-	-	-	-	-	-	-	-
50	Typhoid fever (040)	23	1	1	-	-	-	2	1	1	1
51	White--Male	9	-	-	-	-	-	-	-	-	-
52	Female	9	1	-	-	-	-	1	-	-	1
53	Negro--Male	2	-	1	-	-	-	1	-	-	-
54	Female	3	-	-	-	-	-	-	1	1	-
55	Other--Male	-	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Paratyphoid fever and other Salmonella infections (041,042)	65	19	4	3	-	-	26	3	1	3
58	White--Male	29	8	2	2	-	-	12	-	-	2
59	Female	15	3	-	-	-	-	3	1	-	-
60	Negro--Male	9	2	1	1	-	-	4	1	1	1
61	Female	8	2	1	-	-	-	3	1	-	-
62	Other--Male	1	1	-	-	-	-	1	-	-	-
63	Female	3	3	-	-	-	-	3	-	-	-
64	Cholera (043)	-	-	-	-	-	-	-	-	-	-
65	White--Male	-	-	-	-	-	-	-	-	-	-
66	Female	-	-	-	-	-	-	-	-	-	-
67	Negro--Male	-	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Brucellosis (undulant fever) (044)	8	-	-	-	-	-	-	-	-	-
72	White--Male	3	-	-	-	-	-	-	-	-	-
73	Female	3	-	-	-	-	-	-	-	-	-
74	Negro--Male	2	-	-	-	-	-	-	-	-	-
75	Female	-	-	-	-	-	-	-	-	-	-
76	Other--Male	-	-	-	-	-	-	-	-	-	-
77	Female	-	-	-	-	-	-	-	-	-	-
78	Dysentery, all forms (045-048)	407	187	28	11	8	4	238	12	3	5
79	White--Male	153	67	8	2	3	1	81	5	-	1
80	Female	110	44	9	2	3	2	60	5	2	2
81	Negro--Male	80	43	6	4	1	1	55	2	-	-
82	Female	46	24	2	1	1	-	28	-	1	2
83	Other--Male	12	7	1	2	-	-	10	-	-	-
84	Female	6	2	2	-	-	-	4	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	4	7	24	30	70	117	170	218	272	215	161	77	45	14	3	-	3	1
2	2	4	10	14	26	53	101	137	169	132	86	41	19	5	-	-	1	2
-	1	2	5	2	6	19	15	38	53	49	50	26	18	7	2	-	-	3
1	1	1	5	6	23	26	33	32	31	23	15	8	4	2	1	-	1	4
-	-	-	4	8	15	19	20	11	18	9	6	1	4	-	-	-	1	5
-	-	-	-	-	-	-	1	-	-	2	4	1	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	7
1	1	8	18	37	77	123	182	215	195	163	106	39	13	2	1	-	1	8
-	-	3	1	4	21	30	68	84	90	81	49	20	6	1	-	-	-	9
-	-	-	1	4	7	19	18	20	26	32	16	9	2	-	-	-	-	10
-	1	3	9	18	32	54	72	83	60	31	24	6	3	-	1	-	1	11
1	-	2	6	11	17	19	22	24	17	18	15	3	2	1	-	-	-	12
-	-	-	-	-	-	-	1	4	2	1	2	1	-	-	-	-	-	13
-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	3	4	4	5	14	19	15	14	2	3	-	-	-	-	15
-	-	-	-	-	-	3	2	9	13	13	11	1	3	-	-	-	-	16
-	-	-	-	-	1	-	2	3	1	2	3	-	-	-	-	-	-	17
-	-	-	-	3	2	1	1	-	4	-	-	1	-	-	-	-	-	18
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	3	2	4	3	29	34	44	57	39	40	18	8	4	2	-	-	-	22
1	3	1	-	1	8	17	20	30	20	20	7	4	2	1	-	-	-	23
-	-	-	-	2	6	4	6	10	9	6	6	3	2	-	-	-	-	24
1	-	1	3	-	9	10	15	9	7	9	2	1	-	1	-	-	-	25
1	-	-	1	-	6	3	3	8	2	5	3	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	28
2	3	7	13	8	23	43	68	48	55	44	23	12	6	1	-	-	-	29
-	-	1	-	1	9	9	33	24	27	22	11	7	1	-	-	-	-	30
1	1	-	1	1	2	7	12	10	8	11	6	2	3	-	-	-	-	31
1	1	4	7	4	7	17	16	10	14	8	5	2	2	1	-	-	-	32
-	1	2	5	2	5	9	5	3	6	3	1	1	-	-	-	-	-	33
-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	2	1	6	3	8	12	13	10	10	7	8	-	-	-	-	-	36
-	-	-	-	-	1	3	4	6	6	5	3	3	-	-	-	-	-	37
-	-	-	1	-	1	3	1	4	-	3	4	2	-	-	-	-	-	38
-	-	1	-	4	1	-	4	1	2	2	-	3	-	-	-	-	-	39
-	1	1	-	2	-	2	2	2	2	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	2	2	-	2	3	1	4	2	1	1	-	-	-	-	-	43
-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	44
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	1	-	-	2	2	1	2	1	1	-	-	-	-	-	-	46
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	2	1	-	1	1	-	-	1	2	3	5	-	1	-	-	-	-	50
1	1	-	-	-	-	-	-	1	1	1	3	-	1	-	-	-	-	51
-	-	1	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	52
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	1	2	1	-	-	3	4	4	6	6	1	2	1	1	-	-	-	57
-	1	1	-	-	-	2	2	2	3	2	1	1	-	-	-	-	-	58
-	-	-	1	-	-	-	2	-	1	4	-	1	1	1	-	-	-	59
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	1	3	1	1	-	-	-	-	-	71
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	73
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
2	3	6	7	7	8	13	7	15	15	26	16	14	5	4	-	1	-	78
-	1	3	4	3	2	6	3	4	8	11	7	8	3	3	-	-	-	79
-	1	2	2	1	-	1	2	6	4	7	7	4	2	1	-	1	-	80
-	-	1	-	2	1	5	1	4	3	6	-	-	-	-	-	-	-	81
2	1	-	-	1	4	1	1	1	-	1	1	2	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	83
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	I. Infective and parasitic diseases—Continued										
01	Food poisoning (infection and intoxication) (049)	55	6	2	1	1	1	11	1	1	2
02	White--Male	15	2	1	-	-	-	3	-	-	1
03	Female	16	-	1	-	1	-	2	1	-	-
04	Negro--Male	14	2	-	1	-	-	3	-	-	1
05	Female	10	2	-	-	-	1	3	-	1	-
06	Other--Male	-	-	-	-	-	-	-	-	-	-
07	Female	-	-	-	-	-	-	-	-	-	-
08	Scarlet fever (050)	12	1	-	1	-	1	3	3	2	1
09	White--Male	3	-	-	1	-	1	2	-	1	-
10	Female	6	-	-	-	-	-	-	2	1	1
11	Negro--Male	1	1	-	-	-	-	1	-	-	-
12	Female	2	-	-	-	-	-	-	1	-	-
13	Other--Male	-	-	-	-	-	-	-	-	-	-
14	Female	-	-	-	-	-	-	-	-	-	-
15	Streptococcal sore throat (051)	127	16	8	9	5	5	43	10	4	6
16	White--Male	54	6	4	5	2	2	19	4	1	4
17	Female	48	4	3	1	1	2	11	5	2	2
18	Negro--Male	11	1	1	2	1	1	6	-	1	-
19	Female	13	5	-	1	1	-	7	1	-	-
20	Other--Male	-	-	-	-	-	-	-	-	-	-
21	Female	1	-	-	-	-	-	-	-	-	-
22	Erysipelas (052)	26	3	-	-	-	-	3	-	-	-
23	White--Male	13	2	-	-	-	-	2	-	-	-
24	Female	11	1	-	-	-	-	1	-	-	-
25	Negro--Male	1	-	-	-	-	-	-	-	-	-
26	Female	1	-	-	-	-	-	-	-	-	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Female	-	-	-	-	-	-	-	-	-	-
29	Septicemia and pyemia (053)	1,663	433	69	34	29	7	572	30	17	24
30	White--Male	749	181	32	14	16	2	245	8	5	8
31	Female	594	126	18	12	12	5	173	15	12	8
32	Negro--Male	165	67	9	3	-	-	79	6	-	2
33	Female	138	52	9	5	-	-	66	1	-	6
34	Other--Male	10	1	1	-	1	-	3	-	-	-
35	Female	7	6	-	-	-	-	6	-	-	-
36	Diphtheria (055)	74	3	6	5	9	7	30	26	7	1
37	White--Male	24	1	3	1	1	1	7	9	2	1
38	Female	23	1	1	-	4	3	9	9	3	-
39	Negro--Male	11	1	1	1	1	1	5	3	1	-
40	Female	15	-	1	3	2	2	8	5	1	-
41	Other--Male	1	-	-	-	1	-	1	-	-	-
42	Female	-	-	-	-	-	-	-	-	-	-
43	Whooping cough (056)	177	130	26	12	3	2	173	3	-	-
44	White--Male	44	29	5	6	-	1	41	2	-	-
45	Female	47	37	6	3	-	1	47	-	-	-
46	Negro--Male	41	30	7	1	2	-	40	1	-	-
47	Female	43	33	7	2	1	-	43	-	-	-
48	Other--Male	1	1	-	-	-	-	1	-	-	-
49	Female	1	-	1	-	-	-	1	-	-	-
50	Meningococcal infections (057)	746	242	108	80	57	20	507	51	27	19
51	White--Male	310	104	45	34	24	11	218	17	14	8
52	Female	309	98	48	35	20	7	208	20	10	8
53	Negro--Male	61	22	9	3	7	-	41	4	2	1
54	Female	56	14	5	7	6	2	34	7	1	2
55	Other--Male	7	4	-	1	-	-	5	1	-	-
56	Female	3	-	1	-	-	-	1	2	-	-
57	Plague (058)	-	-	-	-	-	-	-	-	-	-
58	White--Male	-	-	-	-	-	-	-	-	-	-
59	Female	-	-	-	-	-	-	-	-	-	-
60	Negro--Male	-	-	-	-	-	-	-	-	-	-
61	Female	-	-	-	-	-	-	-	-	-	-
62	Other--Male	-	-	-	-	-	-	-	-	-	-
63	Female	-	-	-	-	-	-	-	-	-	-
64	Leprosy (060)	3	-	-	-	-	-	-	-	-	-
65	White--Male	2	-	-	-	-	-	-	-	-	-
66	Female	-	-	-	-	-	-	-	-	-	-
67	Negro--Male	1	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Tetanus (061)	303	86	-	6	5	8	105	25	19	3
72	White--Male	103	15	-	2	1	2	20	13	8	3
73	Female	53	12	-	1	1	-	14	6	2	-
74	Negro--Male	80	29	-	1	1	4	35	3	8	-
75	Female	65	30	-	2	1	2	35	3	1	-
76	Other--Male	1	-	-	-	-	-	-	-	-	-
77	Female	1	-	-	-	1	-	1	-	-	-
78	Anthrax (062)	1	-	-	-	-	-	-	-	-	-
79	White--Male	1	-	-	-	-	-	-	-	-	-
80	Female	-	-	-	-	-	-	-	-	-	-
81	Negro--Male	-	-	-	-	-	-	-	-	-	-
82	Female	-	-	-	-	-	-	-	-	-	-
83	Other--Male	-	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	1	2	3	3	4	4	6	3	7	2	1	-	3	1	-	-	-	1
-	-	1	1	1	1	-	4	1	2	-	-	-	-	-	-	-	-	2
-	1	-	-	-	1	1	2	1	2	1	-	-	3	1	-	-	-	3
-	-	-	2	1	1	1	-	1	2	1	1	-	-	-	-	-	-	4
-	-	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
2	6	2	5	2	2	6	5	5	4	6	6	5	8	-	-	-	-	15
1	2	2	2	-	1	3	1	2	2	3	4	1	2	-	-	-	-	16
-	2	-	1	1	1	1	3	3	2	2	2	4	6	-	-	-	-	17
-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	18
-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	1	-	-	1	1	1	-	2	3	1	3	5	2	3	-	-	-	22
-	1	-	-	-	1	1	-	1	1	-	1	3	-	2	-	-	-	23
-	-	-	-	-	-	-	-	1	2	1	2	1	2	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	25
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
22	17	41	39	45	53	67	99	111	118	131	117	88	54	15	1	1	1	29
3	4	15	10	17	20	31	51	59	63	72	61	45	23	9	-	-	-	30
14	8	20	18	15	20	25	32	34	39	47	45	35	27	6	1	-	-	31
2	2	1	5	6	8	4	8	11	9	8	7	4	3	-	-	-	-	32
3	3	5	5	7	4	6	8	7	5	2	4	4	1	-	-	1	-	33
-	-	-	1	-	1	1	-	-	2	2	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	35
-	2	1	1	-	-	3	-	2	-	1	-	-	-	-	-	-	-	36
-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	37
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	38
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
15	8	5	6	12	16	15	13	14	19	12	5	1	1	-	-	-	-	50
6	3	1	1	6	5	4	6	7	9	4	1	-	-	-	-	-	-	51
7	4	3	2	4	7	4	6	5	9	7	3	1	1	-	-	-	-	52
1	-	-	1	1	2	4	1	2	-	1	-	-	-	-	-	-	-	53
1	1	1	2	1	2	3	-	-	-	-	1	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	64
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
3	9	9	3	16	14	18	12	20	21	11	6	7	2	-	-	-	-	71
-	-	2	1	5	8	6	3	7	11	7	5	3	1	-	-	-	-	72
-	4	-	-	3	3	4	2	4	3	3	1	3	1	-	-	-	-	73
2	2	1	-	3	3	6	6	8	2	-	-	1	-	-	-	-	-	74
1	3	6	2	4	-	2	1	1	5	1	-	-	-	-	-	-	-	75
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	I. Infective and parasitic diseases—Continued										
01	Acute poliomyelitis (080)	255	16	5	8	15	13	57	26	20	28
02	White--Male	136	6	3	3	6	6	24	17	8	16
03	White--Female	76	4	-	2	5	5	16	6	8	8
04	Negro--Male	27	3	2	1	3	1	10	2	1	2
05	Negro--Female	14	3	-	2	-	1	6	1	3	1
06	Other--Male	-	-	-	-	-	-	-	-	-	-
07	Other--Female	2	-	-	-	1	-	1	-	-	1
08	Late effects of acute poliomyelitis (081)	147	-	1	1	2	1	5	8	15	16
09	White--Male	76	-	-	1	-	-	1	4	11	7
10	White--Female	63	-	-	-	2	1	3	2	4	7
11	Negro--Male	3	-	-	-	-	-	-	1	-	2
12	Negro--Female	5	-	1	-	-	-	1	1	-	-
13	Other--Male	-	-	-	-	-	-	-	-	-	-
14	Other--Female	-	-	-	-	-	-	-	-	-	-
15	Acute infectious encephalitis (082)	537	80	45	31	18	13	187	58	29	19
16	White--Male	249	36	22	14	8	8	88	28	14	8
17	White--Female	225	25	20	12	10	3	70	24	14	9
18	Negro--Male	29	11	2	1	-	-	14	4	1	-
19	Negro--Female	27	5	1	3	-	2	11	2	-	2
20	Other--Male	5	2	-	1	-	-	3	-	-	-
21	Other--Female	2	1	-	-	-	-	1	-	-	-
22	Late effects of acute infectious encephalitis (083)	88	1	1	-	1	1	4	1	1	2
23	White--Male	55	-	1	-	-	-	1	-	-	1
24	White--Female	31	1	-	-	1	1	3	1	1	1
25	Negro--Male	-	-	-	-	-	-	-	-	-	-
26	Negro--Female	1	-	-	-	-	-	-	-	-	-
27	Other--Male	1	-	-	-	-	-	-	-	-	-
28	Other--Female	-	-	-	-	-	-	-	-	-	-
29	Smallpox (084)	-	-	-	-	-	-	-	-	-	-
30	White--Male	-	-	-	-	-	-	-	-	-	-
31	White--Female	-	-	-	-	-	-	-	-	-	-
32	Negro--Male	-	-	-	-	-	-	-	-	-	-
33	Negro--Female	-	-	-	-	-	-	-	-	-	-
34	Other--Male	-	-	-	-	-	-	-	-	-	-
35	Other--Female	-	-	-	-	-	-	-	-	-	-
36	Measles (085)	552	132	127	67	45	44	415	90	15	5
37	White--Male	220	43	49	22	22	22	158	37	9	3
38	White--Female	206	38	48	29	15	15	145	46	3	1
39	Negro--Male	57	21	15	4	5	4	49	4	1	-
40	Negro--Female	48	18	13	9	2	1	43	2	2	1
41	Other--Male	12	7	1	2	1	-	11	1	-	-
42	Other--Female	9	5	1	1	-	2	9	-	-	-
43	Yellow fever (091)	-	-	-	-	-	-	-	-	-	-
44	White--Male	-	-	-	-	-	-	-	-	-	-
45	White--Female	-	-	-	-	-	-	-	-	-	-
46	Negro--Male	-	-	-	-	-	-	-	-	-	-
47	Negro--Female	-	-	-	-	-	-	-	-	-	-
48	Other--Male	-	-	-	-	-	-	-	-	-	-
49	Other--Female	-	-	-	-	-	-	-	-	-	-
50	Infectious hepatitis (092)	897	20	5	2	3	7	37	17	19	31
51	White--Male	352	9	1	2	3	-	15	8	6	11
52	White--Female	449	4	3	-	-	5	12	7	9	14
53	Negro--Male	28	4	1	-	-	1	6	1	-	4
54	Negro--Female	61	3	-	-	-	-	3	1	4	2
55	Other--Male	3	-	-	-	-	1	1	-	-	-
56	Other--Female	4	-	-	-	-	-	-	-	-	-
57	Rabies (094)	5	-	-	1	-	1	2	-	-	-
58	White--Male	2	-	-	1	-	-	1	-	-	-
59	White--Female	2	-	-	-	-	1	1	-	-	-
60	Negro--Male	-	-	-	-	-	-	-	-	-	-
61	Negro--Female	1	-	-	-	-	-	-	-	-	-
62	Other--Male	-	-	-	-	-	-	-	-	-	-
63	Other--Female	-	-	-	-	-	-	-	-	-	-
64	Tick-borne typhus (104)	14	1	-	1	1	1	4	3	-	-
65	White--Male	7	1	-	-	-	1	2	1	-	-
66	White--Female	6	-	-	1	1	-	2	2	-	-
67	Negro--Male	-	-	-	-	-	-	-	-	-	-
68	Negro--Female	1	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Other--Female	-	-	-	-	-	-	-	-	-	-
71	Typhus, etc.*, and other rickettsial diseases (100-103,105-108)	4	-	-	-	-	-	-	-	-	-
72	White--Male	3	-	-	-	-	-	-	-	-	-
73	White--Female	-	-	-	-	-	-	-	-	-	-
74	Negro--Male	1	-	-	-	-	-	-	-	-	-
75	Negro--Female	-	-	-	-	-	-	-	-	-	-
76	Other--Male	-	-	-	-	-	-	-	-	-	-
77	Other--Female	-	-	-	-	-	-	-	-	-	-
78	Malaria (110-117)	6	-	-	1	-	1	2	-	-	-
79	White--Male	3	-	-	-	-	-	-	-	-	-
80	White--Female	-	-	-	-	-	-	-	-	-	-
81	Negro--Male	3	-	-	1	-	1	2	-	-	-
82	Negro--Female	-	-	-	-	-	-	-	-	-	-
83	Other--Male	-	-	-	-	-	-	-	-	-	-
84	Other--Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
27	34	30	11	9	2	6	1	3	-	1	-	-	-	-	-	-	-	1
11	24	16	6	4	2	5	-	2	-	1	-	-	-	-	-	-	-	2
13	7	7	4	4	-	1	1	1	-	-	-	-	-	-	-	-	-	3
2	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
14	12	16	14	11	15	6	9	4	2	-	-	-	-	-	-	-	-	8
7	7	8	8	5	6	6	3	2	1	-	-	-	-	-	-	-	-	9
5	5	8	5	6	9	-	6	2	1	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
21	12	17	23	26	29	11	22	22	26	13	10	8	3	1	-	-	-	15
12	6	7	9	6	16	4	13	8	11	5	8	5	1	-	-	-	-	16
5	5	8	11	18	8	5	6	13	14	7	2	3	2	1	-	-	-	17
2	-	1	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-	18
1	1	1	-	1	4	2	2	-	-	-	-	-	-	-	-	-	-	19
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	21
-	-	-	2	7	8	12	13	10	16	7	2	3	-	-	-	-	-	22
-	-	-	2	6	3	5	12	8	10	6	-	1	-	-	-	-	-	23
-	-	-	-	1	4	6	1	2	6	1	2	2	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
6	2	3	5	5	-	2	-	1	1	-	1	-	1	-	-	-	-	36
2	1	1	2	3	-	1	-	1	1	-	-	-	1	-	-	-	-	37
3	1	-	3	2	-	1	-	-	-	-	1	-	-	-	-	-	-	38
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
33	37	48	63	66	73	67	82	80	59	72	55	33	15	7	3	-	-	50
4	9	11	21	29	25	29	35	39	29	34	17	19	7	3	1	-	-	51
21	19	30	34	32	40	30	43	35	28	34	34	13	8	4	2	-	-	52
2	5	-	3	-	1	3	-	1	-	2	-	-	-	-	-	-	-	53
5	3	7	5	5	6	5	4	3	1	2	4	1	-	-	-	-	-	54
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	55
-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	56
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	1	-	2	-	-	-	-	1	2	-	-	-	-	-	-	64
-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	65
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	78
-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	I. Infective and parasitic diseases—Continued										
01	Schistosomiasis (123)	6	-	-	-	-	-	-	-	-	1
02	White--Male	4	-	-	-	-	-	-	-	-	1
03	Female	1	-	-	-	-	-	-	-	-	-
04	Negro--Male	1	-	-	-	-	-	-	-	-	-
05	Female	-	-	-	-	-	-	-	-	-	-
06	Other--Male	-	-	-	-	-	-	-	-	-	-
07	Female	-	-	-	-	-	-	-	-	-	-
08	Hydatid disease (125)	14	-	-	-	-	-	-	-	-	-
09	White--Male	7	-	-	-	-	-	-	-	-	-
10	Female	5	-	-	-	-	-	-	-	-	-
11	Negro--Male	1	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-	-
13	Other--Male	1	-	-	-	-	-	-	-	-	-
14	Female	-	-	-	-	-	-	-	-	-	-
15	Filariasis (127)	-	-	-	-	-	-	-	-	-	-
16	White--Male	-	-	-	-	-	-	-	-	-	-
17	Female	-	-	-	-	-	-	-	-	-	-
18	Negro--Male	-	-	-	-	-	-	-	-	-	-
19	Female	-	-	-	-	-	-	-	-	-	-
20	Other--Male	-	-	-	-	-	-	-	-	-	-
21	Female	-	-	-	-	-	-	-	-	-	-
22	Ancylostomiasis (129)	3	-	-	-	1	-	1	1	1	-
23	White--Male	1	-	-	-	-	-	-	-	1	-
24	Female	-	-	-	-	-	-	-	-	-	-
25	Negro--Male	-	-	-	-	-	-	-	-	-	-
26	Female	2	-	-	-	1	-	1	1	-	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Female	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to helminths (124,126,128,130)	61	4	25	4	4	3	40	6	2	3
30	White--Male	9	-	2	-	-	-	2	1	-	2
31	Female	16	1	6	1	1	1	10	2	1	-
32	Negro--Male	12	-	4	-	2	2	8	3	-	-
33	Female	23	3	13	3	1	-	20	-	1	1
34	Other--Male	-	-	-	-	-	-	-	-	-	-
35	Female	1	-	-	-	-	-	-	-	-	-
36	All other infective and parasitic diseases (Residual[1])	1,280	193	46	34	20	20	313	54	21	20
37	White--Male	570	81	23	17	8	13	142	20	5	6
38	Female	447	58	18	12	9	6	103	26	11	8
39	Negro--Male	137	32	4	2	-	1	39	4	3	4
40	Female	111	14	1	3	2	-	20	3	2	2
41	Other--Male	9	4	-	-	1	-	5	1	-	-
42	Female	6	4	-	-	-	-	4	-	-	-
43	II. Neoplasms	259,387	396	390	498	460	503	2,247	1,425	1,059	1,071
44	White--Male	125,008	175	186	259	230	243	1,093	701	513	592
45	Female	111,063	176	162	187	189	214	928	578	422	374
46	Negro--Male	11,426	13	22	27	15	20	97	76	57	46
47	Female	10,986	27	17	23	25	23	115	64	62	56
48	Other--Male	595	4	1	2	-	3	10	3	2	2
49	Female	309	1	2	-	1	-	4	3	3	1
50	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	254,426	261	354	468	429	468	1,980	1,312	965	987
51	White--Male	123,011	130	166	252	213	229	990	657	476	551
52	Female	108,801	104	149	174	178	199	804	526	379	345
53	Negro--Male	11,185	9	20	22	14	16	81	69	50	44
54	Female	10,549	16	17	18	23	21	95	54	55	45
55	Other--Male	582	2	-	2	-	3	7	3	2	1
56	Female	298	-	2	-	1	-	3	3	3	1
57	Malignant neoplasm of buccal cavity and pharynx (140-148)	5,766	-	-	-	1	1	2	8	9	14
58	White--Male	4,069	-	-	-	1	-	1	5	4	8
59	Female	1,219	-	-	-	-	1	1	2	3	4
60	Negro--Male	322	-	-	-	-	-	-	-	2	2
61	Female	123	-	-	-	-	-	-	1	-	-
62	Other--Male	30	-	-	-	-	-	-	-	-	-
63	Female	3	-	-	-	-	-	-	-	-	-
64	Of lip (140)	227	-	-	-	-	-	-	-	-	-
65	White--Male	201	-	-	-	-	-	-	-	-	-
66	Female	25	-	-	-	-	-	-	-	-	-
67	Negro--Male	1	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Of tongue (141)	1,455	-	-	-	-	-	-	-	-	1
72	White--Male	1,037	-	-	-	-	-	-	-	-	-
73	Female	290	-	-	-	-	-	-	-	-	1
74	Negro--Male	90	-	-	-	-	-	-	-	-	-
75	Female	36	-	-	-	-	-	-	-	-	-
76	Other--Male	2	-	-	-	-	-	-	-	-	-
77	Female	-	-	-	-	-	-	-	-	-	-
78	Of other and unspecified parts of buccal cavity (142-144)	1,778	-	-	-	-	-	-	5	1	4
79	White--Male	1,160	-	-	-	-	-	-	2	-	3
80	Female	489	-	-	-	-	-	-	2	1	1
81	Negro--Male	87	-	-	-	-	-	-	-	-	-
82	Female	41	-	-	-	-	-	-	1	-	-
83	Other--Male	1	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	-	-	1	2	5	2	-	1	1	1	-	-	-	-	-	-	8
-	-	-	-	-	-	3	1	-	1	1	1	-	-	-	-	-	-	9
1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	1	1	1	2	-	-	1	1	1	-	1	-	1	-	-	-	-	29
-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	30
-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	31
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
19	34	47	54	40	67	86	77	77	80	89	81	60	36	19	5	1	-	36
3	6	18	22	14	31	45	42	46	46	43	36	26	13	4	2	-	-	37
11	17	13	12	9	12	14	20	20	23	39	38	32	22	13	3	1	-	38
1	6	7	10	8	9	13	9	7	5	5	5	1	1	-	-	-	-	39
3	5	9	10	8	14	14	6	3	5	2	2	1	-	2	-	-	-	40
-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	41
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	42
1,102	1,650	3,188	5,656	9,173	14,473	20,831	26,788	33,529	38,922	36,658	29,188	19,782	9,354	2,715	458	52	66	43
565	713	1,206	1,909	3,103	5,446	9,037	12,628	17,234	20,269	19,438	15,143	9,755	4,319	1,134	178	14	18	44
388	705	1,475	2,916	4,716	7,080	9,100	10,948	13,140	15,390	14,822	12,501	9,188	4,633	1,447	258	29	25	45
70	91	161	264	476	814	1,238	1,596	1,698	1,845	1,356	823	448	189	59	9	4	9	46
72	126	321	543	837	1,076	1,379	1,512	1,359	1,291	930	611	340	193	70	10	5	14	47
6	6	12	7	26	32	45	73	66	81	88	82	38	13	1	2	-	-	48
1	9	13	17	15	25	32	31	32	46	24	28	13	7	4	1	-	-	49
1,011	1,529	2,987	5,384	8,813	14,031	20,384	26,334	33,063	38,428	36,257	28,922	19,564	9,228	2,681	451	51	64	50
522	673	1,142	1,830	2,989	5,282	8,848	12,421	17,019	20,055	19,251	15,020	9,678	4,280	1,121	175	14	17	51
358	642	1,387	2,799	4,548	6,877	8,903	10,771	12,938	15,156	14,640	12,373	9,063	4,557	1,428	254	28	25	52
65	87	147	243	459	793	1,211	1,567	1,677	1,827	1,342	816	439	187	59	9	4	9	53
59	112	288	488	777	1,026	1,347	1,475	1,332	1,265	912	604	335	184	68	10	5	13	54
6	6	11	7	25	32	44	70	66	79	88	81	38	13	1	2	-	-	55
1	9	12	17	15	21	31	30	31	46	24	28	11	7	4	1	-	-	56
9	20	35	77	175	348	550	710	815	839	738	657	435	237	67	19	2	-	57
7	6	17	44	96	225	381	509	615	631	556	464	288	156	44	12	-	-	58
-	9	7	19	47	71	111	125	130	151	146	159	132	73	20	7	2	-	59
2	3	3	8	16	35	37	52	53	42	25	23	10	6	3	-	-	-	60
-	2	6	5	12	14	18	17	13	13	10	7	3	2	-	-	-	-	61
-	-	1	1	3	3	3	7	4	2	1	4	1	-	-	-	-	-	62
-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	63
-	-	-	2	4	7	8	14	18	23	44	42	38	19	5	3	-	-	64
-	-	-	2	3	7	7	12	16	21	36	41	30	18	5	3	-	-	65
-	-	-	-	1	-	1	2	2	2	8	1	7	1	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	4	5	18	44	85	138	179	223	217	211	171	88	50	14	6	-	-	71
1	1	2	9	18	49	100	135	175	165	168	125	50	29	7	3	-	-	72
-	2	-	3	19	19	24	23	27	39	35	37	32	20	6	3	-	-	73
-	-	2	4	3	11	9	14	17	11	5	7	5	1	1	-	-	-	74
-	1	1	2	4	6	5	7	4	2	3	1	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
3	4	13	22	44	110	164	185	242	233	218	223	178	89	31	8	1	-	78
3	1	7	15	27	71	118	118	171	155	146	138	109	52	20	4	-	-	79
-	2	4	6	9	26	33	48	50	60	62	73	64	33	10	4	1	-	80
-	1	-	-	5	10	9	14	14	13	6	8	3	3	1	-	-	-	81
-	-	2	1	3	3	4	5	6	5	4	4	2	1	-	-	-	-	82
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms, etc.—Continued										
	Malignant neoplasm of buccal cavity and pharnx—Continued										
01	Of pharynx (145-148)	2,306	-	-	-	1	1	2	3	8	9
02	White--Male	1,671	-	-	-	1	-	1	3	4	5
03	Female	415	-	-	-	-	1	1	-	2	2
04	Negro--Male	144	-	-	-	-	-	-	-	2	2
05	Female	46	-	-	-	-	-	-	-	-	-
06	Other--Male	27	-	-	-	-	-	-	-	-	-
07	Female	3	-	-	-	-	-	-	-	-	-
08	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	88,144	24	20	18	4	11	77	16	19	36
09	White--Male	43,585	10	10	8	2	5	35	10	4	23
10	Female	36,741	12	9	7	1	5	34	2	5	10
11	Negro--Male	4,324	-	-	2	-	-	2	4	4	1
12	Female	3,098	2	-	1	1	1	5	-	5	2
13	Other--Male	276	-	-	-	-	-	-	-	1	-
14	Female	120	-	1	-	-	-	1	-	-	-
15	Of esophagus (150)	4,612	-	-	-	-	-	-	-	-	1
16	White--Male	3,036	-	-	-	-	-	-	-	-	1
17	Female	820	-	-	-	-	-	-	-	-	-
18	Negro--Male	597	-	-	-	-	-	-	-	-	-
19	Female	141	-	-	-	-	-	-	-	-	-
20	Other--Male	16	-	-	-	-	-	-	-	-	-
21	Female	2	-	-	-	-	-	-	-	-	-
22	Of stomach (151)	21,033	2	-	2	-	1	5	1	1	4
23	White--Male	11,489	1	-	-	-	1	2	1	-	4
24	Female	7,076	1	-	2	-	-	3	-	-	-
25	Negro--Male	1,499	-	-	-	-	-	-	-	-	-
26	Female	837	-	-	-	-	-	-	-	1	-
27	Other--Male	101	-	-	-	-	-	-	-	-	-
28	Female	31	-	-	-	-	-	-	-	-	-
29	Of small intestine, including duodenum (152)	723	-	-	-	-	1	1	-	-	-
30	White--Male	363	-	-	-	-	-	-	-	-	-
31	Female	304	-	-	-	-	1	1	-	-	-
32	Negro--Male	28	-	-	-	-	-	-	-	-	-
33	Female	28	-	-	-	-	-	-	-	-	-
34	Other--Male	-	-	-	-	-	-	-	-	-	-
35	Female	-	-	-	-	-	-	-	-	-	-
36	Of large intestine, except rectum (153)	26,903	3	-	2	2	1	8	3	1	11
37	White--Male	11,559	-	-	1	1	1	3	3	1	7
38	Female	13,705	2	-	1	1	-	4	-	-	3
39	Negro--Male	675	-	-	-	-	-	-	-	-	-
40	Female	902	1	-	-	-	-	1	-	-	1
41	Other--Male	37	-	-	-	-	-	-	-	-	-
42	Female	25	-	-	-	-	-	-	-	-	-
43	Cecum, appendix, and ascending colon (153.0)	3,823	-	-	-	-	-	-	-	-	2
44	White--Male	1,553	-	-	-	-	-	-	-	-	1
45	Female	2,088	-	-	-	-	-	-	-	-	-
46	Negro--Male	77	-	-	-	-	-	-	-	-	-
47	Female	97	-	-	-	-	-	-	-	-	1
48	Other--Male	4	-	-	-	-	-	-	-	-	-
49	Female	4	-	-	-	-	-	-	-	-	-
50	Transverse colon, including hepatic and splenic flexures (153.1)	1,573	1	-	-	1	-	2	-	-	-
51	White--Male	717	-	-	-	-	-	-	-	-	-
52	Female	775	1	-	-	1	-	2	-	-	-
53	Negro--Male	37	-	-	-	-	-	-	-	-	-
54	Female	43	-	-	-	-	-	-	-	-	-
55	Other--Male	-	-	-	-	-	-	-	-	-	-
56	Female	1	-	-	-	-	-	-	-	-	-
57	Descending colon (153.2)	1,154	-	-	-	-	-	-	-	-	2
58	White--Male	484	-	-	-	-	-	-	-	-	1
59	Female	605	-	-	-	-	-	-	-	-	1
60	Negro--Male	25	-	-	-	-	-	-	-	-	-
61	Female	36	-	-	-	-	-	-	-	-	-
62	Other--Male	4	-	-	-	-	-	-	-	-	-
63	Female	-	-	-	-	-	-	-	-	-	-
64	Sigmoid colon (153.3)	6,335	1	-	-	-	-	1	-	-	1
65	White--Male	2,905	-	-	-	-	-	-	-	-	1
66	Female	3,118	1	-	-	-	-	1	-	-	-
67	Negro--Male	128	-	-	-	-	-	-	-	-	-
68	Female	168	-	-	-	-	-	-	-	-	-
69	Other--Male	12	-	-	-	-	-	-	-	-	-
70	Female	4	-	-	-	-	-	-	-	-	-
71	Multiple parts of large intestine (153.7)	64	-	-	-	-	-	-	-	-	-
72	White--Male	31	-	-	-	-	-	-	-	-	-
73	Female	29	-	-	-	-	-	-	-	-	-
74	Negro--Male	3	-	-	-	-	-	-	-	-	-
75	Female	1	-	-	-	-	-	-	-	-	-
76	Other--Male	-	-	-	-	-	-	-	-	-	-
77	Female	-	-	-	-	-	-	-	-	-	-
78	Large intestine (including colon), part unspecified (153.8)	12,375	-	-	2	1	-	3	1	1	6
79	White--Male	5,186	-	-	1	1	-	2	1	1	4
80	Female	6,306	-	-	1	-	-	1	-	-	2
81	Negro--Male	355	-	-	-	-	-	-	-	-	-
82	Female	495	-	-	-	-	-	-	-	-	-
83	Other--Male	17	-	-	-	-	-	-	-	-	-
84	Female	16	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	12	17	35	83	146	240	332	332	366	265	221	131	79	17	2	1	-	1
3	4	8	18	48	98	156	244	253	290	206	160	99	57	12	2	-	-	2
-	5	3	10	18	26	53	52	51	50	41	48	29	19	4	-	1	-	3
2	2	1	4	8	14	19	24	22	18	14	8	1	2	1	-	-	-	4
-	1	3	2	5	5	9	5	3	6	3	2	1	1	-	-	-	-	5
-	-	1	1	3	3	3	7	3	2	1	3	-	-	-	-	-	-	6
-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	7
99	174	468	990	1,867	3,454	5,709	8,188	11,356	14,320	14,920	12,315	8,660	4,092	1,176	165	14	29	8
42	81	210	445	814	1,572	2,796	4,056	5,880	7,411	7,792	6,215	4,023	1,697	407	59	5	8	9
33	61	180	403	774	1,328	2,040	2,960	4,305	5,652	6,129	5,462	4,293	2,230	720	101	7	12	10
15	15	49	74	147	314	475	646	678	742	577	314	169	77	15	1	1	4	11
7	13	26	63	120	216	374	479	448	446	358	266	150	78	32	4	1	5	12
2	-	1	2	8	19	17	32	33	41	52	41	20	7	-	-	-	-	13
-	4	2	3	4	5	7	15	12	28	12	17	5	3	2	-	-	-	14
-	2	4	27	93	252	448	593	691	782	669	513	334	162	36	2	3	-	15
-	-	1	8	38	140	255	378	476	552	483	359	228	97	18	-	2	-	16
-	1	1	4	17	34	72	73	89	133	123	111	92	50	18	2	-	-	17
-	1	1	6	25	60	98	118	107	79	53	29	9	10	-	-	1	-	18
-	-	1	9	13	17	23	21	19	12	7	11	4	4	-	-	-	-	19
-	-	-	-	-	1	-	2	-	5	3	3	1	1	-	-	-	-	20
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	21
15	26	95	247	415	745	1,184	1,717	2,498	3,463	3,808	3,222	2,231	1,042	267	36	1	10	22
7	10	39	112	185	369	622	931	1,408	2,013	2,199	1,814	1,149	497	108	16	-	3	23
5	9	35	92	147	230	321	436	728	1,023	1,246	1,186	963	489	142	17	1	3	24
2	5	12	29	48	93	147	215	236	273	228	113	64	27	5	-	-	2	25
1	1	8	11	31	47	86	126	110	130	111	88	44	26	11	3	-	2	26
-	-	-	1	3	6	7	6	11	17	21	18	9	2	-	-	-	-	27
-	1	1	2	1	-	1	3	5	7	3	3	2	1	1	-	-	-	28
1	5	6	20	29	44	52	91	90	118	106	78	53	20	9	-	-	-	29
-	3	4	9	19	19	25	45	43	65	51	43	26	10	1	-	-	-	30
1	1	2	6	9	18	24	41	39	44	45	31	26	10	6	-	-	-	31
-	1	-	-	1	3	3	4	4	5	4	3	-	-	-	-	-	-	32
-	-	-	5	-	4	-	1	4	4	6	1	1	-	2	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
31	71	163	315	610	1,023	1,633	2,404	3,274	4,154	4,501	3,847	2,880	1,461	435	66	4	8	36
12	32	72	122	238	384	655	1,048	1,451	1,896	2,072	1,706	1,184	520	133	19	1	-	37
11	29	73	162	322	532	800	1,134	1,570	2,015	2,199	1,992	1,619	899	287	46	3	5	38
7	4	12	11	19	45	59	82	96	113	107	62	36	16	3	1	-	2	39
1	6	6	19	30	59	115	134	149	118	116	71	37	26	12	-	-	1	40
-	-	-	-	-	2	3	4	6	4	4	11	3	-	-	-	-	-	41
-	-	-	1	1	1	1	2	2	8	3	5	1	-	-	-	-	-	42
5	11	28	36	79	116	210	296	446	618	618	601	459	226	64	6	-	2	43
4	5	16	16	35	50	101	130	207	270	240	228	164	72	14	-	-	-	44
1	5	8	17	37	59	88	148	207	322	355	348	287	150	48	6	-	2	45
-	1	1	3	3	4	6	9	9	11	14	11	3	2	-	-	-	-	46
-	-	3	-	4	3	14	9	21	14	9	11	4	2	2	-	-	-	47
-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	48
-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	49
2	5	14	24	36	67	112	152	189	249	250	214	153	79	22	3	-	-	50
1	2	5	12	16	31	46	85	77	122	114	107	63	26	8	2	-	-	51
1	3	6	11	16	33	59	54	91	118	124	104	88	51	13	1	-	-	52
-	-	3	1	3	2	2	2	10	3	8	1	2	-	-	-	-	-	53
-	-	-	-	1	1	5	11	11	5	4	2	-	2	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	56
1	2	7	10	23	42	72	108	155	175	194	170	110	65	14	4	-	-	57
-	1	3	4	9	17	27	52	62	71	83	71	53	25	4	1	-	-	58
-	1	3	6	13	24	41	50	78	87	102	95	54	40	7	3	-	-	59
1	-	1	-	-	-	2	2	6	7	3	2	1	-	-	-	-	-	60
-	-	-	-	1	1	2	4	7	8	6	2	2	-	3	-	-	-	61
-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
5	8	37	76	140	252	394	627	832	1,000	1,095	854	635	282	76	17	1	2	64
2	2	19	20	44	92	164	289	381	476	563	427	285	104	32	4	-	-	65
2	5	15	46	88	138	195	298	402	473	495	392	340	170	42	13	1	2	66
1	-	2	3	4	5	8	10	23	32	15	16	5	4	-	-	-	-	67
-	1	1	6	4	14	25	29	24	18	21	15	4	4	2	-	-	-	68
-	-	-	-	-	2	2	1	2	-	-	4	1	-	-	-	-	-	69
-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	70
-	-	-	1	-	-	2	9	9	11	12	9	7	2	2	-	-	-	71
-	-	-	1	-	-	-	5	5	5	7	5	2	-	1	-	-	-	72
-	-	-	-	-	-	1	4	4	5	4	3	5	2	1	-	-	-	73
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	74
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
16	40	72	151	302	501	767	1,112	1,450	1,858	2,076	1,769	1,308	686	219	32	3	2	78
5	19	26	63	116	178	285	445	634	832	948	758	536	256	66	10	1	-	79
5	13	39	72	157	263	382	538	700	904	991	933	729	407	146	21	2	1	80
5	3	5	3	9	27	37	52	41	51	62	30	18	7	3	1	-	1	81
1	5	2	13	19	33	62	72	73	64	69	39	23	16	4	-	-	-	82
-	-	-	-	-	-	-	3	1	2	4	6	1	-	-	-	-	-	83
-	-	-	-	1	-	1	2	1	5	2	3	1	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms, etc.—Continued										
	Malignant neoplasm of digestive organs, etc.—Continued										
	Of large intestine, except rectum—Continued										
01	Intestinal tract, part unspecified (153.9)	1,579	1	-	-	-	1	2	2	-	-
02	White--Male	683	-	-	-	-	1	1	2	-	-
03	Female	784	-	-	-	-	-	-	-	-	-
04	Negro--Male	50	-	-	-	-	-	-	-	-	-
05	Female	62	1	-	-	-	-	1	-	-	-
06	Other--Male	-	-	-	-	-	-	-	-	-	-
07	Female	-	-	-	-	-	-	-	-	-	-
08	Of rectum (154)	10,864	1	1	-	-	-	2	-	-	4
09	White--Male	5,784	1	-	-	-	-	1	-	-	1
10	Female	4,387	-	1	-	-	-	1	-	-	2
11	Negro--Male	337	-	-	-	-	-	-	-	-	-
12	Female	320	-	-	-	-	-	-	-	-	1
13	Other--Male	28	-	-	-	-	-	-	-	-	-
14	Female	8	-	-	-	-	-	-	-	-	-
15	Of biliary passages and of liver (stated to be primary site) (155)	5,948	9	7	8	1	3	28	2	5	5
16	White--Male	2,195	4	3	4	1	1	13	1	3	2
17	Female	3,288	4	4	4	-	1	13	-	1	3
18	Negro--Male	244	-	-	-	-	-	-	1	-	-
19	Female	158	1	-	-	-	1	2	-	1	-
20	Other--Male	35	-	-	-	-	-	-	-	-	-
21	Female	28	-	-	-	-	-	-	-	-	-
22	Liver (155.0)	1,731	9	7	7	1	3	27	2	5	5
23	White--Male	888	4	3	4	1	1	13	1	3	2
24	Female	600	4	4	3	-	1	12	-	1	3
25	Negro--Male	160	-	-	-	-	-	-	1	-	-
26	Female	57	1	-	-	-	1	2	-	1	-
27	Other--Male	21	-	-	-	-	-	-	-	-	-
28	Female	5	-	-	-	-	-	-	-	-	-
29	Other and multiple sites of biliary passages (155.1,155.8)	4,217	-	-	1	-	-	1	-	-	-
30	White--Male	1,307	-	-	-	-	-	-	-	-	-
31	Female	2,688	-	-	1	-	-	1	-	-	-
32	Negro--Male	84	-	-	-	-	-	-	-	-	-
33	Female	101	-	-	-	-	-	-	-	-	-
34	Other--Male	14	-	-	-	-	-	-	-	-	-
35	Female	23	-	-	-	-	-	-	-	-	-
36	Of liver not stated whether primary or secondary (156A)	3,688	6	7	2	-	1	16	5	4	2
37	White--Male	1,668	2	5	2	-	1	10	3	-	2
38	Female	1,623	4	1	-	-	-	5	1	2	-
39	Negro--Male	196	-	-	-	-	-	-	1	1	-
40	Female	175	-	-	-	-	-	-	-	1	-
41	Other--Male	22	-	-	-	-	-	-	-	-	-
42	Female	4	-	1	-	-	-	1	-	-	-
43	Of pancreas (157)	12,751	1	-	-	-	2	3	1	3	5
44	White--Male	6,806	-	-	-	-	1	1	-	-	4
45	Female	4,817	1	-	-	-	1	2	-	-	1
46	Negro--Male	641	-	-	-	-	-	-	1	2	-
47	Female	432	-	-	-	-	-	-	-	1	-
48	Other--Male	33	-	-	-	-	-	-	-	-	-
49	Female	22	-	-	-	-	-	-	-	-	-
50	Of peritoneum and of unspecified digestive organs (158,159)	1,622	2	5	4	1	2	14	4	5	4
51	White--Male	685	2	2	1	-	-	5	2	-	2
52	Female	721	-	3	-	-	2	5	1	2	1
53	Negro--Male	107	-	-	2	-	-	2	1	1	1
54	Female	105	-	-	1	1	-	2	-	1	-
55	Other--Male	4	-	-	-	-	-	-	-	1	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	35,423	8	2	6	3	4	23	9	15	17
58	White--Male	27,758	4	1	3	1	2	11	4	9	10
59	Female	4,854	3	1	3	1	2	10	4	6	5
60	Negro--Male	2,262	-	-	-	-	-	-	-	-	1
61	Female	424	1	-	-	1	-	2	1	-	1
62	Other--Male	105	-	-	-	-	-	-	-	-	-
63	Female	20	-	-	-	-	-	-	-	-	-
64	Of larynx (161)	2,241	1	-	-	-	-	1	-	1	-
65	White--Male	1,820	1	-	-	-	-	1	-	-	-
66	Female	205	-	-	-	-	-	-	-	1	-
67	Negro--Male	186	-	-	-	-	-	-	-	-	-
68	Female	26	-	-	-	-	-	-	-	-	-
69	Other--Male	4	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Of bronchus and trachea, and of lung specified as primary (162)	15,833	4	-	1	-	1	6	1	1	1
72	White--Male	12,720	1	-	-	-	1	2	-	1	-
73	Female	1,805	2	-	1	-	-	3	1	-	-
74	Negro--Male	1,097	-	-	-	-	-	-	-	-	1
75	Female	147	1	-	-	-	-	1	-	-	-
76	Other--Male	57	-	-	-	-	-	-	-	-	-
77	Female	7	-	-	-	-	-	-	-	-	-
78	Of lung, unspecified as to whether primary or secondary (163)	16,483	3	-	1	1	2	7	3	9	8
79	White--Male	12,694	2	-	1	-	-	3	2	6	3
80	Female	2,587	1	-	-	-	2	3	-	3	4
81	Negro--Male	921	-	-	-	-	-	-	-	-	-
82	Female	230	-	-	-	1	-	1	1	-	1
83	Other--Male	38	-	-	-	-	-	-	-	-	-
84	Female	13	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	5	5	17	30	45	76	100	193	243	256	230	208	121	38	4	-	2	1
-	3	3	6	18	16	32	42	85	120	117	110	81	37	8	2	-	-	2
2	2	2	10	11	15	34	42	88	106	128	117	116	79	30	2	-	-	3
-	-	-	1	-	7	4	7	7	8	4	1	7	3	-	-	-	1	4
-	-	-	-	1	7	6	9	13	9	7	2	4	2	-	-	-	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
14	26	77	145	217	406	696	1,037	1,377	1,711	1,873	1,513	1,068	505	164	23	3	3	8
5	14	35	70	104	179	354	529	786	965	1,065	850	531	223	63	7	-	2	9
4	6	30	59	92	174	265	412	496	632	723	606	504	267	96	15	2	1	10
2	2	8	10	9	17	29	44	46	64	48	34	14	8	2	-	-	-	11
2	3	3	6	11	33	47	49	45	48	29	20	16	3	2	1	1	-	12
1	-	-	-	1	3	-	2	3	2	7	3	3	3	-	-	-	-	13
-	1	1	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	14
13	12	29	41	108	210	395	563	906	1,091	1,017	787	470	203	52	9	-	2	15
2	5	14	15	37	73	161	201	341	400	389	295	156	65	17	5	-	-	16
7	5	9	17	47	99	178	287	492	615	577	467	299	132	35	4	-	1	17
2	2	5	6	15	18	28	38	42	41	30	8	6	2	-	-	-	-	18
1	-	1	2	4	13	23	23	24	25	14	13	7	4	-	-	-	1	19
1	-	-	1	3	5	1	7	4	5	5	1	2	-	-	-	-	-	20
-	-	-	-	2	2	4	7	3	5	2	3	-	-	-	-	-	-	21
11	9	23	23	52	89	140	208	296	289	228	174	102	38	8	1	-	1	22
1	4	10	7	18	36	76	100	170	160	128	98	47	12	1	1	-	-	23
6	3	7	7	18	26	33	68	89	98	81	64	54	23	7	-	-	-	24
2	2	5	6	14	15	22	28	28	20	12	4	1	-	-	-	-	-	25
1	-	1	2	-	7	8	5	6	6	6	8	-	3	-	-	-	1	26
1	-	-	1	2	4	1	4	2	5	1	-	-	-	-	-	-	-	27
-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	28
2	3	6	18	56	121	255	355	610	802	789	613	368	165	44	8	-	1	29
1	1	4	8	19	37	85	101	171	240	261	197	109	53	16	4	-	-	30
1	2	2	10	29	73	145	219	403	517	496	403	245	109	28	4	-	1	31
-	-	-	-	1	3	6	10	14	21	18	4	5	2	-	-	-	-	32
-	-	-	-	-	4	6	15	18	18	19	8	5	7	1	-	-	-	33
-	-	-	-	-	1	1	-	3	2	-	4	1	2	-	-	-	-	34
-	-	-	-	-	2	1	4	4	2	5	2	3	-	-	-	-	-	35
6	6	19	36	64	144	231	325	497	599	594	529	383	167	55	3	1	2	36
2	3	8	17	19	61	107	155	239	292	274	221	175	63	15	1	-	1	37
3	3	7	13	27	47	82	109	194	250	275	279	190	96	37	2	1	-	38
1	-	2	3	8	19	21	27	40	28	24	10	8	2	1	-	-	-	39
-	-	2	3	9	15	18	29	22	24	17	16	10	6	2	-	-	1	40
-	-	-	-	1	2	3	5	2	4	3	2	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	42
8	17	56	123	285	568	962	1,327	1,825	2,134	2,106	1,642	1,064	464	129	23	2	4	43
5	8	29	72	156	324	569	715	1,043	1,121	1,146	852	503	200	43	11	2	2	44
2	5	18	39	94	167	257	412	610	819	837	703	507	248	82	12	-	2	45
1	-	5	7	19	53	81	109	95	128	61	44	23	9	3	-	-	-	46
-	2	3	5	16	22	52	84	69	57	51	37	27	5	1	-	-	-	47
-	-	1	-	-	-	3	6	7	3	9	1	2	1	-	-	-	-	48
-	2	-	-	-	2	-	1	1	6	2	5	2	1	-	-	-	-	49
11	9	19	36	46	62	108	131	198	268	246	184	177	68	29	3	-	-	50
9	6	8	20	18	23	48	54	93	107	113	75	71	22	9	-	-	-	51
-	2	5	11	19	27	41	56	87	121	104	87	93	39	17	3	-	-	52
-	-	4	2	3	6	9	9	12	11	22	11	9	3	1	-	-	-	53
2	1	2	3	6	6	10	12	6	28	7	9	4	4	2	-	-	-	54
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
24	62	199	506	1,112	2,196	3,749	5,068	6,438	6,518	4,741	2,805	1,323	485	111	17	2	3	57
18	38	124	301	720	1,576	2,886	4,124	5,364	5,373	3,814	2,107	911	296	63	7	1	1	58
4	15	46	121	217	356	438	496	595	696	689	578	358	168	43	7	1	1	59
2	7	24	63	136	214	352	378	399	360	181	89	38	13	2	2	-	1	60
-	1	4	20	36	42	55	55	63	66	36	21	13	5	3	-	-	-	61
-	1	-	-	3	7	13	13	13	20	20	8	3	3	-	1	-	-	62
-	-	1	1	-	1	5	2	4	3	1	2	-	-	-	-	-	-	63
2	4	4	18	51	140	230	301	364	379	333	235	116	44	15	3	-	-	64
1	4	1	12	32	98	176	244	292	327	285	211	89	35	10	2	-	-	65
1	-	1	4	11	18	28	26	25	19	21	16	22	7	5	-	-	-	66
-	-	2	1	4	20	24	26	40	29	25	8	5	1	-	1	-	-	67
-	-	-	1	4	4	2	3	7	2	2	-	-	1	-	-	-	-	68
-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
3	27	89	263	548	1,033	1,818	2,378	3,073	2,938	1,939	1,056	460	172	20	6	-	1	71
3	19	59	173	350	758	1,410	1,972	2,607	2,474	1,615	829	324	111	12	1	-	-	72
-	4	18	48	103	146	191	203	242	250	227	186	120	53	7	3	-	-	73
-	4	11	33	75	116	182	177	192	182	79	29	9	5	-	1	-	1	74
-	-	-	9	17	10	23	20	20	21	10	10	5	-	1	-	-	-	75
-	-	-	-	3	3	10	5	10	10	8	2	2	3	-	1	-	-	76
-	-	1	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	77
7	21	89	197	474	969	1,638	2,302	2,891	3,081	2,372	1,432	677	241	57	5	1	2	78
5	11	50	102	312	691	1,261	1,853	2,394	2,502	1,848	1,023	456	138	30	3	-	1	79
2	7	24	60	94	177	203	245	304	395	412	343	192	92	23	2	1	1	80
-	2	11	26	54	74	140	166	156	140	75	48	20	7	2	-	-	-	81
-	1	4	8	14	22	29	32	33	35	24	11	8	4	2	-	-	-	82
-	-	-	-	-	4	2	5	2	7	12	5	1	-	-	-	-	-	83
-	-	-	1	-	1	3	1	2	2	1	2	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms, etc.—Continued										
	Malignant neoplasm of respiratory system, not specified as secondary—Continued										
01	Of other parts of respiratory system (160,164)	866	-	2	4	2	1	9	5	4	8
02	White—Male	524	-	1	2	1	1	5	2	2	7
03	Female	257	-	1	2	1	-	4	3	2	1
04	Negro—Male	58	-	-	-	-	-	-	-	-	-
05	Female	21	-	-	-	-	-	-	-	-	-
06	Other—Male	6	-	-	-	-	-	-	-	-	-
07	Female	-	-	-	-	-	-	-	-	-	-
08	Malignant neoplasm of breast (170)	22,675	3	-	-	-	-	3	-	1	2
09	White—Male	195	-	-	-	-	-	-	-	-	-
10	Female	20,806	1	-	-	-	-	1	-	1	1
11	Negro—Male	19	-	-	-	-	-	-	-	-	-
12	Female	1,624	2	-	-	-	-	2	-	-	1
13	Other—Male	1	-	-	-	-	-	-	-	-	-
14	Female	30	-	-	-	-	-	-	-	-	-
15	Malignant neoplasm of genital organs (171-179)	38,390	1	6	8	5	3	23	7	25	64
16	White—Male	13,356	1	4	7	2	1	15	2	3	31
17	Female	20,123	-	1	-	2	2	5	4	18	27
18	Negro—Male	1,682	-	-	-	1	-	1	-	-	1
19	Female	3,142	-	1	1	-	-	2	1	4	5
20	Other—Male	24	-	-	-	-	-	-	-	-	-
21	Female	63	-	-	-	-	-	-	-	-	-
22	Of cervix uteri (171)	8,582	-	1	-	1	-	2	-	-	1
23	White—Female	6,919	-	1	-	1	-	2	-	-	-
24	Negro—Female	1,630	-	-	-	-	-	-	-	-	1
25	Other—Female	33	-	-	-	-	-	-	-	-	-
26	Of other and unspecified parts of uterus (172-174)	6,358	-	-	-	-	1	1	-	1	1
27	White—Female	5,405	-	-	-	-	1	1	-	-	1
28	Negro—Female	934	-	-	-	-	-	-	-	1	-
29	Other—Female	19	-	-	-	-	-	-	-	-	-
30	Of ovary, fallopian tube, and broad ligament (175)	7,579	-	1	-	-	-	1	5	21	29
31	White—Female	7,072	-	-	-	-	-	-	4	18	25
32	Negro—Female	497	-	1	-	-	-	1	1	3	4
33	Other—Female	10	-	-	-	-	-	-	-	-	-
34	Of other and unspecified female genital organs (176)	809	-	-	1	1	1	3	-	-	1
35	White—Female	727	-	-	-	1	1	2	-	-	1
36	Negro—Female	81	-	-	1	-	-	1	-	-	-
37	Other—Female	1	-	-	-	-	-	-	-	-	-
38	Of prostate (177)	14,071	1	2	4	2	1	10	1	-	4
39	White—Male	12,452	1	2	4	1	1	9	1	-	4
40	Negro—Male	1,596	-	-	-	1	-	1	-	-	-
41	Other—Male	23	-	-	-	-	-	-	-	-	-
42	Of testis, and of other and unspecified male genital organs (178,179)	991	-	2	3	1	-	6	1	3	28
43	White—Male	904	-	2	3	1	-	6	1	3	27
44	Negro—Male	86	-	-	-	-	-	-	-	-	1
45	Other—Male	1	-	-	-	-	-	-	-	-	-
46	Malignant neoplasm of urinary organs (180,181)	12,122	15	29	59	39	44	186	97	14	11
47	White—Male	7,511	8	14	36	19	14	91	36	5	6
48	Female	3,747	6	10	16	15	24	71	47	6	2
49	Negro—Male	496	-	2	3	2	4	11	6	1	2
50	Female	333	1	3	4	2	2	12	8	2	1
51	Other—Male	29	-	-	-	-	-	-	-	-	-
52	Female	6	-	-	-	1	-	1	-	-	-
53	Of kidney (180)	4,743	14	27	57	39	43	180	93	13	10
54	White—Male	2,761	7	12	34	19	14	86	34	4	5
55	Female	1,668	6	10	16	15	23	70	45	6	2
56	Negro—Male	185	-	2	3	2	4	11	6	1	2
57	Female	110	1	3	4	2	2	12	8	2	1
58	Other—Male	16	-	-	-	-	-	-	-	-	-
59	Female	3	-	-	-	1	-	1	-	-	-
60	Of bladder and other urinary organs (181)	7,379	1	2	2	-	1	6	4	1	1
61	White—Male	4,750	1	2	2	-	-	5	2	1	1
62	Female	2,079	-	-	-	-	1	1	2	-	-
63	Negro—Male	311	-	-	-	-	-	-	-	-	-
64	Female	223	-	-	-	-	-	-	-	-	-
65	Other—Male	13	-	-	-	-	-	-	-	-	-
66	Female	3	-	-	-	-	-	-	-	-	-
67	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	27,978	90	123	150	116	104	583	401	358	342
68	White—Male	13,622	50	52	74	49	48	273	204	164	178
69	Female	11,994	30	57	62	49	44	242	148	154	133
70	Negro—Male	1,147	5	6	9	8	4	32	28	19	17
71	Female	1,119	4	8	5	10	8	35	19	20	12
72	Other—Male	64	1	-	-	-	-	1	1	1	1
73	Female	32	-	-	-	-	-	-	1	-	1
74	Of skin (190,191)	3,805	3	-	1	2	-	6	5	8	18
75	White—Male	2,106	1	-	-	2	-	3	3	1	12
76	Female	1,527	1	-	1	-	-	2	2	6	6
77	Negro—Male	81	-	-	-	-	-	-	-	-	-
78	Female	82	1	-	-	-	-	1	-	1	-
79	Other—Male	8	-	-	-	-	-	-	-	-	-
80	Female	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
12	10	17	28	39	54	63	87	110	120	97	82	70	28	19	3	1	-	1
9	4	14	14	26	29	39	55	71	70	66	44	42	12	11	1	1	-	2
1	4	3	9	9	15	16	22	24	32	29	33	24	16	8	2	-	-	3
2	1	-	3	3	4	6	9	11	9	2	4	4	-	-	-	-	-	4
-	-	-	2	1	6	1	-	3	8	-	-	-	-	-	-	-	-	5
-	1	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
16	88	361	900	1,606	2,298	2,641	2,768	2,702	2,743	2,384	1,880	1,318	675	223	58	5	3	8
-	-	2	4	9	7	10	28	27	23	29	27	12	14	2	1	-	-	9
12	70	304	785	1,406	2,076	2,419	2,503	2,481	2,567	2,239	1,774	1,262	632	212	54	5	2	10
-	-	-	-	2	2	2	2	2	2	4	2	-	1	-	-	-	-	11
4	17	53	108	184	208	204	234	189	148	110	77	44	28	9	3	-	1	12
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	13
-	1	2	3	5	5	6	1	2	3	2	-	-	-	-	-	-	-	14
146	276	607	1,078	1,588	2,245	2,901	3,478	4,321	5,311	5,472	4,919	3,585	1,734	499	88	11	12	15
79	89	112	110	85	105	208	435	995	1,840	2,633	2,791	2,311	1,133	325	49	4	3	16
51	142	363	746	1,194	1,729	2,170	2,453	2,706	2,768	2,299	1,735	1,054	493	130	30	2	4	17
1	3	2	6	16	24	61	152	239	357	318	246	147	67	33	6	1	1	18
15	41	126	213	289	381	452	431	371	337	211	135	67	39	11	3	4	4	19
-	-	1	-	-	-	-	-	4	3	4	8	3	1	-	-	-	-	20
-	1	3	3	4	6	10	7	6	6	7	4	3	1	2	-	-	-	21
18	97	336	600	782	1,000	1,097	1,022	968	933	702	497	310	167	36	8	3	3	22
13	66	244	447	604	781	843	813	805	773	619	437	278	151	33	8	-	2	23
5	30	91	150	176	214	250	207	159	154	82	58	32	15	2	-	3	1	24
-	1	1	3	2	5	4	2	4	6	1	2	-	1	1	-	-	-	25
17	38	53	138	206	338	544	763	948	1,044	876	703	407	199	60	16	2	3	26
15	33	38	97	149	248	434	615	804	916	782	643	382	180	51	14	1	1	27
2	5	14	41	56	89	105	145	143	128	92	58	23	19	8	2	1	2	28
-	-	1	-	1	1	5	3	1	-	2	2	2	-	1	-	-	-	29
30	45	95	205	472	744	943	1,046	1,084	1,025	811	545	328	116	27	5	1	1	30
22	40	78	187	421	672	858	977	1,025	975	777	528	319	112	27	5	1	1	31
8	5	16	18	50	72	84	67	58	50	31	17	8	4	-	-	-	-	32
-	-	1	-	1	-	1	2	1	-	3	-	1	-	-	-	-	-	33
1	4	8	19	27	34	48	60	83	109	128	129	79	51	20	4	-	1	34
1	3	3	15	20	28	35	48	72	104	121	127	75	50	19	3	-	-	35
-	1	5	4	7	6	13	12	11	5	6	2	4	1	1	1	-	1	36
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	37
1	1	3	6	16	59	223	533	1,181	2,136	2,891	2,992	2,422	1,184	347	52	5	4	38
1	1	2	4	9	42	170	397	946	1,786	2,582	2,741	2,273	1,117	314	46	4	3	39
-	-	-	2	7	17	53	136	231	347	306	243	146	66	33	6	1	1	40
-	-	1	-	-	-	-	-	4	3	3	8	3	1	-	-	-	-	41
79	91	112	110	85	70	46	54	57	64	64	53	39	17	9	3	-	-	42
78	88	110	106	76	63	38	38	49	54	51	50	38	16	9	3	-	-	43
1	3	2	4	9	7	8	16	8	10	12	3	1	1	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	45
11	24	40	114	227	455	759	1,118	1,413	2,021	1,995	1,728	1,144	567	164	27	5	2	46
3	10	20	55	133	262	451	715	951	1,346	1,272	1,087	664	303	87	13	1	-	47
4	7	10	49	49	129	184	288	362	553	617	576	450	250	73	14	4	-	48
1	3	6	7	23	34	72	67	61	75	61	39	17	7	1	-	-	2	49
3	3	4	2	22	27	50	43	34	44	40	19	12	5	2	-	-	-	50
-	1	-	-	-	3	2	4	4	3	4	5	1	1	1	-	-	-	51
-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-	52
11	21	29	79	147	292	421	548	610	801	645	466	246	95	29	6	1	-	53
3	8	14	40	90	179	266	350	397	499	367	252	117	35	11	3	1	-	54
4	7	9	34	36	84	113	152	187	271	249	197	124	58	17	3	-	-	55
1	2	5	5	12	16	29	29	15	19	17	12	3	-	-	-	-	-	56
3	3	1	-	9	10	11	17	7	11	8	3	2	2	-	-	-	-	57
-	1	-	-	-	3	2	-	3	1	3	2	-	-	1	-	-	-	58
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	59
-	3	11	35	80	163	338	570	803	1,220	1,350	1,262	898	472	135	21	4	2	60
-	2	6	15	43	83	185	365	554	847	905	835	547	268	76	10	-	-	61
-	-	1	15	13	45	71	136	175	282	368	381	326	192	56	11	4	-	62
-	1	1	2	11	18	43	38	46	56	44	27	14	7	1	-	-	2	63
-	-	3	2	13	17	39	26	27	33	32	16	10	3	2	-	-	-	64
-	-	-	-	-	-	-	4	1	2	1	3	1	1	-	-	-	-	65
-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	66
283	376	599	844	1,234	1,732	2,355	2,834	3,361	3,609	3,211	2,571	1,899	976	325	66	11	8	67
151	173	317	409	583	821	1,207	1,371	1,736	1,781	1,622	1,209	839	420	130	28	3	3	68
97	155	223	347	518	730	894	1,158	1,341	1,526	1,382	1,222	971	524	183	36	7	3	69
20	24	23	36	63	90	126	157	142	147	103	65	42	9	3	-	1	-	70
13	19	32	47	67	89	120	137	136	143	99	60	40	20	9	-	-	2	71
2	3	3	2	3	-	6	7	2	8	4	12	6	1	-	1	-	-	72
-	2	1	3	-	2	2	4	4	4	1	3	1	2	-	1	-	-	73
33	84	131	150	197	254	299	282	367	385	425	423	374	230	94	29	9	2	74
21	36	79	75	106	149	172	147	211	228	250	241	194	115	46	15	1	1	75
10	43	45	70	84	93	110	111	136	130	161	166	174	110	47	13	7	1	76
2	3	2	2	4	7	9	12	9	9	9	8	3	1	-	-	1	-	77
-	1	5	3	3	5	8	12	10	18	5	4	2	3	1	-	-	-	78
-	1	-	-	-	-	-	-	-	-	-	4	1	1	-	1	-	-	79
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	80

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms, etc.—Continued										
	Malignant neoplasm of other and unspecified sites—Con.										
01	Of eye (192)	346	2	4	6	9	6	27	14	5	2
02	White--Male	178	1	-	1	3	2	7	9	2	-
03	White--Female	151	1	2	2	3	3	11	2	3	1
04	Negro--Male	7	-	-	1	1	-	2	2	-	1
05	Negro--Female	10	-	2	2	2	1	7	1	-	-
06	Other--Male	-	-	-	-	-	-	-	-	-	-
07	Other--Female	-	-	-	-	-	-	-	-	-	-
08	Of brain and other parts of nervous system (193)	5,606	63	83	108	83	73	410	289	179	129
09	White--Male	3,085	33	37	60	35	41	206	141	81	60
10	White--Female	2,164	22	36	38	38	24	158	109	76	55
11	Negro--Male	207	4	6	7	6	4	27	21	11	8
12	Negro--Female	133	3	4	3	4	4	18	17	10	4
13	Other--Male	11	1	-	-	-	-	1	1	1	1
14	Other--Female	6	-	-	-	-	-	-	-	-	1
15	Of thyroid gland (194)	981	-	-	1	-	-	1	1	-	1
16	White--Male	321	-	-	-	-	-	-	1	-	-
17	White--Female	581	-	-	1	-	-	1	-	-	1
18	Negro--Male	24	-	-	-	-	-	-	-	-	-
19	Negro--Female	54	-	-	-	-	-	-	-	-	-
20	Other--Male	-	-	-	-	-	-	-	-	-	-
21	Other--Female	1	-	-	-	-	-	-	-	-	-
22	Of bone (196)	1,885	3	3	3	7	5	21	38	105	123
23	White--Male	1,012	2	-	1	4	1	8	19	55	68
24	White--Female	722	-	3	1	2	4	10	14	42	47
25	Negro--Male	77	1	-	1	-	-	2	3	2	4
26	Negro--Female	70	-	-	-	1	-	1	1	6	4
27	Other--Male	3	-	-	-	-	-	-	-	-	-
28	Other--Female	1	-	-	-	-	-	-	1	-	-
29	Of connective tissue (197)	890	6	6	9	5	4	30	25	26	28
30	White--Male	458	6	2	2	2	2	14	16	6	18
31	White--Female	372	-	3	7	1	1	12	8	17	6
32	Negro--Male	32	-	-	-	-	-	-	1	2	2
33	Negro--Female	26	-	1	-	2	1	4	-	1	2
34	Other--Male	2	-	-	-	-	-	-	-	-	-
35	Other--Female	-	-	-	-	-	-	-	-	-	-
36	Of other specified sites, not stated to be secondary (195,199A)	1,392	5	13	14	5	11	48	14	12	11
37	White--Male	758	2	9	7	2	2	22	7	5	5
38	White--Female	512	3	4	7	2	7	23	7	5	6
39	Negro--Male	63	-	-	-	-	-	-	-	1	-
40	Negro--Female	55	-	-	-	1	2	3	-	1	-
41	Other--Male	3	-	-	-	-	-	-	-	-	-
42	Other--Female	1	-	-	-	-	-	-	-	-	-
43	Of unspecified sites (156B,165,198,199B)	13,073	8	14	8	5	5	40	15	23	30
44	White--Male	5,704	5	4	3	1	-	13	8	14	15
45	White--Female	5,965	3	9	5	3	5	25	6	5	11
46	Negro--Male	656	-	-	-	1	-	1	1	3	2
47	Negro--Female	689	-	1	-	-	-	1	-	1	2
48	Other--Male	37	-	-	-	-	-	-	-	-	-
49	Other--Female	22	-	-	-	-	-	-	-	-	-
50	Leukemia and aleukemia (204)	11,980	94	135	201	231	279	940	677	388	331
51	White--Male	6,524	43	67	109	121	145	485	338	204	189
52	White--Female	4,669	41	58	78	98	115	390	293	147	109
53	Negro--Male	405	3	6	7	3	7	26	23	15	17
54	Negro--Female	340	6	3	5	9	9	32	20	19	16
55	Other--Male	27	1	-	2	-	3	6	1	-	-
56	Other--Female	15	-	1	-	-	-	1	2	3	-
57	Lymphosarcoma, etc.* (200-203,205)	11,948	26	39	28	30	22	143	97	136	170
58	White--Male	6,391	14	18	15	18	14	79	58	83	106
59	White--Female	4,648	11	13	8	12	6	50	26	39	54
60	Negro--Male	528	1	6	1	-	1	9	8	9	3
61	Negro--Female	346	-	2	2	-	1	5	4	5	7
62	Other--Male	26	-	-	-	-	-	-	1	-	-
63	Other--Female	9	-	-	-	-	-	-	-	-	-
64	Lymphosarcoma and reticulosarcoma (200)	5,408	3	14	14	24	19	74	73	82	68
65	White--Male	2,893	1	6	9	14	12	42	45	53	49
66	White--Female	2,204	1	4	3	10	5	23	20	21	16
67	Negro--Male	185	1	4	1	-	1	7	5	5	1
68	Negro--Female	104	-	-	1	-	1	2	3	3	2
69	Other--Male	18	-	-	-	-	-	-	-	-	-
70	Other--Female	4	-	-	-	-	-	-	-	-	-
71	Hodgkin's disease (201)	3,036	-	1	4	1	2	8	16	40	87
72	White--Male	1,715	-	-	2	1	1	4	7	23	49
73	White--Female	1,130	-	1	2	-	1	4	4	12	33
74	Negro--Male	119	-	-	-	-	-	-	3	3	2
75	Negro--Female	66	-	-	-	-	-	-	1	2	3
76	Other--Male	4	-	-	-	-	-	-	1	-	-
77	Other--Female	2	-	-	-	-	-	-	-	-	-
78	Other neoplasms of lymphatic and hematopoietic tissues (202,203,205)	3,504	23	24	8	5	1	61	8	14	15
79	White--Male	1,783	13	12	4	3	1	33	6	7	8
80	White--Female	1,314	10	8	3	2	-	23	2	6	5
81	Negro--Male	224	-	2	-	-	-	2	-	1	-
82	Negro--Female	176	-	2	1	-	-	3	-	-	2
83	Other--Male	4	-	-	-	-	-	-	-	-	-
84	Other--Female	3	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	2	8	5	14	19	19	25	37	48	48	25	25	17	4	-	-	-	1
2	1	3	4	6	14	10	13	23	27	27	13	11	6	-	-	-	-	2
-	1	5	1	7	5	8	11	14	21	21	11	14	11	4	-	-	-	3
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	4
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
100	138	241	338	420	521	676	710	650	479	213	78	22	7	5	-	-	1	8
48	68	141	198	237	265	405	396	390	262	129	47	6	3	2	-	-	-	9
41	51	83	120	162	228	229	275	242	207	79	27	14	4	3	-	-	1	10
7	7	7	12	13	20	27	22	14	6	4	1	-	-	-	-	-	-	11
4	9	7	7	6	8	14	16	4	3	1	3	2	-	-	-	-	-	12
-	1	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	13
-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	14
1	5	9	17	34	47	60	101	131	160	171	116	74	41	10	1	-	-	15
-	1	-	5	12	20	18	36	51	59	58	34	13	11	2	-	-	-	16
-	3	7	9	17	21	37	54	66	89	103	77	58	30	7	1	-	-	17
1	-	1	-	2	2	2	3	3	5	1	2	2	-	-	-	-	-	18
-	1	1	3	3	4	3	8	11	6	9	3	1	-	1	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	21
62	32	30	39	60	88	121	177	183	222	205	188	122	51	13	4	-	1	22
41	18	13	20	28	48	59	97	96	119	115	103	68	27	7	2	-	1	23
18	9	14	12	20	35	47	60	75	85	80	76	49	21	6	2	-	-	24
2	4	3	6	6	4	6	10	3	10	5	4	3	-	-	-	-	-	25
1	1	-	1	6	1	8	9	9	7	5	5	2	3	-	-	-	-	26
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
17	33	28	28	47	56	68	84	100	112	85	62	40	17	3	-	1	-	29
11	15	17	19	29	29	28	41	56	47	50	31	19	10	1	-	1	-	30
5	14	11	8	16	22	30	35	39	59	29	31	21	7	2	-	-	-	31
-	3	-	1	2	4	5	4	3	2	3	-	-	-	-	-	-	-	32
1	-	-	-	-	1	5	3	2	4	3	-	-	-	-	-	-	-	33
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
23	18	31	39	56	78	97	129	138	173	161	134	122	75	28	5	-	-	36
11	5	12	15	26	44	58	69	82	101	97	70	74	39	15	1	-	-	37
9	10	11	18	19	26	29	49	41	54	59	56	42	33	12	3	-	-	38
2	2	3	2	8	4	6	8	9	7	2	6	2	1	-	-	-	-	39
1	1	5	3	3	4	4	2	6	10	3	2	4	2	1	-	-	-	40
-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	42
45	64	121	228	406	669	1,015	1,326	1,755	2,030	1,903	1,545	1,120	538	168	27	1	4	43
17	29	52	73	139	252	457	572	827	938	896	670	454	209	57	10	1	1	44
14	24	47	109	193	300	404	563	728	881	850	778	599	308	102	17	-	1	45
6	5	7	13	28	49	70	98	101	108	79	43	32	7	3	-	-	-	46
6	6	14	30	45	66	78	86	94	95	73	43	29	12	6	-	-	2	47
2	-	1	1	1	-	4	3	2	6	4	8	5	-	-	-	-	-	48
-	-	-	2	-	2	2	4	3	2	1	3	1	2	-	-	-	-	49
184	196	275	392	400	483	703	798	1,150	1,395	1,417	1,132	722	301	82	10	1	3	50
88	95	122	192	220	256	357	420	639	800	824	647	407	184	51	5	-	1	51
73	70	109	160	138	177	285	312	440	519	541	461	303	107	29	5	-	1	52
15	21	22	18	16	24	29	35	41	44	29	15	8	4	2	-	1	-	53
8	9	18	19	23	25	29	29	29	30	20	6	1	6	-	-	-	1	54
-	1	3	1	2	-	2	2	1	1	3	2	2	-	-	-	-	-	55
-	-	1	2	1	1	1	-	-	1	-	1	1	-	-	-	-	-	56
239	313	403	483	604	820	1,017	1,372	1,507	1,672	1,379	915	478	161	34	1	-	4	57
134	181	218	270	329	458	552	763	812	850	709	473	223	77	14	1	-	1	58
84	113	145	169	205	281	362	476	578	724	598	404	240	80	18	-	-	2	59
9	11	18	31	40	56	57	78	62	58	44	23	8	3	-	-	-	1	60
9	7	19	11	24	24	45	50	49	38	28	13	5	1	2	-	-	-	61
2	-	2	1	6	-	1	5	4	1	-	1	2	-	-	-	-	-	62
1	1	1	1	-	1	-	-	2	1	-	1	-	-	-	-	-	-	63
77	87	134	193	256	353	461	631	674	778	674	441	254	80	15	-	-	3	64
52	50	68	105	130	193	245	350	367	398	357	233	114	35	7	-	-	-	65
20	28	49	71	98	136	189	240	269	348	298	195	132	41	8	-	-	2	66
3	6	8	11	15	17	19	23	17	21	12	7	4	3	-	-	-	1	67
1	2	7	4	7	7	8	15	17	10	7	5	3	1	-	-	-	-	68
1	-	2	1	6	-	-	3	3	-	-	1	1	-	-	-	-	-	69
-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	70
147	209	241	239	221	242	237	285	286	271	236	153	81	28	8	1	-	-	71
76	123	131	135	137	155	150	170	154	149	122	76	36	15	2	1	-	-	72
59	78	88	84	69	74	73	91	118	110	106	65	43	13	6	-	-	-	73
4	4	10	17	11	9	9	16	8	7	5	9	2	-	-	-	-	-	74
6	4	11	3	4	4	4	8	6	4	3	3	-	-	-	-	-	-	75
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	76
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
15	17	28	51	127	225	319	456	547	623	469	321	143	53	11	-	-	1	78
6	8	19	30	62	110	157	243	291	303	230	164	73	27	5	-	-	1	79
5	7	8	14	38	71	100	145	191	266	194	144	65	26	4	-	-	-	80
2	1	-	3	14	30	29	39	37	30	27	7	2	-	-	-	-	-	81
2	1	1	4	13	13	33	27	26	24	18	5	2	-	2	-	-	-	82
-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	83
-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	II. Neoplasms—Continued										
01	Benign neoplasms and neoplasms of unspecified nature (210-239)	4,961	135	36	30	31	35	267	113	94	84
02	White--Male	1,997	45	20	7	17	14	103	44	37	41
03	White--Female	2,262	72	13	13	11	15	124	52	43	29
04	Negro--Male	241	4	2	5	1	4	16	7	7	2
05	Negro--Female	437	11	-	5	2	2	20	10	7	11
06	Other--Male	13	2	1	-	-	-	3	-	-	1
07	Other--Female	11	1	-	-	-	-	1	-	-	-
08	Benign neoplasms of female genital organs (214-217)	508	-	-	1	-	-	1	-	-	3
09	White--Female	320	-	-	1	-	-	1	-	-	2
10	Negro--Female	187	-	-	-	-	-	-	-	-	1
11	Other--Female	1	-	-	-	-	-	-	-	-	-
12	Benign neoplasm of brain and other parts of nervous system (223)	966	20	11	5	4	4	44	20	23	19
13	White--Male	390	8	7	1	-	1	17	11	8	10
14	White--Female	485	9	2	2	4	3	20	7	13	7
15	Negro--Male	43	-	2	2	-	-	4	1	1	1
16	Negro--Female	45	3	-	-	-	-	3	1	1	1
17	Other--Male	-	-	-	-	-	-	-	-	-	-
18	Other--Female	3	-	-	-	-	-	-	-	-	-
19	Other benign neoplasms (210-213,218-222,224-229)	966	68	10	9	11	4	102	27	27	28
20	White--Male	448	20	3	2	8	2	35	13	12	14
21	White--Female	399	38	6	4	-	1	49	10	10	9
22	Negro--Male	58	4	-	2	1	1	8	1	2	-
23	Negro--Female	55	4	-	1	2	-	7	3	3	4
24	Other--Male	5	2	1	-	-	-	3	-	-	1
25	Other--Female	1	-	-	-	-	-	-	-	-	-
26	Neoplasm of unspecified nature of female genital organs (233-235)	32	-	-	-	-	-	-	-	-	-
27	White--Female	26	-	-	-	-	-	-	-	-	-
28	Negro--Female	5	-	-	-	-	-	-	-	-	-
29	Other--Female	1	-	-	-	-	-	-	-	-	-
30	Neoplasm of unspecified nature of brain, etc.* (237)	1,633	24	13	14	15	26	92	64	44	30
31	White--Male	781	8	10	3	8	10	39	20	17	14
32	White--Female	667	13	3	6	7	11	40	34	20	10
33	Negro--Male	92	-	-	1	-	3	4	5	4	1
34	Negro--Female	88	2	-	4	-	2	8	5	3	5
35	Other--Male	3	-	-	-	-	-	-	-	-	-
36	Other--Female	2	1	-	-	-	-	1	-	-	-
37	Other neoplasms of unspecified nature (230-232,236,238,239)	856	23	2	1	1	1	28	2	-	4
38	White--Male	378	9	-	1	1	1	12	-	-	3
39	White--Female	365	12	2	-	-	-	14	1	-	1
40	Negro--Male	48	-	-	-	-	-	-	-	-	-
41	Negro--Female	57	2	-	-	-	-	2	1	-	-
42	Other--Male	5	-	-	-	-	-	-	-	-	-
43	Other--Female	3	-	-	-	-	-	-	-	-	-
44	III. Allergic, endocrine system, metabolic, and nutritional diseases	36,851	349	134	68	47	44	642	130	141	144
45	White--Male	14,584	159	52	27	27	17	282	55	52	48
46	White--Female	17,635	113	36	24	9	21	203	49	55	59
47	Negro--Male	1,572	44	21	11	8	3	87	15	9	14
48	Negro--Female	2,671	28	20	6	3	3	60	10	25	21
49	Other--Male	109	4	2	-	-	-	6	1	-	2
50	Other--Female	80	1	3	-	-	-	4	-	-	-
51	Asthma (241)	5,035	31	22	15	14	8	90	27	29	27
52	White--Male	3,046	12	9	4	7	3	35	9	11	5
53	White--Female	1,359	7	6	8	3	4	28	6	10	13
54	Negro--Male	328	8	3	2	3	-	16	8	2	2
55	Negro--Female	286	4	4	1	1	1	11	3	6	6
56	Other--Male	10	-	-	-	-	-	-	1	-	1
57	Other--Female	6	-	-	-	-	-	-	-	-	-
58	Nontoxic goiter (250,251)	116	1	-	-	-	-	1	1	-	-
59	White--Male	14	1	-	-	-	-	1	1	-	-
60	White--Female	85	-	-	-	-	-	-	-	-	-
61	Negro--Male	1	-	-	-	-	-	-	-	-	-
62	Negro--Female	16	-	-	-	-	-	-	-	-	-
63	Other--Male	-	-	-	-	-	-	-	-	-	-
64	Other--Female	-	-	-	-	-	-	-	-	-	-
65	Thyrotoxicosis with or without goiter (252)	626	-	-	-	-	-	-	-	-	-
66	White--Male	93	-	-	-	-	-	-	-	-	-
67	White--Female	435	-	-	-	-	-	-	-	-	-
68	Negro--Male	13	-	-	-	-	-	-	-	-	-
69	Negro--Female	81	-	-	-	-	-	-	-	-	-
70	Other--Male	1	-	-	-	-	-	-	-	-	-
71	Other--Female	3	-	-	-	-	-	-	-	-	-
72	Myxedema, cretinism, and other diseases of thyroid gland (253,254)	273	10	1	-	-	1	12	1	1	4
73	White--Male	59	4	-	-	-	-	4	-	-	1
74	White--Female	189	4	1	-	-	1	6	-	1	2
75	Negro--Male	4	1	-	-	-	-	1	1	-	1
76	Negro--Female	18	1	-	-	-	-	1	-	-	-
77	Other--Male	1	-	-	-	-	-	-	-	-	-
78	Other--Female	2	-	-	-	-	-	-	-	-	-
79	Diabetes mellitus (260)	27,501	14	17	15	11	11	68	34	75	74
80	White--Male	9,920	5	8	7	7	3	30	13	24	27
81	White--Female	14,456	8	5	6	3	7	29	15	32	30
82	Negro--Male	957	-	3	-	-	-	3	4	5	7
83	Negro--Female	2,026	-	1	2	1	1	5	2	14	10
84	Other--Male	84	1	-	-	-	-	1	-	-	-
85	Other--Female	56	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
91	121	201	272	360	442	447	454	466	494	401	266	218	126	34	7	1	2	1
43	40	64	79	114	164	189	207	215	214	187	123	77	39	13	3	-	1	2
30	63	88	117	168	203	197	177	202	234	182	128	125	76	19	4	1	-	3
5	4	14	21	17	21	27	29	21	18	14	7	9	2	-	-	-	-	4
13	14	33	55	60	50	32	37	27	26	18	7	5	9	2	-	-	1	5
-	-	1	-	1	-	1	3	-	2	-	1	-	-	-	-	-	-	6
-	-	1	-	-	4	1	1	1	-	-	-	2	-	-	-	-	-	7
4	12	37	60	84	79	52	38	28	29	28	16	21	11	3	2	-	-	8
3	8	17	22	42	51	41	19	20	22	23	15	20	10	2	2	-	-	9
1	4	20	38	42	27	11	19	8	7	5	1	1	1	1	-	-	-	10
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	11
29	34	53	62	91	102	103	89	125	88	37	26	14	5	1	-	-	1	12
12	14	19	25	29	42	40	35	54	37	15	12	6	2	1	-	-	1	13
14	16	26	28	54	45	55	47	63	47	19	13	8	3	-	-	-	-	14
1	1	5	5	2	6	4	5	3	2	2	-	-	-	-	-	-	-	15
2	3	2	4	6	8	4	2	4	2	1	1	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	18
20	21	35	47	51	55	63	66	88	105	104	60	42	17	8	-	-	-	19
14	9	15	17	21	26	26	38	44	44	53	33	23	5	6	-	-	-	20
3	11	12	23	18	23	24	22	35	48	48	23	18	11	2	-	-	-	21
1	-	4	4	6	1	9	2	5	8	2	3	1	1	-	-	-	-	22
2	1	4	3	5	4	4	4	4	5	1	1	-	-	-	-	-	-	23
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	1	1	-	4	3	-	2	4	1	4	7	3	1	-	-	-	26
1	-	-	-	-	4	3	-	1	4	1	4	5	2	1	-	-	-	27
-	-	1	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	29
34	50	69	93	116	169	183	196	158	165	99	46	17	7	-	-	-	1	30
14	17	29	32	56	82	101	105	86	88	50	19	8	4	-	-	-	-	31
9	25	30	42	46	73	64	68	62	68	42	25	6	3	-	-	-	-	32
3	2	5	11	8	10	8	16	4	5	4	-	2	-	-	-	-	-	33
8	6	4	8	6	4	9	6	6	3	3	2	1	-	-	-	-	1	34
-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	36
3	4	6	9	18	33	43	65	65	103	132	114	117	83	21	5	1	-	37
3	-	1	5	8	14	22	29	31	45	69	59	40	28	6	3	-	-	38
-	3	3	2	8	7	10	21	21	45	49	48	68	47	14	2	1	-	39
-	1	-	1	1	4	6	6	9	3	6	4	6	1	-	-	-	-	40
-	-	2	1	1	7	4	6	4	9	8	2	2	7	1	-	-	-	41
-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	42
-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	43
226	344	530	713	868	1,311	2,096	3,113	4,374	5,785	6,180	5,048	3,158	1,532	409	77	19	11	44
70	128	238	286	349	512	875	1,311	1,746	2,286	2,386	1,996	1,195	583	150	30	4	2	45
99	126	189	266	283	486	757	1,227	2,099	2,887	3,337	2,762	1,799	865	236	40	8	3	46
22	33	43	69	82	99	154	191	157	208	166	101	55	45	11	4	3	4	47
33	54	59	89	150	202	296	364	347	372	260	175	98	36	11	3	4	2	48
1	1	1	-	1	7	6	10	10	20	20	12	9	2	-	-	-	-	49
1	2	-	3	3	5	8	10	15	12	11	2	2	1	1	-	-	-	50
50	68	90	134	192	292	411	520	683	736	690	522	290	140	37	5	1	1	51
9	18	26	30	69	117	226	338	478	523	499	379	180	75	15	4	-	-	52
25	22	35	53	59	103	120	118	157	148	151	122	105	60	22	1	1	-	53
6	8	14	19	26	31	34	42	32	44	27	12	1	3	-	-	-	1	54
10	20	15	30	37	40	30	21	15	19	10	8	3	2	-	-	-	-	55
-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	-	-	-	56
-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	57
-	1	1	4	-	4	11	6	9	23	11	22	10	9	3	-	-	-	58
-	-	-	-	-	-	-	1	-	4	2	2	1	2	-	-	-	-	59
-	1	1	2	-	3	9	2	5	16	8	20	8	7	3	-	-	-	60
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	61
-	-	-	2	-	1	2	3	4	2	1	-	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
6	12	20	19	22	44	44	54	78	94	100	73	36	18	1	3	-	2	65
-	1	6	-	4	13	4	11	15	16	16	3	2	1	-	-	-	1	66
2	6	8	7	11	17	31	33	53	69	79	66	32	17	1	3	-	-	67
1	-	-	1	-	3	1	3	1	1	1	1	-	-	-	-	-	-	68
3	4	6	11	7	11	8	6	8	8	4	3	1	-	-	-	-	1	69
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	70
-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	71
2	2	3	4	10	16	27	32	30	43	39	30	7	7	3	-	-	-	72
-	-	-	-	1	4	6	8	7	6	12	5	4	-	1	-	-	-	73
1	1	3	4	7	9	16	21	22	35	26	23	3	7	2	-	-	-	74
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	2	3	4	3	1	1	1	2	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	77
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	78
129	223	352	445	532	814	1,416	2,260	3,338	4,629	5,037	4,092	2,518	1,157	272	29	3	4	79
50	99	186	225	233	318	549	851	1,138	1,601	1,721	1,472	880	411	97	14	-	1	80
51	78	112	143	160	298	518	973	1,777	2,529	2,951	2,389	1,515	683	159	12	2	2	81
12	21	24	41	49	54	102	124	102	147	115	70	38	31	7	1	-	-	82
15	24	30	35	87	133	239	314	299	325	224	150	78	30	8	2	1	1	83
1	1	-	-	1	7	6	9	9	16	16	9	7	1	-	-	-	-	84
-	-	-	1	2	4	2	9	13	11	10	2	-	1	1	-	-	-	85

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
01	Diseases of thymus gland (273)	172	139	6	3	2	2	152	6	3	2
02	White—Male	78	63	5	1	1	-	70	3	-	1
03	White—Female	60	46	-	1	-	2	49	3	3	-
04	Negro—Male	20	16	1	1	1	-	19	-	-	1
05	Negro—Female	14	14	-	-	-	-	14	-	-	-
06	Other—Male	-	-	-	-	-	-	-	-	-	-
07	Other—Female	-	-	-	-	-	-	-	-	-	-
08	Diseases of adrenal glands (274)	388	59	10	3	1	3	76	6	3	6
09	White—Male	199	36	9	3	1	1	50	4	3	3
10	White—Female	150	13	-	-	-	2	15	2	-	1
11	Negro—Male	21	7	-	-	-	-	7	-	-	1
12	Negro—Female	18	3	1	-	-	-	4	-	-	1
13	Other—Male	-	-	-	-	-	-	-	-	-	-
14	Other—Female	-	-	-	-	-	-	-	-	-	-
15	Pellagra (281)	56	-	-	-	-	-	-	-	-	-
16	White—Male	14	-	-	-	-	-	-	-	-	-
17	White—Female	22	-	-	-	-	-	-	-	-	-
18	Negro—Male	8	-	-	-	-	-	-	-	-	-
19	Negro—Female	12	-	-	-	-	-	-	-	-	-
20	Other—Male	-	-	-	-	-	-	-	-	-	-
21	Other—Female	-	-	-	-	-	-	-	-	-	-
22	Other avitaminoses and nutritional deficiency states (280,282-286)	1,565	21	52	17	6	10	106	18	8	10
23	White—Male	630	6	10	6	1	5	28	3	1	3
24	White—Female	626	8	11	4	1	2	26	9	3	5
25	Negro—Male	159	4	12	4	4	2	26	1	1	-
26	Negro—Female	132	1	14	3	-	1	19	5	3	1
27	Other—Male	7	1	2	-	-	-	3	-	-	1
28	Other—Female	11	1	3	-	-	-	4	-	-	-
29	All other allergic, endocrine, and metabolic diseases (Residual[1])	1,119	74	26	15	13	9	137	37	22	21
30	White—Male	531	32	11	6	10	5	64	22	13	8
31	White—Female	451	27	13	5	2	3	50	14	6	8
32	Negro—Male	61	8	2	4	-	1	15	1	1	2
33	Negro—Female	68	5	-	-	1	-	6	-	2	3
34	Other—Male	6	2	-	-	-	-	2	-	-	-
35	Other—Female	2	-	-	-	-	-	-	-	-	-
36	IV. Diseases of the blood and blood-forming organs	4,942	272	94	68	44	29	507	141	88	86
37	White—Male	2,125	99	27	20	16	6	168	48	39	32
38	White—Female	2,121	73	30	19	17	9	148	64	24	22
39	Negro—Male	349	66	20	12	7	5	110	12	18	20
40	Negro—Female	327	30	16	17	4	9	76	17	5	12
41	Other—Male	12	1	1	-	-	-	2	-	2	-
42	Other—Female	8	3	-	-	-	-	3	-	-	-
43	Anemias (290-293)	3,195	128	71	49	28	25	301	95	61	55
44	White—Male	1,279	34	14	10	5	5	68	24	23	14
45	White—Female	1,371	34	21	15	12	7	89	44	17	14
46	Negro—Male	275	38	20	12	7	5	82	11	14	17
47	Negro—Female	258	21	15	12	4	8	60	16	5	10
48	Other—Male	8	1	1	-	-	-	2	-	2	-
49	Other—Female	4	-	-	-	-	-	-	-	-	-
50	Pernicious and other hyperchromic anemias (290)	729	2	-	-	-	-	2	-	2	1
51	White—Male	301	2	-	-	-	-	2	-	2	-
52	White—Female	400	-	-	-	-	-	-	-	-	1
53	Negro—Male	13	-	-	-	-	-	-	-	-	-
54	Negro—Female	13	-	-	-	-	-	-	-	-	-
55	Other—Male	-	-	-	-	-	-	-	-	-	-
56	Other—Female	2	-	-	-	-	-	-	-	-	-
57	Anemias of other and unspecified type (291-293)	2,466	126	71	49	28	25	299	95	59	54
58	White—Male	978	32	14	10	5	5	66	24	21	14
59	White—Female	971	34	21	15	12	7	89	44	17	13
60	Negro—Male	262	38	20	12	7	5	82	11	14	17
61	Negro—Female	245	21	15	12	4	8	60	16	5	10
62	Other—Male	8	1	1	-	-	-	2	-	2	-
63	Other—Female	2	-	-	-	-	-	-	-	-	-
64	Purpura and other hemorrhagic conditions (296)	674	69	10	7	8	2	96	28	14	12
65	White—Male	277	30	5	1	7	1	44	13	6	5
66	White—Female	326	23	5	2	1	1	32	14	5	6
67	Negro—Male	28	10	-	-	-	-	10	1	3	-
68	Negro—Female	39	4	-	4	-	-	8	-	-	1
69	Other—Male	1	-	-	-	-	-	-	-	-	-
70	Other—Female	3	2	-	-	-	-	2	-	-	-
71	Other diseases of blood and blood-forming organs (294,295,297-299)	1,073	75	13	12	8	2	110	18	13	19
72	White—Male	569	35	8	9	4	-	56	11	10	13
73	White—Female	424	16	4	2	4	1	27	6	2	2
74	Negro—Male	46	18	-	-	-	-	18	-	1	3
75	Negro—Female	30	5	1	1	-	1	8	1	-	1
76	Other—Male	3	-	-	-	-	-	-	-	-	-
77	Other—Female	1	1	-	-	-	-	1	-	-	-
78	V. Mental, psychoneurotic, and personality disorders	4,486	170	35	24	15	9	253	38	33	26
79	White—Male	2,479	83	17	13	8	4	125	20	16	17
80	White—Female	1,137	73	14	7	6	3	103	13	12	5
81	Negro—Male	536	6	2	3	1	-	12	5	3	2
82	Negro—Female	271	4	2	1	-	2	9	-	2	2
83	Other—Male	45	2	-	-	-	-	2	-	-	-
84	Other—Female	18	2	-	-	-	-	2	-	-	-

[1]For category numbers, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	1	2	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	1
1	..	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2
-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	3
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
4	6	9	10	15	24	29	38	35	40	40	25	17	5	-	-	-	-	8
1	1	5	2	7	11	16	15	13	21	22	13	8	4	-	-	-	-	9
1	4	4	5	5	13	11	18	21	16	16	11	6	1	-	-	-	-	10
1	1	-	1	2	-	1	2	-	1	1	1	2	-	-	-	-	-	11
1	..	-	2	1	-	1	3	1	2	1	-	1	-	-	-	-	-	12
-	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	..	-	-	1	3	3	3	4	8	11	9	8	4	1	1	-	-	15
-	..	-	-	-	2	1	-	-	2	3	2	2	1	-	1	-	-	16
-	..	-	-	-	1	-	1	1	3	3	6	5	1	1	-	-	-	17
-	..	-	-	-	-	-	1	1	2	2	-	-	2	-	-	-	-	18
-	..	-	-	1	-	2	1	2	1	3	1	1	-	-	-	-	-	19
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	3	10	23	39	32	63	61	85	124	163	236	247	184	90	37	15	4	22
3	-	4	6	15	14	22	27	27	66	74	99	106	83	35	10	4	-	23
4	2	4	11	14	10	18	16	27	37	54	110	112	87	48	23	5	1	24
-	1	1	2	2	5	14	11	16	9	19	15	14	9	4	3	3	3	25
-	-	1	4	8	3	6	7	14	11	15	11	13	4	3	1	3	-	26
-	..	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	27
-	..	-	-	-	-	3	-	1	1	1	-	1	-	-	-	-	-	28
27	28	43	74	56	82	91	139	112	87	88	39	25	7	2	2	-	-	29
6	9	10	23	20	33	51	80	68	46	37	21	12	5	2	1	-	-	30
15	11	21	41	26	32	33	45	36	34	48	15	13	2	-	1	-	-	31
2	1	4	5	3	6	2	8	5	3	1	2	-	-	-	-	-	-	32
4	6	7	5	7	11	4	6	3	3	1	-	-	-	-	-	-	-	33
-	..	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	34
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
83	92	89	116	123	180	211	303	393	537	591	568	467	237	99	25	2	4	36
23	20	30	32	50	87	96	136	199	249	295	263	210	95	46	7	-	-	37
33	43	30	46	37	73	73	123	160	243	268	282	244	135	50	18	2	3	38
10	11	11	12	16	10	21	19	16	26	16	9	7	3	1	-	-	1	39
17	18	18	25	20	10	20	25	16	17	7	13	5	4	2	-	-	-	40
-	..	-	1	-	-	1	-	1	2	2	-	1	-	-	-	-	-	41
-	..	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	42
46	43	50	67	65	82	120	153	231	327	405	423	360	200	84	23	1	3	43
9	10	19	11	24	38	45	56	114	144	196	206	153	81	39	5	-	-	44
16	11	9	26	15	32	39	64	93	149	182	200	195	112	43	18	1	2	45
8	8	10	11	12	5	19	12	10	21	16	7	7	3	1	-	-	1	46
13	14	12	19	14	7	17	21	12	12	7	9	5	4	1	-	-	-	47
-	..	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	48
-	..	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	49
1	1	2	6	8	10	13	34	29	69	114	157	146	92	33	8	1	-	50
-	..	1	2	2	6	4	12	11	26	47	70	62	40	14	-	-	-	51
1	1	1	4	2	3	6	18	15	41	61	84	83	52	18	8	1	-	52
-	..	-	-	1	1	3	1	-	-	4	2	1	-	-	-	-	-	53
-	..	-	-	3	-	-	3	2	2	1	1	-	-	1	-	-	-	54
-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	..	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	56
45	42	48	61	57	72	107	119	202	258	291	266	214	108	51	15	-	3	57
9	10	18	9	22	32	41	44	103	118	149	136	91	41	25	5	-	-	58
15	10	8	22	13	29	33	46	78	108	121	116	112	60	25	10	-	2	59
8	8	10	11	11	4	16	11	10	21	12	5	6	3	1	-	-	1	60
13	14	12	19	11	7	17	18	10	10	6	8	5	4	-	-	-	-	61
-	..	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	62
-	..	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	63
23	31	24	27	27	37	30	46	36	66	56	47	48	18	6	1	1	-	64
6	2	3	8	8	12	13	25	20	31	29	21	24	4	2	1	-	-	65
13	25	15	14	14	20	14	18	12	31	26	26	23	14	3	-	1	-	66
-	2	-	1	2	4	-	2	2	1	-	-	-	-	-	-	-	-	67
4	2	6	4	3	1	3	1	2	3	-	-	-	-	1	-	-	-	68
-	..	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	69
-	..	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	70
14	18	15	22	31	61	61	104	126	144	130	98	59	19	9	1	-	1	71
8	8	8	13	18	37	38	55	65	74	70	36	33	10	5	1	-	-	72
4	7	6	6	8	21	20	41	55	63	60	56	26	9	4	-	-	1	73
2	1	1	-	2	1	2	5	4	4	-	2	-	-	-	-	-	-	74
-	2	-	2	3	2	-	3	2	2	-	4	-	-	-	-	-	-	75
-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
76	112	220	339	472	574	480	408	338	328	231	209	147	115	60	16	5	6	78
32	43	75	166	248	353	320	286	213	216	139	96	66	40	19	5	1	3	79
18	16	36	62	87	112	87	79	76	75	71	101	69	67	33	11	4	-	80
9	28	61	73	90	76	45	42	30	31	11	4	7	2	3	-	-	2	81
16	21	41	36	37	28	18	16	11	4	7	8	4	5	5	-	-	1	82
1	2	5	2	7	3	8	2	6	2	3	-	1	1	-	-	-	-	83
-	2	2	-	3	2	2	3	2	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	V. Mental, psychoneurotic, and personality disorders—Continued										
01	Senile psychosis (304)	457	-	-	-	-	-	-	-	-	-
02	White--Male	170	-	-	-	-	-	-	-	-	-
03	Female	255	-	-	-	-	-	-	-	-	-
04	Negro--Male	10	-	-	-	-	-	-	-	-	-
05	Female	20	-	-	-	-	-	-	-	-	-
06	Other--Male	2	-	-	-	-	-	-	-	-	-
07	Female	-	-	-	-	-	-	-	-	-	-
08	Alcoholic psychosis (307)	406	-	-	-	-	-	-	-	-	-
09	White--Male	313	-	-	-	-	-	-	-	-	-
10	Female	32	-	-	-	-	-	-	-	-	-
11	Negro--Male	53	-	-	-	-	-	-	-	-	-
12	Female	7	-	-	-	-	-	-	-	-	-
13	Other--Male	1	-	-	-	-	-	-	-	-	-
14	Female	-	-	-	-	-	-	-	-	-	-
15	Other psychoses (300-303,305,306,308,309)	542	-	-	-	-	-	-	2	3	6
16	White--Male	200	-	-	-	-	-	-	1	3	4
17	Female	257	-	-	-	-	-	-	-	-	1
18	Negro--Male	39	-	-	-	-	-	-	1	-	1
19	Female	44	-	-	-	-	-	-	-	-	-
20	Other--Male	1	-	-	-	-	-	-	-	-	-
21	Female	1	-	-	-	-	-	-	-	-	-
22	Alcoholism (322)	2,501	-	-	-	-	-	-	-	2	4
23	White--Male	1,535	-	-	-	-	-	-	-	2	1
24	Female	347	-	-	-	-	-	-	-	-	2
25	Negro--Male	400	-	-	-	-	-	-	-	-	1
26	Female	168	-	-	-	-	-	-	-	-	-
27	Other--Male	37	-	-	-	-	-	-	-	-	-
28	Female	14	-	-	-	-	-	-	-	-	-
29	Mental deficiency (325)	415	170	35	24	15	9	253	36	26	12
30	White--Male	200	83	17	13	8	4	125	19	11	9
31	Female	169	73	14	7	6	3	103	13	11	1
32	Negro--Male	21	6	2	3	1	-	12	4	2	-
33	Female	21	4	2	1	-	2	9	-	2	2
34	Other--Male	2	2	-	-	-	-	2	-	-	-
35	Female	2	2	-	-	-	-	2	-	-	-
36	Psychoneuroses and other disorders of personality (310-321,323,324,326)	165	-	-	-	-	-	-	-	2	4
37	White--Male	61	-	-	-	-	-	-	-	-	3
38	Female	77	-	-	-	-	-	-	-	1	1
39	Negro--Male	13	-	-	-	-	-	-	-	1	-
40	Female	11	-	-	-	-	-	-	-	-	-
41	Other--Male	2	-	-	-	-	-	-	-	-	-
42	Female	1	-	-	-	-	-	-	-	-	-
43	VI. Diseases of the nervous system and sense organs	205,209	1,839	547	344	264	157	3,151	616	507	506
44	White--Male	86,472	742	225	164	120	75	1,326	289	247	238
45	Female	92,833	576	198	108	86	54	1,022	213	184	164
46	Negro--Male	12,305	271	68	42	27	12	420	63	36	63
47	Female	12,980	219	48	27	27	13	334	42	37	37
48	Other--Male	393	16	6	2	3	-	27	7	3	4
49	Female	226	15	2	1	1	3	22	2	-	-
50	Vascular lesions affecting central nervous system (330-334)	190,758	187	67	36	35	22	347	122	122	157
51	White--Male	79,666	81	25	20	18	10	154	54	51	67
52	Female	87,378	59	25	6	7	9	106	41	52	57
53	Negro--Male	11,079	23	11	7	5	1	47	13	9	18
54	Female	12,114	22	5	2	3	2	34	12	9	14
55	Other--Male	331	1	1	-	1	-	3	2	1	1
56	Female	190	1	-	1	1	-	3	-	-	-
57	Subarachnoid hemorrhage (330)	6,169	53	11	8	2	5	79	31	52	77
58	White--Male	2,404	24	1	6	2	2	35	14	21	34
59	Female	2,741	19	6	1	-	1	27	10	25	31
60	Negro--Male	449	5	3	1	-	1	10	2	3	6
61	Female	549	5	1	-	-	1	7	5	3	6
62	Other--Male	14	-	-	-	-	-	-	-	-	-
63	Female	12	-	-	-	-	-	-	-	-	-
64	Cerebral hemorrhage (331)	113,601	90	17	10	9	3	129	41	48	50
65	White--Male	46,690	38	6	7	5	2	58	15	19	21
66	Female	51,655	27	8	1	1	1	38	17	19	17
67	Negro--Male	7,088	12	1	1	1	-	15	4	5	10
68	Female	7,843	11	1	1	-	-	13	5	5	2
69	Other--Male	204	1	1	-	1	-	3	-	-	-
70	Female	121	1	-	-	1	-	2	-	-	-
71	Cerebral embolism and thrombsis (332)	53,548	11	8	1	3	2	25	8	4	8
72	White--Male	23,420	5	4	-	1	-	10	4	2	2
73	Female	25,057	4	2	-	1	2	9	2	2	3
74	Negro--Male	2,471	-	2	-	-	-	2	2	-	1
75	Female	2,478	2	-	1	1	-	4	-	-	2
76	Other--Male	79	-	-	-	-	-	-	-	-	-
77	Female	43	-	-	-	-	-	-	-	-	-
78	Other vascular lesions affecting central nervous system (333,334)	17,440	33	31	17	21	12	114	42	18	22
79	White--Male	7,152	14	14	7	10	6	51	21	9	10
80	Female	7,925	9	9	4	5	5	32	12	6	6
81	Negro--Male	1,071	6	5	5	4	-	20	5	1	1
82	Female	1,244	4	3	-	2	1	10	2	1	4
83	Other--Male	34	-	-	-	-	-	-	2	1	1
84	Female	14	-	-	1	-	-	1	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	1	11	25	58	104	98	90	51	14	5	-	1
-	-	-	-	-	-	-	-	1	10	22	40	43	31	18	4	1	-	2
-	-	-	-	-	-	-	-	6	12	32	61	49	52	29	10	4	-	3
-	-	-	-	-	-	-	1	1	3	-	-	2	2	1	-	-	-	4
-	-	-	-	-	-	-	-	3	-	4	3	3	4	3	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	5	25	40	60	77	74	45	27	26	16	6	5	-	-	-	-	-	8
-	3	11	30	42	60	63	36	25	20	14	5	4	-	-	-	-	-	9
-	-	1	3	6	4	6	6	2	3	1	-	-	-	-	-	-	-	10
-	1	12	5	12	11	4	3	-	3	1	-	1	-	-	-	-	-	11
-	1	1	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	12
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
14	14	20	16	30	43	45	72	69	61	50	44	27	19	6	1	-	-	15
7	3	7	4	7	16	13	29	32	24	19	13	12	6	-	-	-	-	16
4	5	5	6	11	21	24	35	29	34	27	27	12	12	3	1	-	-	17
1	3	1	4	3	5	2	4	5	2	2	2	2	-	1	-	-	-	18
2	3	5	2	9	1	6	4	3	1	2	2	1	1	2	-	-	-	19
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
35	71	153	263	360	431	346	275	212	196	96	39	9	2	1	-	-	6	22
13	26	50	124	190	270	239	196	146	153	79	35	6	2	-	-	-	3	23
3	6	21	44	60	75	51	30	30	16	6	1	2	-	-	-	-	-	24
7	20	44	63	75	58	38	34	23	23	8	2	1	-	1	-	-	2	25
11	15	33	30	25	23	11	11	5	2	-	1	-	-	-	-	-	1	26
1	2	4	2	7	3	5	2	6	2	3	-	-	-	-	-	-	-	27
-	2	1	-	3	2	2	2	2	-	-	-	-	-	-	-	-	-	28
14	8	9	11	8	7	4	7	4	6	2	5	2	-	-	1	-	-	29
9	6	5	4	2	1	1	1	3	2	1	-	-	-	-	1	-	-	30
5	2	2	5	5	2	3	5	1	3	1	5	2	-	-	-	-	-	31
-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	1	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
13	14	13	9	14	16	11	8	15	14	9	11	6	4	2	-	-	-	36
3	5	2	4	7	6	4	4	6	7	4	3	1	1	1	-	-	-	37
6	3	7	4	5	10	3	3	8	7	4	7	4	3	1	-	-	-	38
1	4	3	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	39
3	2	1	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	40
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
589	772	1,210	1,825	2,948	4,632	7,231	10,197	15,499	23,545	31,216	35,590	33,106	21,655	8,131	1,899	280	104	43
268	298	429	647	1,013	1,664	2,852	4,229	6,742	10,766	14,365	15,791	13,724	8,280	2,686	538	55	25	44
194	276	407	563	995	1,546	2,353	3,264	5,513	8,950	13,457	17,266	17,648	12,379	5,048	1,225	133	33	45
67	98	160	271	384	666	939	1,368	1,559	1,899	1,617	1,207	780	458	155	55	23	17	46
57	97	208	332	542	739	1,057	1,293	1,619	1,847	1,689	1,256	884	510	230	76	67	27	47
2	1	3	7	9	10	19	27	36	53	59	48	48	16	8	3	1	2	48
1	2	3	5	5	7	11	16	30	30	29	22	22	12	4	2	1	-	49
244	393	745	1,297	2,360	3,881	6,382	9,280	14,404	22,273	29,969	34,593	32,474	21,389	8,070	1,886	276	94	50
117	141	231	420	754	1,341	2,441	3,782	6,191	10,100	13,693	15,256	13,424	8,176	2,665	532	54	22	51
77	137	239	391	775	1,238	2,042	2,926	5,088	8,440	12,949	16,850	17,347	12,230	5,013	1,218	133	29	52
19	48	108	203	323	589	858	1,289	1,492	1,832	1,581	1,184	764	453	154	55	23	17	53
29	66	163	279	498	697	1,016	1,243	1,572	1,821	1,663	1,235	870	502	226	76	64	25	54
1	-	2	2	6	9	16	25	33	51	54	48	48	16	8	3	1	1	55
1	1	2	2	4	7	9	15	28	29	29	20	21	12	4	2	1	-	56
132	193	320	523	701	765	754	660	537	466	352	277	155	65	26	4	-	-	57
71	74	111	189	251	267	309	276	233	182	132	113	55	26	9	2	-	-	58
41	71	124	199	313	353	311	296	239	212	192	152	91	38	14	2	-	-	59
9	21	33	50	56	59	62	46	27	39	15	4	4	-	3	-	-	-	60
10	27	52	82	77	81	69	40	33	30	13	8	5	1	-	-	-	-	61
-	-	-	1	3	2	2	-	3	3	-	-	-	-	-	-	-	-	62
1	-	-	2	1	3	1	2	2	-	-	-	-	-	-	-	-	-	63
82	151	334	632	1,313	2,432	4,234	6,168	9,332	14,030	18,315	20,481	18,721	11,712	4,186	996	148	66	64
35	50	89	175	370	815	1,527	2,464	3,891	6,207	8,221	8,975	7,646	4,400	1,397	272	28	15	65
24	47	90	160	382	717	1,372	1,963	3,406	5,396	7,950	10,002	10,032	6,713	2,576	647	66	21	66
7	21	60	129	210	409	604	860	966	1,174	1,015	702	464	277	94	36	13	13	67
16	32	92	167	347	493	714	846	1,031	1,202	1,075	762	533	308	115	39	40	16	68
-	-	1	1	2	6	12	23	18	28	35	28	30	11	3	1	1	1	69
-	1	2	-	2	2	5	12	20	23	19	12	16	3	1	1	-	-	70
14	30	57	85	245	487	1,044	1,907	3,623	6,122	8,724	10,462	10,085	7,053	2,823	620	100	12	71
5	10	19	40	104	210	504	867	1,681	3,008	4,181	4,664	4,246	2,726	917	195	21	4	72
8	12	18	22	58	121	260	524	1,179	2,233	3,739	5,124	5,446	4,069	1,786	384	56	2	73
-	4	10	11	46	80	129	269	375	443	391	338	193	118	37	14	6	2	74
1	4	10	12	35	73	146	246	375	419	389	316	193	132	76	25	16	4	75
-	-	-	-	1	1	2	-	10	15	14	14	13	2	5	2	-	-	76
-	-	-	-	1	2	3	1	3	4	10	6	4	6	2	-	1	-	77
16	19	34	57	101	197	350	545	912	1,655	2,578	3,373	3,503	2,559	1,035	266	28	16	78
6	7	12	16	29	49	101	175	386	703	1,159	1,504	1,477	1,024	342	63	5	3	79
4	7	7	10	22	47	99	143	264	599	1,068	1,572	1,778	1,410	637	185	11	6	80
3	2	5	13	11	41	63	114	124	176	160	140	103	58	20	5	4	2	81
2	3	9	18	39	60	87	111	133	170	186	149	139	61	35	12	8	5	82
1	-	1	-	-	-	-	2	2	5	5	6	5	3	-	-	-	-	83
-	-	-	-	-	-	-	-	3	2	-	2	1	3	1	1	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	VI. Diseases of the nervous system and sense organs--Continued										
01	Meningitis, except meningococcal and tuberculous (340)	2,247	877	199	124	87	34	1,321	96	41	39
02	White--Male	958	352	81	57	35	19	544	47	19	20
03	Female	664	249	68	34	27	7	385	30	17	10
04	Negro--Male	325	141	26	20	11	4	202	11	2	4
05	Female	266	117	20	11	13	3	164	7	3	4
06	Other--Male	24	11	3	2	1	-	17	1	-	1
07	Female	10	7	1	-	-	1	9	-	-	-
08	Multiple sclerosis (345)	1,414	-	-	-	1	-	1	2	1	8
09	White--Male	586	-	-	-	1	-	1	2	1	5
10	Female	742	-	-	-	-	-	-	-	-	1
11	Negro--Male	37	-	-	-	-	-	-	-	-	-
12	Female	46	-	-	-	-	-	-	-	-	2
13	Other--Male	2	-	-	-	-	-	-	-	-	-
14	Female	1	-	-	-	-	-	-	-	-	-
15	Paralysis agitans (350)	2,733	-	-	-	-	-	-	-	-	-
16	White--Male	1,448	-	-	-	-	-	-	-	-	-
17	Female	1,223	-	-	-	-	-	-	-	-	-
18	Negro--Male	31	-	-	-	-	-	-	-	-	-
19	Female	23	-	-	-	-	-	-	-	-	-
20	Other--Male	4	-	-	-	-	-	-	-	-	-
21	Female	4	-	-	-	-	-	-	-	-	-
22	Cerebral spastic infantile paralysis (351)	745	118	56	43	36	26	279	129	106	56
23	White--Male	367	50	24	18	18	16	126	65	55	28
24	Female	287	40	22	14	14	9	99	44	41	22
25	Negro--Male	58	16	7	5	2	-	30	9	7	3
26	Female	47	10	2	6	2	-	20	11	3	2
27	Other--Male	3	1	1	-	-	-	2	-	-	1
28	Female	3	1	-	-	-	1	2	-	-	-
29	Epilepsy (353)	2,062	24	24	28	24	16	116	88	107	141
30	White--Male	893	10	15	12	10	5	52	39	55	65
31	Female	662	7	3	11	9	8	38	32	30	37
32	Negro--Male	335	4	4	3	4	1	16	9	11	26
33	Female	156	2	2	2	1	2	9	5	11	12
34	Other--Male	11	-	-	-	-	-	-	2	-	1
35	Female	5	1	-	-	-	-	1	1	-	-
36	Inflammatory diseases of eye (370-379)	13	4	-	-	-	-	4	-	-	-
37	White--Male	7	2	-	-	-	-	2	-	-	-
38	Female	4	1	-	-	-	-	1	-	-	-
39	Negro--Male	1	1	-	-	-	-	1	-	-	-
40	Female	-	-	-	-	-	-	-	-	-	-
41	Other--Male	-	-	-	-	-	-	-	-	-	-
42	Female	1	-	-	-	-	-	-	-	-	-
43	Cataract (385)	27	-	-	-	-	-	-	-	1	-
44	White--Male	16	-	-	-	-	-	-	-	1	-
45	Female	7	-	-	-	-	-	-	-	-	-
46	Negro--Male	1	-	-	-	-	-	-	-	-	-
47	Female	3	-	-	-	-	-	-	-	-	-
48	Other--Male	-	-	-	-	-	-	-	-	-	-
49	Female	-	-	-	-	-	-	-	-	-	-
50	Glaucoma (387)	4	-	-	-	-	-	-	-	-	-
51	White--Male	-	-	-	-	-	-	-	-	-	-
52	Female	4	-	-	-	-	-	-	-	-	-
53	Negro--Male	-	-	-	-	-	-	-	-	-	-
54	Female	-	-	-	-	-	-	-	-	-	-
55	Other--Male	-	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Otitis media and mastoiditis (391-393)	433	149	29	9	5	2	194	18	16	11
58	White--Male	194	55	19	5	1	1	81	9	7	9
59	Female	155	43	7	1	4	1	56	7	6	2
60	Negro--Male	43	23	3	2	-	-	28	1	-	-
61	Female	34	24	-	1	-	-	25	-	1	-
62	Other--Male	3	1	-	-	-	-	1	-	2	-
63	Female	4	3	-	-	-	-	3	1	-	-
64	Other diseases of nervous system and sense organs (Residual[1])	4,773	480	172	104	76	57	889	161	113	94
65	White--Male	2,337	192	61	52	37	24	366	73	58	44
66	Female	1,727	177	73	42	25	20	337	59	38	35
67	Negro--Male	395	63	17	5	5	6	96	20	7	12
68	Female	291	44	19	5	8	6	82	7	10	3
69	Other--Male	15	2	1	-	1	-	4	2	-	-
70	Female	8	2	1	-	-	1	4	-	-	-
71	VII. Diseases of the circulatory system	702,731	337	109	56	44	43	589	196	271	484
72	White--Male	373,037	140	36	24	13	16	229	81	98	200
73	Female	265,806	99	37	17	18	16	187	67	95	164
74	Negro--Male	32,775	45	16	6	3	6	76	22	28	45
75	Female	29,337	47	19	9	9	4	88	22	46	71
76	Other--Male	1,297	4	1	-	-	1	6	3	1	3
77	Female	479	2	-	-	1	-	3	1	3	1
78	Diseases of heart (400-402,410-443)	637,246	299	100	47	34	39	519	181	249	395
79	White--Male	342,504	117	31	22	12	16	198	73	91	173
80	Female	238,045	92	35	14	14	13	168	61	87	122
81	Negro--Male	29,222	40	14	4	2	6	66	21	27	42
82	Female	25,856	44	19	7	6	4	80	22	40	55
83	Other--Male	1,186	4	1	-	-	-	5	3	1	3
84	Female	433	2	-	-	-	-	2	1	3	-

[1]For category numbers, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
27	35	40	31	46	68	82	86	94	88	66	43	23	14	6	1	-	-	1
10	16	14	10	18	26	35	38	36	38	42	24	11	9	1	-	-	-	2
10	6	10	7	13	20	21	19	36	28	18	15	11	4	3	1	-	-	3
3	7	10	7	8	15	10	13	9	18	4	2	-	-	-	-	-	-	4
4	6	6	6	6	7	14	14	13	4	2	2	1	1	2	-	-	-	5
-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	7
12	40	65	115	150	227	183	155	154	126	95	48	17	13	2	-	-	-	8
2	12	24	50	55	87	76	56	69	67	43	20	10	5	1	-	-	-	9
7	23	32	55	83	130	101	87	77	58	46	27	6	8	1	-	-	-	10
-	4	2	5	5	5	4	6	2	-	3	-	1	-	-	-	-	-	11
3	1	7	5	7	5	2	6	5	1	1	1	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	14
1	-	-	8	7	32	70	116	245	516	639	568	373	133	19	4	2	-	15
-	-	-	4	4	18	35	61	133	288	356	314	176	49	7	2	1	-	16
-	-	-	3	2	11	31	49	104	212	276	246	192	83	12	2	-	-	17
-	-	-	-	1	2	1	2	4	10	3	5	2	1	-	-	-	-	18
1	-	-	1	-	-	1	4	2	5	4	2	2	-	-	-	1	-	19
-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	21
41	29	27	17	9	8	14	9	2	5	8	-	4	1	1	-	-	-	22
16	19	18	10	4	5	6	4	1	3	3	-	3	1	-	-	-	-	23
15	8	7	5	5	3	6	3	1	2	4	-	1	-	1	-	-	-	24
6	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	25
4	1	2	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
176	167	181	189	166	139	148	126	95	81	62	40	25	11	-	-	1	3	29
81	62	75	73	70	53	74	57	40	31	30	23	9	2	-	-	-	2	30
50	59	59	55	50	44	36	41	31	40	23	15	13	8	-	-	-	1	31
30	30	28	35	30	33	29	25	16	9	4	2	1	1	-	-	-	-	32
14	14	18	22	14	9	9	3	8	1	4	-	2	-	-	-	1	-	33
1	1	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	34
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	2	2	-	-	-	2	1	-	1	1	-	-	-	-	-	-	36
-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	37
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	1	1	2	2	1	4	7	6	1	1	-	-	-	-	43
-	-	-	-	-	-	1	1	1	3	3	5	1	-	-	-	-	-	44
-	-	-	-	-	-	1	1	-	1	3	1	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	46
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
8	9	11	17	22	14	14	15	20	16	19	13	8	5	1	-	-	2	57
4	4	6	12	13	8	6	3	9	5	8	5	3	2	-	-	-	-	58
2	5	4	1	7	2	7	9	8	11	11	7	5	2	1	-	-	2	59
1	-	-	3	-	2	1	3	2	-	-	1	-	1	-	-	-	-	60
1	-	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
80	99	139	149	187	262	334	406	482	435	350	278	181	88	32	8	1	5	64
38	44	60	68	95	126	178	226	261	231	186	143	87	36	12	4	-	1	65
33	38	55	45	60	98	106	128	167	157	127	105	73	44	17	4	-	1	66
8	8	12	18	17	20	34	30	34	30	22	13	12	1	1	-	-	-	67
1	9	11	17	14	18	15	21	18	15	13	16	9	7	2	-	1	2	68
-	-	-	1	1	-	1	1	1	1	2	-	-	-	-	-	-	1	69
-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	70
736	1,393	3,170	6,531	12,862	22,573	35,767	50,036	69,885	93,317	106,790	107,461	94,485	62,529	25,952	6,395	1,007	302	71
295	558	1,522	3,724	8,084	14,437	23,171	31,729	42,971	54,089	57,727	53,468	42,877	25,710	9,719	2,041	214	93	72
245	388	730	1,277	2,226	4,063	6,816	11,011	18,952	30,001	40,826	47,777	47,249	34,181	15,011	3,909	546	85	73
86	203	435	746	1,362	2,099	3,102	3,824	4,214	4,993	4,203	3,194	2,095	1,214	506	173	91	64	74
106	232	464	762	1,144	1,898	2,574	3,296	3,556	4,003	3,761	2,790	2,077	1,333	659	249	149	57	75
2	5	9	16	33	54	83	140	148	173	193	185	126	62	34	15	4	2	76
2	7	10	6	13	22	21	36	44	58	80	47	61	29	23	8	3	1	77
605	1,147	2,754	5,866	11,890	21,162	33,683	47,342	65,708	86,991	98,193	97,138	83,167	53,174	21,025	5,016	765	276	78
256	498	1,415	3,538	7,737	13,841	22,196	30,306	40,640	50,704	53,192	48,388	37,702	21,827	7,870	1,613	162	84	79
188	303	612	1,103	1,968	3,726	6,289	10,315	17,767	27,947	37,626	43,293	41,688	29,084	12,170	3,041	407	80	80
74	161	359	603	1,191	1,873	2,808	3,548	3,843	4,527	3,757	2,801	1,820	1,027	400	137	79	58	81
83	174	353	602	950	1,652	2,291	3,013	3,277	3,595	3,369	2,449	1,789	1,155	538	204	112	53	82
2	5	6	15	32	51	80	127	140	162	179	163	112	54	29	13	3	1	83
2	6	9	5	12	19	19	33	41	56	70	44	56	27	18	8	2	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
01	Rheumatic fever (400-402)	806	9	6	6	7	8	36	66	85	48
02	White--Male	336	1	1	4	2	3	11	21	25	21
03	Female	297	4	3	1	4	3	15	23	31	12
04	Negro--Male	79	3	-	1	-	1	5	9	10	6
05	Female	84	1	2	-	1	1	5	11	18	8
06	Other--Male	4	-	-	-	-	-	-	1	1	1
07	Female	6	-	-	-	-	-	-	1	-	-
08	Chronic rheumatic heart disease (410-416)	17,990	3	1	4	2	4	14	27	72	173
09	White--Male	7,938	1	-	1	1	1	4	8	23	76
10	Female	8,639	1	1	2	1	2	7	9	27	57
11	Negro--Male	636	-	-	-	-	1	1	3	8	15
12	Female	721	1	-	1	-	-	2	5	12	25
13	Other--Male	37	-	-	-	-	-	-	2	-	-
14	Female	19	-	-	-	-	-	-	-	2	-
15	Diseases of mitral valve (410)	6,431	2	1	2	1	-	6	6	21	43
16	White--Male	2,657	1	-	1	-	-	2	4	7	22
17	Female	3,282	-	1	1	1	-	3	1	9	16
18	Negro--Male	227	-	-	-	-	-	-	-	2	2
19	Female	248	1	-	-	-	-	1	-	1	3
20	Other--Male	9	-	-	-	-	-	-	1	-	-
21	Female	8	-	-	-	-	-	-	-	2	-
22	Diseases of aortic valve specified as rheumatic (411)	1,718	-	-	-	-	-	-	1	3	13
23	White--Male	1,194	-	-	-	-	-	-	-	-	8
24	Female	447	-	-	-	-	-	-	1	2	2
25	Negro--Male	54	-	-	-	-	-	-	-	-	2
26	Female	20	-	-	-	-	-	-	-	1	1
27	Other--Male	2	-	-	-	-	-	-	-	-	-
28	Female	1	-	-	-	-	-	-	-	-	-
29	Diseases of pulmonary valve, etc.* ,specified as rheumatic (413,414)	1,026	-	-	-	-	-	-	1	5	11
30	White--Male	454	-	-	-	-	-	-	-	2	2
31	Female	496	-	-	-	-	-	-	1	1	5
32	Negro--Male	39	-	-	-	-	-	-	-	1	1
33	Female	30	-	-	-	-	-	-	-	1	3
34	Other--Male	4	-	-	-	-	-	-	-	-	-
35	Female	3	-	-	-	-	-	-	-	-	-
36	Other diseases of heart specified as rheumatic (412,415,416)	8,815	1	-	2	1	4	8	19	43	106
37	White--Male	3,633	-	-	-	1	1	2	4	14	44
38	Female	4,414	1	-	1	-	2	4	6	15	34
39	Negro--Male	316	-	-	-	-	1	1	3	5	10
40	Female	423	-	-	1	-	-	1	5	9	18
41	Other--Male	22	-	-	-	-	-	-	1	-	-
42	Female	7	-	-	-	-	-	-	-	-	-
43	Arteriosclerotic heart disease, including coronary disease (420)	461,373	9	4	2	1	2	18	12	14	37
44	White--Male	271,556	3	4	-	-	1	8	5	7	23
45	Female	160,438	2	-	1	1	1	5	4	4	7
46	Negro--Male	16,220	1	-	-	-	-	1	2	1	5
47	Female	12,067	2	-	1	-	-	3	1	2	1
48	Other--Male	831	1	-	-	-	-	1	-	-	1
49	Female	261	-	-	-	-	-	-	-	-	-
50	Arteriosclerotic heart disease so described (420.0)	183,425	-	-	-	-	-	-	-	-	-
51	White--Male	94,706	-	-	-	-	-	-	-	-	-
52	Female	76,900	-	-	-	-	-	-	-	-	-
53	Negro--Male	6,207	-	-	-	-	-	-	-	-	-
54	Female	5,166	-	-	-	-	-	-	-	-	-
55	Other--Male	325	-	-	-	-	-	-	-	-	-
56	Female	121	-	-	-	-	-	-	-	-	-
57	Heart disease specified as involving coronary arteries (420.1)	277,275	9	4	2	1	2	18	12	14	37
58	White--Male	176,471	3	4	-	-	1	8	5	7	23
59	Female	83,332	2	-	1	1	1	5	4	4	7
60	Negro--Male	9,964	1	-	-	-	-	1	2	1	5
61	Female	6,865	2	-	1	-	-	3	1	2	1
62	Other--Male	503	1	-	-	-	-	1	-	-	1
63	Female	140	-	-	-	-	-	-	-	-	-
64	Angina pectoris without mention of coronary disease (420.2)	673	-	-	-	-	-	-	-	-	-
65	White--Male	379	-	-	-	-	-	-	-	-	-
66	Female	206	-	-	-	-	-	-	-	-	-
67	Negro--Male	49	-	-	-	-	-	-	-	-	-
68	Female	36	-	-	-	-	-	-	-	-	-
69	Other--Male	3	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Chronic endocarditis not specified as rheumatic (421)	5,606	14	4	3	1	1	23	5	7	14
72	White--Male	2,712	5	1	1	-	1	8	3	4	5
73	Female	2,100	6	-	1	1	-	8	1	1	5
74	Negro--Male	409	2	-	-	-	-	2	-	-	3
75	Female	373	1	3	1	-	-	5	1	2	1
76	Other--Male	10	-	-	-	-	-	-	-	-	-
77	Female	2	-	-	-	-	-	-	-	-	-
78	Of mitral valve, specified as nonrheumatic (421.0)	456	-	-	-	-	-	-	-	-	1
79	White--Male	167	-	-	-	-	-	-	-	-	-
80	Female	233	-	-	-	-	-	-	-	-	-
81	Negro--Male	24	-	-	-	-	-	-	-	-	1
82	Female	31	-	-	-	-	-	-	-	-	-
83	Other--Male	1	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
43	26	46	49	60	59	48	56	53	53	40	18	13	6	1	-	-	-	1
15	10	16	21	23	26	26	21	27	36	16	12	6	3	-	-	-	-	2
18	9	14	21	26	21	18	23	18	14	20	5	6	3	-	-	-	-	3
5	2	7	2	5	7	1	10	4	2	2	1	1	-	-	-	-	-	4
4	4	9	3	5	5	3	2	3	1	2	-	-	-	1	-	-	-	5
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	7
239	405	725	1,009	1,359	1,907	2,116	2,158	2,151	1,819	1,472	1,078	729	387	118	26	3	3	8
99	161	334	451	650	842	948	976	996	812	649	428	286	155	35	4	-	1	9
90	148	294	424	567	903	1,023	1,048	1,049	923	757	601	406	214	71	19	1	1	10
20	39	41	54	69	67	70	66	50	42	34	25	17	10	4	1	-	-	11
29	52	51	78	66	87	71	63	51	38	29	21	20	8	8	2	2	1	12
1	1	2	2	6	5	2	5	3	2	3	3	-	-	-	-	-	-	13
-	4	3	-	1	3	2	-	2	2	-	-	-	-	-	-	-	-	14
74	143	252	355	457	665	679	723	703	597	586	475	330	219	78	15	3	1	15
19	55	99	129	190	262	272	315	322	266	246	191	139	89	24	3	-	1	16
40	63	124	192	228	358	368	361	336	294	301	255	161	117	45	9	1	-	17
4	11	10	13	18	20	18	27	24	15	23	14	14	7	4	1	-	-	18
11	9	19	20	19	24	18	20	21	21	16	14	16	6	5	2	2	-	19
-	1	-	1	2	1	1	-	-	1	-	1	-	-	-	-	-	-	20
-	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	21
18	48	77	111	137	175	203	211	252	191	129	90	39	16	4	-	-	-	22
14	33	57	93	112	139	141	146	173	123	85	42	15	11	2	-	-	-	23
1	8	14	14	18	29	51	56	74	63	39	46	23	4	2	-	-	-	24
3	6	4	2	5	3	9	6	3	5	3	1	1	1	-	-	-	-	25
-	1	2	2	1	4	2	3	1	-	1	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	27
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
16	19	43	47	73	106	119	103	132	123	92	61	46	21	6	2	-	-	29
7	7	24	26	35	38	58	49	53	55	47	26	14	9	2	-	-	-	30
4	7	14	13	32	58	54	49	75	62	44	29	32	11	3	2	-	-	31
2	2	1	4	4	5	5	3	3	4	-	3	-	1	-	-	-	-	32
2	3	2	4	1	4	2	2	-	1	1	3	-	-	1	-	-	-	33
1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	34
-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	35
131	195	353	496	692	961	1,115	1,121	1,064	908	665	452	314	131	30	9	-	2	36
59	66	154	203	313	403	477	466	448	388	271	169	118	46	7	1	-	-	37
45	70	142	205	289	458	550	582	564	504	373	271	190	82	21	8	-	1	38
11	20	26	35	42	39	38	30	20	18	8	7	2	1	-	-	-	-	39
16	39	28	52	45	55	49	38	29	16	11	3	4	2	2	-	-	1	40
-	-	2	1	3	4	1	5	1	-	2	2	-	-	-	-	-	-	41
-	-	1	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	42
131	387	1,336	3,562	8,307	15,430	25,377	36,113	50,888	66,688	73,635	69,801	57,454	34,915	13,505	3,144	452	169	43
70	223	880	2,646	6,325	11,632	18,836	25,644	34,295	41,913	42,632	37,040	27,632	15,202	5,333	1,045	104	61	44
27	64	168	427	943	1,991	3,845	6,892	12,672	20,262	27,048	29,848	27,807	18,546	7,664	1,908	255	51	45
17	51	162	287	623	1,054	1,592	2,055	2,231	2,580	2,119	1,537	1,021	532	212	67	41	30	46
17	46	122	194	389	705	1,026	1,408	1,572	1,778	1,667	1,222	879	588	261	110	50	26	47
-	3	3	7	21	36	66	90	91	118	128	122	76	33	22	10	2	1	48
-	-	1	1	6	12	12	24	27	35	41	32	39	14	13	4	-	-	49
8	26	118	351	991	2,305	4,959	8,586	15,127	22,993	30,325	33,187	31,568	21,298	9,036	2,182	306	59	50
6	14	74	256	728	1,633	3,416	5,607	9,388	13,382	16,311	16,602	14,397	8,776	3,355	680	62	19	51
2	6	16	39	119	332	876	1,921	4,237	7,666	12,017	14,981	15,947	11,798	5,369	1,372	184	18	52
-	5	14	35	83	203	392	577	839	1,053	1,024	847	610	316	125	46	27	11	53
-	1	14	20	57	133	263	447	629	839	879	673	540	379	174	75	32	11	54
-	-	-	-	3	3	10	30	24	42	66	63	49	19	9	6	1	-	55
-	-	-	1	1	1	2	4	10	11	28	21	25	10	4	3	-	-	56
123	360	1,216	3,204	7,304	13,105	20,385	27,474	35,684	43,585	43,187	36,506	25,808	13,578	4,460	980	145	110	57
64	209	806	2,387	5,591	9,987	15,406	20,006	24,861	28,463	26,245	20,379	13,194	6,410	1,972	364	42	42	58
25	58	152	385	821	1,656	2,961	4,960	8,419	12,573	15,000	14,822	11,824	6,725	2,293	535	70	33	59
17	46	146	251	539	849	1,194	1,470	1,385	1,516	1,087	688	410	216	87	21	14	19	60
17	44	108	174	330	569	759	958	935	933	782	547	339	209	86	35	18	15	61
-	3	3	7	18	33	55	60	67	76	60	59	27	14	13	4	1	1	62
-	-	1	-	5	11	10	20	17	24	13	11	14	4	9	1	-	-	63
-	1	2	7	12	20	33	53	77	108	123	108	78	39	9	2	1	-	64
-	-	-	3	6	12	14	31	46	68	76	59	41	16	6	1	-	-	65
-	-	-	3	3	3	8	11	16	23	31	45	36	23	2	1	1	-	66
-	-	2	1	1	2	6	8	7	11	8	2	1	-	-	-	-	-	67
-	1	-	-	2	3	4	3	8	6	6	2	-	-	1	-	-	-	68
-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
8	24	42	68	121	208	264	407	531	720	822	821	754	524	177	54	6	6	71
4	16	22	46	74	119	146	224	291	387	408	393	293	192	64	11	1	1	72
3	4	11	8	20	49	54	81	152	220	300	351	401	286	103	38	2	2	73
-	2	3	7	12	25	31	53	45	59	61	39	34	22	6	2	1	2	74
1	2	5	7	15	14	30	49	41	54	49	38	25	24	4	3	2	1	75
-	-	-	-	-	1	2	-	2	-	4	-	1	-	-	-	-	-	76
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	77
1	-	-	3	5	4	11	18	25	58	63	72	87	70	29	9	-	-	78
1	-	-	1	3	3	7	6	11	18	26	30	26	23	10	2	-	-	79
-	-	-	2	1	1	3	6	8	28	29	37	52	42	18	6	-	-	80
-	-	-	-	-	-	-	2	3	5	4	3	4	1	1	-	-	-	81
-	-	-	-	1	-	1	4	3	7	4	2	4	4	-	1	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
	Chronic endocarditis not specified as rheumatic—Continued										
01	Of aortic valve, not specified as rheumatic (421.1)	1,998	2	1	-	-	-	3	4	1	5
02	White—Male	1,218	1	-	-	-	-	1	2	-	3
03	Female	549	-	-	-	-	-	-	1	-	2
04	Negro—Male	140	-	-	-	-	-	-	-	-	-
05	Female	86	1	1	-	-	-	2	1	1	-
06	Other—Male	5	-	-	-	-	-	-	-	-	-
07	Female	-	-	-	-	-	-	-	-	-	-
08	Of other valves, not specified as rheumatic (421.2-421.4)	3,152	12	3	3	1	1	20	1	6	8
09	White—Male	1,327	4	1	1	-	1	7	1	4	2
10	Female	1,318	6	-	1	1	-	8	-	1	3
11	Negro—Male	245	2	-	-	-	-	2	-	-	2
12	Female	256	-	2	1	-	-	3	-	1	1
13	Other—Male	4	-	-	-	-	-	-	-	-	-
14	Female	2	-	-	-	-	-	-	-	-	-
15	Other myocardial degeneration (422)	52,989	40	19	7	5	4	75	18	8	26
16	White—Male	22,719	16	8	5	1	2	32	12	2	13
17	Female	24,540	14	4	2	1	1	22	1	5	10
18	Negro—Male	2,861	5	3	-	-	1	9	3	-	3
19	Female	2,707	4	4	-	3	-	11	2	1	-
20	Other—Male	103	-	-	-	-	-	-	-	-	-
21	Female	39	1	-	-	-	-	1	-	-	-
22	With arteriosclerosis (422.1)	35,916	-	-	-	1	-	1	-	-	2
23	White—Male	15,154	-	-	-	1	-	1	-	-	-
24	Female	17,173	-	-	-	-	-	-	-	-	2
25	Negro—Male	1,777	-	-	-	-	-	-	-	-	-
26	Female	1,713	-	-	-	-	-	-	-	-	-
27	Other—Male	77	-	-	-	-	-	-	-	-	-
28	Female	22	-	-	-	-	-	-	-	-	-
29	Without mention of arteriosclerosis (422.0,422.2)	17,073	40	19	7	4	4	74	18	8	24
30	White—Male	7,565	16	8	5	-	2	31	12	2	13
31	Female	7,367	14	4	2	1	1	22	1	5	8
32	Negro—Male	1,104	5	3	-	-	1	9	3	-	3
33	Female	994	4	4	-	3	-	11	2	1	-
34	Other—Male	26	-	-	-	-	-	-	-	-	-
35	Female	17	1	-	-	-	-	1	-	-	-
36	Other diseases of heart (430-434)	24,548	223	65	25	18	20	351	53	60	87
37	White—Male	12,004	90	17	11	8	8	134	24	28	31
38	Female	8,479	65	27	7	6	6	111	23	18	28
39	Negro—Male	2,315	29	11	3	2	3	48	4	8	9
40	Female	1,642	35	9	4	2	3	53	2	5	18
41	Other—Male	67	3	1	-	-	-	4	-	-	1
42	Female	41	1	-	-	-	-	1	-	1	-
43	Acute and subacute endocarditis (430)	754	8	1	2	-	4	15	7	5	21
44	White—Male	394	2	1	2	-	1	6	2	2	11
45	Female	229	4	-	-	-	2	6	3	1	5
46	Negro—Male	70	-	-	-	-	-	-	1	1	2
47	Female	57	2	-	-	-	1	3	1	1	3
48	Other—Male	1	-	-	-	-	-	-	-	-	-
49	Female	3	-	-	-	-	-	-	-	-	-
50	Acute myocarditis and acute pericarditis, not specified as rheumatic (431,432)	1,051	44	17	7	2	5	75	11	6	9
51	White—Male	432	19	4	2	-	2	27	8	1	3
52	Female	384	15	7	4	2	2	30	2	5	5
53	Negro—Male	114	8	3	1	-	-	12	1	-	-
54	Female	115	2	2	-	-	1	5	-	-	1
55	Other—Male	2	-	1	-	-	-	1	-	-	-
56	Female	4	-	-	-	-	-	-	-	-	-
57	Functional disease of heart (433)	5,047	47	12	7	7	6	79	17	17	12
58	White—Male	2,374	20	4	2	4	3	33	6	8	4
59	Female	2,300	17	4	2	1	1	25	10	4	4
60	Negro—Male	197	7	3	1	1	2	14	1	5	1
61	Female	161	3	1	2	1	-	7	-	-	3
62	Other—Male	8	-	-	-	-	-	-	-	-	-
63	Female	7	-	-	-	-	-	-	-	-	-
64	Other and unspecified diseases of heart (434)	17,696	124	35	9	9	5	182	18	32	45
65	White—Male	8,804	49	8	5	4	2	68	8	17	13
66	Female	5,566	29	16	1	3	1	50	8	8	14
67	Negro—Male	1,934	14	5	1	1	1	22	1	2	6
68	Female	1,309	28	6	2	1	1	38	1	4	11
69	Other—Male	56	3	-	-	-	-	3	-	-	1
70	Female	27	1	-	-	-	-	1	-	1	-
71	Hypertensive heart disease (440-443)	73,934	1	1	-	-	-	2	-	3	10
72	White—Male	25,239	1	-	-	-	-	1	-	2	4
73	Female	33,552	-	-	-	-	-	-	-	1	3
74	Negro—Male	6,682	-	-	-	-	-	-	-	-	1
75	Female	8,262	-	1	-	-	-	1	-	-	2
76	Other—Male	134	-	-	-	-	-	-	-	-	-
77	Female	65	-	-	-	-	-	-	-	-	-
78	Hypertensive heart disease with arteriolar nephrosclerosis (442)	17,601	1	1	-	-	-	2	-	1	3
79	White—Male	7,033	1	-	-	-	-	1	-	1	2
80	Female	7,479	-	-	-	-	-	-	-	-	1
81	Negro—Male	1,461	-	-	-	-	-	-	-	-	-
82	Female	1,594	-	1	-	-	-	1	-	-	-
83	Other—Male	20	-	-	-	-	-	-	-	-	-
84	Female	14	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	11	19	33	64	105	125	199	238	316	298	234	191	100	38	10	-	2	1
1	9	12	30	48	72	78	141	159	204	177	127	100	42	8	3	-	1	2
1	1	3	-	5	18	19	24	52	85	86	88	79	53	27	5	-	-	3
-	1	2	2	7	11	16	19	15	18	22	14	8	1	2	1	-	1	4
-	-	2	1	4	3	10	15	11	9	12	5	4	4	1	1	-	-	5
-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
5	13	23	32	52	99	128	190	268	346	461	515	476	354	110	35	6	4	8
2	7	10	15	23	44	61	77	121	165	205	236	167	127	46	6	1	-	9
2	3	8	6	14	30	32	51	92	107	185	226	270	191	58	27	2	2	10
-	1	1	5	5	14	15	32	27	36	35	22	22	20	3	1	1	1	11
1	2	3	6	10	11	19	30	27	38	33	31	17	16	3	1	2	1	12
-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	13
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
29	62	114	198	328	562	1,074	1,739	2,854	4,694	7,234	9,648	10,520	8,482	4,013	1,094	185	32	15
12	27	35	69	112	216	475	785	1,277	2,247	3,417	4,397	4,516	3,294	1,399	334	40	8	16
10	11	17	37	65	146	252	439	910	1,643	2,945	4,555	5,453	4,802	2,415	671	100	11	17
4	14	30	54	65	102	187	260	348	449	433	356	251	176	80	33	16	8	18
3	10	32	37	65	97	158	243	300	345	417	321	276	195	113	50	26	5	19
-	-	-	1	1	-	2	12	17	10	13	16	16	8	3	3	1	-	20
-	-	-	-	-	1	-	-	2	-	9	3	8	7	3	3	2	-	21
4	12	26	52	131	256	491	900	1,789	3,126	5,053	6,809	7,521	6,059	2,835	712	112	25	22
1	2	6	18	38	88	207	388	762	1,464	2,340	3,054	3,209	2,350	975	219	28	6	23
3	2	4	5	35	64	112	212	564	1,122	2,115	3,290	3,927	3,460	1,739	446	62	9	24
-	5	7	15	29	49	84	152	241	303	308	219	174	107	49	18	10	7	25
-	3	9	14	28	55	86	140	204	232	274	233	193	132	69	26	12	3	26
-	-	-	-	1	-	2	8	16	5	9	12	13	6	2	2	1	-	27
-	-	-	-	-	-	-	-	2	-	7	1	5	4	1	1	1	-	28
25	50	88	146	197	306	583	839	1,065	1,568	2,181	2,839	2,999	2,423	1,178	382	73	7	29
11	25	29	51	74	128	268	397	515	783	1,077	1,343	1,307	944	424	115	14	2	30
7	9	13	32	50	82	140	227	346	521	830	1,265	1,526	1,342	676	225	38	2	31
4	9	23	39	36	53	103	108	107	146	125	137	77	69	31	15	6	1	32
3	7	23	23	37	42	72	103	96	113	143	88	83	63	44	24	14	2	33
-	-	-	1	-	-	-	4	1	5	4	4	3	2	1	1	-	-	34
-	-	-	-	-	1	-	-	-	-	2	2	3	3	2	2	1	-	35
123	163	264	431	639	943	1,436	1,876	2,274	2,985	3,317	3,410	2,941	2,072	845	211	42	25	36
46	49	89	186	295	474	741	985	1,219	1,573	1,717	1,717	1,377	874	345	84	8	8	37
31	54	76	112	131	203	282	388	591	864	1,174	1,355	1,372	1,089	447	110	16	4	38
22	30	41	62	128	149	253	287	276	314	258	214	102	58	26	8	9	9	39
22	28	55	67	80	116	156	201	178	218	157	116	81	42	25	9	9	4	40
1	1	-	2	2	1	4	10	6	11	5	7	6	5	1	-	-	-	41
1	1	3	2	3	-	-	5	4	5	6	1	3	4	1	-	-	-	42
23	35	32	35	44	62	73	70	83	86	66	57	24	12	4	-	-	-	43
11	14	13	20	20	31	42	37	49	53	40	25	11	7	-	-	-	-	44
5	11	12	6	12	20	14	16	24	24	22	28	11	5	4	-	-	-	45
2	2	3	3	9	7	11	9	7	6	2	3	2	-	-	-	-	-	46
5	7	4	5	3	4	6	7	2	3	2	1	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	48
-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
16	14	22	37	45	56	61	91	90	102	112	110	94	60	28	7	4	1	50
7	2	6	16	21	31	19	38	39	45	45	47	34	28	12	2	-	1	51
6	8	9	8	12	11	17	18	23	33	49	51	49	30	12	5	1	-	52
-	1	3	4	10	6	9	16	16	12	9	8	3	2	1	-	1	-	53
2	3	4	9	1	8	16	18	12	12	9	3	8	-	2	-	2	-	54
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	55
1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	56
24	28	50	61	73	102	184	248	348	576	732	839	775	589	233	52	6	2	57
9	7	14	21	43	43	92	121	175	297	379	425	352	236	83	24	-	2	58
8	13	20	26	19	35	64	92	138	237	309	383	401	342	141	25	4	-	59
1	3	10	9	8	10	18	17	16	22	19	18	13	3	6	1	2	-	60
6	5	5	5	3	14	10	18	17	17	22	13	7	5	2	2	-	-	61
-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	-	-	-	62
-	-	1	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-	63
60	86	160	298	477	723	1,118	1,467	1,753	2,221	2,407	2,404	2,048	1,411	580	152	32	22	64
19	26	56	129	211	369	588	789	956	1,178	1,253	1,220	980	603	250	58	8	5	65
12	22	35	72	88	137	187	262	406	570	794	893	911	712	290	80	11	4	66
19	24	25	46	101	126	215	245	237	274	228	185	84	53	19	7	6	9	67
9	13	42	48	73	90	124	158	147	186	124	99	66	37	21	7	7	4	68
1	1	-	2	2	1	4	10	5	9	4	6	4	3	-	-	-	-	69
-	-	2	1	2	-	-	3	2	4	4	1	3	3	-	-	-	-	70
32	80	227	549	1,076	2,053	3,368	4,993	6,957	10,034	11,673	12,362	10,756	6,788	2,366	487	77	41	71
10	12	39	119	258	532	1,024	1,671	2,535	3,736	4,353	4,401	3,592	2,107	694	135	9	5	72
9	13	32	74	196	413	815	1,444	2,375	4,021	5,382	6,578	6,243	4,144	1,470	295	33	11	73
6	23	75	137	289	469	674	817	889	1,081	850	629	394	229	72	26	12	9	74
7	32	79	216	330	628	847	1,047	1,132	1,161	1,048	731	508	298	126	30	23	16	75
-	-	1	2	2	8	4	10	21	21	26	15	13	8	3	-	-	-	76
-	-	1	1	1	3	4	4	5	14	14	8	6	2	1	1	-	-	77
7	22	57	122	218	351	602	836	1,204	1,835	2,524	3,053	3,218	2,305	965	221	40	15	78
2	3	10	26	55	98	187	294	464	794	1,071	1,314	1,365	894	368	73	8	3	79
4	1	11	22	34	69	134	213	368	624	1,032	1,423	1,601	1,262	529	127	19	5	80
-	5	15	31	76	85	136	144	177	209	191	153	121	65	32	14	5	2	81
1	13	20	42	53	97	144	183	194	204	220	158	129	80	35	7	8	5	82
-	-	1	-	-	1	-	1	1	2	5	4	-	4	1	-	-	-	83
-	-	-	1	-	1	1	1	-	2	5	1	2	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
	Hypertensive heart disease—Continued										
01	Other hypertensive heart disease (440,441,443)	56,333	-	-	-	-	-	-	-	2	7
02	White—Male	18,206	-	-	-	-	-	-	-	1	2
03	Female	26,073	-	-	-	-	-	-	-	1	2
04	Negro—Male	5,221	-	-	-	-	-	-	-	-	1
05	Female	6,668	-	-	-	-	-	-	-	-	2
06	Other—Male	114	-	-	-	-	-	-	-	-	-
07	Female	51	-	-	-	-	-	-	-	-	-
08	Other hypertensive disease (444-447)	13,798	-	1	-	1	-	2	2	2	15
09	White—Male	5,591	-	1	-	-	-	1	2	1	3
10	Female	5,526	-	-	-	-	-	-	-	1	6
11	Negro—Male	1,342	-	-	-	-	-	-	-	-	2
12	Female	1,300	-	-	-	1	-	1	-	-	4
13	Other—Male	26	-	-	-	-	-	-	-	-	-
14	Female	13	-	-	-	-	-	-	-	-	-
15	Hypertension with arteriolar nephrosclerosis (446)	6,699	-	1	-	-	-	1	-	-	1
16	White—Male	3,294	-	1	-	-	-	1	-	-	-
17	Female	2,576	-	-	-	-	-	-	-	-	1
18	Negro—Male	442	-	-	-	-	-	-	-	-	-
19	Female	369	-	-	-	-	-	-	-	-	-
20	Other—Male	14	-	-	-	-	-	-	-	-	-
21	Female	4	-	-	-	-	-	-	-	-	-
22	Essential hypertension and other hypertensive disease without mention of heart (444,445,447)	7,099	-	-	-	1	-	1	2	2	14
23	White—Male	2,297	-	-	-	-	-	-	2	1	3
24	Female	2,950	-	-	-	-	-	-	-	1	5
25	Negro—Male	900	-	-	-	-	-	-	-	-	2
26	Female	931	-	-	-	1	-	1	-	-	4
27	Other—Male	12	-	-	-	-	-	-	-	-	-
28	Female	9	-	-	-	-	-	-	-	-	-
29	Diseases of arteries (450-456)	44,110	6	2	1	-	1	10	7	14	52
30	White—Male	21,425	3	1	-	-	-	4	3	3	16
31	Female	19,183	1	-	-	-	1	2	4	5	29
32	Negro—Male	1,728	1	1	1	-	-	3	-	-	-
33	Female	1,680	1	-	-	-	-	1	-	6	6
34	Other—Male	73	-	-	-	-	-	-	-	-	-
35	Female	21	-	-	-	-	-	-	-	-	1
36	General arteriosclerosis (450)	34,483	-	-	1	-	-	1	1	-	-
37	White—Male	15,264	-	-	-	-	-	-	1	-	-
38	Female	16,599	-	-	-	-	-	-	-	-	-
39	Negro—Male	1,275	-	-	1	-	-	1	-	-	-
40	Female	1,281	-	-	-	-	-	-	-	-	-
41	Other—Male	49	-	-	-	-	-	-	-	-	-
42	Female	15	-	-	-	-	-	-	-	-	-
43	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm (451)	7,086	-	-	-	-	-	-	-	-	5
44	White—Male	4,894	-	-	-	-	-	-	-	-	4
45	Female	1,641	-	-	-	-	-	-	-	-	1
46	Negro—Male	318	-	-	-	-	-	-	-	-	-
47	Female	208	-	-	-	-	-	-	-	-	-
48	Other—Male	23	-	-	-	-	-	-	-	-	-
49	Female	2	-	-	-	-	-	-	-	-	-
50	Gangrene of unspecified cause (455)	243	3	1	-	-	-	4	-	-	-
51	White—Male	118	-	-	-	-	-	-	-	-	-
52	Female	80	1	-	-	-	-	1	-	-	-
53	Negro—Male	21	1	1	-	-	-	2	-	-	-
54	Female	24	1	-	-	-	-	1	-	-	-
55	Other—Male	-	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Other arterial diseases (452-454,456)	2,298	3	1	-	-	1	5	6	14	47
58	White—Male	1,149	3	1	-	-	-	4	2	3	12
59	Female	863	-	-	-	-	1	1	4	5	28
60	Negro—Male	114	-	-	-	-	-	-	-	-	-
61	Female	167	-	-	-	-	-	-	-	6	6
62	Other—Male	1	-	-	-	-	-	-	-	-	-
63	Female	4	-	-	-	-	-	-	-	-	1
64	Diseases of veins and other diseases of circulatory system (460-468)	7,577	32	6	8	9	3	58	6	6	22
65	White—Male	3,517	20	3	2	1	-	26	3	3	8
66	Female	3,052	6	2	3	4	2	17	2	2	7
67	Negro—Male	483	4	1	1	1	-	7	1	1	1
68	Female	501	2	-	2	2	-	6	-	-	6
69	Other—Male	12	-	-	-	-	1	1	-	-	-
70	Female	12	-	-	-	1	-	1	-	-	-
71	VIII. Diseases of the respiratory system	81,647	12,678	1,860	798	470	295	16,101	732	376	403
72	White—Male	42,671	4,662	660	279	198	114	5,913	322	167	181
73	Female	25,458	3,453	559	295	153	112	4,572	254	139	135
74	Negro—Male	7,620	2,388	308	108	57	36	2,897	67	39	41
75	Female	5,232	1,907	289	103	55	29	2,383	81	28	41
76	Other—Male	404	145	19	6	5	4	179	2	2	3
77	Female	262	123	25	7	2	-	157	6	1	2
78	Acute upper respiratory infections (470-475)	936	455	80	40	28	16	619	45	16	20
79	White—Male	408	198	31	17	17	5	268	26	9	7
80	Female	303	120	27	17	7	8	179	13	5	9
81	Negro—Male	115	78	14	3	2	1	98	3	-	-
82	Female	94	50	6	3	2	2	63	3	1	3
83	Other—Male	11	8	-	-	-	-	8	-	1	1
84	Female	5	1	2	-	-	-	3	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
25	58	170	427	858	1,702	2,766	4,157	5,753	8,199	9,149	9,309	7,538	4,483	1,401	266	37	26	1
8	9	29	93	203	434	837	1,377	2,071	2,942	3,282	3,087	2,227	1,213	326	62	1	2	2
5	12	21	52	162	344	681	1,231	2,007	3,397	4,350	5,155	4,642	2,882	941	168	14	6	3
6	18	60	106	213	384	538	673	712	872	659	476	273	164	40	12	7	7	4
6	19	59	174	277	531	703	864	938	957	828	573	379	218	91	23	15	11	5
-	-	-	2	2	7	4	9	20	19	21	11	13	4	2	-	-	-	6
-	-	1	-	1	2	3	3	5	12	9	7	4	2	1	1	-	-	7
33	84	179	323	466	603	792	817	1,034	1,421	1,821	1,997	2,075	1,384	583	132	25	8	8
15	18	35	71	116	212	283	330	440	586	817	895	927	577	211	47	3	1	9
9	18	22	45	103	123	199	234	370	563	762	903	1,020	728	329	75	13	3	10
3	26	51	99	116	132	152	127	128	130	130	104	66	45	17	8	4	2	11
6	22	70	107	130	131	157	121	94	139	106	90	59	33	22	2	5	1	12
-	-	1	1	1	3	1	5	1	3	2	3	3	1	1	-	-	-	13
-	-	-	-	-	2	-	-	1	-	4	2	-	-	3	-	-	1	14
8	13	25	43	70	114	237	300	434	701	1,028	1,139	1,261	847	372	84	19	2	15
4	5	7	14	17	46	77	126	201	338	532	618	687	421	157	40	2	1	16
3	6	6	7	17	28	63	91	146	250	383	431	512	389	192	40	10	1	17
-	1	4	5	17	22	41	44	52	55	74	57	31	24	8	3	4	-	18
1	1	8	16	19	16	56	37	35	55	37	30	29	13	12	1	3	-	19
-	-	-	1	-	1	-	2	-	3	2	2	2	-	1	-	-	-	20
-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	21
25	71	154	280	396	489	555	517	600	720	793	858	814	537	211	48	6	6	22
11	13	28	57	99	166	206	204	239	248	285	277	240	156	54	7	1	-	23
6	12	16	38	86	95	136	143	224	313	379	472	508	339	137	35	3	2	24
3	25	47	94	99	110	111	83	76	75	56	47	35	21	9	5	-	2	25
5	21	62	91	111	115	101	84	59	84	69	60	30	20	10	1	2	1	26
-	-	1	-	1	2	1	3	1	-	-	1	1	1	-	-	-	-	27
-	-	-	-	-	1	-	-	1	-	4	1	-	-	1	-	-	1	28
64	87	139	173	273	440	811	1,286	2,272	3,819	5,584	7,335	8,520	7,566	4,207	1,219	216	16	29
17	22	48	67	127	224	453	795	1,458	2,284	3,119	3,728	3,918	3,130	1,578	375	49	7	30
32	37	57	56	72	111	179	264	498	1,066	1,947	3,133	4,188	4,158	2,443	775	125	2	31
6	11	13	21	37	55	104	108	165	253	263	242	191	133	85	27	8	3	32
9	16	21	28	37	49	75	110	142	209	241	215	209	136	95	40	32	3	33
-	-	-	-	-	-	-	8	7	7	11	16	9	7	4	2	1	1	34
-	1	-	1	-	1	-	1	2	-	3	1	5	2	2	-	1	-	35
4	4	11	16	49	83	259	486	1,084	2,182	4,008	6,009	7,669	7,140	4,065	1,189	211	12	36
1	3	3	5	21	44	118	236	558	1,098	1,988	2,892	3,425	2,932	1,522	363	48	6	37
1	-	4	6	10	14	74	123	312	739	1,576	2,694	3,853	3,946	2,364	759	123	1	38
1	1	2	3	7	16	36	54	106	180	224	220	183	124	82	26	8	1	39
1	-	2	2	11	9	31	71	104	160	212	190	196	129	91	39	30	3	40
-	-	-	-	-	-	-	2	2	5	6	12	7	7	4	2	1	1	41
-	-	-	-	-	-	-	-	2	-	2	1	5	2	2	-	1	-	42
8	16	28	47	107	186	319	587	965	1,350	1,338	1,053	648	305	102	15	3	4	43
3	9	14	23	56	104	215	431	767	1,019	993	692	373	141	43	5	1	1	44
4	3	7	8	22	31	31	80	120	236	293	326	256	156	56	8	2	1	45
1	2	5	11	20	31	44	42	48	58	24	16	6	5	2	1	-	2	46
-	2	2	5	9	19	29	29	25	35	22	15	11	3	1	1	-	-	47
-	-	-	-	-	-	-	5	5	2	5	4	2	-	-	-	-	-	48
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	49
1	1	-	2	-	3	6	13	20	26	33	38	45	32	16	1	2	-	50
-	1	-	1	-	1	2	6	8	10	18	20	29	16	5	1	-	-	51
1	-	-	1	-	1	2	4	5	9	11	10	14	12	9	-	-	-	52
-	-	-	-	-	-	2	1	3	5	2	2	1	2	1	-	-	-	53
-	-	-	-	-	1	-	2	4	2	2	6	1	2	1	-	2	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
51	66	100	108	117	168	227	200	203	261	205	235	158	89	24	14	-	-	57
13	9	31	38	50	75	118	122	125	157	120	124	91	41	8	6	-	-	58
26	34	46	41	40	65	72	57	61	82	67	103	65	44	14	8	-	-	59
4	8	6	7	10	8	22	11	8	10	13	4	1	2	-	-	-	-	60
8	14	17	21	17	20	15	8	9	12	5	4	1	2	2	-	-	-	61
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	62
-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	63
34	75	98	169	233	368	481	591	871	1,086	1,192	991	723	405	137	28	1	2	64
7	20	24	48	104	160	239	298	433	515	599	457	330	176	60	6	-	1	65
16	30	39	73	83	103	149	198	317	425	491	448	353	211	69	18	1	-	66
3	5	12	23	18	39	38	41	78	83	53	47	18	9	4	1	-	1	67
8	20	20	25	27	66	51	52	43	60	45	36	20	9	4	3	-	-	68
-	-	2	-	-	-	2	-	-	1	1	3	2	-	-	-	-	-	69
-	-	1	-	1	-	2	2	-	2	3	-	-	-	-	-	-	-	70
469	547	759	1,085	1,515	2,197	3,092	4,412	6,160	8,091	8,732	8,843	8,120	6,045	2,884	877	179	28	71
191	186	270	459	688	1,130	1,823	2,751	4,107	5,416	5,505	5,101	4,156	2,741	1,184	325	45	10	72
166	179	213	301	386	539	637	866	1,163	1,744	2,405	3,137	3,477	2,988	1,559	504	91	3	73
53	88	157	188	279	358	398	524	579	602	488	341	256	163	59	20	18	7	74
55	85	112	124	148	158	219	245	282	294	287	230	198	133	76	25	21	7	75
2	4	3	6	9	7	15	20	24	25	35	29	19	14	3	2	1	-	76
2	5	4	7	5	5	2	6	5	10	12	5	14	6	3	1	3	1	77
7	10	10	10	9	16	9	12	27	18	25	17	27	20	15	3	1	-	78
1	4	7	4	3	6	4	4	12	7	11	8	13	5	8	1	-	-	79
4	4	2	3	2	6	2	5	9	10	11	7	14	13	4	1	-	-	80
1	1	1	1	2	1	-	1	1	1	-	1	-	1	1	-	1	-	81
1	1	-	2	2	3	2	2	5	-	1	1	-	1	2	1	-	-	82
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	VIII. Diseases of the respiratory system—Continued										
01	Influenza (480-483)	4,442	446	102	35	23	13	619	40	24	36
02	White--Male	1,732	122	28	16	8	5	179	12	8	16
03	Female	1,608	84	26	10	6	3	129	13	11	16
04	Negro--Male	597	125	21	4	3	3	156	6	2	1
05	Female	480	106	24	5	6	2	143	9	3	3
06	Other--Male	13	5	2	-	-	-	7	-	-	-
07	Female	12	4	1	-	-	-	5	-	-	-
08	Pneumonia, except pneumonia of newborn (490-493)	52,997	9,472	1,333	532	293	192	11,822	449	250	253
09	White--Male	24,817	3,382	454	172	108	72	4,188	182	106	113
10	Female	18,308	2,567	395	190	101	72	3,325	155	96	78
11	Negro--Male	5,463	1,829	229	85	38	22	2,203	52	24	35
12	Female	3,897	1,467	222	75	40	23	1,827	55	22	23
13	Other--Male	309	119	16	5	5	3	148	-	1	2
14	Female	203	108	17	5	1	-	131	5	1	2
15	Lobar pneumonia (490)	9,339	972	179	78	35	24	1,288	56	42	59
16	White--Male	4,471	304	61	27	10	8	410	23	14	27
17	Female	2,842	283	63	25	14	11	396	21	16	17
18	Negro--Male	1,215	198	22	13	4	2	239	8	3	7
19	Female	717	159	26	11	7	3	206	4	8	7
20	Other--Male	58	14	3	1	-	-	18	-	-	-
21	Female	36	14	4	1	-	-	19	-	1	1
22	Bronchopneumonia (491)	31,183	5,021	748	299	171	109	6,348	274	137	138
23	White--Male	14,822	1,775	238	103	66	47	2,229	120	65	59
24	Female	11,242	1,354	224	102	62	39	1,781	95	55	45
25	Negro--Male	2,824	1,009	140	46	22	12	1,229	25	9	22
26	Female	2,039	761	134	47	18	10	970	33	7	9
27	Other--Male	156	65	8	-	2	1	74	-	1	2
28	Female	100	57	6	1	1	-	65	1	-	1
29	Primary atypical pneumonia (492)	4,864	1,707	173	70	29	28	2,007	56	27	33
30	White--Male	2,297	752	79	22	13	9	875	19	10	19
31	Female	1,678	472	50	33	10	9	574	20	15	10
32	Negro--Male	482	252	24	10	1	5	292	10	1	3
33	Female	368	211	18	4	5	3	241	6	1	1
34	Other--Male	24	11	-	1	-	2	14	-	-	-
35	Female	15	9	2	-	-	-	11	1	-	-
36	Pneumonia, other and unspecified (493)	7,611	1,772	233	85	58	31	2,179	63	44	23
37	White--Male	3,227	551	76	20	19	8	674	20	17	8
38	Female	2,546	458	58	30	15	13	574	19	10	6
39	Negro--Male	942	370	43	16	11	3	443	9	11	3
40	Female	773	336	44	13	10	7	410	12	6	6
41	Other--Male	71	29	7	3	3	-	42	-	-	-
42	Female	52	28	5	3	-	-	36	3	-	-
43	Acute bronchitis (500)	1,352	501	117	66	36	14	734	36	7	8
44	White--Male	637	222	55	23	23	7	330	17	4	3
45	Female	482	162	39	31	9	5	246	14	1	3
46	Negro--Male	118	57	13	7	2	2	81	1	2	1
47	Female	99	52	7	4	2	-	65	4	-	1
48	Other--Male	6	4	-	-	-	-	4	-	-	-
49	Female	10	4	3	1	-	-	8	-	-	-
50	Bronchitis, chronic and unqualified (501,502)	2,621	279	78	41	22	13	433	25	11	8
51	White--Male	1,732	126	37	15	14	6	198	11	5	4
52	Female	633	84	22	21	6	4	137	11	3	4
53	Negro--Male	153	38	12	2	1	2	55	1	2	-
54	Female	93	28	7	2	-	1	38	2	1	-
55	Other--Male	7	3	-	-	-	-	3	-	-	-
56	Female	3	-	-	1	1	-	2	-	-	-
57	Hypertrophy of tonsils and adenoids (510)	194	-	5	12	33	27	77	67	14	5
58	White--Male	85	-	3	5	12	13	33	37	7	2
59	Female	74	-	1	4	16	11	32	26	4	2
60	Negro--Male	20	-	-	1	2	2	5	-	3	1
61	Female	12	-	-	2	3	-	5	3	-	-
62	Other--Male	2	-	-	-	-	1	1	1	-	-
63	Female	1	-	1	-	-	-	1	-	-	-
64	Empyema and abscess of lung (518,521)	895	51	12	3	1	-	67	9	2	10
65	White--Male	511	22	4	3	-	-	29	5	-	6
66	Female	211	11	6	-	-	-	17	4	2	3
67	Negro--Male	124	9	1	-	1	-	11	-	-	-
68	Female	43	8	1	-	-	-	9	-	-	1
69	Other--Male	5	1	-	-	-	-	1	-	-	-
70	Female	1	-	-	-	-	-	-	-	-	-
71	Pleurisy (519)	181	23	-	-	-	1	24	2	1	1
72	White--Male	89	11	-	-	-	1	12	1	1	1
73	Female	65	8	-	-	-	-	8	-	-	-
74	Negro--Male	15	3	-	-	-	-	3	-	-	-
75	Female	11	1	-	-	-	-	1	1	-	-
76	Other--Male	1	-	-	-	-	-	-	-	-	-
77	Female	-	-	-	-	-	-	-	-	-	-
78	Emphysema without mention of bronchitis (527.1)	6,707	63	4	2	-	-	69	4	2	4
79	White--Male	5,629	25	-	1	-	-	26	3	1	2
80	Female	732	24	2	1	-	-	27	1	1	2
81	Negro--Male	275	7	1	-	-	-	8	-	-	-
82	Female	47	7	1	-	-	-	8	-	-	-
83	Other--Male	21	-	-	-	-	-	-	-	-	-
84	Female	3	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
56	43	49	57	82	112	167	226	256	403	417	509	535	480	242	70	19	-	1
22	20	12	25	23	46	60	88	119	176	205	219	216	172	85	24	5	-	2
17	11	12	16	26	24	46	60	66	130	133	203	268	249	133	37	8	-	3
9	3	13	8	19	28	36	40	40	57	42	61	28	35	8	5	2	-	4
8	9	12	8	13	13	25	37	30	39	35	25	23	22	16	3	4	-	5
-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	1	-	-	6
-	-	-	-	-	1	-	-	1	1	1	-	2	1	-	-	-	-	7
317	382	528	729	979	1,364	1,794	2,357	3,046	4,154	5,154	5,846	5,866	4,630	2,245	675	137	20	8
136	122	188	293	428	626	970	1,256	1,728	2,392	2,865	3,078	2,870	2,068	910	255	37	6	9
111	125	141	192	230	353	402	549	731	1,132	1,703	2,322	2,638	2,335	1,232	385	70	3	10
33	67	116	143	204	264	260	363	357	389	346	229	190	111	40	14	13	4	11
35	61	77	89	108	113	149	168	213	213	215	190	147	101	51	19	14	7	12
2	4	2	5	6	4	12	15	14	21	19	23	15	11	3	1	1	-	13
-	3	4	7	3	4	1	6	3	7	6	4	6	4	3	1	2	-	14
82	103	181	227	316	431	504	628	679	911	932	955	891	652	287	86	25	4	15
42	32	65	84	122	198	269	358	387	522	514	507	427	299	122	38	8	3	16
24	31	44	50	67	99	89	114	128	225	269	350	388	316	143	43	12	-	17
9	24	43	59	86	107	91	107	101	105	99	61	39	16	7	1	3	-	18
6	15	26	30	37	26	48	45	58	51	44	32	34	20	13	4	2	1	19
1	1	1	1	1	1	7	3	4	7	5	4	3	-	1	-	-	-	20
-	-	2	3	3	-	-	1	1	1	1	1	-	1	1	-	-	-	21
156	185	243	363	475	664	937	1,282	1,783	2,468	3,247	3,681	3,821	3,008	1,463	423	81	6	22
64	57	89	150	217	314	520	674	1,026	1,448	1,824	1,970	1,897	1,330	593	154	22	-	23
58	67	68	102	120	175	224	330	457	685	1,120	1,477	1,736	1,538	817	249	42	1	24
16	29	49	58	84	109	115	189	190	208	174	104	102	71	23	9	7	2	25
18	31	34	47	50	62	73	79	102	112	118	112	75	58	29	9	8	3	26
-	1	1	3	4	1	4	6	7	11	9	15	6	8	1	1	1	-	27
-	-	2	3	-	3	1	4	1	4	2	3	5	3	-	1	1	-	28
32	43	49	58	74	104	144	176	218	310	319	424	327	284	129	41	5	4	29
16	14	19	23	41	38	86	94	117	180	184	213	160	135	39	14	1	-	30
12	17	15	21	16	34	41	48	66	99	106	186	148	136	84	26	2	2	31
2	4	9	8	11	21	12	19	21	19	14	10	11	8	4	1	1	1	32
1	6	6	5	6	10	4	15	14	11	12	15	7	4	1	-	1	1	33
1	2	-	-	-	1	1	-	-	1	3	-	-	1	-	-	-	-	34
-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	35
47	51	55	81	114	165	209	271	366	465	656	786	827	686	366	125	26	6	36
14	19	15	36	48	76	95	130	198	242	343	388	386	304	156	49	6	3	37
17	10	14	19	27	45	48	57	80	123	208	309	366	345	188	67	14	-	38
6	10	15	18	23	27	42	48	45	57	59	54	38	16	12	3	2	1	39
10	9	11	7	15	15	24	29	39	39	41	31	31	19	8	6	3	2	40
-	-	-	1	1	1	-	6	3	2	2	4	6	2	1	-	-	-	41
-	3	-	-	-	1	-	1	1	2	3	-	-	-	1	-	1	-	42
4	7	14	17	15	33	29	47	47	76	69	52	67	57	23	7	3	-	43
-	3	2	6	5	13	16	23	27	48	38	23	40	31	6	2	-	-	44
2	2	8	7	9	14	6	19	11	18	21	27	26	23	17	5	3	-	45
-	1	3	1	-	2	4	3	8	4	5	-	-	2	-	-	-	-	46
1	-	1	3	1	4	3	2	1	5	4	2	1	1	-	-	-	-	47
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	48
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
7	11	16	19	38	48	104	181	308	368	330	296	221	122	58	15	-	2	50
2	5	4	6	19	30	80	133	246	299	257	202	127	67	30	6	-	1	51
3	4	5	6	10	12	17	25	35	49	56	90	80	51	27	8	-	-	52
1	1	3	5	4	-	4	15	23	15	10	3	7	2	-	1	-	1	53
1	1	4	2	5	6	3	6	4	5	6	1	6	1	1	-	-	-	54
-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	56
4	6	7	4	4	1	1	-	2	1	-	-	-	-	-	-	1	-	57
1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	1	2	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	59
1	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
12	17	12	26	38	58	77	78	90	121	99	89	60	21	7	2	-	-	64
6	4	6	12	14	35	38	54	56	76	63	61	32	11	2	1	-	-	65
5	6	3	6	7	9	17	10	14	25	24	23	22	9	4	1	-	-	66
-	4	-	4	14	13	18	11	15	17	9	5	2	-	1	-	-	-	67
1	3	3	4	3	1	4	3	1	2	3	-	4	1	-	-	-	-	68
-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	70
2	3	2	3	9	9	13	13	15	16	22	18	12	9	5	2	-	-	71
-	1	2	1	3	7	7	8	5	9	11	8	5	3	4	-	-	-	72
1	-	-	-	4	2	2	2	7	5	10	10	7	5	1	1	-	-	73
-	1	-	2	1	-	2	1	3	1	-	-	-	1	-	-	-	-	74
1	1	-	-	1	-	1	2	-	1	1	-	-	-	-	1	-	-	75
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
4	5	13	49	114	199	358	679	1,169	1,410	1,157	819	411	170	57	10	-	4	78
1	2	7	30	81	150	287	600	1,020	1,240	999	695	327	119	31	6	-	2	79
2	1	3	11	17	31	46	48	75	109	116	97	68	49	24	4	-	-	80
-	2	3	5	12	16	22	29	60	55	27	20	12	1	1	-	-	2	81
1	-	-	3	4	1	3	2	8	4	6	5	1	-	1	-	-	-	82
-	-	-	-	-	1	-	-	6	1	8	2	2	1	-	-	-	-	83
-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	VIII. Diseases of the respiratory system—Continued										
01	Other respiratory diseases (511-517,520,522-527.0,527.2)	11,322	1,388	129	67	34	19	1,637	55	49	58
02	White--Male	7,031	554	48	27	16	5	650	28	26	27
03	Female	3,042	393	41	21	8	9	472	17	16	18
04	Negro--Male	740	242	17	6	8	4	277	4	6	3
05	Female	456	188	21	12	2	1	224	4	1	10
06	Other--Male	29	5	1	1	-	-	7	1	-	-
07	Female	24	6	1	-	-	-	7	1	-	-
08	IX. Diseases of the digestive system	63,417	4,359	637	217	155	94	5,462	344	222	217
09	White--Male	33,896	1,606	253	86	58	40	2,043	153	100	98
10	Female	22,327	1,242	217	73	64	42	1,638	124	84	77
11	Negro--Male	3,757	793	74	34	15	8	924	31	23	22
12	Female	2,882	575	66	22	18	4	685	29	15	18
13	Other--Male	337	73	15	1	-	-	89	5	-	2
14	Female	218	70	12	1	-	-	83	2	-	-
15	Diseases of teeth and supporting structures (530-535)	94	-	-	-	1	1	2	1	3	4
16	White--Male	40	-	-	-	-	-	-	1	1	2
17	Female	30	-	-	-	1	1	2	-	1	1
18	Negro--Male	9	-	-	-	-	-	-	-	-	1
19	Female	14	-	-	-	-	-	-	-	1	-
20	Other--Male	1	-	-	-	-	-	-	-	-	-
21	Female	-	-	-	-	-	-	-	-	-	-
22	Ulcer of stomach (540)	5,478	38	2	1	2	1	44	5	2	8
23	White--Male	3,615	13	1	1	-	-	15	2	2	6
24	Female	1,349	10	1	-	2	1	14	-	-	2
25	Negro--Male	320	10	-	-	-	-	10	-	-	-
26	Female	159	5	-	-	-	-	5	3	-	-
27	Other--Male	32	-	-	-	-	-	-	-	-	-
28	Female	3	-	-	-	-	-	-	-	-	-
29	Ulcer of duodenum (541)	5,323	37	4	2	1	2	46	2	3	5
30	White--Male	3,913	11	4	1	1	2	19	1	1	3
31	Female	1,060	11	-	1	-	-	12	1	1	1
32	Negro--Male	235	5	-	-	-	-	5	-	1	1
33	Female	98	10	-	-	-	-	10	-	-	-
34	Other--Male	15	-	-	-	-	-	-	-	-	-
35	Female	2	-	-	-	-	-	-	-	-	-
36	Gastritis and duodenitis (543)	347	18	5	2	3	-	28	4	3	1
37	White--Male	182	6	1	1	1	-	9	3	1	-
38	Female	114	4	1	1	2	-	8	-	2	-
39	Negro--Male	27	4	1	-	-	-	5	1	-	-
40	Female	19	3	1	-	-	-	4	-	-	-
41	Other--Male	5	1	1	-	-	-	2	-	-	1
42	Female	-	-	-	-	-	-	-	-	-	-
43	Appendicitis (550-553)	1,845	24	14	9	11	10	68	63	61	37
44	White--Male	978	9	9	3	6	5	32	26	28	18
45	Female	575	10	2	2	3	4	21	20	20	10
46	Negro--Male	158	4	-	1	1	-	6	12	8	4
47	Female	123	1	3	3	1	1	9	4	5	5
48	Other--Male	10	-	-	-	-	-	-	1	-	-
49	Female	1	-	-	-	-	-	-	-	-	-
50	Hernia and intestinal obstruction (560,561,570)	8,853	951	46	27	12	11	1,047	29	21	31
51	White--Male	3,838	471	21	10	5	4	511	14	8	16
52	Female	3,864	306	12	5	4	5	332	7	8	8
53	Negro--Male	597	110	6	9	2	2	129	5	5	4
54	Female	504	54	6	3	1	-	64	2	-	3
55	Other--Male	27	8	1	-	-	-	9	1	-	-
56	Female	23	2	-	-	-	-	2	-	-	-
57	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over (571)	4,629	2,614	452	101	48	20	3,235	54	18	19
58	White--Male	1,603	801	168	37	18	9	1,033	18	7	9
59	Female	1,484	662	156	30	11	7	866	21	5	6
60	Negro--Male	772	579	59	19	9	2	668	5	3	2
61	Female	619	454	48	14	10	2	528	7	3	1
62	Other--Male	74	57	9	1	-	-	67	2	-	1
63	Female	77	61	12	-	-	-	73	1	-	-
64	Chronic enteritis and ulcerative colitis (572)	2,862	37 ↘ 37	2	3	4	-	46	4	10	30
65	White--Male	1,281	13	2	2	2	-	19	3	4	14
66	Female	1,424	8	-	-	2	-	10	-	6	14
67	Negro--Male	47	7	-	-	-	-	7	1	-	1
68	Female	98	5	-	-	-	-	5	-	-	1
69	Other--Male	6	1	-	-	-	-	1	-	-	-
70	Female	6	3	-	1	-	-	4	-	-	-
71	Cirrhosis of liver (581)	18,638	42	7	7	5	2	63	11	26	27
72	White--Male	11,367	18	3	4	3	-	28	5	11	5
73	Female	5,639	18	3	3	2	-	26	4	14	17
74	Negro--Male	888	2	1	-	-	2	5	1	1	3
75	Female	586	2	-	-	-	-	2	1	-	2
76	Other--Male	105	1	-	-	-	-	1	-	-	-
77	Female	51	1	-	-	-	-	1	-	-	-
78	Without mention of alcoholism (581.0)	13,035	42	7	7	5	2	63	11	26	25
79	White--Male	7,682	18	3	4	3	-	28	5	11	5
80	Female	4,256	18	3	3	2	-	26	4	14	15
81	Negro--Male	608	2	1	-	-	2	5	1	1	3
82	Female	397	2	-	-	-	-	2	1	-	2
83	Other--Male	66	1	-	-	-	-	1	-	-	-
84	Female	26	1	-	-	-	-	1	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
56	63	108	171	227	357	540	819	1,200	1,524	1,459	1,197	921	536	232	93	18	2	1
22	24	41	80	111	217	361	585	894	1,169	1,056	807	526	265	108	30	3	1	2
20	25	37	60	80	87	98	148	213	265	331	358	354	254	117	62	10	-	3
8	5	14	17	22	34	50	61	72	63	49	22	19	10	2	-	2	-	4
5	8	15	13	10	17	29	23	20	25	16	6	16	6	5	1	2	-	5
-	-	1	1	2	2	2	2	1	1	4	3	1	1	-	-	-	-	6
1	1	-	-	2	-	-	-	-	1	3	1	5	-	-	-	1	1	7
271	490	1,091	1,898	3,075	4,228	5,202	5,618	6,401	7,226	7,197	6,156	4,718	2,545	837	186	15	18	8
90	184	457	879	1,608	2,389	3,117	3,419	3,919	4,361	4,067	3,264	2,236	1,091	351	62	2	6	9
93	174	322	617	993	1,284	1,503	1,598	1,957	2,279	2,700	2,623	2,308	1,368	458	112	7	8	10
44	61	131	200	236	315	313	322	285	320	234	153	78	43	12	7	1	2	11
39	63	155	167	214	213	236	240	195	223	162	94	75	35	14	4	4	2	12
3	4	8	12	14	21	23	31	32	35	26	13	11	5	1	1	1	-	13
2	4	18	23	10	6	10	8	13	8	8	9	10	3	1	-	-	-	14
5	5	8	3	4	6	3	5	8	6	5	7	11	4	4	-	-	-	15
3	2	2	-	1	5	1	1	3	4	4	3	3	2	2	-	-	-	16
-	3	2	2	1	1	1	1	4	1	-	2	7	-	1	-	-	-	17
1	-	1	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	18
-	-	3	1	2	-	-	2	-	-	-	1	1	2	1	-	-	-	19
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
12	34	64	111	200	276	432	553	635	753	825	680	506	237	85	12	2	2	22
4	17	42	59	110	166	294	406	444	530	590	438	302	136	48	3	-	1	23
3	7	10	25	45	62	89	89	123	172	187	196	186	98	34	9	-	-	24
2	7	2	17	26	32	34	44	40	36	33	30	4	2	-	-	-	1	25
3	3	10	9	18	13	13	10	21	12	13	13	7	3	2	-	1	-	26
-	-	-	1	1	3	2	4	7	3	2	2	5	-	1	-	1	-	27
-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	28
12	29	79	130	208	330	447	542	703	714	733	624	441	205	55	12	-	3	29
6	20	54	83	149	245	342	420	566	547	542	473	289	115	30	6	-	2	30
-	2	10	28	32	48	75	85	98	123	157	128	141	87	24	6	-	1	31
5	4	8	14	16	25	21	25	30	32	24	14	8	2	-	-	-	-	32
1	2	6	4	10	11	8	10	8	9	9	6	3	1	-	-	-	-	33
-	1	1	1	1	1	1	2	1	3	1	2	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	35
-	3	7	14	15	19	27	32	35	35	31	37	25	17	12	2	-	-	36
-	-	3	7	12	10	17	18	24	24	15	17	13	5	3	1	-	-	37
-	-	3	6	1	3	7	10	8	8	11	17	11	10	8	1	-	-	38
-	2	-	-	2	2	3	1	2	2	4	2	-	1	-	-	-	-	39
-	-	1	1	-	4	-	3	1	1	1	1	1	-	1	-	-	-	40
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
34	39	45	46	64	97	137	116	183	221	211	185	142	73	19	3	1	-	43
14	11	18	24	27	62	72	61	108	126	122	114	76	29	8	1	1	-	44
10	13	13	10	14	24	36	28	50	67	70	63	55	39	11	1	-	-	45
4	7	6	7	12	4	14	17	12	18	12	5	6	3	-	1	-	-	46
6	8	7	5	10	7	14	9	12	7	6	3	4	2	-	-	-	-	47
-	-	1	-	-	-	1	1	1	3	1	-	1	-	-	-	-	-	48
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
31	41	84	120	208	315	407	538	752	970	1,164	1,169	1,046	621	195	56	4	4	50
10	18	21	39	64	100	187	236	357	436	522	521	428	252	76	19	1	2	51
8	17	29	46	88	120	137	199	295	391	528	583	571	349	111	34	1	2	52
8	2	13	15	22	39	33	50	54	69	65	38	27	12	4	2	1	-	53
5	4	20	16	31	54	48	49	41	65	45	25	19	7	4	1	1	-	54
-	-	-	2	-	1	1	3	1	6	2	-	1	-	-	-	-	-	55
-	-	1	2	3	1	1	1	4	3	2	2	-	1	-	-	-	-	56
12	23	19	43	44	49	64	68	97	127	177	169	201	131	56	21	2	-	57
6	6	8	15	15	21	32	25	43	61	80	72	68	58	19	7	-	-	58
5	10	5	18	23	17	25	20	40	44	73	83	119	60	32	11	1	-	59
1	3	3	8	1	7	3	12	8	11	11	7	7	8	3	1	-	-	60
-	4	3	2	5	4	4	11	6	11	11	5	5	4	2	2	1	-	61
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	63
40	58	64	61	94	120	169	207	287	373	425	353	289	168	57	6	1	-	64
21	29	30	24	50	64	97	103	148	170	200	147	83	55	19	1	-	-	65
17	26	28	32	35	49	60	86	123	177	208	198	201	110	38	5	1	-	66
-	-	2	1	4	4	3	2	4	10	3	3	1	1	-	-	-	-	67
2	2	4	3	5	3	8	16	12	14	14	3	4	2	-	-	-	-	68
-	1	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	69
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	70
41	117	456	961	1,657	2,299	2,633	2,450	2,281	2,238	1,625	955	527	209	50	9	-	3	71
6	38	180	446	904	1,378	1,639	1,583	1,519	1,594	1,046	553	302	98	27	4	-	1	72
16	37	131	316	562	689	761	681	635	535	510	368	212	99	21	4	-	1	73
8	14	59	92	94	144	134	106	77	72	41	21	8	7	2	1	-	-	74
11	24	68	85	84	73	81	64	33	25	14	10	7	3	-	-	-	1	75
-	1	5	5	8	13	12	15	16	11	13	3	-	2	-	-	-	-	76
-	3	13	17	5	2	6	1	1	1	1	-	-	-	-	-	-	-	77
36	71	251	548	1,005	1,469	1,725	1,699	1,632	1,650	1,299	811	461	195	46	9	-	3	78
5	22	95	250	511	827	1,058	1,056	1,073	1,121	796	450	250	90	24	4	-	1	79
15	29	75	172	374	478	520	507	476	455	449	331	198	93	20	4	-	1	80
8	8	34	60	59	102	84	79	49	48	32	19	6	7	2	1	-	-	81
8	12	38	55	54	54	52	46	25	17	12	8	7	3	-	-	-	1	82
-	-	2	2	6	8	7	10	8	8	9	3	-	2	-	-	-	-	83
-	-	7	9	1	-	4	1	1	1	1	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	IX. Diseases of the digestive system—Continued										
	Cirrhosis of liver—Continued										
01	With alcoholism (581.1)	5,603	-	-	-	-	-	-	-	-	2
02	White--Male	3,685	-	-	-	-	-	-	-	-	-
03	Female	1,383	-	-	-	-	-	-	-	-	2
04	Negro--Male	280	-	-	-	-	-	-	-	-	-
05	Female	191	-	-	-	-	-	-	-	-	-
06	Other--Male	39	-	-	-	-	-	-	-	-	-
07	Female	25	-	-	-	-	-	-	-	-	-
08	Cholelithiasis, cholecystitis, and cholangitis (584,585)	4,720	5	-	-	-	-	5	-	-	1
09	White--Male	1,827	1	-	-	-	-	1	-	-	-
10	Female	2,647	2	-	-	-	-	2	-	-	-
11	Negro--Male	73	1	-	-	-	-	1	-	-	-
12	Female	135	1	-	-	-	-	1	-	-	1
13	Other--Male	18	-	-	-	-	-	-	-	-	-
14	Female	20	-	-	-	-	-	-	-	-	-
15	Fibrocystic disease of pancreas (587B)	550	179	57	44	52	33	365	123	37	6
16	White--Male	263	92	24	19	17	15	167	64	20	3
17	Female	260	77	30	24	31	18	180	54	17	3
18	Negro--Male	14	7	1	1	1	-	10	2	-	-
19	Female	11	2	2	-	3	-	7	3	-	-
20	Other--Male	2	1	-	-	-	-	1	-	-	-
21	Female	-	-	-	-	-	-	-	-	-	-
22	Other diseases of digestive system (Residual[1])	10,078	414	48	21	16	14	513	48	38	48
23	White--Male	4,989	171	20	8	5	5	209	16	17	22
24	Female	3,881	134	12	7	6	6	165	17	10	15
25	Negro--Male	617	64	6	4	2	2	78	4	5	6
26	Female	514	38	6	2	3	1	50	9	6	5
27	Other--Male	42	4	4	-	-	-	8	1	-	-
28	Female	35	3	-	-	-	-	3	1	-	-
29	X. Diseases of the genitourinary system	32,027	203	55	33	59	38	388	176	175	294
30	White--Male	16,018	89	15	12	23	18	157	75	79	119
31	Female	9,978	55	13	9	18	13	108	66	67	118
32	Negro--Male	3,326	45	14	6	11	4	80	21	19	23
33	Female	2,541	11	13	6	7	3	40	11	9	33
34	Other--Male	114	1	-	-	-	-	1	1	-	-
35	Female	50	2	-	-	-	-	2	2	1	1
36	Nephritis and nephrosis (590-594)	16,030	82	35	25	48	34	224	151	150	238
37	White--Male	6,921	34	8	9	20	15	86	65	68	104
38	Female	5,676	32	7	5	16	12	72	55	56	80
39	Negro--Male	1,720	11	9	5	7	4	36	18	18	22
40	Female	1,630	3	11	6	5	3	28	10	8	21
41	Other--Male	57	-	-	-	-	-	-	1	-	-
42	Female	26	2	-	-	-	-	2	2	-	1
43	Acute nephritis (590)	1,132	19	14	5	14	16	68	45	35	28
44	White--Male	445	5	3	1	3	8	20	17	18	12
45	Female	418	10	1	1	7	4	23	14	12	7
46	Negro--Male	132	2	4	2	3	2	13	7	3	4
47	Female	132	1	6	1	1	2	11	6	2	5
48	Other--Male	3	-	-	-	-	-	-	-	-	-
49	Female	2	1	-	-	-	-	1	1	-	-
50	Nephritis with edema, including nephrosis (591)	1,071	33	14	12	19	11	89	37	23	20
51	White--Male	499	17	4	5	10	4	40	16	10	10
52	Female	352	11	2	2	5	5	25	13	8	3
53	Negro--Male	116	4	3	2	1	1	11	6	3	5
54	Female	97	1	5	3	3	1	13	2	2	2
55	Other--Male	5	-	-	-	-	-	-	-	-	-
56	Female	2	-	-	-	-	-	-	-	-	-
57	Chronic and unspecified nephritis and other renal sclerosis (592-594)	13,827	30	7	8	15	7	67	69	92	190
58	White--Male	5,977	12	1	3	7	3	26	32	40	82
59	Female	4,906	11	4	2	4	3	24	28	36	80
60	Negro--Male	1,472	5	2	1	3	1	12	5	12	13
61	Female	1,401	1	-	2	1	-	4	2	4	14
62	Other--Male	49	-	-	-	-	-	-	1	-	-
63	Female	22	1	-	-	-	-	1	1	-	1
64	Infections of kidney (600)	6,889	46	8	4	7	2	67	9	16	39
65	White--Male	2,890	19	-	2	1	1	23	2	7	11
66	Female	2,732	10	4	2	1	1	18	6	6	22
67	Negro--Male	634	15	2	-	3	-	20	1	1	1
68	Female	599	2	2	-	2	-	6	-	1	5
69	Other--Male	20	-	-	-	-	-	-	-	-	-
70	Female	14	-	-	-	-	-	-	-	1	-
71	Calculi of urinary system (602,604)	1,282	3	-	-	1	-	4	3	-	2
72	White--Male	620	2	-	-	1	-	3	2	-	-
73	Female	553	1	-	-	-	-	1	1	-	2
74	Negro--Male	60	-	-	-	-	-	-	-	-	-
75	Female	43	-	-	-	-	-	-	-	-	-
76	Other--Male	3	-	-	-	-	-	-	-	-	-
77	Female	3	-	-	-	-	-	-	-	-	-
78	Other diseases of urinary system (601,603,605-609)	2,048	68	12	4	3	2	89	13	8	7
79	White--Male	1,072	34	7	1	1	2	45	6	3	4
80	Female	586	12	2	2	1	-	17	4	5	2
81	Negro--Male	284	15	3	1	1	-	20	2	-	-
82	Female	95	6	-	-	-	-	6	1	-	1
83	Other--Male	9	1	-	-	-	-	1	-	-	-
84	Female	2	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	46	205	413	652	830	908	751	649	588	326	144	66	14	4	-	-	-	1
1	16	85	196	393	551	581	527	446	473	250	103	52	8	3	-	-	-	2
1	8	56	144	188	211	241	174	159	80	61	37	14	6	1	-	-	-	3
-	6	25	32	35	42	50	27	28	24	9	2	-	-	-	-	-	-	4
3	12	30	30	30	19	29	18	8	8	2	2	-	-	-	-	-	-	5
-	1	3	3	2	5	5	5	8	3	4	-	-	-	-	-	-	-	6
-	3	6	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	7
11	19	41	79	78	152	203	307	484	636	779	812	624	346	116	24	1	2	8
1	4	10	22	31	60	71	132	188	249	302	357	256	104	35	4	-	-	9
9	14	24	43	39	72	109	151	265	344	450	436	352	237	79	18	1	2	10
-	-	1	5	1	7	7	6	6	16	7	6	6	1	2	1	-	-	11
1	1	4	7	6	9	11	16	19	24	15	10	6	3	-	1	-	-	12
-	-	-	1	-	3	3	1	3	1	3	1	1	1	-	-	-	-	13
-	-	2	1	1	1	2	1	3	2	2	2	3	-	-	-	-	-	14
4	-	-	2	-	2	1	1	-	4	2	1	2	-	-	-	-	-	15
1	-	-	-	-	1	1	-	-	3	2	-	1	-	-	-	-	-	16
2	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	17
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	19
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
69	122	224	328	503	563	679	799	936	1,149	1,220	1,164	904	534	188	41	4	4	22
18	39	89	160	245	277	364	434	519	617	642	569	415	237	84	16	-	-	23
23	45	67	90	153	199	203	248	316	416	506	548	452	281	99	23	3	2	24
15	22	36	40	58	50	60	58	51	53	33	26	13	6	1	1	-	1	25
10	15	29	34	43	35	49	49	42	55	34	17	18	8	4	-	1	1	26
1	-	1	2	4	-	2	5	3	6	2	3	2	1	-	1	-	-	27
2	1	2	2	-	2	1	5	5	2	3	1	4	1	-	-	-	-	28
358	500	708	854	1,176	1,396	1,812	2,153	2,637	3,632	4,047	4,190	3,766	2,550	949	205	41	20	29
168	194	253	308	421	493	671	880	1,236	1,838	2,229	2,417	2,249	1,563	564	89	10	5	30
128	174	236	267	355	458	596	643	791	1,069	1,219	1,286	1,205	787	305	84	13	3	31
30	39	78	100	172	217	279	332	356	475	384	304	202	135	43	18	10	9	32
29	90	135	169	220	220	247	283	242	232	198	165	100	60	34	13	8	3	33
2	-	3	7	5	2	14	11	9	15	11	17	8	5	2	1	-	-	34
1	3	3	3	3	6	5	4	3	3	6	1	2	-	1	-	-	-	35
276	341	483	545	753	870	1,069	1,159	1,308	1,695	1,813	1,762	1,582	1,072	410	98	21	10	36
146	160	201	241	322	354	434	465	562	731	814	793	723	462	155	30	4	1	37
86	104	151	142	182	235	324	333	409	607	669	706	698	496	202	51	6	2	38
26	30	51	66	116	137	153	170	177	193	182	133	80	70	26	5	6	5	39
16	46	77	89	126	138	147	180	155	154	142	125	79	43	27	12	5	2	40
2	-	2	5	5	2	8	8	4	9	3	5	2	1	-	-	-	-	41
-	1	1	2	2	4	3	3	1	1	3	-	-	-	-	-	-	-	42
24	25	40	51	61	69	85	63	77	102	108	91	82	43	22	12	1	-	43
12	7	11	17	22	27	27	25	35	41	49	44	36	12	8	5	-	-	44
6	10	10	13	19	21	29	23	29	41	41	37	41	26	11	5	-	-	45
3	3	8	4	7	9	17	8	8	15	9	6	2	4	1	-	1	-	46
3	5	11	15	13	12	11	7	5	5	9	4	3	1	2	2	-	-	47
-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
22	28	37	45	41	56	67	77	76	95	93	98	90	47	22	5	1	2	50
11	13	12	12	16	23	33	31	39	54	47	43	49	28	9	1	1	1	51
6	8	15	13	10	12	22	29	22	27	33	44	35	15	11	1	-	-	52
1	4	7	9	5	13	7	9	6	9	8	4	5	2	-	1	-	1	53
2	3	3	9	9	8	5	8	9	3	5	7	1	2	2	2	-	-	54
2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	55
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
230	288	406	449	651	745	917	1,019	1,155	1,498	1,612	1,573	1,410	982	366	81	19	8	57
123	140	178	212	284	304	374	409	488	636	718	706	638	422	138	24	3	-	58
74	86	126	116	153	202	273	281	358	539	595	625	622	455	180	45	6	2	59
22	23	36	53	104	115	128	153	163	169	165	123	73	64	25	4	5	4	60
11	38	63	65	104	118	131	165	141	146	128	114	75	40	23	8	5	2	61
-	-	2	3	4	2	7	8	4	7	3	5	2	1	-	-	-	-	62
-	1	1	-	2	4	3	3	1	1	3	-	-	-	-	-	-	-	63
43	74	127	147	252	303	412	554	686	875	911	918	779	471	156	37	10	3	64
13	21	35	44	62	88	127	187	283	399	435	453	378	234	77	7	2	2	65
21	35	45	43	97	112	151	202	253	303	370	390	352	208	71	23	3	1	66
4	6	20	25	33	47	58	83	75	105	56	40	31	17	4	5	2	-	67
5	12	26	32	60	55	71	81	70	64	46	31	16	12	2	1	3	-	68
-	-	-	2	-	-	4	-	3	3	2	3	1	-	1	1	-	-	69
-	-	1	1	-	1	1	1	2	1	2	1	1	-	1	-	-	-	70
10	17	22	35	38	59	96	141	153	197	181	157	99	47	18	3	-	-	71
1	8	12	11	14	17	42	72	80	104	93	76	50	24	8	3	-	-	72
9	7	10	18	16	31	42	54	58	74	76	77	46	22	9	-	-	-	73
-	1	-	1	6	4	7	9	7	10	9	3	2	1	-	-	-	-	74
-	1	-	5	2	7	3	6	8	6	2	1	1	-	1	-	-	-	75
-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	77
13	13	24	33	55	87	116	144	167	240	265	270	255	152	76	14	5	2	78
6	4	5	10	20	28	39	63	84	138	161	161	152	85	49	6	2	1	79
4	5	8	11	18	28	27	35	45	57	69	81	84	56	20	7	3	-	80
-	2	5	7	13	22	35	32	32	39	28	22	13	8	3	1	-	-	81
2	2	5	5	4	9	14	13	6	6	6	5	3	3	3	-	-	1	82
-	-	1	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-	83
1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	X. Diseases of the genitourinary system—Continued										
01	Hyperplasia of prostate (610)	4,627	1	-	-	-	-	1	-	-	-
02	White--Male	4,047	-	-	-	-	-	-	-	-	-
03	Negro--Male	556	1	-	-	-	-	1	-	-	-
04	Other--Male	24	-	-	-	-	-	-	-	-	-
05	Diseases of breast (620,621)	6	-	-	-	-	-	-	-	-	-
06	White--Male	3	-	-	-	-	-	-	-	-	-
07	Female	3	-	-	-	-	-	-	-	-	-
08	Negro--Male	-	-	-	-	-	-	-	-	-	-
09	Female	-	-	-	-	-	-	-	-	-	-
10	Other--Male	-	-	-	-	-	-	-	-	-	-
11	Female	-	-	-	-	-	-	-	-	-	-
12	Other diseases of genital organs (611-617,622-637)	1,145	3	-	-	-	-	3	-	1	8
13	White--Male	465	-	-	-	-	-	-	-	1	-
14	Female	428	-	-	-	-	-	-	-	-	2
15	Negro--Male	72	3	-	-	-	-	3	-	-	-
16	Female	174	-	-	-	-	-	-	-	-	6
17	Other--Male	1	-	-	-	-	-	-	-	-	-
18	Female	5	-	-	-	-	-	-	-	-	-
19	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,581	...	...	...	...	...	...	...	2	137
20	White--Female	938	...	...	...	...	...	...	...	-	79
21	Negro--Female	621	...	...	...	...	...	...	...	2	57
22	Other--Female	22	..	...	...	...	...	...	...	-	1
23	Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	154	...	...	...	...	...	...	...	-	21
24	White--Female	110	...	...	...	...	...	...	...	-	13
25	Negro--Female	43	...	...	...	...	...	...	...	-	8
26	Other--Female	1	...	...	...	...	...	...	...	-	-
27	Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	380	...	...	...	...	...	...	...	2	50
28	White--Female	199	...	...	...	...	...	...	...	-	29
29	Negro--Female	174	...	...	...	...	...	...	...	2	21
30	Other--Female	7	...	...	...	...	...	...	...	-	-
31	Hemorrhage of pregnancy and childbirth (643,644,670-672)	275	...	...	...	...	...	...	...	-	9
32	White--Female	173	...	...	...	...	...	...	...	-	4
33	Negro--Female	96	...	...	...	...	...	...	...	-	5
34	Other--Female	6	...	...	...	...	...	...	...	-	-
35	Ectopic pregnancy (645)	115	...	...	...	...	...	...	...	-	6
36	White--Female	44	...	...	...	...	...	...	...	-	-
37	Negro--Female	69	...	...	...	...	...	...	...	-	6
38	Other--Female	2	...	...	...	...	...	...	...	-	-
39	Abortion without mention of sepsis or toxemia (650)	81	...	...	...	...	...	...	...	-	3
40	White--Female	50	...	...	...	...	...	...	...	-	2
41	Negro--Female	31	...	...	...	...	...	...	...	-	1
42	Other--Female	-	...	...	...	...	...	...	...	-	-
43	Abortion with sepsis (651)	159	...	...	...	...	...	...	...	-	15
44	White--Female	73	...	...	...	...	...	...	...	-	9
45	Negro--Female	85	...	...	...	...	...	...	...	-	6
46	Other--Female	1	...	...	...	...	...	...	...	-	-
47	Abortion with toxemia, without mention of sepsis (652)	19	...	...	...	...	..	...	...	-	-
48	White--Female	13	...	...	...	...	...	...	...	-	-
49	Negro--Female	6	...	...	...	...	...	..	...	-	-
50	Other--Female	-	...	...	...	...	...	...	...	-	-
51	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (Residual[1])	398	...	...	...	...	...	...	...	-	33
52	White--Female	276	...	..	...	...	...	...	...	-	22
53	Negro--Female	117	...	...	...	...	...	...	...	-	10
54	Other--Female	5	...	. .	...	...	...	...	...	-	1
55	XII. Diseases of the skin and cellular tissue	1,791	80	8	6	3	1	98	20	28	37
56	White--Male	619	27	1	3	1	1	33	7	10	8
57	Female	839	26	3	2	1	-	32	11	14	15
58	Negro--Male	128	13	2	1	1	-	17	1	1	5
59	Female	187	11	-	-	-	-	11	1	3	7
60	Other--Male	7	3	-	-	-	-	3	-	-	1
61	Female	11	-	2	-	-	-	2	-	-	1
62	Infections of skin and subcutaneous tissue (690-698)	553	49	3	3	2	-	57	4	5	5
63	White--Male	255	15	-	1	1	-	17	3	5	3
64	Female	209	14	1	2	-	-	17	1	-	1
65	Negro--Male	46	8	-	-	1	-	9	-	-	-
66	Female	34	9	-	-	-	-	9	-	-	1
67	Other--Male	3	3	-	-	-	-	3	-	-	-
68	Female	6	-	2	-	-	-	2	-	-	-
69	Other diseases of skin and subcutaneous tissue (700-716)	1,238	31	5	3	1	1	41	16	23	32
70	White--Male	364	12	1	2	-	1	16	4	5	5
71	Female	630	12	2	-	1	-	15	10	14	14
72	Negro--Male	82	5	2	1	-	-	8	1	1	5
73	Female	153	2	-	-	-	-	2	1	3	6
74	Other--Male	4	-	-	-	-	-	-	-	-	1
75	Female	5	-	-	-	-	-	-	-	-	1

[1]For category numbers, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
					-													
-	-	1	2	4	6	42	119	260	532	758	945	925	730	252	43	3	4	1
-	-	-	1	1	4	20	83	198	419	661	841	849	688	244	36	1	1	2
-	-	1	1	3	2	22	34	60	112	92	96	73	39	8	7	2	3	3
-	-	-	-	-	-	-	2	2	1	5	8	3	3	-	-	-	-	4
1	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	6
1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
15	55	51	92	74	71	77	36	61	92	118	137	126	78	37	10	2	1	12
2	1	-	1	2	2	9	10	28	46	64	93	97	70	31	7	1	-	13
7	23	22	53	42	52	52	19	25	28	35	31	25	5	3	3	1	-	14
-	-	1	-	1	5	4	4	5	16	17	10	3	-	2	-	-	1	15
6	29	27	38	28	11	12	3	3	2	2	3	1	2	1	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	17
-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	18
258	336	384	325	127	12	-	-	-	-	-	-	-	-	-	-	-	-	19
150	198	223	198	82	8	-	-	-	-	-	-	-	-	-	-	-	-	20
100	135	157	124	42	4	-	-	-	-	-	-	-	-	-	-	-	-	21
8	3	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	22
25	36	35	30	5	2	-	-	-	-	-	-	-	-	-	-	-	-	23
19	24	25	24	3	2	-	-	-	-	-	-	-	-	-	-	-	-	24
5	12	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
69	65	83	71	35	5	-	-	-	-	-	-	-	-	-	-	-	-	27
40	34	40	35	19	2	-	-	-	-	-	-	-	-	-	-	-	-	28
26	31	42	36	13	3	-	-	-	-	-	-	-	-	-	-	-	-	29
3	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	30
37	59	69	71	28	2	-	-	-	-	-	-	-	-	-	-	-	-	31
21	37	43	49	18	1	-	-	-	-	-	-	-	-	-	-	-	-	32
13	22	25	20	10	1	-	-	-	-	-	-	-	-	-	-	-	-	33
3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
20	27	22	34	5	1	-	-	-	-	-	-	-	-	-	-	-	-	35
10	7	9	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	36
10	19	12	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
17	19	20	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	39
11	9	11	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	10	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
31	45	46	16	6	-	-	-	-	-	-	-	-	-	-	-	-	-	43
10	18	24	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	44
21	26	22	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
5	5	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
54	80	104	80	45	2	-	-	-	-	-	-	-	-	-	-	-	-	51
37	65	67	49	34	2	-	-	-	-	-	-	-	-	-	-	-	-	52
16	14	36	30	11	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
45	33	58	73	85	114	126	124	135	157	195	173	145	82	44	14	4	1	55
11	7	11	12	29	30	49	33	53	60	89	71	58	30	13	4	1	-	56
27	14	27	35	35	57	48	65	61	70	84	81	76	47	29	9	2	-	57
3	4	4	10	9	11	11	8	7	10	9	8	5	2	1	1	-	1	58
4	7	14	16	12	15	17	17	12	17	13	13	4	2	1	-	1	-	59
-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	60
-	1	2	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	61
11	9	15	11	19	21	36	20	44	51	67	65	61	27	20	5	-	-	62
7	4	5	3	9	5	15	7	23	26	39	35	30	9	7	3	-	-	63
2	1	7	5	5	10	15	9	15	16	24	22	28	17	13	1	-	-	64
1	3	1	3	4	4	4	1	2	5	3	3	2	-	-	1	-	-	65
1	1	1	-	1	2	1	3	3	4	1	5	1	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	68
34	24	43	62	66	93	90	104	91	106	128	108	84	55	24	9	4	1	69
4	3	6	9	20	25	34	26	30	34	50	36	28	21	6	1	1	-	70
25	13	20	30	30	47	33	56	46	54	60	59	48	30	16	8	2	-	71
2	1	3	7	5	7	7	7	5	5	6	5	3	2	1	-	-	1	72
3	6	13	16	11	13	16	14	9	13	12	8	3	2	1	-	1	-	73
-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	74
-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	75

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	XIII. Diseases of the bones and organs of movement	3,346	149	26	17	8	5	205	33	53	91
02	White--Male	1,366	91	10	6	3	2	112	15	39	81
03	White--Female	1,683	50	13	6	3	2	74	16	12	6
04	Negro--Male	114	3	-	-	1	-	4	-	2	2
05	Negro--Female	169	5	3	4	1	1	14	2	-	2
06	Other--Male	5	-	-	-	-	-	-	-	-	-
07	Other--Female	9	-	-	1	-	-	1	-	-	-
08	Arthritis and spondylitis (720-725)	1,837	2	-	-	1	-	3	5	3	1
09	White--Male	574	-	-	-	1	-	1	1	2	-
10	White--Female	1,099	-	-	-	-	-	-	4	1	-
11	Negro--Male	55	1	-	-	-	-	1	-	-	-
12	Negro--Female	99	1	-	-	-	-	1	-	-	1
13	Other--Male	4	-	-	-	-	-	-	-	-	-
14	Other--Female	6	-	-	-	-	-	-	-	-	-
15	Muscular rheumatism and rheumatism unspecified (726,727)	28	-	1	-	-	-	1	-	-	2
16	White--Male	7	-	-	-	-	-	-	-	-	2
17	White--Female	13	-	1	-	-	-	1	-	-	-
18	Negro--Male	2	-	-	-	-	-	-	-	-	-
19	Negro--Female	6	-	-	-	-	-	-	-	-	-
20	Other--Male	-	-	-	-	-	-	-	-	-	-
21	Other--Female	-	-	-	-	-	-	-	-	-	-
22	Osteomyelitis and periostitis (730)	177	9	-	1	-	-	10	1	3	1
23	White--Male	106	5	-	1	-	-	6	1	3	1
24	White--Female	51	3	-	-	-	-	3	-	-	-
25	Negro--Male	11	-	-	-	-	-	-	-	-	-
26	Negro--Female	9	1	-	-	-	-	1	-	-	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Other--Female	-	-	-	-	-	-	-	-	-	-
29	Ankylosis and acquired musculoskeletal deformities (737,745-749)	75	7	2	1	-	-	10	4	4	1
30	White--Male	40	5	2	1	-	-	8	1	2	-
31	White--Female	32	1	-	-	-	-	1	3	2	1
32	Negro--Male	1	-	-	-	-	-	-	-	-	-
33	Negro--Female	2	1	-	-	-	-	1	-	-	-
34	Other--Male	-	-	-	-	-	-	-	-	-	-
35	Other--Female	-	-	-	-	-	-	-	-	-	-
36	Inborn defect of muscle (744.1)	559	109	18	13	5	4	149	16	41	78
37	White--Male	369	65	5	4	2	2	78	11	31	74
38	White--Female	155	42	10	5	3	1	61	5	8	2
39	Negro--Male	21	2	-	-	-	-	2	-	2	2
40	Negro--Female	13	-	3	3	-	1	7	-	-	-
41	Other--Male	-	-	-	-	-	-	-	-	-	-
42	Other--Female	1	-	-	1	-	-	1	-	-	-
43	Other diseases of musculoskeletal system (731-736,738-744.0,744.2)	670	22	5	2	2	1	32	7	2	8
44	White--Male	270	16	3	-	-	-	19	1	1	4
45	White--Female	333	4	2	1	-	1	8	4	1	3
46	Negro--Male	24	-	-	-	1	-	1	-	-	-
47	Negro--Female	40	2	-	1	1	-	4	2	-	1
48	Other--Male	1	-	-	-	-	-	-	-	-	-
49	Other--Female	2	-	-	-	-	-	-	-	-	-
50	XIV. Congenital malformations	21,411	15,555	967	474	304	234	17,534	707	407	318
51	White--Male	10,070	7,327	394	202	135	111	8,169	322	211	168
52	White--Female	8,583	6,185	419	183	123	96	7,006	301	164	118
53	Negro--Male	1,411	1,056	82	40	15	18	1,211	37	21	18
54	Negro--Female	1,173	857	66	43	27	9	1,002	38	10	14
55	Other--Male	103	75	4	3	3	-	85	7	-	-
56	Other--Female	71	55	2	3	1	-	61	2	1	-
57	Spina bifida and meningocele (751)	1,297	1,160	51	17	7	12	1,247	15	11	6
58	White--Male	500	451	18	7	1	6	483	4	2	4
59	White--Female	684	604	29	9	5	6	653	11	9	2
60	Negro--Male	67	63	1	1	1	-	66	-	-	-
61	Negro--Female	40	36	3	-	-	-	39	-	-	-
62	Other--Male	5	5	-	-	-	-	5	-	-	-
63	Other--Female	1	1	-	-	-	-	1	-	-	-
64	Congenital hydrocephalus, etc.* (752,753)	2,474	1,667	233	106	74	49	2,129	153	68	39
65	White--Male	1,128	749	105	49	29	21	953	76	37	19
66	White--Female	1,014	709	89	36	36	21	891	54	22	16
67	Negro--Male	173	109	24	7	5	3	148	12	6	3
68	Negro--Female	135	84	14	10	3	4	115	9	3	1
69	Other--Male	13	8	1	1	1	-	11	2	-	-
70	Other--Female	11	8	-	3	-	-	11	-	-	-
71	Congenital malformations of circulatory system (754)	10,754	7,609	521	274	169	144	8,717	446	269	219
72	White--Male	5,121	3,694	196	119	79	66	4,154	204	141	113
73	White--Female	4,209	2,884	236	107	60	61	3,348	190	106	87
74	Negro--Male	685	502	48	23	8	13	594	19	14	9
75	Negro--Female	645	461	36	24	20	4	545	26	7	10
76	Other--Male	59	42	3	1	2	-	48	5	-	-
77	Other--Female	35	26	2	-	-	-	28	2	1	-
78	Other congenital malformations (750,755-759)	6,886	5,119	182	77	54	29	5,441	93	59	54
79	White--Male	3,321	2,433	75	27	26	18	2,579	38	31	32
80	White--Female	2,676	1,988	65	31	22	8	2,114	46	27	13
81	Negro--Male	486	382	9	9	1	2	403	6	1	6
82	Negro--Female	353	276	13	9	4	1	303	3	-	3
83	Other--Male	26	20	-	1	-	-	21	-	-	-
84	Other--Female	24	20	-	-	1	-	21	-	-	-

*For complete category title, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
50	41	64	70	86	114	168	212	321	400	423	412	315	201	63	19	5	-	1
35	23	31	37	38	49	90	98	123	140	164	145	89	37	14	5	1	-	2
11	7	20	22	36	50	62	88	166	213	231	250	207	154	45	12	1	-	3
-	6	6	3	4	7	8	8	17	18	9	9	6	2	1	1	1	-	4
3	5	6	7	7	8	7	17	14	29	17	8	9	8	3	1	2	-	5
-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	6
1	-	1	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-	7
11	5	16	22	26	55	91	128	202	276	284	286	223	145	38	13	4	-	8
4	2	5	14	12	24	44	45	65	85	98	87	53	24	6	2	-	-	9
5	2	6	5	10	25	43	66	120	155	166	185	152	115	28	10	1	-	10
-	1	2	-	-	2	1	5	9	12	6	7	5	1	1	1	1	-	11
1	-	3	2	3	4	3	12	7	24	12	7	9	5	3	-	2	-	12
-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	13
1	-	-	1	-	-	-	-	1	-	1	-	2	-	-	-	-	-	14
2	1	-	-	2	1	1	3	5	3	2	3	-	1	-	1	-	-	15
-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	16
2	-	-	-	1	-	-	2	2	1	2	1	-	1	-	-	-	-	17
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	18
-	1	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	3	2	4	9	11	8	12	22	21	21	21	15	9	3	1	-	-	22
-	2	1	3	6	3	5	10	14	14	14	11	6	4	1	1	-	-	23
-	-	1	-	3	5	1	2	2	3	7	10	9	3	2	-	-	-	24
-	1	-	-	-	2	1	-	3	3	-	-	-	1	-	-	-	-	25
-	-	-	1	-	1	1	-	3	1	-	-	-	1	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1	1	3	5	7	7	5	5	8	3	1	2	5	2	1	-	-	-	29
1	-	2	5	1	4	3	3	5	1	1	1	2	-	-	-	-	-	30
-	1	1	-	6	2	2	2	2	2	-	1	3	2	1	-	-	-	31
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
29	23	25	22	17	15	27	19	30	24	29	8	6	1	-	-	-	-	36
27	18	17	12	11	9	18	12	18	12	13	6	2	-	-	-	-	-	37
1	2	3	8	3	6	8	7	11	10	13	2	4	1	-	-	-	-	38
-	3	3	1	2	-	-	-	1	2	3	-	-	-	-	-	-	-	39
1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
7	8	18	17	25	25	36	45	54	73	86	92	66	43	21	4	1	-	43
3	1	6	3	8	8	20	28	19	27	38	39	26	9	7	2	1	-	44
3	2	9	9	13	12	8	9	29	42	43	51	39	32	14	2	-	-	45
-	1	1	2	2	2	5	3	4	1	-	1	1	-	-	-	-	-	46
1	4	1	3	2	3	2	4	2	3	5	1	-	2	-	-	-	-	47
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
241	210	201	242	242	272	251	235	154	137	113	76	41	20	9	-	-	1	50
129	103	89	122	121	142	125	110	73	71	44	38	19	8	6	-	-	-	51
89	84	85	92	96	104	108	93	66	52	60	33	19	9	3	-	-	1	52
7	9	12	16	12	10	8	19	11	9	7	1	1	2	-	-	-	-	53
13	12	12	11	12	12	10	11	4	4	1	4	2	1	-	-	-	-	54
2	2	2	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	55
1	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	56
5	4	2	1	1	2	2	-	-	-	1	-	-	-	-	-	-	-	57
3	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	58
2	1	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
24	14	15	15	2	6	5	2	1	1	-	-	-	-	-	-	-	-	64
14	7	7	6	1	4	2	1	-	1	-	-	-	-	-	-	-	-	65
9	4	5	7	-	2	3	-	1	-	-	-	-	-	-	-	-	-	66
1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	2	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
173	140	128	139	114	101	75	79	49	39	36	18	9	2	1	-	-	-	71
86	68	54	65	51	45	36	37	21	19	12	10	3	-	1	-	-	-	72
65	56	59	59	49	44	34	32	26	17	24	6	5	2	-	-	-	-	73
6	6	6	8	9	3	1	8	1	1	-	-	-	-	-	-	-	-	74
13	9	7	6	5	6	4	1	1	2	-	2	1	-	-	-	-	-	75
2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	76
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	77
39	52	56	87	125	163	169	154	104	97	76	58	32	18	8	-	-	1	78
26	25	28	50	69	93	87	72	52	51	31	28	16	8	5	-	-	-	79
13	23	19	26	46	56	70	61	39	35	36	27	14	7	3	-	-	1	80
-	2	6	6	3	7	6	11	10	8	7	1	1	2	-	-	-	-	81
-	1	2	4	6	6	6	9	3	2	1	2	1	1	-	-	-	-	82
-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	83
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	XV. Certain diseases of early infancy[2]	68,960	68,939	6	2	1	-	68,948	4	4	2
02	White--Male	30,928	30,915	3	2	1	-	30,921	2	3	1
03	Female	21,686	21,679	3	-	-	-	21,682	2	1	-
04	Negro--Male	8,814	8,814	-	-	-	-	8,814	-	-	-
05	Female	6,989	6,989	-	-	-	-	6,989	-	-	-
06	Other--Male	300	300	-	-	-	-	300	-	-	-
07	Female	243	242	-	-	-	-	242	-	-	1
08	XVI. Symptoms, senility, and ill-defined conditions	19,729	2,752	201	118	57	52	3,180	90	64	106
09	White--Male	7,663	674	39	26	18	9	766	29	29	46
10	Female	5,173	494	49	19	10	18	590	20	17	22
11	Negro--Male	3,681	821	60	43	17	11	952	21	9	23
12	Female	2,935	692	39	24	11	14	780	19	8	13
13	Other--Male	143	40	6	4	-	-	50	-	-	-
14	Female	134	31	8	2	1	-	42	1	1	2
15	Senility without mention of psychosis (794)	3,000	-	-	-	-	-	-	-	-	-
16	White--Male	1,013	-	-	-	-	-	-	-	-	-
17	Female	1,449	-	-	-	-	-	-	-	-	-
18	Negro--Male	245	-	-	-	-	-	-	-	-	-
19	Female	260	-	-	-	-	-	-	-	-	-
20	Other--Male	14	-	-	-	-	-	-	-	-	-
21	Female	19	-	-	-	-	-	-	-	-	-
22	Symptoms, ill-defined, and unknown causes (780-793,795)	16,729	2,752	201	118	57	52	3,180	90	64	106
23	White--Male	6,650	674	39	26	18	9	766	29	29	46
24	Female	3,724	494	49	19	10	18	590	20	17	22
25	Negro--Male	3,436	821	60	43	17	11	952	21	9	23
26	Female	2,675	692	39	24	11	14	780	19	8	13
27	Other--Male	129	40	6	4	-	-	50	-	-	-
28	Female	115	31	8	2	1	-	42	1	1	2
29	XVII. Accidents, poisonings, and violence	116,964	4,051	1,679	1,319	1,094	891	9,034	3,522	3,230	7,099
30	White--Male	69,956	1,627	706	604	500	401	3,838	1,895	2,008	4,826
31	Female	29,324	1,136	544	365	303	270	2,618	912	728	1,275
32	Negro--Male	11,925	645	199	175	138	104	1,261	384	366	746
33	Female	4,671	583	192	149	137	108	1,169	296	104	179
34	Other--Male	804	39	14	12	9	4	78	19	18	58
35	Female	284	21	24	14	7	4	70	16	6	15
36	Accidents (E800-E962)	90,604	3,916	1,647	1,295	1,064	867	8,789	3,444	3,070	6,260
37	White--Male	53,669	1,582	690	600	492	393	3,757	1,854	1,911	4,420
38	Female	24,251	1,089	533	355	291	257	2,525	887	694	1,109
39	Negro--Male	8,200	622	198	168	133	102	1,223	380	347	552
40	Female	3,635	564	189	146	132	107	1,138	288	94	116
41	Other--Male	620	38	13	12	9	4	76	19	18	51
42	Female	229	21	24	14	7	4	70	16	6	12
43	Railway accidents (E800-E802)	1,164	2	10	7	2	2	23	18	37	35
44	White--Male	824	2	4	4	1	-	11	12	24	21
45	Female	106	-	5	-	1	-	6	1	8	7
46	Negro--Male	188	-	-	3	-	1	4	4	3	6
47	Female	23	-	-	-	-	1	1	1	2	-
48	Other--Male	20	-	-	-	-	-	-	-	-	-
49	Female	3	-	1	-	-	-	1	-	-	1
50	Motor vehicle accidents (E810-E835)	36,981	293	383	384	388	343	1,791	1,524	1,186	4,021
51	White--Male	24,198	146	159	198	205	175	883	861	729	2,814
52	Female	8,532	116	173	121	123	107	640	437	358	871
53	Negro--Male	2,974	13	22	35	26	34	130	149	70	220
54	Female	849	10	18	27	29	23	107	59	20	70
55	Other--Male	320	4	6	3	4	1	18	12	6	36
56	Female	108	4	5	-	1	3	13	6	3	10
57	Motor vehicle traffic accidents (E810-E825)	36,052	284	237	311	342	312	1,486	1,466	1,159	3,985
58	White--Male	23,555	141	94	152	182	156	725	822	710	2,784
59	Female	8,334	112	106	100	106	101	525	426	352	867
60	Negro--Male	2,923	13	15	34	24	30	116	141	70	219
61	Female	823	10	13	22	25	21	91	59	19	69
62	Other--Male	312	4	5	3	4	1	17	12	6	36
63	Female	105	4	4	-	1	3	12	6	2	10
64	Motor vehicle traffic accident with railway train* (E810)	1,316	12	9	14	6	8	49	41	38	130
65	White--Male	897	8	4	5	4	5	26	18	17	90
66	Female	303	3	4	8	1	3	19	18	18	35
67	Negro--Male	75	-	-	-	-	-	-	1	1	3
68	Female	24	-	-	-	-	-	-	-	1	1
69	Other--Male	11	-	-	1	1	-	2	3	1	-
70	Female	6	1	1	-	-	-	2	1	-	1
71	Motor vehicle traffic accident to pedestrian (E812)	7,083	9	84	162	216	203	674	927	318	199
72	White--Male	4,264	5	33	86	119	105	348	522	188	118
73	Female	1,656	3	40	36	58	54	191	235	86	43
74	Negro--Male	788	-	7	28	19	25	79	116	34	22
75	Female	280	1	4	11	17	18	51	46	9	8
76	Other--Male	75	-	-	1	2	1	4	5	1	7
77	Female	20	-	-	-	1	-	1	3	-	1
78	Other motor vehicle traffic accidents, etc.* (E811,E813-E819)	14,395	158	90	77	66	59	450	331	518	1,591
79	White--Male	9,107	78	35	42	34	22	211	196	337	1,096
80	Female	3,914	64	42	29	23	33	191	120	147	351
81	Negro--Male	955	8	6	3	3	3	23	7	23	88
82	Female	288	5	5	3	5	1	19	7	7	38
83	Other--Male	96	1	1	-	1	-	3	1	2	13
84	Female	35	2	1	-	-	-	3	-	2	5

*For complete category title, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
221	265	355	490	639	888	1,095	1,095	1,323	1,623	1,725	1,720	1,803	1,424	1,028	379	136	80	8
74	78	94	173	255	401	516	510	624	758	807	732	765	526	323	98	23	38	9
47	59	86	98	150	164	189	187	255	316	376	510	686	648	503	190	51	9	10
55	64	87	112	124	174	211	222	272	317	289	265	176	147	87	37	21	16	11
37	56	83	104	106	140	168	165	158	218	234	192	166	89	99	50	37	13	12
5	3	4	3	3	4	4	7	12	6	8	6	8	5	10	2	2	1	13
3	5	1	-	1	5	7	4	2	8	11	15	4	9	6	2	2	3	14
-	-	-	-	-	-	-	5	22	71	169	330	640	719	698	252	87	7	15
-	-	-	-	-	-	-	-	4	23	61	106	254	254	220	74	16	1	16
-	-	-	-	-	-	-	-	4	13	36	141	296	380	393	147	39	-	17
-	-	-	-	-	-	-	2	8	18	35	47	42	39	33	12	8	1	18
-	-	-	-	-	-	-	3	6	16	36	35	44	36	42	17	20	5	19
-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	1	2	-	20
-	-	-	-	-	-	-	-	-	1	1	1	1	7	5	1	2	-	21
221	265	355	490	639	888	1,095	1,090	1,301	1,552	1,556	1,390	1,163	705	330	127	49	73	22
74	78	94	173	255	401	516	510	620	735	746	626	509	272	103	24	7	37	23
47	59	86	98	150	164	189	187	251	303	340	369	390	268	110	43	12	9	24
55	64	87	112	124	174	211	220	264	299	254	218	134	108	54	25	13	15	25
37	56	83	104	106	140	168	162	152	202	198	157	122	53	57	33	17	8	26
5	3	4	3	3	4	4	7	12	6	8	6	5	2	5	1	-	1	27
3	5	1	-	1	5	7	4	2	7	10	14	3	2	1	1	-	3	28
8,052	7,080	7,090	7,343	7,441	7,554	7,178	6,591	6,391	6,392	6,001	5,755	5,209	3,737	1,685	394	68	118	29
5,569	4,545	4,378	4,604	4,769	4,828	4,799	4,363	4,269	4,022	3,557	3,060	2,362	1,491	577	117	15	64	30
1,002	1,011	1,113	1,273	1,345	1,527	1,427	1,392	1,471	1,792	1,977	2,381	2,611	2,112	1,043	261	36	17	31
1,091	1,138	1,192	1,084	1,001	876	715	603	440	378	249	171	109	60	24	8	5	24	32
275	275	311	314	258	246	196	177	163	165	187	123	105	67	37	8	10	6	33
99	78	70	51	51	65	32	48	48	25	22	15	15	6	1	-	-	5	34
16	33	26	17	17	12	9	8	-	10	9	5	7	1	3	-	2	2	35
6,484	5,065	4,809	4,917	4,867	4,809	4,559	4,328	4,399	4,720	4,711	4,911	4,731	3,537	1,648	382	67	97	36
4,832	3,617	3,287	3,347	3,232	3,117	3,038	2,755	2,778	2,771	2,558	2,388	1,950	1,333	545	108	15	56	37
765	655	683	777	838	963	867	958	1,102	1,470	1,738	2,236	2,559	2,077	1,039	259	35	15	38
655	590	618	577	590	523	487	432	339	306	216	159	100	55	23	7	5	16	39
141	128	144	165	158	155	144	142	147	155	176	115	104	66	37	8	10	4	40
79	56	58	39	38	41	19	36	33	11	16	8	12	5	1	-	-	4	41
12	19	19	12	11	10	4	5	-	7	7	5	6	1	3	-	2	2	42
55	54	78	98	106	115	103	111	91	79	53	43	30	13	5	2	-	15	43
34	32	50	73	85	83	84	78	71	55	39	31	18	9	2	1	-	11	44
4	1	2	3	1	7	8	10	11	11	7	9	8	2	-	-	-	-	45
13	17	21	19	19	21	9	19	5	10	5	2	3	2	2	1	-	3	46
-	1	3	1	-	1	1	2	3	3	2	1	-	-	1	-	-	-	47
4	3	2	1	1	3	1	2	1	-	-	-	1	-	-	-	-	1	48
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
4,367	3,037	2,619	2,452	2,306	2,202	2,002	1,892	1,826	1,929	1,606	1,184	688	253	61	6	-	29	50
3,311	2,150	1,789	1,618	1,483	1,372	1,259	1,185	1,113	1,177	1,001	769	443	178	43	4	-	16	51
574	453	442	493	465	533	483	492	541	585	499	366	210	68	15	1	-	6	52
355	317	282	250	258	211	192	159	119	123	73	32	21	6	3	-	-	4	53
68	69	57	63	71	56	57	37	36	33	22	12	10	1	-	1	-	-	54
53	33	36	21	22	22	8	15	17	5	8	4	3	-	-	-	-	1	55
6	15	13	7	7	8	3	4	-	6	3	1	1	-	-	-	-	2	56
4,316	2,987	2,566	2,411	2,267	2,166	1,953	1,858	1,783	1,897	1,569	1,171	672	248	57	6	-	29	57
3,263	2,107	1,745	1,584	1,450	1,347	1,220	1,158	1,082	1,153	975	760	436	173	41	4	-	16	58
574	451	437	489	463	528	479	488	534	579	488	363	203	68	13	1	-	6	59
355	313	279	248	254	208	188	158	115	121	73	32	20	6	3	-	-	4	60
67	69	57	63	71	54	55	36	35	33	22	12	9	1	-	1	-	-	61
51	33	35	20	22	21	8	14	17	5	8	3	3	-	-	-	-	1	62
6	14	13	7	7	8	3	4	-	6	3	1	1	-	-	-	-	2	63
159	114	96	88	96	104	76	78	73	66	40	41	20	2	-	-	-	3	64
114	74	68	59	65	78	52	51	50	54	30	33	16	1	-	-	-	1	65
29	29	18	21	20	18	18	17	15	8	9	7	3	1	-	-	-	-	66
11	9	8	7	6	6	6	7	6	4	-	-	-	-	-	-	-	-	67
4	1	2	1	5	2	2	3	1	-	-	-	1	-	-	-	-	-	68
-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	69
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	70
163	176	193	225	235	317	370	446	497	653	618	544	335	145	36	5	-	7	71
107	99	104	116	133	196	217	271	303	415	393	371	218	109	27	4	-	5	72
21	27	34	40	31	60	72	98	113	158	173	142	94	31	6	1	-	-	73
30	32	37	48	45	41	58	49	55	57	35	25	15	5	3	-	-	2	74
2	10	6	12	18	14	22	19	19	22	13	4	5	-	-	-	-	-	75
3	5	9	7	7	6	1	6	7	-	3	2	2	-	-	-	-	-	76
-	3	3	2	1	-	-	3	-	1	1	-	1	-	-	-	-	-	77
1,709	1,235	1,135	1,030	973	948	830	817	776	791	621	377	192	55	7	1	-	8	78
1,224	842	757	656	599	557	492	494	447	440	372	229	119	33	3	-	-	3	79
302	229	219	261	242	291	260	260	285	303	216	138	68	22	4	-	-	5	80
131	117	109	82	102	72	57	50	28	35	25	4	2	-	-	-	-	-	81
32	29	33	25	24	16	19	7	11	7	5	5	3	-	-	1	-	-	82
17	14	14	3	5	7	2	5	5	3	2	-	-	-	-	-	-	-	83
3	4	3	3	1	5	-	1	-	3	1	1	-	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	XVII. Accidents, poisonings, and violence—Continued										
	Accidents—Continued										
	Motor vehicle accidents—Continued										
	Motor vehicle traffic accidents—Continued										
01	Motor vehicle noncollision traffic accidents (E820-E824)	9,892	73	43	48	38	29	231	117	222	1,625
02	White—Male	7,063	34	18	15	19	16	102	60	134	1,176
03	Female	1,698	32	16	25	16	7	96	38	73	338
04	Negro—Male	829	4	2	3	2	2	13	12	12	80
05	Female	160	2	3	4	1	2	12	2	1	16
06	Other—Male	111	-	2	1	-	-	3	3	2	14
07	Female	31	1	2	-	-	2	5	2	-	1
08	Motor vehicle traffic accident of unspecified nature (E825)	3,366	32	11	10	16	13	82	50	63	440
09	White—Male	2,224	16	4	4	6	8	38	26	34	304
10	Female	763	10	4	2	8	4	28	15	28	100
11	Negro—Male	276	1	-	-	-	-	1	5	-	26
12	Female	71	2	1	4	2	-	9	4	1	6
13	Other—Male	19	3	2	-	-	-	5	-	-	2
14	Female	13	-	-	-	-	1	1	-	-	2
15	Motor vehicle nontraffic accidents (E830-E835)	929	9	146	73	46	31	305	58	27	36
16	White—Male	643	5	65	46	23	19	158	39	19	30
17	Female	198	4	67	21	17	6	115	11	6	4
18	Negro—Male	51	-	7	1	2	4	14	8	-	1
19	Female	26	-	5	5	4	2	16	-	1	1
20	Other—Male	8	-	1	-	-	-	1	-	-	-
21	Female	3	-	1	-	-	-	1	-	1	-
22	Other road vehicle accidents (E840-E845)	304	1	1	3	9	6	20	36	52	33
23	White—Male	185	1	1	-	4	1	7	24	30	17
24	Female	75	-	-	2	4	4	10	11	14	12
25	Negro—Male	33	-	-	-	1	1	2	1	7	3
26	Female	4	-	-	1	-	-	1	-	1	-
27	Other—Male	6	-	-	-	-	-	-	-	-	1
28	Female	1	-	-	-	-	-	-	-	-	-
29	Water transport accidents (E850-E858)	1,653	3	1	4	10	7	25	47	94	164
30	White—Male	1,336	3	1	3	6	6	19	31	67	129
31	Female	114	-	-	1	4	1	6	10	14	17
32	Negro—Male	172	-	-	-	-	-	-	5	10	14
33	Female	8	-	-	-	-	-	-	-	1	1
34	Other—Male	21	-	-	-	-	-	-	1	1	3
35	Female	2	-	-	-	-	-	-	-	1	-
36	Aircraft accidents (E860-E866)	1,511	1	2	5	1	2	11	12	8	52
37	White—Male	1,361	-	1	4	-	1	6	7	6	44
38	Female	137	1	1	1	1	1	5	5	2	8
39	Negro—Male	13	-	-	-	-	-	-	-	-	-
40	Female	-	-	-	-	-	-	-	-	-	-
41	Other—Male	-	-	-	-	-	-	-	-	-	-
42	Female	-	-	-	-	-	-	-	-	-	-
43	Accidental poisoning by solid and liquid substances (E870-E888)	1,429	44	192	131	40	15	422	15	5	24
44	White—Male	648	16	59	46	15	6	142	6	-	16
45	Female	409	14	58	39	9	4	124	3	2	6
46	Negro—Male	217	8	42	18	7	2	77	4	3	2
47	Female	142	5	28	27	9	3	72	2	-	-
48	Other—Male	7	1	2	1	-	-	4	-	-	-
49	Female	6	-	3	-	-	-	3	-	-	-
50	Accidental poisoning by gases and vapors (E890-E895)	1,187	23	11	8	-	5	47	28	17	68
51	White—Male	784	14	4	4	-	2	24	21	12	31
52	Female	253	5	5	4	-	3	17	5	5	30
53	Negro—Male	93	2	-	-	-	-	2	1	-	4
54	Female	55	2	2	-	-	-	4	1	-	3
55	Other—Male	2	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Accidental falls (E900-E904)	18,248	173	91	54	40	41	399	84	87	133
58	White—Male	8,169	76	43	30	20	20	189	50	69	103
59	Female	8,921	45	17	7	11	13	93	24	10	18
60	Negro—Male	663	29	16	10	4	4	63	4	7	8
61	Female	434	22	14	5	5	4	50	5	-	2
62	Other—Male	43	-	-	2	-	-	2	-	1	1
63	Female	18	1	1	-	-	-	2	1	-	1
64	Fall from one level to another (E900-E902)	6,010	121	67	40	26	28	282	61	58	97
65	White—Male	3,476	57	32	19	14	14	136	37	45	79
66	Female	1,984	31	12	6	6	7	62	18	7	13
67	Negro—Male	365	18	12	8	3	3	44	2	5	4
68	Female	153	14	10	5	3	4	36	4	-	-
69	Other—Male	25	-	-	2	-	-	2	-	1	-
70	Female	7	1	1	-	-	-	2	-	-	1
71	Fall on same level (E903)	3,535	9	7	5	2	1	24	7	5	11
72	White—Male	1,397	3	3	4	-	1	11	5	5	7
73	Female	1,988	4	2	-	2	-	8	1	-	1
74	Negro—Male	72	1	1	1	-	-	3	-	-	1
75	Female	74	1	1	-	-	-	2	-	-	2
76	Other—Male	3	-	-	-	-	-	-	-	-	-
77	Female	1	-	-	-	-	-	-	1	-	-
78	Unspecified falls (E904)	8,703	43	17	9	12	12	93	16	24	25
79	White—Male	3,298	16	8	7	6	5	42	8	19	17
80	Female	4,949	10	3	1	3	6	23	5	3	4
81	Negro—Male	226	10	3	1	1	1	16	2	2	3
82	Female	207	7	3	-	2	-	12	1	-	-
83	Other—Male	15	-	-	-	-	-	-	-	-	1
84	Female	10	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,784	1,147	897	827	746	575	458	374	285	228	162	116	63	21	7	-	-	7	1
1,428	856	655	586	508	387	333	246	192	155	101	78	40	16	6	-	-	4	2
166	126	123	122	128	105	69	80	70	53	48	36	21	4	1	-	-	1	3
141	129	92	87	79	62	43	39	17	13	8	-	1	-	-	-	-	1	4
19	18	15	20	20	12	7	6	2	4	3	2	-	1	-	-	-	-	5
29	11	8	10	8	7	4	3	4	2	2	-	1	-	-	-	-	-	6
1	7	4	2	3	2	2	-	-	1	-	-	-	-	-	-	-	1	7
501	315	245	241	217	222	217	143	152	159	128	93	62	25	7	-	-	4	8
390	236	161	167	145	129	126	96	90	89	79	49	43	14	5	-	-	3	9
56	40	43	45	42	54	60	33	51	57	42	40	17	10	2	-	-	-	10
42	26	33	24	22	27	24	13	9	12	5	3	2	1	-	-	-	1	11
10	11	1	5	4	10	5	1	2	-	1	1	-	-	-	-	-	-	12
2	2	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	13
1	-	3	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	14
51	50	53	41	39	36	49	34	43	32	37	13	16	5	4	-	-	-	15
48	43	44	34	33	25	39	27	31	24	26	9	7	5	2	-	-	-	16
-	2	5	4	2	5	4	4	7	6	11	3	7	-	2	-	-	-	17
-	4	3	2	4	3	4	1	4	2	-	-	1	-	-	-	-	-	18
1	-	-	-	-	2	2	1	1	-	-	-	1	-	-	-	-	-	19
2	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	20
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
17	16	10	9	10	10	9	14	15	11	14	14	9	3	2	-	-	-	22
11	13	3	6	6	9	5	10	10	8	10	10	4	1	1	-	-	-	23
4	2	2	2	1	-	-	1	2	2	2	3	4	2	1	-	-	-	24
2	1	4	-	2	1	2	2	3	-	1	1	1	-	-	-	-	-	25
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	26
-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	28
187	162	168	175	169	110	120	82	65	42	23	14	2	1	-	-	-	3	29
153	132	135	151	130	94	98	70	58	38	16	12	2	-	-	-	-	1	30
12	9	9	9	9	6	5	1	2	2	3	-	-	-	-	-	-	-	31
18	16	20	14	25	9	16	10	4	2	4	2	-	1	-	-	-	2	32
2	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	33
2	5	3	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
297	300	231	264	148	80	53	27	15	7	4	-	-	-	-	-	-	2	36
267	277	212	246	137	72	46	21	11	6	1	-	-	-	-	-	-	2	37
21	21	19	17	11	8	6	6	4	1	3	-	-	-	-	-	-	-	38
9	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
42	57	77	111	136	145	117	100	54	45	38	20	14	5	1	-	-	1	43
16	21	29	49	71	74	64	56	32	29	20	11	7	3	1	-	-	1	44
8	17	24	28	37	40	33	35	14	11	13	8	4	2	-	-	-	-	45
12	12	13	17	14	23	18	7	6	4	3	1	1	-	-	-	-	-	46
5	6	10	15	13	8	2	2	2	1	2	-	2	-	-	-	-	-	47
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
96	83	77	80	101	87	100	104	80	68	55	46	24	18	3	1	3	1	50
69	57	54	50	75	60	69	74	50	45	37	28	13	12	1	-	1	1	51
12	15	9	16	13	12	11	19	22	18	17	16	9	5	1	1	-	-	52
11	6	7	10	9	10	13	7	4	5	-	1	1	1	-	-	1	-	53
4	5	7	4	3	4	7	4	4	-	1	1	1	-	1	-	1	-	54
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
125	156	222	322	431	495	618	668	968	1,330	1,836	2,599	3,164	2,809	1,418	334	46	4	57
97	105	134	208	285	321	423	395	598	691	863	1,029	1,100	958	441	94	14	2	58
9	9	24	37	74	98	117	193	273	547	892	1,492	1,988	1,807	952	236	27	1	59
15	31	49	60	49	52	61	48	57	43	36	35	27	12	5	1	2	-	60
2	9	12	14	20	20	16	28	36	48	39	44	39	28	17	3	2	-	61
2	2	2	3	3	4	1	4	4	1	3	1	5	3	-	-	-	1	62
-	-	1	-	-	-	-	-	-	-	3	-	5	1	3	-	1	-	63
96	100	147	207	264	284	348	327	464	517	580	671	686	500	250	66	2	3	64
75	73	93	142	184	205	245	217	326	317	342	351	295	201	96	16	-	1	65
4	3	14	22	40	45	62	66	91	168	215	297	373	283	151	48	1	1	66
14	20	31	38	30	24	32	32	33	20	15	11	4	3	1	1	1	-	67
1	3	7	3	8	9	9	9	12	12	7	12	7	12	1	1	-	-	68
2	1	2	2	2	1	-	3	2	-	1	-	4	1	-	-	-	1	69
-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	70
5	13	7	32	42	47	73	91	156	270	389	617	708	643	313	70	12	-	71
1	4	3	21	27	29	47	48	75	132	175	229	241	206	101	26	4	-	72
3	4	2	3	6	14	16	35	67	120	201	368	451	428	209	44	7	-	73
-	3	2	3	7	3	8	3	7	8	3	6	9	3	2	-	1	-	74
1	2	1	5	2	1	2	5	7	10	10	13	6	5	1	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
24	43	68	83	125	164	197	250	348	543	867	1,311	1,770	1,666	855	198	32	1	78
21	28	38	45	74	87	131	130	197	242	346	449	564	551	244	52	10	1	79
2	2	8	12	28	39	39	92	115	259	476	827	1,164	1,096	592	144	19	-	80
1	8	16	19	12	25	21	13	17	15	18	16	14	6	2	-	-	-	81
-	4	5	6	10	10	5	14	17	26	22	19	26	11	15	2	2	-	82
-	1	-	1	1	3	1	1	2	1	2	-	-	1	-	-	-	-	83
-	-	1	-	-	-	-	-	-	-	3	-	2	1	2	-	1	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	XVII. Accidents, poisonings, and violence—Continued										
	Accidents—Continued										
01	Blow from falling object or projected object or missile (E910)	1,380	9	17	17	14	15	72	64	35	73
02	White—Male	1,140	5	9	9	9	8	40	42	27	69
03	White—Female	64	3	6	6	2	6	23	18	3	1
04	Negro—Male	161	1	2	1	3	1	8	3	4	3
05	Negro—Female	7	-	-	-	-	-	-	1	1	-
06	Other—Male	6	-	-	-	-	-	-	-	-	-
07	Other—Female	2	-	-	1	-	-	1	-	-	-
08	Accident caused by machinery (E912)	1,812	1	25	17	29	16	88	44	74	109
09	White—Male	1,578	1	16	13	18	10	58	33	57	83
10	White—Female	76	-	7	3	7	6	23	6	7	6
11	Negro—Male	149	-	2	-	4	-	6	5	10	20
12	Negro—Female	-	-	-	-	-	-	-	-	-	-
13	Other—Male	6	-	-	-	-	-	-	-	-	-
14	Other—Female	3	-	-	1	-	-	1	-	-	-
15	Accident caused by electric current (E914)	951	12	13	7	7	10	49	23	29	64
16	White—Male	815	7	9	4	4	5	29	12	24	61
17	White—Female	71	4	4	3	2	3	16	10	3	-
18	Negro—Male	59	-	-	-	1	2	3	1	2	3
19	Negro—Female	3	1	-	-	-	-	1	-	-	-
20	Other—Male	3	-	-	-	-	-	-	-	-	-
21	Other—Female	-	-	-	-	-	-	-	-	-	-
22	Accident caused by fire and explosion of combustible material (E916)	7,291	330	284	282	291	228	1,415	609	238	109
23	White—Male	2,828	76	78	62	82	47	345	143	80	57
24	White—Female	2,091	58	60	64	58	70	310	190	100	28
25	Negro—Male	1,113	94	63	82	69	42	350	80	17	9
26	Negro—Female	1,183	100	77	69	75	67	388	189	40	14
27	Other—Male	47	2	2	2	2	1	9	1	1	1
28	Other—Female	29	-	4	3	5	1	13	6	-	-
29	Accident caused by hot substance, etc.* (E917,E918)	382	28	77	35	13	4	157	9	-	6
30	White—Male	164	11	34	14	6	2	67	3	-	4
31	White—Female	133	9	27	13	4	-	53	3	-	2
32	Negro—Male	46	5	7	4	1	-	17	1	-	-
33	Negro—Female	39	3	9	4	2	2	20	2	-	-
34	Other—Male	-	-	-	-	-	-	-	-	-	-
35	Other—Female	-	-	-	-	-	-	-	-	-	-
36	Accident caused by firearm (E919)	2,172	1	6	18	19	20	64	126	308	375
37	White—Male	1,646	-	3	11	6	13	33	80	232	304
38	White—Female	179	-	1	3	10	4	18	23	23	18
39	Negro—Male	266	1	-	1	2	1	5	14	40	44
40	Negro—Female	61	-	2	2	1	2	7	8	8	7
41	Other—Male	16	-	-	-	-	-	-	-	4	2
42	Other—Female	4	-	-	1	-	-	1	1	1	-
43	Inhalation and ingestion of food or other object, etc.* (E921,E922)	2,191	1,271	152	53	28	16	1,530	44	12	13
44	White—Male	1,030	544	69	34	10	7	664	24	5	6
45	White—Female	693	371	52	13	11	6	453	16	7	5
46	Negro—Male	247	188	18	4	4	2	216	3	-	1
47	Negro—Female	188	143	20	1	2	1	167	1	-	1
48	Other—Male	17	14	-	-	1	-	15	-	-	-
49	Other—Female	16	11	3	1	-	-	15	-	-	-
50	Accidental drowning (E929)	5,065	55	247	205	125	95	727	571	658	776
51	White—Male	3,320	26	143	129	82	67	447	393	366	513
52	White—Female	668	15	81	55	30	20	201	77	111	57
53	Negro—Male	913	9	11	9	6	6	41	84	162	191
54	Negro—Female	100	4	6	3	5	1	19	11	15	11
55	Other—Male	50	1	3	4	2	1	11	4	3	4
56	Other—Female	14	-	3	5	-	-	8	2	1	-
57	Excessive heat and insolation (E931)	137	11	-	2	1	3	17	1	-	3
58	White—Male	84	3	-	1	-	1	5	1	-	3
59	White—Female	19	6	-	1	-	1	8	-	-	-
60	Negro—Male	24	1	-	-	1	1	3	-	-	-
61	Negro—Female	7	-	-	-	-	-	-	-	-	-
62	Other—Male	2	1	-	-	-	-	1	-	-	-
63	Other—Female	1	-	-	-	-	-	-	-	-	-
64	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* (E940-E959)	1,023	37	19	7	7	2	72	20	9	13
65	White—Male	433	18	8	4	3	1	34	7	4	4
66	White—Female	450	11	6	2	2	1	22	10	5	7
67	Negro—Male	60	5	2	-	1	-	8	2	-	-
68	Negro—Female	76	2	3	-	1	-	6	1	-	2
69	Other—Male	3	1	-	-	-	-	1	-	-	-
70	Other—Female	1	-	-	1	-	-	1	-	-	-
71	All other accidents (Residual[1])	5,723	1,621	106	56	40	37	1,860	169	221	189
72	White—Male	3,126	633	49	30	21	21	754	104	179	141
73	White—Female	1,260	431	30	17	12	7	497	38	22	16
74	Negro—Male	809	266	13	1	3	5	288	19	12	24
75	Negro—Female	456	272	10	7	3	3	295	7	6	5
76	Other—Male	51	14	-	-	-	1	15	1	2	3
77	Other—Female	21	5	4	1	1	-	11	-	-	-
78	Suicide (E963,E970-E979)	18,519	-	-	-	-	-	-	3	74	367
79	White—Male	13,707	-	-	-	-	-	-	3	58	255
80	White—Female	3,977	-	-	-	-	-	-	-	11	96
81	Negro—Male	543	-	-	-	-	-	-	-	4	10
82	Negro—Female	143	-	-	-	-	-	-	-	1	4
83	Other—Male	116	-	-	-	-	-	-	-	-	-
84	Other—Female	33	-	-	-	-	-	-	-	-	2

*For complete category title, see table 72.

[1]For category numbers, see table 72.

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
88	85	129	130	148	124	142	95	78	58	26	20	5	5	1	-	-	2	1
69	71	110	112	125	108	122	82	65	52	21	16	3	4	-	-	-	2	2
2	-	-	-	2	2	-	-	2	2	2	4	1	1	1	-	-	-	3
15	11	19	18	19	12	19	12	11	4	2	-	1	-	-	-	-	-	4
1	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	5
1	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
95	134	133	158	155	159	168	146	157	96	51	31	11	2	1	-	-	-	8
81	115	122	140	139	143	153	123	149	93	47	29	11	2	-	-	-	-	9
2	1	4	2	4	4	3	5	3	3	2	-	-	-	1	-	-	-	10
12	16	6	15	11	12	11	17	4	-	2	2	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	1	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	13
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
114	132	130	102	91	84	44	41	20	10	13	1	3	1	-	-	-	-	15
106	121	117	90	74	74	38	32	17	7	10	1	2	-	-	-	-	-	16
-	2	5	7	7	4	3	7	1	1	3	-	1	1	-	-	-	-	17
8	8	6	5	10	5	3	2	2	1	-	-	-	-	-	-	-	-	18
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	19
-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
185	214	275	332	350	395	371	364	366	418	479	455	411	204	64	16	11	10	22
87	103	142	173	182	194	195	171	156	175	191	172	157	69	31	3	-	2	23
45	66	67	86	99	107	88	89	95	128	145	180	182	79	16	7	3	1	24
21	21	39	58	49	59	55	58	62	55	64	52	28	23	6	3	1	3	25
26	19	23	30	17	32	33	43	49	59	77	47	43	31	10	3	6	4	26
2	5	4	4	2	3	-	3	4	1	1	2	1	2	1	-	-	-	27
4	-	-	1	1	-	-	-	-	-	1	2	-	-	-	-	1	-	28
6	4	10	5	9	15	12	13	21	23	22	25	23	17	4	-	1	-	29
5	1	4	5	7	8	3	7	11	11	4	9	8	6	1	-	-	-	30
-	-	1	-	-	4	3	-	5	10	16	11	15	9	1	-	-	-	31
-	3	4	-	2	2	3	3	5	-	-	3	-	2	-	-	1	-	32
1	-	1	-	-	1	3	3	-	2	2	2	-	-	2	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
209	137	131	138	143	141	125	105	67	47	31	14	5	2	1	-	-	3	36
147	101	88	95	114	112	102	88	60	40	29	13	5	1	-	-	-	2	37
19	9	13	15	7	12	8	4	5	4	-	-	-	1	-	-	-	-	38
29	23	26	19	15	15	14	12	2	3	2	1	-	-	1	-	-	1	39
7	3	4	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	40
7	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
20	22	20	36	42	59	53	38	58	66	41	56	39	27	8	7	-	-	43
13	11	8	18	24	33	27	18	34	40	25	38	21	16	4	1	-	-	44
2	7	11	12	17	18	21	15	17	24	16	18	17	8	4	5	-	-	45
4	3	1	5	1	2	3	1	5	-	-	-	-	1	-	1	-	-	46
1	1	-	1	-	5	2	3	2	1	-	-	1	2	-	-	-	-	47
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
390	271	242	209	215	193	169	162	146	113	82	72	34	11	5	2	-	17	50
250	191	153	143	139	135	123	121	108	80	54	53	25	8	4	2	-	12	51
24	13	11	15	25	25	19	16	20	20	13	10	5	2	1	-	-	3	52
106	61	66	39	47	29	22	21	15	10	7	7	2	1	-	-	-	2	53
7	4	6	6	3	2	3	2	1	2	6	1	1	-	-	-	-	-	54
3	2	5	5	1	2	2	2	2	1	2	-	1	-	-	-	-	-	55
-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	56
5	4	7	7	11	13	14	11	10	9	6	6	6	4	1	-	-	2	57
2	1	5	5	7	6	10	7	7	7	6	3	4	3	-	-	-	2	58
1	1	-	-	-	2	-	1	1	1	-	2	1	1	-	-	-	-	59
-	2	2	-	3	3	4	3	2	1	-	-	1	-	-	-	-	-	60
1	-	-	2	1	1	-	-	-	-	-	1	-	-	1	-	-	-	61
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	62
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
24	28	35	44	50	74	74	86	92	119	108	81	53	27	12	2	-	-	64
7	5	9	14	12	23	37	40	46	56	53	40	23	14	4	1	-	-	65
8	19	16	21	28	34	29	30	39	50	46	36	28	13	8	1	-	-	66
2	3	2	3	4	5	1	8	2	11	3	4	2	-	-	-	-	-	67
7	1	8	6	6	11	7	7	5	2	6	1	-	-	-	-	-	-	68
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
162	169	215	245	246	308	265	269	270	250	223	230	210	135	61	12	6	8	71
107	110	123	151	137	196	180	177	182	161	131	124	104	49	12	2	-	2	72
18	10	24	34	38	47	30	34	45	50	59	81	86	76	38	8	5	4	73
23	37	51	44	53	52	40	43	31	34	14	18	12	6	6	1	-	1	74
9	9	12	14	14	10	11	11	9	4	17	5	7	4	5	1	1	-	75
4	1	3	1	3	3	3	3	3	1	2	1	1	-	-	-	-	1	76
1	2	2	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	77
721	1,018	1,255	1,469	1,767	2,008	2,107	1,906	1,739	1,473	1,175	766	443	175	35	11	1	6	78
495	659	799	1,005	1,285	1,464	1,555	1,449	1,366	1,142	944	642	398	145	31	9	-	5	79
146	265	348	361	407	462	487	385	329	290	207	111	39	26	3	2	1	1	80
50	53	76	79	51	50	43	50	27	24	14	5	4	2	1	-	-	-	81
16	19	20	16	15	14	11	10	6	4	2	3	1	1	-	-	-	-	82
11	14	9	5	8	17	7	9	11	11	6	5	2	1	-	-	-	-	83
3	8	3	3	1	1	4	3	-	2	2	-	1	-	-	-	-	-	84

Table 73. Deaths From 255 Selected Causes, by

(Includes only deaths occurring within the

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	XVII. Accidents, poisonings, and violence—Continued										
	Suicide—Continued										
01	Suicide by poisoning (E970-E973)	3,958	-	-	-	-	-	-	-	5	74
02	White--Male	2,440	-	-	-	-	-	-	-	1	39
03	White--Female	1,411	-	-	-	-	-	-	-	4	30
04	Negro--Male	48	-	-	-	-	-	-	-	-	1
05	Negro--Female	40	-	-	-	-	-	-	-	-	3
06	Other--Male	11	-	-	-	-	-	-	-	-	-
07	Other--Female	8	-	-	-	-	-	-	-	-	1
08	Suicide by hanging and strangulation (E974)	3,562	-	-	-	-	-	-	1	40	84
09	White--Male	2,587	-	-	-	-	-	-	1	35	72
10	White--Female	837	-	-	-	-	-	-	-	2	11
11	Negro--Male	79	-	-	-	-	-	-	-	3	1
12	Negro--Female	11	-	-	-	-	-	-	-	-	-
13	Other--Male	36	-	-	-	-	-	-	-	-	-
14	Other--Female	12	-	-	-	-	-	-	-	-	-
15	Suicide by firearm and explosive (E976)	8,871	-	-	-	-	-	-	2	29	191
16	White--Male	7,442	-	-	-	-	-	-	2	22	138
17	White--Female	1,013	-	-	-	-	-	-	-	5	44
18	Negro--Male	310	-	-	-	-	-	-	-	1	7
19	Negro--Female	47	-	-	-	-	-	-	-	1	1
20	Other--Male	53	-	-	-	-	-	-	-	-	-
21	Other--Female	6	-	-	-	-	-	-	-	-	1
22	Suicide by all other means (E963,E975,E977-E979)	2,128	-	-	-	-	-	-	-	-	18
23	White--Male	1,238	-	-	-	-	-	-	-	-	6
24	White--Female	716	-	-	-	-	-	-	-	-	11
25	Negro--Male	106	-	-	-	-	-	-	-	-	1
26	Negro--Female	45	-	-	-	-	-	-	-	-	-
27	Other--Male	16	-	-	-	-	-	-	-	-	-
28	Other--Female	7	-	-	-	-	-	-	-	-	-
29	Homicide (E964,E980-E985)	7,815	135	32	24	30	24	245	75	86	472
30	White--Male	2,555	45	16	4	8	8	81	38	39	151
31	White--Female	1,096	47	11	10	12	13	93	25	23	70
32	Negro--Male	3,181	23	1	7	5	2	38	4	15	184
33	Negro--Female	893	19	3	3	5	1	31	8	9	59
34	Other--Male	68	1	1	-	-	-	2	-	-	7
35	Other--Female	22	-	-	-	-	-	-	-	-	1
36	Assault by firearm and explosive (E981)	4,230	12	4	6	9	4	35	40	51	264
37	White--Male	1,482	4	2	-	2	2	10	20	24	87
38	White--Female	644	7	1	3	4	2	17	15	14	50
39	Negro--Male	1,636	-	-	2	2	-	4	2	8	93
40	Negro--Female	431	1	1	1	1	-	4	3	5	32
41	Other--Male	25	-	-	-	-	-	-	-	-	1
42	Other--Female	12	-	-	-	-	-	-	-	-	1
43	Assault by cutting and piercing instruments (E982)	1,765	6	4	1	2	2	15	3	9	113
44	White--Male	328	5	2	1	-	-	8	2	3	30
45	White--Female	110	-	1	-	-	2	3	-	2	5
46	Negro--Male	1,065	1	-	-	1	-	2	-	4	58
47	Negro--Female	249	-	-	-	1	-	1	1	-	17
48	Other--Male	11	-	1	-	-	-	1	-	-	3
49	Other--Female	2	-	-	-	-	-	-	-	-	-
50	Assault by other means (E964,E980,E983)	1,541	117	24	17	19	18	195	32	23	56
51	White--Male	615	36	12	3	6	6	63	16	11	18
52	White--Female	342	40	9	7	8	9	73	10	7	15
53	Negro--Male	335	22	1	5	2	2	32	2	1	11
54	Negro--Female	212	18	2	2	3	1	26	4	4	10
55	Other--Male	29	1	-	-	-	-	1	-	-	2
56	Other--Female	8	-	-	-	-	-	-	-	-	-
57	Injury by intervention of police (E984)	229	-	-	-	-	-	-	-	3	39
58	White--Male	111	-	-	-	-	-	-	-	1	16
59	White--Female	-	-	-	-	-	-	-	-	-	-
60	Negro--Male	115	-	-	-	-	-	-	-	2	22
61	Negro--Female	1	-	-	-	-	-	-	-	-	-
62	Other--Male	2	-	-	-	-	-	-	-	-	1
63	Other--Female	-	-	-	-	-	-	-	-	-	-
64	Execution (E985)	50	-	-	-	-	-	-	-	-	-
65	White--Male	19	-	-	-	-	-	-	-	-	-
66	White--Female	-	-	-	-	-	-	-	-	-	-
67	Negro--Male	30	-	-	-	-	-	-	-	-	-
68	Negro--Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	1	-	-	-	-	-	-	-	-	-
70	Other--Female	-	-	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war (E965,E990-E999)	26	-	-	-	-	-	-	-	-	-
72	White--Male	25	-	-	-	-	-	-	-	-	-
73	White--Female	-	-	-	-	-	-	-	-	-	-
74	Negro--Male	1	-	-	-	-	-	-	-	-	-
75	Negro--Female	-	-	-	-	-	-	-	-	-	-
76	Other--Male	-	-	-	-	-	-	-	-	-	-
77	Other--Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1958—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
174	268	333	395	474	508	474	397	315	230	155	94	43	13	5	-	-	1	1
111	159	191	235	306	303	296	248	205	145	86	67	35	9	3	-	-	1	2
47	90	121	144	159	202	174	145	107	84	64	27	8	3	2	-	-	-	3
7	7	13	10	2	1	3	-	1	-	3	-	-	-	-	-	-	-	4
7	8	6	4	5	1	1	3	1	-	-	-	-	1	-	-	-	-	5
1	2	1	-	1	1	-	1	1	1	2	-	-	-	-	-	-	-	6
1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
103	138	170	196	258	324	427	382	399	379	305	170	119	49	10	4	1	3	8
74	89	117	131	173	212	304	277	291	280	242	137	101	37	9	3	-	2	9
19	35	40	53	72	94	112	93	97	89	59	31	15	11	1	1	1	1	10
8	9	8	10	8	11	5	9	2	3	1	-	1	-	-	-	-	-	11
-	1	3	2	2	-	1	-	2	-	-	-	-	-	-	-	-	-	12
2	2	2	-	3	6	2	1	7	5	2	2	1	1	-	-	-	-	13
-	2	-	-	-	1	3	2	-	2	1	-	1	-	-	-	-	-	14
378	507	612	751	878	970	973	904	796	630	556	375	219	78	15	5	-	2	15
272	362	434	571	712	831	838	791	731	566	515	349	213	74	14	5	-	2	16
63	100	135	120	128	97	102	71	46	46	29	20	5	2	-	-	-	-	17
29	30	34	48	30	29	23	32	16	14	9	4	1	2	1	-	-	-	18
5	2	5	6	4	7	6	5	1	2	1	1	-	-	-	-	-	-	19
8	10	4	5	4	6	4	5	2	2	2	1	-	-	-	-	-	-	20
1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
66	105	140	127	157	206	233	223	229	234	159	127	62	35	5	2	-	-	22
38	49	57	68	94	118	117	133	139	151	101	89	47	25	5	1	-	-	23
17	40	52	44	48	69	99	76	79	71	55	33	11	10	-	1	-	-	24
6	7	21	11	11	9	12	9	8	7	1	1	2	-	-	-	-	-	25
4	8	6	4	4	6	3	2	2	2	1	2	1	-	-	-	-	-	26
-	-	2	-	-	4	1	2	1	3	-	2	1	-	-	-	-	-	27
1	1	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	28
847	994	1,024	953	804	735	512	355	247	195	115	78	35	25	2	1	-	15	29
242	267	290	248	249	245	206	157	119	105	55	30	16	13	1	-	-	3	30
91	91	82	135	100	102	73	49	40	32	32	34	13	9	1	-	-	1	31
386	494	498	428	360	303	185	121	74	48	19	7	5	3	-	1	-	8	32
118	128	147	133	85	77	41	25	10	6	9	5	-	-	-	-	-	2	33
9	8	3	7	5	7	6	3	4	3	-	2	1	-	-	-	-	1	34
1	6	4	2	5	1	1	-	-	1	-	-	-	-	-	-	-	-	35
490	589	573	553	458	399	285	183	118	93	48	25	12	9	1	-	-	4	36
148	173	186	165	164	158	119	80	62	45	23	7	6	4	-	-	-	1	37
62	64	56	99	69	57	45	30	19	17	11	11	4	3	1	-	-	-	38
204	282	249	214	184	147	103	64	32	25	13	5	2	2	-	-	-	3	39
72	65	76	72	38	33	14	8	3	3	1	2	-	-	-	-	-	-	40
3	3	2	3	1	4	3	1	2	2	-	-	-	-	-	-	-	-	41
1	2	4	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	42
217	240	288	239	196	173	97	69	46	23	16	9	3	2	-	1	-	6	43
30	39	47	35	37	22	21	22	11	11	6	2	1	-	-	-	-	1	44
17	12	8	9	6	11	9	3	7	2	7	6	2	1	-	-	-	-	45
136	154	188	157	123	110	54	36	25	9	2	1	-	1	-	1	-	4	46
33	33	45	37	28	30	13	7	2	-	1	-	-	-	-	-	-	1	47
1	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	48
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
75	111	115	137	132	151	122	100	80	79	50	43	20	14	1	-	-	5	50
25	32	31	40	42	61	63	54	45	49	25	20	9	9	1	-	-	1	51
12	15	18	27	25	34	19	16	14	13	14	17	7	5	-	-	-	1	52
20	28	39	42	41	38	24	19	15	14	4	1	3	-	-	-	-	1	53
13	30	26	25	19	14	14	10	5	3	7	3	-	-	-	-	-	1	54
5	4	1	3	2	3	2	1	1	-	-	2	1	-	-	-	-	1	55
-	2	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	56
48	43	38	23	13	10	5	2	3	-	1	1	-	-	-	-	-	-	57
33	19	20	8	5	3	2	1	1	-	1	1	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
15	23	18	14	8	7	3	1	2	-	-	-	-	-	-	-	-	-	60
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
17	11	10	1	5	2	3	1	-	-	-	-	-	-	-	-	-	-	64
6	4	6	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
11	7	4	1	4	1	1	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	3	2	4	3	2	-	2	6	4	-	-	-	-	-	-	-	-	71
-	2	2	4	3	2	-	2	6	4	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 74. Deaths From Nontransport Accidents by Place

(Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936

	PLACE OF ACCIDENT, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL NONTRANSPORT ACCIDENTS (E870-E936)	47,300	3,578	1,231	882	646	503	6,840	1,780	1,679	1,930
2	White----Male----	24,995	1,412	516	386	273	208	2,795	911	1,049	1,381
3	Female--	14,596	960	348	226	155	143	1,832	411	292	186
4	Negro----Male----	4,689	604	174	130	105	66	1,079	217	256	309
5	Female--	2,857	552	168	118	102	82	1,022	225	69	42
6	Other----Male----	249	33	7	9	5	3	57	6	11	11
7	Female--	112	17	18	13	6	1	55	10	2	1
8	Home[1] (.0)	22,749	2,626	927	595	434	348	4,930	872	476	329
9	White----Male----	9,362	1,032	370	219	149	120	1,890	327	279	209
10	Female--	9,149	685	244	154	102	101	1,286	240	99	66
11	Negro----Male----	2,069	446	146	109	90	53	844	106	52	33
12	Female--	2,016	438	148	101	86	71	844	194	43	18
13	Other----Male----	88	14	5	5	2	2	28	-	2	3
14	Female--	65	11	14	7	5	1	38	5	1	-
15	Farm[2] (.1)	2,389	3	47	40	43	27	160	122	237	282
16	White----Male----	1,917	2	30	25	29	16	102	76	174	189
17	Female--	187	-	13	12	10	10	45	28	13	13
18	Negro----Male----	253	-	2	3	2	1	8	16	42	55
19	Female--	20	1	1	-	2	-	4	2	6	3
20	Other----Male----	11	-	1	-	-	-	1	-	2	2
21	Female--	1	-	-	-	-	-	-	-	-	-
22	Mine and quarry (.2)	637	-	2	3	3	1	9	15	32	45
23	White----Male----	574	-	2	1	2	-	5	10	19	38
24	Female--	11	-	-	2	-	-	2	-	5	2
25	Negro----Male----	46	-	-	-	1	1	2	3	8	5
26	Female--	5	-	-	-	-	-	-	2	-	-
27	Other----Male----	1	-	-	-	-	-	-	-	-	-
28	Female--	-	-	-	-	-	-	-	-	-	-
29	Industrial place and premises (.3)	2,312	-	1	4	3	-	8	13	23	71
30	White----Male----	1,970	-	1	4	3	-	8	11	17	64
31	Female--	37	-	-	-	-	-	-	1	1	2
32	Negro----Male----	297	-	-	-	-	-	-	1	5	5
33	Female--	2	-	-	-	-	-	-	-	-	-
34	Other----Male----	6	-	-	-	-	-	-	-	-	-
35	Female--	-	-	-	-	-	-	-	-	-	-
36	Place for recreation and sport (.4)	566	4	7	10	10	8	39	91	114	119
37	White----Male----	416	2	3	7	7	6	25	63	75	102
38	Female--	78	1	3	3	3	1	11	14	18	8
39	Negro----Male----	62	1	1	-	-	-	2	10	18	9
40	Female--	9	-	-	-	-	1	1	3	3	-
41	Other----Male----	1	-	-	-	-	-	-	1	-	-
42	Female--	-	-	-	-	-	-	-	-	-	-
43	Street and highway (.5)	1,789	8	7	4	11	7	37	29	23	76
44	White----Male----	1,228	4	4	3	5	3	19	17	20	57
45	Female--	316	1	2	1	5	3	12	6	1	10
46	Negro----Male----	197	3	1	-	1	1	6	5	2	7
47	Female--	34	-	-	-	-	-	-	1	-	2
48	Other----Male----	11	-	-	-	-	-	-	-	-	-
49	Female--	3	-	-	-	-	-	-	-	-	-
50	Public building (.6)	1,341	12	-	2	2	6	22	43	97	56
51	White----Male----	929	6	-	-	-	3	9	23	46	43
52	Female--	304	5	-	1	-	2	8	25	46	6
53	Negro----Male----	77	-	-	1	1	1	3	-	4	5
54	Female--	21	1	-	-	1	-	2	-	1	2
55	Other----Male----	5	-	-	-	-	-	-	-	-	-
56	Female--	5	-	-	-	-	-	-	1	-	-
57	Resident institution (.7)	3,058	101	7	5	4	3	120	17	10	22
58	White----Male----	1,324	47	4	4	2	1	58	7	4	15
59	Female--	1,587	28	2	1	1	2	34	7	5	3
60	Negro----Male----	83	8	-	-	1	-	9	1	1	3
61	Female--	51	12	-	-	-	-	12	2	-	1
62	Other----Male----	10	6	-	-	-	-	6	-	-	-
63	Female--	3	-	1	-	-	-	1	-	-	-
64	Other specified places (.8)	5,642	29	90	133	74	69	395	463	547	759
65	White----Male----	4,061	15	52	85	48	50	250	332	339	546
66	Female--	557	8	29	30	22	12	101	63	83	53
67	Negro----Male----	860	3	5	8	2	4	22	58	108	144
68	Female--	87	2	1	2	1	2	8	5	9	11
69	Other----Male----	65	1	1	4	1	1	8	4	7	4
70	Female--	12	-	2	4	-	-	6	1	1	1
71	Place not specified (.9)	6,817	795	143	86	62	34	1,120	109	120	191
72	White----Male----	3,214	304	50	38	28	9	429	45	76	118
73	Female--	2,372	232	55	22	12	12	333	27	21	23
74	Negro----Male----	745	143	19	9	7	5	183	17	16	43
75	Female--	412	98	18	15	12	8	151	16	7	5
76	Other----Male----	51	12	-	-	2	-	14	1	-	2
77	Female--	23	6	1	2	1	-	10	3	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

# of Accident, Age, Race, and Sex: United States, 1958

of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,517	1,435	1,632	1,842	2,040	2,178	2,156	2,067	2,243	2,492	2,859	3,518	3,893	3,186	1,538	365	62	48	1
1,032	985	1,062	1,220	1,361	1,438	1,481	1,320	1,433	1,407	1,418	1,503	1,444	1,119	493	102	15	26	2
141	149	192	227	315	366	327	412	493	808	1,156	1,792	2,270	1,950	990	250	30	9	3
254	226	282	283	271	272	261	225	201	154	129	115	73	46	18	6	5	7	4
64	57	76	93	76	85	79	93	102	117	144	101	93	65	33	7	10	4	5
20	15	15	15	13	15	7	16	14	6	8	4	8	5	1	-	-	.2	6
6	3	5	4	4	2	1	1	-	-	4	3	5	1	3	-	2	-	7
350	350	434	546	671	747	798	870	960	1,304	1,610	2,050	2,307	1,927	940	225	40	13	8
182	166	194	254	344	374	421	428	465	602	689	770	760	629	295	60	7	7	9
79	87	123	136	194	221	226	281	311	522	724	1,131	1,427	1,212	603	157	22	2	10
47	51	70	87	83	88	95	84	97	85	83	63	46	33	14	3	4	1	11
35	39	41	52	44	59	56	72	79	92	108	81	69	50	26	5	6	3	12
4	6	3	6	3	4	-	4	8	3	4	3	4	2	1	-	-	-	13
3	1	3	1	3	1	-	1	-	-	2	2	1	1	1	-	1	-	14
102	107	98	122	122	151	155	178	166	152	101	76	45	22	10	-	-	1	15
71	95	68	107	108	130	134	152	152	138	92	67	37	21	4	-	-	-	16
5	1	7	6	7	10	3	9	9	9	6	6	4	1	5	-	-	-	17
25	11	20	7	7	11	16	14	5	5	3	3	4	-	-	-	-	1	18
-	-	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	19
1	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	20
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
34	36	80	76	74	82	83	37	21	5	3	1	2	1	-	-	-	1	22
30	33	74	73	71	76	79	36	19	5	2	1	1	1	-	-	-	1	23
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	24
3	2	5	3	3	6	4	1	1	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	26
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
180	223	238	289	276	247	235	201	180	66	33	13	10	4	-	1	-	1	29
155	187	208	234	234	212	200	162	160	62	30	10	10	4	-	1	-	1	30
3	3	2	6	5	6	3	2	2	-	1	-	-	-	-	-	-	-	31
21	32	28	49	35	27	31	36	18	4	2	3	-	-	-	-	-	-	32
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
-	1	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
49	21	17	14	20	14	13	9	11	10	12	10	3	-	-	-	-	-	36
34	17	15	8	16	9	10	9	9	4	10	7	3	-	-	-	-	-	37
4	1	-	4	3	3	1	-	1	6	1	3	-	-	-	-	-	-	38
10	3	2	1	1	2	2	-	1	-	1	-	-	-	-	-	-	-	39
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
91	99	95	117	127	120	110	114	130	130	148	142	124	57	16	4	-	-	43
67	67	69	89	84	93	81	78	95	97	99	76	73	36	10	1	-	-	44
4	6	4	6	13	3	6	18	21	29	42	59	49	21	5	1	-	-	45
14	20	19	16	25	21	20	13	13	4	2	6	2	-	1	1	-	-	46
3	5	1	5	4	-	2	4	-	-	5	1	-	-	-	1	-	-	47
2	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	48
1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
47	63	59	85	100	102	111	86	109	94	89	80	48	28	14	2	-	-	50
33	43	47	60	73	75	95	66	93	76	54	49	23	8	11	2	-	-	51
4	10	6	8	17	12	11	16	11	16	32	30	23	20	3	-	-	-	52
6	6	5	13	7	13	4	4	3	2	2	-	-	-	-	-	-	-	53
2	2	1	3	2	2	1	-	1	-	1	1	-	-	-	-	-	-	54
2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	55
-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	56
16	18	25	32	38	59	73	69	109	191	280	458	643	545	267	61	4	1	57
12	13	13	20	26	35	45	37	58	89	135	194	252	198	92	19	2	-	58
1	3	6	8	7	18	22	21	38	87	136	252	382	341	174	41	1	-	59
3	2	6	3	1	5	6	6	7	8	7	5	7	2	-	1	-	-	60
-	-	-	1	3	1	-	5	5	6	2	7	1	4	-	-	1	-	61
-	-	-	-	1		-	-	1	1	-	-	-	-	-	-	-	1	62
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	63
492	366	380	331	339	335	274	226	219	172	128	107	44	30	12	3	-	20	64
357	278	273	244	246	260	215	182	171	127	95	77	30	21	6	2	-	10	65
28	13	14	17	26	27	18	14	23	19	19	17	7	7	4	1	-	3	66
92	68	74	60	61	44	36	29	18	23	4	10	2	1	1	-	-	5	67
9	3	9	5	4	3	1	-	4	2	8	2	2	-	1	-	-	1	68
6	4	9	5	2	1	3	1	3	1	2	-	3	1	-	-	-	1	69
-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	70
156	152	206	230	273	321	304	277	338	368	455	581	667	572	279	69	18	11	71
91	86	101	121	159	174	201	170	211	207	212	252	255	201	75	17	6	7	72
13	25	30	36	43	66	37	51	76	120	195	294	377	348	196	50	7	4	73
33	31	53	44	48	55	47	38	38	23	25	25	12	10	2	1	1	-	74
12	8	21	25	19	20	17	12	13	17	19	9	21	11	5	1	3	-	75
5	2	1	2	3	6	2	6	-	1	2	1	1	2	-	-	-	-	76
2	-	-	2	1	-	-	-	-	-	2	-	1	-	1	-	1	-	77

Table 75. Deaths From Motor Vehicle Accidents, by Type of

(Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers

	CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL MOTOR VEHICLE ACCIDENTS (E810-E835)	36,981	293	383	384	388	343	1,791	1,524	1,186	4,021
2	White--Male	24,198	146	159	198	205	175	883	861	729	2,814
3	White--Female	8,532	116	173	121	123	107	640	437	358	871
4	Negro--Male	2,974	13	22	35	26	34	130	149	70	220
5	Negro--Female	849	10	18	27	29	23	107	59	20	70
6	Other--Male	320	4	6	3	4	1	18	12	6	36
7	Other--Female	108	4	5	-	1	3	13	6	3	10
8	Goods transport vehicle(s), but no other motor vehicle (.0)	3,480	14	65	79	67	62	287	219	177	247
9	White--Male	2,642	6	31	43	34	36	150	142	127	187
10	White--Female	358	6	28	25	22	13	94	38	29	24
11	Negro--Male	368	1	2	6	6	11	26	25	14	29
12	Negro--Female	59	1	4	4	3	1	13	9	3	3
13	Other--Male	42	-	-	1	1	-	2	2	2	4
14	Other--Female	11	-	-	-	1	1	2	3	2	-
15	Goods transport vehicle and passenger motor vehicle (.1)	3,609	38	24	17	26	19	124	65	80	379
16	White--Male	2,286	16	8	11	13	9	57	26	48	261
17	White--Female	969	15	14	4	8	9	50	36	26	84
18	Negro--Male	246	3	1	1	1	-	6	2	3	20
19	Negro--Female	73	3	-	1	3	1	8	1	1	8
20	Other--Male	23	1	1	-	1	-	3	-	1	3
21	Other--Female	12	-	-	-	-	-	-	-	1	3
22	Goods transport vehicle and motorbus (.2)	61	-	-	-	-	-	-	8	8	15
23	White--Male	33	-	-	-	-	-	-	3	3	7
24	White--Female	23	-	-	-	-	-	-	5	5	7
25	Negro--Male	4	-	-	-	-	-	-	-	-	1
26	Negro--Female	1	-	-	-	-	-	-	-	-	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Other--Female	-	-	-	-	-	-	-	-	-	-
29	Goods transport vehicle and unspecified motor vehicle (.3)	89	-	-	-	-	-	-	1	-	9
30	White--Male	73	-	-	-	-	-	-	1	-	8
31	White--Female	10	-	-	-	-	-	-	-	-	1
32	Negro--Male	4	-	-	-	-	-	-	-	-	-
33	Negro--Female	1	-	-	-	-	-	-	-	-	-
34	Other--Male	1	-	-	-	-	-	-	-	-	-
35	Other--Female	-	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)	28,407	228	285	270	286	259	1,328	1,169	893	3,264
37	White--Male	18,300	117	118	136	150	130	651	653	530	2,274
38	White--Female	6,859	90	127	85	92	84	478	339	294	737
39	Negro--Male	2,231	9	16	27	19	21	92	119	50	161
40	Negro--Female	691	6	14	20	23	21	84	45	16	59
41	Other--Male	245	2	5	2	2	1	12	10	3	27
42	Other--Female	81	4	5	-	-	2	11	3	-	6
43	Passenger motor vehicle and motorbus (.5)	183	1	3	1	1	1	7	4	3	17
44	White--Male	122	1	-	-	1	-	2	3	2	15
45	White--Female	47	-	3	1	-	-	4	1	1	2
46	Negro--Male	14	-	-	-	-	1	1	-	-	-
47	Negro--Female	-	-	-	-	-	-	-	-	-	-
48	Other--Male	-	-	-	-	-	-	-	-	-	-
49	Other--Female	-	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)	221	3	1	1	-	1	6	4	2	15
51	White--Male	138	2	-	-	-	-	2	2	2	10
52	White--Female	63	1	-	1	-	1	3	1	-	3
53	Negro--Male	16	-	1	-	-	-	1	-	-	2
54	Negro--Female	3	-	-	-	-	-	-	1	-	-
55	Other--Male	1	-	-	-	-	-	-	-	-	-
56	Other--Female	-	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)	198	-	1	1	2	-	4	29	8	2
58	White--Male	122	-	-	-	2	-	2	17	5	1
59	White--Female	56	-	1	1	-	-	2	9	1	1
60	Negro--Male	11	-	-	-	-	-	-	3	2	-
61	Negro--Female	6	-	-	-	-	-	-	-	-	-
62	Other--Male	1	-	-	-	-	-	-	-	-	-
63	Other--Female	2	-	-	-	-	-	-	-	-	-
64	Motorbus and unspecified motor vehicle (.8)	4	-	-	-	-	-	-	-	-	1
65	White--Male	2	-	-	-	-	-	-	-	-	1
66	White--Female	1	-	-	-	-	-	-	-	-	-
67	Negro--Male	1	-	-	-	-	-	-	-	-	-
68	Negro--Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Other--Female	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)	729	9	4	15	6	1	35	25	15	72
72	White--Male	480	4	2	8	5	-	19	14	12	50
73	White--Female	146	4	-	4	1	-	9	8	2	12
74	Negro--Male	79	-	2	1	-	1	4	-	1	7
75	Negro--Female	15	-	-	2	-	-	2	3	-	-
76	Other--Male	7	1	-	-	-	-	1	-	-	2
77	Other--Female	2	-	-	-	-	-	-	-	-	1

Motor Vehicle Involved, Age, Race, and Sex: United States, 1958

E810-E835 of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4,367	3,037	2,619	2,452	2,306	2,202	2,002	1,892	1,826	1,929	1,606	1,184	688	253	61	6	-	29	1
3,311	2,150	1,789	1,618	1,483	1,372	1,259	1,185	1,113	1,177	1,001	769	443	178	43	4	-	16	2
574	453	442	493	465	533	483	492	541	585	499	366	210	68	15	1	-	6	3
355	317	282	250	258	211	192	159	119	123	73	32	21	6	3	-	-	4	4
68	69	57	63	71	56	57	37	36	33	22	12	10	1	-	1	-	-	5
53	33	36	21	22	22	8	15	17	5	8	4	3	-	-	-	-	1	6
6	15	13	7	7	8	3	4	-	6	3	1	1	-	-	-	-	2	7
220	270	283	264	302	227	222	193	179	140	98	75	44	24	6	1	-	2	8
176	229	227	213	236	177	175	155	139	110	77	61	33	21	4	1	-	2	9
7	9	10	10	22	13	15	12	23	14	12	12	9	3	2	-	-	-	10
26	26	36	33	40	29	25	21	13	15	7	2	1	-	-	-	-	-	11
3	2	4	3	2	5	6	2	2	1	1	-	-	-	-	-	-	-	12
8	3	5	5	2	2	-	3	2	-	1	-	1	-	-	-	-	-	13
-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	14
427	316	296	283	256	231	206	230	225	211	150	73	38	15	-	-	-	4	15
303	216	204	175	159	140	123	145	131	125	94	44	24	10	-	-	-	1	16
84	58	55	78	58	64	62	67	77	72	50	26	14	5	-	-	-	3	17
28	31	29	24	29	20	14	13	13	9	4	1	-	-	-	-	-	-	18
7	6	7	5	7	5	7	5	2	2	1	1	-	-	-	-	-	-	19
4	4	1	-	2	1	-	-	2	1	1	-	-	-	-	-	-	-	20
1	1	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	21
4	4	3	3	4	2	3	3	1	2	-	-	1	-	-	-	-	-	22
-	4	2	3	3	2	2	2	1	1	-	-	-	-	-	-	-	-	23
3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	24
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	25
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
6	7	9	16	7	10	5	2	3	5	5	3	-	1	-	-	-	-	29
6	7	7	14	7	7	2	2	1	4	3	3	-	1	-	-	-	-	30
-	-	1	-	-	2	3	-	-	1	2	-	-	-	-	-	-	-	31
-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	32
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,562	2,347	1,928	1,792	1,664	1,652	1,487	1,387	1,328	1,489	1,278	988	572	204	48	5	-	22	36
2,715	1,630	1,286	1,152	1,034	990	910	833	782	889	784	632	367	139	34	3	-	12	37
464	375	357	386	368	435	383	391	412	470	408	312	176	58	12	1	-	3	38
282	243	202	180	180	157	146	119	90	95	57	29	17	6	2	-	-	4	39
55	61	43	55	60	45	38	28	32	28	20	11	9	1	-	1	-	-	40
41	25	29	14	16	19	8	12	12	4	6	4	2	-	-	-	-	1	41
5	13	11	5	6	6	2	4	-	3	3	-	1	-	-	-	-	2	42
26	16	14	10	9	16	12	5	12	14	11	3	2	-	2	-	-	-	43
20	12	7	7	6	13	6	4	8	6	5	3	2	-	1	-	-	-	44
5	3	2	2	3	3	4	-	3	8	6	-	-	-	-	-	-	-	45
1	1	5	1	-	-	2	1	1	-	-	-	-	-	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
25	15	21	16	13	12	16	20	17	8	15	11	3	1	1	-	-	-	50
21	11	11	12	7	6	8	10	12	7	8	8	1	-	-	-	-	-	51
4	1	4	2	5	6	5	9	5	1	7	3	2	1	1	-	-	-	52
-	2	5	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	53
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
6	6	5	9	10	7	11	16	19	22	16	8	12	4	4	-	-	-	57
3	5	4	5	6	6	7	11	11	10	11	4	6	4	4	-	-	-	58
1	1	-	4	1	-	2	4	8	9	5	4	4	-	-	-	-	-	59
1	-	-	-	2	-	-	1	-	-	-	-	2	-	-	-	-	-	60
1	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	61
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	63
1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	65
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
90	56	60	58	41	45	40	35	42	38	33	23	16	4	-	-	-	1	71
67	36	41	37	25	31	26	22	28	25	19	14	10	3	-	-	-	1	72
6	6	13	10	8	10	8	8	13	10	9	9	4	1	-	-	-	-	73
15	14	5	8	5	4	3	3	1	3	5	-	1	-	-	-	-	-	74
2	-	-	-	2	-	3	2	-	-	-	-	1	-	-	-	-	-	75
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 75. Deaths From Motor Vehicle Accidents, by Type of

(Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers

	CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle traffic accidents (E810-E825)	36,052	284	237	311	342	312	1,486	1,466	1,159	3,985
2	White--Male	23,555	141	94	152	182	156	725	822	710	2,784
3	Female	8,334	112	106	100	106	101	525	426	352	867
4	Negro--Male	2,923	13	15	34	24	30	116	141	70	219
5	Female	823	10	13	22	25	21	91	59	19	69
6	Other--Male	312	4	5	3	4	1	17	12	6	36
7	Female	105	4	4	-	1	3	12	6	2	10
8	Goods transport vehicle(s), but no other motor vehicle (.0)	3,064	11	26	45	45	51	178	187	162	228
9	White--Male	2,320	4	12	19	25	29	89	119	117	170
10	Female	306	5	11	16	11	11	54	34	26	24
11	Negro--Male	341	1	2	6	6	9	24	20	14	28
12	Female	49	1	1	3	1	1	7	9	2	2
13	Other--Male	38	-	-	1	1	-	2	2	2	4
14	Female	10	-	-	-	1	1	2	3	1	-
15	Goods transport vehicle and passenger motor vehicle (.1)	3,605	38	24	17	26	19	124	65	80	379
16	White--Male	2,283	16	8	11	13	9	57	26	48	261
17	Female	968	15	14	4	8	9	50	36	26	84
18	Negro--Male	246	3	1	1	1	-	6	2	3	20
19	Female	73	3	-	1	3	1	8	1	1	8
20	Other--Male	23	1	1	-	1	-	3	-	1	3
21	Female	12	-	-	-	-	-	-	-	1	3
22	Goods transport vehicle and motorbus (.2)	61	-	-	-	-	-	-	8	8	15
23	White--Male	33	-	-	-	-	-	-	3	3	7
24	Female	23	-	-	-	-	-	-	5	5	7
25	Negro--Male	4	-	-	-	-	-	-	-	-	1
26	Female	1	-	-	-	-	-	-	-	-	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Female	-	-	-	-	-	-	-	-	-	-
29	Goods transport vehicle and unspecified motor vehicle (.3)	86	-	-	-	-	-	-	1	-	9
30	White--Male	71	-	-	-	-	-	-	1	-	8
31	Female	10	-	-	-	-	-	-	-	-	1
32	Negro--Male	3	-	-	-	-	-	-	-	-	-
33	Female	1	-	-	-	-	-	-	-	-	-
34	Other--Male	1	-	-	-	-	-	-	-	-	-
35	Female	-	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)	27,925	222	179	234	263	239	1,137	1,146	861	3,250
37	White--Male	18,002	114	73	115	137	118	557	638	521	2,264
38	Female	6,718	87	77	75	86	80	405	332	291	733
39	Negro--Male	2,210	9	9	26	17	19	80	118	50	161
40	Female	675	6	12	16	21	19	74	45	16	59
41	Other--Male	241	2	4	2	2	1	11	10	3	27
42	Female	79	4	4	-	-	2	10	3	-	6
43	Passenger motor vehicle and motorbus (.5)	163	1	3	1	1	1	7	4	3	17
44	White--Male	122	1	-	-	1	-	2	3	2	15
45	Female	47	-	3	1	-	-	4	1	1	2
46	Negro--Male	14	-	-	-	-	1	1	-	-	-
47	Female	-	-	-	-	-	-	-	-	-	-
48	Other--Male	-	-	-	-	-	-	-	-	-	-
49	Female	-	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)	220	3	1	1	-	1	6	4	2	14
51	White--Male	137	2	-	-	-	-	2	2	2	9
52	Female	63	1	-	1	-	1	3	1	-	3
53	Negro--Male	16	-	1	-	-	-	1	-	-	2
54	Female	3	-	-	-	-	-	-	1	-	-
55	Other--Male	1	-	-	-	-	-	-	-	-	-
56	Female	-	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)	190	-	1	1	1	-	3	26	8	2
58	White--Male	116	-	-	-	1	-	1	16	5	1
59	Female	56	-	1	1	-	-	2	9	1	1
60	Negro--Male	9	-	-	-	-	-	-	1	2	-
61	Female	6	-	-	-	-	-	-	-	-	-
62	Other--Male	1	-	-	-	-	-	-	-	-	-
63	Female	2	-	-	-	-	-	-	-	-	-
64	Motorbus and unspecified motor vehicle (.8)	4	-	-	-	-	-	-	-	-	1
65	White--Male	2	-	-	-	-	-	-	-	-	1
66	Female	1	-	-	-	-	-	-	-	-	-
67	Negro--Male	1	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)	714	9	3	12	6	1	31	25	15	70
72	White--Male	469	4	1	7	5	-	17	14	12	48
73	Female	142	4	-	2	1	-	7	8	2	12
74	Negro--Male	79	-	2	1	-	1	4	-	1	7
75	Female	15	-	-	2	-	-	2	3	-	-
76	Other--Male	7	1	-	-	-	-	1	-	-	2
77	Female	2	-	-	-	-	-	-	-	-	1

Motor Vehicle Involved, Age, Race, and Sex: United States, 1958—Continued

E810-E835 of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4,316	2,987	2,566	2,411	2,267	2,166	1,953	1,858	1,783	1,897	1,569	1,171	672	248	57	6	-	29	1
3,263	2,107	1,745	1,584	1,450	1,347	1,220	1,158	1,082	1,153	975	760	436	173	41	4	-	16	2
574	451	437	489	463	528	479	488	534	579	488	363	203	68	13	1	-	6	3
355	313	279	248	254	208	188	158	115	121	73	32	20	6	3	-	-	4	4
67	69	57	63	71	54	55	36	35	33	22	12	9	1	-	1	-	-	5
51	33	35	20	22	21	8	14	17	5	8	3	3	-	-	-	-	1	6
6	14	13	7	7	8	3	4	-	6	3	1	1	-	-	-	-	2	7
198	245	258	243	275	209	194	172	153	127	93	74	38	22	5	1	-	2	8
156	207	205	195	212	161	151	137	116	99	72	60	29	19	3	1	-	2	9
7	9	10	9	22	13	15	11	22	13	12	12	8	3	2	-	-	-	10
26	23	34	32	37	28	21	20	11	14	7	2	-	-	-	-	-	-	11
2	2	4	3	2	4	6	2	2	1	1	-	-	-	-	-	-	-	12
7	3	4	4	2	2	-	2	2	-	1	-	1	-	-	-	-	-	13
-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	14
426	315	296	283	256	230	205	230	225	211	150	73	38	15	-	-	-	4	15
302	215	204	175	159	139	123	145	131	125	94	44	24	10	-	-	-	1	16
84	58	55	78	58	64	61	67	77	72	50	26	14	5	-	-	-	3	17
28	31	29	24	29	20	14	13	13	9	4	1	-	-	-	-	-	-	18
7	6	7	5	7	5	7	5	2	2	1	1	-	-	-	-	-	-	19
4	4	1	-	2	1	-	-	2	1	1	-	-	-	-	-	-	-	20
1	1	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	21
4	4	3	3	4	2	3	3	1	2	-	-	1	-	-	-	-	-	22
-	4	2	3	3	2	2	2	1	1	-	-	-	-	-	-	-	-	23
3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	24
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	25
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
6	7	7	16	7	10	5	2	2	5	5	3	-	1	-	-	-	-	29
6	7	5	14	7	7	2	2	1	4	3	3	-	1	-	-	-	-	30
-	-	1	-	-	2	3	-	-	1	2	-	-	-	-	-	-	-	31
-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,537	2,324	1,902	1,774	1,653	1,637	1,468	1,374	1,314	1,470	1,247	976	562	201	45	5	-	22	36
2,691	1,811	1,266	1,137	1,026	984	896	824	776	876	763	624	364	136	33	3	-	12	37
464	373	352	384	366	430	380	388	406	465	398	309	170	58	10	1	-	3	38
282	242	201	179	179	155	146	119	89	94	57	29	17	6	2	-	-	4	39
55	61	43	55	60	44	36	27	31	28	20	11	8	1	-	1	-	-	40
40	25	29	14	16	18	8	12	12	4	6	3	2	-	-	-	-	1	41
5	12	11	5	6	6	2	4	-	3	3	-	1	-	-	-	-	2	42
26	16	14	10	9	16	12	5	12	14	11	3	2	-	2	-	-	-	43
20	12	7	7	6	13	6	4	8	6	5	3	2	-	1	-	-	-	44
5	3	2	2	3	3	4	-	3	8	6	-	-	-	-	-	-	-	45
1	1	5	1	-	-	2	1	1	-	-	-	-	-	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
25	15	21	16	13	12	16	20	17	8	15	11	3	1	1	-	-	-	50
21	11	11	12	7	6	8	10	12	7	8	8	1	-	-	-	-	-	51
4	1	4	2	5	6	5	9	5	1	7	3	2	1	1	-	-	-	52
-	2	5	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	53
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
6	6	5	9	9	5	10	16	19	22	16	8	12	4	4	-	-	-	57
3	5	4	5	5	4	6	11	11	10	11	4	6	4	4	-	-	-	58
1	1	-	4	1	-	2	4	8	9	5	4	4	-	-	-	-	-	59
1	-	-	-	2	-	-	1	-	-	-	-	2	-	-	-	-	-	60
1	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	61
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	63
1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	65
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
87	55	60	56	41	45	40	35	40	38	32	23	16	4	-	-	-	1	71
64	35	41	36	25	31	26	22	26	25	19	14	10	3	-	-	-	1	72
6	6	13	9	8	10	8	8	13	10	8	9	4	1	-	-	-	-	73
15	14	5	8	5	4	3	3	1	3	5	-	1	-	-	-	-	-	74
2	-	-	-	2	-	3	2	-	-	-	-	1	-	-	-	-	-	75
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 75. Deaths From Motor Vehicle Accidents, by Type of

(Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers

	CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle nontraffic accidents (E830-E835)	929	9	146	73	46	31	305	58	27	36
2	White--Male	643	5	65	46	23	19	158	39	19	30
3	White--Female	198	4	67	21	17	6	115	11	6	4
4	Negro--Male	51	-	7	1	2	4	14	8	-	1
5	Negro--Female	26	-	5	5	4	2	16	-	1	1
6	Other--Male	8	-	1	-	-	-	1	-	-	-
7	Other--Female	3	-	1	-	-	-	1	-	1	-
8	Goods transport vehicle(s), but no other motor vehicle (.0)	416	3	39	34	22	11	109	32	15	19
9	White--Male	322	2	19	24	9	7	61	23	10	17
10	White--Female	52	1	17	9	11	2	40	4	3	-
11	Negro--Male	27	-	-	-	-	2	2	5	-	1
12	Negro--Female	10	-	3	1	2	-	6	-	1	1
13	Other--Male	4	-	-	-	-	-	-	-	-	-
14	Other--Female	1	-	-	-	-	-	-	-	1	-
15	Goods transport vehicle and passenger motor vehicle (.1)	4	-	-	-	-	-	-	-	-	-
16	White--Male	3	-	-	-	-	-	-	-	-	-
17	White--Female	1	-	-	-	-	-	-	-	-	-
18	Negro--Male	-	-	-	-	-	-	-	-	-	-
19	Negro--Female	-	-	-	-	-	-	-	-	-	-
20	Other--Male	-	-	-	-	-	-	-	-	-	-
21	Other--Female	-	-	-	-	-	-	-	-	-	-
22	Goods transport vehicle and motorbus (.2)	-	-	-	-	-	-	-	-	-	-
23	Goods transport vehicle and unspecified motor vehicle (.3)	3	-	-	-	-	-	-	-	-	-
24	White--Male	2	-	-	-	-	-	-	-	-	-
25	White--Female	-	-	-	-	-	-	-	-	-	-
26	Negro--Male	1	-	-	-	-	-	-	-	-	-
27	Negro--Female	-	-	-	-	-	-	-	-	-	-
28	Other--Male	-	-	-	-	-	-	-	-	-	-
29	Other--Female	-	-	-	-	-	-	-	-	-	-
30	Passenger motor vehicle(s), but no other motor vehicle (.4)	482	6	106	36	23	20	191	23	12	14
31	White--Male	298	3	45	21	13	12	94	15	9	10
32	White--Female	141	3	50	10	6	4	73	7	3	4
33	Negro--Male	21	-	7	1	2	2	12	1	-	-
34	Negro--Female	16	-	2	4	2	2	10	-	-	-
35	Other--Male	4	-	1	-	-	-	1	-	-	-
36	Other--Female	2	-	1	-	-	-	1	-	-	-
37	Passenger motor vehicle and motorbus (.5)	-	-	-	-	-	-	-	-	-	-
38	Passenger motor vehicle and unspecified motor vehicle (.6)	1	-	-	-	-	-	-	-	-	1
39	White--Male	1	-	-	-	-	-	-	-	-	1
40	White--Female	-	-	-	-	-	-	-	-	-	-
41	Negro--Male	-	-	-	-	-	-	-	-	-	-
42	Negro--Female	-	-	-	-	-	-	-	-	-	-
43	Other--Male	-	-	-	-	-	-	-	-	-	-
44	Other--Female	-	-	-	-	-	-	-	-	-	-
45	Motorbus(es), but no other motor vehicle (.7)	8	-	-	-	1	-	1	3	-	-
46	White--Male	6	-	-	-	1	-	1	1	-	-
47	White--Female	-	-	-	-	-	-	-	-	-	-
48	Negro--Male	2	-	-	-	-	-	-	2	-	-
49	Negro--Female	-	-	-	-	-	-	-	-	-	-
50	Other--Male	-	-	-	-	-	-	-	-	-	-
51	Other--Female	-	-	-	-	-	-	-	-	-	-
52	Motorbus and unspecified motor vehicle (.8)	-	-	-	-	-	-	-	-	-	-
53	Unspecified motor vehicle (.9)	15	-	1	3	-	-	4	-	-	2
54	White--Male	11	-	1	1	-	-	2	-	-	2
55	White--Female	4	-	-	2	-	-	2	-	-	-
56	Negro--Male	-	-	-	-	-	-	-	-	-	-
57	Negro--Female	-	-	-	-	-	-	-	-	-	-
58	Other--Male	-	-	-	-	-	-	-	-	-	-
59	Other--Female	-	-	-	-	-	-	-	-	-	-

Motor Vehicle Involved, Age, Race, and Sex: United States, 1958—Continued

E810-E835 of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
51	50	53	41	39	36	49	34	43	32	37	13	16	5	4	-	-	-	1
48	43	44	34	33	25	39	27	31	24	26	9	7	5	2	-	-	-	2
-	2	5	4	2	5	4	4	7	6	11	3	7	-	2	-	-	-	3
-	4	3	2	4	3	4	1	4	2	-	-	1	-	-	-	-	-	4
1	-	-	-	-	2	2	1	1	-	-	-	1	-	-	-	-	-	5
2	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	6
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
22	25	25	21	27	18	28	21	26	13	5	1	6	2	1	-	-	-	8
20	22	22	18	24	16	24	18	23	11	5	1	4	2	1	-	-	-	9
-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	10
-	3	2	1	3	1	4	1	2	1	-	-	1	-	-	-	-	-	11
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	12
1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	23
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
25	23	26	18	11	15	19	13	14	19	31	12	10	3	3	-	-	-	30
24	19	20	15	8	6	14	9	6	13	21	8	3	3	1	-	-	-	31
-	2	5	2	2	5	3	3	6	5	10	3	6	-	2	-	-	-	32
-	1	1	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	33
-	-	-	-	-	1	2	1	1	-	-	-	1	-	-	-	-	-	34
1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	35
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	1	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	53
3	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	54
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,647,886	828,550	622,527	108,244	88,565	29,521	10,689	7,434	6,103	5,295
2	I. Infective and parasitic diseases	23,407	11,658	5,743	3,837	2,169	667	220	116	198	133
3	Tuberculosis, all forms-001-019	12,361	6,810	2,368	2,133	1,050	378	131	63	120	64
4	Tuberculosis of respiratory system-001-008	11,477	6,486	2,182	1,923	886	359	129	61	111	58
5	Tuberculosis of meninges and central nervous system-010	296	85	66	67	78	8	2	1	3	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	67	19	17	16	15	3	-	-	1	2
7	Tuberculosis of bones and joints-012,013	84	39	20	16	9	1	-	-	-	1
8	Tuberculosis of other organs and systems-014-018	212	99	57	39	17	1	-	-	-	1
9	Disseminated tuberculosis-019	225	82	26	72	45	6	-	1	5	-
10	Syphilis and its sequelae-020-029	3,469	1,637	603	852	377	91	20	4	38	29
11	Congenital syphilis-020	37	11	5	16	5	2	-	-	1	1
12	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta-022	1,434	802	293	221	118	30	7	2	14	7
14	Other cardiovascular syphilis-023	1,182	458	154	409	161	33	10	1	13	9
15	Tabes dorsalis-024	83	55	12	13	3	3	-	-	2	1
16	General paralysis of insane-025	292	135	55	69	33	14	2	-	6	6
17	Other syphilis of central nervous system-026	356	145	65	103	43	8	1	1	2	4
18	All other syphilis-027-029	85	31	19	21	14	1	-	-	-	1
19	Gonococcal infection-030-035	18	5	1	10	2	-	-	-	-	-
20	Typhoid fever-040	23	9	9	2	3	-	-	-	-	-
21	Paratyphoid fever and other Salmonella infections-041,042	65	29	15	10	11	1	1	-	-	-
22	Cholera-043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)-044	8	3	3	2	-	-	-	-	-	-
24	Dysentery, all forms-045-048	407	153	110	92	52	10	1	1	3	5
25	Food poisoning (infection and intoxication)-049	55	15	16	14	10	6	3	-	-	3
26	Scarlet fever-050	12	3	6	1	2	-	-	-	-	-
27	Streptococcal sore throat-051	127	54	48	11	14	5	3	1	1	-
28	Erysipelas-052	26	13	11	1	1	1	-	1	-	-
29	Septicemia and pyemia-053	1,663	749	594	175	145	39	20	11	7	1
30	Diphtheria-055	74	24	23	12	15	3	1	2	-	-
31	Whooping cough-056	177	44	47	42	44	6	3	2	1	-
32	Meningococcal infections-057	746	310	309	68	59	21	3	6	5	7
33	Plague-058	-	-	-	-	-	-	-	-	-	-
34	Leprosy-060	3	2	-	1	-	-	-	-	-	-
35	Tetanus-061	303	103	53	81	66	21	4	-	6	11
36	Anthrax-062	1	1	-	-	-	-	-	-	-	-
37	Acute poliomyelitis-080	255	136	76	27	16	3	1	1	-	1
38	Late effects of acute poliomyelitis-081	147	76	63	3	5	5	-	4	1	-
39	Acute infectious encephalitis-082	537	249	225	34	29	6	3	2	-	1
40	Late effects of acute infectious encephalitis-083	88	55	31	1	1	-	-	-	-	-
41	Smallpox-084	-	-	-	-	-	-	-	-	-	-
42	Measles-085	552	220	206	69	57	12	2	3	4	3
43	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis-092	897	358	449	31	65	22	10	8	2	2
45	Rabies-094	5	2	2	-	1	-	-	-	-	-
46	Tick-borne typhus-104	14	7	6	-	1	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases-100-103,105-108	4	3	-	1	-	-	-	-	-	-
48	Malaria-110-117	6	3	-	3	-	-	-	-	-	-
49	Schistosomiasis-123	6	4	1	1	-	-	-	-	-	-
50	Hydatid disease-125	14	7	5	2	-	1	1	-	-	-
51	Filariasis-127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis-129	3	1	-	-	2	1	1	-	-	-
53	Other diseases due to helminths-124,126,128,130	61	9	16	12	24	2	-	-	-	2
54	All other infective and parasitic diseases-Residual[1]	1,280	570	447	146	117	33	12	7	10	4
55	II. Neoplasms	259,387	125,008	111,063	12,021	11,295	3,672	1,314	1,277	497	584
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	254,426	123,011	108,801	11,767	10,847	3,579	1,297	1,244	483	555
57	Malignant neoplasm of buccal cavity and pharynx-140-148	5,766	4,069	1,219	352	126	74	39	18	10	7
58	Of lip-140	227	201	25	1	-	1	1	-	-	-
59	Of tongue-141	1,455	1,037	290	92	36	16	11	3	1	1
60	Of other and unspecified parts of buccal cavity-142-144	1,778	1,160	489	88	41	27	9	8	5	5
61	Of pharynx-145-148	2,306	1,671	415	171	49	30	18	7	4	1
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-150-156A,157-159	88,144	43,585	36,741	4,600	3,218	1,066	392	347	170	157
63	Of esophagus-150	4,612	3,036	820	613	143	50	23	9	12	6
64	Of stomach-151	21,033	11,489	7,076	1,600	868	305	99	83	70	53
65	Of small intestine, including duodenum-152	723	363	304	28	28	6	3	-	1	2
66	Of large intestine, except rectum-153	26,903	11,559	13,705	712	927	286	85	135	26	40
67	Cecum, appendix, and ascending colon-153.0	3,823	1,553	2,088	81	101	30	11	16	1	2
68	Transverse colon, including hepatic and splenic flexures-153.1	1,573	717	775	37	44	18	7	7	1	3
69	Descending colon-153.2	1,154	484	605	29	36	12	5	6	1	-
70	Sigmoid colon-153.3	6,335	2,905	3,118	140	172	53	14	24	3	12
71	Multiple parts of large intestine-153.7	64	31	29	3	1	-	-	-	-	-
72	Large intestine (including colon), part unspecified-153.8	12,375	5,186	6,306	372	511	153	43	71	17	22
73	Intestinal tract, part unspecified-153.9	1,579	683	784	50	62	20	5	11	3	1
74	Of rectum-154	10,864	5,784	4,387	365	328	96	33	35	14	14
75	Of biliary passages and of liver (stated to be primary site)-155	5,948	2,195	3,288	279	186	112	44	39	20	9
76	Liver-155.0	1,731	888	600	181	62	74	31	17	17	9
77	Other and multiple sites of biliary passages-155.1,155.8	4,217	1,307	2,688	98	124	38	13	22	3	-
78	Of liver not stated whether primary or secondary-156A	3,688	1,668	1,623	218	179	11	5	1	2	3
79	Of pancreas-157	12,751	6,806	4,817	674	454	182	93	39	23	27
80	Of peritoneum and of unspecified digestive organs-158,159	1,622	685	721	111	105	18	7	6	2	3

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9,068	5,016	2,833	743	476	17,051	7,680	4,998	2,371	2,002	125,924	67,387	50,719	4,740	3,078	14,444	8,052	6,028	199	165	1
287	143	81	44	19	372	142	67	97	66	1,559	899	397	191	72	201	127	66	5	3	2
188	114	49	18	7	207	86	33	54	34	874	549	181	108	36	85	53	26	3	3	3
178	109	47	16	6	191	81	31	50	29	810	518	169	92	31	79	51	23	3	2	4
7	4	1	1	1	6	2	1	2	1	15	4	2	5	4	2	-	1	-	1	5
-	-	-	-	-	2	-	-	1	1	6	3	1	1	1	-	-	-	-	-	6
-	-	-	-	-	2	1	-	-	1	7	3	1	3	-	-	-	-	-	-	7
1	-	1	-	-	2	1	1	-	-	19	10	7	2	-	3	1	2	-	-	8
2	1	-	1	-	4	1	-	1	2	17	11	1	5	-	1	1	-	-	-	9
17	5	2	10	-	42	15	5	16	6	250	137	50	45	18	33	26	6	1	-	10
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
4	2	-	2	-	17	10	2	4	1	102	60	25	12	5	15	11	3	1	-	13
8	2	2	4	-	12	1	1	7	3	109	58	13	28	10	12	11	1	-	-	14
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	15
-	-	-	-	-	3	-	1	2	-	5	3	2	-	-	2	1	1	-	-	16
4	1	-	3	-	6	3	-	3	-	25	12	7	4	2	4	3	1	-	-	17
1	-	-	1	-	3	-	1	-	2	5	2	3	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	1	-	-	-	20
3	1	1	-	1	1	-	-	1	-	14	7	5	1	1	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
14	2	6	5	1	10	4	2	2	2	25	14	7	4	-	1	-	1	-	-	24
-	-	-	-	-	1	-	-	-	1	2	-	1	1	-	1	-	1	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	-	1	-	1	-	-	4	1	3	-	-	2	-	2	-	-	27
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	28
11	3	4	-	4	32	10	9	9	4	87	51	26	7	3	14	8	6	-	-	29
-	-	-	-	-	4	1	-	1	2	2	2	-	-	-	2	-	2	-	-	30
4	-	3	-	1	8	-	-	1	7	15	6	7	-	2	1	1	-	-	-	31
7	2	2	2	1	9	4	3	1	1	47	23	20	2	2	5	2	3	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	8	3	-	5	-	16	8	6	2	-	1	1	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	1	-	1	-	1	1	-	-	-	12	5	5	2	-	2	1	1	-	-	37
3	2	1	-	-	2	2	-	-	-	14	8	6	-	-	3	2	1	-	-	38
4	3	1	-	-	6	2	3	1	-	30	16	10	3	1	9	7	2	-	-	39
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	2	-	1	1	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
10	-	1	7	2	5	2	1	-	2	12	6	5	1	-	8	7	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
6	2	2	1	1	8	3	3	-	2	57	18	36	1	2	10	5	5	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	45
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
17	7	9	-	1	23	6	7	6	4	87	43	25	13	6	18	11	7	-	-	54
1,223	640	486	52	45	2,459	1,087	883	231	258	20,928	10,213	9,524	711	480	2,087	1,032	1,022	18	15	55
1,194	631	473	50	40	2,403	1,066	865	225	247	20,511	10,043	9,314	693	461	2,042	1,010	999	18	15	56
24	13	9	-	2	57	37	14	5	1	511	346	136	27	2	40	27	13	-	-	57
-	-	-	-	-	3	3	-	-	-	14	12	2	-	-	3	2	1	-	-	58
7	3	4	-	-	8	5	2	-	1	124	88	31	5	-	14	9	5	-	-	59
7	5	1	-	1	25	12	8	5	-	157	97	56	3	1	9	5	4	-	-	60
10	5	4	-	1	21	17	4	-	-	216	149	47	19	1	14	11	3	-	-	61
398	189	172	23	14	729	338	239	89	63	6,711	3,338	2,948	291	134	708	347	348	8	5	62
6	3	3	-	-	31	13	7	7	4	342	233	81	26	2	22	16	6	-	-	63
100	57	29	11	3	189	93	49	31	16	1,614	905	573	99	37	179	113	63	2	1	64
1	-	1	-	-	4	1	2	1	-	59	31	26	1	1	4	1	3	-	-	65
110	43	62	4	1	198	86	82	16	14	1,918	792	1,050	44	32	222	92	127	2	1	66
19	4	13	2	-	26	15	9	2	-	338	135	195	7	1	27	11	16	-	-	67
4	1	2	1	-	16	7	6	1	2	139	50	82	4	3	12	5	6	1	-	68
3	1	2	-	-	8	3	4	-	1	91	42	47	2	-	13	2	11	-	-	69
28	13	14	-	1	28	12	13	1	2	517	234	259	13	11	49	28	21	-	-	70
-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	-	-	-	-	-	71
46	21	25	-	-	109	45	46	11	7	740	299	409	15	17	114	44	68	1	1	72
10	3	6	1	-	11	4	4	1	2	87	28	56	3	-	7	2	5	-	-	73
41	21	20	-	-	54	23	23	4	4	885	453	391	31	10	76	31	41	1	3	74
35	14	12	1	8	42	22	18	2	-	513	207	269	23	14	43	18	25	-	-	75
5	4	1	-	-	20	11	7	2	-	153	80	54	15	4	14	11	3	-	-	76
30	10	11	1	8	22	11	11	-	-	360	127	215	8	10	29	7	22	-	-	77
30	15	13	2	-	62	25	19	7	11	165	79	66	15	5	19	7	12	-	-	78
68	34	28	4	2	135	70	36	20	9	1,095	589	435	44	27	125	63	59	3	-	79
7	2	4	1	-	14	5	3	1	5	120	49	57	8	6	18	6	12	-	-	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary----160-164	35,423	27,758	4,854	2,367	444	459	296	67	87	9
2	Of larynx----161	2,241	1,820	205	190	26	31	19	6	6	-
3	Of bronchus and trachea, and of lung specified as primary----162	15,833	12,720	1,805	1,154	154	359	238	51	63	7
4	Of lung, unspecified as to whether primary or secondary----163	16,483	12,694	2,587	959	243	54	32	5	16	1
5	Of other parts of respiratory system----160,164	866	524	257	64	21	15	7	5	2	1
6	Malignant neoplasm of breast----170	22,675	195	20,806	20	1,654	271	3	207	1	60
7	Malignant neoplasm of genital organs----171-179	38,390	13,356	20,123	1,706	3,205	718	152	282	80	204
8	Of cervix uteri----171	8,582	...	6,919	...	1,663	234	...	125	...	109
9	Of other and unspecified parts of uterus----172-174	6,358	...	5,405	...	953	139	...	70	...	69
10	Of ovary, fallopian tube, and broad ligament----175	7,579	...	7,072	...	507	107	...	85	...	22
11	Of other and unspecified female genital organs----176	809	...	727	...	82	6	...	2	...	4
12	Of prostate----177	14,071	12,452	...	1,619	...	221	142	...	79	...
13	Of testis, and of other and unspecified male genital organs-178,179	991	904	...	87	...	11	10	...	1	...
14	Malignant neoplasm of urinary organs----180,181	12,122	7,511	3,747	525	339	135	67	35	18	15
15	Of kidney----180	4,743	2,761	1,668	201	113	50	22	19	5	4
16	Of bladder and other urinary organs----181	7,379	4,750	2,079	324	226	85	45	16	13	11
17	Malignant neoplasm of other and unspecified sites----156B,165,190-199	27,978	13,622	11,994	1,211	1,151	522	192	198	68	64
18	Of skin----190,191	3,805	2,106	1,527	89	83	86	39	36	4	7
19	Of eye----192	346	178	151	7	10	6	-	5	-	1
20	Of brain and other parts of nervous system----193	5,606	3,085	2,164	218	139	103	50	36	11	6
21	Of thyroid gland----194	981	321	581	24	55	14	3	6	2	3
22	Of bone----196	1,885	1,012	722	80	71	34	11	10	6	7
23	Of connective tissue----197	890	458	372	34	26	11	5	6	-	-
24	Of other specified sites, not stated to be secondary----195,199A	1,392	758	512	66	56	30	12	12	2	4
25	Of unspecified sites----156B,165,198,199B	13,073	5,704	5,965	693	711	238	72	87	43	36
26	Leukemia and aleukemia----204	11,980	6,524	4,669	432	355	171	86	46	20	19
27	Lymphosarcoma, etc.*----200-203,205	11,948	6,391	4,648	554	355	163	70	44	29	20
28	Lymphosarcoma and reticulosarcoma----200	5,408	2,893	2,204	203	108	69	31	21	13	4
29	Hodgkin's disease----201	3,036	1,715	1,130	123	68	44	17	14	8	5
30	Other neoplasms of lymphatic and hematopoietic tissues--202,203,205	3,504	1,783	1,314	228	179	50	22	9	8	11
31	Benign neoplasms and neoplasms of unspecified nature----210-239	4,961	1,997	2,262	254	448	93	17	33	14	29
32	Benign neoplasms of female genital organs----214-217	508	...	320	...	188	23	...	5	...	18
33	Benign neoplasm of brain and other parts of nervous system----223	966	390	485	43	48	13	4	8	1	-
34	Other benign neoplasms----210-213,218-222,224-229	966	448	399	63	56	17	5	6	2	4
35	Neoplasm of unspecified nature of female genital organs----233-235	32	...	26	...	6	-	...	-	...	-
36	Neoplasm of unspecified nature of brain, etc.*----237	1,633	781	667	95	90	24	7	6	8	3
37	Other neoplasms of unspecified nature----230-232,236,238,239	856	378	365	53	60	16	1	8	3	4
38	III. Allergic, endocrine system, metabolic, and nutritional diseases----	36,851	14,584	17,835	1,681	2,751	586	170	175	102	139
39	Asthma----241	5,035	3,046	1,359	338	292	74	35	13	16	10
40	Nontoxic goiter----250,251	116	14	85	1	16	1	-	1	-	-
41	Thyrotoxicosis with or without goiter----252	626	93	435	14	84	14	1	5	2	6
42	Myxedema, cretinism, and other diseases of thyroid gland----253,254	273	59	189	5	20	11	2	4	2	3
43	Diabetes mellitus----260	27,501	9,920	14,458	1,041	2,082	394	109	116	61	108
44	Diseases of thymus gland----273	172	78	60	20	14	4	1	-	2	1
45	Diseases of adrenal glands----274	388	199	150	21	18	6	2	2	1	1
46	Pellagra----281	56	14	22	8	12	10	5	5	-	-
47	Other avitaminoses and nutritional deficiency states----280,282-286	1,565	630	626	166	143	53	13	16	18	6
48	All other allergic, endocrine, and metabolic diseases----Residual[1]	1,119	531	451	67	70	19	2	13	-	4
49	IV. Diseases of the blood and blood-forming organs----	4,942	2,125	2,121	361	335	86	21	21	17	27
50	Anemias----290-293	3,195	1,279	1,371	283	262	55	12	12	12	19
51	Pernicious and other hyperchromic anemias----290	729	301	400	13	15	3	2	1	-	-
52	Anemias of other and unspecified type----291-293	2,466	978	971	270	247	52	10	11	12	19
53	Purpura and other hemorrhagic conditions----296	674	277	326	29	42	14	3	6	1	4
54	Other diseases of blood and blood-forming organs----294,295,297-299	1,073	569	424	49	31	17	6	3	4	4
55	V. Mental, psychoneurotic, and personality disorders----	4,486	2,479	1,137	581	289	114	34	43	20	17
56	Senile psychosis----304	457	170	255	12	20	9	-	6	1	2
57	Alcoholic psychosis----307	406	313	32	54	7	6	3	-	3	-
58	Other psychoses----300-303,305,306,308,309	542	200	257	40	45	48	6	30	4	8
59	Alcoholism----322	2,501	1,535	347	437	182	39	19	3	12	5
60	Mental deficiency----325	415	200	169	23	23	6	2	3	-	1
61	Psychoneuroses and other disorders of personality---310-321,323,324,326	165	61	77	15	12	6	4	1	-	1
62	VI. Diseases of the nervous system and sense organs----	205,209	86,472	92,833	12,698	13,206	4,334	1,345	1,248	825	916
63	Vascular lesions affecting central nervous system----330-334	190,758	79,666	87,378	11,410	12,304	4,058	1,247	1,181	760	870
64	Subarachnoid hemorrhage----330	6,169	2,404	2,741	463	561	120	35	34	17	34
65	Cerebral hemorrhage----331	113,601	46,690	51,655	7,292	7,984	2,553	765	730	499	559
66	Cerebral embolism and thrombosis----332	53,548	23,420	25,057	2,550	2,521	919	331	297	135	156
67	Other vascular lesions affecting central nervous system----333,334	17,440	7,152	7,925	1,105	1,258	466	116	120	109	121
68	Meningitis, except meningococcal and tuberculous----340	2,247	958	664	349	276	50	15	8	18	9
69	Multiple sclerosis----345	1,414	586	742	39	47	14	7	4	1	2
70	Paralysis agitans----350	2,733	1,448	1,223	35	27	20	10	9	-	1
71	Cerebral spastic infantile paralysis----351	745	367	267	61	50	23	7	9	4	3
72	Epilepsy----353	2,062	893	662	346	161	47	15	6	20	6
73	Inflammatory diseases of eye----370-379	13	7	4	1	1	-	-	-	-	-
74	Cataract----385	27	16	7	1	3	-	-	-	-	-
75	Glaucoma----387	4	-	4	-	-	-	-	-	-	-
76	Otitis media and mastoiditis----391-393	433	194	155	46	38	7	1	4	1	1
77	Other diseases of nervous system and sense organs----Residual[1]	4,773	2,337	1,727	410	299	115	43	27	21	24

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
182	153	19	9	1	287	214	33	30	10	3,088	2,448	471	139	30	243	189	50	4	-	1
14	11	-	3	-	19	14	1	3	1	193	163	20	10	-	8	8	-	-	-	2
91	78	10	3	-	100	79	6	13	2	1,748	1,426	233	76	13	125	107	16	2	-	3
74	62	8	3	1	157	118	21	11	7	1,088	823	202	47	16	98	69	28	1	-	4
3	2	1	-	-	11	3	5	3	-	59	36	16	6	1	12	5	6	1	-	5
90	1	84	-	5	194	3	165	1	25	1,948	16	1,857	-	75	180	2	176	-	2	6
172	81	77	4	10	452	137	177	43	95	2,925	1,032	1,725	58	110	344	147	190	1	6	7
36	...	32	...	4	127	...	81	...	46	737	...	672	...	65	68	...	65	...	3	8
26	...	25	...	1	75	...	45	...	30	364	...	342	...	22	45	...	44	...	1	9
23	...	20	...	3	59	...	44	...	15	682	...	660	...	22	75	...	73	...	2	10
2	...	-	...	2	11	...	7	...	4	52	...	51	...	1	8	...	8	...	-	11
81	78	...	3	...	174	131	...	43	...	1,013	958	...	55	...	139	138	...	1	...	12
4	3	...	1	...	6	6	...	-	...	77	74	...	3	...	9	9	...	-	...	13
58	46	11	1	-	106	58	28	15	5	1,000	640	305	35	20	103	64	37	2	-	14
26	22	4	-	-	40	23	10	6	1	366	220	127	12	7	40	22	17	1	-	15
32	24	7	1	-	66	35	18	9	4	634	420	178	23	13	63	42	20	1	-	16
138	71	53	7	7	340	153	130	24	33	2,243	1,126	1,004	62	51	212	110	98	2	2	17
18	9	9	-	-	60	33	22	-	5	299	174	118	6	1	34	18	16	-	-	18
1	1	-	-	-	2	1	-	1	-	23	5	18	-	-	1	-	1	-	-	19
30	19	9	2	-	50	29	15	4	2	542	305	209	18	10	55	29	24	1	1	20
5	2	3	-	-	4	2	2	-	-	86	35	48	-	3	3	1	2	-	-	21
23	13	10	-	-	24	13	10	-	1	127	64	62	1	-	15	11	4	-	-	22
2	2	-	-	-	8	4	3	1	-	64	37	24	2	1	9	4	5	-	-	23
11	6	4	1	-	21	12	8	-	1	92	55	34	1	2	9	7	2	-	-	24
48	19	18	4	7	171	59	70	18	24	1,010	451	491	34	34	86	40	44	1	1	25
66	40	22	3	1	136	72	50	6	8	1,011	541	416	31	23	114	69	44	1	-	26
66	37	26	3	-	102	54	29	12	7	1,074	556	452	50	16	98	55	43	-	-	27
24	12	12	-	-	39	21	13	4	1	524	283	216	19	6	56	32	24	-	-	28
21	9	9	3	-	27	13	8	3	3	243	126	103	12	2	24	12	12	-	-	29
21	16	5	-	-	36	20	8	5	3	307	147	133	19	8	18	11	7	-	-	30
29	9	13	2	5	56	21	18	6	11	417	170	210	18	19	45	22	23	-	-	31
2	...	1	...	1	3	...	1	...	2	27	...	20	...	7	3	...	3	...	-	32
9	5	4	-	-	9	2	3	1	3	101	44	52	4	1	9	4	5	-	-	33
6	1	3	1	1	7	3	2	1	1	93	46	40	4	3	7	5	2	-	-	34
-	...	-	...	-	-	...	-	...	-	5	...	4	...	1	-	...	-	...	-	35
8	2	5	-	1	27	12	9	4	2	123	43	65	9	6	15	8	7	-	-	36
4	1	-	1	2	10	4	3	-	3	68	37	29	1	1	11	5	6	-	-	37
232	131	75	12	14	312	106	124	34	48	2,190	971	1,033	88	98	236	125	100	2	9	38
105	79	21	4	1	37	22	11	2	2	396	243	125	20	8	61	42	15	2	2	39
-	-	-	-	-	1	-	-	1	-	7	3	4	-	-	2	-	2	-	-	40
4	1	3	-	-	6	2	-	2	2	28	5	19	1	3	4	-	3	-	1	41
2	-	1	-	1	1	-	1	-	-	29	6	23	-	-	4	1	3	-	-	42
90	34	39	6	11	221	70	90	21	40	1,447	575	732	61	79	136	61	69	-	6	43
-	-	-	-	-	-	-	-	-	-	8	4	4	-	-	-	-	-	-	-	44
4	3	1	-	-	4	2	2	-	-	40	21	15	1	3	3	3	-	-	-	45
-	-	-	-	-	2	-	2	-	-	3	1	1	1	-	-	-	-	-	-	46
21	10	9	2	-	31	3	16	8	4	122	55	65	2	-	15	8	7	-	-	47
6	4	1	-	1	9	7	2	-	-	110	58	45	2	5	11	10	1	-	-	48
27	11	11	2	3	67	27	24	10	6	353	161	162	16	14	40	28	11	1	-	49
14	4	6	2	2	49	17	17	10	5	208	82	102	12	12	25	15	9	1	-	50
1	-	1	-	-	12	3	7	-	2	37	16	19	2	-	3	2	1	-	-	51
13	4	5	2	2	37	14	10	10	3	171	66	83	10	12	22	13	8	1	-	52
6	3	2	-	1	6	3	3	-	-	52	23	27	-	2	6	5	1	-	-	53
7	4	3	-	-	12	7	4	-	1	93	56	33	4	-	9	8	1	-	-	54
36	21	5	7	3	42	19	12	7	4	403	258	105	33	7	43	32	11	-	-	55
1	1	-	-	-	9	5	2	2	-	41	14	25	2	-	6	3	3	-	-	56
1	-	1	-	-	-	-	-	-	-	55	42	8	5	-	3	3	-	-	-	57
3	1	2	-	-	10	3	4	1	2	31	12	16	1	2	4	3	1	-	-	58
29	19	1	7	2	13	11	-	1	1	245	175	46	21	3	26	22	4	-	-	59
1	-	-	-	1	7	-	3	3	1	15	8	5	1	1	1	-	1	-	-	60
1	-	1	-	-	3	-	3	-	-	16	7	5	3	1	3	1	2	-	-	61
844	418	353	46	27	2,402	878	842	331	351	14,922	6,425	7,735	406	356	1,628	727	867	16	18	62
776	384	337	32	23	2,244	811	797	304	332	13,646	5,886	7,296	349	315	1,486	650	805	13	18	63
30	16	11	1	2	47	17	18	3	9	556	224	288	22	22	47	20	26	1	-	64
410	190	190	16	14	1,551	566	546	207	232	7,091	2,919	3,818	176	178	959	394	546	7	12	65
261	139	105	11	6	406	164	156	44	42	5,005	2,232	2,562	126	85	367	180	177	5	5	66
75	39	31	4	1	240	64	77	50	49	1,194	511	628	25	30	113	56	56	-	1	67
19	10	2	6	1	24	11	2	8	3	208	111	68	13	16	22	11	10	1	-	68
3	1	2	-	-	14	5	8	-	1	106	39	60	3	4	17	6	11	-	-	69
6	4	2	-	-	24	13	10	1	-	212	111	98	1	2	27	17	10	-	-	70
2	-	2	-	-	10	4	2	3	1	45	20	20	2	3	7	5	2	-	-	71
5	3	-	2	-	20	9	2	4	5	117	53	45	14	5	24	14	9	1	-	72
1	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	73
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
4	1	-	3	-	4	1	1	1	1	28	17	7	3	1	7	2	4	1	-	76
27	14	8	3	2	62	24	20	10	8	357	187	140	20	10	37	21	16	-	-	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	702,731	373,037	265,806	34,072	29,816	10,714	4,298	2,669	1,973	1,774
2	Diseases of heart--400-402,410-443	637,246	342,504	238,045	30,408	26,289	9,610	3,949	2,351	1,752	1,558
3	Rheumatic fever--400-402	806	336	297	83	90	19	3	5	6	5
4	Chronic rheumatic heart disease--410-416	17,990	7,938	8,639	673	740	156	55	37	31	33
5	Diseases of mitral valve--410	6,431	2,657	3,282	236	256	61	17	14	15	15
6	Diseases of aortic valve specified as rheumatic--411	1,718	1,194	447	56	21	13	8	1	4	-
7	Diseases of pulmonary valve, etc.*--413,414	1,026	454	496	43	33	5	1	3	-	1
8	Other diseases of heart specified as rheumatic--412,415,416	8,815	3,633	4,414	338	430	77	29	19	12	17
9	Arteriosclerotic heart disease, including coronary disease--420	461,373	271,556	160,438	17,051	12,328	5,800	2,905	1,470	799	626
10	Arteriosclerotic heart disease so described--420.0	183,425	94,706	76,900	6,532	5,287	1,766	744	508	307	207
11	Heart disease specified as involving coronary arteries--420.1	277,275	176,471	83,332	10,467	7,005	4,007	2,147	958	485	417
12	Angina pectoris without mention of coronary disease--420.2	673	379	206	52	36	27	14	4	7	2
13	Chronic endocarditis not specified as rheumatic--421	5,606	2,712	2,100	419	375	151	40	37	40	34
14	Of mitral valve, specified as nonrheumatic--421.0	456	167	233	25	31	14	5	5	4	-
15	Of aortic valve, not specified as rheumatic--421.1	1,998	1,218	549	145	86	27	10	1	10	6
16	Of other valves, not specified as rheumatic--421.2-421.4	3,152	1,327	1,318	249	258	110	25	31	26	28
17	Other myocardial degeneration--422	52,989	22,719	24,540	2,984	2,746	1,082	327	257	264	214
18	With arteriosclerosis--422.1	35,916	15,154	17,173	1,854	1,735	659	170	149	193	147
19	Without mention of arteriosclerosis--422.0,422.2	17,073	7,565	7,367	1,130	1,011	403	157	108	71	67
20	Other diseases of heart--430-434	24,548	12,004	8,479	2,382	1,683	648	253	125	154	116
21	Acute and subacute endocarditis--430	754	394	229	71	60	10	3	1	2	4
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic-431,432	1,051	432	384	116	119	33	9	6	4	14
23	Functional disease of heart--433	5,047	2,374	2,300	205	168	52	16	19	10	7
24	Other and unspecified diseases of heart--434	17,696	8,804	5,566	1,990	1,336	553	225	99	138	91
25	Hypertensive heart disease--440-443	73,934	25,239	33,552	6,816	8,327	1,774	366	420	458	530
26	Hypertensive heart disease with arteriolar nephrosclerosis--442	17,601	7,033	7,479	1,481	1,608	408	91	92	113	112
27	Other hypertensive heart disease--440,441,443	56,333	18,206	26,073	5,335	6,719	1,366	275	328	345	418
28	Other hypertensive disease--444-447	13,798	5,591	5,526	1,368	1,313	322	79	74	87	82
29	Hypertension with arteriolar nephrosclerosis--446	6,699	3,294	2,576	456	373	88	27	29	21	11
30	Essential hypertension, other hypertensive disease, etc.*-444,445,447	7,099	2,297	2,950	912	940	234	52	45	66	71
31	Diseases of arteries--450-456	44,110	21,425	19,183	1,801	1,701	685	236	221	112	116
32	General arteriosclerosis--450	34,483	15,264	16,599	1,324	1,296	550	170	182	95	103
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm--451	7,086	4,894	1,641	341	210	84	45	26	9	4
34	Gangrene of unspecified cause--455	243	118	80	21	24	3	1	1	1	-
35	Other arterial diseases--452-454,456	2,298	1,149	863	115	171	48	20	12	7	9
36	Diseases of veins and other diseases of circulatory system--460-468	7,577	3,517	3,052	495	513	97	34	23	22	18
37	VIII. Diseases of the respiratory system	81,647	42,671	25,458	8,024	5,494	1,594	520	353	405	316
38	Acute upper respiratory infections--470-475	936	408	303	126	99	22	4	5	8	5
39	Influenza--480-483	4,442	1,732	1,608	610	492	271	72	60	76	63
40	Pneumonia, except pneumonia of newborn--490-493	52,997	24,817	18,308	5,772	4,100	929	253	220	252	204
41	Lobar pneumonia--490	9,339	4,471	2,842	1,273	753	216	60	45	55	56
42	Bronchopneumonia--491	31,183	14,822	11,242	2,980	2,139	419	121	111	107	80
43	Primary atypical pneumonia--492	4,864	2,297	1,678	506	383	101	29	28	27	17
44	Pneumonia, other and unspecified--493	7,611	3,227	2,546	1,013	825	193	43	36	63	51
45	Acute bronchitis--500	1,352	637	482	124	109	18	3	2	4	9
46	Bronchitis, chronic and unqualified--501,502	2,621	1,732	633	160	96	56	35	7	4	10
47	Hypertrophy of tonsils and adenoids--510	194	85	74	22	13	3	-	1	1	1
48	Empyema and abscess of lung--518,521	895	511	211	129	44	16	6	-	9	1
49	Pleurisy--519	181	89	65	16	11	2	-	1	1	-
50	Emphysema without mention of bronchitis--527.1	6,707	5,629	732	296	50	90	67	11	9	3
51	Other respiratory diseases--511-517,520,522-527.0,527.2	11,322	7,031	3,042	769	480	187	80	46	41	20
52	IX. Diseases of the digestive system	63,417	33,896	22,327	4,094	3,100	874	335	215	192	132
53	Diseases of teeth and supporting structures--530-535	94	40	30	10	14	4	-	-	3	1
54	Ulcer of stomach--540	5,478	3,615	1,349	352	162	62	32	11	10	9
55	Ulcer of duodenum--541	5,323	3,913	1,060	250	100	57	34	10	11	2
56	Gastritis and duodenitis--543	347	182	114	32	19	8	1	4	2	1
57	Appendicitis--550-553	1,845	978	575	168	124	32	7	10	13	2
58	Hernia and intestinal obstruction--560,561,570	8,853	3,838	3,864	624	527	130	48	33	24	25
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	4,629	1,603	1,484	846	696	154	29	18	59	48
60	Chronic enteritis and ulcerative colitis--572	2,862	1,281	1,424	53	104	22	9	12	-	1
61	Cirrhosis of liver--581	18,638	11,367	5,639	993	639	173	80	45	36	12
62	Without mention of alcoholism--581.0	13,035	7,682	4,256	674	423	136	58	36	33	9
63	With alcoholism--581.1	5,603	3,685	1,383	319	216	37	22	9	3	3
64	Cholelithiasis, cholecystitis, and cholangitis--584,585	4,720	1,827	2,647	91	155	51	18	25	5	3
65	Fibrocystic disease of pancreas--587B	550	263	260	16	11	16	8	6	-	2
66	Other diseases of digestive system--Residual[1]	10,078	4,989	3,881	659	549	165	69	41	29	26
67	X. Diseases of the genitourinary system	32,027	16,018	9,978	3,440	2,591	827	253	171	234	169
68	Nephritis and nephrosis--590-594	16,030	6,921	5,676	1,777	1,656	462	119	91	126	126
69	Acute nephritis--590	1,132	445	418	135	134	42	14	7	13	8
70	Nephritis with edema, including nephrosis--591	1,071	499	352	121	99	25	6	4	8	7
71	Chronic and unspecified nephritis and other renal sclerosis---592-594	13,827	5,977	4,906	1,521	1,423	395	99	80	105	111
72	Infections of kidney--600	6,889	2,890	2,732	654	613	170	53	58	34	25
73	Calculi of urinary system--602,604	1,282	620	553	63	46	23	8	11	3	1
74	Other diseases of urinary system--601,603,605-609	2,048	1,072	586	293	97	37	10	3	19	5
75	Hyperplasia of prostate--610	4,627	4,047	...	580	...	92	49	...	43	...
76	Diseases of breast--620,621	6	3	3	-	-	-	-	-	-	-
77	Other diseases of genital organs--611-617,622-637	1,145	465	428	73	179	43	14	8	9	12

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,990	1,855	940	125	70	6,734	3,362	1,960	769	643	52,356	29,403	20,652	1,370	931	5,519	3,135	2,265	63	56	1
2,678	1,691	823	108	56	6,093	3,096	1,736	700	561	46,668	26,549	18,133	1,199	787	4,890	2,829	1,963	58	40	2
8	1	5	1	1	4	1	-	1	2	50	25	21	2	2	16	6	10	-	-	3
107	52	51	2	2	115	55	35	12	13	1,591	758	772	36	25	237	102	130	2	3	4
38	19	18	-	1	53	29	13	4	7	606	252	335	9	10	98	39	57	-	2	5
12	6	6	-	-	9	8	1	-	-	234	175	53	3	3	25	21	3	1	-	6
5	1	4	-	-	1	-	1	-	-	91	43	41	7	-	13	6	6	1	-	7
52	26	23	2	1	52	18	20	8	6	660	288	343	17	12	101	36	64	-	1	8
1,914	1,301	522	61	30	4,230	2,422	1,181	365	262	35,909	21,853	12,817	809	430	3,787	2,313	1,407	43	24	9
734	436	243	37	18	1,419	730	506	105	78	15,107	8,312	6,275	326	194	1,399	771	599	21	8	10
1,180	865	279	24	12	2,799	1,687	674	255	183	20,768	13,516	6,534	482	236	2,386	1,541	807	22	16	11
-	-	-	-	-	12	5	1	5	1	34	25	8	1	-	2	1	1	-	-	12
22	10	10	1	1	76	22	17	17	20	347	213	106	16	12	60	36	23	-	1	13
4	1	2	-	1	3	1	1	1	-	30	16	11	1	2	2	-	2	-	-	14
8	6	1	1	-	15	5	2	1	7	211	147	54	8	2	26	19	6	-	1	15
10	3	7	-	-	58	16	14	15	13	106	50	41	7	8	32	17	15	-	-	16
278	152	108	16	2	318	128	112	34	44	3,068	1,360	1,563	84	61	245	127	114	3	1	17
218	117	85	14	2	171	67	62	17	25	2,329	1,024	1,200	58	47	168	86	79	2	1	18
60	35	23	2	-	147	61	50	17	19	739	336	363	26	14	77	41	35	1	-	19
96	53	30	6	7	508	214	127	104	63	1,060	551	438	36	35	149	83	60	4	2	20
4	2	1	-	1	6	1	2	1	2	72	38	27	4	3	5	1	3	1	-	21
10	3	3	2	2	10	5	2	1	2	43	18	20	-	5	4	2	2	-	-	22
13	6	7	-	-	46	14	22	8	2	352	177	162	8	5	47	28	18	-	1	23
69	42	19	4	4	446	194	101	94	57	593	318	229	24	22	93	52	37	3	1	24
253	122	97	21	13	842	254	264	167	157	4,643	1,789	2,416	216	222	396	162	219	6	9	25
51	27	17	4	3	197	76	57	30	34	709	297	358	28	26	160	72	83	-	5	26
202	95	80	17	10	645	178	207	137	123	3,934	1,492	2,058	188	196	236	90	136	6	4	27
77	37	34	2	4	170	57	54	28	31	927	421	422	39	45	106	51	51	-	4	28
58	30	24	2	2	76	37	26	5	8	392	222	151	12	7	60	28	30	-	2	29
19	7	10	-	2	94	20	28	23	23	535	199	271	27	38	46	23	21	-	2	30
209	113	74	14	8	388	175	142	31	40	4,119	2,124	1,821	96	78	405	199	195	4	7	31
160	78	65	11	6	302	125	116	26	35	3,000	1,367	1,527	50	56	301	134	162	1	4	32
32	24	4	2	2	54	35	16	2	1	944	676	214	42	12	69	50	16	1	2	33
-	-	-	-	-	5	2	1	1	1	8	4	4	-	-	2	1	1	-	-	34
17	11	5	1	-	27	13	9	2	3	167	77	76	4	10	33	14	16	2	1	35
26	14	9	1	2	83	34	28	10	11	642	309	276	36	21	118	56	56	1	5	36
753	445	167	79	62	920	406	237	149	128	6,559	3,836	2,272	287	164	1,249	772	439	24	14	37
7	1	2	2	2	14	5	4	4	1	48	22	21	2	3	21	13	5	2	1	38
20	9	8	2	1	114	30	29	31	24	110	51	49	7	3	36	18	17	1	-	39
395	172	109	62	52	569	241	147	90	91	3,998	2,146	1,547	189	116	845	483	337	15	10	40
64	31	15	13	5	122	46	27	26	23	584	339	189	39	17	109	73	34	1	1	41
225	93	72	28	32	246	100	73	35	38	2,646	1,403	1,060	112	71	638	369	254	11	4	42
46	24	10	6	6	48	25	18	3	2	465	249	168	27	21	33	14	16	2	1	43
60	24	12	15	9	153	70	29	26	28	303	155	130	11	7	65	27	33	1	4	44
7	3	1	1	2	6	1	3	1	1	149	69	70	7	3	29	14	14	-	1	45
58	44	11	2	1	25	12	5	6	2	230	146	75	6	3	26	19	7	-	-	46
5	1	3	-	1	2	1	1	-	-	13	7	4	2	-	3	2	1	-	-	47
6	2	3	1	-	7	2	3	1	1	85	54	24	6	1	7	5	2	-	-	48
-	-	-	-	-	-	-	-	-	-	16	10	5	-	1	-	-	-	-	-	49
133	118	10	3	2	68	58	6	3	1	833	704	100	26	3	152	130	18	3	1	50
122	95	20	6	1	115	56	39	13	7	1,077	627	377	42	31	130	88	38	3	1	51
439	212	122	52	53	522	246	156	65	55	5,956	3,411	2,193	226	126	679	378	281	10	10	52
-	-	-	-	-	3	1	1	-	1	9	2	7	-	-	-	-	-	-	-	53
35	28	6	1	-	40	28	9	2	1	485	313	143	22	7	46	33	12	1	-	54
31	27	3	1	-	28	20	-	6	2	565	420	125	17	3	57	41	14	1	1	55
3	1	2	-	-	13	3	5	2	3	29	16	11	2	-	4	2	2	-	-	56
8	5	3	-	-	13	6	3	2	2	150	84	55	8	3	20	15	3	1	1	57
61	24	24	7	6	92	38	33	5	16	622	312	270	22	18	88	32	55	1	-	58
101	27	25	22	27	82	19	19	27	17	219	87	104	13	15	59	33	24	1	1	59
14	8	3	1	2	19	6	10	1	2	229	105	115	4	5	28	12	16	-	-	60
108	64	23	14	7	103	60	32	8	3	2,432	1,478	818	92	44	179	103	67	3	6	61
75	45	19	6	5	90	47	32	8	3	1,265	726	463	53	23	107	57	45	1	4	62
33	19	4	8	2	13	13	-	-	-	1,167	752	355	39	21	72	46	22	2	2	63
28	10	13	2	3	37	13	19	1	4	324	118	193	5	8	68	37	29	1	1	64
8	4	4	-	-	2	2	-	-	-	48	26	19	2	1	5	1	4	-	-	65
42	14	16	4	8	92	50	25	11	6	844	450	333	39	22	125	69	55	1	-	66
161	80	54	14	13	478	189	109	118	62	2,092	1,153	718	131	90	261	152	94	9	6	67
69	25	32	6	6	297	104	80	61	52	869	421	340	62	46	140	80	53	5	2	68
4	2	1	-	1	24	9	5	5	5	59	22	26	6	5	7	5	2	-	-	69
7	1	5	1	-	13	3	5	4	1	75	36	28	4	7	12	11	1	-	-	70
58	22	26	5	5	260	92	70	52	46	735	363	286	52	34	121	64	50	5	2	71
45	27	11	4	3	61	23	17	16	5	581	267	248	34	32	47	14	30	1	2	72
7	3	3	-	1	6	2	4	-	-	102	54	41	5	2	11	8	2	-	1	73
10	9	-	1	-	29	12	3	10	4	174	102	56	12	4	13	7	5	-	1	74
16	13	...	3	...	64	38	...	26	...	295	278	...	17	...	38	36	...	2	...	75
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	76
14	3	8	-	3	21	10	5	5	1	69	31	31	1	6	12	7	4	1	-	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,581	...	938	...	643	67	...	22	...	45
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	154	...	110	...	44	10	...	5	...	5
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	380	...	199	...	181	22	...	5	...	17
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	275	...	173	...	102	13	...	4	...	9
5	Ectopic pregnancy----------645	115	...	44	...	71	5	...	2	...	3
6	Abortion without mention of sepsis or toxemia----------650	81	...	50	...	31	1	...	-	...	1
7	Abortion with sepsis----------651	159	...	73	...	86	2	...	1	...	1
8	Abortion with toxemia, without mention of sepsis----------652	19	...	13	...	6	1	...	-	...	1
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	398	...	276	...	122	13	...	5	...	8
10	XII. Diseases of the skin and cellular tissue----------	1,791	619	839	135	198	39	7	12	12	8
11	Infections of skin and subcutaneous tissue----------690-698	553	255	209	49	40	5	-	1	3	1
12	Other diseases of skin and subcutaneous tissue----------700-716	1,238	364	630	86	158	34	7	11	9	7
13	XIII. Diseases of the bones and organs of movement----------	3,346	1,366	1,683	119	178	63	20	29	4	10
14	Arthritis and spondylitis----------720-725	1,837	574	1,099	59	105	40	10	21	2	7
15	Muscular rheumatism and rheumatism unspecified----------726,727	28	7	13	2	6	1	-	-	-	1
16	Osteomyelitis and periostitis----------730	177	106	51	11	9	1	1	-	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	75	40	32	1	2	2	2	-	-	-
18	Inborn defect of muscle----------744.1	559	369	155	21	14	8	5	2	1	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	670	270	333	25	42	11	2	6	1	2
20	XIV. Congenital malformations----------	21,411	10,070	8,583	1,514	1,244	387	143	120	79	45
21	Spina bifida and meningocele----------751	1,297	500	684	72	41	27	9	11	5	2
22	Congenital hydrocephalus, etc.*----------752,753	2,474	1,128	1,014	186	146	64	17	25	16	6
23	Congenital malformations of circulatory system----------754	10,754	5,121	4,209	744	680	189	80	47	35	27
24	Other congenital malformations----------750,755-759	6,886	3,321	2,676	512	377	107	37	37	23	10
25	XV. Certain diseases of early infancy[2]----------	68,960	30,928	21,686	9,114	7,232	1,564	471	342	430	321
26	XVI. Symptoms, senility, and ill-defined conditions----------	19,729	7,663	5,173	3,824	3,069	1,307	324	203	404	376
27	Senility without mention of psychosis----------794	3,000	1,013	1,449	259	279	139	23	36	32	48
28	Symptoms, ill-defined, and unknown causes----------780-793,795	16,729	6,650	3,724	3,565	2,790	1,168	301	167	372	328
29	XVII. Accidents, poisonings, and violence----------	116,964	69,956	29,324	12,729	4,955	2,626	1,214	418	711	283
30	Accidents----------E800-E962	90,604	53,669	24,251	8,820	3,864	2,007	939	359	477	232
31	Railway accidents----------E800-E802	1,164	824	108	208	26	40	18	4	17	1
32	Motor vehicle accidents----------E810-E835	36,981	24,198	8,532	3,294	957	902	508	148	199	47
33	Motor vehicle traffic accidents----------E810-E825	36,052	23,555	8,334	3,235	928	880	493	146	195	46
34	Motor vehicle traffic accident with railway train*----------E810	1,316	897	303	86	30	33	15	7	7	4
35	Motor vehicle traffic accident to pedestrian----------E812	7,083	4,264	1,656	863	300	153	72	17	55	9
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	14,395	9,107	3,914	1,051	323	362	212	81	52	17
37	Motor vehicle noncollision traffic accidents----------E820-E824	9,892	7,063	1,698	940	191	299	179	35	73	12
38	Motor vehicle traffic accident of unspecified nature---------E825	3,366	2,224	763	295	84	33	15	6	8	4
39	Motor vehicle nontraffic accidents----------E830-E835	929	643	198	58	29	22	15	2	4	1
40	Other road vehicle accidents----------E840-E845	304	185	75	39	5	3	1	-	2	-
41	Water transport accidents----------E850-E858	1,653	1,336	114	193	10	63	46	2	14	1
42	Aircraft accidents----------E860-E866	1,511	1,361	137	13	-	10	10	-	-	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	1,429	648	409	224	148	50	20	11	12	7
44	Accidental poisoning by gases and vapors----------E890-E895	1,187	784	253	95	55	16	7	3	3	3
45	Accidental falls----------E900-E904	18,248	8,169	8,921	706	452	196	65	91	24	16
46	Fall from one level to another----------E900-E902	6,010	3,476	1,984	390	160	69	30	18	12	9
47	Fall on same level----------E903	3,535	1,397	1,988	75	75	64	19	36	5	4
48	Unspecified falls----------E904	8,703	3,296	4,949	241	217	63	16	37	7	3
49	Blow from falling object or projected object or missile---------E910	1,380	1,140	64	167	9	42	25	2	14	1
50	Accident caused by machinery----------E912	1,812	1,578	76	155	3	37	24	1	12	-
51	Accident caused by electric current----------E914	951	815	71	62	3	21	16	2	3	-
52	Accident caused by fire and explosion of combustible material----E916	7,291	2,828	2,091	1,160	1,212	253	45	52	54	102
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	382	164	133	46	39	6	1	1	2	2
54	Accident caused by firearm----------E919	2,172	1,646	179	282	65	66	37	2	21	6
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	2,191	1,030	693	264	204	37	13	6	9	9
56	Accidental drowning----------E929	5,085	3,320	668	963	114	103	47	12	40	4
57	Excessive heat and insolation----------E931	137	84	19	26	8	6	2	-	3	1
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	1,023	433	450	63	77	11	2	5	2	2
59	All other accidents----------Residual[1]	5,723	3,126	1,260	860	477	145	52	17	46	30
60	Suicide----------E963,E970-E979	18,519	13,707	3,977	659	176	257	198	39	16	4
61	Suicide by poisoning----------E970-E973	3,958	2,440	1,411	59	48	35	20	11	2	2
62	Suicide by hanging and strangulation----------E974	3,562	2,587	837	115	23	14	12	1	1	-
63	Suicide by firearm and explosive----------E976	8,871	7,442	1,013	363	53	190	155	20	13	2
64	Suicide by all other means----------E963,E975,E977-E979	2,128	1,238	716	122	52	18	11	7	-	-
65	Homicide----------E964,E980-E985	7,815	2,555	1,096	3,249	915	362	77	20	218	47
66	Assault by firearm and explosive----------E981	4,230	1,482	644	1,661	443	217	55	13	124	25
67	Assault by cutting and piercing instruments----------E982	1,765	328	110	1,076	251	88	8	2	62	16
68	Assault by other means----------E964,E980,E983	1,541	615	342	364	220	43	12	5	20	6
69	Injury by intervention of police----------E984	229	111	-	117	1	13	2	-	11	-
70	Execution----------E985	50	19	-	31	-	1	-	-	1	-
71	Injury resulting from operations of war----------E965,E990-E999	26	25	-	1	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15	...	10	...	5	26	...	10	...	16	106	...	76	...	30	7	...	6	...	1	1
2	...	1	...	1	4	...	4	...	-	9	...	8	...	1	-	...	-	...	-	2
5	...	3	...	2	9	...	2	...	7	10	...	8	...	2	3	...	3	...	-	3
2	...	2	...	-	5	...	3	...	2	11	...	5	...	6	1	...	1	...	-	4
-	...	-	...	-	3	...	-	...	3	10	...	8	...	2	-	...	-	...	-	5
1	...	1	...	-	-	...	-	...	-	11	...	10	...	1	1	...	-	...	1	6
1	...	1	...	-	2	...	-	...	2	19	...	9	...	10	-	...	-	...	-	7
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	-	...	-	...	-	8
4	...	2	...	2	3	...	1	...	2	32	...	24	...	8	2	...	2	...	-	9
11	3	6	-	2	19	3	9	3	4	135	47	73	8	7	26	10	16	-	-	10
4	2	1	-	1	1	-	-	1	-	42	19	21	2	-	6	4	2	-	-	11
7	1	5	-	1	18	3	9	2	4	93	28	52	6	7	20	6	14	-	-	12
28	12	15	-	1	39	18	12	5	4	221	83	125	6	7	30	9	21	-	-	13
22	9	13	-	-	21	7	10	1	3	113	30	74	4	5	23	7	16	-	-	14
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	15
-	-	-	-	-	3	1	-	1	1	9	7	2	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	17
2	2	-	-	-	9	7	1	1	-	39	21	17	1	-	2	1	1	-	-	18
4	1	2	-	1	6	3	1	2	-	53	19	31	1	2	5	1	4	-	-	19
171	82	60	17	12	171	74	67	14	16	1,758	837	726	102	93	232	136	90	2	4	20
7	4	2	-	1	12	3	6	3	-	49	15	30	2	2	15	6	9	-	-	21
19	9	8	1	1	21	10	6	2	3	203	94	85	15	9	19	10	8	-	1	22
89	39	36	10	4	81	35	36	3	7	920	439	381	51	49	124	75	46	-	3	23
56	30	14	6	6	57	26	19	6	6	586	289	230	34	33	74	45	27	2	-	24
562	252	189	65	56	587	231	136	131	89	5,496	2,719	1,888	505	384	793	449	306	22	16	25
166	48	32	46	40	454	119	85	149	101	390	180	176	23	11	61	20	39	2	-	26
26	5	13	3	5	83	17	24	21	21	113	32	75	3	3	18	5	13	-	-	27
140	43	19	43	35	371	102	61	128	80	277	148	101	20	8	43	15	26	2	-	28
1,123	663	227	182	51	1,447	773	265	258	151	10,500	6,791	2,864	637	208	1,352	920	394	25	13	29
886	515	191	137	43	1,197	639	231	200	127	7,520	4,854	2,079	447	140	1,018	684	311	13	10	30
17	9	1	7	-	20	12	3	4	1	90	70	5	13	2	13	13	-	-	-	31
459	281	93	63	22	445	288	72	65	20	3,696	2,479	968	192	57	401	292	101	7	1	32
443	268	90	63	22	439	282	72	65	20	3,592	2,398	949	189	56	390	282	100	7	1	33
22	9	5	5	3	19	13	4	1	1	121	83	33	4	1	13	11	2	-	-	34
77	48	9	16	4	77	39	8	18	12	681	429	198	35	19	59	34	23	2	-	35
162	96	42	16	8	136	94	23	17	2	1,617	1,023	471	99	24	151	110	41	-	-	36
158	104	27	20	7	86	63	8	13	2	1,073	794	219	48	12	126	95	27	4	-	37
24	11	7	6	-	121	73	29	16	3	100	69	28	3	-	41	32	7	1	1	38
16	13	3	-	-	6	6	-	-	-	104	81	19	3	1	11	10	1	-	-	39
16	10	-	6	-	2	-	-	2	-	29	17	9	2	1	3	2	1	-	-	40
5	4	-	1	-	25	21	1	2	1	105	85	11	9	-	11	10	1	-	-	41
26	22	3	1	-	24	21	3	-	-	306	272	31	3	-	34	29	5	-	-	42
20	7	9	2	2	20	5	11	2	2	134	64	53	10	7	23	13	9	-	1	43
15	11	4	-	-	16	9	3	3	1	75	50	17	6	2	14	11	3	-	-	44
65	26	33	6	-	122	52	57	7	6	1,205	618	532	39	16	199	86	110	1	2	45
21	11	5	5	-	26	17	5	1	3	391	250	117	19	5	72	39	33	-	-	46
12	3	9	-	-	11	5	4	-	2	190	88	96	4	2	26	10	16	-	-	47
32	12	19	1	-	85	30	48	6	1	624	280	319	16	9	101	37	61	1	2	48
8	6	1	1	-	29	25	-	3	1	90	79	5	6	-	8	8	-	-	-	49
9	8	1	-	-	36	26	1	9	-	110	96	4	9	1	29	28	1	-	-	50
15	13	1	1	-	13	11	1	1	-	68	54	10	3	1	9	9	-	-	-	51
66	27	13	16	10	191	50	39	44	58	402	205	137	41	19	41	22	14	2	3	52
-	-	-	-	-	3	-	2	-	1	20	13	4	2	1	7	2	5	-	-	53
14	8	3	2	1	45	31	3	9	2	113	91	9	12	1	37	29	5	2	1	54
17	8	4	4	1	18	5	6	4	3	208	112	75	14	7	40	25	15	-	-	55
62	40	9	11	2	76	44	11	17	4	430	288	81	52	9	57	48	8	-	-	56
14	10	2	2	-	2	1	-	1	-	15	10	3	2	-	1	1	-	-	-	57
8	2	5	-	1	9	-	5	1	3	115	47	58	6	4	32	18	14	-	-	58
50	23	9	14	4	101	38	13	26	24	309	204	67	26	12	59	37	19	1	2	59
162	122	23	16	1	129	92	28	5	4	2,406	1,668	644	68	26	258	192	58	7	1	60
32	22	10	-	-	20	13	6	-	1	936	539	369	18	10	78	49	24	4	1	61
17	13	3	1	-	13	9	3	1	-	332	227	78	20	7	40	26	14	-	-	62
108	84	9	15	-	88	68	15	4	1	894	743	125	20	6	130	113	14	3	-	63
5	3	1	-	1	8	2	4	-	2	244	159	72	10	3	10	4	6	-	-	64
75	26	13	29	7	121	42	6	53	20	571	266	141	122	42	75	43	25	5	2	65
37	9	7	17	4	75	30	4	30	11	271	129	73	53	16	49	26	20	3	-	66
13	5	2	4	2	26	3	1	17	5	104	42	13	41	8	5	4	-	1	-	67
21	10	4	6	1	18	9	1	4	4	170	78	55	19	18	19	11	5	1	2	68
2	1	-	1	-	2	-	-	2	-	20	14	-	6	-	2	2	-	-	-	69
2	1	-	1	-	-	-	-	-	-	6	3	-	3	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	23,234	12,513	9,904	451	366	4,098	1,864	1,505	432	297
2	I. Infective and parasitic diseases	292	185	75	18	14	64	30	16	12	6
3	Tuberculosis, all forms-001-019	139	99	23	13	4	37	17	9	8	3
4	Tuberculosis of respiratory system-001-008	128	93	21	12	2	36	16	9	8	3
5	Tuberculosis of meninges and central nervous system-010	7	4	1	-	2	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	-	-	-	-	-	1	1	-	-	-
7	Tuberculosis of bones and joints-012,013	-	-	-	-	-	-	-	-	-	-
8	Tuberculosis of other organs and systems-014-018	3	1	1	1	-	-	-	-	-	-
9	Disseminated tuberculosis-019	1	1	-	-	-	-	-	-	-	-
10	Syphilis and its sequelae-020-029	40	29	8	2	1	13	6	3	2	2
11	Congenital syphilis-020	-	-	-	-	-	-	-	-	-	-
12	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta-022	28	21	6	-	1	7	5	-	1	1
14	Other cardiovascular syphilis-023	10	7	2	1	-	4	1	3	-	-
15	Tabes dorsalis-024	-	-	-	-	-	-	-	-	-	-
16	General paralysis of insane-025	-	-	-	-	-	2	-	-	1	1
17	Other syphilis of central nervous system-026	1	-	-	1	-	-	-	-	-	-
18	All other syphilis-027-029	1	1	-	-	-	-	-	-	-	-
19	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
20	Typhoid fever-040	-	-	-	-	-	1	-	-	-	1
21	Paratyphoid fever and other Salmonella infections-041,042	1	1	-	-	-	-	-	-	-	-
22	Cholera-043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)-044	-	-	-	-	-	-	-	-	-	-
24	Dysentery, all forms-045-048	-	-	-	-	-	1	1	-	-	-
25	Food poisoning (infection and intoxication)-049	-	-	-	-	-	-	-	-	-	-
26	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
27	Streptococcal sore throat-051	1	1	-	-	-	1	-	-	1	-
28	Erysipelas-052	-	-	-	-	-	-	-	-	-	-
29	Septicemia and pyemia-053	52	28	19	-	5	3	2	-	1	-
30	Diphtheria-055	1	1	-	-	-	-	-	-	-	-
31	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
32	Meningococcal infections-057	13	5	7	1	-	1	1	-	-	-
33	Plague-058	-	-	-	-	-	-	-	-	-	-
34	Leprosy-060	-	-	-	-	-	-	-	-	-	-
35	Tetanus-061	2	1	1	-	-	-	-	-	-	-
36	Anthrax-062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis-080	3	1	-	-	2	-	-	-	-	-
38	Late effects of acute poliomyelitis-081	1	1	-	-	-	-	-	-	-	-
39	Acute infectious encephalitis-082	3	2	1	-	-	1	-	1	-	-
40	Late effects of acute infectious encephalitis-083	-	-	-	-	-	-	-	-	-	-
41	Smallpox-084	-	-	-	-	-	-	-	-	-	-
42	Measles-085	4	1	2	1	-	3	1	2	-	-
43	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis-092	14	4	9	-	1	3	2	1	-	-
45	Rabies-094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria-110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
50	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
51	Filariasis-127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis-129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	All other infective and parasitic diseases-Residual[1]	18	11	5	1	1	-	-	-	-	-
55	II. Neoplasms	4,212	2,155	1,949	62	46	643	293	263	49	38
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	4,129	2,114	1,909	61	45	627	285	258	48	36
57	Malignant neoplasm of buccal cavity and pharynx-140-148	121	96	22	3	-	11	9	1	1	-
58	Of lip-140	3	3	-	-	-	-	-	-	-	-
59	Of tongue-141	38	30	8	-	-	2	2	-	-	-
60	Of other and unspecified parts of buccal cavity-142-144	38	31	7	-	-	6	5	1	-	-
61	Of pharynx-145-148	42	32	7	3	-	3	2	-	1	-
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-150-156A,157-159	1,526	802	686	27	11	200	103	71	16	10
63	Of esophagus-150	86	67	12	7	-	11	8	2	1	-
64	Of stomach-151	323	195	121	6	1	37	18	11	7	1
65	Of small intestine, including duodenum-152	9	3	6	-	-	5	2	-	1	2
66	Of large intestine, except rectum-153	543	252	282	4	5	56	25	27	2	2
67	Cecum, appendix, and ascending colon-153.0	74	33	40	-	1	3	2	1	-	-
68	Transverse colon, including hepatic and splenic flexures-153.1	34	22	11	1	-	4	1	3	-	-
69	Descending colon-153.2	14	6	8	-	-	5	3	2	-	-
70	Sigmoid colon-153.3	141	67	74	-	-	22	11	8	1	2
71	Multiple parts of large intestine-153.7	-	-	-	-	-	-	-	-	-	-
72	Large intestine (including colon), part unspecified-153.8	258	116	135	3	4	19	6	12	1	-
73	Intestinal tract, part unspecified-153.9	22	8	14	-	-	3	2	1	-	-
74	Of rectum-154	194	105	85	2	2	27	18	8	-	1
75	Of biliary passages and of liver (stated to be primary site)-155	102	36	62	3	1	11	5	5	-	1
76	Liver-155.0	20	9	9	1	1	6	5	1	-	-
77	Other and multiple sites of biliary passages-155.1,155.8	82	27	53	2	-	5	-	4	-	1
78	Of liver not stated whether primary or secondary-156A	54	25	28	-	1	13	6	6	-	1
79	Of pancreas-157	200	112	82	5	1	37	20	10	5	2
80	Of peritoneum and of unspecified digestive organs-158,159	15	7	8	-	-	3	1	2	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,952	2,603	2,337	2,206	1,806	43,614	21,384	13,412	4,940	3,878	33,286	12,254	8,835	6,412	5,785	5,240	3,210	1,946	44	40	1
205	44	23	80	58	660	292	126	145	97	587	154	120	184	129	48	27	20	-	1	2
122	28	8	51	35	293	155	45	55	38	271	84	52	84	51	16	13	2	-	1	3
112	27	8	45	32	268	149	42	48	29	248	82	48	74	44	15	13	1	-	1	4
1	-	-	1	-	10	2	2	2	4	5	-	2	-	3	1	-	1	-	-	5
-	-	-	-	-	2	-	-	1	1	3	-	2	1	-	-	-	-	-	-	6
2	-	-	2	-	1	-	-	-	1	3	-	-	1	2	-	-	-	-	-	7
4	1	-	1	2	4	2	-	1	1	2	1	-	1	-	-	-	-	-	-	8
3	-	-	2	1	8	2	1	3	2	10	1	-	7	2	-	-	-	-	-	9
41	6	4	16	15	108	41	10	42	15	96	20	9	46	21	11	7	4	-	-	10
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
21	6	3	3	9	50	25	5	16	4	43	12	7	17	7	11	7	4	-	-	13
16	-	-	11	5	44	10	5	20	9	25	2	-	19	4	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	15
2	-	1	1	-	4	1	-	3	-	18	4	-	5	9	-	-	-	-	-	16
1	-	-	-	1	8	5	-	2	1	5	1	1	3	-	-	-	-	-	-	17
1	-	-	1	-	2	-	-	1	1	1	-	-	1	-	-	-	-	-	-	18
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	11	1	2	8	-	17	2	2	9	4	-	-	-	-	-	24
-	-	-	-	-	3	2	1	-	-	6	1	1	3	1	1	-	1	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	4	2	1	1	-	3	1	-	2	-	-	-	-	-	-	27
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	28
11	4	3	2	2	43	15	15	6	7	53	16	11	10	16	3	1	2	-	-	29
1	-	-	1	-	3	1	2	-	-	9	1	-	3	5	-	-	-	-	-	30
-	-	-	-	-	2	1	-	-	1	6	1	-	3	2	-	-	-	-	-	31
11	1	2	6	2	23	10	5	5	3	15	5	6	1	3	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	1	-	-	21	3	3	7	8	10	2	-	4	4	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	6	4	2	-	-	2	1	-	1	-	1	-	1	-	-	37
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	15	3	6	5	1	7	1	3	1	2	2	1	1	-	-	39
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
6	-	2	1	3	13	6	6	1	-	13	4	6	2	1	2	-	2	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
3	1	1	1	-	38	14	15	-	9	31	6	18	1	6	3	-	3	-	-	44
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	8	-	-	1	7	7	1	1	3	2	-	-	-	-	-	53
8	3	2	2	1	61	30	13	12	6	37	5	10	11	11	8	4	4	-	-	54
1,490	433	440	350	267	6,737	3,350	2,462	451	474	4,169	1,567	1,412	571	619	709	403	304	1	1	55
1,456	426	433	342	255	6,621	3,308	2,414	446	453	4,070	1,533	1,386	560	591	693	393	298	1	1	56
50	16	7	24	3	168	113	37	11	7	121	69	31	12	9	15	11	4	-	-	57
1	1	-	-	-	7	7	-	-	-	5	3	2	-	-	1	1	-	-	-	58
7	1	-	5	1	42	31	4	5	2	25	13	3	5	4	-	-	-	-	-	59
19	7	3	8	1	51	26	20	4	1	35	18	11	3	3	5	4	1	-	-	60
23	7	4	11	1	68	49	13	2	4	56	35	15	4	2	9	6	3	-	-	61
526	162	146	139	79	2,136	1,109	756	156	115	1,217	447	375	234	161	244	140	104	-	-	62
62	18	6	36	2	118	64	21	27	6	74	32	17	18	7	2	2	-	-	-	63
80	22	18	33	7	480	244	134	68	34	305	105	74	86	40	64	46	18	-	-	64
4	1	2	-	1	18	9	6	1	2	9	4	3	1	1	1	1	-	-	-	65
149	47	55	19	28	650	316	294	15	25	340	116	144	38	42	78	38	40	-	-	66
23	8	9	3	3	90	43	45	1	1	40	14	15	6	5	6	2	4	-	-	67
9	2	3	2	2	29	19	9	1	-	13	2	6	1	4	2	1	1	-	-	68
6	2	2	1	1	21	8	12	-	1	12	5	4	1	2	6	5	1	-	-	69
33	12	11	4	6	137	74	56	2	5	79	26	40	7	6	14	6	8	-	-	70
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
74	22	29	9	14	332	156	156	8	12	180	62	75	21	22	41	18	23	-	-	72
2	-	-	-	2	41	16	16	3	6	16	7	4	2	3	9	6	3	-	-	73
69	24	19	12	14	263	157	86	9	11	104	35	35	15	19	21	12	9	-	-	74
31	12	9	7	3	120	64	45	5	6	72	28	28	14	2	18	5	13	-	-	75
11	8	-	3	-	35	23	8	4	-	26	12	4	8	2	1	-	1	-	-	76
20	4	9	4	3	85	41	37	1	6	46	16	24	6	-	17	5	12	-	-	77
22	4	8	7	3	120	46	43	17	14	57	21	14	10	12	14	5	9	-	-	78
95	32	26	21	16	325	189	111	10	15	223	98	52	43	30	38	27	11	-	-	79
14	2	3	4	5	42	20	16	4	2	33	8	8	9	8	8	4	4	-	-	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary----------160-164	559	445	98	14	2	83	58	12	13	-
2	Of larynx----------161	30	26	4	-	-	4	3	-	1	-
3	Of bronchus and trachea, and of lung specified as primary----------162	145	118	19	8	-	43	34	3	6	-
4	Of lung, unspecified as to whether primary or secondary----------163	375	294	73	6	2	35	21	8	6	-
5	Of other parts of respiratory system----------160,164	9	7	2	-	-	1	-	1	-	-
6	Malignant neoplasm of breast----------170	375	2	366	-	7	63	1	55	-	7
7	Malignant neoplasm of genital organs----------171-179	517	197	304	7	9	102	32	54	4	12
8	Of cervix uteri----------171	77	...	73	...	4	27	...	19	...	8
9	Of other and unspecified parts of uterus----------172-174	98	...	96	...	2	18	...	17	...	1
10	Of ovary, fallopian tube, and broad ligament----------175	127	...	125	...	2	18	...	16	...	2
11	Of other and unspecified female genital organs----------176	11	...	10	...	1	3	...	2	...	1
12	Of prostate----------177	187	180	...	7	...	34	31	...	3	...
13	Of testis, and of other and unspecified male genital organs-178,179	17	17	...	-	...	2	1	...	1	...
14	Malignant neoplasm of urinary organs----------180,181	211	140	70	1	-	29	19	7	2	1
15	Of kidney----------180	103	69	33	1	-	14	7	4	2	1
16	Of bladder and other urinary organs----------181	108	71	37	-	-	15	12	3	-	-
17	Malignant neoplasm of other and unspecified sites----156B,165,190-199	446	225	205	5	11	77	37	28	9	3
18	Of skin----------190,191	54	25	28	1	-	15	7	6	2	-
19	Of eye----------192	9	4	5	-	-	1	-	-	1	-
20	Of brain and other parts of nervous system----------193	81	47	31	1	2	14	8	5	1	-
21	Of thyroid gland----------194	13	2	9	-	2	1	-	1	-	-
22	Of bone----------196	20	10	9	1	-	3	3	-	-	-
23	Of connective tissue----------197	14	8	6	-	-	1	1	-	-	-
24	Of other specified sites, not stated to be secondary-------195,199A	17	11	6	-	-	5	3	1	1	-
25	Of unspecified sites----------156B,165,198,199B	238	118	111	2	7	37	15	15	4	3
26	Leukemia and aleukemia----------204	188	106	78	1	3	37	18	17	1	1
27	Lymphosarcoma, etc.*----------200-203,205	186	101	80	3	2	25	8	13	2	2
28	Lymphosarcoma and reticulosarcoma----------200	83	41	40	1	1	7	2	5	-	-
29	Hodgkin's disease----------201	48	26	20	1	1	10	4	5	1	-
30	Other neoplasms of lymphatic and hematopoietic tissues--202,203,205	55	34	20	1	-	8	2	3	1	2
31	Benign neoplasms and neoplasms of unspecified nature----------210-239	83	41	40	1	1	16	8	5	1	2
32	Benign neoplasms of female genital organs----------214-217	2	...	2	...	-	1	...	1	...	-
33	Benign neoplasm of brain and other parts of nervous system--------223	14	4	9	1	-	2	-	-	-	2
34	Other benign neoplasms----------210-213,218-222,224-229	11	4	7	-	-	2	1	1	-	-
35	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	-	...	-	...	-
36	Neoplasm of unspecified nature of brain, etc.*----------237	39	24	14	-	1	10	7	2	1	-
37	Other neoplasms of unspecified nature----------230-232,236,238,239	16	9	7	-	-	1	-	1	-	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	536	219	294	4	19	91	40	32	12	7
39	Asthma----------241	49	31	17	1	-	13	9	3	-	1
40	Nontoxic goiter----------250,251	2	-	2	-	-	-	-	-	-	-
41	Thyrotoxicosis with or without goiter----------252	3	1	1	-	1	-	-	-	-	-
42	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	3	-	2	-	1	1	-	1	-	-
43	Diabetes mellitus----------260	439	162	258	3	16	71	28	27	11	5
44	Diseases of thymus gland----------273	-	-	-	-	-	-	-	-	-	-
45	Diseases of adrenal glands----------274	8	4	4	-	-	-	-	-	-	-
46	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states--------280,282-286	11	8	3	-	-	4	3	-	1	-
48	All other allergic, endocrine, and metabolic diseases--------Residual[1]	21	13	7	-	1	2	-	1	-	1
49	IV. Diseases of the blood and blood-forming organs----------	70	41	26	1	2	10	4	6	-	-
50	Anemias----------290-293	44	24	19	-	1	8	3	5	-	-
51	Pernicious and other hyperchromic anemias----------290	11	6	5	-	-	5	2	3	-	-
52	Anemias of other and unspecified type----------291-293	33	18	14	-	1	3	1	2	-	-
53	Purpura and other hemorrhagic conditions----------296	9	5	3	1	-	-	-	-	-	-
54	Other diseases of blood and blood-forming organs--------294,295,297-299	17	12	4	-	1	2	1	1	-	-
55	V. Mental, psychoneurotic, and personality disorders----------	81	61	17	2	1	16	6	3	6	1
56	Senile psychosis----------304	-	-	-	-	-	-	-	-	-	-
57	Alcoholic psychosis----------307	13	12	1	-	-	-	-	-	-	-
58	Other psychoses----------300-303,305,306,308,309	5	5	-	-	-	1	-	1	-	-
59	Alcoholism----------322	56	41	12	2	1	14	6	2	'6	-
60	Mental deficiency----------325	5	3	2	-	-	1	-	-	-	1
61	Psychoneuroses and other disorders of personality---310-321,323,324,326	2	-	2	-	-	-	-	-	-	-
62	VI. Diseases of the nervous system and sense organs----------	2,853	1,270	1,489	48	46	356	150	152	28	26
63	Vascular lesions affecting central nervous system----------330-334	2,668	1,169	1,416	41	42	317	136	135	20	26
64	Subarachnoid hemorrhage----------330	73	35	29	2	7	10	4	3	1	2
65	Cerebral hemorrhage----------331	1,350	597	713	20	20	178	79	70	11	18
66	Cerebral embolism and thrombosis----------332	969	422	521	13	13	111	43	56	7	5
67	Other vascular lesions affecting central nervous system-------333,334	276	115	153	6	2	18	10	6	1	1
68	Meningitis, except meningococcal and tuberculous----------340	35	20	10	2	3	5	3	-	2	-
69	Multiple sclerosis----------345	23	9	14	-	-	5	1	4	-	-
70	Paralysis agitans----------350	32	19	13	-	-	3	3	-	-	-
71	Cerebral spastic infantile paralysis----------351	8	2	6	-	-	1	1	-	-	-
72	Epilepsy----------353	15	8	5	2	-	6	1	3	2	-
73	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
74	Cataract----------385	-	-	-	-	-	-	-	-	-	-
75	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
76	Otitis media and mastoiditis----------391-393	4	2	2	-	-	2	-	-	2	-
77	Other diseases of nervous system and sense organs----------Residual[1]	68	41	23	3	1	17	5	10	2	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
197	100	17	72	8	1,100	836	142	101	21	528	363	65	84	16	82	66	16	-	-	1
22	14	-	8	-	73	49	7	14	3	48	28	7	12	1	3	3	-	-	-	2
103	46	8	46	3	437	351	53	29	4	242	173	24	38	7	31	28	3	-	-	3
69	39	9	17	4	572	424	78	57	13	224	156	30	32	6	44	34	10	-	-	4
3	1	-	1	1	18	12	4	1	1	14	6	4	2	2	4	1	3	-	-	5
142	-	91	2	49	478	4	408	1	65	334	3	243	1	87	55	-	55	-	-	6
199	38	67	33	61	1,041	332	475	67	167	760	182	313	79	186	120	61	59	-	-	7
53	...	17	...	36	299	...	206	...	93	246	...	142	...	104	18	...	18	...	-	8
29	...	14	...	15	164	...	119	...	45	136	...	77	...	59	21	...	21	...	-	9
42	...	33	...	9	158	...	135	...	23	101	...	83	...	18	19	...	19	...	-	10
4	...	3	...	1	21	...	15	...	6	16	...	11	...	5	1	...	1	...	-	11
66	36	...	30	...	375	312	...	63	...	251	175	...	76	...	55	55	...	-	...	12
5	2	...	3	...	24	20	...	4	...	10	7	...	3	...	6	6	...	-	...	13
82	36	20	16	10	316	208	82	16	10	163	73	43	24	23	32	26	6	-	-	14
38	16	10	8	4	115	76	34	4	1	74	34	22	8	10	12	9	3	-	-	15
44	20	10	8	6	201	132	48	12	9	89	39	21	16	13	20	17	3	-	-	16
150	44	50	28	28	836	396	335	61	44	581	224	194	85	78	72	42	29	-	1	17
17	4	8	4	1	134	71	51	6	6	90	50	31	5	4	9	6	3	-	-	18
3	1	1	-	1	10	8	2	-	-	4	3	1	-	-	3	1	2	-	-	19
23	8	7	6	2	132	67	54	8	3	101	42	33	17	9	13	5	7	-	1	20
4	-	3	-	1	23	7	14	2	-	22	6	8	4	4	-	-	-	-	-	21
6	4	1	1	-	43	26	12	5	-	40	16	15	7	2	6	3	3	-	-	22
2	1	-	1	-	23	7	10	4	2	20	5	10	3	2	2	1	1	-	-	23
6	3	2	-	1	36	19	12	3	2	24	12	7	3	2	6	3	3	-	-	24
89	23	28	16	22	435	191	180	33	31	280	90	89	46	55	33	23	10	-	-	25
46	14	18	8	6	293	172	97	11	13	199	95	69	17	18	46	28	17	1	-	26
64	16	17	20	11	253	138	82	22	11	167	77	53	24	13	27	19	8	-	-	27
23	5	10	7	1	109	58	39	10	2	49	25	13	8	3	12	8	4	-	-	28
10	3	3	2	2	52	33	13	3	3	45	22	17	4	2	11	9	2	-	-	29
31	8	4	11	8	92	47	30	9	6	73	30	23	12	8	4	2	2	-	-	30
34	7	7	8	12	116	42	48	5	21	99	34	26	11	28	16	10	6	-	-	31
7	...	2	...	5	24	...	11	...	13	16	...	4	...	12	-	...	-	...	-	32
2	-	1	-	1	25	12	13	-	-	19	10	4	3	2	3	1	2	-	-	33
7	1	1	4	1	27	15	7	2	3	19	9	7	1	2	3	2	1	-	-	34
-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	-	...	-	...	-	35
14	6	2	3	3	24	9	10	2	3	25	7	9	5	4	7	4	3	-	-	36
4	-	1	1	2	15	6	6	1	2	18	8	1	2	7	3	3	-	-	-	37
152	41	34	21	56	903	352	326	77	148	645	201	203	89	152	95	49	44	2	-	38
28	8	5	4	11	163	82	38	17	26	99	38	17	23	21	17	11	6	-	-	39
1	-	1	-	-	3	-	3	-	-	1	-	-	-	1	1	-	1	-	-	40
3	-	1	-	2	9	2	4	1	2	11	-	7	-	4	-	-	-	-	-	41
-	-	-	-	-	7	1	4	-	2	3	1	2	-	-	2	-	2	-	-	42
106	26	25	14	41	606	223	243	41	99	449	140	150	54	105	63	31	30	2	-	43
1	1	-	-	-	1	-	-	-	1	3	-	-	1	2	1	1	-	-	-	44
1	1	-	-	-	7	4	3	-	-	7	3	2	2	-	2	1	1	-	-	45
-	-	-	-	-	4	-	-	1	3	10	-	3	1	6	-	-	-	-	-	46
5	3	-	2	-	66	22	20	13	11	37	9	14	4	10	2	-	2	-	-	47
7	2	2	1	2	37	18	11	4	4	25	10	8	4	3	7	5	2	-	-	48
25	5	10	3	7	155	61	54	17	23	103	33	31	21	18	22	13	9	-	-	49
15	2	5	3	5	101	35	31	14	21	77	20	22	19	16	15	9	6	-	-	50
2	-	-	-	2	12	8	3	-	1	9	2	6	1	-	3	1	2	-	-	51
13	2	5	3	3	89	27	28	14	20	68	18	16	18	16	12	8	4	-	-	52
3	-	2	-	1	19	8	9	1	1	11	3	6	1	1	5	2	3	-	-	53
7	3	3	-	1	35	18	14	2	1	15	10	3	1	1	2	2	-	-	-	54
30	10	6	8	6	108	47	25	22	14	150	55	29	41	25	14	10	4	-	-	55
-	-	-	-	-	7	6	1	-	-	10	2	4	1	3	1	-	1	-	-	56
6	3	-	3	-	9	6	1	1	1	8	6	1	1	-	1	1	-	-	-	57
2	1	-	-	1	11	3	3	2	3	7	1	4	1	1	3	-	3	-	-	58
20	6	4	5	5	61	27	9	18	7	113	43	14	35	21	8	8	-	-	-	59
2	-	2	-	-	12	3	5	1	3	9	2	4	3	-	1	1	-	-	-	60
-	-	-	-	-	8	2	6	-	-	3	1	2	-	-	-	-	-	-	-	61
898	200	337	173	188	5,532	2,189	2,088	641	614	5,817	1,682	1,676	1,108	1,351	676	352	323	1	-	62
797	181	316	142	158	5,106	2,009	1,953	577	567	5,505	1,582	1,605	1,034	1,284	629	321	307	1	-	63
55	12	14	12	17	195	65	88	18	24	182	49	56	32	45	11	8	3	-	-	64
345	87	138	65	55	2,913	1,072	1,051	406	384	3,589	945	949	762	933	355	184	171	-	-	65
310	66	127	53	64	1,551	700	667	91	93	1,538	492	467	164	215	160	77	82	1	-	66
87	16	37	12	22	447	172	147	62	66	396	96	133	76	91	103	52	51	-	-	67
30	5	2	13	10	78	17	23	23	15	65	16	5	22	22	3	2	1	-	-	68
14	4	7	-	3	28	12	12	1	3	18	7	6	2	3	8	5	3	-	-	69
8	3	5	-	-	80	45	34	1	-	27	8	15	1	3	11	8	3	-	-	70
5	-	-	5	-	22	13	3	4	2	19	7	7	2	3	3	1	2	-	-	71
15	1	2	4	8	62	22	12	18	10	75	17	14	27	17	3	2	1	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
2	-	-	1	1	14	5	6	1	2	6	4	1	1	-	1	1	-	-	-	76
27	6	5	8	8	141	65	45	16	15	102	41	23	19	19	18	12	6	-	-	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	10,249	5,666	4,351	122	110	1,845	852	713	165	115
2	Diseases of heart-400-402,410-443	9,230	5,165	3,864	106	95	1,684	794	640	145	105
3	Rheumatic fever-400-402	9	3	6	-	-	5	-	2	2	1
4	Chronic rheumatic heart disease-410-416	245	108	129	5	3	48	21	21	4	2
5	Diseases of mitral valve-410	79	28	47	2	2	17	7	7	2	1
6	Diseases of aortic valve specified as rheumatic-411	32	17	14	1	-	3	2	1	-	-
7	Diseases of pulmonary valve, etc.*-413,414	4	4	-	-	-	5	2	3	-	-
8	Other diseases of heart specified as rheumatic-412,415,416	130	59	68	2	1	23	10	10	2	1
9	Arteriosclerotic heart disease, including coronary disease-420	7,342	4,328	2,879	73	62	1,032	559	358	74	41
10	Arteriosclerotic heart disease so described-420.0	3,623	1,889	1,655	40	39	436	215	152	40	29
11	Heart disease specified as involving coronary arteries-420.1	3,717	2,439	1,222	33	23	595	344	205	34	12
12	Angina pectoris without mention of coronary disease-420.2	2	-	2	-	-	1	-	1	-	-
13	Chronic endocarditis not specified as rheumatic-421	64	39	24	-	1	42	20	13	1	8
14	Of mitral valve, specified as nonrheumatic-421.0	6	3	3	-	-	2	-	2	-	-
15	Of aortic valve, not specified as rheumatic-421.1	42	28	14	-	-	8	3	4	-	1
16	Of other valves, not specified as rheumatic-421.2-421.4	16	8	7	-	1	32	17	7	1	7
17	Other myocardial degeneration-422	550	254	284	6	6	204	82	92	20	10
18	With arteriosclerosis-422.1	460	210	238	6	6	167	66	78	15	8
19	Without mention of arteriosclerosis-422.0,422.2	90	44	46	-	-	37	16	14	5	2
20	Other diseases of heart-430-434	193	110	77	5	1	49	20	17	8	4
21	Acute and subacute endocarditis-430	12	6	4	1	1	1	-	-	-	1
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic-431,432	13	8	4	1	-	-	-	-	-	-
23	Functional disease of heart-433	50	24	26	-	-	11	5	3	1	2
24	Other and unspecified diseases of heart-434	118	72	43	3	-	37	15	14	7	1
25	Hypertensive heart disease-440-443	827	323	465	17	22	304	92	137	36	39
26	Hypertensive heart disease with arteriolar nephrosclerosis-442	199	90	103	3	3	73	27	32	7	7
27	Other hypertensive heart disease-440,441,443	628	233	362	14	19	231	65	105	29	32
28	Other hypertensive disease-444-447	212	94	109	4	5	38	16	14	6	2
29	Hypertension with arteriolar nephrosclerosis-446	128	57	67	2	2	27	12	10	4	1
30	Essential hypertension, other hypertensive disease, etc.*-444,445,447	84	37	42	2	3	11	4	4	2	1
31	Diseases of arteries-450-456	663	338	311	5	9	108	37	53	11	7
32	General arteriosclerosis-450	495	223	264	2	6	88	25	48	9	6
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-451	138	102	31	3	2	12	9	1	1	1
34	Gangrene of unspecified cause-455	1	1	-	-	-	-	-	-	-	-
35	Other arterial diseases-452-454,456	29	12	16	-	1	8	3	4	1	-
36	Diseases of veins and other diseases of circulatory system-460-468	144	69	67	7	1	15	5	6	3	1
37	VIII. Diseases of the respiratory system	1,050	665	335	27	23	249	111	64	40	34
38	Acute upper respiratory infections-470-475	24	11	11	1	1	1	-	1	-	-
39	Influenza-480-483	22	12	8	1	1	12	4	3	3	2
40	Pneumonia, except pneumonia of newborn-490-493	676	381	261	21	13	167	71	44	27	25
41	Lobar pneumonia-490	119	73	42	2	2	23	11	3	3	6
42	Bronchopneumonia-491	375	211	144	11	9	104	44	31	17	12
43	Primary atypical pneumonia-492	59	34	23	2	-	18	7	4	4	3
44	Pneumonia, other and unspecified-493	123	63	52	6	2	22	9	6	3	4
45	Acute bronchitis-500	25	14	8	2	1	4	2	1	1	-
46	Bronchitis, chronic and unqualified-501,502	41	36	4	-	1	7	6	-	1	-
47	Hypertrophy of tonsils and adenoids-510	3	1	1	-	1	-	-	-	-	-
48	Empyema and abscess of lung-518,521	11	8	2	-	1	2	1	1	-	-
49	Pleurisy-519	4	4	-	-	-	-	-	-	-	-
50	Emphysema without mention of bronchitis-527.1	76	74	2	-	-	15	10	2	2	1
51	Other respiratory diseases-511-517,520,522-527.0,527.2	168	124	38	2	4	41	17	12	6	6
52	IX. Diseases of the digestive system	986	604	341	25	16	187	100	58	18	11
53	Diseases of teeth and supporting structures-530-535	-	-	-	-	-	-	-	-	-	-
54	Ulcer of stomach-540	82	66	14	1	1	19	14	3	2	-
55	Ulcer of duodenum-541	89	64	22	2	1	16	11	3	1	1
56	Gastritis and duodenitis-543	3	2	-	1	-	-	-	-	-	-
57	Appendicitis-550-553	22	12	9	1	-	6	3	3	-	-
58	Hernia and intestinal obstruction-560,561,570	131	59	67	4	1	21	9	7	1	4
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	19	12	6	1	-	10	1	2	5	2
60	Chronic enteritis and ulcerative colitis-572	53	26	25	1	1	10	5	4	-	1
61	Cirrhosis of liver-581	341	242	88	5	6	60	36	19	3	2
62	Without mention of alcoholism-581.0	238	166	68	2	2	42	23	15	3	1
63	With alcoholism-581.1	103	76	20	3	4	18	13	4	-	1
64	Cholelithiasis, cholecystitis, and cholangitis-584,585	59	23	35	1	-	10	7	3	-	-
65	Fibrocystic disease of pancreas-587B	12	2	9	1	-	2	2	-	-	-
66	Other diseases of digestive system-Residual[1]	175	96	66	7	6	33	12	14	6	1
67	X. Diseases of the genitourinary system	374	192	165	9	8	85	23	33	20	9
68	Nephritis and nephrosis-590-594	200	94	95	6	5	49	11	19	14	5
69	Acute nephritis-590	25	14	10	-	1	4	-	3	1	-
70	Nephritis with edema, including nephrosis-591	14	7	6	-	1	3	-	3	-	-
71	Chronic and unspecified nephritis and other renal sclerosis---592-594	161	73	79	6	3	42	11	13	13	5
72	Infections of kidney-600	91	32	55	1	3	18	5	6	3	4
73	Calculi of urinary system-602,604	13	10	3	-	-	2	1	1	-	-
74	Other diseases of urinary system-601,603,605-609	21	14	5	2	-	8	3	4	1	-
75	Hyperplasia of prostate-610	41	41	...	-	...	3	3	...	-	...
76	Diseases of breast-620,621	-	-	-	-	-	-	-	-	-	-
77	Other diseases of genital organs-611-617,622-637	8	1	7	-	-	5	-	3	2	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,632	1,171	1,042	729	690	16,910	9,396	5,174	1,281	1,059	11,986	4,973	3,194	1,984	1,835	2,121	1,349	750	14	8	1
3,193	1,059	908	643	583	15,437	8,674	4,699	1,132	932	10,616	4,476	2,836	1,734	1,570	1,896	1,226	651	11	8	2
4	1	1	-	2	20	5	6	1	8	18	2	3	7	6	2	2	-	-	-	3
57	15	24	9	9	487	230	190	30	37	201	85	58	25	33	74	34	39	1	-	4
17	4	7	4	2	167	71	62	17	17	84	37	26	8	13	26	11	15	-	-	5
8	5	2	1	-	55	42	10	-	3	26	16	8	1	1	8	8	-	-	-	6
4	1	3	-	-	32	20	10	1	1	5	2	2	-	1	8	2	6	-	-	7
28	5	12	4	7	233	97	108	12	16	86	30	22	16	18	32	13	18	1	-	8
2,015	814	583	337	281	11,338	7,080	3,290	579	389	6,959	3,543	1,825	914	677	1,345	942	388	7	8	9
938	308	282	179	169	4,339	2,532	1,417	225	165	1,702	735	573	216	178	357	231	118	4	4	10
1,076	506	301	158	111	6,964	4,534	1,866	345	219	5,231	2,795	1,247	695	494	987	710	270	3	4	11
1	-	-	-	1	35	14	7	9	5	26	13	5	3	5	1	1	-	-	-	12
21	13	3	2	3	149	78	41	17	13	95	27	28	18	22	15	7	8	-	-	13
2	-	-	-	2	6	-	4	-	2	11	7	1	1	2	-	-	-	-	-	14
8	5	2	1	-	68	42	15	8	3	32	11	8	7	6	4	2	2	-	-	15
11	8	1	1	1	75	36	22	9	8	52	9	19	10	14	11	5	6	-	-	16
374	84	108	106	76	1,018	393	395	123	107	863	227	281	181	174	189	102	86	1	-	17
188	44	65	40	39	726	281	303	74	68	632	168	217	127	120	110	59	50	1	-	18
186	40	43	66	37	292	112	92	49	39	251	59	64	54	54	79	43	36	-	-	19
91	33	22	21	15	787	373	219	127	68	634	195	170	141	128	96	56	39	1	-	20
11	4	2	3	2	19	11	3	3	2	19	2	3	8	6	5	4	1	-	-	21
3	-	3	-	-	60	20	11	16	13	32	7	7	7	11	-	-	-	-	-	22
18	10	5	1	2	118	61	47	6	4	130	35	62	13	20	19	9	10	-	-	23
59	19	12	17	11	590	281	158	102	49	453	151	98	113	91	72	43	28	1	-	24
631	99	167	168	197	1,638	515	558	255	310	1,846	397	471	448	530	175	83	91	1	-	25
211	41	61	50	59	396	137	139	62	58	437	98	97	103	139	60	31	28	1	-	26
420	58	106	118	138	1,242	378	419	193	252	1,409	299	374	345	391	115	52	63	-	-	27
82	15	15	28	24	322	129	98	54	41	390	101	77	97	115	35	15	20	-	-	28
43	12	7	13	11	172	90	46	19	17	119	36	31	25	27	13	9	4	-	-	29
39	3	8	15	13	150	39	52	35	24	271	65	46	72	88	22	6	16	-	-	30
231	70	90	31	40	972	510	321	77	64	849	351	241	136	121	171	97	71	3	-	31
160	38	74	21	27	642	298	251	48	45	663	250	206	109	98	138	73	62	3	-	32
52	26	11	6	9	256	177	50	18	11	129	77	19	18	15	23	16	7	-	-	33
-	-	-	-	-	5	2	-	1	2	9	3	-	3	3	1	-	1	-	-	34
19	6	5	4	4	69	33	20	10	6	48	21	16	6	5	9	8	1	-	-	35
126	27	29	27	43	179	83	56	18	22	131	45	40	17	29	19	11	8	-	-	36
568	193	90	193	92	2,249	1,055	558	371	265	1,884	612	425	486	361	229	152	64	7	6	37
2	-	-	1	1	21	7	4	4	6	22	5	7	4	6	3	2	1	-	-	38
6	2	1	2	1	153	44	30	42	37	208	54	52	58	44	10	6	4	-	-	39
411	123	71	145	72	1,315	511	380	252	172	1,207	324	262	352	269	128	76	40	6	6	40
108	32	7	51	18	240	95	56	64	25	238	54	35	92	57	19	13	4	2	-	41
240	71	56	76	37	819	343	253	128	95	469	150	120	115	84	55	28	21	3	3	42
19	3	3	6	7	142	47	50	28	17	149	45	29	46	29	17	11	4	-	2	43
44	17	5	12	10	114	26	21	32	35	351	75	78	99	99	37	24	11	1	1	44
7	2	2	1	2	34	15	5	8	6	32	16	5	7	4	3	3	-	-	-	45
15	9	3	2	1	66	39	12	10	5	43	15	12	8	8	10	6	4	-	-	46
1	-	-	-	1	8	3	4	1	-	3	-	1	2	-	-	-	-	-	-	47
12	4	-	6	2	29	15	4	9	1	9	2	4	2	1	4	4	-	-	-	48
5	2	-	2	1	6	1	2	2	1	2	-	2	-	-	1	-	1	-	-	49
54	33	5	14	2	282	241	30	10	1	142	104	21	15	2	34	30	3	1	-	50
55	18	8	20	9	335	179	87	33	36	216	92	59	38	27	36	25	11	-	-	51
453	152	109	123	69	1,823	904	547	210	162	1,113	442	295	200	176	194	107	80	2	5	52
1	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	53
32	16	3	7	6	150	101	26	19	4	108	51	20	23	14	17	8	8	-	1	54
28	15	5	5	3	140	101	26	9	4	88	52	14	14	8	25	19	5	1	-	55
2	-	-	1	1	5	3	1	-	1	4	1	1	2	-	1	-	1	-	-	56
12	4	1	5	2	51	25	12	5	9	34	15	7	3	9	5	3	2	-	-	57
59	17	15	19	8	236	99	88	26	23	168	46	56	35	31	31	15	16	-	-	58
18	2	4	8	4	183	26	37	71	49	168	30	20	69	49	13	8	5	-	-	59
9	2	6	-	1	95	42	41	5	7	30	13	12	2	3	8	6	2	-	-	60
190	69	44	51	26	540	309	165	31	35	230	134	55	21	20	37	20	15	-	2	61
112	42	30	28	12	400	235	115	24	26	157	93	39	12	13	31	15	14	-	2	62
78	27	14	23	14	140	74	50	7	9	73	41	16	9	7	6	5	1	-	-	63
14	5	6	1	2	116	52	57	2	5	75	25	39	3	8	20	10	9	-	1	64
-	-	-	-	-	16	10	3	2	1	13	6	7	-	-	1	-	1	-	-	65
88	22	25	26	15	290	135	91	40	24	194	69	64	27	34	36	18	16	1	1	66
234	51	41	75	67	899	398	220	171	110	998	267	238	269	224	93	62	29	1	1	67
80	9	10	30	31	430	154	117	91	68	534	111	126	151	146	46	29	15	1	1	68
6	-	2	2	2	32	9	7	8	8	59	11	13	16	19	2	1	1	-	-	69
10	1	-	4	5	33	16	7	6	4	20	4	2	7	7	9	7	2	-	-	70
64	8	8	24	24	365	129	103	77	56	455	96	111	128	120	35	21	12	1	1	71
96	18	23	27	28	200	82	61	27	30	217	56	72	39	50	22	14	8	-	-	72
5	1	1	1	2	51	27	17	7	-	39	17	13	6	3	3	2	1	-	-	73
23	6	7	7	3	70	31	12	23	4	57	17	18	12	10	6	4	2	-	-	74
25	16	...	9	...	117	99	...	18	...	109	55	...	54	...	11	11	...	-	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
5	1	-	1	3	31	5	13	5	8	42	11	9	7	15	5	2	3	-	-	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	13	...	9	...	4	4	...	1	...	3
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	1	...	1	...	-	-	...	-	...	-
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	4	...	3	...	1	-	...	-	...	-
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	-	...	-	...	-	-	...	-	...	-
5	Ectopic pregnancy----------645	-	...	-	...	-	-	...	-	...	-
6	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	-	...	-	...	-
7	Abortion with sepsis----------651	2	...	-	...	2	1	...	-	...	1
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	5	...	4	...	1	3	...	1	...	2
10	XII. Diseases of the skin and cellular tissue----------	18	8	8	-	2	5	1	2	1	1
11	Infections of skin and subcutaneous tissue----------690-698	5	3	2	-	-	1	-	1	-	-
12	Other diseases of skin and subcutaneous tissue----------700-716	13	5	6	-	2	4	1	1	1	1
13	XIII. Diseases of the bones and organs of movement----------	35	13	21	-	1	10	3	6	-	1
14	Arthritis and spondylitis----------720-725	16	2	14	-	-	5	1	3	-	1
15	Muscular rheumatism and rheumatism unspecified----------726,727	1	-	-	-	1	-	-	-	-	-
16	Osteomyelitis and periostitis----------730	4	2	2	-	-	1	1	-	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	-	-	-	-	-	1	-	1	-	-
18	Inborn defect of muscle----------744.1	9	7	2	-	-	1	1	-	-	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	5	2	3	-	-	2	-	2	-	-
20	XIV. Congenital malformations----------	280	145	119	8	8	53	23	23	5	2
21	Spina bifida and meningocele----------751	23	12	10	1	-	3	2	1	-	-
22	Congenital hydrocephalus, etc.*----------752,753	23	13	10	-	-	7	4	2	-	1
23	Congenital malformations of circulatory system----------754	147	78	58	5	6	20	8	9	3	-
24	Other congenital malformations----------750,755-759	87	42	41	2	2	23	9	11	2	1
25	XV. Certain diseases of early infancy[2]----------	906	462	334	65	45	193	76	68	25	24
26	XVI. Symptoms, senility, and ill-defined conditions----------	102	56	34	8	4	15	5	7	1	2
27	Senility without mention of psychosis----------794	10	4	6	-	-	6	2	4	-	-
28	Symptoms, ill-defined, and unknown causes----------780-793,795	92	52	28	8	4	9	3	3	1	2
29	XVII. Accidents, poisonings, and violence----------	1,177	771	337	52	17	272	147	58	50	17
30	Accidents----------E800-E962	877	557	269	36	15	222	116	54	38	14
31	Railway accidents----------E800-E802	8	6	1	1	-	1	1	-	-	-
32	Motor vehicle accidents----------E810-E835	269	193	60	14	2	94	57	28	7	2
33	Motor vehicle traffic accidents----------E810-E825	262	189	57	14	2	91	55	27	7	2
34	Motor vehicle traffic accident with railway train*----------E810	5	3	1	1	-	1	1	-	-	-
35	Motor vehicle traffic accident to pedestrian----------E812	68	49	13	4	2	9	5	3	1	-
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	90	64	22	4	-	56	31	19	5	1
37	Motor vehicle noncollision traffic accidents----------E820-E824	74	54	15	5	-	21	15	4	1	1
38	Motor vehicle traffic accident of unspecified nature---------E825	25	19	6	-	-	4	3	1	-	-
39	Motor vehicle nontraffic accidents----------E830-E835	7	4	3	-	-	3	2	1	-	-
40	Other road vehicle accidents----------E840-E845	-	-	-	-	-	-	-	-	-	-
41	Water transport accidents----------E850-E858	16	16	-	-	-	4	3	-	1	-
42	Aircraft accidents----------E860-E866	8	8	-	-	-	8	8	-	-	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	19	15	3	-	1	5	2	-	2	1
44	Accidental poisoning by gases and vapors----------E890-E895	24	18	4	1	1	3	2	1	-	-
45	Accidental falls----------E900-E904	282	146	127	8	1	29	9	16	3	1
46	Fall from one level to another----------E900-E902	84	59	19	6	-	10	4	4	2	-
47	Fall on same level----------E903	38	19	19	-	-	9	2	7	-	-
48	Unspecified falls----------E904	160	68	89	2	1	10	3	5	1	1
49	Blow from falling object or projected object or missile----------E910	15	13	1	1	-	3	3	-	-	-
50	Accident caused by machinery----------E912	6	6	-	-	-	-	-	-	-	-
51	Accident caused by electric current----------E914	10	7	3	-	-	7	5	-	2	-
52	Accident caused by fire and explosion of combustible material----E916	65	28	27	4	6	31	9	1	12	9
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	5	2	3	-	-	-	-	-	-	-
54	Accident caused by firearm----------E919	4	4	-	-	-	2	1	-	1	-
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	26	13	11	1	1	2	-	1	-	1
56	Accidental drowning----------E929	46	38	4	4	-	14	8	-	6	-
57	Excessive heat and insolation----------E931	2	1	-	-	1	-	-	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	15	7	7	1	-	1	-	1	-	-
59	All other accidents----------Residual[1]	57	36	18	1	2	18	8	6	4	-
60	Suicide----------E963,E970-E979	261	199	58	4	-	37	29	3	3	2
61	Suicide by poisoning----------E970-E973	78	48	30	-	-	9	6	2	-	1
62	Suicide by hanging and strangulation----------E974	78	62	13	3	-	10	9	-	1	-
63	Suicide by firearm and explosive----------E976	76	69	6	1	-	14	12	1	1	-
64	Suicide by all other means----------E963,E975,E977-E979	29	20	9	-	-	4	2	-	1	1
65	Homicide----------E964,E980-E985	39	15	10	12	2	13	2	1	9	1
66	Assault by firearm and explosive----------E981	12	5	1	5	1	9	2	1	5	1
67	Assault by cutting and piercing instruments----------E982	9	2	2	4	1	4	-	-	4	-
68	Assault by other means----------E964,E980,E983	16	7	7	2	-	-	-	-	-	-
69	Injury by intervention of police----------E984	2	1	-	1	-	-	-	-	-	-
70	Execution----------E985	-	-	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	...	2	...	3	64	...	22	...	42	63	....	15	...	48	3	...	3	...	-	1
1	...	-	...	1	9	...	3	...	6	5	...	3	...	2	1	...	1	...	-	2
3	...	2	...	1	13	...	4	...	9	20	...	4	...	16	-	...	-	...	-	3
-	...	-	...	-	10	...	4	...	6	8	...	1	...	7	2	...	2	...	-	4
-	...	-	...	-	10	...	2	...	8	7	...	-	...	7	-	...	-	...	-	5
-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	-	...	-	...	-	6
-	...	-	...	-	5	...	3	...	2	3	...	1	...	2	-	...	-	...	-	7
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	-	...	-	...	-	8
1	...	-	...	1	16	...	5	...	11	14	...	3	...	11	-	...	-	...	-	9
9	1	2	3	3	50	18	16	4	12	51	14	20	10	7	6	3	3	-	-	10
4	-	1	2	1	18	9	4	3	2	20	6	9	5	-	2	2	-	-	-	11
5	1	1	1	2	32	9	12	1	10	31	8	11	5	7	4	1	3	-	-	12
16	5	4	2	5	92	39	45	1	7	87	25	38	9	15	16	7	8	-	1	13
9	3	3	1	2	33	12	19	1	1	58	17	30	2	9	11	3	7	-	1	14
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	15
1	1	-	-	-	7	3	4	-	-	4	-	-	2	2	1	1	-	-	-	16
-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	17
2	1	-	1	-	23	11	11	-	1	11	4	3	3	1	2	2	-	-	-	18
4	-	1	-	3	27	13	11	-	3	11	3	5	1	2	2	1	1	-	-	19
115	26	20	37	32	527	221	179	71	56	454	186	142	69	57	90	46	44	-	-	20
3	1	1	1	-	46	15	23	4	4	37	15	18	-	4	3	3	-	-	-	21
8	1	1	5	1	67	25	25	15	2	56	26	13	11	6	16	5	11	-	-	22
59	15	9	18	17	251	108	72	31	40	215	89	58	36	32	42	23	19	-	-	23
45	9	9	13	14	163	73	59	21	10	146	56	53	22	15	29	15	14	-	-	24
544	85	70	217	172	2,047	722	500	463	362	1,757	545	404	450	358	231	139	85	3	4	25
33	11	8	9	5	944	361	202	217	164	408	94	80	122	112	74	49	23	-	2	26
-	-	-	-	-	113	32	37	22	22	80	16	28	17	19	31	19	11	-	1	27
33	11	8	9	5	831	329	165	195	142	328	78	52	105	93	43	30	12	-	1	28
543	175	99	183	86	3,914	1,979	868	798	269	3,014	1,404	513	799	298	619	442	153	13	11	29
360	120	71	110	59	2,826	1,439	660	536	191	2,278	1,073	436	536	233	542	387	135	10	10	30
4	-	-	3	1	31	17	1	12	1	32	21	-	10	1	5	4	1	-	-	31
100	39	18	33	10	1,159	644	261	202	52	979	565	176	190	48	263	177	73	6	7	32
96	36	18	32	10	1,137	631	258	199	49	950	550	169	186	45	255	171	71	6	7	33
-	-	-	-	-	45	28	14	3	-	31	21	5	4	1	9	5	-	1	3	34
36	12	6	15	3	243	118	48	60	17	156	73	25	40	18	30	21	7	2	-	35
32	10	9	8	5	469	253	125	75	16	316	180	79	45	12	77	52	25	-	-	36
23	11	2	8	2	292	180	47	54	11	331	201	43	76	11	67	43	21	3	-	37
5	3	1	1	-	88	52	24	7	5	116	75	17	21	3	72	50	18	-	4	38
4	3	-	1	-	22	13	3	3	3	29	15	7	4	3	8	6	2	-	-	39
1	1	-	-	-	6	2	2	2	-	4	2	1	1	-	1	1	-	-	-	40
6	6	-	-	-	105	79	7	17	2	49	26	3	20	-	6	6	-	-	-	41
3	3	-	-	-	99	92	6	1	-	34	32	1	1	-	19	19	-	-	-	42
9	2	1	3	3	57	18	14	17	8	50	18	10	16	6	2	-	2	-	-	43
-	-	-	-	-	41	21	11	6	3	16	8	3	1	4	5	5	-	-	-	44
107	43	31	25	8	398	144	212	30	12	230	75	109	27	19	52	31	20	-	1	45
49	18	13	15	3	113	63	29	18	3	79	36	20	15	8	21	18	3	-	-	46
11	5	2	2	2	62	18	40	2	2	41	9	25	3	4	5	2	3	-	-	47
47	20	16	8	3	223	63	143	10	7	110	30	64	9	7	26	11	14	-	1	48
6	1	-	4	1	23	12	2	9	-	42	25	-	17	-	17	14	3	-	-	49
3	3	-	-	-	32	21	2	9	-	44	32	-	12	-	30	28	2	-	-	50
2	1	1	-	-	56	48	2	6	-	29	21	1	7	-	9	8	1	-	-	51
31	7	7	7	10	217	52	41	66	58	266	51	63	70	82	14	7	7	-	-	52
2	-	1	1	-	10	6	2	1	1	10	2	3	3	2	1	-	1	-	-	53
5	1	1	2	1	64	44	3	14	3	116	65	7	35	9	29	26	3	-	-	54
9	-	3	1	5	81	31	19	14	17	70	18	14	25	13	11	4	6	1	-	55
14	4	-	8	2	261	131	33	89	8	133	62	16	46	9	45	37	6	1	1	56
1	-	-	1	-	4	2	-	2	-	4	-	-	2	2	-	-	-	-	-	57
4	2	-	-	2	28	6	17	1	4	11	5	3	1	2	4	2	2	-	-	58
53	7	8	22	16	154	69	25	38	22	159	45	26	52	36	29	18	8	2	1	59
97	50	23	21	3	606	433	149	21	3	341	253	52	33	3	67	50	14	3	-	60
27	11	14	2	-	165	99	65	1	-	48	34	13	1	-	10	7	3	-	-	61
18	13	3	2	-	65	45	20	-	-	21	18	2	1	-	7	2	5	-	-	62
21	10	1	9	1	323	254	48	19	2	248	192	28	27	1	46	39	4	3	-	63
31	16	5	8	2	53	35	16	1	1	24	9	9	4	2	4	2	2	-	-	64
86	5	5	52	24	481	106	59	241	75	395	78	25	230	62	10	5	4	-	1	65
33	-	2	20	11	273	74	38	120	41	224	44	21	128	31	7	3	4	-	-	66
35	4	2	18	11	131	6	1	99	25	89	7	1	68	13	1	1	-	-	-	67
15	1	1	11	2	65	19	20	17	9	64	24	3	20	17	2	1	-	-	1	68
3	-	-	3	-	10	6	-	4	-	10	1	-	8	1	-	-	-	-	-	69
-	-	-	-	-	2	1	-	1	-	8	2	-	6	-	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	101,667	52,070	39,497	5,595	4,505	44,227	23,721	17,981	1,380	1,145
2	I. Infective and parasitic diseases	1,241	627	283	213	118	567	340	173	33	21
3	Tuberculosis, all forms---001-019	765	412	133	155	65	278	186	66	15	11
4	Tuberculosis of respiratory system---001-008	715	402	120	141	52	257	171	63	14	9
5	Tuberculosis of meninges and central nervous system---010	7	-	1	2	4	6	4	-	-	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	4	-	2	1	1	2	2	-	-	-
7	Tuberculosis of bones and joints---012,013	7	2	1	1	3	4	2	2	-	-
8	Tuberculosis of other organs and systems---014-018	9	2	2	4	1	6	5	-	1	-
9	Disseminated tuberculosis---019	23	6	7	6	4	3	2	1	-	-
10	Syphilis and its sequelae---020-029	147	70	18	38	21	84	51	21	7	5
11	Congenital syphilis---020	-	-	-	-	-	-	-	-	-	-
12	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta---022	62	40	9	7	6	36	19	15	1	1
14	Other cardiovascular syphilis---023	49	19	3	17	10	21	13	3	3	2
15	Tabes dorsalis---024	-	-	-	-	-	4	4	-	-	-
16	General paralysis of insane---025	9	6	1	2	-	4	2	-	-	2
17	Other syphilis of central nervous system---026	25	4	5	11	5	17	12	3	2	-
18	All other syphilis---027-029	2	1	-	1	-	2	1	-	1	-
19	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
20	Typhoid fever---040	-	-	-	-	-	1	1	-	-	-
21	Paratyphoid fever and other Salmonella infections---041,042	1	-	1	-	-	-	-	-	-	-
22	Cholera---043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)---044	-	-	-	-	-	1	-	1	-	-
24	Dysentery, all forms---045-048	7	2	3	-	2	3	-	3	-	-
25	Food poisoning (infection and intoxication)---049	-	-	-	-	-	1	1	-	-	-
26	Scarlet fever---050	-	-	-	-	-	-	-	-	-	-
27	Streptococcal sore throat---051	6	1	5	-	-	4	2	2	-	-
28	Erysipelas---052	2	-	2	-	-	1	1	-	-	-
29	Septicemia and pyemia---053	44	25	16	3	-	40	21	16	2	1
30	Diphtheria---055	4	1	1	-	2	1	-	1	-	-
31	Whooping cough---056	5	1	2	-	2	7	4	3	-	-
32	Meningococcal infections---057	41	17	15	2	7	25	13	11	1	-
33	Plague---058	-	-	-	-	-	-	-	-	-	-
34	Leprosy---060	-	-	-	-	-	-	-	-	-	-
35	Tetanus---061	9	3	-	1	5	5	3	1	1	-
36	Anthrax---062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis---080	12	9	3	-	-	9	7	1	1	-
38	Late effects of acute poliomyelitis---081	5	1	4	-	-	6	3	3	-	-
39	Acute infectious encephalitis---082	28	14	12	1	1	29	11	15	2	1
40	Late effects of acute infectious encephalitis---083	6	3	3	-	-	2	1	1	-	-
41	Smallpox---084	-	-	-	-	-	-	-	-	-	-
42	Measles---085	36	13	12	6	5	20	9	7	1	3
43	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis---092	71	27	36	3	5	22	11	9	2	-
45	Rabies---094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
50	Hydatid disease---125	1	1	-	-	-	-	-	-	-	-
51	Filariasis---127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis---129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	1	-	1	-	-
54	All other infective and parasitic diseases---Residual[1]	51	27	17	4	3	27	15	11	1	-
55	II. Neoplasms	16,336	7,912	7,062	721	641	6,902	3,393	3,129	198	182
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	16,099	7,818	6,944	714	623	6,791	3,345	3,079	191	176
57	Malignant neoplasm of buccal cavity and pharynx---140-148	387	285	72	20	10	121	91	27	2	1
58	Of lip---140	17	15	2	-	-	10	10	-	-	-
59	Of tongue---141	102	80	14	7	1	35	27	7	-	1
60	Of other and unspecified parts of buccal cavity---142-144	104	69	29	4	2	44	30	13	1	-
61	Of pharynx---145-148	164	121	27	9	7	32	24	7	1	-
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	5,816	2,971	2,382	284	179	2,362	1,157	1,069	78	58
63	Of esophagus---150	367	256	58	43	10	99	69	18	10	2
64	Of stomach---151	1,305	737	448	78	42	463	268	163	22	10
65	Of small intestine, including duodenum---152	55	22	28	3	2	12	5	7	-	-
66	Of large intestine, except rectum---153	1,801	826	871	50	54	808	328	442	17	21
67	Cecum, appendix, and ascending colon---153.0	223	103	111	5	4	113	53	55	1	4
68	Transverse colon, including hepatic and splenic flexures---153.1	89	41	44	3	1	42	19	21	2	-
69	Descending colon---153.2	72	28	40	1	3	41	14	27	-	-
70	Sigmoid colon---153.3	425	220	191	4	10	175	66	105	1	3
71	Multiple parts of large intestine---153.7	6	2	4	-	-	3	2	1	-	-
72	Large intestine (including colon), part unspecified---153.8	904	389	444	35	36	373	143	205	13	12
73	Intestinal tract, part unspecified---153.9	82	43	37	2	-	61	31	28	-	2
74	Of rectum---154	752	412	283	26	31	295	151	127	8	9
75	Of biliary passages and of liver (stated to be primary site)---155	386	136	218	21	11	160	56	97	6	1
76	Liver---155.0	120	58	39	17	6	37	19	13	5	-
77	Other and multiple sites of biliary passages---155.1,155.8	266	78	179	4	5	123	37	84	1	1
78	Of liver not stated whether primary or secondary---156A	284	125	141	13	5	133	67	59	3	4
79	Of pancreas---157	805	427	308	49	21	346	193	135	9	9
80	Of peritoneum and of unspecified digestive organs---158,159	61	30	27	1	3	46	20	21	3	2

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
27,776	15,510	11,904	183	179	20,321	11,079	8,237	526	479	29,421	15,025	11,263	1,683	1,450	28,889	10,403	7,220	6,097	5,169	1
219	130	78	6	5	184	102	60	20	2	625	333	193	66	33	652	203	80	247	122	2
77	53	19	3	2	56	35	16	4	1	385	212	109	43	21	290	117	24	108	41	3
73	49	19	3	2	54	34	15	4	1	360	201	103	36	20	275	115	22	100	38	4
1	1	-	-	-	1	1	-	-	-	10	3	4	3	-	2	-	-	1	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	6
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	2	-	-	2	-	7
1	1	-	-	-	-	-	-	-	-	6	4	-	2	-	6	2	2	-	2	8
2	2	-	-	-	1	-	1	-	-	5	2	-	2	1	4	-	-	4	-	9
37	26	8	2	1	42	25	9	8	-	54	23	14	11	6	133	23	9	68	33	10
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
16	13	3	-	-	18	10	6	2	-	14	8	3	2	1	43	11	6	15	11	13
16	11	3	1	1	19	12	2	5	-	17	4	3	8	2	57	5	1	35	16	14
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	15
-	-	-	-	-	2	1	-	1	-	10	7	3	-	-	10	1	1	7	1	16
2	1	-	1	-	1	-	1	-	-	6	-	2	1	3	17	6	1	8	2	17
1	-	1	-	-	2	2	-	-	-	2	1	1	-	-	5	-	-	2	3	18
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	2	-	19
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	1	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
6	6	-	-	-	-	-	-	-	-	10	4	4	1	1	11	2	1	5	3	24
-	-	-	-	-	2	-	-	2	-	1	-	1	-	-	2	-	1	-	1	25
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	26
3	2	1	-	-	2	2	-	-	-	8	2	5	1	-	4	1	-	-	3	27
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	28
39	21	16	1	1	14	7	6	-	1	24	14	9	-	1	78	23	14	28	13	29
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	30
1	-	-	-	1	-	-	-	-	-	11	3	7	-	1	5	-	-	2	3	31
9	4	5	-	-	6	5	1	-	-	18	11	6	-	1	25	4	12	4	5	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	34
3	3	-	-	-	4	-	3	1	-	6	2	2	2	-	23	3	2	11	7	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	1	-	-	3	2	1	-	-	10	8	-	2	-	2	-	-	-	2	37
3	-	3	-	-	1	-	1	-	-	6	3	3	-	-	1	-	1	-	-	38
11	4	7	-	-	15	8	7	-	-	8	4	1	1	2	3	-	1	1	1	39
-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	3	3	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
3	-	3	-	-	3	1	-	2	-	20	8	11	1	-	12	3	2	5	2	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
7	3	4	-	-	12	4	8	-	-	10	5	5	-	-	16	7	4	2	3	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	1	-	-	-	-	-	-	-	-	5	3	2	-	-	6	1	-	3	2	53
16	6	10	-	-	21	12	7	2	-	42	26	12	4	-	27	12	7	6	2	54
4,505	2,329	2,129	24	23	2,977	1,469	1,377	63	68	4,101	1,900	1,823	178	200	4,056	1,546	1,162	734	614	55
4,439	2,299	2,095	23	22	2,925	1,456	1,341	63	65	3,991	1,853	1,770	176	192	3,938	1,501	1,128	716	593	56
83	65	17	-	1	59	40	16	3	-	111	80	23	5	3	100	52	13	22	13	57
7	7	-	-	-	2	2	-	-	-	3	3	-	-	-	3	3	-	-	-	58
14	9	5	-	-	14	11	3	-	-	22	19	2	1	-	26	16	2	5	3	59
33	23	9	-	1	19	13	5	1	-	27	14	10	1	2	27	11	6	6	4	60
29	26	3	-	-	24	14	8	2	-	59	44	11	3	1	44	22	5	11	6	61
1,527	792	717	9	9	925	469	421	20	15	1,351	649	582	61	59	1,261	433	343	283	202	62
59	46	12	1	-	30	19	9	2	-	54	29	11	11	3	72	31	6	28	7	63
328	199	123	5	1	217	143	64	7	3	316	180	102	20	14	391	117	74	124	76	64
15	6	8	1	-	9	5	4	-	-	19	9	10	-	-	9	3	5	1	-	65
512	232	276	-	4	296	123	166	2	5	410	163	214	12	21	277	81	120	25	51	66
79	25	54	-	-	53	26	26	-	1	46	25	20	1	-	31	6	15	4	6	67
25	15	10	-	-	14	5	9	-	-	13	5	7	-	1	13	5	7	-	1	68
25	11	14	-	-	9	6	3	-	-	17	9	6	-	2	14	8	4	1	1	69
120	59	59	-	2	75	34	39	1	1	64	29	27	3	5	40	11	17	4	8	70
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	71
228	102	124	-	2	132	47	81	1	3	244	82	141	8	13	163	45	70	15	33	72
34	20	14	-	-	13	5	8	-	-	25	12	13	-	-	13	4	6	1	2	73
181	92	87	1	1	102	57	39	2	4	134	64	59	7	4	134	51	42	20	21	74
125	47	78	-	-	52	16	35	1	-	78	23	47	4	4	79	25	29	17	8	75
24	17	7	-	-	9	6	3	-	-	18	8	8	2	-	30	11	6	12	1	76
101	30	71	-	-	43	10	32	1	-	60	15	39	2	4	49	14	23	5	7	77
51	24	26	-	1	45	21	24	-	-	107	52	50	1	4	72	20	21	16	15	78
219	132	85	-	2	162	79	75	6	2	203	116	73	6	8	192	94	39	40	19	79
37	14	22	1	-	12	6	5	-	1	30	13	16	-	1	35	11	7	12	5	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary----------160-164	2,315	1,809	281	188	37	920	740	125	46	9
2	Of larynx----------161	160	129	13	17	1	61	56	2	3	-
3	Of bronchus and trachea, and of lung specified as primary----------162	1,022	802	99	110	11	369	302	41	23	3
4	Of lung, unspecified as to whether primary or secondary----------163	1,089	851	155	59	24	468	367	76	19	6
5	Of other parts of respiratory system----------160,164	44	27	14	2	1	22	15	6	1	-
6	Malignant neoplasm of breast----------170	1,481	8	1,358	1	114	571	6	541	1	23
7	Malignant neoplasm of genital organs----------171-179	2,451	792	1,382	90	187	1,155	435	642	21	57
8	Of cervix uteri----------171	537	...	436	...	101	276	...	252	...	24
9	Of other and unspecified parts of uterus----------172-174	437	...	390	...	47	206	...	183	...	23
10	Of ovary, fallopian tube, and broad ligament----------175	542	...	506	...	36	193	...	183	...	10
11	Of other and unspecified female genital organs----------176	53	...	50	...	3	24	...	24	...	-
12	Of prostate----------177	809	725	...	84	...	434	413	...	21	...
13	Of testis, and of other and unspecified male genital organs-178,179	73	67	...	6	...	22	22	...	-	...
14	Malignant neoplasm of urinary organs----------180,181	779	482	252	30	15	316	189	112	10	5
15	Of kidney----------180	322	181	124	14	3	119	68	43	5	3
16	Of bladder and other urinary organs----------181	457	301	128	16	12	197	121	69	5	2
17	Malignant neoplasm of other and unspecified sites----156B,165,190-199	1,374	673	622	45	34	701	369	308	11	13
18	Of skin----------190,191	189	117	67	3	2	100	63	34	1	2
19	Of eye----------192	17	6	9	-	2	10	6	4	-	-
20	Of brain and other parts of nervous system----------193	335	186	133	13	3	134	72	57	2	3
21	Of thyroid gland----------194	60	20	35	2	3	29	10	15	3	1
22	Of bone----------196	109	62	42	2	3	53	30	21	1	1
23	Of connective tissue----------197	55	27	25	2	1	27	15	12	-	-
24	Of other specified sites, not stated to be secondary-------195,199A	89	45	38	4	2	41	23	17	1	-
25	Of unspecified sites----------156B,165,198,199B	520	210	273	19	18	307	150	148	3	6
26	Leukemia and aleukemia----------204	734	397	291	20	26	331	195	126	4	6
27	Lymphosarcoma, etc.*----------200-203,205	762	401	304	36	21	314	163	129	18	4
28	Lymphosarcoma and reticulosarcoma----------200	390	200	172	14	4	150	79	64	6	1
29	Hodgkin's disease----------201	177	106	62	7	2	85	47	29	6	3
30	Other neoplasms of lymphatic and hematopoietic tissues--202,203,205	195	95	70	15	15	79	37	36	6	-
31	Benign neoplasms and neoplasms of unspecified nature----------210-239	237	94	118	7	18	111	48	50	7	6
32	Benign neoplasms of female genital organs----------214-217	25	...	17	...	8	17	...	12	...	5
33	Benign neoplasm of brain and other parts of nervous system--------223	61	26	28	1	6	20	7	10	3	-
34	Other benign neoplasms----------210-213,218-222,224-229	50	22	24	2	2	16	8	7	1	-
35	Neoplasm of unspecified nature of female genital organs-------233-235	-	...	-	...	-	1	...	1	...	-
36	Neoplasm of unspecified nature of brain, etc.*----------237	62	29	29	3	1	34	23	8	2	1
37	Other neoplasms of unspecified nature----------230-232,236,238,239	39	17	20	1	1	23	10	12	1	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,965	811	996	51	107	1,075	444	556	28	47
39	Asthma----------241	247	160	67	10	10	143	91	41	6	5
40	Nontoxic goiter----------250,251	4	-	4	-	-	4	-	3	-	1
41	Thyrotoxicosis with or without goiter----------252	39	12	25	-	2	30	2	26	-	2
42	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	14	4	10	-	-	5	1	4	-	-
43	Diabetes mellitus----------260	1,523	560	833	38	92	809	315	442	16	36
44	Diseases of thymus gland----------273	9	4	4	1	-	3	2	1	-	-
45	Diseases of adrenal glands----------274	27	11	15	-	1	10	3	6	-	1
46	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states--------280,282-286	40	26	12	-	2	40	15	19	4	2
48	All other allergic, endocrine, and metabolic diseases---------Residual[1]	62	34	26	2	-	31	15	14	2	-
49	IV. Diseases of the blood and blood-forming organs----------	275	124	128	10	13	154	78	65	7	4
50	Anemias----------290-293	188	78	92	9	9	103	49	46	5	3
51	Pernicious and other hyperchromic anemias----------290	49	19	28	1	1	29	12	17	-	-
52	Anemias of other and unspecified type----------291-293	139	59	64	8	8	74	37	29	5	3
53	Purpura and other hemorrhagic conditions----------296	40	21	15	1	3	18	10	7	1	-
54	Other diseases of blood and blood-forming organs--------294,295,297-299	47	25	21	-	1	33	19	12	1	1
55	V. Mental, psychoneurotic, and personality disorders----------	156	96	40	13	7	99	52	36	7	4
56	Senile psychosis----------304	17	4	12	1	-	20	7	13	-	-
57	Alcoholic psychosis----------307	20	14	2	4	-	13	11	-	2	-
58	Other psychoses----------300-303,305,306,308,309	17	7	6	2	2	10	3	6	-	1
59	Alcoholism----------322	80	63	8	6	3	46	29	10	4	3
60	Mental deficiency----------325	15	8	7	-	-	9	2	6	1	-
61	Psychoneuroses and other disorders of personality---310-321,323,324,326	7	-	5	-	2	1	-	1	-	-
62	VI. Diseases of the nervous system and sense organs----------	11,684	5,115	5,520	501	548	6,207	2,921	2,963	152	171
63	Vascular lesions affecting central nervous system----------330-334	10,976	4,788	5,210	456	522	5,806	2,708	2,801	139	158
64	Subarachnoid hemorrhage----------330	334	132	141	26	35	132	62	53	9	8
65	Cerebral hemorrhage----------331	6,716	2,899	3,226	279	312	3,729	1,726	1,818	82	103
66	Cerebral embolism and thrombosis----------332	3,051	1,371	1,402	129	149	1,424	688	666	34	36
67	Other vascular lesions affecting central nervous system-------333,334	875	386	441	22	26	521	232	264	14	11
68	Meningitis, except meningococcal and tuberculous----------340	113	53	38	14	8	38	23	11	2	2
69	Multiple sclerosis----------345	111	48	57	4	2	35	16	18	1	-
70	Paralysis agitans----------350	132	67	64	-	1	99	51	46	1	1
71	Cerebral spastic infantile paralysis----------351	38	17	16	3	2	17	8	9	-	-
72	Epilepsy----------353	86	37	37	9	3	41	23	16	2	-
73	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
74	Cataract----------385	3	1	1	-	1	2	1	1	-	-
75	Glaucoma----------387	2	-	2	-	-	-	-	-	-	-
76	Otitis media and mastoiditis----------391-393	21	6	10	4	1	15	9	6	-	-
77	Other diseases of nervous system and sense organs----------Residual[1]	202	98	85	11	8	154	82	55	7	10

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
470	401	64	5	-	342	270	55	14	3	486	349	91	35	11	571	384	57	113	17	1
23	22	1	-	-	16	11	3	1	1	31	21	3	5	2	37	27	4	4	2	2
150	131	18	1	-	116	99	14	3	-	177	142	22	11	2	197	142	11	43	1	3
284	238	42	4	-	203	154	37	10	2	256	169	62	18	7	323	206	42	64	11	4
13	10	3	-	-	7	6	1	-	-	22	17	4	1	-	14	9	-	2	3	5
411	5	404	-	2	280	4	271	-	5	293	3	261	1	28	267	-	185	-	82	6
726	368	352	4	2	469	201	234	12	22	665	220	353	36	56	609	156	210	98	145	7
89	...	89	...	-	78	...	66	...	12	163	...	136	...	27	158	...	85	...	73	8
90	...	89	...	1	74	...	68	...	6	128	...	107	...	21	97	...	52	...	45	9
165	...	164	...	1	95	...	91	...	4	93	...	86	...	7	90	...	65	...	25	10
10	...	10	...	-	9	...	9	...	-	25	...	24	...	1	10	...	8	...	2	11
347	343	...	4	...	195	185	...	10	...	238	204	...	34	...	242	146	...	96	...	12
25	25	...	-	...	18	16	...	2	...	18	16	...	2	...	12	10	...	2	...	13
198	117	78	1	2	139	96	39	2	2	161	92	55	7	7	179	74	48	35	22	14
85	39	44	1	1	64	46	15	2	1	57	35	19	-	3	52	16	22	8	6	15
113	78	34	-	1	75	50	24	-	1	104	57	36	7	4	127	58	26	27	16	16
549	289	252	3	5	364	190	157	5	12	572	284	256	16	16	550	225	160	99	66	17
64	36	27	-	1	44	28	15	-	1	94	53	41	-	-	71	37	27	3	4	18
13	8	5	-	-	9	3	6	-	-	9	6	3	-	-	5	5	-	-	-	19
118	69	49	-	-	60	34	23	2	1	77	47	29	-	1	67	31	23	9	4	20
24	9	14	-	1	13	5	8	-	-	10	4	5	-	1	16	4	6	2	4	21
29	15	14	-	-	18	10	7	-	1	35	18	14	1	2	29	9	7	7	6	22
10	5	5	-	-	9	7	2	-	-	19	11	7	1	-	14	6	3	3	2	23
19	8	10	1	-	26	17	7	1	1	34	19	13	1	1	27	17	4	4	2	24
272	139	128	2	3	185	86	89	2	8	294	126	144	13	11	321	116	90	71	44	25
246	143	101	1	1	184	99	79	3	3	181	87	82	6	6	209	92	57	34	26	26
229	119	110	-	-	163	87	69	4	3	171	89	67	9	6	192	85	55	32	20	27
110	54	56	-	-	73	39	30	4	-	60	33	22	4	1	65	27	22	9	7	28
50	32	18	-	-	42	21	21	-	-	64	31	27	3	3	58	31	14	9	4	29
69	33	36	-	-	48	27	18	-	3	47	25	18	2	2	69	27	19	14	9	30
66	30	34	1	1	52	13	36	-	3	110	47	53	2	8	118	45	34	18	21	31
5	...	5	...	-	8	...	5	...	3	11	...	8	...	3	7	...	4	...	3	32
18	13	5	-	-	26	7	19	-	-	17	8	9	-	-	18	7	7	1	3	33
11	4	6	-	1	5	2	3	-	-	18	4	12	-	2	20	9	2	5	4	34
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	35
20	8	12	-	-	7	1	6	-	-	43	24	17	1	1	46	19	12	8	7	36
12	5	6	1	-	6	3	3	-	-	19	11	6	1	1	26	10	8	4	4	37
637	294	333	7	3	493	232	239	8	14	645	270	294	31	50	729	173	230	115	211	38
84	62	22	-	-	89	69	15	3	2	99	68	20	7	4	88	29	19	19	21	39
2	2	-	-	-	1	1	-	-	-	2	-	1	-	1	2	-	-	-	2	40
13	2	11	-	-	5	-	5	-	-	23	2	19	-	2	14	3	5	-	6	41
8	3	4	1	-	2	-	2	-	-	2	-	2	-	-	4	1	2	-	1	42
485	202	276	5	2	361	145	199	5	12	485	177	228	21	39	535	115	181	69	170	43
1	1	-	-	-	3	1	2	-	-	1	-	1	-	-	5	-	1	3	1	44
9	4	5	-	-	3	1	2	-	-	6	3	2	-	1	5	2	2	-	1	45
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	46
18	10	7	-	1	16	7	9	-	-	30	13	14	2	1	49	13	14	14	8	47
17	8	8	1	-	13	8	5	-	-	16	7	6	1	2	26	10	6	9	1	48
79	35	44	-	-	66	26	40	-	-	89	40	42	6	1	111	27	36	20	28	49
57	23	34	-	-	44	16	28	-	-	59	30	25	4	-	77	17	24	12	24	50
24	7	17	-	-	19	6	13	-	-	19	11	8	-	-	9	3	4	-	2	51
33	16	17	-	-	25	10	15	-	-	40	19	17	4	-	68	14	20	12	22	52
8	4	4	-	-	4	2	2	-	-	7	1	5	1	-	11	2	5	3	1	53
14	8	6	-	-	18	8	10	-	-	23	9	12	1	1	23	8	7	5	3	54
69	41	26	2	-	62	38	21	1	2	77	48	26	2	1	66	27	15	15	9	55
24	8	16	-	-	16	9	7	-	-	11	1	10	-	-	10	4	3	-	3	56
5	5	-	-	-	3	3	-	-	-	5	5	-	-	-	3	1	1	1	-	57
7	3	4	-	-	7	3	3	-	1	6	3	3	-	-	8	2	6	-	-	58
23	21	1	1	-	26	20	4	1	1	39	32	5	1	1	31	13	3	12	3	59
8	4	3	1	-	7	2	5	-	-	14	6	7	1	-	11	5	1	2	3	60
2	-	2	-	-	3	1	2	-	-	2	1	1	-	-	3	2	1	-	-	61
4,269	2,033	2,197	20	19	3,041	1,415	1,478	68	80	4,020	1,820	1,736	226	238	3,141	880	886	709	666	62
4,005	1,884	2,083	20	18	2,856	1,319	1,393	64	80	3,771	1,691	1,648	204	228	2,850	788	821	633	608	63
51	22	29	-	-	67	38	28	-	1	92	48	31	6	7	90	26	30	18	16	64
2,551	1,214	1,318	11	8	1,799	818	887	41	53	2,321	1,037	1,038	110	136	2,040	535	539	484	482	65
984	440	526	9	9	700	326	335	18	21	933	426	411	51	45	501	168	182	81	70	66
419	208	210	-	1	290	137	143	5	5	425	180	168	37	40	219	59	70	50	40	67
24	11	13	-	-	19	8	11	-	-	45	24	12	5	4	67	16	11	16	24	68
34	16	18	-	-	20	9	11	-	-	15	6	8	-	1	11	4	5	2	-	69
90	53	37	-	-	48	27	21	-	-	39	21	18	-	-	37	19	15	2	1	70
9	4	5	-	-	11	4	7	-	-	15	8	4	1	2	22	5	5	5	7	71
28	17	11	-	-	24	15	8	1	-	42	20	13	8	1	55	16	11	19	9	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	74
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	75
7	3	4	-	-	5	2	3	-	-	9	6	3	-	-	12	3	-	4	5	76
72	45	26	-	1	56	31	22	3	-	84	44	30	8	2	86	29	18	27	12	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	47,892	25,496	18,604	2,051	1,741	19,042	10,699	7,474	483	386
2	Diseases of heart--400-402,410-443	44,040	23,707	16,898	1,851	1,584	17,090	9,720	6,590	440	340
3	Rheumatic fever--400-402	43	17	19	4	3	18	7	6	3	2
4	Chronic rheumatic heart disease--410-416	1,064	490	500	37	37	508	245	235	15	13
5	Diseases of mitral valve--410	365	156	184	12	13	180	85	79	8	8
6	Diseases of aortic valve specified as rheumatic--411	86	63	19	3	1	37	26	11	-	-
7	Diseases of pulmonary valve, etc.*--413,414	69	25	41	2	1	43	19	24	-	-
8	Other diseases of heart specified as rheumatic--412,415,416	544	246	256	20	22	248	115	121	7	5
9	Arteriosclerotic heart disease, including coronary disease--420	32,551	18,883	11,493	1,240	935	12,289	7,561	4,264	288	176
10	Arteriosclerotic heart disease so described--420.0	14,349	7,278	5,913	622	536	4,344	2,289	1,875	110	70
11	Heart disease specified as involving coronary arteries--420.1	18,167	11,582	5,570	616	399	7,928	5,261	2,384	178	105
12	Angina pectoris without mention of coronary disease--420.2	35	23	10	2	-	17	11	5	-	1
13	Chronic endocarditis not specified as rheumatic--421	301	153	128	13	7	169	87	71	6	5
14	Of mitral valve, specified as nonrheumatic--421.0	38	12	24	1	1	9	2	7	-	-
15	Of aortic valve, not specified as rheumatic--421.1	108	62	39	7	-	49	31	13	4	1
16	Of other valves, not specified as rheumatic--421.2-421.4	155	79	65	5	6	111	54	51	2	4
17	Other myocardial degeneration--422	4,289	1,778	2,114	190	207	1,325	600	686	32	27
18	With arteriosclerosis--422.1	2,617	1,079	1,399	58	81	729	315	381	18	15
19	Without mention of arteriosclerosis--422.0,422.2	1,672	699	715	132	126	596	285	285	14	12
20	Other diseases of heart--430-434	1,617	882	498	143	94	641	314	291	14	22
21	Acute and subacute endocarditis--430	69	32	22	9	6	18	8	9	-	1
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic--431,432	85	35	39	6	5	35	16	16	1	2
23	Functional disease of heart--433	270	132	128	5	5	157	76	72	3	6
24	Other and unspecified diseases of heart--434	1,193	683	309	123	78	431	214	194	10	13
25	Hypertensive heart disease--440-443	4,175	1,504	2,146	224	301	2,140	906	1,057	82	95
26	Hypertensive heart disease with arteriolar nephrosclerosis--442	826	356	404	28	38	1,114	540	536	17	21
27	Other hypertensive heart disease--440,441,443	3,349	1,148	1,742	196	263	1,026	366	521	65	74
28	Other hypertensive disease--444-447	1,069	408	497	88	76	393	188	179	12	14
29	Hypertension with arteriolar nephrosclerosis--446	571	259	239	37	36	209	116	83	6	4
30	Essential hypertension, other hypertensive disease, etc.*--444,445,447	498	149	258	51	40	184	72	96	6	10
31	Diseases of arteries--450-456	2,432	1,218	1,068	86	60	1,373	688	630	26	29
32	General arteriosclerosis--450	1,950	898	943	62	47	1,162	556	566	18	22
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm--451	373	265	81	17	10	144	97	37	7	3
34	Gangrene of unspecified cause--455	10	7	3	-	-	10	6	2	1	1
35	Other arterial diseases--452-454,456	99	48	41	7	3	57	29	25	-	3
36	Diseases of veins and other diseases of circulatory system--460-468	351	163	141	26	21	186	103	75	5	3
37	VIII. Diseases of the respiratory system	5,016	2,638	1,528	492	358	1,897	1,071	639	109	78
38	Acute upper respiratory infections--470-475	31	22	8	-	1	20	11	7	-	2
39	Influenza--480-483	136	69	58	5	4	160	74	73	9	4
40	Pneumonia, except pneumonia of newborn--490-493	3,878	1,868	1,258	431	321	1,164	599	423	81	61
41	Lobar pneumonia--490	532	295	144	64	29	237	106	92	20	19
42	Bronchopneumonia--491	2,801	1,289	923	330	259	691	368	243	51	29
43	Primary atypical pneumonia--492	281	135	99	23	24	123	65	47	5	6
44	Pneumonia, other and unspecified--493	264	149	92	14	9	113	60	41	5	7
45	Acute bronchitis--500	76	41	21	6	8	22	12	7	2	1
46	Bronchitis, chronic and unqualified--501,502	161	107	42	4	8	47	29	15	1	2
47	Hypertrophy of tonsils and adenoids--510	12	4	7	-	1	3	-	2	-	1
48	Empyema and abscess of lung--518,521	50	27	10	10	3	18	12	6	-	-
49	Pleurisy--519	12	5	4	1	2	6	2	4	-	-
50	Emphysema without mention of bronchitis--527.1	289	243	31	12	3	205	171	25	7	2
51	Other respiratory diseases--511-517,520,522-527.0,527.2	371	252	89	23	7	252	161	77	9	5
52	IX. Diseases of the digestive system	3,791	2,123	1,312	201	155	1,531	854	607	35	35
53	Diseases of teeth and supporting structures--530-535	6	3	1	1	1	1	-	1	-	-
54	Ulcer of stomach--540	330	217	72	27	14	136	96	39	1	-
55	Ulcer of duodenum--541	363	276	61	16	10	140	99	34	5	2
56	Gastritis and duodenitis--543	15	11	4	-	-	11	7	4	-	-
57	Appendicitis--550-553	109	62	32	11	4	46	28	13	4	1
58	Hernia and intestinal obstruction--560,561,570	554	236	263	27	28	249	112	123	9	5
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	215	98	62	35	20	99	48	42	5	4
60	Chronic enteritis and ulcerative colitis--572	204	97	101	-	6	74	32	39	1	2
61	Cirrhosis of liver--581	1,197	751	347	57	42	386	251	120	6	9
62	Without mention of alcoholism--581.0	793	469	267	34	23	309	200	100	4	5
63	With alcoholism--581.1	404	282	80	23	19	77	51	20	2	4
64	Cholelithiasis, cholecystitis, and cholangitis--584,585	258	102	144	6	6	144	57	86	1	-
65	Fibrocystic disease of pancreas--587B	28	13	13	1	1	12	7	5	-	-
66	Other diseases of digestive system--Residual[1]	512	257	212	20	23	233	117	101	3	12
67	X. Diseases of the genitourinary system	1,883	976	634	146	127	924	525	320	41	38
68	Nephritis and nephrosis--590-594	970	426	399	69	76	491	246	201	18	26
69	Acute nephritis--590	48	24	19	2	3	50	23	23	2	2
70	Nephritis with edema, including nephrosis--591	79	32	37	6	4	30	24	2	2	2
71	Chronic and unspecified nephritis and other renal sclerosis--592-594	843	370	343	61	69	411	199	176	14	22
72	Infections of kidney--600	420	181	167	37	35	178	93	69	9	7
73	Calculi of urinary system--602,604	49	25	21	2	1	43	21	19	1	2
74	Other diseases of urinary system--601,603,605-609	107	64	29	9	5	48	30	13	5	-
75	Hyperplasia of prostate--610	275	249	...	26	...	126	119	...	7	...
76	Diseases of breast--620,621	-	-	-	-	-	-	-	-	-	-
77	Other diseases of genital organs--611-617,622-637	62	31	18	3	10	38	16	18	1	3

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11,997	6,990	4,865	66	76	8,548	4,919	3,290	170	169	12,058	6,386	4,490	608	574	11,366	4,451	2,941	2,013	1,961	1
10,665	6,304	4,230	62	69	7,653	4,474	2,879	153	147	10,945	5,862	4,053	523	507	10,428	4,150	2,673	1,830	1,775	2
2	1	1	-	-	14	12	2	-	-	11	3	7	1	-	13	4	3	2	4	3
256	128	124	1	3	212	110	96	2	4	221	107	104	6	4	147	43	50	23	31	4
87	48	35	1	3	99	55	40	1	3	74	40	31	1	2	56	14	21	9	12	5
21	16	5	-	-	19	14	5	-	-	13	8	5	-	-	6	3	1	1	1	6
34	15	19	-	-	9	4	5	-	-	7	5	2	-	-	5	3	-	1	1	7
114	49	65	-	-	85	37	46	1	1	127	54	66	5	2	80	23	28	12	17	8
8,007	5,021	2,904	49	33	5,549	3,490	1,879	101	79	7,378	4,300	2,540	291	247	6,960	3,315	1,792	1,040	813	9
2,679	1,460	1,178	23	18	1,741	943	720	34	44	2,421	1,244	1,011	95	71	2,995	1,165	912	483	435	10
5,317	3,554	1,722	26	15	3,789	2,534	1,153	67	35	4,943	3,050	1,522	195	176	3,951	2,142	878	554	377	11
11	7	4	-	-	19	13	6	-	-	14	6	7	1	-	14	8	2	3	1	12
99	54	44	1	-	89	54	31	1	3	142	70	58	5	9	116	30	26	23	37	13
11	5	6	-	-	7	3	4	-	-	9	7	1	-	1	8	-	2	-	6	14
24	17	7	-	-	30	24	5	-	1	25	14	9	-	2	39	18	10	6	5	15
64	32	31	1	-	52	27	22	1	2	108	49	48	5	6	69	12	14	17	26	16
966	477	477	1	11	670	331	312	11	16	891	383	399	58	51	701	200	210	134	157	17
604	288	312	-	4	443	218	211	4	10	562	243	259	34	26	437	119	134	83	101	18
362	189	165	1	7	227	113	101	7	6	329	140	140	24	25	264	81	76	51	56	19
441	242	191	2	6	328	180	140	6	2	691	364	248	46	33	643	196	148	175	124	20
11	7	3	-	1	9	4	4	1	-	4	1	2	1	-	15	5	1	6	3	21
14	6	8	-	-	19	11	7	1	-	21	8	3	6	4	21	9	9	1	2	22
134	70	63	1	-	96	46	49	1	-	68	29	38	-	1	76	28	21	17	10	23
282	159	117	1	5	204	119	80	3	2	598	326	205	39	28	531	154	117	151	109	24
894	381	489	8	16	791	297	419	32	43	1,611	635	697	116	163	1,848	362	444	433	609	25
345	167	173	3	2	218	99	93	11	15	357	175	131	24	27	210	37	60	57	56	26
549	214	316	5	14	573	198	326	21	28	1,254	460	566	92	136	1,638	325	384	376	553	27
259	140	116	1	2	182	84	84	5	9	239	96	93	28	22	210	47	43	59	61	28
150	87	61	1	1	106	63	38	3	2	96	43	38	9	6	71	27	17	15	12	29
109	53	55	-	1	76	21	46	2	7	143	53	55	19	16	139	20	26	44	49	30
950	481	462	2	5	630	326	287	8	9	756	362	308	47	39	582	202	192	94	94	31
798	381	411	2	4	522	252	258	5	7	619	274	275	38	32	447	143	163	68	73	32
116	81	35	-	-	81	55	22	3	1	84	54	19	6	5	97	45	23	18	11	33
3	1	2	-	-	2	2	-	-	-	16	13	1	1	1	6	1	2	-	3	34
33	18	14	-	1	25	17	7	-	1	37	21	13	2	1	32	13	4	8	7	35
123	65	57	1	-	83	35	40	4	4	118	66	36	10	6	146	52	33	30	31	36
1,265	737	505	13	10	895	513	312	43	27	1,527	764	600	94	69	1,616	515	331	470	300	37
15	7	7	1	-	11	4	7	-	-	26	11	8	6	1	21	3	4	10	4	38
88	41	46	1	-	94	52	38	3	1	134	50	72	7	5	140	35	34	43	28	39
758	390	353	7	8	517	263	205	25	24	988	454	415	66	53	1,010	266	221	308	215	40
128	74	51	1	2	80	35	32	6	7	146	63	66	13	4	192	61	38	56	37	41
365	179	182	3	1	294	156	117	11	10	513	243	204	37	29	527	134	116	158	119	42
84	48	35	1	-	51	22	20	5	4	52	26	22	1	3	106	27	26	31	22	43
181	89	85	2	5	92	50	36	3	3	277	122	123	15	17	185	44	41	63	37	44
13	6	6	1	-	16	12	4	-	-	24	14	9	1	-	27	13	3	8	3	45
57	45	12	-	-	28	21	7	-	-	54	34	20	-	-	46	19	11	12	4	46
2	-	2	-	-	2	1	1	-	-	4	2	2	-	-	5	2	1	2	-	47
12	10	2	-	-	12	8	3	1	-	23	14	5	3	1	23	7	4	11	1	48
1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	4	1	1	-	2	49
139	125	11	3	-	83	72	6	5	-	75	63	9	2	1	96	76	9	9	2	50
180	112	66	-	2	131	80	41	8	2	198	121	60	9	8	244	93	43	67	41	51
889	524	352	5	8	699	387	281	14	17	1,021	538	373	57	53	1,096	419	300	211	166	52
1	-	-	-	1	4	2	-	1	1	1	-	1	-	-	7	1	2	2	2	53
74	52	22	-	-	80	56	23	-	1	82	54	20	6	2	96	49	19	17	11	54
97	75	22	-	-	55	40	15	-	-	75	54	11	5	5	59	32	8	11	8	55
7	4	3	-	-	2	2	-	-	-	3	1	2	-	-	6	2	2	2	-	56
32	16	14	-	2	28	18	7	1	2	34	18	10	2	4	27	2	8	11	6	57
161	81	79	1	-	125	59	59	4	3	155	74	69	6	6	173	58	54	39	22	58
43	19	23	-	1	49	23	22	3	1	111	42	41	17	11	126	15	18	44	49	59
52	28	23	1	-	29	13	14	1	1	36	14	19	1	2	48	17	21	5	5	60
154	113	37	2	2	138	86	45	2	5	251	171	62	10	8	247	124	74	30	19	61
132	98	31	1	2	102	59	38	2	3	195	127	52	8	8	197	96	61	26	14	62
22	15	6	1	-	36	27	7	-	2	56	44	10	2	-	50	28	13	4	5	63
90	39	51	-	-	71	26	44	-	1	71	14	54	-	3	61	28	24	2	7	64
9	7	2	-	-	4	2	2	-	-	13	7	5	-	1	13	5	5	2	1	65
169	90	76	1	2	114	60	50	2	2	189	89	79	10	11	233	86	65	46	36	66
473	299	166	6	2	425	258	129	19	19	588	291	173	72	52	677	210	155	175	137	67
222	118	99	3	2	232	116	93	11	12	323	133	112	36	42	348	93	84	86	85	68
12	9	3	-	-	25	14	9	1	1	30	12	12	3	3	17	6	5	3	3	69
11	4	7	-	-	19	8	7	2	2	16	7	5	1	3	27	8	7	8	4	70
199	105	89	3	2	188	94	77	8	9	277	114	95	32	36	304	79	72	75	78	71
83	46	35	2	-	64	33	22	3	6	117	52	43	16	6	149	34	51	31	33	72
26	12	14	-	-	10	7	3	-	-	14	7	7	-	-	19	12	5	1	1	73
37	26	11	-	-	23	17	6	-	-	36	19	6	8	3	62	19	8	30	5	74
80	79	...	1	...	73	68	...	5	...	82	72	...	10	...	65	41	...	24	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	76
25	18	7	-	-	23	17	5	-	1	16	8	5	2	1	33	11	6	3	13	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	71	...	54	...	17	31	...	27	...	4
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	4	...	4	...	-	4	...	3	...	1
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	16	...	9	...	7	10	...	8	...	2
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	19	...	16	...	3	6	...	6	...	-
5	Ectopic pregnancy----------645	8	...	3	...	5	1	...	1	...	-
6	Abortion without mention of sepsis or toxemia----------650	3	...	2	...	1	2	...	1	...	1
7	Abortion with sepsis----------651	5	...	5	...	-	1	...	1	...	-
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	16	...	15	...	1	7	...	7	...	-
10	XII. Diseases of the skin and cellular tissue----------	82	31	41	2	8	30	11	16	-	3
11	Infections of skin and subcutaneous tissue----------690-698	27	15	9	2	1	7	3	3	-	1
12	Other diseases of skin and subcutaneous tissue----------700-716	55	16	32	-	7	23	8	13	-	2
13	XIII. Diseases of the bones and organs of movement----------	144	51	82	5	6	79	29	47	2	1
14	Arthritis and spondylitis----------720-725	59	11	46	2	-	47	16	29	1	1
15	Muscular rheumatism and rheumatism unspecified----------726,727	-	-	-	-	-	1	1	-	-	-
16	Osteomyelitis and periostitis----------730	7	5	2	-	-	4	2	2	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	1	-	-	1	-	2	1	1	-	-
18	Inborn defect of muscle----------744.1	30	15	12	-	3	5	2	3	-	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	47	20	22	2	3	20	7	12	1	-
20	XIV. Congenital malformations----------	1,163	565	484	66	48	563	274	248	24	17
21	Spina bifida and meningocele----------751	81	34	40	4	3	35	13	20	1	1
22	Congenital hydrocephalus, etc.*----------752,753	125	56	56	4	9	71	40	29	2	-
23	Congenital malformations of circulatory system----------754	609	302	248	33	26	283	138	122	12	11
24	Other congenital malformations----------750,755-759	348	173	140	25	10	174	83	77	9	5
25	XV. Certain diseases of early infancy[2]----------	3,586	1,592	1,117	501	376	1,683	893	579	119	92
26	XVI. Symptoms, senility, and ill-defined conditions----------	352	171	104	47	30	223	105	108	6	4
27	Senility without mention of psychosis----------794	20	7	13	-	-	67	17	50	-	-
28	Symptoms, ill-defined, and unknown causes----------780-793,795	332	164	91	47	30	156	88	58	6	4
29	XVII. Accidents, poisonings, and violence----------	6,030	3,742	1,508	575	205	3,220	2,032	994	136	58
30	Accidents----------E800-E962	4,585	2,863	1,239	342	141	2,571	1,563	877	85	46
31	Railway accidents----------E800-E802	110	84	15	11	-	38	30	1	7	-
32	Motor vehicle accidents----------E810-E835	1,926	1,275	478	136	37	1,077	722	318	24	13
33	Motor vehicle traffic accidents----------E810-E825	1,886	1,241	472	136	37	1,054	704	314	23	13
34	Motor vehicle traffic accident with railway train*----------E810	110	74	21	9	6	67	45	21	1	-
35	Motor vehicle traffic accident to pedestrian----------E812	376	234	94	35	13	159	104	42	10	3
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	872	560	254	48	10	464	289	161	7	7
37	Motor vehicle noncollision traffic accidents----------E820-E824	444	320	81	37	6	291	208	77	3	3
38	Motor vehicle traffic accident of unspecified nature---------E825	84	53	22	7	2	73	58	13	2	-
39	Motor vehicle nontraffic accidents----------E830-E835	40	34	6	-	-	23	18	4	1	-
40	Other road vehicle accidents----------E840-E845	10	6	3	1	-	3	3	-	-	-
41	Water transport accidents----------E850-E858	52	46	4	2	-	30	30	-	-	-
42	Aircraft accidents----------E860-E866	35	30	5	-	-	25	22	3	-	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	66	25	20	16	5	26	11	13	1	1
44	Accidental poisoning by gases and vapors----------E890-E895	79	54	17	6	2	26	20	4	2	-
45	Accidental falls----------E900-E904	986	516	392	47	31	641	264	362	7	8
46	Fall from one level to another----------E900-E902	420	253	118	33	16	191	111	75	3	2
47	Fall on same level----------E903	134	62	62	4	6	249	85	161	1	2
48	Unspecified falls----------E904	432	201	212	10	9	201	68	126	3	4
49	Blow from falling object or projected object or missile----------E910	64	58	1	3	2	30	26	2	2	-
50	Accident caused by machinery----------E912	98	86	5	7	-	59	54	3	2	-
51	Accident caused by electric current----------E914	40	35	4	-	1	32	27	4	1	-
52	Accident caused by fire and explosion of combustible material----E916	430	186	160	44	40	173	83	66	13	11
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	23	13	7	1	2	9	6	3	-	-
54	Accident caused by firearm----------E919	81	64	6	9	2	58	49	5	3	1
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	94	51	32	6	5	49	26	17	4	2
56	Accidental drowning----------E929	212	154	22	33	3	102	78	15	8	1
57	Excessive heat and insolation----------E931	2	2	-	-	-	1	1	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	38	13	23	1	1	31	10	16	3	2
59	All other accidents----------Residual[1]	239	165	45	19	10	161	101	45	8	7
60	Suicide----------E963,E970-E979	1,016	748	226	33	9	516	416	93	4	3
61	Suicide by poisoning----------E970-E973	191	105	82	1	3	99	68	31	-	-
62	Suicide by hanging and strangulation----------E974	258	195	57	4	2	80	59	21	-	-
63	Suicide by firearm and explosive----------E976	424	366	39	17	2	283	254	25	2	2
64	Suicide by all other means----------E963,E975,E977-E979	143	82	48	11	2	54	35	16	2	1
65	Homicide----------E964,E980-E985	428	130	43	200	55	133	53	24	47	9
66	Assault by firearm and explosive----------E981	199	52	23	98	26	86	37	17	25	7
67	Assault by cutting and piercing instruments----------E982	108	22	1	67	18	21	4	-	15	2
68	Assault by other means----------E964,E980,E983	88	39	18	19	11	22	11	7	4	-
69	Injury by intervention of police----------E984	32	16	-	16	-	4	1	-	3	-
70	Execution----------E985	1	1	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21	...	19	...	2	12	...	11	...	1	27	...	23	...	4	54	...	22	...	32	1
1	...	1	...	-	1	...	1	...	-	5	...	3	...	2	8	...	2	...	6	2
4	...	3	...	1	2	...	2	...	-	8	...	8	...	-	15	...	8	...	7	3
5	...	5	...	-	3	...	3	...	-	6	...	4	...	2	9	...	3	...	6	4
2	...	1	...	1	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	5
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	3	...	-	...	3	6
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	-	...	3	7
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	8
7	...	7	...	-	4	...	3	...	1	4	...	4	...	-	16	...	9	...	7	9
24	9	15	-	-	14	5	9	-	-	26	9	13	2	2	39	6	12	10	11	10
11	6	5	-	-	1	-	1	-	-	7	4	3	-	-	12	2	2	5	3	11
13	3	10	-	-	13	5	8	-	-	19	5	10	2	2	27	4	10	5	8	12
67	30	37	-	-	56	22	33	1	-	74	28	39	4	3	56	21	22	7	6	13
43	17	26	-	-	38	12	25	1	-	50	17	30	2	1	27	4	16	2	5	14
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	15
3	3	-	-	-	5	4	1	-	-	3	2	-	-	1	4	3	-	1	-	16
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	17
12	7	5	-	-	5	3	2	-	-	10	5	4	1	-	13	11	1	1	-	18
9	3	6	-	-	6	2	4	-	-	11	4	5	1	1	10	2	4	3	1	19
312	163	143	2	4	291	146	130	10	5	378	192	153	25	8	501	169	135	105	92	20
15	7	8	-	-	14	3	10	1	-	33	12	18	3	-	20	5	10	2	3	21
34	21	13	-	-	33	16	16	1	-	37	15	19	3	-	68	22	18	16	12	22
158	79	77	-	2	148	80	60	4	4	199	103	76	14	6	250	87	58	55	50	23
105	56	45	2	2	96	47	44	4	1	109	62	40	5	2	163	55	49	32	27	24
898	526	342	13	17	747	387	274	51	35	1,272	652	442	107	71	1,904	532	384	522	466	25
167	81	84	1	1	218	122	86	4	6	376	173	165	21	17	322	77	75	101	69	26
94	38	56	-	-	97	46	49	1	1	127	47	75	4	1	67	10	29	13	15	27
73	43	28	1	1	121	76	37	3	5	249	126	90	17	16	255	67	46	88	54	28
1,885	1,289	569	18	9	1,593	1,038	467	54	34	2,517	1,581	678	184	74	2,503	1,147	434	643	279	29
1,502	997	487	13	5	1,278	820	398	38	22	2,007	1,226	592	126	63	2,017	923	385	477	232	30
14	6	6	2	-	13	10	2	1	-	29	27	2	-	-	18	6	-	11	1	31
650	461	176	10	3	570	391	159	13	7	735	498	189	37	11	810	415	163	185	47	32
631	447	171	10	3	549	374	156	13	6	726	491	188	37	10	798	414	161	179	44	33
33	27	6	-	-	41	28	13	-	-	18	12	6	-	-	28	16	6	6	-	34
58	38	19	1	-	45	28	10	3	4	122	77	35	6	4	153	72	24	43	14	35
345	231	107	5	2	302	199	98	4	1	259	164	79	15	1	383	202	97	65	19	36
182	141	36	4	1	144	104	33	6	1	174	136	30	8	-	184	95	28	53	8	37
13	10	3	-	-	17	15	2	-	-	153	102	38	8	5	50	29	6	12	3	38
19	14	5	-	-	21	17	3	-	1	9	7	1	-	1	12	1	2	6	3	39
5	5	-	-	-	2	1	1	-	-	14	11	3	-	-	11	1	3	6	1	40
18	16	2	-	-	11	10	1	-	-	27	24	3	-	-	101	78	9	13	1	41
20	15	5	-	-	25	24	-	1	-	7	7	-	-	-	33	33	-	-	-	42
19	15	3	-	1	8	5	2	-	1	29	11	10	5	3	22	3	7	8	4	43
15	14	1	-	-	22	15	6	1	-	20	15	3	2	-	6	1	1	3	1	44
347	142	204	-	1	256	118	131	2	5	392	155	216	13	8	260	109	103	26	22	45
101	54	46	-	1	75	52	21	1	1	99	57	33	7	2	49	29	13	5	2	46
92	35	57	-	-	107	38	67	-	2	31	15	14	1	1	25	12	11	-	2	47
154	53	101	-	-	74	28	43	1	2	262	83	169	5	5	186	68	79	21	18	48
30	28	2	-	-	13	11	1	1	-	67	61	1	5	-	22	14	1	7	-	49
71	65	6	-	-	35	34	1	-	-	53	51	1	1	-	43	31	-	12	-	50
13	13	-	-	-	17	14	2	1	-	28	24	4	-	-	22	17	1	4	-	51
77	44	32	1	-	80	41	30	4	5	184	74	64	24	22	247	46	39	68	94	52
1	-	1	-	-	5	3	2	-	-	9	5	1	1	2	6	2	2	-	2	53
45	41	4	-	-	34	29	3	2	-	73	59	8	6	-	55	33	4	15	3	54
21	15	6	-	-	26	15	7	1	3	55	26	21	4	4	55	12	13	14	16	55
48	37	11	-	-	54	39	10	5	-	103	77	12	12	2	149	67	10	66	6	56
-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	2	-	-	2	-	57
17	10	7	-	-	13	6	7	-	-	24	12	9	1	2	37	14	11	7	5	58
91	70	21	-	-	89	50	33	5	1	158	89	45	15	9	118	41	18	30	29	59
347	273	71	2	1	260	196	58	2	4	318	251	57	10	-	241	176	40	19	6	60
62	42	20	-	-	46	29	16	-	1	29	14	13	2	-	21	15	5	1	-	61
85	57	28	-	-	49	32	15	1	1	43	34	9	-	-	11	9	-	1	1	62
174	159	12	2	1	139	122	16	-	1	233	197	31	5	-	191	145	28	16	2	63
26	15	11	-	-	26	13	11	1	1	13	6	4	3	-	18	7	7	1	3	64
35	18	11	3	3	55	22	11	14	8	192	104	29	48	11	244	47	9	147	41	65
24	11	8	2	3	34	11	7	10	6	157	83	20	32	2	146	25	9	85	27	66
2	1	1	-	-	8	5	-	2	1	24	7	2	10	5	66	11	-	46	9	67
8	5	2	1	-	10	5	4	-	1	28	12	7	5	4	25	11	-	9	5	68
1	1	-	-	-	3	1	-	2	-	3	2	-	1	-	4	-	-	4	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	70
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	10,498	5,817	4,630	30	21	27,116	12,188	9,542	3,030	2,356
2	I. Infective and parasitic diseases	99	60	37	2	-	552	213	112	153	74
3	Tuberculosis, all forms---001-019	44	30	13	1	-	319	140	51	89	39
4	Tuberculosis of respiratory system---001-008	39	27	11	1	-	302	137	47	85	33
5	Tuberculosis of meninges and central nervous system---010	1	-	1	-	-	4	-	1	1	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	1	1	-	-	-	1	-	1	-	-
7	Tuberculosis of bones and joints---012,013	1	1	-	-	-	2	1	1	-	-
8	Tuberculosis of other organs and systems---014-018	1	-	1	-	-	6	2	1	2	1
9	Disseminated tuberculosis---019	1	1	-	-	-	4	-	-	1	3
10	Syphilis and its sequelae---020-029	17	11	5	1	-	90	24	6	43	17
11	Congenital syphilis---020	-	-	-	-	-	-	-	-	-	-
12	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta---022	4	2	2	-	-	30	11	3	12	4
14	Other cardiovascular syphilis---023	8	5	2	1	-	45	10	2	25	8
15	Tabes dorsalis---024	-	-	-	-	-	1	1	-	-	-
16	General paralysis of insane---025	1	-	1	-	-	2	-	-	1	1
17	Other syphilis of central nervous system---026	4	4	-	-	-	9	1	-	5	3
18	All other syphilis---027-029	-	-	-	-	-	3	1	1	-	1
19	Gonococcal infection---030-035	-	-	-	-	-	1	-	-	-	1
20	Typhoid fever---040	-	-	-	-	-	-	-	-	-	-
21	Paratyphoid fever and other Salmonella infections---041,042	1	1	-	-	-	4	2	1	-	1
22	Cholera---043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
24	Dysentery, all forms---045-048	-	-	-	-	-	8	5	3	-	-
25	Food poisoning (infection and intoxication)---049	-	-	-	-	-	1	-	-	1	-
26	Scarlet fever---050	-	-	-	-	-	-	-	-	-	-
27	Streptococcal sore throat---051	1	1	-	-	-	4	2	1	1	-
28	Erysipelas---052	-	-	-	-	-	-	-	-	-	-
29	Septicemia and pyemia---053	12	7	5	-	-	43	12	15	12	4
30	Diphtheria---055	1	-	1	-	-	1	1	-	-	-
31	Whooping cough---056	1	-	1	-	-	1	-	1	-	-
32	Meningococcal infections---057	3	1	2	-	-	11	1	7	2	1
33	Plague---058	-	-	-	-	-	-	-	-	-	-
34	Leprosy---060	-	-	-	-	-	-	-	-	-	-
35	Tetanus---061	-	-	-	-	-	3	-	1	1	1
36	Anthrax---062	-	-	-	-	-	1	1	-	-	-
37	Acute poliomyelitis---080	-	-	-	-	-	1	1	-	-	-
38	Late effects of acute poliomyelitis---081	2	1	1	-	-	-	-	-	-	-
39	Acute infectious encephalitis---082	2	1	1	-	-	4	2	2	-	-
40	Late effects of acute infectious encephalitis---083	1	1	-	-	-	1	1	-	-	-
41	Smallpox---084	-	-	-	-	-	-	-	-	-	-
42	Measles---085	1	1	-	-	-	18	8	7	-	3
43	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis---092	8	3	5	-	-	11	3	4	1	3
45	Rabies---094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus---104	-	-	-	-	-	1	-	1	-	-
47	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
50	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
51	Filariasis---127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis---129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	All other infective and parasitic diseases---Residual[1]	5	2	3	-	-	29	10	12	3	4
55	II. Neoplasms	1,724	883	834	4	3	4,247	1,907	1,656	378	306
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	1,693	866	820	4	3	4,149	1,870	1,616	368	295
57	Malignant neoplasm of buccal cavity and pharynx---140-148	26	23	3	-	-	96	57	22	12	5
58	Of lip---140	4	4	-	-	-	3	3	-	-	-
59	Of tongue---141	6	5	1	-	-	20	13	4	1	2
60	Of other and unspecified parts of buccal cavity---142-144	7	6	1	-	-	29	12	12	4	1
61	Of pharynx---145-148	9	8	1	-	-	44	29	6	7	2
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	663	344	316	2	1	1,289	582	488	133	86
63	Of esophagus---150	19	17	1	1	-	105	56	13	28	8
64	Of stomach---151	157	100	57	-	-	294	141	91	40	22
65	Of small intestine, including duodenum---152	3	3	-	-	-	13	5	7	1	-
66	Of large intestine, except rectum---153	241	93	148	-	-	386	155	187	24	20
67	Cecum, appendix, and ascending colon---153.0	46	15	31	-	-	41	20	19	1	1
68	Transverse colon, including hepatic and splenic flexures---153.1	10	4	6	-	-	22	8	12	1	1
69	Descending colon---153.2	8	2	6	-	-	15	6	8	1	-
70	Sigmoid colon---153.3	75	33	42	-	-	91	47	35	4	5
71	Multiple parts of large intestine---153.7	1	-	1	-	-	1	-	-	-	1
72	Large intestine (including colon), part unspecified---153.8	81	30	51	-	-	184	65	95	14	10
73	Intestinal tract, part unspecified---153.9	20	9	11	-	-	32	9	18	3	2
74	Of rectum---154	91	49	41	1	-	146	78	52	9	7
75	Of biliary passages and of liver (stated to be primary site)---155	34	14	19	-	1	66	18	37	5	6
76	Liver---155.0	3	1	2	-	-	22	9	9	3	1
77	Other and multiple sites of biliary passages---155.1,155.8	31	13	17	-	1	44	9	28	2	5
78	Of liver not stated whether primary or secondary---156A	31	17	14	-	-	67	30	27	4	6
79	Of pancreas---157	79	47	32	-	-	179	91	58	17	13
80	Of peritoneum and of unspecified digestive organs---158,159	8	4	4	-	-	33	8	16	5	4

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
56,620	29,281	26,190	614	535	65,937	35,469	25,185	2,868	2,415	30,675	17,599	12,714	213	149	21,573	6,398	4,455	5,653	5,067	1
625	397	190	28	10	751	398	182	115	56	275	175	90	7	3	413	103	55	150	105	2
338	236	78	20	4	401	239	59	74	29	98	66	28	3	1	171	65	16	60	30	3
325	229	75	18	3	366	219	52	70	25	93	64	25	3	1	153	61	13	53	26	4
4	4	-	-	-	14	9	3	1	1	1	1	-	-	-	8	1	1	3	3	5
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	-	-	1	-	6
1	1	-	-	-	3	2	-	1	-	2	-	2	-	-	1	-	-	1	-	7
3	1	2	-	-	10	6	4	-	-	1	-	1	-	-	4	1	2	1	-	8
5	1	1	2	1	6	3	-	1	2	1	1	-	-	-	4	2	-	1	1	9
89	55	24	4	6	92	43	19	19	11	44	30	11	3	-	50	7	6	28	9	10
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
52	33	16	1	2	23	14	2	4	3	27	17	10	-	-	21	3	6	8	4	13
21	12	3	2	4	41	14	9	11	7	8	7	-	1	-	18	2	-	12	4	14
5	3	2	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	15
3	2	1	-	-	11	7	2	1	1	5	5	-	-	-	2	1	-	1	-	16
4	3	1	-	-	11	5	3	3	-	1	-	-	1	-	3	1	-	2	-	17
3	1	1	1	-	3	1	2	-	-	2	-	1	1	-	3	-	-	2	1	18
-	-	-	-	-	7	4	-	3	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	3	-	1	1	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	9	3	6	-	-	3	1	2	-	-	34	4	4	16	10	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	6	2	4	-	-	6	3	3	-	-	2	-	1	-	1	27
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
86	46	38	2	-	49	21	23	3	2	43	27	16	-	-	14	1	3	4	6	29
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	7	1	-	4	2	30
2	1	1	-	-	1	-	1	-	-	1	1	-	-	-	12	-	-	5	7	31
25	11	12	2	-	30	10	18	1	1	13	8	5	-	-	20	7	7	2	4	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	1	-	-	-	2	1	1	-	-	3	3	-	-	-	16	-	1	10	5	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
3	1	2	-	-	36	16	5	11	4	1	1	-	-	-	1	1	-	-	-	37
3	3	-	-	-	8	3	4	-	1	2	1	1	-	-	1	-	-	-	1	38
9	6	3	-	-	12	7	4	-	1	9	6	3	-	-	10	3	4	1	2	39
8	5	3	-	-	3	1	2	-	-	8	6	2	-	-	1	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
4	2	2	-	-	18	11	6	-	1	1	-	1	-	-	17	4	2	7	4	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
26	13	13	-	-	35	15	18	2	-	11	5	5	1	-	14	4	3	1	6	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	-	-	1	4	53
25	15	10	-	-	40	21	11	2	6	27	13	12	-	2	33	6	5	10	12	54
9,899	5,031	4,704	80	84	11,110	5,671	4,636	426	377	4,882	2,574	2,261	28	19	2,582	844	716	461	561	55
9,715	4,932	4,624	78	81	10,929	5,583	4,562	418	366	4,786	2,534	2,206	28	18	2,513	827	693	446	547	56
280	219	55	5	1	233	168	50	12	3	86	66	19	1	-	37	20	9	3	5	57
8	8	-	-	-	9	8	1	-	-	6	5	1	-	-	2	1	1	-	-	58
75	61	13	-	1	66	46	16	3	1	19	13	5	1	-	4	3	-	-	1	59
83	58	24	1	-	58	40	13	3	2	30	21	9	-	-	12	6	4	1	1	60
114	92	18	4	-	100	74	20	6	-	31	27	4	-	-	19	10	4	2	3	61
3,633	1,865	1,708	26	34	3,879	2,036	1,585	164	94	1,770	995	757	13	5	763	239	201	163	160	62
198	152	41	4	1	204	145	37	16	6	74	56	15	3	-	32	14	3	7	8	63
860	485	363	4	8	966	579	301	60	26	517	326	187	1	3	209	54	40	68	47	64
30	12	17	1	-	32	22	8	1	1	18	14	4	-	-	11	2	2	3	4	65
1,231	586	629	4	12	1,161	528	573	26	34	487	228	257	1	1	192	50	77	25	40	66
203	97	101	2	3	149	62	85	2	-	91	37	53	-	1	30	8	13	3	6	67
60	31	29	-	-	68	31	35	-	2	36	16	20	-	-	9	5	3	-	1	68
36	16	20	-	-	38	18	20	-	-	15	4	11	-	-	6	2	1	1	2	69
296	144	150	-	2	289	126	149	6	8	136	70	65	1	-	33	11	14	6	2	70
5	4	1	-	-	5	3	1	1	-	4	3	1	-	-	-	-	-	-	-	71
530	244	278	2	6	540	249	253	15	23	188	90	98	-	-	106	20	44	14	28	72
101	50	50	-	1	72	39	30	2	1	17	8	9	-	-	8	4	2	1	1	73
507	262	235	4	6	482	270	187	16	9	213	130	81	2	-	66	25	16	9	16	74
202	81	117	3	1	260	92	159	5	4	135	50	83	2	-	35	14	13	5	3	75
53	34	17	2	-	51	31	16	3	1	25	16	7	2	-	20	8	6	4	2	76
149	47	100	1	1	209	61	143	2	3	110	34	76	-	-	15	6	7	1	1	77
115	64	47	1	3	153	71	74	6	2	35	25	10	-	-	63	19	12	17	15	78
428	197	224	5	2	549	290	217	32	10	259	151	104	3	1	128	53	34	21	20	79
62	26	35	-	1	72	39	29	2	2	32	15	16	1	-	27	8	4	8	7	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued. Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary—160-164	205	173	32	-	-	687	507	72	92	16
2	Of larynx—161	13	10	3	-	-	39	27	2	9	1
3	Of bronchus and trachea, and of lung specified as primary—162	107	94	13	-	-	257	197	25	33	2
4	Of lung, unspecified as to whether primary or secondary—163	80	67	13	-	-	375	273	44	47	11
5	Of other parts of respiratory system—160,164	5	2	3	-	-	16	10	1	3	2
6	Malignant neoplasm of breast—170	139	-	139	-	-	378	2	333	-	43
7	Malignant neoplasm of genital organs—171-179	272	124	146	1	1	630	181	312	48	89
8	Of cervix uteri—171	51	...	51	...	-	152	...	107	...	45
9	Of other and unspecified parts of uterus—172-174	40	...	39	...	1	116	...	89	...	27
10	Of ovary, fallopian tube, and broad ligament—175	46	...	46	...	-	121	...	107	...	14
11	Of other and unspecified female genital organs—176	10	...	10	...	-	12	...	9	...	3
12	Of prostate—177	117	116	...	1	...	209	164	...	45	...
13	Of testis, and of other and unspecified male genital organs—178,179	8	8	...	-	...	20	17	...	3	...
14	Malignant neoplasm of urinary organs—180,181	87	51	35	1	-	213	117	62	22	12
15	Of kidney—180	42	26	15	1	-	80	43	27	7	3
16	Of bladder and other urinary organs—181	45	25	20	-	-	133	74	35	15	9
17	Malignant neoplasm of other and unspecified sites—156B,165,190-199	173	88	84	-	1	498	230	194	43	31
18	Of skin—190,191	19	11	8	-	-	57	32	21	3	1
19	Of eye—192	1	1	-	-	-	7	5	2	-	-
20	Of brain and other parts of nervous system—193	36	19	16	-	1	71	35	26	7	3
21	Of thyroid gland—194	7	1	6	-	-	9	3	4	-	2
22	Of bone—196	9	5	4	-	-	35	14	16	3	2
23	Of connective tissue—197	6	5	1	-	-	16	8	6	1	1
24	Of other specified sites, not stated to be secondary—195,199A	11	8	3	-	-	22	10	10	-	2
25	Of unspecified sites—156B,165,198,199B	84	38	46	-	-	281	123	109	29	20
26	Leukemia and aleukemia—204	51	24	27	-	-	177	101	64	8	4
27	Lymphosarcoma, etc.*—200-203,205	77	39	38	-	-	181	93	69	10	9
28	Lymphosarcoma and reticulosarcoma—200	29	15	14	-	-	93	46	38	6	3
29	Hodgkin's disease—201	27	15	12	-	-	38	19	17	-	2
30	Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	21	9	12	-	-	50	28	14	4	4
31	Benign neoplasms and neoplasms of unspecified nature—210-239	31	17	14	-	-	98	37	40	10	11
32	Benign neoplasms of female genital organs—214-217	2	...	2	...	-	7	...	4	...	3
33	Benign neoplasm of brain and other parts of nervous system—223	6	3	3	-	-	11	6	5	-	-
34	Other benign neoplasms—210-213,218-222,224-229	4	2	2	-	-	13	6	-	4	3
35	Neoplasm of unspecified nature of female genital organs—233-235	-	...	-	...	-	-	...	-	...	-
36	Neoplasm of unspecified nature of brain, etc.*—237	14	9	5	-	-	51	19	24	3	5
37	Other neoplasms of unspecified nature—230-232,236,238,239	5	3	2	-	-	16	6	7	3	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases	200	86	113	-	1	667	213	311	55	88
39	Asthma—241	30	21	9	-	-	83	45	16	11	11
40	Nontoxic goiter—250,251	2	-	2	-	-	2	-	1	-	1
41	Thyrotoxicosis with or without goiter—252	3	1	2	-	-	16	3	12	-	1
42	Myxedema, cretinism, and other diseases of thyroid gland—253,254	8	1	7	-	-	2	-	1	-	1
43	Diabetes mellitus—260	144	56	87	-	1	506	143	260	37	66
44	Diseases of thymus gland—273	1	1	-	-	-	1	-	1	-	-
45	Diseases of adrenal glands—274	2	1	1	-	-	7	4	1	1	1
46	Pellagra—281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states—280,282-286	8	3	5	-	-	27	7	12	4	4
48	All other allergic, endocrine, and metabolic diseases—Residual[1]	2	2	-	-	-	23	11	7	2	3
49	IV. Diseases of the blood and blood-forming organs	32	13	19	-	-	84	29	37	14	4
50	Anemias—290-293	20	10	10	-	-	52	18	20	11	3
51	Pernicious and other hyperchromic anemias—290	7	1	6	-	-	14	4	10	-	-
52	Anemias of other and unspecified type—291-293	13	9	4	-	-	38	14	10	11	3
53	Purpura and other hemorrhagic conditions—296	2	-	2	-	-	13	1	9	2	1
54	Other diseases of blood and blood-forming organs—294,295,297-299	10	3	7	-	-	19	10	8	1	-
55	V. Mental, psychoneurotic, and personality disorders	32	19	13	-	-	93	42	24	24	3
56	Senile psychosis—304	2	-	2	-	-	2	1	1	-	-
57	Alcoholic psychosis—307	4	4	-	-	-	5	4	1	-	-
58	Other psychoses—300-303,305,306,308,309	2	1	1	-	-	6	3	2	1	-
59	Alcoholism—322	15	11	4	-	-	72	31	16	22	3
60	Mental deficiency—325	6	2	4	-	-	6	3	2	1	-
61	Psychoneuroses and other disorders of personality—310-321,323,324,326	3	1	2	-	-	2	-	2	-	-
62	VI. Diseases of the nervous system and sense organs	1,357	606	745	3	3	2,625	977	1,074	303	271
63	Vascular lesions affecting central nervous system—330-334	1,280	570	706	2	2	2,307	857	973	247	230
64	Subarachnoid hemorrhage—330	32	20	12	-	-	135	51	44	21	19
65	Cerebral hemorrhage—331	816	370	442	2	2	1,375	507	575	146	147
66	Cerebral embolism and thrombosis—332	363	153	210	-	-	596	228	263	58	47
67	Other vascular lesions affecting central nervous system—333,334	69	27	42	-	-	201	71	91	22	17
68	Meningitis, except meningococcal and tuberculous—340	10	4	6	-	-	52	18	18	12	4
69	Multiple sclerosis—345	7	3	4	-	-	19	6	9	3	1
70	Paralysis agitans—350	11	4	7	-	-	41	23	16	1	1
71	Cerebral spastic infantile paralysis—351	1	-	1	-	-	20	6	8	3	3
72	Epilepsy—353	13	4	8	1	-	34	6	9	15	4
73	Inflammatory diseases of eye—370-379	-	-	-	-	-	1	-	1	-	-
74	Cataract—385	-	-	-	-	-	1	-	-	-	1
75	Glaucoma—387	-	-	-	-	-	1	-	1	-	-
76	Otitis media and mastoiditis—391-393	5	2	2	-	1	44	13	11	6	14
77	Other diseases of nervous system and sense organs—Residual[1]	30	19	11	-	-	105	48	28	16	13

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,316	1,102	192	18	4	1,579	1,280	185	97	17	466	369	91	6	-	306	188	31	67	20	1
84	79	5	-	-	95	79	5	8	3	27	22	4	1	-	22	10	2	9	1	2
337	297	34	4	2	594	485	56	50	3	211	171	37	3	-	107	80	5	17	5	3
863	714	134	14	1	859	697	115	37	10	216	169	45	2	-	169	92	24	39	14	4
32	12	19	-	1	31	19	9	2	1	12	7	5	-	-	8	6	-	2	-	5
992	11	968	-	13	920	7	855	-	58	464	3	458	-	3	176	-	100	-	76	6
1,258	487	743	10	18	1,641	562	895	54	130	683	325	348	5	5	502	108	131	99	164	7
228	...	219	...	9	414	...	349	...	65	89	...	88	...	1	141	...	62	...	79	8
223	...	218	...	5	255	...	223	...	32	117	...	113	...	4	96	...	37	...	59	9
286	...	285	...	3	332	...	302	...	30	127	...	127	...	-	48	...	26	...	22	10
24	...	23	...	1	24	...	21	...	3	20	...	20	...	-	10	...	6	...	4	11
472	462	...	10	...	576	523	...	53	...	312	307	...	5	...	198	102	...	96	...	12
25	25	...	-	...	40	39	...	1	...	18	18	...	-	...	9	6	...	3	...	13
454	290	159	3	2	531	341	159	20	11	235	162	72	-	1	84	22	15	32	15	14
176	107	65	3	1	204	126	66	9	3	111	74	36	-	1	23	4	5	9	5	15
278	183	94	-	1	327	215	93	11	8	124	88	36	-	-	61	18	10	23	10	16
966	496	453	9	8	1,070	559	433	42	36	526	282	241	3	-	390	150	118	47	75	17
111	63	44	3	1	125	72	49	2	2	66	33	32	1	-	62	34	19	4	5	18
11	4	7	-	-	11	6	5	-	-	11	8	3	-	-	6	2	2	1	1	19
163	90	71	2	-	250	147	88	8	7	127	76	51	-	-	59	33	19	4	3	20
33	16	17	-	-	55	29	22	-	4	29	12	17	-	-	6	1	1	-	4	21
86	44	40	-	2	74	43	26	2	3	30	12	18	-	-	22	12	6	1	3	22
34	16	18	-	-	42	17	21	3	1	20	10	10	-	-	4	2	1	-	1	23
43	24	18	1	-	56	31	22	3	-	11	5	6	-	-	24	11	4	4	5	24
485	239	238	3	5	457	214	200	24	19	232	126	104	2	-	207	55	66	33	53	25
373	219	151	3	-	529	298	208	15	8	294	174	118	-	2	127	46	53	18	10	26
443	243	195	4	1	547	332	192	14	9	262	158	102	-	2	128	54	35	17	22	27
187	101	85	-	1	221	139	76	4	2	116	71	44	-	1	50	20	19	5	6	28
126	80	45	1	-	138	92	42	3	1	67	42	25	-	-	34	20	7	3	4	29
130	62	65	3	-	188	101	74	7	6	79	45	33	-	1	44	14	9	9	12	30
184	99	80	2	3	181	88	74	8	11	96	40	55	-	1	69	17	23	15	14	31
13	...	12	...	1	23	...	17	...	6	8	...	7	...	1	8	...	-	...	8	32
23	10	12	-	1	48	19	23	5	1	18	7	11	-	-	12	2	6	4	-	33
43	22	20	1	-	52	32	16	2	2	20	10	10	-	-	9	1	3	4	1	34
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
80	52	27	-	1	38	23	13	1	1	29	16	13	-	-	29	13	11	3	2	36
25	15	9	1	-	20	14	5	-	1	21	7	14	-	-	11	1	3	4	3	37
1,282	533	712	13	24	1,992	844	1,000	51	97	742	323	411	3	5	422	96	117	67	142	38
147	79	66	1	1	241	159	61	11	10	85	58	26	1	-	52	21	9	12	10	39
5	2	2	-	1	8	1	5	-	2	6	1	4	-	1	1	-	1	-	-	40
6	3	2	1	-	31	6	21	-	4	15	3	12	-	-	7	-	1	-	6	41
6	-	6	-	-	14	2	11	-	1	4	-	4	-	-	5	-	3	1	1	42
1,010	388	595	7	20	1,607	627	871	35	74	570	225	339	2	4	312	64	94	41	113	43
1	1	-	-	-	23	13	5	3	2	-	-	-	-	-	-	-	-	-	-	44
12	6	6	-	-	6	4	1	-	1	9	7	2	-	-	3	3	-	-	-	45
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	2	-	46
61	36	20	3	2	31	14	15	1	1	27	16	11	-	-	19	-	4	9	6	47
33	17	15	1	-	30	17	10	1	2	26	13	13	-	-	21	8	5	2	6	48
147	72	72	2	1	203	93	98	8	4	108	56	51	-	1	89	23	20	27	19	49
91	40	49	2	-	133	57	68	5	3	64	32	32	-	-	69	16	15	23	15	50
21	6	15	-	-	42	17	25	-	-	26	14	12	-	-	5	2	1	-	2	51
70	34	34	2	-	91	40	43	5	3	38	18	20	-	-	64	14	14	23	13	52
24	12	11	-	1	25	10	13	1	1	17	10	7	-	-	10	4	1	1	4	53
32	20	12	-	-	45	26	17	2	-	27	14	12	-	1	10	3	4	3	-	54
117	68	47	2	-	147	92	38	12	5	93	55	33	3	2	33	13	3	6	11	55
9	4	5	-	-	17	7	10	-	-	12	5	7	-	-	5	1	1	1	2	56
18	13	5	-	-	20	17	1	2	-	10	10	-	-	-	3	3	-	-	-	57
15	8	7	-	-	17	10	6	1	-	11	4	7	-	-	3	-	1	1	1	58
57	36	19	2	-	74	50	10	9	5	36	28	3	3	2	17	6	-	4	7	59
16	7	9	-	-	10	6	4	-	-	23	8	15	-	-	5	3	1	-	1	60
2	-	2	-	-	9	2	7	-	-	1	-	1	-	-	-	-	-	-	-	61
6,714	2,803	3,793	51	67	8,103	3,664	3,813	292	334	4,377	2,168	2,167	21	21	3,054	766	747	737	804	62
6,256	2,571	3,576	46	63	7,542	3,367	3,601	258	316	4,027	1,985	2,004	17	21	2,873	719	713	679	762	63
205	83	114	4	4	245	86	114	21	24	148	66	77	2	3	66	15	20	13	18	64
3,589	1,465	2,064	28	32	4,687	2,099	2,269	145	174	2,407	1,201	1,181	12	13	1,780	405	414	451	510	65
2,063	861	1,170	11	21	2,022	923	921	82	96	1,054	520	527	2	5	604	192	189	120	103	66
399	162	228	3	6	588	259	297	10	22	418	198	219	1	-	423	107	90	95	131	67
69	38	28	1	2	86	40	28	11	7	47	28	18	1	-	43	7	6	16	14	68
55	20	34	-	1	58	29	27	-	2	41	15	26	-	-	10	4	5	1	-	69
100	52	48	-	-	106	66	40	-	-	89	49	40	-	-	18	11	3	3	1	70
13	11	2	-	-	29	15	12	1	1	15	6	8	1	-	6	2	3	-	1	71
69	40	26	2	1	89	41	36	10	2	37	23	14	-	-	31	4	6	11	10	72
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
12	4	7	1	-	19	9	10	-	-	4	1	2	1	-	3	1	-	1	1	76
140	67	72	1	-	169	94	57	12	6	116	61	54	1	-	70	18	11	26	15	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	4,758	2,701	2,043	6	8	12,338	5,850	4,529	1,048	913
2	Diseases of heart—400-402,410-443	4,301	2,475	1,814	6	6	11,393	5,463	4,138	951	841
3	Rheumatic fever—400-402	7	2	5	-	-	19	8	4	5	2
4	Chronic rheumatic heart disease—410-416	102	43	59	-	-	276	98	134	25	19
5	Diseases of mitral valve—410	32	12	20	-	-	90	26	46	11	7
6	Diseases of aortic valve specified as rheumatic—411	6	3	3	-	-	21	12	6	2	1
7	Diseases of pulmonary valve, etc.*—413,414	6	2	4	-	-	23	11	8	1	3
8	Other diseases of heart specified as rheumatic—412,415,416	58	26	32	-	-	142	49	74	11	8
9	Arteriosclerotic heart disease, including coronary disease—420	3,156	1,949	1,197	5	5	6,298	3,575	2,103	357	263
10	Arteriosclerotic heart disease so described—420.0	1,069	562	502	2	3	1,667	808	662	97	100
11	Heart disease specified as involving coronary arteries—420.1	2,072	1,378	689	3	2	4,616	2,755	1,438	260	163
12	Angina pectoris without mention of coronary disease—420.2	15	9	6	-	-	15	12	3	-	-
13	Chronic endocarditis not specified as rheumatic—421	67	38	29	-	-	90	41	24	14	11
14	Of mitral valve, specified as nonrheumatic—421.0	5	2	3	-	-	11	2	5	1	3
15	Of aortic valve, not specified as rheumatic—421.1	25	16	9	-	-	35	19	5	6	5
16	Of other valves, not specified as rheumatic—421.2-421.4	37	20	17	-	-	44	20	14	7	3
17	Other myocardial degeneration—422	401	180	221	-	-	2,183	896	921	198	168
18	With arteriosclerosis—422.1	210	94	116	-	-	1,941	799	815	180	147
19	Without mention of arteriosclerosis—422.0,422.2	191	86	105	-	-	242	97	106	18	21
20	Other diseases of heart—430-434	117	65	51	1	-	358	159	115	54	30
21	Acute and subacute endocarditis—430	3	2	1	-	-	16	9	5	1	1
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic—431,432	4	2	2	-	-	16	4	3	5	4
23	Functional disease of heart—433	24	14	10	-	-	98	39	42	11	6
24	Other and unspecified diseases of heart—434	86	47	38	1	-	228	107	65	37	19
25	Hypertensive heart disease—440-443	451	198	252	-	1	2,169	686	837	298	348
26	Hypertensive heart disease with arteriolar nephrosclerosis—442	117	62	55	-	-	628	247	220	65	96
27	Other hypertensive heart disease—440,441,443	334	136	197	-	1	1,541	439	617	233	252
28	Other hypertensive disease—444-447	81	45	36	-	-	194	78	57	34	25
29	Hypertension with arteriolar nephrosclerosis—446	46	29	17	-	-	94	42	34	12	6
30	Essential hypertension, other hypertensive disease, etc.*—444,445,447	35	16	19	-	-	100	36	23	22	19
31	Diseases of arteries—450-456	318	157	160	-	1	622	257	286	43	36
32	General arteriosclerosis—450	252	116	136	-	-	453	162	236	35	20
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm—451	49	32	16	-	1	121	74	33	5	9
34	Gangrene of unspecified cause—455	4	-	4	-	-	2	-	-	1	1
35	Other arterial diseases—452-454,456	13	9	4	-	-	46	21	17	2	6
36	Diseases of veins and other diseases of circulatory system—460-468	58	24	33	-	1	129	52	48	18	11
37	VIII. Diseases of the respiratory system	456	276	178	2	-	1,286	615	320	236	115
38	Acute upper respiratory infections—470-475	6	4	2	-	-	27	14	7	3	3
39	Influenza—480-483	28	15	13	-	-	35	11	16	7	1
40	Pneumonia, except pneumonia of newborn—490-493	299	175	122	2	-	830	355	230	163	82
41	Lobar pneumonia—490	60	33	26	1	-	183	79	46	43	15
42	Bronchopneumonia—491	147	86	60	1	-	443	191	125	77	50
43	Primary atypical pneumonia—492	40	24	16	-	-	74	30	26	13	5
44	Pneumonia, other and unspecified—493	52	32	20	-	-	130	55	33	30	12
45	Acute bronchitis—500	9	6	3	-	-	18	6	6	4	2
46	Bronchitis, chronic and unqualified—501,502	16	11	5	-	-	60	40	9	6	5
47	Hypertrophy of tonsils and adenoids—510	2	1	1	-	-	5	2	1	2	-
48	Empyema and abscess of lung—518,521	3	2	1	-	-	24	11	7	4	2
49	Pleurisy—519	1	-	1	-	-	1	-	-	1	-
50	Emphysema without mention of bronchitis—527.1	31	25	6	-	-	97	82	2	13	-
51	Other respiratory diseases—511-517,520,522-527.0,527.2	61	37	24	-	-	189	94	42	33	20
52	IX. Diseases of the digestive system	356	210	144	-	2	988	505	312	103	68
53	Diseases of teeth and supporting structures—530-535	-	-	-	-	-	2	1	-	1	-
54	Ulcer of stomach—540	25	22	3	-	-	76	53	10	11	2
55	Ulcer of duodenum—541	38	27	11	-	-	50	34	11	3	2
56	Gastritis and duodenitis—543	1	-	1	-	-	4	3	-	1	-
57	Appendicitis—550-553	13	8	5	-	-	15	3	8	-	4
58	Hernia and intestinal obstruction—560,561,570	66	33	33	-	-	149	58	51	24	16
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over—571	27	11	15	-	1	62	14	23	12	13
60	Chronic enteritis and ulcerative colitis—572	13	6	7	-	-	36	16	20	-	-
61	Cirrhosis of liver—581	84	57	27	-	-	334	212	79	30	13
62	Without mention of alcoholism—581.0	61	39	22	-	-	235	145	60	21	9
63	With alcoholism—581.1	23	18	5	-	-	99	67	19	9	4
64	Cholelithiasis, cholecystitis, and cholangitis—584,585	36	16	20	-	-	66	22	36	2	6
65	Fibrocystic disease of pancreas—587B	2	1	1	-	-	9	3	6	-	-
66	Other diseases of digestive system—Residual[1]	51	29	21	-	1	185	86	68	19	12
67	X. Diseases of the genitourinary system	211	131	79	1	-	528	212	165	79	72
68	Nephritis and nephrosis—590-594	118	64	53	1	-	306	115	103	42	46
69	Acute nephritis—590	8	4	4	-	-	13	3	7	1	2
70	Nephritis with edema, including nephrosis—591	8	2	5	1	-	28	11	8	5	4
71	Chronic and unspecified nephritis and other renal sclerosis—592-594	102	58	44	-	-	265	101	88	36	40
72	Infections of kidney—600	39	24	15	-	-	86	20	33	15	18
73	Calculi of urinary system—602,604	4	1	3	-	-	20	10	9	1	-
74	Other diseases of urinary system—601,603,605-609	12	8	4	-	-	38	15	11	9	3
75	Hyperplasia of prostate—610	30	30	...	-	...	55	44	...	11	...
76	Diseases of breast—620,621	-	-	-	-	-	-	-	-	-	-
77	Other diseases of genital organs—611-617,622-637	8	4	4	-	-	23	8	9	1	5

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,310	13,873	12,044	193	200	27,740	15,702	10,321	904	813	13,082	7,866	5,110	67	39	7,216	2,604	1,713	1,494	1,405	1
23,878	12,780	10,754	169	175	25,211	14,446	9,218	819	728	11,763	7,152	4,517	58	36	6,518	2,401	1,531	1,341	1,245	2
25	13	10	1	1	25	10	13	-	2	17	9	7	1	-	14	4	2	5	3	3
694	284	400	4	6	826	334	384	28	30	329	162	164	2	1	129	48	27	23	31	4
252	102	147	1	2	283	118	160	3	2	169	71	97	1	-	55	19	11	11	14	5
55	32	23	-	-	92	62	23	4	3	42	35	7	-	-	11	8	1	1	1	6
18	13	5	-	-	40	23	11	5	1	24	10	14	-	-	6	2	2	1	1	7
369	137	225	3	4	411	181	190	16	24	94	46	46	1	1	57	19	13	10	15	8
18,864	10,744	7,905	112	103	18,743	11,578	6,212	555	398	8,990	5,779	3,145	42	24	3,813	1,766	978	585	484	9
7,915	3,808	4,008	50	49	7,301	3,996	2,961	192	152	2,748	1,590	1,131	16	11	1,217	480	352	221	164	10
10,919	6,922	3,883	60	54	11,425	7,573	3,244	362	246	6,230	4,182	2,009	26	13	2,581	1,285	622	358	316	11
30	14	14	2	-	17	9	7	1	-	12	7	5	-	-	15	1	4	6	4	12
208	100	108	-	-	222	121	90	6	5	130	80	50	-	-	92	33	15	29	15	13
18	5	13	-	-	12	4	8	-	-	11	4	7	-	-	7	4	1	2	-	14
97	59	38	-	-	60	41	16	3	-	67	49	18	-	-	25	11	2	10	2	15
93	36	57	-	-	150	76	66	3	5	52	27	25	-	-	60	18	12	17	13	16
1,196	505	675	7	9	1,915	926	901	48	40	806	433	365	6	2	600	144	157	160	139	17
786	317	463	2	4	1,106	545	516	20	25	575	309	263	3	-	289	68	80	74	67	18
410	188	212	5	5	809	381	385	28	15	231	124	102	3	2	311	76	77	86	72	19
768	401	334	15	18	981	529	390	33	29	415	244	166	4	1	496	137	78	159	122	20
42	31	11	-	-	25	15	6	3	1	16	10	5	1	-	9	3	-	3	3	21
27	14	13	-	-	37	14	15	6	2	12	6	6	-	-	7	3	-	1	3	22
135	64	67	2	2	200	96	94	4	6	144	82	60	1	1	56	17	25	9	5	23
564	292	243	13	16	719	404	275	20	20	243	146	95	2	-	424	114	53	146	111	24
2,123	733	1,322	30	38	2,499	898	1,228	149	224	1,076	445	620	3	8	1,374	269	274	380	451	25
240	97	137	3	3	505	210	254	20	21	174	80	92	1	1	313	63	58	102	90	26
1,883	636	1,185	27	35	1,994	688	974	129	203	902	365	528	2	7	1,061	206	216	278	361	27
454	197	242	9	6	512	235	198	43	36	204	96	106	1	1	251	49	46	79	77	28
253	128	119	2	4	215	132	65	9	9	83	49	32	1	1	94	31	22	25	16	29
201	69	123	7	2	297	103	133	34	27	121	47	74	-	-	157	18	24	54	61	30
1,615	722	872	9	12	1,771	915	795	28	33	953	533	412	6	2	354	124	113	61	56	31
1,276	504	756	7	9	1,289	599	654	18	18	763	404	352	6	1	265	81	98	43	43	32
236	170	64	-	2	370	252	106	7	5	141	102	38	-	1	62	33	12	12	5	33
12	7	5	-	-	5	4	1	-	-	6	3	3	-	-	5	-	1	2	2	34
91	41	47	2	1	107	60	34	3	10	43	24	19	-	-	22	10	2	4	6	35
363	174	176	6	7	246	106	110	14	16	162	85	75	2	-	93	30	23	13	27	36
2,859	1,654	1,117	53	35	3,096	1,772	918	255	151	1,440	848	573	13	6	1,125	305	202	335	283	37
24	14	9	1	-	33	17	9	5	2	22	14	8	-	-	20	1	2	10	7	38
26	11	13	-	2	132	72	52	5	3	61	29	32	-	-	198	36	27	69	66	39
2,020	1,072	881	39	28	2,059	1,074	652	206	127	981	537	431	8	5	690	150	122	226	192	40
270	161	101	5	3	342	180	94	45	23	186	110	75	-	1	156	32	22	53	49	41
1,378	716	620	26	16	1,014	528	348	78	60	524	279	238	5	2	284	68	51	91	74	42
168	90	68	5	5	386	207	94	59	26	81	44	37	-	-	33	9	4	12	8	43
204	105	92	3	4	317	159	116	24	18	190	104	81	3	2	217	41	45	70	61	44
36	23	13	-	-	48	21	20	3	4	21	11	10	-	-	14	3	4	5	2	45
120	83	34	2	1	99	71	25	2	1	56	38	17	1	-	28	14	5	5	4	46
10	8	1	1	-	13	3	6	2	2	3	1	1	1	-	2	-	2	-	-	47
26	14	10	2	-	20	13	3	2	2	16	14	2	-	-	6	2	2	2	-	48
4	4	-	-	-	6	2	4	-	-	6	4	2	-	-	3	-	1	2	-	49
204	180	22	1	1	283	233	36	12	2	91	75	14	2	-	63	55	4	4	-	50
389	245	134	7	3	403	266	111	18	8	183	125	56	1	1	101	44	33	12	12	51
2,237	1,245	947	29	16	2,589	1,498	908	96	87	1,181	721	433	12	15	731	224	141	211	155	52
5	2	3	-	-	5	5	-	-	-	2	1	1	-	-	-	-	-	-	-	53
217	135	80	1	1	242	158	66	11	7	95	66	26	2	1	49	26	6	14	3	54
209	158	49	2	-	237	178	52	6	1	104	83	20	1	-	43	23	8	10	2	55
13	7	6	-	-	9	4	5	-	-	12	9	3	-	-	3	1	-	1	1	56
63	34	28	1	-	103	70	22	8	3	31	20	10	-	1	11	1	1	6	3	57
276	135	138	2	1	299	135	138	15	11	183	94	86	2	1	120	32	29	30	29	58
57	28	27	-	2	154	86	46	9	13	91	54	31	1	5	193	18	16	95	64	59
115	44	69	1	1	133	57	67	2	7	42	22	20	-	-	21	12	4	1	4	60
719	434	266	12	7	810	518	244	26	22	280	195	79	2	4	96	46	18	17	15	61
519	293	211	10	5	631	396	205	20	10	199	140	56	2	1	83	35	17	16	15	62
200	141	55	2	2	179	122	39	6	12	81	55	23	-	3	13	11	1	1	-	63
165	65	97	3	-	244	109	126	2	7	132	55	74	2	1	52	12	19	8	13	64
21	9	12	-	-	18	10	8	-	-	10	5	4	1	-	10	5	5	-	-	65
377	194	172	7	4	335	168	154	17	16	199	117	79	1	2	133	48	35	29	21	66
940	502	410	19	9	1,223	698	385	76	64	507	316	186	2	3	557	132	81	223	121	67
417	209	200	4	4	630	324	237	39	30	205	120	84	-	1	319	53	48	133	85	68
18	7	11	-	-	42	24	17	1	-	14	10	4	-	-	30	2	4	11	13	69
23	14	9	-	-	41	18	17	4	2	11	7	4	-	-	29	4	1	18	6	70
376	188	180	4	4	547	282	203	34	28	180	103	76	-	1	260	47	43	104	66	71
269	106	150	9	4	225	98	87	16	24	105	46	58	-	1	103	30	21	29	23	72
35	15	19	1	-	62	32	22	3	5	24	10	14	-	-	11	4	3	1	3	73
74	42	29	2	1	53	28	21	4	-	59	35	22	1	1	26	5	4	12	5	74
120	117	...	3	...	212	198	...	14	...	100	99	...	1	...	78	34	...	44	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
25	13	12	-	-	41	18	18	-	5	14	6	8	-	-	20	6	5	4	5	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	8	...	8	...	-	23	...	8	...	15
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	1	...	1	...	-	2	...	1	...	1
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	3	...	3	...	-	5	...	3	...	2
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	-	...	-	...	-	3	...	-	...	3
5	Ectopic pregnancy----------645	-	...	-	...	-	3	...	-	...	3
6	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	1	...	1	...	-
7	Abortion with sepsis----------651	-	...	-	...	-	4	...	1	...	3
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	4	...	4	...	-	5	...	2	...	3
10	XII. Diseases of the skin and cellular tissue----------	7	4	3	-	-	46	15	18	2	11
11	Infections of skin and subcutaneous tissue----------690-698	3	1	2	-	-	13	7	5	-	1
12	Other diseases of skin and subcutaneous tissue----------700-716	4	3	1	-	-	33	8	13	2	10
13	XIII. Diseases of the bones and organs of movement----------	20	6	14	-	-	53	25	20	3	5
14	Arthritis and spondylitis----------720-725	10	2	8	-	-	25	8	12	2	3
15	Muscular rheumatism and rheumatism unspecified----------726,727	-	-	-	-	-	-	-	-	-	-
16	Osteomyelitis and periostitis----------730	-	-	-	-	-	5	4	1	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	-	-	-	-	-	-	-	-	-	-
18	Inborn defect of muscle----------744.1	5	3	2	-	-	12	8	2	1	1
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	5	1	4	-	-	11	5	5	-	1
20	XIV. Congenital malformations----------	138	73	64	1	-	376	159	149	34	34
21	Spina bifida and meningocele----------751	11	6	5	-	-	32	10	21	-	1
22	Congenital hydrocephalus, etc.*----------752,753	21	10	10	1	-	48	20	23	3	2
23	Congenital malformations of circulatory system----------754	66	35	31	-	-	186	82	65	20	19
24	Other congenital malformations----------750,755-759	40	22	18	-	-	110	47	40	11	12
25	XV. Certain diseases of early infancy[2]----------	331	205	121	2	3	1,367	474	375	281	237
26	XVI. Symptoms, senility, and ill-defined conditions----------	60	25	35	-	-	119	43	38	21	17
27	Senility without mention of psychosis----------794	40	13	27	-	-	28	10	9	6	3
28	Symptoms, ill-defined, and unknown causes----------780-793,795	20	12	8	-	-	91	33	29	15	14
29	XVII. Accidents, poisonings, and violence----------	709	519	180	9	1	1,724	909	394	298	123
30	Accidents----------E800-E962	560	402	149	8	1	1,277	678	309	204	86
31	Railway accidents----------E800-E802	4	4	-	-	-	12	9	2	1	-
32	Motor vehicle accidents----------E810-E835	211	150	56	5	-	485	298	86	74	27
33	Motor vehicle traffic accidents----------E810-E825	206	145	56	5	-	477	291	86	73	27
34	Motor vehicle traffic accident with railway train*----------E810	3	3	-	-	-	9	5	2	2	-
35	Motor vehicle traffic accident to pedestrian----------E812	60	44	14	2	-	140	78	23	27	12
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	63	36	26	1	-	170	101	39	23	7
37	Motor vehicle noncollision traffic accidents----------E820-E824	70	55	13	2	-	90	68	10	9	3
38	Motor vehicle traffic accident of unspecified nature---------E825	10	7	3	-	-	68	39	12	12	5
39	Motor vehicle nontraffic accidents----------E830-E835	5	5	-	-	-	8	7	-	1	-
40	Other road vehicle accidents----------E840-E845	-	-	-	-	-	2	-	1	1	-
41	Water transport accidents----------E850-E858	26	24	1	1	-	40	30	3	7	-
42	Aircraft accidents----------E860-E866	30	30	-	-	-	18	16	2	-	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	9	3	4	1	1	27	13	4	5	5
44	Accidental poisoning by gases and vapors----------E890-E895	12	11	1	-	-	13	7	1	3	2
45	Accidental falls----------E900-E904	80	38	42	-	-	283	111	133	26	13
46	Fall from one level to another----------E900-E902	27	20	7	-	-	137	71	43	17	6
47	Fall on same level----------E903	11	3	8	-	-	36	11	23	-	2
48	Unspecified falls----------E904	42	15	27	-	-	110	29	67	9	5
49	Blow from falling object or projected object or missile----------E910	11	11	-	-	-	16	13	1	1	1
50	Accident caused by machinery----------E912	11	11	-	-	-	29	21	1	7	-
51	Accident caused by electric current----------E914	2	2	-	-	-	14	10	-	4	-
52	Accident caused by fire and explosion of combustible material----E916	54	33	21	-	-	94	27	23	19	25
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	3	2	1	-	-	6	1	3	1	1
54	Accident caused by firearm----------E919	9	9	-	-	-	19	13	3	2	1
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	21	17	4	-	-	41	18	14	4	5
56	Accidental drowning----------E929	33	28	4	1	-	96	57	7	30	2
57	Excessive heat and insolation----------E931	-	-	-	-	-	2	2	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	6	3	3	-	-	12	2	9	1	-
59	All other accidents----------Residual[1]	38	26	12	-	-	68	30	16	18	4
60	Suicide----------E963,E970-E979	134	108	25	1	-	281	197	62	14	8
61	Suicide by poisoning----------E970-E973	33	25	8	-	-	58	34	23	-	1
62	Suicide by hanging and strangulation----------E974	20	16	4	-	-	53	32	16	4	1
63	Suicide by firearm and explosive----------E976	68	60	7	1	-	137	113	13	7	4
64	Suicide by all other means----------E963,E975,E977-E979	13	7	6	-	-	33	18	10	3	2
65	Homicide----------E964,E980-E985	15	9	6	-	-	166	34	23	80	29
66	Assault by firearm and explosive----------E981	9	7	2	-	-	74	15	9	35	15
67	Assault by cutting and piercing instruments----------E982	1	1	-	-	-	42	5	3	29	5
68	Assault by other means----------E964,E980,E983	5	1	4	-	-	49	13	11	16	9
69	Injury by intervention of police----------E984	-	-	-	-	-	1	1	-	-	-
70	Execution----------E985	-	-	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.
[1]For category numbers, see table 72.
[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21	...	19	...	2	60	...	45	...	15	17	...	17	...	-	49	...	9	...	40	1
3	...	3	...	-	5	...	5	...	-	1	...	1	...	-	6	...	2	...	4	2
1	...	1	...	-	11	...	8	...	3	3	...	3	...	-	22	...	4	...	18	3
4	...	4	...	-	12	...	10	...	2	3	...	3	...	-	10	...	1	...	9	4
1	...	1	...	-	5	...	3	...	2	2	...	2	...	-	3	...	-	...	3	5
2	...	1	...	1	3	...	1	...	2	1	...	1	...	-	3	...	1	...	2	6
1	...	1	...	-	10	...	6	...	4	1	...	1	...	-	1	...	-	...	1	7
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	8
8	...	7	...	1	14	...	12	...	2	6	...	6	...	-	4	...	1	...	3	9
55	20	30	3	2	65	26	33	1	5	41	14	26	-	1	13	3	2	4	4	10
17	6	11	-	-	17	10	6	-	1	18	11	6	-	1	3	-	-	2	1	11
38	14	19	3	2	48	16	27	1	4	23	3	20	-	-	10	3	2	2	3	12
112	40	71	-	1	119	64	48	2	5	74	37	37	-	-	47	11	22	7	7	13
50	11	38	-	1	67	31	34	-	2	36	13	23	-	-	32	7	14	5	6	14
1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	15
5	2	3	-	-	8	8	-	-	-	4	3	1	-	-	3	-	2	1	-	16
3	-	3	-	-	2	-	2	-	-	6	4	2	-	-	1	1	-	-	-	17
25	20	5	-	-	20	16	3	-	1	12	8	4	-	-	5	3	1	-	1	18
28	7	21	-	-	21	9	8	2	2	15	9	6	-	-	6	-	5	1	-	19
640	343	281	9	7	1,020	512	422	46	40	448	247	194	5	2	262	73	69	54	66	20
42	17	24	1	-	40	17	20	1	2	32	13	19	-	-	15	7	4	2	2	21
73	44	29	-	-	125	61	55	2	7	38	23	15	-	-	27	2	9	7	9	22
332	179	142	6	5	538	280	228	29	21	232	126	105	1	-	128	40	34	22	32	23
193	103	86	2	2	317	174	119	14	10	146	85	55	4	2	92	24	22	23	23	24
1,596	886	613	55	42	3,198	1,537	1,138	285	238	1,195	691	485	7	12	1,108	269	178	363	298	25
227	107	113	4	3	235	122	82	22	9	160	88	67	2	3	2,101	255	136	922	788	26
11	2	9	-	-	16	7	9	-	-	45	20	24	-	1	69	7	9	24	29	27
216	105	104	4	3	219	115	73	22	9	115	68	43	2	2	2,032	248	127	898	759	28
2,839	1,707	1,027	73	32	4,286	2,776	1,118	277	115	2,053	1,420	573	43	17	1,771	677	244	592	258	29
2,380	1,384	904	62	30	3,320	2,140	928	170	82	1,716	1,162	510	29	15	1,422	540	210	448	224	30
27	23	4	-	-	20	14	3	2	1	14	11	3	-	-	17	5	1	10	1	31
617	420	170	22	5	1,467	995	359	82	31	752	533	199	13	7	548	300	75	130	43	32
599	412	161	21	5	1,427	967	350	80	30	731	519	192	13	7	533	292	72	127	42	33
10	7	3	-	-	63	38	23	2	-	37	30	7	-	-	19	13	-	5	1	34
196	133	53	7	3	308	197	78	18	15	102	66	32	2	2	95	43	13	32	7	35
149	94	47	7	1	557	365	148	35	9	314	214	93	5	2	244	135	38	46	25	36
168	124	38	5	1	368	281	61	21	5	248	191	49	6	2	130	74	13	37	6	37
76	54	20	2	-	131	86	40	4	1	30	18	11	-	1	45	27	8	7	3	38
18	8	9	1	-	40	28	9	2	1	21	14	7	-	-	15	8	3	3	1	39
6	3	3	-	-	11	6	5	-	-	7	3	4	-	-	7	3	-	3	1	40
32	30	1	1	-	88	78	8	2	-	48	41	6	1	-	31	20	2	9	-	41
23	22	1	-	-	69	55	13	1	-	21	19	2	-	-	8	8	-	-	-	42
35	25	10	-	-	50	28	13	5	4	14	11	3	-	-	20	5	2	9	4	43
31	21	6	1	3	61	48	9	2	2	20	17	3	-	-	1	-	1	-	-	44
994	445	536	9	4	697	332	336	19	10	356	175	180	1	-	140	41	59	21	19	45
261	142	117	2	-	238	153	70	14	1	116	73	43	-	-	33	15	7	9	2	46
128	47	81	-	-	81	35	45	-	1	88	40	47	1	-	13	5	5	-	3	47
605	256	338	7	4	378	144	221	5	8	152	62	90	-	-	94	21	47	12	14	48
10	10	-	-	-	44	39	4	1	-	23	20	2	1	-	23	10	1	12	-	49
16	14	1	1	-	59	51	5	3	-	58	53	5	-	-	29	18	-	11	-	50
18	17	1	-	-	21	20	1	-	-	11	11	-	-	-	24	13	3	8	-	51
166	85	56	15	10	196	105	57	18	16	97	59	30	5	3	222	18	28	73	103	52
7	3	4	-	-	17	9	3	3	2	11	5	6	-	-	9	-	-	6	3	53
14	12	2	-	-	54	46	5	2	1	50	45	4	1	-	43	19	3	18	3	54
43	28	15	-	-	102	61	30	5	6	41	22	16	3	-	31	4	6	13	8	55
117	98	15	4	-	153	111	26	15	1	76	59	15	1	1	124	42	7	65	10	56
1	1	-	-	-	3	3	-	-	-	3	2	1	-	-	3	1	1	1	-	57
39	17	21	-	1	20	5	12	1	2	22	14	7	1	-	22	4	5	7	6	58
184	110	58	9	7	188	134	39	9	6	92	62	24	2	4	120	29	16	52	23	59
413	296	111	5	1	747	559	158	23	7	298	240	52	5	1	145	103	18	18	6	60
107	70	37	-	-	166	101	58	5	2	63	47	15	-	1	7	6	1	-	-	61
131	94	34	3	-	194	134	53	6	1	76	58	15	3	-	10	6	3	1	-	62
101	92	8	1	-	313	281	21	10	1	125	114	10	1	-	123	88	14	16	5	63
74	40	32	1	1	74	43	26	2	3	34	21	12	1	-	5	3	-	1	1	64
45	26	12	6	1	217	75	32	84	26	39	18	11	9	1	204	34	16	126	28	65
16	10	4	1	1	102	42	16	33	11	19	11	6	2	-	124	25	12	68	19	66
9	3	2	4	-	56	6	4	37	9	6	2	1	3	-	51	6	2	40	3	67
18	11	6	1	-	54	26	12	10	6	13	4	4	4	1	21	1	2	12	6	68
2	2	-	-	-	5	1	-	4	-	1	1	-	-	-	6	2	-	4	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	70
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	46,769	23,730	18,345	2,633	2,061	6,261	3,836	2,197	135	93
2	I. Infective and parasitic diseases	655	387	163	71	34	85	45	22	10	8
3	Tuberculosis, all forms---001-019	342	208	69	44	21	45	26	6	7	6
4	Tuberculosis of respiratory system---001-008	324	199	66	41	18	42	26	6	5	5
5	Tuberculosis of meninges and central nervous system---010	4	-	1	1	2	3	-	-	2	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	2	1	1	-	-	-	-	-	-	-
7	Tuberculosis of bones and joints---012,013	3	2	-	-	1	-	-	-	-	-
8	Tuberculosis of other organs and systems---014-018	5	3	1	1	-	-	-	-	-	-
9	Disseminated tuberculosis---019	4	3	-	1	-	-	-	-	-	-
10	Syphilis and its sequelae---020-029	124	76	23	20	5	3	1	1	1	-
11	Congenital syphilis---020	2	2	-	-	-	1	-	-	1	-
12	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta---022	54	34	10	8	2	-	-	-	-	-
14	Other cardiovascular syphilis---023	31	18	3	7	3	1	1	-	-	-
15	Tabes dorsalis---024	5	3	2	-	-	-	-	-	-	-
16	General paralysis of insane---025	16	9	4	3	-	-	-	-	-	-
17	Other syphilis of central nervous system---026	13	7	4	2	-	1	-	1	-	-
18	All other syphilis---027-029	3	3	-	-	-	-	-	-	-	-
19	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
20	Typhoid fever---040	2	-	2	-	-	-	-	-	-	-
21	Paratyphoid fever and other Salmonella infections---041,042	3	1	2	-	-	-	-	-	-	-
22	Cholera---043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)---044	1	-	1	-	-	-	-	-	-	-
24	Dysentery, all forms---045-048	9	7	1	1	-	-	-	-	-	-
25	Food poisoning (infection and intoxication)---049	-	-	-	-	-	-	-	-	-	-
26	Scarlet fever---050	-	-	-	-	-	-	-	-	-	-
27	Streptococcal sore throat---051	6	5	1	-	-	1	-	1	-	-
28	Erysipelas---052	-	-	-	-	-	-	-	-	-	-
29	Septicemia and pyemia---053	27	14	9	1	3	10	5	4	1	-
30	Diphtheria---055	1	-	1	-	-	-	-	-	-	-
31	Whooping cough---056	6	2	1	2	1	-	-	-	-	-
32	Meningococcal infections---057	22	9	11	1	1	4	4	-	-	-
33	Plague---058	-	-	-	-	-	-	-	-	-	-
34	Leprosy---060	-	-	-	-	-	-	-	-	-	-
35	Tetanus---061	7	6	1	-	-	-	-	-	-	-
36	Anthrax---062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis---080	12	4	6	1	1	5	2	2	-	1
38	Late effects of acute poliomyelitis---081	3	1	2	-	-	-	-	-	-	-
39	Acute infectious encephalitis---082	9	8	1	-	-	4	2	1	-	1
40	Late effects of acute infectious encephalitis---083	3	3	-	-	-	1	1	-	-	-
41	Smallpox---084	-	-	-	-	-	-	-	-	-	-
42	Measles---085	10	4	6	-	-	2	-	1	1	-
43	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis---092	23	12	10	-	1	4	1	3	-	-
45	Rabies---094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
50	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
51	Filariasis---127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis---129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	1	-	1	-	-
54	All other infective and parasitic diseases---Residual[1]	45	27	16	1	1	5	3	2	-	-
55	II. Neoplasms	7,173	3,394	3,164	315	300	873	465	388	12	8
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	7,059	3,350	3,113	311	285	845	454	371	12	8
57	Malignant neoplasm of buccal cavity and pharynx---140-148	178	116	42	16	4	14	10	4	-	-
58	Of lip---140	5	4	1	-	-	2	1	1	-	-
59	Of tongue---141	50	35	6	9	-	2	2	-	-	-
60	Of other and unspecified parts of buccal cavity---142-144	53	28	23	1	1	5	3	2	-	-
61	Of pharynx---145-148	70	49	12	6	3	5	4	1	-	-
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	2,393	1,126	1,047	133	87	271	145	119	5	2
63	Of esophagus---150	122	81	13	23	5	11	6	5	-	-
64	Of stomach---151	497	259	184	36	18	74	47	25	2	-
65	Of small intestine, including duodenum---152	26	15	10	1	-	2	-	2	-	-
66	Of large intestine, except rectum---153	795	328	412	27	28	73	34	38	1	-
67	Cecum, appendix, and ascending colon---153.0	97	22	70	1	4	9	4	5	-	-
68	Transverse colon, including hepatic and splenic flexures---153.1	53	23	28	-	2	3	2	1	-	-
69	Descending colon---153.2	41	27	9	2	3	1	1	-	-	-
70	Sigmoid colon---153.3	194	84	96	6	8	13	5	8	-	-
71	Multiple parts of large intestine---153.7	1	1	-	-	-	-	-	-	-	-
72	Large intestine (including colon), part unspecified---153.8	367	151	191	17	8	44	21	23	-	-
73	Intestinal tract, part unspecified---153.9	42	20	18	1	3	3	1	1	1	-
74	Of rectum---154	259	141	102	6	10	39	23	16	-	-
75	Of biliary passages and of liver (stated to be primary site)---155	173	53	110	7	3	20	4	14	1	1
76	Liver---155.0	55	24	24	6	1	2	2	-	-	-
77	Other and multiple sites of biliary passages---155.1,155.8	118	29	86	1	2	18	2	14	1	1
78	Of liver not stated whether primary or secondary---156A	135	67	59	6	3	13	7	5	-	1
79	Of pancreas---157	341	164	135	24	18	36	24	11	1	-
80	Of peritoneum and of unspecified digestive organs---158,159	45	18	22	3	2	3	-	3	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,729	7,879	5,456	216	178	2,311	1,454	673	103	81	6,563	3,605	2,945	6	7	57,929	29,488	23,729	2,649	2,063	1
100	59	31	6	4	44	31	9	3	1	64	37	27	-	-	757	409	201	88	59	2
34	24	4	4	2	27	19	4	3	1	28	18	10	-	-	458	273	91	57	37	3
30	22	3	3	2	25	19	3	3	-	26	17	9	-	-	415	257	83	49	26	4
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	18	4	2	5	7	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	4	2	1	1	6
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	7
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	11	6	3	-	2	8
1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	3	-	-	2	1	9
16	11	3	1	1	9	8	1	-	-	9	8	1	-	-	98	48	26	16	8	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
3	2	-	-	1	5	5	-	-	-	5	5	-	-	-	42	27	9	2	4	13
7	5	1	1	-	2	1	1	-	-	1	1	-	-	-	33	12	14	5	2	14
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	15
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	9	3	2	2	2	16
1	1	-	-	-	2	2	-	-	-	2	1	1	-	-	6	3	1	2	-	17
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	7	1	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	1	1	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	28
7	2	5	-	-	-	-	-	-	-	8	4	4	-	-	44	22	16	4	2	29
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	3	2	1	-	-	4	1	3	-	-	22	4	12	2	4	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9	4	3	1	1	37
7	4	3	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	38
12	5	7	-	-	1	-	1	-	-	1	1	-	-	-	28	14	12	1	1	39
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
6	2	3	-	1	-	-	-	-	-	2	-	2	-	-	3	1	1	1	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
7	4	3	-	-	1	-	1	-	-	3	2	1	-	-	29	12	16	-	1	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	53
5	3	1	1	-	2	1	1	-	-	6	2	4	-	-	38	15	16	4	3	54
2,276	1,227	1,000	24	25	329	192	122	11	4	1,131	590	540	-	1	10,402	5,146	4,620	345	291	55
2,237	1,211	979	24	23	323	190	118	11	4	1,107	580	526	-	1	10,206	5,067	4,524	339	276	56
53	41	9	2	1	6	5	1	-	-	19	16	3	-	-	232	176	44	12	-	57
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	58
16	12	1	2	1	1	-	1	-	-	9	7	2	-	-	68	56	9	3	-	59
24	17	7	-	-	1	1	-	-	-	4	3	1	-	-	68	49	14	5	-	60
10	9	1	-	-	3	3	-	-	-	6	6	-	-	-	91	67	20	4	-	61
807	466	320	11	10	88	53	30	5	-	425	230	195	-	-	3,807	1,931	1,653	143	80	62
34	27	5	1	1	4	2	1	1	-	20	15	5	-	-	232	165	39	24	4	63
206	142	58	3	3	34	24	8	2	-	97	53	44	-	-	899	491	341	46	21	64
5	3	2	-	-	2	2	-	-	-	5	4	1	-	-	30	12	18	-	-	65
266	130	134	1	1	21	7	14	-	-	138	67	71	-	-	1,222	526	638	29	29	66
42	18	24	-	-	2	1	1	-	-	26	14	12	-	-	197	84	107	3	3	67
23	5	18	-	-	3	2	1	-	-	11	5	6	-	-	72	33	33	4	2	68
16	6	10	-	-	2	2	-	-	-	3	2	1	-	-	73	36	34	2	1	69
55	33	21	1	-	2	-	2	-	-	35	18	17	-	-	284	115	154	8	7	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	71
111	62	48	-	1	11	2	9	-	-	58	25	33	-	-	525	231	270	10	14	72
19	6	13	-	-	1	-	1	-	-	5	3	2	-	-	68	25	39	2	2	73
85	51	31	1	2	7	6	1	-	-	66	40	26	-	-	523	277	225	10	11	74
76	28	42	3	3	1	1	-	-	-	26	8	18	-	-	205	83	113	8	1	75
27	12	15	-	-	-	-	-	-	-	7	5	2	-	-	57	35	17	5	-	76
49	16	27	3	3	1	1	-	-	-	19	3	16	-	-	148	48	96	3	1	77
5	2	3	-	-	3	3	-	-	-	14	8	6	-	-	157	84	63	7	3	78
115	74	39	2	-	14	7	5	2	-	58	34	24	-	-	461	257	182	13	9	79
15	9	6	-	-	2	1	1	-	-	1	1	-	-	-	78	36	34	6	2	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary----160-164	943	735	142	57	9	113	98	12	3	-
2	Of larynx----161	60	49	4	6	1	2	2	-	-	-
3	Of bronchus and trachea, and of lung specified as primary----162	378	298	53	24	3	51	45	5	1	-
4	Of lung, unspecified as to whether primary or secondary----163	484	377	77	26	4	55	48	5	2	-
5	Of other parts of respiratory system----160,164	21	11	8	1	1	5	3	2	-	-
6	Malignant neoplasm of breast----170	593	11	538	-	44	73	2	69	-	2
7	Malignant neoplasm of genital organs----171-179	1,168	397	658	36	77	114	56	56	-	2
8	Of cervix uteri----171	249	...	211	...	38	18	...	17	...	1
9	Of other and unspecified parts of uterus----172-174	213	...	193	...	20	20	...	20	...	-
10	Of ovary, fallopian tube, and broad ligament----175	249	...	231	...	18	19	...	18	...	1
11	Of other and unspecified female genital organs----176	24	...	23	...	1	1	...	1	...	-
12	Of prostate----177	403	369	...	34	...	51	51	...	-	...
13	Of testis, and of other and unspecified male genital organs-178,179	30	28	...	2	...	5	5	...	-	...
14	Malignant neoplasm of urinary organs----180,181	334	219	93	11	11	58	41	16	1	-
15	Of kidney----180	133	85	40	5	3	31	21	9	1	-
16	Of bladder and other urinary organs----181	201	134	53	6	8	27	20	7	-	-
17	Malignant neoplasm of other and unspecified sites----156B,165,190-199	807	403	340	31	33	109	57	50	1	1
18	Of skin----190,191	105	65	34	2	4	10	6	4	-	-
19	Of eye----192	13	5	7	1	-	1	1	-	-	-
20	Of brain and other parts of nervous system----193	126	64	54	4	4	18	13	5	-	-
21	Of thyroid gland----194	23	6	15	-	2	5	1	3	-	1
22	Of bone----196	53	30	17	4	2	15	7	8	-	-
23	Of connective tissue----197	18	10	7	-	1	4	4	-	-	-
24	Of other specified sites, not stated to be secondary----195,199A	52	27	18	3	4	3	2	1	-	-
25	Of unspecified sites----156B,165,198,199B	417	196	188	17	16	53	23	29	1	-
26	Leukemia and aleukemia----204	342	176	144	9	13	53	22	28	2	1
27	Lymphosarcoma, etc.*----200-203,205	301	167	109	18	7	40	23	17	-	-
28	Lymphosarcoma and reticulosarcoma----200	140	80	52	5	3	19	11	8	-	-
29	Hodgkin's disease----201	78	41	31	6	-	5	3	2	-	-
30	Other neoplasms of lymphatic and hematopoietic tissues--202,203,205	83	46	26	7	4	16	9	7	-	-
31	Benign neoplasms and neoplasms of unspecified nature----210-239	114	44	51	4	15	28	11	17	-	-
32	Benign neoplasms of female genital organs----214-217	17	...	10	...	7	1	...	1	...	-
33	Benign neoplasm of brain and other parts of nervous system----223	25	12	10	1	2	5	1	4	-	-
34	Other benign neoplasms----210-213,218-222,224-229	20	9	7	3	1	6	4	2	-	-
35	Neoplasm of unspecified nature of female genital organs----233-235	3	...	2	...	1	-	...	-	...	-
36	Neoplasm of unspecified nature of brain, etc.*----237	25	12	11	-	2	12	4	8	-	-
37	Other neoplasms of unspecified nature----230-232,236,238,239	24	11	11	-	2	4	2	2	-	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases----	1,080	425	550	45	60	139	66	67	2	4
39	Asthma----241	171	105	44	15	7	23	17	6	-	-
40	Nontoxic goiter----250,251	4	-	4	-	-	1	1	-	-	-
41	Thyrotoxicosis with or without goiter----252	20	1	15	1	3	2	-	2	-	-
42	Myxedema, cretinism, and other diseases of thyroid gland----253,254	5	-	4	-	1	-	-	-	-	-
43	Diabetes mellitus----260	793	283	444	22	44	96	40	53	1	2
44	Diseases of thymus gland----273	5	1	3	1	-	-	-	-	-	-
45	Diseases of adrenal glands----274	8	4	2	2	-	3	2	1	-	-
46	Pellagra----281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states----280,282-286	51	22	21	3	5	8	2	3	1	2
48	All other allergic, endocrine, and metabolic diseases----Residual[1]	23	9	13	1	-	6	4	2	-	-
49	IV. Diseases of the blood and blood-forming organs----	168	78	70	12	8	19	12	7	-	-
50	Anemias----290-293	108	51	43	9	5	14	9	5	-	-
51	Pernicious and other hyperchromic anemias----290	37	22	14	1	-	1	-	1	-	-
52	Anemias of other and unspecified type----291-293	71	29	29	8	5	13	9	4	-	-
53	Purpura and other hemorrhagic conditions----296	25	10	13	1	1	1	1	-	-	-
54	Other diseases of blood and blood-forming organs----294,295,297-299	35	17	14	2	2	4	2	2	-	-
55	V. Mental, psychoneurotic, and personality disorders----	137	67	47	17	6	22	16	4	2	-
56	Senile psychosis----304	32	14	17	1	-	-	-	-	-	-
57	Alcoholic psychosis----307	12	8	-	4	-	-	-	-	-	-
58	Other psychoses----300-303,305,306,308,309	29	11	16	1	1	-	-	-	-	-
59	Alcoholism----322	52	28	8	11	5	18	14	2	2	-
60	Mental deficiency----325	6	4	2	-	-	4	2	2	-	-
61	Psychoneuroses and other disorders of personality---310-321,323,324,326	6	2	4	-	-	-	-	-	-	-
62	VI. Diseases of the nervous system and sense organs----	6,407	2,868	2,870	332	337	719	379	323	8	9
63	Vascular lesions affecting central nervous system----330-334	6,019	2,693	2,701	305	320	668	356	298	7	7
64	Subarachnoid hemorrhage----330	137	59	53	10	15	14	6	8	-	-
65	Cerebral hemorrhage----331	3,495	1,527	1,627	169	172	453	245	198	4	6
66	Cerebral embolism and thrombosis----332	1,679	771	731	92	85	141	80	59	1	1
67	Other vascular lesions affecting central nervous system----333,334	708	336	290	34	48	60	25	33	2	-
68	Meningitis, except meningococcal and tuberculous----340	55	21	23	7	4	5	4	1	-	-
69	Multiple sclerosis----345	36	14	19	1	2	3	-	3	-	-
70	Paralysis agitans----350	101	52	47	2	-	12	4	8	-	-
71	Cerebral spastic infantile paralysis----351	18	12	6	-	-	3	2	1	-	-
72	Epilepsy----353	47	22	19	5	1	8	4	3	-	1
73	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
74	Cataract----385	-	-	-	-	-	-	-	-	-	-
75	Glaucoma----387	-	-	-	-	-	-	-	-	-	-
76	Otitis media and mastoiditis----391-393	8	2	5	1	-	-	-	-	-	-
77	Other diseases of nervous system and sense organs----Residual[1]	123	52	50	11	10	20	9	9	1	1

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
252	209	39	2	2	68	53	11	4	-	132	112	19	-	1	1,521	1,235	191	78	17	1
17	16	-	1	-	3	3	-	-	-	7	7	-	-	-	97	75	13	8	1	2
220	181	36	1	2	31	25	4	2	-	38	37	1	-	-	539	452	48	32	7	3
9	8	1	-	-	32	24	6	2	-	84	67	17	-	-	857	688	123	38	8	4
6	4	2	-	-	2	1	1	-	-	3	1	1	-	1	28	20	7	-	1	5
214	3	209	-	2	26	-	26	-	-	125	1	124	-	-	974	8	914	-	52	6
356	174	172	5	5	46	24	18	1	3	165	71	94	-	-	1,357	455	788	41	73	7
55	...	51	...	4	10	....	7	...	3	38	...	38	...	-	226	...	196	...	30	8
39	...	38	...	1	6	...	6	...	-	27	...	27	...	-	290	...	263	...	27	9
75	...	75	...	-	3	...	3	...	-	26	...	26	...	-	313	...	298	...	15	10
8	...	8	...	-	2	...	2	...	-	3	...	3	...	-	32	...	31	...	1	11
168	164	...	4	...	23	22	...	1	...	67	67	...	-	...	472	437	...	35	...	12
11	10	...	1	...	2	2	...	-	...	4	4	...	-	...	24	18	...	6	...	13
108	61	45	2	-	20	13	6	-	1	58	38	20	-	-	506	326	157	16	7	14
41	15	24	2	-	5	3	2	-	-	20	12	8	-	-	182	101	73	6	2	15
67	46	21	-	-	15	10	4	-	1	38	26	12	-	-	324	225	84	10	5	16
214	125	84	2	3	47	26	21	-	-	100	61	39	-	-	974	493	426	30	25	17
40	26	13	-	1	6	4	2	-	-	10	8	2	-	-	122	62	56	3	1	18
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	13	6	7	-	-	19
47	28	17	1	1	7	4	3	-	-	13	9	4	-	-	217	118	89	4	6	20
11	3	8	-	-	1	1	-	-	-	5	2	3	-	-	44	8	34	1	1	21
15	9	5	1	-	3	2	1	-	-	12	7	5	-	-	70	41	26	2	1	22
4	3	1	-	-	1	1	-	-	-	6	4	2	-	-	31	18	11	1	1	23
13	10	3	-	-	3	1	2	-	-	1	-	1	-	-	55	37	13	4	1	24
82	45	36	-	1	26	13	13	-	-	52	30	22	-	-	422	203	190	15	14	25
113	66	47	-	-	9	8	1	-	-	45	28	17	-	-	408	212	178	8	10	26
120	66	54	-	-	13	8	4	1	-	38	23	15	-	-	427	231	173	11	12	27
51	28	23	-	-	7	5	2	-	-	19	11	8	-	-	205	119	77	5	4	28
30	17	13	-	-	4	2	2	-	-	10	6	4	-	-	108	52	54	1	1	29
39	21	18	-	-	2	1	-	1	-	9	6	3	-	-	114	60	42	5	7	30
39	16	21	-	2	6	2	4	-	-	24	10	14	-	-	196	79	96	6	15	31
4	...	3	...	1	1	...	1	...	-	1	...	1	...	-	28	...	19	...	9	32
11	8	3	-	-	-	-	-	-	-	1	-	1	-	-	50	21	26	2	1	33
11	5	6	-	-	-	-	-	-	-	6	3	3	-	-	50	22	23	3	2	34
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
8	2	6	-	-	4	2	2	-	-	11	7	4	-	-	42	21	18	1	2	36
4	1	3	-	-	1	-	1	-	-	5	-	5	-	-	26	15	10	-	1	37
330	163	158	2	7	42	26	13	2	1	163	75	87	1	-	1,390	519	760	43	68	38
56	49	7	-	-	10	9	1	-	-	21	15	6	-	-	136	77	46	9	4	39
2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	4	-	3	-	1	40
4	1	2	-	1	-	-	-	-	-	1	1	-	-	-	16	3	13	-	-	41
2	1	1	-	-	-	-	-	-	-	5	1	4	-	-	12	4	8	-	-	42
245	104	134	2	5	28	16	10	1	1	120	53	66	1	-	1,139	396	657	30	56	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	9	4	1	-	44
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13	8	4	1	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
8	-	7	-	1	3	1	1	1	-	10	4	6	-	-	28	13	10	2	3	47
12	8	4	-	-	-	-	-	-	-	6	1	5	-	-	28	9	15	-	4	48
50	29	19	-	2	7	3	4	-	-	16	5	11	-	-	139	60	64	12	3	49
33	19	12	-	2	4	2	2	-	-	12	2	10	-	-	89	34	44	9	2	50
11	7	4	-	-	1	1	-	-	-	4	1	3	-	-	18	5	13	-	-	51
22	12	8	-	2	3	1	2	-	-	8	1	7	-	-	71	29	31	9	2	52
6	3	3	-	-	2	-	2	-	-	1	-	1	-	-	24	9	13	1	1	53
11	7	4	-	-	1	1	-	-	-	3	3	-	-	-	26	17	7	2	-	54
41	30	9	2	-	24	14	7	2	1	15	9	6	-	-	107	57	24	21	5	55
10	4	6	-	-	-	-	-	-	-	1	-	1	-	-	6	2	4	-	-	56
4	4	-	-	-	2	2	-	-	-	3	2	1	-	-	26	21	2	2	1	57
8	5	3	-	-	2	-	2	-	-	2	1	1	-	-	14	3	9	1	1	58
18	16	-	2	-	18	11	4	2	1	8	5	3	-	-	44	21	4	16	3	59
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	12	10	2	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	3	2	-	61
2,005	991	971	24	19	233	134	83	10	6	802	364	436	1	1	5,819	2,448	2,919	228	224	62
1,870	925	908	19	18	213	125	75	8	5	734	318	415	1	-	5,372	2,210	2,751	200	211	63
35	17	17	1	-	15	7	8	-	-	21	8	13	-	-	187	85	97	15	10	64
1,147	586	561	10	10	121	68	46	4	3	440	192	247	1	-	2,985	1,211	1,535	104	135	65
531	257	259	8	7	49	34	10	3	2	230	93	137	-	-	1,756	756	887	65	48	66
157	85	71	-	1	28	16	11	1	-	43	25	18	-	-	444	178	232	16	18	67
18	11	5	1	1	3	2	-	-	1	6	1	5	-	-	46	30	11	3	2	68
20	7	12	1	-	2	1	1	-	-	7	3	3	-	1	53	21	28	3	1	69
28	12	16	-	-	5	1	3	1	-	18	14	4	-	-	107	60	45	1	1	70
13	7	6	-	-	2	1	1	-	-	9	6	3	-	-	15	8	7	-	-	71
17	8	6	3	-	3	-	2	1	-	12	10	2	-	-	63	29	21	10	3	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
3	2	1	-	-	1	-	1	-	-	1	1	-	-	-	12	7	5	-	-	76
36	19	17	-	-	4	4	-	-	-	15	11	4	-	-	148	80	51	11	6	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	20,210	10,632	8,013	626	739	2,491	1,617	835	23	16
2	Diseases of heart--400-402,410-443	18,255	9,728	7,168	719	640	2,231	1,469	726	21	15
3	Rheumatic fever--400-402	24	10	7	2	5	2	-	1	1	-
4	Chronic rheumatic heart disease--410-416	512	242	223	19	28	75	33	41	1	-
5	Diseases of mitral valve--410	241	112	104	10	15	31	7	24	-	-
6	Diseases of aortic valve specified as rheumatic--411	41	27	12	1	1	11	9	2	-	-
7	Diseases of pulmonary valve, etc.*--413,414	32	10	20	2	-	5	3	1	1	-
8	Other diseases of heart specified as rheumatic--412,415,416	198	93	87	6	12	28	14	14	-	-
9	Arteriosclerotic heart disease, including coronary disease--420	12,722	7,428	4,609	384	301	1,607	1,146	441	10	10
10	Arteriosclerotic heart disease so described--420.0	5,048	2,562	2,152	163	171	406	250	148	2	6
11	Heart disease specified as involving coronary arteries--420.1	7,643	4,846	2,446	221	130	1,199	894	293	8	4
12	Angina pectoris without mention of coronary disease--420.2	31	20	11	-	-	2	2	-	-	-
13	Chronic endocarditis not specified as rheumatic--421	251	121	100	16	14	31	19	11	1	-
14	Of mitral valve, specified as nonrheumatic--421.0	27	7	14	3	3	5	2	2	1	-
15	Of aortic valve, not specified as rheumatic--421.1	87	47	28	9	3	13	11	2	-	-
16	Of other valves, not specified as rheumatic--421.2-421.4	137	67	58	4	8	13	6	7	-	-
17	Other myocardial degeneration--422	1,897	836	953	57	51	177	86	85	4	2
18	With arteriosclerosis--422.1	1,121	480	590	32	19	85	42	38	3	2
19	Without mention of arteriosclerosis--422.0,422.2	776	356	363	25	32	92	44	47	1	-
20	Other diseases of heart--430-434	747	345	293	73	36	161	106	50	3	2
21	Acute and subacute endocarditis--430	25	14	9	2	-	2	2	-	-	-
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic--431,432	37	22	11	4	-	6	4	2	-	-
23	Functional disease of heart--433	173	82	90	1	-	20	11	9	-	-
24	Other and unspecified diseases of heart--434	512	227	183	66	36	133	89	39	3	2
25	Hypertensive heart disease--440-443	2,102	746	983	168	205	178	79	97	1	1
26	Hypertensive heart disease with arteriolar nephrosclerosis--442	624	280	293	29	22	56	35	21	-	-
27	Other hypertensive heart disease--440,441,443	1,478	466	690	139	183	122	44	76	1	1
28	Other hypertensive disease--444-447	392	169	169	29	25	40	14	26	-	-
29	Hypertension with arteriolar nephrosclerosis--446	211	109	80	13	9	16	6	10	-	-
30	Essential hypertension, other hypertensive disease, etc.*--444,445,447	181	60	89	16	16	24	8	16	-	-
31	Diseases of arteries--450-456	1,350	631	595	61	63	187	113	72	1	1
32	General arteriosclerosis--450	1,127	488	536	48	55	165	93	70	1	1
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm--451	157	106	33	12	6	18	17	1	-	-
34	Gangrene of unspecified cause--455	8	4	4	-	-	-	-	-	-	-
35	Other arterial diseases--452-454,456	56	33	22	1	2	4	3	1	-	-
36	Diseases of veins and other diseases of circulatory system--460-468	213	104	81	17	11	33	21	11	1	-
37	VIII. Diseases of the respiratory system	2,341	1,211	753	259	118	380	234	113	17	16
38	Acute upper respiratory infections--470-475	20	12	7	1	-	3	1	2	-	-
39	Influenza--480-483	176	83	81	8	4	15	7	4	2	2
40	Pneumonia, except pneumonia of newborn--490-493	1,489	689	528	180	92	261	143	93	11	14
41	Lobar pneumonia--490	329	151	105	45	28	34	23	9	-	2
42	Bronchopneumonia--491	854	393	316	96	49	136	72	55	4	5
43	Primary atypical pneumonia--492	124	60	46	11	7	14	10	4	-	-
44	Pneumonia, other and unspecified--493	182	85	61	28	8	77	38	25	7	7
45	Acute bronchitis--500	35	19	10	6	-	5	2	2	1	-
46	Bronchitis, chronic and unqualified--501,502	81	56	19	5	1	14	11	1	2	-
47	Hypertrophy of tonsils and adenoids--510	2	1	1	-	-	1	1	-	-	-
48	Empyema and abscess of lung--518,521	38	16	10	9	3	3	2	1	-	-
49	Pleurisy--519	7	3	3	-	1	1	1	-	-	-
50	Emphysema without mention of bronchitis--527.1	187	155	17	12	3	39	35	3	1	-
51	Other respiratory diseases--511-517,520,522-527.0,527.2	306	177	77	38	14	38	31	7	-	-
52	IX. Diseases of the digestive system	1,654	889	577	107	81	282	160	100	10	12
53	Diseases of teeth and supporting structures--530-535	2	-	1	-	1	-	-	-	-	-
54	Ulcer of stomach--540	148	102	34	9	3	22	15	6	1	-
55	Ulcer of duodenum--541	143	105	32	5	1	25	21	4	-	-
56	Gastritis and duodenitis--543	11	8	3	-	-	1	1	-	-	-
57	Appendicitis--550-553	54	25	19	5	5	3	3	-	-	-
58	Hernia and intestinal obstruction--560,561,570	283	113	110	22	18	40	19	20	1	-
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	92	42	34	9	7	27	10	6	4	7
60	Chronic enteritis and ulcerative colitis--572	70	24	44	1	1	16	5	9	1	1
61	Cirrhosis of liver--581	443	283	101	34	25	75	52	20	1	2
62	Without mention of alcoholism--581.0	336	209	85	25	17	58	40	17	1	-
63	With alcoholism--581.1	107	74	16	9	8	17	12	3	-	2
64	Cholelithiasis, cholecystitis, and cholangitis--584,585	157	64	87	1	5	21	6	14	-	1
65	Fibrocystic disease of pancreas--587B	15	4	9	1	1	3	1	1	1	-
66	Other diseases of digestive system--Residual[1]	256	119	103	20	14	49	27	20	1	1
67	X. Diseases of the genitourinary system	1,046	582	341	75	48	109	70	35	3	1
68	Nephritis and nephrosis--590-594	549	276	211	37	25	61	40	19	2	-
69	Acute nephritis--590	33	18	12	3	-	3	1	2	-	-
70	Nephritis with edema, including nephrosis--591	34	14	16	1	3	4	4	-	-	-
71	Chronic and unspecified nephritis and other renal sclerosis--592-594	482	244	183	33	22	54	35	17	2	-
72	Infections of kidney--600	227	105	85	20	17	19	10	8	1	-
73	Calculi of urinary system--602,604	36	13	21	1	1	3	1	1	-	1
74	Other diseases of urinary system--601,603,605-609	47	24	14	7	2	6	3	3	-	-
75	Hyperplasia of prostate--610	146	138	...	8	...	13	13	...	-	...
76	Diseases of breast--620,621	-	-	-	-	-	-	-	-	-	-
77	Other diseases of genital organs--611-617,622-637	41	28	10	2	3	7	3	4	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5,723	3,461	2,136	74	52	788	534	225	13	16	3,038	1,713	1,320	2	3	27,326	14,588	11,096	890	752	1
5,266	3,228	1,924	67	47	708	485	196	11	16	2,711	1,549	1,158	2	2	25,308	13,642	10,168	821	677	2
10	6	4	-	-	-	-	-	-	-	2	2	-	-	-	32	17	13	2	-	3
165	91	73	-	1	33	11	22	-	-	75	36	39	-	-	783	338	401	27	17	4
69	34	35	-	-	13	3	10	-	-	26	10	16	-	-	237	99	130	3	5	5
21	18	3	-	-	3	3	-	-	-	1	1	-	-	-	68	44	21	3	-	6
12	8	4	-	-	1	-	1	-	-	1	-	1	-	-	41	17	19	2	3	7
63	31	31	-	1	16	5	11	-	-	47	25	22	-	-	437	178	231	19	9	8
3,808	2,474	1,253	48	33	512	378	117	8	9	2,071	1,266	801	2	2	18,520	10,707	6,857	559	397	9
1,132	683	412	24	13	176	109	60	3	4	926	506	419	-	1	9,189	4,798	3,947	234	210	10
2,668	1,785	839	24	20	335	268	57	5	5	1,143	759	381	2	1	9,321	5,902	2,908	325	186	11
8	6	2	-	-	1	1	-	-	-	2	1	1	-	-	10	7	2	-	1	12
42	22	20	-	-	5	1	4	-	-	31	15	16	-	-	161	71	73	8	9	13
4	2	2	-	-	-	-	-	-	-	3	1	2	-	-	6	1	5	-	-	14
9	6	3	-	-	1	1	-	-	-	12	8	4	-	-	50	26	20	1	3	15
29	14	15	-	-	4	-	4	-	-	16	6	10	-	-	105	44	48	7	6	16
518	278	233	5	2	60	32	26	-	2	134	59	75	-	-	2,741	1,266	1,284	98	93	17
304	155	144	3	2	33	19	14	-	-	75	32	43	-	-	1,861	820	907	63	71	18
214	123	89	2	-	27	13	12	-	2	59	27	32	-	-	880	446	377	35	22	19
237	148	83	4	2	50	34	12	2	2	84	48	36	-	-	544	272	230	21	21	20
4	4	-	-	-	2	1	1	-	-	1	1	-	-	-	24	12	9	-	3	21
5	2	3	-	-	2	2	-	-	-	1	1	-	-	-	18	8	10	-	-	22
73	35	36	1	1	6	1	4	-	1	23	13	10	-	-	145	59	79	3	4	23
155	107	44	3	1	40	30	7	2	1	59	33	26	-	-	357	193	132	18	14	24
486	209	258	10	9	48	29	15	1	3	314	123	191	-	-	2,527	971	1,310	106	140	25
187	88	96	2	1	11	7	4	-	-	55	20	35	-	-	562	242	262	29	29	26
299	121	162	8	8	37	22	11	1	3	259	103	156	-	-	1,965	729	1,048	77	111	27
54	27	25	1	1	19	7	11	1	-	58	33	25	-	-	415	170	190	27	28	28
27	13	12	1	1	9	4	5	-	-	28	17	11	-	-	210	95	99	8	8	29
27	14	13	-	-	10	3	6	1	-	30	16	14	-	-	205	75	91	19	20	30
356	184	167	3	2	53	35	17	1	-	252	124	127	-	1	1,356	659	632	35	30	31
291	140	147	2	2	37	20	16	1	-	214	95	118	-	1	1,063	460	556	27	20	32
50	34	15	1	-	13	13	-	-	-	21	16	5	-	-	231	167	50	8	6	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	34
15	10	5	-	-	3	2	1	-	-	16	12	4	-	-	60	31	26	-	3	35
47	22	20	3	2	8	7	1	-	-	17	7	10	-	-	247	117	106	7	17	36
623	361	226	18	18	102	66	21	11	4	279	186	92	-	1	2,443	1,306	831	191	115	37
7	4	3	-	-	2	1	1	-	-	5	4	1	-	-	21	12	6	1	2	38
61	32	28	-	1	1	-	-	-	1	11	7	4	-	-	48	23	21	2	2	39
405	216	160	16	13	45	18	15	10	2	164	92	71	-	1	1,665	785	633	151	96	40
64	34	26	3	1	8	5	2	1	-	29	16	13	-	-	289	153	91	35	10	41
194	112	71	6	5	15	7	5	3	-	87	50	36	-	1	1,184	543	471	98	72	42
67	35	21	4	7	6	2	4	-	-	24	14	10	-	-	151	68	58	12	13	43
80	35	42	3	-	16	4	4	6	2	24	12	12	-	-	41	21	13	6	1	44
9	4	5	-	-	1	-	-	-	1	8	6	2	-	-	53	27	21	4	1	45
15	13	2	-	-	9	8	-	1	-	17	13	4	-	-	82	57	18	2	5	46
5	3	1	-	1	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	47
5	4	1	-	-	2	2	-	-	-	2	2	-	-	-	56	24	23	5	4	48
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	13	5	7	-	1	49
57	45	10	2	-	16	16	-	-	-	23	22	1	-	-	193	162	25	6	-	50
58	39	16	-	3	28	21	5	-	-	47	39	8	-	-	310	210	77	19	4	51
491	284	187	13	7	125	62	41	4	18	226	119	106	-	1	2,445	1,374	897	119	55	52
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	53
47	30	16	1	-	9	7	2	-	-	19	15	4	-	-	217	159	45	10	3	54
52	45	6	1	-	6	6	-	-	-	19	16	3	-	-	217	160	49	7	1	55
5	2	3	-	-	1	1	-	-	-	1	1	-	-	-	14	6	6	1	1	56
23	14	7	2	-	3	1	1	1	-	7	5	2	-	-	76	43	26	5	2	57
64	29	32	1	2	16	8	4	-	4	35	12	23	-	-	304	135	140	22	7	58
24	10	10	3	1	9	2	2	1	4	9	5	4	-	-	90	30	35	16	9	59
29	15	14	-	-	2	1	1	-	-	8	3	4	-	1	146	60	79	3	4	60
109	78	28	1	2	46	25	15	1	5	62	33	29	-	-	882	552	273	39	18	61
32	18	14	-	-	28	16	8	1	3	49	24	25	-	-	672	410	222	27	13	62
77	60	14	1	2	18	9	7	-	2	13	9	4	-	-	210	142	51	12	5	63
66	19	47	-	-	7	3	2	-	2	18	8	10	-	-	186	66	113	5	2	64
3	1	2	-	-	1	-	1	-	-	3	1	2	-	-	17	7	9	1	-	65
68	40	22	4	2	25	8	13	1	3	44	19	25	-	-	295	155	122	10	8	66
242	159	69	6	8	49	31	11	4	3	109	66	43	-	-	1,048	548	359	72	69	67
117	68	40	3	6	25	15	7	2	1	60	31	29	-	-	497	222	196	41	38	68
3	2	-	-	1	5	4	1	-	-	4	1	3	-	-	30	10	11	6	3	69
9	6	3	-	-	-	-	-	-	-	3	3	-	-	-	25	12	8	3	2	70
105	60	37	3	5	20	11	6	2	1	53	27	26	-	-	442	200	177	32	33	71
40	21	16	1	2	9	5	2	-	2	16	8	8	-	-	228	99	97	15	17	72
8	2	6	-	-	2	1	1	-	-	7	3	4	-	-	57	29	24	2	2	73
10	7	3	-	-	4	3	-	1	-	4	4	-	-	-	67	34	25	4	4	74
58	56	...	2	...	7	6	...	1	...	18	18	...	-	...	166	157	...	9	...	75
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
8	4	4	-	-	2	1	1	-	-	4	2	2	-	-	33	7	17	1	8	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	33	...	24	...	9	3	...	3	...	-
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	4	...	3	...	1	-	...	-	...	-
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	11	...	7	...	4	-	...	-	...	-
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	3	...	3	...	-	1	...	1	...	-
5	Ectopic pregnancy----------645	2	...	2	...	-	-	...	-	...	-
6	Abortion without mention of sepsis or toxemia----------650	3	...	2	...	1	-	...	-	...	-
7	Abortion with sepsis----------651	1	...	-	...	1	1	...	1	...	-
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	9	...	7	...	2	1	...	1	...	-
10	XII. Diseases of the skin and cellular tissue	31	10	16	-	5	7	3	4	-	-
11	Infections of skin and subcutaneous tissue----------690-698	10	6	4	-	-	3	1	2	-	-
12	Other diseases of skin and subcutaneous tissue----------700-716	21	4	12	-	5	4	2	2	-	-
13	XIII. Diseases of the bones and organs of movement	99	47	46	1	5	17	5	12	-	-
14	Arthritis and spondylitis----------720-725	53	22	28	-	3	12	2	10	-	-
15	Muscular rheumatism and rheumatism unspecified----------726,727	2	-	2	-	-	-	-	-	-	-
16	Osteomyelitis and periostitis----------730	4	1	1	1	1	2	2	-	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	3	2	1	-	-	1	-	1	-	-
18	Inborn defect of muscle----------744.1	18	13	5	-	-	-	-	-	-	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	19	9	9	-	1	2	1	1	-	-
20	XIV. Congenital malformations	505	261	194	29	21	79	51	26	1	1
21	Spina bifida and meningocele----------751	30	11	18	1	-	3	-	3	-	-
22	Congenital hydrocephalus, etc.*----------752,753	56	28	23	2	3	7	4	3	-	-
23	Congenital malformations of circulatory system----------754	250	136	87	16	11	50	32	16	1	1
24	Other congenital malformations----------750,755-759	169	86	66	10	7	19	15	4	-	-
25	XV. Certain diseases of early infancy[2]	1,596	713	488	241	154	251	147	81	14	9
26	XVI. Symptoms, senility, and ill-defined conditions	460	245	148	41	26	171	117	46	4	4
27	Senility without mention of psychosis----------794	92	35	55	1	1	37	20	14	2	1
28	Symptoms, ill-defined, and unknown causes----------780-793,795	368	210	93	40	25	134	97	32	2	3
29	XVII. Accidents, poisonings, and violence	3,174	1,921	881	262	110	614	449	131	29	5
30	Accidents----------E800-E962	2,421	1,443	736	153	89	494	356	113	21	4
31	Railway accidents----------E800-E802	27	24	1	2	-	10	9	-	1	-
32	Motor vehicle accidents----------E810-E835	964	677	219	51	17	203	143	46	12	2
33	Motor vehicle traffic accidents----------E810-E825	938	657	217	47	17	198	137	45	12	2
34	Motor vehicle traffic accident with railway train*----------E810	23	16	5	1	1	7	7	-	-	-
35	Motor vehicle traffic accident to pedestrian----------E812	144	93	37	12	2	22	14	6	2	-
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	458	323	109	18	8	44	31	13	-	-
37	Motor vehicle noncollision traffic accidents----------E820-E824	286	207	62	12	5	54	38	7	8	1
38	Motor vehicle traffic accident of unspecified nature---------E825	27	18	4	4	1	69	47	19	2	1
39	Motor vehicle nontraffic accidents----------E830-E835	26	20	2	4	-	7	6	1	-	-
40	Other road vehicle accidents----------E840-E845	7	1	4	1	1	7	6	1	-	-
41	Water transport accidents----------E850-E858	27	22	2	3	-	6	6	-	-	-
42	Aircraft accidents----------E860-E866	18	17	1	-	-	10	10	-	-	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	35	18	10	3	4	1	1	-	-	-
44	Accidental poisoning by gases and vapors----------E890-E895	31	17	9	1	4	16	13	3	-	-
45	Accidental falls----------E900-E904	605	253	317	23	12	59	34	24	1	-
46	Fall from one level to another----------E900-E902	195	103	77	10	5	19	12	6	1	-
47	Fall on same level----------E903	104	37	65	2	-	8	5	3	-	-
48	Unspecified falls----------E904	306	113	175	11	7	32	17	15	-	-
49	Blow from falling object or projected object or missile----------E910	37	32	3	2	-	13	13	-	-	-
50	Accident caused by machinery----------E912	51	45	3	3	-	17	17	-	-	-
51	Accident caused by electric current----------E914	27	26	1	-	-	3	3	-	-	-
52	Accident caused by fire and explosion of combustible material----E916	204	77	70	27	30	20	12	6	2	-
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	7	1	4	-	2	2	1	1	-	-
54	Accident caused by firearm----------E919	54	40	10	3	1	20	19	-	1	-
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	48	22	17	6	3	13	3	9	-	1
56	Accidental drowning----------E929	119	90	21	5	3	38	26	9	3	-
57	Excessive heat and insolation----------E931	5	1	3	1	-	1	1	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	23	11	7	3	2	15	10	5	-	-
59	All other accidents----------Residual[1]	132	69	34	19	10	40	29	9	1	1
60	Suicide----------E963,E970-E979	530	398	120	9	3	102	83	15	4	-
61	Suicide by poisoning----------E970-E973	96	52	40	1	3	17	11	6	-	-
62	Suicide by hanging and strangulation----------E974	94	66	28	-	-	5	5	-	-	-
63	Suicide by firearm and explosive----------E976	278	242	29	7	-	75	64	7	4	-
64	Suicide by all other means----------E963,E975,E977-E979	62	38	23	1	-	5	3	2	-	-
65	Homicide----------E964,E980-E985	223	80	25	100	18	18	10	3	4	1
66	Assault by firearm and explosive----------E981	122	50	19	47	6	11	7	2	1	1
67	Assault by cutting and piercing instruments----------E982	47	5	2	36	4	1	-	-	1	-
68	Assault by other means----------E964,E980,E983	45	20	4	13	8	6	3	1	2	-
69	Injury by intervention of police----------E984	9	5	-	4	-	-	-	-	-	-
70	Execution----------E985	-	-	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	...	7	...	2	3	...	2	...	1	3	...	3	...	-	50	...	32	...	18	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	2
3	...	2	...	1	1	...	1	...	-	1	...	1	...	-	10	...	7	...	3	3
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	6	...	6	...	-	4
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	10	...	4	...	6	5
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	5	...	2	...	3	6
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	6	...	2	...	4	7
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	8
3	...	3	...	-	1	...	-	...	1	1	...	1	...	-	9	...	7	...	2	9
9	2	6	-	1	1	1	-	-	-	2	-	2	-	-	69	21	38	3	7	10
2	1	-	-	1	1	1	-	-	-	1	-	1	-	-	28	8	14	3	3	11
7	1	6	-	-	-	-	-	-	-	1	-	1	-	-	41	13	24	-	4	12
47	23	23	-	1	3	2	-	-	1	25	9	16	-	-	99	45	43	4	7	13
27	8	18	-	1	1	-	-	-	1	18	4	14	-	-	44	14	25	1	4	14
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	6	3	2	-	1	16
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	17
9	7	2	-	-	1	1	-	-	-	2	1	1	-	-	13	9	3	-	1	18
8	5	3	-	-	1	1	-	-	-	4	3	1	-	-	35	18	13	3	1	19
190	95	85	5	5	30	14	10	4	2	85	40	45	-	-	717	318	315	45	39	20
9	5	4	-	-	1	1	-	-	-	9	5	4	-	-	58	24	34	-	-	21
24	15	8	1	-	3	1	1	1	-	13	8	5	-	-	68	29	34	2	3	22
113	56	50	3	4	18	7	8	2	1	35	14	21	-	-	334	141	148	22	23	23
44	19	23	1	1	8	5	1	1	1	28	13	15	-	-	257	124	99	21	13	24
532	273	226	19	14	138	73	49	10	6	204	122	80	2	-	2,100	910	663	300	227	25
67	44	22	1	-	43	26	10	3	4	55	38	17	-	-	166	68	78	9	11	26
18	9	9	-	-	17	10	4	3	-	8	4	4	-	-	67	25	38	1	3	27
49	35	13	1	-	26	16	6	-	4	47	34	13	-	-	99	43	40	8	8	28
994	678	281	22	13	350	245	66	26	13	346	232	114	-	-	2,852	1,671	789	279	113	29
814	548	242	14	10	263	182	46	25	10	269	180	89	-	-	2,202	1,247	650	222	83	30
6	3	-	2	1	4	4	-	-	-	2	2	-	-	-	64	54	8	1	1	31
369	263	94	7	5	117	86	17	12	2	95	68	27	-	-	755	495	166	74	20	32
358	255	91	7	5	114	84	16	12	2	92	65	27	-	-	737	482	163	72	20	33
20	13	6	1	-	-	-	-	-	-	4	2	2	-	-	14	11	2	1	-	34
32	21	11	-	-	17	10	3	3	1	12	8	4	-	-	235	155	45	25	10	35
176	120	53	1	2	33	26	4	3	-	31	23	8	-	-	257	159	71	23	4	36
123	96	19	5	3	41	30	6	4	1	40	28	12	-	-	206	141	39	21	5	37
7	5	2	-	-	23	18	3	2	-	5	4	1	-	-	25	16	6	2	1	38
11	8	3	-	-	3	2	1	-	-	3	3	-	-	-	18	13	3	2	-	39
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	6	3	3	-	-	40
6	6	-	-	-	-	-	-	-	-	8	7	1	-	-	23	19	1	3	-	41
8	6	2	-	-	23	22	1	-	-	5	3	2	-	-	39	39	-	-	-	42
6	3	3	-	-	3	1	2	-	-	5	5	-	-	-	39	13	18	2	6	43
14	11	3	-	-	5	3	1	-	1	6	4	2	-	-	46	26	10	7	3	44
189	92	96	1	-	25	13	10	2	-	67	28	39	-	-	645	277	325	30	13	45
65	38	26	1	-	6	3	1	1	-	19	11	8	-	-	233	120	92	16	5	46
69	26	43	-	-	3	3	-	-	-	20	6	14	-	-	93	38	44	8	3	47
55	28	27	-	-	17	7	9	1	-	28	11	17	-	-	319	119	189	6	5	48
7	6	1	-	-	3	2	-	1	-	4	4	-	-	-	19	14	-	5	-	49
41	40	1	-	-	6	6	-	-	-	4	4	-	-	-	22	20	-	2	-	50
17	16	1	-	-	2	2	-	-	-	3	3	-	-	-	19	18	1	-	-	51
31	17	11	1	2	12	3	2	4	3	20	13	7	-	-	163	71	44	30	18	52
3	1	2	-	-	-	-	-	-	-	2	2	-	-	-	15	10	4	-	1	53
17	14	3	-	-	10	9	-	1	-	3	3	-	-	-	16	13	-	3	-	54
11	6	5	-	-	8	4	3	1	-	10	4	6	-	-	68	31	22	8	7	55
35	30	3	1	1	20	16	1	3	-	13	13	-	-	-	137	81	15	36	5	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	1	1	-	57
3	2	-	-	1	5	-	4	-	1	3	3	-	-	-	22	7	13	-	2	58
49	30	17	2	-	20	11	5	1	3	18	13	5	-	-	98	52	19	20	7	59
140	117	22	1	-	66	52	13	1	-	75	52	23	-	-	511	380	114	15	2	60
21	16	4	1	-	19	12	7	-	-	24	13	11	-	-	143	90	48	5	-	61
32	21	11	-	-	7	5	1	1	-	10	7	3	-	-	179	140	34	4	1	62
82	77	5	-	-	38	33	5	-	-	31	29	2	-	-	122	109	10	2	1	63
5	3	2	-	-	2	2	-	-	-	10	3	7	-	-	67	41	22	4	-	64
40	13	17	7	3	20	10	7	-	3	2	-	2	-	-	139	44	25	42	28	65
28	11	12	4	1	12	9	1	-	2	-	-	-	-	-	52	18	9	13	12	66
7	1	2	2	2	5	1	3	-	1	1	-	1	-	-	35	2	4	18	11	67
4	1	3	-	-	3	-	3	-	-	1	-	1	-	-	47	23	12	7	5	68
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5	1	-	4	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	6,105	3,289	2,222	366	228	173,814	88,478	72,312	7,008	6,016
2	I. Infective and parasitic diseases	181	92	45	28	16	2,196	1,211	500	315	170
3	Tuberculosis, all forms---001-019	98	51	26	14	7	1,363	801	230	226	106
4	Tuberculosis of respiratory system---001-008	81	49	20	9	3	1,276	770	204	209	93
5	Tuberculosis of meninges and central nervous system---010	7	-	4	2	1	31	6	9	10	6
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	2	-	1	1	-	6	3	1	1	1
7	Tuberculosis of bones and joints---012,013	1	1	-	-	-	6	3	2	1	-
8	Tuberculosis of other organs and systems---014-018	3	-	1	1	1	21	11	8	-	2
9	Disseminated tuberculosis---019	4	1	-	1	2	23	8	6	5	4
10	Syphilis and its sequelae---020-029	18	11	4	3	-	319	174	59	57	29
11	Congenital syphilis---020	-	-	-	-	-	3	3	-	-	-
12	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta---022	6	3	1	2	-	122	77	27	8	10
14	Other cardiovascular syphilis---023	7	6	1	-	-	115	55	11	36	13
15	Tabes dorsalis---024	-	-	-	-	-	11	10	-	1	-
16	General paralysis of insane---025	-	-	-	-	-	34	16	13	3	2
17	Other syphilis of central nervous system---026	5	2	2	1	-	30	12	7	8	3
18	All other syphilis---027-029	-	-	-	-	-	4	1	1	1	1
19	Gonococcal infection---030-035	-	-	-	-	-	2	1	1	-	-
20	Typhoid fever---040	-	-	-	-	-	-	-	-	-	-
21	Paratyphoid fever and other Salmonella infections---041,042	2	-	-	1	1	1	1	-	-	-
22	Cholera---043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
24	Dysentery, all forms---045-048	21	11	2	4	4	7	2	4	1	-
25	Food poisoning (infection and intoxication)---049	-	-	-	-	-	-	-	-	-	-
26	Scarlet fever---050	-	-	-	-	-	-	-	-	-	-
27	Streptococcal sore throat---051	-	-	-	-	-	4	1	3	-	-
28	Erysipelas---052	-	-	-	-	-	3	1	2	-	-
29	Septicemia and pyemia---053	5	3	1	1	-	135	73	45	9	8
30	Diphtheria---055	2	-	1	1	-	-	-	-	-	-
31	Whooping cough---056	4	3	-	1	-	1	1	-	-	-
32	Meningococcal infections---057	5	3	2	-	-	52	24	17	10	1
33	Plague---058	-	-	-	-	-	-	-	-	-	-
34	Leprosy---060	-	-	-	-	-	-	-	-	-	-
35	Tetanus---061	-	-	-	-	-	4	2	-	1	1
36	Anthrax---062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis---080	2	1	1	-	-	13	6	6	-	1
38	Late effects of acute poliomyelitis---081	-	-	-	-	-	10	7	3	-	-
39	Acute infectious encephalitis---082	2	1	1	-	-	41	19	17	3	2
40	Late effects of acute infectious encephalitis---083	1	-	1	-	-	10	5	5	-	-
41	Smallpox---084	-	-	-	-	-	-	-	-	-	-
42	Measles---085	11	2	3	2	4	28	11	11	2	4
43	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis---092	4	2	2	-	-	107	43	56	3	5
45	Rabies---094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus---104	-	-	-	-	-	1	-	1	-	-
47	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis---123	-	-	-	-	-	4	2	1	1	-
50	Hydatid disease---125	-	-	-	-	-	3	1	2	-	-
51	Filariasis---127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis---129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	3	1	1	-	1
54	All other infective and parasitic diseases---Residual[1]	6	4	1	1	-	85	35	36	2	12
55	II. Neoplasms	742	357	340	23	22	30,757	15,245	13,572	989	951
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	727	350	333	22	22	30,190	14,991	13,310	974	915
57	Malignant neoplasm of buccal cavity and pharynx---140-148	8	6	2	-	-	692	508	126	47	11
58	Of lip---140	-	-	-	-	-	17	15	2	-	-
59	Of tongue---141	1	1	-	-	-	231	165	51	11	4
60	Of other and unspecified parts of buccal cavity---142-144	2	2	-	-	-	198	149	35	11	3
61	Of pharynx---145-148	5	3	2	-	-	246	179	38	25	4
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	254	137	95	12	10	11,435	5,904	4,809	410	312
63	Of esophagus---150	9	6	3	-	-	637	425	118	75	19
64	Of stomach---151	81	48	27	5	1	2,688	1,488	991	121	88
65	Of small intestine, including duodenum---152	4	2	2	-	-	81	43	34	-	4
66	Of large intestine, except rectum---153	54	30	22	-	2	3,519	1,618	1,741	60	100
67	Cecum, appendix, and ascending colon---153.0	6	2	4	-	-	512	207	280	7	18
68	Transverse colon, including hepatic and splenic flexures---153.1	4	2	2	-	-	229	111	106	4	8
69	Descending colon---153.2	-	-	-	-	-	171	67	92	4	8
70	Sigmoid colon---153.3	18	10	7	-	1	948	471	446	13	18
71	Multiple parts of large intestine---153.7	-	-	-	-	-	5	-	4	1	-
72	Large intestine (including colon), part unspecified---153.8	22	14	7	-	1	1,493	696	724	28	45
73	Intestinal tract, part unspecified---153.9	4	2	2	-	-	161	66	89	3	3
74	Of rectum---154	21	14	6	1	-	1,680	975	632	48	25
75	Of biliary passages and of liver (stated to be primary site)---155	20	6	11	-	3	710	263	400	32	15
76	Liver---155.0	4	2	2	-	-	188	105	63	17	3
77	Other and multiple sites of biliary passages---155.1,155.8	16	4	9	-	3	522	158	337	15	12
78	Of liver not stated whether primary or secondary---156A	16	8	6	1	1	396	164	197	22	13
79	Of pancreas---157	45	21	17	5	2	1,529	845	604	47	33
80	Of peritoneum and of unspecified digestive organs---158,159	4	2	1	-	1	195	83	92	5	15

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
35,674	14,470	10,064	6,130	5,010	5,215	3,196	1,891	82	46	91,675	47,305	36,991	4,191	3,188	21,770	11,466	7,978	1,282	1,044	1
487	168	92	141	86	45	25	14	1	5	1,225	649	308	178	90	323	169	91	37	26	2
227	88	26	64	49	16	8	5	1	2	554	324	93	109	28	165	92	31	23	19	3
210	85	26	56	43	12	7	3	1	1	507	302	84	102	19	158	92	28	20	18	4
3	-	-	1	2	2	-	1	-	1	14	5	4	1	4	3	-	1	1	1	5
2	-	-	1	1	-	-	-	-	-	5	1	-	2	2	-	-	-	-	-	6
1	-	-	1	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	7
7	2	-	4	1	1	-	1	-	-	11	4	4	1	2	1	-	1	-	-	8
4	1	-	1	2	1	1	-	-	-	11	6	1	3	1	3	-	1	2	-	9
75	25	8	33	9	5	3	2	-	-	299	151	62	50	36	39	24	11	2	2	10
1	1	-	-	-	-	-	-	-	-	6	2	2	1	1	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
38	19	6	8	5	2	1	1	-	-	104	56	30	11	7	19	13	5	1	-	13
21	4	1	14	2	2	2	-	-	-	97	41	17	22	17	9	5	2	-	2	14
3	-	-	2	1	-	-	-	-	-	11	7	2	2	-	1	1	-	-	-	15
3	1	-	2	-	-	-	-	-	-	35	20	6	7	2	4	2	2	-	-	16
7	-	1	5	1	1	-	1	-	-	36	18	4	6	8	5	3	2	-	-	17
2	-	-	2	-	-	-	-	-	-	10	7	1	1	1	-	-	-	-	-	18
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	20
1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
7	2	1	3	1	1	1	-	-	-	2	1	-	1	-	4	2	1	-	1	24
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	25
3	1	1	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	26
6	2	1	2	1	-	-	-	-	-	5	2	2	-	1	3	2	1	-	-	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	28
34	9	10	6	9	6	3	2	-	1	72	33	24	7	8	26	10	14	2	-	29
3	1	1	-	1	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	30
2	-	1	-	1	-	-	-	-	-	8	1	6	1	-	3	1	-	2	-	31
22	8	7	4	3	1	1	-	-	-	45	23	17	2	3	10	4	5	1	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	3	2	2	-	-	-	-	-	-	8	5	2	-	1	5	3	1	-	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
3	-	2	-	1	4	3	1	-	-	20	13	6	1	-	-	-	-	-	-	37
-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	4	4	-	-	-	38
12	5	4	3	-	4	1	3	-	-	38	16	19	2	1	12	6	4	2	-	39
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
29	9	9	7	4	1	1	-	-	-	37	19	16	1	1	6	2	2	2	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
15	4	4	4	3	1	1	-	-	-	49	16	30	1	2	9	3	6	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	45
2	1	1	-	-	-	-	-	-	-	3	-	2	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	53
35	10	13	9	3	4	2	1	-	1	65	35	20	2	8	30	13	13	2	2	54
4,451	1,696	1,698	512	545	780	451	322	5	2	14,779	7,225	6,510	547	497	3,259	1,617	1,383	112	147	55
4,317	1,657	1,643	498	519	767	447	313	5	2	14,547	7,141	6,393	534	479	3,200	1,594	1,357	108	141	56
106	55	33	12	6	17	13	4	-	-	330	264	49	13	4	64	44	16	3	1	57
6	3	3	-	-	1	1	-	-	-	9	9	-	-	-	5	5	-	-	-	58
22	9	5	4	4	3	1	2	-	-	78	61	11	6	-	7	3	4	-	-	59
33	12	17	2	2	9	8	1	-	-	116	88	20	4	4	23	13	9	1	-	60
45	31	8	6	-	4	3	1	-	-	127	106	18	3	-	29	23	3	2	1	61
1,294	462	504	191	137	305	164	136	3	2	5,061	2,561	2,169	183	148	995	499	418	43	35	62
74	31	18	20	5	6	6	-	-	-	241	172	34	27	8	23	15	4	4	-	63
339	119	92	88	40	100	58	41	1	-	1,141	676	375	55	35	259	151	82	18	8	64
10	3	4	1	2	6	6	-	-	-	39	20	16	1	2	12	7	5	-	-	65
351	96	185	35	35	73	28	42	1	2	1,668	741	849	37	41	288	118	152	5	13	66
55	14	27	6	8	20	9	11	-	-	223	88	125	4	6	33	13	19	1	-	67
21	6	13	1	1	5	5	-	-	-	102	58	39	2	3	11	5	6	-	-	68
18	3	12	1	2	2	-	2	-	-	63	28	32	3	-	11	7	3	-	1	69
51	11	29	7	4	16	7	9	-	-	395	183	197	10	5	61	23	34	-	4	70
1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	71
183	52	97	18	16	27	7	17	1	2	754	325	391	17	21	150	65	75	3	7	72
22	10	7	1	4	3	-	3	-	-	129	57	65	1	6	21	5	14	1	1	73
109	45	36	9	19	32	25	6	1	-	636	317	286	14	19	98	52	43	1	2	74
110	28	62	10	10	25	9	16	-	-	331	122	187	8	14	54	19	28	4	3	75
55	17	25	8	5	3	3	-	-	-	81	43	30	5	3	14	6	6	2	-	76
55	11	37	2	5	22	6	16	-	-	250	79	157	3	11	40	13	22	2	3	77
22	11	5	4	2	8	3	5	-	-	236	101	123	7	5	82	39	33	6	4	78
250	117	90	23	20	46	23	23	-	-	669	364	259	26	20	155	90	57	3	5	79
29	12	12	1	4	9	6	3	-	-	100	48	40	8	4	24	8	14	2	-	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms--Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary----------160-164	81	64	16	1	-	4,533	3,605	679	210	39
2	Of larynx----------161	3	2	1	-	-	307	257	34	15	1
3	Of bronchus and trachea, and of lung specified as primary----------162	34	27	7	-	-	1,986	1,632	243	98	13
4	Of lung, unspecified as to whether primary or secondary----------163	40	34	6	-	-	2,146	1,666	363	93	24
5	Of other parts of respiratory system----------160,164	4	1	2	1	-	94	50	39	4	1
6	Malignant neoplasm of breast----------170	64	-	62	-	2	2,944	24	2,742	4	174
7	Malignant neoplasm of genital organs----------171-179	106	33	66	2	5	3,738	1,226	2,185	107	220
8	Of cervix uteri----------171	26	...	24	...	2	722	...	593	...	129
9	Of other and unspecified parts of uterus----------172-174	14	...	12	...	2	641	...	595	...	46
10	Of ovary, fallopian tube, and broad ligament----------175	30	...	29	...	1	952	...	912	...	40
11	Of other and unspecified female genital organs----------176	1	...	1	...	-	90	...	85	...	5
12	Of prostate----------177	32	30	...	2	...	1,246	1,145	...	101	...
13	Of testis, and of other and unspecified male genital organs-178,179	3	3	...	-	...	87	81	...	6	...
14	Malignant neoplasm of urinary organs----------180,181	42	24	15	2	1	1,477	962	446	38	31
15	Of kidney----------180	18	10	6	2	-	503	301	181	11	10
16	Of bladder and other urinary organs----------181	24	14	9	-	1	974	661	265	27	21
17	Malignant neoplasm of other and unspecified sites----156B,165,190-199	95	42	48	3	2	2,806	1,391	1,265	80	70
18	Of skin----------190,191	10	8	2	-	-	325	171	144	6	4
19	Of eye----------192	1	1	-	-	-	31	16	14	-	1
20	Of brain and other parts of nervous system----------193	17	8	8	1	-	615	343	239	19	14
21	Of thyroid gland----------194	7	2	5	-	-	112	32	76	-	4
22	Of bone----------196	4	3	1	-	-	204	120	73	5	6
23	Of connective tissue----------197	4	2	2	-	-	116	63	46	4	3
24	Of other specified sites, not stated to be secondary----------195,199A	4	3	1	-	-	108	57	44	2	5
25	Of unspecified sites----------156B,165,198,199B	48	15	29	2	2	1,295	589	629	44	33
26	Leukemia and aleukemia----------204	38	20	15	2	1	1,239	680	496	39	24
27	Lymphosarcoma, etc.*----------200-203,205	39	24	14	-	1	1,326	691	562	39	34
28	Lymphosarcoma and reticulosarcoma----------200	20	13	7	-	-	632	332	270	16	14
29	Hodgkin's disease----------201	7	3	4	-	-	320	168	135	8	9
30	Other neoplasms of lymphatic and hematopoietic tissues--202,203,205	12	8	3	-	1	374	191	157	15	11
31	Benign neoplasms and neoplasms of unspecified nature----------210-239	15	7	7	1	-	567	254	262	15	36
32	Benign neoplasms of female genital organs----------214-217	2	...	2	...	-	55	...	39	...	16
33	Benign neoplasm of brain and other parts of nervous system----------223	2	1	1	-	-	97	41	50	2	4
34	Other benign neoplasms----------210-213,218-222,224-229	4	2	2	-	-	108	50	45	5	8
35	Neoplasm of unspecified nature of female genital organs----------233-235	-	...	-	...	-	4	...	4	...	-
36	Neoplasm of unspecified nature of brain, etc.*----------237	5	3	2	-	-	197	114	73	5	5
37	Other neoplasms of unspecified nature----------230-232,236,238,239	2	1	-	1	-	106	49	51	3	3
38	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	111	55	53	1	2	3,798	1,440	2,025	135	198
39	Asthma----------241	28	18	10	-	-	405	242	107	30	26
40	Nontoxic goiter----------250,251	-	-	-	-	-	8	-	6	-	2
41	Thyrotoxicosis with or without goiter----------252	2	1	1	-	-	57	8	44	1	4
42	Myxedema, cretinism, and other diseases of thyroid gland----------253,254	3	1	2	-	-	25	7	14	1	3
43	Diabetes mellitus----------260	63	25	36	1	1	3,076	1,074	1,760	87	155
44	Diseases of thymus gland----------273	4	3	1	-	-	21	13	7	1	-
45	Diseases of adrenal glands----------274	2	2	-	-	-	29	12	13	3	1
46	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states----------280,282-286	6	3	2	-	1	70	35	27	5	3
48	All other allergic, endocrine, and metabolic diseases----------Residual[1]	3	2	1	-	-	107	49	47	7	4
49	IV. Diseases of the blood and blood-forming organs----------	20	8	10	2	-	428	186	198	21	23
50	Anemias----------290-293	10	4	5	1	-	253	94	126	15	18
51	Pernicious and other hyperchromic anemias----------290	1	-	1	-	-	61	23	38	-	-
52	Anemias of other and unspecified type----------291-293	9	4	4	1	-	192	71	88	15	18
53	Purpura and other hemorrhagic conditions----------296	5	2	3	-	-	74	32	34	3	5
54	Other diseases of blood and blood-forming organs----------294,295,297-299	5	2	2	1	-	101	60	38	3	-
55	V. Mental, psychoneurotic, and personality disorders----------	27	16	6	4	1	424	236	88	61	39
56	Senile psychosis----------304	3	1	2	-	-	7	2	5	-	-
57	Alcoholic psychosis----------307	1	1	-	-	-	36	25	1	9	1
58	Other psychoses----------300-303,305,306,308,309	2	1	1	-	-	49	20	23	1	5
59	Alcoholism----------322	19	11	3	4	1	250	150	31	45	24
60	Mental deficiency----------325	1	1	-	-	-	56	30	22	1	3
61	Psychoneuroses and other disorders of personality---310-321,323,324,326	1	1	-	-	-	26	9	6	5	6
62	VI. Diseases of the nervous system and sense organs----------	571	292	252	17	10	16,888	7,125	8,785	466	512
63	Vascular lesions affecting central nervous system----------330-334	495	257	222	10	6	15,682	6,562	8,295	364	461
64	Subarachnoid hemorrhage----------330	20	12	8	-	-	628	249	295	40	44
65	Cerebral hemorrhage----------331	314	168	135	7	4	8,884	3,721	4,671	201	291
66	Cerebral embolism and thrombosis----------332	104	47	53	2	2	4,883	2,043	2,661	91	88
67	Other vascular lesions affecting central nervous system-------333,334	57	30	26	1	-	1,287	549	668	32	38
68	Meningitis, except meningococcal and tuberculous----------340	20	4	6	7	3	151	63	41	32	15
69	Multiple sclerosis----------345	9	5	4	-	-	161	61	91	6	3
70	Paralysis agitans----------350	8	4	4	-	-	244	120	119	3	2
71	Cerebral spastic infantile paralysis----------351	4	3	-	-	1	56	30	22	1	3
72	Epilepsy----------353	6	4	2	-	-	213	90	72	36	15
73	Inflammatory diseases of eye----------370-379	-	-	-	-	-	3	3	-	-	-
74	Cataract----------385	-	-	-	-	-	4	4	-	-	-
75	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
76	Otitis media and mastoiditis----------391-393	5	3	2	-	-	26	12	12	1	1
77	Other diseases of nervous system and sense organs----------Residual[1]	24	12	12	-	-	348	180	133	23	12

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
487	351	55	68	13	67	55	11	1	-	2,032	1,603	270	140	19	458	374	64	13	7	1
35	25	5	5	-	3	3	-	-	-	133	117	5	10	1	25	19	4	1	1	2
359	267	34	50	8	17	16	-	1	-	873	696	100	66	11	131	113	11	5	2	3
66	47	6	9	4	43	33	10	-	-	978	759	151	61	7	284	229	44	7	4	4
27	12	10	4	1	4	3	1	-	-	48	31	14	3	-	18	13	5	-	-	5
351	2	266	1	82	49	-	49	-	-	1,309	10	1,222	2	75	231	2	209	-	20	6
839	221	346	99	173	115	74	41	-	-	2,294	831	1,264	71	128	536	210	262	22	42	7
268	...	164	...	104	9	...	9	...	-	499	...	437	...	62	106	...	90	...	16	8
125	...	83	...	42	13	...	13	...	-	399	...	357	...	42	94	...	77	...	17	9
105	...	81	...	24	19	...	19	...	-	443	...	422	...	21	97	...	88	...	9	10
21	...	18	...	3	-	...	-	...	-	51	...	48	...	3	7	...	7	...	-	11
297	206	...	91	...	71	71	...	-	...	828	758	...	70	...	218	196	...	22	...	12
23	15	...	8	...	3	3	...	-	...	74	73	...	1	...	14	14	...	-	...	13
180	97	50	23	10	52	32	19	1	-	668	403	212	25	28	137	86	43	5	3	14
85	42	33	7	3	27	15	11	1	-	277	163	91	13	10	48	30	14	3	1	15
95	55	17	16	7	25	17	8	-	-	391	240	121	12	18	89	56	29	2	2	16
612	257	233	53	69	65	42	23	-	-	1,510	738	675	54	43	457	209	220	10	18	17
116	51	54	7	4	7	5	2	-	-	180	110	64	4	2	69	37	29	2	1	18
11	4	4	-	3	-	-	-	-	-	20	14	5	1	-	4	2	2	-	-	19
121	57	44	10	10	16	11	5	-	-	352	184	151	11	6	75	38	35	2	-	20
10	2	5	2	1	3	1	2	-	-	63	12	47	1	3	9	3	6	-	-	21
54	29	16	5	4	9	7	2	-	-	84	45	33	1	5	38	16	18	1	3	22
18	6	8	1	1	4	1	3	-	-	48	27	19	-	2	11	5	6	-	-	23
36	15	14	3	4	6	3	3	-	-	82	40	34	5	3	32	23	5	-	4	24
248	93	88	25	42	20	14	6	-	-	681	306	322	31	22	219	85	119	5	10	25
225	108	76	27	14	45	29	16	-	-	666	367	265	19	15	186	102	69	9	6	26
223	104	80	24	15	52	38	14	-	-	677	364	267	27	19	136	68	56	3	9	27
93	37	41	9	6	25	19	6	-	-	303	162	128	8	5	69	35	28	1	5	28
49	30	16	3	-	15	11	4	-	-	172	103	61	6	2	37	20	14	2	1	29
81	37	23	12	9	12	8	4	-	-	202	99	78	13	12	30	13	14	-	3	30
134	39	55	14	26	13	4	9	-	-	232	84	117	13	18	59	23	26	4	6	31
16	...	7	...	9	3	...	3	...	-	20	...	16	...	4	7	...	5	...	2	32
19	3	11	1	4	3	1	2	-	-	55	17	30	3	5	5	3	-	1	1	33
16	3	8	2	3	2	1	1	-	-	48	21	23	2	2	8	3	3	1	1	34
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
55	22	19	7	7	3	1	2	-	-	67	29	29	5	4	21	11	8	1	1	36
26	11	8	4	3	2	1	1	-	-	42	17	19	3	3	18	6	10	1	1	37
732	254	249	89	140	140	63	74	2	1	2,506	967	1,332	72	135	425	162	202	28	33	38
110	62	20	12	16	13	9	4	-	-	262	149	88	14	11	78	51	18	4	5	39
2	-	2	-	-	-	-	-	-	-	9	1	7	-	1	1	-	1	-	-	40
13	1	8	1	3	1	-	1	-	-	44	7	35	-	2	12	1	7	-	4	41
2	1	1	-	-	1	-	1	-	-	14	7	7	-	-	2	-	2	-	-	42
511	164	192	55	100	113	47	63	2	1	1,998	708	1,128	49	113	275	91	147	17	20	43
2	1	-	-	1	2	1	1	-	-	7	2	3	1	1	1	-	1	-	-	44
5	3	-	-	2	2	2	-	-	-	22	9	9	3	1	8	2	6	-	-	45
4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	46
53	11	14	13	15	5	3	2	-	-	82	39	36	3	4	34	12	14	6	2	47
30	11	9	8	2	3	1	2	-	-	68	45	19	2	2	13	4	6	1	2	48
106	38	32	13	23	14	10	4	-	-	287	121	140	15	11	90	41	39	6	4	49
73	28	20	7	18	11	9	2	-	-	181	79	83	12	7	61	25	27	5	4	50
9	3	5	-	1	-	-	-	-	-	44	18	25	1	-	11	7	3	1	-	51
64	25	15	7	17	11	9	2	-	-	137	61	58	11	7	50	18	24	4	4	52
14	4	4	2	4	1	-	1	-	-	41	17	22	1	1	12	8	4	-	-	53
19	6	8	4	1	2	1	1	-	-	65	25	35	2	3	17	8	8	1	-	54
177	72	26	54	25	24	19	1	2	2	196	120	42	24	10	52	28	11	8	5	55
13	2	8	1	2	1	1	-	-	-	21	9	11	-	1	12	6	5	1	-	56
10	4	-	6	-	4	4	-	-	-	22	17	-	3	2	-	-	-	-	-	57
17	5	5	4	3	2	1	1	-	-	24	10	8	3	3	5	1	4	-	-	58
127	59	12	40	16	15	11	-	2	2	101	68	11	18	4	28	16	1	7	4	59
9	2	1	2	4	1	1	-	-	-	24	13	11	-	-	5	4	-	-	1	60
1	-	-	1	-	1	1	-	-	-	4	3	1	-	-	2	1	1	-	-	61
5,089	1,698	1,707	853	831	756	415	336	1	4	12,079	5,430	5,753	448	448	3,070	1,373	1,391	171	135	62
4,736	1,572	1,604	781	779	695	384	307	1	3	11,211	5,008	5,404	391	408	2,828	1,259	1,298	156	115	63
166	40	73	26	27	17	7	10	-	-	374	157	169	21	27	62	29	25	2	6	64
2,764	889	868	494	513	454	250	202	1	1	6,757	2,983	3,293	245	236	1,862	833	852	100	77	65
1,341	507	503	175	156	157	86	69	-	2	3,117	1,429	1,477	101	110	597	273	280	29	15	66
465	136	160	86	83	67	41	26	-	-	963	439	465	24	35	307	124	141	25	17	67
57	14	14	17	12	8	5	2	-	1	137	58	51	18	10	31	9	13	3	6	68
17	8	6	2	1	3	1	2	-	-	70	28	37	2	3	17	5	11	-	1	69
28	14	14	-	-	13	6	7	-	-	170	65	83	2	-	62	32	28	2	-	70
21	10	3	5	3	2	-	2	-	-	59	31	22	2	4	9	4	4	-	1	71
77	30	15	18	14	9	5	4	-	-	109	55	32	13	9	36	20	9	3	4	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
12	7	5	-	-	3	1	2	-	-	23	13	6	4	-	3	1	1	-	1	76
139	41	46	30	22	22	12	10	-	-	299	151	118	16	14	84	43	27	7	7	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	1,545	875	606	40	24	83,533	43,959	35,157	2,203	2,214
2	Diseases of heart-400-402,410-443	1,360	775	523	38	24	77,709	41,241	32,416	2,042	2,010
3	Rheumatic fever-400-402	8	2	3	1	2	74	34	35	2	3
4	Chronic rheumatic heart disease-410-416	89	38	46	3	2	2,351	957	1,240	61	93
5	Diseases of mitral valve-410	32	14	17	-	1	626	232	363	19	12
6	Diseases of aortic valve specified as rheumatic-411	11	8	3	-	-	205	146	51	7	1
7	Diseases of pulmonary valve, etc.*-413,414	4	1	2	1	-	111	47	58	2	4
8	Other diseases of heart specified as rheumatic-412,415,416	42	15	24	2	1	1,409	532	768	33	76
9	Arteriosclerotic heart disease, including coronary disease-420	898	567	300	18	13	60,709	34,661	23,580	1,382	1,086
10	Arteriosclerotic heart disease so described-420.0	282	149	124	4	5	31,707	16,020	14,342	672	673
11	Heart disease specified as involving coronary arteries-420.1	612	414	176	14	8	28,980	18,626	9,231	710	413
12	Angina pectoris without mention of coronary disease-420.2	4	4	-	-	-	22	15	7	-	-
13	Chronic endocarditis not specified as rheumatic-421	24	14	9	1	-	361	172	173	5	11
14	Of mitral valve, specified as nonrheumatic-421.0	-	-	-	-	-	16	8	8	-	-
15	Of aortic valve, not specified as rheumatic-421.1	11	7	4	-	-	140	84	51	1	4
16	Of other valves, not specified as rheumatic-421.2-421.4	13	7	5	1	-	205	80	114	4	7
17	Other myocardial degeneration-422	110	55	49	4	2	5,474	2,249	2,848	173	204
18	With arteriosclerosis-422.1	46	24	19	1	2	4,379	1,720	2,340	139	180
19	Without mention of arteriosclerosis-422.0,422.2	64	31	30	3	-	1,095	529	508	34	24
20	Other diseases of heart-430-434	96	54	36	4	2	984	501	423	39	21
21	Acute and subacute endocarditis-430	2	1	1	-	-	48	27	18	2	1
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic-431,432	4	2	2	-	-	53	26	25	2	-
23	Functional disease of heart-433	19	9	9	1	-	305	140	156	5	4
24	Other and unspecified diseases of heart-434	71	42	24	3	2	578	308	224	30	16
25	Hypertensive heart disease-440-443	135	45	80	7	3	7,756	2,667	4,117	380	592
26	Hypertensive heart disease with arteriolar nephrosclerosis-442	33	13	17	2	1	1,005	429	478	40	58
27	Other hypertensive heart disease-440,441,443	102	32	63	5	2	6,751	2,238	3,639	340	534
28	Other hypertensive disease-444-447	47	22	24	1	-	1,326	572	610	69	75
29	Hypertension with arteriolar nephrosclerosis-446	26	15	11	-	-	763	382	331	25	25
30	Essential hypertension, other hypertensive disease, etc.*-444,445,447	21	7	13	1	-	563	190	279	44	50
31	Diseases of arteries-450-456	109	61	47	1	-	3,953	1,901	1,866	79	107
32	General arteriosclerosis-450	79	43	35	1	-	3,109	1,333	1,650	50	76
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-451	17	10	7	-	-	639	465	134	23	17
34	Gangrene of unspecified cause-455	1	1	-	-	-	17	6	9	1	1
35	Other arterial diseases-452-454,456	12	7	5	-	-	188	97	73	5	13
36	Diseases of veins and other diseases of circulatory system-460-468	29	17	12	-	-	545	245	265	13	22
37	VIII. Diseases of the respiratory system	447	214	153	44	36	7,962	4,317	2,701	584	360
38	Acute upper respiratory infections-470-475	9	3	4	2	-	68	37	22	4	5
39	Influenza-480-483	23	10	8	3	2	130	59	62	4	5
40	Pneumonia, except pneumonia of newborn-490-493	288	128	104	31	25	5,923	2,935	2,204	477	307
41	Lobar pneumonia-490	69	32	28	4	5	1,146	610	358	132	46
42	Bronchopneumonia-491	106	46	37	15	8	4,266	2,057	1,642	320	247
43	Primary atypical pneumonia-492	40	22	14	2	2	272	134	114	14	10
44	Pneumonia, other and unspecified-493	73	28	25	10	10	239	134	90	11	4
45	Acute bronchitis-500	6	2	3	1	-	163	70	60	17	16
46	Bronchitis, chronic and unqualified-501,502	20	12	6	1	1	247	166	60	17	4
47	Hypertrophy of tonsils and adenoids-510	4	2	2	-	-	17	3	8	2	4
48	Empyema and abscess of lung-518,521	7	3	2	1	1	80	50	21	8	1
49	Pleurisy-519	2	1	1	-	-	15	9	5	1	-
50	Emphysema without mention of bronchitis-527.1	31	26	2	2	1	536	459	62	13	2
51	Other respiratory diseases-511-517,520,522-527.0,527.2	57	27	21	3	6	783	529	197	41	16
52	IX. Diseases of the digestive system	341	168	114	39	20	7,165	3,997	2,548	380	240
53	Diseases of teeth and supporting structures-530-535	1	1	-	-	-	4	2	1	-	1
54	Ulcer of stomach-540	20	14	4	2	-	698	453	189	40	16
55	Ulcer of duodenum-541	21	17	4	-	-	693	514	138	34	7
56	Gastritis and duodenitis-543	4	4	-	-	-	31	19	8	2	2
57	Appendicitis-550-553	6	3	2	1	-	205	106	71	14	14
58	Hernia and intestinal obstruction-560,561,570	40	20	14	3	3	874	395	400	40	39
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	100	33	32	22	13	213	105	78	17	13
60	Chronic enteritis and ulcerative colitis-572	9	6	3	-	-	400	183	202	7	8
61	Cirrhosis of liver-581	60	30	22	7	1	2,618	1,548	803	178	89
62	Without mention of alcoholism-581.0	42	23	16	3	-	1,788	1,010	598	114	66
63	With alcoholism-581.1	18	7	6	4	1	830	538	205	64	23
64	Cholelithiasis, cholecystitis, and cholangitis-584,585	24	8	14	1	1	524	208	292	7	17
65	Fibrocystic disease of pancreas-587B	-	-	-	-	-	47	21	26	-	-
66	Other diseases of digestive system-Residual[1]	56	32	19	3	2	658	443	340	41	34
67	X. Diseases of the genitourinary system	112	60	39	9	4	2,909	1,593	1,016	151	149
68	Nephritis and nephrosis-590-594	55	21	25	5	4	1,321	597	585	69	70
69	Acute nephritis-590	3	-	3	-	-	47	15	24	4	4
70	Nephritis with edema, including nephrosis-591	4	1	3	-	-	66	31	30	2	3
71	Chronic and unspecified nephritis and other renal sclerosis---592-594	48	20	19	5	4	1,208	551	531	63	63
72	Infections of kidney-600	15	7	7	1	-	684	328	289	32	55
73	Calculi of urinary system-602,604	6	3	3	-	-	160	81	67	7	5
74	Other diseases of urinary system-601,603,605-609	5	5	-	-	-	193	116	52	17	8
75	Hyperplasia of prostate-610	23	20	...	3	...	478	454	...	24	...
76	Diseases of breast-620,621	-	-	-	-	-	-	-	-	-	-
77	Other diseases of genital organs-611-617,622-637	8	4	4	-	-	73	17	43	2	11

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,932	6,326	3,890	2,017	1,699	2,064	1,327	709	16	12	39,339	21,208	15,718	1,349	1,064	8,288	4,678	2,946	376	288	1
12,578	5,824	3,486	1,773	1,495	1,858	1,206	628	14	10	34,853	19,081	13,701	1,160	911	7,467	4,254	2,627	330	256	2
24	8	7	3	6	2	1	-	1	-	42	19	15	3	5	14	5	7	1	1	3
288	103	112	33	40	47	30	16	-	1	1,101	511	517	37	36	170	77	77	5	11	4
81	21	39	10	11	18	13	4	-	1	428	181	219	15	13	61	19	35	3	4	5
18	12	3	2	1	4	3	1	-	-	109	72	30	7	-	12	9	3	-	-	6
21	7	9	3	2	5	3	2	-	-	56	24	31	-	1	10	7	1	-	2	7
168	63	61	18	26	20	11	9	-	-	508	234	237	15	22	87	42	38	2	5	8
7,916	4,348	2,126	847	585	1,447	982	449	11	5	25,318	15,007	9,142	706	463	5,488	3,360	1,793	201	134	9
2,110	1,032	700	205	173	455	281	168	4	2	9,568	4,888	4,249	238	193	1,615	858	657	63	37	10
5,782	3,303	1,418	640	421	989	698	281	7	3	15,715	10,099	4,879	468	269	3,864	2,498	1,132	138	96	11
24	13	8	2	1	3	3	-	-	-	35	20	14	-	1	9	4	4	-	1	12
110	45	33	15	17	15	9	6	-	-	314	163	119	22	10	46	23	19	2	2	13
10	4	2	3	1	3	2	1	-	-	25	9	14	1	1	2	1	1	-	-	14
28	14	4	5	5	4	4	-	-	-	131	84	33	11	3	20	12	6	1	1	15
72	27	27	7	11	8	3	5	-	-	158	70	72	10	6	24	10	12	1	1	16
956	326	351	136	143	105	52	53	-	-	2,756	1,212	1,393	80	71	459	211	202	34	12	17
699	243	264	93	99	65	31	34	-	-	1,945	846	1,011	40	48	228	111	100	13	4	18
257	83	87	43	44	40	21	19	-	-	811	366	382	40	23	231	100	102	21	8	19
894	383	187	203	121	94	57	35	-	2	1,254	623	519	71	41	566	301	189	38	38	20
14	5	4	3	2	1	1	-	-	-	32	13	16	1	2	6	5	1	-	-	21
16	3	9	2	2	3	1	2	-	-	55	20	27	4	4	20	12	5	-	3	22
138	55	58	15	10	20	10	10	-	-	371	177	168	17	9	94	49	37	3	5	23
726	320	116	183	107	70	45	23	-	2	796	413	308	49	26	446	235	146	35	30	24
2,390	611	670	536	573	148	75	69	2	2	4,068	1,546	1,996	241	285	724	277	340	49	58	25
700	180	173	178	169	38	23	14	-	1	1,251	542	592	64	53	195	86	80	14	15	26
1,690	431	497	358	404	110	52	55	2	1	2,817	1,004	1,404	177	232	529	191	260	35	43	27
406	111	92	114	89	37	21	16	-	-	843	366	371	62	44	193	82	75	21	15	28
170	50	50	50	20	26	16	10	-	-	488	237	206	30	15	67	37	23	5	2	29
236	61	42	64	69	11	5	6	-	-	355	129	165	32	29	126	45	52	16	13	30
771	317	249	111	94	147	88	57	1	1	3,211	1,565	1,456	102	88	507	278	201	17	11	31
592	212	218	82	80	118	70	46	1	1	2,624	1,194	1,289	82	59	403	210	170	14	9	32
120	73	18	22	7	21	13	8	-	-	418	287	102	14	15	49	36	11	2	-	33
3	1	-	-	2	2	1	1	-	-	7	1	5	-	1	9	5	4	-	-	34
56	31	13	7	5	6	4	2	-	-	162	83	60	6	13	46	27	16	1	2	35
177	74	63	19	21	22	12	8	1	1	432	196	190	25	21	121	64	43	8	6	36
1,747	606	415	428	298	257	159	74	16	8	4,069	2,242	1,323	335	169	1,013	530	345	72	66	37
28	5	8	12	3	3	3	-	-	-	83	34	29	11	9	12	4	7	-	1	38
107	28	29	29	21	7	3	4	-	-	261	128	125	7	1	85	34	35	9	7	39
1,232	378	281	342	231	182	109	56	11	6	2,265	1,116	834	210	105	641	321	223	50	47	40
191	61	44	49	37	40	25	13	-	2	440	212	140	61	27	93	53	29	4	7	41
562	190	154	144	74	118	69	37	9	3	1,401	688	531	121	61	276	140	100	21	15	42
157	47	34	43	33	9	5	2	1	1	227	111	92	15	9	78	41	27	3	7	43
322	80	49	106	87	15	10	4	1	-	197	105	71	13	8	194	87	67	22	18	44
21	10	6	2	3	2	2	-	-	-	88	30	37	9	12	16	8	4	2	2	45
43	25	7	8	3	10	9	1	-	-	133	89	33	7	4	21	10	7	2	2	46
3	2	1	-	-	-	-	-	-	-	8	3	4	1	-	2	1	1	-	-	47
20	7	3	7	3	2	1	1	-	-	41	33	3	4	1	7	4	2	-	1	48
5	2	3	-	-	1	-	1	-	-	5	3	2	-	-	4	2	2	-	-	49
81	60	13	6	2	13	8	2	3	-	396	321	55	16	4	92	70	14	7	1	50
207	89	64	22	32	37	24	9	2	2	789	485	201	70	33	133	76	50	2	5	51
1,099	453	330	173	143	178	109	63	4	2	3,396	1,875	1,250	153	118	794	430	278	36	50	52
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	2	1	1	-	-	53
95	57	18	14	6	18	13	4	1	-	297	179	95	19	4	66	52	11	3	-	54
75	52	10	11	2	15	12	3	-	-	267	195	51	13	8	60	48	9	2	1	55
9	3	5	1	-	-	-	-	-	-	20	10	6	3	1	4	2	1	1	-	56
37	13	9	7	8	6	5	1	-	-	95	50	37	5	3	32	20	8	2	2	57
167	54	58	32	23	38	19	18	1	-	485	223	216	20	26	151	64	68	7	12	58
132	18	24	52	38	15	5	8	-	2	183	82	75	15	11	53	18	22	8	5	59
41	14	17	4	6	8	3	5	-	-	166	75	87	-	4	28	19	9	-	-	60
227	116	64	26	21	31	26	5	-	-	1,068	669	315	54	30	166	99	48	8	11	61
151	71	45	20	15	20	15	5	-	-	800	492	253	35	20	136	80	43	7	6	62
76	45	19	6	6	11	11	-	-	-	268	177	62	19	10	30	19	5	1	5	63
70	22	40	3	5	24	13	10	1	-	248	94	146	4	4	79	26	48	1	4	64
15	8	7	-	-	2	-	2	-	-	17	12	5	-	-	8	5	3	-	-	65
231	96	78	23	34	21	13	7	1	-	547	284	216	20	27	145	76	50	4	15	66
866	337	217	192	140	82	61	17	3	1	1,718	924	583	110	101	566	313	161	52	40	67
499	160	118	115	106	38	27	9	1	1	813	385	329	40	59	287	123	97	33	34	68
42	12	8	8	14	2	2	-	-	-	37	8	26	3	-	30	13	12	3	2	69
31	9	5	8	9	3	3	-	-	-	87	47	32	3	5	21	12	7	-	2	70
426	139	105	99	83	33	22	9	1	1	689	330	271	34	54	236	98	78	30	30	71
180	65	66	27	22	14	10	4	-	-	411	183	167	33	28	97	52	34	6	5	72
34	14	16	3	1	3	1	2	-	-	64	27	33	2	2	18	11	6	1	-	73
44	25	10	6	3	2	1	-	1	-	96	50	32	10	4	39	19	18	2	-	74
102	69	...	33	...	20	19	...	1	...	276	254	...	22	...	105	97	...	8	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
27	4	7	8	8	5	3	2	-	-	58	25	22	3	8	20	11	6	2	1	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	9	...	6	...	3	134	...	87	...	47
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	-	...	-	...	-	9	...	7	...	2
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	5	...	3	...	2	15	...	8	...	7
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	1	...	1	23	...	16	...	7
5	Ectopic pregnancy----------645	1	...	1	...	-	6	...	1	...	5
6	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	12	...	7	...	5
7	Abortion with sepsis----------651	-	...	-	...	-	28	...	16	...	12
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	1	...	1	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	1	...	1	...	-	40	...	31	...	9
10	XII. Diseases of the skin and cellular tissue----------	9	5	4	-	-	178	74	82	6	16
11	Infections of skin and subcutaneous tissue----------690-698	2	2	-	-	-	55	34	15	3	3
12	Other diseases of skin and subcutaneous tissue----------700-716	7	3	4	-	-	123	40	67	3	13
13	XIII. Diseases of the bones and organs of movement----------	22	9	13	-	-	226	101	113	3	9
14	Arthritis and spondylitis----------720-725	15	5	10	-	-	96	30	64	1	1
15	Muscular rheumatism and rheumatism unspecified----------726,727	1	-	1	-	-	1	1	-	-	-
16	Osteomyelitis and periostitis----------730	1	1	-	-	-	20	12	7	1	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	-	-	-	-	-	10	6	4	-	-
18	Inborn defect of muscle----------744.1	1	1	-	-	-	36	25	10	-	1
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	4	2	2	-	-	63	27	28	1	7
20	XIV. Congenital malformations----------	136	63	57	11	5	1,926	946	769	118	93
21	Spina bifida and meningocele----------751	11	3	7	1	-	118	50	57	7	4
22	Congenital hydrocephalus, etc.*----------752,753	12	6	6	-	-	205	105	74	15	11
23	Congenital malformations of circulatory system----------754	66	33	28	3	2	954	460	395	54	45
24	Other congenital malformations----------750,755-759	47	21	16	7	3	649	331	243	42	33
25	XV. Certain diseases of early infancy[2]----------	562	270	226	36	30	5,605	2,556	1,782	667	600
26	XVI. Symptoms, senility, and ill-defined conditions----------	446	245	133	38	30	1,301	630	411	173	87
27	Senility without mention of psychosis----------794	20	8	10	1	1	61	26	35	-	-
28	Symptoms, ill-defined, and unknown causes----------780-793,795	426	237	123	37	29	1,240	604	376	173	87
29	XVII. Accidents, poisonings, and violence----------	824	560	165	74	25	8,384	4,862	2,478	736	308
30	Accidents----------E800-E962	684	467	142	55	20	6,521	3,745	2,043	501	232
31	Railway accidents----------E800-E802	4	4	-	-	-	93	73	7	10	3
32	Motor vehicle accidents----------E810-E835	346	229	76	31	10	2,260	1,508	551	148	53
33	Motor vehicle traffic accidents----------E810-E825	330	220	72	30	8	2,224	1,486	539	146	53
34	Motor vehicle traffic accident with railway train*----------E810	2	2	-	-	-	45	32	12	1	-
35	Motor vehicle traffic accident to pedestrian----------E812	61	36	14	11	-	767	466	218	60	23
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	114	78	29	5	2	645	434	158	36	17
37	Motor vehicle noncollision traffic accidents----------E820-E824	147	102	25	14	6	582	425	104	42	11
38	Motor vehicle traffic accident of unspecified nature---------E825	6	2	4	-	-	185	129	47	7	2
39	Motor vehicle nontraffic accidents----------E830-E835	16	9	4	1	2	36	22	12	2	-
40	Other road vehicle accidents----------E840-E845	4	4	-	-	-	17	12	3	1	1
41	Water transport accidents----------E850-E858	9	8	1	-	-	84	68	3	13	-
42	Aircraft accidents----------E860-E866	36	35	1	-	-	63	47	14	2	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	13	9	2	2	-	55	28	16	4	7
44	Accidental poisoning by gases and vapors----------E890-E895	8	7	1	-	-	98	59	32	5	2
45	Accidental falls----------E900-E904	69	38	26	2	3	2,059	922	991	91	55
46	Fall from one level to another----------E900-E902	22	14	5	2	1	679	381	232	42	24
47	Fall on same level----------E903	14	7	6	-	1	648	240	379	12	17
48	Unspecified falls----------E904	33	17	15	-	1	732	301	380	37	14
49	Blow from falling object or projected object or missile----------E910	8	7	-	-	1	60	53	2	5	-
50	Accident caused by machinery----------E912	16	16	-	-	-	95	80	3	12	-
51	Accident caused by electric current----------E914	7	7	-	-	-	28	26	-	1	1
52	Accident caused by fire and explosion of combustible material----E916	31	19	9	2	1	474	199	169	57	49
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	1	-	1	-	-	38	15	14	7	2
54	Accident caused by firearm----------E919	21	19	-	2	-	89	71	12	5	1
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	18	6	8	3	1	127	62	45	11	9
56	Accidental drowning----------E929	35	26	3	5	1	349	239	48	53	9
57	Excessive heat and insolation----------E931	1	-	-	-	1	4	4	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	6	2	3	1	-	79	33	33	4	9
59	All other accidents----------Residual[1]	51	31	11	7	2	449	246	100	72	31
60	Suicide----------E963,E970-E979	92	69	17	6	-	1,392	952	355	65	20
61	Suicide by poisoning----------E970-E973	16	11	5	-	-	212	139	67	3	3
62	Suicide by hanging and strangulation----------E974	8	7	-	1	-	456	328	105	22	1
63	Suicide by firearm and explosive----------E976	64	48	11	5	-	315	270	33	11	1
64	Suicide by all other means----------E963,E975,E977-E979	4	3	1	-	-	409	215	150	29	15
65	Homicide----------E964,E980-E985	48	24	6	13	5	468	162	80	170	56
66	Assault by firearm and explosive----------E981	31	17	3	7	4	124	59	22	34	9
67	Assault by cutting and piercing instruments----------E982	4	2	1	1	-	184	35	26	96	27
68	Assault by other means----------E964,E980,E983	12	4	2	5	1	130	52	32	26	20
69	Injury by intervention of police----------E984	1	1	-	-	-	25	12	-	13	-
70	Execution----------E985	-	-	-	-	-	5	4	-	1	-
71	Injury resulting from operations of war----------E965,E990-E999	-	-	-	-	-	3	3	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
60	...	14	...	46	2	...	2	...	-	74	...	52	...	22	17	...	12	...	5	1
4	...	3	...	1	-	...	-	...	-	11	...	8	...	3	1	...	1	...	-	2
21	...	3	...	18	1	...	1	...	-	14	...	7	...	7	4	...	2	...	2	3
12	...	2	...	10	1	...	1	...	-	7	...	7	...	-	2	...	1	...	1	4
3	...	-	...	3	-	...	-	...	-	4	...	3	...	1	1	...	1	...	-	5
4	...	2	...	2	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	6
6	...	-	...	6	-	...	-	...	-	7	...	2	...	5	2	...	2	...	-	7
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	8
10	...	4	...	6	-	...	-	...	-	29	...	24	...	5	6	...	4	...	2	9
58	16	17	11	14	7	5	2	-	-	82	39	38	2	3	13	4	7	-	2	10
19	7	4	2	6	1	1	-	-	-	28	16	11	1	-	7	4	2	-	1	11
39	9	13	9	8	6	4	2	-	-	54	23	27	1	3	6	-	5	-	1	12
111	49	40	10	12	12	6	6	-	-	190	76	105	6	3	57	20	31	3	3	13
70	27	26	7	10	7	2	5	-	-	107	29	74	2	2	37	12	19	3	3	14
3	1	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	15
7	3	1	2	1	-	-	-	-	-	9	5	2	1	1	-	-	-	-	-	16
1	1	-	-	-	-	-	-	-	-	5	2	3	-	-	1	-	1	-	-	17
17	12	3	1	1	2	2	-	-	-	31	24	7	-	-	3	2	1	-	-	18
13	5	8	-	-	2	2	-	-	-	37	16	18	3	-	16	6	10	-	-	19
540	222	177	73	68	86	39	43	3	1	1,319	597	580	84	58	249	118	102	17	12	20
34	9	17	6	2	7	2	5	-	-	72	23	43	3	3	19	9	8	2	-	21
75	29	25	10	11	11	5	6	-	-	165	74	83	6	2	28	11	10	4	3	22
268	114	84	34	36	39	14	22	2	1	657	314	259	52	32	116	53	49	8	6	23
163	70	51	23	19	29	18	10	1	-	425	186	195	23	21	86	45	35	3	3	24
1,986	645	488	485	368	254	142	97	10	5	3,813	1,838	1,292	394	289	843	404	260	90	89	25
936	255	151	278	252	51	31	17	3	-	474	215	184	46	29	845	420	259	99	67	26
106	24	41	13	28	18	8	10	-	-	99	35	58	4	2	129	45	61	16	7	27
830	231	110	265	224	33	23	7	3	-	375	180	126	42	27	716	375	198	83	60	28
3,277	1,635	521	801	320	463	334	110	16	3	6,129	3,779	1,781	428	141	1,866	1,159	460	175	72	29
2,460	1,207	421	569	263	389	274	99	13	3	4,687	2,828	1,482	278	99	1,547	950	408	126	63	30
23	9	-	13	1	5	2	2	1	-	53	46	3	4	-	22	19	-	3	-	31
1,129	642	188	225	74	175	129	41	4	1	1,855	1,291	463	83	18	686	436	162	63	25	32
1,110	635	182	222	71	166	121	40	4	1	1,816	1,266	451	82	17	668	423	159	62	24	33
31	20	7	4	-	14	11	3	-	-	102	69	32	1	-	22	17	2	3	-	34
236	100	38	67	31	15	9	5	-	1	389	259	96	28	6	81	46	21	12	2	35
412	245	91	55	21	53	32	21	-	-	651	440	184	23	4	363	221	96	30	16	36
387	243	40	85	19	63	51	8	4	-	425	330	66	23	6	136	91	30	13	2	37
44	27	6	11	-	21	18	3	-	-	249	168	73	7	1	66	48	10	4	4	38
19	7	6	3	3	9	8	1	-	-	39	25	12	1	1	18	13	3	1	1	39
6	2	1	3	-	3	3	-	-	-	10	5	4	1	-	6	4	2	-	-	40
66	49	2	15	-	4	4	-	-	-	45	35	6	4	-	16	11	3	2	-	41
29	29	-	-	-	2	2	-	-	-	64	55	8	1	-	32	28	4	-	-	42
41	16	7	10	8	7	3	3	1	-	62	33	14	7	8	16	7	7	1	1	43
15	8	3	3	1	10	6	4	-	-	115	65	24	15	11	23	18	4	1	-	44
250	91	108	24	27	55	28	27	-	-	1,319	586	670	42	21	240	112	115	6	7	45
78	35	19	14	10	24	11	13	-	-	441	248	153	32	8	52	33	14	3	2	46
77	21	46	5	5	12	6	6	-	-	217	91	122	1	3	43	19	24	-	-	47
95	35	43	5	12	19	11	8	-	-	661	247	395	9	10	145	60	77	3	5	48
33	19	1	13	-	6	5	1	-	-	57	46	4	7	-	15	14	1	-	-	49
37	31	-	6	-	23	20	2	-	1	65	59	4	2	-	28	27	-	1	-	50
26	22	-	4	-	4	4	-	-	-	42	37	4	1	-	29	27	2	-	-	51
243	65	42	62	74	14	10	1	3	-	336	158	111	40	27	156	69	50	18	19	52
10	1	1	4	4	5	2	3	-	-	15	6	4	4	1	4	-	3	1	-	53
91	56	6	20	9	16	14	1	1	-	77	56	10	10	1	55	43	3	6	3	54
74	16	14	29	15	9	5	3	-	1	98	54	31	9	4	29	12	12	3	2	55
165	75	15	70	5	22	19	2	1	-	191	138	31	20	2	61	48	7	6	-	56
3	1	-	2	-	-	-	-	-	-	2	2	-	-	-	4	2	2	-	-	57
17	9	3	2	3	1	1	-	-	-	33	13	18	2	-	17	9	8	-	-	58
202	66	30	64	42	28	17	9	2	-	248	143	73	26	6	108	64	23	15	6	59
452	345	61	38	8	69	59	9	1	-	1,123	841	240	30	12	206	161	37	7	1	60
54	32	17	1	4	12	9	3	-	-	228	140	76	6	6	32	17	14	-	1	61
39	27	8	4	-	17	14	2	1	-	272	197	68	6	1	22	16	5	1	-	62
323	265	30	25	3	34	33	1	-	-	521	436	66	15	4	138	117	15	6	-	63
36	21	6	8	1	6	3	3	-	-	102	68	30	3	1	14	11	3	-	-	64
363	81	39	194	49	5	1	2	2	-	315	106	59	120	30	113	48	15	42	8	65
250	61	31	127	31	1	-	-	1	-	166	55	37	61	13	67	27	12	22	6	66
63	7	2	47	7	-	-	-	-	-	59	14	6	32	7	21	5	1	15	-	67
47	11	6	19	11	4	1	2	1	-	67	28	16	13	10	18	10	2	4	2	68
2	2	-	-	-	-	-	-	-	-	17	7	-	10	-	7	6	-	1	-	69
1	-	-	1	-	-	-	-	-	-	6	2	-	4	-	-	-	-	-	-	70
2	2	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	15,479	9,196	5,996	169	118	118,571	61,540	48,382	4,788	3,861
2	I. Infective and parasitic diseases	154	91	53	8	2	1,668	938	399	212	119
3	Tuberculosis, all forms-001-019	61	43	11	5	2	1,026	646	174	134	72
4	Tuberculosis of respiratory system-001-008	57	40	10	5	2	969	620	162	124	63
5	Tuberculosis of meninges and central nervous system-010	2	2	-	-	-	19	6	4	3	6
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	-	-	-	-	-	5	-	3	1	1
7	Tuberculosis of bones and joints-012,013	2	1	1	-	-	5	2	1	2	-
8	Tuberculosis of other organs and systems-014-018	-	-	-	-	-	11	6	2	3	-
9	Disseminated tuberculosis-019	-	-	-	-	-	17	12	2	1	2
10	Syphilis and its sequelae-020-029	26	15	10	1	-	237	118	43	55	21
11	Congenital syphilis-020	-	-	-	-	-	1	-	-	1	-
12	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta-022	17	11	5	1	-	92	58	16	13	5
14	Other cardiovascular syphilis-023	6	3	3	-	-	84	31	15	28	10
15	Tabes dorsalis-024	2	1	1	-	-	6	4	1	1	-
16	General paralysis of insane-025	-	-	-	-	-	18	6	5	5	2
17	Other syphilis of central nervous system-026	1	-	1	-	-	27	14	6	5	2
18	All other syphilis-027-029	-	-	-	-	-	9	5	-	2	2
19	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
20	Typhoid fever-040	-	-	-	-	-	1	1	-	-	-
21	Paratyphoid fever and other Salmonella infections-041,042	-	-	-	-	-	2	-	-	1	1
22	Cholera-043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)-044	-	-	-	-	-	1	1	-	-	-
24	Dysentery, all forms-045-048	1	-	1	-	-	2	-	1	1	-
25	Food poisoning (infection and intoxication)-049	-	-	-	-	-	1	1	-	-	-
26	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
27	Streptococcal sore throat-051	-	-	-	-	-	5	3	1	-	1
28	Erysipelas-052	-	-	-	-	-	-	-	-	-	-
29	Septicemia and pyemia-053	17	10	6	1	-	125	49	57	9	10
30	Diphtheria-055	1	1	-	-	-	-	-	-	-	-
31	Whooping cough-056	1	-	1	-	-	5	2	2	1	-
32	Meningococcal infections-057	10	6	4	-	-	38	15	22	-	1
33	Plague-058	-	-	-	-	-	-	-	-	-	-
34	Leprosy-060	-	-	-	-	-	-	-	-	-	-
35	Tetanus-061	-	-	-	-	-	10	7	1	2	-
36	Anthrax-062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis-080	2	1	1	-	-	10	7	3	-	-
38	Late effects of acute poliomyelitis-081	5	2	3	-	-	5	3	2	-	-
39	Acute infectious encephalitis-082	4	2	2	-	-	48	21	23	2	2
40	Late effects of acute infectious encephalitis-083	1	1	-	-	-	4	3	1	-	-
41	Smallpox-084	-	-	-	-	-	-	-	-	-	-
42	Measles-085	5	2	3	-	-	27	12	11	3	1
43	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis-092	11	5	6	-	-	55	22	30	-	3
45	Rabies-094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria-110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis-123	-	-	-	-	-	2	2	-	-	-
50	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
51	Filariasis-127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis-129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	1	-	1	-	-
54	All other infective and parasitic diseases-Residual[1]	9	3	5	1	-	63	25	27	4	7
55	II. Neoplasms	2,453	1,337	1,076	20	20	19,148	9,448	8,484	644	572
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	2,419	1,326	1,055	19	19	18,776	9,271	8,314	632	559
57	Malignant neoplasm of buccal cavity and pharynx-140-148	41	29	11	1	-	355	265	72	14	4
58	Of lip-140	4	4	-	-	-	7	6	1	-	-
59	Of tongue-141	7	5	2	-	-	94	70	17	6	1
60	Of other and unspecified parts of buccal cavity-142-144	14	11	3	-	-	106	77	26	2	1
61	Of pharynx-145-148	16	9	6	1	-	148	112	28	6	2
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-150-156A,157-159	787	463	310	6	8	6,969	3,515	3,022	244	188
63	Of esophagus-150	33	25	7	1	-	389	283	57	42	7
64	Of stomach-151	222	155	65	1	1	1,637	932	569	90	46
65	Of small intestine, including duodenum-152	12	7	5	-	-	57	34	19	3	1
66	Of large intestine, except rectum-153	258	125	130	-	3	2,228	946	1,186	30	66
67	Cecum, appendix, and ascending colon-153.0	38	15	22	-	1	271	94	166	4	7
68	Transverse colon, including hepatic and splenic flexures-153.1	14	8	6	-	-	140	68	72	-	-
69	Descending colon-153.2	14	9	5	-	-	105	32	66	2	5
70	Sigmoid colon-153.3	44	25	18	-	1	526	240	267	6	13
71	Multiple parts of large intestine-153.7	-	-	-	-	-	6	2	4	-	-
72	Large intestine (including colon), part unspecified-153.8	126	58	68	-	-	1,046	457	540	15	34
73	Intestinal tract, part unspecified-153.9	22	10	11	-	1	134	53	71	3	7
74	Of rectum-154	78	47	29	1	1	931	526	373	19	13
75	Of biliary passages and of liver (stated to be primary site)-155	43	21	19	3	-	430	144	257	13	16
76	Liver-155.0	10	6	4	-	-	86	37	35	8	6
77	Other and multiple sites of biliary passages-155.1,155.8	33	15	15	3	-	344	107	222	5	10
78	Of liver not stated whether primary or secondary-156A	14	7	7	-	-	313	137	158	9	9
79	Of pancreas-157	117	69	45	-	3	859	450	351	32	26
80	Of peritoneum and of unspecified digestive organs-158,159	10	7	3	-	-	125	63	52	6	4

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,878	4,627	4,043	106	102	19,709	6,624	4,560	4,532	3,993	6,248	3,554	2,387	178	129	32,385	14,516	10,804	3,785	3,280	1
83	45	29	7	2	362	91	60	127	84	73	32	15	14	12	587	232	162	122	71	2
39	25	8	5	1	160	51	14	60	35	43	16	5	11	11	361	151	97	72	41	3
35	25	8	2	-	148	47	14	54	33	33	15	5	9	4	327	139	91	61	36	4
1	-	-	1	-	6	2	-	2	2	6	-	-	1	5	7	2	2	3	-	5
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	-	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	7
-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	10	5	1	4	-	8
3	-	-	2	1	4	2	-	2	-	2	-	-	1	1	11	2	1	4	4	9
13	6	6	1	-	56	12	7	27	10	8	4	3	1	-	49	19	5	20	5	10
-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	1	-	-	-	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
5	3	2	-	-	25	8	6	7	4	4	3	1	-	-	9	4	2	3	-	13
8	3	4	1	-	15	1	1	10	3	1	-	-	1	-	21	5	3	10	3	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	15
-	-	-	-	-	7	1	-	6	-	-	-	-	-	-	10	7	-	2	1	16
-	-	-	-	-	6	2	-	2	2	1	-	1	-	-	6	2	-	4	-	17
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	19
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	20
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	11	-	2	6	3	1	-	1	-	-	6	-	2	1	3	24
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	6	-	1	4	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	5	1	1	1	2	1	-	1	-	-	5	2	2	-	1	27
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	28
9	3	5	1	-	29	8	10	6	5	2	2	-	-	-	26	10	12	2	2	29
-	-	-	-	-	3	-	1	-	2	1	1	-	-	-	1	1	-	-	-	30
-	-	-	-	-	14	-	1	6	7	-	-	-	-	-	7	1	-	6	-	31
5	3	2	-	-	8	4	3	1	-	2	1	-	1	-	22	6	10	4	2	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	13	1	2	5	5	1	1	-	-	-	18	7	2	3	6	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	1	-	1	-	-	4	2	1	-	1	2	1	1	-	-	37
1	1	-	-	-	6	1	3	1	1	1	-	1	-	-	2	1	1	-	-	38
3	-	3	-	-	6	3	1	-	2	1	1	-	-	-	5	2	2	-	1	39
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
3	1	1	-	1	12	4	6	2	-	-	-	-	-	-	17	7	6	-	4	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
3	1	2	-	-	7	2	3	1	1	3	2	1	-	-	17	7	7	1	2	44
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	45
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	52
1	-	1	-	-	8	-	1	2	5	-	-	-	-	-	2	-	2	-	-	53
5	4	1	-	-	14	3	4	6	1	3	1	1	1	-	34	13	11	7	3	54
1,624	803	797	18	6	2,254	840	696	332	386	983	521	432	14	16	4,353	1,874	1,744	372	363	55
1,590	790	776	18	6	2,188	824	679	321	364	964	513	421	14	16	4,268	1,844	1,713	368	343	56
22	21	1	-	-	54	32	10	11	1	8	8	-	-	-	104	61	29	10	4	57
1	1	-	-	-	5	4	1	-	-	-	-	-	-	-	7	4	3	-	-	58
2	2	-	-	-	11	8	-	3	-	1	1	-	-	-	18	9	7	1	1	59
7	7	-	-	-	18	9	4	4	1	4	4	-	-	-	37	18	15	3	1	60
12	11	1	-	-	20	11	5	4	-	3	3	-	-	-	42	30	4	6	2	61
581	276	297	6	2	642	232	189	127	94	322	176	134	6	6	1,328	559	534	145	90	62
22	17	4	-	1	58	19	10	23	6	11	10	1	-	-	62	27	16	15	4	63
138	84	50	4	-	183	50	44	50	39	87	53	28	3	3	312	140	94	51	27	64
2	-	2	-	-	4	2	1	1	-	1	1	-	-	-	12	4	5	2	1	65
192	76	115	1	-	141	47	59	19	16	93	47	45	-	1	356	124	177	30	25	66
31	14	17	-	-	25	9	12	2	2	12	6	5	-	1	46	14	26	4	2	67
17	6	11	-	-	5	3	-	1	1	3	3	-	-	-	17	4	8	3	2	68
11	1	10	-	-	2	-	1	1	-	6	4	2	-	-	16	2	12	1	1	69
45	20	24	1	-	12	6	3	2	1	16	6	10	-	-	68	26	31	8	3	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
75	27	48	-	-	85	25	39	9	12	45	22	23	-	-	189	68	92	13	16	72
13	8	5	-	-	12	4	4	4	-	11	6	5	-	-	20	10	8	1	1	73
89	43	46	-	-	56	21	21	8	6	36	20	16	-	-	123	55	52	9	7	74
28	8	19	1	-	26	9	12	2	3	25	5	18	2	-	103	37	57	4	5	75
8	2	6	-	-	8	5	-	2	1	4	2	2	-	-	28	14	9	4	1	76
20	6	13	1	-	18	4	12	-	2	21	3	16	2	-	75	23	48	-	4	77
26	13	13	-	-	38	17	10	5	6	14	9	4	1	-	96	47	33	7	9	78
72	31	40	-	1	125	65	31	16	13	49	29	18	-	2	237	114	88	24	11	79
12	4	8	-	-	11	2	1	3	5	6	2	4	-	-	27	11	12	3	1	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary—160-164	349	297	47	4	1	2,542	2,044	314	158	26
2	Of larynx—161	11	10	1	-	-	170	145	14	10	1
3	Of bronchus and trachea, and of lung specified as primary—162	197	175	18	3	1	964	781	96	76	11
4	Of lung, unspecified as to whether primary or secondary—163	133	106	26	1	-	1,349	1,082	189	64	14
5	Of other parts of respiratory system—160,164	8	6	2	-	-	59	36	15	8	-
6	Malignant neoplasm of breast—170	203	-	201	-	2	1,677	16	1,577	-	84
7	Malignant neoplasm of genital organs—171-179	398	175	220	-	3	2,682	952	1,471	95	164
8	Of cervix uteri—171	72	...	72	...	-	565	...	476	...	89
9	Of other and unspecified parts of uterus—172-174	57	...	54	...	3	503	...	458	...	45
10	Of ovary, fallopian tube, and broad ligament—175	84	...	84	...	-	511	...	485	...	26
11	Of other and unspecified female genital organs—176	10	...	10	...	-	56	...	52	...	4
12	Of prostate—177	166	166	...	-	...	975	885	...	90	...
13	Of testis, and of other and unspecified male genital organs—178,179	9	9	...	-	...	72	67	...	5	...
14	Malignant neoplasm of urinary organs—180,181	112	78	34	-	-	900	576	287	22	15
15	Of kidney—180	51	32	19	-	-	333	199	117	12	5
16	Of bladder and other urinary organs—181	61	46	15	-	-	567	377	170	10	10
17	Malignant neoplasm of other and unspecified sites—156B,165,190-199	279	143	132	3	1	2,041	995	944	53	49
18	Of skin—190,191	46	27	18	-	1	223	121	97	2	3
19	Of eye—192	2	-	2	-	-	22	17	5	-	-
20	Of brain and other parts of nervous system—193	72	45	27	-	-	336	179	135	13	9
21	Of thyroid gland—194	9	3	6	-	-	71	26	41	1	3
22	Of bone—196	11	8	3	-	-	140	78	58	2	2
23	Of connective tissue—197	16	5	10	1	-	67	40	26	-	1
24	Of other specified sites, not stated to be secondary—195,199A	12	4	8	-	-	83	48	31	4	-
25	Of unspecified sites—156B,165,198,199B	111	51	58	2	-	1,099	486	551	31	31
26	Leukemia and aleukemia—204	126	71	50	2	3	803	455	315	21	12
27	Lymphosarcoma, etc.*—200-203,205	124	70	50	3	1	807	453	312	25	17
28	Lymphosarcoma and reticulosarcoma—200	55	26	26	3	-	363	207	141	9	6
29	Hodgkin's disease—201	32	20	12	-	-	239	138	87	7	7
30	Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	37	24	12	-	1	205	108	84	9	4
31	Benign neoplasms and neoplasms of unspecified nature—210-239	34	11	21	1	1	372	177	170	12	13
32	Benign neoplasms of female genital organs—214-217	1	...	1	...	-	30	...	22	...	8
33	Benign neoplasm of brain and other parts of nervous system—223	9	2	7	-	-	62	29	31	2	-
34	Other benign neoplasms—210-213,218-222,224-229	10	3	6	1	-	68	36	25	4	3
35	Neoplasm of unspecified nature of female genital organs—233-235	-	...	-	...	-	6	...	5	...	1
36	Neoplasm of unspecified nature of brain, etc.*—237	11	5	5	-	1	138	77	59	1	1
37	Other neoplasms of unspecified nature—230-232,236,238,239	3	1	2	-	-	68	35	28	5	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases	303	163	132	3	5	3,194	1,248	1,763	65	118
39	Asthma—241	58	39	19	-	-	371	248	100	8	15
40	Nontoxic goiter—250,251	-	-	-	-	-	9	1	7	-	1
41	Thyrotoxicosis with or without goiter—252	7	3	4	-	-	47	7	34	-	6
42	Myxedema, cretinism, and other diseases of thyroid gland—253,254	6	-	6	-	-	21	6	13	-	2
43	Diabetes mellitus—260	203	103	93	2	5	2,504	870	1,508	45	81
44	Diseases of thymus gland—273	4	3	1	-	-	13	5	6	2	-
45	Diseases of adrenal glands—274	3	2	1	-	-	43	22	19	1	1
46	Pellagra—281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states—280,282-286	13	9	4	-	-	119	55	51	6	7
48	All other allergic, endocrine, and metabolic diseases—Residual[1]	9	4	4	1	-	67	34	25	3	5
49	IV. Diseases of the blood and blood-forming organs	41	19	19	1	2	322	142	151	15	14
50	Anemias—290-293	27	12	14	1	-	210	83	102	14	11
51	Pernicious and other hyperchromic anemias—290	6	1	5	-	-	60	29	30	1	-
52	Anemias of other and unspecified type—291-293	21	11	9	1	-	150	54	72	13	11
53	Purpura and other hemorrhagic conditions—296	6	1	3	-	2	45	16	28	1	-
54	Other diseases of blood and blood-forming organs—294,295,297-299	8	6	2	-	-	67	43	21	-	3
55	V. Mental, psychoneurotic, and personality disorders	63	27	33	1	2	184	95	51	25	13
56	Senile psychosis—304	14	3	11	-	-	16	6	8	-	2
57	Alcoholic psychosis—307	4	4	-	-	-	15	12	1	1	1
58	Other psychoses—300-303,305,306,308,309	9	2	6	-	1	32	7	20	5	-
59	Alcoholism—322	24	14	10	-	-	87	54	8	16	9
60	Mental deficiency—325	10	4	5	-	1	25	14	10	1	-
61	Psychoneuroses and other disorders of personality—310-321,323,324,326	2	-	1	1	-	9	2	4	2	1
62	VI. Diseases of the nervous system and sense organs	2,103	1,068	1,004	23	8	13,679	6,182	6,551	464	482
63	Vascular lesions affecting central nervous system—330-334	1,972	983	961	22	6	12,703	5,669	6,179	405	450
64	Subarachnoid hemorrhage—330	63	26	37	-	-	358	167	154	14	23
65	Cerebral hemorrhage—331	1,080	527	533	16	4	7,181	3,158	3,519	246	258
66	Cerebral embolism and thrombosis—332	696	365	325	5	1	4,017	1,826	1,929	127	135
67	Other vascular lesions affecting central nervous system—333,334	133	65	66	1	1	1,147	518	577	18	34
68	Meningitis, except meningococcal and tuberculous—340	14	8	5	1	-	135	75	36	16	8
69	Multiple sclerosis—345	19	12	7	-	-	119	53	62	-	4
70	Paralysis agitans—350	41	25	15	-	1	204	107	92	3	2
71	Cerebral spastic infantile paralysis—351	5	4	-	-	1	35	20	11	4	-
72	Epilepsy—353	12	8	4	-	-	127	55	49	15	8
73	Inflammatory diseases of eye—370-379	-	-	-	-	-	1	-	1	-	-
74	Cataract—385	-	-	-	-	-	2	-	1	-	1
75	Glaucoma—387	-	-	-	-	-	-	-	-	-	-
76	Otitis media and mastoiditis—391-393	4	2	2	-	-	32	20	8	3	1
77	Other diseases of nervous system and sense organs—Residual[1]	36	26	10	-	-	321	183	112	18	8

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
240	208	30	2	-	287	194	30	50	13	107	90	15	1	1	589	439	78	60	12	1
15	14	1	-	-	22	13	4	3	2	3	3	-	-	-	45	35	4	6	-	2
176	154	21	1	-	101	71	6	22	2	38	33	4	1	-	244	192	25	24	3	3
48	39	8	1	-	148	101	15	24	8	65	53	11	-	1	281	202	44	26	9	4
1	1	-	-	-	16	9	5	1	1	1	1	-	-	-	19	10	5	4	-	5
166	1	163	1	1	177	3	113	-	61	92	5	85	-	2	350	1	287	1	61	6
216	78	133	4	1	410	82	152	56	120	151	72	75	2	2	727	209	342	59	117	7
47	...	46	...	1	141	...	73	...	68	27	...	25	...	2	203	...	148	...	55	8
37	...	37	...	-	62	...	29	...	33	26	...	26	...	-	126	...	89	...	37	9
45	...	45	...	-	60	...	45	...	15	20	...	20	...	-	109	...	91	...	18	10
5	...	5	...	-	9	...	5	...	4	4	...	4	...	-	21	...	14	...	7	11
77	73	...	4	...	123	71	...	52	...	68	66	...	2	...	248	195	...	53	...	12
5	5	...	-	...	15	11	...	4	...	6	6	...	-	...	20	14	...	6	...	13
69	49	18	2	-	86	38	25	13	10	53	38	15	-	-	180	105	53	17	5	14
28	16	11	1	-	35	16	10	3	6	24	15	9	-	-	73	44	21	7	1	15
41	33	7	1	-	51	22	15	10	4	29	23	6	-	-	107	61	32	10	4	16
166	85	79	1	1	313	141	93	36	43	124	61	54	5	4	561	236	240	46	39	17
24	15	9	-	-	42	23	13	2	4	16	8	6	1	1	101	50	42	4	5	18
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	12	5	5	1	1	19
27	15	12	-	-	57	35	13	5	4	17	13	3	1	-	117	63	40	8	6	20
7	4	3	-	-	9	3	3	2	1	3	2	1	-	-	17	5	11	1	-	21
13	9	3	-	1	26	13	8	2	3	8	4	3	1	-	39	14	18	5	2	22
2	2	-	-	-	3	1	1	-	1	3	1	2	-	-	13	5	7	1	-	23
9	3	6	-	-	22	10	4	5	3	3	2	1	-	-	45	21	19	2	3	24
83	36	46	1	-	153	55	51	20	27	74	31	38	2	3	217	73	98	24	22	25
63	30	32	1	-	107	48	32	13	14	51	33	17	-	1	219	120	76	17	6	26
67	42	23	1	1	112	54	35	15	8	56	30	26	-	-	210	114	74	13	9	27
25	13	11	-	1	56	27	16	8	5	25	12	13	-	-	92	56	32	3	1	28
21	13	7	1	-	21	12	7	2	-	15	10	5	-	-	52	30	18	3	1	29
21	16	5	-	-	35	15	12	5	3	16	8	8	-	-	66	28	24	7	7	30
34	13	21	-	-	66	16	17	11	22	19	8	11	-	-	85	30	31	4	20	31
-	...	-	...	-	10	...	2	...	8	2	...	2	...	-	13	...	5	...	8	32
4	1	3	-	-	7	-	4	-	3	3	1	2	-	-	20	5	10	3	2	33
4	3	1	-	-	8	3	1	2	2	4	2	2	-	-	10	6	4	-	-	34
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
14	5	9	-	-	33	10	9	7	7	6	3	3	-	-	23	10	7	1	5	36
12	4	8	-	-	8	3	1	2	2	4	2	2	-	-	19	9	5	-	5	37
290	107	176	1	6	352	102	105	59	86	151	67	76	4	4	564	232	201	50	81	38
32	19	12	1	-	40	17	11	6	6	20	17	2	1	-	118	64	28	15	11	39
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	40
4	-	4	-	-	10	1	4	1	4	2	-	2	-	-	10	-	6	2	2	41
2	-	2	-	-	4	-	4	-	-	1	-	1	-	-	1	-	1	-	-	42
233	78	151	-	4	231	61	76	32	62	111	45	61	3	2	364	143	135	26	60	43
-	-	-	-	-	6	-	-	3	3	1	-	1	-	-	1	1	-	-	-	44
2	-	2	-	-	4	1	2	1	-	1	1	-	-	-	15	10	3	1	1	45
1	-	1	-	-	3	1	-	-	2	-	-	-	-	-	2	2	-	-	-	46
10	7	2	-	1	32	10	3	12	7	7	2	3	-	2	29	5	16	5	3	47
5	2	2	-	1	22	11	5	4	2	7	2	5	-	-	23	7	11	1	4	48
19	11	8	-	-	67	14	12	21	20	28	18	9	1	-	103	34	42	15	12	49
14	9	5	-	-	51	10	7	19	15	19	14	4	1	-	73	26	26	12	9	50
2	1	1	-	-	3	1	1	-	1	6	6	-	-	-	11	1	6	2	2	51
12	8	4	-	-	48	9	6	19	14	13	8	4	1	-	62	25	20	10	7	52
3	-	3	-	-	8	2	3	-	3	4	1	3	-	-	12	2	6	1	3	53
2	2	-	-	-	8	2	2	2	2	5	3	2	-	-	18	6	10	2	-	54
30	22	8	-	-	64	25	12	17	10	23	15	7	1	-	139	78	30	21	10	55
2	1	1	-	-	6	2	2	-	2	1	1	-	-	-	16	7	9	-	-	56
2	2	-	-	-	4	2	-	1	1	2	2	-	-	-	5	2	-	3	-	57
5	2	3	-	-	3	1	-	1	1	2	1	1	-	-	34	9	16	4	5	58
19	15	4	-	-	46	18	9	13	6	7	6	-	1	-	70	49	4	14	3	59
-	-	-	-	-	5	2	1	2	-	10	4	6	-	-	13	11	-	-	2	60
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	61
1,009	436	543	9	21	2,971	780	809	687	695	872	428	430	6	8	4,962	1,890	1,871	562	639	62
928	396	503	8	21	2,767	722	764	634	647	802	390	403	4	5	4,711	1,789	1,791	524	607	63
38	15	21	-	2	89	23	27	23	16	25	12	13	-	-	163	67	49	19	28	64
508	211	274	8	15	1,703	429	410	425	439	544	261	279	2	2	2,761	1,047	1,070	295	349	65
323	143	176	-	4	784	223	272	141	148	137	69	65	1	2	1,295	496	482	160	157	66
59	27	32	-	-	191	47	55	45	44	96	48	46	1	1	492	179	190	50	73	67
9	4	5	-	-	50	10	5	16	19	7	4	1	-	2	42	16	9	7	10	68
14	4	10	-	-	9	2	3	2	2	8	3	4	1	-	13	4	9	-	-	69
17	11	6	-	-	17	10	4	-	3	10	5	4	-	1	45	22	16	3	4	70
2	-	2	-	-	15	4	-	7	4	4	2	2	-	-	18	9	6	2	1	71
6	2	3	1	-	33	8	4	14	7	7	3	3	1	-	39	13	12	10	4	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
5	3	2	-	-	4	1	2	1	-	-	-	-	-	-	5	1	1	1	2	76
28	16	12	-	-	76	23	27	13	13	34	21	13	-	-	88	36	26	15	11	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	6,483	4,028	2,395	36	24	55,102	29,292	22,784	1,608	1,418
2	Diseases of heart--400-402,410-443	5,805	3,648	2,105	32	20	49,867	26,824	20,384	1,426	1,233
3	Rheumatic fever--400-402	8	5	3	-	-	61	33	18	5	5
4	Chronic rheumatic heart disease--410-416	198	98	97	2	1	1,600	686	820	43	51
5	Diseases of mitral valve--410	71	27	43	-	1	599	250	324	9	16
6	Diseases of aortic valve specified as rheumatic--411	25	17	8	-	-	133	84	42	5	2
7	Diseases of pulmonary valve, etc.*--413,414	12	11	1	-	-	104	43	55	3	3
8	Other diseases of heart specified as rheumatic--412,415,416	90	43	45	2	-	764	309	399	26	30
9	Arteriosclerotic heart disease, including coronary disease--420	4,444	2,979	1,435	23	7	34,682	20,427	12,835	850	570
10	Arteriosclerotic heart disease so described--420.0	1,525	881	633	8	3	14,175	7,346	6,138	421	270
11	Heart disease specified as involving coronary arteries--420.1	2,913	2,094	800	15	4	20,481	13,068	6,684	429	300
12	Angina pectoris without mention of coronary disease--420.2	6	4	2	-	-	26	13	13	-	-
13	Chronic endocarditis not specified as rheumatic--421	66	43	22	1	-	474	236	202	16	20
14	Of mitral valve, specified as nonrheumatic--421.0	8	6	2	-	-	51	16	32	3	-
15	Of aortic valve, not specified as rheumatic--421.1	34	27	7	-	-	149	96	40	8	5
16	Of other valves, not specified as rheumatic--421.2-421.4	24	10	13	1	-	274	124	130	5	15
17	Other myocardial degeneration--422	262	151	109	-	2	5,505	2,479	2,731	155	140
18	With arteriosclerosis--422.1	173	99	73	-	1	4,073	1,821	2,021	129	102
19	Without mention of arteriosclerosis--422.0,422.2	89	52	36	-	1	1,432	658	710	26	38
20	Other diseases of heart--430-434	182	111	69	1	1	1,476	746	631	53	46
21	Acute and subacute endocarditis--430	9	7	2	-	-	58	31	22	3	2
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic-431,432	10	5	5	-	-	71	36	29	2	4
23	Functional disease of heart--433	45	28	17	-	-	382	181	189	4	8
24	Other and unspecified diseases of heart--434	118	71	45	1	1	965	498	391	44	32
25	Hypertensive heart disease--440-443	645	261	370	5	9	6,069	2,217	3,147	304	401
26	Hypertensive heart disease with arteriolar nephrosclerosis--442	210	98	109	2	1	1,658	731	806	61	60
27	Other hypertensive heart disease--440,441,443	435	163	261	3	8	4,411	1,486	2,341	243	341
28	Other hypertensive disease--444-447	83	49	33	1	-	985	414	435	64	72
29	Hypertension with arteriolar nephrosclerosis--446	38	26	11	1	-	540	264	221	23	32
30	Essential hypertension, other hypertensive disease, etc.*-444,445,447	45	23	22	-	-	445	150	214	41	40
31	Diseases of arteries--450-456	513	288	219	3	3	3,607	1,752	1,693	78	84
32	General arteriosclerosis--450	387	194	190	2	1	2,914	1,296	1,506	48	64
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm--451	102	80	20	1	1	531	377	123	22	9
34	Gangrene of unspecified cause--455	1	-	1	-	-	26	17	7	2	-
35	Other arterial diseases--452-454,456	23	14	8	-	1	136	62	57	6	11
36	Diseases of veins and other diseases of circulatory system--460-468	82	43	38	-	1	643	302	272	40	29
37	VIII. Diseases of the respiratory system	793	497	274	13	9	5,562	3,491	1,569	322	180
38	Acute upper respiratory infections--470-475	2	2	-	-	-	59	25	14	12	8
39	Influenza--480-483	14	8	6	-	-	202	99	91	4	8
40	Pneumonia, except pneumonia of newborn--490-493	537	305	214	9	9	3,237	1,680	1,172	240	145
41	Lobar pneumonia--490	69	42	19	5	3	640	322	226	62	30
42	Bronchopneumonia--491	358	198	153	2	5	1,777	953	628	127	69
43	Primary atypical pneumonia--492	30	21	7	1	1	367	189	132	23	23
44	Pneumonia, other and unspecified--493	80	44	35	1	-	453	216	186	28	23
45	Acute bronchitis--500	15	6	7	2	-	104	65	34	3	2
46	Bronchitis, chronic and unqualified--501,502	27	22	4	1	-	142	93	39	7	3
47	Hypertrophy of tonsils and adenoids--510	2	-	2	-	-	11	5	4	2	-
48	Empyema and abscess of lung--518,521	7	4	3	-	-	63	43	11	6	3
49	Pleurisy--519	1	1	-	-	-	15	7	6	1	1
50	Emphysema without mention of bronchitis--527.1	85	81	4	-	-	348	301	30	13	4
51	Other respiratory diseases--511-517,520,522-527.0,527.2	103	68	34	1	-	1,381	1,173	168	34	6
52	IX. Diseases of the digestive system	549	317	213	14	5	4,451	2,443	1,686	203	119
53	Diseases of teeth and supporting structures--530-535	-	-	-	-	-	5	3	1	-	1
54	Ulcer of stomach--540	46	37	9	-	-	399	264	101	17	17
55	Ulcer of duodenum--541	55	46	8	1	-	359	257	72	22	8
56	Gastritis and duodenitis--543	2	1	1	-	-	27	14	11	1	1
57	Appendicitis--550-553	15	7	8	-	-	112	58	39	10	5
58	Hernia and intestinal obstruction--560,561,570	80	41	37	2	-	639	274	308	33	24
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	14	7	6	1	-	178	75	83	15	5
60	Chronic enteritis and ulcerative colitis--572	33	13	19	1	-	226	106	116	1	3
61	Cirrhosis of liver--581	156	88	57	7	4	1,360	865	412	53	30
62	Without mention of alcoholism--581.0	95	49	40	4	2	1,077	671	356	35	15
63	With alcoholism--581.1	61	39	17	3	2	283	194	56	18	15
64	Cholelithiasis, cholecystitis, and cholangitis--584,585	40	17	21	2	-	385	140	233	7	5
65	Fibrocystic disease of pancreas--587B	2	1	1	-	-	34	16	16	-	2
66	Other diseases of digestive system--Residual[1]	106	59	46	-	1	727	371	294	44	18
67	X. Diseases of the genitourinary system	246	161	79	5	1	2,106	1,128	745	131	102
68	Nephritis and nephrosis--590-594	98	65	31	1	1	1,094	524	453	62	55
69	Acute nephritis--590	6	4	1	-	1	86	39	39	2	6
70	Nephritis with edema, including nephrosis--591	9	6	3	-	-	68	36	24	4	4
71	Chronic and unspecified nephritis and other renal sclerosis--592-594	83	55	27	1	-	940	449	390	56	45
72	Infections of kidney--600	71	34	37	-	-	406	182	161	34	29
73	Calculi of urinary system--602,604	3	2	1	-	-	101	49	49	1	2
74	Other diseases of urinary system--601,603,605-609	20	12	8	-	-	157	90	48	15	4
75	Hyperplasia of prostate--610	48	44	...	4	...	280	262	...	18	...
76	Diseases of breast--620,621	-	-	-	-	-	1	1	-	-	-
77	Other diseases of genital organs--611-617,622-637	6	4	2	-	-	67	20	34	1	12

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,161	2,241	1,846	36	38	7,415	2,793	1,848	1,418	1,356	2,529	1,566	911	33	19	12,199	5,813	4,145	1,218	1,023	1
3,812	2,063	1,681	33	35	6,711	2,595	1,662	1,258	1,196	2,292	1,438	805	31	18	10,856	5,273	3,665	1,062	856	2
5	5	-	-	-	17	1	2	6	8	2	1	1	-	-	22	6	8	5	3	3
92	34	54	2	2	118	43	29	26	20	60	33	27	-	-	266	103	105	29	29	4
32	16	14	1	1	42	12	13	10	7	26	16	10	-	-	116	37	54	15	10	5
13	5	8	-	-	16	10	3	2	1	4	3	1	-	-	23	17	5	1	-	6
1	-	1	-	-	7	2	1	2	2	7	4	3	-	-	19	5	8	4	2	7
46	13	31	1	1	53	19	12	12	10	23	10	13	-	-	108	44	38	9	17	8
3,051	1,770	1,238	22	21	4,088	2,018	1,044	570	456	1,721	1,158	527	23	13	7,094	3,931	2,306	527	330	9
1,731	926	783	13	9	1,007	447	280	155	125	444	249	179	9	7	2,535	1,184	996	219	136	10
1,317	842	454	9	12	3,047	1,554	761	409	323	1,276	908	348	14	6	4,542	2,736	1,306	307	193	11
3	2	1	-	-	34	17	3	6	8	1	1	-	-	-	17	11	4	1	1	12
13	8	5	-	-	95	24	15	29	27	27	17	10	-	-	150	43	43	37	27	13
5	2	3	-	-	2	-	2	-	-	1	-	1	-	-	15	4	6	1	4	14
4	3	1	-	-	26	9	3	8	6	12	11	1	-	-	28	16	9	2	1	15
4	3	1	-	-	67	15	10	21	21	14	6	8	-	-	107	23	28	34	22	16
188	75	110	1	2	531	156	155	108	112	158	72	80	3	3	1,026	407	400	117	102	17
129	51	75	1	2	374	116	114	75	69	83	33	45	3	2	528	229	213	48	38	18
59	24	35	-	-	157	40	41	33	43	75	39	35	-	1	498	178	187	69	64	19
82	35	44	3	-	394	112	84	106	92	150	86	60	3	1	655	266	210	101	78	20
2	1	1	-	-	14	4	2	4	4	7	4	3	-	-	12	6	2	2	2	21
3	1	2	-	-	11	4	2	2	3	8	4	4	-	-	89	19	18	27	25	22
24	9	15	-	-	42	20	13	3	6	32	22	9	1	-	82	36	36	5	5	23
53	24	26	3	-	327	84	67	97	79	103	56	44	2	1	472	205	154	67	46	24
381	136	230	5	10	1,468	241	333	413	481	174	71	100	2	1	1,643	517	593	246	287	25
70	22	47	1	-	375	66	68	118	123	61	25	36	-	-	371	142	142	35	52	26
311	114	183	4	10	1,093	175	265	295	358	113	46	64	2	1	1,272	375	451	211	235	27
89	38	48	1	2	189	36	31	63	59	43	22	21	-	-	323	118	98	52	55	28
50	25	25	-	-	49	17	11	11	10	20	10	10	-	-	128	51	38	18	21	29
39	13	23	1	2	140	19	20	52	49	23	12	11	-	-	195	67	60	34	34	30
218	115	101	2	-	446	137	136	87	86	167	89	76	1	1	829	337	323	81	88	31
174	83	89	2	-	344	83	114	76	71	150	78	70	1	1	642	239	275	59	69	32
32	24	8	-	-	69	39	14	10	6	10	6	4	-	-	126	72	28	16	10	33
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	4	2	1	1	-	34
12	8	4	-	-	32	15	8	-	9	6	4	2	-	-	57	24	19	5	9	35
42	25	16	-	1	69	25	19	10	15	27	17	9	1	-	191	85	59	23	24	36
412	253	149	4	6	1,077	299	196	312	270	309	187	90	16	16	1,799	748	568	273	210	37
8	6	2	-	-	26	6	3	5	12	7	1	3	2	1	16	9	3	1	3	38
11	8	3	-	-	105	19	16	33	37	15	9	4	-	2	225	69	68	45	43	39
265	149	112	-	4	735	165	134	233	203	205	107	73	13	12	1,131	428	379	184	140	40
35	19	16	-	-	164	31	28	62	43	32	20	11	1	-	238	86	76	42	34	41
190	104	82	-	4	329	75	67	98	89	76	43	25	5	3	645	244	218	105	78	42
16	11	5	-	-	73	19	14	21	19	18	13	5	-	-	54	29	16	6	3	43
24	15	9	-	-	169	40	25	52	52	79	31	32	7	9	194	69	69	31	25	44
7	3	4	-	-	19	4	2	6	7	2	-	2	-	-	12	4	7	-	1	45
29	24	4	1	-	18	8	3	7	-	5	5	-	-	-	51	24	10	11	6	46
2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	47
2	1	1	-	-	5	2	2	1	-	3	3	-	-	-	16	6	6	4	-	48
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	1	1	2	1	49
32	27	4	1	-	71	61	8	2	-	27	27	-	-	-	109	81	15	11	2	50
56	33	19	2	2	96	33	28	24	11	45	35	8	1	1	231	124	78	15	14	51
389	236	145	5	3	619	219	155	120	125	216	115	75	12	14	981	483	300	101	97	52
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	53
31	22	8	1	-	52	31	9	9	3	18	13	5	-	-	93	57	20	11	5	54
45	33	12	-	-	31	18	9	3	1	11	8	3	-	-	93	66	20	5	2	55
2	-	2	-	-	8	3	2	2	1	1	1	-	-	-	10	4	2	2	2	56
9	4	4	-	1	21	8	3	5	5	9	4	4	1	-	32	13	6	7	6	57
46	24	21	1	-	90	27	31	14	18	44	19	22	2	1	147	58	56	18	15	58
11	7	3	-	1	138	18	17	45	58	22	4	7	6	5	95	33	28	22	12	59
17	7	10	-	-	23	7	8	1	7	11	7	2	1	1	24	12	11	-	1	60
129	87	40	2	-	86	47	20	11	8	32	23	6	2	1	207	118	49	15	25	61
79	53	25	1	-	68	41	12	8	7	28	19	6	2	1	171	90	44	15	22	62
50	34	15	1	-	18	6	8	3	1	4	4	-	-	-	36	28	5	-	3	63
36	17	19	-	-	30	4	19	2	5	31	15	12	-	4	76	24	41	2	9	64
-	-	-	-	-	5	2	1	2	-	2	2	-	-	-	15	9	6	-	-	65
63	35	26	1	1	134	53	36	26	19	34	18	14	-	2	188	89	60	19	20	66
149	95	50	2	2	500	150	85	143	122	88	55	25	5	3	676	287	171	122	96	67
84	49	33	1	1	289	70	36	91	92	36	21	10	3	2	368	143	97	57	71	68
3	1	2	-	-	23	5	3	9	6	4	2	1	1	-	37	16	9	7	5	69
2	1	1	-	-	9	4	-	4	1	4	1	2	1	-	20	8	5	4	3	70
79	47	30	1	1	257	61	33	78	85	28	18	7	1	2	311	119	83	46	63	71
29	20	8	-	1	100	34	28	23	15	18	9	9	-	-	152	50	50	32	20	72
5	2	3	-	-	27	12	12	1	2	5	2	3	-	-	15	6	6	2	1	73
9	3	6	-	-	31	10	5	10	6	5	2	2	-	1	31	14	6	10	1	74
22	21	...	1	...	37	21	...	16	...	20	18	...	2	...	84	65	...	19	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	16	3	4	2	7	4	3	1	-	-	26	9	12	2	3	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	6	...	6	...	-	82	...	52	...	30
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	2	...	2	...	-	5	...	4	...	1
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	2	...	2	...	-	18	...	14	...	4
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	2	...	-	12	...	11	...	1
5	Ectopic pregnancy----------645	-	...	-	...	-	8	...	3	...	5
6	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	4	...	2	...	2
7	Abortion with sepsis----------651	-	...	-	...	-	12	...	2	...	10
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	-	...	-	...	-	23	...	16	...	7
10	XII. Diseases of the skin and cellular tissue----------	19	9	10	-	-	151	48	84	10	9
11	Infections of skin and subcutaneous tissue----------690-698	7	3	4	-	-	57	21	29	5	2
12	Other diseases of skin and subcutaneous tissue----------700-716	12	6	6	-	-	94	27	55	5	7
13	XIII. Diseases of the bones and organs of movement----------	40	18	20	2	-	222	97	112	3	10
14	Arthritis and spondylitis----------720-725	21	7	14	-	-	121	35	77	2	7
15	Muscular rheumatism and rheumatism unspecified----------726,727	1	-	-	1	-	2	1	1	-	-
16	Osteomyelitis and periostitis----------730	2	2	-	-	-	16	11	5	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	-	-	-	-	-	7	3	4	-	-
18	Inborn defect of muscle----------744.1	6	5	1	-	-	41	32	9	-	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	10	4	5	1	-	35	15	16	1	3
20	XIV. Congenital malformations----------	190	106	78	1	5	1,221	577	516	63	65
21	Spina bifida and meningocele----------751	13	8	5	-	-	73	31	37	3	2
22	Congenital hydrocephalus, etc.*----------752,753	17	7	9	-	1	162	68	74	7	13
23	Congenital malformations of circulatory system----------754	87	52	32	1	2	603	291	252	31	29
24	Other congenital malformations----------750,755-759	73	39	32	-	2	383	187	153	22	21
25	XV. Certain diseases of early infancy[2]----------	497	272	198	12	15	4,145	1,962	1,350	470	363
26	XVI. Symptoms, senility, and ill-defined conditions----------	173	92	74	3	4	793	431	247	72	43
27	Senility without mention of psychosis----------794	50	16	32	-	2	113	48	55	7	3
28	Symptoms, ill-defined, and unknown causes----------780-793,795	123	76	42	3	2	680	383	192	65	40
29	XVII. Accidents, poisonings, and violence----------	1,366	991	332	27	16	6,541	4,018	1,838	481	204
30	Accidents----------E800-E962	1,112	799	279	22	12	5,150	3,105	1,549	345	151
31	Railway accidents----------E800-E802	6	4	2	-	-	54	40	4	8	2
32	Motor vehicle accidents----------E810-E835	436	310	114	6	6	1,798	1,246	408	110	34
33	Motor vehicle traffic accidents----------E810-E825	413	290	111	6	6	1,765	1,218	405	109	33
34	Motor vehicle traffic accident with railway train*----------E810	13	10	3	-	-	48	35	4	6	3
35	Motor vehicle traffic accident to pedestrian----------E812	60	42	17	-	1	476	317	110	38	11
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	159	100	53	3	3	550	339	163	35	13
37	Motor vehicle noncollision traffic accidents----------E820-E824	124	95	25	2	2	386	308	51	24	3
38	Motor vehicle traffic accident of unspecified nature----------E825	57	43	13	1	-	305	219	77	6	3
39	Motor vehicle nontraffic accidents----------E830-E835	23	20	3	-	-	33	28	3	1	1
40	Other road vehicle accidents----------E840-E845	3	2	1	-	-	19	13	4	2	-
41	Water transport accidents----------E850-E858	53	42	4	5	2	60	49	4	7	-
42	Aircraft accidents----------E860-E866	18	16	2	-	-	31	27	4	-	-
43	Accidental poisoning by solid and liquid substances----------E870-E888	16	8	7	1	-	112	43	26	27	16
44	Accidental poisoning by gases and vapors----------E890-E895	11	9	2	-	-	98	67	18	9	4
45	Accidental falls----------E900-E904	159	78	80	1	-	1,552	697	771	51	33
46	Fall from one level to another----------E900-E902	67	46	20	1	-	600	341	210	31	18
47	Fall on same level----------E903	26	10	16	-	-	293	142	133	13	5
48	Unspecified falls----------E904	66	22	44	-	-	659	214	428	7	10
49	Blow from falling object or projected object or missile----------E910	61	59	1	1	-	84	78	3	3	-
50	Accident caused by machinery----------E912	43	40	2	1	-	90	81	5	4	-
51	Accident caused by electric current----------E914	8	7	1	-	-	43	34	7	2	-
52	Accident caused by fire and explosion of combustible material----E916	48	32	13	3	-	376	177	124	38	37
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	4	2	2	-	-	22	12	7	3	-
54	Accident caused by firearm----------E919	29	27	2	-	-	77	67	5	5	-
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	37	22	12	2	1	106	54	35	10	7
56	Accidental drowning----------E929	97	80	15	1	1	212	157	21	31	3
57	Excessive heat and insolation----------E931	2	2	-	-	-	3	1	1	-	1
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	11	7	4	-	-	103	51	42	4	6
59	All other accidents----------Residual[1]	70	52	15	1	2	310	211	60	31	8
60	Suicide----------E963,E970-E979	215	172	40	2	1	1,113	836	233	34	10
61	Suicide by poisoning----------E970-E973	48	34	14	-	-	207	146	59	-	2
62	Suicide by hanging and strangulation----------E974	23	20	3	-	-	294	212	70	11	1
63	Suicide by firearm and explosive----------E976	122	102	18	2	-	447	384	49	11	3
64	Suicide by all other means----------E963,E975,E977-E979	22	16	5	-	1	165	94	55	12	4
65	Homicide----------E964,E980-E985	38	19	13	3	3	277	76	56	102	43
66	Assault by firearm and explosive----------E981	24	12	9	2	1	109	34	29	36	10
67	Assault by cutting and piercing instruments----------E982	4	3	-	-	1	74	12	8	41	13
68	Assault by other means----------E964,E980,E983	9	3	4	1	1	90	27	19	24	20
69	Injury by intervention of police----------E984	1	1	-	-	-	4	3	-	1	-
70	Execution----------E985	-	-	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	1	1	-	-	-	1	1	-	-	-

*For complete category title, see table 72.
[1]For category numbers, see table 72.
[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	...	5	...	-	43	...	11	...	32	5	...	5	...	-	38	...	18	...	20	1
-	...	-	...	-	6	...	4	...	2	-	...	-	...	-	4	...	3	...	1	2
1	...	1	...	-	13	...	2	...	11	-	...	-	...	-	6	...	3	...	3	3
1	...	1	...	-	8	...	3	...	5	1	...	1	...	-	12	...	5	...	7	4
-	...	-	...	-	4	...	-	...	4	1	...	1	...	-	2	...	-	...	2	5
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	6
1	...	1	...	-	6	...	1	...	5	-	...	-	...	-	2	...	1	...	1	7
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	8
2	...	2	...	-	5	...	1	...	4	3	...	3	...	-	10	...	5	...	5	9
13	6	7	-	-	30	6	6	10	8	12	3	4	3	2	44	15	17	3	9	10
2	2	-	-	-	9	1	2	4	2	6	2	1	2	1	5	1	4	-	-	11
11	4	7	-	-	21	5	4	6	6	6	1	3	1	1	39	14	13	3	9	12
18	4	14	-	-	49	18	14	5	12	12	5	4	-	3	86	30	43	6	7	13
6	-	6	-	-	26	8	9	4	5	8	3	3	-	2	60	17	35	4	4	14
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3	-	1	-	2	15
2	-	2	-	-	3	1	1	-	1	-	-	-	-	-	1	-	-	1	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	17
1	-	1	-	-	12	8	-	1	3	2	1	1	-	-	10	8	1	1	-	18
9	4	5	-	-	7	1	4	-	2	2	1	-	-	1	11	4	6	-	1	19
95	44	43	3	5	254	99	73	43	39	85	41	38	4	2	413	183	154	45	31	20
7	2	5	-	-	24	7	14	3	-	4	1	3	-	-	38	14	19	4	1	21
10	6	4	-	-	33	14	8	4	7	15	5	7	3	-	51	17	18	9	7	22
47	23	20	2	2	112	42	31	20	19	46	28	17	1	2	202	98	71	18	15	23
31	13	14	1	3	85	36	20	16	13	20	9	11	-	-	122	54	46	14	8	24
234	124	85	14	11	1,025	281	199	311	234	251	124	99	20	8	1,452	563	431	241	217	25
24	9	15	-	-	790	129	40	334	287	74	29	32	6	7	1,516	633	383	274	226	26
1	-	1	-	-	23	4	8	8	3	24	8	14	-	2	98	39	52	4	3	27
23	9	14	-	-	767	125	32	326	284	50	21	18	6	5	1,418	594	331	270	223	28
323	191	123	7	2	1,837	778	239	593	227	537	348	135	39	15	2,473	1,421	524	360	168	29
283	164	113	5	1	1,486	610	209	468	199	451	282	118	36	15	1,825	1,038	438	217	132	30
2	2	-	-	-	18	7	-	9	2	1	1	-	-	-	23	11	6	5	1	31
82	56	24	2	-	573	291	67	176	39	221	139	55	22	5	779	514	157	75	33	32
82	56	24	2	-	561	286	66	172	37	217	136	54	22	5	753	499	149	73	32	33
1	1	-	-	-	16	10	2	3	1	6	5	-	1	-	24	16	3	2	3	34
24	16	8	-	-	112	34	15	53	10	18	12	3	3	-	111	58	27	15	11	35
33	19	12	2	-	107	58	16	28	5	99	54	35	9	1	316	205	78	24	9	36
21	18	3	-	-	86	53	6	21	6	63	45	10	6	2	208	156	19	26	7	37
3	2	1	-	-	240	131	27	67	15	31	20	6	3	2	94	64	22	6	2	38
-	-	-	-	-	12	5	1	4	2	4	3	1	-	-	26	15	8	2	1	39
-	-	-	-	-	4	1	-	3	-	1	1	-	-	-	9	7	1	1	-	40
5	4	-	1	-	30	22	-	8	-	2	1	1	-	-	32	25	6	1	-	41
3	3	-	-	-	14	14	-	-	-	10	10	-	-	-	14	12	2	-	-	42
5	4	1	-	-	36	12	5	12	7	3	3	-	-	-	33	14	5	10	4	43
5	4	1	-	-	4	2	-	1	1	2	1	1	-	-	13	9	2	1	1	44
117	51	66	-	-	134	45	65	12	12	75	36	36	-	3	264	101	133	17	13	45
36	19	17	-	-	34	19	6	8	1	21	14	7	-	-	73	41	19	9	4	46
53	19	34	-	-	9	4	5	-	-	10	4	6	-	-	47	15	26	5	1	47
28	13	15	-	-	91	22	54	4	11	44	18	23	-	3	144	45	88	3	8	48
2	2	-	-	-	18	10	-	8	-	4	4	-	-	-	41	29	5	6	1	49
1	1	-	-	-	18	10	-	8	-	27	24	3	-	-	36	29	2	5	-	50
3	3	-	-	-	9	8	-	1	-	7	5	2	-	-	28	25	1	2	-	51
15	6	7	1	1	207	33	31	70	73	16	7	4	2	3	202	60	66	37	39	52
2	1	1	-	-	8	2	2	2	2	-	-	-	-	-	4	2	1	-	1	53
-	-	-	-	-	84	47	4	27	6	20	17	2	1	-	65	46	7	9	3	54
6	5	1	-	-	44	11	7	13	13	12	4	4	1	3	43	22	11	4	6	55
14	10	4	-	-	122	48	7	61	6	18	10	5	3	-	89	64	9	15	1	56
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	1	-	1	-	57
3	3	-	-	-	21	7	8	1	5	4	4	-	-	-	11	5	2	2	2	58
18	9	8	1	-	141	40	13	56	32	28	15	5	7	1	137	62	22	26	27	59
33	23	9	1	-	164	124	22	16	2	80	64	14	2	-	363	290	57	11	5	60
11	8	3	-	-	13	9	4	-	-	7	6	1	-	-	47	26	18	1	2	61
10	6	4	-	-	15	11	1	2	1	19	16	2	1	-	53	46	5	2	-	62
8	7	1	-	-	112	88	13	10	1	52	41	10	1	-	245	210	26	7	2	63
4	2	1	1	-	24	16	4	4	-	2	1	1	-	-	18	8	8	1	1	64
7	4	1	1	1	185	43	8	108	26	6	2	3	1	-	285	93	29	132	31	65
3	3	-	-	-	116	28	7	68	13	3	1	2	-	-	170	64	21	71	14	66
1	-	-	1	-	39	7	-	26	6	-	-	-	-	-	61	10	2	42	7	67
2	-	1	-	1	27	7	1	12	7	3	1	1	1	-	48	16	6	16	10	68
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	6	3	-	3	-	69
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	73,351	36,244	25,172	6,637	5,298	5,842	3,278	2,429	89	46
2	I. Infective and parasitic diseases	1,599	811	453	217	118	74	45	20	6	3
3	Tuberculosis, all forms---001-019	724	416	194	75	39	21	16	3	2	-
4	Tuberculosis of respiratory system---001-008	673	392	179	71	31	19	15	3	1	-
5	Tuberculosis of meninges and central nervous system---010	24	9	9	3	3	2	1	-	1	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	2	-	2	-	-	-	-	-	-	-
7	Tuberculosis of bones and joints---012,013	3	3	-	-	-	-	-	-	-	-
8	Tuberculosis of other organs and systems---014-018	12	8	3	1	-	-	-	-	-	-
9	Disseminated tuberculosis---019	10	4	1	-	5	-	-	-	-	-
10	Syphilis and its sequelae---020-029	216	103	33	63	17	10	7	2	1	-
11	Congenital syphilis---020	3	-	1	2	-	-	-	-	-	-
12	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta---022	110	67	15	18	10	7	6	-	1	-
14	Other cardiovascular syphilis---023	67	22	7	33	5	1	1	-	-	-
15	Tabes dorsalis---024	2	2	-	-	-	-	-	-	-	-
16	General paralysis of insane---025	12	4	5	2	1	-	-	-	-	-
17	Other syphilis of central nervous system---026	21	8	4	8	1	1	-	1	-	-
18	All other syphilis---027-029	1	-	1	-	-	1	-	1	-	-
19	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
20	Typhoid fever---040	4	2	1	1	-	-	-	-	-	-
21	Paratyphoid fever and other Salmonella infections---041,042	9	5	1	2	1	1	1	-	-	-
22	Cholera---043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)---044	2	-	-	2	-	-	-	-	-	-
24	Dysentery, all forms---045-048	120	58	40	14	8	-	-	-	-	-
25	Food poisoning (infection and intoxication)---049	12	5	5	2	-	-	-	-	-	-
26	Scarlet fever---050	2	2	-	-	-	-	-	-	-	-
27	Streptococcal sore throat---051	10	5	3	-	2	2	1	-	-	1
28	Erysipelas---052	2	1	1	-	-	-	-	-	-	-
29	Septicemia and pyemia---053	103	38	36	14	15	9	6	1	2	-
30	Diphtheria---055	8	4	4	-	-	-	-	-	-	-
31	Whooping cough---056	24	9	4	6	5	-	-	-	-	-
32	Meningococcal infections---057	29	18	10	-	1	2	-	2	-	-
33	Plague---058	-	-	-	-	-	-	-	-	-	-
34	Leprosy---060	2	2	-	-	-	-	-	-	-	-
35	Tetanus---061	58	20	14	15	9	-	-	-	-	-
36	Anthrax---062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis---080	20	9	9	2	-	-	-	-	-	-
38	Late effects of acute poliomyelitis---081	13	4	8	-	1	2	1	1	-	-
39	Acute infectious encephalitis---082	36	20	8	3	5	10	4	5	-	1
40	Late effects of acute infectious encephalitis---083	6	3	3	-	-	-	-	-	-	-
41	Smallpox---084	-	-	-	-	-	-	-	-	-	-
42	Measles---085	52	22	23	4	3	2	1	-	-	1
43	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis---092	56	25	26	2	3	5	2	3	-	-
45	Rabies---094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases---100-103,105-108	2	2	-	-	-	-	-	-	-	-
48	Malaria---110-117	1	-	-	1	-	-	-	-	-	-
49	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
50	Hydatid disease---125	1	1	-	-	-	-	-	-	-	-
51	Filariasis---127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis---129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	-	-	-	-	-
54	All other infective and parasitic diseases---Residual[1]	87	37	30	11	9	10	6	3	1	-
55	II. Neoplasms	10,665	4,975	4,369	714	607	795	403	378	11	3
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	10,462	4,907	4,291	701	583	773	397	362	11	3
57	Malignant neoplasm of buccal cavity and pharynx---140-148	262	180	58	15	9	17	12	5	-	-
58	Of lip---140	17	16	1	-	-	1	1	-	-	-
59	Of tongue---141	49	33	13	2	1	6	3	3	-	-
60	Of other and unspecified parts of buccal cavity---142-144	88	55	27	3	3	9	7	2	-	-
61	Of pharynx---145-148	108	76	17	10	5	1	1	-	-	-
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	3,217	1,457	1,323	252	185	246	117	120	8	1
63	Of esophagus---150	198	114	47	29	8	2	2	-	-	-
64	Of stomach---151	787	384	265	88	50	71	40	26	4	1
65	Of small intestine, including duodenum---152	27	15	9	1	2	2	1	1	-	-
66	Of large intestine, except rectum---153	878	330	459	38	51	59	24	33	2	-
67	Cecum, appendix, and ascending colon---153.0	98	38	54	4	2	9	4	5	-	-
68	Transverse colon, including hepatic and splenic flexures---153.1	31	10	20	-	1	5	3	1	1	-
69	Descending colon---153.2	27	12	13	1	1	1	-	1	-	-
70	Sigmoid colon---153.3	153	50	90	7	6	13	4	9	-	-
71	Multiple parts of large intestine---153.7	1	-	1	-	-	-	-	-	-	-
72	Large intestine (including colon), part unspecified---153.8	511	197	261	17	36	29	11	17	1	-
73	Intestinal tract, part unspecified---153.9	57	23	20	9	5	2	2	-	-	-
74	Of rectum---154	287	137	117	18	15	32	12	18	2	-
75	Of biliary passages and of liver (stated to be primary site)---155	378	156	177	24	21	26	10	16	-	-
76	Liver---155.0	206	100	76	16	14	6	3	3	-	-
77	Other and multiple sites of biliary passages---155.1,155.8	172	56	101	8	7	20	7	13	-	-
78	Of liver not stated whether primary or secondary---156A	66	24	28	6	8	5	1	4	-	-
79	Of pancreas---157	523	274	186	39	24	46	25	21	-	-
80	Of peritoneum and of unspecified digestive organs---158,159	73	23	35	9	6	3	2	1	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,295	2,354	1,929	9	3	33,131	13,906	10,233	5,023	3,969	25,500	14,672	9,994	519	315	17,714	9,916	6,599	723	476	1
43	32	11	-	-	552	193	112	168	79	247	152	69	16	10	302	166	93	31	12	2
29	25	4	-	-	289	104	56	93	36	101	63	21	11	6	163	95	46	17	5	3
28	24	4	-	-	261	100	52	79	30	91	60	19	8	4	149	84	43	17	5	4
-	-	-	-	-	9	1	1	4	3	4	-	2	-	2	6	5	1	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	6
-	-	-	-	-	3	1	2	-	-	1	-	-	1	-	1	-	1	-	-	7
1	1	-	-	-	8	2	1	4	1	4	2	-	2	-	3	2	1	-	-	8
-	-	-	-	-	8	-	-	6	2	1	1	-	-	-	2	2	-	-	-	9
2	2	-	-	-	78	24	4	37	13	50	38	11	-	1	47	29	8	7	3	10
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	28	10	3	13	2	30	23	7	-	-	15	10	3	1	1	13
1	1	-	-	-	23	5	-	12	6	10	6	4	-	-	12	6	3	3	-	14
-	-	-	-	-	3	2	-	1	-	3	3	-	-	-	1	1	-	-	-	15
-	-	-	-	-	14	7	1	5	1	4	3	-	-	1	8	7	1	-	-	16
1	1	-	-	-	9	-	-	5	4	2	2	-	-	-	9	4	1	3	1	17
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	20
-	-	-	-	-	4	2	1	-	1	-	-	-	-	-	1	-	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	10	1	1	5	3	4	2	-	2	-	6	5	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	28
4	-	4	-	-	46	18	12	10	6	37	21	13	1	2	14	5	5	1	3	29
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	1	1	-	30
-	-	-	-	-	9	1	-	5	3	2	1	1	-	-	-	-	-	-	-	31
-	-	-	-	-	27	8	11	4	4	8	5	2	1	-	12	6	6	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	4	-	1	2	1	1	-	1	-	-	4	3	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	1	-	-	11	8	2	1	-	4	2	2	-	-	12	6	4	2	-	37
2	2	-	-	-	3	2	-	1	-	2	2	-	-	-	-	-	-	-	-	38
1	-	1	-	-	11	5	5	1	-	2	1	1	-	-	7	3	4	-	-	39
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	18	5	6	4	3	7	3	4	-	-	12	7	5	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	14	5	4	1	4	12	6	6	-	-	11	5	6	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	-	3	-	-	53
2	1	1	-	-	21	9	8	2	2	14	7	6	-	1	5	-	2	3	-	54
684	346	335	2	1	4,513	1,832	1,683	532	466	4,152	2,213	1,845	59	35	2,513	1,262	1,092	83	76	55
674	346	325	2	1	4,405	1,801	1,638	517	449	4,066	2,177	1,798	58	33	2,455	1,231	1,070	81	73	56
15	13	2	-	-	89	53	21	10	5	79	57	19	3	-	64	42	15	5	2	57
-	-	-	-	-	4	2	1	1	-	8	8	-	-	-	2	2	-	-	-	58
3	3	-	-	-	23	8	8	3	4	17	11	5	1	-	14	10	1	2	1	59
6	5	1	-	-	28	21	5	2	-	18	10	8	-	-	18	9	9	-	-	60
6	5	1	-	-	34	22	7	4	1	36	28	6	2	-	30	21	5	3	1	61
239	121	118	-	-	1,377	548	486	210	133	1,354	732	582	29	11	783	395	345	29	14	62
7	5	2	-	-	81	35	9	35	2	59	39	16	4	-	29	22	7	-	-	63
42	30	12	-	-	307	131	77	67	32	322	201	108	9	4	193	122	59	8	4	64
1	-	1	-	-	8	4	3	1	-	9	6	3	-	-	5	1	4	-	-	65
87	33	54	-	-	413	138	193	32	50	424	203	215	3	3	213	92	114	4	3	66
16	5	11	-	-	54	22	22	3	7	67	34	32	1	-	29	8	21	-	-	67
12	4	8	-	-	25	7	13	2	3	23	10	13	-	-	10	4	6	-	-	68
7	1	6	-	-	12	4	6	2	-	15	9	5	-	1	11	5	5	1	-	69
36	18	18	-	-	73	25	33	7	8	109	54	53	1	1	57	29	26	2	-	70
2	-	2	-	-	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	71
11	5	6	-	-	222	74	104	17	27	177	79	96	1	1	92	35	54	1	2	72
3	-	3	-	-	26	6	14	1	5	31	16	15	-	-	14	11	2	-	1	73
35	20	15	-	-	128	52	49	17	10	165	86	74	3	2	79	41	34	4	-	74
10	4	6	-	-	83	34	40	6	3	94	37	55	2	-	69	19	44	4	2	75
3	1	2	-	-	29	16	8	4	1	21	12	8	1	-	17	8	7	2	-	76
7	3	4	-	-	54	18	32	2	2	73	25	47	1	-	52	11	37	2	2	77
12	6	6	-	-	92	33	36	14	9	54	30	24	-	-	72	31	38	2	1	78
43	23	20	-	-	238	111	69	36	22	203	119	74	8	2	109	63	37	6	3	79
2	-	2	-	-	27	10	10	2	5	24	11	13	-	-	14	4	8	1	1	80

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary—160-164	1,676	1,279	214	155	28	81	70	9	2	-
2	Of larynx—161	86	72	7	7	-	6	5	1	-	-
3	Of bronchus and trachea, and of lung specified as primary—162	1,401	1,076	180	123	22	57	50	6	1	-
4	Of lung, unspecified as to whether primary or secondary—163	133	90	20	18	5	17	15	1	1	-
5	Of other parts of respiratory system—160,164	56	41	7	7	1	1	-	1	-	-
6	Malignant neoplasm of breast—170	858	8	776	-	74	72	-	71	-	1
7	Malignant neoplasm of genital organs—171-179	1,689	522	871	141	155	130	67	63	-	-
8	Of cervix uteri—171	417	...	357	...	60	18	...	18	...	-
9	Of other and unspecified parts of uterus—172-174	261	...	199	...	62	15	...	15	...	-
10	Of ovary, fallopian tube, and broad ligament—175	322	...	292	...	30	28	...	28	...	-
11	Of other and unspecified female genital organs—176	26	...	23	...	3	2	...	2	...	-
12	Of prostate—177	620	486	...	134	...	64	64	...	-	...
13	Of testis, and of other and unspecified male genital organs—178,179	43	36	...	7	...	3	3	...	-	...
14	Malignant neoplasm of urinary organs—180,181	513	287	170	32	24	37	27	10	-	-
15	Of kidney—180	247	142	85	11	9	14	11	3	-	-
16	Of bladder and other urinary organs—181	266	145	85	21	15	23	16	7	-	-
17	Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,155	598	445	52	60	107	52	54	1	-
18	Of skin—190,191	256	147	99	5	5	11	5	6	-	-
19	Of eye—192	19	11	7	1	-	1	-	1	-	-
20	Of brain and other parts of nervous system—193	286	162	105	12	7	34	19	14	1	-
21	Of thyroid gland—194	43	15	24	-	4	2	-	2	-	-
22	Of bone—196	85	45	26	7	7	6	4	2	-	-
23	Of connective tissue—197	43	25	14	2	2	-	-	-	-	-
24	Of other specified sites, not stated to be secondary—195,199A	81	50	28	1	2	6	2	4	-	-
25	Of unspecified sites—156B,165,198,199B	342	143	142	24	33	47	22	25	-	-
26	Leukemia and aleukemia—204	576	300	223	26	27	45	26	19	-	-
27	Lymphosarcoma, etc.*—200-203,205	536	276	211	28	21	38	26	11	-	1
28	Lymphosarcoma and reticulosarcoma—200	255	122	116	10	7	12	9	3	-	-
29	Hodgkin's disease—201	136	81	47	5	3	8	6	1	-	1
30	Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	145	73	48	13	11	18	11	7	-	-
31	Benign neoplasms and neoplasms of unspecified nature—210-239	183	68	78	13	24	22	6	16	-	-
32	Benign neoplasms of female genital organs—214-217	18	...	11	...	7	-	...	-	...	-
33	Benign neoplasm of brain and other parts of nervous system—223	43	17	21	2	3	7	1	6	-	-
34	Other benign neoplasms—210-213,218-222,224-229	42	19	19	1	3	4	3	1	-	-
35	Neoplasm of unspecified nature of female genital organs—233-235	2	...	2	...	-	-	...	-	...	-
36	Neoplasm of unspecified nature of brain, etc.*—237	47	19	18	4	6	7	1	6	-	-
37	Other neoplasms of unspecified nature—230-232,236,238,239	31	13	7	6	5	4	1	3	-	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases	1,548	611	677	109	151	137	63	70	2	2
39	Asthma—241	255	148	62	23	22	21	14	7	-	-
40	Nontoxic goiter—250,251	4	-	3	-	1	1	-	1	-	-
41	Thyrotoxicosis with or without goiter—252	25	4	12	1	8	5	1	4	-	-
42	Myxedema, cretinism, and other diseases of thyroid gland—253,254	7	3	4	-	-	1	-	1	-	-
43	Diabetes mellitus—260	1,031	370	493	64	104	94	37	53	2	2
44	Diseases of thymus gland—273	10	2	7	-	1	-	-	-	-	-
45	Diseases of adrenal glands—274	16	7	6	2	1	4	4	-	-	-
46	Pellagra—281	9	2	5	2	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states—280,282-286	142	53	66	13	10	3	2	1	-	-
48	All other allergic, endocrine, and metabolic diseases—Residual[1]	49	22	19	4	4	8	5	3	-	-
49	IV. Diseases of the blood and blood-forming organs	242	100	97	25	20	27	14	13	-	-
50	Anemias—290-293	142	52	52	21	17	17	7	10	-	-
51	Pernicious and other hyperchromic anemias—290	13	5	6	2	-	9	3	6	-	-
52	Anemias of other and unspecified type—291-293	129	47	46	19	17	8	4	4	-	-
53	Purpura and other hemorrhagic conditions—296	43	22	18	2	1	2	2	-	-	-
54	Other diseases of blood and blood-forming organs—294,295,297-299	57	26	27	2	2	8	5	3	-	-
55	V. Mental, psychoneurotic, and personality disorders	157	98	38	13	8	21	13	4	4	-
56	Senile psychosis—304	24	8	14	1	1	2	2	-	-	-
57	Alcoholic psychosis—307	6	3	1	-	-	1	1	-	-	-
58	Other psychoses—300-303,305,306,308,309	12	5	3	3	1	4	2	2	-	-
59	Alcoholism—322	96	72	12	7	5	12	8	-	4	-
60	Mental deficiency—325	13	6	6	1	-	1	-	1	-	-
61	Psychoneuroses and other disorders of personality—310-321,323,324,326	6	2	2	1	1	1	-	1	-	-
62	VI. Diseases of the nervous system and sense organs	9,387	3,835	3,832	821	899	646	302	331	7	6
63	Vascular lesions affecting central nervous system—330-334	8,617	3,479	3,557	744	837	578	262	303	7	6
64	Subarachnoid hemorrhage—330	306	113	126	37	30	21	7	14	-	-
65	Cerebral hemorrhage—331	5,529	2,232	2,241	482	574	319	142	169	4	4
66	Cerebral embolism and thrombosis—332	1,825	783	813	124	105	180	88	88	3	1
67	Other vascular lesions affecting central nervous system—333,334	957	351	377	101	128	58	25	32	-	1
68	Meningitis, except meningococcal and tuberculous—340	138	53	46	17	22	6	5	1	-	-
69	Multiple sclerosis—345	36	15	19	1	1	4	-	4	-	-
70	Paralysis agitans—350	109	58	46	5	-	19	11	8	-	-
71	Cerebral spastic infantile paralysis—351	53	30	15	6	2	3	1	2	-	-
72	Epilepsy—353	105	50	32	18	5	12	6	6	-	-
73	Inflammatory diseases of eye—370-379	-	-	-	-	-	-	-	-	-	-
74	Cataract—385	-	-	-	-	-	-	-	-	-	-
75	Glaucoma—387	-	-	-	-	-	-	-	-	-	-
76	Otitis media and mastoiditis—391-393	15	7	5	1	2	-	-	-	-	-
77	Other diseases of nervous system and sense organs—Residual[1]	314	143	112	29	30	24	17	7	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
89	73	15	1	-	633	446	83	86	18	598	509	76	9	4	370	287	62	19	2	1
4	2	2	-	-	36	29	3	2	2	35	29	6	-	-	13	8	3	2	-	2
35	30	5	-	-	207	155	23	27	2	284	250	27	5	2	118	97	18	3	-	3
48	39	8	1	-	379	254	55	56	14	261	215	41	3	2	228	176	36	14	2	4
2	2	-	-	-	11	8	2	1	-	18	15	2	1	-	11	6	5	-	-	5
60	-	60	-	-	389	3	322	1	63	377	3	370	1	3	188	4	170	-	14	6
117	49	66	1	1	693	176	292	92	133	619	286	318	4	11	372	142	198	10	22	7
21	...	20	...	1	178	...	112	...	66	103	...	96	...	7	103	...	91	...	12	8
16	...	16	...	-	118	...	71	...	47	85	...	83	...	2	54	...	47	...	7	9
27	...	27	...	-	109	...	96	...	13	130	...	129	...	1	49	...	47	...	2	10
3	...	3	...	-	20	...	13	...	7	11	...	10	...	1	14	...	13	...	1	11
48	47	...	1	...	246	160	...	86	...	268	264	...	4	...	141	131	...	10	...	12
2	2	...	-	...	22	16	...	6	...	22	22	...	-	...	11	11	...	-	...	13
35	24	11	-	-	212	125	62	14	11	182	119	59	3	1	110	56	47	4	3	14
14	10	4	-	-	77	41	27	4	5	75	41	31	3	-	47	20	25	2	-	15
21	14	7	-	-	135	84	35	10	6	107	78	28	-	1	63	36	22	2	3	16
59	30	29	-	-	606	253	242	62	49	438	218	214	4	2	329	161	149	5	14	17
8	2	6	-	-	83	38	39	2	4	58	35	23	-	-	41	21	19	1	-	18
-	-	-	-	-	6	4	2	-	-	3	-	3	-	-	2	1	1	-	-	19
12	5	7	-	-	102	53	34	8	7	83	49	33	-	1	46	27	19	-	-	20
-	-	-	-	-	7	1	4	1	1	15	6	9	-	-	11	1	9	-	1	21
6	6	-	-	-	38	18	12	6	2	27	16	11	-	-	21	13	8	-	-	22
1	1	-	-	-	21	7	9	3	2	12	3	9	-	-	8	4	3	-	1	23
1	1	-	-	-	19	8	4	6	1	19	11	8	-	-	11	7	4	-	-	24
31	15	16	-	-	330	124	138	36	32	221	98	118	4	1	189	87	88	4	12	25
26	15	11	-	-	193	92	61	20	20	209	129	78	2	-	117	68	47	1	1	26
34	21	13	-	-	213	105	69	22	17	210	124	82	3	1	122	76	37	8	1	27
14	8	6	-	-	95	50	31	7	7	89	52	37	-	-	52	32	17	3	-	28
10	6	4	-	-	56	28	18	7	3	55	35	18	1	1	30	17	12	1	-	29
10	7	3	-	-	62	27	20	8	7	66	37	27	2	-	40	27	8	4	1	30
10	-	10	-	-	108	31	45	15	17	86	36	47	1	2	58	31	22	2	3	31
1	...	1	...	-	10	...	4	...	6	5	...	5	...	-	5	...	3	...	2	32
1	-	1	-	-	12	4	4	1	3	10	4	6	-	-	5	3	2	-	-	33
2	-	2	-	-	22	9	9	3	1	18	8	10	-	-	13	6	6	1	-	34
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
3	-	3	-	-	54	17	22	9	6	37	18	19	-	-	23	14	8	1	-	36
3	-	3	-	-	10	1	6	2	1	16	6	7	1	2	12	8	3	-	1	37
70	29	41	-	-	659	188	258	76	137	526	227	286	4	9	381	153	203	8	17	38
14	8	6	-	-	115	48	28	27	12	81	46	32	2	1	50	31	18	1	-	39
1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	40
1	-	1	-	-	23	2	19	-	2	7	1	5	-	1	8	-	8	-	-	41
2	-	2	-	-	4	1	-	-	3	7	1	6	-	-	2	-	2	-	-	42
49	20	29	-	-	436	120	183	36	97	372	154	211	2	5	280	101	158	5	16	43
-	-	-	-	-	1	-	-	-	1	8	3	5	-	-	2	1	-	1	-	44
1	1	-	-	-	5	3	-	1	1	6	4	2	-	-	5	2	2	1	-	45
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	46
1	-	1	-	-	44	7	12	9	16	32	14	16	-	2	23	15	7	-	1	47
1	-	1	-	-	28	7	13	3	5	13	4	9	-	-	9	3	6	-	-	48
12	3	9	-	-	97	39	34	10	14	69	33	32	3	1	66	34	25	5	2	49
4	-	4	-	-	65	26	20	7	12	43	21	20	1	1	49	25	19	3	2	50
-	-	-	-	-	5	2	2	1	-	13	4	8	-	1	13	6	7	-	-	51
4	-	4	-	-	60	24	18	6	12	30	17	12	1	-	36	19	12	3	2	52
3	1	2	-	-	8	3	3	2	-	8	4	3	1	-	5	1	4	-	-	53
5	2	3	-	-	24	10	11	1	2	18	8	9	1	-	12	8	2	2	-	54
4	3	1	-	-	194	82	35	54	23	115	80	22	8	5	64	46	12	5	1	55
1	-	1	-	-	10	3	5	-	2	10	6	4	-	-	4	2	2	-	-	56
1	1	-	-	-	13	9	2	2	-	5	5	-	-	-	4	3	-	1	-	57
1	1	-	-	-	15	5	6	2	2	9	4	5	-	-	9	8	-	1	-	58
1	1	-	-	-	142	56	18	49	19	83	60	11	7	5	39	29	6	3	1	59
-	-	-	-	-	7	4	2	1	-	4	2	1	1	-	6	4	2	-	-	60
-	-	-	-	-	7	5	2	-	-	4	3	1	-	-	2	-	2	-	-	61
600	274	326	-	-	4,533	1,499	1,691	690	653	3,480	1,719	1,681	42	38	2,290	1,135	995	89	71	62
553	249	304	-	-	4,241	1,388	1,601	633	619	3,229	1,576	1,585	37	31	2,126	1,044	933	83	66	63
20	4	16	-	-	182	51	82	22	27	128	55	64	3	6	68	22	42	1	3	64
294	148	146	-	-	2,602	827	948	412	415	1,955	938	977	25	15	1,356	644	604	63	45	65
178	68	110	-	-	1,089	396	421	142	130	916	477	423	7	9	489	268	191	15	15	66
61	29	32	-	-	368	114	150	57	47	230	106	121	2	1	213	110	96	4	3	67
7	4	3	-	-	59	11	20	15	13	24	15	7	2	-	21	11	8	-	2	68
7	3	4	-	-	25	11	9	2	3	29	20	9	-	-	10	3	5	-	2	69
12	6	6	-	-	28	10	15	2	1	72	42	29	-	1	30	17	13	-	-	70
1	-	1	-	-	9	7	1	-	1	15	11	3	-	1	11	9	2	-	-	71
10	6	4	-	-	59	18	13	20	8	27	14	11	1	1	34	18	12	4	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
3	3	-	-	-	10	4	5	1	-	12	5	4	-	3	1	1	-	-	-	76
7	3	4	-	-	102	50	27	17	8	72	36	33	2	1	57	32	22	2	1	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	26,911	14,327	8,810	2,031	1,743	2,138	1,240	875	15	8
2	Diseases of heart--400-402,410-443	24,474	13,175	7,906	1,832	1,561	1,959	1,141	796	14	8
3	Rheumatic fever--400-402	42	14	18	6	4	5	2	3	-	-
4	Chronic rheumatic heart disease--410-416	425	181	196	19	29	123	54	69	-	-
5	Diseases of mitral valve--410	176	70	93	5	8	32	16	16	-	-
6	Diseases of aortic valve specified as rheumatic--411	34	21	11	1	1	18	13	5	-	-
7	Diseases of pulmonary valve, etc.*--413,414	24	14	7	2	1	11	9	2	-	-
8	Other diseases of heart specified as rheumatic--412,415,416	191	76	85	11	19	62	16	46	-	-
9	Arteriosclerotic heart disease, including coronary disease--420	17,324	10,221	5,242	1,054	807	1,309	846	454	6	3
10	Arteriosclerotic heart disease so described--420.0	4,653	2,406	1,729	295	223	516	278	233	3	2
11	Heart disease specified as involving coronary arteries--420.1	12,644	7,801	3,503	757	583	793	568	221	3	1
12	Angina pectoris without mention of coronary disease--420.2	27	14	10	2	1	-	-	-	-	-
13	Chronic endocarditis not specified as rheumatic--421	148	63	46	26	13	18	9	9	-	-
14	Of mitral valve, specified as nonrheumatic--421.0	11	4	6	-	1	1	-	1	-	-
15	Of aortic valve, not specified as rheumatic--421.1	63	29	12	17	5	7	6	1	-	-
16	Of other valves, not specified as rheumatic--421.2-421.4	74	30	28	9	7	10	3	7	-	-
17	Other myocardial degeneration--422	1,768	744	782	126	116	208	106	98	3	1
18	With arteriosclerosis--422.1	991	429	439	68	55	144	74	68	2	-
19	Without mention of arteriosclerosis--422.0,422.2	777	315	343	58	61	64	32	30	1	1
20	Other diseases of heart--430-434	2,107	1,057	610	263	177	91	45	44	1	1
21	Acute and subacute endocarditis--430	39	26	6	2	5	4	2	2	-	-
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic-431,432	63	24	22	10	7	7	5	2	-	-
23	Functional disease of heart--433	265	121	103	23	18	20	6	14	-	-
24	Other and unspecified diseases of heart--434	1,740	886	479	228	147	60	32	26	1	1
25	Hypertensive heart disease--440-443	2,660	895	1,012	338	415	205	79	119	4	3
26	Hypertensive heart disease with arteriolar nephrosclerosis--442	530	197	201	59	73	58	25	29	3	1
27	Other hypertensive heart disease--440,441,443	2,130	698	811	279	342	147	54	90	1	2
28	Other hypertensive disease--444-447	561	215	185	76	85	21	13	8	-	-
29	Hypertension with arteriolar nephrosclerosis--446	210	101	70	22	17	8	6	2	-	-
30	Essential hypertension, other hypertensive disease, etc.*-444,445,447	351	114	115	54	68	13	7	6	-	-
31	Diseases of arteries--450-456	1,531	758	611	98	64	123	70	52	1	-
32	General arteriosclerosis--450	1,130	527	490	68	45	86	41	45	-	-
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm--451	255	171	60	16	8	24	20	3	1	-
34	Gangrene of unspecified cause--455	14	3	7	3	1	1	1	-	-	-
35	Other arterial diseases--452-454,456	132	57	54	11	10	12	8	4	-	-
36	Diseases of veins and other diseases of circulatory system--460-468	345	179	108	25	33	35	16	19	-	-
37	VIII. Diseases of the respiratory system	4,188	2,001	1,377	463	347	311	185	116	5	5
38	Acute upper respiratory infections--470-475	47	22	18	3	4	3	-	3	-	-
39	Influenza--480-483	411	170	137	57	47	18	8	10	-	-
40	Pneumonia, except pneumonia of newborn--490-493	2,603	1,121	925	315	242	184	88	87	4	5
41	Lobar pneumonia--490	457	207	168	42	40	40	21	18	1	-
42	Bronchopneumonia--491	1,215	542	416	147	110	98	44	49	3	2
43	Primary atypical pneumonia--492	155	54	72	16	13	16	7	9	-	-
44	Pneumonia, other and unspecified--493	776	318	269	110	79	30	16	11	-	3
45	Acute bronchitis--500	38	12	18	4	4	8	2	4	-	-
46	Bronchitis, chronic and unqualified--501,502	121	80	29	7	5	10	8	2	-	-
47	Hypertrophy of tonsils and adenoids--510	9	6	3	-	-	1	1	-	-	-
48	Empyema and abscess of lung--518,521	47	25	7	9	6	2	1	1	-	-
49	Pleurisy--519	3	2	-	1	-	-	-	-	-	-
50	Emphysema without mention of bronchitis--527.1	330	280	32	15	3	40	40	-	-	-
51	Other respiratory diseases--511-517,520,522-527.0,527.2	579	283	208	52	36	47	37	9	1	-
52	IX. Diseases of the digestive system	3,073	1,501	1,097	258	217	248	141	96	7	4
53	Diseases of teeth and supporting structures--530-535	4	1	1	-	2	-	-	-	-	-
54	Ulcer of stomach--540	201	131	40	20	10	31	23	7	1	-
55	Ulcer of duodenum--541	165	118	31	8	8	29	21	8	-	-
56	Gastritis and duodenitis--543	19	7	5	4	3	-	-	-	-	-
57	Appendicitis--550-553	79	39	24	10	6	2	1	1	-	-
58	Hernia and intestinal obstruction--560,561,570	451	170	183	52	46	42	23	18	-	1
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over--571	660	254	271	67	68	13	3	7	2	1
60	Chronic enteritis and ulcerative colitis--572	88	38	44	3	3	11	4	7	-	-
61	Cirrhosis of liver--581	657	392	187	46	32	53	29	21	1	2
62	Without mention of alcoholism--581.0	504	293	157	31	23	23	10	12	-	1
63	With alcoholism--581.1	153	99	30	15	9	30	19	9	1	1
64	Cholelithiasis, cholecystitis, and cholangitis--584,585	161	60	91	1	9	13	4	9	-	-
65	Fibrocystic disease of pancreas--587B	22	10	11	1	-	4	3	1	-	-
66	Other diseases of digestive system--Residual[1]	566	281	209	46	30	50	30	17	3	-
67	X. Diseases of the genitourinary system	1,600	733	484	225	158	98	59	38	-	1
68	Nephritis and nephrosis--590-594	844	351	280	113	100	56	37	18	-	1
69	Acute nephritis--590	79	31	34	8	6	2	-	2	-	-
70	Nephritis with edema, including nephrosis--591	53	28	18	4	3	2	1	1	-	-
71	Chronic and unspecified nephritis and other renal sclerosis--592-594	712	292	228	101	91	52	36	15	-	1
72	Infections of kidney--600	290	104	125	31	30	24	10	14	-	-
73	Calculi of urinary system--602,604	50	22	21	4	3	7	3	4	-	-
74	Other diseases of urinary system--601,603,605-609	116	44	38	27	7	3	2	1	-	-
75	Hyperplasia of prostate--610	222	172	...	50	...	5	5	...	-	...
76	Diseases of breast--620,621	-	-	-	-	-	-	-	-	-	-
77	Other diseases of genital organs--611-617,622-637	78	40	20	-	18	3	2	1	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,878	1,049	826	2	1	13,141	6,057	4,054	1,635	1,395	10,560	6,395	3,943	146	76	7,327	4,191	2,699	253	184	1
1,674	956	715	2	1	11,888	5,524	3,665	1,473	1,226	9,658	5,889	3,564	142	63	6,590	3,809	2,403	220	158	2
-	-	-	-	-	12	4	4	2	2	11	6	4	1	-	6	4	2	-	-	3
59	32	27	-	-	306	122	122	30	32	331	146	177	2	6	168	73	89	4	2	4
21	13	8	-	-	107	40	43	12	12	144	66	75	1	2	53	20	30	2	1	5
6	3	3	-	-	29	19	6	4	-	37	30	7	-	-	14	7	6	1	-	6
5	2	3	-	-	19	6	11	-	2	17	5	11	-	1	10	3	7	-	-	7
27	14	13	-	-	151	57	62	14	18	133	45	84	1	3	91	43	46	1	1	8
1,297	764	530	2	1	7,851	4,236	2,301	787	527	7,231	4,763	2,343	88	37	4,521	2,816	1,487	132	86	9
583	302	280	-	1	2,858	1,336	1,051	261	210	2,577	1,373	958	23	23	1,577	840	660	43	34	10
709	460	247	2	-	4,972	2,888	1,244	525	315	4,845	3,386	1,380	65	14	2,934	1,970	823	89	52	11
5	2	3	-	-	21	12	6	1	2	9	4	5	-	-	10	6	4	-	-	12
24	11	13	-	-	99	32	26	24	17	96	58	36	2	-	91	50	38	2	1	13
2	-	2	-	-	8	4	1	2	1	6	1	5	-	-	-	-	-	-	-	14
5	2	3	-	-	31	11	7	5	8	42	31	9	2	-	17	10	5	2	-	15
17	9	8	-	-	60	17	18	17	8	48	26	22	-	-	74	40	33	-	1	16
126	72	54	-	-	1,145	398	447	161	139	577	276	284	10	7	565	286	248	21	10	17
91	51	40	-	-	715	245	296	97	77	382	169	201	9	3	370	184	167	10	9	18
35	21	14	-	-	430	153	151	64	62	195	107	83	1	4	195	102	81	11	1	19
37	23	14	-	-	532	225	154	91	62	427	246	162	15	4	399	226	141	22	10	20
2	1	1	-	-	10	5	3	2	-	11	8	1	1	1	5	3	2	-	-	21
2	2	-	-	-	14	4	5	4	1	13	7	5	1	-	11	7	4	-	-	22
4	2	2	-	-	128	60	42	16	10	101	49	48	3	1	71	41	28	2	-	23
29	18	11	-	-	380	156	104	69	51	302	182	108	10	2	312	175	107	20	10	24
131	54	77	-	-	1,943	507	611	378	447	985	394	558	24	9	840	354	398	39	49	25
37	14	23	-	-	567	151	199	96	121	320	148	168	4	-	251	121	109	9	12	26
94	40	54	-	-	1,376	356	412	282	326	665	246	390	20	9	589	233	289	30	37	27
39	14	25	-	-	294	104	68	58	64	126	62	59	1	4	186	84	75	16	11	28
21	8	13	-	-	132	64	29	17	22	59	31	27	1	-	105	54	39	7	5	29
18	6	12	-	-	162	40	39	41	42	67	31	32	-	4	81	30	36	9	6	30
135	65	70	-	-	791	361	267	79	84	669	384	275	3	7	465	252	187	14	12	31
113	47	66	-	-	564	224	219	60	61	493	258	228	3	4	376	196	161	10	9	32
18	16	2	-	-	159	108	28	12	11	130	101	28	-	1	55	39	13	2	1	33
-	-	-	-	-	9	5	-	1	3	7	6	1	-	-	9	1	6	1	1	34
4	2	2	-	-	59	24	20	6	9	39	19	18	-	2	25	16	7	1	1	35
30	14	16	-	-	168	68	54	25	21	107	60	45	-	2	86	46	34	3	3	36
229	132	96	1	-	1,810	734	476	333	267	1,239	753	413	45	28	923	529	320	52	22	37
2	1	1	-	-	17	6	3	3	5	11	4	6	1	-	11	5	4	2	-	38
10	6	4	-	-	90	22	21	29	18	35	13	21	1	-	68	32	32	4	-	39
146	73	72	1	-	1,163	413	329	232	189	833	474	296	38	25	569	301	222	25	21	40
21	14	7	-	-	194	65	50	51	28	107	58	36	10	3	96	50	36	5	5	41
100	48	52	-	-	636	252	187	111	86	448	259	165	14	10	303	166	114	10	13	42
9	3	6	-	-	80	20	25	16	19	142	84	45	6	7	51	21	26	4	-	43
16	8	7	1	-	253	76	67	54	56	136	73	50	8	5	119	64	46	6	3	44
3	1	2	-	-	28	9	8	5	6	20	11	8	-	1	12	8	4	-	-	45
6	3	3	-	-	62	35	15	7	5	27	21	6	-	-	26	20	5	1	-	46
-	-	-	-	-	4	3	-	1	-	4	2	2	-	-	3	3	-	-	-	47
2	1	1	-	-	20	10	1	5	4	13	7	6	-	-	9	7	1	1	-	48
1	-	1	-	-	3	-	2	1	-	5	4	1	-	-	3	3	-	-	-	49
29	28	1	-	-	139	109	17	13	-	124	109	12	3	-	79	53	15	10	1	50
30	19	11	-	-	284	127	80	37	40	167	108	55	2	2	143	97	37	9	-	51
142	78	64	-	-	1,142	498	348	173	123	949	539	359	26	25	593	333	220	25	15	52
-	-	-	-	-	4	1	1	1	1	1	-	1	-	-	4	3	1	-	-	53
9	7	2	-	-	91	56	17	13	5	96	70	24	1	1	46	35	10	-	1	54
17	15	2	-	-	79	49	15	8	7	75	61	12	2	-	53	42	10	1	-	55
-	-	-	-	-	5	4	-	-	1	5	5	-	-	-	1	1	-	-	-	56
3	3	-	-	-	38	17	7	9	5	37	20	15	1	1	22	12	6	1	3	57
31	15	16	-	-	182	59	58	40	25	125	53	66	5	1	103	45	48	4	6	58
8	4	4	-	-	109	19	29	33	28	41	19	11	4	7	35	17	12	4	2	59
12	7	5	-	-	48	18	19	2	9	46	19	22	1	4	17	10	7	-	-	60
25	14	11	-	-	283	158	78	32	15	257	148	96	7	6	139	82	49	8	-	61
19	11	8	-	-	186	96	56	23	11	177	95	73	4	5	116	66	48	2	-	62
6	3	3	-	-	97	62	22	9	4	80	53	23	3	1	23	16	1	6	-	63
6	-	6	-	-	61	27	31	3	-	65	29	32	2	2	41	18	23	-	-	64
5	1	4	-	-	21	8	11	1	1	10	3	7	-	-	10	5	5	-	-	65
26	12	14	-	-	221	82	82	31	26	191	112	73	3	3	122	63	49	7	3	66
64	47	17	-	-	741	275	185	161	120	365	240	108	14	3	382	220	120	30	12	67
21	15	6	-	-	384	131	97	76	80	148	88	55	6	1	211	111	76	16	8	68
2	1	1	-	-	24	6	6	5	7	13	11	2	-	-	23	9	11	-	3	69
1	1	-	-	-	21	8	5	4	4	13	9	4	-	-	9	6	2	-	1	70
18	13	5	-	-	339	117	86	67	69	122	66	49	6	1	179	96	63	16	4	71
15	7	8	-	-	180	53	66	35	26	83	39	40	2	2	69	35	27	4	3	72
5	3	2	-	-	23	11	6	3	3	16	11	4	1	-	18	6	9	2	1	73
4	3	1	-	-	44	18	11	13	2	23	18	4	1	-	17	12	3	2	-	74
18	18	...	-	...	89	59	...	30	...	80	76	...	4	...	54	49	...	5	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
1	1	-	-	-	21	3	5	4	9	15	10	5	-	-	13	7	5	1	-	77

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	119	...	77	...	42	8	...	7	...	1
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	13	...	11	...	2	1	...	1	...	-
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	34	...	22	...	12	2	...	2	...	-
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	26	...	16	...	10	-	...	-	...	-
5	Ectopic pregnancy----------645	5	...	2	...	3	-	...	-	...	-
6	Abortion without mention of sepsis or toxemia----------650	8	...	6	...	2	-	...	-	...	-
7	Abortion with sepsis----------651	14	...	8	...	6	1	...	1	...	-
8	Abortion with toxemia, without mention of sepsis----------652	1	...	-	...	1	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	18	...	12	....	6	4	...	3	...	1
10	XII. Diseases of the skin and cellular tissue----------	83	25	38	5	15	4	2	2	-	-
11	Infections of skin and subcutaneous tissue----------690-698	21	13	5	-	3	1	1	-	-	-
12	Other diseases of skin and subcutaneous tissue----------700-716	62	12	33	5	12	3	1	2	-	-
13	XIII. Diseases of the bones and organs of movement----------	148	59	71	9	9	26	13	12	1	-
14	Arthritis and spondylitis----------720-725	81	24	46	4	7	17	6	11	-	-
15	Muscular rheumatism and rheumatism unspecified----------726,727	-	-	-	-	-	-	-	-	-	-
16	Osteomyelitis and periostitis----------730	5	3	2	-	-	1	1	-	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	7	3	4	-	-	1	1	-	-	-
18	Inborn defect of muscle----------744.1	30	18	8	4	-	7	5	1	1	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	25	11	11	1	2	-	-	-	-	-
20	XIV. Congenital malformations----------	1,155	538	458	90	69	137	65	69	-	3
21	Spina bifida and meningocele----------751	68	31	30	6	1	10	2	8	-	-
22	Congenital hydrocephalus, etc.*----------752,753	116	54	47	11	4	12	4	7	-	1
23	Congenital malformations of circulatory system----------754	585	268	234	38	45	75	35	39	-	1
24	Other congenital malformations----------750,755-759	386	185	147	35	19	40	24	15	-	1
25	XV. Certain diseases of early infancy[2]----------	4,356	1,920	1,390	579	467	346	187	150	7	2
26	XVI. Symptoms, senility, and ill-defined conditions----------	1,301	601	389	184	127	258	148	100	6	4
27	Senility without mention of psychosis----------794	370	130	166	34	40	43	14	29	-	-
28	Symptoms, ill-defined, and unknown causes----------780-793,795	931	471	223	150	87	215	134	71	6	4
29	XVII. Accidents, poisonings, and violence----------	6,819	4,109	1,515	894	301	568	398	148	18	4
30	Accidents----------E800-E962	5,230	3,167	1,264	571	228	495	344	132	15	4
31	Railway accidents----------E800-E802	61	37	5	17	2	7	4	2	1	-
32	Motor vehicle accidents----------E810-E835	2,469	1,598	565	247	59	200	142	49	7	2
33	Motor vehicle traffic accidents----------E810-E825	2,398	1,556	540	245	57	191	135	47	7	2
34	Motor vehicle traffic accident with railway train*----------E810	86	66	16	4	-	2	2	-	-	-
35	Motor vehicle traffic accident to pedestrian----------E812	342	204	80	46	12	36	29	5	1	1
36	Other motor vehicle traffic accidents, etc.*-------E811,E813-E819	1,320	828	331	122	39	68	44	22	2	-
37	Motor vehicle noncollision traffic accidents----------E820-E824	590	419	100	66	5	67	48	16	3	-
38	Motor vehicle traffic accident of unspecified nature---------E825	60	39	13	7	1	18	12	4	1	1
39	Motor vehicle nontraffic accidents----------E830-E835	71	42	25	2	2	9	7	2	-	-
40	Other road vehicle accidents----------E840-E845	20	16	3	1	-	4	3	1	-	-
41	Water transport accidents----------E850-E858	96	78	7	10	1	3	3	-	-	-
42	Aircraft accidents----------E860-E866	80	77	2	1	-	24	21	2	1	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	83	38	26	14	5	5	5	-	-	-
44	Accidental poisoning by gases and vapors----------E890-E895	57	35	13	8	1	-	-	-	-	-
45	Accidental falls----------E900-E904	622	267	309	24	22	73	36	36	1	-
46	Fall from one level to another----------E900-E902	183	106	52	16	9	28	19	8	1	-
47	Fall on same level----------E903	118	51	64	1	2	21	6	15	-	-
48	Unspecified falls----------E904	321	110	193	7	11	24	11	13	-	-
49	Blow from falling object or projected object or missile---------E910	75	59	4	12	-	11	11	-	-	-
50	Accident caused by machinery----------E912	101	89	4	8	-	11	11	-	-	-
51	Accident caused by electric current----------E914	73	63	2	8	-	8	6	2	-	-
52	Accident caused by fire and explosion of combustible material----E916	462	180	122	72	88	32	21	11	-	-
53	Accident caused by hot substance, corrosive liquid, etc.*---E917,E918	29	11	14	2	2	2	2	-	-	-
54	Accident caused by firearm----------E919	182	151	13	16	2	24	22	1	1	-
55	Inhalation and ingestion of food or other object, etc.*-----E921,E922	115	54	36	16	9	22	12	9	-	1
56	Accidental drowning----------E929	333	219	47	61	6	36	23	10	2	1
57	Excessive heat and insolation----------E931	25	17	5	3	-	-	-	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	33	11	14	5	3	5	3	2	-	-
59	All other accidents----------Residual[1]	314	167	73	46	28	28	19	7	2	-
60	Suicide----------E963,E970-E979	858	637	182	32	7	61	48	11	2	-
61	Suicide by poisoning----------E970-E973	142	80	59	1	2	11	9	2	-	-
62	Suicide by hanging and strangulation----------E974	87	62	19	3	3	7	5	2	-	-
63	Suicide by firearm and explosive----------E976	574	460	86	26	2	39	32	5	2	-
64	Suicide by all other means----------E963,E975,E977-E979	55	35	18	2	-	4	2	2	-	-
65	Homicide----------E964,E980-E985	730	304	69	291	66	12	6	5	1	-
66	Assault by firearm and explosive----------E981	476	210	52	177	37	5	2	3	-	-
67	Assault by cutting and piercing instruments----------E982	162	42	6	94	20	3	1	2	-	-
68	Assault by other means----------E964,E980,E983	75	41	11	14	9	3	2	-	1	-
69	Injury by intervention of police----------E984	11	9	-	2	-	-	-	-	-	-
70	Execution----------E985	6	2	-	4	-	1	1	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

and Sex: United States and Each State, 1958—Continued

deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2	...	2	...	-	46	...	18	...	28	10	...	7	...	3	19	...	16	...	3	1
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	1	...	1	...	-	2
-	...	-	...	-	14	...	3	...	11	2	...	2	...	-	5	...	5	...	-	3
1	...	1	...	-	8	...	5	...	3	1	...	-	...	1	4	...	3	...	1	4
-	...	-	...	-	4	...	-	...	4	-	...	-	...	-	-	...	-	...	-	5
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	6
-	...	-	...	-	5	...	2	...	3	1	...	-	...	1	-	...	-	...	-	7
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	8
1	...	1	...	-	12	...	6	...	6	6	...	5	...	1	6	...	5	...	1	9
3	-	3	-	-	51	12	13	15	11	33	14	18	-	1	20	9	9	2	-	10
2	-	2	-	-	10	5	-	4	1	12	7	4	-	1	2	1	1	-	-	11
1	-	1	-	-	41	7	13	11	10	21	7	14	-	-	18	8	8	2	-	12
9	4	5	-	-	75	29	29	7	10	57	26	31	-	-	44	25	18	1	-	13
5	1	4	-	-	47	19	16	5	7	30	13	17	-	-	27	15	12	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	1	-	1	-	-	4	2	2	-	-	4	2	2	-	-	16
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	17
3	3	-	-	-	14	5	7	2	-	11	7	4	-	-	6	3	2	1	-	18
1	-	1	-	-	12	5	4	-	3	12	4	8	-	-	6	4	2	-	-	19
39	24	15	-	-	486	200	178	61	47	361	189	143	18	11	236	132	94	6	4	20
5	3	2	-	-	35	11	19	2	3	11	4	5	2	-	14	4	10	-	-	21
7	4	3	-	-	54	25	19	4	6	44	19	20	1	4	29	14	14	-	1	22
16	11	5	-	-	226	81	86	33	26	187	102	70	10	5	127	74	46	4	3	23
11	6	5	-	-	171	83	54	22	12	119	64	48	5	2	66	40	24	2	-	24
138	80	57	1	-	1,855	674	476	400	305	1,016	560	373	44	39	670	398	231	21	20	25
81	51	29	1	-	371	125	85	84	77	182	98	78	4	2	387	217	127	25	18	26
6	1	4	1	-	61	15	22	13	11	39	17	20	2	-	105	57	42	3	3	27
75	50	25	-	-	310	110	63	71	66	143	81	58	2	2	282	160	85	22	15	28
297	202	92	2	1	2,865	1,469	558	624	214	2,139	1,434	586	90	29	1,497	1,066	325	87	19	29
231	157	71	2	1	2,138	1,083	442	446	167	1,709	1,130	482	75	22	1,205	844	283	62	16	30
4	2	2	-	-	37	20	2	13	2	15	11	1	3	-	27	22	2	3	-	31
83	63	17	2	1	774	442	143	159	30	667	446	176	35	10	405	317	70	15	3	32
80	60	17	2	1	760	435	140	156	29	641	426	174	31	10	396	309	69	15	3	33
3	3	-	-	-	13	7	1	4	1	17	7	10	-	-	11	7	2	2	-	34
14	9	5	-	-	136	63	22	37	14	126	84	34	8	-	78	57	16	3	2	35
22	17	5	-	-	212	135	43	31	3	228	149	69	7	3	89	64	19	6	-	36
33	27	3	2	1	197	120	32	40	5	172	119	36	13	4	106	91	11	4	-	37
8	4	4	-	-	202	110	42	44	6	98	67	25	3	3	112	90	21	-	1	38
3	3	-	-	-	14	7	3	3	1	26	20	2	4	-	9	8	1	-	-	39
-	-	-	-	-	2	2	-	-	-	7	5	2	-	-	3	2	1	-	-	40
7	6	1	-	-	57	40	-	15	2	61	55	2	4	-	11	11	-	-	-	41
1	1	-	-	-	26	25	1	-	-	45	42	3	-	-	8	6	2	-	-	42
2	1	1	-	-	65	26	13	12	14	34	17	13	3	1	6	4	2	-	-	43
6	5	1	-	-	6	4	1	1	-	20	18	2	-	-	25	12	10	2	1	44
47	23	24	-	-	333	135	156	22	20	283	139	136	7	1	213	113	91	5	4	45
15	12	3	-	-	109	57	37	9	6	104	65	34	5	-	60	41	16	3	-	46
13	3	10	-	-	62	17	37	5	3	32	19	13	-	-	9	4	5	-	-	47
19	8	11	-	-	162	61	82	8	11	147	55	89	2	1	144	68	70	2	4	48
6	5	1	-	-	54	39	1	13	1	41	37	3	1	-	66	64	1	1	-	49
9	8	1	-	-	45	35	3	7	-	42	41	-	-	1	25	24	-	1	-	50
1	1	-	-	-	29	24	3	2	-	19	19	-	-	-	21	20	1	-	-	51
22	10	12	-	-	276	88	51	81	56	94	52	41	1	-	126	64	49	8	5	52
-	-	-	-	-	14	4	5	-	5	4	2	2	-	-	6	2	2	2	-	53
12	10	2	-	-	58	43	3	8	4	33	28	4	1	-	36	29	4	3	-	54
5	3	2	-	-	68	25	13	19	11	54	24	28	-	2	14	7	5	1	1	55
10	9	1	-	-	126	63	11	48	4	140	102	23	14	1	66	52	7	7	-	56
-	-	-	-	-	3	1	-	1	1	2	2	-	-	-	-	-	-	-	-	57
1	1	-	-	-	26	10	9	3	4	28	14	12	1	1	13	7	5	1	-	58
15	9	6	-	-	139	57	27	42	13	120	76	34	5	5	134	88	31	13	2	59
59	45	14	-	-	426	313	75	31	7	367	270	87	7	3	194	159	28	7	-	60
16	9	7	-	-	62	40	17	3	2	96	66	30	-	-	16	10	6	-	-	61
12	10	2	-	-	46	36	9	1	-	62	43	17	1	1	25	20	4	1	-	62
27	24	3	-	-	285	218	39	24	4	160	130	25	4	1	128	115	9	4	-	63
4	2	2	-	-	33	19	10	3	1	49	31	15	2	1	25	14	9	2	-	64
7	-	7	-	-	301	73	41	147	40	63	34	17	8	4	98	63	14	18	3	65
5	-	5	-	-	162	38	26	77	21	28	15	10	2	1	58	38	7	11	2	66
-	-	-	-	-	68	12	2	44	10	13	9	-	3	1	10	3	2	4	1	67
2	-	2	-	-	61	22	13	17	9	20	9	7	2	2	26	18	5	3	-	68
-	-	-	-	-	7	1	-	6	-	2	1	-	1	-	2	2	-	-	-	69
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	2	2	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	37,280	21,169	15,515	329	267	2,536	1,546	912	43	35
2	I. Infective and parasitic diseases	319	189	107	13	10	37	15	17	4	1
3	Tuberculosis, all forms---001-019	145	100	35	6	4	10	7	2	1	-
4	Tuberculosis of respiratory system---001-008	135	96	30	6	3	10	7	2	1	-
5	Tuberculosis of meninges and central nervous system---010	3	-	2	-	1	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of bones and joints---012,013	1	-	1	-	-	-	-	-	-	-
8	Tuberculosis of other organs and systems---014-018	5	3	2	-	-	-	-	-	-	-
9	Disseminated tuberculosis---019	1	1	-	-	-	-	-	-	-	-
10	Syphilis and its sequelae---020-029	35	17	12	5	1	7	3	3	1	-
11	Congenital syphilis---020	-	-	-	-	-	-	-	-	-	-
12	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
13	Aneurysm of aorta---022	16	9	5	2	-	2	1	1	-	-
14	Other cardiovascular syphilis---023	13	6	4	2	1	1	1	-	-	-
15	Tabes dorsalis---024	2	-	1	1	-	-	-	-	-	-
16	General paralysis of insane---025	2	2	-	-	-	3	1	1	1	-
17	Other syphilis of central nervous system---026	1	-	1	-	-	-	-	-	-	-
18	All other syphilis---027-029	1	-	1	-	-	1	-	1	-	-
19	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
20	Typhoid fever---040	-	-	-	-	-	-	-	-	-	-
21	Paratyphoid fever and other Salmonella infections---041,042	1	1	-	-	-	-	-	-	-	-
22	Cholera---043	-	-	-	-	-	-	-	-	-	-
23	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
24	Dysentery, all forms---045-048	4	-	4	-	-	-	-	-	-	-
25	Food poisoning (infection and intoxication)---049	1	1	-	-	-	-	-	-	-	-
26	Scarlet fever---050	1	-	1	-	-	-	-	-	-	-
27	Streptococcal sore throat---051	-	-	-	-	-	-	-	-	-	-
28	Erysipelas---052	-	-	-	-	-	-	-	-	-	-
29	Septicemia and pyemia---053	29	17	12	-	-	5	1	4	-	-
30	Diphtheria---055	-	-	-	-	-	-	-	-	-	-
31	Whooping cough---056	2	-	2	-	-	-	-	-	-	-
32	Meningococcal infections---057	12	6	5	-	1	2	-	2	-	-
33	Plague---058	-	-	-	-	-	-	-	-	-	-
34	Leprosy---060	-	-	-	-	-	-	-	-	-	-
35	Tetanus---061	6	4	1	-	1	-	-	-	-	-
36	Anthrax---062	-	-	-	-	-	-	-	-	-	-
37	Acute poliomyelitis---080	3	3	-	-	-	4	1	1	1	1
38	Late effects of acute poliomyelitis---081	3	2	1	-	-	1	1	-	-	-
39	Acute infectious encephalitis---082	13	5	8	-	-	3	-	2	1	-
40	Late effects of acute infectious encephalitis---083	1	1	-	-	-	-	-	-	-	-
41	Smallpox---084	-	-	-	-	-	-	-	-	-	-
42	Measles---085	18	13	3	1	1	1	1	-	-	-
43	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
44	Infectious hepatitis---092	12	5	7	-	-	1	-	1	-	-
45	Rabies---094	-	-	-	-	-	-	-	-	-	-
46	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
47	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
48	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
49	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
50	Hydatid disease---125	-	-	-	-	-	1	1	-	-	-
51	Filariasis---127	-	-	-	-	-	-	-	-	-	-
52	Ancylostomiasis---129	-	-	-	-	-	-	-	-	-	-
53	Other diseases due to helminths---124,126,128,130	1	-	-	-	1	-	-	-	-	-
54	All other infective and parasitic diseases---Residual[1]	32	14	16	1	1	2	-	2	-	-
55	II. Neoplasms	6,305	3,421	2,810	32	42	343	182	152	5	4
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	6,218	3,384	2,764	30	40	330	178	144	5	3
57	Malignant neoplasm of buccal cavity and pharynx---140-148	121	98	22	-	1	5	2	3	-	-
58	Of lip---140	5	5	-	-	-	-	-	-	-	-
59	Of tongue---141	35	26	9	-	-	1	-	1	-	-
60	Of other and unspecified parts of buccal cavity---142-144	34	31	3	-	-	3	1	2	-	-
61	Of pharynx---145-148	47	36	10	-	1	1	1	-	-	-
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	2,367	1,363	986	8	10	97	54	39	2	2
63	Of esophagus---150	128	116	10	1	1	3	2	1	-	-
64	Of stomach---151	591	370	216	4	1	27	15	9	2	1
65	Of small intestine, including duodenum---152	13	6	7	-	-	2	1	1	-	-
66	Of large intestine, except rectum---153	714	353	356	1	4	27	13	13	-	1
67	Cecum, appendix, and ascending colon---153.0	120	57	62	-	1	4	2	2	-	-
68	Transverse colon, including hepatic and splenic flexures---153.1	51	27	24	-	-	2	1	1	-	-
69	Descending colon---153.2	37	19	18	-	-	2	1	1	-	-
70	Sigmoid colon---153.3	181	92	88	-	1	10	3	7	-	-
71	Multiple parts of large intestine---153.7	1	1	-	-	-	-	-	-	-	-
72	Large intestine (including colon), part unspecified---153.8	275	134	138	1	2	8	5	2	-	1
73	Intestinal tract, part unspecified---153.9	49	23	26	-	-	1	1	-	-	-
74	Of rectum---154	327	198	129	-	-	10	7	3	-	-
75	Of biliary passages and of liver (stated to be primary site)---155	167	59	107	1	-	4	1	3	-	-
76	Liver---155.0	34	15	18	1	-	1	1	-	-	-
77	Other and multiple sites of biliary passages---155.1,155.8	133	44	89	-	-	3	-	3	-	-
78	Of liver not stated whether primary or secondary---156A	71	40	31	-	-	5	3	2	-	-
79	Of pancreas---157	320	204	111	1	4	19	12	7	-	-
80	Of peritoneum and of unspecified digestive organs---158,159	36	17	19	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary—160-164	654	545	100	8	1	50	43	6	1	-
2	Of larynx—161	48	47	1	-	-	2	2	-	-	-
3	Of bronchus and trachea, and of lung specified as primary—162	263	227	30	6	-	23	20	3	-	-
4	Of lung, unspecified as to whether primary or secondary—163	315	252	60	2	1	25	21	3	1	-
5	Of other parts of respiratory system—160,164	28	19	9	-	-	-	-	-	-	-
6	Malignant neoplasm of breast—170	573	3	565	-	5	38	1	36	-	1
7	Malignant neoplasm of genital organs—171-179	892	404	472	4	12	49	20	29	-	-
8	Of cervix uteri—171	149	...	144	...	5	14	...	14	...	-
9	Of other and unspecified parts of uterus—172-174	116	...	112	...	4	7	...	7	...	-
10	Of ovary, fallopian tube, and broad ligament—175	198	...	195	...	3	7	...	7	...	-
11	Of other and unspecified female genital organs—176	21	...	21	...	-	1	...	1	...	-
12	Of prostate—177	387	383	...	4	...	19	19	...	-	...
13	Of testis, and of other and unspecified male genital organs—178,179	21	21	...	-	...	1	1	...	-	...
14	Malignant neoplasm of urinary organs—180,181	362	262	99	1	-	20	15	5	-	-
15	Of kidney—180	135	87	47	1	-	7	4	3	-	-
16	Of bladder and other urinary organs—181	227	175	52	-	-	13	11	2	-	-
17	Malignant neoplasm of other and unspecified sites—156B,165,190-199	617	328	279	4	6	37	22	14	1	-
18	Of skin—190,191	73	41	32	-	-	5	5	-	-	-
19	Of eye—192	7	3	4	-	-	-	-	-	-	-
20	Of brain and other parts of nervous system—193	149	93	52	2	2	3	2	1	-	-
21	Of thyroid gland—194	24	8	16	-	-	4	2	2	-	-
22	Of bone—196	33	20	13	-	-	1	-	1	-	-
23	Of connective tissue—197	26	16	10	-	-	-	-	-	-	-
24	Of other specified sites, not stated to be secondary—195,199A	23	10	12	-	1	3	2	1	-	-
25	Of unspecified sites—156B,165,198,199B	282	137	140	2	3	21	11	9	1	-
26	Leukemia and aleukemia—204	318	193	120	2	3	15	10	5	-	-
27	Lymphosarcoma, etc.*—200-203,205	314	188	121	3	2	19	11	7	1	-
28	Lymphosarcoma and reticulosarcoma—200	146	83	62	1	-	7	2	4	1	-
29	Hodgkin's disease—201	76	46	27	1	2	9	7	2	-	-
30	Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	92	59	32	1	-	3	2	1	-	-
31	Benign neoplasms and neoplasms of unspecified nature—210-239	87	37	46	2	2	13	4	8	-	1
32	Benign neoplasms of female genital organs—214-217	14	...	13	...	1	2	...	1	...	1
33	Benign neoplasm of brain and other parts of nervous system—223	24	12	11	1	-	2	2	-	-	-
34	Other benign neoplasms—210-213,218-222,224-229	17	12	4	1	-	5	1	4	-	-
35	Neoplasm of unspecified nature of female genital organs—233-235	1	...	1	...	-	-	...	-	...	-
36	Neoplasm of unspecified nature of brain, etc.*—237	16	9	6	-	1	2	-	2	-	-
37	Other neoplasms of unspecified nature—230-232,236,238,239	15	4	11	-	-	2	1	1	-	-
38	III. Allergic, endocrine system, metabolic, and nutritional diseases	932	420	501	5	6	61	35	24	1	1
39	Asthma—241	106	74	32	-	-	11	8	3	-	-
40	Nontoxic goiter—250,251	4	-	4	-	-	-	-	-	-	-
41	Thyrotoxicosis with or without goiter—252	20	1	19	-	-	1	-	1	-	-
42	Myxedema, cretinism, and other diseases of thyroid gland—253,254	6	3	3	-	-	1	-	1	-	-
43	Diabetes mellitus—260	748	320	417	5	6	39	21	16	1	1
44	Diseases of thymus gland—273	4	3	1	-	-	-	-	-	-	-
45	Diseases of adrenal glands—274	7	5	2	-	-	2	-	2	-	-
46	Pellagra—281	-	-	-	-	-	-	-	-	-	-
47	Other avitaminoses and nutritional deficiency states—280,282-286	15	8	7	-	-	4	4	-	-	-
48	All other allergic, endocrine, and metabolic diseases—Residual[1]	22	6	16	-	-	3	2	1	-	-
49	IV. Diseases of the blood and blood-forming organs	103	48	52	2	1	7	4	3	-	-
50	Anemias—280-293	61	27	31	2	1	3	2	1	-	-
51	Pernicious and other hyperchromic anemias—290	27	10	17	-	-	1	1	-	-	-
52	Anemias of other and unspecified type—291-293	34	17	14	2	1	2	1	1	-	-
53	Purpura and other hemorrhagic conditions—296	10	4	6	-	-	1	-	1	-	-
54	Other diseases of blood and blood-forming organs—294,295,297-299	32	17	15	-	-	3	2	1	-	-
55	V. Mental, psychoneurotic, and personality disorders	93	62	29	1	1	8	5	2	1	-
56	Senile psychosis—304	16	6	10	-	-	-	-	-	-	-
57	Alcoholic psychosis—307	10	9	1	-	-	3	2	1	-	-
58	Other psychoses—300-303,305,306,308,309	19	13	6	-	-	-	-	-	-	-
59	Alcoholism—322	34	24	8	1	1	3	2	-	1	-
60	Mental deficiency—325	8	4	4	-	-	1	-	1	-	-
61	Psychoneuroses and other disorders of personality—310-321,323,324,326	6	6	-	-	-	1	1	-	-	-
62	VI. Diseases of the nervous system and sense organs	5,039	2,439	2,539	29	32	346	164	175	4	3
63	Vascular lesions affecting central nervous system—330-334	4,703	2,274	2,375	24	30	324	153	164	4	3
64	Subarachnoid hemorrhage—330	103	50	53	-	-	6	2	4	-	-
65	Cerebral hemorrhage—331	2,755	1,297	1,431	10	17	234	102	126	4	2
66	Cerebral embolism and thrombosis—332	1,286	664	598	13	11	56	36	19	-	1
67	Other vascular lesions affecting central nervous system—333,334	559	263	293	1	2	28	13	15	-	-
68	Meningitis, except meningococcal and tuberculous—340	46	29	15	1	1	-	-	-	-	-
69	Multiple sclerosis—345	52	28	24	-	-	5	2	3	-	-
70	Paralysis agitans—350	72	36	36	-	-	1	-	1	-	-
71	Cerebral spastic infantile paralysis—351	19	7	12	-	-	3	3	-	-	-
72	Epilepsy—353	45	20	24	1	-	8	4	4	-	-
73	Inflammatory diseases of eye—370-379	-	-	-	-	-	-	-	-	-	-
74	Cataract—385	-	-	-	-	-	-	-	-	-	-
75	Glaucoma—387	-	-	-	-	-	-	-	-	-	-
76	Otitis media and mastoiditis—391-393	10	5	3	2	-	-	-	-	-	-
77	Other diseases of nervous system and sense organs—Residual[1]	92	40	50	1	1	5	2	3	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. Diseases of the circulatory system	16,266	9,523	6,571	107	65	941	607	314	9	11
2	Diseases of heart-400-402,410-443	14,616	8,684	5,794	86	52	860	561	280	8	11
3	Rheumatic fever-400-402	16	11	4	-	1	2	1	-	-	1
4	Chronic rheumatic heart disease-410-416	434	195	234	5	-	39	14	23	2	-
5	Diseases of mitral valve-410	143	63	80	-	-	18	6	11	1	-
6	Diseases of aortic valve specified as rheumatic-411	27	22	5	-	-	1	1	-	-	-
7	Diseases of pulmonary valve, etc.*-413,414	32	9	21	2	-	2	-	2	-	-
8	Other diseases of heart specified as rheumatic-412,415,416	232	101	128	3	-	18	7	10	1	-
9	Arteriosclerotic heart disease, including coronary disease-420	10,865	6,850	3,927	61	27	610	432	169	4	5
10	Arteriosclerotic heart disease so described-420.0	4,368	2,353	1,979	22	14	196	123	70	3	-
11	Heart disease specified as involving coronary arteries-420.1	6,489	4,493	1,944	39	13	414	309	99	1	5
12	Angina pectoris without mention of coronary disease-420.2	8	4	4	-	-	-	-	-	-	-
13	Chronic endocarditis not specified as rheumatic-421	135	71	62	2	-	12	6	6	-	-
14	Of mitral valve, specified as nonrheumatic-421.0	19	10	9	-	-	-	-	-	-	-
15	Of aortic valve, not specified as rheumatic-421.1	34	21	12	1	-	7	3	4	-	-
16	Of other valves, not specified as rheumatic-421.2-421.4	82	40	41	1	-	5	3	2	-	-
17	Other myocardial degeneration-422	1,342	693	639	4	6	89	53	33	1	2
18	With arteriosclerosis-422.1	862	427	428	2	5	33	17	14	-	2
19	Without mention of arteriosclerosis-422.0,422.2	480	266	211	2	1	56	36	19	1	-
20	Other diseases of heart-430-434	460	275	177	5	3	38	25	12	1	-
21	Acute and subacute endocarditis-430	18	11	7	-	-	1	-	-	1	-
22	Acute myocarditis, acute pericarditis, not spec. as rheumatic-431,432	22	10	11	-	1	1	1	-	-	-
23	Functional disease of heart-433	141	76	63	1	1	9	4	5	-	-
24	Other and unspecified diseases of heart-434	279	178	96	4	1	27	20	7	-	-
25	Hypertensive heart disease-440-443	1,364	589	751	9	15	70	30	37	-	3
26	Hypertensive heart disease with arteriolar nephrosclerosis-442	393	209	181	3	-	35	19	16	-	-
27	Other hypertensive heart disease-440,441,443	971	380	570	6	15	35	11	21	-	3
28	Other hypertensive disease-444-447	290	147	135	6	2	10	3	6	1	-
29	Hypertension with arteriolar nephrosclerosis-446	130	88	41	-	1	4	2	1	1	-
30	Essential hypertension, other hypertensive disease, etc.*-444,445,447	160	59	94	6	1	6	1	5	-	-
31	Diseases of arteries-450-456	1,155	590	545	12	8	53	36	17	-	-
32	General arteriosclerosis-450	953	464	475	9	5	40	25	15	-	-
33	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-451	141	96	43	2	-	13	11	2	-	-
34	Gangrene of unspecified cause-455	5	3	2	-	-	-	-	-	-	-
35	Other arterial diseases-452-454,456	56	27	25	1	3	-	-	-	-	-
36	Diseases of veins and other diseases of circulatory system-460-468	205	102	97	3	3	18	7	11	-	-
37	VIII. Diseases of the respiratory system	1,424	866	507	25	26	126	89	33	2	2
38	Acute upper respiratory infections-470-475	24	9	13	2	-	1	-	1	-	-
39	Influenza-480-483	112	54	57	1	-	7	4	2	-	1
40	Pneumonia, except pneumonia of newborn-490-493	920	549	338	14	19	75	50	22	2	1
41	Lobar pneumonia-490	138	89	45	1	3	22	16	4	2	-
42	Bronchopneumonia-491	560	334	200	10	16	32	23	9	-	-
43	Primary atypical pneumonia-492	98	58	38	2	-	10	4	5	-	1
44	Pneumonia, other and unspecified-493	124	68	55	1	-	11	7	4	-	-
45	Acute bronchitis-500	41	22	15	-	4	-	-	-	-	-
46	Bronchitis, chronic and unqualified-501,502	48	35	11	1	1	8	6	2	-	-
47	Hypertrophy of tonsils and adenoids-510	4	4	-	-	-	1	1	-	-	-
48	Empyema and abscess of lung-518,521	20	15	5	-	-	2	1	1	-	-
49	Pleurisy-519	7	5	2	-	-	-	-	-	-	-
50	Emphysema without mention of bronchitis-527.1	79	70	5	4	-	16	14	2	-	-
51	Other respiratory diseases-511-517,520,522-527.0,527.2	169	103	61	3	2	16	13	3	-	-
52	IX. Diseases of the digestive system	1,420	873	523	11	13	114	61	48	4	1
53	Diseases of teeth and supporting structures-530-535	4	2	2	-	-	1	-	1	-	-
54	Ulcer of stomach-540	122	93	25	1	3	9	6	3	-	-
55	Ulcer of duodenum-541	115	95	19	-	1	11	10	1	-	-
56	Gastritis and duodenitis-543	7	5	2	-	-	1	-	-	1	-
57	Appendicitis-550-553	51	42	9	-	-	3	3	-	-	-
58	Hernia and intestinal obstruction-560,561,570	227	124	100	1	2	20	9	11	-	-
59	Gastroenteritis and colitis, exc. ulcerative, age 4 weeks and over-571	95	49	42	2	2	10	4	4	1	1
60	Chronic enteritis and ulcerative colitis-572	58	30	28	-	-	5	3	2	-	-
61	Cirrhosis of liver-581	355	238	113	1	3	23	14	8	1	-
62	Without mention of alcoholism-581.0	250	163	85	1	1	21	13	7	1	-
63	With alcoholism-581.1	105	75	28	-	2	2	1	1	-	-
64	Cholelithiasis, cholecystitis, and cholangitis-584,585	149	67	79	2	1	10	5	5	-	-
65	Fibrocystic disease of pancreas-587B	14	7	7	-	-	3	1	2	-	-
66	Other diseases of digestive system-Residual[1]	223	121	97	4	1	18	6	11	1	-
67	X. Diseases of the genitourinary system	652	427	208	13	4	46	27	17	2	-
68	Nephritis and nephrosis-590-594	296	167	119	7	3	22	12	9	1	-
69	Acute nephritis-590	17	6	10	1	-	3	3	-	-	-
70	Nephritis with edema, including nephrosis-591	28	15	11	2	-	2	2	-	-	-
71	Chronic and unspecified nephritis and other renal sclerosis-592-594	251	146	98	4	3	17	7	9	1	-
72	Infections of kidney-600	120	62	54	4	-	6	4	2	-	-
73	Calculi of urinary system-602,604	28	15	13	-	-	2	1	-	1	-
74	Other diseases of urinary system-601,603,605-609	44	29	14	-	1	4	1	3	-	-
75	Hyperplasia of prostate-610	142	140	...	2	...	7	7	...	-	...
76	Diseases of breast-620,621	1	1	-	-	-	-	-	-	-	-
77	Other diseases of genital organs-611-617,622-637	21	13	8	-	-	5	2	3	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

Table 76. Deaths From 255 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	31	...	30	...	1	3	...	2	...	1
2	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	4	...	4	...	-	-	...	-	...	-
3	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	8	...	7	...	1	-	...	-	...	-
4	Hemorrhage of pregnancy and childbirth----------643,644,670-672	8	...	8	...	-	-	...	-	...	-
5	Ectopic pregnancy----------645	-	...	-	...	-	-	...	-	...	-
6	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	1	...	1	...	-
7	Abortion with sepsis----------651	2	...	2	...	-	1	...	-	...	1
8	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
9	Other complications of pregnancy, childbirth, etc.*----------Residual[1]	9	...	9	...	-	1	...	1	...	-
10	XII. Diseases of the skin and cellular tissue----------	47	20	26	-	1	4	2	1	-	1
11	Infections of skin and subcutaneous tissue----------690-698	15	5	9	-	1	3	2	-	-	1
12	Other diseases of skin and subcutaneous tissue----------700-716	32	15	17	-	-	1	-	1	-	-
13	XIII. Diseases of the bones and organs of movement----------	109	47	62	-	-	5	1	4	-	-
14	Arthritis and spondylitis----------720-725	64	21	43	-	-	2	-	2	-	-
15	Muscular rheumatism and rheumatism unspecified----------726,727	-	-	-	-	-	-	-	-	-	-
16	Osteomyelitis and periostitis----------730	5	2	3	-	-	-	-	-	-	-
17	Ankylosis and acquired musculoskeletal deformities----------737,745-749	5	3	2	-	-	-	-	-	-	-
18	Inborn defect of muscle----------744.1	20	13	7	-	-	1	1	-	-	-
19	Other diseases of musculoskeletal system--------731-736,738-744.0,744.2	15	8	7	-	-	2	-	2	-	-
20	XIV. Congenital malformations----------	507	244	248	5	10	40	29	11	-	-
21	Spina bifida and meningocele----------751	29	11	17	1	-	-	-	-	-	-
22	Congenital hydrocephalus, etc.*----------752,753	49	28	19	2	-	5	4	1	-	-
23	Congenital malformations of circulatory system----------754	257	131	117	1	8	18	13	5	-	-
24	Other congenital malformations----------750,755-759	172	74	95	1	2	17	12	5	-	-
25	XV. Certain diseases of early infancy[2]----------	1,385	803	502	42	38	141	92	43	2	4
26	XVI. Symptoms, senility, and ill-defined conditions----------	231	117	110	4	-	19	13	6	-	-
27	Senility without mention of psychosis----------794	93	36	57	-	-	2	-	2	-	-
28	Symptoms, ill-defined, and unknown causes----------780-793,795	138	81	53	4	-	17	13	4	-	-
29	XVII. Accidents, poisonings, and violence----------	2,417	1,670	690	40	17	295	220	60	9	6
30	Accidents----------E800-E962	1,934	1,322	569	30	13	236	176	47	7	6
31	Railway accidents----------E800-E802	17	13	3	-	1	2	1	1	-	-
32	Motor vehicle accidents----------E810-E835	815	608	188	15	4	110	78	23	4	5
33	Motor vehicle traffic accidents----------E810-E825	797	598	180	15	4	97	68	20	4	5
34	Motor vehicle traffic accident with railway train*----------E810	54	40	12	1	1	1	1	-	-	-
35	Motor vehicle traffic accident to pedestrian----------E812	128	103	21	4	-	8	5	1	1	1
36	Other motor vehicle traffic accidents, etc.*--------E811,E813-E819	330	224	99	5	2	35	24	8	1	2
37	Motor vehicle noncollision traffic accidents----------E820-E824	265	216	44	4	1	41	30	7	2	2
38	Motor vehicle traffic accident of unspecified nature---------E825	20	15	4	1	-	12	8	4	-	-
39	Motor vehicle nontraffic accidents----------E830-E835	18	10	8	-	-	13	10	3	-	-
40	Other road vehicle accidents----------E840-E845	10	5	5	-	-	10	7	3	-	-
41	Water transport accidents----------E850-E858	43	36	5	2	-	-	-	-	-	-
42	Aircraft accidents----------E860-E866	16	11	5	-	-	7	6	1	-	-
43	Accidental poisoning by solid and liquid substances---------E870-E888	28	16	11	1	-	4	1	3	-	-
44	Accidental poisoning by gases and vapors----------E890-E895	18	12	4	1	1	4	4	-	-	-
45	Accidental falls----------E900-E904	454	218	230	3	3	23	15	8	-	-
46	Fall from one level to another----------E900-E902	156	106	46	1	3	10	6	4	-	-
47	Fall on same level----------E903	67	35	32	-	-	3	1	2	-	-
48	Unspecified falls----------E904	231	77	152	2	-	10	8	2	-	-
49	Blow from falling object or projected object or missile----------E910	18	15	2	1	-	1	1	-	-	-
50	Accident caused by machinery----------E912	52	49	3	-	-	10	10	-	-	-
51	Accident caused by electric current----------E914	13	12	1	-	-	1	1	-	-	-
52	Accident caused by fire and explosion of combustible material-----E916	106	75	31	-	-	8	6	-	1	1
53	Accident caused by hot substance, corrosive liquid, etc.*----E917,E918	11	8	3	-	-	4	2	2	-	-
54	Accident caused by firearm----------E919	44	38	3	3	-	9	8	1	-	-
55	Inhalation and ingestion of food or other object, etc.*------E921,E922	42	28	13	-	1	12	10	1	1	-
56	Accidental drowning----------E929	96	77	17	2	-	13	10	2	1	-
57	Excessive heat and insolation----------E931	1	1	-	-	-	1	1	-	-	-
58	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	18	6	11	-	1	3	3	-	-	-
59	All other accidents----------Residual[1]	132	94	34	2	2	14	12	2	-	-
60	Suicide----------E963,E970-E979	441	330	106	3	2	50	38	11	1	-
61	Suicide by poisoning----------E970-E973	81	48	33	-	-	7	3	4	-	-
62	Suicide by hanging and strangulation----------E974	136	99	36	-	1	7	6	1	-	-
63	Suicide by firearm and explosive----------E976	167	149	15	3	-	35	29	5	1	-
64	Suicide by all other means----------E963,E975,E977-E979	57	34	22	-	1	1	-	1	-	-
65	Homicide----------E964,E980-E985	42	18	15	7	2	9	6	2	1	-
66	Assault by firearm and explosive----------E981	22	12	6	3	1	8	5	2	1	-
67	Assault by cutting and piercing instruments----------E982	4	2	-	2	-	-	-	-	-	-
68	Assault by other means----------E964,E980,E983	16	4	9	2	1	1	1	-	-	-
69	Injury by intervention of police----------E984	-	-	-	-	-	-	-	-	-	-
70	Execution----------E985	-	-	-	-	-	-	-	-	-	-
71	Injury resulting from operations of war----------E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]For category numbers, see table 72.

[2]For detailed causes of infant death, see table 57 in Volume I.

Table 77. Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
UNITED STATES	47,300	22,749	2,389	637	2,312	566	1,789	1,341	3,058	5,642	6,817
White--Male	24,995	9,362	1,917	574	1,970	416	1,228	929	1,324	4,061	3,214
White--Female	14,598	9,149	187	11	37	78	316	304	1,587	557	2,372
Nonwhite--Male	4,938	2,157	264	47	303	63	208	82	93	925	796
Nonwhite--Female	2,769	2,081	21	5	2	9	37	26	54	99	435
Alabama	960	537	61	12	51	9	22	14	25	125	104
White--Male	342	132	28	6	39	6	10	7	13	65	36
White--Female	198	139	9	-	1	1	2	3	10	10	23
Nonwhite--Male	240	118	22	6	11	2	7	4	1	46	23
Nonwhite--Female	180	148	2	-	-	-	3	-	1	4	22
Arizona	349	175	16	11	15	8	13	5	7	62	37
White--Male	185	70	15	10	14	6	10	5	1	35	19
White--Female	86	66	1	-	1	1	1	-	2	6	8
Nonwhite--Male	58	23	-	1	-	1	2	-	4	19	8
Nonwhite--Female	20	16	-	-	-	-	-	-	-	2	2
Arkansas	664	306	47	8	33	4	15	10	8	60	175
White--Male	294	105	32	3	27	3	10	4	6	43	61
White--Female	145	77	-	-	1	1	-	4	1	3	58
Nonwhite--Male	123	58	14	2	5	-	2	2	1	8	31
Nonwhite--Female	102	66	1	1	-	-	3	-	-	6	25
California	3,138	1,487	97	5	207	58	147	117	240	495	285
White--Male	1,861	712	80	4	195	49	104	76	113	374	154
White--Female	985	626	8	1	1	7	32	30	120	60	100
Nonwhite--Male	218	94	9	-	11	2	11	8	4	57	22
Nonwhite--Female	74	55	-	-	-	-	-	3	3	4	9
Colorado	518	213	34	11	22	9	24	15	57	58	75
White--Male	320	97	32	11	20	6	21	14	29	49	41
White--Female	184	106	2	-	1	3	3	1	28	9	31
Nonwhite--Male	6	4	-	-	1	-	-	-	-	-	1
Nonwhite--Female	8	6	-	-	-	-	-	-	-	-	2
Connecticut	555	285	3	-	28	6	35	10	40	54	94
White--Male	323	139	3	-	24	6	29	9	22	41	50
White--Female	199	129	-	-	1	-	6	1	18	8	36
Nonwhite--Male	20	8	-	-	3	-	-	-	-	4	5
Nonwhite--Female	13	9	-	-	-	-	-	-	-	1	3
Delaware	110	56	-	-	7	1	4	3	9	16	14
White--Male	45	18	-	-	6	1	1	2	4	8	5
White--Female	24	13	-	-	-	-	2	-	4	1	4
Nonwhite--Male	29	14	-	-	1	-	1	1	1	7	4
Nonwhite--Female	12	11	-	-	-	-	-	-	-	-	1
District of Columbia	237	156	-	-	6	2	8	10	18	21	16
White--Male	69	41	-	-	2	1	4	5	3	6	7
White--Female	50	37	-	-	-	1	1	1	8	-	2
Nonwhite--Male	72	41	-	-	4	-	2	4	1	15	5
Nonwhite--Female	46	37	-	-	-	-	1	-	6	-	2
Florida	1,385	734	24	20	75	26	40	35	66	260	105
White--Male	592	246	12	4	52	12	21	23	21	153	48
White--Female	364	245	3	1	-	8	7	9	37	26	28
Nonwhite--Male	298	134	9	12	23	5	12	3	6	77	17
Nonwhite--Female	131	109	-	3	-	1	-	-	2	4	12
Georgia	1,154	689	97	5	56	9	36	20	32	131	79
White--Male	419	176	54	5	29	5	14	10	18	82	26
White--Female	246	198	5	-	1	1	4	1	12	8	16
Nonwhite--Male	308	162	36	-	26	3	18	5	2	34	22
Nonwhite--Female	181	153	2	-	-	-	-	4	-	7	15
Idaho	244	71	36	7	15	1	9	2	12	54	37
White--Male	180	38	33	7	15	-	8	2	5	47	25
White--Female	57	31	3	-	-	1	-	-	7	5	10
Nonwhite--Male	4	1	-	-	-	-	1	-	-	1	1
Nonwhite--Female	3	1	-	-	-	-	-	-	-	1	1
Illinois	2,391	1,186	95	21	140	26	115	208	159	264	177
White--Male	1,394	570	91	21	117	19	81	114	72	203	106
White--Female	704	443	3	-	1	2	19	81	78	18	59
Nonwhite--Male	191	87	1	-	22	5	14	11	5	38	8
Nonwhite--Female	102	86	-	-	-	-	1	2	4	5	4
Indiana	1,344	712	79	10	55	12	33	35	121	113	174
White--Male	733	293	76	10	50	8	28	25	63	89	91
White--Female	531	363	3	-	-	2	5	10	57	14	77
Nonwhite--Male	50	31	-	-	5	2	-	-	1	8	3
Nonwhite--Female	30	25	-	-	-	-	-	-	-	2	3
Iowa	772	338	120	12	24	2	23	20	72	74	87
White--Male	478	155	114	12	21	2	17	18	32	58	49
White--Female	291	182	6	-	3	-	6	2	40	16	36
Nonwhite--Male	1	1	-	-	-	-	-	-	-	-	-
Nonwhite--Female	2	-	-	-	-	-	-	-	-	-	2

See footnotes at end of table.

Table 77. Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Kansas	635	320	69	4	40	7	16	11	50	55	63
White—Male	375	153	60	4	37	6	11	10	16	43	35
Female	222	147	9	-	1	-	2	1	33	7	22
Nonwhite—Male	23	12	-	-	2	1	2	-	-	4	2
Female	15	8	-	-	-	-	1	-	1	1	4
Kentucky	1,151	439	68	62	67	6	34	16	29	100	330
White—Male	637	185	56	61	60	4	24	10	10	80	147
Female	379	180	8	-	1	1	7	4	16	8	154
Nonwhite—Male	85	40	4	1	6	-	2	1	1	11	19
Female	50	34	-	-	-	1	1	1	2	1	10
Louisiana	996	477	28	4	47	12	23	12	27	157	209
White—Male	371	118	17	4	37	9	15	8	9	81	73
Female	195	130	-	-	-	2	2	1	11	8	41
Nonwhite—Male	254	99	9	-	10	1	4	3	3	61	64
Female	176	130	2	-	-	-	2	-	4	7	31
Maine	278	127	9	1	16	-	9	7	7	47	55
White—Male	188	78	8	1	16	-	9	5	4	40	27
Female	87	49	1	-	-	-	-	2	3	6	26
Nonwhite—Male	2	-	-	-	-	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	1
Maryland	704	345	24	3	36	12	39	20	64	94	67
White—Male	321	119	15	3	23	11	19	15	21	60	35
Female	205	131	2	-	-	1	7	4	39	7	14
Nonwhite—Male	119	50	6	-	13	-	9	1	3	26	11
Female	59	45	1	-	-	-	4	-	1	1	7
Massachusetts	1,621	710	6	2	34	18	53	32	219	153	394
White—Male	863	325	6	2	30	15	38	23	80	125	219
Female	696	357	-	-	2	2	12	9	138	25	151
Nonwhite—Male	38	15	-	-	2	1	3	-	1	3	13
Female	24	13	-	-	-	-	-	-	-	-	11
Michigan	1,623	794	68	23	68	20	37	41	87	202	283
White—Male	974	424	61	23	59	14	27	35	38	160	133
Female	520	294	6	-	-	4	10	3	46	27	130
Nonwhite—Male	81	37	1	-	9	2	-	1	3	14	14
Female	48	39	-	-	-	-	-	2	-	1	6
Minnesota	841	355	94	3	30	11	26	14	67	116	125
White—Male	534	185	79	3	30	9	16	11	29	96	76
Female	285	156	15	-	-	2	10	3	38	13	48
Nonwhite—Male	14	9	-	-	-	-	-	-	-	4	1
Female	8	5	-	-	-	-	-	-	-	3	-
Mississippi	783	308	49	2	33	6	17	8	11	75	274
White—Male	199	51	14	1	24	3	8	5	5	32	56
Female	125	63	1	-	-	-	2	1	5	3	50
Nonwhite—Male	288	86	31	1	9	3	7	2	1	39	109
Female	171	108	3	-	-	-	-	-	-	1	59
Missouri	1,338	724	76	7	51	10	43	30	122	122	153
White—Male	685	288	65	7	47	7	25	23	56	93	74
Female	493	330	7	-	-	2	11	5	62	16	60
Nonwhite—Male	92	52	4	-	4	-	7	1	3	9	12
Female	68	54	-	-	-	1	-	1	1	4	7
Montana	240	80	23	18	9	2	6	6	9	48	39
White—Male	170	46	21	18	9	2	5	4	4	38	23
Female	60	32	1	-	-	-	1	2	3	8	13
Nonwhite—Male	8	1	1	-	-	-	-	-	2	2	2
Female	2	1	-	-	-	-	-	-	-	-	1
Nebraska	404	191	67	4	26	10	11	8	48	26	13
White—Male	258	90	60	3	26	8	8	5	27	25	6
Female	138	97	6	1	-	-	3	3	21	1	6
Nonwhite—Male	5	3	1	-	-	1	-	-	-	-	-
Female	3	1	-	-	-	1	-	-	-	-	1
Nevada	114	51	6	7	3	3	4	3	5	23	9
White—Male	70	21	6	5	3	3	4	1	3	18	6
Female	24	19	-	-	-	-	-	2	1	1	1
Nonwhite—Male	13	4	-	2	-	-	-	-	1	4	2
Female	7	7	-	-	-	-	-	-	-	-	-
New Hampshire	151	71	4	1	3	2	8	3	11	27	21
White—Male	96	36	4	1	3	2	5	-	5	26	14
Female	55	35	-	-	-	-	3	3	6	1	7
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,282	713	11	4	80	9	72	34	122	143	94
White—Male	623	283	6	3	66	8	50	21	45	95	46
Female	455	321	1	-	-	-	9	10	69	13	32
Nonwhite—Male	144	62	4	1	14	1	10	3	6	32	11
Female	60	47	-	-	-	-	3	-	2	3	5

See footnotes at end of table.

Table 77. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
New Mexico	275	119	22	5	16	1	6	7	10	41	48
White—Male	182	68	20	5	15	1	6	5	5	31	26
Female	60	40	1	-	-	-	-	1	5	3	10
Nonwhite—Male	23	7	1	-	1	-	-	-	-	6	8
Female	10	4	-	-	-	-	-	1	-	1	4
New York	3,879	1,895	90	9	160	58	241	124	334	414	554
White—Male	1,975	765	81	8	128	40	162	84	138	290	279
Female	1,421	883	5	1	15	9	56	26	185	46	195
Nonwhite—Male	317	122	4	-	16	6	21	10	8	71	59
Female	166	125	-	-	1	3	2	4	3	7	21
North Carolina	1,165	618	102	11	38	17	33	23	45	159	119
White—Male	457	179	47	11	26	13	18	17	17	86	43
Female	219	153	4	-	-	-	2	1	18	12	29
Nonwhite—Male	305	138	47	-	12	3	10	4	6	56	29
Female	184	148	4	-	-	1	3	1	4	5	18
North Dakota	196	80	34	1	6	3	13	11	13	25	10
White—Male	131	41	29	1	6	2	8	10	8	19	7
Female	55	32	5	-	-	1	5	1	5	4	2
Nonwhite—Male	8	5	-	-	-	-	-	-	-	2	1
Female	2	2	-	-	-	-	-	-	-	-	-
Ohio	2,573	1,344	103	26	132	23	102	74	242	229	298
White—Male	1,354	573	92	20	111	16	80	48	107	160	147
Female	964	623	11	4	2	5	15	23	128	30	123
Nonwhite—Male	174	88	-	2	18	2	6	2	3	34	19
Female	81	60	-	-	1	-	1	1	4	5	9
Oklahoma	756	348	45	4	39	9	20	19	53	58	161
White—Male	437	154	42	4	39	5	17	17	32	48	79
Female	223	145	3	-	-	-	2	-	19	5	49
Nonwhite—Male	58	25	-	-	-	4	1	-	2	5	21
Female	38	24	-	-	-	-	-	2	-	-	12
Oregon	574	205	42	5	47	4	15	22	29	166	39
White—Male	409	102	37	5	44	3	13	20	13	150	22
Female	150	95	3	-	1	1	2	2	15	15	16
Nonwhite—Male	11	6	1	-	2	-	-	-	-	1	1
Female	4	2	1	-	-	-	-	-	1	-	-
Pennsylvania	3,064	1,392	114	65	170	26	159	84	157	245	652
White—Male	1,667	625	105	64	149	22	107	54	64	186	281
Female	1,075	607	8	-	3	1	32	16	83	21	304
Nonwhite—Male	213	82	1	1	18	3	17	3	5	34	49
Female	109	78	-	-	-	-	3	1	5	4	18
Rhode Island	187	93	2	-	4	3	11	2	43	13	16
White—Male	96	50	2	-	4	2	5	2	12	10	9
Female	88	41	-	-	-	1	6	-	30	3	7
Nonwhite—Male	2	1	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-
South Carolina	817	356	34	-	21	12	19	6	17	106	246
White—Male	267	96	12	-	12	8	11	4	4	52	68
Female	131	75	1	-	-	1	1	1	7	3	42
Nonwhite—Male	268	93	18	-	9	3	5	1	3	46	90
Female	151	92	3	-	-	-	2	-	3	5	46
South Dakota	209	76	39	2	5	3	8	5	7	20	44
White—Male	125	34	34	2	5	3	5	5	2	14	21
Female	61	37	5	-	-	-	-	-	5	2	12
Nonwhite—Male	13	2	-	-	-	-	1	-	-	4	6
Female	10	3	-	-	-	-	2	-	-	-	5
Tennessee	936	538	55	28	44	9	34	27	28	86	87
White—Male	455	180	40	27	35	7	21	19	15	69	42
Female	257	205	5	1	-	1	2	4	12	5	22
Nonwhite—Male	130	75	10	-	9	1	9	2	-	11	13
Female	94	78	-	-	-	-	2	2	1	1	10
Texas	2,419	1,164	130	12	161	41	68	81	87	346	329
White—Male	1,323	461	108	6	141	27	52	59	44	253	172
Female	648	440	10	-	1	9	7	17	39	26	99
Nonwhite—Male	286	127	11	5	19	5	7	5	3	60	44
Female	162	136	1	1	-	-	2	-	1	7	14
Utah	249	113	9	17	14	4	9	11	17	38	17
White—Male	166	62	9	17	14	3	9	9	7	27	9
Female	75	48	-	-	-	-	-	2	10	9	6
Nonwhite—Male	6	1	-	-	-	1	-	-	-	2	2
Female	2	2	-	-	-	-	-	-	-	-	-
Vermont	132	66	12	-	6	-	4	3	12	20	9
White—Male	83	30	11	-	6	-	3	3	3	19	8
Female	49	36	1	-	-	-	1	-	9	1	1
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 77. Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Virginia	1,200	605	66	51	46	20	34	23	87	145	123
White—Male	540	192	40	48	28	13	21	16	42	92	48
White—Female	279	198	6	-	-	3	2	5	33	6	26
Nonwhite—Male	252	118	19	3	18	3	11	2	8	42	28
Nonwhite—Female	129	97	1	-	-	1	-	-	4	5	21
Washington	868	337	44	4	64	11	30	34	53	169	122
White—Male	550	168	40	3	64	8	22	23	23	134	65
White—Female	277	159	4	1	-	2	5	8	30	18	50
Nonwhite—Male	30	5	-	-	-	1	3	2	-	16	3
Nonwhite—Female	11	5	-	-	-	-	-	1	-	1	4
West Virginia	722	242	27	123	23	5	23	14	13	61	191
White—Male	470	105	25	112	23	4	17	13	7	47	117
White—Female	198	121	2	1	-	-	5	-	3	7	59
Nonwhite—Male	42	11	-	10	-	1	-	1	3	7	9
Nonwhite—Female	12	5	-	-	-	-	1	-	-	-	6
Wisconsin	995	473	95	9	32	14	38	22	59	111	142
White—Male	629	257	84	9	32	12	29	21	22	95	68
White—Female	347	208	11	-	-	2	6	1	36	12	71
Nonwhite—Male	13	4	-	-	-	-	3	-	-	4	2
Nonwhite—Female	6	4	-	-	-	-	-	-	1	-	1
Wyoming	102	35	13	-	7	2	-	-	8	15	22
White—Male	80	26	11	-	7	2	-	-	5	14	15
White—Female	18	7	2	-	-	-	-	-	2	1	6
Nonwhite—Male	3	1	-	-	-	-	-	-	1	-	1
Nonwhite—Female	1	1	-	-	-	-	-	-	-	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 78. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
UNITED STATES	36,981	3,480	3,609	61	89	28,407	183	221	198	4	729
White--Male	24,198	2,642	2,286	33	73	18,300	122	138	122	2	480
White--Female	8,532	358	969	23	10	6,859	47	63	56	1	146
Nonwhite--Male	3,294	410	269	4	5	2,476	14	17	12	1	86
Nonwhite--Female	957	70	85	1	1	772	-	3	8	-	17
Alabama	902	81	83	7	1	704	5	2	1	-	18
White--Male	508	50	47	5	1	394	5	1	-	-	5
White--Female	148	1	26	1	-	119	-	1	-	-	-
Nonwhite--Male	199	29	6	-	-	155	-	-	-	-	9
Nonwhite--Female	47	1	4	1	-	36	-	-	1	-	4
Arizona	459	85	49	-	-	318	1	-	1	-	5
White--Male	281	56	29	-	-	194	1	-	-	-	1
White--Female	93	9	9	-	-	74	-	-	-	-	1
Nonwhite--Male	63	15	5	-	-	39	-	-	1	-	3
Nonwhite--Female	22	5	6	-	-	11	-	-	-	-	-
Arkansas	445	60	41	-	1	332	3	-	1	-	7
White--Male	288	44	24	-	1	211	2	-	1	-	5
White--Female	72	4	8	-	-	60	-	-	-	-	-
Nonwhite--Male	65	11	8	-	-	43	1	-	-	-	2
Nonwhite--Female	20	1	1	-	-	18	-	-	-	-	-
California	3,696	307	422	-	6	2,768	22	28	32	-	111
White--Male	2,479	254	272	-	6	1,798	17	23	26	-	83
White--Female	968	34	121	-	-	776	3	3	5	-	26
Nonwhite--Male	192	17	25	-	-	146	2	2	-	-	-
Nonwhite--Female	57	2	4	-	-	48	-	-	1	-	2
Colorado	401	48	36	1	2	306	-	1	1	-	6
White--Male	292	43	29	-	2	214	-	1	-	-	3
White--Female	101	3	7	1	-	87	-	-	1	-	2
Nonwhite--Male	7	2	-	-	-	4	-	-	-	-	1
Nonwhite--Female	1	-	-	-	-	1	-	-	-	-	-
Connecticut	269	18	14	-	1	225	-	-	5	-	6
White--Male	193	14	8	-	1	162	-	-	4	-	4
White--Female	60	1	6	-	-	51	-	-	1	-	1
Nonwhite--Male	14	3	-	-	-	10	-	-	-	-	1
Nonwhite--Female	2	-	-	-	-	2	-	-	-	-	-
Delaware	94	7	15	-	-	60	2	1	1	-	8
White--Male	57	3	7	-	-	39	2	1	1	-	4
White--Female	28	1	5	-	-	18	-	-	-	-	4
Nonwhite--Male	7	3	2	-	-	2	-	-	-	-	-
Nonwhite--Female	2	-	1	-	-	1	-	-	-	-	-
District of Columbia	100	12	4	-	1	77	-	2	1	-	3
White--Male	39	2	-	-	-	35	-	-	-	-	2
White--Female	18	-	1	-	-	15	-	2	-	-	-
Nonwhite--Male	33	9	1	-	-	21	-	-	1	-	1
Nonwhite--Female	10	1	2	-	1	6	-	-	-	-	-
Florida	1,159	85	121	-	5	893	3	20	2	-	30
White--Male	644	59	50	-	5	495	1	11	2	-	21
White--Female	261	7	36	-	-	207	2	6	-	-	3
Nonwhite--Male	202	15	27	-	-	152	-	2	-	-	6
Nonwhite--Female	52	4	8	-	-	39	-	1	-	-	-
Georgia	979	145	73	2	1	745	1	1	2	-	9
White--Male	565	94	44	1	1	420	1	-	2	-	2
White--Female	176	10	14	-	-	151	-	-	-	-	1
Nonwhite--Male	190	34	13	1	-	137	-	1	-	-	4
Nonwhite--Female	48	7	2	-	-	37	-	-	-	-	2
Idaho	263	25	20	3	1	212	-	-	-	-	2
White--Male	177	22	16	1	1	137	-	-	-	-	-
White--Female	73	1	4	2	-	65	-	-	-	-	1
Nonwhite--Male	6	2	-	-	-	3	-	-	-	-	1
Nonwhite--Female	7	-	-	-	-	7	-	-	-	-	-
Illinois	1,926	170	210	1	7	1,461	15	17	13	1	31
White--Male	1,275	130	135	1	7	959	9	7	8	-	19
White--Female	478	25	61	-	-	369	3	7	3	1	9
Nonwhite--Male	136	9	11	-	-	107	3	3	1	-	2
Nonwhite--Female	37	6	3	-	-	26	-	-	1	-	1
Indiana	1,077	100	137	2	2	804	6	2	3	-	21
White--Male	722	82	77	2	2	536	5	1	2	-	15
White--Female	318	12	53	-	-	244	1	1	1	-	6
Nonwhite--Male	24	5	3	-	-	16	-	-	-	-	-
Nonwhite--Female	13	1	4	-	-	8	-	-	-	-	-
Iowa	650	58	84	-	4	449	-	22	1	-	32
White--Male	461	48	60	-	2	312	-	17	1	-	21
White--Female	176	10	21	-	2	127	-	5	-	-	11
Nonwhite--Male	10	-	2	-	-	8	-	-	-	-	-
Nonwhite--Female	3	-	1	-	-	2	-	-	-	-	-

Table 78. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Kansas	570	72	90	-	-	399	5	-	1	-	3
White—Male	391	66	50	-	-	270	2	-	1	-	2
Female	159	3	39	-	-	113	3	-	-	-	1
Nonwhite—Male	13	2	1	-	-	10	-	-	-	-	-
Female	7	1	-	-	-	6	-	-	-	-	-
Kentucky	735	72	67	27	-	552	-	1	1	-	15
White—Male	498	56	46	12	-	373	-	1	-	-	10
Female	189	10	18	15	-	141	-	-	1	-	4
Nonwhite—Male	37	5	3	-	-	28	-	-	-	-	1
Female	11	1	-	-	-	10	-	-	-	-	-
Louisiana	810	72	83	-	5	584	5	33	2	1	25
White—Male	415	40	50	-	4	289	4	14	-	1	13
Female	163	4	20	-	1	119	1	12	1	-	5
Nonwhite—Male	185	25	9	-	-	140	-	5	-	-	6
Female	47	3	4	-	-	36	-	2	1	-	1
Maine	211	32	19	-	-	157	-	-	1	-	2
White—Male	150	29	11	-	-	108	-	-	-	-	2
Female	56	3	8	-	-	44	-	-	1	-	-
Nonwhite—Male	5	-	-	-	-	5	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	485	30	25	-	1	411	7	2	3	-	6
White—Male	298	24	14	-	1	247	4	2	2	-	4
Female	86	2	8	-	-	74	2	-	-	-	-
Nonwhite—Male	74	3	3	-	-	65	1	-	-	-	2
Female	27	1	-	-	-	25	-	-	1	-	-
Massachusetts	617	30	31	-	2	526	3	2	4	-	19
White—Male	420	25	20	-	2	354	1	2	2	-	14
Female	170	4	10	-	-	147	2	-	2	-	5
Nonwhite—Male	22	1	1	-	-	20	-	-	-	-	-
Female	5	-	-	-	-	5	-	-	-	-	-
Michigan	1,467	73	108	1	1	1,271	6	-	5	-	2
White—Male	995	62	73	-	1	851	3	-	4	-	1
Female	359	8	23	1	-	323	3	-	-	-	1
Nonwhite—Male	82	3	10	-	-	69	-	-	-	-	-
Female	31	-	2	-	-	28	-	-	1	-	-
Minnesota	752	62	70	-	1	606	3	1	3	-	6
White—Male	533	57	48	-	-	420	2	-	2	-	4
Female	199	4	21	-	1	170	1	1	1	-	-
Nonwhite—Male	13	1	1	-	-	10	-	-	-	-	1
Female	7	-	-	-	-	6	-	-	-	-	1
Mississippi	548	91	59	-	1	381	6	2	1	-	7
White—Male	300	41	36	-	1	214	4	2	-	-	2
Female	75	8	11	-	-	54	1	-	-	-	1
Nonwhite—Male	130	35	11	-	-	78	1	-	1	-	4
Female	43	7	1	-	-	35	-	-	-	-	-
Missouri	964	104	118	3	1	722	1	1	5	-	9
White—Male	677	83	83	3	1	495	1	1	4	-	6
Female	219	14	28	-	-	176	-	-	1	-	-
Nonwhite—Male	51	7	5	-	-	36	-	-	-	-	3
Female	17	-	2	-	-	15	-	-	-	-	-
Montana	203	25	17	-	-	159	-	1	-	-	1
White—Male	143	23	13	-	-	105	-	1	-	-	1
Female	46	2	4	-	-	40	-	-	-	-	-
Nonwhite—Male	12	-	-	-	-	12	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
Nebraska	369	44	60	1	-	256	6	1	1	-	-
White—Male	263	37	39	1	-	180	5	1	-	-	-
Female	94	7	21	-	-	64	1	-	1	-	-
Nonwhite—Male	7	-	-	-	-	7	-	-	-	-	-
Female	5	-	-	-	-	5	-	-	-	-	-
Nevada	117	9	8	-	-	96	-	2	-	-	2
White—Male	86	8	6	-	-	69	-	2	-	-	1
Female	17	-	-	-	-	16	-	-	-	-	1
Nonwhite—Male	12	1	2	-	-	9	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
New Hampshire	95	5	8	-	-	78	-	1	-	-	3
White—Male	68	5	7	-	-	54	-	-	-	-	2
Female	27	-	1	-	-	24	-	1	-	-	1
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	755	49	44	2	7	575	6	4	11	-	57
White—Male	495	40	30	2	4	369	5	1	7	-	37
Female	166	2	10	-	1	139	1	2	4	-	7
Nonwhite—Male	74	7	4	-	2	49	-	1	-	-	11
Female	20	-	-	-	-	18	-	-	-	-	2

Table 78. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
New Mexico	346	45	45	-	-	254	-	1	1	-	-
White—Male	229	33	28	-	-	166	-	1	1	-	-
Female	76	4	11	-	-	61	-	-	-	-	-
Nonwhite—Male	31	6	4	-	-	21	-	-	-	-	-
Female	10	2	2	-	-	6	-	-	-	-	-
New York	2,260	182	118	-	12	1,811	12	20	44	-	61
White—Male	1,508	139	85	-	9	1,188	6	13	24	-	44
Female	551	29	29	-	2	451	4	6	18	-	12
Nonwhite—Male	148	11	3	-	1	124	2	1	1	-	5
Female	53	3	1	-	-	48	-	-	1	-	-
North Carolina	1,129	130	121	-	-	858	7	2	4	-	7
White—Male	642	75	79	-	-	480	4	2	1	-	1
Female	188	14	29	-	-	140	2	-	-	-	3
Nonwhite—Male	225	35	9	-	-	175	1	-	3	-	2
Female	74	6	4	-	-	63	-	-	-	-	1
North Dakota	175	25	15	-	-	133	-	1	-	-	1
White—Male	129	21	13	-	-	94	-	-	-	-	1
Female	41	3	2	-	-	35	-	1	-	-	-
Nonwhite—Male	4	1	-	-	-	3	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
Ohio	1,855	126	141	1	8	1,490	12	19	8	-	50
White—Male	1,291	95	97	-	7	1,033	7	12	6	-	34
Female	463	20	41	1	1	378	3	5	2	-	12
Nonwhite—Male	83	9	1	-	-	66	2	2	-	-	3
Female	18	2	2	-	-	13	-	-	-	-	1
Oklahoma	686	74	109	1	-	491	3	2	1	-	5
White—Male	436	63	70	1	-	295	3	1	-	-	3
Female	162	5	30	-	-	126	-	1	-	-	-
Nonwhite—Male	63	5	5	-	-	50	-	-	1	-	2
Female	25	1	4	-	-	20	-	-	-	-	-
Oregon	436	42	32	-	-	350	7	1	-	-	4
White—Male	310	33	22	-	-	248	3	1	-	-	3
Female	114	8	10	-	-	91	4	-	-	-	1
Nonwhite—Male	6	1	-	-	-	5	-	-	-	-	-
Female	6	-	-	-	-	6	-	-	-	-	-
Pennsylvania	1,798	168	131	1	5	1,409	7	7	12	1	57
White—Male	1,246	130	74	-	4	972	5	5	8	1	47
Female	408	19	45	1	-	330	1	2	3	-	7
Nonwhite—Male	110	18	8	-	1	79	1	-	-	-	3
Female	34	1	4	-	-	28	-	-	1	-	-
Rhode Island	82	1	6	-	-	72	-	1	1	-	1
White—Male	56	1	3	-	-	49	-	1	1	-	1
Female	24	-	2	-	-	22	-	-	-	-	-
Nonwhite—Male	2	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
South Carolina	573	58	33	-	-	463	8	1	4	-	6
White—Male	291	25	14	-	-	236	8	1	1	-	6
Female	67	6	6	-	-	54	-	-	1	-	-
Nonwhite—Male	176	22	11	-	-	141	-	-	2	-	-
Female	39	5	2	-	-	32	-	-	-	-	-
South Dakota	221	20	20	1	2	177	-	-	-	-	1
White—Male	139	20	13	-	1	104	-	-	-	-	1
Female	55	-	7	1	-	47	-	-	-	-	-
Nonwhite—Male	22	-	-	-	1	21	-	-	-	-	-
Female	5	-	-	-	-	5	-	-	-	-	-
Tennessee	779	86	105	4	1	570	3	1	2	-	7
White—Male	514	64	67	2	1	372	2	1	1	-	4
Female	157	9	24	-	-	120	1	-	1	-	2
Nonwhite—Male	75	10	9	2	-	53	-	-	-	-	1
Female	33	3	5	-	-	25	-	-	-	-	-
Texas	2,469	307	404	-	-	1,728	7	3	8	-	12
White—Male	1,598	247	256	-	-	1,081	4	-	2	-	8
Female	565	29	86	-	-	437	3	3	6	-	1
Nonwhite—Male	247	28	48	-	-	168	-	-	-	-	3
Female	59	3	14	-	-	42	-	-	-	-	-
Utah	200	22	22	-	1	147	-	3	-	-	5
White—Male	142	18	13	-	1	106	-	-	-	-	4
Female	49	2	7	-	-	36	-	3	-	-	1
Nonwhite—Male	7	1	2	-	-	4	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-
Vermont	83	8	2	-	-	61	-	3	-	-	9
White—Male	63	7	1	-	-	45	-	3	-	-	7
Female	17	1	1	-	-	13	-	-	-	-	2
Nonwhite—Male	2	-	-	-	-	2	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-

Table 78. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Virginia	774	75	49	2	3	610	-	1	1	1	32
White—Male	442	53	31	1	3	341	-	-	-	-	13
Female	143	8	9	-	-	116	-	1	1	-	8
Nonwhite—Male	159	13	9	1	-	126	-	-	-	1	9
Female	30	1	-	-	-	27	-	-	-	-	2
Washington	667	37	51	1	2	554	3	5	6	-	8
White—Male	446	31	32	1	2	361	3	5	5	-	6
Female	176	2	15	-	-	157	-	-	-	-	2
Nonwhite—Male	35	3	2	-	-	29	-	-	1	-	-
Female	10	1	2	-	-	7	-	-	-	-	-
West Virginia	405	37	26	-	1	330	1	2	2	-	6
White—Male	317	32	16	-	-	259	1	2	1	-	6
Female	70	3	6	-	1	59	-	-	1	-	-
Nonwhite—Male	15	2	4	-	-	9	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
Wisconsin	815	50	52	-	1	693	7	-	2	-	10
White—Male	608	42	39	-	1	515	2	-	2	-	7
Female	188	7	13	-	-	160	5	-	-	-	3
Nonwhite—Male	15	1	-	-	-	14	-	-	-	-	-
Female	4	-	-	-	-	4	-	-	-	-	-
Wyoming	110	16	11	-	2	79	-	1	-	-	1
White—Male	78	16	9	-	1	51	-	1	-	-	-
Female	23	-	2	-	1	19	-	-	-	-	1
Nonwhite—Male	4	-	-	-	-	4	-	-	-	-	-
Female	5	-	-	-	-	5	-	-	-	-	-

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
				Nonresident[1]						Resident			
			Total, in institution	General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	Type of service not specified
ALL CAUSES	1,647,886	644,548	1,003,338	784,360	1,862	9,097	14,592	9,588	1,735	57,675	98,444	1,911	24,074
Male	936,794	375,819	561,175	455,528	1,024	6,804	7,335	5,156	1,263	30,716	40,378	823	12,148
Female	711,092	268,929	442,163	328,832	838	2,293	7,257	4,432	472	26,959	58,066	1,088	11,926
White—Male	828,550	325,682	502,868	406,029	844	5,726	6,601	4,656	968	27,542	38,541	774	11,187
Female	622,527	226,695	395,832	289,559	673	1,833	6,531	3,955	427	24,508	56,129	1,046	11,171
Nonwhite—Male	108,244	49,937	58,307	49,499	180	1,078	734	500	295	3,174	1,837	49	961
Female	88,565	42,234	46,331	39,273	165	460	726	477	45	2,451	1,937	42	755
I. Infective and parasitic diseases	23,407	4,928	18,479	11,650	20	4,014	175	320	74	1,603	320	18	285
White—Male	11,658	2,222	9,436	5,667	7	2,369	95	159	44	773	154	7	161
Female	5,743	1,268	4,475	3,036	8	683	39	102	9	399	131	9	59
Nonwhite—Male	3,837	887	2,950	1,867	3	647	31	32	17	282	26	1	44
Female	2,169	551	1,618	1,080	2	315	10	27	4	149	9	1	21
Tuberculosis, all forms (001-019)	12,361	2,468	9,893	4,680	5	3,951	103	65	44	788	98	8	151
White—Male	6,810	1,246	5,564	2,538	1	2,335	63	30	29	414	57	4	93
Female	2,368	585	1,783	807	3	677	20	18	2	206	28	3	19
Nonwhite—Male	2,133	419	1,714	899	1	633	17	8	13	106	9	-	28
Female	1,050	218	832	436	-	306	3	9	-	62	4	1	11
Tuberculosis of respiratory system (001-008)	11,477	2,360	9,117	4,070	5	3,872	97	47	41	749	86	7	143
White—Male	6,488	1,198	5,290	2,330	1	2,304	61	22	28	398	53	4	89
Female	2,182	567	1,615	688	3	654	16	14	1	193	25	3	18
Nonwhite—Male	1,923	399	1,524	735	1	622	17	6	12	98	7	-	26
Female	886	196	688	317	-	292	3	5	-	60	1	-	10
Tuberculosis of meninges and central nervous system (010)	296	18	278	208	-	37	4	15	2	6	1	1	4
White—Male	85	4	81	55	-	14	1	6	-	3	-	-	2
Female	66	4	62	40	-	12	3	3	1	3	-	-	-
Nonwhite—Male	67	4	63	56	-	3	-	2	1	-	-	-	1
Female	78	6	72	57	-	8	-	4	-	-	1	1	1
Tuberculosis of intestines, peritoneum, and mesenteric glands (011)	67	17	50	37	-	2	-	-	-	8	2	-	1
White—Male	19	4	15	9	-	-	-	-	-	4	1	-	1
Female	17	3	14	12	-	1	-	-	-	1	-	-	-
Nonwhite—Male	16	6	10	8	-	1	-	-	-	1	-	-	-
Female	15	4	11	8	-	-	-	-	-	2	1	-	-
Tuberculosis of bones and joints (012,013)	84	22	62	47	-	8	-	1	-	4	1	-	1
White—Male	39	13	26	18	-	4	-	1	-	2	-	-	1
Female	20	3	17	12	-	3	-	-	-	1	1	-	-
Nonwhite—Male	16	3	13	12	-	-	-	-	-	1	-	-	-
Female	9	3	6	5	-	1	-	-	-	-	-	-	-
Tuberculosis of other organs and systems (014-018)	212	29	183	147	-	18	2	1	1	9	4	-	1
White—Male	99	17	82	68	-	8	1	-	1	3	1	-	-
Female	57	6	51	38	-	4	1	1	-	5	1	-	1
Nonwhite—Male	39	4	35	29	-	4	-	-	-	1	1	-	-
Female	17	2	15	12	-	2	-	-	-	-	1	-	-
Disseminated tuberculosis (019)	225	22	203	171	-	14	-	1	-	12	4	-	1
White—Male	82	12	70	58	-	5	-	1	-	4	2	-	-
Female	26	2	24	17	-	3	-	-	-	3	1	-	-
Nonwhite—Male	72	3	69	59	-	3	-	-	-	5	1	-	1
Female	45	5	40	37	-	3	-	-	-	-	-	-	-
Syphilis and its sequelae (020-029)	3,469	983	2,486	1,705	2	20	33	11	8	570	101	4	32
White—Male	1,637	453	1,184	839	2	10	11	7	5	245	47	3	15
Female	603	166	437	290	-	1	3	1	-	95	38	1	8
Nonwhite—Male	852	244	608	405	-	9	13	3	2	157	13	-	6
Female	377	120	257	171	-	-	6	-	1	73	3	-	3
Congenital syphilis (020)	37	14	23	19	-	-	-	1	-	1	2	-	-
White—Male	11	4	7	3	-	-	-	1	-	1	2	-	-
Female	5	1	4	4	-	-	-	-	-	-	-	-	-
Nonwhite—Male	16	6	10	10	-	-	-	-	-	-	-	-	-
Female	5	3	2	2	-	-	-	-	-	-	-	-	-
Early syphilis (021)	-	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta (022)	1,434	464	970	879	2	10	6	2	1	30	23	3	14
White—Male	802	248	554	508	2	4	2	1	1	16	12	2	6
Female	293	98	195	171	-	-	1	1	-	4	10	1	7
Nonwhite—Male	221	76	145	127	-	6	3	-	-	8	1	-	-
Female	118	42	76	73	-	-	-	-	-	2	-	-	1
Other cardiovascular syphilis (023)	1,182	365	817	592	-	8	15	4	5	153	26	1	13
White—Male	458	141	317	222	-	5	4	3	2	63	11	1	6
Female	154	43	111	78	-	1	1	-	-	22	8	-	1
Nonwhite—Male	409	122	287	217	-	2	6	1	2	49	5	-	5
Female	161	59	102	75	-	-	4	-	1	19	2	-	1

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
I. Infective and parasitic diseases—Continued													
Syphilis and its sequelae—Continued													
Tabes dorsalis (024)	83	32	51	31	-	-	4	-	-	1	15	-	-
White—Male	55	21	34	23	-	-	2	-	-	1	8	-	-
Female	12	3	9	3	-	-	1	-	-	-	5	-	-
Nonwhite—Male	13	6	7	4	-	-	1	-	-	-	2	-	-
Female	3	2	1	1	-	-	-	-	-	-	-	-	-
General paralysis of insane (025)	292	26	266	17	-	-	2	1	1	236	8	-	1
White—Male	135	9	126	10	-	-	1	1	1	109	4	-	-
Female	55	6	49	2	-	-	-	-	-	44	3	-	-
Nonwhite—Male	69	5	64	3	-	-	1	-	-	59	1	-	-
Female	33	6	27	2	-	-	-	-	-	24	-	-	1
Other syphilis of central nervous system (026)	356	55	301	133	-	1	5	2	1	136	20	-	3
White—Male	145	21	124	59	-	-	1	1	1	52	8	-	2
Female	65	10	55	22	-	-	-	-	-	24	9	-	-
Nonwhite—Male	103	20	83	37	-	1	2	1	-	39	2	-	1
Female	43	4	39	15	-	-	2	-	-	21	1	-	-
All other syphilis (027-029)	85	27	58	34	-	1	1	1	-	13	7	-	1
White—Male	31	9	22	14	-	1	1	-	-	3	2	-	1
Female	19	5	14	10	-	-	-	-	-	1	3	-	-
Nonwhite—Male	21	9	12	7	-	-	-	1	-	2	2	-	-
Female	14	4	10	3	-	-	-	-	-	7	-	-	-
Gonococcal infection (030-035)	18	2	16	15	-	-	-	-	-	1	-	-	-
White—Male	5	2	3	2	-	-	-	-	-	1	-	-	-
Female	1	-	1	1	-	-	-	-	-	-	-	-	-
Nonwhite—Male	10	-	10	10	-	-	-	-	-	-	-	-	-
Female	2	-	2	2	-	-	-	-	-	-	-	-	-
Typhoid fever (040)	23	2	21	21	-	-	-	-	-	-	-	-	-
White—Male	9	1	8	8	-	-	-	-	-	-	-	-	-
Female	9	1	8	8	-	-	-	-	-	-	-	-	-
Nonwhite—Male	2	-	2	2	-	-	-	-	-	-	-	-	-
Female	3	-	3	3	-	-	-	-	-	-	-	-	-
Paratyphoid fever and other Salmonella infections (041,042)	65	3	62	53	3	-	-	3	-	2	-	-	1
White—Male	29	1	28	23	2	-	-	2	-	-	-	-	1
Female	15	-	15	13	-	-	-	-	-	2	-	-	-
Nonwhite—Male	10	1	9	7	1	-	-	1	-	-	-	-	-
Female	11	1	10	10	-	-	-	-	-	-	-	-	-
Cholera (043)	-	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) (044)	8	1	7	7	-	-	-	-	-	-	-	-	-
White—Male	3	-	3	3	-	-	-	-	-	-	-	-	-
Female	3	1	2	2	-	-	-	-	-	-	-	-	-
Nonwhite—Male	2	-	2	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms (045-048)	407	153	254	190	1	-	1	4	-	44	5	-	9
White—Male	153	42	111	78	-	-	1	3	-	21	1	-	7
Female	110	37	73	57	-	-	-	-	-	13	2	-	1
Nonwhite—Male	92	48	44	34	-	-	-	1	-	7	1	-	1
Female	52	26	26	21	1	-	-	-	-	3	1	-	-
Food poisoning (infection and intoxication) (049)	55	24	31	29	1	-	-	-	-	-	1	-	-
White—Male	15	5	10	9	1	-	-	-	-	-	-	-	-
Female	16	5	11	11	-	-	-	-	-	-	-	-	-
Nonwhite—Male	14	5	9	8	-	-	-	-	-	-	1	-	-
Female	10	9	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever (050)	12	5	7	6	-	-	-	-	-	-	-	-	1
White—Male	3	2	1	1	-	-	-	-	-	-	-	-	-
Female	6	2	4	3	-	-	-	-	-	-	-	-	1
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	2	1	1	1	-	-	-	-	-	-	-	-	-
Streptococcal sore throat (051)	127	54	73	63	-	-	-	-	-	3	5	-	2
White—Male	54	19	35	32	-	-	-	-	-	-	3	-	-
Female	48	19	29	23	-	-	-	-	-	2	2	-	2
Nonwhite—Male	11	5	6	6	-	-	-	-	-	-	-	-	-
Female	14	11	3	2	-	-	-	-	-	1	-	-	-
Erysipelas (052)	26	5	21	14	-	-	-	-	-	3	2	1	1
White—Male	13	3	10	8	-	-	-	-	-	1	1	-	-
Female	11	2	9	5	-	-	-	-	-	1	1	1	1
Nonwhite—Male	1	-	1	-	-	-	-	-	-	1	-	-	-
Female	1	-	1	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION: Total, in institution	Nonresident[1]: General hospital	Nonresident[1]: Maternity hospital	Nonresident[1]: Tuberculosis hospital	Nonresident[1]: Chronic disease and convalescent hospitals	Nonresident[1]: Other special hospitals	Nonresident[1]: Hospital department of institution	Resident: Nervous and mental hospitals	Resident: Convalescent and nursing homes, etc.	Resident: Other domiciliary institutions	Type of service not specified
I. Infective and parasitic diseases—Continued													
Septicemia and pyemia (053)	1,663	228	1,435	1,217	-	9	8	49	3	96	32	1	20
White—Male	749	103	646	538	-	8	5	26	1	41	12	-	15
Female	594	77	517	427	-	1	3	13	2	48	19	1	3
Nonwhite—Male	175	23	152	143	-	-	-	5	-	3	-	-	1
Female	145	25	120	109	-	-	-	5	-	4	1	-	1
Diphtheria (055)	74	15	59	57	1	-	-	1	-	-	-	-	-
White—Male	24	5	19	19	-	-	-	-	-	-	-	-	-
Female	23	3	20	19	1	-	-	-	-	-	-	-	-
Nonwhite—Male	12	4	8	8	-	-	-	-	-	-	-	-	-
Female	15	3	12	11	-	-	-	1	-	-	-	-	-
Whooping cough (056)	177	70	107	95	-	-	2	7	-	-	-	-	3
White—Male	44	15	29	25	-	-	1	2	-	-	-	-	1
Female	47	14	33	27	-	-	-	5	-	-	-	-	1
Nonwhite—Male	42	22	20	19	-	-	1	-	-	-	-	-	-
Female	44	19	25	24	-	-	-	-	-	-	-	-	1
Meningococcal infections (057)	746	90	656	590	1	-	1	48	1	4	3	-	8
White—Male	310	33	277	247	-	-	-	25	-	2	1	-	2
Female	309	34	275	248	1	-	1	19	-	1	2	-	3
Nonwhite—Male	68	14	54	49	-	-	-	2	-	1	-	-	2
Female	59	9	50	46	-	-	-	2	1	-	-	-	1
Plague (058)	-	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy (060)	3	2	1	1	-	-	-	-	-	-	-	-	-
White—Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus (061)	303	22	281	267	1	-	1	4	1	-	2	-	5
White—Male	103	5	98	94	1	-	-	1	-	-	1	-	1
Female	53	3	50	48	-	-	1	1	-	-	-	-	-
Nonwhite—Male	81	5	76	70	-	-	-	1	1	-	1	-	3
Female	66	9	57	55	-	-	-	1	-	-	-	-	1
Anthrax (062)	1	-	1	-	-	-	-	-	-	-	-	-	1
White—Male	1	-	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (080)	255	21	234	198	-	2	3	25	-	-	1	-	5
White—Male	136	9	127	106	-	1	2	13	-	-	1	-	4
Female	76	10	66	58	-	1	1	5	-	-	-	-	1
Nonwhite—Male	27	-	27	23	-	-	-	4	-	-	-	-	-
Female	16	2	14	11	-	-	-	3	-	-	-	-	-
Late effects of acute poliomyelitis (081)	147	56	91	66	-	1	5	6	1	2	8	-	2
White—Male	76	23	53	37	-	1	4	6	1	-	2	-	2
Female	63	29	34	25	-	-	1	-	-	2	6	-	-
Nonwhite—Male	3	2	1	1	-	-	-	-	-	-	-	-	-
Female	5	2	3	3	-	-	-	-	-	-	-	-	-
Acute infectious encephalitis (082)	537	47	490	447	1	-	1	15	-	15	6	1	4
White—Male	249	18	231	211	-	-	1	6	-	8	3	-	2
Female	225	14	211	193	-	-	-	6	-	6	3	1	2
Nonwhite—Male	34	9	25	23	1	-	-	1	-	-	-	-	-
Female	29	6	23	20	-	-	-	2	-	1	-	-	-
Late effects of acute infectious encephalitis (083)	88	26	62	17	-	-	5	2	-	23	13	-	2
White—Male	55	15	40	10	-	-	3	-	-	17	9	-	1
Female	31	11	20	7	-	-	2	2	-	4	4	-	1
Nonwhite—Male	1	-	1	-	-	-	-	-	-	1	-	-	-
Female	1	-	1	-	-	-	-	-	-	1	-	-	-
Smallpox (084)	-	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (085)	552	200	352	296	-	-	1	25	12	12	1	-	5
White—Male	220	70	150	128	-	-	-	7	4	7	-	-	4
Female	206	72	134	114	-	-	1	9	5	3	1	-	1
Nonwhite—Male	69	29	40	33	-	-	-	5	1	1	-	-	-
Female	57	29	28	21	-	-	-	4	2	1	-	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
I. Infective and parasitic diseases—Continued													
Yellow fever (091)	-	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis (092)	897	90	807	749	3	4	2	10	2	15	10	1	11
White—Male	352	27	325	299	-	2	-	5	2	10	4	-	3
Female	449	50	399	370	3	1	2	5	-	4	6	1	7
Nonwhite—Male	31	3	28	27	-	1	-	-	-	-	-	-	-
Female	65	10	55	53	-	-	-	-	-	1	-	-	1
Rabies (094)	5	-	5	5	-	-	-	-	-	-	-	-	-
White—Male	2	-	2	2	-	-	-	-	-	-	-	-	-
Female	2	-	2	2	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	1	-	-	-	-	-	-	-	-	-
Tick-borne typhus (104)	14	2	12	9	-	-	-	2	-	-	-	-	1
White—Male	7	1	6	4	-	-	-	1	-	-	-	-	1
Female	6	-	6	5	-	-	-	1	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases (100-103,105-108)	4	-	4	3	-	-	-	-	1	-	-	-	-
White—Male	3	-	3	2	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	6	4	2	2	-	-	-	-	-	-	-	-	-
White—Male	3	1	2	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	3	3	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Schistosomiasis (123)	6	-	6	6	-	-	-	-	-	-	-	-	-
White—Male	4	-	4	4	-	-	-	-	-	-	-	-	-
Female	1	-	1	1	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid disease (125)	14	1	13	13	-	-	-	-	-	-	-	-	-
White—Male	7	-	7	7	-	-	-	-	-	-	-	-	-
Female	5	1	4	4	-	-	-	-	-	-	-	-	-
Nonwhite—Male	2	-	2	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Filariasis (127)	-	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis (129)	3	1	2	2	-	-	-	-	-	-	-	-	-
White—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	1	-	1	1	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	1	-	-	-	-	-	-	-	-	-
Other dis. due to helminths (124,126,128,130)	61	19	42	38	-	-	-	-	1	2	-	-	1
White—Male	9	2	7	6	-	-	-	-	1	-	-	-	-
Female	16	3	13	13	-	-	-	-	-	-	-	-	-
Nonwhite—Male	12	7	5	4	-	-	-	-	-	1	-	-	-
Female	24	7	17	15	-	-	-	-	-	1	-	-	1
All other infective and parasitic diseases (Residual[2])	1,280	334	946	789	1	27	9	43	-	23	32	2	20
White—Male	570	119	451	384	-	12	4	25	-	6	12	-	8
Female	447	129	318	255	-	2	4	17	-	12	19	1	8
Nonwhite—Male	146	44	102	88	-	4	-	1	-	4	1	1	3
Female	117	42	75	62	1	9	1	-	-	1	-	-	1
II. Neoplasms	259,387	83,084	176,303	147,248	117	1,775	3,531	3,390	198	3,579	12,719	392	3,354
White—Male	125,008	36,923	88,085	74,891	32	1,191	1,515	1,569	108	1,798	5,293	154	1,534
Female	111,063	37,468	73,595	59,973	70	374	1,531	1,532	50	1,404	6,838	185	1,638
Nonwhite—Male	12,021	3,851	8,170	6,949	3	166	221	135	37	230	296	29	104
Female	11,295	4,842	6,453	5,435	12	44	264	154	3	147	292	24	78
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	254,426	82,215	172,211	143,670	115	1,749	3,490	3,319	194	3,417	12,571	387	3,299
White—Male	123,011	36,604	86,407	73,427	32	1,178	1,494	1,536	106	1,727	5,243	152	1,512
Female	108,801	37,062	71,739	58,359	69	369	1,520	1,500	50	1,332	6,749	183	1,608
Nonwhite—Male	11,767	3,806	7,961	6,771	3	162	216	133	35	221	290	28	102
Female	10,847	4,743	6,104	5,113	11	40	260	150	3	137	289	24	77

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of buccal cavity and pharynx (140-148)	5,766	1,856	3,910	2,959	1	42	176	161	4	116	353	23	75
White—Male	4,069	1,222	2,847	2,164	1	34	124	121	4	85	247	20	47
Female	1,219	483	736	543	-	4	30	33	-	19	83	1	23
Nonwhite—Male	352	97	255	197	-	4	17	7	-	10	13	2	5
Female	126	54	72	55	-	-	5	-	-	2	10	-	-
Of lip (140)	227	84	143	103	-	1	2	3	-	4	26	-	4
White—Male	201	74	127	90	-	1	2	3	-	3	24	-	4
Female	25	10	15	12	-	-	-	-	-	1	2	-	-
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Of tongue (141)	1,455	418	1,037	771	-	11	57	54	2	39	81	8	14
White—Male	1,037	266	771	574	-	8	40	43	2	29	59	7	9
Female	290	120	170	127	-	1	7	9	-	5	16	-	5
Nonwhite—Male	92	16	76	56	-	2	8	2	-	3	4	1	-
Female	36	16	20	14	-	-	2	-	-	2	2	-	-
Of other and unspecified parts of buccal cavity (142-144)	1,778	561	1,217	914	1	14	53	59	-	30	112	10	24
White—Male	1,160	336	824	629	1	12	36	40	-	19	67	9	11
Female	489	183	306	214	-	2	11	16	-	9	41	1	12
Nonwhite—Male	88	24	64	53	-	-	3	3	-	2	2	-	1
Female	41	18	23	18	-	-	3	-	-	-	2	-	-
Of pharynx (145-148)	2,306	793	1,513	1,171	-	16	64	45	2	43	134	5	33
White—Male	1,671	546	1,125	871	-	13	46	35	2	34	97	4	23
Female	415	170	245	190	-	1	12	8	-	4	24	-	6
Nonwhite—Male	171	57	114	87	-	2	6	2	-	5	7	1	4
Female	49	20	29	23	-	-	-	-	-	-	6	-	-
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	88,144	30,661	57,483	48,312	25	330	1,161	545	73	1,240	4,563	118	1,116
White—Male	43,585	13,899	29,686	25,539	12	214	507	301	43	665	1,838	48	519
Female	36,741	13,733	23,008	18,657	11	68	521	188	10	447	2,514	59	533
Nonwhite—Male	4,600	1,567	3,033	2,622	-	40	66	35	19	88	112	8	43
Female	3,218	1,462	1,756	1,494	2	8	67	21	1	40	99	3	21
Of esophagus (150)	4,612	1,242	3,370	2,851	3	42	82	67	4	68	187	11	55
White—Male	3,036	810	2,226	1,877	2	27	58	49	4	41	122	6	40
Female	820	262	558	458	1	5	14	10	-	18	46	2	4
Nonwhite—Male	613	123	490	431	-	9	7	7	-	8	15	2	11
Female	143	47	96	85	-	1	3	1	-	1	4	1	-
Of stomach (151)	21,033	8,287	12,746	10,586	2	93	280	125	19	323	1,047	28	263
White—Male	11,489	4,173	7,316	6,195	2	58	125	73	13	198	494	13	145
Female	7,076	2,956	4,120	3,293	-	17	93	40	-	81	488	11	97
Nonwhite—Male	1,600	668	932	779	-	15	26	9	6	37	43	3	14
Female	868	490	378	319	-	3	16	3	-	7	22	1	7
Of small intestine, incl. duodenum (152)	723	202	521	448	-	7	5	6	1	11	33	1	9
White—Male	383	89	274	244	-	5	3	4	-	5	11	1	1
Female	304	89	215	178	-	2	2	1	-	5	20	-	7
Nonwhite—Male	28	14	14	11	-	-	-	-	1	1	-	-	1
Female	28	10	18	15	-	-	-	1	-	-	2	-	-
Of large intestine, except rectum (153)	26,903	9,537	17,366	14,421	11	62	373	128	16	328	1,623	34	370
White—Male	11,559	3,728	7,831	6,727	4	37	143	65	10	152	548	9	136
Female	13,705	5,136	8,569	6,878	6	17	193	57	5	151	1,021	24	217
Nonwhite—Male	712	270	442	378	-	5	16	3	1	14	16	1	8
Female	927	403	524	438	1	3	21	3	-	11	38	-	9
Cecum, appendix, and ascending colon (153.0)	3,823	1,194	2,629	2,283	2	15	41	15	2	46	179	4	42
White—Male	1,553	429	1,124	1,020	-	8	13	6	1	19	41	-	16
Female	2,088	711	1,377	1,151	2	5	24	8	1	21	135	4	26
Nonwhite—Male	81	22	59	52	-	2	3	-	-	2	-	-	-
Female	101	32	69	60	-	-	1	1	-	4	3	-	-
Transverse colon, including hepatic and splenic flexures (153.1)	1,573	435	1,138	1,013	-	3	22	6	1	22	53	1	17
White—Male	717	178	539	496	-	1	8	4	1	13	12	-	4
Female	775	231	544	465	-	1	14	2	-	8	40	1	13
Nonwhite—Male	37	10	27	26	-	-	-	-	-	1	-	-	-
Female	44	16	28	26	-	1	-	-	-	-	1	-	-
Descending colon (153.2)	1,154	430	724	624	-	2	8	5	-	10	58	1	16
White—Male	484	157	327	292	-	2	1	2	-	2	22	-	6
Female	605	246	359	296	-	-	6	3	-	8	35	1	10
Nonwhite—Male	29	11	18	18	-	-	-	-	-	-	-	-	-
Female	36	16	20	18	-	-	1	-	-	-	1	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
II. Neoplasms—Continued													
Malignant neoplasms, etc.—Continued													
Malignant neoplasm of digestive organs and peritoneum, etc.—Continued													
Of large intestine, except rectum--Con.													
Sigmoid colon (153.3)	6,335	1,958	4,377	3,705	4	14	99	31	5	76	344	8	91
White—Male	2,905	822	2,083	1,795	3	8	41	19	3	37	136	5	36
Female	3,118	1,042	2,076	1,720	1	5	51	11	2	34	196	3	53
Nonwhite—Male	140	41	99	87	-	-	4	-	-	3	3	-	2
Female	172	53	119	103	-	1	3	1	-	2	9	-	-
Multiple parts of large intestine (153.7)	64	21	43	38	-	-	1	-	-	-	4	-	-
White—Male	31	9	22	21	-	-	1	-	-	-	-	-	-
Female	29	9	20	16	-	-	-	-	-	-	4	-	-
Nonwhite—Male	3	2	1	1	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Large intestine (including colon, part unspecified (153.8)	12,375	4,723	7,652	6,186	5	26	187	65	6	143	843	16	175
White—Male	5,186	1,803	3,383	2,851	1	18	75	31	5	68	287	3	64
Female	6,306	2,514	3,792	2,963	3	5	89	31	-	64	526	12	99
Nonwhite—Male	372	157	215	180	-	2	8	2	1	7	9	1	5
Female	511	249	262	212	1	1	15	1	-	4	21	-	7
Intestinal tract, part unspecified (153.9)	1,579	776	803	572	-	2	15	6	2	31	142	4	29
White—Male	683	330	353	272	-	-	4	3	-	13	50	1	10
Female	784	383	401	267	-	1	9	2	2	16	85	3	16
Nonwhite—Male	50	27	23	14	-	1	1	1	-	1	4	-	1
Female	62	36	26	19	-	-	1	-	-	1	3	-	2
Of rectum (154)	10,864	3,363	7,501	6,029	2	37	231	96	6	151	771	25	153
White—Male	5,784	1,651	4,133	3,438	-	24	96	52	3	85	337	14	84
Female	4,387	1,455	2,932	2,228	1	11	116	35	2	56	408	11	66
Nonwhite—Male	365	119	246	204	-	1	8	7	1	6	16	-	3
Female	328	138	190	159	1	1	11	2	-	4	12	-	-
Of biliary passages and of liver (stated to be primary site) (155)	5,948	1,780	4,168	3,711	3	20	56	38	4	86	181	3	66
White—Male	2,195	525	1,670	1,500	1	16	20	14	2	44	50	-	23
Female	3,288	1,142	2,146	1,895	2	3	29	15	1	30	126	2	43
Nonwhite—Male	279	48	231	210	-	1	2	6	1	7	3	1	-
Female	186	65	121	105	-	-	5	3	-	5	2	-	-
Liver (155.0)	1,731	473	1,258	1,122	1	12	9	22	2	35	33	2	20
White—Male	888	202	686	627	-	10	3	8	1	18	13	-	6
Female	600	210	390	334	1	1	4	8	-	11	16	1	14
Nonwhite—Male	181	31	150	135	-	1	-	5	1	5	2	1	-
Female	62	30	32	26	-	-	2	1	-	1	2	-	-
Other and multiple sites of biliary passages (155.1,155.8)	4,217	1,307	2,910	2,589	2	8	47	16	2	51	148	1	46
White—Male	1,307	323	984	873	1	6	17	6	1	26	37	-	17
Female	2,688	932	1,756	1,561	1	2	25	7	1	19	110	1	29
Nonwhite—Male	98	17	81	75	-	-	2	1	-	2	1	-	-
Female	124	35	89	80	-	-	3	2	-	4	-	-	-
Of liver not stated whether primary or secondary (156A)	3,688	1,685	2,003	1,640	-	15	34	11	7	50	180	4	62
White—Male	1,668	696	972	822	-	10	14	8	2	20	68	3	25
Female	1,623	781	842	660	-	5	15	2	1	21	102	1	35
Nonwhite—Male	218	99	119	98	-	-	3	1	4	7	6	-	-
Female	179	109	70	60	-	-	2	-	-	2	4	-	2
Of pancreas (157)	12,751	4,069	8,682	7,674	3	46	112	57	16	187	454	11	122
White—Male	6,806	2,039	4,767	4,307	3	33	46	26	9	101	182	2	58
Female	4,817	1,674	3,143	2,672	-	6	54	23	1	69	255	7	56
Nonwhite—Male	674	195	479	438	-	7	4	2	5	8	8	1	6
Female	454	161	293	257	-	-	8	6	1	9	9	1	2
Of peritoneum and of unspecified digestive organs (158,159)	1,622	496	1,126	952	1	8	8	17	-	36	87	1	16
White—Male	685	188	497	429	-	4	2	10	-	19	26	-	7
Female	721	238	483	395	1	2	5	5	-	16	50	1	8
Nonwhite—Male	111	31	80	73	-	2	-	-	-	-	5	-	-
Female	105	39	66	55	-	-	1	2	-	1	6	-	1
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	35,423	10,378	25,045	21,339	10	768	447	373	30	454	1,167	42	415
White—Male	27,758	7,908	19,850	17,045	7	628	325	290	19	350	840	29	317
Female	4,854	1,644	3,210	2,642	1	53	63	53	4	56	258	5	75
Nonwhite—Male	2,367	658	1,709	1,427	1	77	49	27	7	40	59	6	16
Female	444	168	276	225	1	10	10	3	-	8	10	2	7
Of larynx (161)	2,241	703	1,538	1,223	-	25	45	51	3	38	114	5	34
White—Male	1,820	546	1,274	1,014	-	20	35	48	3	31	89	2	32
Female	205	82	123	95	-	1	2	1	-	3	18	2	1
Nonwhite—Male	190	63	127	100	-	4	8	2	-	4	7	1	1
Female	26	12	14	14	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of respiratory system, not specified as secondary—Continued													
Of bronchus and trachea, and of lung specified as primary (162)	15,833	3,934	11,899	10,358	4	460	188	153	14	223	339	17	143
White—Male	12,720	3,096	9,624	8,431	3	385	134	116	8	178	255	13	101
Female	1,805	529	1,276	1,082	1	26	25	25	1	19	67	-	30
Nonwhite—Male	1,154	262	892	757	-	47	24	12	5	22	13	3	9
Female	154	47	107	88	-	2	5	-	-	4	4	1	3
Of lung, unspecified as to whether primary or secondary (163)	16,483	5,458	11,024	9,299	6	275	197	147	12	181	665	15	227
White—Male	12,694	4,098	8,596	7,306	4	219	146	115	8	134	473	13	178
Female	2,587	944	1,643	1,342	-	25	33	19	2	30	148	2	42
Nonwhite—Male	959	314	645	538	1	23	15	11	2	13	38	-	4
Female	243	103	140	113	1	8	3	2	-	4	6	-	3
Of other parts of respiratory system (160,164)	866	282	584	459	-	8	17	22	1	12	49	5	11
White—Male	524	168	356	294	-	4	10	11	-	7	23	1	6
Female	257	89	168	123	-	1	3	8	1	4	25	1	2
Nonwhite—Male	64	19	45	32	-	3	2	2	-	1	1	2	2
Female	21	6	15	10	-	-	2	1	-	-	-	1	1
Malignant neoplasm of breast (170)	22,675	7,976	14,699	11,653	17	73	401	403	16	296	1,448	50	342
White—Male	195	71	124	95	-	1	-	5	-	6	12	-	5
Female	20,806	7,154	13,652	10,830	16	68	357	347	16	268	1,381	44	325
Nonwhite—Male	20	7	13	11	-	-	-	1	-	-	-	1	-
Female	1,654	744	910	717	1	4	44	50	-	22	55	5	12
Malignant neoplasm of genital organs (171-179)	38,390	13,896	24,494	19,591	35	142	634	443	18	524	2,487	80	540
White—Male	13,356	4,871	8,485	6,479	3	56	215	96	6	180	1,198	25	227
Female	20,123	6,767	13,356	10,927	28	68	278	299	12	276	1,155	40	273
Nonwhite—Male	1,706	769	937	764	-	8	44	9	-	28	64	5	15
Female	3,205	1,489	1,716	1,421	4	10	97	39	-	40	70	10	25
Of cervix uteri (171)	8,582	2,887	5,695	4,620	19	34	184	155	5	123	428	30	97
White—Female	6,919	2,179	4,740	3,849	15	29	119	132	5	92	392	20	87
Nonwhite—Female	1,663	708	955	771	4	5	65	23	-	31	36	10	10
Of other and unspecified parts of uterus (172-174)	6,358	2,727	3,631	2,758	3	23	95	66	4	107	463	8	104
White—Female	5,405	2,162	3,243	2,441	3	18	76	61	4	100	438	8	94
Nonwhite—Female	953	565	388	317	-	5	19	5	-	7	25	-	10
Of ovary, fallopian tube, and broad ligament (175)	7,579	2,353	5,226	4,609	8	18	75	99	3	71	257	7	79
White—Female	7,072	2,177	4,895	4,311	8	18	64	88	3	69	252	7	75
Nonwhite—Female	507	176	331	298	-	-	11	11	-	2	5	-	4
Of other and unspecified female genital organs (176)	809	289	520	361	2	3	21	18	-	15	77	5	18
White—Female	727	249	478	326	2	3	19	18	-	15	73	5	17
Nonwhite—Female	82	40	42	35	-	-	2	-	-	-	4	-	1
Of prostate (177)	14,071	5,397	8,674	6,612	3	57	246	73	5	183	1,238	28	229
White—Male	12,452	4,651	7,801	5,904	3	49	203	65	5	157	1,175	25	215
Nonwhite—Male	1,619	746	873	708	-	8	43	8	-	26	63	3	14
Of testis, and of other and unspecified male genital organs (178-179)	991	243	748	631	-	7	13	32	1	25	24	2	13
White—Male	904	220	684	575	-	7	12	31	1	23	23	-	12
Nonwhite—Male	87	23	64	56	-	-	1	1	-	2	1	2	1
Malignant neoplasm of urinary organs (180-181)	12,122	3,660	8,462	7,099	4	52	174	147	7	152	657	19	151
White—Male	7,511	2,083	5,428	4,681	2	39	106	78	6	92	336	7	81
Female	3,747	1,271	2,476	1,940	1	8	56	46	-	42	310	9	64
Nonwhite—Male	525	165	360	306	1	3	7	15	1	14	6	3	4
Female	339	141	198	172	-	2	5	8	-	4	5	-	2
Of kidney (180)	4,743	1,499	3,244	2,809	2	26	55	71	2	51	163	6	59
White—Male	2,761	804	1,957	1,728	-	21	34	27	2	33	79	3	30
Female	1,668	590	1,078	896	1	4	17	32	-	15	82	2	29
Nonwhite—Male	201	60	141	125	1	-	2	8	-	3	1	1	-
Female	113	45	68	60	-	1	2	4	-	-	1	-	-
Of bladder and other urinary organs (181)	7,379	2,161	5,218	4,290	2	26	119	76	5	101	494	13	92
White—Male	4,750	1,279	3,471	2,953	2	18	72	51	4	59	257	4	51
Female	2,079	681	1,398	1,044	-	4	39	14	-	27	228	7	35
Nonwhite—Male	324	105	219	181	-	3	5	7	1	11	5	2	4
Female	226	96	130	112	-	1	3	4	-	4	4	-	2
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	27,978	9,176	18,802	15,486	14	166	356	432	22	439	1,425	52	410
White—Male	13,622	4,175	9,447	7,949	1	108	148	214	12	233	578	23	181
Female	11,994	4,111	7,883	6,292	9	40	162	195	4	162	787	22	210
Nonwhite—Male	1,211	389	822	698	1	16	24	10	5	27	26	3	12
Female	1,151	501	650	547	3	2	22	13	1	17	34	4	7

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of other and unspecified sites—Continued													
Of skin (190,191)	3,805	1,403	2,402	1,884	3	24	50	72	6	66	230	8	59
White—Male	2,106	704	1,402	1,140	1	20	21	39	5	47	102	1	26
Female	1,527	630	897	664	1	2	23	32	1	17	118	7	32
Nonwhite—Male	89	28	61	47	1	2	4	1	-	1	4	-	1
Female	83	41	42	33	-	-	2	-	-	1	6	-	-
Of eye (192)	346	126	220	180	-	3	2	5	-	3	23	1	3
White—Male	178	67	111	94	-	1	-	2	-	1	12	-	1
Female	151	53	98	78	-	1	2	2	-	2	11	-	2
Nonwhite—Male	7	2	5	4	-	1	-	-	-	-	-	-	-
Female	10	4	6	4	-	-	-	1	-	-	-	1	-
Of brain and other parts of nervous system (193)	5,606	1,167	4,439	3,814	1	19	78	118	1	109	206	13	80
White—Male	3,085	648	2,437	2,148	-	13	35	59	-	63	80	6	33
Female	2,164	454	1,710	1,409	-	6	40	55	1	33	120	5	41
Nonwhite—Male	218	40	178	154	-	-	3	3	-	8	3	2	5
Female	139	25	114	103	1	-	-	1	-	5	3	-	1
Of thyroid gland (194)	981	266	715	609	-	5	17	14	-	15	36	1	18
White—Male	321	84	237	204	-	2	3	4	-	5	11	-	8
Female	581	164	417	352	-	3	12	9	-	7	23	1	10
Nonwhite—Male	24	5	19	17	-	-	-	-	-	2	-	-	-
Female	55	13	42	36	-	-	2	1	-	1	2	-	-
Of bone (196)	1,885	790	1,095	826	1	12	31	43	-	22	120	10	30
White—Male	1,012	403	609	464	-	9	15	21	-	12	63	7	18
Female	722	321	401	294	-	3	9	20	-	9	53	2	11
Nonwhite—Male	80	33	47	38	-	-	4	1	-	1	2	-	1
Female	71	33	38	30	1	-	3	1	-	-	2	1	-
Of connective tissue (197)	890	251	639	548	-	4	4	39	2	5	30	1	6
White—Male	458	129	329	283	-	4	3	22	1	2	10	-	4
Female	372	108	264	223	-	-	1	16	-	3	18	1	2
Nonwhite—Male	34	9	25	22	-	-	-	-	1	-	2	-	-
Female	26	5	21	20	-	-	-	1	-	-	-	-	-
Of other specified sites, not stated to be secondary (195,199A)	1,392	543	849	688	-	8	16	25	1	21	73	3	14
White—Male	758	287	471	389	-	6	8	13	-	10	37	2	6
Female	512	202	310	245	-	2	5	9	-	9	33	1	6
Nonwhite—Male	66	22	44	36	-	-	2	1	1	2	1	-	1
Female	56	32	24	18	-	-	1	2	-	-	2	-	1
Of unspecified sites (156B,165,198,199B)	13,073	4,630	8,443	6,937	9	91	158	116	12	198	707	15	200
White—Male	5,704	1,853	3,851	3,227	-	53	63	54	6	93	263	7	85
Female	5,965	2,179	3,786	3,027	8	23	70	52	2	82	411	5	106
Nonwhite—Male	693	250	443	380	-	13	11	4	3	13	14	1	4
Female	711	348	363	303	1	2	14	6	1	10	19	2	5
Leukemia and aleukemia (204)	11,980	1,920	10,060	8,988	2	109	55	493	15	93	182	1	122
White—Male	6,524	1,013	5,511	4,933	1	61	33	268	12	56	81	-	66
Female	4,669	783	3,886	3,443	1	41	15	206	2	32	94	1	51
Nonwhite—Male	432	54	378	347	-	6	3	9	1	4	6	-	2
Female	355	70	285	265	-	1	4	10	-	1	1	-	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200,203,205)	11,948	2,692	9,256	8,243	7	67	86	322	9	103	289	2	128
White—Male	6,391	1,362	5,029	4,542	5	37	36	163	4	60	113	-	69
Female	4,648	1,116	3,532	3,085	2	19	38	133	2	30	167	2	54
Nonwhite—Male	554	100	454	399	-	8	6	20	2	10	4	-	5
Female	355	114	241	217	-	3	6	6	1	3	5	-	-
Lymphosarcoma and reticulosarcoma (200)	5,408	1,153	4,255	3,823	2	25	29	169	1	31	119	1	55
White—Male	2,893	582	2,311	2,101	2	15	14	82	-	19	47	-	31
Female	2,204	504	1,700	1,500	-	7	13	76	1	9	71	1	22
Nonwhite—Male	203	31	172	153	-	3	2	9	-	3	-	-	2
Female	108	36	72	69	-	-	-	2	-	-	1	-	-
Hodgkin's disease (201)	3,036	701	2,335	2,084	3	26	18	94	4	31	47	1	27
White—Male	1,715	380	1,335	1,215	2	14	5	48	3	20	15	-	15
Female	1,130	268	862	749	1	10	11	36	-	10	33	1	11
Nonwhite—Male	123	27	96	83	-	2	-	8	1	1	-	-	1
Female	68	26	42	37	-	-	2	2	-	-	1	-	-
Other neoplasms of lymphatic and hematopoietic tissues (202,203,205)	3,504	838	2,666	2,336	2	16	39	59	4	41	123	-	46
White—Male	1,783	400	1,383	1,226	1	8	17	33	1	21	53	-	23
Female	1,314	344	970	836	1	2	14	21	1	11	63	-	21
Nonwhite—Male	228	42	186	163	-	3	4	3	1	6	4	-	2
Female	179	52	127	111	-	3	4	2	1	3	3	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
II. Neoplasms—Continued													
Benign neoplasms and neoplasms of unspecified nature (210-239)	4,961	869	4,092	3,578	2	26	41	71	4	162	148	5	55
White—Male	1,997	319	1,678	1,464	-	13	21	33	2	71	50	2	22
Female	2,262	406	1,856	1,614	1	5	11	32	-	72	89	2	30
Nonwhite—Male	254	45	209	178	-	4	5	2	2	9	6	1	2
Female	448	99	349	322	1	4	4	4	-	10	3	-	1
Benign neoplasms of female genital organs (214-217)	508	58	450	420	2	2	-	1	-	13	7	1	4
White—Female	320	39	281	261	1	-	-	1	-	8	6	1	3
Nonwhite—Female	188	19	169	159	1	2	-	-	-	5	1	-	1
Benign neoplasm of brain and other parts of nervous system (223)	966	129	837	747	-	5	7	12	2	32	21	3	8
White—Male	390	49	341	308	-	1	1	3	2	14	5	2	5
Female	485	68	417	371	-	2	4	8	-	14	15	-	3
Nonwhite—Male	43	1	42	35	-	1	-	1	-	3	1	1	-
Female	48	11	37	33	-	1	2	-	-	1	-	-	-
Other benign neoplasms (Residual[2])	966	115	851	748	-	6	15	27	-	22	17	-	16
White—Male	448	50	398	358	-	4	10	11	-	3	7	-	5
Female	399	48	351	299	-	1	3	14	-	15	10	-	9
Nonwhite—Male	63	11	52	46	-	-	1	1	-	2	-	-	2
Female	56	6	50	45	-	1	1	1	-	2	-	-	-
Neoplasm of unspecified nature of female genital organs (233-235)	32	7	25	21	-	1	-	-	-	2	-	-	1
White—Female	26	5	21	17	-	1	-	-	-	2	-	-	1
Nonwhite—Female	6	2	4	4	-	-	-	-	-	-	-	-	-
Neoplasm of unspecified nature of brain and other parts of nervous system (237)	1,633	324	1,309	1,123	-	6	14	25	1	68	61	-	11
White—Male	781	141	640	542	-	5	7	16	-	42	24	-	4
Female	667	136	531	460	-	-	3	6	-	23	32	-	7
Nonwhite—Male	95	19	76	66	-	1	3	-	1	2	3	-	-
Female	90	28	62	55	-	-	1	3	-	1	2	-	-
Other neoplasms of unspecified nature (230-232,236,238,239)	856	236	620	519	-	6	5	6	1	25	42	1	15
White—Male	378	79	299	256	-	3	3	3	-	12	14	-	8
Female	365	110	255	206	-	1	1	3	-	10	26	1	7
Nonwhite—Male	53	14	39	31	-	2	1	-	1	2	2	-	-
Female	60	33	27	26	-	-	-	-	-	1	-	-	-
III. Allergic, endocrine system, metabolic, and nutritional diseases	36,851	12,255	24,596	20,472	11	101	341	129	45	967	1,963	46	521
White—Male	14,584	4,967	9,617	8,090	4	54	119	69	26	387	643	16	209
Female	17,835	5,592	12,243	9,966	6	34	182	53	11	475	1,222	28	266
Nonwhite—Male	1,681	668	1,013	885	-	8	15	2	7	47	28	1	20
Female	2,751	1,028	1,723	1,531	1	5	25	5	1	58	70	1	26
Asthma (241)	5,035	2,244	2,791	2,403	3	26	31	11	10	80	164	6	57
White—Male	3,046	1,277	1,769	1,517	1	21	17	9	7	50	109	5	33
Female	1,359	587	773	657	2	4	13	2	1	23	51	1	19
Nonwhite—Male	338	211	127	113	-	1	1	-	1	5	3	-	3
Female	292	170	122	116	-	-	-	-	1	2	1	-	2
Nontoxic goiter (250,251)	116	24	92	78	1	-	1	-	-	4	3	2	3
White—Male	14	2	12	9	-	-	-	-	-	1	-	1	1
Female	85	17	68	58	1	-	1	-	-	2	3	1	2
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	16	5	11	10	-	-	-	-	-	1	-	-	-
Thyrotoxicosis with or without goiter (252)	626	228	398	358	-	1	2	3	-	14	12	-	8
White—Male	93	29	64	54	-	1	1	1	-	3	2	-	2
Female	435	159	276	250	-	-	1	2	-	10	10	-	3
Nonwhite—Male	14	4	10	10	-	-	-	-	-	-	-	-	-
Female	84	36	48	44	-	-	-	-	-	1	-	-	3
Myxedema, cretinism, and other diseases of thyroid gland (253,254)	273	82	191	156	-	2	1	4	1	11	14	-	2
White—Male	59	20	39	33	-	-	-	1	-	2	2	-	1
Female	189	53	136	109	-	1	1	3	1	9	11	-	1
Nonwhite—Male	5	3	2	2	-	-	-	-	-	-	-	-	-
Female	20	6	14	12	-	1	-	-	-	-	1	-	-
Diabetes mellitus (260)	27,501	8,626	18,875	15,635	5	59	294	65	29	745	1,610	29	404
White—Male	9,920	3,223	6,697	5,615	1	24	96	26	17	287	472	9	150
Female	14,458	4,384	10,074	8,169	3	26	160	34	8	376	1,059	18	221
Nonwhite—Male	1,041	331	710	619	-	5	13	-	4	34	19	1	15
Female	2,082	688	1,394	1,232	1	4	25	5	-	48	60	1	18

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued													
Diseases of thymus gland (273)	172	103	69	64	-	-	-	2	-	2	1	-	-
White—Male	78	52	26	25	-	-	-	-	-	1	-	-	-
Female	60	26	34	30	-	-	-	2	-	1	1	-	-
Nonwhite—Male	20	15	5	5	-	-	-	-	-	-	-	-	-
Female	14	10	4	4	-	-	-	-	-	-	-	-	-
Diseases of adrenal glands (274)	388	81	307	274	-	4	1	8	-	9	5	-	6
White—Male	199	38	161	141	-	3	1	7	-	5	1	-	3
Female	150	35	115	105	-	-	-	-	-	3	4	-	3
Nonwhite—Male	21	3	18	16	-	1	-	1	-	-	-	-	-
Female	18	5	13	12	-	-	-	-	-	1	-	-	-
Pellagra (281)	56	36	20	16	-	-	-	-	-	-	4	-	-
White—Male	14	6	8	8	-	-	-	-	-	-	-	-	-
Female	22	15	7	4	-	-	-	-	-	-	3	-	-
Nonwhite—Male	8	5	3	3	-	-	-	-	-	-	-	-	-
Female	12	10	2	1	-	-	-	-	-	-	1	-	-
Other avitaminoses and nutritional deficiency states (280,282-286)	1,565	609	956	712	-	1	7	5	4	60	133	4	30
White—Male	630	219	411	316	-	-	2	4	1	22	51	-	15
Female	626	228	398	274	-	-	4	1	1	32	69	4	13
Nonwhite—Male	166	84	82	69	-	1	1	-	2	2	6	-	1
Female	143	78	65	53	-	-	-	-	-	4	7	-	1
All other allergic, endocrine, and metabolic diseases (Residual[2])	1,119	222	897	776	2	8	4	31	1	42	17	5	11
White—Male	531	101	430	372	2	5	2	21	1	16	6	1	4
Female	451	89	362	310	-	3	2	9	-	19	11	4	4
Nonwhite—Male	67	12	55	47	-	-	-	1	-	6	-	-	1
Female	70	20	50	47	-	-	-	-	-	1	-	-	2
IV. Diseases of the blood and blood-forming organs	4,942	1,060	3,882	3,357	4	18	23	79	10	123	213	-	55
White—Male	2,125	423	1,702	1,494	-	13	8	35	3	55	74	-	20
Female	2,121	469	1,652	1,386	3	4	12	31	4	53	130	-	29
Nonwhite—Male	361	85	276	246	-	1	1	7	3	9	5	-	4
Female	335	83	252	231	1	-	2	6	-	6	4	-	2
Anemias (290-293)	3,195	883	2,312	1,943	3	10	17	49	5	68	180	-	37
White—Male	1,279	333	946	809	-	7	5	20	2	31	60	-	12
Female	1,371	400	971	783	2	2	10	18	1	24	111	-	20
Nonwhite—Male	283	78	205	180	-	1	1	6	2	7	5	-	3
Female	262	72	190	171	1	-	1	5	-	6	4	-	2
Pernicious and other hyperchromic anemias (290)	729	309	420	297	-	1	5	-	-	26	79	-	12
White—Male	301	126	175	126	-	-	1	-	-	15	28	-	5
Female	400	172	228	155	-	1	4	-	-	10	51	-	7
Nonwhite—Male	13	5	8	8	-	-	-	-	-	-	-	-	-
Female	15	6	9	8	-	-	-	-	-	1	-	-	-
Anemias of other and unspec. type (291-293)	2,466	574	1,892	1,646	3	9	12	49	5	42	101	-	25
White—Male	978	207	771	683	-	7	4	20	2	16	32	-	7
Female	971	228	743	628	2	1	6	18	1	14	60	-	13
Nonwhite—Male	270	73	197	172	-	1	1	6	2	7	5	-	3
Female	247	66	181	163	1	-	1	5	-	5	4	-	2
Purpura and other hemorrhagic conditions (296)	674	51	623	571	1	-	1	13	2	13	15	-	7
White—Male	277	22	255	233	-	-	-	8	1	4	7	-	2
Female	326	22	304	276	1	-	-	4	1	9	8	-	5
Nonwhite—Male	29	2	27	26	-	-	-	1	-	-	-	-	-
Female	42	5	37	36	-	-	1	-	-	-	-	-	-
Other diseases of blood and blood-forming organs (294,295,297-299)	1,073	126	947	843	-	8	5	17	3	42	18	-	11
White—Male	569	68	501	452	-	6	3	7	-	20	7	-	6
Female	424	47	377	327	-	2	2	9	2	20	11	-	4
Nonwhite—Male	49	5	44	40	-	-	-	-	1	2	-	-	1
Female	31	6	25	24	-	-	-	1	-	-	-	-	-
V. Mental, psychoneurotic, and personality disorders	4,486	2,263	2,223	1,287	6	11	12	13	29	592	201	20	52
White—Male	2,479	1,246	1,233	798	2	5	5	8	17	271	92	10	25
Female	1,137	457	680	270	2	4	6	5	6	249	103	9	26
Nonwhite—Male	581	373	208	158	2	2	-	-	5	37	3	1	-
Female	289	187	102	61	-	-	1	-	1	35	3	-	1
Senile psychosis (304)	457	144	313	82	-	2	1	-	-	101	108	1	18
White—Male	170	47	123	38	-	-	-	-	-	38	45	-	2
Female	255	79	176	42	-	2	1	-	-	54	61	1	15
Nonwhite—Male	12	5	7	2	-	-	-	-	-	5	-	-	-
Female	20	13	7	-	-	-	-	-	-	4	2	-	1

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
V. Mental, psychoneurotic, and personality disorders—Continued													
Alcoholic psychosis (307)	406	59	347	287	-	1	-	1	1	54	1	-	2
White—Male	313	45	268	221	-	1	-	1	1	43	-	-	1
Female	32	9	23	17	-	-	-	-	-	4	1	-	1
Nonwhite—Male	54	4	50	43	-	-	-	-	-	7	-	-	-
Female	7	1	6	6	-	-	-	-	-	-	-	-	-
Other psychoses (300-303,305,306,308,309)	542	87	455	104	-	-	4	1	2	305	36	-	3
White—Male	200	25	175	42	-	-	2	1	1	112	16	-	1
Female	257	43	214	46	-	-	2	-	-	146	18	-	2
Nonwhite—Male	40	6	34	9	-	-	-	-	1	22	2	-	-
Female	45	13	32	7	-	-	-	-	-	25	-	-	-
Alcoholism (322)	2,501	1,798	703	597	2	6	2	4	4	53	21	-	14
White—Male	1,535	1,052	483	400	1	4	2	4	3	39	17	-	13
Female	347	257	90	73	-	1	-	-	1	12	2	-	1
Nonwhite—Male	437	342	95	90	1	1	-	-	-	2	1	-	-
Female	182	147	35	34	-	-	-	-	-	-	1	-	-
Mental deficiency (325)	415	111	304	140	3	2	4	6	19	70	26	19	15
White—Male	200	52	148	67	1	-	1	2	10	36	13	10	8
Female	169	41	128	59	2	1	2	4	5	27	13	8	7
Nonwhite—Male	23	9	14	8	-	1	-	-	3	1	-	1	-
Female	23	9	14	6	-	-	1	-	1	6	-	-	-
Psychoneuroses and other disorders of personality (310-321,323,324,326)	165	64	101	77	1	-	1	1	3	9	9	-	-
White—Male	61	25	36	30	-	-	-	-	2	3	1	-	-
Female	77	28	49	33	-	-	1	1	-	6	8	-	-
Nonwhite—Male	15	7	8	6	1	-	-	-	1	-	-	-	-
Female	12	4	8	8	-	-	-	-	-	-	-	-	-
VI. Diseases of the nervous system and sense organs	205,209	69,814	135,395	94,874	76	454	2,343	722	208	7,802	23,856	369	4,691
White—Male	86,472	26,195	60,277	43,988	29	268	1,002	337	101	3,663	8,827	143	1,919
Female	92,833	31,475	61,358	39,615	34	129	1,102	316	64	3,273	14,134	218	2,473
Nonwhite—Male	12,698	5,579	7,119	5,821	6	39	108	39	32	494	419	4	157
Female	13,206	6,565	6,641	5,450	7	18	131	30	11	372	476	4	142
Vascular lesions affecting central nervous system (330-334)	190,758	65,272	125,486	88,278	64	413	2,120	392	123	6,719	22,646	293	4,438
White—Male	79,666	24,144	55,522	40,781	25	252	907	176	59	3,143	8,279	104	1,796
Female	87,378	29,756	57,622	37,349	29	113	985	188	39	2,863	13,499	186	2,371
Nonwhite—Male	11,410	5,116	6,294	5,178	4	33	101	15	21	391	404	3	144
Female	12,304	6,256	6,048	4,970	6	15	127	13	4	322	464	-	127
Subarachnoid hemorrhage (330)	6,169	796	5,373	5,117	4	4	22	20	8	53	72	-	73
White—Male	2,404	291	2,113	2,009	2	1	9	8	2	23	23	-	36
Female	2,741	347	2,394	2,274	1	3	7	9	3	24	42	-	31
Nonwhite—Male	463	81	382	365	-	-	4	1	3	3	3	-	3
Female	561	77	484	469	1	-	2	2	-	3	4	-	3
Cerebral hemorrhage (331)	113,601	41,523	72,078	52,317	39	208	1,009	199	88	3,114	12,384	139	2,581
White—Male	46,690	15,167	31,523	23,748	15	127	444	89	52	1,387	4,567	50	1,044
Female	51,655	18,486	33,169	22,422	17	51	483	92	23	1,343	7,294	86	1,358
Nonwhite—Male	7,292	3,539	3,753	3,128	3	21	38	8	11	200	248	3	93
Female	7,964	4,331	3,633	3,019	4	9	44	10	2	184	275	-	86
Cerebral embolism and thrombosis (332)	53,548	15,894	37,654	25,647	17	142	814	140	21	1,957	7,529	118	1,269
White—Male	23,420	6,174	17,246	12,514	7	95	339	62	3	932	2,733	36	525
Female	25,057	7,877	17,180	10,540	9	34	356	71	10	827	4,556	82	695
Nonwhite—Male	2,550	833	1,717	1,391	-	8	55	6	6	114	109	-	28
Female	2,521	1,010	1,511	1,202	1	5	64	1	2	84	131	-	21
Other vascular lesions affecting central nervous system (333,334)	17,440	7,059	10,381	5,197	4	59	275	33	6	1,595	2,661	36	515
White—Male	7,152	2,512	4,640	2,510	1	29	115	17	2	801	956	18	191
Female	7,925	3,046	4,879	2,113	2	25	139	16	3	669	1,607	18	287
Nonwhite—Male	1,105	663	442	294	1	4	4	-	1	74	44	-	20
Female	1,258	838	420	280	-	1	17	-	-	51	54	-	17
Meningitis, except meningococcal and tuberculous (340)	2,247	184	2,063	1,813	5	4	9	153	3	38	16	1	21
White—Male	958	68	890	758	2	2	5	76	-	27	8	1	11
Female	664	48	616	534	2	-	4	58	-	7	5	-	6
Nonwhite—Male	349	39	310	288	1	2	-	12	2	2	1	-	2
Female	276	29	247	233	-	-	-	7	1	2	2	-	2
Multiple sclerosis (345)	1,414	539	875	467	1	6	86	5	1	61	205	8	35
White—Male	586	225	361	208	-	3	33	2	1	28	73	3	10
Female	742	271	471	235	1	2	47	2	-	28	127	5	24
Nonwhite—Male	39	18	21	10	-	-	5	-	-	2	3	-	1
Female	47	25	22	14	-	1	1	1	-	3	2	-	-
Paralysis agitans (350)	2,733	1,070	1,663	776	1	13	61	8	3	73	635	16	77
White—Male	1,448	541	907	472	-	5	28	4	2	41	305	8	42
Female	1,223	495	728	289	1	8	31	3	-	30	325	8	33
Nonwhite—Male	35	17	18	11	-	-	-	1	-	2	2	-	2
Female	27	17	10	4	-	-	2	-	1	-	3	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VI. Diseases of the nervous system and sense organs—Continued													
Cerebral spastic infantile paralysis (351)	745	343	402	183	2	1	7	18	16	91	41	16	27
White—Male	367	155	212	99	1	1	3	9	8	49	23	7	12
Female	267	129	138	62	-	-	4	7	3	30	16	6	10
Nonwhite—Male	61	35	26	12	1	-	-	1	4	5	1	1	1
Female	50	24	26	10	-	-	-	1	1	7	1	2	4
Epilepsy (353)	2,062	960	1,102	410	-	1	5	24	51	524	58	21	8
White—Male	893	387	506	177	-	-	2	18	28	241	24	13	3
Female	662	285	377	125	-	1	3	5	18	185	32	7	1
Nonwhite—Male	346	199	147	71	-	-	-	1	3	68	1	-	3
Female	161	89	72	37	-	-	-	-	2	30	1	1	1
Inflammatory diseases of eye (370-379)	13	1	12	11	-	-	-	-	-	1	-	-	-
White—Male	7	-	7	6	-	-	-	-	-	1	-	-	-
Female	4	1	3	3	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	1	-	1	1	-	-	-	-	-	-	-	-	-
Cataract (385)	27	5	22	19	-	-	-	1	-	2	-	-	-
White—Male	16	3	13	11	-	-	-	1	-	1	-	-	-
Female	7	2	5	4	-	-	-	-	-	1	-	-	-
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	3	-	3	3	-	-	-	-	-	-	-	-	-
Glaucoma (387)	4	-	4	3	-	-	-	1	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	4	3	-	-	-	1	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Otitis media and mastoiditis (391-393)	433	82	351	322	-	-	-	6	1	10	8	-	4
White—Male	194	43	151	139	-	-	-	3	-	5	4	-	-
Female	155	19	136	126	-	-	-	1	-	4	3	-	2
Nonwhite—Male	46	13	33	27	-	-	-	2	1	1	1	-	1
Female	38	7	31	30	-	-	-	-	-	-	-	-	1
Other diseases of nervous system and sense organs (Residual[2])	4,773	1,358	3,415	2,592	3	16	55	114	10	283	247	14	81
White—Male	2,337	629	1,708	1,337	1	5	24	48	3	127	111	7	45
Female	1,727	469	1,258	885	1	5	28	51	4	125	127	6	26
Nonwhite—Male	410	142	268	222	-	4	2	7	1	23	6	-	3
Female	299	118	181	148	1	2	1	8	2	8	3	1	7
VII. Diseases of the circulatory system	702,731	336,908	365,823	265,266	252	1,634	6,155	1,289	627	30,519	48,930	778	10,373
White—Male	373,037	182,896	190,141	146,527	127	1,037	2,848	665	395	14,217	19,102	309	4,914
Female	265,806	116,951	148,855	97,587	99	444	2,834	530	142	13,648	28,195	459	4,917
Nonwhite—Male	34,072	19,690	14,382	11,387	7	113	247	47	84	1,413	788	6	290
Female	29,816	17,371	12,445	9,765	19	40	226	47	6	1,241	845	4	252
Diseases of heart (400-402,410-443)	637,246	315,856	321,390	235,108	219	1,463	5,437	1,154	586	26,649	41,083	676	9,015
White—Male	342,504	174,262	168,242	130,562	113	928	2,497	603	372	12,460	16,105	277	4,325
Female	238,045	107,239	130,806	86,986	84	399	2,522	472	132	11,970	23,629	389	4,223
Nonwhite—Male	30,408	18,403	12,005	9,480	6	100	215	43	76	1,175	651	6	253
Female	26,289	15,952	10,337	8,080	16	36	203	36	6	1,044	698	4	214
Rheumatic fever (400-402)	806	179	627	561	2	-	5	15	5	21	9	-	9
White—Male	336	63	273	249	-	-	1	3	3	10	4	-	3
Female	297	61	236	203	1	-	4	7	2	10	4	-	5
Nonwhite—Male	83	25	58	52	-	-	-	3	-	1	1	-	1
Female	90	30	60	57	1	-	-	2	-	-	-	-	-
Chronic rheumatic heart disease (410-416)	17,990	6,380	11,610	10,369	12	52	112	45	37	320	475	9	179
White—Male	7,938	2,819	5,119	4,648	6	30	36	16	16	137	146	4	80
Female	8,639	2,919	5,720	5,039	4	17	66	26	16	156	303	5	88
Nonwhite—Male	673	294	379	331	-	3	8	-	4	10	14	-	9
Female	740	348	392	351	2	2	2	3	1	17	12	-	2
Diseases of mitral valve (410)	6,431	2,259	4,172	3,660	2	21	22	17	16	127	231	3	73
White—Male	2,657	965	1,692	1,497	1	12	10	7	6	49	78	1	31
Female	3,282	1,011	2,271	1,981	1	9	11	9	9	71	142	2	36
Nonwhite—Male	236	130	106	90	-	-	1	-	1	2	7	-	5
Female	256	153	103	92	-	-	-	1	-	5	4	-	1
Diseases of aortic valve specified as rheumatic (411)	1,718	477	1,241	1,169	1	8	8	4	-	17	19	-	15
White—Male	1,194	312	882	841	1	4	3	2	-	12	8	-	11
Female	447	149	298	271	-	3	5	1	-	4	11	-	3
Nonwhite—Male	56	12	44	41	-	1	-	-	-	1	-	-	1
Female	21	4	17	16	-	-	-	1	-	-	-	-	-
Diseases of pulmonary valve and other endocarditis, specified as rheumatic (413,414)	1,026	465	561	501	-	2	9	1	-	13	31	-	4
White—Male	454	209	245	228	-	2	4	-	-	3	7	-	1
Female	496	223	273	239	-	-	3	1	-	9	19	-	2
Nonwhite—Male	43	17	26	19	-	-	2	-	-	-	4	-	1
Female	33	16	17	15	-	-	-	-	-	1	1	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VII. Diseases of the circulatory system—Continued													
Diseases of heart—Continued													
Chronic rheumatic heart disease—Continued													
Other diseases of heart specified as rheumatic (412,415,416)	8,815	3,179	5,636	5,039	9	21	73	23	21	163	194	6	87
White—Male	3,633	1,333	2,300	2,082	4	12	19	7	10	73	53	3	37
Female	4,414	1,536	2,878	2,548	3	5	47	15	7	72	131	3	47
Nonwhite—Male	338	135	203	181	-	2	5	-	3	7	3	-	2
Female	430	175	255	228	2	2	2	1	1	11	7	-	1
Arteriosclerotic heart disease, including coronary disease (420)	461,373	237,424	223,949	167,258	155	1,092	3,604	780	389	18,759	25,345	496	6,071
White—Male	271,556	144,267	127,289	100,906	96	721	1,749	434	275	9,217	10,496	212	3,183
Female	160,438	74,494	85,944	58,239	52	284	1,633	294	76	8,221	14,225	278	2,642
Nonwhite—Male	17,051	10,845	6,206	4,752	2	68	119	30	37	744	310	5	139
Female	12,328	7,818	4,510	3,361	5	19	103	22	1	577	314	1	107
Arteriosclerotic heart disease so described (420.0)	183,425	77,726	105,699	70,210	62	648	2,507	419	168	12,737	15,856	273	2,819
White—Male	94,706	40,199	54,507	39,004	41	382	1,205	239	115	5,946	6,165	121	1,289
Female	76,900	31,037	45,863	27,445	18	216	1,142	153	43	5,938	9,314	150	1,444
Nonwhite—Male	6,532	3,576	2,956	2,123	1	37	80	17	9	459	182	2	46
Female	5,287	2,914	2,373	1,638	2	13	80	10	1	394	195	-	40
Heart disease specified as involving coronary arteries (420.1)	277,275	159,180	118,095	96,934	93	443	1,095	360	221	6,017	9,463	223	3,246
White—Male	176,471	103,778	72,693	61,833	55	338	543	195	160	3,268	4,318	91	1,892
Female	83,332	43,309	40,023	30,754	34	88	490	140	33	2,282	4,900	128	1,194
Nonwhite—Male	10,467	7,222	3,245	2,624	1	31	39	13	28	285	128	3	93
Female	7,005	4,871	2,134	1,723	3	6	23	12	-	182	117	1	67
Angina pectoris without mention of coronary disease (420.2)	673	518	155	114	-	1	2	1	-	5	26	-	6
White—Male	379	290	89	69	-	1	1	-	-	3	13	-	2
Female	206	148	58	40	-	-	1	1	-	1	11	-	4
Nonwhite—Male	52	47	5	5	-	-	-	-	-	-	-	-	-
Female	36	33	3	-	-	-	-	-	-	1	2	-	-
Chronic endocarditis not specified as rheumatic (421)	5,606	2,962	2,644	1,975	-	14	24	9	10	148	373	5	86
White—Male	2,712	1,297	1,415	1,148	-	11	12	2	6	71	127	2	36
Female	2,100	1,112	988	642	-	2	10	7	2	60	224	2	39
Nonwhite—Male	419	289	130	105	-	1	-	-	2	4	11	1	6
Female	375	264	111	80	-	-	2	-	-	13	11	-	5
Of mitral valve, specified as nonrheumatic (421.0)	456	266	190	109	-	-	1	1	-	18	50	2	9
White—Male	167	95	72	52	-	-	-	-	-	7	10	-	3
Female	233	124	109	51	-	-	1	1	-	11	38	1	6
Nonwhite—Male	25	21	4	2	-	-	-	-	-	-	1	1	-
Female	31	26	5	4	-	-	-	-	-	-	1	-	-
Of aortic valve, not specified as rheumatic (421.1)	1,998	712	1,286	1,140	-	8	11	4	4	49	46	1	23
White—Male	1,218	382	836	760	-	7	6	1	2	32	14	1	13
Female	549	211	338	280	-	1	4	3	1	14	30	-	5
Nonwhite—Male	145	69	76	68	-	-	-	-	1	2	2	-	3
Female	86	50	36	32	-	-	1	-	-	1	-	-	2
Of other valves, not specified as rheumatic (421.2-421.4)	3,152	1,984	1,168	726	-	6	12	4	6	81	277	2	54
White—Male	1,327	820	507	336	-	4	6	1	4	32	103	1	20
Female	1,318	777	541	311	-	1	5	3	1	35	156	1	28
Nonwhite—Male	249	199	50	35	-	1	-	-	1	2	8	-	3
Female	258	188	70	44	-	-	1	-	-	12	10	-	3
Other myocardial degeneration (422)	52,989	24,715	28,274	14,341	10	113	709	140	59	4,460	7,344	67	1,031
White—Male	22,719	10,026	12,693	7,037	5	65	313	74	34	1,894	2,850	22	399
Female	24,540	10,982	13,558	5,984	5	36	340	61	16	2,194	4,285	45	592
Nonwhite—Male	2,984	1,901	1,083	713	-	9	29	2	9	187	110	-	24
Female	2,746	1,806	940	607	-	3	27	3	-	185	99	-	16
With arteriosclerosis (422.1)	35,916	15,250	20,666	10,182	5	95	599	110	36	3,358	5,512	54	715
White—Male	15,154	6,078	9,076	4,903	3	55	256	59	19	1,370	2,119	20	272
Female	17,173	7,129	10,044	4,277	2	30	291	49	12	1,693	3,239	34	417
Nonwhite—Male	1,854	1,036	818	539	-	8	27	1	5	145	77	-	16
Female	1,735	1,007	728	463	-	2	25	1	-	150	77	-	10
Without mention of arteriosclerosis (422.0,422.2)	17,073	9,465	7,608	4,159	5	18	110	30	23	1,102	1,832	13	316
White—Male	7,565	3,948	3,617	2,134	2	10	57	15	15	524	731	2	127
Female	7,367	3,853	3,514	1,707	3	6	49	12	4	501	1,046	11	175
Nonwhite—Male	1,130	865	265	174	-	1	2	1	4	42	33	-	8
Female	1,011	799	212	144	-	1	2	2	-	35	22	-	6
Other diseases of heart (430-434)	24,548	12,521	12,027	9,322	7	74	131	59	30	735	1,273	11	385
White—Male	12,004	6,141	5,863	4,639	-	46	67	28	16	344	534	5	184
Female	8,479	3,672	4,807	3,539	3	16	58	28	12	320	654	6	171
Nonwhite—Male	2,382	1,605	777	667	1	7	3	2	2	40	40	-	15
Female	1,683	1,103	580	477	3	5	3	1	-	31	45	-	15

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VII. Diseases of the circulatory system—Continued													
Diseases of heart—Continued													
Other diseases of heart—Continued													
Acute and subacute endocarditis (430)	754	90	664	615	1	2	1	5	1	27	6	1	5
White—Male	394	32	362	340	-	2	1	2	-	11	4	-	2
Female	229	28	201	176	1	-	-	3	1	14	2	1	3
Nonwhite—Male	71	13	58	57	-	-	-	-	-	1	-	-	-
Female	60	17	43	42	-	-	-	-	-	1	-	-	-
Acute myocarditis and acute pericarditis, not specified as rheumatic (431,432)	1,051	519	532	385	-	5	3	8	3	56	57	-	15
White—Male	432	200	232	173	-	3	1	4	2	21	21	-	7
Female	384	148	236	157	-	2	2	4	1	33	30	-	7
Nonwhite—Male	116	84	32	29	-	-	-	-	-	1	2	-	-
Female	119	87	32	26	-	-	-	-	-	1	4	-	1
Functional disease of heart (433)	5,047	1,857	3,190	2,547	3	10	36	13	7	136	351	5	82
White—Male	2,374	895	1,479	1,209	-	6	20	6	4	53	140	3	38
Female	2,300	828	1,472	1,128	1	2	16	6	2	67	208	2	40
Nonwhite—Male	205	75	130	113	1	-	-	1	1	10	2	-	2
Female	168	59	109	97	1	2	-	-	-	6	1	-	2
Other and unspec. diseases of heart (434)	17,696	10,055	7,641	5,775	3	57	91	33	19	516	859	5	283
White—Male	8,804	5,014	3,790	2,917	-	35	45	16	10	259	369	2	137
Female	5,566	2,668	2,898	2,078	1	12	40	15	8	206	414	3	121
Nonwhite—Male	1,990	1,433	557	468	-	7	3	1	1	28	36	-	13
Female	1,336	940	396	312	2	3	3	1	-	23	40	-	12
Hypertensive heart disease (440-443)	73,934	31,675	42,259	31,282	33	118	852	106	56	2,206	6,264	88	1,254
White—Male	25,239	9,649	15,590	11,935	6	55	319	46	22	787	1,948	32	440
Female	33,552	13,999	19,553	13,340	19	44	411	49	8	1,009	3,934	53	686
Nonwhite—Male	6,816	3,444	3,372	2,860	3	12	56	6	22	189	165	-	59
Female	8,327	4,583	3,744	3,147	5	7	66	5	4	221	217	3	69
Hypertensive heart disease with arteriolar nephrosclerosis (442)	17,601	7,521	10,080	6,782	11	25	165	12	14	547	2,128	23	373
White—Male	7,033	2,670	4,363	3,028	1	12	75	5	7	232	837	14	152
Female	7,479	3,109	4,370	2,674	8	7	78	6	1	216	1,181	7	192
Nonwhite—Male	1,481	806	675	558	1	5	4	1	5	41	46	-	14
Female	1,608	936	672	522	1	1	8	-	1	58	64	2	15
Ot. hypertensive heart dis. (440,441,443)	56,333	24,154	32,179	24,500	22	93	687	94	42	1,659	4,136	65	881
White—Male	18,206	6,979	11,227	8,907	5	43	244	41	15	555	1,111	18	288
Female	26,073	10,890	15,183	10,666	11	37	333	43	7	793	2,753	46	494
Nonwhite—Male	5,335	2,638	2,697	2,302	2	7	52	5	17	148	119	-	45
Female	6,719	3,647	3,072	2,625	4	6	58	5	3	163	153	1	54
Other hypertensive disease (444-447)	13,798	4,346	9,452	7,393	9	30	102	24	8	431	1,197	18	240
White—Male	5,591	1,499	4,092	3,319	3	18	52	10	1	177	412	5	95
Female	5,526	1,972	3,554	2,466	2	6	46	12	2	184	705	13	118
Nonwhite—Male	1,368	421	947	847	1	5	3	1	5	34	39	-	12
Female	1,313	454	859	761	3	1	1	1	-	36	41	-	15
Hypertension with arteriolar nephrosclerosis (446)	6,699	1,656	5,043	3,929	3	20	65	18	1	231	648	6	122
White—Male	3,294	725	2,569	2,058	1	14	41	9	1	110	274	3	58
Female	2,576	748	1,828	1,305	2	1	23	8	-	85	346	3	55
Nonwhite—Male	456	99	357	316	-	4	-	1	-	19	12	-	5
Female	373	84	289	250	-	1	1	-	-	17	16	-	4
Essential hypertension and other hypertensive disease without mention of heart (444,445,447)	7,099	2,690	4,409	3,464	6	10	37	6	7	200	549	12	118
White—Male	2,297	774	1,523	1,261	2	4	11	1	-	67	158	2	37
Female	2,950	1,224	1,726	1,161	-	5	23	4	2	99	359	10	63
Nonwhite—Male	912	322	590	531	1	1	3	-	5	15	27	-	7
Female	940	370	570	511	3	-	-	1	-	19	25	-	11
Diseases of arteries (450-456)	44,110	15,236	28,874	17,544	19	102	571	93	17	2,954	6,461	78	1,035
White—Male	21,425	6,473	14,952	10,173	9	64	273	44	13	1,379	2,520	25	452
Female	19,183	7,141	12,042	6,096	10	32	249	38	3	1,269	3,750	53	542
Nonwhite—Male	1,801	766	1,035	715	-	5	29	3	1	169	90	-	23
Female	1,701	856	845	560	-	1	20	8	-	137	101	-	18
General arteriosclerosis (450)	34,483	13,172	21,311	10,529	14	83	531	79	11	2,791	6,265	75	933
White—Male	15,264	5,318	9,946	5,475	7	53	249	36	8	1,287	2,428	23	380
Female	16,599	6,446	10,153	4,390	7	28	239	34	2	1,221	3,660	52	520
Nonwhite—Male	1,324	656	668	378	-	2	26	3	1	157	83	-	18
Female	1,296	752	544	286	-	-	17	6	-	126	94	-	15
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm (451)	7,086	1,570	5,516	5,193	2	12	15	9	2	91	116	1	75
White—Male	4,894	913	3,981	3,791	-	8	9	6	1	60	52	1	53
Female	1,641	514	1,127	1,018	2	1	4	3	1	21	60	-	17
Nonwhite—Male	341	78	263	249	-	2	1	-	-	6	2	-	3
Female	210	65	145	135	-	1	1	-	-	4	2	-	2

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VII. Diseases of the circulatory system—Continued Diseases of arteries—Continued													
Gangrene of unspecified cause (455)	243	67	176	136	1	-	2	1	-	17	17	-	2
White—Male	118	27	91	74	1	-	1	-	-	6	7	-	2
Female	80	23	57	44	-	-	1	-	-	7	5	-	-
Nonwhite—Male	21	8	13	9	-	-	-	-	-	1	3	-	-
Female	24	9	15	9	-	-	-	1	-	3	2	-	-
Other arterial diseases (452-454,456)	2,298	427	1,871	1,686	2	7	23	4	4	55	63	2	25
White—Male	1,149	215	934	833	1	3	14	2	4	26	33	1	17
Female	863	158	705	644	1	3	5	1	-	20	25	1	5
Nonwhite—Male	115	24	91	79	-	1	2	-	-	5	2	-	2
Female	171	30	141	130	-	-	2	1	-	4	3	-	1
Diseases of veins and other diseases of circulatory system (460-468)	7,577	1,470	6,107	5,221	5	39	45	18	16	485	189	6	83
White—Male	3,517	662	2,855	2,473	2	27	26	8	9	201	65	2	42
Female	3,052	599	2,453	2,039	3	7	17	8	5	225	111	4	34
Nonwhite—Male	495	100	395	345	-	3	-	-	2	35	8	-	2
Female	513	109	404	364	-	2	2	2	-	24	5	-	5
VIII. Diseases of the respiratory system	81,647	26,001	55,646	40,552	45	590	853	495	143	7,141	4,558	110	1,159
White—Male	42,671	11,463	31,208	23,626	25	453	438	252	70	3,698	1,999	50	597
Female	25,458	7,812	17,646	11,149	15	79	358	172	51	2,889	2,423	56	454
Nonwhite—Male	8,024	3,742	4,282	3,672	2	45	34	37	18	338	71	1	64
Female	5,494	2,984	2,510	2,105	3	13	23	34	4	216	65	3	44
Acute upper respiratory infections (470-475)	936	513	423	351	1	-	2	14	1	11	25	-	18
White—Male	408	222	186	161	-	-	1	8	-	4	10	-	2
Female	303	141	162	122	1	-	1	6	1	5	15	-	11
Nonwhite—Male	126	82	44	40	-	-	-	-	-	1	-	-	3
Female	99	68	31	28	-	-	-	-	-	1	-	-	2
Influenza (480-483)	4,442	2,528	1,914	1,344	2	7	11	10	6	116	339	5	74
White—Male	1,732	823	909	664	1	5	8	4	-	48	140	3	36
Female	1,608	831	777	498	1	2	3	5	4	45	184	2	33
Nonwhite—Male	610	474	136	104	-	-	-	-	1	17	11	-	3
Female	492	400	92	78	-	-	-	1	1	6	4	-	2
Pneumonia, except pneumonia of newborn (490-493)	52,997	15,526	37,471	25,744	26	228	659	339	110	6,072	3,423	85	785
White—Male	24,817	5,781	19,036	13,464	13	166	304	161	56	3,072	1,389	35	376
Female	18,308	5,030	13,278	7,906	10	38	310	124	40	2,541	1,938	46	325
Nonwhite—Male	5,772	2,613	3,159	2,703	1	19	27	28	11	280	43	1	46
Female	4,100	2,102	1,998	1,671	2	5	18	26	3	179	53	3	38
Lobar pneumonia (490)	9,339	2,737	6,602	5,150	7	38	90	39	17	678	431	11	141
White—Male	4,471	1,050	3,421	2,698	5	29	49	22	10	355	173	6	74
Female	2,842	779	2,063	1,458	2	5	37	13	5	247	244	4	48
Nonwhite—Male	1,273	536	737	659	-	3	3	2	2	53	5	-	10
Female	753	372	381	335	-	1	1	2	-	23	9	1	9
Bronchopneumonia (491)	31,183	7,801	23,382	14,825	15	143	506	233	72	4,864	2,214	52	458
White—Male	14,822	2,941	11,881	7,820	6	104	224	111	37	2,454	885	20	220
Female	11,242	2,696	8,546	4,593	7	24	246	80	28	2,071	1,269	31	197
Nonwhite—Male	2,980	1,193	1,787	1,467	1	13	21	22	5	203	33	1	21
Female	2,139	971	1,168	945	1	2	15	20	2	136	27	-	20
Primary atypical pneumonia (492)	4,864	1,992	2,872	2,287	2	15	21	18	15	183	262	10	59
White—Male	2,297	808	1,489	1,206	1	10	12	9	6	96	121	5	23
Female	1,678	653	1,025	762	1	3	6	7	5	70	136	5	30
Nonwhite—Male	506	281	225	201	-	1	3	1	4	10	1	-	4
Female	383	250	133	118	-	1	-	1	-	7	4	-	2
Pneumonia, other and unspecified (493)	7,611	2,996	4,615	3,482	2	32	42	49	6	347	516	12	127
White—Male	3,227	982	2,245	1,740	1	23	19	19	3	167	210	4	59
Female	2,546	902	1,644	1,093	-	6	21	24	2	153	289	6	50
Nonwhite—Male	1,013	603	410	376	-	2	-	3	-	14	4	-	11
Female	825	509	316	273	1	1	2	3	1	13	13	2	7
Acute bronchitis (500)	1,352	600	752	624	-	6	6	12	-	69	24	1	10
White—Male	637	252	385	315	-	4	4	8	-	39	12	-	3
Female	482	210	272	226	-	1	2	3	-	21	12	1	6
Nonwhite—Male	124	71	53	50	-	1	-	-	-	1	-	-	1
Female	109	67	42	33	-	-	-	1	-	8	-	-	-
Bronchitis, chronic and unqualified (501,502)	2,621	923	1,698	1,392	-	35	17	18	3	84	110	5	34
White—Male	1,732	544	1,188	984	-	32	11	11	1	54	65	4	26
Female	633	241	392	300	-	2	5	5	-	27	44	1	8
Nonwhite—Male	160	80	80	73	-	1	-	1	2	2	1	-	-
Female	96	58	38	35	-	-	1	1	-	1	-	-	-
Hypertrophy of tonsils and adenoids (510)	194	8	186	170	2	-	-	8	-	3	-	1	2
White—Male	85	2	83	78	2	-	-	1	-	2	-	-	-
Female	74	3	71	61	-	-	-	6	-	1	-	1	2
Nonwhite—Male	22	2	20	19	-	-	-	1	-	-	-	-	-
Female	13	1	12	12	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VIII. Diseases of the respiratory system—Continued													
Empyema and abscess of lung (518,521)	895	104	791	629	-	22	4	10	3	104	13	-	6
White—Male	511	50	461	379	-	11	2	5	1	55	6	-	2
Female	211	27	184	129	-	1	-	5	1	39	6	-	3
Nonwhite—Male	129	21	108	91	-	7	1	-	1	7	-	-	1
Female	44	6	38	30	-	3	1	-	-	3	1	-	-
Pleurisy (519)	181	36	145	122	-	-	1	3	1	10	3	1	4
White—Male	89	14	75	63	-	-	-	2	1	7	-	-	2
Female	65	14	51	42	-	-	1	-	-	2	3	1	2
Nonwhite—Male	16	4	12	10	-	-	-	1	-	1	-	-	-
Female	11	4	7	7	-	-	-	-	-	-	-	-	-
Emphysema without mention of bronchitis (527.1)	6,707	1,633	5,074	4,341	3	175	81	16	3	186	191	6	72
White—Male	5,629	1,365	4,264	3,670	3	155	59	9	2	148	152	6	60
Female	732	197	535	437	-	11	16	6	-	24	32	-	9
Nonwhite—Male	296	63	233	201	-	8	4	-	1	10	6	-	3
Female	50	8	42	33	-	1	2	1	-	4	1	-	-
Other respiratory diseases (Residual[2])	11,322	4,130	7,192	5,835	11	117	72	65	16	486	430	6	154
White—Male	7,051	2,410	4,621	3,848	6	80	49	43	9	269	225	2	90
Female	3,042	1,118	1,924	1,428	3	24	20	12	5	184	189	4	55
Nonwhite—Male	769	332	437	381	1	9	2	6	2	19	10	-	7
Female	480	270	210	178	1	4	1	4	-	14	6	-	2
IX. Diseases of the digestive system	63,417	9,622	53,795	49,086	61	222	321	489	76	1,632	1,160	29	719
White—Male	33,896	4,544	29,352	26,862	28	163	167	227	49	942	494	18	402
Female	22,327	3,341	18,986	17,162	23	27	132	212	14	545	613	9	249
Nonwhite—Male	4,094	996	3,098	2,863	4	20	14	29	11	91	26	-	40
Female	3,100	741	2,359	2,199	6	12	8	21	2	54	27	2	28
Diseases of teeth and supporting structures (530-535)	94	31	63	45	-	-	4	-	-	7	6	-	1
White—Male	40	9	31	20	-	-	3	-	-	6	1	-	1
Female	30	9	21	15	-	-	1	-	-	1	4	-	-
Nonwhite—Male	10	7	3	3	-	-	-	-	-	-	-	-	-
Female	14	6	8	7	-	-	-	-	-	-	1	-	-
Ulcer of stomach (540)	5,478	798	4,680	4,277	3	37	30	27	7	148	95	3	53
White—Male	3,615	514	3,101	2,847	2	30	17	19	5	99	46	1	35
Female	1,349	157	1,192	1,071	-	4	9	8	1	39	44	2	14
Nonwhite—Male	352	94	258	237	1	3	4	-	1	8	2	-	2
Female	162	33	129	122	-	-	-	-	-	2	3	-	2
Ulcer of duodenum (541)	5,323	474	4,849	4,520	3	21	24	17	8	143	61	1	51
White—Male	3,913	323	3,590	3,374	2	20	16	9	6	92	31	1	39
Female	1,060	105	955	867	1	1	8	5	-	36	28	-	9
Nonwhite—Male	250	31	219	200	-	-	-	2	2	12	1	-	2
Female	100	15	85	79	-	-	-	1	-	3	1	-	1
Gastritis and duodenitis (543)	347	103	244	207	-	1	1	3	1	15	12	-	4
White—Male	182	42	140	122	-	1	1	1	-	8	5	-	2
Female	114	35	79	64	-	-	-	1	1	5	6	-	2
Nonwhite—Male	32	15	17	14	-	-	-	1	-	1	1	-	-
Female	19	11	8	7	-	-	-	-	-	1	-	-	-
Appendicitis (550-553)	1,845	102	1,743	1,644	2	6	9	13	1	40	6	2	20
White—Male	978	40	938	889	1	4	6	5	1	17	2	1	12
Female	575	34	541	507	1	-	3	6	-	16	3	-	5
Nonwhite—Male	168	18	150	141	-	1	-	1	-	5	1	-	1
Female	124	10	114	107	-	1	-	1	-	2	-	1	2
Hernia and intestinal obstruction (560,561,570)	8,853	839	8,014	7,177	9	26	35	99	14	370	154	5	125
White—Male	3,838	288	3,550	3,161	4	18	17	51	8	186	50	4	51
Female	3,864	358	3,506	3,140	4	5	15	40	2	146	96	-	58
Nonwhite—Male	624	106	518	470	-	2	2	5	4	21	3	-	11
Female	527	87	440	406	1	1	1	3	-	17	5	1	5
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over (571)	4,629	1,302	3,327	2,968	16	7	13	86	6	86	72	2	71
White—Male	1,603	376	1,227	1,077	6	6	7	40	3	36	25	-	27
Female	1,484	375	1,109	956	8	1	6	31	2	41	39	2	23
Nonwhite—Male	846	317	529	494	1	-	-	8	1	7	6	-	12
Female	696	234	462	441	1	-	-	7	-	2	2	-	9
Chronic enteritis and ulcerative colitis (572)	2,862	268	2,594	2,351	-	9	22	13	1	95	79	-	24
White—Male	1,281	92	1,189	1,086	-	6	7	7	1	53	20	-	9
Female	1,424	157	1,267	1,143	-	2	14	6	-	29	58	-	15
Nonwhite—Male	53	5	48	41	-	-	-	-	-	7	-	-	-
Female	104	14	90	81	-	1	1	-	-	6	1	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
IX. Diseases of the digestive system—Continued													
Cirrhosis of liver (581)	18,638	3,851	14,787	13,624	13	69	126	63	20	326	337	9	200
White—Male	11,367	2,148	9,219	8,476	5	52	76	28	15	232	189	7	139
White—Female	5,639	1,251	4,388	4,039	6	6	42	29	3	73	135	2	53
Nonwhite—Male	993	286	727	680	-	8	5	5	1	16	8	-	4
Nonwhite—Female	639	186	453	429	2	3	3	1	1	5	5	-	4
Without mention of alcoholism (581.0)	13,035	2,972	10,063	9,210	10	53	83	47	18	213	284	5	140
White—Male	7,682	1,624	6,058	5,542	3	39	47	18	13	148	155	3	90
White—Female	4,256	1,002	3,254	2,972	5	4	33	23	3	51	118	2	43
Nonwhite—Male	674	204	470	434	-	7	3	5	1	10	7	-	3
Nonwhite—Female	423	142	281	262	2	3	-	1	1	4	4	-	4
With alcoholism (581.1)	5,603	879	4,724	4,414	3	16	43	16	2	113	53	4	60
White—Male	3,685	524	3,161	2,934	2	13	29	10	2	84	34	4	49
White—Female	1,383	249	1,134	1,067	1	2	9	6	-	22	17	-	10
Nonwhite—Male	319	62	257	246	-	1	2	-	-	6	1	-	1
Nonwhite—Female	216	44	172	167	-	-	3	-	-	1	1	-	-
Cholelithiasis, cholecystitis, and cholangitis (584,585)	4,720	470	4,250	4,013	4	8	17	10	2	84	67	4	41
White—Male	1,827	115	1,712	1,624	2	6	1	4	-	38	18	2	17
White—Female	2,647	322	2,325	2,191	2	1	15	6	1	41	45	2	21
Nonwhite—Male	91	10	81	71	-	1	-	-	1	4	2	-	2
Nonwhite—Female	155	23	132	127	-	-	1	-	-	1	2	-	1
Fibrocystic disease of pancreas (587B)	550	94	456	371	1	2	1	77	1	-	1	-	2
White—Male	263	54	209	175	1	1	1	28	1	-	1	-	1
White—Female	260	36	224	181	-	1	-	41	-	-	-	-	1
Nonwhite—Male	16	3	13	10	-	-	-	3	-	-	-	-	-
Nonwhite—Female	11	1	10	5	-	-	-	5	-	-	-	-	-
Other diseases of digestive system (Residual[2])	10,078	1,290	8,788	7,889	10	36	39	81	15	318	270	3	127
White—Male	4,989	543	4,446	4,011	5	19	15	35	9	175	106	2	69
White—Female	3,861	502	3,379	2,988	1	6	19	39	4	118	155	1	48
Nonwhite—Male	659	124	535	502	2	5	3	4	1	10	2	-	6
Nonwhite—Female	549	121	428	388	2	6	2	3	1	15	7	-	4
X. Diseases of the genitourinary system	32,027	7,550	24,477	20,748	24	110	251	127	31	969	1,700	18	499
White—Male	16,018	3,256	12,762	10,868	17	72	133	55	7	471	868	9	262
White—Female	9,978	2,311	7,667	6,246	6	15	87	53	11	323	729	8	189
Nonwhite—Male	3,440	1,121	2,319	2,074	-	20	16	12	12	94	62	1	28
Nonwhite—Female	2,591	862	1,729	1,560	1	3	15	7	1	81	41	-	20
Nephritis and nephrosis (590-594)	16,030	5,006	11,024	9,302	17	63	89	68	23	358	830	13	261
White—Male	6,921	1,814	5,107	4,400	13	40	38	23	5	141	321	6	120
White—Female	5,676	1,721	3,955	3,190	4	8	39	33	7	119	439	6	110
Nonwhite—Male	1,777	731	1,046	917	-	13	5	6	10	44	37	1	13
Nonwhite—Female	1,656	740	916	795	-	2	7	6	1	54	33	-	18
Acute nephritis (590)	1,132	280	852	704	3	2	6	9	4	36	61	2	25
White—Male	445	79	366	306	2	2	2	3	1	13	26	2	9
White—Female	418	88	330	260	1	-	3	3	2	16	34	-	11
Nonwhite—Male	135	59	76	69	-	-	-	2	1	2	1	-	1
Nonwhite—Female	134	54	80	69	-	-	1	1	-	5	-	-	4
Nephritis with edema, incl. nephrosis (591)	1,071	248	823	712	2	5	3	20	-	30	37	3	11
White—Male	499	106	393	344	1	4	3	5	-	14	16	2	4
White—Female	352	73	279	230	1	-	-	11	-	12	19	1	5
Nonwhite—Male	121	36	85	77	-	1	-	2	-	3	2	-	-
Nonwhite—Female	99	33	66	61	-	-	-	2	-	1	-	-	2
Chronic and unspecified nephritis and other renal sclerosis (592-594)	13,827	4,478	9,349	7,886	12	56	80	39	19	292	732	8	225
White—Male	5,977	1,629	4,348	3,750	10	34	33	15	4	114	279	2	107
White—Female	4,906	1,560	3,346	2,700	2	8	36	19	5	91	386	5	94
Nonwhite—Male	1,521	636	885	771	-	12	5	2	9	39	34	1	12
Nonwhite—Female	1,423	653	770	665	-	2	6	3	1	48	33	-	12
Infections of kidney (600)	6,889	999	5,890	4,939	4	27	99	28	5	298	386	3	101
White—Male	2,890	409	2,481	2,081	2	18	42	11	2	135	153	1	36
White—Female	2,732	397	2,335	1,872	1	5	42	12	3	125	215	2	58
Nonwhite—Male	654	115	539	489	-	4	7	4	-	19	11	-	5
Nonwhite—Female	613	78	535	497	1	-	8	1	-	19	7	-	2
Calculi of urinary system (602,604)	1,282	148	1,134	1,047	-	7	3	8	-	31	29	-	9
White—Male	620	71	549	508	-	5	3	6	-	9	13	-	5
White—Female	553	66	487	446	-	-	-	2	-	19	16	-	4
Nonwhite—Male	63	8	55	52	-	2	-	-	-	1	-	-	-
Nonwhite—Female	46	3	43	41	-	-	-	-	-	2	-	-	-
Other diseases of urinary system (601,603,605-609)	2,248	306	1,742	1,435	-	6	17	15	3	118	119	-	29
White—Male	1,072	131	941	782	-	3	12	9	-	58	61	-	16
White—Female	586	98	488	372	-	2	5	5	1	45	49	-	9
Nonwhite—Male	293	55	238	210	-	-	-	1	2	13	8	-	4
Nonwhite—Female	97	22	75	71	-	1	-	-	-	2	1	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
X. Diseases of the genitourinary system—Continued													
Hyperplasia of prostate (610)	4,627	875	3,752	3,196	1	5	37	7	-	133	289	2	82
White—Male	4,047	696	3,351	2,827	1	4	33	6	-	118	284	2	76
Nonwhite—Male	580	179	401	369	-	1	4	1	-	15	5	-	6
Diseases of breast (620,621)	6	-	6	6	-	-	-	-	-	-	-	-	-
White—Male	3	-	3	3	-	-	-	-	-	-	-	-	-
Female	3	-	3	3	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genital organs (Residual[2])	1,145	216	929	823	2	2	6	1	-	31	47	-	17
White—Male	465	135	330	267	1	2	5	-	-	10	36	-	9
Female	428	29	399	363	1	-	1	1	-	15	10	-	8
Nonwhite—Male	73	33	40	37	-	-	-	-	-	2	1	-	-
Female	179	19	160	156	-	-	-	-	-	4	-	-	-
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,581	229	1,352	1,300	9	1	3	1	-	5	4	-	29
White—Female	938	99	839	808	5	-	3	-	-	5	2	-	16
Nonwhite—Female	643	130	513	492	4	1	-	1	-	-	2	-	13
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	154	34	120	116	1	-	-	-	-	-	-	-	3
White—Female	110	20	90	87	1	-	-	-	-	-	-	-	2
Nonwhite—Female	44	14	30	29	-	-	-	-	-	-	-	-	1
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	380	49	331	314	6	-	-	-	-	-	2	-	9
White—Female	199	18	181	174	4	-	-	-	-	-	-	-	3
Nonwhite—Female	181	31	150	140	2	-	-	-	-	-	2	-	6
Hemorrhage of pregnancy and childbirth (643,644,670-672)	275	34	241	234	-	-	-	1	-	1	1	-	4
White—Female	173	10	163	157	-	-	-	-	-	1	1	-	4
Nonwhite—Female	102	24	78	77	-	-	-	1	-	-	-	-	-
Ectopic pregnancy (645)	115	32	83	80	-	1	-	-	-	1	-	-	1
White—Female	44	14	30	29	-	-	-	-	-	1	-	-	-
Nonwhite—Female	71	18	53	51	-	1	-	-	-	-	-	-	1
Abortion without mention of sepsis or toxemia (650)	81	27	54	53	-	-	-	-	-	-	-	-	1
White—Female	50	15	35	34	-	-	-	-	-	-	-	-	1
Nonwhite—Female	31	12	19	19	-	-	-	-	-	-	-	-	-
Abortion with sepsis (651)	159	17	142	136	-	-	1	-	-	1	-	-	4
White—Female	73	6	67	64	-	-	1	-	-	1	-	-	1
Nonwhite—Female	86	11	75	72	-	-	-	-	-	-	-	-	3
Abortion with toxemia, without mention of sepsis (652)	19	2	17	16	-	-	-	-	-	-	-	-	1
White—Female	13	-	13	13	-	-	-	-	-	-	-	-	-
Nonwhite—Female	6	2	4	3	-	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, etc.* (Residual[2])	398	34	364	351	2	-	2	-	-	2	1	-	6
White—Female	276	16	260	250	-	-	2	-	-	2	1	-	5
Nonwhite—Female	122	18	104	101	2	-	-	-	-	-	-	-	1
XII. Diseases of the skin and cellular tissue	1,791	363	1,428	1,041	1	10	23	24	6	187	108	2	26
White—Male	619	115	504	362	-	3	8	9	3	71	39	2	7
Female	839	152	687	471	-	7	12	12	3	99	67	-	16
Nonwhite—Male	135	39	96	82	-	-	2	2	-	9	-	-	1
Female	198	57	141	126	1	-	1	1	-	8	2	-	2
Infections of skin and subcutaneous tissue (690-698)	553	78	475	311	1	1	9	3	4	89	44	2	11
White—Male	255	28	227	146	-	1	4	1	3	46	22	2	2
Female	209	28	181	106	-	-	5	2	1	37	22	-	8
Nonwhite—Male	49	11	38	32	-	-	-	-	-	6	-	-	-
Female	40	11	29	27	1	-	-	-	-	-	-	-	1
Other diseases of skin and subcutaneous tissue (700-716)	1,238	285	953	730	-	9	14	21	2	98	64	-	15
White—Male	364	87	277	216	-	2	4	8	-	25	17	-	5
Female	630	124	506	365	-	7	7	10	2	62	45	-	8
Nonwhite—Male	86	28	58	50	-	-	2	2	-	3	-	-	1
Female	158	46	112	99	-	-	1	1	-	8	2	-	1
XIII. Diseases of the bones and organs of movement	3,346	1,302	2,044	1,430	3	6	45	39	3	77	357	9	75
White—Male	1,366	517	849	635	1	5	18	24	1	42	99	4	20
Female	1,683	640	1,043	674	1	1	24	15	1	29	243	5	50
Nonwhite—Male	119	48	71	53	-	-	2	-	1	4	7	-	4
Female	178	97	81	68	1	-	1	-	-	2	8	-	1

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
XIII. Diseases of the bones and organs of movement—Continued													
Arthritis and spondylitis (720-725)	1,837	821	1,016	621	1	3	28	5	-	23	276	5	54
White—Male	574	236	338	237	-	3	8	2	-	8	65	3	12
Female	1,099	483	616	342	1	-	19	3	-	14	198	2	37
Nonwhite—Male	59	29	30	18	-	-	1	-	-	1	6	-	4
Female	105	73	32	24	-	-	-	-	-	-	7	-	1
Muscular rheumatism and rheumatism unspecified (726,727)	28	14	14	11	-	-		-	-	1	1	-	1
White—Male	7	1	6	4	-	-	-	-	-	1	1	-	-
Female	13	7	6	5	-	-	-	-	-	-	-	-	1
Nonwhite—Male	2	1	1	1	-	-	-	-	-	-	-	-	-
Female	6	5	1	1	-	-	-	-	-	-	-	-	-
Osteomyelitis and periostitis (730)	177	31	146	102	-	-	3	6	1	17	11	1	5
White—Male	106	17	89	62	-	-	2	4	1	12	5	-	3
Female	51	7	44	29	-	-	-	2	-	4	6	1	2
Nonwhite—Male	11	4	7	5	-	-	1	-	-	1	-	-	-
Female	9	3	6	6	-	-	-	-	-	-	-	-	-
Ankylosis and acquired musculoskeletal deformities (737,745-749)	75	17	58	49	2	-	-	1	-	5	-	-	1
White—Male	40	11	29	24	1	-	-	-	-	4	-	-	-
Female	32	6	26	23	-	-	-	1	-	1	-	-	1
Nonwhite—Male	1	-	1	1	-	-	-	-	-	-	-	-	-
Female	2	-	2	1	1	-	-	-	-	-	-	-	-
Inborn defect of muscle (744.1)	559	258	301	230	-	2	9	20	2	7	25	1	5
White—Male	369	180	189	143	-	2	6	16	-	5	14	1	2
Female	155	60	95	72	-	-	3	4	1	1	11	-	3
Nonwhite—Male	21	11	10	8	-	-	-	-	1	1	-	-	-
Female	14	7	7	7	-	-	-	-	-	-	-	-	-
Other diseases of musculoskeletal system (731-736,738-744.0,744.2)	670	161	509	417	-	1	5	7	-	24	44	2	9
White—Male	270	72	198	165	-	-	2	2	-	12	14	-	3
Female	333	77	256	203	-	1	2	5	-	9	28	2	6
Nonwhite—Male	25	3	22	20	-	-	-	-	-	1	1	-	-
Female	42	9	33	29	-	-	1	-	-	2	1	-	-
XIV. Congenital malformations	21,411	2,881	18,530	15,999	166	34	71	1,346	72	328	177	71	266
White—Male	10,070	1,257	8,813	7,575	78	15	37	675	35	151	82	31	134
Female	8,583	1,045	7,538	6,486	66	14	22	550	29	151	77	37	106
Nonwhite—Male	1,514	320	1,194	1,070	12	1	11	57	8	13	7	1	14
Female	1,244	259	985	868	10	4	1	64	-	13	11	2	12
Spina bifida meningocele (751)	1,297	226	1,071	901	17	2	5	73	3	15	26	8	21
White—Male	500	90	410	337	7	-	1	28	2	5	12	5	13
Female	684	104	580	494	9	2	2	43	1	10	11	2	6
Nonwhite—Male	72	24	48	40	1	-	2	2	-	-	2	-	1
Female	41	8	33	30	-	-	-	-	-	-	1	1	1
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs (752,753)	2,474	500	1,974	1,478	26	5	9	98	12	169	79	38	59
White—Male	1,128	211	917	683	11	2	4	44	3	80	44	17	29
Female	1,014	181	833	619	13	2	5	41	4	73	30	20	26
Nonwhite—Male	186	64	122	100	1	-	-	3	5	7	2	1	3
Female	146	44	102	76	1	1	-	10	-	9	3	1	1
Congenital malformations of circulatory system (754)	10,754	1,595	9,159	7,862	56	19	31	862	51	89	44	19	126
White—Male	5,121	720	4,401	3,756	34	9	18	431	27	41	13	9	63
Female	4,209	555	3,654	3,119	15	6	8	356	23	43	26	10	48
Nonwhite—Male	744	163	581	524	3	1	5	38	1	3	-	-	6
Female	680	157	523	463	4	3	-	37	-	2	5	-	9
Other congenital malformations (750,755-759)	6,886	560	6,326	5,758	67	8	26	313	6	55	28	5	60
White—Male	3,321	236	3,085	2,799	26	4	14	172	3	25	13	-	29
Female	2,676	205	2,471	2,254	29	4	7	110	1	25	10	5	26
Nonwhite—Male	512	69	443	406	7	-	4	14	2	3	3	-	4
Female	377	50	327	299	5	-	1	17	-	2	2	-	1
XV. Certain diseases of early infancy[3]	68,960	3,762	65,198	62,192	1,015	8	131	800	22	29	178	3	820
White—Male	30,928	920	30,008	28,581	465	4	63	425	10	11	64	1	384
Female	21,686	733	20,953	20,012	320	-	36	259	4	11	35	1	275
Nonwhite—Male	9,114	1,184	7,930	7,582	135	2	19	61	5	3	39	1	83
Female	7,232	925	6,307	6,017	95	2	13	55	3	4	40	-	78
XVI. Symptoms, senility, and ill-defined conditions	19,729	14,756	4,973	3,534	16	23	29	27	47	335	710	9	243
White—Male	7,663	5,458	2,205	1,643	6	11	11	7	14	139	275	5	94
Female	5,173	3,387	1,786	1,088	7	5	17	18	13	146	374	2	116
Nonwhite—Male	3,824	3,259	565	472	1	7	1	2	11	21	32	1	17
Female	3,069	2,652	417	331	2	-	-	-	9	29	29	1	16

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
XVI. Symptoms, senility, and ill-defined conditions—Con.													
Senility without mention of psychosis (794)	3,000	2,002	998	335	2	1	13	1	-	132	410	2	102
White—Male	1,013	609	404	164	-	-	4	-	-	54	145	1	36
Female	1,449	903	546	158	1	1	9	1	-	68	244	-	64
Nonwhite—Male	259	238	21	8	-	-	-	-	-	5	8	-	-
Female	279	252	27	5	1	-	-	-	-	5	13	1	2
Symptoms, ill-defined, and unknown causes (780-793,795)	16,729	12,754	3,975	3,199	14	22	16	26	47	203	300	7	141
White—Male	6,650	4,849	1,801	1,479	6	11	7	7	14	85	130	4	58
Female	3,724	2,484	1,240	930	6	4	8	17	13	78	130	2	52
Nonwhite—Male	3,565	3,021	544	464	1	7	1	2	11	16	24	1	17
Female	2,790	2,400	390	326	1	-	-	-	9	24	16	-	14
XVII. Accidents, poisonings, and violence	116,964	67,770	49,194	44,324	36	86	285	298	144	1,787	1,290	37	907
White—Male	69,956	43,280	26,676	24,422	23	63	134	140	85	853	436	15	505
Female	29,324	13,495	15,829	13,630	8	13	134	95	15	809	813	20	292
Nonwhite—Male	12,729	8,095	4,634	4,318	5	7	12	38	44	89	28	2	91
Female	4,955	2,900	2,055	1,954	-	3	5	25	-	36	13	-	19
Accidents (E800-E962)	90,604	47,513	43,091	38,873	30	61	253	266	52	1,526	1,225	32	773
White—Male	53,669	30,254	23,415	21,557	19	41	112	125	30	687	397	13	434
Female	24,251	9,561	14,690	12,641	8	12	126	89	13	728	793	17	263
Nonwhite—Male	8,820	5,575	3,245	3,023	3	6	11	27	9	77	22	2	65
Female	3,864	2,123	1,741	1,652	-	2	4	25	-	34	13	-	11
Railway accidents (E800-E802)	1,164	965	199	182	-	1	6	-	-	5	2	-	3
White—Male	824	668	156	144	-	1	3	-	-	4	2	-	2
Female	106	87	19	14	-	-	3	-	-	1	-	-	1
Nonwhite—Male	208	187	21	21	-	-	-	-	-	-	-	-	-
Female	26	23	3	3	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E835)	36,981	20,693	16,288	15,747	21	7	37	72	9	34	73	-	288
White—Male	24,198	13,732	10,466	10,117	15	7	28	40	5	24	38	-	192
Female	8,532	4,458	4,074	3,950	4	-	7	18	3	4	23	-	65
Nonwhite—Male	3,294	1,937	1,357	1,300	2	-	2	12	1	5	6	-	29
Female	957	566	391	380	-	-	-	2	-	1	6	-	2
Motor vehicle traffic accidents (E810-E825)	36,052	20,203	15,849	15,337	19	7	37	69	9	25	70	-	276
White—Male	23,555	13,393	10,162	9,834	14	7	28	39	5	16	36	-	183
Female	8,334	4,358	3,976	3,858	3	-	7	16	3	4	22	-	63
Nonwhite—Male	3,235	1,901	1,334	1,279	2	-	2	12	1	4	6	-	28
Female	928	551	377	366	-	-	-	2	-	1	6	-	2
Motor vehicle traffic accident involving collision with railway train (E810)	1,316	991	325	314	1	-	-	1	-	-	2	-	7
White—Male	897	683	214	207	1	-	-	1	-	-	2	-	3
Female	303	226	77	73	-	-	-	-	-	-	-	-	4
Nonwhite—Male	86	59	27	27	-	-	-	-	-	-	-	-	-
Female	30	23	7	7	-	-	-	-	-	-	-	-	-
Motor vehicle traffic accident to pedestrian (E812)	7,083	3,079	4,004	3,872	5	3	10	36	3	5	18	-	52
White—Male	4,264	1,809	2,455	2,369	2	3	8	21	1	2	11	-	38
Female	1,656	671	985	960	3	-	1	6	2	1	4	-	8
Nonwhite—Male	863	459	404	390	-	-	1	7	-	1	1	-	4
Female	300	140	160	153	-	-	-	2	-	1	2	-	2
Other motor vehicle traffic accidents involving collision (E811,E813-E819)	14,395	8,241	6,154	5,946	10	1	21	18	3	7	19	-	129
White—Male	9,107	5,242	3,865	3,730	8	1	15	9	3	5	9	-	85
Female	3,914	2,158	1,756	1,703	-	-	5	7	-	1	8	-	32
Nonwhite—Male	1,051	629	422	403	2	-	1	2	-	1	1	-	12
Female	323	212	111	110	-	-	-			-	1	-	-
Motor vehicle noncollision traffic accidents (E820-E824)	9,892	6,208	3,684	3,574	3	2	5	11	3	8	13	-	65
White—Male	7,063	4,525	2,538	2,465	3	2	5	5	1	6	6	-	45
Female	1,698	963	735	716	-	-	-	3	1	-	4	-	11
Nonwhite—Male	940	585	355	339	-	-	-	3	1	2	1	-	9
Female	191	135	56	54	-	-	-	-	-	-	2	-	-
Motor vehicle traffic accident of unspecified nature (E825)	3,366	1,684	1,682	1,631	-	1	1	3	-	5	18	-	23
White—Male	2,224	1,134	1,090	1,063	-	1	-	3	-	3	8	-	12
Female	763	340	423	406	-	-	1	-	-	2	6	-	8
Nonwhite—Male	295	169	126	120	-	-	-	-	-	-	3	-	3
Female	84	41	43	42	-	-	-	-	-	-	1	-	-
Motor vehicle nontraffic accidents (E830-E835)	929	490	439	410	2	-	-	3	-	9	3	-	12
White—Male	643	339	304	283	1	-	-	1	-	8	2	-	9
Female	198	100	98	92	1	-	-	2	-	-	1	-	2
Nonwhite—Male	59	36	23	21	-	-	-	-	-	1	-	-	1
Female	29	15	14	14	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION: Total, in institution	Nonresident[1]: General hospital	Nonresident[1]: Maternity hospital	Nonresident[1]: Tuberculosis hospital	Nonresident[1]: Chronic disease and convalescent hospitals	Nonresident[1]: Other special hospitals	Nonresident[1]: Hospital department of institution	Resident: Nervous and mental hospitals	Resident: Convalescent and nursing homes, etc.	Resident: Other domiciliary institutions	Type of service not specified
XVII. Accidents, poisonings, and violence—Continued													
Accidents—Continued													
Other road vehicle accidents (E840-E845)	304	106	198	189	-	-	-	2	-	1	1	-	5
White—Male	185	71	114	110	-	-	-	1	-	-	-	-	3
Female	75	21	54	50	-	-	-	1	-	1	1	-	1
Nonwhite—Male	39	14	25	24	-	-	-	-	-	-	-	-	1
Female	5	-	5	5	-	-	-	-	-	-	-	-	-
Water transport accidents (E850-E858)	1,653	1,570	83	78	-	1	-	-	-	1	-	-	3
White—Male	1,336	1,270	66	61	-	1	-	-	-	1	-	-	3
Female	114	110	4	4	-	-	-	-	-	-	-	-	-
Nonwhite—Male	193	180	13	13	-	-	-	-	-	-	-	-	-
Female	10	10	-	-	-	-	-	-	-	-	-	-	-
Aircraft accidents (E860-E866)	1,511	1,353	158	128	-	-	-	-	-	-	2	-	28
White—Male	1,361	1,212	149	119	-	-	-	-	-	-	2	-	28
Female	137	129	8	8	-	-	-	-	-	-	-	-	-
Nonwhite—Male	13	12	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by solid and liquid substances (E870-E888)	1,429	607	822	748	-	1	3	31	6	8	5	1	19
White—Male	848	286	362	325	-	1	1	11	5	5	3	1	10
Female	409	182	227	214	-	-	1	7	-	2	1	-	2
Nonwhite—Male	224	105	119	107	-	-	1	5	1	1	-	-	4
Female	148	34	114	102	-	-	-	8	-	-	1	-	3
Accidental poisoning by gases and vapors (E890-E895)	1,187	1,046	141	130	1	-	2	-	-	2	5	-	1
White—Male	784	701	83	76	1	-	1	-	-	1	3	-	1
Female	253	217	36	32	-	-	1	-	-	1	2	-	-
Nonwhite—Male	95	79	16	16	-	-	-	-	-	-	-	-	-
Female	55	49	6	6	-	-	-	-	-	-	-	-	-
Accidental falls (E900-E904)	18,248	3,299	14,949	12,416	2	39	170	46	11	1,027	972	20	246
White—Male	8,169	1,550	6,619	5,705	2	23	59	23	7	422	283	7	88
Female	8,921	1,405	7,516	5,967	-	11	105	21	3	568	682	13	146
Nonwhite—Male	706	210	496	456	-	3	3	1	1	18	5	-	9
Female	452	134	318	288	-	2	3	1	-	19	2	-	3
Fall from one level to another (E900-E902)	6,010	1,500	4,510	4,050	1	6	37	16	4	178	148	6	64
White—Male	3,476	934	2,542	2,337	1	3	11	8	4	89	55	4	30
Female	1,984	377	1,607	1,370	-	1	24	7	-	86	90	2	27
Nonwhite—Male	390	132	258	247	-	-	1	-	-	2	2	-	6
Female	160	57	103	96	-	2	1	1	-	1	1	-	1
Fall on same level (E903)	3,535	470	3,065	2,467	-	11	46	3	2	281	210	3	42
White—Male	1,397	158	1,239	1,018	-	8	16	-	-	114	66	-	17
Female	1,988	279	1,709	1,343	-	3	30	2	1	158	144	3	25
Nonwhite—Male	75	15	60	53	-	-	-	1	1	5	-	-	-
Female	75	18	57	53	-	-	-	-	-	4	-	-	-
Unspecified falls (E904)	8,703	1,329	7,374	5,899	1	22	87	27	5	568	614	11	140
White—Male	3,296	458	2,838	2,350	1	12	32	15	3	219	162	3	41
Female	4,949	749	4,200	3,254	-	7	51	12	2	324	448	8	94
Nonwhite—Male	241	63	178	156	-	3	2	-	-	11	3	-	3
Female	217	59	158	139	-	-	2	-	-	14	1	-	2
Blow from falling object or projected object or missile (E910)	1,380	895	485	471	-	-	-	1	-	-	-	-	13
White—Male	1,140	769	371	362	-	-	-	-	-	-	-	-	9
Female	64	28	36	36	-	-	-	-	-	-	-	-	-
Nonwhite—Male	167	96	71	66	-	-	-	1	-	-	-	-	4
Female	9	2	7	7	-	-	-	-	-	-	-	-	-
Accident caused by machinery (E912)	1,812	1,204	608	580	1	-	-	4	-	5	2	1	15
White—Male	1,578	1,059	519	497	1	-	-	2	-	3	2	-	14
Female	76	47	29	26	-	-	-	1	-	1	-	1	-
Nonwhite—Male	155	95	60	57	-	-	-	1	-	1	-	-	1
Female	3	3	-	-	-	-	-	-	-	-	-	-	-
Accident caused by electric current (E914)	951	781	170	160	-	-	1	1	1	1	-	-	6
White—Male	815	674	141	134	-	-	1	1	1	-	-	-	4
Female	71	55	16	14	-	-	-	-	-	1	-	-	1
Nonwhite—Male	62	49	13	12	-	-	-	-	-	-	-	-	1
Female	3	3	-	-	-	-	-	-	-	-	-	-	-
Accident caused by fire and explosion of combustible material (E916)	7,291	3,943	3,348	3,231	-	3	7	43	4	12	20	-	28
White—Male	2,828	1,574	1,254	1,208	-	3	3	12	1	8	6	-	13
Female	2,091	923	1,168	1,128	-	-	3	19	2	2	6	-	8
Nonwhite—Male	1,160	802	358	341	-	-	1	2	1	2	5	-	6
Female	1,212	644	568	554	-	-	-	10	-	-	3	-	1
Accident caused by hot substance, corrosive liquid, steam, and radiation (E917,E918)	382	51	331	305	-	-	1	8	-	8	2	-	7
White—Male	164	19	145	131	-	-	1	7	-	3	1	-	2
Female	133	14	119	109	-	-	-	1	-	3	1	-	5
Nonwhite—Male	46	8	38	36	-	-	-	-	-	2	-	-	-
Female	39	10	29	29	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
XVII. Accidents, poisonings, and violence—Continued													
Accidents—Continued													
Accident caused by firearm (E919)	2,172	1,385	787	760	1	-	2	4	1	4	1	-	14
White—Male	1,646	1,074	572	551	-	-	2	3	1	3	1	-	11
Female	179	110	69	69	-	-	-	-	-	-	-	-	1
Nonwhite—Male	282	163	119	115	1	-	-	-	-	1	-	-	2
Female	65	38	27	26	-	-	-	1	-	-	-	-	-
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921,E922)	2,191	1,250	941	701	-	-	6	17	-	176	15	4	22
White—Male	1,030	581	449	326	-	-	4	7	-	93	6	2	11
Female	693	376	317	219	-	-	2	9	-	68	9	2	8
Nonwhite—Male	264	164	100	85	-	-	-	1	-	11	-	-	3
Female	204	129	75	71	-	-	-	-	-	4	-	-	-
Accidental drowning (E929)	5,065	4,837	228	190	2	-	-	1	4	13	4	-	14
White—Male	3,320	3,175	145	119	-	-	-	1	3	9	3	-	10
Female	668	636	32	28	2	-	-	-	-	1	1	-	-
Nonwhite—Male	963	917	46	39	-	-	-	-	1	3	-	-	3
Female	114	109	5	4	-	-	-	-	-	-	-	-	1
Excessive heat and insolation (E931)	137	74	63	48	-	-	-	-	2	7	2	-	4
White—Male	84	45	39	28	-	-	-	-	1	5	1	-	4
Female	19	11	8	7	-	-	-	-	-	-	1	-	-
Nonwhite—Male	26	14	12	10	-	-	-	-	1	1	-	-	-
Female	8	4	4	3	-	-	-	-	-	1	-	-	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* (E940-E959)	1,023	98	925	848	1	3	3	13	2	39	8	-	8
White—Male	433	40	393	364	-	1	1	6	-	15	4	-	2
Female	450	39	411	376	1	-	1	7	2	15	4	-	5
Nonwhite—Male	63	10	53	46	-	2	1	-	-	4	-	-	-
Female	77	9	68	62	-	-	-	-	-	5	-	-	1
All other accidents (Residual[2])	5,723	3,356	2,367	1,961	1	6	15	23	12	183	111	6	49
White—Male	3,126	1,754	1,372	1,180	-	4	8	11	6	91	42	3	27
Female	1,260	713	547	391	1	1	3	5	3	60	62	1	20
Nonwhite—Male	860	533	327	278	-	1	3	4	3	28	6	2	2
Female	477	356	121	112	-	-	1	3	-	4	1	-	-
Suicide (E963,E970-E979)	18,519	15,092	3,427	2,952	4	22	20	17	28	238	53	5	88
White—Male	13,707	11,390	2,317	2,002	3	21	14	9	22	154	34	2	56
Female	3,977	3,064	913	776	-	-	6	5	2	77	17	3	27
Nonwhite—Male	659	512	147	127	1	1	-	3	4	6	2	-	3
Female	176	126	50	47	-	-	-	-	-	1	-	-	2
Suicide by poisoning (E970-E973)	3,958	3,008	950	862	-	2	5	7	5	36	3	3	27
White—Male	2,440	2,010	430	392	-	2	3	5	2	11	1	1	13
Female	1,411	940	471	427	-	-	2	2	2	21	2	2	13
Nonwhite—Male	59	33	26	21	-	-	-	-	1	4	-	-	-
Female	48	25	23	22	-	-	-	-	-	-	-	-	1
Suicide by hanging and strangulation (E974)	3,562	3,207	355	138	1	4	4	1	19	154	24	1	9
White—Male	2,587	2,347	240	90	1	3	2	-	16	109	16	-	3
Female	837	744	93	37	-	-	2	-	-	42	7	1	4
Nonwhite—Male	115	98	17	8	-	1	-	1	3	2	1	-	1
Female	23	18	5	3	-	-	-	-	-	1	-	-	1
Suicide by firearm and explosive (E976)	8,871	7,319	1,552	1,495	1	1	3	2	1	8	9	1	31
White—Male	7,442	6,166	1,276	1,227	-	1	3	1	1	8	7	1	27
Female	1,013	810	203	197	-	-	-	-	-	-	2	-	4
Nonwhite—Male	363	301	62	60	1	-	-	1	-	-	-	-	-
Female	53	42	11	11	-	-	-	-	-	-	-	-	-
Suicide by all other means (Residual[2])	2,128	1,558	570	457	2	15	8	7	3	40	17	-	21
White—Male	1,238	867	371	293	2	15	6	3	3	26	10	-	13
Female	716	570	146	115	-	-	2	3	-	14	6	-	6
Nonwhite—Male	122	80	42	38	-	-	-	1	-	-	1	-	2
Female	52	41	11	11	-	-	-	-	-	-	-	-	-
Homicide (E964,E980-E985)	7,815	5,152	2,663	2,487	2	2	12	15	64	23	12	-	46
White—Male	2,555	1,624	931	851	1	-	8	6	33	12	5	-	15
Female	1,096	870	226	213	-	1	2	1	-	4	3	-	2
Nonwhite—Male	3,249	2,007	1,242	1,168	1	-	1	8	31	6	4	-	23
Female	915	651	264	255	-	1	1	-	-	1	-	-	6
Assault by firearm and explosive (E981)	4,230	2,967	1,263	1,211	2	1	8	4	2	4	8	-	23
White—Male	1,482	1,038	444	417	1	-	7	2	2	1	3	-	11
Female	644	521	123	120	-	-	1	-	-	-	1	-	1
Nonwhite—Male	1,661	1,095	566	548	1	-	-	2	-	2	4	-	9
Female	443	313	130	126	-	1	-	-	-	1	-	-	2

See footnotes at end of table.

Table 79. Deaths From 255 Selected Causes, by Color, Sex, and Type of Service of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION									
			Total, in institution	Nonresident[1]					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
XVII. Accidents, poisonings, and violence—Continued												
Homicide—Continued												
Assault by cutting and piercing instruments (E982)	1,765	1,125	640	600	-	-	1	3	20	2	-	-	14
White—Male	328	194	134	118	-	-	1	-	13	1	-	-	1
Female	110	95	15	14	-	-	-	-	-	1	-	-	-
Nonwhite—Male	1,076	662	414	392	-	-	-	3	7	-	-	-	12
Female	251	174	77	76	-	-	-	-	-	-	-	-	1
Assault by other means (E964,E980,E983)	1,541	902	639	597	-	1	3	7	2	17	4	-	8
White—Male	615	320	295	277	-	-	-	3	-	10	2	-	3
Female	342	254	88	79	-	1	1	1	-	3	2	-	1
Nonwhite—Male	364	165	199	188	-	-	1	3	2	4	-	-	1
Female	220	163	57	53	-	-	1	-	-	-	-	-	3
Injury by intervention of police (E984)	229	149	80	75	-	-	-	1	3	-	-	-	1
White—Male	111	70	41	37	-	-	-	1	3	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	117	78	39	38	-	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Execution (E985)	50	9	41	4	-	-	-	-	37	-	-	-	-
White—Male	19	2	17	2	-	-	-	-	15	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	31	7	24	2	-	-	-	-	22	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury resulting from operations of war (E965,E990-E999)	26	13	13	12	-	1	-	-	-	-	-	-	-
White—Male	25	12	13	12	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 72.

[1]The classification for type of service was determined from information given in State Plans for Construction of Hospital and Medical Facilities and from other available institution listings. In most cases, the service designation refers to the predominating type of service rendered. This may account for the apparent anomalies in the distributions of deaths by sex and cause in maternity and other special hospitals.

[2]For category numbers, see table 72.

[3]For detailed causes of infant death, see table 57 in Volume I.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
ALL CAUSES	1,647,886	644,548	1,003,338	6,893	33,252	3,275	79,952	219,364	201,655	305,016	126,107	27,824
Male	936,794	375,619	561,175	4,569	32,973	2,088	44,169	125,212	110,901	169,369	58,188	13,706
Female	711,092	268,929	442,163	2,324	279	1,187	35,783	94,152	90,754	135,647	67,919	14,118
White—Male	828,550	325,682	502,868	4,057	28,501	1,130	36,553	103,257	105,317	156,151	55,238	12,664
Female	622,527	226,695	395,832	2,043	260	403	29,485	75,226	85,827	124,239	65,093	13,256
Nonwhite—Male	108,244	49,937	58,307	512	4,472	958	7,616	21,955	5,584	13,218	2,950	1,042
Female	88,565	42,234	46,331	281	19	784	6,298	18,926	4,927	11,408	2,826	862
I. Infective and parasitic diseases	23,407	4,928	18,479	99	1,222	164	4,063	6,085	2,163	3,560	809	314
White—Male	11,658	2,222	9,436	54	926	32	1,983	2,973	1,167	1,721	402	178
Female	5,743	1,268	4,475	26	8	9	876	1,237	758	1,188	305	68
Nonwhite—Male	3,837	887	2,950	11	287	71	767	1,178	137	390	62	47
Female	2,169	551	1,618	8	1	52	437	697	101	261	40	21
Tuberculosis, all forms (001-019)	12,361	2,468	9,893	22	888	103	2,774	3,909	658	1,112	270	157
White—Male	6,810	1,246	5,564	11	700	20	1,481	2,149	379	577	150	97
Female	2,368	585	1,783	6	5	3	574	621	186	286	81	21
Nonwhite—Male	2,133	419	1,714	3	182	46	455	758	59	160	23	28
Female	1,050	218	832	2	1	34	264	381	34	89	16	11
Tuberculosis of respiratory system (001-008)	11,477	2,360	9,117	18	854	86	2,667	3,622	555	923	245	147
White—Male	6,486	1,196	5,290	9	685	19	1,444	2,064	335	502	140	92
Female	2,182	567	1,615	6	5	3	550	574	149	238	71	19
Nonwhite—Male	1,923	399	1,524	3	163	37	426	675	48	124	22	26
Female	886	198	688	-	1	27	247	309	23	59	12	10
Tuberculosis of meninges and central nervous system (010)	296	18	278	2	5	8	39	110	34	68	8	4
White—Male	85	4	81	1	2	-	15	29	9	20	3	2
Female	66	4	62	-	-	-	8	22	13	17	2	-
Nonwhite—Male	67	4	63	-	3	4	7	29	5	14	-	1
Female	78	6	72	1	-	4	9	30	7	17	3	1
Tuberculosis of intestines, peritoneum, and mesenteric glands (011)	67	17	50	-	2	1	11	14	10	8	3	1
White—Male	19	4	15	-	-	-	4	3	4	2	1	1
Female	17	3	14	-	-	-	2	4	4	4	-	-
Nonwhite—Male	16	6	10	-	2	1	3	-	1	2	1	-
Female	15	4	11	-		-	2	7	1	-	1	-
Tuberculosis of bones and joints (012,013)	84	22	62	-	2	2	7	19	13	14	3	2
White—Male	39	13	26	-	2	-	3	7	6	4	2	2
Female	20	3	17	-	-	-	1	2	5	8	1	-
Nonwhite—Male	16	3	13	-	-	2	2	5	2	2	-	-
Female	9	3	6	-	-	-	1	5	-	-	-	-
Tuberculosis of other organs and systems (014-018)	212	29	183	1	13	1	25	48	31	56	6	2
White—Male	99	17	82	1	7	1	6	18	16	32	1	-
Female	57	6	51	-	-	-	9	9	11	15	5	2
Nonwhite—Male	39	4	35	-	6	-	7	13	2	7	-	-
Female	17	2	15	-	-	-	3	8	2	2	-	-
Disseminated tuberculosis (019)	225	22	203	1	12	5	25	96	15	43	5	1
White—Male	82	12	70	-	4	-	9	28	9	17	3	-
Female	26	2	24	-	-	-	4	10	4	4	2	-
Nonwhite—Male	72	3	69	-	8	2	10	36	1	11	-	1
Female	45	5	40	1	-	3	2	22	1	11	-	-
Syphilis and its sequelae (020-029)	3,469	983	2,486	11	187	15	667	556	330	557	128	35
White—Male	1,637	453	1,184	8	111	3	261	195	207	319	64	16
Female	603	166	437	2	1	1	104	99	74	107	41	8
Nonwhite—Male	852	244	608	-	75	7	204	174	31	89	20	8
Female	377	120	257	1	-	4	98	88	18	42	3	3
Congenital syphilis (020)	37	14	23	-	-	-	2	11	2	6	2	-
White—Male	11	4	7	-	-	-	1	1	-	3	2	-
Female	5	1	4	-	-	-	-	3	-	1	-	-
Nonwhite—Male	16	6	10	-	-	-	1	6	1	2	-	-
Female	5	3	2	-	-	-	-	1	1	-	-	-
Early syphilis (021)	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta (022)	1,434	464	970	5	65	3	91	210	210	329	43	14
White—Male	802	248	554	4	49	2	31	81	145	213	23	6
Female	293	98	195	-	1	-	12	49	46	65	15	7
Nonwhite—Male	221	76	145	-	15	-	33	47	12	35	3	-
Female	118	42	76	1	-	1	15	33	7	16	2	1
Other cardiovascular syphilis (023)	1,182	365	817	2	81	7	199	222	81	172	38	15
White—Male	458	141	317	1	35	1	71	66	42	77	18	6
Female	154	43	111	1	-	-	24	26	20	30	9	1
Nonwhite—Male	409	122	287	-	46	4	73	90	12	45	10	7
Female	161	59	102	-	-	2	31	40	7	20	1	1

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
I. Infective and parasitic diseases—Continued												
Syphilis and its sequelae—Continued												
Tabes dorsalis (024)	83	32	51	1	7	-	-	19	3	9	12	-
White—Male	55	21	34	1	6	-	-	12	2	5	8	-
Female	12	3	9	-	-	-	-	4	1	1	3	-
Nonwhite—Male	13	6	7	-	1	-	-	3	-	2	1	-
Female	3	2	1	-	-	-	-	-	-	1	-	-
General paralysis of insane (025)	292	26	266	1	8	2	225	16	4	2	7	1
White—Male	135	9	126	1	6	-	105	6	3	2	3	-
Female	55	6	49	-	-	1	42	2	1	-	3	-
Nonwhite—Male	69	5	64	-	2	1	56	4	-	-	1	-
Female	33	6	27	-	-	-	22	4	-	-	-	1
Other syphilis of central nervous system (026)	356	55	301	2	24	3	138	63	21	30	16	4
White—Male	145	21	124	1	14	-	52	23	13	13	5	3
Female	65	10	55	1	-	-	25	10	2	9	8	-
Nonwhite—Male	103	20	83	-	10	2	39	21	3	4	3	1
Female	43	4	39	-	-	1	22	9	3	4	-	-
All other syphilis (027-029)	85	27	58	-	2	-	12	15	9	9	10	1
White—Male	31	9	22	-	1	-	1	6	2	6	5	1
Female	19	5	14	-	-	-	1	5	4	1	3	-
Nonwhite—Male	21	9	12	-	1	-	2	3	3	1	2	-
Female	14	4	10	-	-	-	8	1	-	1	-	-
Gonococcal infection (030-035)	18	2	16	-	2	-	3	7	1	3	-	-
White—Male	5	2	3	-	1	-	-	1	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	1	-	-
Nonwhite—Male	10	-	10	-	1	-	3	5	1	-	-	-
Female	2	-	2	-	-	-	-	1	-	1	-	-
Typhoid fever (040)	23	2	21	-	-	1	1	9	2	5	3	-
White—Male	9	1	8	-	-	1	-	3	1	2	1	-
Female	9	1	8	-	-	-	-	4	1	1	2	-
Nonwhite—Male	2	-	2	-	-	-	-	1	-	1	-	-
Female	3	-	3	-	-	-	1	1	-	1	-	-
Paratyphoid fever and other Salmonella infections (041,042)	65	3	62	-	1	2	10	17	8	18	1	5
White—Male	29	1	28	-	-	-	5	6	5	8	-	4
Female	15	-	15	-	-	-	2	7	2	3	1	-
Nonwhite—Male	10	1	9	-	1	-	2	-	-	5	-	1
Female	11	1	10	-	-	2	1	4	1	2	-	-
Cholera (043)	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) (044)	8	1	7	-	-	-	-	1	3	2	1	-
White—Male	3	-	3	-	-	-	-	-	1	2	-	-
Female	3	1	2	-	-	-	-	-	1	-	1	-
Nonwhite—Male	2	-	2	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms (045-048)	407	153	254	1	2	8	53	90	25	38	27	10
White—Male	153	42	111	1	1	-	27	36	10	17	12	7
Female	110	37	73	-	-	-	14	25	10	12	11	1
Nonwhite—Male	92	48	44	-	1	4	7	18	4	7	2	1
Female	52	26	26	-	-	4	5	11	1	2	2	1
Food poisoning (infection and intoxication) (049)	55	24	31	-	-	-	-	8	10	6	6	1
White—Male	15	5	10	-	-	-	-	3	3	2	1	1
Female	16	5	11	-	-	-	-	1	5	2	3	-
Nonwhite—Male	14	5	9	-	-	-	-	4	2	1	2	-
Female	10	9	1	-	-	-	-	-	-	1	-	-
Scarlet fever (050)	12	5	7	-	-	-	-	3	2	-	1	1
White—Male	3	2	1	-	-	-	-	-	-	-	1	-
Female	6	2	4	-	-	-	-	1	2	-	-	1
Nonwhite—Male	1	-	1	-	-	-	-	1	-	-	-	-
Female	2	1	1	-	-	-	-	1	-	-	-	-
Streptococcal sore throat (051)	127	54	73	1	-	-	3	12	16	22	17	2
White—Male	54	19	35	-	-	-	-	6	10	9	10	-
Female	48	19	29	1	-	-	2	4	6	8	6	2
Nonwhite—Male	11	5	6	-	-	-	-	1	-	5	-	-
Female	14	11	3	-	-	-	1	1	-	-	1	-
Erysipelas (052)	26	5	21	-	1	-	3	3	5	3	5	1
White—Male	13	3	10	-	1	-	1	2	2	1	3	-
Female	11	2	9	-	-	-	1	-	3	2	2	1
Nonwhite—Male	1	-	1	-	-	-	1	-	-	-	-	-
Female	1	-	1	-	-	-	-	1	-	-	-	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
I. Infective and parasitic diseases—Continued												
Septicemia and pyemia (053)	1,663	228	1,435	16	53	9	212	364	211	465	84	21
White—Male	749	103	646	6	43	2	75	142	109	216	36	17
Female	594	77	517	6	1	2	74	122	83	187	39	3
Nonwhite—Male	175	23	152	3	9	1	44	48	9	34	4	-
Female	145	25	120	1	-	4	19	52	10	28	5	1
Diphtheria (055)	74	15	59	-	1	1	7	27	4	11	8	-
White—Male	24	5	19	-	1	-	1	8	3	3	3	-
Female	23	3	20	-	-	-	2	9	-	5	4	-
Nonwhite—Male	12	4	8	-	-	1	3	4	-	-	-	-
Female	15	3	12	-	-	-	1	6	1	3	1	-
Whooping cough (056)	177	70	107	-	-	1	8	45	12	31	7	3
White—Male	44	15	29	-	-	-	-	12	3	10	3	1
Female	47	14	33	-	-	-	1	14	4	12	1	1
Nonwhite—Male	42	22	20	-	-	1	3	9	2	3	2	-
Female	44	19	25	-	-	-	4	10	3	6	1	1
Meningococcal infections (057)	746	90	656	14	2	2	35	188	150	224	30	11
White—Male	310	33	277	9	-	-	8	78	83	86	10	3
Female	309	34	275	4	-	1	15	65	58	111	16	5
Nonwhite—Male	68	14	54	1	2	1	6	24	6	11	1	2
Female	59	9	50	-	-	-	6	21	3	16	3	1
Plague (058)	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy (060)	3	2	1	-	-	1	-	-	-	-	-	-
White—Male	2	2	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus (061)	303	22	281	-	3	-	38	101	42	72	18	7
White—Male	103	5	98	-	2	-	5	26	26	29	8	2
Female	53	3	50	-	-	-	5	18	10	13	4	-
Nonwhite—Male	81	5	76	-	1	-	18	28	3	18	4	4
Female	66	9	57	-	-	-	10	29	3	12	2	1
Anthrax (062)	1	-	1	-	-	-	-	-	-	-	-	1
White—Male	1	-	1	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (080)	255	21	234	2	3	-	12	76	53	74	8	6
White—Male	136	9	127	1	3	-	8	35	28	42	5	5
Female	76	10	66	-	-	-	2	17	23	21	2	1
Nonwhite—Male	27	-	27	1	-	-	2	17	-	7	-	-
Female	16	2	14	-	-	-	-	7	2	4	1	-
Late effects of acute poliomyelitis (081)	147	56	91	-	3	-	5	29	20	24	8	2
White—Male	76	23	53	-	3	-	2	16	9	16	5	2
Female	63	29	34	-	-	-	3	11	10	7	3	-
Nonwhite—Male	3	2	1	-	-	-	-	-	-	1	-	-
Female	5	2	3	-	-	-	-	2	1	-	-	-
Acute infectious encephalitis (082)	537	47	490	9	12	1	28	96	148	171	20	5
White—Male	249	18	231	6	11	-	13	40	76	73	10	2
Female	225	14	211	1	-	-	13	38	64	85	7	3
Nonwhite—Male	34	9	25	1	1	-	-	12	4	6	1	-
Female	29	6	23	1	-	1	2	6	4	7	2	-
Late effects of acute infectious encephalitis (083)	88	26	62	-	4	-	23	11	6	8	8	2
White—Male	55	15	40	-	4	-	16	7	3	4	5	1
Female	31	11	20	-	-	-	5	4	3	4	3	1
Nonwhite—Male	1	-	1	-	-	-	1	-	-	-	-	-
Female	1	-	1	-	-	-	1	-	-	-	-	-
Smallpox (084)	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Measles (085)	552	200	352	5	-	5	27	121	65	105	16	8
White—Male	220	70	150	2	-	-	13	49	30	42	9	5
Female	206	72	134	2	-	-	8	39	26	50	6	3
Nonwhite—Male	69	29	40	1	-	4	3	19	4	8	1	-
Female	57	29	28	-	-	1	3	14	5	5	-	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
I. Infective and parasitic diseases—Continued												
Yellow fever (091)	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis (092)	897	90	807	7	22	7	51	137	210	301	59	13
White—Male	352	27	325	4	18	3	25	48	81	116	26	4
Female	449	50	399	2	1	1	16	62	120	158	31	8
Nonwhite—Male	31	3	28	-	3	2	3	10	2	7	1	-
Female	65	10	55	1	-	1	7	17	7	20	1	1
Rabies (094)	5	-	5	-	-	-	-	3	-	1	1	-
White—Male	2	-	2	-	-	-	-	1	-	1	-	-
Female	2	-	2	-	-	-	-	1	-	-	1	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	1	-	-	-	-
Tick-borne typhus (104)	14	2	12	-	-	-	-	2	2	7	-	1
White—Male	7	1	6	-	-	-	-	1	-	4	-	1
Female	6	-	6	-	-	-	-	1	2	3	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases (100-103,105-108)	4	-	4	-	-	-	1	-	1	1	1	-
White—Male	3	-	3	-	-	-	1	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	-	1	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	6	4	2	-	-	-	-	1	-	1	-	-
White—Male	3	1	2	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	3	3	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Schistosomiasis (123)	6	-	6	-	-	-	-	2	2	2	-	-
White—Male	4	-	4	-	-	-	-	1	1	2	-	-
Female	1	-	1	-	-	-	-	-	1	-	-	-
Nonwhite—Male	1	-	1	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid disease (125)	14	1	13	-	-	1	1	4	1	5	1	-
White—Male	7	-	7	-	-	-	1	3	1	2	-	-
Female	5	1	4	-	-	-	-	1	-	2	1	-
Nonwhite—Male	2	-	2	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Filariasis (127)	-	-	-	-	-	-	-	-	-	-	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis (129)	3	1	2	-	-	-	-	-	-	1	1	-
White—Male	1	-	1	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	1	-	-
Other dis. due to helminths (124,126,128,130)	61	19	42	1	-	-	5	12	6	13	5	-
White—Male	9	2	7	-	-	-	1	1	2	1	2	-
Female	16	3	13	1	-	-	1	2	1	5	3	-
Nonwhite—Male	12	7	5	-	-	-	1	-	-	4	-	-
Female	24	7	17	-	-	-	2	9	3	3	-	-
All other infective and parasitic diseases (Residual[1])	1,280	334	946	10	38	7	96	251	170	277	75	22
White—Male	570	119	451	6	27	3	39	103	93	135	36	9
Female	447	129	318	1	-	1	34	71	63	103	36	9
Nonwhite—Male	146	44	102	1	11	2	11	43	9	21	1	3
Female	117	42	75	2	-	1	12	34	5	18	2	1
II. Neoplasms	259,387	83,084	176,303	1,488	11,166	747	9,137	33,425	39,235	59,242	18,073	3,790
White—Male	125,008	36,923	88,085	879	9,657	358	4,357	15,575	19,022	28,601	7,916	1,720
Female	111,063	37,468	73,595	500	101	117	3,257	12,467	18,683	27,114	9,490	1,866
Nonwhite—Male	12,021	3,851	8,170	74	1,403	152	837	2,773	765	1,734	318	114
Female	11,295	4,842	6,453	35	5	120	686	2,610	765	1,793	349	90
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	254,426	82,215	172,211	1,451	10,963	730	8,741	32,639	38,328	57,845	17,780	3,734
White—Male	123,011	36,604	86,407	860	9,481	354	4,208	15,292	18,677	28,025	7,814	1,696
Female	108,801	37,062	71,739	487	98	113	3,105	12,156	18,195	26,430	9,317	1,838
Nonwhite—Male	11,767	3,806	7,961	71	1,379	147	787	2,705	751	1,699	311	111
Female	10,847	4,743	6,104	33	5	116	641	2,486	705	1,691	338	89

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
II. Neoplasms—Continued												
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasms of buccal cavity and pharynx (140-148)	5,766	1,856	3,910	40	471	24	287	931	694	1,008	369	86
White—Male	4,069	1,222	2,847	30	419	14	210	635	507	724	251	57
Female	1,219	483	736	7	2	2	51	170	159	219	102	24
Nonwhite—Male	352	97	255	3	50	6	17	100	21	45	8	5
Female	126	54	72	-	-	2	9	26	7	20	8	-
Of lip (140)	227	84	143	-	12	-	8	31	37	27	23	5
White—Male	201	74	127	-	12	-	7	25	35	23	20	5
Female	25	10	15	-	-	-	1	6	2	3	3	-
Nonwhite—Male	1	-	1	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Of tongue (141)	1,455	418	1,037	9	114	3	86	280	179	272	78	16
White—Male	1,037	266	771	8	100	2	67	196	128	202	57	11
Female	290	120	170	1	-	-	9	43	44	52	16	5
Nonwhite—Male	92	16	76	-	14	-	6	35	5	13	3	-
Female	36	16	20	-	-	1	4	6	2	5	2	-
Of other and unspecified parts of buccal cavity (142-144)	1,778	561	1,217	17	142	5	90	287	203	331	114	28
White—Male	1,160	336	824	13	127	3	62	181	141	220	62	15
Female	489	183	306	3	1	1	22	74	58	86	49	12
Nonwhite—Male	88	24	64	1	14	1	4	23	2	17	1	1
Female	41	18	23	-	-	-	2	9	2	8	2	-
Of pharynx (145-148)	2,306	793	1,513	14	203	16	103	333	275	378	154	37
White—Male	1,671	546	1,125	9	180	9	74	233	203	279	112	26
Female	415	170	245	3	1	1	19	47	55	78	34	7
Nonwhite—Male	171	57	114	2	22	5	7	42	14	14	4	4
Female	49	20	29	-	-	1	3	11	3	7	4	-
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	88,144	30,661	57,483	344	3,132	202	2,388	10,906	13,229	19,529	6,457	1,296
White—Male	43,585	13,899	29,686	229	2,604	94	1,258	5,149	6,802	10,085	2,874	591
Female	36,741	13,733	23,008	85	24	10	730	4,011	5,890	8,287	3,342	629
Nonwhite—Male	4,600	1,567	3,033	23	502	57	264	1,019	316	670	134	48
Female	3,218	1,462	1,756	7	2	41	136	727	221	487	107	28
Of esophagus (150)	4,612	1,242	3,370	35	374	16	221	790	619	1,032	218	65
White—Male	3,036	810	2,226	27	282	5	126	443	452	700	144	47
Female	820	262	558	3	-	-	37	115	127	210	60	6
Nonwhite—Male	613	123	490	5	92	9	46	187	34	96	9	12
Female	143	47	96	-	-	2	12	45	6	26	5	-
Of stomach (151)	21,033	8,287	12,746	79	749	51	571	2,599	2,873	4,057	1,474	293
White—Male	11,489	4,173	7,316	59	589	23	343	1,331	1,666	2,372	771	162
Female	7,076	2,956	4,120	13	5	2	121	797	1,068	1,387	620	107
Nonwhite—Male	1,600	668	932	4	155	21	84	308	90	191	63	16
Female	868	490	378	3	-	5	23	163	49	107	20	8
Of small intestine, incl. duodenum (152)	723	202	521	2	20	4	24	93	121	187	60	10
White—Male	363	89	274	1	20	3	14	39	73	96	27	1
Female	304	89	215	1	-	-	8	43	43	81	31	8
Nonwhite—Male	28	14	14	-	-	-	2	4	2	5	-	1
Female	28	10	18	-	-	1	-	7	3	5	2	-
Of large intestine, except rectum (153)	26,903	9,537	17,366	98	570	44	562	3,007	4,218	6,223	2,210	434
White—Male	11,559	3,728	7,831	46	506	23	268	1,279	1,832	2,884	840	153
Female	13,705	5,136	8,569	42	6	5	231	1,381	2,255	3,072	1,318	259
Nonwhite—Male	712	270	442	7	57	7	28	134	63	117	20	9
Female	927	403	524	3	1	9	35	213	68	150	32	13
Cecum, appendix, and ascending colon (153.0)	3,823	1,194	2,629	15	97	13	77	447	670	987	272	51
White—Male	1,553	429	1,124	8	83	5	32	187	277	432	82	18
Female	2,088	711	1,377	7	-	1	39	229	372	512	184	33
Nonwhite—Male	81	22	59	-	13	3	3	14	9	17	-	-
Female	101	32	69	-	1	4	3	17	12	26	6	-
Transverse colon, including hepatic and splenic flexures (153.1)	1,573	435	1,138	5	49	3	32	168	312	435	115	19
White—Male	717	178	539	1	39	3	18	81	141	211	41	4
Female	775	231	544	4	1	-	13	67	161	210	74	14
Nonwhite—Male	37	10	27	-	9	-	1	5	7	5	-	-
Female	44	16	28	-	-	-	-	15	3	9	-	1
Descending colon (153.2)	1,154	430	724	2	27	1	18	110	170	290	90	16
White—Male	484	157	327	1	25	-	8	46	72	135	34	6
Female	605	246	359	1	-	1	9	49	96	139	54	10
Nonwhite—Male	29	11	18	-	2	-	-	5	1	9	1	-
Female	36	16	20	-	-	-	1	10	1	7	1	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
II. Neoplasms—Continued												
Malignant neoplasms, etc.—Continued												
Malignant neoplasm of digestive organs and peritoneum, etc.—Continued												
Of large intestine, except rectum—Con.												
Sigmoid colon (153.3)	6,335	1,958	4,377	22	157	8	138	703	1,113	1,617	511	108
White—Male	2,905	822	2,083	6	140	5	67	303	499	799	222	42
Female	3,118	1,042	2,076	11	4	1	52	324	587	756	279	62
Nonwhite—Male	140	41	99	3	13	-	7	26	10	31	6	3
Female	172	53	119	2	-	2	12	50	17	31	4	1
Multiple parts of large intestine (153.7)	64	21	43	-	3	-	-	1	12	21	6	-
White—Male	31	9	22	-	3	-	-	1	5	11	2	-
Female	29	9	20	-	-	-	-	-	7	9	4	-
Nonwhite—Male	3	2	1	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-
Large intestine (including colon), part unspecified (153.8)	12,375	4,723	7,652	50	228	19	255	1,452	1,777	2,615	1,048	208
White—Male	5,186	1,803	3,383	28	207	10	125	611	757	1,161	381	73
Female	6,306	2,514	3,792	17	1	2	100	649	959	1,315	628	121
Nonwhite—Male	372	157	215	4	20	4	13	79	31	49	10	5
Female	511	249	262	1	-	3	17	113	30	70	19	9
Intestinal tract, part unspecified (153.9)	1,579	776	803	4	9	-	42	126	164	258	168	32
White—Male	683	330	353	2	9	-	18	50	81	115	68	10
Female	784	383	401	2	-	-	18	63	73	131	95	19
Nonwhite—Male	50	27	23	-	-	-	4	5	5	5	3	1
Female	62	36	26	-	-	-	2	8	5	7	2	2
Of rectum (154)	10,864	3,363	7,501	37	433	13	316	1,282	1,748	2,580	909	183
White—Male	5,784	1,651	4,133	23	394	8	180	649	942	1,408	429	100
Female	4,387	1,455	2,932	13	4	-	106	470	745	1,057	457	80
Nonwhite—Male	365	119	246	-	35	1	17	84	34	60	12	3
Female	328	138	190	1	-	4	13	79	27	55	11	-
Of biliary passages and of liver (stated to be primary site) (155)	5,948	1,780	4,168	25	251	30	170	779	981	1,474	381	77
White—Male	2,195	525	1,670	18	199	12	77	291	403	523	121	26
Female	3,288	1,142	2,146	5	1	1	62	385	541	853	248	50
Nonwhite—Male	279	48	231	2	51	6	20	62	27	55	7	1
Female	186	65	121	-	-	11	11	41	10	43	5	-
Liver (155.0)	1,731	473	1,258	12	137	10	67	224	272	398	113	25
White—Male	888	202	686	8	103	9	35	111	156	210	46	8
Female	600	210	390	3	-	-	15	59	96	143	58	16
Nonwhite—Male	181	31	150	1	34	1	15	41	19	33	5	1
Female	62	30	32	-	-	-	2	13	1	12	4	-
Other and multiple sites of biliary passages (155.1,155.8)	4,217	1,307	2,910	13	114	20	103	555	709	1,076	268	52
White—Male	1,307	323	984	10	96	3	42	180	247	313	75	18
Female	2,688	932	1,756	2	1	1	47	326	445	710	190	34
Nonwhite—Male	98	17	81	1	17	5	5	21	8	22	2	-
Female	124	35	89	-	-	11	9	28	9	31	1	-
Of liver not stated whether primary or secondary (156A)	3,688	1,685	2,003	7	61	7	86	402	469	627	273	71
White—Male	1,668	696	972	5	48	5	37	180	231	320	119	27
Female	1,623	781	842	1	-	-	26	146	214	275	139	41
Nonwhite—Male	218	99	119	1	12	1	17	49	15	18	6	-
Female	179	109	70	-	1	1	6	27	9	14	9	3
Of pancreas (157)	12,751	4,069	8,682	55	623	34	356	1,679	1,993	2,997	798	147
White—Male	6,806	2,039	4,767	44	523	13	179	833	1,109	1,622	375	69
Female	4,817	1,674	3,143	7	8	2	110	573	793	1,188	393	69
Nonwhite—Male	674	195	479	4	92	12	39	152	50	111	13	6
Female	454	161	293	-	-	7	28	121	41	76	17	3
Of peritoneum and of unspecified digestive organs (158,159)	1,622	496	1,126	6	51	3	82	275	207	352	134	16
White—Male	685	188	497	6	43	2	34	104	94	160	48	6
Female	721	238	483	-	-	-	29	101	104	164	76	9
Nonwhite—Male	111	31	80	-	8	-	11	39	1	17	4	-
Female	105	39	66	-	-	1	8	31	8	11	6	1
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	35,423	10,378	25,045	270	3,503	112	1,290	5,202	4,952	7,354	1,914	448
White—Male	27,758	7,908	19,850	219	3,116	84	968	3,885	3,990	5,801	1,448	339
Female	4,854	1,644	3,210	35	7	-	145	595	779	1,156	411	82
Nonwhite—Male	2,367	658	1,709	16	380	25	151	597	154	325	41	20
Female	444	168	276	-	-	3	26	125	29	72	14	7
Of larynx (161)	2,241	703	1,538	18	205	9	102	381	253	402	130	38
White—Male	1,820	546	1,274	15	181	9	84	299	219	323	108	36
Female	205	82	123	3	-	-	4	24	20	53	18	1
Nonwhite—Male	190	63	127	-	24	-	13	49	13	24	3	1
Female	26	12	14	-	-	-	1	9	1	2	1	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
II. Neoplasms—Continued												
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of respiratory system, not specified as secondary—Continued												
Of bronchus and trachea, and of lung specified as primary (162)	15,833	3,934	11,899	146	2,220	65	603	2,493	2,282	3,153	780	157
White—Male	12,720	3,096	9,624	117	1,975	49	468	1,887	1,877	2,529	615	107
White—Female	1,805	529	1,276	18	5	-	60	256	319	440	143	35
Nonwhite—Male	1,154	262	892	11	240	15	69	304	74	152	15	12
Nonwhite—Female	154	47	107	-	-	1	6	46	12	32	7	3
Of lung, unspecified as to whether primary or secondary (163)	16,483	5,459	11,024	95	1,016	36	547	2,228	2,284	3,639	941	238
White—Male	12,694	4,098	8,596	78	907	25	395	1,648	1,813	2,857	686	187
White—Female	2,587	944	1,643	13	2	-	69	284	394	611	226	44
Nonwhite—Male	959	314	645	4	107	9	65	232	63	138	23	4
Nonwhite—Female	243	103	140	-	-	2	18	64	14	33	6	3
Of other parts of respiratory system (160,164)	866	282	584	11	62	2	38	100	133	160	63	15
White—Male	524	168	356	9	53	1	21	51	81	92	39	9
White—Female	257	89	168	1	-	-	12	31	46	52	24	2
Nonwhite—Male	64	19	45	1	9	1	4	12	4	11	-	3
Nonwhite—Female	21	6	15	-	-	-	1	6	2	5	-	1
Malignant neoplasm of breast (170)	22,675	7,976	14,699	118	32	37	662	2,528	3,606	5,430	1,906	380
White—Male	195	71	124	-	4	-	7	21	28	44	14	6
White—Female	20,806	7,154	13,652	112	25	24	558	2,130	3,486	5,121	1,838	358
Nonwhite—Male	20	7	13	-	2	1	2	6	-	2	-	-
Nonwhite—Female	1,654	744	910	6	1	12	95	371	92	263	54	16
Malignant neoplasm of genital organs (171-179)	38,390	13,896	24,494	173	703	97	1,233	5,115	5,428	7,977	3,156	612
White—Male	13,356	4,871	8,485	55	565	18	337	1,647	1,746	2,484	1,376	257
White—Female	20,123	6,767	13,356	103	15	31	646	2,397	3,403	4,822	1,620	319
Nonwhite—Male	1,706	769	937	4	123	13	76	355	85	202	66	13
Nonwhite—Female	3,205	1,489	1,716	11	-	35	174	716	194	489	94	23
Of cervix uteri (171)	8,582	2,887	5,695	60	7	26	386	1,484	1,250	1,805	562	115
White—Female	6,919	2,179	4,740	54	7	8	280	1,056	1,149	1,561	521	104
Nonwhite—Female	1,663	708	955	6	-	18	106	428	101	244	41	11
Of other and unspecified parts of uterus (172-174)	6,358	2,727	3,631	9	2	27	180	701	792	1,265	541	114
White—Female	5,405	2,162	3,243	9	2	15	143	550	748	1,160	510	106
Nonwhite—Female	953	565	388	-	-	12	37	151	44	105	31	8
Of ovary, fallopian tube, and broad ligament (175)	7,579	2,353	5,226	42	5	11	214	825	1,433	2,071	531	94
White—Female	7,072	2,177	4,895	38	5	7	188	701	1,391	1,962	513	90
Nonwhite—Female	507	176	331	4	-	4	26	124	42	109	18	4
Of other and unspecified female genital organs (176)	809	289	520	3	1	2	40	103	122	150	80	19
White—Female	727	249	478	2	1	1	35	90	115	139	76	19
Nonwhite—Female	82	40	42	1	-	1	5	13	7	11	4	-
Of prostate (177)	14,071	5,397	8,674	36	572	22	358	1,871	1,693	2,466	1,398	258
White—Male	12,452	4,651	7,801	32	460	10	287	1,546	1,610	2,277	1,334	245
Nonwhite—Male	1,619	746	873	4	112	12	71	325	83	189	64	13
Of testis, and of other and unspecified male genital organs (178,179)	991	243	748	23	116	9	55	131	138	220	44	12
White—Male	904	220	684	23	105	8	50	101	136	207	42	12
Nonwhite—Male	87	23	64	-	11	1	5	30	2	13	2	-
Malignant neoplasm of urinary organs (180,181)	12,122	3,660	8,462	65	581	43	368	1,520	1,928	2,889	897	171
White—Male	7,511	2,083	5,428	41	517	20	213	889	1,282	1,893	481	92
White—Female	3,747	1,271	2,476	17	1	4	98	429	601	865	389	72
Nonwhite—Male	525	165	360	5	63	13	37	118	27	76	16	5
Nonwhite—Female	339	141	198	2	-	6	20	84	18	55	11	2
Of kidney (180)	4,743	1,499	3,244	30	254	21	125	517	784	1,156	293	64
White—Male	2,761	804	1,957	15	228	7	66	285	491	683	151	31
White—Female	1,668	590	1,078	12	-	4	40	167	279	410	134	32
Nonwhite—Male	201	60	141	3	26	8	11	42	9	36	5	1
Nonwhite—Female	113	45	68	-	-	2	8	23	5	27	3	-
Of bladder and other urinary organs (181)	7,379	2,161	5,218	35	327	22	243	1,003	1,144	1,733	604	107
White—Male	4,750	1,279	3,471	26	289	13	147	604	791	1,210	330	61
White—Female	2,079	681	1,398	5	1	-	58	262	322	455	255	40
Nonwhite—Male	324	105	219	2	37	5	26	76	18	40	11	4
Nonwhite—Female	226	96	130	2	-	4	12	61	13	28	8	2
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	27,978	9,176	18,802	217	1,220	99	1,149	3,430	4,124	6,168	1,937	458
White—Male	13,622	4,175	9,447	150	1,095	52	529	1,580	2,016	3,006	818	201
White—Female	11,994	4,111	7,883	52	12	18	416	1,316	1,962	2,822	1,049	236
Nonwhite—Male	1,211	389	822	10	111	20	114	282	75	170	27	13
Nonwhite—Female	1,151	501	650	5	2	9	90	252	71	170	43	8

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
II. Neoplasms—Continued												
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of other and unspecified sites—Continued												
Of skin (190,191)	3,805	1,403	2,402	32	185	23	158	452	500	708	282	62
White—Male	2,106	704	1,402	22	173	16	95	249	283	392	146	26
Female	1,527	630	897	9	4	5	53	157	206	299	130	34
Nonwhite—Male	89	28	61	1	8	1	5	25	7	11	2	1
Female	83	41	42	-	-	1	5	21	4	6	4	1
Of eye (192)	346	126	220	-	20	1	11	33	58	71	23	3
White—Male	178	67	111	-	20	1	5	15	24	34	11	1
Female	151	53	98	-	-	-	5	13	32	34	12	2
Nonwhite—Male	7	2	5	-	-	-	1	2	1	1	-	-
Female	10	4	6	-	-	-	-	3	1	2	-	-
Of brain and other parts of nervous system (193)	5,606	1,167	4,439	81	383	16	293	616	1,113	1,558	294	85
White—Male	3,085	648	2,437	67	354	12	140	286	582	826	133	37
Female	2,164	454	1,710	9	3	-	123	227	496	652	158	42
Nonwhite—Male	218	40	178	3	26	3	17	62	21	41	-	5
Female	139	25	114	2	-	1	13	41	14	39	3	1
Of thyroid gland (194)	981	266	715	-	28	3	44	146	153	250	71	20
White—Male	321	84	237	-	25	-	13	40	52	79	20	8
Female	581	164	417	-	-	2	23	78	97	156	49	12
Nonwhite—Male	24	5	19	-	3	1	3	6	2	3	1	-
Female	55	13	42	-	-	-	5	22	2	12	1	-
Of bone (196)	1,885	790	1,095	11	52	3	59	188	244	351	146	41
White—Male	1,012	403	609	10	41	1	29	109	131	193	71	24
Female	722	321	401	1	1	1	21	63	99	132	68	15
Nonwhite—Male	80	33	47	-	9	1	3	10	8	11	3	2
Female	71	33	38	-	1	-	6	6	6	15	4	-
Of connective tissue (197)	890	251	639	12	40	6	37	98	142	250	48	6
White—Male	458	129	329	6	33	4	15	52	68	129	18	4
Female	372	108	264	5	-	1	13	38	71	107	27	2
Nonwhite—Male	34	9	25	1	7	1	3	4	3	5	1	-
Female	26	5	21	-	-	-	6	4	-	9	2	-
Of other specified sites, not stated to be secondary (195,199A)	1,392	543	849	5	56	8	57	162	191	252	102	16
White—Male	758	287	471	3	53	3	28	87	95	140	55	7
Female	512	202	310	2	-	4	21	56	84	94	42	7
Nonwhite—Male	66	22	44	-	3	1	6	11	7	12	3	1
Female	56	32	24	-	-	-	2	8	5	6	2	1
Of unspecified sites (156B,165,198,199B)	13,073	4,630	8,443	76	456	39	490	1,735	1,723	2,728	971	225
White—Male	5,704	1,853	3,851	42	396	15	204	742	781	1,213	364	94
Female	5,965	2,179	3,786	26	4	5	157	684	877	1,348	563	122
Nonwhite—Male	693	250	443	5	55	12	76	162	26	86	17	4
Female	711	348	363	3	1	7	53	147	39	81	27	5
Leukemia and aleukemia (204)	11,980	1,920	10,060	109	529	78	818	1,546	2,281	3,993	570	136
White—Male	6,524	1,013	5,511	58	466	51	400	799	1,200	2,174	288	75
Female	4,669	783	3,886	44	5	18	303	562	1,010	1,615	273	56
Nonwhite—Male	432	54	378	6	58	5	65	94	34	106	8	2
Female	355	70	285	1	-	4	50	91	37	98	1	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	11,948	2,692	9,256	115	792	38	546	1,461	2,086	3,497	574	147
White—Male	6,391	1,362	5,029	78	695	21	286	687	1,106	1,814	264	78
Female	4,648	1,116	3,532	32	7	6	158	546	905	1,523	293	62
Nonwhite—Male	554	100	454	4	90	7	61	134	39	103	11	5
Female	355	114	241	1	-	4	41	94	36	57	6	2
Lymphosarcoma and reticulosarcoma (200)	5,408	1,153	4,255	47	298	17	238	633	1,011	1,674	271	66
White—Male	2,893	582	2,311	35	264	9	121	310	519	894	124	35
Female	2,204	504	1,700	11	4	3	83	254	463	718	136	28
Nonwhite—Male	203	31	172	1	30	3	21	47	20	42	6	2
Female	108	36	72	-	-	2	13	22	9	20	5	1
Hodgkin's disease (201)	3,036	701	2,335	50	280	9	153	338	496	866	115	28
White—Male	1,715	380	1,335	34	257	9	90	169	265	448	47	16
Female	1,130	268	862	13	2	-	40	127	216	387	66	11
Nonwhite—Male	123	27	96	3	21	-	17	22	7	24	1	1
Female	68	26	42	-	-	-	6	20	8	7	1	-
Other neoplasms of lymphatic and hematopoietic tissues (202,203,205)	3,504	838	2,666	18	214	12	155	490	579	957	188	53
White—Male	1,783	400	1,383	9	174	3	75	208	322	472	93	27
Female	1,314	344	970	8	1	3	35	165	226	418	91	23
Nonwhite—Male	228	42	186	-	39	4	23	65	12	37	4	2
Female	179	52	127	1	-	2	22	52	19	30	-	1

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
II. Neoplasms—Continued												
Benign neoplasms and neoplasms of unspecified nature (210-239)	4,961	869	4,092	37	203	17	396	786	907	1,397	293	56
White—Male	1,997	319	1,678	19	176	4	149	283	345	576	102	24
White—Female	2,262	406	1,856	13	3	4	152	311	488	684	173	28
Nonwhite—Male	254	45	209	3	24	5	50	68	14	35	7	3
Nonwhite—Female	448	99	349	2	-	4	45	124	60	102	11	1
Benign neoplasms of female genital organs (214-217)	508	58	450	1	-	1	28	97	118	153	47	5
White—Female	320	39	281	1	-	-	13	42	81	102	38	4
Nonwhite—Female	188	19	169	-	-	1	15	55	37	51	9	1
Benign neoplasm of brain and other parts of nervous system (225)	966	129	837	15	56	2	86	149	207	286	29	7
White—Male	390	49	341	7	46	1	32	52	82	109	7	5
White—Female	485	68	417	7	-	1	41	73	117	154	22	2
Nonwhite—Male	43	1	42	1	10	-	5	13	4	9	-	-
Nonwhite—Female	48	11	37	-	-	-	8	11	4	14	-	-
Other benign neoplasms (Residual[1])	966	115	851	12	42	8	73	150	186	317	47	16
White—Male	448	50	398	7	34	1	24	63	95	146	23	5
White—Female	399	48	351	3	-	3	27	55	86	144	24	9
Nonwhite—Male	63	11	52	1	8	3	13	13	1	11	-	2
Nonwhite—Female	56	6	50	1	-	1	9	19	4	16	-	-
Neoplasm of unspecified nature of female genital organs (233-235)	32	7	25	-	-	-	3	5	6	9	2	-
White—Female	26	5	21	-	-	-	3	2	5	9	2	-
Nonwhite—Female	6	2	4	-	-	-	-	3	1	-	-	-
Neoplasm of unspecified nature of brain and other parts of nervous system (237)	1,633	324	1,309	8	84	2	146	239	274	444	100	12
White—Male	781	141	640	4	78	2	66	100	121	221	43	5
White—Female	667	136	531	2	2	-	50	89	137	195	50	6
Nonwhite—Male	95	19	76	1	4	-	21	27	6	10	6	1
Nonwhite—Female	90	28	62	1	-	-	9	23	10	18	1	-
Other neoplasms of unspecified nature (230-232,236,238,239)	856	236	620	1	21	4	60	146	116	188	68	16
White—Male	378	79	299	1	18	-	27	68	47	100	29	9
White—Female	365	110	255	-	1	-	18	50	62	80	37	7
Nonwhite—Male	53	14	39	-	2	2	11	15	3	5	1	-
Nonwhite—Female	60	33	27	-	-	2	4	13	4	3	1	-
III. Allergic, endocrine system, metabolic, and nutritional diseases	36,851	12,255	24,596	86	497	60	1,665	5,533	5,218	8,201	2,734	602
White—Male	14,584	4,967	9,617	33	425	20	588	2,013	2,053	3,263	987	235
White—Female	17,835	5,592	12,243	44	5	4	718	2,451	2,901	4,220	1,581	319
Nonwhite—Male	1,681	668	1,013	4	66	14	138	369	96	258	50	18
Nonwhite—Female	2,751	1,028	1,723	5	1	22	221	700	168	460	116	30
Asthma (241)	5,035	2,244	2,791	19	109	8	148	658	563	910	314	62
White—Male	3,046	1,277	1,769	8	100	4	89	398	358	567	208	37
White—Female	1,359	586	773	9	1	1	28	166	181	272	94	21
Nonwhite—Male	338	211	127	-	8	3	15	40	15	37	7	2
Nonwhite—Female	292	170	122	2	-	-	16	54	9	34	5	2
Nontoxic goiter (250,251)	116	24	92	-	1	-	5	14	27	34	6	5
White—Male	14	2	12	-	1	-	2	1	3	4	-	1
White—Female	85	17	68	-	-	-	2	9	19	29	5	4
Nonwhite—Male	1	-	1	-	-	-	-	1	-	-	-	-
Nonwhite—Female	16	5	11	-	-	-	1	3	5	1	1	-
Thyrotoxicosis with or without goiter (252)	626	228	398	-	5	2	21	72	112	142	35	9
White—Male	93	29	64	-	4	-	2	10	16	23	6	3
White—Female	435	159	276	-	-	-	15	43	89	101	25	3
Nonwhite—Male	14	4	10	-	1	-	-	3	2	3	1	-
Nonwhite—Female	84	36	48	-	-	2	4	16	5	15	3	3
Myxedema, cretinism, and other diseases of thyroid gland (253,254)	273	82	191	1	2	-	19	54	37	60	15	3
White—Male	59	20	39	-	2	-	2	9	6	17	2	1
White—Female	189	53	136	1	-	-	15	38	30	38	12	2
Nonwhite—Male	5	3	2	-	-	-	-	2	-	-	-	-
Nonwhite—Female	20	6	14	-	-	-	2	5	1	5	1	-
Diabetes mellitus (260)	27,501	8,626	18,875	51	307	35	1,249	4,176	4,053	6,372	2,164	468
White—Male	9,920	3,223	6,697	19	255	8	407	1,344	1,468	2,330	694	172
White—Female	14,458	4,384	10,074	27	3	2	567	1,993	2,379	3,504	1,337	262
Nonwhite—Male	1,041	331	710	3	48	9	95	267	68	172	35	13
Nonwhite—Female	2,082	688	1,394	2	1	16	180	572	138	366	98	21

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
III. Allergic, endocrine system, metabolic and nutritional diseases—Continued												
Diseases of thymus gland (273)	172	103	69	1	-	-	4	13	19	28	4	-
White—Male	78	52	26	1	-	-	1	3	9	11	1	-
Female	60	26	34	-	-	-	2	7	10	13	2	-
Nonwhite—Male	20	15	5	-	-	-	-	3	-	2	-	-
Female	14	10	4	-	-	-	1	-	-	2	1	-
Diseases of adrenal glands (274)	388	81	307	3	13	1	20	71	73	111	9	6
White—Male	199	38	161	-	10	1	11	30	42	59	5	3
Female	150	35	115	2	1	-	7	27	30	41	4	3
Nonwhite—Male	21	3	18	1	2	-	1	6	-	8	-	-
Female	18	5	13	-	-	-	1	8	1	3	-	-
Pellagra (281)	56	36	20	-	-	-	-	7	2	5	6	-
White—Male	14	6	8	-	-	-	-	2	1	3	2	-
Female	22	15	7	-	-	-	-	2	1	1	3	-
Nonwhite—Male	8	5	3	-	-	-	-	2	-	1	-	-
Female	12	10	2	-	-	-	-	1	-	-	1	-
Other avitaminoses and nutritional deficiency states (280,282-286)	1,565	609	956	1	17	8	101	317	130	215	132	35
White—Male	630	219	411	1	14	2	33	149	50	98	50	14
Female	626	228	398	-	-	-	48	112	66	80	74	18
Nonwhite—Male	166	84	82	-	3	2	11	33	8	20	4	1
Female	143	78	65	-	-	4	9	23	6	17	4	2
All other allergic, endocrine, and metabolic diseases (Residual[1])	1,119	222	897	10	43	6	98	151	202	324	49	14
White—Male	531	101	430	4	39	5	41	67	100	151	19	4
Female	451	89	362	5	-	1	34	54	96	141	25	6
Nonwhite—Male	67	12	55	-	4	-	16	12	3	15	3	2
Female	70	20	50	1	-	-	7	18	3	17	2	2
IV. Diseases of the blood and blood-forming organs	4,942	1,060	3,882	20	116	13	324	818	827	1,346	347	71
White—Male	2,125	423	1,702	7	97	6	122	321	358	619	145	27
Female	2,121	469	1,652	9	1	4	122	297	412	584	184	39
Nonwhite—Male	361	85	276	2	18	2	48	92	28	75	8	3
Female	335	83	252	2	-	1	32	108	29	68	10	2
Anemias (290-293)	3,195	883	2,312	13	67	7	194	526	453	765	239	48
White—Male	1,279	333	946	5	50	5	72	163	198	325	89	19
Female	1,371	400	971	4	1	1	63	189	220	334	134	25
Nonwhite—Male	283	78	205	2	16	1	33	69	17	58	7	2
Female	282	72	190	2	-	-	26	85	18	48	9	2
Pernicious and other hyperchromic anemias (290)	729	309	420	-	5	-	31	118	66	111	71	18
White—Male	301	126	175	-	4	-	18	47	26	49	22	9
Female	400	172	228	-	-	-	11	62	37	61	48	9
Nonwhite—Male	13	5	8	-	1	-	-	5	1	1	-	-
Female	15	6	9	-	-	-	2	4	2	-	1	-
Anemias of other and unspec. type (291-293)	2,466	574	1,892	13	62	7	163	408	387	654	168	30
White—Male	978	207	771	5	46	5	54	136	172	276	67	10
Female	971	228	743	4	1	1	52	127	163	273	88	16
Nonwhite—Male	270	73	197	2	15	1	33	64	16	57	7	2
Female	247	66	181	2	-	-	24	81	16	48	8	2
Purpura and other hemorrhagic conditions (296)	674	51	623	3	21	4	53	110	158	221	45	8
White—Male	277	22	255	1	20	-	15	40	64	94	19	2
Female	326	22	304	2	-	2	28	47	82	111	26	6
Nonwhite—Male	29	2	27	-	1	1	6	9	4	6	-	-
Female	42	5	37	-	-	1	4	14	8	10	-	-
Other diseases of blood and blood-forming organs (294,295,297-299)	1,073	126	947	4	28	2	77	182	216	360	63	15
White—Male	569	68	501	1	27	1	35	98	96	200	37	6
Female	424	47	377	3	-	1	31	61	110	139	24	8
Nonwhite—Male	49	5	44	-	1	-	9	14	7	11	1	1
Female	31	6	25	-	-	-	2	9	3	10	1	-
V. Mental, psychoneurotic, and personality disorders	4,486	2,263	2,223	17	73	8	572	590	250	402	240	71
White—Male	2,479	1,246	1,233	10	64	1	243	355	156	241	129	34
Female	1,137	457	680	4	1	1	239	111	71	114	106	33
Nonwhite—Male	581	373	208	3	8	3	53	88	15	34	5	1
Female	289	187	102	-	-	3	37	36	8	13	2	3
Senile psychosis (304)	457	144	313	1	2	-	89	44	28	29	95	25
White—Male	170	47	123	-	2	-	31	19	14	11	39	7
Female	255	79	176	1	-	-	49	23	14	18	54	17
Nonwhite—Male	12	5	7	-	-	-	5	1	-	-	1	-
Female	20	13	7	-	-	-	4	1	-	-	1	1

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
V. Mental, psychoneurotic, and personality disorders—Continued												
Alcoholic psychosis (307)	406	59	347	4	30	3	45	152	40	62	9	2
White—Male	313	45	268	4	25	1	33	117	30	50	7	1
Female	32	9	23	-	-	-	4	5	6	5	2	1
Nonwhite—Male	54	4	50	-	5	2	8	28	2	5	-	-
Female	7	1	6	-	-	-	-	2	2	2	-	-
Other psychoses (300-303,305,306,308,309)	542	87	455	1	26	1	267	56	15	42	44	3
White—Male	200	25	175	-	23	-	89	14	5	19	24	1
Female	257	43	214	-	-	-	134	31	9	20	19	1
Nonwhite—Male	40	6	34	1	3	-	22	4	-	3	1	-
Female	45	13	32	-	-	1	22	7	1	-	-	1
Alcoholism (322)	2,501	1,798	703	8	13	2	65	270	111	167	50	17
White—Male	1,535	1,052	483	6	13	-	36	182	82	109	40	15
Female	347	257	90	-	-	-	12	26	13	29	8	2
Nonwhite—Male	437	342	95	2	-	1	12	46	11	22	1	-
Female	182	147	35	-	-	1	5	16	5	7	1	-
Mental deficiency (325)	415	111	304	1	-	2	98	33	39	80	30	21
White—Male	200	52	148	-	-	-	51	12	19	41	15	10
Female	169	41	128	1	-	1	35	16	19	31	15	10
Nonwhite—Male	23	9	14	-	-	-	6	3	1	4	-	-
Female	23	9	14	-	-	1	6	2	-	4	-	1
Psychoneuroses and other disorders of personality (310-321,323,324,326)	165	64	101	2	2	-	8	35	17	22	12	3
White—Male	61	25	36	-	1	-	3	11	6	11	4	-
Female	77	28	49	2	1	-	5	10	10	11	8	2
Nonwhite—Male	15	7	8	-	-	-	-	6	1	-	-	1
Female	12	4	8	-	-	-	-	8	-	-	-	-
VI. Diseases of the nervous system and sense organs	205,209	69,814	135,395	437	2,648	256	9,106	30,129	24,426	36,640	26,359	5,394
White—Male	86,472	26,195	60,277	258	2,149	80	4,059	12,956	11,402	16,824	10,369	2,180
Female	92,833	31,475	61,358	141	23	27	3,343	11,598	11,635	16,876	14,823	2,892
Nonwhite—Male	12,698	5,579	7,119	25	473	83	917	2,760	661	1,489	544	167
Female	13,206	6,565	6,641	13	3	66	787	2,815	728	1,451	623	155
Vascular lesions affecting central nervous system (330-334)	190,758	65,272	125,486	343	2,288	213	7,526	27,979	22,789	34,165	25,092	5,091
White—Male	79,656	24,144	55,522	206	1,847	66	3,346	12,059	10,578	15,602	9,784	2,034
Female	87,378	29,756	57,622	109	18	24	2,812	10,872	10,953	15,885	14,183	2,766
Nonwhite—Male	11,410	5,116	6,294	22	421	70	720	2,466	587	1,335	519	154
Female	12,304	6,256	6,048	6	2	53	648	2,582	671	1,343	608	137
Subarachnoid hemorrhage (330)	6,169	796	5,373	68	145	15	243	1,200	1,345	2,017	266	74
White—Male	2,404	291	2,113	38	103	5	65	394	573	792	110	33
Female	2,741	347	2,394	25	4	1	94	425	675	995	141	34
Nonwhite—Male	463	81	382	4	37	3	39	150	41	99	6	3
Female	561	77	484	1	1	6	45	231	56	131	9	4
Cerebral hemorrhage (331)	113,601	41,523	72,078	153	774	89	3,950	16,042	13,374	20,389	14,370	2,937
White—Male	46,690	15,167	31,523	88	615	19	1,700	6,943	6,150	9,165	5,670	1,173
Female	51,655	18,486	33,169	51	4	8	1,420	6,202	6,410	9,548	7,955	1,571
Nonwhite—Male	7,292	3,539	3,753	9	155	35	429	1,444	379	865	335	102
Female	7,964	4,331	3,633	5	-	27	401	1,453	435	811	410	91
Cerebral embolism and thrombosis (332)	53,548	15,894	37,654	104	1,170	91	1,932	8,631	6,628	9,886	7,725	1,487
White—Male	23,420	6,174	17,246	68	950	37	888	3,797	3,159	4,776	2,977	594
Female	25,057	7,877	17,180	29	6	13	742	3,359	3,188	4,488	4,518	837
Nonwhite—Male	2,550	833	1,717	7	213	21	163	740	132	297	113	31
Female	2,521	1,010	1,511	-	1	20	139	735	149	325	117	25
Other vascular lesions affecting central nervous system (333,334)	17,440	7,059	10,381	18	199	18	1,401	2,106	1,442	1,873	2,731	593
White—Male	7,152	2,512	4,640	12	179	5	693	925	696	869	1,027	234
Female	7,925	3,046	4,879	4	4	2	556	886	680	854	1,569	324
Nonwhite—Male	1,105	663	442	2	16	11	89	132	35	74	65	18
Female	1,258	838	420	-	-	-	63	163	31	76	70	17
Meningitis, except meningococcal and tuberculous (340)	2,247	184	2,063	46	42	15	190	606	393	679	66	26
White—Male	958	68	890	27	34	2	62	201	190	328	33	13
Female	664	48	616	13	-	1	33	155	147	235	25	7
Nonwhite—Male	349	39	310	2	8	7	51	136	29	69	5	3
Female	276	29	247	4	-	5	44	114	27	47	3	3
Multiple sclerosis (345)	1,414	539	875	3	57	5	75	233	118	151	190	43
White—Male	586	225	361	2	49	4	37	91	48	53	64	13
Female	742	271	471	1	2	-	33	124	68	92	122	29
Nonwhite—Male	39	18	21	-	6	-	2	10	1	-	1	1
Female	47	25	22	-	-	1	3	8	1	6	3	-
Paralysis agitans (350)	2,733	1,070	1,663	4	52	1	77	355	220	304	557	93
White—Male	1,448	541	907	3	49	1	48	196	125	170	264	51
Female	1,223	495	728	1	1	-	24	147	95	132	288	40
Nonwhite—Male	35	17	18	-	2	-	4	7	-	1	2	2
Female	27	17	10	-	-	-	1	5	-	1	3	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit,* except church	Proprietary	Type of control not specified
VI. Diseases of the nervous system and sense organs—Continued												
Cerebral spastic infantile paralysis (351)	745	343	402	2	-	1	137	53	62	81	40	26
White—Male	367	155	212	1	-	-	76	21	33	48	19	14
Female	267	129	138	1	-	-	43	15	26	27	19	7
Nonwhite—Male	61	35	26	-	-	-	7	11	2	4	1	1
Female	50	24	26	-	-	1	11	6	1	2	1	4
Epilepsy (353)	2,062	960	1,102	5	25	4	599	192	63	134	64	16
White—Male	893	387	506	4	13	1	290	72	33	58	29	6
Female	662	285	377	1	-	2	202	56	21	57	32	6
Nonwhite—Male	346	199	147	-	11	1	73	38	9	10	2	3
Female	161	89	72	-	1	-	34	26	-	9	1	1
Inflammatory diseases of eye (370-379)	13	1	12	-	1	1	1	4	-	5	-	-
White—Male	7	-	7	-	1	-	1	2	-	3	-	-
Female	4	1	3	-	-	-	-	1		2	-	-
Nonwhite—Male	1	-	1	-	-	-	-	1	-	-	-	-
Female	1	-	1	-	-	1	-	-	-	-	-	-
Cataract (385)	27	5	22	-	1	-	3	3	7	8	-	-
White—Male	16	3	13	-	1	-	1	-	5	6	-	-
Female	7	2	5	-	-	-	1	1	2	1	-	-
Nonwhite—Male	1	-	1	-	-	-	1	-	-	-	-	-
Female	3	-	3	-	-	-	-	2	-	1	-	-
Glaucoma (387)	4	-	4	-	-	-	-	-	1	3	-	-
White—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	4	-	-	-	-	-	1	3	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Otitis media and mastoiditis (391-393)	433	82	351	3	8	1	32	90	77	118	17	5
White—Male	194	43	151	2	7	-	11	35	33	55	7	1
Female	155	19	136	-	-	-	9	33	36	47	9	2
Nonwhite—Male	46	13	33	-	1	-	4	11	5	10	1	1
Female	38	7	31	1	-	1	8	11	3	6	-	1
Other diseases of nervous system and sense organs (Residual[1])	4,773	1,358	3,415	31	174	15	466	614	696	992	333	94
White—Male	2,337	629	1,708	13	148	6	187	279	357	501	169	48
Female	1,727	469	1,258	15	2	-	186	194	286	395	145	35
Nonwhite—Male	410	142	268	1	24	5	55	80	28	60	13	2
Female	299	118	181	2	-	4	38	61	25	36	6	9
VII. Diseases of the circulatory system	702,731	336,908	365,823	1,276	9,507	838	33,634	76,204	70,234	107,118	54,832	12,180
White—Male	373,037	182,896	190,141	872	8,215	307	15,617	38,282	38,643	58,478	24,140	5,587
Female	265,806	116,951	148,855	295	79	125	13,943	27,784	29,104	42,709	28,850	5,966
Nonwhite—Male	34,072	19,690	14,382	83	1,211	220	2,098	5,156	1,278	3,089	921	326
Female	29,816	17,371	12,445	26	2	186	1,976	4,982	1,209	2,842	921	301
Diseases of heart (400-402,410-443)	637,246	315,856	321,390	1,119	8,161	696	29,308	66,595	62,465	95,239	47,287	10,520
White—Male	342,504	174,262	168,242	775	7,158	263	13,641	33,811	34,439	52,194	21,076	4,885
Female	238,045	107,239	130,806	261	71	97	12,287	24,310	25,944	38,107	24,629	5,100
Nonwhite—Male	30,408	18,403	12,005	67	930	188	1,749	4,336	1,069	2,584	797	285
Female	26,289	15,952	10,337	16	2	148	1,631	4,138	1,013	2,354	785	250
Rheumatic fever (400-402)	806	179	627	2	33	7	60	118	132	227	39	9
White—Male	336	63	273	1	27	1	19	47	52	107	16	3
Female	297	61	236	1	-	1	25	40	65	83	16	5
Nonwhite—Male	83	25	58	-	6	3	8	14	7	16	3	1
Female	90	30	60	-	-	2	8	17	8	21	4	-
Chronic rheumatic heart disease (410-416)	17,990	6,380	11,610	59	562	38	657	2,044	2,748	4,494	814	194
White—Male	7,938	2,819	5,119	28	520	16	269	838	1,221	1,859	283	85
Female	8,639	2,919	5,720	28	9	9	308	903	1,437	2,428	501	97
Nonwhite—Male	673	294	379	1	33	8	31	139	40	104	14	9
Female	740	348	392	2	-	5	49	164	50	103	16	3
Diseases of mitral valve (410)	6,431	2,259	4,172	26	215	11	282	610	989	1,639	316	84
White—Male	2,657	965	1,692	11	197	4	105	255	405	589	92	34
Female	3,282	1,011	2,271	13	5	5	152	283	560	994	216	43
Nonwhite—Male	236	130	106	-	13	1	8	36	8	29	5	6
Female	256	153	103	2	-	1	17	36	16	27	3	1
Diseases of aortic valve specified as rheumatic (411)	1,718	477	1,241	9	145	6	49	140	303	519	53	17
White—Male	1,194	312	882	7	136	4	34	100	209	345	35	12
Female	447	149	298	2	-	-	10	27	83	155	17	4
Nonwhite—Male	56	12	44	-	9	2	4	7	5	15	1	1
Female	21	4	17	-	-	-	1	6	6	4	-	-
Diseases of pulmonary valve and other endocarditis, specified as rheumatic (413,414)	1,026	465	561	5	15	7	23	109	146	197	54	5
White—Male	454	209	245	4	13	3	8	47	62	81	26	1
Female	496	223	273	1	-	2	11	44	79	105	27	4
Nonwhite—Male	43	17	26	-	2	-	2	12	3	7	-	-
Female	33	16	17	-	-	2	2	6	2	4	1	-

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
VII. Diseases of the circulatory system—Continued												
Diseases of heart—Continued												
Chronic rheumatic heart disease—Continued												
Other diseases of heart specified as rheumatic (412,415,416)	8,815	3,179	5,636	19	187	14	303	1,185	1,310	2,139	391	88
White—Male	3,633	1,333	2,300	6	174	5	122	436	545	844	130	38
Female	4,414	1,536	2,878	12	4	2	135	549	715	1,174	241	46
Nonwhite—Male	338	135	203	1	9	5	17	84	24	53	8	2
Female	430	175	255	-	-	2	29	116	26	68	12	2
Arteriosclerotic heart disease, including coronary disease (420)	461,373	237,424	223,949	863	5,962	438	19,934	45,305	45,275	68,668	30,532	6,972
White—Male	271,556	144,267	127,289	635	5,476	205	9,901	25,194	26,767	40,755	14,804	3,552
Female	160,438	74,494	85,944	176	52	62	8,289	16,079	17,530	25,644	14,968	3,144
Nonwhite—Male	17,051	10,845	6,206	47	433	109	963	2,242	545	1,296	414	157
Female	12,328	7,818	4,510	5	1	62	781	1,790	433	973	346	119
Arteriosclerotic heart disease so described (420.0)	183,425	77,726	105,699	397	2,664	176	12,975	22,403	18,986	28,943	15,748	3,407
White—Male	94,706	40,199	54,507	288	2,440	75	6,145	11,317	10,154	15,850	6,708	1,530
Female	76,900	31,037	45,863	92	22	24	5,783	8,920	8,408	12,146	8,694	1,774
Nonwhite—Male	6,532	3,576	2,956	15	201	45	557	1,164	219	517	181	57
Female	5,287	2,914	2,373	2	1	32	490	1,002	205	430	165	46
Heart disease specified as involving coronary arteries (420.1)	277,275	159,180	118,095	466	3,296	261	6,957	22,872	26,258	39,682	14,744	3,559
White—Male	176,471	103,778	72,693	347	3,034	130	3,755	13,858	16,590	24,883	8,076	2,020
Female	83,332	43,309	40,023	84	30	38	2,505	7,149	9,115	13,478	6,258	1,366
Nonwhite—Male	10,467	7,222	3,245	32	232	64	406	1,077	325	778	231	100
Female	7,005	4,871	2,134	3	-	29	291	788	228	543	179	73
Angina pectoris without mention of coronary diseases (420.2)	673	518	155	-	2	1	2	30	31	43	40	6
White—Male	379	290	89	-	2	-	1	19	23	22	20	2
Female	206	148	58	-	-	-	1	10	7	20	16	4
Nonwhite—Male	52	47	5	-	-	-	-	1	1	1	2	-
Female	36	33	3	-	-	1	-	-	-	-	2	-
Chronic endocarditis not specified as rheumatic (421)	5,606	2,962	2,644	11	124	4	242	497	511	826	328	101
White—Male	2,712	1,297	1,415	8	113	3	131	245	286	477	113	39
Female	2,100	1,112	988	2	-	-	68	174	198	293	202	51
Nonwhite—Male	419	289	130	1	11	1	19	42	13	29	9	5
Female	375	264	111	-	-	-	24	36	14	27	4	6
Of mitral valve, specified as nonrheumatic (421.0)	456	266	190	-	1	1	20	41	33	42	40	12
White—Male	167	95	72	-	1	-	8	19	9	21	11	3
Female	233	124	109	-	-	-	11	18	22	20	29	9
Nonwhite—Male	25	21	4	-	-	1	1	1	1	-	-	-
Female	31	26	5	-	-	-	-	3	1	1	-	-
Of aortic valve, not specified as rheumatic (421.1)	1,998	712	1,286	9	109	3	99	206	268	492	75	25
White—Male	1,218	382	836	6	100	3	65	122	180	311	35	14
Female	549	211	338	2	-	-	19	47	79	148	37	6
Nonwhite—Male	145	69	76	1	9	-	10	27	5	19	2	3
Female	86	50	36	-	-	-	5	10	4	14	1	2
Of other valves, not specified as rheumatic (421.2-421.4)	3,152	1,984	1,168	2	14	-	123	250	210	292	213	64
White—Male	1,327	820	507	2	12	-	58	104	97	145	67	22
Female	1,318	777	541	-	-	-	38	109	97	125	136	36
Nonwhite—Male	249	199	50	-	2	-	8	14	7	10	7	2
Female	258	188	70	-	-	-	9	23	9	12	3	4
Other myocardial degeneration (422)	52,989	24,715	28,274	28	178	58	4,382	5,748	4,007	5,981	6,590	1,302
White—Male	22,719	10,026	12,693	18	139	8	1,930	2,656	1,938	2,888	2,625	491
Female	24,540	10,982	13,558	8	2	12	2,002	2,364	1,925	2,696	3,789	760
Nonwhite—Male	2,984	1,901	1,083	1	36	21	244	379	75	212	86	29
Female	2,746	1,806	940	1	1	17	206	349	69	185	90	22
With arteriosclerosis (422.1)	35,916	15,250	20,666	18	108	50	3,327	4,209	2,913	4,318	4,817	906
White—Male	15,154	6,078	9,076	14	85	8	1,406	1,906	1,399	2,068	1,850	340
Female	17,173	7,129	10,044	4	1	10	1,563	1,707	1,423	1,966	2,837	533
Nonwhite—Male	1,854	1,036	818	-	21	19	194	301	46	162	56	19
Female	1,735	1,007	728	-	1	13	164	295	45	122	74	14
Without mention of arteriosclerosis (422.0,422.2)	17,073	9,465	7,608	10	70	8	1,055	1,539	1,094	1,663	1,773	396
White—Male	7,565	3,948	3,617	4	54	-	524	750	559	820	775	151
Female	7,367	3,853	3,514	4	1	2	439	657	502	730	952	227
Nonwhite—Male	1,130	865	265	1	15	2	50	78	29	50	30	10
Female	1,011	799	212	1	-	4	42	54	24	63	16	8
Other diseases of heart (430-434)	24,548	12,521	12,027	61	318	27	1,123	2,816	2,208	3,248	1,799	427
White—Male	12,004	6,141	5,863	30	256	10	472	1,299	1,151	1,622	833	190
Female	8,479	3,672	4,807	21	3	2	421	1,033	928	1,343	858	198
Nonwhite—Male	2,382	1,605	777	9	59	7	134	283	63	148	55	19
Female	1,683	1,103	580	1	-	8	96	201	66	135	53	20

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
VII. Diseases of the circulatory system—Continued												
Diseases of heart—Continued												
Other diseases of heart—Continued												
Acute and subacute endocarditis (430)	754	90	664	8	51	4	56	146	156	207	30	6
White—Male	394	32	362	6	42	1	24	69	89	111	18	2
Female	229	28	201	-	-	-	19	33	57	78	10	4
Nonwhite—Male	71	13	58	2	9	1	6	28	5	7	-	-
Female	60	17	43	-	-	2	7	16	5	11	2	-
Acute myocarditis and acute pericarditis, not specified as rheumatic (431,432)	1,051	519	532	5	15	-	67	109	99	146	74	17
White—Male	432	200	232	1	12	-	25	44	46	68	29	7
Female	384	148	236	3	-	-	37	45	47	60	35	9
Nonwhite—Male	116	84	32	-	3	-	3	10	3	10	3	-
Female	119	87	32	1	-	-	2	10	3	8	7	1
Functional disease of heart (433)	5,047	1,857	3,190	19	43	5	267	668	670	940	489	89
White—Male	2,374	895	1,479	10	38	-	99	305	319	451	216	41
Female	2,300	828	1,472	6	-	1	108	290	325	441	257	44
Nonwhite—Male	205	75	130	3	5	1	35	41	11	21	11	2
Female	168	59	109	-	-	3	25	32	15	27	5	2
Other and unspec. diseases of heart (434)	17,696	10,055	7,641	29	209	18	733	1,893	1,283	1,955	1,206	315
White—Male	8,804	5,014	3,790	13	164	9	324	881	697	992	570	140
Female	5,566	2,668	2,898	12	3	1	257	665	499	764	556	141
Nonwhite—Male	1,990	1,433	557	4	42	5	90	204	44	110	41	17
Female	1,336	940	396	-	-	3	62	143	43	89	39	17
Hypertensive heart disease (440-443)	73,934	31,675	42,259	95	984	124	2,910	10,067	7,584	11,795	7,185	1,515
White—Male	25,239	9,649	15,590	55	627	20	919	3,532	3,024	4,486	2,402	525
Female	33,552	13,999	19,553	25	5	11	1,174	3,717	3,861	5,620	4,295	845
Nonwhite—Male	6,816	3,444	3,372	8	352	39	350	1,237	326	779	216	65
Female	8,327	4,583	3,744	7	-	54	467	1,581	373	910	272	80
Hypertensive heart disease with arteriolar nephrosclerosis (442)	17,601	7,521	10,080	8	245	18	605	2,081	1,788	2,708	2,182	445
White—Male	7,033	2,670	4,363	5	146	6	242	920	816	1,185	865	178
Female	7,479	3,109	4,370	1	1	2	220	738	825	1,168	1,184	231
Nonwhite—Male	1,481	806	675	2	98	4	54	195	68	176	62	16
Female	1,608	936	672	-	-	6	89	228	79	179	71	20
Ot. hypertensive heart dis. (440,441,443)	56,333	24,154	32,179	87	739	106	2,305	7,986	5,796	9,087	5,003	1,070
White—Male	18,206	6,979	11,227	50	481	14	677	2,612	2,208	3,301	1,537	347
Female	26,073	10,890	15,183	24	4	9	954	2,979	3,036	4,452	3,111	614
Nonwhite—Male	5,335	2,638	2,697	6	254	35	296	1,042	258	603	154	49
Female	6,719	3,647	3,072	7	-	48	378	1,353	294	731	201	60
Other hypertensive disease (444-447)	13,798	4,346	9,452	27	328	22	636	1,992	1,882	2,901	1,347	317
White—Male	5,591	1,499	4,092	11	208	5	234	721	879	1,367	539	128
Female	5,526	1,972	3,554	5	1	2	219	586	808	1,069	713	151
Nonwhite—Male	1,368	421	947	6	119	6	84	342	98	229	48	15
Female	1,313	454	859	5	-	9	99	343	97	236	47	23
Hypertension with arteriolar nephrosclerosis (446)	6,699	1,656	5,043	11	196	9	304	1,000	1,025	1,629	689	180
White—Male	3,294	725	2,569	6	140	2	138	432	560	878	327	86
Female	2,576	748	1,828	2	1	2	104	309	411	582	337	80
Nonwhite—Male	456	99	357	2	55	2	28	135	30	86	13	6
Female	373	84	289	1	-	3	34	124	24	83	12	8
Essential hypertension and other hypertensive disease without mention of heart (444,445,447)	7,099	2,690	4,409	16	132	13	332	992	857	1,272	658	137
White—Male	2,297	774	1,523	5	68	3	96	289	319	489	212	42
Female	2,950	1,224	1,726	3	-	-	115	277	397	487	376	71
Nonwhite—Male	912	322	590	4	64	4	56	207	68	143	35	9
Female	940	370	570	4	-	6	65	219	73	153	35	15
Diseases of arteries (450-456)	44,110	15,236	28,874	85	667	76	3,025	6,176	4,736	7,041	5,816	1,250
White—Male	21,425	6,473	14,952	55	570	28	1,475	3,152	2,754	4,022	2,368	528
Female	19,183	7,141	12,042	19	6	15	1,146	2,364	1,839	2,671	3,306	676
Nonwhite—Male	1,801	766	1,035	7	91	18	210	344	80	192	69	24
Female	1,701	856	845	4	-	15	194	316	63	156	75	22
General arteriosclerosis (450)	34,483	13,172	21,311	28	267	56	2,613	4,811	2,890	4,138	5,367	1,141
White—Male	15,264	5,318	9,946	17	229	18	1,247	2,362	1,448	2,087	2,083	455
Female	16,599	6,446	10,153	7	3	13	1,054	2,009	1,370	1,889	3,161	647
Nonwhite—Male	1,324	656	668	3	35	14	173	235	41	91	56	20
Female	1,296	752	544	1	-	11	139	205	31	71	67	19
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm (451)	7,086	1,570	5,516	40	308	16	236	940	1,399	2,190	310	77
White—Male	4,894	913	3,981	30	266	8	155	597	1,063	1,599	210	53
Female	1,641	514	1,127	6	1	2	35	211	285	480	87	20
Nonwhite—Male	341	78	263	2	41	2	23	80	32	72	9	2
Female	210	65	145	2	-	4	23	52	19	39	4	2

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
VII. Diseases of the circulatory system—Continued Diseases of arteries—Continued												
Gangrene of unspecified cause (455)	243	67	176	-	1	-	26	51	32	44	20	2
White—Male	118	27	91	-	1	-	8	30	16	26	8	2
Female	80	23	57	-	-	-	9	12	14	15	7	-
Nonwhite—Male	21	8	13	-	-	-	3	4	1	2	3	-
Female	24	9	15	-	-	-	6	5	1	1	2	-
Other arterial diseases (452-454,456)	2,298	427	1,871	17	91	4	150	374	415	669	121	30
White—Male	1,149	215	934	8	74	2	65	163	227	310	67	18
Female	863	158	705	6	2	-	48	132	170	287	51	9
Nonwhite—Male	115	24	91	2	15	2	11	25	6	27	1	2
Female	171	30	141	1	-	-	26	54	12	45	2	1
Diseases of veins and other diseases of circulatory system (460-468)	7,577	1,470	6,107	45	351	44	665	1,441	1,151	1,937	380	93
White—Male	3,517	662	2,855	31	279	11	267	598	571	895	157	46
Female	3,052	599	2,453	10	1	11	291	524	513	862	202	39
Nonwhite—Male	495	100	395	3	71	8	55	134	31	84	7	2
Female	513	109	404	1	-	14	52	185	36	96	14	6
VIII. Diseases of the respiratory system	81,647	26,001	55,646	343	3,311	337	8,046	14,219	8,610	13,578	5,853	1,349
White—Male	42,671	11,463	31,208	224	2,906	121	4,058	7,444	5,094	7,940	2,730	691
Female	25,458	7,812	17,646	90	13	35	3,049	3,951	2,906	4,262	2,802	538
Nonwhite—Male	8,024	3,742	4,282	20	391	103	567	1,757	357	622	190	75
Female	5,494	2,984	2,510	9	1	78	372	1,067	253	554	131	45
Acute upper respiratory infections (470-475)	936	513	423	3	1	4	30	69	98	138	60	20
White—Male	408	222	186	1	1	-	9	27	46	72	26	4
Female	303	141	162	1	-	-	12	24	45	43	27	10
Nonwhite—Male	126	82	44	-	-	2	6	7	4	17	4	4
Female	99	68	31	1	-	2	3	11	3	6	3	2
Influenza (480-483)	4,442	2,528	1,914	5	16	9	86	463	345	432	468	90
White—Male	1,732	823	909	5	13	2	36	214	176	216	205	42
Female	1,608	831	777	-	-	-	38	166	143	166	223	41
Nonwhite—Male	610	474	136	-	3	4	10	51	12	26	25	5
Female	492	400	92	-	-	3	2	32	14	24	15	2
Pneumonia, except pneumonia of newborn (490-493)	52,997	15,526	37,471	207	1,645	265	6,433	10,122	5,291	8,533	4,064	911
White—Male	24,817	5,781	19,036	130	1,398	89	3,103	4,876	2,765	4,509	1,732	434
Female	18,308	5,030	13,278	56	7	31	2,614	2,987	2,068	3,027	2,102	386
Nonwhite—Male	5,772	2,613	3,159	14	239	82	421	1,374	272	573	131	53
Female	4,100	2,102	1,998	7	1	63	295	885	186	424	99	38
Lobar pneumonia (490)	9,339	2,737	6,602	41	298	41	774	1,762	1,130	1,737	664	155
White—Male	4,471	1,050	3,421	31	251	17	385	828	614	921	290	84
Female	2,842	779	2,063	7	-	-	266	447	404	568	317	54
Nonwhite—Male	1,273	536	737	2	47	14	81	321	76	161	27	8
Female	753	372	381	1	-	10	42	166	36	87	30	9
Bronchopneumonia (491)	31,183	7,801	23,382	120	1,196	175	4,910	6,480	2,881	4,741	2,335	544
White—Male	14,822	2,941	11,881	72	1,020	64	2,375	3,163	1,473	2,478	982	254
Female	11,242	2,696	8,546	34	6	31	2,088	1,974	1,182	1,749	1,243	239
Nonwhite—Male	2,980	1,193	1,787	10	170	46	247	807	121	288	68	30
Female	2,139	971	1,168	4	-	34	200	536	105	226	42	21
Primary atypical pneumonia (492)	4,864	1,992	2,872	21	58	13	241	728	532	835	372	72
White—Male	2,297	808	1,489	13	53	3	122	343	299	462	163	31
Female	1,678	653	1,025	4	-	-	77	244	177	295	193	35
Nonwhite—Male	506	281	225	2	5	5	29	87	38	46	9	4
Female	383	250	133	2	-	5	13	54	18	32	7	2
Pneumonia, other and unspecified (493)	7,611	2,996	4,615	25	93	36	508	1,152	748	1,220	693	140
White—Male	3,227	982	2,245	14	74	5	221	542	379	648	297	65
Female	2,546	902	1,644	11	1	-	183	322	305	415	349	58
Nonwhite—Male	1,013	603	410	-	17	17	64	159	37	78	27	11
Female	825	509	316	-	1	14	40	129	27	79	20	6
Acute bronchitis (500)	1,352	600	752	7	54	6	70	133	154	250	68	10
White—Male	637	252	385	2	41	2	38	63	76	128	32	3
Female	482	210	272	4	2	1	18	53	65	89	34	6
Nonwhite—Male	124	71	53	1	11	1	4	10	5	19	1	1
Female	109	67	42	-	-	2	10	7	8	14	1	-
Bronchitis, chronic and unqualified (501,502)	2,621	923	1,698	9	213	8	104	346	306	486	173	53
White—Male	1,732	544	1,188	6	196	3	60	231	221	328	105	38
Female	633	241	392	3	-	2	29	83	70	128	63	14
Nonwhite—Male	160	80	80	-	17	3	9	19	8	19	4	1
Female	96	58	38	-	-	-	6	13	7	11	1	-
Hypertrophy of tonsils and adenoids (510)	194	8	186	-	1	2	6	29	45	73	25	5
White—Male	85	2	83	-	1	1	3	13	24	30	9	2
Female	74	3	71	-	-	-	2	9	15	32	10	3
Nonwhite—Male	22	2	20	-	-	-	1	7	1	7	4	-
Female	13	1	12	-	-	1	-	-	5	4	2	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
VIII. Diseases of the respiratory system—Continued												
Empyema and abscess of lung (518,521)	895	104	791	11	56	4	135	213	131	200	35	6
White—Male	511	50	461	7	49	2	59	105	85	133	19	2
Female	211	27	184	3	-	-	44	44	34	43	13	3
Nonwhite—Male	129	21	108	1	7	2	24	44	9	17	3	1
Female	44	6	38	-	-	-	8	20	3	7	-	-
Pleurisy (519)	181	36	145	1	13	3	13	27	30	43	9	6
White—Male	89	14	75	1	11	1	8	11	16	20	5	2
Female	65	14	51	-	-	-	4	10	11	18	4	4
Nonwhite—Male	16	4	12	-	2	2	1	3	-	4	-	-
Female	11	4	7	-	-	-	-	3	3	1	-	-
Emphysema without mention of bronchitis (527.1)	6,707	1,633	5,074	44	908	16	326	1,199	944	1,263	296	78
White—Male	5,629	1,365	4,264	40	843	12	246	952	823	1,043	242	63
Female	732	197	535	4	1	-	48	142	103	175	50	12
Nonwhite—Male	296	63	233	-	64	3	24	83	14	39	3	3
Female	50	8	42	-	-	1	8	22	4	6	1	-
Other respiratory diseases (Residual[1])	11,322	4,130	7,192	56	404	20	843	1,618	1,266	2,160	655	170
White—Male	7,031	2,410	4,621	32	353	9	496	952	862	1,461	355	101
Female	3,042	1,118	1,924	19	3	1	240	433	352	541	276	59
Nonwhite—Male	769	332	437	4	48	4	67	159	32	101	15	7
Female	480	270	210	1	-	6	40	74	20	57	9	3
IX. Diseases of the digestive system	63,417	9,622	53,795	379	2,621	256	3,170	12,391	12,182	18,182	3,795	819
White—Male	33,896	4,544	29,352	228	2,389	75	1,586	6,231	6,738	9,773	1,886	446
Female	22,327	3,341	18,986	114	11	23	968	3,994	4,843	7,073	1,662	298
Nonwhite—Male	4,094	996	3,098	25	220	69	364	1,196	314	741	124	45
Female	3,100	741	2,359	12	1	89	252	970	287	595	123	30
Diseases of teeth and supporting structures (530-535)	94	31	63	-	-	1	10	14	11	17	6	4
White—Male	40	9	31	-	-	-	7	8	4	8	2	2
Female	30	9	21	-	-	-	1	5	6	5	2	2
Nonwhite—Male	10	7	3	-	-	-	2	-	-	1	-	-
Female	14	6	8	-	-	1	-	1	1	3	2	-
Ulcer of stomach (540)	5,478	798	4,680	20	221	19	303	1,109	1,051	1,587	316	54
White—Male	3,615	514	3,101	14	204	11	189	671	732	1,050	196	34
Female	1,349	157	1,192	2	1	2	64	286	284	430	106	17
Nonwhite—Male	352	94	258	4	16	3	35	97	26	65	10	2
Female	162	33	129	-	-	3	15	55	9	42	4	1
Ulcer of duodenum (541)	5,323	474	4,849	30	295	6	266	985	1,200	1,722	286	59
White—Male	3,913	323	3,590	25	271	3	170	683	917	1,275	201	45
Female	1,060	105	955	4	2	1	51	199	251	363	73	11
Nonwhite—Male	250	31	219	1	22	2	31	80	19	55	7	2
Female	100	15	85	-	-	-	14	23	13	29	5	1
Gastritis and duodenitis (543)	347	103	244	1	7	1	19	49	51	95	16	5
White—Male	182	42	140	1	7	1	9	27	26	59	8	2
Female	114	35	79	-	-	-	6	15	21	28	6	3
Nonwhite—Male	32	15	17	-	-	-	2	6	3	5	1	-
Female	19	11	8	-	-	-	2	1	1	3	1	-
Appendicitis (550-553)	1,845	102	1,743	8	45	7	82	397	403	637	137	27
White—Male	978	40	938	6	35	1	33	202	243	330	72	16
Female	575	34	541	-	-	1	23	104	126	232	48	7
Nonwhite—Male	168	18	150	2	10	3	13	50	16	41	13	2
Female	124	10	114	-	-	2	13	41	18	34	4	2
Hernia and intestinal obstruction (560,561,570)	8,853	839	8,014	42	182	27	607	1,722	1,842	2,822	633	137
White—Male	3,838	288	3,550	20	148	9	257	687	804	1,301	268	56
Female	3,864	358	3,506	17	1	3	229	678	923	1,265	328	62
Nonwhite—Male	624	106	518	5	32	10	64	183	58	136	17	13
Female	527	87	440	-	1	5	57	174	57	120	20	6
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over (571)	4,629	1,302	3,327	25	32	49	215	986	674	933	330	83
White—Male	1,603	376	1,227	8	30	2	58	310	292	380	115	32
Female	1,484	375	1,109	13	-	-	62	281	253	335	137	28
Nonwhite—Male	846	317	529	3	2	19	60	215	71	117	28	14
Female	696	234	462	1	-	28	35	180	58	101	50	9
Chronic enteritis and ulcerative colitis (572)	2,862	268	2,594	9	76	10	144	418	715	975	217	30
White—Male	1,281	92	1,189	6	71	4	78	179	328	427	84	12
Female	1,424	157	1,267	3	-	4	40	195	370	511	126	18
Nonwhite—Male	53	5	48	-	5	-	12	12	5	11	3	-
Female	104	14	90	-	-	2	14	32	12	26	4	-

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
IX. Diseases of the digestive system—Continued												
Cirrhosis of liver (581)	18,638	3,851	14,787	141	1,271	76	645	3,893	3,069	4,578	902	212
White—Male	11,367	2,148	9,219	92	1,187	31	389	2,235	1,898	2,721	521	145
Female	5,639	1,251	4,388	44	6	4	177	1,069	1,070	1,612	347	59
Nonwhite—Male	993	266	727	2	78	22	59	347	52	146	17	4
Female	639	186	453	3	-	19	20	242	49	99	17	4
Without mention of alcoholism (581.0)	13,035	2,972	10,063	77	630	38	438	2,173	2,388	3,458	709	152
White—Male	7,682	1,624	6,058	48	588	13	258	1,210	1,434	2,006	406	95
Female	4,256	1,002	3,254	27	2	3	118	618	880	1,283	273	50
Nonwhite—Male	674	204	470	1	40	13	48	203	43	105	14	3
Female	423	142	281	1	-	9	14	142	31	64	16	4
With alcoholism (581.1)	5,603	879	4,724	64	641	38	207	1,720	681	1,120	193	60
White—Male	3,685	524	3,161	44	599	18	131	1,025	464	715	115	50
Female	1,383	249	1,134	17	4	1	59	451	190	329	74	9
Nonwhite—Male	319	62	257	1	38	9	11	144	9	41	3	1
Female	216	44	172	2	-	10	6	100	18	35	1	-
Cholelithiasis, cholecystitis, and cholangitis (584,585)	4,720	470	4,250	10	82	13	167	833	1,120	1,656	311	58
White—Male	1,827	115	1,712	4	80	4	73	295	444	671	118	23
Female	2,647	322	2,325	5	-	1	70	462	649	923	185	30
Nonwhite—Male	91	10	81	-	2	2	9	24	13	26	3	2
Female	155	23	132	1	-	6	15	52	14	36	5	3
Fibrocystic disease of pancreas (587B)	550	94	456	7	1	3	35	64	107	224	13	2
White—Male	263	54	209	2	-	1	15	33	52	97	8	1
Female	260	36	224	5	-	2	18	25	51	117	5	1
Nonwhite—Male	16	3	13	-	1	-	-	3	4	5	-	-
Female	11	1	10	-	-	-	2	3	-	5	-	-
Other diseases of digestive system (Residual[1])	10,078	1,290	8,788	86	409	44	677	1,921	1,939	2,936	628	148
White—Male	4,989	543	4,446	50	356	8	308	901	998	1,454	293	78
Female	3,881	502	3,379	21	1	5	227	675	839	1,252	299	60
Nonwhite—Male	659	124	535	8	52	8	77	179	47	133	25	6
Female	549	121	428	7	-	23	65	166	55	97	11	4
X. Diseases of the genitourinary system	32,027	7,550	24,477	126	1,096	104	1,805	5,872	4,712	7,586	2,586	590
White—Male	16,018	3,256	12,762	67	857	33	789	2,707	2,593	4,051	1,369	296
Female	9,978	2,311	7,667	41	3	7	488	1,633	1,713	2,532	1,012	238
Nonwhite—Male	3,440	1,121	2,319	11	234	43	285	846	210	545	113	32
Female	2,591	862	1,729	7	2	21	243	686	196	458	92	24
Nephritis and nephrosis (590-594)	16,030	5,006	11,024	71	451	36	738	2,328	2,158	3,582	1,352	308
White—Male	6,921	1,814	5,107	43	343	12	274	953	1,035	1,709	603	135
Female	5,676	1,721	3,955	19	2	1	208	717	902	1,345	624	137
Nonwhite—Male	1,777	731	1,046	5	104	14	122	345	103	268	70	15
Female	1,656	740	916	4	2	9	134	313	118	260	55	21
Acute nephritis (590)	1,132	280	852	3	18	1	57	189	167	260	132	25
White—Male	445	79	366	2	12	-	21	74	81	116	51	9
Female	418	88	330	-	-	-	21	55	69	102	72	11
Nonwhite—Male	135	59	76	1	6	-	6	32	9	18	3	1
Female	134	54	80	-	-	1	9	28	8	24	6	4
Nephritis with edema, incl. nephrosis (591)	1,071	248	823	11	43	4	79	150	157	301	65	13
White—Male	499	106	393	5	29	2	34	61	81	146	30	5
Female	352	73	279	4	-	-	21	42	57	120	29	6
Nonwhite—Male	121	36	85	2	14	2	15	23	8	16	5	-
Female	99	33	66	-	-	-	9	24	11	19	1	2
Chronic and unspecified nephritis and other renal sclerosis (592-594)	13,827	4,478	9,349	57	390	31	602	1,989	1,834	3,021	1,155	270
White—Male	5,977	1,629	4,348	36	302	10	219	818	873	1,447	522	121
Female	4,906	1,560	3,346	15	2	1	166	620	776	1,123	523	120
Nonwhite—Male	1,521	636	885	2	84	12	101	290	86	234	62	14
Female	1,423	653	770	4	2	8	116	261	99	217	48	15
Infections of kidney (600)	6,889	999	5,890	29	323	39	501	1,820	989	1,574	488	127
White—Male	2,890	409	2,481	11	253	7	202	688	422	651	202	45
Female	2,732	397	2,335	14	1	5	178	631	488	689	254	75
Nonwhite—Male	654	115	539	2	69	18	53	234	38	105	15	5
Female	613	78	535	2	-	9	68	267	41	129	17	2
Calculi of urinary system (602,604)	1,282	148	1,134	3	72	5	59	224	263	423	75	10
White—Male	620	71	549	1	60	4	24	87	131	199	38	5
Female	553	66	487	1	-	-	26	104	121	197	33	5
Nonwhite—Male	63	8	55	1	12	1	2	17	5	16	1	-
Female	46	3	43	-	-	-	7	16	6	11	3	-
Other diseases of urinary system (601,603,605-609)	2,048	306	1,742	13	77	10	206	450	295	506	150	35
White—Male	1,072	131	941	5	62	4	88	220	172	293	80	17
Female	586	98	488	4	-	1	57	111	96	147	58	14
Nonwhite—Male	293	55	238	3	15	3	50	82	19	52	10	4
Female	97	22	75	1	-	2	11	37	8	14	2	-

[1]For category numbers, see table 72.

Table 80 Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
X. Diseases of the genitourinary system—Continued												
Hyperplasia of prostate (610)	4,627	875	3,752	6	153	13	225	838	800	1,218	409	90
White—Male	4,047	696	3,351	6	121	6	174	688	757	1,121	396	82
Nonwhite—Male	580	179	401	-	32	7	51	150	43	97	13	8
Diseases of breast (620,621)	6	-	6	-	-	-	1	-	3	2	-	-
White—Male	3	-	3	-	-	-	-	-	1	2	-	-
Female	3	-	3	-	-	-	1	-	2	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genital organs (Residual[1])	1,145	216	929	4	20	1	75	212	204	281	112	20
White—Male	465	135	330	1	18	-	27	71	75	76	50	12
Female	428	29	399	3	-	-	18	70	104	154	43	7
Nonwhite—Male	73	33	40	-	2	-	7	18	2	7	4	-
Female	179	19	160	-	-	1	23	53	23	44	15	1
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,581	229	1,352	7	1	3	66	393	265	450	134	33
White—Female	938	99	839	4	-	2	24	183	204	305	99	18
Nonwhite—Female	643	130	513	3	1	1	42	210	61	145	35	15
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	154	34	120	1	-	-	4	32	27	36	16	4
White—Female	110	20	90	1	-	-	2	20	26	25	14	2
Nonwhite—Female	44	14	30	-	-	-	2	12	1	11	2	2
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	380	49	331	-	-	1	19	89	67	101	45	9
White—Female	199	18	181	-	-	-	7	35	45	59	32	3
Nonwhite—Female	181	31	150	-	-	1	12	54	22	42	13	6
Hemorrhage of pregnancy and childbirth (643,644,670-672)	275	34	241	2	-	-	10	73	45	78	28	5
White—Female	173	10	163	2	-	-	3	32	38	63	20	5
Nonwhite—Female	102	24	78	-	-	-	7	41	7	15	8	-
Ectopic pregnancy (645)	115	32	83	1	-	-	7	26	15	25	7	2
White—Female	44	14	30	-	-	-	2	7	9	8	3	1
Nonwhite—Female	71	18	53	1	-	-	5	19	6	17	4	1
Abortion without mention of sepsis or toxemia (650)	81	27	54	-	1	-	1	20	10	13	8	1
White—Female	50	15	35	-	-	-	-	12	7	9	6	1
Nonwhite—Female	31	12	19	-	1	-	1	8	3	4	2	-
Abortion with sepsis (651)	159	17	142	-	-	-	7	56	17	48	9	5
White—Female	73	6	67	-	-	-	2	20	9	26	8	2
Nonwhite—Female	86	11	75	-	-	-	5	36	8	22	1	3
Abortion with toxemia, without mention of sepsis (652)	19	2	17	-	-	-	-	5	3	8	-	1
White—Female	13	-	13	-	-	-	-	4	3	6	-	-
Nonwhite—Female	6	2	4	-	-	-	-	1	-	2	-	1
Other complications of pregnancy, childbirth, etc.* (Residual[1])	398	34	364	3	-	2	18	92	81	141	21	6
White—Female	276	16	260	1	-	2	8	53	67	109	16	4
Nonwhite—Female	122	18	104	2	-	-	10	39	14	32	5	2
XII. Diseases of the skin and cellular tissue	1,791	363	1,428	10	52	8	262	344	214	386	120	32
White—Male	619	115	504	4	40	-	89	119	87	107	48	10
Female	839	152	687	4	-	1	129	129	111	222	72	19
Nonwhite—Male	135	39	96	1	12	5	19	35	5	18	-	1
Female	198	57	141	1	-	2	25	61	11	39	-	2
Infections of skin and subcutaneous tissue (690-698)	553	78	475	4	17	4	97	123	64	108	42	16
White—Male	255	28	227	4	17	-	47	50	37	44	23	5
Female	209	28	181	-	-	-	39	41	22	50	19	10
Nonwhite—Male	49	11	38	-	-	3	9	16	2	8	-	-
Female	40	11	29	-	-	1	2	16	3	6	-	1
Other diseases of skin and subcutaneous tissue (700-716)	1,238	285	953	6	35	4	165	221	150	278	78	16
White—Male	364	87	277	-	23	-	42	69	50	63	25	5
Female	630	124	506	4	-	1	90	88	89	172	53	9
Nonwhite—Male	86	28	58	1	12	2	10	19	3	10	-	1
Female	158	46	112	1	-	1	23	45	8	33	-	1
XIII. Diseases of the bones and organs of movement	3,346	1,302	2,044	10	64	7	120	424	372	592	363	92
White—Male	1,366	517	849	6	53	2	61	165	163	254	117	28
Female	1,683	640	1,043	3	2	1	38	217	198	292	233	59
Nonwhite—Male	119	48	71	-	8	-	12	17	6	18	6	4
Female	178	97	81	1	1	4	9	25	5	28	7	1

*For complete category title, see table 72.

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
XIII. Diseases of the bones and organs of movement—Continued												
Arthritis and spondylitis (720-725)	1,637	821	1,016	3	31	4	27	226	154	245	263	63
White—Male	574	236	338	2	28	1	8	77	56	77	72	17
Female	1,099	483	616	1	1	1	15	128	95	154	180	41
Nonwhite—Male	59	29	30	-	2	-	1	12	1	6	4	4
Female	105	73	32	-	-	2	3	9	2	8	7	1
Muscular rheumatism and rheumatism unspecified (726,727)	28	14	14	-	2	-	2	1	3	4	1	1
White—Male	7	1	6	-	1	-	1	1	1	1	1	-
Female	13	7	6	-	-	-	1	-	2	2	-	1
Nonwhite—Male	2	1	1	-	1	-	-	-	-	-	-	-
Female	6	5	1	-	-	-	-	-	-	1	-	-
Osteomyelitis and periostitis (730)	177	31	146	3	8	1	23	28	21	46	9	7
White—Male	106	17	89	1	8	1	16	15	11	26	3	4
Female	51	7	44	2	-	-	4	6	7	16	6	3
Nonwhite—Male	11	4	7	-	-	-	2	1	1	3	-	-
Female	9	3	6	-	-	-	1	2	2	1	-	-
Ankylosis and acquired musculoskeletal deformities (737,745-749)	75	17	58	-	1	-	6	7	17	22	4	1
White—Male	40	11	29	-	1	-	4	3	7	12	2	-
Female	32	6	26	-	-	-	2	3	9	9	2	1
Nonwhite—Male	1	-	1	-	-	-	-	-	-	1	-	-
Female	2	-	2	-	-	-	-	1	1	-	-	-
Inborn defect of muscle (744.1)	559	258	301	3	9	-	20	64	66	102	27	10
White—Male	369	180	189	3	8	-	13	32	39	73	18	3
Female	155	60	95	-	-	-	3	26	25	25	9	7
Nonwhite—Male	21	11	10	-	1	-	4	2	2	1	-	-
Female	14	7	7	-	-	-	-	4	-	3	-	-
Other diseases of musculoskeletal system (731-736,738-744.0,744.2)	670	161	509	1	13	2	42	98	111	173	59	10
White—Male	270	72	198	-	7	-	19	33	49	65	21	4
Female	333	77	256	-	1	-	13	54	60	86	36	6
Nonwhite—Male	25	3	22	-	4	-	5	2	2	7	2	-
Female	42	9	33	1	1	2	5	9	-	15	-	-
XIV. Congenital malformations	21,411	2,881	18,530	396	95	84	1,512	2,992	4,736	7,444	972	299
White—Male	10,070	1,257	8,813	188	78	20	680	1,233	2,325	3,632	509	148
Female	8,583	1,045	7,538	162	2	19	554	1,034	2,124	3,123	396	124
Nonwhite—Male	1,514	320	1,194	24	15	25	158	386	174	359	39	14
Female	1,244	259	985	22	-	20	120	339	113	330	28	13
Spina bifida meningocele (751)	1,297	226	1,071	42	-	2	75	186	295	386	61	24
White—Male	500	90	410	13	-	-	25	71	109	149	29	14
Female	684	104	580	28	-	-	38	84	170	222	29	9
Nonwhite—Male	72	24	48	1	-	1	8	20	7	9	1	1
Female	41	8	33	-	-	1	4	11	9	6	2	-
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs (752,753)	2,474	500	1,974	44	2	6	276	316	457	653	145	75
White—Male	1,128	211	917	22	2	-	135	127	226	296	72	37
Female	1,014	181	833	20	-	2	106	115	198	298	61	33
Nonwhite—Male	186	64	122	1	-	3	18	45	21	24	8	2
Female	146	44	102	1	-	1	17	28	12	35	4	3
Congenital malformations of circulatory system (754)	10,754	1,595	9,159	186	27	60	847	1,429	2,172	3,896	410	132
White—Male	5,121	720	4,401	89	22	17	384	591	1,090	1,913	230	65
Female	4,209	555	3,654	76	-	15	311	489	940	1,618	153	52
Nonwhite—Male	744	163	581	10	5	16	81	171	82	194	16	6
Female	680	157	523	11	-	12	71	178	60	171	11	9
Other congenital malformations (750,755-759)	6,886	560	6,326	124	66	16	314	1,061	1,812	2,509	356	68
White—Male	3,321	236	3,085	64	54	3	136	444	900	1,274	178	32
Female	2,676	205	2,471	38	2	2	99	346	816	985	153	30
Nonwhite—Male	512	69	443	12	10	5	51	150	64	132	14	5
Female	377	50	327	10	-	6	28	121	32	118	11	1
XV. Certain diseases of early infancy[2]	68,960	3,762	65,198	1,581	6	231	2,526	14,733	17,329	23,787	4,078	927
White—Male	30,928	920	30,008	751	3	24	561	5,263	9,297	11,561	2,111	437
Female	21,686	733	20,953	520	2	12	407	3,679	6,398	8,169	1,453	313
Nonwhite—Male	9,114	1,184	7,930	184	1	106	842	3,185	910	2,326	289	87
Female	7,232	925	6,307	126	-	89	716	2,606	724	1,731	225	90
XVI. Symptoms, senility, and ill-defined conditions	19,729	14,756	4,973	29	52	15	552	1,317	740	1,145	850	273
White—Male	7,663	5,458	2,205	17	32	1	209	551	370	561	357	107
Female	5,173	3,387	1,786	5	1	2	182	363	295	402	406	130
Nonwhite—Male	3,824	3,259	565	4	18	7	79	239	47	99	54	18
Female	3,069	2,652	417	3	1	5	82	164	28	83	33	18

[2]For detailed causes of infant death, see table 57 in Volume I.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION									
			Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
XVI. Symptoms, senility, and ill-defined conditions—Con.												
Senility without mention of psychosis (794)	3,000	2,002	998	-	1	1	127	179	93	109	380	108
White—Male	1,013	609	404	-	1	-	52	87	37	38	151	38
Female	1,449	903	546	-	-	1	64	81	55	66	212	67
Nonwhite—Male	259	238	21	-	-	-	5	4	1	3	8	-
Female	279	252	27	-	-	-	6	7	-	2	9	3
Symptoms, ill-defined, and unknown causes (780-793,795)	16,729	12,754	3,975	29	51	14	425	1,138	647	1,036	470	165
White—Male	6,650	4,849	1,801	17	31	1	157	464	333	523	206	69
Female	3,724	2,484	1,240	5	1	1	118	282	240	336	194	63
Nonwhite—Male	3,565	3,021	544	4	18	7	74	235	46	96	46	18
Female	2,790	2,400	390	3	1	5	76	157	28	81	24	15
XVII. Accidents, poisonings, and violence	116,964	67,770	49,194	589	725	144	3,392	13,895	10,142	15,357	3,962	988
White—Male	69,956	43,280	26,676	459	610	50	1,551	7,069	5,849	8,525	2,023	540
Female	29,324	15,495	15,829	81	8	14	1,148	4,098	3,471	5,054	1,619	336
Nonwhite—Male	12,729	8,095	4,634	41	107	55	432	1,878	581	1,221	229	90
Female	4,955	2,900	2,055	8	-	25	261	850	241	557	91	22
Accidents (E800-E962)	90,604	47,513	43,091	529	570	109	2,873	11,776	9,094	13,659	3,623	858
White—Male	53,669	30,254	23,415	422	482	37	1,269	6,081	5,236	7,607	1,810	471
Female	24,251	9,561	14,690	71	6	11	1,048	3,755	3,227	4,728	1,536	308
Nonwhite—Male	8,820	5,575	3,245	29	82	39	314	1,229	426	869	194	63
Female	3,864	2,123	1,741	7	-	22	242	711	205	455	83	16
Railway accidents (E800-E802)	1,164	965	199	3	2	-	10	67	39	64	11	3
White—Male	824	668	156	2	2	-	7	51	33	50	9	2
Female	106	87	19	1	-	-	1	7	2	7	-	1
Nonwhite—Male	208	187	21	-	-	-	2	7	4	6	2	-
Female	26	23	3	-	-	-	-	2	-	1	-	-
Motor vehicle accidents (E810-E835)	36,981	20,693	16,288	267	128	37	466	4,669	3,722	5,355	1,332	312
White—Male	24,198	13,732	10,466	226	106	15	253	2,844	2,415	3,516	887	204
Female	8,532	4,458	4,074	27	1	1	89	1,172	1,020	1,346	343	75
Nonwhite—Male	3,294	1,937	1,357	13	21	16	94	495	224	381	84	29
Female	957	566	391	1	-	5	30	158	63	112	18	4
Motor vehicle traffic accidents (E810-E825)	36,052	20,203	15,849	252	123	35	448	4,550	3,617	5,248	1,278	298
White—Male	23,555	13,393	10,162	213	102	14	242	2,769	2,345	3,433	850	194
Female	8,334	4,358	3,976	25	1	1	86	1,143	989	1,327	332	72
Nonwhite—Male	3,235	1,901	1,334	13	20	15	92	486	221	379	80	28
Female	928	551	377	1	-	5	28	152	62	109	16	4
Motor vehicle traffic accident involving collision with railway train (E810)	1,316	991	325	3	1	-	4	80	89	110	27	11
White—Male	897	683	214	2	1	-	2	52	57	70	24	6
Female	303	226	77	1	-	-	1	22	21	26	2	4
Nonwhite—Male	86	59	27	-	-	-	1	4	9	11	1	1
Female	30	23	7	-	-	-	-	2	2	3	-	-
Motor vehicle traffic accident to pedestrian (E812)	7,083	3,079	4,004	16	20	7	98	1,257	952	1,389	204	61
White—Male	4,264	1,809	2,455	13	16	2	46	728	581	900	128	41
Female	1,656	671	985	3	-	-	14	305	273	325	53	12
Nonwhite—Male	863	459	404	-	4	5	31	151	71	121	16	5
Female	300	140	160	-	-	-	7	73	27	43	7	3
Other motor vehicle traffic accidents involving collision (E811,E813-E819)	14,395	8,241	6,154	101	33	11	152	1,732	1,479	1,919	596	131
White—Male	9,107	5,242	3,865	82	28	5	87	1,042	931	1,213	394	83
Female	3,914	2,158	1,756	12	-	-	32	495	453	557	172	35
Nonwhite—Male	1,051	629	422	6	5	3	23	153	75	117	28	12
Female	323	212	111	1	-	3	10	42	20	32	2	1
Motor vehicle noncollision traffic accidents (E820-E824)	9,892	6,208	3,684	97	47	10	115	1,057	770	1,206	312	70
White—Male	7,063	4,525	2,538	88	40	3	65	694	551	835	210	52
Female	1,698	963	735	5	1	-	22	213	159	255	69	11
Nonwhite—Male	940	585	355	4	6	7	24	128	53	99	27	7
Female	191	135	56	-	-	-	4	22	7	17	6	-
Motor vehicle traffic accident of unspecified nature (E825)	3,366	1,684	1,682	35	22	7	79	424	327	624	139	25
White—Male	2,224	1,134	1,090	28	17	4	42	253	225	415	94	12
Female	763	340	423	4	-	1	17	108	83	164	36	10
Nonwhite—Male	295	169	126	3	5	-	13	50	13	31	8	3
Female	84	41	43	-	-	2	7	13	6	14	1	-
Motor vehicle nontraffic accidents (E830-E835)	929	490	439	15	5	2	18	119	105	107	54	14
White—Male	643	339	304	13	4	1	11	75	70	83	37	10
Female	198	100	98	2	-	-	3	29	31	19	11	3
Nonwhite—Male	59	36	23	-	1	1	2	9	3	2	4	1
Female	29	15	14	-		-	2	6	1	3	2	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
XVII. Accidents, poisonings, and violence—Continued												
Accidents—Continued												
Other road vehicle accidents (E840-E845)	304	106	198	1	1	-	13	47	40	79	11	6
White—Male	185	71	114	1	1	-	6	23	21	55	4	3
Female	75	21	54	-	-	-	3	10	14	20	5	2
Nonwhite—Male	39	14	25	-	-	-	3	10	5	4	2	1
Female	5	-	5	-	-	-	1	4	-	-	-	-
Water transport accidents (E850-E858)	1,653	1,570	83	7	2	2	1	22	13	29	4	3
White—Male	1,336	1,270	66	6	2	2	1	16	12	22	2	3
Female	114	110	4	-	-	-	-	1	1	2	-	-
Nonwhite—Male	193	180	13	1	-	-	-	5	-	5	2	-
Female	10	10	-	-	-	-	-	-	-	-	-	-
Aircraft accidents (E860-E866)	1,511	1,353	158	64	2	2	2	15	18	20	10	25
White—Male	1,361	1,212	149	63	2	2	2	14	14	17	10	25
Female	137	129	8	-	-	-	-	1	4	3	-	-
Nonwhite—Male	13	12	1	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by solid and liquid substances (E870-E888)	1,429	607	822	14	7	2	60	243	143	286	49	18
White—Male	648	286	362	7	4	-	20	97	66	131	26	11
Female	409	182	227	5	-	1	15	56	51	82	16	1
Nonwhite—Male	224	105	119	2	3	-	12	50	14	32	3	3
Female	148	34	114	-	-	1	13	40	12	41	4	3
Accidental poisoning by gases and vapors (E890-E895)	1,187	1,046	141	2	4	-	7	33	38	43	13	1
White—Male	784	701	83	2	3	-	5	16	23	26	7	1
Female	253	217	36	-	-	-	1	10	9	10	6	-
Nonwhite—Male	95	79	16	-	1	-	1	5	5	4	-	-
Female	55	49	6	-	-	-	-	2	1	3	-	-
Accidental falls (E900-E904)	18,248	3,299	14,949	45	181	25	1,336	4,054	3,021	4,663	1,336	288
White—Male	8,169	1,550	6,619	31	163	6	575	1,801	1,430	2,095	418	100
Female	8,921	1,405	7,516	12	3	8	668	1,887	1,510	2,365	886	177
Nonwhite—Male	706	210	496	2	15	5	48	222	47	129	20	8
Female	452	134	318	-	-	6	45	144	34	74	12	3
Fall from one level to another (E900-E902)	6,010	1,500	4,510	22	54	10	286	1,190	1,061	1,550	264	73
White—Male	3,476	934	2,542	16	46	3	151	635	642	907	110	32
Female	1,984	377	1,607	5	-	3	114	405	366	539	140	35
Nonwhite—Male	390	132	258	1	8	2	14	101	36	81	10	5
Female	160	57	103	-	-	2	7	49	17	23	4	1
Fall on same level (E903)	3,535	470	3,065	10	38	7	322	948	553	845	293	49
White—Male	1,397	158	1,239	7	36	1	138	368	233	348	91	17
Female	1,988	279	1,709	3	1	4	175	512	311	473	198	32
Nonwhite—Male	75	15	60	-	1	-	6	34	5	11	3	-
Female	75	18	57	-	-	2	3	34	4	13	1	-
Unspecified falls (E904)	8,703	1,329	7,374	13	89	8	728	1,916	1,407	2,268	779	166
White—Male	3,296	458	2,838	8	81	2	286	798	555	840	217	51
Female	4,949	749	4,200	4	2	1	379	970	833	1,353	548	110
Nonwhite—Male	241	63	178	1	6	3	28	87	6	37	7	3
Female	217	59	158	-	-	2	35	61	13	38	7	2
Blow from falling object or projected object or missile (E910)	1,380	895	485	3	1	1	12	106	119	170	61	12
White—Male	1,140	769	371	3	1	-	10	73	95	133	48	8
Female	64	28	36	-	-	-	-	6	12	13	5	-
Nonwhite—Male	167	96	71	-	-	-	2	25	11	21	8	4
Female	9	2	7	-	-	1	-	2	1	3	-	-
Accident caused by machinery (E912)	1,812	1,204	608	3	6	1	21	129	169	207	58	14
White—Male	1,578	1,059	519	3	5	-	16	108	155	169	49	14
Female	76	47	29	-	1	-	1	5	6	14	2	-
Nonwhite—Male	155	95	60	-	-	1	4	16	8	24	7	-
Female	3	3	-	-	-	-	-	-	-	-	-	-
Accident caused by electric current (E914)	951	781	170	2	-	-	6	52	33	46	25	6
White—Male	815	674	141	2	-	-	3	43	28	42	19	4
Female	71	55	16	-	-	-	2	5	2	3	3	1
Nonwhite—Male	62	49	13	-	-	-	1	4	3	1	3	1
Female	3	3	-	-	-	-	-	-	-	-	-	-
Accident caused by fire and explosion of combustible material (E916)	7,291	3,943	3,348	37	52	7	304	984	673	1,020	238	33
White—Male	2,828	1,574	1,254	29	41	1	71	325	308	389	75	15
Female	2,091	923	1,168	7	-	-	82	295	267	396	113	8
Nonwhite—Male	1,160	802	358	-	11	3	44	135	42	96	20	7
Female	1,212	644	568	1	-	3	107	229	56	139	30	3
Accident caused by hot substance, corrosive liquid, steam, and radiation (E917,E918)	382	51	331	4	1	1	28	99	62	106	22	8
White—Male	164	19	145	2	1	1	10	31	36	54	8	2
Female	133	14	119	2	-	-	10	38	20	36	7	6
Nonwhite—Male	46	8	38	-	-	-	2	19	4	9	4	-
Female	39	19	29	-	-	-	6	11	2	7	3	-

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Non-profit, except church	Proprietary	Type of control not specified
XVII. Accidents, poisonings, and violence—Continued												
Accidents—Continued												
Accident caused by firearm (E919)	2,172	1,385	787	18	8	-	35	225	169	230	87	15
White—Male	1,646	1,074	572	15	8	-	19	148	136	170	65	11
Female	179	110	69	2	-	-	4	13	15	24	10	1
Nonwhite—Male	282	163	119	-	-	-	11	53	15	27	11	2
Female	65	38	27	1	-	-	1	11	3	9	1	1
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921,E922)	2,191	1,250	941	14	35	13	198	210	155	226	64	26
White—Male	1,030	581	449	5	29	2	93	82	78	111	37	12
Female	693	376	317	6	-	1	71	64	63	80	21	11
Nonwhite—Male	264	164	100	2	6	6	22	34	5	19	3	3
Female	204	129	75	1	-	4	12	30	9	16	3	-
Accidental drowning (E929)	5,065	4,837	228	14	3	1	13	60	33	65	21	18
White—Male	3,320	3,175	145	6	2	-	9	30	23	50	12	13
Female	668	636	32	5	-	-	1	11	4	4	6	1
Nonwhite—Male	963	917	46	2	1	1	3	17	6	11	2	3
Female	114	109	5	1	-	-	-	2	-	-	1	1
Excessive heat and insolation (E931)	137	74	63	2	1	-	9	14	6	20	7	4
White—Male	84	45	39	1	1	-	6	7	3	12	5	4
Female	19	11	8	-	-	-	-	1	3	4	-	-
Nonwhite—Male	26	14	12	1	-	-	2	3	-	4	2	-
Female	8	4	4	-	-	-	1	3	-	-	-	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* (E940-E959)	1,023	98	925	10	37	3	73	180	205	338	69	10
White—Male	433	40	393	7	30	3	29	66	81	146	27	4
Female	450	39	411	2	-	-	24	73	112	160	35	5
Nonwhite—Male	63	10	53	-	7	-	10	13	6	13	4	-
Female	77	9	68	1	-	-	10	28	6	19	3	1
All other accidents (Residual[1])	5,723	3,356	2,367	19	99	14	279	567	436	692	205	56
White—Male	3,126	1,754	1,372	11	81	5	134	306	279	419	102	35
Female	1,260	713	547	2	1	-	76	100	112	159	78	19
Nonwhite—Male	860	533	327	5	17	7	53	116	27	83	17	2
Female	477	356	121	1	-	2	16	45	18	31	8	-
Suicide (E963,E970-E979)	18,519	15,092	3,427	44	111	13	312	1,008	656	975	222	86
White—Male	13,707	11,390	2,317	32	105	7	205	655	441	668	150	54
Female	3,977	3,064	913	7	2	2	90	271	196	254	65	26
Nonwhite—Male	659	512	147	4	4	4	12	59	16	38	6	4
Female	176	126	50	1	-	-	5	23	3	15	1	2
Suicide by poisoning (E970-E973)	3,958	3,008	950	9	16	3	46	296	188	301	64	27
White—Male	2,440	2,010	430	4	14	1	14	130	84	137	34	12
Female	1,411	940	471	3	1	1	26	146	102	150	28	14
Nonwhite—Male	59	33	26	2	1	1	5	8	2	6	1	-
Female	48	25	23	-	-	-	1	12	-	8	1	1
Suicide by hanging and strangulation (E974)	3,562	3,207	355	5	25	4	145	54	34	53	24	11
White—Male	2,587	2,347	240	4	24	2	104	37	18	35	11	5
Female	837	744	93	1	-	1	34	10	13	17	13	4
Nonwhite—Male	115	98	17	-	1	1	5	6	2	1	-	1
Female	23	18	5	-	-	-	2	1	1	-	-	1
Suicide by firearm and explosive (E976)	8,871	7,319	1,552	27	21	3	69	465	351	475	112	29
White—Male	7,442	6,166	1,276	21	21	2	55	379	288	398	89	23
Female	1,013	810	203	3	-	-	10	61	56	48	20	5
Nonwhite—Male	363	301	62	2	-	1	2	22	6	25	3	1
Female	53	42	11	1	-	-	2	3	1	4	-	-
Suicide by all other means (Residual[1])	2,128	1,558	570	3	49	3	52	193	83	146	22	19
White—Male	1,238	867	371	3	46	2	32	109	51	98	16	14
Female	716	570	146	-	1	-	20	54	25	39	4	3
Nonwhite—Male	122	80	42	-	2	1	-	23	6	6	2	2
Female	52	41	11	-	-	-	-	7	1	3	-	-
Homicide (E964,E980-E985)	7,815	5,152	2,663	16	37	22	207	1,109	390	721	117	44
White—Male	2,555	1,624	931	5	16	6	77	331	170	248	63	15
Female	1,096	870	226	3	-	1	10	72	48	72	18	2
Nonwhite—Male	3,249	2,007	1,242	8	21	12	106	590	139	314	29	23
Female	915	651	264	-	-	3	14	116	33	87	7	4
Assault by firearm and explosive (E981)	4,230	2,967	1,263	7	20	2	59	530	203	349	71	22
White—Male	1,482	1,038	444	4	7	2	13	153	91	125	38	11
Female	644	521	123	1	-	-	3	37	30	39	12	1
Nonwhite—Male	1,661	1,095	566	2	13	-	33	286	63	144	16	9
Female	443	313	130	-	-	-	10	54	19	41	5	1

*For complete category title, see table 72.

[1]For category numbers, see table 72.

Table 80. Deaths From 255 Selected Causes, by Color, Sex, and Type of Control of Institution in Which Death Occurred: United States, 1958—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total deaths	Not in institution	TYPE OF CONTROL OF INSTITUTION: Total, in institution	Department of Defense	Veterans' Administration	Other Federal	State	City and/or county, and special district	Church	Nonprofit, except church	Proprietary	Type of control not specified
XVII. Accidents, poisonings, and violence—Continued												
Homicide—Continued												
Assault by cutting and piercing instruments (E982)	1,765	1,125	640	4	5	13	50	284	77	171	22	14
White—Male	328	194	134	-	1	3	21	50	21	26	11	1
Female	110	95	15	-	-	1	1	3	3	7	-	-
Nonwhite—Male	1,076	662	414	4	4	6	26	199	47	107	9	12
Female	251	174	77	-	-	3	2	32	6	31	2	1
Assault by other means (E964,E980,E983)	1,541	902	639	5	11	7	50	261	96	180	22	7
White—Male	615	320	295	1	8	1	22	115	49	84	12	3
Female	342	254	88	2	-	-	6	32	15	26	6	1
Nonwhite—Male	364	165	199	2	3	6	20	84	24	55	4	1
Female	220	163	57	-	-	-	2	30	8	15	-	2
Injury by intervention of police (E984)	229	149	80	-	1	-	7	34	14	21	2	1
White—Male	111	70	41	-	-	-	4	13	9	13	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite—Male	117	78	39	-	1	-	3	21	5	8	-	
Female	1	1	-	-	-	-	-	-	-	-	-	
Execution (E985)	50	9	41	-	-	-	41	-	-	-	-	-
White—Male	19	2	17	-	-	-	17	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	31	7	24	-	-	-	24	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Injury resulting from operations of war (E965,E990-E999)	26	13	13	-	7	-	-	2	2	2	-	-
White—Male	25	12	13	-	7	-	-	2	2	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-

Table 81 A. Deaths From 59 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES	1,647,886	113,789	7,320	4,388	3,281	2,572	131,350	8,641	6,896	11,274
2	Male	936,794	65,082	3,885	2,442	1,824	1,392	74,625	5,056	4,386	7,927
3	Female	711,092	48,707	3,435	1,946	1,457	1,180	56,725	3,585	2,510	3,347
4	White—Male	828,550	49,027	2,845	1,865	1,457	1,132	56,326	4,205	3,705	6,752
5	Female	622,527	35,908	2,494	1,432	1,089	931	41,854	2,875	2,111	2,715
6	Nonwhite—Male	108,244	16,055	1,040	577	367	260	18,299	851	681	1,175
7	Female	88,565	12,799	941	514	368	249	14,871	710	399	632
8	Tuberculosis, all forms (001-019)	12,361	60	64	34	29	15	202	38	30	59
9	White—Male	6,810	17	20	11	12	4	64	17	9	12
10	Female	2,368	17	16	7	3	3	46	5	10	11
11	Nonwhite—Male	2,133	13	17	7	4	2	43	6	2	13
12	Female	1,050	13	11	9	10	6	49	10	9	23
13	Tuberculosis of respiratory system (001-008)	11,477	25	20	15	8	1	69	10	12	45
14	White—Male	6,486	8	5	5	4	1	23	4	2	7
15	Female	2,182	8	5	2	1	-	16	1	4	9
16	Nonwhite—Male	1,923	6	7	3	-	-	16	2	2	11
17	Female	886	3	3	5	3	-	14	3	4	18
18	Tuberculosis, other forms (010-019)	884	35	44	19	21	14	133	28	18	14
19	White—Male	324	9	15	6	8	3	41	13	7	5
20	Female	186	9	11	5	2	3	30	4	6	2
21	Nonwhite—Male	210	7	10	4	4	2	27	4	-	2
22	Female	164	10	8	4	7	6	35	7	5	5
23	Syphilis and its sequelae (020-029)	3,469	26	1	-	-	2	29	-	1	4
24	White—Male	1,637	3	-	-	-	-	3	-	-	2
25	Female	603	3	-	-	-	-	3	-	-	1
26	Nonwhite—Male	852	16	-	-	-	1	17	-	1	-
27	Female	377	4	1	-	-	1	6	-	-	1
28	Dysentery, all forms (045-048)	407	187	28	11	8	4	238	12	3	5
29	White—Male	153	67	8	2	3	1	81	5	-	1
30	Female	110	44	9	2	3	2	60	5	2	2
31	Nonwhite—Male	92	50	7	6	1	1	65	2	-	-
32	Female	52	26	4	1	1	-	32	-	1	2
33	Scarlet fever and streptococcal sore throat (050,051)	139	17	8	10	5	6	46	13	6	7
34	White—Male	57	6	4	6	2	3	21	4	2	4
35	Female	54	4	3	1	1	2	11	7	3	3
36	Nonwhite—Male	12	2	1	2	1	1	7	-	1	-
37	Female	16	5	-	1	1	-	7	2	-	-
38	Diphtheria (055)	74	3	6	5	9	7	30	26	7	1
39	White—Male	24	1	3	1	1	1	7	9	2	1
40	Female	23	1	1	-	4	3	9	9	3	-
41	Nonwhite—Male	12	1	1	1	2	1	6	3	1	-
42	Female	15	-	1	3	2	2	8	5	1	-
43	Whooping cough (056)	177	130	26	12	3	2	173	3	-	-
44	White—Male	44	29	5	6	-	1	41	2	-	-
45	Female	47	37	6	3	-	1	47	-	-	-
46	Nonwhite—Male	42	31	7	1	2	-	41	1	-	-
47	Female	44	33	8	2	1	-	44	-	-	-
48	Meningococcal infections (057)	746	242	108	80	57	20	507	51	27	19
49	White—Male	310	104	45	34	24	11	218	17	14	8
50	Female	309	98	48	35	20	7	208	20	10	8
51	Nonwhite—Male	68	26	9	4	7	-	46	5	2	1
52	Female	59	14	6	7	6	2	35	9	1	2
53	Acute poliomyelitis (080)	255	16	5	8	15	13	57	26	20	28
54	White—Male	136	6	3	3	6	6	24	17	8	16
55	Female	76	4	-	2	5	5	16	6	8	8
56	Nonwhite—Male	27	3	2	1	3	1	10	2	1	2
57	Female	16	3	-	2	1	1	7	1	3	2
58	Measles (085)	552	132	127	67	45	44	415	90	15	5
59	White—Male	220	43	49	22	22	22	158	37	9	3
60	Female	206	38	48	29	15	15	145	46	3	1
61	Nonwhite—Male	69	28	16	6	6	4	60	5	1	-
62	Female	57	23	14	10	2	3	52	2	2	1
63	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	5,227	847	199	119	85	64	1,314	208	127	125
64	White—Male	2,267	335	84	53	36	26	534	83	50	50
65	Female	1,947	232	66	39	38	23	398	87	54	48
66	Nonwhite—Male	530	155	23	11	5	10	204	24	13	14
67	Female	483	125	26	16	6	5	178	14	10	13
68	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	254,426	261	354	468	429	468	1,980	1,312	965	987
69	White—Male	123,011	130	166	252	213	229	990	657	476	551
70	Female	108,801	104	149	174	178	199	804	526	379	345
71	Nonwhite—Male	11,767	11	20	24	14	19	88	72	52	45
72	Female	10,847	16	19	18	24	21	98	57	58	46
73	Malignant neoplasm of buccal cavity and pharynx (140-148)	5,766	-	-	-	1	1	2	8	9	14
74	White—Male	4,069	-	-	-	1	-	1	5	4	8
75	Female	1,219	-	-	-	-	1	1	2	3	4
76	Nonwhite—Male	352	-	-	-	-	-	-	-	2	2
77	Female	126	-	-	-	-	-	-	1	-	-
78	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	88,144	24	20	18	4	11	77	16	19	36
79	White—Male	43,585	10	10	8	2	5	35	10	4	23
80	Female	36,741	12	9	7	1	5	34	2	5	10
81	Nonwhite—Male	4,600	-	-	2	-	-	2	4	5	1
82	Female	3,218	2	1	1	1	1	6	-	5	2

by Age, Color, and Sex: United States, 1958

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,107	14,334	19,883	28,517	41,978	62,046	87,449	113,473	149,905	192,596	212,254	206,994	176,178	112,455	44,998	10,968	1,819	771	1
9,334	9,275	12,105	17,134	25,893	38,952	56,645	73,585	95,370	118,026	121,878	109,642	84,855	49,347	17,878	3,868	574	439	2
3,773	5,059	7,778	11,383	16,085	23,094	30,804	39,888	54,535	74,570	90,376	97,352	91,323	63,108	27,120	7,100	1,245	332	3
7,606	7,205	9,300	13,660	21,242	32,665	48,562	63,709	84,925	106,083	112,116	102,489	80,278	46,712	16,848	3,505	387	270	4
2,803	3,600	5,416	8,304	12,094	17,861	24,086	31,948	46,278	65,535	82,348	91,466	87,095	60,548	25,829	6,645	925	191	5
1,728	2,070	2,805	3,474	4,651	6,287	8,083	9,876	10,445	11,943	9,762	7,153	4,577	2,635	1,030	363	187	169	6
970	1,459	2,362	3,079	3,991	5,233	6,718	7,940	8,257	9,035	8,028	5,886	4,228	2,560	1,291	455	320	141	7
153	274	504	654	803	1,021	1,243	1,346	1,422	1,527	1,276	961	541	224	63	11	3	6	8
31	53	119	200	347	516	747	837	933	1,014	836	589	329	114	34	3	2	4	9
32	68	127	168	166	179	181	182	195	221	255	252	167	74	24	4	-	1	10
38	68	117	161	183	243	241	252	231	227	149	89	34	28	4	2	1	1	11
52	85	141	125	107	83	74	75	63	65	36	31	11	8	1	2	-	-	12
130	242	462	608	748	970	1,188	1,273	1,339	1,440	1,216	921	512	212	61	10	3	6	13
27	48	113	183	326	499	732	809	898	973	810	572	312	107	33	2	2	4	14
29	58	122	161	160	166	167	172	179	203	238	238	158	72	24	4	-	1	15
31	57	105	152	164	231	228	224	205	209	138	83	32	26	3	2	1	1	16
43	79	122	112	98	74	61	68	57	55	30	28	10	7	1	2	-	-	17
23	32	42	46	55	51	55	73	83	87	60	40	29	12	2	1	-	-	18
4	5	6	17	21	17	15	28	35	41	26	17	17	7	1	1	-	-	19
3	10	5	7	6	13	14	10	16	18	17	14	9	2	-	-	-	-	20
7	11	12	9	19	12	13	28	26	18	11	6	2	2	1	-	-	-	21
9	6	19	13	9	9	13	7	6	10	6	3	1	1	-	-	-	-	22
9	13	28	60	87	207	332	482	565	590	489	329	146	71	19	4	-	4	23
3	5	11	11	20	65	116	229	290	325	275	167	76	31	7	-	-	1	24
1	3	2	8	9	23	53	54	85	97	103	85	42	25	7	2	-	-	25
3	3	10	24	35	75	109	146	141	120	76	52	23	9	4	2	-	2	26
2	2	5	17	23	44	54	53	49	48	35	25	5	6	1	-	-	1	27
2	3	6	7	7	8	13	7	15	15	26	16	14	5	4	-	1	-	28
-	1	3	4	3	2	6	3	4	8	11	7	8	3	3	-	-	-	29
-	1	2	2	1	-	1	2	6	4	7	7	4	2	1	-	1	-	30
-	-	1	-	2	1	5	1	4	3	7	1	-	-	-	-	-	-	31
2	1	-	1	1	5	1	1	1	-	1	1	2	-	-	-	-	-	32
2	6	3	5	2	2	7	5	6	4	6	6	5	8	-	-	-	-	33
1	2	2	2	-	1	3	1	2	2	3	4	1	2	-	-	-	-	34
-	2	1	1	1	1	1	3	4	2	2	2	4	6	-	-	-	-	35
-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	36
1	1	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	37
-	2	1	1	-	-	3	-	2	-	1	-	-	-	-	-	-	-	38
-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	39
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	40
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
15	8	5	6	12	16	15	13	14	19	12	5	1	1	-	-	-	-	48
6	3	1	1	6	5	4	6	7	9	4	1	-	-	-	-	-	-	49
7	4	3	2	4	7	4	6	5	9	7	3	1	1	-	-	-	-	50
1	-	-	1	1	2	4	1	2	1	1	-	-	-	-	-	-	-	51
1	1	1	2	1	2	3	-	-	-	-	1	-	-	-	-	-	-	52
27	34	30	11	9	2	6	1	3	-	1	-	-	-	-	-	-	-	53
11	24	16	6	4	2	5	-	2	-	1	-	-	-	-	-	-	-	54
13	7	7	4	4	-	1	1	1	-	-	-	-	-	-	-	-	-	55
2	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
6	2	3	5	5	-	2	-	1	1	-	1	-	1	-	-	-	-	58
2	1	1	2	3	-	1	-	1	1	-	-	-	1	-	-	-	-	59
3	1	-	3	2	-	1	-	-	-	-	1	-	-	-	-	-	-	60
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
116	127	185	208	221	272	288	334	336	348	344	287	209	119	47	9	2	1	63
32	35	64	75	83	113	137	170	175	183	174	136	105	47	18	3	-	-	64
57	60	80	83	85	100	87	116	112	121	141	126	91	67	27	6	1	-	65
11	16	11	26	23	27	32	27	32	23	22	14	7	4	-	-	-	-	66
16	16	30	24	30	32	32	21	17	21	7	11	6	1	2	-	1	1	67
1,011	1,529	2,987	5,384	8,813	14,031	20,384	26,334	33,063	38,428	36,257	28,922	19,564	9,228	2,681	451	51	64	68
522	673	1,142	1,830	2,989	5,282	8,848	12,421	17,019	20,055	19,251	15,020	9,678	4,280	1,121	175	14	17	69
358	642	1,387	2,799	4,548	6,877	8,903	10,771	12,938	15,156	14,640	12,373	9,063	4,557	1,428	254	28	25	70
71	93	158	250	484	825	1,255	1,637	1,743	1,906	1,430	897	477	200	60	11	4	9	71
60	121	300	505	792	1,047	1,378	1,505	1,363	1,311	936	632	346	191	72	11	5	13	72
9	20	35	77	175	348	550	710	815	839	738	657	435	237	67	19	2	-	73
7	6	17	44	96	225	381	509	615	631	556	464	288	156	44	12	-	-	74
-	9	7	19	47	71	111	125	130	151	146	159	132	73	20	7	2	-	75
2	3	4	9	19	38	40	59	57	44	26	27	11	6	3	-	-	-	76
-	2	7	5	13	14	18	17	13	13	10	7	4	2	-	-	-	-	77
99	174	468	990	1,867	3,454	5,709	8,188	11,356	14,320	14,920	12,315	8,660	4,092	1,176	165	14	29	78
42	81	210	445	814	1,572	2,796	4,056	5,880	7,411	7,792	6,215	4,023	1,697	407	59	5	8	79
33	61	180	403	774	1,328	2,040	2,960	4,305	5,652	6,129	5,462	4,293	2,230	720	101	7	12	80
17	15	50	76	155	333	492	678	711	783	629	355	189	84	15	1	1	4	81
7	17	28	66	124	221	381	494	460	474	370	283	155	81	34	4	1	5	82

Table 81A. Deaths From 59 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	35,423	8	2	6	3	4	23	9	15	17
2	White—Male	27,758	4	1	3	1	2	11	4	9	10
3	Female	4,854	3	1	3	1	2	10	4	6	5
4	Nonwhite—Male	2,367	-	-	-	-	-	-	-	-	1
5	Female	444	1	-	-	1	-	2	1	-	1
6	Malignant neoplasm of breast (170)	22,675	3	-	-	-	-	3	-	1	2
7	White—Male	195	-	-	-	-	-	-	-	-	-
8	Female	20,806	1	-	-	-	-	1	-	1	1
9	Nonwhite—Male	20	-	-	-	-	-	-	-	-	-
10	Female	1,654	2	-	-	-	-	2	-	-	1
11	Malignant neoplasm of genital organs (171-179)	38,390	1	6	8	5	3	23	7	25	64
12	White—Male	13,356	1	4	7	2	1	15	2	3	31
13	Female	20,123	-	1	-	2	2	5	4	18	27
14	Nonwhite—Male	1,706	-	-	-	1	-	1	-	-	1
15	Female	3,205	-	1	1	-	-	2	1	4	5
16	Malignant neoplasm of urinary organs (180,181)	12,122	15	29	59	39	44	186	97	14	11
17	White—Male	7,511	8	14	36	19	14	91	36	5	6
18	Female	3,747	6	10	16	15	24	71	47	6	2
19	Nonwhite—Male	525	-	2	3	2	4	11	6	1	2
20	Female	339	1	3	4	3	2	13	8	2	1
21	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	27,978	90	123	150	116	104	583	401	358	342
22	White—Male	13,622	50	52	74	49	48	273	204	164	178
23	Female	11,994	30	57	62	49	44	242	148	154	133
24	Nonwhite—Male	1,211	6	6	9	8	4	33	29	20	18
25	Female	1,151	4	8	5	10	8	35	20	20	13
26	Leukemia and aleukemia (204)	11,980	94	135	201	231	279	940	677	388	331
27	White—Male	6,524	43	67	109	121	145	485	338	204	189
28	Female	4,669	41	58	78	98	115	390	293	147	109
29	Nonwhite—Male	432	4	6	9	3	10	32	24	15	17
30	Female	355	6	4	5	9	9	33	22	22	16
31	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	11,948	26	39	26	30	22	143	97	136	170
32	White—Male	6,391	14	18	15	18	14	79	58	83	106
33	Female	4,648	11	13	8	12	6	50	26	39	54
34	Nonwhite—Male	554	1	6	1	-	1	9	9	9	3
35	Female	355	-	2	2	-	1	5	4	5	7
36	Benign neoplasms and neoplasms of unspecified nature (210-239)	4,961	135	36	30	31	35	267	113	94	84
37	White—Male	1,997	45	20	7	17	14	103	44	37	41
38	Female	2,252	72	13	13	11	15	124	52	43	29
39	Nonwhite—Male	254	6	3	5	1	4	19	7	7	3
40	Female	448	12	-	5	2	2	21	10	7	11
41	Asthma (241)	5,035	31	22	15	14	8	90	27	29	27
42	White—Male	3,046	12	9	4	7	3	35	9	11	5
43	Female	1,359	7	6	8	3	4	28	6	10	13
44	Nonwhite—Male	338	8	3	2	3	-	16	9	2	3
45	Female	292	4	4	1	1	1	11	3	6	6
46	Diabetes mellitus (260)	27,501	14	17	15	11	11	68	34	75	74
47	White—Male	9,920	5	8	7	7	3	30	13	24	27
48	Female	14,459	8	5	6	3	7	29	15	32	30
49	Nonwhite—Male	1,041	1	3	-	-	-	4	4	5	7
50	Female	2,082	-	1	2	1	1	5	2	14	10
51	Anemias (290-293)	3,195	128	71	49	28	25	301	95	61	55
52	White—Male	1,279	34	14	10	5	5	68	24	23	14
53	Female	1,371	34	21	15	12	7	89	44	17	14
54	Nonwhite—Male	283	39	21	12	7	5	84	11	16	17
55	Female	262	21	15	12	4	8	60	16	5	10
56	Meningitis, except meningococcal and tuberculous (340)	2,247	877	199	124	87	34	1,321	96	41	39
57	White—Male	958	352	81	57	35	19	544	47	19	20
58	Female	864	249	68	34	27	7	385	30	17	10
59	Nonwhite—Male	349	152	29	22	12	4	219	12	2	5
60	Female	276	124	21	11	13	4	173	7	3	4
61	Major cardiovascular-renal diseases (330-334,400-468,592-594)	907,316	554	183	100	94	72	1,003	387	485	831
62	White—Male	458,680	233	62	47	38	29	409	167	189	349
63	Female	358,090	169	66	25	29	28	317	136	185	301
64	Nonwhite—Male	47,003	78	31	14	12	9	144	46	51	80
65	Female	43,543	74	24	14	15	6	133	38	82	101
66	Diseases of cardiovascular system (330-334,400-468)	893,469	524	176	92	79	65	936	318	393	641
67	White—Male	452,703	221	61	44	31	26	383	135	149	267
68	Female	353,184	156	62	23	25	25	293	108	147	221
69	Nonwhite—Male	45,482	73	29	13	9	8	132	40	39	67
70	Female	42,120	72	24	12	14	6	128	35	58	86
71	Vascular lesions affecting central nervous system (330-334)	190,758	187	67	36	35	22	347	122	122	157
72	White—Male	79,666	81	25	20	18	10	154	54	51	87
73	Female	87,378	59	25	6	7	9	106	41	52	57
74	Nonwhite—Male	11,410	24	12	7	6	1	50	15	10	19
75	Female	12,304	23	5	3	4	2	37	12	9	14
76	Diseases of heart (400-402,410-443)	637,246	288	100	47	34	39	519	181	249	395
77	White—Male	342,504	117	31	22	12	16	198	73	91	173
78	Female	238,045	92	35	14	14	13	168	61	87	122
79	Nonwhite—Male	30,408	44	15	4	2	6	71	24	28	45
80	Female	26,289	46	19	7	6	4	82	23	43	55

by Age, Color, and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
24	62	199	506	1,112	2,196	3,749	5,068	6,438	6,518	4,741	2,805	1,323	485	111	17	2	3	1
18	38	124	301	720	1,576	2,886	4,124	5,364	5,373	3,814	2,107	911	296	63	7	1	1	2
4	15	46	121	217	356	438	496	595	696	689	578	358	168	43	7	1	1	3
2	8	24	63	139	221	365	391	412	380	201	97	41	16	2	3	-	1	4
-	1	5	21	36	43	60	57	67	69	37	23	13	5	3	-	-	-	5
16	88	361	900	1,606	2,298	2,641	2,768	2,702	2,743	2,384	1,880	1,318	675	223	38	5	3	6
-	-	2	4	9	7	10	28	27	23	29	27	12	14	2	1	-	-	7
12	70	304	785	1,406	2,076	2,419	2,503	2,481	2,567	2,239	1,774	1,262	632	212	54	5	2	8
-	-	-	-	2	2	2	2	3	2	4	2	-	1	-	-	-	-	9
4	18	55	111	189	213	210	235	191	151	112	77	44	28	9	3	-	1	10
146	276	607	1,078	1,588	2,245	2,901	3,478	4,321	5,311	5,472	4,919	3,585	1,734	499	88	11	12	11
79	89	112	110	85	105	208	435	995	1,840	2,633	2,791	2,311	1,133	323	49	4	3	12
51	142	363	746	1,194	1,729	2,170	2,453	2,706	2,768	2,299	1,735	1,054	493	130	30	2	4	13
1	3	3	6	16	24	61	152	243	360	322	254	150	68	33	6	1	1	14
15	42	129	216	293	387	462	438	377	343	218	139	70	40	13	3	4	4	15
11	24	40	114	227	455	759	1,118	1,413	2,021	1,995	1,728	1,144	567	164	27	5	2	16
3	10	20	55	133	262	451	715	951	1,346	1,272	1,087	664	303	87	13	1	-	17
4	7	10	49	49	129	184	288	362	553	617	578	450	250	73	14	4	-	18
1	4	6	7	23	37	74	71	65	78	65	44	18	8	2	-	-	2	19
3	3	4	3	22	27	50	44	35	44	41	19	12	6	2	-	-	-	20
283	376	599	844	1,234	1,732	2,355	2,834	3,361	3,609	3,211	2,571	1,899	976	325	66	11	8	21
151	173	317	409	583	821	1,207	1,371	1,736	1,781	1,622	1,209	839	420	130	28	3	3	22
97	155	223	347	518	730	894	1,158	1,341	1,526	1,382	1,222	971	524	183	36	7	3	23
22	27	26	38	66	90	132	164	144	155	107	77	48	10	3	1	1	-	24
13	21	33	50	67	91	122	141	140	147	100	63	41	22	9	1	-	2	25
184	196	275	392	400	483	703	798	1,150	1,395	1,417	1,132	722	301	82	10	1	3	26
88	95	122	192	220	256	357	420	639	800	824	647	407	184	51	5	-	1	27
73	70	109	160	138	177	285	312	440	519	541	461	303	107	29	5	-	1	28
15	22	25	19	18	24	31	37	42	45	32	17	10	4	2	-	1	-	29
8	9	19	21	24	26	30	29	29	31	20	7	2	6	-	-	-	1	30
239	313	403	483	604	820	1,017	1,372	1,507	1,672	1,379	915	478	161	34	1	-	4	31
134	181	218	270	329	458	552	763	812	850	709	473	223	77	14	1	-	1	32
84	113	145	189	205	281	362	476	578	724	598	404	240	80	18	-	-	2	33
11	11	20	32	46	56	58	83	66	59	44	24	10	3	-	-	-	1	34
10	8	20	12	24	25	45	50	51	39	28	14	5	1	2	-	-	-	35
91	121	201	272	360	442	447	454	466	494	401	266	218	126	34	7	1	2	36
43	40	64	79	114	164	189	207	215	214	187	123	77	39	13	3	-	1	37
30	63	88	117	168	203	197	177	202	234	182	128	125	76	19	4	1	-	38
5	4	15	21	18	21	28	32	21	20	14	8	9	2	-	-	-	-	39
13	14	34	55	60	54	33	38	28	26	18	7	7	9	2	-	-	1	40
50	68	90	134	192	292	411	520	683	736	690	522	290	140	37	5	1	1	41
9	18	26	30	69	117	226	338	478	523	499	379	180	75	15	4	-	-	42
25	22	35	53	58	103	120	118	157	148	151	122	105	60	22	1	1	-	43
6	8	14	19	26	31	34	43	32	46	30	13	2	3	-	-	-	1	44
10	20	15	32	38	41	31	21	16	19	10	8	3	2	-	-	-	-	45
129	223	352	445	532	814	1,416	2,260	3,338	4,629	5,037	4,092	2,518	1,157	272	29	3	4	46
50	99	186	225	233	318	549	831	1,138	1,601	1,721	1,472	880	411	97	14	-	1	47
51	78	112	143	160	298	518	973	1,777	2,529	2,951	2,389	1,515	683	159	12	2	2	48
13	22	24	41	50	61	108	133	111	163	131	79	45	32	7	1	-	-	49
15	24	30	36	89	137	241	323	312	336	234	152	78	31	9	2	1	1	50
46	43	50	67	65	82	120	153	231	327	405	423	360	200	84	23	1	3	51
9	10	19	11	24	38	45	56	114	144	196	206	153	81	39	5	-	-	52
16	11	9	26	15	32	39	64	93	149	182	200	195	112	43	18	1	2	53
8	8	10	11	12	5	19	12	11	22	18	7	7	3	1	-	-	1	54
13	14	12	19	14	7	17	21	13	12	9	10	5	4	1	-	-	-	55
27	35	40	31	46	68	82	86	94	88	66	43	23	14	6	1	-	-	56
10	16	14	10	18	26	35	38	36	38	42	24	11	9	1	-	-	-	57
10	6	10	7	13	20	21	19	36	28	18	15	11	4	3	1	-	-	58
3	7	10	8	9	15	12	14	9	18	4	2	-	-	-	-	-	-	59
4	6	6	6	6	7	14	15	13	4	2	2	1	1	2	-	-	-	60
1,210	2,074	4,321	8,277	15,873	27,199	43,066	60,335	85,444	117,088	138,371	143,627	128,369	84,900	34,388	8,362	1,302	404	61
535	839	1,931	4,356	9,122	16,082	25,986	35,920	49,650	64,825	72,138	69,430	56,939	34,308	12,522	2,597	271	115	62
396	611	1,095	1,784	3,154	5,503	9,131	14,218	24,398	38,980	54,370	65,252	65,218	46,866	20,204	5,172	685	116	63
130	279	592	1,023	1,832	2,868	4,195	5,439	6,054	7,225	6,199	4,739	3,108	1,810	727	250	124	88	64
149	345	703	1,114	1,765	2,746	3,754	4,758	5,342	6,058	5,664	4,206	3,104	1,916	935	343	222	85	65
980	1,786	3,915	7,828	15,222	26,454	42,149	59,316	84,289	115,590	136,759	142,054	126,959	83,818	34,022	8,281	1,283	396	66
412	699	1,753	4,144	8,858	15,778	25,612	35,511	49,162	64,189	71,420	68,724	56,301	33,886	12,384	2,573	268	115	67
322	525	969	1,668	3,001	5,301	8,858	13,937	24,040	38,441	53,775	64,627	64,598	46,411	20,024	5,127	679	114	68
108	256	554	967	1,724	2,751	4,059	5,278	5,887	7,049	6,031	4,611	3,033	1,745	702	246	119	84	69
138	306	639	1,049	1,659	2,624	3,620	4,590	5,200	5,911	5,533	4,092	3,029	1,876	912	335	217	83	70
244	393	745	1,297	2,360	3,881	6,382	9,280	14,404	22,273	29,969	34,593	32,474	21,389	8,070	1,886	276	94	71
117	141	231	420	754	1,341	2,441	3,782	6,191	10,100	13,693	15,256	13,424	8,176	2,665	532	54	22	72
77	137	239	391	775	1,238	2,042	2,926	5,088	8,440	12,949	16,850	17,347	12,230	5,013	1,218	133	29	73
20	48	110	205	329	598	874	1,314	1,525	1,883	1,635	1,232	812	469	162	58	24	18	74
30	67	165	281	502	704	1,025	1,258	1,600	1,850	1,692	1,255	891	514	230	78	65	25	75
605	1,147	2,754	5,866	11,890	21,162	33,683	47,342	65,708	86,991	98,193	97,138	83,167	53,174	21,025	5,016	765	276	76
256	498	1,415	3,538	7,737	13,841	22,196	30,306	40,640	50,704	53,192	48,388	37,702	21,827	7,870	1,613	162	84	77
188	303	612	1,103	1,968	3,726	6,289	10,315	17,767	27,947	37,626	43,293	41,688	29,084	12,170	3,041	407	80	78
76	166	365	618	1,223	1,924	2,888	3,675	3,983	4,689	3,936	2,964	1,932	1,081	429	150	82	59	79
85	180	362	607	962	1,671	2,310	3,046	3,318	3,651	3,459	2,493	1,845	1,182	556	212	114	53	80

Table 81 A. Deaths From 59 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Major cardiovascular-renal diseases—Continued										
	Diseases of cardiovascular system—Continued										
	Diseases of heart—Continued										
1	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	18,796	12	7	10	9	12	50	93	157	221
2	White—Male	8,274	2	1	5	3	4	15	29	48	97
3	White—Female	8,936	5	4	3	5	5	22	32	58	69
4	Nonwhite—Male	756	3	-	1	-	2	6	15	19	22
5	Nonwhite—Female	830	2	2	1	1	1	7	17	32	33
6	Arteriosclerotic heart disease, including coronary disease (420)	461,373	9	4	2	1	2	18	12	14	37
7	White—Male	271,556	3	4	-	-	1	8	5	7	23
8	White—Female	160,438	2	-	1	1	1	5	4	4	7
9	Nonwhite—Male	17,051	2	-	-	-	-	2	2	1	6
10	Nonwhite—Female	12,328	2	-	1	-	-	3	1	2	1
11	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	58,595	54	23	10	6	5	98	23	15	40
12	White—Male	25,431	21	9	6	1	3	40	15	6	18
13	White—Female	26,640	20	4	3	2	1	30	2	6	15
14	Nonwhite—Male	3,403	7	3	-	-	1	11	3	-	6
15	Nonwhite—Female	3,121	6	7	1	3	-	17	3	3	1
16	Other diseases of heart (430-434)	24,548	223	65	25	18	20	351	53	60	87
17	White—Male	12,004	90	17	11	8	8	134	24	28	31
18	White—Female	8,479	65	27	7	6	6	111	23	18	28
19	Nonwhite—Male	2,382	32	12	3	2	3	52	4	8	10
20	Nonwhite—Female	1,683	36	9	4	2	3	54	2	6	18
21	Hypertensive heart disease (440-443)	73,934	1	1	-	-	-	2	-	3	10
22	White—Male	25,239	1	-	-	-	-	1	-	2	4
23	White—Female	33,552	-	-	-	-	-	-	-	1	3
24	Nonwhite—Male	6,816	-	-	-	-	-	-	-	-	1
25	Nonwhite—Female	8,327	-	1	-	-	-	1	-	-	2
26	Other hypertensive disease (444-447)	13,798	-	1	-	1	-	2	2	2	15
27	White—Male	5,591	-	1	-	-	-	1	2	1	3
28	White—Female	5,526	-	-	-	-	-	-	-	1	6
29	Nonwhite—Male	1,368	-	-	-	-	-	-	-	-	2
30	Nonwhite—Female	1,313	-	-	-	1	-	1	-	-	4
31	General arteriosclerosis (450)	34,483	-	-	1	-	-	1	1	-	-
32	White—Male	15,264	-	-	-	-	-	-	1	-	-
33	White—Female	16,599	-	-	-	-	-	-	-	-	-
34	Nonwhite—Male	1,324	-	-	1	-	-	1	-	-	-
35	Nonwhite—Female	1,296	-	-	-	-	-	-	-	-	-
36	Other diseases of circulatory system (451-468)	17,204	38	8	8	9	4	67	12	20	74
37	White—Male	9,678	23	4	2	1	-	30	5	6	24
38	White—Female	5,636	7	2	3	4	3	19	6	7	36
39	Nonwhite—Male	972	5	2	1	1	1	10	1	1	1
40	Nonwhite—Female	918	3	-	2	3	-	8	-	6	13
41	Chronic and unspecified nephritis and other renal sclerosis (592-594)	13,827	30	7	8	15	7	67	69	92	190
42	White—Male	5,977	12	1	3	7	3	26	32	40	82
43	White—Female	4,906	11	4	2	4	3	24	28	36	80
44	Nonwhite—Male	1,521	5	2	1	3	1	12	6	12	13
45	Nonwhite—Female	1,423	2	-	2	1	-	5	3	4	15
46	Influenza and pneumonia, except pneumonia of newborn (480-493)	57,439	9,918	1,435	567	316	205	12,441	489	274	289
47	White—Male	26,549	3,504	482	188	116	77	4,367	194	114	129
48	White—Female	18,916	2,651	421	200	107	75	3,454	168	107	94
49	Nonwhite—Male	6,382	2,078	268	94	46	28	2,514	58	27	38
50	Nonwhite—Female	4,592	1,685	264	85	47	25	2,106	69	26	28
51	Influenza (480-483)	4,442	446	102	35	23	13	619	40	24	36
52	White—Male	1,732	122	28	16	8	5	179	12	8	16
53	White—Female	1,608	84	26	10	6	3	129	13	11	16
54	Nonwhite—Male	610	130	23	4	3	3	163	6	2	1
55	Nonwhite—Female	492	110	25	5	6	2	148	9	3	3
56	Pneumonia, except pneumonia of newborn (490-493)	52,997	9,472	1,333	532	293	192	11,822	449	250	253
57	White—Male	24,817	3,382	454	172	108	72	4,188	182	106	113
58	White—Female	18,308	2,567	395	190	101	72	3,325	155	96	78
59	Nonwhite—Male	5,772	1,948	245	90	43	25	2,351	52	25	37
60	Nonwhite—Female	4,100	1,575	239	80	41	23	1,958	60	23	25
61	Bronchitis (500-502)	3,973	780	195	107	58	27	1,167	61	18	16
62	White—Male	2,369	348	92	38	37	13	528	28	9	7
63	White—Female	1,115	246	61	52	15	9	383	25	4	7
64	Nonwhite—Male	284	102	25	9	3	4	143	2	4	1
65	Nonwhite—Female	205	84	17	8	3	1	113	6	1	1
66	Ulcer of stomach and duodenum (540,541)	10,801	75	6	3	3	3	90	7	5	13
67	White—Male	7,528	24	5	2	1	2	34	3	3	9
68	White—Female	2,409	21	1	1	2	1	26	1	1	3
69	Nonwhite—Male	602	15	-	-	-	-	15	-	1	1
70	Nonwhite—Female	262	15	-	-	-	-	15	3	-	-
71	Appendicitis (550-553)	1,845	24	14	9	11	10	68	63	61	37
72	White—Male	978	9	9	3	6	5	32	26	28	18
73	White—Female	575	10	2	2	3	4	21	20	20	10
74	Nonwhite—Male	168	4	-	1	1	-	6	13	8	4
75	Nonwhite—Female	124	1	3	3	1	1	9	4	5	5
76	Hernia and intestinal obstruction (560,561,570)	8,853	951	46	27	12	11	1,047	29	21	31
77	White—Male	3,838	471	21	10	5	4	511	14	8	16
78	White—Female	3,864	306	12	5	4	5	332	7	8	8
79	Nonwhite—Male	624	118	7	9	2	2	138	6	5	4
80	Nonwhite—Female	527	56	6	3	1	-	66	2	-	3

by Age, Color, and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
282	431	771	1,058	1,419	1,966	2,164	2,214	2,204	1,872	1,512	1,096	742	393	119	26	3	3	1
114	171	350	472	673	868	974	997	1,023	848	665	440	292	158	35	4	-	1	2
108	157	308	445	593	924	1,041	1,071	1,067	937	777	606	412	217	71	19	1	1	3
26	42	50	59	80	79	73	81	57	46	39	29	18	10	4	1	-	-	4
34	61	63	82	73	95	76	65	57	41	31	21	20	8	9	2	2	1	5
131	387	1,336	3,562	8,307	15,430	25,377	36,113	50,888	66,686	73,635	69,801	57,454	34,915	13,505	3,144	452	169	6
70	223	880	2,646	6,325	11,632	18,836	25,644	34,295	41,913	42,632	37,040	27,632	15,202	5,333	1,045	104	61	7
27	64	168	427	943	1,991	3,845	6,892	12,672	20,262	27,048	29,848	27,807	18,546	7,664	1,908	255	51	8
17	54	165	294	644	1,090	1,658	2,145	2,322	2,698	2,247	1,659	1,097	565	234	77	43	31	9
17	46	123	195	395	717	1,038	1,432	1,599	1,813	1,708	1,254	918	602	274	114	50	26	10
37	86	156	266	449	770	1,338	2,146	3,385	5,414	8,056	10,469	11,274	9,006	4,190	1,148	191	38	11
16	43	57	115	186	335	621	1,009	1,568	2,634	3,825	4,790	4,809	3,486	1,463	345	41	9	12
13	15	28	45	105	195	306	520	1,062	1,863	3,245	4,906	5,854	5,088	2,518	709	102	13	13
4	16	33	62	78	128	222	325	412	518	511	411	302	206	89	38	18	10	14
4	12	38	44	80	112	189	292	343	399	475	362	309	226	120	56	30	6	15
123	163	264	431	639	943	1,436	1,876	2,274	2,985	3,317	3,410	2,941	2,072	845	211	42	25	16
46	49	89	186	295	474	741	985	1,219	1,573	1,717	1,717	1,377	874	345	84	8	8	17
31	54	76	112	131	203	282	388	591	864	1,174	1,355	1,372	1,089	447	110	16	4	18
23	31	41	64	130	150	257	297	282	325	263	221	108	63	27	8	9	9	19
23	29	56	69	83	116	156	206	182	223	163	117	84	46	26	9	9	4	20
32	80	227	549	1,076	2,053	3,368	4,993	6,957	10,034	11,673	12,362	10,756	6,788	2,366	487	77	41	21
10	12	39	119	258	532	1,024	1,671	2,535	3,736	4,353	4,401	3,592	2,107	694	135	9	5	22
9	13	32	74	196	413	815	1,444	2,375	4,021	5,382	6,578	6,243	4,144	1,470	295	33	11	23
6	23	76	139	291	477	678	827	910	1,102	876	644	407	237	75	26	12	9	24
7	32	80	217	331	631	851	1,051	1,137	1,175	1,062	739	514	300	127	31	23	16	25
33	84	179	323	466	603	792	817	1,034	1,421	1,821	1,997	2,075	1,384	583	132	25	8	26
15	18	35	71	116	212	283	330	440	586	817	895	927	577	211	47	3	1	27
9	18	22	45	103	123	199	234	370	563	762	903	1,020	728	329	75	13	3	28
3	26	52	100	117	135	153	132	129	133	132	107	69	46	18	8	4	2	29
6	22	70	107	130	133	157	121	95	139	110	92	59	33	25	2	5	2	30
4	4	11	16	49	83	259	486	1,084	2,182	4,008	6,009	7,669	7,140	4,065	1,189	211	12	31
1	3	3	5	21	44	118	236	558	1,098	1,988	2,892	3,425	2,932	1,522	363	48	6	32
1	-	4	6	10	14	74	123	312	739	1,576	2,694	3,853	3,946	2,364	759	123	1	33
1	1	2	3	7	16	36	56	108	185	230	232	190	131	86	28	9	2	34
1	-	2	2	11	9	31	71	106	160	214	191	201	131	93	39	31	3	35
94	158	226	326	457	725	1,033	1,391	2,059	2,723	2,768	2,317	1,574	831	279	58	6	6	36
23	39	69	110	210	340	574	857	1,333	1,701	1,730	1,293	823	374	116	18	1	2	37
47	67	92	123	145	200	254	339	503	752	862	887	688	423	148	34	3	1	38
8	15	25	41	48	78	108	101	142	159	98	76	30	18	7	2	-	3	39
16	37	40	52	54	107	97	94	81	111	78	61	33	16	8	4	2	-	40
230	288	406	449	651	745	917	1,019	1,155	1,498	1,612	1,573	1,410	982	366	81	19	8	41
123	140	178	212	284	304	374	409	488	636	718	706	638	422	138	24	3	-	42
74	86	126	116	153	202	273	281	358	539	595	625	622	455	180	45	6	2	43
22	23	38	56	108	117	136	161	167	176	168	128	75	65	25	4	5	4	44
11	39	64	65	106	122	134	168	142	147	131	114	75	40	23	8	5	2	45
373	425	577	786	1,061	1,478	1,961	2,583	3,302	4,557	5,571	6,355	6,401	5,110	2,487	745	156	20	46
158	142	200	318	451	672	1,030	1,344	1,847	2,568	3,070	3,297	3,088	2,240	995	279	42	6	47
128	136	153	208	256	377	448	609	797	1,262	1,836	2,525	2,905	2,584	1,365	422	78	3	48
44	74	131	156	230	296	308	419	411	467	408	314	231	158	57	21	16	4	49
43	73	93	104	124	131	175	211	247	260	257	219	178	128	70	23	20	7	50
56	43	49	57	82	112	167	226	256	403	417	509	535	480	242	70	19	-	51
22	20	12	25	23	46	60	88	119	176	205	219	216	172	85	24	5	-	52
17	11	12	16	26	24	46	60	66	130	133	203	268	249	133	37	8	-	53
9	3	13	8	20	28	36	41	40	57	43	62	26	36	8	6	2	-	54
8	9	12	8	13	14	25	37	31	40	36	25	25	23	16	3	4	-	55
317	382	528	729	979	1,364	1,794	2,357	3,046	4,154	5,154	5,846	5,866	4,630	2,245	675	137	20	56
136	122	188	293	428	626	970	1,256	1,728	2,392	2,865	3,078	2,870	2,068	910	255	37	6	57
111	125	141	192	230	353	402	549	731	1,132	1,703	2,322	2,638	2,335	1,232	385	70	3	58
35	71	118	148	210	268	272	378	371	410	365	252	205	122	49	15	14	4	59
35	64	81	96	111	117	150	174	216	220	221	194	153	105	54	20	16	7	60
11	18	30	36	53	81	133	228	355	444	399	348	288	179	81	22	3	2	61
2	8	6	12	24	43	96	156	273	347	295	225	167	98	36	8	-	1	62
5	6	13	13	19	26	23	44	46	67	77	117	106	74	44	13	3	-	63
1	2	6	6	4	2	8	20	31	20	17	3	8	4	-	1	-	1	64
3	2	5	5	6	10	6	8	5	10	10	3	7	3	1	-	-	-	65
24	63	143	241	408	606	879	1,095	1,338	1,467	1,558	1,304	947	442	140	24	2	5	66
10	37	96	142	259	411	636	826	1,010	1,077	1,132	911	591	251	78	9	-	3	67
3	9	20	53	77	110	164	174	221	295	344	324	327	183	58	15	-	1	68
7	12	11	33	44	61	58	75	78	74	60	48	17	4	1	-	1	1	69
4	5	16	13	28	24	21	20	29	21	22	21	12	4	3	-	1	-	70
34	39	45	46	64	97	137	116	183	221	211	185	142	73	19	3	1	-	71
14	11	18	24	27	62	72	61	108	126	122	114	76	29	8	1	1	-	72
10	13	13	10	14	24	36	28	50	67	70	63	55	39	11	1	-	-	73
4	7	7	7	12	4	15	18	13	21	13	5	7	3	-	1	-	-	74
6	8	7	5	11	7	14	9	12	7	6	3	4	2	-	-	-	-	75
31	41	84	120	208	315	407	538	752	970	1,164	1,169	1,046	621	195	56	4	4	76
10	18	21	39	64	100	187	236	357	436	522	521	428	252	76	19	1	2	77
8	17	29	46	88	120	137	199	295	391	528	583	571	349	111	34	1	2	78
8	2	13	17	22	40	34	53	55	75	67	38	28	12	4	2	1	-	79
5	4	21	18	34	55	49	50	45	68	47	27	19	8	4	1	1	-	80

Table 81A. Deaths From 59 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	7,838	2,669	459	106	55	20	3,309	62	31	50
2	White--Male	3,066	820	171	40	21	9	1,061	24	12	23
3	White--Female	3,022	674	157	31	15	7	884	21	13	20
4	Nonwhite--Male	931	649	70	20	9	2	750	9	3	5
5	Nonwhite--Female	819	526	61	15	10	2	614	8	3	2
6	Cirrhosis of liver (581)	18,638	42	7	7	5	2	63	11	26	27
7	White--Male	11,367	18	3	4	3	-	28	5	11	5
8	White--Female	5,639	18	3	3	2	-	26	4	14	17
9	Nonwhite--Male	993	3	1	-	-	2	6	1	1	3
10	Nonwhite--Female	639	3	-	-	-	-	3	1	-	2
11	Cholelithiasis, cholecystitis, and cholangitis (584,585)	4,720	5	-	-	-	-	5	-	-	1
12	White--Male	1,827	1	-	-	-	-	1	-	-	-
13	White--Female	2,647	2	-	-	-	-	2	-	-	-
14	Nonwhite--Male	91	1	-	-	-	-	1	-	-	-
15	Nonwhite--Female	155	1	-	-	-	-	1	-	-	1
16	Acute nephritis, and nephritis with edema including nephrosis (590,591)	2,203	52	28	17	33	27	157	82	58	48
17	White--Male	944	22	7	6	13	12	60	33	28	22
18	White--Female	770	21	3	3	12	9	48	27	20	10
19	Nonwhite--Male	256	6	7	4	4	3	24	13	6	9
20	Nonwhite--Female	233	3	11	4	4	3	25	9	4	7
21	Infections of kidney (600)	6,889	46	8	4	7	2	67	9	16	39
22	White--Male	2,890	19	-	2	1	1	23	2	7	11
23	White--Female	2,732	10	4	2	1	1	18	6	6	22
24	Nonwhite--Male	654	15	2	-	3	-	20	1	1	1
25	Nonwhite--Female	613	2	2	-	2	-	6	-	2	5
26	Hyperplasia of prostate (610)	4,627	1	-	-	-	-	1	-	-	-
27	White--Male	4,047	-	-	-	-	-	-	-	-	-
28	Nonwhite--Male	580	1	-	-	-	-	1	-	-	-
29	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1,581	...	...	...	...	...	...	...	2	137
30	White--Female	938	...	...	...	...	...	...	...	-	79
31	Nonwhite--Female	643	...	...	...	...	...	...	...	2	58
32	Abortion (650-652)	259	...	...	...	...	...	...	...	-	18
33	White--Female	136	...	...	...	...	...	...	...	-	11
34	Nonwhite--Female	123	...	...	...	...	...	...	...	-	7
35	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	1,322	...	...	...	...	...	...	...	2	119
36	White--Female	802	...	...	...	...	...	...	...	-	68
37	Nonwhite--Female	520	...	...	...	...	...	...	...	2	51
38	Congenital malformations (750-759)	21,411	15,555	967	474	304	234	17,534	707	407	318
39	White--Male	10,070	7,327	394	202	135	111	8,169	322	211	168
40	White--Female	8,583	6,185	419	183	123	96	7,006	301	164	118
41	Nonwhite--Male	1,514	1,131	86	43	18	18	1,296	44	21	18
42	Nonwhite--Female	1,244	912	68	46	28	9	1,063	40	11	14
43	Certain diseases of early infancy (760-776)	68,960	68,939	6	2	1	-	68,948	4	4	2
44	White--Male	30,928	30,915	3	2	1	-	30,921	2	3	1
45	White--Female	21,686	21,679	3	-	-	-	21,682	2	1	-
46	Nonwhite--Male	9,114	9,114	-	-	-	-	9,114	-	-	-
47	Nonwhite--Female	7,232	7,231	-	-	-	-	7,231	-	-	1
48	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	31,525	31,524	-	-	-	-	31,524	-	-	1
49	White--Male	15,163	15,163	-	-	-	-	15,163	-	-	-
50	White--Female	10,084	10,084	-	-	-	-	10,084	-	-	-
51	Nonwhite--Male	3,555	3,555	-	-	-	-	3,555	-	-	-
52	Nonwhite--Female	2,723	2,722	-	-	-	-	2,722	-	-	1
53	Infections of newborn (763-768)	5,531	5,530	-	1	-	-	5,531	-	-	-
54	White--Male	2,081	2,080	-	1	-	-	2,081	-	-	-
55	White--Female	1,479	1,479	-	-	-	-	1,479	-	-	-
56	Nonwhite--Male	1,136	1,136	-	-	-	-	1,136	-	-	-
57	Nonwhite--Female	835	835	-	-	-	-	835	-	-	-
58	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	31,904	31,885	6	1	1	-	31,893	4	4	1
59	White--Male	13,684	13,672	3	1	1	-	13,677	2	3	1
60	White--Female	10,123	10,116	3	-	-	-	10,119	2	1	-
61	Nonwhite--Male	4,423	4,423	-	-	-	-	4,423	-	-	-
62	Nonwhite--Female	3,674	3,674	-	-	-	-	3,674	-	-	-
63	Symptoms, senility, and ill-defined conditions (780-795)	19,729	2,752	201	118	57	52	3,180	90	64	106
64	White--Male	7,663	674	39	26	18	9	766	29	29	46
65	White--Female	5,173	494	49	19	10	18	590	20	17	22
66	Nonwhite--Male	3,824	861	66	47	17	11	1,002	21	9	23
67	Nonwhite--Female	3,069	723	47	26	12	14	822	20	9	15
68	All other diseases (Residual)	63,353	4,269	815	481	375	258	6,198	974	693	711
69	White--Male	34,006	1,826	332	216	172	111	2,657	476	361	367
70	White--Female	21,386	1,334	290	173	140	108	2,045	367	234	206
71	Nonwhite--Male	4,627	653	102	45	37	20	857	71	54	74
72	Nonwhite--Female	3,334	456	91	47	26	18	639	60	44	64
73	Accidents (E800-E962)	90,604	3,916	1,647	1,295	1,084	867	8,789	3,444	3,070	6,260
74	White--Male	53,669	1,582	690	600	492	393	3,757	1,854	1,911	4,420
75	White--Female	24,251	1,089	533	355	291	257	2,525	887	694	1,109
76	Nonwhite--Male	8,820	660	211	180	142	106	1,299	399	365	603
77	Nonwhite--Female	3,864	585	213	160	139	111	1,208	304	100	128
78	Motor vehicle accidents (E810-E835)	36,981	293	383	384	388	343	1,791	1,524	1,186	4,021
79	White--Male	24,198	146	159	198	205	175	883	861	729	2,814
80	White--Female	8,532	116	173	121	123	107	640	437	358	871
81	Nonwhite--Male	3,294	17	28	38	30	35	148	161	76	256
82	Nonwhite--Female	957	14	23	27	30	26	120	65	23	80

by Age, Color, and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
52	84	90	118	153	188	260	307	419	535	633	559	515	316	125	29	3	-	1
27	35	41	46	77	95	146	146	215	255	295	236	164	118	41	9	-	-	2
22	36	36	56	59	69	92	116	171	229	292	298	331	180	78	17	2	-	3
1	7	5	9	7	13	10	15	14	25	20	14	9	11	3	1	-	-	4
2	6	8	7	10	11	12	30	19	26	26	11	11	7	3	2	1	-	5
41	117	456	961	1,657	2,299	2,633	2,450	2,281	2,238	1,625	955	527	209	50	9	-	3	6
6	38	180	446	904	1,378	1,639	1,583	1,519	1,594	1,046	553	302	98	27	4	-	1	7
16	37	131	316	562	689	761	681	635	535	510	368	212	99	21	4	-	1	8
8	15	64	97	102	157	146	121	93	83	54	24	6	9	2	1	-	-	9
11	27	81	102	89	75	87	65	34	26	15	10	7	3	-	-	-	1	10
11	19	41	79	78	152	203	307	484	636	779	812	624	346	116	24	1	2	11
1	4	10	22	31	60	71	132	188	249	302	357	256	104	35	4	-	-	12
9	14	24	43	39	72	109	151	265	344	450	436	352	237	79	18	1	2	13
-	-	1	6	1	10	10	7	9	17	10	7	7	2	2	1	-	-	14
1	1	6	8	7	10	13	17	22	26	17	12	9	3	-	1	-	-	15
46	53	77	96	102	125	152	140	153	197	201	189	172	90	44	17	2	2	16
23	20	23	29	38	50	60	56	74	95	96	87	85	40	17	6	1	1	17
12	18	25	26	29	33	51	52	51	68	74	81	76	41	22	6	-	-	18
6	7	15	15	13	22	25	17	14	26	17	10	7	6	1	1	1	1	19
5	8	14	26	22	20	16	15	14	8	14	11	4	3	4	4	-	-	20
43	74	127	147	252	303	412	554	686	875	911	918	779	471	156	37	10	3	21
13	21	35	44	62	88	127	187	283	399	435	453	378	234	77	7	2	2	22
21	35	45	43	97	112	151	202	253	303	370	390	352	208	71	23	3	1	23
4	6	20	27	33	47	62	83	78	108	58	43	32	17	5	6	2	-	24
5	12	27	33	60	56	72	82	72	65	48	32	17	12	3	1	3	-	25
-	-	1	2	4	6	42	119	260	532	758	945	925	730	252	43	3	4	26
-	-	-	1	1	4	20	83	198	419	661	841	849	688	244	36	1	1	27
-	-	1	1	3	2	22	36	62	113	97	104	76	42	8	7	2	3	28
258	336	384	325	127	12	-	-	-	-	-	-	-	-	-	-	-	-	29
150	198	223	198	82	8	-	-	-	-	-	-	-	-	-	-	-	-	30
108	138	161	127	45	4	-	-	-	-	-	-	-	-	-	-	-	-	31
53	69	71	39	9	-	-	-	-	-	-	-	-	-	-	-	-	-	32
23	31	39	26	6	-	-	-	-	-	-	-	-	-	-	-	-	-	33
30	38	32	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	34
205	267	313	286	118	12	-	-	-	-	-	-	-	-	-	-	-	-	35
127	167	184	172	76	8	-	-	-	-	-	-	-	-	-	-	-	-	36
78	100	129	114	42	4	-	-	-	-	-	-	-	-	-	-	-	-	37
241	210	201	242	242	272	251	235	154	137	113	76	41	20	9	-	-	1	38
129	103	89	122	121	142	125	110	73	71	44	38	19	8	6	-	-	-	39
89	84	85	92	96	104	108	93	66	52	60	33	19	9	3	-	-	1	40
9	11	14	16	12	12	8	20	11	10	8	1	1	2	-	-	-	-	41
14	12	13	12	13	14	10	12	4	4	1	4	2	1	-	-	-	-	42
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	44
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	59
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
221	285	355	490	639	888	1,095	1,095	1,323	1,623	1,725	1,720	1,803	1,424	1,028	379	136	80	63
74	78	94	173	255	401	516	510	624	758	807	732	763	526	323	98	23	38	64
47	59	86	98	150	164	189	187	255	316	376	510	686	648	503	190	51	9	65
60	67	91	115	127	178	215	229	284	323	297	271	184	152	97	39	23	17	66
40	61	84	104	107	145	175	169	160	226	245	207	170	98	105	52	39	16	67
775	951	1,377	1,922	2,465	3,218	3,871	4,787	6,146	7,482	7,223	6,204	4,501	2,493	976	284	65	37	68
306	327	512	799	1,127	1,602	2,139	2,861	3,827	4,729	4,394	3,506	2,315	1,134	438	104	14	11	69
282	348	460	629	792	1,080	1,131	1,316	1,693	2,136	2,375	2,402	1,950	1,252	483	167	30	8	70
94	133	194	247	313	328	372	374	412	404	284	184	128	56	22	8	.7	11	71
93	143	211	247	233	208	229	236	214	213	170	112	108	51	33	5	14	7	72
6,484	5,065	4,809	4,917	4,867	4,809	4,559	4,328	4,399	4,720	4,711	4,911	4,731	3,537	1,648	382	67	97	73
4,832	3,617	3,287	3,347	3,232	3,117	3,038	2,755	2,778	2,771	2,558	2,388	1,950	1,333	545	108	15	56	74
765	655	683	777	838	963	867	958	1,102	1,470	1,738	2,236	2,559	2,077	1,039	259	35	15	75
734	646	676	616	628	564	506	468	372	317	232	167	112	60	24	7	5	20	76
153	147	163	177	169	165	148	147	147	162	183	120	110	67	40	8	12	6	77
4,367	3,037	2,619	2,452	2,306	2,202	2,002	1,892	1,826	1,929	1,606	1,184	688	253	61	6	-	29	78
3,311	2,150	1,789	1,618	1,483	1,372	1,259	1,185	1,113	1,177	1,001	769	443	178	43	4	-	16	79
574	453	442	493	465	533	483	492	541	585	499	366	210	68	15	1	-	6	80
408	350	318	271	280	233	200	174	136	128	81	36	24	6	3	-	-	5	81
74	84	70	70	78	64	60	41	36	39	25	13	11	1	-	1	-	2	82

Table 81A. Deaths From 59 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Accidents—Continued										
1	Other accidents (E800-E802,E840-E962)	53,623	3,623	1,264	911	676	524	6,998	1,920	1,884	2,239
2	White—Male	29,471	1,436	531	402	287	218	2,874	993	1,182	1,606
3	White—Female	15,719	973	360	234	168	150	1,885	450	336	238
4	Nonwhite—Male	5,526	643	183	142	112	71	1,151	238	289	347
5	Nonwhite—Female	2,907	571	190	133	109	85	1,088	239	77	48
6	Suicide (E963,E970-E979)	18,519	-	-	-	-	-	-	3	74	367
7	White—Male	13,707	-	-	-	-	-	-	3	58	255
8	White—Female	3,977	-	-	-	-	-	-	-	11	96
9	Nonwhite—Male	659	-	-	-	-	-	-	-	4	10
10	Nonwhite—Female	176	-	-	-	-	-	-	-	1	6
11	Homicide (E964,E980-E985)	7,815	135	32	24	30	24	245	75	86	472
12	White—Male	2,555	45	16	4	8	8	81	38	39	151
13	White—Female	1,096	47	11	10	12	13	93	25	23	70
14	Nonwhite—Male	3,249	24	2	7	5	2	40	4	15	191
15	Nonwhite—Female	915	19	3	3	5	1	31	8	9	60

by Age, Color, and Sex: United States, 1958—Continued

after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,117	2,028	2,190	2,465	2,561	2,607	2,557	2,436	2,573	2,791	3,105	3,727	4,043	3,284	1,587	376	67	68	1
1,521	1,467	1,498	1,729	1,749	1,745	1,779	1,570	1,665	1,594	1,557	1,619	1,507	1,155	502	104	15	40	2
191	202	241	284	373	430	384	466	561	885	1,239	1,870	2,349	2,009	1,024	258	35	9	3
326	296	358	345	348	331	306	294	236	189	151	131	88	54	21	7	5	15	4
79	63	93	107	91	101	88	106	111	123	158	107	99	66	40	7	12	4	5
721	1,018	1,255	1,469	1,767	2,008	2,107	1,906	1,739	1,473	1,175	766	443	175	35	11	1	6	6
495	659	799	1,005	1,285	1,464	1,555	1,449	1,366	1,142	944	642	396	145	31	9	-	5	7
146	265	348	361	407	462	487	385	329	290	207	111	39	26	3	2	1	1	8
61	67	85	84	59	67	50	59	38	35	20	10	6	3	1	-	-	-	9
19	27	23	19	16	15	15	13	6	6	4	3	2	1	-	-	-	-	10
847	994	1,024	953	804	735	512	355	247	195	115	78	35	25	2	1	-	15	11
242	267	290	248	249	245	206	157	119	106	55	30	16	13	1	-	-	3	12
91	91	82	135	100	102	73	49	40	32	32	34	13	9	1	-	-	1	13
395	502	501	435	365	310	191	124	78	51	19	9	6	3	-	1	-	9	14
119	134	151	135	90	78	42	25	10	7	9	5	-	-	-	-	-	2	15

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA																							
	All causes	29,521	2,920	459	213	184	303	395	401	513	697	980	1,300	1,746	2,230	2,485	3,112	3,363	3,303	2,484	1,593	537	220	83
	White---M	10,689	772	122	68	78	130	162	152	190	236	360	465	662	823	947	1,151	1,305	1,342	940	561	180	36	7
	F	7,434	575	97	53	32	56	50	59	83	128	158	238	278	406	476	652	918	1,148	1,014	707	207	91	8
	Nonwhite---M	6,103	888	122	46	46	74	110	110	130	160	260	316	428	512	579	690	603	442	285	161	68	46	27
	F	5,295	685	118	46	28	43	73	80	110	173	202	281	378	489	483	619	537	371	245	164	82	47	41
001-019	Tuberculosis, all forms	378	2	3	1	2	8	10	21	25	28	30	31	37	35	31	37	33	26	11	5	1	-	1
	White---M	131	-	-	-	-	-	2	1	2	6	13	7	14	14	14	17	17	14	8	1	1	-	-
	F	63	-	-	-	-	2	2	2	7	5	1	6	7	5	3	5	8	6	2	1	-	-	1
	Nonwhite---M	120	2	2	-	-	3	1	9	6	8	9	16	13	14	12	12	7	5	-	1	-	-	-
	F	64	-	1	1	2	3	5	9	10	9	7	2	3	2	2	3	1	1	1	2	-	-	-
001-008	Tuberculosis of resp. system	359	1	1	1	2	6	10	21	23	26	28	31	34	34	29	36	33	25	11	5	1	-	1
	White---M	129	-	-	-	-	-	2	1	2	6	13	7	14	14	14	16	17	13	8	1	1	-	-
	F	61	-	-	-	-	1	2	2	7	5	1	6	7	5	2	5	8	6	2	1	-	-	1
	Nonwhite---M	111	1	1	-	-	3	1	9	5	6	9	16	11	13	11	12	7	5	-	1	-	-	-
	F	58	-	-	1	2	2	5	9	9	9	5	2	2	2	2	3	1	1	1	2	-	-	-
010-019	Tuberculosis, other forms	19	1	2	-	-	2	-	-	2	2	2	-	3	1	2	1	-	1	-	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	9	1	1	-	-	-	-	-	1	2	-	-	2	1	1	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	91	2	-	-	1	-	1	-	-	3	2	11	7	14	18	9	11	9	2	1	-	-	-
	White---M	20	-	-	-	-	-	-	-	-	-	-	1	-	6	2	3	5	2	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	Nonwhite---M	36	1	-	-	1	-	1	-	-	2	-	4	1	6	9	5	3	4	1	-	-	-	-
	F	29	1	-	-	-	-	-	-	-	1	2	6	5	2	5	1	2	3	1	-	-	-	-
045-048	Dysentery, all forms	10	4	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite---M	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White---M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	8	4	1	1	2	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-
	White---M	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	5	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	7	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	12	2	4	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	4	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	138	32	16	4	7	1	3	2	5	2	6	4	7	8	8	11	6	7	6	2	1	-	-
	White---M	55	10	6	1	3	1	-	1	3	2	2	1	3	2	5	4	4	3	4	-	-	-	-
	F	33	2	3	1	3	-	1	1	2	-	1	2	1	4	-	3	1	3	2	2	1	-	-
	Nonwhite---M	26	8	3	1	1	-	1	-	-	-	1	1	2	2	3	1	1	1	-	-	-	-	-
	F	24	12	4	1	-	-	1	-	-	-	2	-	1	-	-	3	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	3,579	4	34	32	20	19	18	33	76	101	147	252	327	396	474	489	405	365	217	130	23	10	7
	White---M	1,297	-	16	11	11	10	6	14	30	26	38	59	92	139	188	196	156	153	94	47	8	2	1
	F	1,244	2	8	6	5	4	4	10	24	39	58	102	114	135	145	136	146	146	85	57	11	7	-
	Nonwhite---M	483	-	3	7	2	1	4	6	11	9	18	38	46	55	74	74	54	40	20	16	2	1	2
	F	555	2	7	8	2	4	4	3	11	27	33	53	75	67	67	83	49	26	18	10	2	-	4
140-148	Of buccal cavity and pharynx	74	-	-	-	1	-	1	-	1	2	1	4	7	8	20	10	4	10	3	2	-	-	-
	White---M	39	-	-	-	1	-	1	-	1	-	-	2	2	5	12	6	2	6	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	2	2	2	2	-	-	-
	Nonwhite---M	10	-	-	-	-	-	-	-	-	1	1	1	1	-	3	2	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,066	-	-	-	-	-	3	3	13	18	25	56	80	127	133	159	151	146	89	53	5	3	2
	White---M	392	-	-	-	-	-	1	-	5	6	13	21	19	41	54	54	57	64	40	15	1	1	-
	F	347	-	-	-	-	-	-	1	2	4	7	14	24	41	35	50	53	51	36	24	3	2	-
	Nonwhite---M	170	-	-	-	-	-	1	2	2	3	4	13	16	23	25	27	18	21	6	8	-	-	1
	F	157	-	-	-	-	-	1	-	4	5	1	8	21	22	19	28	23	10	7	6	1	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	459	-	-	-	-	-	-	6	5	7	14	34	56	69	100	76	42	29	13	7	1	-	-
	White—M	296	-	-	-	-	-	-	5	1	6	7	18	38	47	74	52	23	17	5	3	-	-	-
	F	67	-	-	-	-	-	-	-	1	1	2	6	7	5	9	8	8	10	6	3	1	-	-
	Nonwhite—M	87	-	-	-	-	-	1	1	3	-	5	7	10	15	17	15	10	1	2	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	1	1	-	-	-	-	-
170	Of breast	271	-	-	-	-	-	-	1	7	13	28	32	31	33	40	24	23	14	12	8	4	1	-
	White—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	207	-	-	-	-	-	-	1	7	7	18	28	24	26	30	14	19	14	8	6	4	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	5	10	3	7	7	10	8	4	-	4	2	-	-	-
171-179	Of genital organs	718	-	1	-	1	2	1	2	12	29	39	61	75	60	89	97	93	72	44	30	5	2	3
	White—M	152	-	-	-	1	-	-	-	2	1	2	1	4	2	12	22	28	30	23	20	3	-	1
	F	282	-	-	-	-	1	-	1	6	16	20	32	38	31	37	30	33	22	10	4	-	1	-
	Nonwhite—M	80	-	-	-	-	-	-	-	-	-	-	2	1	6	13	16	14	12	8	5	2	1	-
	F	204	-	1	-	-	1	1	1	4	12	17	26	32	21	27	29	18	8	3	1	-	-	2
180, 181	Of urinary organs	135	-	6	3	-	-	1	1	-	1	1	6	9	18	13	23	13	24	9	5	1	-	1
	White—M	67	-	3	1	-	-	-	-	-	-	1	1	3	10	6	13	9	13	5	2	-	-	-
	F	35	-	1	1	-	-	1	-	-	-	-	2	1	3	3	5	2	9	3	3	1	-	-
	Nonwhite—M	18	-	1	1	-	-	-	-	-	-	-	1	3	2	3	3	2	1	-	-	-	-	1
	F	15	-	1	-	-	-	-	1	-	1	-	2	2	3	1	2	-	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	522	1	10	9	6	7	5	11	20	16	26	34	42	61	53	63	48	46	37	19	3	4	1
	White—M	192	-	6	1	5	5	1	6	12	6	9	8	16	23	16	24	22	12	13	5	1	1	-
	F	198	1	-	2	1	1	3	3	4	7	8	11	13	23	20	20	19	29	17	12	1	3	-
	Nonwhite—M	68	-	1	1	-	-	1	2	3	1	5	6	10	5	11	8	6	2	4	2	-	-	-
	F	64	-	3	5	-	1	-	-	1	2	4	9	3	10	6	11	1	3	3	-	1	-	1
204	Leukemia and aleukemia	171	3	14	16	9	5	3	5	8	8	7	11	10	9	11	17	13	10	7	2	3	-	-
	White—M	86	-	5	8	2	5	2	1	2	3	3	4	5	6	7	11	8	5	5	2	2	-	-
	F	46	1	7	3	4	-	-	2	3	3	3	3	2	2	3	2	1	4	2	-	1	-	-
	Nonwhite—M	20	-	-	3	1	-	1	1	1	1	-	2	2	1	-	3	3	1	-	-	-	-	-
	F	19	2	2	2	2	-	-	1	2	1	1	2	1	-	1	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	163	-	3	4	3	5	4	4	10	7	6	14	17	11	15	20	18	14	3	4	1	-	-
	White—M	70	-	2	1	2	-	1	2	7	3	3	4	5	5	7	12	7	6	2	-	1	-	-
	F	44	-	-	-	-	2	-	2	1	-	-	5	4	2	5	5	9	5	1	3	-	-	-
	Nonwhite—M	29	-	1	2	1	1	1	-	2	3	3	5	3	3	2	-	1	1	-	-	-	-	-
	F	20	-	-	1	-	2	2	-	-	1	-	-	5	1	1	3	1	2	-	1	-	-	-
210-239	Benign & unspec. neoplasms	93	5	-	2	2	2	1	2	6	9	8	11	12	10	6	5	7	2	1	1	1	-	-
	White—M	17	-	-	-	1	1	1	1	-	1	-	3	2	3	2	1	1	-	-	-	-	-	-
	F	33	3	-	1	-	-	-	1	2	2	4	3	1	2	1	4	5	2	1	-	1	-	-
	Nonwhite—M	14	-	-	1	1	-	-	-	1	1	2	-	4	2	1	-	1	-	-	-	-	-	-
	F	29	2	-	-	-	1	-	-	3	5	2	5	5	3	2	-	-	-	-	1	-	-	-
241	Asthma	74	1	-	-	1	-	2	1	-	2	4	9	4	10	8	14	8	7	2	1	-	-	-
	White—M	35	-	-	-	1	-	-	-	-	-	1	3	4	2	5	8	6	4	-	1	-	-	-
	F	13	-	-	-	-	-	1	-	-	1	1	2	-	1	1	1	2	1	2	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	1	-	-	-	1	1	-	6	1	5	-	1	-	-	-	-	-
	F	10	1	-	-	-	-	-	1	-	1	1	3	-	1	1	-	-	1	-	-	-	-	-
260	Diabetes mellitus	394	-	2	4	3	7	5	4	7	9	14	13	29	36	37	61	63	46	30	21	3	-	-
	White—M	109	-	-	1	1	1	-	1	4	5	4	4	4	10	4	16	22	14	9	9	-	-	-
	F	116	-	1	3	-	3	-	-	-	1	1	2	1	8	14	17	23	18	14	9	1	-	-
	Nonwhite—M	61	-	1	-	-	-	4	2	-	2	2	2	12	7	4	9	8	4	3	1	-	-	-
	F	108	-	-	-	2	3	1	1	3	1	7	5	12	11	15	19	10	10	4	2	2	-	-
290-293	Anemias	55	2	10	1	3	3	2	2	-	4	4	2	-	4	1	3	5	4	3	1	1	-	-
	White—M	12	1	1	-	1	-	-	-	-	-	-	1	-	-	1	2	2	1	2	-	-	-	-
	F	12	-	2	1	-	-	-	-	-	-	-	1	-	1	-	-	3	2	1	-	1	-	-
	Nonwhite—M	12	-	3	-	1	2	-	1	-	-	1	-	-	3	-	-	-	-	-	1	-	-	-
	F	19	1	4	-	1	1	2	1	-	4	3	-	-	-	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	50	20	8	4	1	1	3	2	1	1	1	1	1	1	2	1	-	2	-	-	-	-	-
	White—M	15	5	4	1	-	-	-	1	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-
	F	8	3	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	18	6	1	2	-	1	1	1	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	9	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,167	12	12	12	10	17	38	66	118	198	383	547	916	1,292	1,519	1,952	2,234	2,327	1,790	1,142	391	143	48
	White—M	5,644	1	3	1	2	7	7	15	42	69	145	197	377	481	577	680	866	939	669	403	132	27	4
	F	3,930	4	1	2	5	1	8	7	16	22	38	64	104	179	244	383	583	806	739	513	151	55	5
	Nonwhite—M	2,838	3	2	4	1	3	10	14	19	44	112	135	229	305	368	467	404	316	206	105	51	25	15
	F	2,755	4	6	5	2	6	13	30	41	63	88	151	206	327	330	422	381	266	176	121	57	36	24
330-334, 400-468	Dis. of cardiovascular system	14,772	10	12	10	7	15	27	58	113	182	369	521	887	1,285	1,489	1,906	2,191	2,282	1,758	1,107	381	136	46
	White—M	5,545	-	3	1	2	7	3	14	40	67	143	191	367	476	573	672	857	923	655	393	129	25	4
	F	3,850	4	1	1	2	1	3	4	15	19	36	61	101	174	242	377	573	799	730	501	148	53	5
	Nonwhite—M	2,733	2	2	3	1	3	9	12	19	38	107	127	221	300	356	451	392	304	202	97	48	25	14
	F	2,644	4	6	5	2	4	12	28	39	58	83	142	198	315	318	406	369	256	171	116	56	33	23
330-334	Vascular lesions, etc.*	4,058	4	6	5	2	4	5	17	24	42	66	121	191	300	368	531	647	650	562	355	103	42	13
	White—M	1,247	-	2	-	-	2	-	6	8	9	15	22	38	70	90	142	238	243	198	120	34	10	-
	F	1,181	2	-	1	-	-	-	2	3	4	9	26	30	51	64	107	166	249	234	173	46	14	-
	Nonwhite—M	760	-	2	1	-	1	2	3	6	11	23	29	55	93	107	134	113	65	63	29	8	10	5
	F	870	2	2	3	2	1	3	6	7	18	19	44	68	86	107	148	130	93	67	33	15	8	8
400-402, 410-443	Diseases of heart	9,610	6	5	4	5	8	18	34	75	126	272	374	652	900	1,043	1,252	1,411	1,459	1,048	615	206	70	27
	White—M	3,949	-	1	1	2	3	2	6	28	55	124	168	316	388	459	490	571	610	406	227	79	12	3
	F	2,351	2	1	-	2	1	2	2	8	14	25	33	64	109	161	248	373	493	433	267	77	32	4
	Nonwhite—M	1,752	2	-	1	1	2	7	7	13	24	68	91	149	196	227	285	250	212	127	51	21	10	8
	F	1,558	2	3	2	-	2	7	19	26	33	55	84	123	207	196	229	217	144	82	70	29	16	12
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	175	-	2	1	3	6	9	9	10	13	17	16	15	10	12	11	13	13	1	10	3	1	-
	White—M	58	-	1	-	2	2	2	2	2	5	6	8	6	2	8	3	4	2	-	3	-	-	-
	F	42	-	-	-	1	1	2	-	4	3	4	3	3	4	2	3	2	5	-	4	1	-	-
	Nonwhite—M	37	-	-	1	-	2	3	1	3	2	3	3	4	3	-	1	6	3	-	2	-	-	-
	F	38	-	1	-	-	1	2	6	1	3	4	2	2	1	2	4	1	3	1	1	2	1	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																							
420	Arteriosclerotic heart dis., etc.*	5,800	-	-	-	1	1	3	12	43	68	174	240	428	568	672	781	870	885	610	309	93	28	14
	White----M--	2,905	-	-	-	-	1	-	4	23	40	104	140	259	322	363	377	418	425	252	132	35	8	2
	F--	1,470	-	-	-	-	-	-	1	2	5	12	20	43	79	117	176	247	319	260	131	41	13	4
	Nonwhite--M--	799	-	-	-	1	-	3	3	3	9	36	45	70	80	110	131	116	96	64	17	9	2	4
	F--	626	-	-	-	-	-	-	4	15	14	22	35	56	87	82	97	89	45	34	28	8	5	4
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,213	1	-	1	-	-	1	1	5	7	16	20	46	88	101	125	177	193	185	154	56	30	6
	White----M--	367	-	-	-	-	-	-	-	-	-	2	4	9	16	22	27	57	67	73	62	23	4	1
	F--	294	1	-	-	-	-	-	-	1	1	2	1	4	3	11	20	36	58	67	57	18	14	-
	Nonwhite--M--	304	-	-	-	-	-	-	-	3	3	7	9	20	41	35	42	44	41	30	16	6	5	2
	F--	248	-	-	1	-	-	1	1	1	3	5	6	13	28	33	36	40	27	15	19	9	7	3
430-434	Other diseases of heart----------	648	5	3	2	1	1	2	5	9	11	26	33	57	82	74	72	75	87	48	28	20	5	2
	White----M--	253	-	-	1	-	-	-	-	3	5	7	10	25	32	37	29	35	33	17	11	8	-	-
	F--	125	1	1	-	1	-	-	1	1	3	4	5	7	2	9	6	18	27	21	11	5	2	-
	Nonwhite--M--	154	2	-	-	-	-	1	3	1	1	7	8	14	29	22	23	11	17	4	5	4	1	1
	F--	116	2	2	1	-	1	1	1	4	2	8	10	11	19	6	14	11	10	6	1	3	2	1
440-443	Hypertensive heart disease----	1,774	-	-	-	-	-	3	7	8	27	39	65	106	152	184	263	276	281	204	114	34	6	5
	White----M--	366	-	-	-	-	-	-	-	-	5	5	4	17	16	29	54	57	83	64	19	13	-	-
	F--	420	-	-	-	-	-	-	-	-	2	3	4	7	21	22	43	70	84	85	64	12	3	-
	Nonwhite--M--	458	-	-	-	-	-	-	-	3	9	15	26	41	43	60	88	73	55	29	11	2	2	1
	F--	530	-	-	-	-	-	3	7	5	11	16	31	41	72	73	78	76	59	26	20	7	1	4
444-447	Other hypertensive disease-----	322	-	-	-	-	-	1	3	5	10	25	17	22	28	28	34	40	39	34	21	10	3	2
	White----M--	79	-	-	-	-	-	-	1	1	2	2	1	4	3	7	11	14	17	8	3	5	-	-
	F--	74	-	-	-	-	-	-	-	1	-	2	-	1	8	6	3	11	11	17	10	3	1	-
	Nonwhite--M--	87	-	-	-	-	-	-	1	-	3	13	5	12	7	11	6	10	6	5	5	-	2	1
	F--	82	-	-	-	-	-	1	1	3	5	8	11	5	10	4	14	5	5	4	3	2	-	1
450	General arteriosclerosis--------	550	-	-	-	-	-	-	-	2	-	2	1	10	14	20	49	60	102	99	109	59	20	3
	White----M--	170	-	-	-	-	-	-	-	1	-	1	-	2	2	7	13	16	40	35	39	10	3	1
	F--	182	-	-	-	-	-	-	-	-	-	-	1	2	3	5	11	13	32	40	49	21	5	-
	Nonwhite--M--	95	-	-	-	-	-	-	-	-	-	1	-	4	1	1	14	16	18	7	12	18	3	-
	F--	103	-	-	-	-	-	-	-	1	-	-	-	2	8	7	11	15	12	17	9	10	9	2
451-468	Other diseases of circulatory sys.-	232	-	1	1	-	3	3	4	7	4	4	8	12	23	30	40	33	32	15	7	3	1	1
	White----M--	100	-	-	-	-	2	1	1	2	1	1	2	7	13	10	16	18	13	8	4	1	-	-
	F--	62	-	-	-	-	-	1	-	3	1	-	1	4	3	6	8	10	14	6	2	1	1	1
	Nonwhite--M--	39	-	-	1	-	-	-	1	-	-	2	2	1	3	10	12	3	3	-	-	1	-	-
	F--	31	-	1	-	-	1	1	2	2	2	1	3	-	4	4	4	2	2	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	395	2	-	2	3	2	11	8	5	16	14	26	29	27	30	46	43	45	32	35	10	7	2
	White----M--	99	1	-	-	-	-	4	1	2	2	2	6	10	5	4	8	9	16	14	10	3	2	-
	F--	80	-	-	1	3	-	5	3	1	3	2	3	3	5	2	6	10	7	9	12	3	2	-
	Nonwhite--M--	105	1	-	1	-	-	1	2	-	6	5	8	8	5	12	16	12	12	4	8	3	-	1
	F--	111	-	-	-	-	2	1	2	2	5	5	9	8	12	12	16	12	10	5	5	1	3	1
480-493	Influenza and pneumonia, etc.*-	1,200	296	74	9	14	13	12	8	10	22	13	33	32	54	50	93	119	111	102	89	34	10	2
	White----M--	325	52	14	2	4	1	5	2	1	5	1	10	10	15	14	33	36	45	37	27	10	1	-
	F--	280	39	20	3	1	5	1	2	1	4	-	3	4	7	4	16	27	37	41	47	14	4	-
	Nonwhite--M--	328	123	18	3	2	6	2	2	5	7	6	15	14	19	16	23	24	15	14	10	1	3	-
	F--	267	82	22	1	7	1	4	2	3	6	6	5	4	13	16	21	32	14	10	5	9	2	2
480-483	Influenza---------	271	36	14	2	3	1	2	2	5	5	5	8	8	10	11	25	33	31	29	27	8	4	-
	White----M--	72	8	2	-	-	-	-	1	-	2	-	1	2	3	2	10	10	12	10	6	2	1	-
	F--	60	2	5	1	1	-	-	-	-	1	-	-	1	2	1	3	8	7	12	12	2	2	-
	Nonwhite--M--	76	14	3	-	1	-	1	-	3	1	3	5	4	1	4	6	8	9	4	7	1	1	-
	F--	63	14	4	1	1	1	1	1	2	1	2	2	1	4	4	6	7	3	3	2	3	-	-
490-493	Pneumonia, etc.*--	929	258	60	7	11	12	10	6	5	17	8	25	24	44	39	68	86	80	73	62	26	6	2
	White----M--	253	44	12	2	4	1	5	1	1	3	1	9	8	12	12	23	26	33	27	21	8	-	-
	F--	220	37	15	2	-	5	1	2	1	3	-	3	3	5	3	13	19	30	29	35	12	2	-
	Nonwhite--M--	252	109	15	3	1	6	1	2	2	6	3	10	10	18	12	17	16	6	10	3	-	2	-
	F--	204	68	18	-	6	-	3	1	1	5	4	3	3	9	12	15	25	11	7	3	6	2	2
500-502	Bronchitis---------	74	10	13	-	1	-	-	-	1	1	1	2	4	6	8	5	9	3	6	3	-	1	-
	White----M--	38	5	4	-	-	-	-	-	-	1	-	2	1	2	7	3	6	1	4	1	-	1	-
	F--	9	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-	-	-
	Nonwhite--M--	8	-	4	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	19	5	3	-	-	-	-	-	1	-	-	-	3	2	1	1	2	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	119	-	-	-	-	-	-	2	5	7	5	11	12	12	8	18	18	9	8	2	2	-	-
	White----M--	66	-	-	-	-	-	-	1	5	4	2	9	6	7	5	9	8	6	3	-	1	-	-
	F--	21	-	-	-	-	-	-	1	-	-	-	1	1	2	1	3	3	3	4	2	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	2	2	1	3	2	1	4	6	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	-	1	-	1	-	-
550-553	Appendicitis------	32	2	-	3	3	1	-	2	2	1	1	3	-	1	1	4	3	3	-	-	1	1	-
	White----M--	7	-	-	-	2	1	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	F--	10	-	-	-	1	-	-	1	1	-	-	-	-	1	1	1	-	3	-	-	1	-	-
	Nonwhite--M--	13	2	-	3	-	-	-	1	-	1	1	1	-	-	-	1	2	-	-	-	-	1	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	130	19	6	-	-	2	1	3	4	3	4	8	6	14	9	8	17	14	6	6	-	-	-
	White----M--	48	8	1	-	-	2	-	-	2	-	1	3	1	8	3	3	5	4	3	4	-	-	-
	F--	33	3	-	-	-	-	-	1	1	1	2	1	2	-	2	4	6	6	3	1	-	-	-
	Nonwhite--M--	24	5	3	-	-	-	1	-	1	1	-	3	-	2	2	-	4	1	-	1	-	-	-
	F--	25	3	2	-	-	-	-	2	-	1	1	1	3	4	2	1	2	3	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	184	103	28	-	-	-	-	1	1	1	2	1	3	4	6	5	8	5	8	7	-	1	-
	White----M--	39	18	5	-	-	-	-	1	-	-	2	1	1	1	-	3	3	2	2	-	-	-	-
	F--	34	4	6	-	-	-	-	-	1	-	-	-	-	1	2	1	5	2	6	6	-	-	-
	Nonwhite--M--	61	45	10	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	1	-
	F--	50	36	7	-	-	-	-	-	-	-	-	-	1	2	3	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	173	1	1	-	2	1	2	1	2	10	18	16	27	25	11	14	20	15	3	3	1	-	-
	White----M--	80	1	-	-	-	-	-	1	1	1	6	7	12	11	8	12	10	6	3	1	-	-	-
	F--	45	-	-	-	1	-	1	-	-	5	8	2	6	8	-	1	5	8	-	-	-	-	-
	Nonwhite--M--	36	-	1	-	1	1	1	-	1	2	1	5	8	5	3	1	3	-	-	2	1	-	-
	F--	12	-	-	-	-	-	-	-	-	2	3	2	1	1	-	-	2	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																							
584, 585	Cholelithiasis, etc.*	51	-	-	-	-	-	-	-	-	-	1	2	2	2	3	5	12	12	8	4	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	7	1	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	6	4	6	4	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
590, 591	Acute nephritis, etc.*	67	1	3	2	3	2	2	4	3	5	3	3	5	5	4	7	6	2	3	2	1	1	-
	White—M	20	-	1	-	1	-	1	1	1	2	-	-	1	1	1	3	3	-	-	2	1	1	-
	F	11	1	-	1	-	-	-	-	-	-	-	1	1	-	2	2	1	-	2	-	-	-	-
	Nonwhite—M	21	-	1	1	2	-	-	2	-	2	2	2	2	1	1	2	1	2	-	-	-	-	-
	F	15	-	1	-	-	2	1	1	2	1	1	-	1	3	-	-	1	-	1	-	-	-	-
600	Infections of kidney	170	-	-	-	-	1	1	2	2	3	5	11	12	7	10	17	26	25	26	16	3	3	-
	White—M	53	-	-	-	-	1	1	1	1	-	-	3	2	-	1	4	9	10	11	6	3	-	-
	F	58	-	-	-	-	-	-	-	1	2	2	3	1	1	4	5	10	10	11	8	-	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	1	2	5	4	4	5	4	2	4	-	-	3	-
	F	25	-	-	-	-	-	-	1	-	1	2	3	4	2	1	3	3	3	-	2	-	-	-
610	Hyperplasia of prostate	92	-	-	-	-	-	-	-	-	-	-	1	2	1	7	16	13	14	13	17	3	2	3
	White—M	49	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	5	12	10	11	2	-	-
	Nonwhite—M	43	-	-	-	-	-	-	-	-	-	-	-	2	1	4	11	8	2	3	6	1	2	3
640-689	Complications of pregnancy, etc.*	67	...	...	...	-	11	15	10	12	13	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	...	...	...	-	3	6	4	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	45	...	...	...	-	8	9	6	9	8	5	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	63	...	...	...	-	11	13	10	11	12	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	...	...	...	-	3	6	4	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	42	...	...	...	-	8	7	6	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	387	282	45	20	6	4	3	3	1	2	2	6	3	3	3	-	2	2	-	-	-	-	-
	White—M	143	98	16	13	2	2	2	2	-	1	-	2	1	2	1	-	-	1	-	-	-	-	-
	F	120	94	9	3	1	2	1	1	-	1	2	1	2	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	79	60	9	2	3	-	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F	45	30	11	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,564	1,563	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	471	471	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	342	341	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	430	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	572	572	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	794	793	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	176	175	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,307	306	29	7	4	7	13	7	23	34	48	65	71	71	75	113	113	98	68	56	37	30	12
	White—M	324	39	1	-	3	2	1	1	5	4	20	25	23	23	22	33	41	27	24	17	8	3	2
	F	203	37	1	2	-	2	2	-	4	5	1	2	6	9	8	20	14	22	27	17	12	11	1
	Nonwhite—M	404	120	15	2	1	3	2	1	6	13	16	20	22	18	25	34	31	24	18	14	7	9	3
	F	376	110	12	3	-	-	8	5	8	12	11	18	20	21	20	26	27	25	19	8	10	7	6
Residual	All other diseases	1,199	114	50	22	17	23	15	19	32	39	72	59	74	88	76	113	115	114	80	42	18	10	7
	White—M	445	21	14	6	8	8	9	7	14	13	25	17	27	32	25	61	47	50	36	17	8	-	-
	F	331	24	13	8	2	7	1	4	4	11	12	16	13	21	21	25	40	41	31	22	6	8	1
	Nonwhite—M	245	44	16	2	4	3	2	3	6	6	23	12	18	22	23	11	21	15	7	1	3	-	3
	F	178	25	7	6	3	5	3	5	8	9	12	14	16	13	7	16	7	8	6	2	1	2	3
E800-E962	Accidents	2,007	122	107	82	76	160	180	149	107	125	131	121	98	90	73	92	93	70	65	39	16	8	3
	White—M	939	37	31	31	36	86	112	89	54	71	67	69	50	40	34	36	34	30	14	11	6	1	-
	F	359	15	23	17	11	27	17	12	15	16	16	17	8	12	14	22	25	26	36	16	8	6	-
	Nonwhite—M	477	35	26	18	22	42	40	36	33	29	37	30	28	28	16	20	17	6	9	1	2	1	1
	F	232	35	27	16	7	5	11	12	5	9	11	5	12	10	9	14	17	8	6	11	-	-	2
E810-E835	Motor vehicle accidents	902	5	45	38	25	106	130	88	66	75	62	60	44	32	29	42	27	15	8	3	2	-	-
	White—M	508	4	21	20	14	61	83	53	37	41	34	33	24	17	12	19	16	12	4	2	1	-	-
	F	148	-	12	10	4	21	15	8	8	13	10	11	5	5	7	10	5	2	1	1	-	-	-
	Nonwhite—M	199	1	8	7	4	21	24	23	18	16	14	15	11	8	9	10	6	1	2	-	1	-	-
	F	47	-	4	1	3	3	8	4	3	5	4	1	4	2	1	3	-	-	1	-	-	-	-
E800-E802, E840-E962	Other accidents	1,105	117	62	44	51	54	50	61	41	50	69	61	54	58	44	50	66	55	57	36	14	8	3
	White—M	431	33	10	11	22	25	29	36	17	30	33	36	26	23	22	17	18	18	10	9	5	1	-
	F	211	15	11	7	7	6	2	4	7	3	6	6	3	7	7	12	20	24	35	15	8	6	-
	Nonwhite—M	278	34	18	11	18	21	16	13	15	13	23	15	17	20	7	10	11	5	7	1	1	1	1
	F	185	35	23	15	4	2	3	8	2	4	7	4	8	8	8	11	17	8	5	11	-	-	2
E963, E970-E979	Suicide	257	-	-	-	1	3	13	16	17	25	32	33	29	26	24	14	11	8	4	1	-	-	-
	White—M	198	-	-	-	1	1	6	6	16	16	25	28	25	17	21	13	11	7	4	1	-	-	-
	F	39	-	-	-	-	-	4	8	1	4	5	4	3	7	2	1	-	-	-	-	-	-	-
	Nonwhite—M	16	-	-	-	-	1	3	2	-	3	2	-	1	2	1	-	-	1	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	362	1	4	1	5	15	53	41	52	48	37	42	25	14	11	5	4	2	1	1	-	-	-
	White—M	77	1	1	-	1	5	9	6	9	9	7	10	6	6	3	1	1	1	1	-	-	-	-
	F	20	-	1	-	-	-	-	4	-	3	4	5	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	218	-	1	-	2	7	35	30	38	26	22	24	14	5	7	3	2	1	-	1	-	-	-
	F	47	-	1	1	2	3	9	1	5	10	4	3	4	2	1	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA																							
	All causes	9,068	1,090	219	88	56	112	123	147	168	241	307	423	552	669	773	978	955	864	667	403	145	61	27
	White--M	5,016	437	74	47	31	69	65	77	78	112	182	253	326	439	501	604	582	496	354	181	65	28	15
	F	2,833	328	61	18	15	26	24	30	51	78	82	109	163	156	207	298	315	302	274	199	67	29	1
	Nonwhite--M	743	171	47	12	8	13	24	24	23	33	25	45	45	45	46	54	37	37	24	14	6	3	7
	F	476	154	37	11	2	4	10	16	16	18	18	16	18	29	19	22	21	29	15	9	7	1	4
001-019	Tuberculosis, all forms	188	-	6	3	1	-	3	9	4	10	10	20	18	20	27	23	15	10	2	5	1	1	-
	White--M	114	-	3	1	1	-	-	2	1	3	5	14	12	16	21	17	10	5	1	1	1	-	-
	F	49	-	1	-	-	-	1	5	3	6	4	4	4	4	4	3	3	4	1	2	-	-	-
	Nonwhite--M	18	-	1	1	-	-	1	-	-	1	1	2	1	-	2	2	2	1	-	2	-	1	-
	F	7	-	1	1	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	178	-	1	1	-	-	2	9	4	10	9	20	18	20	27	23	15	10	2	5	1	1	-
	White--M	108	-	-	-	-	-	-	2	1	3	5	14	12	16	21	17	10	5	1	1	1	-	-
	F	47	-	-	-	-	-	1	5	3	6	3	4	4	4	4	3	3	4	1	2	-	-	-
	Nonwhite--M	16	-	-	1	-	-	-	-	-	1	1	2	1	-	2	2	2	1	-	2	-	1	-
	F	6	-	1	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	10	-	5	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	17	-	-	-	-	-	-	-	-	-	-	1	-	3	4	6	-	1	1	1	-	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	14	8	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	44	8	6	1	2	1	1	2	2	2	1	3	1	6	2	3	-	2	-	-	-	-	1
	White--M	18	3	2	-	2	-	-	1	-	1	-	1	1	4	1	1	-	1	-	-	-	-	-
	F	18	1	3	1	-	1	1	-	2	1	1	2	-	2	-	2	-	1	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
140-205	Malignant neoplasms, etc.*	1,194	2	9	11	6	8	5	7	14	35	51	73	104	121	152	202	150	117	88	28	6	5	-
	White--M	631	2	3	6	1	4	1	4	7	15	22	37	47	64	87	105	66	68	46	21	2	3	-
	F	473	-	6	4	4	4	4	3	6	14	22	29	47	44	54	83	58	40	39	6	4	2	-
	Nonwhite--M	50	-	-	-	1	-	-	-	-	-	3	4	5	7	8	6	10	2	3	1	-	-	-
	F	40	-	-	1	-	-	-	-	1	3	3	3	2	3	5	5	4	4	6	2	1	-	-
140-148	Of buccal cavity and pharynx	24	-	-	-	1	1	1	-	-	-	3	1	4	5	1	2	1	1	1	1	-	1	-
	White--M	13	-	-	-	-	-	1	-	-	-	2	1	1	1	1	2	1	1	1	1	-	-	-
	F	9	-	-	-	1	1	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	398	-	-	-	-	-	-	-	3	9	9	17	33	40	53	77	62	47	34	11	2	1	-
	White--M	189	-	-	-	-	-	-	-	2	4	5	6	13	23	26	36	31	22	12	8	-	1	-
	F	172	-	-	-	-	-	-	-	1	2	1	8	14	13	23	35	28	23	20	2	2	-	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	3	1	3	5	3	3	3	1	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	2	2	1	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)—	182	-	-	-	-	-	-	-	-	1	7	17	20	21	34	34	22	13	12	1	-	-	-
	White——M—	153	-	-	-	-	-	-	-	-	1	5	15	16	17	31	27	18	13	9	1	-	-	-
	F—	19	-	-	-	-	-	-	-	-	-	2	1	2	1	1	5	4	-	3	-	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast————	90	-	-	-	-	-	1	-	3	4	10	8	12	8	8	8	9	9	8	1	-	1	-
	White——M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	84	-	-	-	-	-	1	-	2	4	9	8	11	7	8	8	9	7	8	1	-	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	-	-	-	-	-
171-179	Of genital organs—	172	-	-	-	-	-	1	1	2	5	3	12	13	18	20	28	23	16	19	10	1	-	-
	White——M—	81	-	-	-	-	-	-	1	-	-	1	1	1	6	4	16	14	12	17	8	-	-	-
	F—	77	-	-	-	-	-	1	-	2	3	2	8	11	11	13	10	8	3	2	2	1	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	2	-	2	1	1	2	-	1	1	-	-	-	-	-
180, 181	Of urinary organs—	58	-	1	1	1	-	-	-	1	3	-	4	4	4	6	12	5	10	1	1	2	2	-
	White——M—	46	-	-	1	-	-	-	-	1	3	-	4	3	4	5	7	4	9	1	1	1	2	-
	F—	11	-	1	-	1	-	-	-	-	-	-	-	1	-	1	5	1	-	-	-	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*————	138	-	1	3	2	1	1	3	2	5	12	11	10	14	16	24	10	12	8	3	-	-	-
	White——M—	71	-	-	2	-	-	-	1	2	2	5	7	7	7	10	11	6	4	5	2	-	-	-
	F—	53	-	1	1	1	1	1	2	-	2	7	4	3	4	4	11	3	5	2	1	-	-	-
	Nonwhite—M—	7	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	1	-	-	-	-
204	Leukemia and aleukemia————	66	1	6	7	2	4	-	-	2	5	2	-	3	5	8	5	8	5	2	-	1	-	-
	White——M—	40	1	2	3	1	2	-	-	1	4	-	-	3	3	6	3	5	4	1	-	1	-	-
	F—	22	-	4	3	1	2	-	-	1	1	-	-	-	2	2	2	2	1	1	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	F—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	66	1	1	-	-	2	1	3	1	3	5	3	5	6	6	12	10	4	3	-	-	-	-
	White——M—	37	1	1	-	-	2	-	2	1	1	3	3	3	4	3	7	3	-	-	-	-	-	-
	F—	26	-	-	-	-	-	1	1	-	2	1	-	2	3	2	7	3	1	3	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms————	29	2	2	3	1	-	-	-	2	1	3	4	4	3	3	-	1	-	-	-	-	-	-
	White——M—	9	-	-	2	-	-	-	-	1	1	3	-	-	1	1	-	-	-	-	-	-	-	-
	F—	13	1	1	1	-	-	-	-	-	-	-	2	4	1	2	-	1	-	-	-	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	5	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma————	105	-	1	-	-	-	-	1	3	2	8	4	14	9	21	13	14	7	5	3	-	-	-
	White——M—	79	-	1	-	-	-	-	1	2	-	4	3	11	8	17	11	11	5	4	1	-	-	-
	F—	21	-	-	-	-	-	-	-	1	1	4	1	2	1	3	1	3	2	-	2	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	90	-	-	-	-	-	1	1	-	4	3	7	5	11	10	15	9	17	2	4	1	-	-
	White——M—	34	-	-	-	-	-	-	1	-	-	2	4	2	3	2	6	4	7	1	2	-	-	-
	F—	39	-	-	-	-	-	-	-	-	4	1	-	2	4	5	7	5	7	1	2	1	-	-
	Nonwhite—M—	6	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	2	-	-	-	-	-
290-293	Anemias————	14	3	3	1	-	1	1	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-
	White——M—	4	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*———	19	6	5	-	1	1	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
	White——M—	10	3	4	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	6	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases————	3,824	6	4	6	4	7	6	10	26	49	87	153	213	310	365	523	587	561	452	289	114	42	10
	White——M—	2,261	4	3	2	1	4	3	4	10	29	59	100	133	229	238	324	350	322	243	126	55	16	6
	F—	1,303	2	1	2	1	2	3	4	12	12	21	42	59	53	105	161	205	201	188	151	52	25	1
	Nonwhite—M—	162	-	-	1	1	1	-	-	2	3	4	9	11	15	14	28	23	23	13	10	2	-	2
	F—	98	-	-	1	1	-	-	2	2	5	3	2	10	13	8	10	9	15	8	2	5	1	1
330-334, 400-468	Dis. of cardiovascular system—	3,766	5	3	4	3	4	6	9	23	47	83	149	207	307	359	519	580	558	450	287	114	39	10
	White——M—	2,239	4	2	2	-	3	3	4	10	27	55	99	132	228	236	323	349	319	242	124	55	16	6
	F—	1,277	1	1	1	1	-	3	4	10	12	21	41	56	52	101	159	200	201	187	151	52	22	1
	Nonwhite—M—	157	-	-	1	1	1	-	-	1	3	4	8	10	14	14	27	23	23	13	10	2	-	2
	F—	93	-	-	-	1	-	-	1	2	5	3	1	9	13	8	10	8	15	8	2	5	1	1
330-334	Vascular lesions, etc.*————	776	3	-	1	-	1	1	3	7	7	10	15	34	44	53	111	110	127	120	88	33	8	-
	White——M—	384	3	-	-	-	-	1	1	3	2	5	6	18	20	31	63	57	63	59	36	14	2	-
	F—	337	-	-	-	-	-	-	1	3	2	3	7	13	16	20	36	50	54	57	51	18	6	-
	Nonwhite—M—	32	-	-	1	-	1	-	-	-	1	1	1	1	3	1	8	3	7	2	1	1	-	-
	F—	23	-	-	-	-	-	-	1	1	2	1	1	2	5	1	4	-	3	2	-	-	-	-
400-402, 410-443	Diseases of heart—	2,678	2	3	3	3	1	5	3	15	39	72	130	159	247	286	378	422	381	278	166	55	22	8
	White——M—	1,691	1	2	2	-	1	2	2	7	24	50	91	107	196	192	244	266	229	159	72	27	12	5
	F—	823	1	1	1	1	-	3	1	6	10	17	32	40	33	75	112	133	129	107	85	25	10	1
	Nonwhite—M—	108	-	-	-	1	-	-	-	1	2	3	7	7	10	13	18	16	12	8	7	1	-	2
	F—	56	-	-	-	1	-	-	-	1	3	2	-	5	8	6	4	7	11	4	2	2	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.—	115	-	1	-	2	-	4	-	5	8	9	18	14	13	12	17	5	4	2	1	-	-	-
	White——M—	53	-	1	-	-	-	2	-	1	6	5	6	2	7	4	11	2	4	1	1	-	-	-
	F—	56	-	-	-	-	-	2	-	3	1	4	11	12	6	8	6	2	-	1	-	-	-	-
	Nonwhite—M—	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F—	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																							
420	Arteriosclerotic heart dis., etc.*	1,914	-	-	1	-	-	-	2	10	14	49	91	116	192	202	277	318	275	190	115	40	17	5
	White-----M--	1,301	-	-	-	-	-	-	1	6	13	40	74	91	160	143	188	216	166	117	53	21	8	2
	F--	522	-	-	1	-	-	-	1	3	1	7	13	18	22	49	74	88	94	67	57	17	9	1
	Nonwhite--M--	61	-	-	-	-	-	-	-	1	-	2	4	6	6	7	12	8	5	4	4	-	-	2
	F--	30	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	4	10	2	1	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	300	-	1	2	-	-	1	-	-	3	5	13	7	11	28	34	48	47	50	34	10	4	2
	White-----M--	162	-	-	2	-	-	-	-	-	-	3	9	4	10	16	18	25	29	24	14	3	3	2
	F--	118	-	1	-	-	-	1	-	-	2	2	4	3	-	9	14	20	16	22	17	6	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	2	2	3	2	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
430-434	Other diseases of heart---------	96	2	1	-	1	1	-	1	-	9	4	2	5	12	9	13	10	13	8	2	2	-	1
	White-----M--	53	1	1	-	-	1	-	1	-	2	-	1	4	9	5	9	5	7	4	1	1	-	1
	F--	30	1	-	-	1	-	-	-	-	6	3	-	1	1	3	1	4	3	4	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	1	-	-	-	-	-	-
440-443	Hypertensive heart disease-----	253	-	-	-	-	-	-	-	-	5	5	6	17	19	35	37	41	42	28	14	3	1	-
	White-----M--	122	-	-	-	-	-	-	-	-	3	2	1	6	10	24	18	16	23	13	3	2	1	-
	F--	97	-	-	-	-	-	-	-	-	-	1	4	6	4	6	17	19	16	13	10	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	1	1	1	1	3	3	2	5	2	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	1	-	4	2	2	-	1	1	1	-	-	-	-
444-447	Other hypertensive disease------	77	-	-	-	-	-	-	-	-	1	-	1	4	5	6	10	14	8	14	7	5	1	1
	White-----M--	37	-	-	-	-	-	-	-	-	1	-	-	1	4	3	6	7	5	7	2	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	7	3	6	5	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	
450	General arteriosclerosis--------	160	-	-	-	-	-	-	1	-	-	-	-	2	3	5	7	19	36	33	25	20	8	1
	White-----M--	78	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	11	18	14	13	12	2	1
	F--	65	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	6	13	16	10	7	5	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	2	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-
451-468	Other diseases of circulatory sys.--	75	-	-	-	-	2	-	2	1	-	1	3	8	8	9	13	15	6	5	1	1	-	-
	White-----M--	49	-	-	-	-	2	-	-	-	-	-	2	5	7	7	9	8	4	3	1	1	-	-
	F--	18	-	-	-	-	-	-	2	1	-	1	1	1	-	2	3	4	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	58	1	1	2	1	3	-	1	3	2	4	4	6	3	6	4	7	3	2	2	-	3	-
	White-----M--	22	-	1	-	1	1	-	-	-	2	4	1	1	1	2	1	1	3	1	2	-	-	-
	F--	26	1	-	1	-	2	-	-	2	-	-	1	3	1	4	2	5	-	1	-	-	3	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	415	157	31	3	2	1	3	5	3	8	14	5	18	15	18	28	23	23	29	17	6	6	-
	White-----M--	181	53	7	3	-	1	1	-	-	2	6	3	13	9	11	15	13	15	15	6	2	6	-
	F--	117	36	11	-	2	-	2	2	1	4	5	-	2	3	4	10	7	5	9	10	4	-	-
	Nonwhite--M--	64	34	8	-	-	-	-	1	-	1	2	1	2	2	3	2	2	2	4	-	-	-	-
	F--	53	34	5	-	-	-	-	2	2	1	1	1	1	1	-	1	1	1	1	1	-	-	-
480-483	Influenza----------	20	2	5	-	-	1	-	-	-	-	-	-	2	1	-	3	-	-	3	3	-	-	-
	White-----M--	9	-	1	-	-	1	-	-	-	-	-	-	1	-	-	3	-	-	3	-	-	-	-
	F--	8	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	395	155	26	3	2	-	3	5	3	8	14	5	16	14	18	25	23	23	26	14	6	6	-
	White-----M--	172	53	6	3	-	-	1	-	-	2	6	3	12	9	11	12	13	15	12	6	2	6	-
	F--	109	35	8	-	2	-	2	2	1	4	5	-	1	3	4	10	7	5	9	7	4	-	-
	Nonwhite--M--	62	34	7	-	-	-	-	1	-	1	2	1	2	1	3	2	2	2	4	-	-	-	-
	F--	52	33	5	-	-	-	-	2	2	1	1	1	1	1	-	1	1	1	1	1	-	-	-
500-502	Bronchitis---------	65	3	2	1	-	-	-	1	1	2	2	1	5	9	14	7	7	6	2	2	-	-	-
	White-----M--	47	1	-	1	-	-	-	1	1	-	2	1	3	8	11	6	6	5	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	2	-	-	2	1	3	1	1	-	1	1	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum------	66	-	-	-	-	-	-	-	-	-	2	8	3	7	12	10	10	7	5	1	-	1	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	1	4	3	7	12	8	10	6	3	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	1	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	8	-	1	-	-	1	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-
	White-----M--	5	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	61	7	1	1	-	-	-	1	1	1	3	3	4	6	6	2	8	10	1	5	1	-	-
	White-----M--	24	2	1	-	-	-	-	-	-	1	1	1	4	2	5	-	6	1	-	-	-	-	-
	F--	24	2	-	-	-	-	-	1	1	-	-	1	-	2	-	1	1	8	1	5	1	-	-
	Nonwhite--M--	7	2	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	118	77	14	-	-	-	1	-	-	1	-	2	2	-	-	6	3	5	4	2	1	-	-
	White-----M--	36	22	1	-	-	-	1	-	-	-	-	2	1	-	-	3	1	1	3	1	-	-	-
	F--	30	15	1	-	-	-	-	-	-	1	-	-	1	-	-	3	2	4	1	1	1	-	-
	Nonwhite--M--	23	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	22	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	108	-	-	-	-	-	-	2	11	6	12	14	14	18	10	8	5	6	2	-	-	-	-
	White-----M--	64	-	-	-	-	-	-	1	2	-	9	9	7	14	8	5	3	5	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	3	3	1	2	4	2	2	2	2	1	1	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	3	1	1	3	3	2	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																							
584, 585	Cholelithiasis, etc.*----------	28	1	-	-	-	-	1	-	-	1	1	1	3	2	4	2	1	3	6	2	-	-	-
	White------M---	10	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	2	2	1	-	-	-
	F---	13	-	-	-	-	-	1	-	-	1	1	-	2	-	1	2	1	-	3	1	-	-	-
	Nonwhite--M---	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F---	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
590, 591	Acute nephritis, etc.*----------	11	-	2	3	-	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
	White------M---	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F---	6	-	-	2	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney----------	45	-	1	-	-	-	-	-	3	1	1	-	5	4	6	5	6	4	6	2	1	-	-
	White------M---	27	-	1	-	-	-	-	-	1	1	-	-	2	1	4	4	5	2	3	2	1	-	-
	F---	11	-	-	-	-	-	-	-	1	-	1	-	2	2	1	1	-	1	2	-	-	-	-
	Nonwhite--M---	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	F---	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
610	Hyperplasia of prostate----------	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	6	3	2	-	1	-
	White------M---	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	3	2	-	1	-
	Nonwhite--M---	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	15	...	...	...	-	4	4	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White------F---	10	...	...	...	-	3	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	5	...	...	...	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------F---	2	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*------	13	...	...	...	-	4	3	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White------F---	8	...	...	...	-	3	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	5	...	...	...	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	171	135	12	3	3	4	2	3	-	3	-	-	1	2	1	1	1	-	-	-	-	-	-
	White------M---	82	65	4	3	3	1	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	60	47	4	-	-	3	-	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M---	17	11	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F---	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	562	562	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*----	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	166	27	8	-	-	-	3	2	4	4	4	10	11	11	9	13	8	10	10	14	9	4	5
	White------M---	48	3	-	-	-	-	-	1	1	-	1	4	5	5	4	7	2	4	5	3	1	1	1
	F---	32	1	1	-	-	-	-	1	2	-	2	1	1	2	1	1	1	4	2	8	2	2	-
	Nonwhite--M---	46	12	3	-	-	-	1	-	1	3	1	2	5	3	3	3	-	-	2	-	4	1	2
	F---	40	11	4	-	-	-	2	-	-	1	-	3	-	1	1	2	5	2	1	3	2	-	2
Residual	All other diseases	528	26	15	8	7	7	9	9	6	17	24	36	39	56	59	63	67	40	21	15	2	1	1
	White------M---	335	7	5	6	3	7	4	-	-	4	16	21	28	35	44	54	49	25	13	11	2	1	-
	F	129	11	4	2	2	-	4	3	2	7	4	9	9	16	12	8	14	13	7	2	-	-	-
	Nonwhite--M---	34	3	3	-	2	-	-	3	2	4	2	4	2	2	2	-	2	1	-	1	-	-	1
	F---	30	5	3	-	-	-	1	3	2	2	2	2	-	3	1	1	2	1	1	1	-	-	-
E800-E962	Accidents----------	886	43	85	40	25	70	71	69	64	66	56	54	54	33	33	27	27	25	25	9	3	-	7
	White------M---	515	14	35	20	17	46	49	47	39	39	35	36	32	20	20	18	18	15	8	-	1	-	6
	F---	191	13	22	6	5	12	5	6	13	14	10	7	16	10	5	7	6	10	14	8	2	-	-
	Nonwhite--M---	137	12	16	8	3	9	14	14	10	12	7	8	5	2	8	1	3	-	3	1	-	-	1
	F---	43	4	12	6	-	3	3	2	2	1	4	3	1	1	-	1	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents---------	459	6	27	18	11	51	48	50	34	36	37	30	29	19	17	15	17	8	5	-	-	-	1
	White------M---	281	1	13	8	5	32	36	35	21	20	22	18	19	10	11	8	12	6	3	-	-	-	1
	F---	93	3	6	3	4	10	2	4	8	10	8	5	8	7	3	6	3	2	1	-	-	-	-
	Nonwhite--M---	63	2	5	3	2	6	9	9	4	6	5	4	1	1	3	-	2	-	1	-	-	-	-
	F---	22	-	3	4	-	3	1	2	1	-	2	3	1	1	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents-----	427	37	58	22	14	19	23	19	30	30	19	24	25	14	16	12	10	17	20	9	3	-	6
	White------M---	234	13	22	12	12	14	13	12	18	19	13	18	13	10	9	10	6	9	5	-	1	-	5
	F---	98	10	16	3	1	2	3	2	5	4	2	2	8	3	2	1	3	8	13	8	2	-	-
	Nonwhite--M---	74	10	11	5	1	3	5	5	6	6	2	4	4	1	5	1	1	-	2	1	-	-	1
	F---	21	4	9	2	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	162	-	-	-	1	2	7	11	15	17	17	19	22	12	8	15	8	3	2	2	-	-	1
	White------M---	122	-	-	-	1	2	2	6	12	13	14	12	17	7	7	15	6	3	2	2	-	-	1
	F---	23	-	-	-	-	-	1	3	1	2	3	4	3	3	1	-	2	-	-	-	-	-	-
	Nonwhite--M---	16	-	-	-	-	-	4	2	2	2	-	3	2	1	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	75	5	-	2	3	4	4	12	6	8	5	4	9	5	3	2	1	-	-	-	-	-	2
	White------M---	26	2	-	2	2	1	2	6	1	1	1	1	2	2	1	1	-	-	-	-	-	-	1
	F---	13	2	-	-	-	-	-	-	1	2	1	1	2	2	1	-	1	-	-	-	-	-	-
	Nonwhite--M---	29	1	-	-	1	3	2	3	3	3	2	2	5	1	1	1	-	-	-	-	-	-	1
	F---	7	-	-	-	-	-	-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS																							
	All causes	17,051	1,075	245	115	105	175	173	176	188	295	411	609	808	1,061	1,412	2,055	2,195	2,248	1,924	1,211	412	134	2
	White—M	7,680	368	73	46	48	88	92	86	83	126	189	276	388	513	719	935	1,019	1,062	856	521	150	41	1
	F	4,998	248	55	29	28	34	35	34	39	74	98	142	177	224	292	496	615	781	807	533	189	67	1
	Nonwhite—M	2,371	263	64	17	16	31	28	30	31	43	61	90	122	171	200	356	332	238	150	82	33	11	-
	F	2,002	196	53	23	11	22	18	28	35	52	63	101	121	173	201	268	229	167	111	75	40	15	-
001-019	Tuberculosis, all forms	207	1	7	1	1	2	2	5	8	4	5	17	13	22	24	36	18	21	14	4	2	-	-
	White—M	86	-	2	1	-	-	-	-	4	-	3	6	6	5	13	18	9	8	8	2	1	-	-
	F	33	-	1	-	-	-	-	-	1	1	-	2	2	6	3	3	5	5	3	1	-	-	-
	Nonwhite—M	54	-	2	-	-	1	-	4	1	1	1	7	4	8	5	9	2	5	2	1	1	-	-
	F	34	1	2	-	1	1	2	1	2	2	1	2	1	3	3	6	2	3	1	-	-	-	-
001-008	Tuberculosis of resp. system	191	1	4	1	-	2	1	5	8	4	4	16	13	21	23	33	18	18	13	4	2	-	-
	White—M	81	-	-	1	-	-	-	-	4	-	3	5	6	5	13	16	9	8	8	2	1	-	-
	F	31	-	-	-	-	-	-	-	1	1	-	2	2	5	3	3	5	5	3	1	-	-	-
	Nonwhite—M	50	-	2	-	-	1	-	4	1	1	-	7	4	8	5	8	2	3	2	1	1	-	-
	F	29	1	2	-	-	1	1	1	2	2	1	2	1	3	2	6	2	2	-	-	-	-	-
010-019	Tuberculosis, other forms	16	-	3	-	1	-	1	-	-	-	1	1	-	1	1	3	-	3	1	-	-	-	-
	White—M	5	-	2	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
020-029	Syphilis and its sequelae	42	1	1	-	-	-	-	-	-	1	1	4	3	9	7	6	2	2	3	2	-	-	-
	White—M	15	1	-	-	-	-	-	-	-	-	-	3	-	1	4	1	2	-	2	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	1	-	1	1	6	1	4	-	1	-	1	-	-	-
	F	6	-	1	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	2	2	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	1	1	-	-	-
	White—M	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
050, 051	Scarlet fever and strep. throat	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	9	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	85	18	6	7	2	2	1	2	1	1	2	4	2	6	4	7	10	6	3	1	-	-	-
	White—M	29	2	1	1	1	1	-	-	1	-	1	1	1	5	3	3	3	2	2	1	-	-	-
	F	22	6	2	4	1	-	1	-	-	-	1	-	-	-	-	2	3	2	-	-	-	-	-
	Nonwhite—M	22	6	1	2	-	-	-	1	-	1	-	3	-	1	1	2	3	-	1	-	-	-	-
	F	12	4	2	-	-	1	-	1	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,403	1	24	9	5	19	19	14	26	56	97	132	182	231	279	367	342	303	185	93	18	1	-
	White—M	1,066	-	11	3	2	6	9	5	7	20	25	43	75	98	135	168	154	166	85	45	8	1	-
	F	865	1	8	5	1	9	8	4	8	24	47	61	67	77	88	118	117	91	82	40	8	-	-
	Nonwhite—M	225	-	4	-	-	3	-	1	3	1	9	11	13	18	29	52	38	28	10	4	1	-	-
	F	247	-	1	1	2	1	2	4	7	11	16	17	27	38	27	29	33	18	8	4	1	-	-
140-148	Of buccal cavity and pharynx	57	-	-	-	-	-	2	-	-	-	-	-	3	5	5	14	8	9	2	8	1	-	-
	White—M	37	-	-	-	-	-	2	-	-	-	-	-	2	3	2	7	5	7	2	6	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	1	2	-	2	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	729	-	-	-	-	2	2	3	2	12	16	31	50	78	87	127	106	111	66	31	5	-	-
	White—M	338	-	-	-	-	-	2	1	1	6	8	11	22	32	43	58	44	60	32	17	1	-	-
	F	239	-	-	-	-	2	-	1	-	5	5	9	18	21	27	39	37	36	28	8	3	-	-
	Nonwhite—M	89	-	-	-	-	-	-	-	1	-	2	8	7	10	8	19	15	11	4	3	-	-	-
	F	63	-	-	-	-	-	-	1	-	1	1	3	3	15	8	11	10	4	2	3	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	287	-	-	-	-	1	1	1	1	3	11	22	28	45	50	56	28	22	14	4	-	-	-
	White—M	214	-	-	-	-	1	1	1	-	2	5	19	22	36	37	43	21	16	9	1	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	2	1	3	6	3	5	3	3	4	3	-	-	-
	Nonwhite—M	30	-	-	-	-	-	-	-	1	1	3	-	2	2	9	7	1	3	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	3	-	-	-	-	-	-
170	Of breast	194	-	-	-	-	-	-	-	3	11	14	22	21	29	21	21	27	5	12	6	2	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	165	-	-	-	-	-	-	-	3	8	13	18	18	23	18	18	23	4	11	6	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	3	-	4	2	6	3	2	3	1	1	-	-	-	-
171-179	Of genital organs	452	-	-	-	1	1	5	4	11	12	27	22	30	31	42	61	77	65	41	18	4	-	-
	White—M	137	-	-	-	-	-	1	1	-	-	3	1	3	3	5	15	32	36	26	9	2	-	-
	F	177	-	-	-	-	1	2	1	5	6	14	17	12	15	22	27	20	17	10	7	1	-	-
	Nonwhite—M	43	-	-	-	-	-	-	-	-	-	-	-	-	1	6	12	13	7	2	1	1	-	-
	F	95	-	-	-	1	-	2	2	6	6	10	4	15	12	9	7	12	5	3	1	-	-	-
180, 181	Of urinary organs	106	-	4	-	-	-	-	-	-	1	2	6	6	5	15	18	16	16	11	5	1	-	-
	White—M	58	-	2	-	-	-	-	-	-	1	1	2	5	3	11	13	7	8	3	1	1	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	5	3	8	4	-	-	-
	Nonwhite—M	15	-	2	-	-	-	-	-	-	-	1	2	-	-	2	2	2	4	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	340	-	9	4	2	7	3	4	7	8	15	18	25	19	33	40	46	50	30	14	5	1	-
	White—M	153	-	4	2	1	3	1	1	5	3	5	5	11	11	17	14	22	27	10	7	3	1	-
	F	130	-	2	1	1	2	2	2	1	4	7	11	8	6	11	14	19	15	15	7	2	-	-
	Nonwhite—M	24	-	2	-	-	2	-	-	1	-	1	-	2	-	2	5	4	2	3	-	-	-	-
	F	33	-	1	1	-	-	-	1	-	1	2	2	4	2	3	7	1	6	2	-	-	-	-
204	Leukemia and aleukemia	136	1	10	4	2	5	3	1	2	5	3	3	6	7	15	17	24	14	9	5	-	-	-
	White—M	72	-	4	1	1	2	-	1	1	4	-	1	2	5	11	9	17	7	3	3	-	-	-
	F	50	1	6	3	-	1	3	-	-	1	2	2	3	-	2	6	5	7	6	2	-	-	-
	Nonwhite—M	6	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	F	8	-	-	-	1	1	-	-	1	-	-	-	-	1	1	1	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	102	-	1	1	-	3	3	1	-	4	9	8	13	12	11	13	10	11	-	2	-	-	-
	White—M	54	-	1	-	-	-	2	-	-	4	2	4	7	5	9	9	5	5	-	1	-	-	-
	F	29	-	-	1	-	3	1	-	-	-	4	2	4	2	1	2	4	4	-	1	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	1	-	-	1	1	1	4	-	2	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	1	-	-	-	-	-
210-239	Benign & unspec. neoplasms	56	1	2	1	2	1	2	1	1	2	6	8	5	6	1	6	5	2	3	1	-	-	-
	White—M	21	-	-	-	1	-	-	1	-	-	3	2	4	2	1	3	2	-	1	1	-	-	-
	F	18	-	1	1	1	1	-	-	-	2	2	3	-	2	-	3	1	-	1	-	-	-	-
	Nonwhite—M	6	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-
	F	11	1	-	-	-	-	2	-	1	-	-	3	-	1	-	-	1	2	-	-	-	-	-
241	Asthma	37	-	-	-	-	-	-	2	-	1	1	1	2	2	2	10	5	6	2	2	1	-	-
	White—M	22	-	-	-	-	-	-	2	-	-	-	1	-	2	1	6	3	5	1	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	1	1	1	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
260	Diabetes mellitus	221	1	-	1	-	1	-	2	2	2	6	8	12	18	24	37	39	34	23	9	2	-	-
	White—M	70	1	-	-	-	-	-	-	-	1	1	2	5	4	5	11	11	16	8	3	2	-	-
	F	90	-	-	-	-	-	-	2	2	1	1	2	4	5	11	11	22	12	12	5	-	-	-
	Nonwhite—M	21	-	-	1	-	1	-	-	-	-	1	2	-	3	1	4	2	4	2	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	3	2	3	6	7	11	4	2	1	1	-	-	-
290-293	Anemias	49	4	2	2	-	1	1	1	-	-	3	-	3	-	1	8	5	8	4	5	1	-	-
	White—M	17	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	4	4	2	2	-	-	-
	F	17	-	-	1	-	-	-	-	-	-	1	-	2	-	-	4	1	4	1	3	-	-	-
	Nonwhite—M	10	3	2	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F	5	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	24	12	3	1	-	-	1	-	-	1	-	-	1	-	3	1	1	-	-	-	-	-	-
	White—M	11	3	1	-	-	-	1	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,238	10	1	6	5	12	18	21	43	89	148	261	410	595	824	1,254	1,409	1,515	1,369	874	275	97	2
	White—M	4,265	1	-	4	-	4	8	8	14	39	69	124	201	295	431	571	672	714	610	372	101	26	1
	F	2,827	2	1	2	4	1	6	2	11	17	25	45	64	103	135	297	385	555	592	395	133	51	1
	Nonwhite—M	1,125	4	-	-	1	3	1	2	12	17	22	39	74	97	119	211	206	141	98	54	15	9	-
	F	1,021	3	-	-	-	4	3	9	6	16	32	53	71	100	139	175	146	105	69	53	26	11	-
330-334, 400-468	Dis. of cardiovascular system	8,978	9	1	4	4	9	15	19	37	83	140	244	403	584	798	1,221	1,376	1,489	1,336	844	265	95	2
	White—M	4,173	1	-	3	-	2	6	8	13	36	67	119	197	294	423	560	661	704	594	361	98	25	1
	F	2,757	2	1	1	3	-	5	2	8	15	24	42	64	101	134	285	379	550	581	379	129	51	1
	Nonwhite—M	1,073	3	-	-	1	3	1	2	11	16	21	33	73	95	108	206	195	136	95	53	13	8	-
	F	975	3	-	-	-	4	3	7	5	16	28	50	69	94	133	170	141	99	66	51	25	11	-
330-334	Vascular lesions, etc.*	2,244	2	-	2	1	2	4	3	6	11	21	41	78	103	168	295	336	421	380	263	82	25	-
	White—M	811	-	-	1	-	1	2	1	1	1	5	7	14	31	51	97	140	167	151	105	30	6	-
	F	797	2	-	1	1	-	2	1	2	5	3	14	25	20	33	67	102	161	175	122	45	16	-
	Nonwhite—M	304	-	-	-	-	1	-	-	1	3	3	9	19	23	36	67	47	48	32	13	1	1	-
	F	332	-	-	-	-	-	1	2	2	10	11	20	29	48	64	47	45	22	23	6	2	-	-
400-402, 410-416, 443	Diseases of heart	6,093	7	1	2	3	6	8	13	28	67	107	193	296	457	592	863	952	966	833	500	144	53	2
	White—M	3,096	1	-	2	-	1	3	6	11	35	60	109	175	251	354	441	486	493	381	223	47	16	1
	F	1,736	-	1	-	2	-	2	1	6	10	19	25	33	79	92	199	250	344	357	218	73	24	1
	Nonwhite—M	700	3	-	-	1	2	1	2	9	11	14	24	46	68	66	129	134	79	59	36	10	6	-
	F	561	3	-	-	-	3	2	4	2	11	14	35	42	59	80	94	82	50	36	23	14	7	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	119	1	-	-	-	1	3	6	6	10	6	14	4	13	14	13	9	9	4	3	1	2	-
	White—M	56	1	-	-	-	-	1	2	2	4	3	8	3	3	9	7	3	3	4	1	1	1	-
	F	35	-	-	-	-	-	-	1	4	3	1	3	1	6	2	5	4	4	-	-	-	1	-
	Nonwhite—M	13	-	-	-	-	-	1	1	-	2	-	-	-	3	2	1	1	2	-	-	-	-	-
	F	15	-	-	-	-	1	1	2	-	1	2	3	-	1	1	-	1	-	-	2	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																							
420	Arteriosclerotic heart dis., etc.*	4,230	-	1	1	-	3	2	2	14	38	79	127	217	328	442	609	664	675	555	350	91	30	2
	White-----M--	2,422	-	-	1	-	1	2	-	6	27	52	86	151	209	294	355	381	376	273	169	28	10	1
	F--	1,181	-	1	-	-	-	-	-	1	4	12	13	18	59	63	142	178	235	242	149	50	13	1
	Nonwhite--M--	365	-	-	-	-	2	-	1	6	4	7	13	20	33	46	68	68	42	26	22	4	3	-
	F--	262	-	-	-	-	-	-	1	1	3	8	15	28	27	39	44	37	22	14	10	9	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	394	1	-	1	1	-	-	2	-	3	-	4	6	30	21	41	73	66	70	49	19	7	-
	White-----M--	150	-	-	1	-	-	-	2	-	-	-	-	2	11	7	18	28	27	33	15	5	1	-
	F--	129	-	-	-	1	-	-	-	-	2	-	1	3	3	6	6	12	24	31	25	10	5	-
	Nonwhite--M--	51	1	-	-	-	-	-	-	-	-	-	2	1	3	3	6	16	8	4	4	3	-	-
	F--	64	-	-	-	-	-	-	-	-	1	-	1	-	13	5	11	17	7	2	5	1	1	-
430-434	Other diseases of heart---------	508	5	-	-	2	2	2	2	6	6	10	20	25	40	42	77	75	71	68	41	10	4	-
	White-----M--	214	-	-	-	-	-	-	2	2	4	4	8	11	17	19	33	28	33	28	19	5	1	-
	F--	127	-	-	-	1	-	1	-	1	1	2	3	1	2	10	11	23	22	27	16	4	2	-
	Nonwhite--M--	104	2	-	-	1	-	-	-	2	1	3	2	9	16	5	23	17	11	8	4	-	-	-
	F--	63	3	-	-	-	2	1	-	1	-	1	7	4	5	8	10	7	5	5	2	1	1	-
440-443	Hypertensive heart disease-----	842	-	-	-	-	-	1	1	2	10	12	28	44	46	73	123	131	145	136	57	23	10	-
	White-----M--	254	-	-	-	-	-	-	-	1	-	1	7	8	11	25	28	46	54	43	19	8	3	-
	F--	264	-	-	-	-	-	1	-	-	-	4	5	10	9	11	35	33	59	57	28	9	3	-
	Nonwhite--M--	167	-	-	-	-	-	-	-	1	4	4	7	16	13	10	31	32	16	21	6	3	3	-
	F--	157	-	-	-	-	-	-	1	-	6	3	9	10	13	27	29	20	16	15	4	3	1	-
444-447	Other hypertensive disease------	170	-	-	-	-	-	1	-	1	4	5	4	17	10	11	17	21	30	35	7	4	3	-
	White-----M--	57	-	-	-	-	-	1	-	1	-	-	1	1	2	3	6	5	16	19	1	1	-	-
	F--	54	-	-	-	-	-	-	-	-	-	2	2	4	-	2	4	7	13	14	4	1	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	1	-	7	3	4	2	4	1	2	1	1	1	-
	F--	31	-	-	-	-	-	-	-	-	3	2	1	5	5	2	5	5	-	-	1	1	1	-
450	General arteriosclerosis--------	302	-	-	-	-	-	-	-	-	-	2	-	3	3	8	21	39	47	76	64	28	11	-
	White-----M--	125	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	16	14	35	27	16	3	-
	F--	116	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	11	22	32	30	7	7	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	6	7	2	3	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	6	4	7	4	3	1	-
451-468	Other diseases of circulatory sys.-	169	-	-	-	-	1	2	3	2	1	5	6	9	11	19	25	28	25	12	10	7	3	-
	White-----M--	84	-	-	-	-	-	-	1	-	-	2	2	7	9	12	8	14	14	8	5	2	-	-
	F--	54	-	-	-	-	-	1	-	-	-	-	1	2	2	5	10	9	10	3	5	3	3	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	1	2	-	-	-	1	4	4	1	-	-	1	-	-
	F--	16	-	-	-	-	1	1	2	1	-	1	3	-	-	1	3	1	-	1	-	1	-	-
592-594	Chronic nephritis, etc.*----------	280	1	-	2	1	3	3	2	6	6	8	17	7	11	26	33	33	26	33	30	10	2	-
	White-----M--	92	-	-	1	-	2	2	-	1	3	2	5	4	1	8	11	11	10	16	11	3	1	-
	F--	70	-	-	1	1	1	1	-	3	2	1	3	-	2	1	12	6	5	11	16	4	-	-
	Nonwhite--M--	52	1	-	-	-	-	-	-	1	1	1	6	1	2	11	5	11	5	3	1	2	1	-
	F--	46	-	-	-	-	-	-	2	1	-	4	3	2	6	6	5	5	6	3	2	1	-	-
480-493	Influenza and pneumonia, etc.*-	683	89	30	7	3	4	5	3	4	4	13	17	12	26	40	53	68	86	89	79	38	13	-
	White-----M--	271	30	4	2	-	1	3	2	-	1	6	10	7	7	17	13	26	40	42	38	16	6	-
	F--	176	13	6	-	2	3	1	-	1	1	2	5	-	4	7	10	20	25	27	27	18	4	-
	Nonwhite--M--	121	24	8	2	1	-	-	1	3	-	3	1	3	9	7	11	13	15	9	8	2	1	-
	F--	115	22	12	3	-	-	1	-	-	2	2	1	2	6	9	19	9	6	11	6	2	2	-
480-483	Influenza---------	114	6	3	-	-	-	1	-	1	1	1	6	2	6	9	13	9	18	10	16	10	2	-
	White-----M--	30	-	-	-	-	-	1	-	-	-	-	4	1	2	2	2	3	4	2	7	2	-	-
	F--	29	1	-	-	-	-	-	-	-	1	-	1	-	1	1	3	1	7	4	3	8	-	-
	Nonwhite--M--	31	4	1	-	-	-	-	-	1	-	-	1	1	2	2	4	3	4	3	5	-	-	-
	F--	24	1	2	-	-	-	-	-	-	-	1	-	-	1	4	4	2	3	1	1	2	2	-
490-493	Pneumonia, etc.*--	569	83	27	7	3	4	4	3	3	3	12	11	10	20	31	40	59	68	79	63	28	11	-
	White-----M--	241	30	4	2	-	1	2	2	-	1	6	6	6	5	15	11	23	36	40	31	14	6	-
	F--	147	12	6	-	2	3	1	-	1	-	2	4	-	3	6	7	19	16	23	24	12	4	-
	Nonwhite--M--	90	20	7	2	1	-	-	1	2	-	3	-	2	7	5	7	10	11	6	3	2	1	-
	F--	91	21	10	3	-	-	1	-	-	2	1	1	2	5	5	15	7	3	10	5	-	-	-
500-502	Bronchitis---------	31	6	1	3	-	-	-	-	1	1	-	2	3	-	1	4	3	2	1	2	-	1	-
	White-----M--	13	1	-	1	-	-	-	-	1	-	-	1	1	-	1	3	2	-	-	1	-	1	-
	F--	8	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	1	-	-	-
	F--	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	66	-	-	-	-	-	1	1	1	1	2	4	3	5	10	10	10	6	7	3	2	-	-
	White-----M--	48	-	-	-	-	-	-	-	1	-	1	3	3	4	9	8	8	3	3	3	2	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	2	-	3	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	3	1	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	13	-	1	-	1	1	-	-	-	-	1	-	1	-	2	1	2	1	1	1	-	-	-
	White-----M--	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	92	8	2	-	1	-	-	2	-	1	-	2	7	8	9	13	8	17	6	6	1	1	-
	White-----M--	38	3	1	-	-	-	-	1	-	1	-	-	1	4	5	6	2	7	3	3	-	1	-
	F--	33	2	-	-	1	-	-	1	-	-	-	-	2	3	3	2	4	8	3	3	1	-	-
	Nonwhite--M--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	2	4	1	-	4	2	1	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	114	41	13	3	2	-	1	1	-	1	1	1	2	2	3	11	13	5	6	6	1	1	-
	White-----M--	28	8	4	2	-	-	-	-	-	-	1	-	2	1	1	2	4	2	-	1	-	-	-
	F--	34	7	4	-	1	-	-	1	-	1	-	-	-	-	2	3	1	2	6	4	1	1	-
	Nonwhite--M--	30	16	4	-	-	-	1	-	-	-	-	-	-	-	-	3	5	-	-	1	-	-	-
	F--	22	10	1	1	1	-	-	-	-	-	-	1	-	1	-	3	3	1	-	-	-	-	-
581	Cirrhosis of liver	103	-	-	-	-	-	-	1	3	5	5	11	12	14	8	13	11	9	7	3	1	-	-
	White-----M--	60	-	-	-	-	-	-	1	2	1	5	7	9	10	5	7	7	3	2	1	-	-	-
	F--	32	-	-	-	-	-	-	-	1	4	-	2	3	4	2	2	3	4	5	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	2	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																							
584, 585	Cholelithiasis, etc.*----------	37	-	-	-	-	-	-	-	1	1	-	4	2	1	4	3	4	7	8	1	1	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	4	2	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	3	6	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	37	2	2	1	1	-	-	-	-	4	4	3	1	2	1	2	9	1	3	1	-	-	-
	White-----M--	12	1	-	-	1	-	-	-	-	-	3	2	-	1	-	1	3	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	3	1	1	1	-	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	2	-	2	-	-	-	-
	F--	6	-	2	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
600	Infections of kidney----------	61	-	-	-	-	1	1	-	-	-	3	2	3	1	6	9	11	11	8	1	4	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	5	6	4	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2	4	2	1	-	4	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	2	1	-	1	1	3	2	3	2	1	-	-	-
	F--	5	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
610	Hyperplasia of prostate----------	64	-	-	-	-	-	-	-	-	-	-	-	-	2	3	11	11	12	14	9	1	1	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	4	10	8	1	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	5	8	4	1	-	-	-
640-689	Complications of pregnancy, etc.*-	26	...	...	...	1	4	1	4	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	-	4	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	1	-	1	3	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*------	24	...	...	...	1	4	1	3	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	-	4	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	1	-	1	2	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	171	119	22	3	4	2	1	3	2	1	3	1	2	4	-	-	2	2	-	-	-	-	-
	White-----M--	74	47	11	-	2	1	1	1	1	1	3	1	2	1	-	-	1	1	-	-	-	-	-
	F--	67	51	6	2	2	-	-	2	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	14	9	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	16	12	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	587	587	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*----	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	454	49	6	2	-	4	-	6	4	9	9	9	17	25	26	37	67	46	59	36	29	14	-
	White-----M--	119	7	-	-	-	-	-	-	1	3	3	5	4	9	9	13	18	8	16	11	7	5	-
	F--	85	2	-	-	-	1	-	3	-	1	1	1	2	1	3	4	8	10	19	15	7	7	-
	Nonwhite--M--	149	26	6	1	-	2	-	1	-	1	2	-	6	9	9	14	32	13	12	5	10	-	-
	F--	101	14	-	1	-	1	-	2	3	4	3	3	5	6	5	6	9	15	12	5	5	2	-
Residual	All other diseases	665	38	19	11	15	12	13	11	12	15	18	23	29	42	67	84	65	81	60	31	18	1	-
	White-----M--	319	15	10	3	6	3	5	3	6	3	9	14	12	27	31	48	35	40	33	10	6	-	-
	F	197	8	5	4	4	3	3	2	3	6	5	5	10	8	18	21	15	31	21	15	9	1	-
	Nonwhite--M--	92	11	4	4	2	2	4	2	-	3	3	1	5	4	16	9	10	7	2	3	-	-	-
	F--	57	4	-	-	3	4	1	4	3	3	1	3	2	3	2	6	5	3	4	3	3	-	-
E800-E962	Accidents----------	1,197	75	89	54	59	102	87	71	48	68	60	65	57	39	46	52	63	59	44	38	17	4	-
	White-----M--	639	15	23	28	33	70	58	53	35	44	43	36	38	22	29	24	26	24	18	14	6	-	-
	F--	231	14	18	8	9	10	10	10	7	11	5	8	9	5	10	9	17	21	22	19	6	3	-
	Nonwhite--M--	200	24	25	5	14	15	14	6	6	8	10	15	7	9	4	14	9	7	2	2	3	1	-
	F--	127	22	23	13	3	7	5	2	-	5	2	6	3	3	3	5	11	7	2	3	2	-	-
E810-E835	Motor vehicle accidents----------	445	4	15	21	21	49	49	42	25	30	26	26	30	14	24	32	17	14	3	2	1	-	-
	White-----M--	288	1	6	13	12	38	37	32	16	23	19	10	19	7	17	14	11	10	1	2	-	-	-
	F--	72	2	2	2	5	6	6	7	4	3	2	5	5	2	6	9	2	2	2	-	-	-	-
	Nonwhite--M--	65	1	5	-	2	3	5	2	5	4	5	11	4	4	-	8	3	2	-	-	1	-	-
	F--	20	-	2	6	2	2	1	1	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents----	752	71	74	33	38	53	38	29	23	38	34	39	27	25	22	20	46	45	41	36	16	4	-
	White-----M--	351	14	17	15	21	32	21	21	19	21	24	26	19	15	12	10	15	14	17	12	6	-	-
	F--	159	12	16	6	4	4	4	3	3	8	3	3	4	3	4	-	15	19	20	19	6	3	-
	Nonwhite--M--	135	23	20	5	12	12	9	4	1	4	5	4	3	5	4	6	6	5	2	2	2	1	-
	F--	107	22	21	7	1	5	4	1	-	5	2	6	1	2	2	4	10	7	2	3	2	-	-
E963, E970-E979	Suicide----------	129	-	-	-	-	3	6	9	6	6	11	15	13	15	13	11	11	4	4	2	-	-	-
	White-----M--	92	-	-	-	-	2	2	4	4	5	8	10	8	13	9	8	10	4	3	2	-	-	-
	F--	28	-	-	-	-	1	4	4	1	1	3	3	4	2	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
E964, E980-E985	Homicide----------	121	1	-	1	-	4	13	16	17	14	11	14	8	6	4	9	1	2	-	-	-	-	-
	White-----M--	42	-	-	1	-	-	4	4	6	7	3	2	5	2	1	6	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	1	-	-	-	3	8	10	6	4	5	6	3	2	2	3	-	-	-	-	-	-	-
	F--	20	-	-	-	-	1	-	2	5	2	1	6	-	1	-	-	-	2	-	-	-	-	-

*For complete category title, see table 61A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA																							
	All causes------	125,924	8,595	1,277	653	496	846	1,140	1,215	1,650	2,386	3,532	5,161	6,948	8,743	11,076	14,288	15,930	15,866	13,105	8,374	3,560	1,047	36
	White-----M--	67,387	4,212	622	341	287	562	746	698	874	1,259	1,972	2,869	4,305	5,433	6,861	8,530	8,929	8,065	5,878	3,370	1,219	331	24
	F--	50,719	3,058	509	241	175	221	274	340	541	812	1,204	1,782	2,090	2,653	3,583	5,035	6,333	7,250	6,858	4,817	2,264	671	8
	Nonwhite--M--	4,740	732	79	43	26	42	83	102	144	175	207	321	362	420	388	459	417	359	215	100	41	21	4
	F--	3,078	593	67	28	8	21	37	75	91	140	149	189	191	237	244	264	251	192	154	87	36	24	-
001-019	Tuberculosis, all forms-------	874	3	13	2	1	2	5	22	25	32	53	63	89	109	100	109	96	91	32	18	8	1	-
	White-----M--	549	1	7	-	1	-	3	4	7	6	22	30	63	77	76	80	70	67	16	10	8	1	-
	F--	181	1	2	-	-	-	1	6	11	17	17	13	13	18	15	16	16	16	14	5	-	-	-
	Nonwhite--M--	108	1	1	-	-	2	-	8	2	7	9	15	11	12	8	11	9	8	2	2	-	-	-
	F--	36	-	3	2	-	-	1	4	5	2	5	5	2	2	1	2	1	-	-	1	-	-	-
001-008	Tuberculosis of resp. system-----	810	2	9	1	-	2	3	14	23	29	51	60	87	100	92	104	91	86	30	17	8	1	-
	White-----M--	518	1	5	-	-	-	1	2	7	5	21	29	61	74	71	76	69	63	15	9	8	1	-
	F--	169	1	1	-	-	-	1	4	10	16	17	12	13	16	13	16	15	16	13	5	-	-	-
	Nonwhite--M--	92	-	1	-	-	2	-	4	2	6	8	14	11	8	7	11	7	7	2	2	-	-	-
	F--	31	-	2	1	-	-	1	4	4	2	5	5	2	2	1	1	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	64	1	4	1	1	-	2	8	2	3	2	3	2	9	8	5	5	5	2	1	-	-	-
	White-----M--	31	-	2	-	1	-	2	2	-	1	1	1	2	3	5	4	1	4	1	1	-	-	-
	F--	12	-	1	-	-	-	-	2	1	1	-	1	-	2	2	-	1	-	1	-	-	-	-
	Nonwhite--M--	16	1	-	-	-	-	-	4	-	1	1	1	-	4	1	-	2	1	-	-	-	-	-
	F--	5	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	250	1	-	-	-	-	-	-	1	2	4	6	25	25	43	47	42	33	13	5	2	-	1
	White-----M--	137	-	-	-	-	-	-	-	1	1	-	2	11	11	24	27	28	19	9	3	-	-	1
	F--	50	-	-	-	-	-	-	-	-	-	1	1	3	6	10	11	10	5	2	1	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	1	2	2	6	5	7	7	4	8	2	-	1	-	-
	F--	18	1	-	-	-	-	-	-	-	-	1	1	5	3	2	2	-	1	-	1	1	-	-
045-048	Dysentery, all forms----------	25	4	5	3	-	-	-	-	2	1	-	1	2	1	-	-	5	-	-	1	-	-	-
	White-----M--	14	3	3	1	-	-	-	-	-	1	-	1	1	-	-	-	4	-	-	-	-	-	-
	F--	7	1	-	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	15	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	47	14	16	1	1	3	2	1	-	1	1	1	3	1	1	1	-	-	-	-	-	-	-
	White-----M--	23	7	6	-	1	2	-	1	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-
	F--	20	6	8	1	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	12	-	3	2	1	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	2	4	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases----------	318	40	19	15	7	4	7	4	16	19	16	25	20	21	19	21	20	23	12	6	4	-	-
	White-----M--	156	18	14	9	6	1	2	3	6	7	4	6	14	11	11	13	9	12	6	2	2	-	-
	F--	119	12	4	2	1	2	3	1	9	6	7	13	5	8	8	5	10	11	6	4	2	-	-
	Nonwhite--M--	29	5	1	3	-	1	1	-	-	4	4	4	1	2	-	2	1	-	-	-	-	-	-
	F--	14	5	-	1	-	-	1	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	20,511	23	157	149	87	72	89	129	259	481	771	1,202	1,608	2,132	2,623	2,997	2,914	2,270	1,546	729	223	48	2
	White-----M--	10,043	15	74	77	43	43	44	49	103	158	252	462	714	1,077	1,390	1,584	1,586	1,172	741	349	92	18	-
	F--	9,314	6	71	63	40	27	37	63	130	279	450	641	779	900	1,075	1,258	1,216	1,004	757	364	123	29	2
	Nonwhite--M--	693	1	5	6	3	2	6	11	11	20	33	57	59	97	88	104	75	66	32	11	3	1	-
	F--	461	1	7	3	1	-	2	6	15	24	36	42	56	58	70	51	37	26	16	5	5	-	-
140-148	Of buccal cavity and pharynx-------	511	-	-	-	1	1	-	2	5	4	15	42	58	69	69	70	64	51	31	20	8	1	-
	White-----M--	346	-	-	-	-	1	-	-	3	1	5	24	38	48	54	56	48	32	20	11	4	1	-
	F--	136	-	-	-	1	-	-	1	-	2	8	13	14	18	12	13	15	15	11	9	4	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	1	1	2	4	6	3	3	1	1	4	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	6,711	2	4	1	1	4	8	9	40	105	145	275	364	636	845	1,052	1,165	934	682	302	101	15	1
	White-----M--	3,338	2	-	-	-	3	4	3	17	39	65	128	194	344	432	538	619	471	314	126	33	6	-
	F--	2,948	-	3	-	-	1	2	5	20	56	63	111	155	238	357	452	488	415	340	168	64	9	1
	Nonwhite--M--	291	-	-	1	1	-	1	-	2	7	7	27	23	41	36	42	40	36	22	5	-	-	-
	F--	134	-	1	-	-	-	1	1	1	3	10	9	12	13	20	20	18	12	6	3	4	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	3,088	3	-	1	2	1	2	1	19	42	98	181	307	446	597	536	416	256	119	50	8	3	-
	White—M	2,448	1	-	1	2	1	1	-	12	25	64	127	248	371	489	451	343	196	80	31	4	1	-
	F	471	1	-	-	-	-	-	-	5	14	24	40	39	48	75	57	58	53	36	17	4	2	-
	Nonwhite—M	139	-	-	-	-	-	1	1	1	1	9	13	16	25	24	25	13	5	3	2	-	-	-
	F	30	1	-	-	-	-	-	-	1	2	1	1	4	4	9	3	2	2	-	-	-	-	-
170	Of breast	1,948	-	-	-	-	1	2	9	35	78	152	204	249	223	209	243	187	161	117	57	14	7	-
	White—M	16	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	2	2	1	5	-	-	-
	F	1,857	-	-	-	-	1	2	8	31	73	141	196	240	210	201	235	181	154	111	52	14	7	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	75	-	-	-	-	-	-	1	3	5	10	8	8	12	7	7	4	5	5	-	-	-	-
171-179	Of genital organs	2,925	-	2	1	3	6	11	19	43	68	134	185	219	251	345	406	443	361	250	133	39	6	-
	White—M	1,032	-	2	-	-	3	7	9	8	6	8	10	13	38	79	151	217	200	161	93	24	3	-
	F	1,725	-	-	1	3	3	4	9	30	54	116	160	189	191	238	232	207	152	83	38	12	3	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	1	1	-	1	6	9	14	12	6	5	1	2	-	-
	F	110	-	-	-	-	-	-	1	5	7	9	15	16	16	19	9	7	3	1	1	1	-	-
180, 181	Of urinary organs	1,000	1	21	10	-	-	2	2	3	13	15	48	65	86	111	167	162	133	96	40	18	7	-
	White—M	640	1	10	4	-	-	-	-	2	5	9	31	40	62	77	113	110	86	53	23	10	4	-
	F	305	-	7	6	-	-	1	-	1	6	6	15	17	20	25	46	46	42	41	16	7	3	-
	Nonwhite—M	35	-	-	-	-	-	1	2	-	1	-	1	3	3	7	7	4	4	-	1	1	-	-
	F	20	-	4	-	-	-	-	-	-	1	-	1	5	1	2	1	2	1	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	2,243	7	41	38	34	23	35	42	48	86	124	164	181	243	238	244	242	203	140	78	24	8	-
	White—M	1,126	5	18	19	18	13	20	17	27	40	53	79	95	127	139	130	128	97	54	33	11	3	-
	F	1,004	1	21	16	15	9	14	19	19	41	60	70	75	99	90	104	109	98	84	43	13	4	-
	Nonwhite—M	62	1	2	1	1	1	1	3	-	2	8	8	4	9	3	4	3	7	1	2	-	1	-
	F	51	-	-	2	-	-	-	3	2	3	3	7	7	8	6	6	2	1	1	-	-	-	-
204	Leukemia and aleukemia	1,011	7	78	90	38	24	9	14	25	39	31	34	57	59	78	120	104	83	75	34	10	1	1
	White—M	541	4	36	46	18	15	6	7	11	19	19	23	31	21	45	70	50	49	42	24	5	-	-
	F	416	3	37	40	18	8	3	5	10	17	10	10	20	35	27	42	53	30	32	9	5	1	1
	Nonwhite—M	31	-	3	3	1	1	-	2	4	1	1	1	2	2	2	5	-	3	-	-	-	-	-
	F	23	-	2	1	1	-	-	-	-	2	1	-	4	1	4	3	1	1	1	1	-	-	-
200-203, 205	Lymphomas, etc.*	1,074	3	11	8	8	12	20	31	41	46	57	69	88	119	131	159	131	88	36	15	1	-	-
	White—M	556	2	8	7	5	7	6	13	22	23	28	40	54	65	74	74	69	39	16	3	1	-	-
	F	452	1	3	-	3	5	11	16	14	16	22	26	30	43	50	77	59	45	19	12	-	-	-
	Nonwhite—M	50	-	-	1	-	-	2	2	3	6	5	3	4	8	4	6	2	3	1	-	-	-	-
	F	16	-	-	-	-	-	1	-	2	1	2	-	-	3	3	2	1	1	-	-	-	-	-
210-239	Benign & unspec. neoplasms	417	11	10	9	13	3	5	11	17	20	28	40	28	32	33	36	54	35	19	10	3	-	-
	White—M	170	5	4	3	7	1	3	2	6	7	11	13	15	13	16	13	27	13	6	4	1	-	-
	F	210	5	6	5	6	2	2	5	7	7	15	26	11	16	13	19	25	21	11	6	2	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	3	4	1	-	1	2	1	2	2	1	1	-	-	-	-
	F	19	1	-	1	-	-	-	4	1	2	1	1	1	1	3	2	-	1	1	-	-	-	-
241	Asthma	396	1	6	4	3	2	4	4	8	10	15	28	31	44	64	45	55	35	29	5	3	-	-
	White—M	243	-	1	1	1	1	2	1	1	3	6	13	19	28	47	35	36	24	20	3	1	-	-
	F	125	-	4	1	2	1	2	2	7	3	6	10	10	16	16	8	15	9	9	2	2	-	-
	Nonwhite—M	20	1	1	2	-	-	-	-	-	1	1	3	2	-	1	2	4	2	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	1,447	-	5	1	6	3	7	13	21	34	29	41	80	120	163	216	258	230	140	62	16	2	-
	White—M	575	-	3	-	2	2	3	6	10	17	14	9	30	53	67	84	95	86	62	23	7	2	-
	F	732	-	2	1	4	1	3	6	10	12	13	24	30	45	80	111	143	131	72	35	9	-	-
	Nonwhite—M	61	-	-	-	-	-	-	-	-	2	-	3	8	8	4	11	13	5	4	3	-	-	-
	F	79	-	-	-	-	1	1	1	3	2	5	12	14	12	10	7	8	2	1	-	-	-	-
290-293	Anemias	208	5	11	4	7	2	-	6	3	3	8	4	9	11	16	25	17	31	26	11	7	2	-
	White—M	82	-	2	2	3	-	-	-	2	1	4	-	4	4	7	11	8	13	15	6	-	-	-
	F	102	4	4	2	2	2	-	2	-	1	3	4	3	6	8	13	7	16	11	5	7	2	-
	Nonwhite—M	12	-	2	-	2	-	-	2	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-
	F	12	1	3	-	-	-	-	2	-	1	-	-	2	1	-	-	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	208	92	37	8	5	2	3	1	3	1	3	9	11	8	8	5	4	4	3	1	-	-	-
	White—M	111	45	22	6	2	2	3	1	3	1	1	4	5	6	2	4	1	2	-	1	-	-	-
	F	68	31	11	2	2	-	-	-	-	-	1	3	4	2	3	1	3	2	3	-	-	-	-
	Nonwhite—M	13	5	3	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	16	11	1	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	66,937	32	23	20	25	55	61	131	290	548	1,165	1,944	3,138	4,366	6,098	8,508	10,274	10,892	9,444	6,367	2,737	808	11
	White—M	35,652	17	9	9	11	18	32	57	156	338	782	1,280	2,202	2,868	3,975	5,164	5,693	5,340	4,028	2,448	875	245	5
	F	28,234	10	9	9	13	28	19	52	84	132	263	464	680	1,071	1,789	2,939	4,173	5,203	5,169	3,788	1,806	528	5
	Nonwhite—M	1,771	3	3	1	1	4	8	11	30	41	61	114	168	204	198	232	236	214	132	62	31	16	1
	F	1,280	2	2	1	-	5	2	11	20	37	59	86	88	123	136	173	172	135	115	69	25	19	-
330-334, 400-468	Dis. of cardiovascular system	66,202	31	23	16	22	41	56	108	267	505	1,120	1,895	3,080	4,297	6,046	8,427	10,195	10,815	9,387	6,326	2,729	805	11
	White—M	35,289	16	9	6	11	13	30	47	143	315	757	1,251	2,172	2,939	3,950	5,125	5,650	5,303	4,002	2,426	874	245	5
	F	27,948	10	9	8	10	20	17	43	78	121	250	447	667	1,041	1,772	2,804	4,142	5,168	5,140	3,771	1,799	526	5
	Nonwhite—M	1,719	3	3	1	1	4	7	10	27	35	56	112	157	198	192	228	252	213	130	62	31	16	1
	F	1,246	2	2	1	-	4	2	8	19	34	57	85	84	119	132	170	171	131	115	67	25	18	-
330-334	Vascular lesions, etc.*	13,846	11	14	7	15	16	14	25	54	84	144	254	360	545	898	1,498	2,138	2,613	2,489	1,734	718	213	2
	White—M	5,886	7	3	2	8	3	8	10	22	36	54	92	173	272	464	765	1,033	1,141	968	579	196	50	-
	F	7,296	4	7	4	6	11	4	11	23	31	69	122	148	223	359	629	1,009	1,388	1,458	1,121	512	155	2
	Nonwhite—M	349	-	3	-	1	1	1	1	2	6	10	20	19	29	32	55	54	53	34	19	5	4	-
	F	315	-	1	1	-	1	1	3	7	11	11	20	20	21	43	49	42	31	29	15	5	4	-
400-402, 410-443	Diseases of heart	46,668	16	8	8	6	18	32	69	188	388	914	1,532	2,568	3,519	4,736	6,315	7,242	7,234	5,966	3,858	1,595	448	8
	White—M	26,549	5	6	3	3	10	18	31	114	267	679	1,113	1,912	2,518	3,207	3,984	4,140	3,681	2,620	1,563	525	145	5
	F	18,133	6	2	4	3	4	9	26	44	78	158	289	478	757	1,309	2,076	2,830	3,338	3,197	2,208	1,033	281	3
	Nonwhite—M	1,199	3	-	1	-	3	4	9	20	26	38	79	122	154	142	150	159	134	81	41	21	12	-
	F	787	2	-	-	-	1	1	3	10	17	39	51	56	80	78	105	113	81	68	46	16	10	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	1,641	1	1	1	4	11	15	28	46	71	120	170	204	196	192	185	182	105	68	28	10	3	-
	White—M	783	-	1	-	2	7	7	11	26	37	66	79	93	97	97	89	91	34	30	13	1	2	-
	F	793	1	-	-	2	2	6	12	18	30	47	83	99	91	90	93	88	69	37	15	9	1	-
	Nonwhite—M	38	-	-	1	-	1	2	4	-	1	3	6	6	4	4	2	1	2	1	-	-	-	-
	F	27	-	-	-	-	1	-	1	2	3	4	2	6	4	1	1	2	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																							
420	Arteriosclerotic heart dis., etc.*	35,909	1	-	-	1	-	8	25	111	265	676	1,182	2,041	2,842	3,832	5,128	5,703	5,557	4,430	2,697	1,100	303	7
	White-----M--	21,853	-	-	-	1	-	6	16	81	211	561	957	1,649	2,166	2,752	3,397	3,397	2,972	2,038	1,157	386	102	4
	F--	12,817	-	-	-	-	-	1	6	13	30	74	155	275	529	944	1,562	2,133	2,439	2,290	1,488	689	186	3
	Nonwhite--M--	809	1	-	-	-	-	1	3	13	18	23	46	87	100	94	106	108	101	59	26	14	9	-
	F--	430	-	-	-	-	-	-	-	4	6	18	24	30	47	42	63	65	45	43	26	11	6	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,415	5	2	2	1	3	1	6	5	16	21	34	70	116	184	294	480	611	659	559	264	81	1
	White-----M--	1,573	1	1	2	-	1	1	2	2	8	14	18	47	66	112	164	256	297	276	201	82	21	1
	F--	1,669	2	1	-	1	1	-	3	1	6	6	8	14	36	59	111	194	289	362	344	178	53	-
	Nonwhite--M--	100	2	-	-	-	1	-	1	1	2	-	5	6	10	6	13	17	14	9	7	3	3	-
	F--	73	-	-	-	-	-	-	-	1	-	1	3	3	4	7	6	13	11	12	7	1	4	-
430-434	Other diseases of heart---------	1,080	9	5	5	-	3	6	5	12	14	23	33	60	67	80	112	149	161	158	100	44	14	-
	White-----M--	551	4	4	1	-	2	3	2	2	4	11	17	36	38	45	71	76	93	69	48	18	7	-
	F--	438	3	1	4	-	1	1	2	7	6	10	12	21	18	28	35	81	62	85	49	25	7	-
	Nonwhite--M--	36	-	-	-	-	-	1	-	1	2	1	2	1	5	4	3	7	4	3	1	1	-	-
	F--	35	2	-	-	-	-	1	1	2	2	1	2	2	6	3	3	5	2	1	2	-	-	-
440-443	Hypertensive heart disease----	4,643	-	-	-	-	1	2	5	14	22	74	113	193	298	448	596	728	800	651	474	177	47	-
	White-----M--	1,789	-	-	-	-	-	1	-	3	7	27	42	87	151	201	263	320	285	207	144	38	13	-
	F--	2,416	-	-	-	-	-	1	3	5	6	21	31	69	83	188	275	354	479	423	312	132	34	-
	Nonwhite--M--	216	-	-	-	-	1	-	1	5	3	11	20	22	35	34	26	26	13	9	7	3	-	-
	F--	222	-	-	-	-	-	-	1	1	6	15	20	15	29	25	32	28	23	12	11	4	-	-
444-447	Other hypertensive disease------	927	-	-	-	1	-	1	3	4	13	29	35	48	52	63	110	122	140	139	115	38	14	-
	White-----M--	421	-	-	-	-	-	1	1	1	7	7	12	24	29	34	51	64	66	59	50	12	3	-
	F--	422	-	-	-	1	-	-	1	2	2	12	8	14	17	25	50	50	67	72	65	25	11	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	1	1	7	7	6	4	2	2	1	4	3	-	1	-	-
	F--	45	-	-	-	-	-	-	1	-	3	3	8	4	2	2	7	7	3	5	-	-	-	-
450	General arteriosclerosis--------	3,000	-	-	1	-	-	-	-	-	1	-	9	20	41	136	203	401	560	633	525	351	118	1
	White-----M--	1,367	-	-	1	-	-	-	-	-	1	-	5	12	27	91	120	211	273	270	188	123	45	-
	F--	1,527	-	-	-	-	-	-	-	-	-	-	1	6	10	36	68	175	268	343	331	220	69	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	3	-	2	4	10	8	9	8	1	4	-	1
	F--	56	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	7	10	12	5	4	4	-
451-468	Other diseases of circulatory sys.-	1,761	4	1	-	-	7	9	11	21	19	33	65	84	140	213	301	292	268	160	94	27	12	-
	White-----M--	1,066	4	-	-	-	-	3	5	6	4	17	29	51	93	154	205	202	142	85	46	18	2	-
	F--	570	-	-	-	-	5	4	5	9	10	11	27	21	34	43	81	78	107	70	46	9	10	-
	Nonwhite--M--	82	-	-	-	-	-	2	-	4	2	1	3	10	9	12	11	10	13	4	1	-	-	-
	F--	43	-	1	-	-	2	-	1	2	3	4	6	2	4	4	4	2	6	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	735	1	-	4	3	14	5	23	23	43	45	49	58	69	52	81	79	77	57	41	8	3	-
	White-----M--	363	1	-	3	-	5	2	10	13	23	25	29	30	29	25	39	43	37	26	22	1	-	-
	F--	286	-	-	1	3	8	2	9	6	11	13	17	13	30	17	35	31	35	29	17	7	2	-
	Nonwhite--M--	52	-	-	-	-	-	1	1	3	6	5	2	11	6	6	4	4	1	2	-	-	-	-
	F--	34	-	-	-	-	1	-	3	1	3	2	1	4	4	4	3	1	4	-	2	-	1	-
480-493	Influenza and pneumonia, etc.*-	4,108	666	136	35	23	19	31	21	32	46	71	130	198	191	193	312	374	448	514	374	202	89	1
	White-----M--	2,197	333	73	18	12	10	15	9	11	20	41	74	121	118	124	206	233	245	261	166	76	30	1
	F--	1,596	232	49	14	9	7	13	5	16	17	20	39	53	51	58	91	130	180	238	195	123	56	-
	Nonwhite--M--	196	48	6	1	1	2	2	3	3	5	6	15	19	18	10	11	7	16	11	9	2	1	-
	F--	119	53	10	2	1	-	1	4	2	4	4	2	5	4	1	4	4	7	4	4	1	2	-
480-483	Influenza---------	110	8	6	1	-	1	4	-	1	1	1	1	7	4	10	14	10	10	14	9	6	2	-
	White-----M--	51	3	4	1	-	-	2	-	1	-	-	1	3	1	6	6	5	5	8	2	2	1	-
	F--	49	2	1	-	-	1	2	-	-	1	-	-	2	2	3	7	5	5	6	7	4	1	-
	Nonwhite--M--	7	2	1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	3,998	658	132	34	23	18	27	21	31	45	70	129	191	187	183	298	364	438	500	365	196	87	1
	White-----M--	2,146	330	69	17	12	10	13	9	10	20	41	73	118	117	118	200	228	240	253	164	74	29	1
	F--	1,547	230	48	14	9	6	11	5	16	16	20	39	51	49	55	84	125	175	232	188	119	55	-
	Nonwhite--M--	189	46	5	1	1	2	2	3	3	5	5	15	18	17	9	11	7	16	11	9	2	1	-
	F--	116	52	10	2	1	-	1	4	2	4	4	2	4	4	1	3	4	7	4	4	1	2	-
500-502	Bronchitis---------	379	87	39	9	5	1	1	1	4	3	6	9	13	19	24	31	36	38	31	12	7	2	1
	White-----M--	215	42	15	4	2	-	-	1	-	1	3	3	9	12	16	22	25	25	22	9	4	-	-
	F--	145	36	23	5	3	1	1	-	3	2	2	5	4	7	5	9	10	13	8	3	3	2	-
	Nonwhite--M--	13	6	1	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	1
	F--	6	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	1,050	4	4	-	-	-	1	4	12	12	34	56	79	100	116	132	163	161	102	47	22	1	-
	White-----M--	733	1	1	-	-	-	1	2	10	5	23	36	57	70	87	95	126	116	63	28	12	-	-
	F--	268	2	3	-	-	-	-	2	-	7	10	13	17	27	23	33	30	40	34	18	8	1	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	1	-	-	6	5	3	6	4	4	3	4	1	1	-	-
	F--	10	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	2	1	-	1	-	-
550-553	Appendicitis------	150	3	5	4	3	3	4	2	3	5	2	8	10	5	13	21	16	22	13	3	3	2	-
	White-----M--	84	1	3	2	2	2	1	-	2	4	1	5	6	3	9	14	7	10	6	3	1	2	-
	F--	55	2	2	1	-	1	2	2	1	-	-	3	3	1	4	5	9	10	7	-	2	-	-
	Nonwhite--M--	8	-	-	-	1	-	-	-	-	1	1	-	1	1	-	1	-	2	-	-	-	-	-
	F--	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	622	73	5	3	-	1	1	2	3	10	12	14	27	41	49	62	75	96	75	57	12	4	-
	White-----M--	312	39	3	2	-	1	-	1	1	4	4	5	17	20	23	38	42	50	35	22	4	1	-
	F--	270	24	2	-	-	-	-	1	2	5	6	7	8	18	20	20	32	41	39	34	8	3	-
	Nonwhite--M--	22	7	-	1	-	-	1	-	-	1	1	-	1	1	2	3	1	3	-	-	-	-	-
	F--	18	3	-	-	-	-	-	-	-	-	1	2	1	2	4	1	-	2	1	1	-	-	-
543, 571, 572	Gastritis, etc.*--	477	124	27	1	1	3	3	6	7	10	4	15	23	22	28	42	39	50	41	18	11	2	-
	White-----M--	208	52	9	1	-	1	3	3	4	5	3	5	16	12	14	24	13	25	11	5	2	-	-
	F--	230	49	14	-	1	-	-	3	3	5	1	9	7	9	13	17	23	24	29	12	9	2	-
	Nonwhite--M--	19	11	1	-	-	2	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-
	F--	20	12	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-
581	Cirrhosis of liver	2,432	3	-	-	5	2	4	13	65	140	258	368	404	311	261	282	160	91	46	16	3	-	-
	White-----M--	1,478	-	-	-	4	1	2	4	27	71	140	213	256	193	159	209	104	53	28	8	-	-	-
	F--	818	3	-	-	1	1	2	6	23	51	105	129	130	102	91	62	48	35	18	8	3	-	-
	Nonwhite--M--	92	-	-	-	-	-	-	2	6	6	6	20	14	8	10	10	8	2	-	-	-	-	-
	F--	44	-	-	-	-	-	-	1	9	12	7	6	4	2	1	1	-	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																							
584, 585	Cholelithiasis, etc.*----------	324	1	-	-	-	-	-	-	2	8	4	10	10	21	31	33	55	69	37	28	11	4	-
	White-----M---	118	-	-	-	-	-	-	-	-	4	1	4	2	3	12	8	23	33	17	5	5	1	-
	F---	193	1	-	-	-	-	-	-	2	3	3	4	8	17	18	20	31	36	18	23	6	3	-
	Nonwhite--M---	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-
	F---	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	-	1	-	-	-	-
590, 591	Acute nephritis, etc.*----------	134	6	2	2	3	4	1	5	5	9	11	8	14	17	9	9	6	12	6	3	2	-	-
	White-----M---	58	3	-	1	2	2	1	1	1	2	6	3	3	7	7	5	3	6	4	1	-	-	-
	F---	54	2	2	1	1	1	-	1	2	3	3	3	9	7	2	2	3	6	2	2	2	-	-
	Nonwhite--M---	10	1	-	-	-	1	-	1	2	1	1	-	-	1	-	2	-	-	-	-	-	-	-
	F---	12	-	-	-	-	-	-	2	-	3	1	2	2	2	-	-	-	-	-	-	-	-	-
600	Infections of kidney----------	581	4	-	2	1	2	2	7	11	16	21	33	32	42	53	66	73	77	78	40	18	3	-
	White-----M---	267	1	-	-	-	-	-	3	4	6	5	10	12	16	28	32	38	40	39	22	12	1	-
	F---	248	2	-	2	-	1	1	3	4	4	12	14	12	21	22	26	30	34	36	17	6	1	-
	Nonwhite--M---	34	1	-	-	-	-	-	-	-	3	2	3	5	2	5	5	4	1	1	1	-	1	-
	F---	32	-	-	-	1	1	1	1	3	3	2	6	3	3	-	3	1	2	2	-	-	-	-
610	Hyperplasia of prostate----------	295	-	-	-	-	-	-	-	-	-	-	-	1	7	16	41	49	70	53	37	19	2	-
	White-----M---	278	-	-	-	-	-	-	-	-	-	-	-	1	6	16	37	46	64	51	36	19	2	-
	Nonwhite--M---	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	6	2	1	-	-	-
640-689	Complications of pregnancy, etc.*-	106	...	...	...	-	8	18	22	29	22	6	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F---	76	...	...	...	-	7	13	15	23	12	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	30	...	...	...	-	1	5	7	6	10	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	34	...	...	...	-	3	5	8	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F---	23	...	...	...	-	2	4	3	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	11	...	...	...	-	1	1	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*-----	72	...	...	...	-	5	13	14	16	18	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F---	53	...	...	...	-	5	9	12	13	9	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	19	...	...	...	-	-	4	2	3	9	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	1,758	1,240	159	62	38	27	29	16	19	24	28	26	21	19	15	9	13	5	6	1	1	-	-
	White-----M---	837	580	76	28	16	12	17	9	9	12	13	11	13	11	5	6	5	1	3	-	-	-	-
	F---	726	508	64	27	20	15	9	5	7	9	10	12	8	6	8	2	7	4	3	1	1	-	-
	Nonwhite--M---	102	70	11	5	-	-	1	2	3	1	3	2	-	1	1	1	1	-	-	-	-	-	-
	F---	93	72	8	2	2	-	2	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	5,496	5,495	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	2,719	2,718	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1,888	1,888	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	505	505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	384	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	2,893	2,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	1,488	1,488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	968	968	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	383	383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*---	2,220	2,219	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	1,049	1,048	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	812	812	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	390	29	11	2	3	4	5	4	10	10	10	7	23	23	18	21	30	38	43	43	35	16	5
	White-----M---	180	16	2	1	1	4	5	3	5	4	5	5	10	15	10	11	15	14	21	11	14	5	3
	F---	176	10	6	-	2	-	-	1	3	3	5	2	10	5	7	8	12	22	20	31	19	9	1
	Nonwhite--M---	23	1	3	1	-	-	-	-	1	3	-	-	3	2	1	1	1	1	1	1	1	1	1
	F---	11	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	1	-	1	1	-
Residual	All other diseases	5,442	383	151	68	41	52	56	78	112	142	198	308	345	405	489	625	602	571	442	230	109	32	3
	White-----M---	3,140	175	73	35	23	31	16	36	43	70	111	163	217	261	327	409	397	357	244	95	43	11	3
	F	1,930	144	62	28	17	15	34	31	44	52	60	121	103	118	143	188	175	204	177	130	63	21	-
	Nonwhite--M---	239	39	9	2	-	3	4	2	14	10	21	14	22	15	15	24	19	7	14	4	1	-	-
	F---	133	25	7	3	1	3	2	9	11	10	6	10	3	11	4	4	11	3	7	1	2	-	-
E800-E962	Accidents----------	7,520	230	407	231	194	487	662	515	458	478	474	479	407	377	365	393	335	364	302	226	98	29	9
	White-----M---	4,854	122	211	128	131	370	513	384	325	351	333	311	282	244	247	249	179	194	131	90	38	12	9
	F---	2,079	69	149	70	45	87	101	81	81	84	102	121	98	107	96	128	132	160	166	129	59	14	-
	Nonwhite--M---	447	25	25	21	17	22	40	37	43	34	31	40	24	24	18	15	14	8	3	4	1	1	-
	F---	140	14	22	12	1	8	8	13	9	9	8	7	3	2	4	1	10	2	2	3	-	2	-
E810-E835	Motor vehicle accidents---------	3,696	27	153	101	83	325	452	330	281	267	237	256	204	193	189	203	161	136	59	29	7	1	2
	White-----M---	2,479	18	84	54	57	239	345	244	188	188	168	166	139	122	116	130	87	76	31	18	6	1	2
	F---	968	8	55	35	21	70	76	59	64	58	51	73	53	58	62	65	64	57	28	10	1	-	-
	Nonwhite--M---	192	1	9	8	5	10	24	20	25	16	12	14	11	11	9	8	5	3	-	1	-	-	-
	F---	57	-	5	4	-	6	7	7	4	5	6	3	1	2	2	-	5	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents----	3,824	203	254	130	111	162	210	185	177	211	237	223	203	184	176	190	174	228	243	197	91	28	7
	White-----M---	2,375	104	127	74	74	131	168	140	137	163	165	145	143	122	131	119	92	118	100	72	32	11	7
	F---	1,111	61	94	35	24	17	25	22	17	26	51	48	45	49	34	63	68	103	138	119	58	14	-
	Nonwhite--M---	255	24	16	13	12	12	16	17	18	18	19	26	13	13	9	7	9	5	3	3	1	1	-
	F---	83	14	17	8	1	2	1	6	5	4	2	4	2	-	2	1	5	2	2	3	-	2	-
E963, E970-E979	Suicide----------	2,406	-	-	1	12	49	85	129	178	218	236	278	253	241	207	182	159	101	49	22	4	-	2
	White-----M---	1,668	-	-	1	9	33	57	88	108	132	160	182	177	172	152	140	114	82	38	18	3	-	2
	F---	644	-	-	-	3	14	19	33	58	73	70	86	71	60	52	38	40	16	7	3	1	-	-
	Nonwhite--M---	68	-	-	-	-	-	4	5	9	9	6	10	3	6	3	2	4	3	3	1	-	-	-
	F---	26	-	-	-	-	2	5	3	3	4	-	-	2	3	-	2	1	-	1	-	-	-	-
E964, E980-E985	Homicide----------	571	8	15	8	11	35	52	66	55	80	63	47	42	32	21	17	6	8	3	1	-	-	1
	White-----M---	266	4	6	6	8	24	22	29	29	27	26	19	25	15	11	9	2	2	1	1	-	-	-
	F---	141	3	7	2	2	7	10	13	9	25	13	13	9	8	4	5	3	6	2	-	-	-	-
	Nonwhite--M---	122	-	2	-	-	3	15	18	14	20	16	11	7	7	5	2	1	-	-	-	-	-	1
	F---	42	1	-	-	1	1	5	6	3	8	8	4	1	2	1	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO																							
	All causes	14,444	1,281	196	89	72	139	138	148	187	251	340	482	666	793	1,096	1,437	1,864	1,826	1,688	1,134	485	127	5
	White--M	8,052	738	111	47	42	100	95	93	110	144	209	295	410	505	694	868	1,066	978	803	480	196	64	4
	F	6,028	489	76	36	28	39	39	45	70	99	114	169	232	269	379	538	747	819	858	640	279	62	1
	Nonwhite--M	199	33	4	3	2	-	3	6	3	2	7	13	11	9	13	18	30	17	14	8	3	-	-
	F	165	21	5	3	-	-	1	4	4	6	10	5	13	10	10	13	21	12	13	6	7	1	-
001-019	Tuberculosis, all forms	85	-	2	-	-	1	-	-	1	4	7	6	7	8	13	13	8	8	7	-	-	-	-
	White--M	53	-	-	-	-	1	-	-	-	1	4	3	5	4	9	10	4	7	5	-	-	-	-
	F	26	-	1	-	-	-	-	-	1	3	2	2	2	4	3	3	3	1	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	79	-	-	-	-	-	-	-	1	4	7	6	6	8	13	12	7	8	7	-	-	-	-
	White--M	51	-	-	-	-	-	-	-	-	1	4	3	4	4	9	10	4	7	5	-	-	-	-
	F	23	-	-	-	-	-	-	-	1	3	2	2	2	4	3	2	2	1	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	6	-	2	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White--M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	33	-	-	-	-	-	-	-	-	-	1	1	2	9	1	4	4	5	6	-	-	-	-
	White--M	26	-	-	-	-	-	-	-	-	-	1	1	1	8	1	3	4	4	3	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Resid-ual[1]	Other infective and parasitic diseases	62	14	6	4	2	-	2	1	3	1	3	5	2	2	3	2	4	3	2	2	1	-	-
	White--M	37	8	4	3	2	-	1	-	2	1	1	2	-	2	2	2	2	2	1	1	1	-	-
	F	24	6	2	1	-	-	1	1	1	-	2	2	2	-	1	-	2	1	1	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,042	4	16	17	10	13	8	12	22	43	68	103	164	172	243	296	327	237	187	66	24	10	-
	White--M	1,010	3	11	6	1	11	6	4	9	16	23	38	67	83	126	159	169	139	87	34	10	8	-
	F	999	1	5	11	9	2	2	8	12	24	43	64	94	86	113	134	151	94	99	32	13	2	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	5	2	1	-	1	-	-
	F	15	-	-	-	-	-	-	-	1	2	2	-	1	2	2	1	2	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx	40	-	-	-	-	1	-	-	-	1	1	2	6	4	3	6	6	3	5	1	1	-	-
	White--M	27	-	-	-	-	1	-	-	-	1	-	2	6	-	3	4	4	3	1	1	1	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	-	4	-	2	2	-	4	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	708	1	1	-	-	1	-	1	4	10	15	29	40	47	88	98	149	91	89	27	12	5	-
	White--M	347	-	1	-	-	1	-	1	2	6	8	17	18	16	46	52	76	47	37	11	5	3	-
	F	348	1	-	-	-	-	-	-	2	3	6	12	21	31	40	44	68	43	51	16	7	2	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	2	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	243	-	-	-	-	-	-	1	4	4	5	11	25	37	34	45	34	22	16	3	1	1	-
	White—M	189	-	-	-	-	-	-	1	3	-	2	8	18	30	31	39	31	15	8	2	-	1	-
	F	50	-	-	-	-	-	-	-	1	4	3	3	6	6	3	6	3	5	8	1	1	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	180	-	-	-	-	-	-	1	2	6	12	25	29	18	24	20	17	10	7	8	1	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F	176	-	-	-	-	-	-	1	2	5	12	25	29	17	24	20	16	10	7	7	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	344	-	1	-	1	2	1	4	5	8	15	13	24	20	31	53	48	55	35	18	8	2	-
	White—M	147	-	1	-	-	2	-	1	1	-	1	1	2	5	8	21	21	41	22	14	4	2	-
	F	190	-	-	-	1	-	1	3	3	8	13	12	21	14	23	31	27	13	13	4	3	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	6	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	-	1	-	-	-	-	-
180, 181	Of urinary organs	103	-	3	-	-	-	-	-	-	1	1	1	5	11	10	22	24	12	7	5	-	1	-
	White—M	64	-	-	-	-	-	-	-	-	1	1	1	3	9	7	12	11	9	4	5	-	1	-
	F	37	-	3	-	-	-	-	-	-	-	-	-	2	2	3	10	11	3	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	212	1	2	7	5	5	3	-	3	7	8	13	18	22	32	30	18	19	14	3	1	1	-
	White—M	110	1	-	3	-	5	3	-	2	3	4	5	11	15	20	19	7	7	4	-	-	1	-
	F	98	-	2	4	5	-	-	-	1	3	4	7	7	7	10	11	11	12	10	3	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	114	2	7	9	4	3	1	3	-	3	4	2	6	4	13	15	15	13	10	-	-	-	-
	White—M	69	2	7	2	1	2	1	1	-	3	3	1	4	2	8	11	6	7	8	-	-	-	-
	F	44	-	-	7	3	1	-	2	-	-	1	1	2	2	5	4	8	6	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	98	-	2	1	-	1	3	2	4	3	7	7	11	9	8	7	16	12	4	1	-	-	-
	White—M	55	-	2	1	-	-	2	-	1	2	4	3	5	6	3	1	12	10	3	-	-	-	-
	F	43	-	-	-	-	1	1	2	3	1	3	4	6	3	5	6	4	2	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	45	4	-	3	3	1	-	-	2	2	1	2	4	3	4	4	6	2	2	2	-	-	-
	White—M	22	2	-	3	1	1	-	-	2	-	1	1	2	1	2	2	3	1	-	-	-	-	-
	F	23	2	-	-	2	-	-	-	-	2	-	1	2	2	2	2	3	1	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	61	1	-	-	-	-	-	2	-	-	1	4	3	4	10	8	18	4	3	3	-	-	-
	White—M	42	1	-	-	-	-	-	2	-	-	1	1	1	2	6	5	15	3	3	2	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	3	-	2	3	3	2	1	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	136	-	1	-	-	1	-	3	5	2	4	4	5	14	11	17	28	21	11	8	1	-	-
	White—M	61	-	1	-	-	1	-	3	2	1	2	4	2	7	5	6	10	8	4	4	1	-	-
	F	69	-	-	-	-	-	-	-	3	1	2	-	3	6	5	9	17	13	6	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-
290-293	Anemias	25	-	-	-	-	1	-	-	-	-	1	-	3	2	1	2	6	5	2	2	-	-	-
	White—M	15	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	2	5	2	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	4	-	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	22	7	4	1	1	-	2	-	-	1	-	-	-	-	1	-	3	2	-	-	-	-	-
	White—M	11	5	-	1	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-
	F	10	1	4	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,126	2	8	6	4	10	17	29	40	67	99	174	287	390	549	813	1,086	1,190	1,124	802	345	82	2
	White—M	3,849	1	4	-	3	5	6	15	20	38	69	130	199	272	353	487	626	608	514	328	131	39	1
	F	3,120	1	4	5	1	5	10	12	19	26	25	35	73	110	183	306	429	567	593	467	206	42	1
	Nonwhite—M	81	-	-	1	-	-	-	2	-	-	3	6	7	3	7	13	15	8	9	5	2	-	-
	F	76	-	-	-	-	-	1	-	1	3	2	3	8	5	6	7	16	7	8	2	6	1	-
330-334, 400-468	Dis. of cardiovascular system	7,005	2	8	6	4	5	13	18	37	62	91	171	280	384	543	800	1,078	1,176	1,109	794	343	79	2
	White—M	3,785	1	4	-	3	1	5	8	19	34	65	130	196	266	350	479	620	599	510	325	131	38	1
	F	3,070	1	4	5	1	4	8	9	17	25	22	33	69	110	180	302	427	562	584	462	204	40	1
	Nonwhite—M	76	-	-	1	-	-	-	1	-	-	2	5	7	3	7	12	15	8	8	5	2	-	-
	F	74	-	-	-	-	-	-	-	1	3	2	3	8	5	6	7	16	7	7	2	6	1	-
330-334	Vascular lesions, etc.*	1,486	2	2	2	-	1	2	1	5	10	14	16	32	46	85	137	237	291	295	207	84	15	2
	White—M	650	1	-	-	-	-	1	1	1	5	9	8	13	22	40	59	119	133	115	79	34	9	1
	F	805	1	2	1	-	1	1	-	4	5	5	6	18	22	42	73	110	156	174	128	49	6	1
	Nonwhite—M	13	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	3	1	4	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	5	1	2	-	1	-	-
400-402, 410-443	Diseases of heart	4,880	-	5	4	3	4	9	11	29	47	71	146	231	315	419	616	758	780	706	489	201	46	-
	White—M	2,829	-	4	-	2	1	4	5	17	27	54	117	171	232	281	392	453	404	350	209	84	22	-
	F	1,963	-	1	4	1	3	5	6	11	17	14	23	50	77	128	211	288	364	350	273	113	24	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	-	2	5	6	2	6	9	10	7	4	5	2	-	-
	F	40	-	-	-	-	-	-	-	1	3	1	1	4	4	4	4	7	5	2	2	2	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	253	-	2	2	3	4	6	9	10	14	10	19	24	32	33	27	14	22	13	8	1	-	-
	White—M	108	-	2	-	2	1	2	4	3	3	3	12	12	11	16	14	6	9	4	3	1	-	-
	F	140	-	-	2	1	3	4	5	7	10	7	6	11	21	17	12	7	13	9	5	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																							
420	Arteriosclerotic heart dis., etc.*	3,787	-	-	1	-	-	2	1	17	27	54	110	191	247	344	500	633	603	538	346	143	28	-
	White-----M--	2,313	-	-	-	-	-	1	1	13	22	46	95	151	203	246	333	385	329	271	151	53	13	-
	F--	1,407	-	-	1	-	-	1	-	3	5	5	11	33	42	91	161	234	264	263	192	86	15	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	2	3	6	-	4	4	10	6	3	3	2	-	-
	F--	24	-	-	-	-	-	-	-	1	-	1	1	1	2	3	2	4	4	1	2	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	305	-	-	-	-	-	-	-	-	-	-	4	5	13	13	24	42	46	57	56	33	12	-
	White-----M--	163	-	-	-	-	-	-	-	-	-	-	4	3	8	7	11	27	23	31	22	21	6	-
	F--	137	-	-	-	-	-	-	-	-	-	-	-	1	5	6	11	15	23	25	33	12	6	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	149	-	3	1	-	-	-	1	1	3	5	7	4	11	7	17	18	29	19	16	6	1	-
	White-----M--	83	-	2	-	-	-	-	-	-	-	5	4	3	5	4	9	10	17	12	8	3	1	-
	F--	60	-	1	1	-	-	-	1	1	2	-	3	1	5	2	7	8	12	6	7	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertensive heart disease-----	396	-	-	-	-	-	1	-	1	3	2	6	7	12	22	48	51	80	79	61	18	5	-
	White-----M--	162	-	-	-	-	-	1	-	1	2	-	2	2	5	8	25	25	26	32	25	6	2	-
	F--	219	-	-	-	-	-	-	-	-	-	2	3	4	4	12	20	24	52	47	36	12	3	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	2	1	-	-	-	-	-
444-447	Other hypertensive disease-----	106	-	-	-	-	-	-	-	-	-	1	2	4	4	9	2	17	12	29	16	8	2	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	1	2	3	2	6	1	11	6	12	3	3	1	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	6	6	16	13	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-
450	General arteriosclerosis--------	301	-	-	-	-	-	-	-	-	-	-	1	-	4	9	16	27	56	53	72	48	15	-
	White-----M--	134	-	-	-	-	-	-	-	-	-	-	-	-	2	8	8	14	35	23	28	10	6	-
	F--	162	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	12	21	29	44	37	8	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
451-468	Other diseases of circulatory sys.--	222	-	1	-	1	-	2	6	3	5	5	6	13	15	21	29	39	37	26	10	2	1	-
	White-----M--	121	-	-	-	1	-	-	2	1	2	1	3	9	8	15	19	23	21	10	6	-	-	-
	F--	89	-	1	-	-	-	2	3	2	3	3	3	1	7	6	10	11	15	15	4	2	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	121	-	-	-	-	5	4	11	3	5	8	3	7	6	6	13	8	14	15	8	2	3	-
	White-----M--	64	-	-	-	-	4	1	7	1	4	4	-	3	6	3	8	6	9	4	3	-	1	-
	F--	50	-	-	-	-	1	2	3	2	1	3	2	4	-	3	4	2	5	9	5	2	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	881	113	21	6	-	4	5	4	9	9	11	15	14	30	36	59	111	111	144	103	57	19	-
	White-----M--	501	64	9	3	-	2	2	4	4	6	7	6	12	22	29	39	67	61	77	48	29	10	-
	F--	354	43	11	1	-	2	3	-	5	3	3	8	2	7	7	20	40	47	63	52	28	9	-
	Nonwhite--M--	16	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	4	2	2	2	-	-	-
	F--	10	2	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	-	-
480-483	Influenza---------	36	3	1	-	-	1	1	-	1	1	-	-	-	-	2	2	3	7	4	5	4	1	-
	White-----M--	18	2	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	5	3	3	-	-	-
	F--	17	1	-	-	-	1	1	-	1	-	-	-	-	-	1	1	2	2	1	1	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	845	110	20	6	-	3	4	4	8	8	11	15	14	30	34	57	108	104	140	98	53	18	-
	White-----M--	483	62	8	3	-	2	2	4	4	5	7	6	12	22	28	38	66	56	74	45	29	10	-
	F--	337	42	11	1	-	1	2	-	4	3	3	8	2	7	6	19	38	45	62	51	24	8	-
	Nonwhite--M--	15	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	4	2	2	1	-	-	-
	F--	10	2	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	-	-
500-502	Bronchitis--------	55	12	6	2	-	1	-	1	2	1	-	3	4	3	2	7	5	2	2	2	-	-	-
	White-----M--	33	7	4	1	-	1	-	-	-	-	-	1	4	3	2	5	3	-	1	1	-	-	-
	F--	21	5	2	1	-	-	-	-	2	1	-	2	-	-	-	2	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	103	1	-	-	-	-	-	-	1	3	3	5	5	5	12	17	16	17	13	4	1	-	-
	White-----M--	74	-	-	-	-	-	-	-	1	3	2	4	5	3	10	16	11	11	7	1	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	5	4	6	3	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	20	2	-	1	-	-	-	-	-	-	-	1	-	1	4	-	5	3	3	-	-	-	-
	White-----M--	15	2	-	1	-	-	-	-	-	-	-	1	-	-	3	-	4	3	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	88	8	1	-	-	-	-	-	1	2	3	2	6	5	8	4	11	12	15	8	2	-	-
	White-----M--	32	3	1	-	-	-	-	-	-	-	-	1	3	2	3	-	7	5	5	1	1	-	-
	F--	55	5	-	-	-	-	-	-	1	2	2	1	3	3	5	4	4	7	10	7	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	91	36	6	1	1	2	1	-	-	1	5	3	1	2	6	1	9	5	4	6	1	-	-
	White-----M--	47	23	3	1	-	1	-	-	-	-	3	1	-	-	4	-	4	2	2	2	1	-	-
	F--	42	12	3	-	1	1	1	-	-	1	2	2	1	2	2	1	4	3	2	4	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	179	1	-	1	-	1	-	-	5	12	15	13	30	18	17	23	21	9	7	4	1	1	-
	White-----M--	103	1	-	1	-	-	-	-	1	6	10	6	15	12	11	16	10	7	5	1	-	1	-
	F--	67	-	-	-	-	1	-	-	3	5	4	7	12	6	6	5	11	2	2	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	1	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																							
584, 585	Cholelithiasis, etc.*	68	-	-	-	-	-	-	-	-	-	-	2	2	3	6	7	13	17	10	6	2	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	6	9	7	4	1	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	1	2	-	4	2	7	8	3	1	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
590, 591	Acute nephritis, etc.*	19	-	-	-	-	1	1	1	-	1	-	2	-	1	2	2	1	2	3	1	1	-	-
	White—M	16	-	-	-	-	1	1	1	-	1	-	2	-	1	2	1	1	1	3	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	47	2	-	-	-	1	-	-	-	-	1	2	2	3	2	7	3	7	11	4	1	1	-
	White—M	14	1	-	-	-	1	-	-	-	-	-	1	-	1	-	5	-	1	2	1	-	1	-
	F	30	1	-	-	-	-	-	-	-	-	-	1	2	2	1	2	3	6	8	3	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	6	10	7	3	-	-
	White	36	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	5	10	6	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
640-689	Complications of pregnancy, etc.*	7	...	...	...	-	1	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	6	...	...	...	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	232	168	21	7	3	4	3	1	4	2	5	4	4	1	1	1	1	-	-	1	1	-	-
	White—M	136	103	13	2	2	1	2	-	-	1	4	2	3	1	-	-	1	-	-	-	1	-	-
	F	90	61	8	4	-	3	1	1	4	1	1	2	1	-	1	1	-	-	-	1	-	-	-
	Nonwhite—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	793	793	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	449	449	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	378	378	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	61	10	4	-	-	-	-	-	1	1	4	1	7	1	1	-	4	6	5	7	6	2	1
	White—M	20	2	-	-	-	-	-	-	-	-	1	1	2	-	-	-	2	3	3	2	2	1	1
	F	39	8	3	-	-	-	-	-	1	1	3	-	5	1	1	-	2	2	2	5	4	1	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	753	40	19	5	4	4	7	9	9	15	18	37	48	65	93	81	101	81	62	33	15	7	-
	White—M	483	24	12	4	2	2	3	2	3	8	14	20	36	41	71	54	71	56	34	14	8	4	-
	F	252	14	6	1	1	2	4	6	6	7	3	14	12	22	21	25	28	25	28	18	6	3	-
	Nonwhite—M	12	2	1	-	1	-	-	-	-	-	-	2	-	2	1	1	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	1	1	-	-	-
E800-E962	Accidents	1,018	50	72	33	40	78	69	50	57	51	54	47	48	35	42	45	49	57	51	60	23	5	2
	White—M	684	30	44	21	28	63	58	42	48	43	42	35	38	23	29	33	24	26	23	25	7	-	2
	F	311	19	23	10	12	15	9	6	8	8	10	12	10	9	13	12	24	29	26	35	16	5	-
	Nonwhite—M	13	1	2	1	-	-	2	2	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-
	F	10	-	3	1	-	-	-	-	1	-	1	-	-	1	-	-	-	1	2	-	-	-	-
E810-E835	Motor vehicle accidents	401	6	23	15	12	51	48	32	30	21	20	23	21	17	17	15	17	17	6	6	3	-	1
	White—M	292	4	18	5	8	41	38	27	24	16	14	18	17	11	11	12	8	9	2	6	2	-	1
	F	101	2	5	9	4	10	8	3	5	5	5	5	4	6	6	3	8	8	4	-	1	-	-
	Nonwhite—M	7	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	617	44	49	18	28	27	21	18	27	30	34	24	27	18	25	30	32	40	45	54	20	5	1
	White—M	392	26	26	16	20	22	20	15	24	27	28	17	21	12	18	21	16	17	21	19	5	-	1
	F	210	17	18	1	8	5	1	3	3	3	5	7	6	3	7	9	16	21	22	35	15	5	-
	Nonwhite—M	6	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	F	9	-	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-	-	-	-
E963, E970-E979	Suicide	258	-	-	-	2	4	12	22	22	27	28	41	17	15	22	13	17	9	4	3	-	-	-
	White—M	192	-	-	-	2	3	10	13	16	17	19	31	13	12	18	11	12	8	4	3	-	-	-
	F	58	-	-	-	-	1	2	6	4	10	8	9	4	3	4	2	4	1	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	75	4	3	-	1	9	11	8	3	5	8	5	1	1	4	6	1	5	-	-	-	-	-
	White—M	43	2	2	-	1	4	6	7	2	1	5	2	1	1	3	4	-	2	-	-	-	-	-
	F	25	2	1	-	-	5	4	1	-	3	2	2	-	-	1	1	1	2	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT																							
	All causes------	23,234	1,339	190	80	58	94	90	125	203	338	530	864	1,130	1,596	2,265	2,988	3,238	2,954	2,512	1,688	768	176	8
	White------M---	12,513	695	97	43	30	62	66	68	122	192	306	521	733	997	1,411	1,762	1,743	1,515	1,140	671	289	46	4
	F---	9,904	492	75	33	24	27	10	31	61	107	184	295	349	544	786	1,156	1,427	1,384	1,333	993	467	123	3
	Nonwhite--M---	451	82	8	2	2	3	9	14	13	24	22	27	23	37	38	38	40	33	16	13	3	4	-
	F---	366	70	10	2	2	2	5	12	7	15	18	21	25	18	30	32	28	22	23	11	9	3	1
001-019	Tuberculosis, all forms--------	139	-	1	-	2	-	-	-	2	3	8	18	15	12	17	14	19	18	5	3	1	1	-
	White------M---	99	-	1	-	-	-	-	-	2	1	4	12	12	8	13	13	14	13	4	2	-	-	-
	F---	23	-	-	-	1	-	-	-	-	-	2	2	1	3	3	1	4	2	1	1	1	1	-
	Nonwhite--M---	13	-	-	-	-	-	-	-	-	2	1	3	2	1	1	-	1	2	-	-	-	-	-
	F---	4	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of resp. system-----	128	-	-	-	-	-	-	-	2	3	7	16	15	12	16	14	17	17	4	3	1	1	-
	White------M---	93	-	-	-	-	-	-	-	2	1	4	11	12	8	12	13	13	12	3	2	-	-	-
	F---	21	-	-	-	-	-	-	-	-	-	1	2	1	3	3	1	4	2	1	1	1	1	-
	Nonwhite--M---	12	-	-	-	-	-	-	-	-	2	1	3	2	1	1	-	-	2	-	-	-	-	-
	F---	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	1	-	2	-	-	-	-	-	1	2	-	-	1	-	2	1	1	-	-	-	-
	White------M---	6	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-
	F---	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F---	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	40	-	-	-	-	-	-	-	-	-	-	1	2	8	6	9	4	4	4	1	1	-	-
	White------M---	29	-	-	-	-	-	-	-	-	-	-	1	1	5	5	8	3	4	2	-	-	-	-
	F---	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	1	-	-
	Nonwhite--M---	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White------M---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White------M---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	13	3	5	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White------M---	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	7	-	3	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis------------	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles------------	4	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	91	21	4	1	2	3	-	2	3	4	3	5	5	5	5	4	4	6	11	2	-	1	-
	White------M---	48	11	1	-	-	1	-	-	3	1	3	2	3	4	2	1	3	3	8	1	-	1	-
	F---	35	7	3	1	2	2	-	1	-	2	-	3	1	1	3	2	1	3	2	1	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	7	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
140-205	Malignant neoplasms, etc.*----	4,129	5	17	25	11	11	11	18	45	78	136	230	283	395	567	666	645	458	325	149	46	7	1
	White------M---	2,114	2	9	13	4	5	7	8	20	29	47	98	147	198	324	377	337	248	154	63	20	4	-
	F---	1,909	2	7	10	5	6	3	7	23	45	83	124	129	186	230	271	297	204	163	85	25	3	1
	Nonwhite--M---	61	-	-	1	2	-	1	2	1	1	4	5	3	5	6	12	7	4	6	-	1	-	-
	F---	45	1	1	1	-	-	-	1	1	3	2	3	4	6	7	6	4	2	2	1	-	-	-
140-148	Of buccal cavity and pharynx------	121	-	-	-	1	-	-	-	-	1	-	8	13	17	17	17	18	12	13	2	2	-	-
	White------M---	96	-	-	-	-	-	-	-	-	1	-	5	11	13	15	14	15	11	9	1	1	-	-
	F---	22	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	3	1	3	1	1	-	-
	Nonwhite--M---	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,526	-	1	-	-	-	-	2	6	18	32	70	79	128	205	284	274	212	146	65	21	2	1
	White------M---	802	-	-	-	-	-	-	1	2	6	13	28	48	76	126	142	149	114	65	20	11	1	-
	F---	686	-	1	-	-	-	-	1	3	10	16	39	27	48	76	112	120	98	78	45	10	1	1
	Nonwhite--M---	27	-	-	-	-	-	-	-	1	1	3	2	3	2	2	8	4	-	1	-	-	-	-
	F---	11	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	1	-	2	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	559	-	-	-	-	-	-	2	3	4	10	35	62	70	91	120	80	48	18	12	4	-	-
	White—M	445	-	-	-	-	-	-	1	2	3	5	27	49	56	81	102	60	35	13	9	2	-	-
	F	98	-	-	-	-	-	-	-	1	-	4	6	13	11	9	16	18	12	4	2	2	-	-
	Nonwhite—M	14	-	-	-	-	-	-	1	-	-	1	2	-	3	1	2	2	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
170	Of breast	375	-	-	-	-	-	1	-	6	17	25	35	46	42	49	37	49	29	25	10	3	1	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	366	-	-	-	-	-	1	-	6	17	25	34	45	40	46	36	48	29	25	10	3	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-
171-179	Of genital organs	517	-	-	-	-	-	2	3	8	9	26	25	24	49	64	65	90	62	54	29	6	1	-
	White—M	197	-	-	-	-	-	2	2	4	3	3	2	2	4	17	22	47	35	33	19	1	1	-
	F	304	-	-	-	-	-	-	1	4	6	22	22	20	44	45	41	42	24	19	10	4	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	1	-	-	-	-	-
180, 181	Of urinary organs	211	-	1	-	1	-	1	-	-	1	2	7	12	20	38	33	28	29	22	11	2	3	-
	White—M	140	-	-	-	-	-	1	-	-	1	-	6	10	15	25	22	19	21	12	4	2	2	-
	F	70	-	1	-	-	-	-	-	-	-	2	1	2	5	13	11	9	8	10	7	-	1	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	446	3	4	10	4	5	3	4	11	19	21	26	32	34	57	76	52	39	28	12	6	-	-
	White—M	225	1	3	6	1	2	2	2	6	9	10	13	18	16	36	43	23	19	10	3	2	-	-
	F	205	1	1	3	3	3	1	2	5	9	10	13	14	17	18	31	26	18	17	9	4	-	-
	Nonwhite—M	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	1	1	-	-	1	2	2	2	1	-	-	-	-	-
204	Leukemia and aleukemia	188	2	10	15	4	4	-	-	5	4	7	8	8	13	22	23	27	18	10	7	1	-	-
	White—M	106	1	5	7	2	3	-	-	2	3	5	6	5	7	12	13	12	9	7	6	1	-	-
	F	78	1	4	7	2	1	-	-	3	1	2	2	3	6	9	9	15	9	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	186	-	1	-	1	2	4	7	6	5	13	16	7	22	24	31	27	9	9	1	1	-	-
	White—M	101	-	1	-	1	-	2	2	4	3	11	11	4	11	11	19	11	4	5	1	-	-	-
	F	80	-	-	-	-	2	1	3	1	2	2	5	3	11	12	12	16	5	4	-	1	-	-
	Nonwhite—M	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	83	1	-	1	2	3	-	2	2	7	7	4	9	7	13	4	7	6	5	3	-	-	-
	White—M	41	-	-	1	1	1	-	-	-	3	4	2	5	5	7	2	5	2	2	1	-	-	-
	F	40	1	-	-	1	2	-	1	2	4	3	2	3	2	6	2	2	4	3	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
241	Asthma	49	-	1	-	-	1	-	-	-	1	-	7	7	3	6	8	10	3	1	-	1	-	-
	White—M	31	-	1	-	-	-	-	-	-	-	-	6	3	3	2	6	8	1	1	-	-	-	-
	F	17	-	-	-	-	1	-	-	-	1	-	1	4	-	4	2	1	2	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	439	-	1	-	1	1	1	1	7	7	6	12	19	31	55	83	85	66	38	19	5	-	1
	White—M	162	-	1	-	-	-	1	1	5	3	3	5	10	10	19	33	31	26	8	4	2	-	-
	F	258	-	-	-	1	-	-	-	2	3	3	5	6	16	34	49	52	40	30	14	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	1	-	-	-	-	-	-	1	3	5	1	1	2	-	1	-	-	-	1
290-293	Anemias	44	1	-	-	-	1	-	-	-	1	-	1	1	1	3	9	7	10	4	3	1	1	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	6	4	3	1	1	-	-
	F	19	1	-	-	-	1	-	-	-	-	-	1	-	-	1	4	1	6	1	2	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	35	11	12	1	1	-	-	1	-	1	-	-	1	1	2	-	1	1	1	1	-	-	-
	White—M	20	4	9	1	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	1	-	-	-
	F	10	4	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	13,078	5	4	3	3	8	7	22	44	90	170	359	540	862	1,248	1,762	2,057	2,020	1,825	1,297	608	141	3
	White—M	6,908	4	3	1	3	2	5	12	30	63	118	247	376	583	801	1,029	1,072	1,004	793	506	218	36	2
	F	5,846	1	1	2	-	4	2	9	8	19	37	88	139	250	408	695	946	980	1,004	772	382	98	1
	Nonwhite—M	169	-	-	-	-	2	-	1	2	4	5	11	12	24	22	18	19	22	10	11	2	4	-
	F	155	-	-	-	-	-	-	-	4	4	10	13	13	5	17	20	20	14	18	8	6	3	-
330-334, 400-468	Dis. of cardiovascular system	12,917	4	3	2	2	7	6	18	38	83	166	349	524	845	1,232	1,743	2,039	2,007	1,811	1,292	604	139	3
	White—M	6,835	3	2	1	2	2	5	9	30	59	114	244	370	573	790	1,021	1,066	1,000	787	504	216	35	2
	F	5,767	1	1	1	-	3	1	8	5	16	37	82	131	243	403	685	934	973	996	769	380	97	1
	Nonwhite—M	163	-	-	-	-	2	-	1	1	4	5	11	10	24	22	17	19	20	10	11	2	4	-
	F	152	-	-	-	-	-	-	-	2	4	10	12	13	5	17	20	20	14	18	8	6	3	-
330-334	Vascular lesions, etc.*	2,668	2	1	1	-	1	5	4	9	13	21	42	73	122	191	348	435	462	445	327	130	36	-
	White—M	1,189	2	-	-	-	-	4	-	6	7	10	20	27	65	93	179	193	212	187	117	38	9	-
	F	1,416	-	1	1	-	1	1	4	2	4	6	18	41	49	88	156	227	242	250	207	91	27	-
	Nonwhite—M	41	-	-	-	-	-	-	-	1	1	-	1	1	6	7	5	9	5	2	2	1	-	-
	F	42	-	-	-	-	-	-	-	-	1	5	3	4	2	3	8	6	3	6	1	-	-	-
400-402, 410-443	Diseases of heart	9,230	2	-	1	1	4	1	11	27	62	136	296	434	671	962	1,271	1,470	1,363	1,205	830	395	85	3
	White—M	5,165	1	-	1	1	2	1	8	24	49	100	218	333	474	641	767	797	699	536	336	152	23	2
	F	3,864	1	-	-	-	1	-	2	2	10	28	62	84	177	296	483	653	641	650	479	237	57	1
	Nonwhite—M	106	-	-	-	-	1	-	1	-	-	4	9	8	17	13	12	7	14	8	9	1	2	-
	F	95	-	-	-	-	-	-	-	1	3	4	7	9	3	12	9	13	9	11	6	5	3	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	254	1	-	1	-	1	-	2	6	11	22	26	38	32	44	26	24	10	7	3	-	-	-
	White—M	111	1	-	1	-	-	-	2	5	5	12	13	21	7	17	13	6	4	3	1	-	-	-
	F	135	-	-	-	-	-	-	-	1	5	9	13	15	23	26	13	18	6	4	2	-	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																							
420	Arteriosclerotic heart dis., etc.*	7,342	-	-	-	-	1	-	7	17	43	92	239	351	562	797	1,041	1,189	1,090	928	641	284	59	1
	White-----M--	4,328	-	-	-	-	-	-	5	17	38	79	194	286	429	562	652	670	575	437	260	107	17	-
	F--	2,879	-	-	-	-	1	-	1	-	3	9	36	56	122	213	376	505	495	478	372	173	38	1
	Nonwhite--M--	73	-	-	-	-	-	-	1	-	-	2	6	4	9	12	8	6	12	4	6	1	2	-
	F--	62	-	-	-	-	-	-	-	-	2	2	3	5	2	10	5	8	8	9	3	3	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	614	-	-	-	1	-	-	-	1	1	5	4	7	14	22	51	94	116	115	105	55	22	1
	White-----M--	293	-	-	-	1	-	-	-	1	1	3	1	7	9	14	28	55	55	44	43	24	6	1
	F--	308	-	-	-	-	-	-	-	-	-	2	3	-	5	7	22	38	60	67	58	31	15	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	1	-
430-434	Other diseases of heart---------	193	1	-	-	-	2	-	1	2	5	6	11	9	11	18	30	18	32	26	12	8	1	-
	White-----M--	110	-	-	-	-	2	-	1	1	4	3	6	6	8	12	18	11	17	12	6	5	-	-
	F--	77	1	-	-	-	-	-	-	1	1	2	2	3	4	6	12	7	14	14	6	3	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease-----	827	-	-	-	-	-	1	1	1	2	11	16	29	52	81	123	145	115	129	69	48	3	1
	White-----M--	323	-	-	-	-	-	1	-	-	1	3	4	13	23	36	56	55	48	40	26	16	-	1
	F--	465	-	-	-	-	-	-	1	-	1	6	8	10	23	44	60	85	66	87	41	30	3	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	1	3	5	-	4	1	1	-	2	-	-	-
	F--	22	-	-	-	-	-	-	-	1	-	2	3	3	1	1	3	4	-	2	-	2	-	-
444-447	Other hypertensive disease-----	212	-	-	-	-	1	-	2	-	4	5	4	6	11	21	39	17	32	31	23	14	2	-
	White-----M--	94	-	-	-	-	-	-	1	-	2	2	3	4	8	11	19	7	16	11	7	3	-	-
	F--	109	-	-	-	-	-	-	1	-	1	2	-	2	3	8	18	10	16	20	16	11	1	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
450	General arteriosclerosis--------	495	-	-	-	-	-	-	-	1	1	-	-	1	8	20	43	51	109	98	90	57	16	-
	White-----M--	223	-	-	-	-	-	-	-	-	-	-	-	-	4	14	28	26	52	37	38	21	3	-
	F--	264	-	-	-	-	-	-	-	1	1	-	-	1	4	5	15	23	55	60	52	35	12	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-
451-468	Other diseases of circulatory sys..	312	-	2	-	1	1	-	1	1	3	4	7	10	33	38	42	66	41	32	22	8	-	-
	White-----M--	184	-	2	-	1	-	-	-	-	1	2	3	6	22	31	28	43	21	16	6	2	-	-
	F--	114	-	-	-	-	1	-	1	-	-	1	2	3	10	6	13	21	19	16	15	6	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	161	1	1	1	1	1	1	4	6	7	4	10	16	17	16	19	18	13	14	5	4	2	-
	White-----M--	73	1	1	-	1	-	-	3	-	4	4	3	6	10	11	8	6	4	6	2	2	1	-
	F--	79	-	-	1	-	1	1	1	3	3	-	6	8	7	5	10	12	7	8	3	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	698	67	23	2	2	2	7	7	10	8	10	8	16	26	42	73	80	93	100	74	40	8	-
	White-----M--	393	33	13	-	2	2	3	5	5	6	8	4	12	15	30	50	49	50	51	34	20	1	-
	F--	269	24	9	2	-	-	1	-	4	1	2	3	3	9	10	21	25	42	48	39	19	7	-
	Nonwhite--M--	22	4	1	-	-	-	1	1	-	1	-	1	1	2	2	1	6	-	-	1	-	-	-
	F--	14	6	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-
480-483	Influenza----------	22	-	2	-	-	1	2	1	-	-	1	-	-	3	-	3	4	2	1	1	-	1	-
	White-----M--	12	-	2	-	-	1	1	1	-	-	1	-	-	-	-	1	3	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	676	67	21	2	2	1	5	6	10	8	9	8	16	23	42	70	76	91	99	73	40	7	-
	White-----M--	381	33	11	-	2	1	2	4	5	6	7	4	12	15	30	49	46	49	51	33	20	1	-
	F--	261	24	9	2	-	-	1	-	4	1	2	3	3	6	10	20	24	41	47	39	19	6	-
	Nonwhite--M--	21	4	1	-	-	-	-	1	-	1	-	1	1	2	2	1	6	-	-	1	-	-	-
	F--	13	6	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-
500-502	Bronchitis---------	66	13	5	-	-	-	-	-	-	1	-	3	2	3	12	7	6	6	4	3	1	-	-
	White-----M--	50	7	4	-	-	-	-	-	-	-	-	3	1	3	12	5	5	5	2	2	1	-	-
	F--	12	3	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	2	1	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	171	-	-	-	-	-	-	1	-	3	1	8	20	12	22	24	30	20	14	13	2	1	-
	White-----M--	130	-	-	-	-	-	-	-	-	3	-	6	18	9	17	20	24	17	10	5	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	1	2	1	3	4	4	5	3	4	7	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
550-553	Appendicitis------	22	-	2	1	-	1	-	1	-	1	1	1	-	-	4	3	1	2	1	2	1	-	-
	White-----M--	12	-	2	1	-	1	-	-	-	1	-	-	-	-	3	2	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	1	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	131	19	1	-	-	1	-	1	2	-	1	3	5	10	11	7	20	23	14	9	2	1	1
	White-----M--	59	9	1	-	-	-	-	1	-	-	1	2	2	3	6	5	8	9	7	4	-	1	-
	F--	67	10	-	-	-	1	-	-	2	-	-	1	3	6	4	2	11	12	7	5	2	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	75	4	1	2	-	-	1	2	2	-	4	1	4	9	8	11	7	9	8	1	1	-	-
	White-----M--	40	1	-	1	-	-	-	1	2	-	2	-	3	4	5	8	2	5	4	1	1	-	-
	F--	31	2	1	1	-	-	1	-	-	-	1	1	1	5	2	3	5	4	4	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	341	-	1	-	-	-	-	4	3	21	39	42	39	45	47	42	33	13	8	3	1	-	-
	White-----M--	242	-	1	-	-	-	-	3	3	10	27	30	30	31	35	30	24	11	5	2	-	-	-
	F--	88	-	-	-	-	-	-	1	-	7	9	12	8	13	10	12	9	2	3	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																							
584, 585	Cholelithiasis, etc.*	59	-	-	-	-	-	-	-	-	-	1	-	1	6	4	9	10	11	11	5	1	-	-
	White	23	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	5	2	6	1	-	-	-
	M	35	-	-	-	-	-	-	-	-	-	-	-	-	5	3	4	5	8	5	4	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	39	-	3	1	1	-	1	1	1	-	-	3	4	2	3	3	1	5	1	7	-	2	-
	White	21	-	1	-	1	-	1	-	1	-	-	1	3	2	3	1	1	3	-	2	-	1	-
	M	16	-	2	1	-	-	-	-	-	-	-	1	1	-	-	2	-	2	1	5	-	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	91	-	-	-	1	-	-	-	-	-	2	3	8	9	10	11	7	21	10	5	3	1	-
	White	32	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	1	9	6	2	2	-	-
	M	55	-	-	-	-	-	-	-	-	-	1	3	4	7	8	6	6	11	4	3	1	1	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	M	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
610	Hyperplasia of prostate	41	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	11	8	7	9	1	-	-
	White	41	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	11	8	7	9	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	13	...	...	...	-	1	2	4	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	9	...	...	...	-	-	2	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	...	...	...	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	10	...	...	...	-	1	1	3	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	...	...	...	-	-	1	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	280	202	27	4	6	3	1	4	3	5	4	5	4	2	2	4	3	-	-	1	-	-	-
	White	145	115	9	2	4	2	1	1	2	-	1	3	-	1	1	1	1	-	-	1	-	-	-
	M	119	77	15	2	2	1	-	1	1	5	3	1	4	1	1	3	2	-	-	-	-	-	-
	Nonwhite	8	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	8	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	906	905	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	462	461	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	431	431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	424	423	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	195	194	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	102	8	4	1	1	1	3	3	3	-	7	6	6	7	8	9	10	6	11	3	4	1	-
	White	56	7	1	1	1	1	1	-	1	-	3	4	4	6	7	3	6	3	6	-	1	-	-
	M	34	-	3	-	-	-	-	1	2	-	4	-	2	1	1	3	3	2	5	3	3	1	-
	Nonwhite	8	-	-	-	-	-	1	2	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-
	M	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Residual	All other diseases	873	45	34	10	4	9	3	7	22	24	40	58	55	66	91	129	104	77	45	29	17	4	-
	White	551	25	16	4	-	8	2	4	12	18	22	34	39	47	57	87	77	51	25	14	8	1	-
	M	279	15	15	5	4	1	-	2	9	4	12	23	13	15	30	38	23	24	20	15	8	3	-
	Nonwhite	21	2	1	-	-	-	1	-	-	-	4	1	1	3	3	2	2	1	-	-	-	-	-
	M	22	3	2	1	-	-	-	1	1	2	2	-	2	1	1	2	2	1	-	-	1	-	-
E800-E962	Accidents	877	28	41	26	21	40	40	24	37	43	56	52	44	45	53	69	62	57	55	44	31	7	2
	White	557	13	22	18	14	33	36	19	28	27	39	38	28	30	39	46	38	28	32	13	13	1	2
	M	269	10	12	7	7	6	1	3	2	6	15	10	15	15	12	21	23	28	22	31	17	6	-
	Nonwhite	36	2	2	1	-	1	3	1	7	8	2	3	1	-	2	2	1	-	-	-	-	-	-
	M	15	3	5	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	1	-	1	-	-
E810-E835	Motor vehicle accidents	269	3	6	11	10	27	24	13	19	18	20	17	19	13	14	24	12	10	6	-	2	-	1
	White	193	1	3	8	6	22	22	9	17	10	13	10	11	7	12	19	8	7	6	-	1	-	1
	M	60	1	2	3	4	4	-	3	-	3	7	5	8	6	2	5	3	3	-	-	1	-	-
	Nonwhite	14	-	1	-	-	1	2	1	2	5	-	1	-	-	-	-	1	-	-	-	-	-	-
	M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	608	25	35	15	11	13	16	11	18	25	36	35	25	32	39	45	50	47	49	44	29	7	1
	White	364	12	19	10	8	11	14	10	11	17	26	28	17	23	27	27	30	21	26	13	12	1	1
	M	209	9	10	4	3	2	1	-	2	3	8	5	7	9	10	16	20	25	22	31	16	6	-
	Nonwhite	22	2	1	1	-	-	1	-	5	3	2	2	1	-	2	2	-	-	-	-	-	-	-
	M	13	2	5	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	1	-	-
E963, E970-E979	Suicide	261	-	-	-	-	5	9	13	12	28	25	31	39	24	24	24	11	11	3	2	-	-	-
	White	199	-	-	-	-	4	7	11	7	24	19	21	29	21	15	19	9	8	3	2	-	-	-
	M	58	-	-	-	-	1	-	2	4	4	5	10	10	3	9	5	2	3	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	39	1	1	1	-	1	2	5	5	7	7	3	-	3	-	1	2	-	-	-	-	-	-
	White	15	-	-	-	-	1	1	1	1	2	3	2	-	3	-	-	1	-	-	-	-	-	-
	M	10	1	1	1	-	-	-	-	2	1	1	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite	12	-	-	-	-	-	-	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE																							
	All causes	4,098	325	54	16	17	21	31	35	57	91	133	169	211	298	373	460	507	450	425	282	108	26	9
	White--M	1,864	121	19	4	6	9	17	23	27	42	60	66	108	135	209	256	246	196	171	98	41	8	2
	F	1,505	108	17	4	7	5	2	6	13	28	31	54	54	87	107	138	199	204	205	162	57	16	1
	Nonwhite--M	432	56	9	7	2	4	5	3	9	12	23	30	29	48	43	42	33	30	27	9	5	2	4
	F	297	40	9	1	2	3	7	3	8	9	19	19	20	28	14	24	29	20	22	13	5	-	2
001-019	Tuberculosis, all forms	37	-	-	-	-	-	1	-	1	2	3	8	3	3	6	3	3	2	2	-	-	-	-
	White--M	17	-	-	-	-	-	-	-	1	-	1	1	3	2	5	1	1	2	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	3	-	-	-	1	1	-	2	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	36	-	-	-	-	-	1	-	-	2	3	8	3	3	6	3	3	2	2	-	-	-	-
	White--M	16	-	-	-	-	-	-	-	-	-	1	1	3	2	5	1	1	2	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	3	-	-	-	1	1	-	2	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	13	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	3	1	-	1	-	-	-
	White--M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	8	-	-	-	1	-	1	-	1	-	1	1	-	1	-	-	2	-	-	-	-	-	-
	White--M	4	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	627	1	4	3	5	2	2	3	10	23	27	40	51	58	81	93	85	60	48	24	4	2	1
	White--M	285	1	2	-	2	1	1	2	2	5	8	13	24	24	39	50	43	29	23	14	1	1	-
	F	258	-	2	2	3	-	-	1	7	15	11	20	19	27	31	26	33	27	21	10	2	1	-
	Nonwhite--M	48	-	-	1	-	-	-	-	-	1	4	4	5	3	7	11	4	4	3	-	1	-	-
	F	36	-	-	-	-	1	1	-	1	2	4	3	3	4	4	6	5	-	1	-	-	-	1
140-148	Of buccal cavity and pharynx	11	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	2	2	1	-	-	-	-
	White--M	9	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	2	2	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	200	-	-	-	-	-	-	1	-	3	6	8	13	15	27	33	35	28	19	9	2	1	-
	White--M	103	-	-	-	-	-	-	1	-	2	2	4	8	7	14	20	16	15	8	5	-	1	-
	F	71	-	-	-	-	-	-	-	-	1	3	3	3	6	8	8	14	11	9	4	1	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	2	2	1	-	1	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	3	-	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	83	-	-	-	-	-	1	-	-	1	3	2	9	12	14	17	14	5	3	2	-	-	-
	White—M	58	-	-	-	-	-	1	-	-	-	1	2	5	9	13	11	10	2	2	2	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	3	3	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	2	-	1	2	1	5	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	63	-	-	-	-	-	-	-	1	3	5	12	8	6	9	3	4	7	3	1	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	1	2	4	10	7	6	7	3	4	7	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	1
171-179	Of genital organs	102	-	-	-	-	-	-	-	1	9	3	6	6	8	19	13	13	7	11	6	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	1	-	-	1	-	4	7	4	5	6	4	-	-	-
	F	54	-	-	-	-	-	-	-	-	7	1	3	5	6	13	4	8	1	4	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	1	2	2	-	2	1	2	1	-	-	-	-	-	-
180, 181	Of urinary organs	29	-	-	-	-	-	1	-	-	1	1	1	3	5	2	5	4	2	2	2	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	3	4	2	4	3	1	-	2	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	77	-	1	1	1	-	-	1	2	3	4	5	8	5	8	17	8	5	4	1	2	1	-
	White—M	37	-	1	-	-	-	-	-	-	1	3	3	4	3	4	8	6	2	1	-	1	-	-
	F	28	-	-	-	1	-	-	1	2	2	1	1	1	2	3	5	1	2	3	1	1	1	-
	Nonwhite—M	9	-	-	1	-	-	-	-	-	-	-	1	1	-	1	3	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	37	1	2	2	4	2	-	1	-	1	4	-	-	1	1	3	3	4	5	3	-	-	-
	White—M	18	1	1	-	2	1	-	1	-	-	2	-	-	-	1	-	1	2	5	1	-	-	-
	F	17	-	1	2	2	-	-	-	-	1	1	-	-	1	-	3	2	2	-	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	25	-	1	-	-	-	-	-	5	1	-	4	4	6	-	2	2	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	1	-	-	-	-	-	-	-
	F	13	-	1	-	-	-	-	-	4	1	-	1	-	5	-	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	16	2	-	-	1	-	-	1	1	1	1	-	2	-	2	1	1	1	1	1	-	-	-
	White—M	8	-	-	-	-	-	-	1	1	1	-	-	1	-	2	-	1	-	1	-	-	-	-
	F	5	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	13	1	-	-	-	-	-	-	1	-	-	-	-	2	1	4	-	3	-	1	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	1	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	71	-	1	-	-	1	-	-	1	3	1	2	4	6	10	10	11	8	11	2	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	2	-	-	-	4	3	4	4	5	5	1	-	-	-
	F	27	-	1	-	-	1	-	-	1	1	-	1	-	-	4	4	5	3	5	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	1	-	4	1	2	-	2	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
290-293	Anemias	8	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	2	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,204	2	1	-	2	2	3	3	13	27	53	68	102	164	197	267	333	313	317	220	89	21	7
	White—M	999	2	-	-	-	1	1	2	7	16	29	31	53	71	119	155	151	131	126	66	33	5	2
	F	861	-	-	-	2	-	-	-	1	3	9	13	24	44	51	80	138	145	154	135	47	14	1
	Nonwhite—M	198	-	1	-	-	1	1	1	2	4	7	14	14	29	22	21	23	19	22	8	4	2	3
	F	146	-	-	-	-	-	1	-	3	4	8	10	11	20	5	13	21	18	15	11	5	-	1
330-334, 400-468	Dis. of cardiovascular system	2,162	2	-	-	2	-	3	2	12	25	51	63	100	160	195	263	331	308	314	216	87	21	7
	White—M	988	2	-	-	-	-	1	1	7	16	28	30	53	69	119	151	150	130	126	65	33	5	2
	F	848	-	-	-	2	-	-	-	1	3	9	13	22	43	50	79	138	144	151	132	46	14	1
	Nonwhite—M	185	-	-	-	-	-	1	1	2	3	6	12	14	28	21	20	22	17	22	8	3	2	3
	F	141	-	-	-	-	-	1	-	2	3	8	8	11	20	5	13	21	17	15	11	5	-	1
330-334	Vascular lesions, etc.*	317	1	-	-	-	-	2	-	1	1	5	4	9	20	16	44	57	55	53	32	14	3	-
	White—M	136	1	-	-	-	-	-	-	1	1	-	-	5	6	8	23	26	28	24	9	4	-	-
	F	135	-	-	-	-	-	-	-	-	-	2	1	1	8	6	12	23	22	24	23	10	3	-
	Nonwhite—M	20	-	-	-	-	-	1	-	-	-	-	-	1	4	1	4	6	2	1	-	-	-	-
	F	26	-	-	-	-	-	1	-	-	-	3	3	2	2	1	5	2	3	4	-	-	-	-
400-402, 410-443	Diseases of heart	1,684	1	-	-	2	-	1	2	10	22	43	56	88	135	169	202	256	234	228	156	57	16	6
	White—M	794	1	-	-	-	-	1	1	6	13	28	29	47	61	106	119	117	95	95	45	24	4	2
	F	640	-	-	-	2	-	-	-	1	3	7	12	20	34	40	62	109	111	107	95	26	10	1
	Nonwhite—M	145	-	-	-	-	-	-	1	2	3	3	12	12	23	19	13	12	14	17	7	3	2	2
	F	105	-	-	-	-	-	-	-	1	3	5	3	9	17	4	8	18	14	9	9	4	-	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	53	-	-	-	2	-	-	-	2	6	3	4	3	7	9	5	3	1	6	1	1	-	-
	White—M	21	-	-	-	-	-	-	-	-	4	2	2	1	2	3	2	1	-	4	-	-	-	-
	F	23	-	-	-	2	-	-	-	1	1	-	-	2	3	5	2	2	1	2	1	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																							
420	Arteriosclerotic heart dis., etc.*	1,032	-	-	-	-	-	-	-	5	13	33	34	62	88	120	136	158	144	116	86	26	6	5
	White—M	559	-	-	-	-	-	-	-	5	8	24	19	39	50	85	90	82	61	54	29	9	2	2
	F	358	-	-	-	-	-	-	-	-	2	6	9	13	18	25	39	65	66	46	52	13	3	1
	Nonwhite—M	74	-	-	-	-	-	-	-	-	2	1	5	6	15	8	5	6	7	12	2	2	1	2
	F	41	-	-	-	-	-	-	-	-	1	2	1	4	5	2	2	5	10	4	3	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	246	-	-	-	-	-	-	1	-	-	2	1	8	11	14	19	39	36	50	35	20	9	1
	White—M	102	-	-	-	-	-	-	1	-	-	1	1	3	4	8	9	16	14	25	7	11	2	-
	F	105	-	-	-	-	-	-	-	-	-	1	-	1	3	4	6	16	19	19	22	8	6	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	4	2	3	3	-	1	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	1	3	3	1	-	1
430-434	Other diseases of heart	49	-	-	-	-	-	-	-	2	2	-	1	3	4	2	7	10	6	5	6	1	-	-
	White—M	20	-	-	-	-	-	-	-	1	1	-	-	2	1	1	4	6	-	1	3	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	3	3	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	1	-	1	-	-
	F	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
440-443	Hypertensive heart disease	304	1	-	-	-	-	1	1	1	1	5	16	12	25	24	35	46	47	51	28	9	1	-
	White—M	92	1	-	-	-	-	1	-	-	-	1	7	2	4	9	14	12	20	11	6	4	-	-
	F	137	-	-	-	-	-	-	-	-	-	-	3	4	8	5	13	23	22	37	17	4	1	-
	Nonwhite—M	36	-	-	-	-	-	-	1	1	-	1	5	2	5	9	5	2	2	1	2	-	-	-
	F	39	-	-	-	-	-	-	-	-	1	3	1	4	8	1	3	9	3	2	3	1	-	-
444-447	Other hypertensive disease	38	-	-	-	-	-	-	-	1	1	1	2	1	-	5	2	5	6	6	5	3	-	-
	White—M	16	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	2	3	2	2	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	2	2	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	88	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	11	9	23	23	12	1	1
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	2	9	3	1	-
	F	48	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	17	12	8	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	3	-	-	-	1
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-	-
451-468	Other diseases of circulatory sys.	35	-	-	-	-	-	-	-	-	1	1	1	2	4	3	11	2	4	4	-	1	1	-
	White—M	17	-	-	-	-	-	-	-	-	1	-	-	1	2	2	6	1	2	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	2	1	-	1	1	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	42	-	1	-	-	2	-	1	1	2	2	5	2	4	2	4	2	5	3	4	2	-	-
	White—M	11	-	-	-	-	1	-	1	-	-	1	1	-	2	-	2	1	1	-	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	3	3	1	-	-
	Nonwhite—M	13	-	1	-	-	1	-	-	-	1	1	2	-	1	1	1	1	2	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	179	34	11	-	1	-	-	2	2	3	5	7	12	9	10	15	14	20	17	13	3	1	-
	White—M	75	8	3	-	-	-	-	-	1	1	1	2	6	4	6	8	11	8	8	5	2	1	-
	F	47	9	2	-	-	-	-	2	-	-	1	2	2	2	-	5	2	8	5	6	1	-	-
	Nonwhite—M	30	11	4	-	-	-	-	-	1	1	1	2	1	2	3	1	-	2	-	1	-	-	-
	F	27	6	2	-	1	-	-	-	-	1	2	1	3	1	1	1	1	2	4	1	-	-	-
480-483	Influenza	12	-	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	3	3	-	-	-	-
	White—M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*	167	34	10	-	1	-	-	2	2	3	5	6	12	9	7	14	14	17	14	13	3	1	-
	White—M	71	8	2	-	-	-	-	-	1	1	1	2	6	4	5	7	11	8	7	5	2	1	-
	F	44	9	2	-	-	-	-	2	-	-	1	2	2	2	-	5	2	6	4	6	1	-	-
	Nonwhite—M	27	11	4	-	-	-	-	-	1	1	1	1	1	2	2	1	-	1	-	1	-	-	-
	F	25	6	2	-	1	-	-	-	-	1	2	1	3	1	-	1	1	2	3	1	-	-	-
500-502	Bronchitis	11	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	-
	White—M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	35	-	-	-	-	-	-	1	-	1	2	3	3	6	2	5	4	3	3	1	1	-	-
	White—M	25	-	-	-	-	-	-	1	-	1	2	2	2	3	2	4	3	3	1	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	6	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	21	2	-	-	-	-	-	-	1	1	1	2	1	2	2	2	4	1	1	1	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-
543, 571, 572	Gastritis, etc.*	20	6	2	-	-	1	-	-	-	1	-	1	-	-	2	1	1	2	1	1	1	-	-
	White—M	6	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	1	-	-
	F	6	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-
	Nonwhite—M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	60	-	-	1	-	-	-	-	-	2	8	5	4	14	9	8	3	3	2	-	1	-	-
	White—M	36	-	-	1	-	-	-	-	-	2	2	2	3	11	6	4	2	2	-	-	1	-	-
	F	19	-	-	-	-	-	-	-	-	-	5	2	-	3	2	3	1	1	2	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																							
584, 585	Cholelithiasis, etc.*	10	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	2	3	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	7	1	1	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	18	1	-	-	-	-	-	-	-	2	1	-	2	-	2	3	3	1	1	2	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-
610	Hyperplasia of prostate	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	4	...	...	...	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	3	...	...	...	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	53	43	4	1	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-
	White—M	23	20	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	19	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	5	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	15	1	-	-	-	-	-	1	-	2	-	-	1	-	1	2	-	1	2	2	1	1	-
	White—M	5	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	183	25	7	-	-	1	2	1	3	4	6	11	8	14	25	21	24	12	10	6	3	-	-
	White—M	71	7	2	-	-	-	1	1	-	2	2	3	4	1	12	11	12	4	4	4	1	-	-
	F	69	6	3	-	-	-	1	-	-	2	1	6	2	7	9	8	8	6	6	2	2	-	-
	Nonwhite—M	31	7	1	-	-	-	-	-	3	-	2	1	2	6	4	1	2	2	-	-	-	-	-
	F	12	5	1	-	-	1	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-
E800-E962	Accidents	222	7	19	8	6	11	19	16	17	12	14	13	8	10	13	13	8	9	8	7	4	-	-
	White—M	116	1	8	3	4	7	12	13	9	9	7	9	5	4	6	6	5	2	2	3	1	-	-
	F	54	2	5	-	-	2	1	2	4	1	2	2	2	3	5	4	3	4	5	4	3	-	-
	Nonwhite—M	38	2	1	4	2	2	3	1	3	2	5	1	1	3	2	2	-	3	1	-	-	-	-
	F	14	2	5	1	-	-	3	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	94	-	6	1	2	8	13	10	10	4	5	6	6	4	5	5	4	3	1	1	-	-	-
	White—M	57	-	3	1	2	5	9	9	6	2	2	4	4	2	2	3	2	1	-	-	-	-	-
	F	28	-	2	-	-	2	1	1	4	1	2	2	1	2	3	2	2	1	1	1	-	-	-
	Nonwhite—M	7	-	1	-	-	1	1	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	128	7	13	7	4	3	6	6	7	8	9	7	2	6	8	8	4	6	7	6	4	-	-
	White—M	59	1	5	2	2	2	3	4	3	7	5	5	1	2	4	3	3	1	2	3	1	-	-
	F	26	2	3	-	-	-	-	1	-	-	-	-	1	1	2	2	1	3	4	3	3	-	-
	Nonwhite—M	31	2	-	4	2	1	2	1	3	1	4	1	-	3	2	2	-	2	1	-	-	-	-
	F	12	2	5	1	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E963, E970-E979	Suicide	37	-	-	-	-	1	-	3	2	1	7	3	5	5	3	4	1	2	-	-	-	-	-
	White—M	29	-	-	-	-	-	-	2	2	1	5	2	3	5	3	4	1	1	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	13	-	-	-	-	1	3	-	1	4	1	1	-	-	1	-	-	-	-	-	-	-	1
	White—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	1	1	-	-	3	1	1	-	-	1	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA																							
	All causes	8,952	760	100	41	24	23	63	87	136	255	357	514	675	757	839	964	967	878	782	481	179	62	8
	White--M	2,603	116	13	2	6	7	23	18	23	53	69	126	197	258	321	370	340	269	227	116	34	12	3
	F	2,337	96	14	8	1	4	9	13	15	32	50	83	110	139	181	235	287	341	326	262	102	26	3
	Nonwhite--M	2,206	305	44	19	9	8	16	33	51	101	148	190	218	218	182	200	170	130	97	47	13	6	1
	F	1,806	243	29	12	8	4	15	23	47	69	90	115	150	142	155	159	170	138	132	56	30	18	1
001-019	Tuberculosis, all forms	122	-	-	-	-	-	2	5	6	17	10	16	22	8	10	5	9	10	2	-	-	-	-
	White--M	28	-	-	-	-	-	-	-	-	3	-	2	3	3	4	3	7	3	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M	51	-	-	-	-	-	-	2	2	6	5	11	9	2	4	2	1	5	2	-	-	-	-
	F	35	-	-	-	-	-	2	3	4	7	5	1	8	2	1	-	-	2	-	-	-	-	-
001-008	Tuberculosis of resp. system	112	-	-	-	-	-	2	5	5	16	8	14	21	7	8	5	9	10	2	-	-	-	-
	White--M	27	-	-	-	-	-	-	-	-	3	-	2	3	3	3	3	7	3	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M	45	-	-	-	-	-	-	2	1	6	4	9	9	1	3	2	1	5	2	-	-	-	-
	F	32	-	-	-	-	-	2	3	4	6	4	1	7	2	1	-	-	2	-	-	-	-	-
010-019	Tuberculosis, other forms	10	-	-	-	-	-	-	-	1	1	2	2	1	1	2	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	41	-	-	-	-	-	-	-	-	2	3	3	3	5	5	6	5	6	2	1	-	-	-
	White--M	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	3	1	2	2	3	2	1	1	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	2	4	1	1	-	-	-
045-048	Dysentery, all forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	23	2	-	-	-	-	1	-	-	2	1	3	1	2	1	2	2	2	2	2	-	-	-
	White--M	8	1	-	-	-	-	1	-	-	-	-	2	-	-	1	-	1	1	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	1,456	-	8	6	2	3	10	9	14	25	69	102	168	198	202	197	143	136	93	50	17	4	-
	White--M	426	-	-	-	-	2	4	-	2	2	12	13	36	71	83	80	45	46	27	16	5	2	-
	F	433	-	5	3	-	-	2	4	2	9	16	34	38	45	57	49	48	49	38	24	9	1	-
	Nonwhite--M	342	-	2	2	-	1	2	3	3	4	22	27	61	55	41	41	29	28	14	6	1	-	-
	F	255	-	1	1	2	-	2	2	7	10	19	28	33	27	41	27	21	13	14	4	2	1	-
140-148	Of buccal cavity and pharynx	50	-	-	-	-	-	-	2	-	1	2	3	6	10	5	9	5	2	1	3	-	1	-
	White--M	16	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	1	1	1	-	1	-
	F	7	-	-	-	-	-	-	1	-	-	-	1	1	3	-	-	-	-	-	1	-	-	-
	Nonwhite--M	24	-	-	-	-	-	-	1	-	1	2	2	2	5	3	5	1	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	526	-	1	1	-	-	1	-	3	3	19	28	61	76	78	73	60	50	42	21	8	1	-
	White--M	162	-	-	-	-	-	1	-	-	-	4	6	11	27	22	34	18	19	11	6	2	1	-
	F	146	-	1	-	-	-	-	-	-	1	2	9	13	13	20	16	21	15	18	12	5	-	-
	Nonwhite--M	139	-	-	1	-	-	-	-	3	1	7	6	29	25	18	13	14	13	7	2	-	-	-
	F	79	-	-	-	-	-	-	-	-	1	6	7	8	11	18	10	7	3	6	1	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	197	-	-	1	-	-	-	1	-	3	11	21	24	41	29	28	13	14	8	3	-	-	-
	White—M	100	-	-	-	-	-	-	-	-	2	4	4	6	26	18	19	7	9	4	1	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	1	4	2	2	2	1	-	2	2	1	-	-	-
	Nonwhite—M	72	-	-	-	-	-	-	1	-	-	5	11	15	12	9	8	6	3	1	1	-	-	-
	F	8	-	-	1	-	-	-	-	-	1	1	2	1	1	-	-	-	-	1	-	-	-	-
170	Of breast	142	-	-	-	-	-	1	3	2	6	13	15	16	13	17	13	12	14	10	4	1	2	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	91	-	-	-	-	-	-	1	1	4	7	7	6	10	11	10	10	12	8	3	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	1	2	1	2	5	8	9	3	6	3	2	2	2	1	1	1	-
171-179	Of genital organs	199	-	-	-	-	-	-	1	5	7	7	16	18	22	28	21	20	27	13	11	3	-	-
	White—M	38	-	-	-	-	-	-	-	1	-	-	-	-	1	7	4	6	9	3	6	1	-	-
	F	67	-	-	-	-	-	-	1	1	2	2	8	7	11	12	3	7	8	2	2	1	-	-
	Nonwhite—M	33	-	-	-	-	-	-	-	-	-	-	-	2	4	2	8	3	6	5	2	1	-	-
	F	61	-	-	-	-	-	-	-	3	5	5	8	9	6	7	6	4	4	3	1	-	-	-
180, 181	Of urinary organs	82	-	1	1	-	-	-	-	2	-	1	3	11	8	8	12	10	12	8	2	3	-	-
	White—M	36	-	-	-	-	-	-	-	1	-	-	1	3	6	4	8	4	3	3	1	2	-	-
	F	20	-	1	1	-	-	-	-	-	-	-	1	1	-	3	1	2	5	4	-	1	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	1	1	5	1	-	3	3	2	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	2	1	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	150	-	3	-	-	3	4	1	-	2	10	10	18	18	19	26	13	12	7	3	1	-	-
	White—M	44	-	-	-	-	2	2	-	-	-	4	1	9	4	6	8	2	2	3	1	-	-	-
	F	50	-	1	-	-	-	-	1	-	1	1	3	4	6	3	11	6	7	3	2	1	-	-
	Nonwhite—M	28	-	1	-	-	1	1	-	-	1	4	4	3	5	4	2	1	1	-	-	-	-	-
	F	28	-	1	-	-	-	1	-	-	-	1	2	2	3	6	5	4	2	1	-	-	-	-
204	Leukemia and aleukemia	46	-	2	3	2	-	2	1	1	2	-	-	4	3	8	7	7	-	2	1	1	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	3	-	1	-	-	-	-
	F	18	-	2	2	-	-	1	-	-	1	-	-	1	-	4	3	2	-	-	1	1	-	-
	Nonwhite—M	8	-	-	1	-	-	1	1	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-
	F	6	-	-	-	2	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	64	-	1	-	-	-	2	-	1	1	6	6	10	7	10	8	3	5	2	2	-	-	-
	White—M	16	-	-	-	-	-	1	-	-	-	-	1	2	4	2	-	2	3	1	-	-	-	-
	F	17	-	-	-	-	-	1	-	-	-	3	1	3	-	2	4	-	-	1	2	-	-	-
	Nonwhite—M	20	-	1	-	-	-	-	-	-	-	2	3	3	3	4	2	-	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	1	1	1	2	-	2	2	1	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	34	-	-	-	-	-	1	1	3	2	2	3	4	3	4	3	6	1	-	1	-	-	-
	White—M	7	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	1	1	-	1	-	1	-	1	1	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	1	-	1	2	1	2	-	-	1	1	2	-	-	1	-	-	-
241	Asthma	28	-	1	-	-	1	1	1	1	1	2	4	5	2	3	1	4	-	-	1	-	-	-
	White—M	8	-	-	-	-	-	1	1	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-
	Nonwhite—M	4	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	1	3	4	2	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	106	-	1	-	1	-	-	-	3	3	1	4	10	11	15	18	13	17	5	3	1	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	2	2	3	4	6	4	4	1	-	-	-	-
	F	25	-	1	-	-	-	-	-	1	1	-	-	-	-	2	4	4	6	3	2	1	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	1	1	1	1	2	4	-	-	2	1	-	1	-	-	-
	F	41	-	-	-	1	-	-	-	1	1	-	1	6	4	9	8	3	6	1	-	-	-	-
290-293	Anemias	15	3	2	1	-	-	-	-	-	-	-	-	-	1	2	2	-	1	3	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-
	Nonwhite—M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	30	13	5	-	-	-	-	-	1	1	-	2	3	2	1	1	-	-	-	-	1	-	-
	White—M	5	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	7	2	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	10	5	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	4,493	4	6	-	1	1	10	22	31	74	130	232	276	382	455	561	622	592	565	349	134	44	2
	White—M	1,360	-	1	-	-	-	1	6	4	16	30	62	87	123	188	208	186	181	161	77	21	7	1
	F	1,366	-	1	-	1	1	2	3	3	9	11	17	39	65	93	141	203	245	236	195	81	19	1
	Nonwhite—M	895	1	2	-	-	-	3	6	13	34	48	93	85	110	100	111	108	68	67	30	11	5	-
	F	872	3	2	-	-	-	4	7	11	15	41	60	65	84	74	101	125	98	101	47	21	13	-
330-334, 400-468	Dis. of cardiovascular system	4,429	4	5	-	1	1	7	20	28	72	124	226	275	371	452	555	615	588	560	347	132	44	2
	White—M	1,352	-	1	-	-	-	-	6	4	16	30	62	87	121	188	207	185	180	160	77	20	7	1
	F	1,358	-	1	-	1	1	2	3	3	8	11	17	38	64	92	140	203	245	235	194	80	19	1
	Nonwhite—M	871	1	2	-	-	-	1	5	12	33	44	90	85	104	99	110	105	67	67	30	11	5	-
	F	848	3	1	-	-	-	4	6	9	15	39	57	65	82	73	98	122	96	98	46	21	13	-
330-334	Vascular lesions, etc.*	797	1	2	-	-	-	-	3	5	9	22	39	36	44	62	92	111	136	121	79	28	5	2
	White—M	181	-	-	-	-	-	-	1	-	2	1	4	7	12	12	20	30	37	34	14	4	2	1
	F	316	-	1	-	-	-	-	1	-	-	5	4	6	9	18	32	39	68	64	49	19	-	1
	Nonwhite—M	142	-	1	-	-	-	-	-	2	7	7	19	8	9	15	29	19	13	7	3	3	-	-
	F	158	1	-	-	-	-	-	1	3	-	9	12	15	14	17	11	23	18	16	13	2	3	-
400-402, 410-416	Diseases of heart	3,193	3	3	-	1	1	6	14	22	53	89	162	217	301	354	407	460	394	370	219	88	29	-
	White—M	1,059	-	1	-	-	-	-	5	4	13	27	54	76	103	163	165	142	125	109	55	14	3	-
	F	908	-	-	-	1	1	2	1	3	8	6	12	32	51	64	96	151	155	142	116	51	16	-
443	Nonwhite—M	643	1	1	-	-	-	-	5	9	18	34	65	71	86	77	69	78	50	50	20	5	4	-
	F	583	2	1	-	-	-	4	3	6	14	22	31	38	61	50	77	89	64	69	28	18	6	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	61	1	-	-	-	-	1	3	3	2	7	3	5	6	8	8	5	3	3	1	2	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	4	-	-	3	2	5	1	1	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	1	1	1	1	5	2	4	1	4	1	2	1	1	-	-
	Nonwhite—M	9	-	-	-	-	-	-	2	1	1	1	1	-	-	1	1	-	1	-	-	-	-	-
	F	11	1	-	-	-	-	1	1	1	-	1	1	-	1	1	1	-	-	1	-	1	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																							
420	Arteriosclerotic heart dis., etc.*	2,015	-	-	-	-	-	1	2	4	24	38	86	121	190	242	278	316	261	251	134	49	18	-
	White-----M--	814	-	-	-	-	-	-	2	2	8	19	43	64	81	130	127	109	92	88	34	13	2	-
	F--	583	-	-	-	-	-	-	-	-	1	1	4	15	35	43	74	112	98	92	72	24	12	-
	Nonwhite--M--	337	-	-	-	-	-	-	-	2	10	13	27	28	50	44	44	46	26	33	11	2	1	-
	F--	281	-	-	-	-	-	1	-	-	5	5	12	14	24	25	33	49	45	38	17	10	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	395	-	1	-	1	-	-	2	3	7	15	19	29	35	40	45	44	54	41	36	16	7	-
	White-----M--	97	-	1	-	-	-	-	1	-	2	2	2	4	8	11	17	11	11	13	12	1	1	-
	F--	111	-	-	-	1	-	-	1	1	1	1	1	4	5	10	10	7	25	14	17	10	3	-
	Nonwhite--M--	108	-	-	-	-	-	-	-	1	2	4	12	15	16	13	9	14	12	5	2	1	2	-
	F--	79	-	-	-	-	-	-	-	1	2	8	4	6	6	6	9	12	6	9	5	4	1	-
430-434	Other diseases of heart---------	91	2	2	-	-	1	2	3	2	3	1	8	5	10	7	7	11	11	8	7	1	-	-
	White-----M--	33	-	-	-	-	-	-	2	1	1	-	2	2	5	4	3	4	5	2	2	-	-	-
	F--	22	-	-	-	-	1	1	-	-	1	-	2	2	1	-	-	3	4	3	3	1	-	-
	Nonwhite--M--	21	1	1	-	-	-	-	1	-	-	-	4	-	2	3	-	3	2	2	2	-	-	-
	F--	15	1	1	-	-	-	1	-	1	1	1	-	1	2	-	4	1	-	1	-	-	-	-
440-443	Hypertensive heart disease-----	631	-	-	-	-	-	2	4	10	17	28	46	57	60	57	69	84	65	67	41	20	4	-
	White-----M--	99	-	-	-	-	-	-	-	1	2	2	7	6	6	16	13	17	16	6	7	-	-	-
	F--	167	-	-	-	-	-	1	-	1	4	3	4	6	8	7	11	25	27	31	23	15	1	-
	Nonwhite--M--	168	-	-	-	-	-	-	2	5	5	16	21	28	18	16	15	15	9	10	5	2	1	-
	F--	197	-	-	-	-	-	1	2	3	6	7	14	17	28	18	30	27	13	20	6	3	2	-
444-447	Other hypertensive disease-----	82	-	-	-	-	-	1	2	1	6	6	7	5	6	3	6	8	9	10	7	3	2	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	4	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	4	2	-	-
	Nonwhite--M--	28	-	-	-	-	-	1	-	1	5	3	2	1	3	-	5	2	1	1	1	1	1	-
	F--	24	-	-	-	-	-	-	2	-	1	3	5	3	2	-	-	1	2	3	1	-	1	-
450	General arteriosclerosis---------	160	-	-	-	-	-	-	-	-	-	1	1	2	3	13	14	14	29	34	32	11	6	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	4	8	7	5	2	1	-
	F--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	5	14	18	19	6	3	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	2	1	3	5	2	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	3	6	6	2	1	2	-
451-468	Other diseases of circulatory sys.--	197	-	-	-	-	-	-	1	-	4	6	17	15	17	20	36	22	20	25	10	2	2	-
	White-----M--	59	-	-	-	-	-	-	-	-	1	2	4	3	5	8	15	6	6	6	2	-	1	-
	F--	45	-	-	-	-	-	-	1	-	-	-	1	-	3	4	7	6	6	9	6	2	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	3	-	3	5	4	3	6	4	2	6	1	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	4	9	7	5	5	8	6	6	4	1	-	1	-
592-594	Chronic nephritis, etc.*----------	64	-	1	-	-	-	3	2	3	2	6	6	1	11	3	6	7	4	5	2	2	-	-
	White-----M--	8	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	1	1	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	1	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	2	1	1	1	4	3	-	6	1	1	3	1	-	-	-	-	-
	F--	24	-	1	-	-	-	-	1	2	-	2	3	-	2	1	3	3	2	3	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	417	27	12	2	3	2	1	3	6	18	28	23	32	28	30	44	41	40	33	30	10	4	-
	White-----M--	125	3	1	-	1	-	-	-	1	3	5	2	12	10	12	20	21	10	10	11	1	2	-
	F--	72	1	-	1	-	-	-	1	-	-	-	3	2	3	3	6	6	15	8	17	5	1	-
	Nonwhite--M--	147	14	8	-	-	2	1	-	3	13	17	18	11	10	8	14	9	11	6	1	1	-	-
	F--	73	9	3	1	2	-	-	2	2	2	6	-	7	5	7	4	5	4	9	1	3	1	-
480-483	Influenza---------	6	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	411	27	12	2	3	2	1	3	6	18	27	22	32	28	28	44	40	40	32	30	10	4	-
	White-----M--	123	3	1	-	1	-	-	-	1	3	4	2	12	10	12	20	20	10	10	11	1	2	-
	F--	71	1	-	1	-	-	-	1	-	-	-	3	2	3	2	6	6	15	8	17	5	1	-
	Nonwhite--M--	145	14	8	-	-	2	1	-	3	13	17	17	11	10	7	14	9	11	6	1	1	-	-
	F--	72	9	3	1	2	-	-	2	2	2	6	-	7	5	7	4	5	4	8	1	3	1	-
500-502	Bronchitis---------	22	1	2	-	-	-	-	-	-	-	1	1	-	-	1	4	5	-	4	2	-	1	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	-	1	2	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	60	1	-	-	-	-	-	1	-	2	3	4	9	10	4	8	9	3	5	-	-	1	-
	White-----M--	31	-	-	-	-	-	-	1	-	-	-	1	6	5	-	5	7	3	2	-	-	1	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	3	-	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	1	1	-	-	4	2	3	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	2	2	1	1	2	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	12	-	-	-	-	-	-	-	-	1	3	-	-	1	1	1	-	1	2	2	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	59	5	2	1	1	-	-	1	-	-	-	5	3	3	6	6	5	8	6	5	1	1	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	2	1	2	3	1	3	2	2	-	1	-	-
	F--	15	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	2	3	-	1	-
	Nonwhite--M--	19	4	1	1	1	-	-	1	-	-	-	2	-	1	1	3	-	1	1	2	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	-	-	-	-
543, 571, 572	Gastritis, etc.*--	29	7	1	1	-	-	1	-	1	1	-	1	2	1	-	2	2	4	1	2	1	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-
	F--	10	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	-	-
	Nonwhite--M--	9	3	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
581	Cirrhosis of liver	190	-	-	-	-	-	-	-	8	16	17	30	37	24	18	22	12	4	1	1	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	1	3	3	11	13	11	9	9	7	1	1	-	-	-	-
	F--	44	-	-	-	-	-	-	-	1	5	5	6	7	6	2	7	1	3	-	1	-	-	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	2	4	8	10	10	5	4	4	4	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	4	4	1	3	7	2	3	2	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																							
584, 585	Cholelithiasis, etc.*	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	3	3	2	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	16	-	1	2	1	-	1	-	-	-	1	2	1	1	1	1	1	1	-	-	1	1	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	6	-	-	1	1	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	1	-
600	Infections of kidney	96	1	-	-	-	-	1	2	1	2	4	11	8	7	12	12	13	8	7	3	2	2	-
	White—M	18	-	-	-	-	-	-	-	-	1	-	1	1	-	2	5	6	1	1	-	-	-	-
	F	23	-	-	-	-	-	1	1	1	-	-	3	-	1	3	-	2	2	4	2	2	1	-
	Nonwhite—M	27	1	-	-	-	-	-	1	-	1	3	1	4	2	3	4	2	3	2	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	6	3	4	4	3	3	2	-	1	-	1	-
610	Hyperplasia of prostate	25	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	8	4	2	2	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	6	3	1	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	5	...	...	...	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	115	81	17	3	1	1	1	2	1	2	2	-	1	1	1	-	1	-	-	-	-	-	-
	White—M	26	19	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	17	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	37	21	7	3	-	1	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	F	32	24	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	544	543	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	85	84	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	297	297	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	209	208	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	36	35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	33	-	-	-	-	-	1	2	-	3	2	4	4	3	4	1	3	-	1	1	1	-	3
	White—M	11	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	3	-	-	1	-	-	1
	F	8	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	-	-	-	1
	Nonwhite—M	9	-	-	-	-	-	1	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	1	-	-
Residual	All other diseases	405	31	10	8	3	3	5	6	14	31	23	27	39	29	33	39	36	27	21	12	5	1	2
	White—M	127	4	-	1	-	1	-	1	2	12	2	8	9	12	15	13	20	8	11	4	4	-	-
	F	86	3	1	1	-	1	1	-	1	2	4	6	7	5	7	14	7	12	7	5	-	1	1
	Nonwhite—M	112	16	6	3	2	-	1	4	5	8	11	10	12	8	8	5	5	4	1	3	-	-	-
	F	80	8	3	3	1	1	3	1	6	9	6	3	11	4	3	7	4	3	2	-	1	-	1
E800-E962	Accidents	360	36	24	12	10	7	14	15	22	16	29	27	28	20	17	17	17	9	21	12	5	2	-
	White—M	120	4	4	1	4	4	10	5	7	6	10	10	16	7	7	6	8	4	2	3	2	-	-
	F	71	3	2	1	-	1	1	1	1	1	7	6	2	4	4	4	6	1	14	7	3	2	-
	Nonwhite—M	110	14	10	6	5	1	2	7	11	7	10	9	9	6	1	5	1	3	2	1	-	-	-
	F	59	15	8	4	1	1	1	2	3	2	2	2	1	3	5	2	2	1	3	1	-	-	-
E810-E835	Motor vehicle accidents	100	-	8	4	2	4	9	9	7	4	10	7	11	4	3	6	4	2	2	2	1	1	-
	White—M	39	-	2	-	1	3	6	3	1	3	1	5	4	1	1	2	2	1	1	1	1	-	-
	F	18	-	-	1	-	1	1	1	-	1	2	1	2	-	1	3	1	-	1	1	-	1	-
	Nonwhite—M	33	-	4	3	1	-	1	4	5	-	7	1	4	1	-	1	-	1	-	-	-	-	-
	F	10	-	2	-	-	-	1	1	1	-	-	-	1	2	1	-	1	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	260	36	16	8	8	3	5	6	15	12	19	20	17	16	14	11	13	7	19	10	4	1	-
	White—M	81	4	2	1	3	1	4	2	6	3	9	5	12	6	6	4	6	3	1	2	1	-	-
	F	53	3	2	-	-	-	-	-	1	-	5	5	-	4	3	1	5	1	13	6	3	1	-
	Nonwhite—M	77	14	6	3	4	1	1	3	6	7	3	8	5	5	1	4	1	2	2	1	-	-	-
	F	49	15	6	4	1	1	-	1	2	2	2	2	-	1	4	2	1	1	3	1	-	-	-
E965, E970-E979	Suicide	97	-	-	-	-	-	8	4	11	14	12	5	11	10	6	6	5	1	3	-	-	-	1
	White—M	50	-	-	-	-	-	4	2	5	6	6	2	7	3	3	3	4	1	3	-	-	-	1
	F	23	-	-	-	-	-	1	-	4	3	2	3	2	4	2	2	-	-	-	-	-	-	-
	Nonwhite—M	21	-	-	-	-	-	2	2	1	5	3	-	2	3	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	86	1	-	-	-	4	5	12	13	18	13	5	7	4	2	2	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	52	1	-	-	-	2	3	4	8	13	10	2	5	2	1	1	-	-	-	-	-	-	-
	F	24	-	-	-	-	2	1	6	5	5	2	2	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA																							
	All causes	43,614	3,426	593	248	194	305	401	475	641	987	1,287	1,860	2,606	3,225	4,076	5,513	5,570	4,831	3,837	2,350	888	284	17
	White--M	21,384	1,109	192	105	90	158	182	187	233	412	543	823	1,234	1,562	2,228	3,090	3,155	2,592	1,957	1,068	371	87	6
	F	13,412	817	148	74	53	52	75	79	141	236	324	427	576	736	1,012	1,602	1,803	1,867	1,665	1,137	448	140	-
	Nonwhite--M	4,940	838	130	39	34	48	90	127	136	176	224	344	437	528	476	503	321	211	117	89	37	26	9
	F	3,878	662	123	30	17	47	54	82	131	163	196	266	359	399	360	318	291	161	98	56	32	31	2
001-019	Tuberculosis, all forms	293	1	6	-	1	3	2	5	14	17	21	26	25	29	33	31	27	25	15	11	1	-	-
	White--M	155	1	-	-	1	-	-	2	2	2	7	8	14	18	22	18	20	19	12	8	1	-	-
	F	45	-	1	-	-	-	-	1	2	1	8	6	2	3	3	4	4	6	2	2	-	-	-
	Nonwhite--M	55	-	2	-	-	-	-	1	2	9	4	8	8	5	6	6	2	-	1	1	-	-	-
	F	38	-	3	-	-	3	2	1	8	5	2	4	1	3	2	3	1	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	268	-	2	-	-	2	2	5	14	15	20	24	24	28	28	29	26	25	13	10	1	-	-
	White--M	149	-	-	-	-	-	-	2	2	2	7	8	14	18	21	18	19	19	11	7	1	-	-
	F	42	-	-	-	-	-	-	1	2	1	8	4	2	3	3	4	4	6	2	2	-	-	-
	Nonwhite--M	48	-	1	-	-	-	-	1	2	9	4	8	8	5	2	5	2	-	-	1	-	-	-
	F	29	-	1	-	-	2	2	1	8	3	1	4	-	2	2	2	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	25	1	4	-	1	1	-	-	-	2	1	2	1	1	5	2	1	-	2	1	-	-	-
	White--M	6	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-
	F	9	-	2	-	-	1	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	108	-	-	-	-	-	-	1	1	3	5	9	14	21	12	21	10	5	3	1	-	1	1
	White--M	41	-	-	-	-	-	-	-	-	-	1	2	3	8	5	13	5	3	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	1	-	1	-
	Nonwhite--M	42	-	-	-	-	-	-	1	1	2	2	5	8	8	6	4	2	1	1	-	-	-	1
	F	15	-	-	-	-	-	-	-	-	1	2	2	3	4	1	1	1	-	-	-	-	-	-
045-048	Dysentery, all forms	11	5	-	1	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	8	4	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White--M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	23	4	11	-	2	-	-	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	White--M	10	2	4	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	6	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	13	2	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	197	23	28	13	6	6	2	7	8	13	9	8	14	15	11	9	8	3	5	5	3	1	-
	White--M	71	5	11	6	1	5	1	1	2	2	7	4	4	4	5	5	-	2	2	2	2	-	-
	F	53	3	6	4	2	1	1	4	3	3	-	1	2	3	2	3	6	1	3	3	1	1	-
	Nonwhite--M	33	10	-	2	2	-	-	-	-	4	1	-	5	4	2	1	2	-	-	-	-	-	-
	F	40	5	11	1	1	-	-	2	3	4	1	3	3	4	2	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	6,621	6	28	19	19	22	13	35	74	162	232	376	565	706	846	1,083	992	710	453	205	59	15	1
	White--M	3,308	4	14	8	7	10	6	15	25	58	72	134	224	305	440	611	567	397	259	109	34	8	1
	F	2,414	2	7	9	10	10	3	10	30	63	93	151	207	256	285	360	345	271	178	93	24	7	-
	Nonwhite--M	446	-	3	1	1	1	1	3	4	13	22	40	65	67	71	72	48	24	6	3	1	-	-
	F	453	-	4	1	1	1	3	7	15	28	45	51	69	78	50	40	32	18	10	-	-	-	-
140-148	Of buccal cavity and pharynx	168	-	-	-	-	-	-	-	4	2	2	9	14	17	32	22	25	21	13	3	1	3	-
	White--M	113	-	-	-	-	-	-	-	2	1	-	5	8	8	25	14	21	15	10	2	1	1	-
	F	37	-	-	-	-	-	-	-	-	-	2	-	4	5	5	6	4	5	3	1	-	2	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	1	-	4	-	3	2	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	2	-	-	-	2	1	-	2	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	2,136	-	1	1	-	1	2	-	8	30	42	95	147	196	263	390	379	292	173	89	23	4	-
	White--M	1,109	-	-	1	-	-	-	-	4	16	19	42	66	89	131	225	213	156	91	44	10	2	-
	F	756	-	-	-	-	1	1	-	3	6	11	25	43	62	93	119	132	123	77	45	13	2	-
	Nonwhite--M	156	-	-	-	-	-	1	-	-	4	8	16	25	23	22	28	19	8	2	-	-	-	-
	F	115	-	1	-	-	-	-	-	1	4	4	12	13	22	17	18	15	5	3	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	1,100	1	-	-	-	-	-	3	4	24	33	70	122	136	185	228	157	79	42	12	4	-	-
	White—M	836	-	-	-	-	-	-	3	1	14	21	45	84	105	145	190	126	64	29	6	3	-	-
	F	142	1	-	-	-	-	-	-	1	5	7	15	12	13	18	24	17	14	9	5	1	-	-
	Nonwhite—M	101	-	-	-	-	-	-	-	1	5	5	8	20	14	19	12	12	1	3	1	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	2	6	4	3	2	2	-	1	-	-	-	-
170	Of breast	478	-	-	-	-	-	-	2	5	27	36	46	48	74	60	60	55	34	18	10	3	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
	F	408	-	-	-	-	-	-	1	5	20	25	38	40	65	51	56	51	28	16	9	3	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	65	-	-	-	-	-	-	1	-	7	11	8	8	8	9	4	4	4	1	-	-	-	-
171-179	Of genital organs	1,041	-	-	-	1	2	3	10	15	34	56	64	104	97	102	141	147	120	89	37	15	4	-
	White—M	332	-	-	-	-	-	-	3	-	6	2	1	8	9	27	51	65	65	57	25	12	1	-
	F	475	-	-	-	1	1	1	2	6	14	29	39	64	54	49	65	67	40	28	10	2	3	-
	Nonwhite—M	67	-	-	-	-	1	-	-	-	1	-	1	2	10	14	17	9	8	1	2	1	-	-
	F	167	-	-	-	-	-	2	5	9	13	25	23	30	24	12	8	6	7	3	-	-	-	-
180, 181	Of urinary organs	316	-	3	2	-	-	-	-	2	2	5	9	21	38	39	49	60	43	25	14	4	-	-
	White—M	208	-	2	-	-	-	-	-	-	1	2	6	10	18	28	35	47	30	15	10	4	-	-
	F	82	-	1	2	-	-	-	-	1	1	1	1	6	11	9	10	13	13	9	4	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	1	-	2	1	2	5	1	4	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	3	4	1	-	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	836	2	10	7	12	6	2	8	18	26	37	59	76	95	93	121	97	74	54	29	8	2	-
	White—M	396	2	4	3	6	2	1	4	8	11	16	23	37	44	43	53	51	40	33	10	3	2	-
	F	335	-	3	3	4	4	-	2	7	11	13	25	26	32	35	56	39	31	20	19	5	-	-
	Nonwhite—M	61	-	2	1	1	-	-	1	1	1	6	6	9	9	9	9	4	2	-	-	-	-	-
	F	44	-	1	-	1	-	1	1	2	3	2	5	4	10	6	3	3	1	1	-	-	-	-
204	Leukemia and aleukemia	293	3	9	9	6	10	3	8	9	10	9	7	19	22	30	36	42	28	26	5	1	1	-
	White—M	172	2	5	4	1	5	3	1	4	6	5	3	9	17	19	21	28	15	17	5	1	1	-
	F	97	1	2	4	5	4	-	5	4	3	1	3	5	3	10	13	12	13	9	-	-	-	-
	Nonwhite—M	11	-	1	-	-	-	-	2	1	-	1	1	3	-	-	1	1	-	-	-	-	-	-
	F	13	-	1	1	-	1	-	-	-	1	2	-	2	2	1	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	253	-	5	-	-	3	3	4	9	7	12	17	14	31	42	36	30	19	13	6	-	1	1
	White—M	138	-	3	-	-	3	2	4	6	3	7	9	2	14	22	22	16	11	6	6	-	1	1
	F	82	-	1	-	-	-	1	-	3	3	4	5	7	11	15	11	10	4	7	-	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	1	-	3	4	3	4	1	3	3	-	-	-	-	-
	F	11	-	1	-	-	-	-	-	-	-	1	-	1	3	1	2	1	1	-	-	-	-	-
210-239	Benign & unspec. neoplasms	116	3	-	3	2	3	-	4	3	10	14	10	10	14	9	15	5	4	4	3	-	-	-
	White—M	42	1	-	1	1	1	-	1	2	2	1	3	5	6	8	4	2	1	1	2	-	-	-
	F	48	2	-	2	-	1	-	1	-	4	8	3	4	5	1	8	2	3	3	1	-	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
	F	21	-	-	-	1	-	-	2	1	4	4	3	1	3	-	2	-	-	-	-	-	-	-
241	Asthma	163	-	-	3	2	-	4	4	5	2	10	18	14	15	16	22	22	14	7	3	2	-	-
	White—M	82	-	-	1	2	-	-	1	3	-	4	5	6	8	9	10	15	12	5	-	1	-	-
	F	38	-	-	1	-	-	1	-	1	-	-	5	4	3	4	9	4	2	1	2	1	-	-
	Nonwhite—M	17	-	-	1	-	1	1	1	-	1	3	-	2	1	2	3	-	-	1	-	-	-	-
	F	26	-	-	-	-	-	2	2	-	2	5	5	4	2	2	1	-	-	1	-	-	-	-
260	Diabetes mellitus	606	-	1	-	1	3	5	4	7	18	17	27	39	58	64	126	78	73	52	28	4	1	-
	White—M	223	-	-	-	1	2	-	2	3	5	3	9	10	17	21	57	30	26	22	12	3	-	-
	F	243	-	-	-	-	1	3	1	2	2	5	6	10	20	27	43	40	39	28	14	1	1	-
	Nonwhite—M	41	-	1	-	-	-	-	-	2	4	3	2	4	6	5	9	1	1	2	1	-	-	-
	F	99	-	-	-	-	-	2	1	-	7	6	10	15	15	11	17	7	7	-	1	-	-	-
290-293	Anemias	101	7	9	3	1	7	1	1	3	6	1	1	4	7	4	8	9	12	11	3	2	1	-
	White—M	35	3	2	-	-	-	-	-	1	-	-	1	1	1	3	4	6	6	5	1	1	-	-
	F	31	-	1	2	-	1	1	-	-	1	-	-	1	3	1	3	3	5	6	1	1	1	-
	Nonwhite—M	14	1	1	-	1	2	-	1	1	4	1	-	-	-	-	1	-	1	-	-	-	-	-
	F	21	3	5	1	-	4	-	-	1	1	-	-	2	3	-	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	78	25	22	2	3	-	-	1	3	1	5	1	2	5	3	4	-	1	-	-	-	-	-
	White—M	17	2	7	1	1	-	-	-	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-
	F	23	7	6	1	2	-	-	-	-	-	2	-	-	-	2	2	-	1	-	-	-	-	-
	Nonwhite—M	23	10	5	-	-	-	-	1	1	1	1	1	-	1	-	2	-	-	-	-	-	-	-
	F	15	6	4	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	22,381	28	10	9	17	25	25	54	120	260	421	776	1,273	1,691	2,377	3,292	3,538	3,291	2,652	1,680	638	195	9
	White—M	11,534	11	1	3	4	11	9	16	40	124	199	365	647	863	1,336	1,825	1,980	1,736	1,316	746	241	60	1
	F	7,230	6	3	2	6	2	6	13	23	50	79	125	228	302	525	957	1,151	1,300	1,184	831	346	91	-
	Nonwhite—M	1,935	8	3	2	1	2	4	11	20	37	64	153	213	292	284	298	205	139	82	63	27	21	6
	F	1,682	3	3	2	6	10	6	14	37	49	79	133	185	234	232	212	202	116	70	40	24	23	2
330-334, 400-468	Dis. of cardiovascular system	22,016	26	10	9	14	21	23	45	113	249	398	758	1,238	1,658	2,342	3,251	3,498	3,264	2,607	1,659	632	193	8
	White—M	11,405	11	1	3	3	9	7	14	36	118	196	361	635	853	1,326	1,806	1,966	1,725	1,298	735	241	60	1
	F	7,127	5	3	2	6	2	6	11	21	48	71	121	222	294	516	946	1,138	1,290	1,165	826	343	91	-
	Nonwhite—M	1,858	7	3	2	-	1	4	11	19	36	58	148	202	284	276	289	195	135	77	58	27	21	5
	F	1,626	3	3	2	5	9	6	9	37	47	73	128	179	227	224	210	199	114	67	40	21	21	2
330-334	Vascular lesions, etc.*	5,106	7	3	4	7	6	9	8	20	48	85	163	229	335	452	679	773	869	714	485	166	43	1
	White—M	2,009	4	-	2	3	2	3	4	4	10	23	40	53	91	161	284	349	418	308	177	61	12	-
	F	1,953	1	1	1	4	1	2	1	1	16	22	36	52	65	113	229	285	363	367	275	95	25	-
	Nonwhite—M	577	1	1	-	-	-	-	2	3	8	11	49	66	92	87	91	65	52	23	18	5	2	1
	F	567	1	1	1	-	3	4	1	12	14	29	38	58	87	91	75	76	36	16	15	5	4	-
400-402, 410-443	Diseases of heart	15,437	18	6	5	6	14	12	31	75	180	293	543	945	1,251	1,777	2,408	2,524	2,172	1,682	1,004	368	117	6
	White—M	8,674	6	1	1	-	7	4	10	29	104	169	309	557	733	1,103	1,425	1,499	1,179	886	480	138	33	1
	F	4,699	4	2	1	1	-	2	8	16	29	45	75	158	217	384	676	795	856	702	469	204	55	-
	Nonwhite—M	1,132	6	1	2	-	1	4	7	12	21	42	83	120	173	169	185	120	70	48	34	17	14	3
	F	932	2	2	1	5	6	2	6	18	26	37	76	110	128	121	122	110	67	46	21	9	15	2
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	507	-	-	3	6	6	2	14	18	34	32	51	55	68	69	61	39	20	21	5	3	-	-
	White—M	235	-	-	-	-	2	2	4	5	16	19	19	21	35	36	31	20	11	11	2	1	-	-
	F	196	-	-	1	1	-	-	7	8	12	7	22	27	25	27	24	15	9	8	2	1	-	-
	Nonwhite—M	31	-	-	1	-	-	-	2	1	2	2	3	3	5	4	4	2	-	-	1	1	-	-
	F	45	-	-	1	5	4	-	1	4	4	4	7	4	3	2	2	2	-	2	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																							
420	Arteriosclerotic heart dis., etc.*	11,338	1	-	-	-	2	6	5	36	107	197	370	682	916	1,370	1,874	1,968	1,598	1,225	669	234	77	1
	White——M—	7,080	-	-	-	-	2	1	3	21	78	128	259	479	609	942	1,215	1,271	926	694	339	91	21	1
	F—	3,290	1	-	-	-	-	1	-	3	11	32	39	99	144	290	518	584	609	489	303	129	38	-
	Nonwhite—M—	579	-	-	-	-	-	2	2	6	11	21	42	62	105	90	90	61	28	25	14	9	11	-
	F—	389	-	-	-	-	-	2	-	6	7	16	30	42	58	48	51	52	35	17	13	5	7	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,167	4	2	1	-	3	-	4	2	6	11	18	44	54	68	149	162	229	164	162	60	23	1
	White——M—	471	3	-	-	-	2	-	2	1	3	6	6	10	22	24	52	68	104	72	71	18	7	-
	F—	436	-	-	-	-	-	-	1	-	1	1	4	7	12	9	44	55	100	72	81	38	11	-
	Nonwhite—M—	140	-	-	1	-	1	-	1	-	-	2	3	15	9	22	30	18	14	10	9	2	2	1
	F—	120	1	2	-	-	-	-	-	1	2	2	5	12	11	13	23	21	11	10	1	2	3	-
430-434	Other diseases of heart	787	13	4	1	-	3	3	4	13	18	27	28	53	64	75	95	115	96	93	51	25	5	1
	White——M—	373	3	1	1	-	1	1	1	2	4	11	13	23	33	39	44	62	47	47	27	9	4	-
	F—	219	3	2	-	-	-	1	-	4	5	3	3	8	5	15	22	34	37	41	22	13	1	-
	Nonwhite—M—	127	6	1	-	-	-	1	1	2	4	11	7	13	16	17	19	14	8	2	1	3	-	1
	F—	68	1	-	-	-	2	-	2	5	5	2	5	9	10	4	10	5	4	3	1	-	-	-
440-443	Hypertensive heart disease	1,638	-	-	-	-	-	1	4	6	15	26	76	111	149	195	229	240	229	179	117	46	12	3
	White——M—	515	-	-	-	-	-	-	-	-	3	5	12	24	34	62	83	78	91	62	41	19	1	-
	F—	558	-	-	-	-	-	-	-	1	-	2	7	17	31	43	68	107	101	92	61	23	5	-
	Nonwhite—M—	255	-	-	-	-	-	1	1	3	4	6	28	27	38	36	42	25	20	11	9	2	1	1
	F—	310	-	-	-	-	-	-	3	2	8	13	29	43	46	54	36	30	17	14	6	2	5	2
444-447	Other hypertensive disease	322	-	-	-	-	-	1	1	10	11	11	17	24	21	24	40	39	44	34	29	13	3	-
	White——M—	129	-	-	-	-	-	-	-	2	2	1	2	8	6	9	21	20	20	16	15	5	2	-
	F—	98	-	-	-	-	-	1	-	2	-	2	3	4	4	6	13	12	16	16	13	6	-	-
	Nonwhite—M—	54	-	-	-	-	-	-	1	1	4	2	10	6	7	5	4	5	5	-	1	2	1	-
	F—	41	-	-	-	-	-	-	-	5	5	6	2	6	4	4	2	2	3	2	-	-	-	-
450	General arteriosclerosis	642	-	-	-	-	-	-	-	-	-	2	7	9	12	23	34	80	105	140	119	82	29	-
	White——M—	298	-	-	-	-	-	-	-	-	-	1	5	3	3	10	19	39	49	69	52	36	12	-
	F—	251	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	26	40	64	60	37	11	-
	Nonwhite—M—	48	-	-	-	-	-	-	-	-	-	1	2	3	2	6	6	4	8	4	5	3	4	-
	F—	45	-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	11	8	3	2	6	2	-
451-468	Other diseases of circulatory sys.	509	1	1	-	1	1	1	5	8	10	7	28	31	39	66	90	82	74	37	22	3	1	1
	White——M—	295	1	-	-	-	-	-	-	1	2	2	5	14	20	43	57	59	59	19	11	1	1	-
	F—	126	-	-	-	1	1	1	2	2	3	2	7	6	5	9	24	22	15	16	9	1	-	-
	Nonwhite—M—	47	-	1	-	-	-	-	1	3	3	2	4	7	10	9	3	1	-	2	-	-	-	1
	F—	41	-	-	-	-	-	-	2	2	2	1	12	4	4	5	6	-	-	-	2	1	-	-
592-594	Chronic nephritis, etc.*	365	2	-	-	3	4	2	9	7	11	23	18	35	33	35	41	40	27	45	21	6	2	1
	White——M—	129	-	-	-	1	2	2	2	4	6	3	4	12	10	10	19	14	11	18	11	-	-	-
	F—	103	1	-	-	-	-	-	2	2	2	8	4	6	8	9	11	13	10	19	5	3	-	-
	Nonwhite—M—	77	1	-	-	1	1	-	-	1	1	6	5	11	8	8	9	10	4	5	5	-	-	1
	F—	56	-	-	-	1	1	-	5	-	2	6	5	6	7	8	2	3	2	3	-	3	2	-
480-493	Influenza and pneumonia, etc.*	1,468	294	87	14	9	8	11	13	19	24	43	41	65	63	84	102	139	126	139	104	56	27	-
	White——M—	555	54	17	4	2	4	3	2	3	7	16	13	26	25	35	51	73	62	72	46	31	9	-
	F—	410	58	14	6	5	-	6	4	4	7	7	11	8	12	15	27	38	46	57	49	22	14	-
	Nonwhite—M—	294	105	26	3	1	2	1	3	7	3	14	9	21	20	20	19	17	10	6	3	2	2	-
	F—	209	77	30	1	1	2	1	4	5	7	6	8	10	6	14	5	11	8	4	6	1	2	-
480-483	Influenza	153	27	13	4	2	-	1	1	4	1	4	5	6	9	14	9	17	5	14	10	6	1	-
	White——M—	44	4	1	1	-	-	-	-	-	-	-	1	2	3	8	2	9	-	5	4	4	-	-
	F—	30	4	1	2	2	-	1	1	-	-	1	1	1	-	-	2	2	1	6	5	-	-	-
	Nonwhite—M—	42	8	5	1	-	-	-	-	2	1	3	2	3	3	3	4	3	1	1	-	1	1	-
	F—	37	11	6	-	-	-	-	-	2	-	-	1	-	3	3	1	3	3	2	1	1	-	-
490-493	Pneumonia, etc.*	1,315	267	74	10	7	8	10	12	15	23	39	36	59	54	70	93	122	121	125	94	50	26	-
	White——M—	511	50	16	3	2	4	3	2	3	7	16	12	24	22	27	49	64	62	67	42	27	9	-
	F—	380	54	13	4	3	-	5	3	4	7	6	10	7	12	15	25	36	45	51	44	22	14	-
	Nonwhite—M—	252	97	21	2	1	2	1	3	5	2	11	7	18	17	17	15	14	9	5	3	1	1	-
	F—	172	66	24	1	1	2	1	4	3	7	6	7	10	3	11	4	8	5	2	5	-	2	-
500-502	Bronchitis	100	22	8	1	-	1	1	-	-	1	1	2	-	6	10	10	17	8	7	3	2	-	-
	White——M—	54	7	1	1	-	1	-	-	-	-	-	2	-	3	6	6	13	6	3	3	2	-	-
	F—	17	1	2	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	4	-	-	-	-
	Nonwhite—M—	18	9	2	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	-	-	-	-	-
	F—	11	5	3	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	290	4	-	-	-	1	-	3	2	3	22	25	21	27	23	47	47	29	25	6	5	-	-
	White——M—	202	-	-	-	-	1	-	3	-	2	8	16	13	18	21	36	37	24	17	2	4	-	-
	F—	52	2	-	-	-	-	-	-	-	1	6	4	4	2	2	9	6	5	7	3	1	-	-
	Nonwhite—M—	28	1	-	-	-	-	-	-	1	-	5	5	2	7	-	1	4	-	1	1	-	-	-
	F—	8	1	-	-	-	-	-	-	1	-	3	-	2	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis	51	1	-	2	2	3	3	3	1	-	4	1	3	7	4	5	5	3	2	-	2	-	-
	White——M—	25	-	-	1	1	-	1	1	1	-	1	-	2	3	1	4	3	3	1	-	2	-	-
	F—	12	-	-	1	-	2	-	-	-	-	-	1	1	1	3	1	1	-	1	-	-	-	-
	Nonwhite—M—	5	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	-	-	-	1	1	-	2	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	236	33	7	-	1	1	-	1	3	3	4	10	13	14	20	29	29	19	31	16	2	-	-
	White——M—	99	17	1	-	-	-	-	-	1	-	1	1	2	8	7	14	15	11	13	7	1	-	-
	F—	88	7	1	-	-	-	-	1	-	1	1	3	6	2	9	11	12	7	18	8	1	-	-
	Nonwhite—M—	26	4	4	-	1	-	-	-	1	1	-	3	3	2	1	3	1	1	-	1	-	-	-
	F—	23	5	1	-	-	1	-	-	1	1	2	3	2	2	3	1	1	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	283	124	22	1	2	-	2	1	1	1	5	5	5	17	17	17	27	15	10	7	3	1	-
	White——M—	71	15	3	-	1	-	1	-	-	-	2	1	2	6	9	6	15	6	3	1	-	-	-
	F—	79	9	10	-	1	-	1	1	1	-	2	2	2	3	6	9	9	9	7	4	2	1	-
	Nonwhite—M—	76	58	6	-	-	-	-	-	-	1	1	2	1	3	1	2	-	-	-	-	1	-	-
	F—	57	42	3	1	-	-	-	-	-	-	-	-	-	5	1	-	3	-	-	2	-	-	-
581	Cirrhosis of liver	540	3	1	2	-	1	4	4	18	31	52	68	55	73	68	58	45	27	19	8	1	2	-
	White——M—	309	-	-	1	-	-	1	-	4	5	28	39	32	45	44	44	29	16	15	5	-	1	-
	F—	165	3	1	-	-	-	1	2	6	16	19	22	11	21	20	13	13	9	4	3	1	-	-
	Nonwhite—M—	31	-	-	1	-	-	1	2	4	3	2	3	4	4	2	1	1	2	-	-	-	1	-
	F—	35	-	-	-	-	1	1	-	4	7	3	4	8	3	2	-	2	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																							
584, 585	Cholelithiasis, etc.*	116	-	-	-	-	-	-	-	2	-	2	5	6	5	15	22	19	19	13	6	1	1	-
	White—M	52	-	-	-	-	-	-	-	1	-	-	2	2	3	7	13	4	13	4	3	-	-	-
	F	57	-	-	-	-	-	-	-	1	-	1	3	3	-	7	7	15	6	9	3	1	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	65	1	2	-	1	2	2	-	7	4	2	1	9	5	7	5	6	1	8	1	1	-	-
	White—M	25	1	1	-	1	-	2	-	1	-	-	-	4	1	2	5	1	1	4	-	1	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	-	-	2	4	-	2	-	4	1	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	3	1	2	1	4	1	1	-	1	-	-	-	-	-	-
	F	12	-	1	-	-	2	-	-	2	3	-	-	1	1	-	-	2	-	-	-	-	-	-
600	Infections of kidney	200	1	1	-	1	-	1	2	3	4	10	4	17	18	17	21	21	28	27	18	5	1	-
	White—M	82	-	-	-	-	-	1	-	-	-	-	2	4	7	6	10	12	14	16	9	1	-	-
	F	61	-	-	-	-	-	-	2	1	2	5	-	3	4	2	3	7	11	8	8	4	1	-
	Nonwhite—M	27	1	-	-	1	-	-	-	-	-	2	1	4	4	3	5	1	2	2	1	-	-	-
	F	30	-	1	-	-	-	-	-	2	2	3	1	6	3	6	3	1	1	1	-	-	-	-
610	Hyperplasia of prostate	117	-	-	-	-	-	-	-	-	-	1	-	1	6	5	16	22	17	19	26	4	-	-
	White—M	99	-	-	-	-	-	-	-	-	-	-	-	1	4	4	10	20	15	18	24	3	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	1	-	-	2	1	6	2	2	1	2	1	-	-
640-689	Complications of pregnancy, etc.*	64	...	...	...	-	9	7	15	13	14	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	...	...	...	-	2	3	4	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	42	...	...	...	-	7	4	11	8	9	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	6	...	...	...	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	...	...	...	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	58	...	...	...	-	7	5	15	11	14	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	...	...	...	-	1	1	4	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	40	...	...	...	-	6	4	11	7	9	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	527	383	64	9	10	6	2	6	8	3	8	1	6	7	3	4	3	3	-	1	-	-	-
	White—M	221	156	19	5	5	2	-	5	4	1	4	1	4	3	3	4	2	2	-	1	-	-	-
	F	179	129	24	3	5	1	2	1	3	2	3	-	2	2	-	-	1	1	-	-	-	-	-
	Nonwhite—M	71	51	16	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	56	47	5	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	2,047	2,047	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	722	722	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	500	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	463	463	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	362	362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	909	909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	344	344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	964	964	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	242	242	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	944	106	11	3	3	2	5	5	9	24	30	51	78	71	77	96	106	85	86	52	24	19	1
	White—M	361	17	1	1	1	-	-	-	1	11	12	17	30	26	31	41	58	41	42	18	8	4	1
	F	202	17	2	-	2	1	2	3	1	3	9	6	6	11	9	16	18	27	31	22	7	9	-
	Nonwhite—M	217	40	3	1	-	-	1	1	1	4	4	18	22	26	23	28	16	10	7	8	3	1	-
	F	164	32	5	1	-	1	2	1	6	6	5	10	20	8	14	11	14	7	6	4	6	5	-
Residual	All other diseases	1,927	140	74	29	16	17	26	27	52	61	77	101	115	132	169	257	226	159	128	73	34	14	-
	White—M	996	35	27	12	12	7	6	6	14	19	34	41	56	69	98	176	147	102	74	37	20	4	-
	F	533	41	18	13	3	5	11	5	19	19	19	21	25	29	40	49	64	49	49	34	12	8	-
	Nonwhite—M	226	31	12	2	1	1	4	6	10	10	14	23	21	25	20	22	8	8	4	2	1	1	-
	F	172	33	17	2	-	4	5	10	9	13	10	16	13	9	11	10	7	-	1	-	1	1	-
E800-E962	Accidents	2,826	157	183	125	89	149	213	165	156	196	175	185	145	133	115	144	135	124	109	81	39	4	4
	White—M	1,439	53	76	57	46	102	122	94	91	121	99	96	77	63	57	73	72	53	42	27	15	-	3
	F	660	26	43	26	15	15	26	16	15	32	28	38	24	32	30	47	54	58	58	50	23	4	-
	Nonwhite—M	536	40	40	23	24	30	51	49	39	36	39	40	36	32	20	15	4	10	4	2	1	-	1
	F	191	38	24	19	4	2	14	6	11	7	9	11	8	6	8	9	5	3	5	2	-	-	-
E810-E835	Motor vehicle accidents	1,159	9	55	51	36	78	125	87	66	96	84	93	73	61	58	65	53	36	23	7	3	-	-
	White—M	644	3	26	27	21	56	75	44	33	51	47	46	37	32	30	38	33	22	16	4	3	-	-
	F	261	4	16	8	8	13	22	9	7	23	20	20	18	17	18	20	18	12	5	3	-	-	-
	Nonwhite—M	202	2	9	8	5	8	21	32	22	18	13	20	17	9	9	4	2	2	1	-	-	-	-
	F	52	-	4	8	2	1	7	2	4	4	4	7	1	3	1	3	-	-	1	-	-	-	-
E800-E802, E840-E962	Other accidents	1,667	148	128	74	53	71	88	78	90	100	91	92	72	72	57	79	82	88	86	74	36	4	4
	White—M	795	50	50	30	25	46	47	50	58	70	52	50	40	31	27	35	39	31	26	23	12	-	3
	F	399	22	27	18	7	2	4	7	8	9	8	18	6	15	12	27	36	46	53	47	23	4	-
	Nonwhite—M	334	38	31	15	19	22	30	17	17	18	26	20	19	23	11	11	2	8	3	2	1	-	1
	F	139	38	20	11	2	1	7	4	7	3	5	4	7	3	7	6	5	3	4	2	-	-	-
E963, E970-E979	Suicide	606	-	-	-	1	14	27	31	37	54	56	65	70	61	57	60	31	24	11	6	-	1	-
	White—M	433	-	-	-	-	9	20	21	19	38	30	49	52	40	46	46	28	19	10	5	-	1	-
	F	149	-	-	-	1	5	5	6	16	13	23	14	16	16	11	13	3	5	1	1	-	-	-
	Nonwhite—M	21	-	-	-	-	-	2	3	2	2	3	1	2	5	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	481	6	3	6	4	20	44	79	69	72	53	41	37	18	9	8	3	5	1	2	-	-	1
	White—M	106	2	-	2	1	1	9	15	13	15	11	11	12	7	1	4	1	1	-	-	-	-	-
	F	59	2	1	2	1	5	2	3	6	11	3	5	7	1	1	2	1	3	1	2	-	-	-
	Nonwhite—M	241	-	1	1	-	9	22	44	34	40	33	24	13	9	7	2	1	-	-	-	-	-	1
	F	75	2	1	1	2	5	11	17	16	6	6	1	5	1	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA																							
	All causes------	33,286	3,111	498	230	217	336	379	462	655	894	1,248	1,749	2,193	2,670	3,101	3,683	3,569	3,338	2,649	1,515	567	206	16
	White-----M--	12,254	858	139	67	91	158	133	162	211	319	425	618	850	994	1,218	1,460	1,474	1,318	1,013	534	184	27	1
	F--	8,835	661	121	48	47	53	52	76	121	136	208	298	335	414	582	883	1,085	1,393	1,209	748	265	93	7
	Nonwhite--M--	6,412	875	128	65	52	85	124	126	156	227	331	449	523	639	661	699	534	324	200	122	56	32	4
	F--	5,785	717	110	50	27	40	70	98	167	212	284	384	485	623	640	641	476	303	227	111	62	54	4
001-019	Tuberculosis, all forms-------	271	-	1	1	-	3	5	7	18	20	21	26	34	32	30	29	18	12	12	2	-	-	-
	White-----M--	84	-	-	-	-	-	-	1	4	-	4	11	8	15	15	9	9	2	5	1	-	-	-
	F--	52	-	-	1	-	-	1	1	5	4	3	-	3	7	4	9	2	5	6	1	-	-	-
	Nonwhite--M--	84	-	1	-	-	-	2	1	3	9	9	13	15	4	8	10	6	3	-	-	-	-	-
	F--	51	-	-	-	-	3	2	4	6	7	5	2	8	6	3	1	1	2	1	-	-	-	-
001-008	Tuberculosis of resp. system-----	248	-	-	-	-	3	3	5	18	18	19	24	32	31	28	24	17	12	12	2	-	-	-
	White-----M--	82	-	-	-	-	-	-	1	4	-	4	11	8	15	15	7	9	2	5	1	-	-	-
	F--	48	-	-	-	-	-	1	-	5	4	3	-	3	7	3	8	2	5	6	1	-	-	-
	Nonwhite--M--	74	-	-	-	-	-	1	1	3	9	7	11	15	3	7	8	6	3	-	-	-	-	-
	F--	44	-	-	-	-	3	1	3	6	5	5	2	6	6	3	1	-	2	1	-	-	-	-
010-019	Tuberculosis, other forms------	23	-	1	1	-	-	2	2	-	2	2	2	2	1	2	5	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	1	-	-	-	1	-	-	-	2	2	-	1	1	2	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	1	-	2	-	-	2	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	96	2	-	-	-	-	1	-	2	2	2	9	13	19	18	14	9	2	2	1	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	1	-	1	-	2	2	6	4	1	1	2	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	-	-	-
	Nonwhite--M--	46	1	-	-	-	-	-	-	1	1	1	8	7	14	7	4	2	-	-	-	-	-	-
	F--	21	-	-	-	-	-	1	-	-	1	-	1	3	2	4	5	4	-	-	-	-	-	-
045-048	Dysentery, all forms----------	17	9	2	1	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	1	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	9	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
056	Whooping cough----	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	4	6	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	13	2	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	155	29	18	7	3	2	2	3	5	2	11	9	9	8	6	7	11	10	5	6	1	1	-
	White-----M--	35	2	5	-	2	-	-	-	-	-	2	2	2	3	2	3	5	4	1	1	1	-	-
	F--	45	4	4	4	1	-	1	1	2	-	3	3	1	1	-	3	4	5	3	4	-	1	-
	Nonwhite--M--	33	12	4	-	-	1	1	2	-	1	2	1	3	2	3	-	-	-	-	1	-	-	-
	F--	42	11	5	3	-	1	-	-	3	1	4	3	3	2	1	1	2	1	1	-	-	-	-
140-205	Malignant neoplasms, etc.*----	4,070	4	33	20	23	22	26	46	74	123	196	320	376	498	535	538	450	392	246	109	32	5	2
	White-----M--	1,533	1	13	8	8	11	10	12	21	38	44	86	120	187	217	216	200	169	109	44	18	1	-
	F--	1,386	2	10	4	4	5	7	16	31	45	71	114	117	144	151	177	163	162	101	51	9	2	-
	Nonwhite--M--	560	-	6	6	8	5	6	8	5	13	36	45	59	86	82	82	52	31	23	6	1	-	-
	F--	591	1	4	2	3	1	3	10	17	27	45	75	80	81	85	63	35	30	13	8	4	2	2
140-148	Of buccal cavity and pharynx------	121	-	-	-	-	-	-	1	1	-	2	11	9	19	23	16	14	11	10	3	1	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	8	5	12	15	9	8	6	5	-	1	-	-
	F--	31	-	-	-	-	-	-	1	1	-	-	1	1	3	2	6	5	5	4	2	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	1	2	3	2	-	1	-	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,217	-	2	-	1	1	3	5	10	24	49	78	97	135	165	183	180	135	92	40	14	2	1
	White-----M--	447	-	1	-	-	-	1	2	3	10	11	22	36	55	61	75	74	48	28	12	8	-	-
	F--	375	-	1	-	-	-	-	2	3	5	9	27	19	28	45	42	61	54	48	26	4	1	-
	Nonwhite--M--	234	-	-	-	-	-	-	-	3	4	20	16	19	30	37	43	34	15	12	1	-	-	-
	F--	161	-	-	-	1	1	2	1	1	5	9	13	23	22	22	23	11	18	4	1	2	1	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	528	-	-	-	-	-	1	1	9	12	21	50	60	90	94	86	47	34	18	3	2	-	-
	White—M	363	-	-	-	-	-	-	1	7	6	11	29	33	64	72	64	35	25	13	2	1	-	-
	F	65	-	-	-	-	-	1	-	2	1	3	6	6	4	7	12	11	7	3	1	1	-	-
	Nonwhite—M	84	-	-	-	-	-	-	-	-	4	7	11	17	19	13	9	1	2	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	4	4	3	2	1	-	-	1	-	-	-	-
170	Of breast	334	-	-	-	-	-	-	1	11	10	31	55	37	33	43	35	28	26	12	9	2	1	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	243	-	-	-	-	-	-	1	7	7	21	37	30	21	28	26	22	23	10	7	2	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	87	-	-	-	-	-	-	-	4	3	10	18	7	11	15	8	5	2	2	2	-	-	-
171-179	Of genital organs	760	-	-	-	2	1	4	12	17	27	44	60	70	98	93	92	73	85	50	26	4	1	1
	White—M	182	-	-	-	-	1	3	1	-	-	2	1	5	12	19	17	26	44	32	17	2	-	-
	F	313	-	-	-	2	-	1	6	9	14	24	29	31	43	43	43	29	26	7	5	1	-	-
	Nonwhite—M	79	-	-	-	-	-	-	-	-	-	-	1	8	10	13	19	10	8	8	1	1	-	-
	F	186	-	-	-	-	-	-	5	8	13	18	29	26	33	18	13	8	7	3	3	-	1	1
180, 181	Of urinary organs	163	-	7	3	-	1	2	2	1	1	7	10	16	20	19	23	17	13	11	9	1	-	-
	White—M	73	-	2	2	-	-	-	-	-	-	1	3	10	11	8	13	8	8	4	2	1	-	-
	F	43	-	1	-	-	-	1	-	-	1	-	2	2	4	7	5	4	5	6	5	-	-	-
	Nonwhite—M	24	-	2	1	-	1	-	1	-	-	5	4	-	4	1	2	1	-	-	2	-	-	-
	F	23	-	2	-	-	-	1	1	1	-	1	1	4	1	3	3	4	-	1	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*	581	2	9	7	11	7	10	12	17	27	24	34	60	64	67	66	60	51	33	12	8	-	-
	White—M	224	-	2	1	3	2	4	3	7	12	10	13	20	14	30	25	30	25	12	6	5	-	-
	F	194	1	4	1	2	3	2	5	7	8	9	9	17	29	11	25	19	20	18	3	1	-	-
	Nonwhite—M	85	-	1	3	4	2	4	2	1	4	2	7	12	14	13	7	4	3	1	1	-	-	-
	F	78	1	2	2	2	-	-	2	2	3	3	5	11	7	13	9	7	3	2	2	2	-	-
204	Leukemia and aleukemia	199	2	14	7	6	9	2	5	6	10	7	11	10	13	13	19	20	24	14	6	-	1	-
	White—M	95	1	7	3	3	5	-	1	3	3	3	5	3	5	7	7	13	9	11	5	-	1	-
	F	69	1	4	3	-	2	1	-	1	5	1	2	6	6	3	8	7	15	3	1	-	-	-
	Nonwhite—M	17	-	3	1	3	2	1	3	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	1	1	2	3	2	1	1	3	4	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	167	-	1	3	3	3	4	7	2	12	11	11	17	26	18	18	11	13	6	1	-	-	-
	White—M	77	-	1	2	2	3	2	4	1	7	6	5	8	13	5	5	5	4	4	-	-	-	-
	F	53	-	-	-	-	-	1	1	1	4	4	1	5	6	5	10	5	7	2	1	-	-	-
	Nonwhite—M	24	-	-	1	1	-	1	2	-	1	1	3	1	5	3	2	1	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	2	3	2	5	1	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	99	3	4	3	2	-	2	3	3	12	12	14	9	7	7	8	2	6	1	-	1	-	-
	White—M	34	2	1	2	2	-	1	1	-	2	3	4	3	3	3	3	1	2	-	-	1	-	-
	F	26	1	1	1	-	-	1	-	2	2	5	2	4	2	1	2	-	2	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	3	-	2	1	1	1	-	1	2	-	-	-	-	-
	F	28	-	2	-	-	-	-	2	1	5	4	6	1	1	2	3	-	-	1	-	-	-	-
241	Asthma	99	-	2	1	2	1	2	2	6	4	7	5	9	12	13	18	6	6	2	1	-	-	-
	White—M	38	-	1	-	1	-	-	-	-	2	1	1	4	6	8	6	2	4	2	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	3	-	1	-	1	5	3	2	-	1	-	-	-
	Nonwhite—M	23	-	-	-	1	-	1	-	1	1	2	3	2	3	4	4	1	-	-	-	-	-	-
	F	21	-	1	1	-	1	1	2	5	-	1	1	2	3	-	3	-	-	-	-	-	-	-
260	Diabetes mellitus	449	-	-	1	3	1	6	9	11	14	20	30	41	57	46	60	49	48	31	16	5	1	-
	White—M	140	-	-	-	-	-	-	4	3	5	7	11	12	12	8	19	22	16	10	5	-	-	-
	F	150	-	-	-	1	-	2	1	3	1	3	5	6	11	21	20	18	29	16	10	2	1	-
	Nonwhite—M	54	-	-	1	1	1	1	2	3	4	3	4	8	7	5	5	6	1	-	-	2	-	-
	F	105	-	-	-	1	-	3	2	2	4	7	10	15	21	12	16	3	2	5	1	1	-	-
290-293	Anemias	77	-	5	6	2	3	3	2	3	4	1	2	2	10	5	6	8	8	2	4	-	-	1
	White—M	20	-	-	-	-	-	2	1	-	-	-	-	1	3	2	4	2	3	1	1	-	-	-
	F	22	-	1	3	1	-	-	-	1	2	-	1	-	2	2	1	3	2	-	2	-	-	1
	Nonwhite—M	19	-	2	2	1	2	-	1	1	1	1	1	-	2	-	1	2	1	-	1	-	-	-
	F	16	-	2	1	-	1	1	-	1	1	-	-	1	3	1	-	1	2	1	-	-	-	-
340	Nonmeningococcal meningitis*	65	28	10	5	1	1	1	-	5	2	3	2	2	3	1	-	1	-	-	-	-	-	-
	White—M	16	7	1	2	1	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	22	10	5	-	-	-	-	-	2	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F	22	9	2	3	-	-	1	-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	17,946	14	10	9	13	24	31	65	172	286	542	875	1,256	1,581	1,945	2,480	2,553	2,422	1,985	1,123	407	144	9
	White—M	6,651	2	3	3	2	6	6	12	46	95	189	302	498	545	731	963	1,040	943	738	393	117	17	-
	F	4,910	6	1	1	4	5	4	11	23	27	58	92	138	180	304	543	747	1,006	919	562	209	65	5
	Nonwhite—M	3,146	4	2	5	3	5	7	14	40	81	142	252	315	427	452	476	385	241	149	84	37	23	2
	F	3,239	2	4	-	4	8	14	28	63	83	153	229	305	429	458	498	381	232	179	84	44	39	2
330-334, 400-468	Dis. of cardiovascular system	17,491	13	10	8	13	17	25	57	155	277	517	849	1,217	1,536	1,897	2,414	2,511	2,386	1,948	1,094	399	139	9
	White—M	6,555	1	3	2	2	4	3	10	43	90	182	296	491	541	724	956	1,026	935	730	383	117	16	-
	F	4,799	6	1	1	4	3	3	8	22	26	55	86	129	173	298	524	740	994	902	550	205	64	5
	Nonwhite—M	3,018	4	2	5	3	4	7	13	36	79	135	245	302	407	433	454	375	232	143	81	34	22	2
	F	3,119	2	4	-	4	6	12	26	54	82	145	222	295	415	442	480	370	225	173	80	43	37	2
330-334	Vascular lesions, etc.*	5,505	6	4	2	1	6	7	17	40	76	144	231	300	441	583	777	811	821	674	374	139	47	4
	White—M	1,582	-	2	1	-	3	2	3	6	12	18	46	64	86	141	222	260	330	224	126	31	5	-
	F	1,605	3	1	1	1	1	1	2	5	10	18	31	44	44	97	146	247	323	333	188	83	23	3
	Nonwhite—M	1,034	2	-	-	-	1	1	3	11	25	42	75	87	151	159	178	136	78	44	27	8	6	-
	F	1,284	1	1	-	-	1	3	9	18	29	66	79	105	160	186	231	168	90	73	33	17	13	1
400-402, 410-443	Diseases of heart	10,616	7	6	6	11	9	13	32	97	174	336	563	839	1,000	1,193	1,488	1,513	1,369	1,095	589	198	73	5
	White—M	4,476	1	1	1	2	1	1	6	35	74	156	240	403	423	539	677	691	523	427	195	72	8	-
	F	2,836	3	-	-	2	2	1	4	14	13	34	47	77	118	183	352	447	603	499	310	93	32	2
	Nonwhite—M	1,734	2	2	5	3	3	5	7	21	45	81	153	196	233	244	242	203	136	81	42	15	13	2
	F	1,570	1	3	-	4	3	6	15	27	42	65	123	163	226	227	217	172	107	88	42	18	20	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	219	1	1	2	6	6	6	7	16	17	21	17	19	16	22	12	29	14	3	4	-	-	-
	White—M	87	-	-	1	1	1	1	1	7	2	11	5	9	4	11	9	15	5	3	1	-	-	-
	F	61	-	-	-	1	1	1	3	4	5	6	7	4	5	4	3	10	5	-	1	-	-	-
	Nonwhite—M	32	1	-	1	2	2	1	1	1	4	1	2	6	3	3	-	-	2	-	2	-	-	-
	F	39	-	1	-	2	2	3	2	4	6	3	3	-	4	4	-	4	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																							
420	Arteriosclerotic heart dis., etc.*	6,959	-	-	1	2	-	-	19	50	112	232	392	592	693	793	1,049	979	881	675	332	110	43	4
	White-----M--	3,543	-	-	-	-	-	-	5	23	64	132	213	357	364	450	566	521	363	301	129	49	6	-
	F--	1,825	-	-	-	-	-	-	1	5	7	21	28	49	87	126	260	303	399	298	169	48	23	1
	Nonwhite--M--	914	-	-	1	-	-	-	5	13	23	49	96	111	130	122	128	99	72	35	18	6	4	2
	F--	677	-	-	-	2	-	-	8	9	18	30	55	75	112	95	95	56	47	41	16	7	10	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	958	2	1	1	1	1	-	-	6	4	12	25	38	59	86	126	141	155	151	95	38	15	1
	White-----M--	254	-	1	-	-	-	-	-	1	1	2	1	5	14	16	31	46	54	40	29	13	-	-
	F--	309	2	-	-	1	1	-	-	1	-	1	5	6	5	16	25	42	67	69	48	17	2	1
	Nonwhite--M--	199	-	-	1	-	-	-	-	1	3	3	10	15	17	31	38	28	15	19	7	4	7	-
	F--	196	-	-	-	-	-	-	-	3	-	6	9	12	23	23	32	25	19	23	11	4	6	-
430-434	Other diseases of heart---------	634	4	4	2	2	1	5	4	12	13	26	33	49	47	65	65	101	82	59	41	12	7	-
	White-----M--	195	1	-	-	1	-	-	-	4	5	7	10	13	14	18	22	39	25	20	10	4	2	-
	F--	170	1	-	-	-	-	-	-	3	-	2	1	7	1	8	9	29	38	34	27	7	3	-
	Nonwhite--M--	141	1	2	2	1	1	2	1	1	4	11	9	17	14	23	14	17	13	4	3	-	1	-
	F--	128	1	2	-	-	-	3	3	4	4	6	13	12	18	16	20	16	6	1	1	1	1	-
440-443	Hypertensive heart disease-----	1,846	-	-	-	-	1	2	2	13	28	45	96	141	185	227	236	263	237	207	117	38	8	-
	White-----M--	397	-	-	-	-	-	-	-	-	2	4	11	19	27	44	49	70	76	63	26	6	-	-
	F--	471	-	-	-	-	-	-	-	1	1	4	6	11	20	29	55	63	93	98	65	21	4	-
	Nonwhite--M--	448	-	-	-	-	-	2	-	5	11	17	36	47	69	65	62	59	34	23	12	5	1	-
	F--	530	-	-	-	-	1	-	2	7	14	20	43	64	89	89	70	71	34	23	14	6	3	-
444-447	Other hypertensive disease-----	390	-	-	-	-	1	1	5	14	15	19	33	32	30	36	39	42	57	26	24	12	4	-
	White-----M--	101	-	-	-	-	-	-	1	1	1	1	4	7	9	11	9	16	21	9	7	3	1	-
	F--	77	-	-	-	-	-	-	-	1	1	1	4	1	1	5	6	8	21	14	9	3	2	-
	Nonwhite--M--	97	-	-	-	-	-	-	3	4	5	9	9	7	9	8	13	11	5	3	6	5	-	-
	F--	115	-	-	-	-	1	1	1	8	8	8	16	17	11	12	11	7	10	-	2	1	1	-
450	General arteriosclerosis---------	663	-	-	-	-	-	-	-	-	3	7	5	12	21	45	70	110	105	127	101	44	13	-
	White-----M--	250	-	-	-	-	-	-	-	-	1	2	1	2	2	11	24	40	47	56	52	10	2	-
	F--	206	-	-	-	-	-	-	-	-	1	1	1	2	1	8	11	28	32	47	43	26	5	-
	Nonwhite--M--	109	-	-	-	-	-	-	-	-	1	1	3	5	6	14	18	24	12	14	3	5	3	-
	F--	98	-	-	-	-	-	-	-	-	-	3	-	3	12	12	17	18	14	10	3	3	3	-
451-468	Other diseases of circulatory sys.-	317	-	-	-	1	1	4	3	4	9	11	17	34	44	40	40	35	34	26	6	6	2	-
	White-----M--	146	-	-	-	-	-	-	-	1	2	5	5	15	21	22	24	19	14	14	3	1	-	-
	F--	75	-	-	-	1	-	1	2	2	1	1	3	5	9	5	9	10	15	9	-	-	2	-
	Nonwhite--M--	44	-	-	-	-	-	1	-	-	3	2	5	7	8	8	3	1	1	1	3	1	-	-
	F--	52	-	-	-	-	1	2	1	1	3	3	4	7	6	5	4	5	4	2	-	4	-	-
592-594	Chronic nephritis, etc.*----------	455	1	-	1	-	7	6	8	17	9	25	26	39	45	48	66	42	36	37	29	8	5	-
	White-----M--	96	1	-	1	-	2	3	2	3	5	7	6	7	4	7	7	14	8	8	10	-	1	-
	F--	111	-	-	-	-	2	1	3	1	1	3	6	9	7	6	19	7	12	17	12	4	1	-
	Nonwhite--M--	128	-	-	-	-	1	-	1	4	2	7	7	13	20	19	22	10	9	6	3	3	1	-
	F--	120	-	-	-	-	2	2	2	9	1	8	7	10	14	16	18	11	7	6	4	1	2	-
480-493	Influenza and pneumonia, etc.*-	1,415	425	77	21	10	11	21	19	17	28	37	46	51	59	72	100	102	93	92	77	41	16	-
	White-----M--	378	67	16	4	3	5	7	3	2	6	6	14	10	21	19	33	37	34	38	30	17	6	-
	F--	314	55	18	1	2	2	7	6	3	5	5	10	5	4	8	17	26	39	48	29	17	7	-
	Nonwhite--M--	410	161	24	11	4	2	1	6	5	9	16	14	21	18	28	34	27	12	2	11	3	1	-
	F--	313	142	19	5	1	2	6	4	7	8	10	8	15	16	17	16	12	8	4	7	4	2	-
480-483	Influenza---------	208	29	8	5	2	2	2	4	5	4	4	7	12	11	17	23	16	17	16	14	8	2	-
	White-----M--	54	4	4	1	-	-	1	2	-	3	-	1	2	1	3	7	6	2	7	6	4	-	-
	F--	52	5	1	-	1	-	1	1	1	-	1	1	2	1	5	3	5	10	7	3	2	2	-
	Nonwhite--M--	58	13	-	1	-	1	-	-	2	1	2	3	5	4	5	11	2	4	1	3	-	-	-
	F--	44	7	3	3	1	1	-	1	2	-	1	2	3	5	4	2	3	1	1	2	2	-	-
490-493	Pneumonia, etc.*--	1,207	396	69	16	8	9	19	15	12	24	33	39	39	48	55	77	86	76	76	63	33	14	-
	White-----M--	324	63	12	3	3	5	6	1	2	3	6	13	8	20	16	26	31	32	31	24	13	6	-
	F--	262	50	17	1	1	2	6	5	2	5	4	9	3	3	3	14	21	29	41	26	15	5	-
	Nonwhite--M--	352	148	24	10	4	1	1	6	3	8	14	11	16	14	23	23	25	8	1	8	3	1	-
	F--	269	135	16	2	-	1	6	3	5	8	9	6	12	11	13	14	9	7	3	5	2	2	-
500-502	Bronchitis---------	75	16	11	-	-	1	1	1	-	3	1	1	4	1	4	10	6	5	6	4	-	-	-
	White-----M--	31	3	3	-	-	1	-	-	-	-	-	1	1	1	3	6	3	4	1	4	-	-	-
	F--	17	7	2	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	-	-	-	-
	Nonwhite--M--	15	4	4	-	-	-	-	1	-	-	-	-	2	-	-	2	1	-	1	-	-	-	-
	F--	12	2	2	-	-	-	1	-	-	2	1	-	1	-	1	1	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	196	2	-	-	-	-	1	1	6	6	12	15	25	20	29	29	21	9	13	7	-	-	-
	White-----M--	103	-	-	-	-	-	-	-	3	3	3	3	17	14	12	16	15	6	7	4	-	-	-
	F--	34	-	-	-	-	-	-	-	2	2	2	1	3	2	5	5	2	3	4	3	-	-	-
	Nonwhite--M--	37	1	-	-	-	-	-	1	-	1	7	8	4	2	5	5	2	-	1	-	-	-	-
	F--	22	1	-	-	-	-	1	-	1	-	-	3	1	2	7	3	2	-	1	-	-	-	-
550-553	Appendicitis-------	34	-	2	1	1	-	3	2	2	2	2	-	4	-	5	3	2	-	3	2	-	-	-
	White-----M--	15	-	1	1	1	-	1	-	1	-	1	-	2	-	3	2	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	1	1	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	168	27	2	-	3	1	-	1	2	2	7	10	11	11	14	22	20	13	13	7	2	-	-
	White-----M--	46	13	-	-	1	1	-	-	-	-	2	-	3	1	6	5	4	4	4	2	-	-	-
	F--	56	8	1	-	1	-	-	-	-	-	3	2	1	2	3	6	7	9	8	4	1	-	-
	Nonwhite--M--	35	4	1	-	1	-	-	1	2	1	1	3	3	3	3	5	5	-	1	-	1	-	-
	F--	31	2	-	-	-	-	-	-	-	1	1	5	4	5	2	6	4	-	-	1	-	-	-
543, 571, 572	Gastritis, etc.*--	202	99	28	1	4	1	-	1	1	3	5	4	4	6	6	12	8	8	4	5	1	1	-
	White-----M--	44	14	3	1	1	1	-	-	-	-	2	1	1	2	4	5	2	4	1	2	-	-	-
	F--	33	6	6	-	1	-	-	-	-	-	2	1	-	2	-	4	4	3	2	1	-	1	-
	Nonwhite--M--	73	45	11	-	1	-	-	-	1	2	-	2	1	-	1	3	1	1	1	2	1	-	-
	F--	52	34	8	-	1	-	-	1	-	1	1	-	2	2	1	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	230	-	2	-	1	1	2	3	8	17	16	30	29	28	23	27	16	12	13	1	1	-	-
	White-----M--	134	-	1	-	1	1	-	1	4	7	6	19	20	20	15	17	8	6	6	1	1	-	-
	F--	55	-	1	-	-	-	1	-	-	1	4	5	7	5	7	6	7	5	6	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	3	4	2	2	1	2	1	4	1	1	-	-	-	-	-
	F--	20	-	-	-	-	-	1	2	1	5	4	4	1	1	-	-	-	-	1	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																							
584, 585	Cholelithiasis, etc.*	75	-	-	-	-	-	-	-	1	2	1	8	4	8	8	7	11	11	11	2	1	-	-
	White—M	25	-	-	-	-	-	-	-	-	1	-	2	2	4	4	4	2	3	2	-	1	-	-
	F	39	-	-	-	-	-	-	-	1	-	1	4	2	3	2	2	7	7	8	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	1	1	1	-	-	-	-
590, 591	Acute nephritis, etc.*	79	3	3	4	3	2	2	-	5	5	3	5	3	5	7	4	4	5	8	4	1	3	-
	White—M	15	-	1	1	-	1	-	-	1	1	-	2	1	-	1	-	-	1	3	2	-	-	-
	F	15	2	-	-	2	-	-	-	1	-	-	1	-	2	-	1	4	1	1	-	-	-	-
	Nonwhite—M	23	1	1	-	1	1	2	-	3	-	-	-	1	2	2	3	-	-	3	2	-	1	-
	F	26	-	1	3	-	-	-	-	-	4	3	2	1	1	4	-	-	3	1	-	1	2	-
600	Infections of kidney	217	-	2	-	1	1	1	2	8	8	9	17	17	24	37	24	17	18	11	14	3	3	-
	White—M	56	-	-	-	1	-	-	-	1	2	1	2	6	4	10	7	7	4	6	3	2	-	-
	F	72	-	-	-	-	1	-	-	2	3	2	2	3	7	14	5	8	9	3	10	1	2	-
	Nonwhite—M	39	-	1	-	-	-	-	-	-	2	2	9	3	2	9	5	1	2	1	1	-	1	-
	F	50	-	1	-	-	-	1	2	5	1	4	4	5	11	4	7	1	3	1	-	-	-	-
610	Hyperplasia of prostate	109	-	-	-	-	-	-	-	-	-	-	1	8	-	7	18	16	20	17	13	8	1	-
	White—M	55	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	5	13	14	9	6	-	-
	Nonwhite—M	54	-	-	-	-	-	-	-	-	-	-	-	8	-	6	12	11	7	3	4	2	1	-
640-689	Complications of pregnancy, etc.*	63	...	...	...	-	6	8	13	17	13	5	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	...	...	...	-	1	2	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	48	...	...	...	-	5	6	10	13	10	3	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	9	...	...	...	-	1	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	...	...	...	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	...	...	...	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 650-689	Other complications of pregnancy, etc.*	54	...	...	...	-	5	5	12	15	11	5	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	...	...	...	-	-	1	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	43	...	...	...	-	5	4	9	11	10	3	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	454	317	46	13	8	6	5	5	7	6	9	6	7	9	1	3	3	1	2	-	-	-	-
	White—M	186	128	19	5	6	1	-	2	4	5	3	1	3	6	-	2	-	-	1	-	-	-	-
	F	142	95	12	4	1	5	2	2	3	1	3	4	2	2	1	1	3	-	1	-	-	-	-
	Nonwhite—M	69	55	6	3	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F	57	39	9	1	1	-	2	1	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-
760-776	Certain diseases of early infancy	1,757	1,756	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	545	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	450	450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	728	728	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	860	859	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	244	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	408	116	12	3	1	1	4	4	10	9	10	17	22	20	22	20	21	24	24	28	25	14	1
	White—M	94	10	1	1	-	-	1	2	2	3	1	6	7	6	9	6	10	9	5	6	8	1	-
	F	89	17	1	-	1	-	-	-	1	1	-	3	2	1	2	3	2	7	12	13	7	6	1
	Nonwhite—M	122	46	5	1	-	1	1	1	4	3	5	4	4	7	6	6	7	5	5	5	5	1	-
	F	112	43	5	1	-	-	2	1	3	2	4	4	9	6	5	5	2	3	2	4	5	6	-
Residual	All other diseases	1,398	103	40	25	26	17	26	32	47	67	87	88	86	110	130	142	106	126	77	42	13	8	-
	White—M	537	31	14	7	9	3	4	9	10	15	31	34	40	50	58	67	51	51	34	13	5	1	-
	F	403	24	14	5	7	6	3	5	8	11	15	18	19	17	37	46	36	60	34	27	7	4	-
	Nonwhite—M	240	24	4	5	3	6	9	10	13	19	24	22	16	25	17	21	9	6	3	1	-	3	-
	F	218	24	8	8	7	2	10	8	16	22	17	14	11	18	18	8	10	9	6	1	1	-	-
E800-E962	Accidents	2,278	142	162	103	108	197	159	161	143	151	137	123	116	93	93	82	94	78	63	40	24	8	1
	White—M	1,073	30	48	31	52	120	86	92	76	95	76	63	55	52	54	45	39	28	16	8	6	1	-
	F	436	24	41	22	20	21	15	19	21	16	14	22	12	14	14	22	31	35	33	25	12	3	-
	Nonwhite—M	536	47	41	30	27	44	54	43	34	31	40	32	35	16	14	11	11	10	7	3	4	1	1
	F	233	41	32	20	9	12	4	7	12	9	7	6	14	11	11	4	13	5	7	4	2	3	-
E810-E835	Motor vehicle accidents	979	4	50	47	54	121	103	91	81	79	61	57	52	40	51	40	24	12	9	1	2	-	-
	White—M	565	2	20	20	31	79	64	53	49	50	34	33	26	24	29	24	14	7	5	1	-	-	-
	F	176	2	17	11	14	18	10	11	14	12	8	13	8	6	11	11	7	1	1	-	1	-	-
	Nonwhite—M	190	-	7	12	7	18	28	23	12	16	16	11	11	10	7	4	1	4	2	-	1	-	-
	F	48	-	6	4	2	6	1	4	6	1	3	-	7	-	4	1	2	-	1	-	-	-	-
E800-E802, E840-E962	Other accidents	1,299	138	112	56	54	76	56	70	62	72	76	66	64	53	42	42	70	66	54	39	22	8	1
	White—M	508	28	28	11	21	41	22	39	27	45	42	30	29	28	25	21	25	21	11	7	6	1	-
	F	260	22	24	11	6	3	5	8	7	4	6	9	4	8	3	11	24	34	32	25	11	3	-
	Nonwhite—M	346	47	34	18	20	26	26	20	22	15	24	21	24	6	7	7	10	6	5	3	3	1	1
	F	185	41	26	16	7	6	3	3	6	8	4	6	7	11	7	3	11	5	6	4	2	3	-
E963, E970-E979	Suicide	341	-	-	-	-	8	12	24	22	42	41	55	33	33	27	15	11	6	6	5	-	1	-
	White—M	253	-	-	-	-	5	5	16	18	31	32	42	25	23	22	11	7	6	6	4	-	-	-
	F	52	-	-	-	-	3	3	7	3	5	5	7	6	4	2	2	3	-	-	1	-	1	-
	Nonwhite—M	33	-	-	-	-	-	4	1	1	5	4	6	2	6	2	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide	395	4	3	1	1	26	55	56	57	58	50	30	17	16	8	5	2	3	-	2	-	-	1
	White—M	78	-	2	-	-	1	10	6	11	8	8	10	6	8	5	1	-	1	-	1	-	-	-
	F	25	-	-	1	-	4	3	4	3	3	4	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	230	2	1	-	1	17	33	33	34	34	33	16	10	6	3	3	1	1	-	1	-	-	1
	F	62	2	-	-	-	4	9	13	9	13	5	3	1	1	-	-	1	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO																							
	All causes	5,240	398	85	37	40	77	78	52	61	103	137	195	225	286	389	537	690	687	568	382	166	38	9
	White--M	3,210	232	46	20	28	47	61	41	42	63	80	136	162	204	252	344	429	412	317	189	78	22	5
	F	1,946	152	36	17	11	27	12	7	16	38	55	56	60	78	133	191	254	267	247	188	83	16	2
	Nonwhite--M	44	5	-	-	1	1	3	2	-	1	2	2	2	3	1	1	4	5	2	4	4	-	1
	F	40	9	3	-	-	2	2	2	3	1	-	1	1	1	3	1	3	3	2	1	1	-	1
001-019	Tuberculosis, all forms	16	-	-	-	-	-	-	1	-	3	1	-	1	-	4	1	1	4	-	-	-	-	-
	White--M	13	-	-	-	-	-	-	-	-	1	1	-	1	-	4	1	1	4	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	15	-	-	-	-	-	-	1	-	2	1	-	1	-	4	1	1	4	-	-	-	-	-
	White--M	13	-	-	-	-	-	-	-	-	1	1	-	1	-	4	1	1	4	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	11	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	1	-	1	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	18	2	1	-	1	1	1	1	3	-	-	-	-	1	2	1	2	-	2	-	-	-	-
	White--M	7	1	1	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F	11	1	-	-	1	1	1	-	2	-	-	-	-	1	1	-	1	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	693	1	7	4	2	4	6	3	6	14	28	40	37	68	81	102	93	95	65	29	8	-	-
	White--M	393	-	3	2	1	1	4	2	6	6	9	17	21	41	43	58	57	63	39	16	4	-	-
	F	298	1	4	2	1	2	2	1	-	8	19	23	16	27	38	44	36	32	25	13	4	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	15	-	-	-	-	-	-	-	-	-	-	1	2	-	2	6	-	1	2	-	1	-	-
	White--M	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	-	1	2	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	244	-	-	-	1	-	-	-	2	3	10	7	12	28	23	42	35	43	26	11	1	-	-
	White--M	140	-	-	-	-	-	-	-	2	2	2	3	11	17	14	24	20	28	13	4	-	-	-
	F	104	-	-	-	1	-	-	-	-	1	8	4	1	11	9	18	15	15	13	7	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	82	-	-	-	-	-	-	-	-	-	4	4	4	14	18	11	12	7	2	5	1	-	-
	White—M	66	-	-	-	-	-	-	-	-	-	1	3	3	14	15	11	9	6	2	2	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	3	1	1	-	3	-	3	1	-	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	55	-	-	-	-	-	-	-	-	2	2	9	4	5	7	10	8	4	2	-	2	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	2	2	9	4	5	7	10	8	4	2	-	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	120	-	-	-	-	-	-	2	1	2	5	9	8	6	11	13	18	20	15	7	3	-	-
	White—M	61	-	-	-	-	-	-	1	1	-	-	1	2	1	3	6	14	14	9	6	3	-	-
	F	59	-	-	-	-	-	-	1	-	2	5	8	6	5	8	7	4	6	6	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	32	-	1	-	-	-	-	-	-	-	2	2	1	1	1	5	6	6	4	3	-	-	-
	White—M	26	-	1	-	-	-	-	-	-	-	2	2	-	-	1	4	6	4	3	3	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	72	-	3	2	1	2	2	1	2	2	1	1	4	9	10	8	5	9	7	3	-	-	-
	White—M	42	-	-	1	1	-	-	1	2	2	1	1	2	5	4	5	4	8	4	1	-	-	-
	F	29	-	3	1	-	1	2	-	-	-	-	-	2	4	6	3	1	1	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	46	1	3	2	-	-	2	-	1	3	-	4	2	3	3	7	7	4	4	-	-	-	-
	White—M	28	-	2	1	-	-	2	-	1	1	-	3	2	2	2	3	4	2	3	-	-	-	-
	F	17	1	1	1	-	-	-	-	-	2	-	1	-	1	1	4	3	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	27	-	-	-	-	2	2	-	-	2	4	3	-	2	6	-	2	1	3	-	-	-	-
	White—M	19	-	-	-	-	1	2	-	-	1	3	3	-	2	4	-	-	-	3	-	-	-	-
	F	8	-	-	-	-	1	-	-	-	1	1	-	-	-	2	-	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	16	2	1	-	-	3	1	-	1	-	-	1	1	2	1	2	-	-	-	1	-	-	-
	White—M	10	1	-	-	-	3	-	-	1	-	-	1	-	1	1	2	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	17	-	-	1	-	-	-	-	-	-	1	-	1	2	1	-	7	2	2	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	3	2	1	-	-	-	-
	F	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	63	-	1	-	1	-	1	-	2	1	1	-	3	4	7	12	13	10	4	1	2	-	-
	White—M	31	-	-	-	1	-	1	-	2	-	-	-	3	3	3	7	4	4	2	-	1	-	-
	F	30	-	1	-	-	-	-	-	-	1	1	-	-	-	4	5	8	6	2	1	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	15	-	1	-	1	-	-	-	-	-	-	3	-	1	-	-	4	3	1	1	-	-	-
	White—M	9	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	2	3	-	-	-	-	-
	F	6	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,785	3	-	3	-	2	2	3	8	25	45	84	119	138	227	320	472	468	419	285	131	27	4
	White—M	1,691	2	-	1	-	1	1	3	5	16	28	65	87	102	154	211	297	275	227	139	58	16	3
	F	1,069	1	-	2	-	1	1	-	3	9	16	17	31	35	70	108	172	190	191	142	68	11	1
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	1	4	4	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	2	-	-	1	-	-
330-334, 400-468	Dis. of cardiovascular system	2,750	3	-	2	-	1	2	1	7	25	43	82	118	135	220	318	466	465	416	284	131	27	4
	White—M	1,670	2	-	-	-	-	1	1	4	16	27	63	87	100	148	211	295	274	225	139	58	16	3
	F	1,057	1	-	2	-	1	1	-	3	9	15	17	31	34	69	106	168	188	190	142	66	11	1
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	1	3	4	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	2	-	-	1	-	-
330-334	Vascular lesions, etc.*	629	-	-	-	-	-	-	-	1	3	7	9	14	20	39	66	115	125	117	73	35	5	-
	White—M	321	-	-	-	-	-	-	-	-	3	1	7	5	12	19	38	61	66	57	32	18	4	-
	F	307	-	-	-	-	-	-	-	1	-	6	2	9	8	20	28	54	59	60	41	18	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402, 410-443	Diseases of heart	1,896	3	-	1	-	1	2	1	6	22	33	71	99	113	176	232	320	297	254	166	78	17	4
	White—M	1,226	2	-	-	-	-	1	1	4	13	25	54	78	86	127	160	215	182	145	85	36	9	3
	F	651	1	-	1	-	1	1	-	2	9	7	15	21	26	46	71	102	112	108	81	38	8	1
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	1	-	3	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	2	-	-	1	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	76	-	-	-	-	1	-	-	3	9	6	6	8	8	11	7	5	6	4	2	-	-	-
	White—M	36	-	-	-	-	-	-	-	2	4	4	2	6	2	6	5	2	1	1	1	-	-	-
	F	39	-	-	-	-	1	-	-	1	5	1	4	2	6	5	2	3	5	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Con.																							
420	Arteriosclerotic heart dis., etc.*	1,345	-	-	-	-	-	1	-	2	9	21	56	80	89	134	188	237	209	171	96	37	12	3
	White——M—	942	-	-	-	-	-	1	-	2	7	16	48	65	77	102	137	168	138	103	50	18	7	3
	F—	388	-	-	-	-	-	-	-	-	2	5	6	15	11	29	50	67	68	68	46	16	5	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	2	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	2	-	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	204	2	-	-	-	-	1	-	1	-	1	-	6	3	8	9	29	36	39	39	26	3	1
	White——M—	109	1	-	-	-	-	-	-	-	-	1	-	4	1	6	4	15	21	20	23	12	1	-
	F—	94	1	-	-	-	-	1	-	1	-	-	-	2	2	2	5	14	15	18	16	14	2	1
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	96	1	-	1	-	-	-	1	-	4	5	5	2	4	10	8	21	13	7	9	4	1	-
	White——M—	56	1	-	-	-	-	-	1	-	2	4	2	-	3	7	7	11	7	4	3	3	1	-
	F—	39	-	-	1	-	-	-	-	-	2	1	3	2	1	3	1	9	6	3	6	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease	175	-	-	-	-	-	-	-	-	-	-	4	3	9	13	20	28	33	33	20	11	1	-
	White——M—	83	-	-	-	-	-	-	-	-	-	-	2	3	3	6	7	19	15	17	8	3	-	-
	F—	91	-	-	-	-	-	-	-	-	-	-	2	-	6	7	13	9	18	16	12	7	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Other hypertensive disease	35	-	-	-	-	-	-	-	-	-	1	1	-	1	3	5	5	5	4	8	1	1	-
	White——M—	15	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	2	4	-	1	-
	F—	20	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	3	3	2	4	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	138	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	17	24	34	35	16	4	-
	White——M—	73	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	11	13	17	17	6	2	-
	F—	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	11	17	15	10	2	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	52	-	-	1	-	-	-	-	-	-	2	1	4	-	1	10	9	14	7	2	1	-	-
	White——M—	35	-	-	-	-	-	-	-	-	-	1	1	3	-	-	8	6	11	4	1	-	-	-
	F—	17	-	-	1	-	-	-	-	-	-	1	-	1	-	1	2	3	3	3	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	35	-	-	1	-	1	-	2	1	-	2	2	1	3	7	2	6	3	3	1	-	-	-
	White——M—	21	-	-	1	-	1	-	2	1	-	1	2	-	2	6	-	2	1	2	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	2	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	138	38	10	1	-	-	1	1	-	3	5	5	-	4	4	7	11	17	8	13	8	2	-
	White——M—	82	20	7	1	-	-	-	1	-	1	2	5	-	4	4	4	9	7	4	5	6	2	-
	F—	44	13	2	-	-	-	-	-	-	2	3	-	-	-	-	3	1	6	4	8	2	-	-
	Nonwhite—M—	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	F—	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-
	White——M—	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
	F—	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	128	35	9	1	-	-	1	1	-	3	5	5	-	4	4	7	10	16	8	11	7	1	-
	White——M—	76	18	6	1	-	-	-	1	-	1	2	5	-	4	4	4	8	6	4	5	6	1	-
	F—	40	12	2	-	-	-	-	-	-	2	3	-	-	-	-	3	1	6	4	6	1	-	-
	Nonwhite—M—	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	F—	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis	13	-	2	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	2	2	-	-	-
	White——M—	9	-	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	42	-	-	-	-	-	1	-	-	1	2	2	2	3	6	8	6	4	4	3	-	-	-
	White——M—	27	-	-	-	-	-	1	-	-	1	1	1	-	3	5	3	4	4	2	2	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	1	1	1	-	1	5	2	-	1	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis	5	1	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	White——M—	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	31	7	-	-	-	-	-	-	-	3	-	1	3	3	1	-	2	5	2	3	1	-	-
	White——M—	15	5	-	-	-	-	-	-	-	2	-	-	2	2	1	-	1	-	-	1	1	-	-
	F—	16	2	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	5	2	2	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	22	4	2	-	1	-	-	-	-	1	1	-	1	3	-	1	6	1	1	-	-	-	-
	White——M—	14	3	-	-	1	-	-	-	-	1	1	-	-	2	-	-	4	1	1	-	-	-	-
	F—	8	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	37	-	-	1	-	-	-	-	3	1	2	5	4	3	4	1	5	4	3	1	-	-	-
	White——M—	20	-	-	-	-	-	-	-	1	1	1	3	4	1	2	1	2	1	3	-	-	-	-
	F—	15	-	-	1	-	-	-	-	-	-	1	2	-	2	2	-	3	3	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Con.																							
584, 585	Cholelithiasis, etc.*	20	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	4	1	4	2	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	1	1	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	11	-	-	-	1	1	-	-	-	1	1	1	-	-	-	2	1	1	1	-	-	-	1
	White—M	8	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-	1	1	-	-	-	1
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	22	-	-	-	-	-	-	-	1	-	1	-	-	2	4	1	2	5	1	4	1	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	1	2	1	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	1	-	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	1	1	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	90	72	3	4	2	2	2	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-
	White—M	46	37	3	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	44	35	-	2	1	2	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	74	3	-	-	-	-	1	1	-	1	-	2	2	1	3	5	9	14	13	11	5	3	-
	White—M	49	1	-	-	-	-	-	1	-	-	-	1	2	1	2	3	7	7	11	7	3	3	-
	F	23	2	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	7	2	3	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Resid-ual	All other diseases	231	13	6	5	-	1	2	2	4	8	10	16	14	15	17	34	28	26	14	7	6	3	-
	White—M	147	9	2	4	-	1	1	-	3	2	7	9	11	10	12	26	17	17	9	4	2	1	-
	F	80	4	4	1	-	-	-	2	1	5	3	7	3	4	4	8	11	9	5	3	4	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	542	20	47	17	29	59	55	29	30	34	30	24	27	26	13	28	16	15	18	17	2	3	3
	White—M	387	12	26	10	23	37	49	26	23	29	21	21	22	23	9	16	11	9	10	9	1	-	-
	F	135	6	19	7	5	20	5	3	6	4	8	2	4	2	4	11	4	5	7	8	1	3	1
	Nonwhite—M	10	1	-	-	1	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1
	F	10	1	2	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	1
E810-E835	Motor vehicle accidents	263	6	12	10	12	43	32	18	17	15	14	13	10	13	8	15	10	5	2	4	1	-	3
	White—M	177	5	5	5	6	23	29	17	12	11	8	12	7	11	4	7	6	3	2	3	1	-	-
	F	73	-	6	5	5	18	3	1	4	3	5	-	3	2	4	7	3	2	-	1	-	-	1
	Nonwhite—M	6	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
	F	7	1	1	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1
E800-E802, E840-E962	Other accidents	279	14	35	7	17	16	23	11	13	19	16	11	17	13	5	13	6	10	16	13	1	3	-
	White—M	210	7	21	5	17	14	20	9	11	18	13	9	15	12	5	9	5	6	8	6	-	-	-
	F	62	6	13	2	-	2	2	2	2	1	3	2	1	-	-	4	1	3	7	7	1	3	-
	Nonwhite—M	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
E963, E970-E979	Suicide	67	-	-	-	-	3	5	9	-	6	8	8	7	6	6	2	2	2	1	1	-	-	1
	White—M	50	-	-	-	-	2	3	6	-	2	7	8	5	4	4	2	2	2	1	1	-	-	1
	F	14	-	-	-	-	1	1	1	-	4	1	-	2	2	2	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	10	-	1	-	-	1	-	2	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS																							
	All causes	101,667	5,859	944	463	404	564	721	751	1,158	1,679	2,572	3,752	5,555	7,167	9,823	12,594	13,927	12,868	10,634	6,793	2,746	689	4
	White---M	52,070	2,563	402	234	210	333	402	358	486	769	1,342	2,013	3,139	4,123	5,669	7,096	7,461	6,502	4,839	2,839	1,029	235	4
	F	39,497	1,889	329	184	150	146	170	202	322	501	744	1,088	1,553	2,066	3,172	4,508	5,569	5,749	5,418	3,732	1,617	408	-
	Nonwhite---M	5,595	799	107	26	27	63	102	113	200	220	280	340	479	567	561	559	473	326	185	111	39	18	-
	F	4,505	608	106	39	17	22	47	78	148	169	206	311	384	411	421	431	424	291	192	111	61	28	-
001-019	Tuberculosis, all forms	765	3	5	-	1	2	8	20	36	51	67	62	69	86	93	89	71	54	34	11	3	-	-
	White---M	412	1	2	-	-	-	2	-	10	16	31	28	45	52	62	56	50	30	18	6	3	-	-
	F	133	-	1	-	-	-	1	6	6	10	14	11	10	10	7	14	10	16	14	3	-	-	-
	Nonwhite---M	155	1	-	-	-	1	2	7	15	16	12	14	13	20	22	14	8	7	1	2	-	-	-
	F	65	1	2	-	1	1	3	7	5	9	10	9	1	4	2	5	3	1	1	-	-	-	-
001-008	Tuberculosis of resp. system	715	2	1	-	1	2	5	16	36	47	63	59	68	80	87	81	67	53	33	11	3	-	-
	White---M	402	1	1	-	-	-	2	-	10	15	29	28	45	50	62	54	48	30	18	6	3	-	-
	F	120	-	-	-	-	-	-	4	6	9	14	11	10	10	6	10	9	15	13	3	-	-	-
	Nonwhite---M	141	1	-	-	-	1	-	6	15	14	11	13	13	17	19	13	8	7	1	2	-	-	-
	F	52	-	-	-	1	1	3	6	5	9	9	7	-	3	-	4	2	1	1	-	-	-	-
010-019	Tuberculosis, other forms	50	1	4	-	-	-	3	4	-	4	4	3	1	6	6	8	4	1	1	-	-	-	-
	White---M	10	-	1	-	-	-	-	-	-	1	2	-	-	2	-	2	2	-	-	-	-	-	-
	F	13	-	1	-	-	-	1	2	-	1	-	-	-	-	1	4	1	1	1	-	-	-	-
	Nonwhite---M	14	-	-	-	-	-	2	1	-	2	1	1	-	3	3	1	-	-	-	-	-	-	-
	F	13	1	2	-	-	-	-	1	-	-	1	2	1	1	2	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	147	-	-	-	-	-	1	-	4	3	3	10	11	14	31	25	23	10	11	1	-	-	-
	White---M	70	-	-	-	-	-	-	-	1	-	-	2	6	7	15	13	11	7	7	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2	4	1	2	-	-	-	-
	Nonwhite---M	38	-	-	-	-	-	-	-	1	2	1	4	3	4	9	5	6	2	1	-	-	-	-
	F	21	-	-	-	-	-	1	-	2	1	1	3	2	1	2	5	2	-	1	-	-	-	-
045-048	Dysentery, all forms	7	1	1	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	6	-	1	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	41	10	20	5	1	-	-	1	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
	White---M	17	4	9	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	15	3	9	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
080	Acute poliomyelitis	12	-	2	2	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	9	-	2	2	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	36	7	22	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	13	2	7	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	218	12	17	17	7	10	4	10	8	13	13	14	14	14	10	12	16	15	7	4	1	-	-
	White---M	101	6	7	12	3	5	1	1	1	6	3	8	7	10	4	9	7	8	2	1	-	-	-
	F	91	4	6	5	3	3	1	6	5	5	9	4	4	4	5	3	8	7	5	3	1	-	-
	Nonwhite---M	12	2	4	-	-	1	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	14	-	-	-	1	1	1	2	2	2	1	1	2	-	1	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	16,098	13	105	60	50	49	60	93	191	340	569	843	1,316	1,766	2,196	2,486	2,368	1,768	1,106	534	157	29	-
	White---M	7,818	5	48	32	26	27	36	43	68	112	196	317	552	840	1,137	1,316	1,242	960	542	242	70	7	-
	F	6,944	7	45	22	20	20	21	42	85	171	293	419	582	722	881	1,020	981	724	520	270	82	17	-
	Nonwhite---M	714	1	4	3	3	1	2	3	17	15	27	54	81	117	101	99	67	52	28	13	3	3	-
	F	623	-	8	3	1	1	1	5	21	42	53	53	101	87	77	51	58	32	16	9	2	2	-
140-148	Of buccal cavity and pharynx	387	-	-	1	-	-	-	-	1	8	13	22	35	55	58	50	50	43	34	13	3	1	-
	White---M	285	-	-	1	-	-	-	-	-	5	10	15	23	40	47	38	35	34	23	10	3	1	-
	F	72	-	-	-	-	-	-	-	1	3	1	6	6	6	8	10	12	8	8	3	-	-	-
	Nonwhite---M	20	-	-	-	-	-	-	-	-	-	1	1	4	5	2	1	2	1	3	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	2	4	1	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	5,816	-	3	-	-	1	6	8	27	58	134	214	390	575	813	974	1,019	781	489	237	73	14	-
	White---M	2,971	-	1	-	-	1	4	6	10	23	55	96	195	298	449	505	534	433	239	90	28	4	-
	F	2,382	-	2	-	-	-	2	2	10	26	60	79	145	194	294	411	420	317	232	136	42	10	-
	Nonwhite---M	284	-	-	-	-	-	-	-	5	3	10	25	26	48	45	41	41	21	11	6	2	-	-
	F	179	-	-	-	-	-	-	-	2	6	9	14	24	35	25	17	24	10	7	5	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	2,315	-	1	2	-	1	-	2	11	28	77	127	233	354	405	434	316	193	82	38	10	1	-
	White—M	1,809	-	1	2	-	-	-	2	7	18	50	92	167	281	342	354	260	144	57	28	4	-	-
	F	281	-	-	-	-	-	-	-	1	4	11	18	28	35	35	42	42	33	19	7	6	-	-
	Nonwhite—M	188	-	-	-	-	-	-	-	2	5	12	16	31	34	25	31	12	13	3	3	-	1	-
	F	37	-	-	-	-	1	-	-	1	1	4	1	7	4	3	7	2	3	3	-	-	-	-
170	Of breast	1,481	-	-	-	-	-	1	7	18	65	99	142	175	197	183	166	168	118	87	42	10	3	-
	White—M	8	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	2	-	-	-
	F	1,358	-	-	-	-	-	1	6	14	56	85	128	153	180	166	162	157	113	86	39	10	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	114	-	-	-	-	-	-	1	4	8	13	14	22	16	16	2	10	5	1	1	-	1	-
171-179	Of genital organs	2,451	-	2	1	-	5	17	22	47	71	109	140	190	230	293	370	326	309	193	90	31	5	-
	White—M	792	-	2	-	-	4	11	8	9	8	1	2	10	23	58	132	161	165	116	62	19	1	-
	F	1,382	-	-	-	-	1	6	11	29	39	85	120	139	177	204	209	138	121	65	25	11	2	-
	Nonwhite—M	90	-	-	-	-	-	-	1	-	1	1	-	4	11	16	13	17	13	8	3	1	1	-
	F	187	-	-	1	-	-	-	2	9	23	22	18	37	19	15	16	10	10	4	-	-	1	-
180, 181	Of urinary organs	779	1	6	4	1	-	-	4	4	10	14	35	48	75	95	129	146	102	62	30	10	3	-
	White—M	482	-	3	4	1	-	-	2	2	5	9	24	28	42	52	90	92	65	44	11	7	1	-
	F	252	1	3	-	-	-	-	1	-	4	3	6	16	27	37	32	46	35	17	19	3	2	-
	Nonwhite—M	30	-	-	-	-	-	-	1	2	1	1	3	4	4	3	6	4	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	2	-	2	3	1	4	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,374	6	33	14	19	15	13	20	33	41	65	76	134	143	161	165	161	117	93	51	13	1	-
	White—M	673	4	13	7	9	7	8	8	17	20	34	40	76	76	86	80	67	59	34	21	7	-	-
	F	622	2	14	6	8	8	4	11	11	17	28	30	48	55	68	78	85	56	58	28	6	1	-
	Nonwhite—M	45	-	2	1	1	-	-	-	3	3	1	5	7	9	2	5	3	1	1	1	-	-	-
	F	34	-	4	-	1	-	1	1	2	1	2	1	3	3	5	2	6	1	-	1	-	-	-
204	Leukemia and aleukemia	734	4	58	31	23	22	10	9	21	20	17	39	41	53	91	77	89	58	39	26	5	1	-
	White—M	397	1	26	14	11	11	4	4	9	10	14	19	17	32	55	52	48	34	18	16	2	-	-
	F	291	3	26	15	10	10	5	3	8	7	2	16	19	19	31	23	39	23	21	8	3	-	-
	Nonwhite—M	20	-	2	1	2	1	1	1	2	-	-	1	1	1	2	1	2	1	-	-	-	1	-
	F	26	-	4	1	-	-	-	1	2	3	1	3	4	1	3	1	-	-	2	-	-	-	-
200-203, 205	Lymphomas, etc.*	762	2	2	7	7	5	13	21	29	39	41	48	70	84	97	121	93	47	27	7	2	-	-
	White—M	401	-	2	4	5	4	9	13	14	22	22	29	36	47	47	63	45	26	11	2	-	-	-
	F	304	1	-	1	2	1	3	8	11	15	18	16	28	29	38	53	42	18	14	5	1	-	-
	Nonwhite—M	36	1	-	1	-	-	1	-	3	2	1	3	4	5	6	1	5	2	1	-	-	-	-
	F	21	-	-	1	-	-	-	-	1	-	-	-	2	3	6	4	1	1	1	-	1	-	-
210-239	Benign & unspec. neoplasms	237	8	8	8	6	2	4	5	11	13	19	30	20	20	27	17	12	8	13	3	3	-	-
	White—M	94	1	4	3	3	-	2	3	2	4	9	13	4	8	15	3	7	4	5	2	2	-	-
	F	118	5	3	5	3	1	-	2	7	5	7	13	14	10	12	13	5	4	7	1	1	-	-
	Nonwhite—M	7	1	1	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F	18	1	-	-	-	1	1	-	2	4	3	2	1	1	-	1	-	-	1	-	-	-	-
241	Asthma	247	1	2	-	-	-	4	2	2	6	6	12	22	26	36	35	36	30	16	10	1	-	-
	White—M	160	1	1	-	-	-	-	-	1	2	3	3	17	15	25	28	26	23	10	5	-	-	-
	F	67	-	1	-	-	-	3	1	1	3	1	7	3	6	11	3	9	7	6	4	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	1	-	1	5	-	2	-	-	-	1	-	-	-
	F	10	-	-	-	-	-	1	1	-	1	1	2	1	-	-	2	1	-	-	-	-	-	-
260	Diabetes mellitus	1,523	-	6	2	7	4	12	18	19	28	27	53	89	108	192	255	283	235	115	59	9	2	-
	White—M	560	-	2	1	3	2	6	10	8	15	15	22	43	46	57	91	92	84	43	17	2	1	-
	F	833	-	4	1	3	1	5	4	7	9	10	20	29	51	113	149	166	147	68	39	6	1	-
	Nonwhite—M	38	-	-	-	-	-	-	-	2	3	1	4	4	3	6	4	6	1	1	2	1	-	-
	F	92	-	-	-	1	1	1	4	2	1	1	7	13	8	16	11	19	3	3	1	-	-	-
290-293	Anemias	188	3	10	7	3	4	4	1	3	3	7	11	6	11	17	13	23	25	18	13	5	1	-
	White—M	78	1	-	2	2	2	-	1	1	1	3	5	-	4	7	5	10	18	7	7	2	-	-
	F	92	2	5	4	-	-	3	-	2	2	2	5	5	5	8	8	13	7	11	6	3	1	-
	Nonwhite—M	9	-	3	1	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	9	-	2	-	1	-	1	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	113	41	19	6	3	-	2	-	1	1	1	6	5	6	4	4	8	3	1	1	1	-	-
	White—M	53	16	9	4	2	-	-	-	1	1	-	1	4	2	3	1	7	-	-	1	1	-	-
	F	38	14	6	2	1	-	1	-	-	-	1	4	1	3	-	2	-	2	1	-	-	-	-
	Nonwhite—M	14	7	3	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	8	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	59,711	22	21	13	29	41	81	136	293	553	1,025	1,765	2,831	3,969	5,811	8,003	9,437	9,254	8,153	5,424	2,271	578	1
	White—M	30,654	10	10	6	12	16	28	52	117	277	601	1,056	1,755	2,411	3,415	4,543	4,999	4,556	3,597	2,185	812	195	1
	F	24,157	6	7	7	11	15	32	39	65	129	194	364	586	976	1,757	2,799	3,839	4,268	4,275	3,064	1,375	349	-
	Nonwhite—M	2,568	2	2	-	4	5	13	25	59	89	131	170	281	321	345	352	304	211	131	81	30	12	-
	F	2,332	4	2	-	2	5	8	20	52	58	99	175	209	261	294	309	295	219	150	94	54	22	-
330-334, 400-468	Dis. of cardiovascular system	58,868	21	19	8	24	30	66	123	270	522	983	1,724	2,789	3,914	5,738	7,911	9,326	9,157	8,069	5,355	2,246	572	1
	White—M	30,284	10	9	4	10	10	22	46	105	269	584	1,039	1,735	2,384	3,382	4,506	4,950	4,514	3,550	2,155	807	192	1
	F	23,814	5	7	4	8	12	26	36	57	120	183	352	575	958	1,733	2,758	3,784	4,226	4,240	3,026	1,358	346	-
	Nonwhite—M	2,507	2	1	-	4	3	10	23	58	80	125	166	278	317	338	345	302	205	129	81	28	12	-
	F	2,263	4	2	-	2	5	8	18	50	53	91	167	201	255	285	302	290	212	150	93	53	22	-
330-334	Vascular lesions, etc.*	10,976	5	3	3	6	6	13	24	50	67	140	208	387	523	883	1,328	1,862	1,932	1,807	1,196	424	109	-
	White—M	4,788	4	3	2	5	3	7	8	12	23	49	82	168	241	415	653	894	855	752	449	133	30	-
	F	5,210	1	-	1	1	3	5	11	11	26	49	67	120	180	325	536	835	984	998	708	276	73	-
	Nonwhite—M	456	-	-	-	-	-	1	2	10	12	20	21	51	52	68	68	69	31	24	17	7	3	-
	F	522	-	-	-	-	-	-	3	17	6	22	38	48	50	75	71	64	62	33	22	8	3	-
400-402, 410-416, 443	Diseases of heart	44,040	15	15	5	18	20	42	90	194	424	793	1,433	2,277	3,222	4,621	6,157	6,932	6,624	5,566	3,644	1,556	391	1
	White—M	23,707	6	5	2	5	7	13	36	86	242	515	924	1,512	2,051	2,842	3,638	3,786	3,353	2,471	1,501	573	138	1
	F	16,898	4	7	3	7	6	17	24	37	83	125	264	416	732	1,335	2,053	2,727	2,985	2,902	2,020	924	227	-
	Nonwhite—M	1,851	1	1	-	4	3	8	17	44	58	92	132	208	250	248	254	211	150	87	55	20	8	-
	F	1,584	4	2	-	2	4	4	13	27	41	61	113	141	189	196	212	208	136	106	68	39	18	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	1,107	-	4	2	8	13	20	26	47	53	91	107	114	140	148	118	84	56	42	20	11	3	-
	White—M	507	-	2	-	-	6	3	11	22	24	52	48	54	70	76	59	36	22	13	9	-	-	-
	F	519	-	2	2	3	5	11	10	14	27	29	53	55	62	63	52	45	33	29	11	10	3	-
	Nonwhite—M	41	-	-	-	3	-	3	3	5	1	6	4	1	2	5	5	2	1	-	-	-	-	-
	F	40	-	-	-	2	2	3	2	6	1	4	2	4	6	4	2	1	-	-	-	1	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																							
420	Arteriosclerotic heart dis., etc.*	32,551	1	-	-	-	1	9	21	82	240	538	1,031	1,721	2,467	3,690	4,805	5,331	4,928	3,932	2,488	1,012	253	1
	White——M—	18,883	-	-	-	-	-	4	12	47	170	392	740	1,259	1,704	2,415	3,010	3,083	2,641	1,861	1,065	388	91	1
	F—	11,493	-	-	-	-	-	2	5	10	38	61	149	255	474	962	1,471	1,964	2,099	1,936	1,338	587	142	-
	Nonwhite—M—	1,240	-	-	-	-	1	3	2	20	18	47	77	135	185	186	182	147	107	67	43	13	7	-
	F—	935	1	-	-	-	-	-	2	5	14	38	65	72	104	127	142	137	81	68	42	24	13	-
421, 422	Nonrheumatic chronic endocarditis, etc.*—	4,590	2	3	2	1	3	2	16	22	35	44	61	120	187	248	442	646	776	855	684	350	91	-
	White——M—	1,931	-	1	2	-	1	2	3	4	6	13	22	46	78	109	205	296	357	350	279	124	33	-
	F—	2,242	2	2	-	1	1	-	1	2	5	15	22	32	59	102	194	297	379	475	383	213	57	-
	Nonwhite—M—	203	-	-	-	-	1	-	6	10	17	11	5	17	24	14	24	26	19	17	8	4	-	-
	F—	214	-	-	-	-	-	-	6	6	7	5	12	25	26	23	19	27	21	13	14	9	1	-
430-434	Other diseases of heart———	1,617	12	8	1	8	3	11	21	31	65	69	132	160	158	156	198	166	151	128	85	41	13	-
	White——M—	882	6	2	-	5	-	4	9	11	32	41	80	98	100	91	121	89	79	53	38	16	7	-
	F—	498	2	3	1	2	-	4	6	7	10	10	18	29	30	44	62	65	61	71	45	24	4	-
	Nonwhite—M—	143	1	1	-	1	1	2	4	7	13	16	22	26	13	14	8	6	5	-	1	1	1	-
	F—	94	3	2	-	-	2	1	2	6	10	2	12	7	15	7	7	6	6	4	1	-	1	-
440-443	Hypertensive heart disease———	4,175	-	-	-	1	-	-	6	12	31	51	102	162	270	379	594	705	713	609	367	142	31	-
	White——M—	1,504	-	-	-	-	-	-	1	2	10	17	34	55	99	151	243	282	254	194	110	45	7	-
	F—	2,146	-	-	-	1	-	-	2	4	3	10	22	45	107	164	274	356	413	391	243	90	21	-
	Nonwhite—M—	224	-	-	-	-	-	-	2	2	9	12	24	29	26	29	35	30	18	3	3	2	-	-
	F—	301	-	-	-	-	-	-	1	4	9	12	22	33	38	35	42	37	28	21	11	5	3	-
444-447	Other hypertensive disease———	1,069	-	1	-	-	2	3	5	15	18	23	41	64	56	64	126	158	140	192	104	48	9	-
	White——M—	408	-	1	-	-	-	-	1	4	-	6	10	24	24	26	54	70	55	76	43	12	2	-
	F—	497	-	-	-	-	1	1	-	4	3	3	8	18	19	27	61	71	73	110	59	32	7	-
	Nonwhite—M—	88	-	-	-	-	-	-	3	2	10	7	10	13	6	7	5	12	9	3	1	-	-	-
	F—	76	-	-	-	-	1	2	1	5	5	7	13	9	7	4	6	5	3	3	1	4	-	-
450	General arteriosclerosis———	1,950	-	-	-	-	-	-	-	-	1	3	4	16	31	61	155	236	356	431	382	211	63	-
	White——M—	898	-	-	-	-	-	-	-	-	-	1	3	8	12	29	76	113	186	208	151	89	22	-
	F—	943	-	-	-	-	-	-	-	-	1	1	1	6	12	20	62	106	155	200	221	119	39	-
	Nonwhite—M—	62	-	-	-	-	-	-	-	-	-	1	-	1	3	7	8	6	11	15	8	1	1	-
	F—	47	-	-	-	-	-	-	-	-	-	-	-	1	4	5	9	11	4	8	2	2	1	-
451-468	Other diseases of circulatory sys.-	833	1	-	-	-	2	8	4	11	12	24	38	45	82	109	145	138	105	73	29	7	-	-
	White——M—	483	-	-	-	-	-	2	1	3	4	13	20	23	56	70	85	87	65	43	11	-	-	-
	F—	266	-	-	-	-	2	3	1	5	7	5	12	15	15	26	46	45	29	30	18	7	-	-
	Nonwhite—M—	50	1	-	-	-	-	1	1	2	-	5	3	5	6	8	10	4	4	-	-	-	-	-
	F—	34	-	-	-	-	-	2	1	1	1	1	3	2	5	5	4	2	7	-	-	-	-	-
592-594	Chronic nephritis, etc.*———	843	1	2	5	5	11	15	13	23	31	42	41	42	55	73	92	111	97	84	69	25	6	-
	White——M—	370	-	1	2	2	6	6	6	12	8	17	17	20	27	33	37	49	42	47	30	5	3	-
	F—	343	1	-	3	3	3	6	3	8	9	11	12	11	18	24	41	55	42	35	38	17	3	-
	Nonwhite—M—	61	-	1	-	-	2	3	2	1	9	6	4	3	4	7	7	2	6	2	-	2	-	-
	F—	69	-	-	-	-	-	-	2	2	5	8	8	8	6	9	7	5	7	-	1	1	-	-
480-483	Influenza and pneumonia, etc.*—	4,014	753	181	42	9	17	16	29	40	89	89	121	149	214	249	353	409	446	368	270	124	46	-
	White——M—	1,937	250	64	16	3	7	7	9	13	40	48	62	87	125	150	203	252	226	182	127	50	16	-
	F—	1,316	211	49	16	5	6	4	6	6	25	22	23	36	49	68	97	121	176	168	135	68	25	-
	Nonwhite—M—	436	157	33	4	-	3	2	8	13	18	15	21	16	26	19	31	21	27	12	5	3	2	-
	F—	325	135	35	6	1	1	3	6	8	6	4	15	10	14	12	22	15	17	6	3	3	3	-
480-483	Influenza———	136	9	5	-	-	-	1	1	3	2	3	2	5	10	4	11	7	18	15	25	13	2	-
	White——M—	69	6	2	-	-	-	-	1	1	1	2	1	3	6	1	5	6	8	8	13	5	-	-
	F—	58	2	3	-	-	-	1	-	1	-	1	1	1	2	3	6	1	8	7	12	8	1	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	1	-
	F—	4	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*—	3,878	744	176	42	9	17	15	28	37	87	86	119	144	204	245	342	402	428	353	245	111	44	-
	White——M—	1,868	244	62	16	3	7	7	8	12	39	46	61	84	119	149	198	246	218	174	114	45	16	-
	F—	1,258	209	46	16	5	6	3	6	5	25	21	22	35	47	65	91	120	168	161	123	60	24	-
	Nonwhite—M—	431	157	33	4	-	3	2	8	13	17	15	21	15	26	19	31	21	25	12	5	3	1	-
	F—	321	134	35	6	1	1	3	6	7	6	4	15	10	12	12	22	15	17	6	3	3	3	-
500-502	Bronchitis———	237	41	31	5	3	1	-	-	2	3	4	3	10	15	24	20	31	15	13	11	5	-	-
	White——M—	148	19	21	-	2	1	-	-	-	1	1	-	10	9	22	13	26	7	7	7	2	-	-
	F—	63	14	8	5	-	-	-	-	1	-	3	2	-	3	2	3	2	8	5	4	3	-	-
	Nonwhite—M—	10	3	1	-	-	-	-	-	-	1	-	1	-	3	-	-	1	-	-	-	-	-	-
	F—	16	5	1	-	1	-	-	-	1	1	-	-	-	-	-	4	2	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum———	693	7	1	2	-	-	4	4	16	13	27	47	66	67	98	94	99	69	47	25	6	-	1
	White——M—	493	-	-	-	-	-	-	3	12	4	19	33	43	56	76	72	72	52	29	19	2	-	1
	F—	133	3	1	-	-	-	1	1	1	4	4	8	15	10	13	14	21	11	17	5	4	-	-
	Nonwhite—M—	43	2	-	-	-	-	3	-	2	3	2	5	7	1	8	5	2	3	-	-	-	-	-
	F—	24	2	-	2	-	-	-	-	1	2	2	1	1	-	1	3	4	3	1	1	-	-	-
550-553	Appendicitis———	109	3	1	1	4	-	2	1	3	2	4	6	9	8	10	19	12	15	6	2	1	-	-
	White——M—	62	1	-	-	3	-	1	-	2	1	2	5	5	4	7	12	5	8	4	1	1	-	-
	F—	32	1	1	-	1	-	-	-	-	-	2	-	3	2	1	6	5	7	2	1	-	-	-
	Nonwhite—M—	11	1	-	1	-	-	-	1	1	-	-	-	1	2	2	1	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction—	554	57	2	-	1	1	3	4	7	4	10	16	34	34	59	81	72	64	59	32	10	4	-
	White——M—	236	27	-	-	1	-	-	2	1	3	3	3	16	17	26	31	38	26	28	10	2	2	-
	F—	263	17	1	-	-	-	2	2	2	1	4	7	15	13	30	42	32	35	30	21	8	1	-
	Nonwhite—M—	27	9	-	-	-	1	-	-	1	-	2	1	1	3	1	2	2	1	1	1	-	1	-
	F—	28	4	1	-	-	-	1	-	3	-	1	5	2	1	2	6	-	2	-	-	-	-	-
543, 571, 572	Gastritis, etc.*—	434	107	29	2	3	5	3	5	9	10	10	8	23	18	34	26	52	32	30	21	7	-	-
	White——M—	206	37	17	1	2	3	2	2	3	4	6	5	14	11	20	14	28	15	9	10	3	-	-
	F—	167	26	9	1	1	1	1	1	6	6	3	3	8	5	12	11	23	16	19	11	4	-	-
	Nonwhite—M—	35	29	2	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F—	26	15	1	-	-	-	-	2	-	-	1	-	1	2	-	1	-	1	2	-	-	-	-
581	Cirrhosis of liver	1,197	3	2	1	2	4	4	8	26	60	108	137	189	153	150	148	108	64	21	9	-	-	-
	White——M—	751	-	-	-	-	-	-	2	11	33	61	80	126	98	105	107	69	44	11	4	-	-	-
	F—	347	3	1	-	2	3	2	3	10	17	36	41	46	43	37	36	36	16	10	5	-	-	-
	Nonwhite—M—	57	-	1	-	-	1	2	1	2	5	7	8	9	5	8	3	2	3	-	-	-	-	-
	F—	42	-	-	1	-	-	-	2	3	5	4	8	8	7	-	2	1	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																							
584, 585	Cholelithiasis, etc.*	258	-	-	-	-	-	-	1	2	4	4	6	18	21	25	35	46	46	25	18	6	1	-
	White—M	102	-	-	-	-	-	-	-	1	-	2	2	5	12	7	19	15	22	9	7	1	-	-
	F	144	-	-	-	-	-	-	1	1	2	2	4	11	6	16	14	30	24	16	11	5	1	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	127	2	3	1	-	4	1	3	7	3	5	9	12	4	10	7	18	15	14	6	2	1	-
	White—M	56	2	2	1	-	3	-	2	2	1	2	4	2	1	5	3	6	9	7	2	1	1	-
	F	56	-	1	-	-	-	-	1	3	1	2	4	8	2	5	4	8	6	7	3	1	-	-
	Nonwhite—M	8	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	1	-	-	1	-	-	-
	F	7	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	3	-	-	-	-	-	-
600	Infections of kidney	420	3	4	1	-	2	6	6	13	8	16	18	22	27	40	64	62	52	41	26	7	2	-
	White—M	181	1	1	-	-	1	1	3	3	1	4	4	10	8	22	30	31	21	22	15	2	1	-
	F	167	1	2	1	-	1	3	2	6	-	9	7	5	10	14	25	22	27	17	9	5	1	-
	Nonwhite—M	37	-	1	-	-	-	1	-	-	1	2	3	2	6	1	8	6	3	1	2	-	-	-
	F	35	1	-	-	-	-	1	1	4	6	1	4	5	3	3	1	3	1	1	-	-	-	-
610	Hyperplasia of prostate	275	-	-	-	-	-	-	-	-	-	1	-	2	7	17	37	34	54	61	44	15	3	-
	White	249	-	-	-	-	-	-	-	-	-	-	-	-	4	13	34	29	51	57	43	15	3	-
	Nonwhite	26	-	-	-	-	-	-	-	-	-	1	-	2	3	4	3	5	3	4	1	-	-	-
640-689	Complications of pregnancy, etc.*	71	...	...	...	-	8	10	14	19	11	8	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	54	...	...	...	-	7	8	12	13	8	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	...	...	...	-	1	2	2	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	8	...	...	...	-	1	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	...	...	...	-	1	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	63	...	...	...	-	7	10	10	17	10	8	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	...	...	...	-	6	8	9	11	7	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	16	...	...	...	-	1	2	1	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,163	861	103	35	31	19	12	9	7	15	15	12	11	8	11	6	4	3	-	1	-	-	-
	White—M	565	422	44	19	10	14	6	5	1	7	8	8	5	4	4	3	3	2	-	-	-	-	-
	F	484	350	50	14	16	5	6	3	5	8	6	3	4	3	5	3	1	1	-	1	-	-	-
	Nonwhite—M	66	52	5	-	3	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-
	F	48	37	4	2	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,586	3,586	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,592	1,592	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,117	1,117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	501	501	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	2,206	2,206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,023	1,023	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	645	645	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	313	313	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	1,028	1,028	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	459	459	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	352	19	13	6	2	8	19	15	24	18	13	21	28	20	16	28	24	19	22	20	9	7	1
	White—M	171	7	1	1	-	7	7	2	6	6	7	15	18	12	11	18	13	11	11	9	3	5	1
	F	104	8	5	1	-	-	5	3	4	5	2	4	7	7	3	8	8	4	11	11	6	2	-
	Nonwhite—M	47	2	2	2	2	1	7	3	9	4	4	-	1	1	1	2	3	3	-	-	-	-	-
	F	30	2	5	2	-	-	-	7	5	3	-	2	2	-	1	-	-	1	-	-	-	-	-
Residual	All other diseases	2,789	135	93	60	31	31	29	46	66	81	113	135	194	216	289	359	335	266	172	93	37	8	-
	White—M	1,536	74	40	34	16	14	12	15	22	37	49	74	105	147	179	217	186	152	92	46	22	3	-
	F	1,010	45	41	22	11	11	10	15	27	30	44	40	66	49	95	126	130	108	75	47	14	4	-
	Nonwhite—M	137	12	5	2	2	4	3	9	9	7	13	13	9	13	11	13	7	2	2	-	1	-	-
	F	106	4	7	2	2	2	4	7	8	7	7	8	14	7	4	3	12	4	3	-	-	1	-
E800-E962	Accidents	4,585	152	234	174	205	306	340	211	214	234	261	263	261	214	248	278	265	258	251	146	62	7	1
	White—M	2,863	81	107	93	117	212	248	153	149	161	177	186	176	135	183	180	169	127	114	64	29	1	1
	F	1,239	43	65	52	72	64	49	33	28	39	48	59	54	49	50	87	87	119	128	77	30	6	-
	Nonwhite—M	342	13	35	13	13	24	33	22	33	28	31	11	25	21	12	7	7	8	3	2	1	-	-
	F	141	15	27	16	3	6	10	3	4	6	5	7	6	9	3	4	2	4	6	3	2	-	-
E810-E835	Motor vehicle accidents	1,926	14	79	76	60	195	232	138	123	125	119	114	109	90	105	112	106	64	51	10	3	-	1
	White—M	1,275	5	39	44	31	135	181	99	88	85	79	76	66	56	72	67	73	38	31	7	2	-	1
	F	478	8	30	19	25	48	35	23	18	28	28	32	28	21	26	39	29	24	17	3	1	-	-
	Nonwhite—M	136	1	8	9	3	8	13	14	15	12	12	2	11	10	7	4	4	2	1	-	-	-	-
	F	37	-	2	4	1	4	3	2	2	2	2	4	4	3	-	2	-	-	2	-	-	-	-
E800-E802, E840-E962	Other accidents	2,659	138	155	98	145	111	108	73	91	109	142	149	152	124	143	166	159	194	200	136	59	7	-
	White—M	1,588	76	68	49	86	77	67	54	61	76	98	110	110	79	111	113	96	89	83	57	27	1	-
	F	761	35	35	33	47	16	14	10	10	13	22	27	26	28	24	48	58	95	111	74	29	6	-
	Nonwhite—M	206	12	27	4	10	16	20	8	18	16	19	9	14	11	5	3	3	6	2	2	1	-	-
	F	104	15	25	12	2	2	7	1	2	4	3	3	2	6	3	2	2	4	4	3	2	-	-
E963, E970-E979	Suicide	1,016	-	-	-	1	13	41	59	65	62	100	103	122	103	102	88	74	43	28	8	4	-	-
	White—M	748	-	-	-	-	10	25	39	36	45	78	68	78	77	85	66	64	39	26	8	4	-	-
	F	226	-	-	-	1	2	10	15	26	15	19	28	39	23	16	18	8	4	2	-	-	-	-
	Nonwhite—M	33	-	-	-	-	1	5	4	2	2	3	3	4	2	1	4	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	1	1	-	-	4	1	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	428	5	6	6	4	28	48	49	67	51	47	40	21	17	19	10	5	3	1	1	-	-	-
	White—M	130	2	4	3	4	7	15	11	14	11	14	9	5	7	12	8	4	-	-	-	-	-	-
	F	43	3	1	2	-	3	2	2	4	6	1	6	2	3	3	-	-	3	1	1	-	-	-
	Nonwhite—M	200	-	1	-	-	16	26	29	32	26	26	21	12	6	4	1	-	-	-	-	-	-	-
	F	55	-	-	1	-	2	5	7	17	8	6	4	2	1	-	1	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA																							
	All causes------	44,227	2,768	428	211	180	296	263	348	428	631	965	1,466	2,103	2,797	3,826	4,912	5,786	6,080	5,372	3,590	1,364	391	22
	White------M---	23,721	1,417	210	111	111	202	165	215	226	342	569	852	1,260	1,708	2,301	2,871	3,201	3,076	2,629	1,576	554	117	8
	F---	17,981	993	173	84	58	77	75	99	136	219	288	468	647	851	1,252	1,770	2,352	2,835	2,625	1,935	772	261	11
	Nonwhite--M---	1,380	196	19	10	6	11	18	22	32	33	50	70	115	133	140	175	141	85	63	35	16	7	3
	F---	1,145	162	26	6	5	6	5	12	34	37	58	76	81	105	133	96	92	84	55	44	22	6	-
001-019	Tuberculosis, all forms---------	278	2	4	2	-	-	1	4	9	11	12	24	19	28	33	37	33	24	21	12	2	-	-
	White------M---	186	1	3	1	-	-	1	2	4	5	7	19	14	20	22	25	27	16	14	4	1	-	-
	F---	66	1	-	-	-	-	-	1	2	4	4	2	1	7	8	7	6	8	6	8	1	-	-
	Nonwhite--M---	15	-	-	-	-	-	-	1	1	1	-	2	4	1	2	2	-	-	1	-	-	-	-
	F---	11	-	1	1	-	-	-	-	2	1	1	1	-	-	1	3	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	257	1	1	-	-	-	1	4	9	11	11	22	18	28	30	36	31	22	18	12	2	-	-
	White------M---	171	-	1	-	-	-	1	2	4	5	6	17	14	20	21	24	25	14	12	4	1	-	-
	F---	63	1	-	-	-	-	-	1	2	4	4	2	1	7	6	7	6	8	5	8	1	-	-
	Nonwhite--M---	14	-	-	-	-	-	-	1	1	1	-	2	3	1	2	2	-	-	1	-	-	-	-
	F---	9	-	-	-	-	-	-	-	2	1	1	1	-	-	1	3	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	21	1	3	2	-	-	-	-	-	-	1	2	1	-	3	1	2	2	3	-	-	-	-
	White------M---	15	1	2	1	-	-	-	-	-	-	1	2	-	-	1	1	2	2	2	-	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	84	-	-	-	-	-	-	1	-	2	2	9	7	14	13	12	9	8	4	2	1	-	-
	White------M---	51	-	-	-	-	-	-	1	-	1	2	5	6	8	8	8	6	5	1	-	-	-	-
	F---	21	-	-	-	-	-	-	-	-	1	-	3	-	2	4	2	2	1	3	2	1	-	-
	Nonwhite--M---	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	-	-	-	-
	F---	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	White------M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	4	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White------M---	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F---	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	25	9	9	1	2	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White------M---	13	5	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F---	11	4	3	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis------------	9	1	-	1	2	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White------M---	7	1	-	1	2	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles------------	20	7	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M---	9	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	7	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases----------	136	34	11	9	5	4	1	2	7	3	2	3	4	7	9	9	7	8	5	3	3	-	-
	White------M---	68	22	4	2	2	1	1	1	2	2	2	1	3	6	3	5	2	5	1	2	1	-	-
	F---	58	8	6	5	3	3	-	1	5	1	-	2	1	1	4	4	5	2	4	1	2	-	-
	Nonwhite--M---	8	3	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F---	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	6,791	8	46	35	32	23	30	37	77	157	216	352	507	676	850	989	942	814	582	315	88	14	1
	White------M---	3,345	4	22	21	18	15	15	20	33	61	73	129	238	335	419	520	503	406	313	152	43	4	1
	F---	3,079	4	23	13	10	8	13	15	36	85	125	188	224	287	373	419	400	391	260	153	42	10	-
	Nonwhite--M---	191	-	-	-	2	-	2	1	3	2	6	17	25	33	32	28	23	9	4	4	-	-	-
	F---	176	-	1	1	2	-	-	1	5	9	12	18	20	21	26	22	16	8	5	6	3	-	-
140-148	Of buccal cavity and pharynx-------	121	-	-	-	-	1	-	2	-	1	2	5	11	12	13	24	11	18	9	7	4	1	-
	White------M---	91	-	-	-	-	1	-	1	-	1	1	5	7	9	13	18	11	12	4	5	3	-	-
	F---	27	-	-	-	-	-	-	1	-	-	-	-	3	2	-	6	-	6	5	2	1	1	-
	Nonwhite--M---	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	2,362	-	-	1	-	1	3	6	14	25	35	68	145	180	304	361	395	358	278	148	35	4	1
	White------M---	1,157	-	-	1	-	1	-	2	6	16	15	29	80	84	129	185	202	189	136	64	17	-	1
	F---	1,069	-	-	-	-	-	2	3	6	7	18	32	49	73	152	149	178	162	138	78	18	4	-
	Nonwhite--M---	78	-	-	-	-	-	1	-	-	1	-	4	8	15	15	17	6	5	2	3	-	-	-
	F---	58	-	-	-	-	-	-	1	2	1	2	3	7	8	8	10	9	2	2	3	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	920	-	-	-	-	-	1	3	6	15	39	64	115	134	164	151	109	65	40	14	-	-	-
	White—M	740	-	-	-	-	-	1	2	5	12	27	48	97	110	142	126	90	44	30	6	-	-	-
	F	125	-	-	-	-	-	-	1	-	2	6	7	9	15	13	19	16	19	10	8	-	-	-
	Nonwhite—M	46	-	-	-	-	-	-	-	1	1	4	8	7	8	7	5	3	2	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	-	-	-	-	-	-	-
170	Of breast	571	-	-	-	-	-	-	-	4	27	36	47	66	68	63	80	61	55	29	26	9	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	-	-
	F	541	-	-	-	-	-	-	-	4	27	34	43	61	64	60	78	59	50	27	26	8	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	2	4	4	3	2	2	1	2	2	-	1	-	-
171-179	Of genital organs	1,155	-	2	-	1	-	2	2	17	40	50	78	74	110	121	155	158	147	117	59	19	3	-
	White—M	435	-	1	-	-	-	1	-	-	3	5	2	6	25	34	66	80	66	92	39	13	2	-
	F	642	-	1	-	-	-	1	2	16	30	41	65	61	77	75	83	65	77	25	17	5	1	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	10	1	-	-	-	-	-
	F	57	-	-	-	1	-	-	-	1	7	4	10	5	6	9	4	3	3	-	3	1	-	-
180, 181	Of urinary organs	316	-	1	3	-	-	-	-	1	1	7	10	9	40	31	59	45	45	37	21	4	2	-
	White—M	189	-	-	2	-	-	-	-	1	1	4	7	6	28	22	30	28	28	17	13	2	-	-
	F	112	-	1	1	-	-	-	-	-	-	3	2	2	11	9	24	12	16	19	8	2	2	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	3	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	701	2	15	8	14	7	10	9	16	22	23	44	51	71	86	86	92	61	39	28	13	4	-
	White—M	369	-	7	6	9	6	5	4	11	13	9	19	25	39	41	54	48	30	18	18	5	2	-
	F	308	2	7	2	4	1	5	5	5	9	13	24	23	26	38	31	44	30	20	10	7	2	-
	Nonwhite—M	11	-	-	-	1	-	-	-	-	-	1	1	2	3	2	-	-	-	1	-	-	-	-
	F	13	-	1	-	-	-	-	-	-	-	-	-	1	3	5	1	-	1	-	-	1	-	-
204	Leukemia and aleukemia	331	1	26	20	13	9	9	5	4	11	11	14	13	30	30	35	38	34	18	6	4	-	-
	White—M	195	-	14	10	8	6	5	3	3	2	6	10	7	19	15	21	24	23	11	5	3	-	-
	F	126	1	12	9	5	3	4	2	1	8	5	4	5	10	14	11	13	11	7	-	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
	F	6	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	314	5	2	3	4	5	5	10	15	15	13	22	23	31	38	38	33	31	15	6	-	-	-
	White—M	163	4	-	2	1	1	3	8	7	13	6	9	9	20	23	20	19	11	5	2	-	-	-
	F	129	1	2	1	1	4	1	1	4	2	5	11	11	9	12	18	13	20	9	4	-	-	-
	Nonwhite—M	18	-	-	-	1	-	1	1	2	-	1	2	3	2	3	-	1	-	1	-	-	-	-
	F	4	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	111	5	2	-	4	1	3	2	1	7	9	12	8	10	7	9	13	6	7	4	-	1	-
	White—M	48	2	2	-	2	1	1	1	-	2	2	5	5	7	3	5	6	1	-	3	-	-	-
	F	50	3	-	-	2	-	2	1	-	4	6	2	1	3	4	4	6	4	6	1	-	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	1	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	1	-	-	-	-	-	-
241	Asthma	143	1	-	-	1	1	1	4	3	2	6	3	14	14	17	28	24	14	3	5	2	-	-
	White—M	91	-	-	-	1	-	-	-	1	1	4	1	8	8	16	20	14	12	1	3	1	-	-
	F	41	-	-	-	-	-	1	3	2	-	1	2	4	5	1	7	9	1	2	2	1	-	-
	Nonwhite—M	6	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus	809	-	-	-	1	2	2	1	7	7	11	27	45	73	100	128	156	126	79	39	5	-	-
	White—M	315	-	-	-	-	1	1	1	3	5	7	13	17	29	38	45	56	52	35	10	2	-	-
	F	442	-	-	-	1	1	1	-	3	2	3	11	19	38	51	75	95	71	43	25	3	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	1	1	2	-	-	-
	F	36	-	-	-	-	-	-	-	1	-	-	3	8	3	9	5	3	2	-	2	-	-	-
290-293	Anemias	103	-	3	2	-	1	1	1	-	5	-	1	5	-	8	12	17	15	20	9	2	1	-
	White—M	49	-	-	1	-	-	-	-	-	-	-	1	3	-	4	5	10	9	8	6	1	1	-
	F	46	-	2	1	-	1	1	1	-	2	-	-	2	-	3	6	6	6	11	3	1	-	-
	Nonwhite—M	5	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	38	16	7	1	-	1	1	2	1	-	1	-	1	2	-	1	2	2	-	-	-	-	-
	White—M	23	11	3	-	-	1	-	1	1	-	1	-	-	2	-	1	1	1	-	-	-	-	-
	F	11	3	3	1	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	25,259	15	9	8	9	24	31	43	94	174	363	692	1,062	1,452	2,209	2,980	3,837	4,263	3,935	2,692	1,050	299	18
	White—M	13,606	7	5	4	2	14	16	23	51	109	241	468	695	943	1,421	1,779	2,134	2,109	1,898	1,169	423	90	5
	F	10,451	4	4	3	6	9	8	14	28	43	71	152	272	372	639	1,026	1,548	2,033	1,949	1,465	597	197	11
	Nonwhite—M	636	2	-	1	1	-	5	3	6	11	25	31	55	69	75	115	92	56	42	24	14	7	2
	F	566	2	-	-	-	1	2	3	9	11	26	41	40	68	74	60	63	65	46	34	16	5	-
330-334, 400-468	Dis. of cardiovascular system	24,848	15	8	7	7	16	25	40	82	166	348	668	1,037	1,425	2,187	2,933	3,767	4,218	3,886	2,660	1,037	298	18
	White—M	13,407	7	4	3	2	7	13	21	40	105	235	458	686	935	1,409	1,760	2,099	2,084	1,873	1,154	417	90	5
	F	10,275	4	4	3	4	8	7	13	27	40	67	142	259	358	631	1,003	1,519	2,014	1,926	1,449	590	196	11
	Nonwhite—M	622	2	-	1	1	-	4	3	6	11	23	30	54	67	74	111	90	56	42	24	14	7	2
	F	544	2	-	-	-	1	1	3	9	10	23	38	38	65	73	59	59	64	45	33	16	5	-
330-334	Vascular lesions, etc.*	5,806	7	1	3	2	6	10	8	17	26	39	87	155	234	398	621	952	1,115	1,090	700	252	76	7
	White—M	2,708	4	-	2	-	2	3	4	3	11	20	38	72	112	205	328	485	519	484	293	100	21	2
	F	2,801	1	1	1	2	4	4	4	11	9	10	36	59	89	152	249	430	562	583	392	147	51	4
	Nonwhite—M	139	2	-	-	-	-	2	-	1	3	3	5	12	10	24	24	18	14	13	3	1	3	1
	F	158	-	-	-	-	-	1	-	2	3	6	8	12	23	17	20	19	20	10	12	4	1	-
400-402, 410-443	Diseases of heart	17,090	8	7	4	5	7	13	28	61	127	282	554	826	1,126	1,699	2,160	2,559	2,745	2,432	1,664	613	159	11
	White—M	9,720	3	4	1	2	5	9	16	35	87	203	404	580	783	1,149	1,355	1,472	1,386	1,200	720	251	52	3
	F	6,590	3	3	2	2	2	2	7	15	28	49	98	181	253	448	690	988	1,286	1,177	905	344	100	7
	Nonwhite—M	440	-	-	1	1	-	2	3	5	6	19	23	42	53	46	80	62	37	26	19	10	4	1
	F	340	2	-	-	-	-	-	2	6	6	11	29	23	37	56	35	37	36	29	20	8	3	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	526	-	-	3	5	3	5	11	13	33	31	58	60	58	61	49	41	39	32	21	2	1	-
	White—M	252	-	-	-	2	2	3	7	8	16	15	33	28	29	26	22	19	19	13	9	1	-	-
	F	241	-	-	2	2	1	1	2	5	17	12	21	31	25	31	22	18	19	18	12	1	1	-
	Nonwhite—M	18	-	-	1	1	-	1	1	-	-	2	2	1	4	-	3	2	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	1	-	-	2	2	-	-	4	2	2	1	1	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																							
420	Arteriosclerotic heart dis., etc.*	12,289	-	-	-	-	1	5	9	36	81	222	428	651	894	1,370	1,689	1,931	1,940	1,584	974	383	83	8
	White-----M--	7,561	-	-	-	-	1	4	5	24	65	173	341	503	669	978	1,103	1,181	1,050	818	446	173	25	2
	F--	4,264	-	-	-	-	-	-	2	4	9	30	59	114	173	328	507	691	848	737	506	198	53	5
	Nonwhite--M--	288	-	-	-	-	-	1	1	4	4	12	13	26	32	35	59	39	23	16	13	6	3	1
	F--	176	-	-	-	-	-	-	1	4	3	7	15	8	20	29	20	20	19	13	9	6	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,494	1	1	-	-	-	1	3	2	5	9	17	31	52	90	123	193	258	291	275	108	36	-
	White-----M--	687	-	-	-	-	-	-	2	-	4	6	7	15	31	47	77	91	124	133	105	31	14	-
	F--	737	1	1	-	-	-	1	-	1	-	2	7	9	15	29	41	96	121	152	163	77	21	-
	Nonwhite--M--	38	-	-	-	-	-	-	1	-	1	1	2	4	3	7	4	4	3	5	2	-	1	-
	F--	32	-	-	-	-	-	-	-	1	-	-	1	3	3	7	1	2	8	1	5	-	-	-
430-434	Other diseases of heart----------	641	7	6	1	-	3	2	4	9	2	9	15	19	33	49	58	86	106	102	90	25	14	1
	White-----M--	314	3	4	1	-	2	2	1	3	1	5	8	11	12	32	39	46	53	45	33	8	5	-
	F--	291	2	2	-	-	1	-	3	4	1	3	4	6	15	12	15	35	52	55	56	15	9	1
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	4	1	1	1	-	-	-
	F--	22	2	-	-	-	-	-	-	1	-	-	3	1	5	4	2	1	-	1	-	2	-	-
440-443	Hypertensive heart disease-----	2,140	-	-	-	-	-	-	1	1	6	11	36	65	89	129	241	306	404	423	304	95	25	2
	White-----M--	906	-	-	-	-	-	-	1	-	1	4	15	23	42	66	114	135	140	191	127	38	8	1
	F--	1,057	-	-	-	-	-	-	-	1	1	2	7	21	25	48	105	148	246	215	168	53	16	1
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	1	3	6	10	13	3	12	13	10	4	3	4	-	-
	F--	95	-	-	-	-	-	-	-	-	3	2	8	11	9	12	10	12	8	13	6	-	1	-
444-447	Other hypertensive disease------	393	-	-	-	-	-	1	1	-	3	14	9	25	24	25	32	55	74	67	34	23	6	-
	White-----M--	188	-	-	-	-	-	-	-	-	1	5	6	13	12	9	12	28	37	35	17	12	1	-
	F--	179	-	-	-	-	-	1	1	-	-	4	2	9	9	14	17	25	34	30	17	11	5	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	-	1	-	2	2	3	2	-	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	5	-	3	1	-	-	-	3	1	-	-	-	-
450	General arteriosclerosis---------	1,162	-	-	-	-	-	-	-	-	1	2	6	8	9	26	68	119	226	254	246	141	56	-
	White-----M--	556	-	-	-	-	-	-	-	-	1	-	5	5	7	17	29	69	112	130	114	51	16	-
	F--	566	-	-	-	-	-	-	-	-	-	1	-	3	1	7	34	45	107	117	129	83	39	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	2	2	3	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	4	5	1	4	1	-
451-468	Other diseases of circulatory sys.-	397	-	-	-	-	3	1	3	4	9	11	12	23	32	39	52	82	58	43	16	8	1	-
	White-----M--	235	-	-	-	-	-	1	1	2	5	7	5	16	21	29	36	45	30	24	10	3	-	-
	F--	139	-	-	-	-	2	-	1	1	3	3	6	7	6	10	13	31	25	19	6	5	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	5	2	-	-	-	-	-
	F--	10	-	-	-	-	1	-	1	1	-	-	1	-	3	-	1	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	411	-	1	1	2	8	6	3	12	8	15	24	25	27	22	47	70	45	49	32	13	1	-
	White-----M--	199	-	1	1	-	7	3	2	11	4	6	10	9	8	12	19	35	25	25	15	6	-	-
	F--	176	-	-	-	2	1	1	1	1	3	4	10	13	14	8	23	29	19	23	16	7	1	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	-	2	1	1	2	1	4	2	-	-	-	-	-	-
	F--	22	-	-	-	-	-	1	-	-	1	3	3	2	3	1	1	4	1	1	1	-	-	-
480-493	Influenza and pneumonia, etc.*	1,324	227	78	15	4	4	10	12	15	10	14	29	43	62	77	91	112	167	150	115	67	22	-
	White-----M--	673	93	35	7	1	2	3	7	5	4	6	18	27	34	43	56	70	97	82	51	27	5	-
	F--	496	85	28	5	3	1	5	4	7	4	3	4	8	16	17	30	32	62	67	61	37	17	-
	Nonwhite--M--	90	21	9	2	-	1	2	1	2	1	2	4	4	10	11	5	8	4	-	2	1	-	-
	F--	65	28	6	1	-	-	-	-	1	1	3	3	4	2	6	-	2	4	1	1	2	-	-
480-483	Influenza----------	160	7	3	2	-	-	2	4	2	3	1	2	5	9	12	9	17	21	22	23	12	4	-
	White-----M--	74	4	1	1	-	-	1	2	1	1	-	1	3	3	8	4	8	9	11	12	3	1	-
	F--	73	3	1	1	-	-	1	1	1	-	1	1	-	5	3	5	6	12	11	10	8	3	-
	Nonwhite--M--	9	-	1	-	-	-	-	1	-	1	-	-	1	1	1	-	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-
490-493	Pneumonia, etc.*	1,164	220	75	13	4	4	8	8	13	7	13	27	38	53	65	82	95	146	128	92	55	18	-
	White-----M--	599	89	34	6	1	2	2	5	4	3	6	17	24	31	35	52	62	88	71	39	24	4	-
	F--	423	82	27	4	3	1	4	3	6	4	2	3	8	11	14	25	26	50	56	51	29	14	-
	Nonwhite--M--	81	21	8	2	-	1	2	-	2	-	2	4	3	9	10	5	5	4	-	2	1	-	-
	F--	61	28	6	1	-	-	-	-	1	-	3	3	3	2	6	-	2	4	1	-	1	-	-
500-502	Bronchitis----------	69	23	4	2	-	-	-	-	-	-	4	3	1	2	6	5	3	6	3	5	1	1	-
	White-----M--	41	13	3	-	-	-	-	-	-	-	1	1	1	2	6	5	3	4	2	-	-	-	-
	F--	22	7	1	1	-	-	-	-	-	-	2	2	-	-	-	-	-	2	1	4	1	1	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	276	2	-	-	-	1	-	1	3	4	9	8	21	31	28	48	41	31	27	17	4	-	-
	White-----M--	195	2	-	-	-	1	-	-	1	3	9	7	14	24	25	37	27	23	13	6	3	-	-
	F--	73	-	-	-	-	-	-	1	1	-	-	1	7	5	3	10	13	7	13	11	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	46	-	2	3	3	1	1	-	-	-	1	6	4	-	2	4	8	6	2	2	1	-	-
	White-----M--	28	-	1	1	2	1	1	-	-	-	1	5	1	-	1	3	4	5	1	-	1	-	-
	F--	13	-	1	2	1	-	-	-	-	-	-	1	2	-	1	-	2	1	-	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	249	24	4	-	-	-	1	2	1	3	3	5	16	12	24	23	28	28	48	16	9	2	-
	White-----M--	112	15	-	-	-	-	-	-	1	-	-	2	8	7	15	13	14	14	13	7	3	-	-
	F--	123	6	4	-	-	-	1	2	-	3	3	2	7	3	9	9	12	12	33	9	6	2	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	2	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	184	48	23	1	1	1	1	4	1	2	4	1	4	5	16	15	15	18	15	7	2	-	-
	White-----M--	87	24	14	1	1	1	1	2	-	1	2	-	1	2	6	9	8	5	5	4	-	-	-
	F--	85	17	9	-	-	-	-	2	-	1	2	1	3	3	9	6	6	12	9	3	2	-	-
	Nonwhite--M--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	6	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	386	1	-	-	-	-	1	3	4	23	27	26	45	67	41	54	40	25	14	12	3	-	-
	White-----M--	251	-	-	-	-	-	-	3	1	10	16	13	30	52	33	39	27	14	6	5	2	-	-
	F--	120	1	-	-	-	-	-	-	-	11	9	13	12	15	8	13	11	11	8	7	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	3	1	2	-	1	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																							
584, 585	Cholelithiasis, etc.*	144	-	-	-	-	-	1	2	1	3	5	2	4	11	16	16	26	23	18	13	2	1	-
	White—M	57	-	-	-	-	-	1	1	-	-	1	1	1	4	4	6	10	13	8	6	-	1	-
	F	86	-	-	-	-	-	-	1	1	3	4	1	3	7	12	9	16	10	10	7	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	80	-	-	4	2	-	1	-	7	-	4	5	3	2	7	7	8	12	10	7	1	-	-
	White—M	47	-	-	3	-	-	1	-	3	-	1	2	2	2	4	4	5	7	8	5	-	-	-
	F	25	-	-	1	1	-	-	-	3	-	2	2	-	-	2	3	3	3	2	2	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
600	Infections of kidney	178	1	1	-	1	1	-	-	1	3	4	11	9	13	15	27	20	32	20	12	7	-	-
	White—M	93	-	1	-	-	-	-	-	1	3	1	5	3	6	9	17	10	17	11	6	3	-	-
	F	69	-	-	-	1	1	-	-	-	-	1	4	3	5	5	8	9	15	8	6	3	-	-
	Nonwhite—M	9	1	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	1	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate	126	-	-	-	-	-	-	-	-	-	1	1	2	5	2	11	15	25	31	25	6	2	-
	White—M	119	-	-	-	-	-	-	-	-	-	-	1	1	4	2	11	15	23	29	25	6	2	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	2	-	-	-	-
640-689	Complications of pregnancy, etc.*	31	...	...	...	-	3	5	6	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	...	...	...	-	3	5	6	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	...	...	...	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	28	...	...	...	-	3	4	6	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	...	...	...	-	3	4	6	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	563	431	41	16	10	9	4	2	7	4	4	8	8	3	2	6	2	2	3	1	-	-	-
	White—M	274	214	16	3	4	5	3	1	5	2	3	4	3	2	1	3	1	2	1	1	-	-	-
	F	248	183	22	12	5	4	1	1	2	2	1	4	4	1	1	3	1	-	1	-	-	-	-
	Nonwhite—M	24	22	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F	17	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,683	1,683	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	893	893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	579	579	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	777	777	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	436	436	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	807	807	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	409	409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	297	297	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	223	22	5	-	-	-	3	2	5	2	3	4	1	8	16	13	22	20	34	33	18	11	1
	White—M	105	10	3	-	-	-	1	-	1	1	3	4	1	4	10	11	10	13	15	11	5	1	1
	F	108	7	2	-	-	-	1	2	3	1	-	-	-	3	5	2	12	7	19	21	13	10	-
	Nonwhite—M	6	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F	4	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Residual	All other diseases	1,624	84	41	18	15	22	13	23	22	30	40	75	92	113	160	204	224	185	131	87	34	11	-
	White—M	897	45	21	13	7	12	5	8	10	16	21	40	53	75	95	127	128	99	67	34	17	4	-
	F	620	26	16	5	7	7	8	10	8	7	13	32	28	31	48	67	88	82	61	53	17	6	-
	Nonwhite—M	54	8	-	-	-	2	-	1	1	2	2	2	8	2	7	8	6	3	2	-	-	-	-
	F	53	5	4	-	1	1	-	4	3	5	4	1	3	5	10	2	2	1	1	-	-	1	-
E800-E962	Accidents	2,571	117	128	85	83	181	121	150	100	106	145	106	118	129	111	138	143	192	188	149	55	24	2
	White—M	1,563	49	67	49	63	140	97	117	72	75	110	70	78	91	72	82	74	99	76	59	15	7	1
	F	877	51	43	31	17	35	19	22	20	24	27	30	35	33	32	50	66	90	108	88	39	17	-
	Nonwhite—M	85	7	9	4	3	4	4	9	6	5	4	3	4	4	6	6	1	2	2	1	-	-	1
	F	46	10	9	1	-	2	1	2	2	2	4	3	1	1	1	-	2	1	2	1	1	-	-
E810-E835	Motor vehicle accidents	1,077	14	47	32	37	136	90	95	55	63	81	56	61	62	55	56	44	46	32	14	1	-	-
	White—M	722	5	21	19	24	103	68	74	37	43	59	34	38	38	32	40	29	26	20	11	1	-	-
	F	318	9	21	11	12	29	18	15	17	18	20	20	21	23	20	16	14	19	12	3	-	-	-
	Nonwhite—M	24	-	3	1	1	2	3	6	-	2	-	-	1	1	2	-	1	1	-	-	-	-	-
	F	13	-	2	1	-	2	1	-	1	-	2	2	1	-	1	-	-	-	-	-	-	-	-
E800-E962	Other accidents	1,494	103	81	53	46	45	31	55	45	43	64	50	57	67	56	82	99	146	156	135	54	24	2
E802, E840-E962	White—M	841	44	46	30	39	37	29	43	35	32	51	36	40	53	40	42	45	73	56	48	14	7	1
	F	559	42	22	20	5	6	1	7	3	6	7	10	14	10	12	34	52	71	96	85	39	17	-
	Nonwhite—M	61	7	6	3	2	2	1	3	6	3	4	3	3	3	4	6	-	1	2	1	-	-	1
	F	33	10	7	-	-	-	-	2	1	2	2	1	-	1	-	-	2	1	2	1	1	-	-
E963, E970-E979	Suicide	516	-	-	-	3	7	17	28	37	47	57	43	53	43	50	38	36	26	21	8	-	2	-
	White—M	416	-	-	-	3	4	12	19	28	36	49	35	42	31	37	31	34	25	21	7	-	2	-
	F	93	-	-	-	-	3	4	9	7	11	7	8	10	12	11	7	2	1	-	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	133	2	-	1	-	9	12	15	14	18	18	10	6	14	4	6	3	1	-	-	-	-	-
	White—M	53	1	-	1	-	3	5	6	3	5	6	2	4	10	1	4	2	-	-	-	-	-	-
	F	24	-	-	-	-	1	3	2	2	2	4	1	1	2	2	2	1	1	-	-	-	-	-
	Nonwhite—M	47	1	-	-	-	4	4	5	9	7	8	6	1	2	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	1	-	2	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA																							
	All causes	27,776	1,418	208	127	91	199	189	173	188	302	447	680	1,067	1,449	2,232	2,971	3,543	4,066	3,960	2,908	1,213	329	16
	White--M	15,510	805	106	77	59	139	139	125	123	187	264	437	693	955	1,424	1,830	2,036	2,224	1,935	1,326	485	113	8
	F	11,904	568	99	47	31	58	45	43	57	104	153	227	354	473	770	1,111	1,469	1,807	1,990	1,555	723	212	8
	Nonwhite--M	183	18	2	2	-	1	2	2	3	7	6	10	13	14	24	19	14	19	12	10	3	2	-
	F	179	27	1	1	1	1	3	3	5	4	4	6	7	7	14	11	24	16	23	17	2	2	-
001-019	Tuberculosis, all forms	77	-	-	-	-	-	1	1	-	2	2	9	7	11	11	13	6	8	3	3	-	-	-
	White--M	53	-	-	-	-	-	-	-	-	1	2	5	6	9	6	11	4	6	2	1	-	-	-
	F	19	-	-	-	-	-	-	1	-	1	-	2	-	2	5	2	2	2	1	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	73	-	-	-	-	-	1	1	-	2	2	9	7	10	10	12	6	7	3	3	-	-	-
	White--M	49	-	-	-	-	-	-	-	-	1	2	5	6	8	5	10	4	5	2	1	-	-	-
	F	19	-	-	-	-	-	1	1	-	1	-	2	-	2	5	2	2	2	1	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	37	-	-	-	-	-	-	-	-	-	-	1	3	3	7	7	6	5	4	1	-	-	-
	White--M	26	-	-	-	-	-	-	-	-	-	-	1	2	3	4	6	4	2	3	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
045-048	Dysentery, all forms	6	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
	White--M	6	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	81	15	8	4	-	2	1	1	3	6	3	3	4	4	5	-	5	4	8	4	1	-	-
	White--M	38	8	2	2	-	-	-	1	2	1	3	1	3	1	4	-	2	2	4	1	1	-	-
	F	41	7	6	2	-	2	1	-	1	5	-	2	1	3	1	-	3	1	3	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	4,439	1	27	28	7	15	17	21	25	64	94	206	280	374	527	653	677	633	443	251	79	14	3
	White--M	2,299	1	16	15	5	10	10	13	8	26	37	93	121	184	290	343	372	360	231	127	34	3	-
	F	2,095	-	11	12	2	5	7	8	17	36	56	112	153	185	232	305	296	270	209	121	44	11	3
	Nonwhite--M	23	-	-	-	-	-	-	-	-	1	1	-	5	5	1	3	3	2	-	1	1	-	-
	F	22	-	-	1	-	-	-	-	-	1	-	1	1	-	4	2	6	1	3	2	-	-	-
140-148	Of buccal cavity and pharynx	83	-	-	-	-	-	-	-	-	-	1	9	5	5	10	10	13	13	9	5	2	1	-
	White--M	65	-	-	-	-	-	-	-	-	-	1	7	4	5	7	8	10	9	7	4	2	1	-
	F	17	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	2	4	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,527	-	1	-	-	-	1	2	4	17	20	41	84	104	172	214	271	235	212	105	37	5	2
	White--M	792	-	1	-	-	-	1	1	2	7	11	19	39	52	97	121	145	137	103	42	13	1	-
	F	717	-	-	-	-	-	-	1	2	10	9	22	42	48	74	93	122	96	107	61	24	4	2
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	2	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	470	-	-	-	-	-	-	1	-	1	4	21	41	62	82	91	82	46	28	8	2	1	-
	White—M	401	-	-	-	-	-	-	-	-	1	3	21	33	56	72	78	70	37	23	6	1	-	-
	F	64	-	-	-	-	-	-	1	-	-	-	-	6	6	10	12	12	8	5	2	1	1	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	411	-	-	-	-	-	-	1	1	10	13	36	39	43	49	56	49	54	32	20	5	2	1
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-
	F	404	-	-	-	-	-	-	1	1	10	13	36	39	43	47	55	47	54	30	20	5	2	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
171-179	Of genital organs	726	-	2	-	-	-	5	2	4	11	24	32	32	52	70	102	97	129	88	59	16	1	-
	White—M	368	-	2	-	-	-	3	1	2	4	3	4	2	9	24	44	54	97	62	45	12	-	-
	F	352	-	-	-	-	-	2	1	2	7	21	28	30	43	45	56	42	32	26	13	3	1	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	198	-	2	2	-	1	-	1	-	4	4	6	11	12	17	37	28	41	16	11	3	2	-
	White—M	117	-	-	-	-	1	-	1	-	2	3	4	8	8	11	22	17	26	9	5	-	-	-
	F	78	-	2	1	-	-	-	-	-	2	1	2	3	4	5	14	11	15	7	6	3	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	549	1	12	8	4	6	5	7	8	15	17	33	42	40	66	68	77	60	37	33	8	2	-
	White—M	289	1	9	4	3	3	4	4	3	8	8	17	27	19	42	33	40	25	16	20	2	1	-
	F	252	-	3	4	1	3	1	3	5	6	9	15	14	20	24	34	34	35	21	13	6	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-
204	Leukemia and aleukemia	246	-	9	15	3	7	2	2	4	5	7	11	12	25	24	25	35	35	14	7	4	-	-
	White—M	143	-	4	9	2	5	1	1	-	3	5	8	3	14	14	14	25	22	7	4	2	-	-
	F	101	-	5	6	1	2	1	1	4	1	2	3	9	11	9	11	10	13	7	3	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	229	-	1	3	-	1	4	5	4	1	4	17	14	31	37	50	25	20	7	3	2	-	-
	White—M	119	-	-	2	-	1	1	5	1	1	3	13	5	21	22	22	9	7	3	1	2	-	-
	F	110	-	1	1	-	-	3	-	3	-	1	4	9	10	15	28	16	13	4	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	66	3	-	1	-	1	2	-	3	1	3	4	7	6	6	9	8	5	3	4	-	-	-
	White—M	30	1	-	-	-	1	2	-	1	-	1	3	3	4	3	3	3	3	2	-	-	-	-
	F	34	2	-	1	-	-	-	-	2	-	2	1	4	1	3	6	5	2	1	4	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	84	-	1	-	-	-	-	-	-	-	1	1	6	10	8	13	15	14	9	2	3	1	-
	White—M	62	-	-	-	-	-	-	-	-	-	1	1	3	8	6	9	13	13	5	1	2	-	-
	F	22	-	1	-	-	-	-	-	-	-	-	-	3	2	2	4	2	1	4	1	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	485	-	-	-	1	-	1	2	1	7	9	15	21	30	50	66	91	75	72	35	9	-	-
	White—M	202	-	-	-	-	-	-	1	1	3	4	5	7	13	20	24	35	35	33	18	3	-	-
	F	276	-	-	-	1	-	1	1	-	3	5	10	13	16	30	41	55	38	39	17	6	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
290-293	Anemias	57	-	1	1	-	2	-	-	-	-	1	-	1	3	3	6	7	15	9	6	-	2	-
	White—M	23	-	1	-	-	2	-	-	-	-	1	-	-	1	-	2	2	8	4	1	-	1	-
	F	34	-	-	1	-	-	-	-	-	-	-	-	1	2	3	4	5	7	5	5	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	24	8	4	1	-	-	1	-	1	-	1	-	1	-	4	2	1	-	-	-	-	-	-
	White—M	11	3	3	1	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	F	13	5	1	-	-	-	1	-	1	-	-	-	1	-	3	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	16,201	8	7	6	8	11	21	20	39	81	175	259	514	744	1,233	1,762	2,273	2,825	2,901	2,188	885	233	8
	White—M	8,979	7	4	4	3	6	14	11	24	64	129	203	385	546	817	1,133	1,315	1,511	1,390	985	347	77	4
	F	7,037	1	3	2	4	4	5	8	12	14	44	50	118	187	391	608	933	1,291	1,487	1,183	535	153	4
	Nonwhite—M	89	-	-	-	-	-	1	-	1	1	1	3	7	5	17	14	7	11	10	8	2	1	-
	F	96	-	-	-	1	1	1	1	2	2	1	3	4	6	8	7	18	12	14	12	1	2	-
330-334, 400-468	Dis. of cardiovascular system	16,002	8	5	5	7	10	19	20	35	75	167	252	504	733	1,221	1,742	2,254	2,798	2,870	2,164	873	232	8
	White—M	8,874	7	3	3	2	6	12	11	21	59	125	198	380	540	810	1,121	1,302	1,498	1,376	974	345	77	4
	F	6,948	1	2	2	4	3	5	8	12	13	40	49	114	182	386	600	928	1,277	1,470	1,171	525	152	4
	Nonwhite—M	86	-	-	-	-	-	1	-	1	1	1	2	6	5	17	14	7	11	10	7	2	1	-
	F	94	-	-	-	1	1	1	1	1	2	1	3	4	6	8	7	17	12	14	12	1	2	-
330-334	Vascular lesions, etc.*	4,005	2	3	1	2	4	5	4	3	10	22	32	61	110	225	357	538	764	905	649	251	54	3
	White—M	1,884	2	2	-	1	4	2	2	-	8	6	17	34	61	119	194	280	366	403	269	93	19	2
	F	2,083	-	1	1	1	-	3	2	3	2	15	15	25	46	99	161	252	393	497	377	156	33	1
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2	2	2	3	1	2	1	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	3	2	2	-	1	-	-
400-402, 410-443	Diseases of heart	10,665	6	2	4	5	4	10	13	26	58	142	208	424	590	937	1,280	1,577	1,836	1,688	1,230	483	137	5
	White—M	6,304	5	1	3	1	2	8	9	18	47	117	169	332	452	658	863	933	1,026	841	571	198	48	2
	F	4,230	1	1	1	3	2	1	3	6	9	24	34	84	130	263	399	627	794	829	644	284	88	3
	Nonwhite—M	62	-	-	-	-	-	-	-	1	1	-	2	4	4	12	11	5	9	7	6	-	-	-
	F	69	-	-	-	1	-	1	1	1	1	1	3	4	4	4	7	12	7	11	9	1	1	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	258	-	2	1	1	2	2	5	3	13	12	27	25	29	33	32	24	16	18	11	1	1	-
	White—M	129	-	1	-	-	1	1	4	-	7	5	13	17	17	18	15	10	8	9	3	-	-	-
	F	125	-	1	1	1	1	-	1	2	6	7	12	8	12	15	17	14	8	9	8	1	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Con.																							
420	Arteriosclerotic heart dis., etc.*	8,007	-	-	-	-	1	5	7	18	41	114	164	337	492	778	1,021	1,240	1,390	1,200	804	311	82	2
	White——M—	5,021	-	-	-	-	-	4	4	14	38	100	146	280	397	576	724	763	806	614	399	124	31	1
	F—	2,904	-	-	-	-	1	1	2	3	2	14	18	52	90	194	285	464	572	574	395	186	50	1
	Nonwhite—M—	49	-	-	-	-	-	-	-	1	1	-	-	3	2	7	10	5	8	6	6	-	-	-
	F—	33	-	-	-	-	-	-	1	-	-	-	-	2	3	1	2	8	4	6	4	1	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*—	1,085	1	-	1	-	-	2	1	3	1	3	3	14	13	40	81	112	209	218	219	106	38	-
	White——M—	531	1	-	1	-	-	2	1	3	1	3	3	9	8	17	46	65	106	112	97	43	13	-
	F—	521	-	-	-	-	-	-	-	-	-	-	-	5	5	19	35	46	102	103	118	63	25	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	4	-	-	-
430-434	Other diseases of heart—	441	5	-	2	4	1	-	-	-	2	7	3	14	22	40	48	70	53	66	69	28	6	1
	White——M—	242	4	-	2	1	1	-	-	-	1	6	3	10	14	26	25	42	28	32	31	13	2	1
	F—	191	1	-	-	2	-	-	-	-	1	1	-	4	7	13	23	26	24	33	37	15	4	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
440-443	Hypertensive heart disease—	894	-	-	-	-	-	1	-	2	1	6	11	34	34	46	98	131	168	186	127	37	10	2
	White——M—	381	-	-	-	-	-	1	-	1	-	3	4	16	16	21	53	53	78	74	41	18	2	-
	F—	489	-	-	-	-	-	-	-	1	-	2	4	15	16	22	39	77	88	110	86	19	8	2
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	1	-	-	-	-
	F—	16	-	-	-	-	-	-	-	-	1	1	2	2	1	1	5	1	1	1	-	-	-	-
444-447	Other hypertensive disease—	259	-	-	-	-	-	-	1	2	4	2	4	10	9	21	20	32	47	48	33	18	8	-
	White——M—	140	-	-	-	-	-	-	-	1	3	1	4	7	8	8	10	22	23	24	22	6	1	-
	F—	116	-	-	-	-	-	-	1	1	-	1	-	3	1	12	10	10	23	24	11	12	7	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis—	798	-	-	-	-	-	1	-	-	1	-	-	2	5	7	40	61	114	192	229	113	33	-
	White——M—	381	-	-	-	-	-	-	-	-	-	-	-	1	5	4	23	36	63	94	102	44	9	-
	F—	411	-	-	-	-	-	-	-	-	1	-	-	1	-	3	16	24	50	97	126	69	24	-
	Nonwhite—M—	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
451-468	Other diseases of circulatory sys.—	275	-	-	-	-	2	3	2	4	2	1	8	7	19	31	45	46	37	37	23	8	-	-
	White——M—	165	-	-	-	-	-	2	-	2	1	1	8	6	14	21	31	31	20	14	10	4	-	-
	F—	108	-	-	-	-	1	1	2	2	1	-	-	1	5	9	14	15	17	23	13	4	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*—	199	-	2	1	1	1	2	-	4	6	8	7	10	11	12	20	19	27	31	24	12	1	-
	White——M—	105	-	1	1	1	-	2	-	3	5	4	5	5	6	7	12	13	13	14	11	2	-	-
	F—	89	-	1	-	-	1	-	-	-	1	4	1	4	5	5	8	5	14	17	12	10	1	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*—	846	105	21	6	2	3	2	3	3	14	5	9	17	27	32	61	74	94	128	129	80	29	2
	White——M—	431	56	11	2	2	-	2	-	3	8	2	7	13	19	24	40	43	50	61	52	24	11	1
	F—	399	45	10	4	-	3	-	3	-	6	3	1	3	7	7	21	30	41	66	75	55	18	1
	Nonwhite—M—	8	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	1	-	-	-	-
	F—	8	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-
480-483	Influenza—	88	2	1	-	-	-	-	-	-	-	1	2	3	2	6	6	6	17	17	14	8	3	-
	White——M—	41	-	1	-	-	-	-	-	-	-	-	1	2	1	4	5	4	11	4	5	3	-	-
	F—	46	2	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	6	13	9	5	3	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*—	758	103	20	6	2	3	2	3	3	14	4	7	14	25	26	55	68	77	111	115	72	26	2
	White——M—	390	56	10	2	2	-	2	-	3	8	2	6	11	18	20	35	39	39	57	47	21	11	1
	F—	353	43	10	4	-	3	-	3	-	6	2	1	2	6	5	20	28	35	53	66	50	15	1
	Nonwhite—M—	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-
	F—	8	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-
500-502	Bronchitis—	70	9	7	-	1	-	-	-	-	-	-	-	3	6	6	5	10	8	7	7	1	-	-
	White——M—	51	7	4	-	1	-	-	-	-	-	-	-	3	6	5	4	7	5	3	6	-	-	-
	F—	18	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	1	1	-	-
	Nonwhite—M—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum—	171	2	-	-	-	-	-	1	1	3	6	6	6	18	21	20	24	33	19	7	3	-	1
	White——M—	127	-	-	-	-	-	-	1	1	3	3	4	5	14	16	18	17	24	13	4	3	-	1
	F—	44	2	-	-	-	-	-	-	-	-	3	2	1	4	5	2	7	9	6	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis—	32	1	1	-	-	1	-	-	1	-	-	2	1	2	6	4	2	5	3	3	-	-	-
	White——M—	16	1	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	3	3	1	-	-	-
	F—	14	-	-	-	-	1	-	-	-	-	-	1	-	-	5	2	1	2	-	2	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction—	161	11	2	1	-	-	1	2	1	2	4	3	3	5	11	19	26	15	27	17	6	5	-
	White——M—	81	6	1	1	-	-	1	1	1	2	1	2	2	3	4	11	12	6	10	10	5	2	-
	F—	79	5	1	-	-	-	-	1	-	-	2	1	1	2	7	8	14	9	17	7	1	3	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*—	102	13	4	3	-	1	1	1	3	-	-	5	5	4	5	7	14	10	16	5	5	-	-
	White——M—	51	7	1	1	-	1	-	-	-	-	-	5	3	2	1	2	10	4	9	3	2	-	-
	F—	49	5	3	1	-	-	1	1	3	-	-	-	2	2	4	5	4	6	7	2	3	-	-
	Nonwhite—M—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	154	-	-	-	-	-	-	2	4	8	6	9	23	17	27	20	19	11	3	2	3	-	-
	White——M—	113	-	-	-	-	-	-	2	3	7	4	8	18	10	19	16	13	9	1	1	2	-	-
	F—	37	-	-	-	-	-	-	-	1	1	1	1	5	7	6	4	6	2	1	1	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Con.																							
584, 585	Cholelithiasis, etc.*	90	-	-	-	-	-	-	-	-	-	3	2	3	7	5	9	20	16	12	9	3	1	-
	White—M	39	-	-	-	-	-	-	-	-	-	1	1	-	5	3	5	11	7	3	1	2	-	-
	F	51	-	-	-	-	-	-	-	-	-	2	1	3	2	2	4	9	9	9	8	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	23	1	-	1	2	-	1	-	-	2	-	1	2	-	2	1	2	6	2	-	-	-	-
	White—M	13	1	-	-	1	-	1	-	-	1	-	1	1	-	1	-	1	5	-	-	-	-	-
	F	10	-	-	1	1	-	-	-	-	1	-	-	1	-	1	1	1	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	83	1	1	-	-	-	1	1	-	1	2	3	3	3	8	9	10	13	12	13	7	1	-
	White—M	46	-	-	-	-	-	1	1	-	1	-	-	1	2	5	6	6	8	7	7	1	-	-
	F	35	1	1	-	-	-	-	-	-	-	1	2	2	1	3	3	4	5	5	6	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	80	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	11	14	17	24	5	1	-
	White—M	79	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	11	13	17	24	5	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	21	...	...	...	-	1	6	3	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	...	...	...	-	1	5	3	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	19	...	...	...	-	1	5	3	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	...	...	...	-	1	4	3	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	312	225	28	9	8	4	3	2	6	5	2	3	5	4	3	2	1	2	-	-	-	-	-
	White—M	163	108	15	7	7	3	2	1	3	1	2	3	5	3	1	2	-	-	-	-	-	-	-
	F	143	111	13	2	1	1	1	1	3	4	-	-	-	1	2	-	1	2	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	898	898	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	526	526	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	399	399	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	448	448	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	167	9	3	1	1	-	-	-	-	1	2	2	3	-	3	8	10	15	24	39	35	11	-
	White—M	81	5	2	1	-	-	-	-	-	1	1	2	3	-	2	7	4	9	9	15	14	6	-
	F	84	3	1	-	1	-	-	-	-	-	1	-	-	-	1	1	6	5	15	24	21	5	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Residual	All other diseases	1,107	58	22	14	7	17	12	14	7	18	32	33	46	68	119	147	126	133	117	65	36	16	-
	White—M	669	36	8	9	3	9	6	8	5	10	20	16	27	46	91	93	81	84	68	26	18	5	-
	F	422	21	13	5	4	8	6	5	2	8	11	15	19	22	25	52	44	48	46	39	18	11	-
	Nonwhite—M	9	-	1	-	-	-	-	1	-	-	-	2	-	-	1	1	1	1	1	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	2	-	-	-	-
E800-E962	Accidents	1,502	44	64	48	50	133	106	75	64	65	69	58	54	66	78	88	78	89	111	88	58	14	2
	White—M	997	30	35	33	34	102	91	66	55	47	52	41	45	49	53	62	47	42	48	35	22	6	2
	F	487	13	29	14	16	30	14	9	8	15	15	15	9	16	24	25	31	47	62	52	36	7	-
	Nonwhite—M	13	1	-	1	-	1	1	-	1	3	1	1	-	-	1	1	-	-	-	-	-	1	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-
E810-E835	Motor vehicle accidents	650	8	24	21	23	90	75	51	45	39	44	29	22	36	31	35	28	28	12	8	1	-	-
	White—M	461	5	11	12	13	62	65	45	38	28	31	17	17	22	21	22	17	19	10	5	1	-	-
	F	176	2	13	9	10	27	9	6	7	8	11	11	5	13	9	12	11	9	1	3	-	-	-
	Nonwhite—M	10	1	-	-	-	1	1	-	-	3	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
E800-E802, E840-E962	Other accidents	852	36	40	27	27	43	31	24	19	26	25	29	32	30	47	53	50	61	99	80	57	14	2
	White—M	536	25	24	21	21	40	26	21	17	19	21	24	28	27	32	40	30	23	38	30	21	6	2
	F	311	11	16	5	6	3	5	3	1	7	4	4	4	3	15	13	20	38	61	49	36	7	-
	Nonwhite—M	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
E963, E970-E979	Suicide	347	-	-	-	1	6	10	19	19	15	21	42	44	36	43	34	26	15	10	5	-	1	-
	White—M	273	-	-	-	1	4	9	17	16	9	18	32	34	24	38	23	21	12	9	5	-	1	-
	F	71	-	-	-	-	2	1	2	3	5	3	9	10	11	5	11	5	3	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	35	-	-	-	1	1	2	5	4	2	3	3	5	1	4	2	1	1	-	-	-	-	-
	White—M	18	-	-	-	1	-	-	2	-	1	1	2	2	1	4	2	1	1	-	-	-	-	-
	F	11	-	-	-	-	1	2	-	2	1	1	1	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS																							
	All causes	20,321	1,192	200	104	94	130	180	162	196	247	383	555	788	1,050	1,528	2,138	2,615	2,900	2,862	1,933	796	263	5
	White--M	11,079	592	92	54	57	90	133	97	111	146	222	365	489	677	910	1,321	1,455	1,528	1,449	861	331	98	1
	F	8,237	460	92	44	29	39	38	43	62	81	132	160	248	307	519	710	1,049	1,276	1,337	1,014	442	153	2
	Nonwhite--M	526	81	8	3	5	1	7	13	14	8	11	18	25	34	47	54	63	58	42	21	9	4	-
	F	479	59	8	3	3	-	2	9	9	12	18	12	26	32	52	53	48	38	34	37	14	8	2
001-019	Tuberculosis, all forms	56	-	1	-	1	-	-	-	4	3	3	2	7	4	5	7	5	6	7	1	-	-	-
	White--M	35	-	-	-	1	-	-	-	1	1	2	1	6	2	5	7	3	2	4	-	-	-	-
	F	16	-	-	-	-	-	-	-	3	1	-	1	-	2	-	-	1	4	3	1	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	54	-	1	-	-	-	-	-	4	3	3	2	7	4	5	7	5	5	7	1	-	-	-
	White--M	34	-	-	-	-	-	-	-	1	1	2	1	6	2	5	7	3	2	4	-	-	-	-
	F	15	-	-	-	-	-	-	-	3	1	-	1	-	2	-	-	1	3	3	1	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	42	-	-	-	-	-	-	-	-	-	-	2	2	3	6	8	9	6	3	2	1	-	-
	White--M	25	-	-	-	-	-	-	-	-	-	-	2	1	2	4	7	5	4	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	1	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White--M	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Resid-ual[1]	Other infective and parasitic diseases	72	6	7	2	1	1	2	1	1	5	4	3	5	5	3	6	6	5	3	5	1	-	-
	White--M	32	2	4	1	-	-	-	-	-	3	1	1	3	3	1	2	3	5	2	1	-	-	-
	F	33	3	3	1	1	1	2	-	1	2	2	2	2	1	1	3	2	-	1	4	1	-	-
	Nonwhite--M	6	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,925	2	19	15	11	10	12	17	29	46	77	132	181	247	370	452	462	384	274	143	32	10	-
	White--M	1,456	-	10	6	5	6	7	11	12	16	24	64	84	128	173	245	248	195	138	71	10	3	-
	F	1,341	2	9	7	5	4	5	5	14	27	45	62	89	105	181	183	199	175	127	69	21	7	-
	Nonwhite--M	63	-	-	1	1	-	-	1	1	1	3	2	4	7	4	13	10	8	6	1	-	-	-
	F	65	-	-	1	-	-	-	-	2	2	5	4	4	7	12	11	5	6	3	2	1	-	-
140-148	Of buccal cavity and pharynx	59	-	-	-	-	-	-	-	-	1	-	1	4	10	7	7	10	7	8	3	-	1	-
	White--M	40	-	-	-	-	-	-	-	-	1	-	-	2	8	6	3	9	4	4	3	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	3	4	-	-	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	925	-	2	-	-	-	2	1	6	8	16	27	35	64	108	130	163	170	104	65	17	7	-
	White--M	469	-	1	-	-	-	1	1	4	4	4	14	20	36	55	69	90	83	54	27	3	3	-
	F	421	-	1	-	-	-	1	-	2	4	10	12	13	23	50	52	68	81	48	38	14	4	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	1	1	1	4	-	6	3	3	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	2	3	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	342	-	-	-	-	-	-	-	2	3	7	19	34	43	63	70	55	25	15	6	-	-	-
	White—M	270	-	-	-	-	-	-	-	2	2	4	19	27	36	50	61	43	13	10	3	-	-	-
	F	55	-	-	-	-	-	-	-	-	1	2	-	4	6	12	7	8	10	3	2	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	1	-	3	1	1	2	3	2	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
170	Of breast	280	-	-	-	-	-	-	-	7	6	15	21	29	25	40	51	38	25	15	7	1	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	F	271	-	-	-	-	-	-	-	6	5	15	20	28	23	40	50	38	24	15	6	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-
171-179	Of genital organs	469	-	-	-	-	1	1	3	5	8	17	19	29	32	57	74	70	69	54	25	5	-	-
	White—M	201	-	-	-	-	1	1	2	1	1	2	1	5	5	14	38	34	41	32	19	4	-	-
	F	234	-	-	-	-	-	-	1	2	7	11	15	23	24	38	31	32	25	19	5	1	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	1	3	-	-	-	-
	F	22	-	-	-	-	-	-	-	2	-	3	3	1	3	3	3	1	2	-	1	-	-	-
180, 181	Of urinary organs	139	-	2	-	-	-	-	-	-	2	2	5	10	13	20	19	27	12	15	9	2	1	-
	White—M	96	-	2	-	-	-	-	-	-	2	2	4	8	9	14	14	21	9	5	6	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	5	3	9	3	2	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	364	1	5	7	2	5	2	2	5	7	11	19	23	32	38	59	45	39	43	16	3	-	-
	White—M	190	-	1	2	1	3	-	2	2	1	6	13	15	18	17	32	23	22	22	8	2	-	-
	F	157	1	4	3	1	2	2	-	3	4	5	6	7	13	17	23	22	15	20	8	1	-	-
	Nonwhite—M	5	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-
	F	12	-	-	1	-	-	-	-	-	1	-	-	1	1	4	3	-	-	1	-	-	-	-
204	Leukemia and aleukemia	184	-	9	8	8	4	3	5	2	4	4	12	10	11	19	21	27	16	11	7	2	1	-
	White—M	99	-	5	4	4	2	3	3	1	1	2	7	3	4	7	13	18	11	7	3	1	-	-
	F	79	-	4	4	4	2	-	2	-	3	1	5	7	5	11	7	9	5	4	4	1	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	163	1	1	-	1	-	4	6	2	7	5	9	7	17	18	21	27	21	9	5	2	-	-
	White—M	87	-	1	-	-	-	2	3	1	4	4	6	4	11	10	15	10	11	4	1	-	-	-
	F	69	1	-	-	-	-	2	2	1	3	1	3	3	6	7	6	16	9	5	3	1	-	-
	Nonwhite—M	4	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
210-239	Benign & unspec. neoplasms	52	-	1	1	1	1	-	2	3	3	5	6	4	1	5	6	2	3	6	1	1	-	-
	White—M	13	-	-	-	-	1	-	2	1	-	1	1	-	-	1	1	1	1	2	-	1	-	-
	F	36	-	1	1	1	-	-	-	2	3	1	5	4	1	4	5	1	2	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	89	2	-	1	1	1	1	1	3	1	1	4	3	10	10	11	14	6	7	10	2	-	-
	White—M	69	1	-	1	-	-	-	-	-	1	1	3	3	9	9	9	12	6	5	8	1	-	-
	F	15	-	-	-	1	1	1	-	1	-	-	-	-	1	1	2	2	-	2	2	1	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	361	1	-	1	-	2	2	3	4	6	8	4	10	32	27	44	70	69	47	22	9	-	-
	White—M	145	-	-	1	-	1	2	1	1	5	3	2	6	13	8	21	29	25	13	8	6	-	-
	F	199	1	-	-	-	1	-	2	3	1	5	2	4	16	18	18	39	41	33	12	3	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	1	2	-	-	-
290-293	Anemias	44	1	-	1	-	-	-	-	-	-	-	-	1	-	3	7	5	11	9	3	3	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	2	1	-	-	-
	F	28	1	-	1	-	-	-	-	-	-	-	-	1	-	2	5	1	5	7	2	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	19	7	6	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	-	-
	White—M	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	F	11	4	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	11,592	5	5	5	7	12	20	24	35	55	142	224	373	530	824	1,302	1,676	2,023	2,081	1,438	611	195	5
	White—M	6,332	3	3	3	2	9	14	14	21	36	101	164	262	383	534	818	927	1,058	1,047	623	257	72	1
	F	4,760	1	2	2	3	3	5	7	9	14	32	45	83	134	229	420	679	892	977	770	336	115	2
	Nonwhite—M	242	-	-	-	-	-	1	1	3	1	3	8	14	14	30	32	37	45	28	15	7	3	-
	F	258	1	-	-	2	-	-	2	2	4	6	7	14	19	31	32	33	28	29	30	11	5	2
330-334, 400-468	Dis. of cardiovascular system	11,404	5	5	4	7	10	18	20	30	52	135	215	362	524	814	1,291	1,649	1,997	2,046	1,420	602	193	5
	White—M	6,238	3	3	3	2	8	13	11	19	33	98	157	257	361	531	814	918	1,042	1,028	613	252	71	1
	F	4,683	1	2	1	3	2	4	7	6	14	29	44	81	130	223	413	665	883	964	763	332	114	2
	Nonwhite—M	234	-	-	-	-	-	1	-	3	1	3	7	14	14	30	32	33	44	28	14	7	3	-
	F	249	1	-	-	2	-	-	2	2	4	5	7	10	19	30	32	33	28	26	30	11	5	2
330-334	Vascular lesions, etc.*	2,656	1	2	3	4	1	7	2	7	5	20	29	42	88	132	272	432	540	635	409	173	50	2
	White—M	1,319	1	2	2	1	1	5	-	4	1	9	14	26	44	65	149	194	250	303	170	64	13	1
	F	1,393	-	-	1	2	-	2	2	1	4	8	11	11	33	54	99	213	270	317	227	104	34	-
	Nonwhite—M	64	-	-	-	-	-	-	-	-	-	2	3	2	6	5	11	11	13	6	2	3	-	-
	F	80	-	-	-	1	-	-	-	2	-	1	1	3	5	8	13	14	7	9	10	2	3	1
400-402, 410-443	Diseases of heart	7,653	4	3	1	2	7	7	13	21	42	107	174	301	417	652	955	1,119	1,318	1,213	841	338	115	3
	White—M	4,474	2	1	1	1	5	5	9	15	30	85	134	219	307	450	627	668	717	638	364	149	47	-
	F	2,879	1	2	-	1	2	1	3	3	8	19	31	66	90	158	290	414	557	541	450	176	64	2
	Nonwhite—M	153	-	-	-	-	-	1	-	3	1	1	3	10	7	23	21	20	26	21	10	4	2	-
	F	147	1	-	-	-	-	-	1	-	3	2	6	6	13	21	17	17	18	13	17	9	2	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	226	-	-	1	-	5	4	6	7	8	9	15	20	19	25	25	22	24	20	9	5	2	-
	White—M	122	-	-	1	-	4	2	5	4	4	5	9	8	9	16	15	12	10	10	5	3	-	-
	F	98	-	-	-	-	1	1	1	2	3	4	6	12	9	9	9	10	13	10	4	2	2	-
	Nonwhite—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Con.																							
420	Arteriosclerotic heart dis., etc.*	5,549	-	-	-	-	-	1	4	12	32	88	135	235	335	529	781	859	945	824	517	199	71	2
	White——M—	3,490	-	-	-	-	-	1	3	9	25	77	114	186	269	384	511	534	545	473	236	92	31	-
	F—	1,879	-	-	-	-	-	-	1	1	4	11	15	38	54	118	229	299	377	327	265	100	38	2
	Nonwhite—M—	101	-	-	-	-	-	-	-	2	1	-	3	9	4	14	15	15	12	16	6	3	1	-
	F—	79	-	-	-	-	-	-	-	-	2	-	3	2	8	13	6	11	11	8	10	4	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	759	-	-	-	1	-	-	1	1	-	3	6	7	14	26	49	81	152	157	148	88	25	-
	White——M—	385	-	-	-	1	-	-	1	1	-	3	4	6	10	13	35	45	86	64	66	38	12	-
	F—	343	-	-	-	-	-	-	-	-	-	-	2	1	3	6	10	33	60	89	79	47	13	-
	Nonwhite—M—	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	3	2	1	-	-	-
	F—	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	3	2	2	3	-	-
430-434	Other diseases of heart	328	4	3	-	1	2	2	1	1	1	5	6	19	18	18	38	46	38	56	45	19	5	-
	White——M—	180	2	1	-	-	1	2	-	1	-	-	4	13	7	14	28	30	23	30	15	7	2	-
	F—	140	1	2	-	1	1	-	-	-	1	4	2	6	9	4	10	16	14	25	30	11	3	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	-	1	-	-
	F—	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease	791	-	-	-	-	-	-	1	-	1	2	12	20	31	54	82	111	159	156	122	27	12	1
	White——M—	297	-	-	-	-	-	-	-	-	1	-	3	6	12	23	38	47	53	61	42	9	2	-
	F—	419	-	-	-	-	-	-	1	-	-	-	6	9	15	21	32	56	93	90	72	16	8	-
	Nonwhite—M—	32	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	4	10	2	3	-	1	-
	F—	43	-	-	-	-	-	-	-	-	-	2	3	4	3	5	7	4	3	3	5	2	1	1
444-447	Other hypertensive disease	182	-	-	-	-	-	2	-	-	2	5	4	6	6	7	12	23	30	44	28	7	6	-
	White——M—	84	-	-	-	-	-	2	-	-	1	2	3	2	4	2	5	13	16	18	11	1	4	-
	F—	64	-	-	-	-	-	-	-	-	-	1	1	2	1	5	6	7	12	24	17	6	2	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	2	1	1	-	-	-	-
450	General arteriosclerosis	522	-	-	-	-	-	-	-	-	-	-	1	3	2	2	8	23	46	78	129	132	78	20	-
	White——M—	252	-	-	-	-	-	-	-	-	-	-	-	3	2	2	5	15	24	41	58	61	34	7	-
	F—	258	-	-	-	-	-	-	-	-	-	1	-	-	-	3	8	21	34	68	66	44	13	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-
451-468	Other diseases of circulatory sys.	191	-	-	-	1	2	2	5	2	3	2	5	11	11	15	29	29	31	25	10	6	2	-
	White——M—	109	-	-	-	-	2	1	2	-	1	2	3	8	4	9	18	19	18	11	7	4	-	-
	F—	69	-	-	-	-	-	1	2	2	2	-	1	2	6	3	10	10	10	14	3	2	1	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	1	-
	F—	6	-	-	-	1	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	188	-	-	1	-	2	2	4	5	3	7	9	11	6	10	11	27	26	35	18	9	2	-
	White——M—	94	-	-	-	-	1	1	3	2	3	3	7	5	2	3	4	9	16	19	10	5	1	-
	F—	77	-	-	1	-	1	1	-	3	-	3	1	2	4	6	7	14	9	13	7	4	1	-
	Nonwhite—M—	8	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	4	1	-	1	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	1	-	4	-	1	-	-	-	3	-	-	-	-
480-493	Influenza and pneumonia, etc.*	611	70	30	4	2	1	4	1	2	5	11	13	21	13	22	46	65	79	84	86	34	18	-
	White——M—	315	28	8	3	-	-	3	-	-	4	8	9	13	9	13	29	40	43	39	46	12	8	-
	F—	243	21	17	1	1	1	-	-	1	1	2	2	4	3	7	14	21	36	45	36	20	10	-
	Nonwhite—M—	28	9	2	-	1	-	1	1	1	-	-	2	2	1	1	1	2	-	-	3	1	-	-
	F—	25	12	3	-	-	-	-	-	-	-	1	-	2	-	1	2	2	-	-	1	1	-	-
480-483	Influenza	94	4	2	-	-	-	1	-	-	-	1	4	7	3	6	10	10	11	9	15	8	3	-
	White——M—	52	3	1	-	-	-	1	-	-	-	-	3	6	2	2	5	5	8	2	6	5	3	-
	F—	38	1	1	-	-	-	-	-	-	-	1	-	1	1	3	5	4	3	7	8	3	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*	517	66	28	4	2	1	3	1	2	5	10	9	14	10	16	36	55	68	75	71	26	15	-
	White——M—	263	25	7	3	-	-	2	-	-	4	8	6	7	7	11	24	35	35	37	40	7	5	-
	F—	205	20	16	1	1	1	-	-	1	1	1	2	3	2	4	9	17	33	38	28	17	10	-
	Nonwhite—M—	25	9	2	-	1	-	1	1	1	-	-	1	2	1	-	1	2	-	-	2	1	-	-
	F—	24	12	3	-	-	-	-	-	-	-	1	-	2	-	1	2	1	-	-	1	1	-	-
500-502	Bronchitis	44	6	3	-	-	1	-	-	-	-	-	1	1	2	1	7	9	5	4	3	1	-	-
	White——M—	33	3	2	-	-	-	-	-	-	-	-	1	1	2	1	7	8	3	2	3	-	-	-
	F—	11	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	135	-	-	-	-	-	2	-	2	2	1	2	4	15	17	12	20	22	25	8	1	2	-
	White——M—	98	-	-	-	-	-	2	-	1	2	1	2	2	10	15	11	14	14	18	4	-	-	-
	F—	38	-	-	-	-	-	-	-	1	-	-	-	2	5	2	1	6	8	6	4	1	2	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis	28	-	-	-	-	2	2	1	1	-	1	3	2	3	4	1	1	4	2	1	-	-	-
	White——M—	18	-	-	-	-	2	1	-	-	-	1	2	1	2	1	1	1	4	1	1	-	-	-
	F—	7	-	-	-	-	-	-	1	1	-	-	1	-	-	3	-	-	-	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	125	12	2	-	1	-	-	1	-	2	3	1	6	7	13	4	12	17	22	16	5	1	-
	White——M—	59	6	1	-	-	-	-	1	-	1	-	-	3	4	9	2	8	7	8	5	4	-	-
	F—	59	6	1	-	1	-	-	-	-	1	2	1	3	1	2	2	4	10	12	11	1	1	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	80	20	4	3	-	-	-	-	1	-	2	3	3	1	3	4	12	5	9	6	2	2	-
	White——M—	38	11	2	2	-	-	-	-	-	-	1	2	2	1	1	4	1	2	5	4	-	-	-
	F—	36	6	1	1	-	-	-	-	1	-	1	1	1	-	1	-	10	3	4	2	2	2	-
	Nonwhite—M—	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	138	-	-	-	-	-	-	-	5	6	10	10	17	16	15	20	20	10	7	2	-	-	-
	White——M—	86	-	-	-	-	-	-	-	2	5	7	4	11	12	8	13	13	5	4	2	-	-	-
	F—	45	-	-	-	-	-	-	-	2	-	3	6	4	4	6	6	6	5	3	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Con.																							
584, 585	Cholelithiasis, etc.*	71	-	-	-	-	-	1	-	-	1	1	2	4	-	8	4	14	11	16	5	4	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	2	1	-	5	1	4	7	6	-	-	-	-
	F	44	-	-	-	-	-	1	-	-	1	1	-	3	-	3	3	9	4	10	5	4	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	44	-	1	2	1	1	-	-	-	1	-	1	4	3	4	5	5	4	6	2	2	2	-
	White—M	22	-	-	2	1	1	-	-	-	1	-	-	2	2	2	2	3	2	2	1	1	-	-
	F	16	-	1	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	4	1	1	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
600	Infections of kidney	64	-	1	-	1	-	1	-	1	-	-	4	3	2	5	8	9	11	9	4	3	2	-
	White—M	33	-	-	-	1	-	1	-	-	-	-	-	1	-	1	4	4	7	7	3	3	1	-
	F	22	-	1	-	-	-	-	-	-	-	-	3	2	2	3	2	3	3	2	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-
610	Hyperplasia of prostate	73	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	7	10	23	14	6	2	-
	White—M	68	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	7	10	20	14	6	2	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-
640-689	Complications of pregnancy, etc.*	12	...	...	...	-	-	3	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	...	...	...	-	-	3	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	12	...	...	...	-	-	3	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	...	...	...	-	-	3	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	291	202	28	16	3	2	6	4	1	7	2	5	4	3	4	-	1	2	-	-	1	-	-
	White—M	146	97	14	10	3	1	3	1	1	4	1	3	2	1	3	-	-	2	-	-	-	-	-
	F	130	91	14	6	-	1	3	3	-	3	1	2	2	1	1	-	1	-	-	-	1	-	-
	Nonwhite—M	10	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	747	747	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	387	387	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	343	343	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	218	13	3	-	2	-	1	-	3	3	3	5	6	4	16	11	24	23	41	31	22	7	-
	White—M	122	11	3	-	-	-	1	-	2	1	1	4	6	4	12	9	14	9	20	14	8	3	-
	F	86	1	-	-	2	-	-	-	-	1	1	1	-	-	3	2	8	13	21	16	13	4	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	1	-	-
Residual	All other diseases	781	40	9	13	8	4	6	13	13	16	21	28	35	49	78	91	92	98	84	52	22	9	-
	White—M	451	18	4	7	5	2	1	5	8	9	7	16	16	32	47	74	56	59	48	22	11	4	-
	F	298	19	5	6	3	2	4	7	5	4	13	10	18	13	26	15	30	37	36	29	11	5	-
	Nonwhite—M	24	3	-	-	-	-	1	-	-	2	1	2	-	2	3	2	5	2	-	1	-	-	-
	F	8	-	-	-	-	-	-	1	-	1	-	-	1	2	2	-	1	-	-	-	-	-	-
E800-E962	Accidents	1,278	55	74	39	53	85	107	68	60	64	51	66	53	69	56	55	55	68	82	72	33	13	-
	White—M	820	20	37	17	39	64	92	52	48	47	38	52	38	48	35	33	34	38	47	25	11	5	-
	F	398	26	30	18	11	21	11	9	10	15	12	12	12	16	19	21	18	29	34	46	22	6	-
	Nonwhite—M	38	5	3	2	2	-	3	6	2	1	1	2	2	4	2	-	2	-	1	-	-	-	-
	F	22	4	4	2	1	-	1	1	-	1	-	-	1	1	-	1	1	1	-	1	-	2	-
E810-E835	Motor vehicle accidents	570	7	32	19	26	63	69	37	33	35	25	37	26	37	30	25	27	19	18	3	2	-	-
	White—M	391	2	16	10	18	44	58	26	25	24	16	29	15	23	17	17	18	14	16	1	2	-	-
	F	159	5	12	8	8	19	8	7	7	11	8	8	10	11	12	8	8	5	2	2	-	-	-
	Nonwhite—M	13	-	1	-	-	-	2	3	1	-	1	-	1	2	1	-	1	-	-	-	-	-	-
	F	7	-	3	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	708	48	42	20	27	22	38	31	27	29	26	29	27	32	26	30	28	49	64	69	31	13	-
	White—M	429	18	21	7	21	20	34	26	23	23	22	23	23	25	18	16	16	24	31	24	9	5	-
	F	239	21	18	10	3	2	3	2	3	4	4	4	2	5	7	13	10	24	32	44	22	6	-
	Nonwhite—M	25	5	2	2	2	-	1	3	1	1	-	2	1	2	1	-	1	-	1	-	-	-	-
	F	15	4	1	1	1	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	-	2	-
E963, E970-E979	Suicide	260	-	-	-	1	5	6	18	12	11	27	33	33	27	25	16	16	16	10	4	-	-	-
	White—M	196	-	-	-	-	2	5	9	6	8	19	29	22	26	18	12	14	13	9	4	-	-	-
	F	58	-	-	-	-	3	1	7	5	3	8	4	10	1	6	4	2	3	1	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	55	1	1	-	-	2	4	5	13	5	9	1	3	1	2	4	1	1	1	1	-	-	-
	White—M	22	-	-	-	-	1	1	-	6	1	5	1	2	1	1	2	-	1	-	-	-	-	-
	F	11	1	1	-	-	-	2	-	1	1	2	-	-	-	-	1	-	-	1	1	-	-	-
	Nonwhite—M	14	-	-	-	-	1	1	3	4	2	1	-	-	-	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	2	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY																							
	All causes	29,421	2,164	350	176	131	249	275	288	396	513	715	1,046	1,406	1,775	2,503	3,123	3,455	3,848	3,493	2,382	872	252	9
	White—M	15,025	1,075	157	108	77	156	174	167	211	271	406	555	791	1,012	1,402	1,641	1,817	1,913	1,682	1,003	336	70	1
	F	11,263	788	142	57	52	78	67	75	128	156	205	330	399	495	742	1,093	1,303	1,661	1,622	1,232	484	151	3
	Nonwhite—M	1,683	182	37	7	1	9	23	31	36	38	46	81	98	157	181	237	189	141	93	69	17	8	2
	F	1,450	119	14	4	1	6	11	15	21	48	58	80	118	111	178	152	146	133	96	78	35	23	3
001-019	Tuberculosis, all forms	385	4	4	2	-	1	7	9	13	19	17	27	26	39	41	47	55	38	21	12	3	-	-
	White—M	212	1	2	2	-	-	5	3	3	9	11	15	17	24	29	25	25	24	7	8	2	-	-
	F	109	2	1	-	-	-	1	4	6	7	4	3	4	6	7	13	20	14	13	3	1	-	-
	Nonwhite—M	43	1	1	-	-	-	-	1	2	1	2	5	4	7	3	8	6	-	1	1	-	-	-
	F	21	-	-	-	-	1	1	1	2	2	-	4	1	2	2	1	4	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	360	1	-	1	-	1	6	9	12	19	17	25	23	34	40	44	55	37	21	12	3	-	-
	White—M	201	1	-	1	-	-	4	3	3	9	11	14	16	22	28	24	25	23	7	8	2	-	-
	F	103	-	-	-	-	-	1	4	5	7	4	3	4	4	7	13	20	14	13	3	1	-	-
	Nonwhite—M	36	-	-	-	-	-	-	1	2	1	2	4	3	6	3	6	6	-	1	1	-	-	-
	F	20	-	-	-	-	1	1	1	2	2	-	4	-	2	2	1	4	-	-	-	-	-	-
010-019	Tuberculosis, other forms	25	3	4	1	-	-	1	-	1	-	-	2	3	5	1	3	-	1	-	-	-	-	-
	White—M	11	-	2	1	-	-	1	-	-	-	-	1	1	2	1	1	-	1	-	-	-	-	-
	F	6	2	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	1	1	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	54	-	-	-	-	-	-	1	-	3	2	2	5	3	9	11	9	5	-	2	2	-	-
	White—M	23	-	-	-	-	-	-	-	-	1	-	-	4	1	4	5	5	1	-	1	1	-	-
	F	14	-	-	-	-	-	-	1	-	2	1	-	1	1	5	1	-	1	-	-	1	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	-	-
045-048	Dysentery, all forms	10	2	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-
	White—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	9	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	18	5	9	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	11	4	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	1	2	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	20	2	8	4	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	2	4	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	108	23	8	4	-	8	2	1	4	3	1	1	7	10	7	6	8	10	1	2	1	1	-
	White—M	62	13	3	3	-	3	1	1	2	1	-	1	6	6	6	3	4	5	1	2	-	1	-
	F	36	6	5	1	-	5	1	-	1	1	-	-	1	4	1	1	4	4	-	-	1	-	-
	Nonwhite—M	7	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	3,991	4	31	20	21	9	14	26	57	93	145	248	313	358	546	552	530	461	333	171	44	12	3
	White—M	1,853	2	14	11	12	6	4	15	21	32	62	93	124	167	252	260	281	244	172	80	19	2	-
	F	1,770	1	17	9	9	1	5	9	29	47	65	128	143	149	239	239	226	193	146	83	21	10	1
	Nonwhite—M	176	1	-	-	-	1	2	-	3	5	4	11	16	25	29	31	27	10	7	2	1	-	1
	F	192	-	-	-	-	1	3	2	4	9	14	16	30	17	26	22	16	14	8	6	3	-	1
140-148	Of buccal cavity and pharynx	111	-	-	-	-	-	-	-	-	-	3	6	8	15	16	15	17	19	7	4	1	-	-
	White—M	80	-	-	-	-	-	-	-	-	-	2	4	3	15	12	12	12	15	4	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	1	3	-	3	2	4	2	3	3	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,351	-	1	-	-	1	2	2	10	20	39	56	91	104	173	195	216	199	151	66	20	5	-
	White—M	649	-	1	-	-	1	-	2	4	6	16	25	46	54	81	96	98	102	77	29	9	2	-
	F	582	-	-	-	-	-	-	-	4	11	16	22	26	33	80	86	100	89	68	33	11	3	-
	Nonwhite—M	61	-	-	-	-	-	1	-	1	1	2	4	6	14	9	8	8	2	4	1	-	-	-
	F	59	-	-	-	-	-	1	-	1	2	5	5	13	3	3	5	10	6	2	3	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	486	-	-	1	-	-	-	-	7	11	18	50	51	55	102	62	61	34	16	13	5	-	-
	White—M	349	-	-	-	-	-	-	-	3	8	14	35	40	44	76	47	44	24	6	5	3	-	-
	F	91	-	-	1	-	-	-	-	4	1	1	9	4	6	17	8	14	10	8	6	2	-	-
	Nonwhite—M	35	-	-	-	-	-	-	-	-	2	2	4	6	4	8	5	2	-	1	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	2	1	1	1	2	1	-	1	1	-	-	-
170	Of breast	293	-	-	-	-	1	1	-	4	12	19	31	37	31	39	40	30	18	18	9	2	1	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	F	261	-	-	-	-	-	-	-	3	11	16	29	36	28	34	39	26	14	16	8	-	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	28	-	-	-	-	1	1	-	1	1	2	2	1	3	4	1	3	4	1	1	2	-	-
171-179	Of genital organs	665	-	-	-	2	1	-	7	8	17	24	46	50	69	81	91	83	83	56	35	8	2	2
	White—M	220	-	-	-	1	1	-	2	2	1	1	2	3	10	18	28	33	48	42	25	3	-	-
	F	353	-	-	-	1	-	-	3	4	12	18	37	37	50	45	48	38	30	13	10	4	2	1
	Nonwhite—M	36	-	-	-	-	-	-	-	1	-	-	1	2	3	6	8	11	3	1	-	-	-	-
	F	56	-	-	-	-	-	-	2	1	4	5	6	8	6	12	7	1	2	-	-	1	-	1
180, 181	Of urinary organs	161	-	1	2	-	-	-	1	1	1	3	3	7	14	14	23	31	25	25	8	1	-	1
	White—M	92	-	-	2	-	-	-	1	1	1	2	2	3	7	12	11	19	16	10	5	-	-	-
	F	55	-	1	-	-	-	-	-	-	-	-	1	3	6	2	9	9	8	13	3	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	1
	F	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	572	3	9	8	5	2	3	8	12	23	23	40	50	34	83	83	51	49	45	31	7	3	-
	White—M	284	2	3	5	3	1	2	4	6	12	18	18	20	21	38	38	29	23	24	13	4	-	-
	F	256	-	6	3	2	1	1	4	6	8	5	21	26	11	40	35	20	25	19	17	3	3	-
	Nonwhite—M	16	1	-	-	-	-	-	-	-	1	-	1	2	-	2	7	1	1	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	2	-	-	2	2	3	3	1	-	2	1	-	-	-
204	Leukemia and aleukemia	181	-	18	7	7	2	2	4	5	2	6	9	6	15	15	24	26	19	9	4	-	1	-
	White—M	87	-	9	4	3	1	-	4	1	-	3	4	1	5	6	17	14	7	6	2	-	-	-
	F	82	-	9	3	4	-	1	-	3	2	3	5	4	8	8	5	11	10	3	2	-	1	-
	Nonwhite—M	6	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
	F	6	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	171	1	2	2	7	2	6	4	10	7	10	7	13	21	23	19	15	15	6	1	-	-	-
	White—M	89	-	1	-	5	2	2	2	4	4	5	3	8	11	9	11	11	9	2	-	-	-	-
	F	67	1	1	2	2	-	3	2	5	2	5	3	4	7	10	7	4	5	3	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	1	1	-	-	-	3	1	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	1	-	-	-	-
210-239	Benign & unspec. neoplasms	110	3	5	3	1	2	1	3	7	8	7	10	13	10	8	6	4	6	9	3	1	-	-
	White—M	47	1	3	2	1	-	1	-	2	4	2	4	7	5	3	1	2	3	5	1	-	-	-
	F	53	2	2	1	-	1	-	3	5	2	3	5	6	3	5	5	2	2	4	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	1	-	-	-	2	2	-	-	1	-	-	-	1	-	-	1	-	-
241	Asthma	99	1	1	-	1	-	-	-	3	-	1	5	13	9	13	18	15	10	4	4	-	1	-
	White—M	68	-	-	-	-	-	-	-	1	-	1	3	9	5	10	14	10	9	2	3	-	1	-
	F	20	1	-	-	1	-	-	-	2	-	-	-	3	3	1	1	4	1	2	1	-	-	-
	Nonwhite—M	7	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus	465	-	3	1	3	1	1	-	7	8	6	10	22	41	55	91	85	68	38	22	3	-	-
	White—M	177	-	2	-	1	-	-	-	6	2	3	3	9	18	19	24	42	23	14	10	1	-	-
	F	228	-	1	-	2	1	1	-	1	6	2	5	7	16	25	55	33	40	20	11	2	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	1	-	3	2	3	5	3	2	1	1	-	-	-
	F	39	-	-	1	-	-	-	-	-	-	-	2	3	5	8	7	7	3	3	-	-	-	-
290-293	Anemias	59	3	3	2	1	-	-	-	1	2	3	-	3	4	7	4	5	7	8	6	-	-	-
	White—M	30	3	1	1	-	-	-	-	-	1	1	-	3	2	3	3	2	4	2	4	-	-	-
	F	25	-	1	1	1	-	-	-	-	1	1	-	-	2	3	1	3	3	6	2	-	-	-
	Nonwhite—M	4	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	45	18	3	2	-	5	1	1	3	-	-	2	-	4	1	2	-	2	-	1	-	-	-
	White—M	24	8	2	2	-	1	1	1	2	-	-	-	-	3	1	-	-	2	-	1	-	-	-
	F	12	5	-	-	-	4	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	16,106	8	14	12	10	22	32	41	91	130	251	448	663	952	1,407	1,928	2,312	2,709	2,501	1,757	632	182	4
	White—M	8,191	5	6	7	4	8	17	16	40	66	133	260	395	567	812	1,051	1,249	1,524	1,209	726	245	51	-
	F	6,233	-	7	5	6	14	10	15	35	32	67	109	151	222	363	631	845	1,193	1,153	921	348	105	1
	Nonwhite—M	844	2	1	-	-	-	2	3	7	11	24	36	48	89	115	148	118	100	66	51	15	7	1
	F	838	1	-	-	-	-	3	7	9	21	27	43	69	74	117	98	100	92	73	59	24	19	2
330-334, 400-468	Dis. of cardiovascular system	15,829	8	13	9	9	20	30	38	85	126	237	437	648	924	1,386	1,891	2,286	2,671	2,467	1,732	626	182	4
	White—M	8,077	5	6	6	3	7	17	15	35	64	129	254	386	556	805	1,040	1,238	1,311	1,191	716	242	51	-
	F	6,138	-	6	3	6	13	9	13	34	32	61	106	148	215	356	617	838	1,176	1,139	913	347	105	1
	Nonwhite—M	812	2	1	-	-	-	1	3	7	9	22	36	46	85	112	141	113	95	66	50	15	7	1
	F	802	1	-	-	-	-	3	7	9	21	25	41	68	68	113	93	97	89	71	53	22	19	2
330-334	Vascular lesions, etc.*	3,771	2	7	4	6	1	7	6	19	21	44	67	119	164	266	414	602	714	686	434	147	41	-
	White—M	1,691	1	4	3	1	-	4	2	10	8	18	32	45	64	129	207	304	320	309	172	50	8	-
	F	1,648	-	2	1	5	1	1	3	7	8	15	16	38	54	78	140	248	335	341	237	91	27	-
	Nonwhite—M	204	1	1	-	-	-	1	-	-	-	4	8	13	21	29	41	27	31	14	10	1	2	-
	F	228	-	-	-	-	-	1	1	2	5	7	11	23	25	30	26	23	28	22	15	5	4	-
400-402, 410-443	Diseases of heart	10,945	4	5	4	3	15	18	26	62	90	174	340	501	711	1,056	1,389	1,582	1,794	1,581	1,101	380	105	4
	White—M	5,862	3	2	2	2	5	11	9	25	51	105	211	327	462	638	788	879	909	789	460	151	33	-
	F	4,053	-	3	2	1	10	6	10	26	22	40	77	106	150	263	453	554	777	712	578	205	57	1
	Nonwhite—M	523	-	-	-	-	-	-	1	5	6	16	26	28	61	76	84	77	53	40	33	12	4	1
	F	507	1	-	-	-	-	1	6	6	11	13	26	40	38	79	64	72	55	40	30	12	11	2
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	232	-	-	1	2	7	8	8	17	9	20	17	23	21	23	16	16	21	13	8	2	-	-
	White—M	110	-	-	-	1	3	5	4	4	3	10	9	12	10	10	8	6	12	8	3	2	-	-
	F	111	-	-	1	1	4	3	3	12	6	9	7	9	10	11	7	9	9	5	5	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	1	-	1	1	-	1	2	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY--Con.																							
420	Arteriosclerotic heart dis., etc.*	7,378	1	-	-	-	4	4	10	27	58	126	250	365	533	753	989	1,115	1,178	989	674	235	65	2
	White-----M--	4,300	1	-	-	-	2	3	4	14	38	92	174	259	383	505	595	645	646	523	295	99	22	-
	F--	2,540	-	-	-	-	2	1	1	7	12	20	43	66	98	171	323	389	469	430	346	127	35	-
	Nonwhite--M--	291	-	-	-	-	-	-	1	2	5	8	15	22	35	42	46	42	33	18	17	3	2	-
	F--	247	-	-	-	-	-	-	4	4	3	6	18	18	17	35	25	39	30	18	16	6	6	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,033	-	-	1	-	2	1	4	4	4	7	11	11	25	58	83	113	206	230	182	67	23	1
	White-----M--	453	-	-	1	-	-	-	1	2	4	1	2	6	11	25	41	59	93	110	73	20	4	-
	F--	457	-	-	-	-	2	1	2	2	-	3	6	2	6	22	20	38	104	97	95	41	16	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	2	3	2	5	4	12	11	2	11	6	3	1	1
	F--	60	-	-	-	-	-	-	1	-	-	1	-	1	3	7	10	5	7	12	8	3	2	-
430-434	Other diseases of heart----------	691	3	5	2	1	2	3	3	10	8	9	25	34	56	72	100	85	104	75	64	28	2	-
	White-----M--	364	2	2	1	1	-	2	-	5	5	1	13	23	36	41	66	46	44	40	24	12	-	-
	F--	248	-	3	1	-	2	-	3	4	1	6	9	7	12	19	24	28	46	30	38	14	1	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	1	-	1	3	1	5	7	8	5	10	2	1	2	-	-
	F--	33	1	-	-	-	-	1	-	-	2	1	-	3	3	5	2	6	4	3	1	-	1	-
440-443	Hypertensive heart disease----	1,611	-	-	-	-	-	2	1	4	11	12	37	68	76	150	201	253	285	274	173	48	15	1
	White-----M--	635	-	-	-	-	-	1	-	-	1	1	13	27	22	57	78	123	114	108	65	18	7	-
	F--	697	-	-	-	-	-	1	1	1	3	2	12	22	24	40	79	90	149	150	94	23	5	1
	Nonwhite--M--	116	-	-	-	-	-	-	-	1	1	4	4	3	15	21	17	19	8	9	9	4	1	-
	F--	163	-	-	-	-	-	-	-	2	6	5	8	16	15	32	27	21	14	7	5	3	2	-
444-447	Other hypertensive disease-----	239	-	-	-	-	-	2	3	3	9	6	16	14	23	16	18	22	33	37	23	12	2	-
	White-----M--	96	-	-	-	-	-	1	2	-	1	-	5	6	12	11	9	11	13	14	9	2	-	-
	F--	93	-	-	-	-	-	-	-	-	1	3	8	2	7	3	4	8	15	18	12	10	2	-
	Nonwhite--M--	28	-	-	-	-	-	-	1	2	2	1	-	4	1	1	5	3	4	3	1	-	-	-
	F--	22	-	-	-	-	-	1	-	1	5	2	3	2	3	1	-	-	1	2	1	-	-	-
450	General arteriosclerosis--------	619	-	-	-	-	-	-	1	-	-	1	1	4	7	19	28	47	97	140	157	84	33	-
	White-----M--	274	-	-	-	-	-	-	1	-	-	1	-	1	3	8	12	25	46	63	67	38	9	-
	F--	275	-	-	-	-	-	-	-	-	-	-	1	1	3	6	8	17	39	62	79	40	19	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	4	7	9	6	1	1	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	5	6	5	5	4	-
451-468	Other diseases of circulatory sys.--	255	2	1	1	-	4	3	2	1	6	12	13	10	19	29	42	33	33	23	17	3	1	-
	White-----M--	154	1	-	1	-	2	1	1	-	4	5	6	7	15	19	24	19	23	16	8	1	1	-
	F--	69	-	1	-	-	2	2	-	1	1	3	4	1	1	6	12	11	10	6	7	1	-	-
	Nonwhite--M--	19	1	-	-	-	-	-	1	-	1	1	2	-	2	4	4	2	-	-	-	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	3	1	2	1	-	2	1	-	1	2	-	-	-
592-594	Chronic nephritis, etc.*----------	277	-	1	3	1	2	2	3	6	4	14	11	15	28	21	37	26	38	34	25	6	-	-
	White-----M--	114	-	-	1	1	1	-	1	5	2	4	6	9	11	7	11	11	13	18	10	3	-	-
	F--	95	-	1	2	-	1	1	2	1	-	6	3	3	7	7	14	7	17	14	8	1	-	-
	Nonwhite--M--	32	-	-	-	-	-	1	-	-	2	2	-	2	4	3	7	5	5	-	1	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	2	2	1	6	4	5	3	3	2	6	2	-	-
480-493	Influenza and pneumonia, etc.*-	1,122	200	56	8	3	3	3	4	5	22	15	15	29	41	39	79	88	130	167	133	60	22	-
	White-----M--	504	86	30	3	3	1	1	1	3	10	7	7	12	18	19	37	42	72	70	57	17	8	-
	F--	487	82	19	3	-	2	2	2	2	10	4	8	12	13	9	29	38	49	85	67	37	14	-
	Nonwhite--M--	73	19	4	-	-	-	-	1	-	2	1	-	3	7	6	7	6	4	7	5	1	-	-
	F--	58	13	3	2	-	-	-	-	-	-	3	-	2	3	5	6	2	5	5	4	5	-	-
480-483	Influenza---------	134	9	-	-	-	-	1	2	1	3	1	4	6	6	4	13	9	13	28	19	10	5	-
	White-----M--	50	2	-	-	-	-	-	-	-	1	1	3	3	4	3	4	6	5	11	3	2	2	-
	F--	72	4	-	-	-	-	1	1	1	2	-	1	3	2	1	8	3	8	15	13	6	3	-
	Nonwhite--M--	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
490-493	Pneumonia, etc.*--	988	191	56	8	3	3	2	2	4	19	14	11	23	35	35	66	79	117	139	114	50	17	-
	White-----M--	454	84	30	3	3	1	1	1	3	9	6	4	9	14	16	33	36	67	59	54	15	6	-
	F--	415	78	19	3	-	2	1	1	1	8	4	7	9	11	8	21	35	41	70	54	31	11	-
	Nonwhite--M--	66	17	4	-	-	-	-	-	-	2	1	-	3	7	6	7	6	4	6	3	-	-	-
	F--	53	12	3	2	-	-	-	-	-	-	3	-	2	3	5	5	2	5	4	3	4	-	-
500-502	Bronchitis--------	78	12	15	-	1	1	-	1	-	1	2	-	4	5	7	7	5	4	10	1	2	-	-
	White-----M--	48	7	11	-	-	1	-	-	-	-	1	-	3	4	6	4	2	2	7	-	-	-	-
	F--	29	5	4	-	1	-	-	1	-	1	1	-	1	1	1	3	2	2	3	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	157	-	-	-	-	-	1	2	1	6	6	7	8	14	11	19	28	27	19	5	3	-	-
	White-----M--	108	-	-	-	-	-	-	1	1	4	5	4	6	12	8	13	19	16	13	3	3	-	-
	F--	31	-	-	-	-	-	1	-	-	-	1	-	2	-	2	4	7	7	5	2	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	1	-	3	-	1	1	1	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	1	-	-	-	-
550-553	Appendicitis-------	34	-	-	3	-	-	-	2	1	2	3	1	-	3	1	6	6	2	2	2	-	-	-
	White-----M--	18	-	-	3	-	-	-	1	-	1	2	-	-	1	1	3	1	2	1	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	3	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	155	10	3	-	-	1	2	-	1	5	5	10	9	6	11	16	16	22	16	15	6	1	-
	White-----M--	74	4	1	-	-	-	1	-	-	-	3	3	4	3	7	10	4	14	10	5	5	-	-
	F--	69	5	2	-	-	1	1	-	1	3	2	6	3	1	4	5	10	8	6	9	1	1	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	-	1	-	-	-
543, 571, 572	Gastritis, etc.*--	150	65	17	-	-	-	-	-	-	-	2	1	-	5	9	8	12	8	12	10	-	1	-
	White-----M--	57	21	9	-	-	-	-	-	-	-	2	1	-	3	7	1	3	1	4	5	-	-	-
	F--	62	22	6	-	-	-	-	-	-	-	-	-	-	2	2	6	7	6	6	5	-	-	-
	Nonwhite--M--	18	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	F--	13	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
581	Cirrhosis of liver	251	-	-	-	-	1	1	2	13	8	23	38	35	22	38	24	20	10	9	5	2	-	-
	White-----M--	171	-	-	-	-	-	-	2	6	7	20	28	19	16	29	19	13	5	4	1	2	-	-
	F--	62	-	-	-	-	1	-	-	5	1	3	7	13	4	6	5	7	2	4	4	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	2	-	-	2	1	2	2	-	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-	2	1	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																							
584, 585	Cholelithiasis, etc.*	71	-	-	-	-	-	-	2	1	2	2	3	3	8	5	10	9	13	8	3	2	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	4	2	1	1	-	-
	F	54	-	-	-	-	-	-	2	1	1	2	3	2	5	2	10	8	9	6	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	46	-	2	3	1	2	1	2	1	1	2	3	6	4	1	1	3	3	7	2	-	1	-
	White—M	19	-	1	1	1	1	1	-	-	-	1	1	3	2	1	-	-	1	5	-	-	-	-
	F	17	-	1	1	-	1	-	2	-	-	1	-	1	2	-	-	1	2	2	2	-	1	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	1	2	-	-	1	-	-	-	-	-	-	-
600	Infections of kidney	117	-	-	-	1	1	4	1	4	2	4	4	9	11	11	11	11	18	12	10	3	-	-
	White—M	52	-	-	-	1	-	-	1	1	1	2	2	3	6	1	7	6	8	8	4	1	-	-
	F	43	-	-	-	-	1	3	-	1	-	1	2	3	3	3	2	4	10	4	4	2	-	-
	Nonwhite—M	16	-	-	-	-	-	1	-	2	1	-	-	3	2	4	2	-	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	1	-	-	-
610	Hyperplasia of prostate	82	-	-	-	-	-	-	-	-	-	-	-	1	5	4	14	13	23	9	10	3	-	-
	White—M	72	-	-	-	-	-	-	-	-	-	-	-	-	4	4	13	12	19	7	10	3	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	2	-	-	-	-
640-689	Complications of pregnancy, etc.*	27	...	...	...	-	6	3	4	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	...	...	...	-	6	3	3	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	...	...	...	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	24	...	...	...	-	6	3	3	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	...	...	...	-	6	3	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	...	...	...	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	378	299	21	10	6	6	3	6	3	2	4	5	6	3	4	-	-	-	-	-	-	-	-
	White—M	192	155	6	8	1	5	3	2	1	1	1	3	4	-	2	-	-	-	-	-	-	-	-
	F	153	122	9	1	5	1	-	3	1	1	2	2	2	3	1	-	-	-	-	-	-	-	-
	Nonwhite—M	25	17	5	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,272	1,272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	652	652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	442	442	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	513	513	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	655	655	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	376	37	4	1	3	1	2	1	1	3	7	10	16	9	18	28	19	35	62	52	49	17	1
	White—M	173	18	1	-	2	1	2	-	-	2	4	6	9	5	9	10	7	19	30	28	17	3	-
	F	165	13	3	1	1	-	-	-	1	1	3	3	3	2	8	10	7	12	29	23	32	12	1
	Nonwhite—M	21	3	-	-	-	-	-	1	-	-	-	-	2	2	-	5	2	1	3	1	-	1	-
	F	17	3	-	-	-	-	-	-	-	-	-	1	2	-	1	3	3	3	-	-	-	1	-
Residual	All other diseases	1,088	82	48	15	14	11	13	18	25	28	49	47	65	68	111	110	101	116	98	49	15	5	-
	White—M	567	42	20	11	9	4	6	8	14	12	26	24	42	40	68	66	50	56	42	20	6	1	-
	F	404	30	17	3	5	6	6	8	9	10	17	16	12	21	29	32	41	50	53	26	9	4	-
	Nonwhite—M	70	5	5	1	-	-	1	2	1	3	3	6	7	3	9	6	9	6	2	1	-	-	-
	F	47	5	6	-	-	1	-	-	1	3	3	1	4	4	5	6	1	4	1	2	-	-	-
E800-E962	Accidents	2,007	96	86	80	60	153	151	112	105	118	103	95	109	90	93	90	73	109	133	102	39	9	1
	White—M	1,226	45	35	49	39	114	113	83	83	87	80	62	84	64	60	44	37	47	54	31	11	3	1
	F	592	37	34	26	19	32	26	17	13	18	16	22	21	19	21	32	24	50	73	62	26	4	-
	Nonwhite—M	126	7	13	5	1	5	12	10	8	9	4	6	4	7	4	9	8	7	3	4	-	-	-
	F	63	7	4	-	1	2	-	2	1	4	3	5	-	-	8	5	4	5	3	5	2	2	-
E810-E835	Motor vehicle accidents	735	4	19	42	23	103	101	75	50	37	39	39	49	34	23	26	24	23	18	4	1	-	1
	White—M	498	2	8	25	11	76	75	55	37	21	32	25	33	25	15	13	13	13	15	3	-	-	1
	F	189	2	10	16	12	23	20	12	9	11	6	11	13	8	7	11	7	6	3	1	1	-	-
	Nonwhite—M	37	-	-	1	-	3	6	7	3	4	1	-	3	1	-	1	4	3	-	-	-	-	-
	F	11	-	1	-	-	1	-	1	1	1	-	3	-	-	1	1	-	1	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,272	92	67	38	37	50	50	37	55	81	64	56	60	56	70	64	49	86	115	98	38	9	-
	White—M	728	43	27	24	28	38	38	28	46	66	48	37	51	39	45	31	24	34	39	28	11	3	-
	F	403	35	24	10	7	9	6	5	4	7	10	11	8	11	14	21	17	44	70	61	25	4	-
	Nonwhite—M	89	7	13	4	1	2	6	3	5	5	3	6	1	6	4	8	4	4	3	4	-	-	-
	F	52	7	3	-	1	1	-	1	-	3	3	2	-	-	7	4	4	4	3	5	2	2	-
E963, E970-E979	Suicide	318	-	-	-	1	5	11	20	18	25	37	31	30	34	37	28	22	8	8	1	2	-	-
	White—M	251	-	-	-	-	4	7	17	10	19	29	26	22	24	34	25	17	7	8	-	2	-	-
	F	57	-	-	-	1	1	2	2	7	5	5	4	7	10	3	3	5	1	-	1	-	-	-
	Nonwhite—M	10	-	-	-	-	-	2	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	192	5	1	2	1	7	22	24	25	15	14	23	10	16	9	6	4	4	3	1	-	-	-
	White—M	104	1	-	1	-	4	11	13	15	11	10	9	5	9	5	3	3	1	3	-	-	-	-
	F	29	3	-	1	1	-	5	2	3	1	2	4	1	1	2	1	-	2	-	-	-	-	-
	Nonwhite—M	48	-	1	-	-	3	3	8	6	2	2	8	3	6	1	2	1	1	-	1	-	-	-
	F	11	1	-	-	-	-	3	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA																							
	All causes------	28,889	3,129	500	182	164	295	306	328	437	630	847	1,256	1,785	2,164	2,640	3,292	3,344	3,002	2,338	1,486	550	206	8
	White-----M--	10,403	785	113	62	57	121	135	112	164	235	313	535	780	904	1,064	1,240	1,252	1,062	829	475	128	35	4
	F--	7,220	604	84	43	36	46	37	56	63	121	171	227	306	371	531	694	907	1,045	934	626	245	72	1
	Nonwhite--M--	6,097	955	170	35	49	87	89	97	107	141	185	257	378	496	566	745	626	498	300	189	82	43	2
	F--	5,169	785	133	42	22	41	45	63	103	133	178	237	321	393	479	613	559	397	275	196	97	56	1
001-019	Tuberculosis, all forms---------	290	1	1	-	-	1	5	9	8	17	31	18	38	26	32	39	30	21	6	4	-	1	2
	White-----M--	117	-	-	-	-	-	1	2	2	3	13	9	16	12	11	16	14	12	4	1	-	-	1
	F--	24	-	-	-	-	-	1	2	-	-	3	1	3	-	4	4	2	4	-	-	-	-	-
	Nonwhite--M--	108	1	-	-	-	-	1	3	1	10	12	8	14	11	13	13	11	5	2	2	-	-	1
	F--	41	-	1	-	-	1	2	2	5	4	3	-	5	3	4	6	3	-	-	1	-	1	-
001-008	Tuberculosis of resp. system-----	275	1	-	-	-	1	5	7	8	17	31	18	36	25	27	37	29	20	6	4	-	1	2
	White-----M--	115	-	-	-	-	-	1	1	2	3	13	9	16	12	10	16	14	12	4	1	-	-	1
	F--	22	-	-	-	-	-	1	2	-	-	3	1	3	-	3	3	2	4	-	-	-	-	-
	Nonwhite--M--	100	1	-	-	-	-	1	2	1	10	12	8	12	11	10	13	10	4	2	2	-	-	1
	F--	38	-	-	-	-	1	2	2	5	4	3	-	5	2	4	5	3	-	-	1	-	1	-
010-019	Tuberculosis, other forms------	15	-	1	-	-	-	-	2	-	-	-	-	2	1	5	2	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	-	-	2	-	3	-	1	1	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	133	1	1	-	-	1	-	-	3	4	2	12	15	27	22	19	15	8	2	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	1	1	-	2	7	6	3	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	-	1	1	-	-	-
	Nonwhite--M--	68	1	1	-	-	-	-	-	3	2	-	8	9	15	10	10	5	3	1	-	-	-	-
	F--	33	-	-	-	-	1	-	-	-	1	1	4	2	5	6	4	5	4	-	-	-	-	-
045-048	Dysentery, all forms----------	11	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	5	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
055	Diphtheria---------	3	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	25	5	8	3	-	2	1	1	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-
	White-----M--	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	3	2	2	-	1	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	5	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	166	42	17	4	4	3	1	4	4	7	3	8	9	8	9	15	9	10	4	3	1	1	-
	White-----M--	52	5	6	1	-	1	-	-	2	3	-	6	3	3	4	6	5	6	-	-	1	-	-
	F--	30	6	2	1	-	-	-	2	1	2	1	2	1	1	3	2	2	2	2	-	-	-	-
	Nonwhite--M--	54	20	7	1	3	-	-	1	-	1	-	-	4	4	2	3	2	2	1	3	-	-	-
	F--	30	11	2	1	1	2	1	1	1	1	2	-	1	-	-	4	-	-	1	-	-	1	-
140-205	Malignant neoplasms, etc.*-----	3,938	4	35	21	18	21	25	30	40	95	125	261	400	436	494	569	537	360	298	128	34	6	1
	White-----M--	1,501	1	16	11	8	9	13	9	16	25	30	87	154	168	203	211	212	138	124	50	15	1	-
	F--	1,128	1	10	3	3	6	3	11	8	39	47	82	110	101	113	146	167	111	107	47	9	4	-
	Nonwhite--M--	716	2	7	4	2	3	4	4	5	11	19	39	67	92	102	131	101	68	32	17	5	1	-
	F--	593	-	2	3	5	3	5	6	11	20	29	53	69	75	76	81	57	43	35	14	5	-	1
140-148	Of buccal cavity and pharynx-------	100	-	-	-	-	-	-	1	1	3	9	3	6	10	13	20	15	7	4	6	1	1	-
	White-----M--	52	-	-	-	-	-	-	1	1	1	3	-	4	9	4	10	6	4	3	5	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	3	-	-	1	1	2	2	2	1	-	-	1	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	2	-	8	5	4	1	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	2	3	2	-	-	-	3	3	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,261	-	2	-	3	2	3	3	2	17	26	65	110	144	166	195	201	129	122	55	14	1	1
	White-----M--	433	-	1	-	1	1	1	1	-	6	10	22	40	43	61	65	77	49	38	14	3	-	-
	F--	343	-	1	-	-	-	1	-	1	5	7	12	27	30	36	42	63	38	51	22	6	1	-
	Nonwhite--M--	283	-	-	-	1	1	-	1	1	4	5	16	24	46	40	55	43	22	13	10	1	-	-
	F--	202	-	-	-	1	-	1	1	-	2	4	15	19	25	29	33	18	20	20	9	4	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	571	1	-	-	-	-	-	2	3	10	18	37	83	80	108	95	69	44	17	3	1	-	-
	White—M	384	1	-	-	-	-	-	2	2	6	9	23	53	56	76	73	50	21	9	2	1	-	-
	F	57	-	-	-	-	-	-	-	1	1	5	3	6	6	8	4	7	11	4	1	-	-	-
	Nonwhite—M	113	-	-	-	-	-	-	-	-	2	4	9	21	18	19	15	11	11	3	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	2	3	-	5	3	1	1	1	-	-	-	-
170	Of breast	267	-	-	-	-	-	-	1	4	19	19	30	41	32	29	23	22	18	18	10	-	1	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	185	-	-	-	-	-	-	-	-	1	11	15	22	32	21	16	17	13	14	14	8	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	82	-	-	-	-	-	-	1	3	8	4	8	9	11	13	6	9	4	4	2	-	-	-
171-179	Of genital organs	609	-	-	-	-	1	2	2	7	17	19	47	50	64	62	86	81	67	61	29	12	2	-
	White—M	156	-	-	-	-	-	2	-	3	-	1	5	6	7	9	14	24	24	40	15	6	-	-
	F	210	-	-	-	-	1	-	2	1	11	9	22	18	25	26	37	28	19	4	5	1	1	-
	Nonwhite—M	98	-	-	-	-	-	-	-	-	-	2	2	4	8	9	19	16	16	11	6	4	1	-
	F	145	-	-	-	-	-	-	-	3	6	7	18	22	24	18	16	13	8	6	3	1	-	-
180, 181	Of urinary organs	179	1	4	1	-	1	-	2	-	-	7	6	17	9	25	23	37	23	16	7	-	-	-
	White—M	74	-	1	-	-	1	-	1	-	-	3	2	6	4	9	8	21	7	8	3	-	-	-
	F	48	1	1	-	-	-	-	-	-	-	-	3	2	2	4	5	12	9	5	4	-	-	-
	Nonwhite—M	35	-	1	1	-	-	-	-	-	-	1	1	5	3	9	5	3	4	2	-	-	-	-
	F	22	-	1	-	-	-	-	1	-	-	3	-	4	-	3	5	1	3	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	550	1	5	7	5	10	10	11	13	14	14	45	53	57	56	76	72	44	41	11	4	1	-
	White—M	225	-	1	4	2	2	5	1	6	5	3	20	27	28	28	26	25	18	16	5	2	1	-
	F	160	-	2	-	1	4	1	5	2	6	6	13	13	11	12	21	25	11	19	6	2	-	-
	Nonwhite—M	99	1	2	3	1	2	2	3	3	2	1	7	6	10	10	21	14	8	3	-	-	-	-
	F	66	-	-	-	1	2	2	2	2	1	4	5	7	8	6	8	8	7	3	-	-	-	-
204	Leukemia and aleukemia	209	1	23	11	6	6	7	2	6	3	5	12	17	15	19	21	20	18	10	5	2	-	-
	White—M	92	-	12	5	3	4	4	1	2	1	-	5	9	5	8	9	3	10	5	4	2	-	-
	F	57	-	6	3	1	1	1	1	2	2	-	2	3	3	7	6	8	5	5	1	-	-	-
	Nonwhite—M	34	1	4	-	-	-	1	-	-	-	2	3	4	4	4	4	5	3	-	-	-	-	-
	F	26	-	1	3	2	1	1	-	2	-	3	2	2	3	-	2	4	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	192	-	1	2	4	1	3	6	4	12	8	16	23	25	16	30	20	10	9	2	-	-	-
	White—M	85	-	1	2	2	1	1	2	2	6	1	10	9	16	8	6	6	5	5	2	-	-	-
	F	55	-	-	-	1	-	-	3	-	3	2	5	9	2	3	12	9	2	4	-	-	-	-
	Nonwhite—M	32	-	-	-	-	-	1	-	1	3	4	-	2	3	3	7	5	3	-	-	-	-	-
	F	20	-	-	-	1	-	1	1	1	-	1	1	3	4	2	5	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	118	-	8	1	-	2	2	5	3	4	9	13	18	8	9	14	10	6	2	4	-	-	-
	White—M	45	-	1	-	-	1	-	1	1	2	4	5	10	1	3	8	4	1	2	1	-	-	-
	F	34	-	2	-	-	1	1	3	1	-	3	3	4	2	2	4	3	4	-	1	-	-	-
	Nonwhite—M	18	-	2	-	-	-	-	-	-	1	1	3	4	2	2	1	2	-	-	-	-	-	-
	F	21	-	3	1	-	-	1	1	1	1	1	2	-	3	2	1	1	1	-	2	-	-	-
241	Asthma	88	-	-	-	1	2	2	2	2	5	6	9	7	10	10	10	10	8	3	1	-	-	-
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	3	4	4	7	6	2	2	1	-	-	-
	F	19	-	-	-	-	1	-	-	-	-	-	3	-	3	4	2	2	3	1	-	-	-	-
	Nonwhite—M	19	-	-	-	-	1	-	1	1	2	3	1	1	3	1	1	2	2	-	-	-	-	-
	F	21	-	-	-	1	-	2	1	1	3	3	5	3	-	1	-	-	1	-	-	-	-	-
260	Diabetes mellitus	535	-	3	2	2	1	1	4	6	6	9	18	36	50	73	98	92	69	36	22	6	1	-
	White—M	115	-	2	1	-	-	-	2	1	3	3	4	8	7	23	20	16	14	5	3	3	-	-
	F	181	-	-	-	1	1	-	2	1	2	1	4	4	12	26	32	35	34	20	5	1	-	-
	Nonwhite—M	69	-	-	1	-	-	1	-	2	1	2	4	7	7	3	10	11	8	5	7	-	-	-
	F	170	-	1	-	1	-	-	-	2	-	3	6	17	24	21	36	30	13	6	7	2	1	-
290-293	Anemias	77	6	10	9	3	3	1	-	1	1	4	1	4	1	3	4	6	10	5	4	1	-	-
	White—M	17	1	-	1	2	1	-	-	-	1	1	1	-	-	2	-	3	1	2	1	-	-	-
	F	24	-	3	2	-	-	-	-	-	-	2	-	1	-	-	1	3	7	2	2	1	-	-
	Nonwhite—M	12	3	1	1	1	1	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
	F	24	2	6	5	-	1	-	-	1	-	1	-	2	-	1	1	-	2	1	1	-	-	-
340	Nonmeningococcal meningitis*	67	33	11	3	-	1	-	1	-	2	1	3	-	3	1	3	2	1	2	-	-	-	-
	White—M	16	7	1	1	-	1	-	-	-	-	-	2	-	-	-	1	1	1	1	-	-	-	-
	F	11	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	16	10	3	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	24	10	4	1	-	-	-	1	-	2	-	1	-	1	-	2	1	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,520	32	18	8	13	11	28	36	95	188	349	598	884	1,207	1,550	2,025	2,166	2,057	1,650	1,057	406	139	3
	White—M	5,518	6	4	3	3	6	10	4	30	73	140	270	404	522	600	752	783	705	566	323	88	25	1
	F	3,834	4	4	2	1	2	7	8	11	24	48	76	106	182	296	402	569	723	678	463	177	50	1
	Nonwhite—M	2,721	13	6	1	5	-	6	8	19	41	72	133	185	270	335	448	418	337	209	121	66	27	1
	F	2,647	9	4	2	4	3	5	16	35	50	89	119	189	233	319	423	396	292	197	150	75	37	-
330-334, 400-468	Dis. of cardiovascular system	14,216	32	17	5	9	9	25	31	86	181	339	583	866	1,180	1,527	1,995	2,123	2,011	1,618	1,040	401	135	3
	White—M	5,239	6	3	1	3	6	8	3	27	69	137	265	402	516	596	747	769	691	556	321	87	25	1
	F	3,762	4	4	1	1	-	7	8	9	24	46	76	100	178	292	395	558	712	668	455	175	48	1
	Nonwhite—M	2,646	13	6	1	2	-	6	7	19	40	68	128	181	262	327	440	409	327	202	116	65	26	1
	F	2,569	9	4	2	3	3	4	13	31	48	88	114	183	224	312	413	387	281	192	148	74	36	-
330-334	Vascular lesions, etc.*	2,850	13	5	2	5	1	3	6	15	34	59	97	130	176	279	402	426	475	381	240	79	22	-
	White—M	788	2	1	1	1	-	2	1	3	4	11	24	40	48	75	103	127	142	113	70	17	3	-
	F	821	2	2	-	1	-	-	2	2	7	15	13	26	32	61	75	111	166	159	108	32	7	-
	Nonwhite—M	633	7	2	1	1	-	-	1	4	9	15	33	31	57	76	118	83	89	60	27	13	6	-
	F	608	2	-	-	2	1	1	2	6	14	18	27	33	39	67	106	105	78	49	35	17	6	-
400-402, 410-443	Diseases of heart	10,428	19	11	3	4	6	21	20	59	128	257	453	694	952	1,178	1,492	1,565	1,411	1,106	675	271	100	3
	White—M	4,150	4	2	-	2	5	6	2	22	61	123	230	351	450	496	617	592	498	394	212	62	20	1
	F	2,673	2	2	1	-	-	7	4	7	17	27	59	67	140	220	298	415	505	456	293	116	36	1
	Nonwhite—M	1,830	6	4	-	1	-	5	5	11	25	50	88	139	189	230	294	296	222	127	74	44	19	1
	F	1,775	7	3	2	1	1	3	9	19	25	57	76	137	173	232	283	262	186	129	96	49	25	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	160	1	2	2	2	2	6	5	10	10	16	22	16	17	12	11	14	5	6	-	1	-	-
	White—M	47	-	-	-	1	1	1	-	2	2	1	9	5	12	3	5	4	-	1	-	-	-	-
	F	53	-	1	1	-	-	4	2	2	5	5	5	6	4	5	-	7	2	3	-	1	-	-
	Nonwhite—M	25	1	-	-	-	-	1	-	1	2	7	5	-	-	3	3	1	1	-	-	-	-	-
	F	35	-	1	1	1	1	-	3	5	1	3	3	5	1	1	3	2	2	2	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																							
420	Arteriosclerotic heart dis., etc.*	6,960	-	-	1	-	2	8	8	27	79	175	320	506	665	786	1,036	1,057	930	733	409	162	54	2
	White——M—	3,315	-	-	-	-	2	4	2	17	48	113	199	314	369	416	493	471	376	298	140	38	14	1
	F—	1,792	-	-	-	-	-	1	1	2	10	18	36	45	102	149	227	289	336	297	189	73	16	1
	Nonwhite—M—	1,040	-	-	-	-	-	2	3	5	12	26	48	85	112	129	170	169	125	75	43	24	12	-
	F—	813	-	-	1	-	-	1	2	3	9	18	37	62	82	92	146	128	93	63	37	27	12	-
421, 422	Nonrheumatic chronic endocarditis, etc.*—	817	5	2	-	-	2	2	-	4	4	5	14	26	35	72	101	140	125	110	106	44	19	1
	White——M—	230	-	1	-	-	2	-	-	-	2	2	5	4	8	20	36	39	37	26	34	10	4	-
	F—	236	-	-	-	-	-	1	-	2	-	-	3	6	4	13	12	32	43	51	44	18	7	-
	Nonwhite—M—	157	2	1	-	-	-	-	-	1	2	-	2	7	13	16	26	31	22	15	8	7	3	1
	F—	194	3	-	-	-	-	1	-	1	-	3	4	9	10	23	27	38	23	18	20	9	5	-
430-434	Other diseases of heart———	643	13	7	-	2	-	4	6	6	12	15	28	32	63	70	87	86	93	48	37	25	9	-
	White——M—	196	4	1	-	1	-	-	-	2	5	3	7	11	20	19	25	29	30	23	9	7	-	-
	F—	148	2	1	-	-	-	1	1	-	2	1	5	1	6	12	14	26	31	16	14	11	4	-
	Nonwhite—M—	175	3	3	-	1	-	2	2	1	3	4	12	14	25	20	28	22	18	5	6	4	2	-
	F—	124	4	2	-	-	-	1	3	3	2	7	4	6	12	19	20	9	14	4	8	3	3	-
440-443	Hypertensive heart disease———	1,848	-	-	-	-	-	1	1	12	23	46	69	114	172	238	257	268	258	209	123	39	18	-
	White——M—	362	-	-	-	-	-	1	-	1	4	4	10	17	41	38	58	49	55	46	29	7	2	-
	F—	444	-	-	-	-	-	-	-	1	-	3	10	9	24	41	45	61	93	89	46	13	9	-
	Nonwhite—M—	433	-	-	-	-	-	-	-	3	6	13	21	33	39	62	67	73	56	32	17	9	2	-
	F—	609	-	-	-	-	-	-	1	7	13	26	28	55	68	97	87	85	54	42	31	10	5	-
444-447	Other hypertensive disease———	210	-	-	-	-	-	1	3	6	13	13	17	16	16	15	19	27	18	22	19	3	2	-
	White——M—	47	-	-	-	-	-	-	-	-	2	2	4	3	3	1	5	7	8	6	5	-	1	-
	F—	43	-	-	-	-	-	-	1	-	-	2	2	3	-	3	1	5	6	10	8	2	-	-
	Nonwhite—M—	59	-	-	-	-	-	1	1	3	6	1	5	6	6	9	7	6	1	2	4	-	1	-
	F—	61	-	-	-	-	-	-	1	3	5	8	6	4	7	2	6	9	3	4	2	1	-	-
450	General arteriosclerosis———	447	-	-	-	-	-	-	-	-	-	2	4	4	11	21	35	64	81	84	89	43	9	-
	White——M—	143	-	-	-	-	-	-	-	-	-	-	2	-	5	8	7	19	31	34	29	7	1	-
	F—	163	-	-	-	-	-	-	-	-	-	1	1	2	1	4	12	20	27	30	39	22	4	-
	Nonwhite—M—	68	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	17	13	11	8	8	-	-
	F—	73	-	-	-	-	-	-	-	-	-	1	1	2	3	6	10	8	10	9	13	6	4	-
451-468	Other diseases of circulatory sys.—	281	-	1	-	-	2	-	2	6	6	8	12	22	25	34	47	41	26	25	17	5	2	-
	White——M—	111	-	-	-	-	1	-	-	2	2	1	5	8	10	16	15	24	12	9	5	1	-	-
	F—	62	-	-	-	-	-	-	1	-	-	1	1	2	5	4	9	7	8	13	7	3	1	-
	Nonwhite—M—	56	-	-	-	-	-	-	-	1	-	2	2	5	8	9	15	7	2	2	3	-	-	-
	F—	52	-	1	-	-	1	-	1	3	4	4	4	7	2	5	8	3	4	1	2	1	1	-
592-594	Chronic nephritis, etc.*———	304	-	1	3	4	2	3	5	9	7	10	15	18	27	23	30	43	46	32	17	5	4	-
	White——M—	79	-	1	2	-	-	2	1	3	4	3	5	2	6	4	5	14	14	10	2	1	-	-
	F—	72	-	-	1	-	2	-	-	2	-	2	-	6	4	4	7	11	11	10	8	2	2	-
	Nonwhite—M—	75	-	-	-	3	-	-	1	-	1	4	5	4	8	8	8	9	10	7	5	1	1	-
	F—	78	-	-	-	1	-	1	3	4	2	1	5	6	9	7	10	9	11	5	2	1	1	-
480-493	Influenza and pneumonia, etc.*—	1,150	297	91	3	8	6	9	7	9	18	24	29	33	45	74	77	92	98	88	86	32	24	-
	White——M—	301	39	10	-	1	2	2	1	1	3	8	13	9	18	28	28	34	33	36	27	6	2	-
	F—	255	38	10	-	4	-	-	1	1	-	5	6	3	3	12	12	26	36	32	39	19	8	-
	Nonwhite—M—	351	137	40	2	2	1	4	1	4	9	4	9	15	16	22	23	11	14	12	13	5	7	-
	F—	243	83	31	1	1	3	3	4	3	6	7	1	6	8	12	14	21	15	8	7	2	7	-
480-483	Influenza———	140	23	8	-	1	1	3	-	1	4	1	2	6	5	12	12	10	18	13	11	3	6	-
	White——M—	35	4	-	-	-	1	2	-	1	1	-	1	2	1	3	4	3	6	2	4	-	-	-
	F—	34	1	1	-	1	-	-	-	-	-	1	1	-	-	3	3	6	6	3	5	2	1	-
	Nonwhite—M—	43	13	3	-	-	-	1	-	-	1	-	-	4	2	5	4	-	2	4	1	1	2	-
	F—	28	5	4	-	-	-	-	-	-	2	-	-	-	2	1	1	1	4	4	1	-	3	-
490-493	Pneumonia, etc.*—	1,010	274	83	3	7	5	6	7	8	14	23	27	27	40	62	65	82	80	75	75	29	18	-
	White——M—	266	35	10	-	1	1	-	1	-	2	8	12	7	17	25	24	31	27	34	23	6	2	-
	F—	221	37	9	-	3	-	-	1	1	-	4	5	3	3	9	9	20	30	29	34	17	7	-
	Nonwhite—M—	308	124	37	2	2	1	3	1	4	8	4	9	11	14	17	19	11	12	8	12	4	5	-
	F—	215	78	27	1	1	3	3	4	3	4	7	1	6	6	11	13	20	11	4	6	2	4	-
500-502	Bronchitis———	73	12	5	-	1	1	1	-	-	1	-	1	2	4	9	9	8	6	6	6	1	-	-
	White——M—	32	3	2	-	-	1	-	-	-	-	-	1	-	1	5	5	4	3	4	3	-	-	-
	F—	14	-	1	-	-	-	1	-	-	-	-	-	1	1	1	1	3	1	1	2	1	-	-
	Nonwhite—M—	20	7	2	-	1	-	-	-	-	-	-	-	1	2	2	3	1	-	-	1	-	-	-
	F—	7	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum———	155	4	-	-	-	-	-	1	3	6	11	19	13	13	17	22	19	12	7	6	1	1	-
	White——M—	81	-	-	-	-	-	-	-	1	2	3	9	9	10	9	12	10	6	6	4	-	-	-
	F—	27	-	-	-	-	-	-	-	-	2	4	3	2	1	2	4	5	2	1	1	-	-	-
	Nonwhite—M—	28	1	-	-	-	-	-	1	1	1	2	4	1	2	4	5	4	2	-	-	-	-	-
	F—	19	3	-	-	-	-	-	-	1	1	2	3	1	-	2	1	-	2	-	1	1	1	-
550-553	Appendicitis———	27	-	2	2	2	-	-	1	1	1	1	2	-	2	1	5	2	3	2	-	-	-	-
	White——M—	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	8	-	-	1	1	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-
	Nonwhite—M—	11	-	-	-	1	-	-	1	-	-	-	1	-	2	-	2	-	2	2	-	-	-	-
	F—	6	-	2	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction—	173	24	5	1	-	3	1	-	2	3	2	5	10	9	14	26	24	15	14	9	4	2	-
	White——M—	58	9	3	-	-	-	-	-	-	1	-	2	2	2	7	10	5	8	6	2	1	-	-
	F—	54	6	-	1	-	-	1	-	1	-	1	1	3	3	3	8	10	6	3	5	2	-	-
	Nonwhite—M—	39	6	2	-	-	3	-	-	-	2	-	-	4	1	4	6	6	1	1	1	-	2	-
	F—	22	3	-	-	-	-	-	-	1	-	1	2	1	3	-	2	3	-	4	1	1	-	-
543, 571, 572	Gastritis, etc.*—	180	80	21	1	-	2	-	-	2	2	4	3	6	9	4	11	13	8	8	4	2	-	-
	White——M—	34	4	5	-	-	1	-	-	2	-	1	1	4	1	1	2	6	1	3	1	1	-	-
	F—	41	7	2	-	-	-	-	-	-	1	1	1	1	4	2	4	3	7	5	2	1	-	-
	Nonwhite—M—	51	35	6	1	-	-	-	-	-	1	1	1	-	2	-	4	-	-	-	-	-	-	-
	F—	54	34	8	-	-	1	-	-	-	-	1	-	1	2	1	1	4	-	-	1	-	-	-
581	Cirrhosis of liver	247	2	3	-	-	-	1	5	9	24	15	25	41	33	23	19	16	18	8	4	1	-	-
	White——M—	124	-	1	-	-	-	-	-	3	12	6	10	20	21	14	13	13	8	2	1	-	-	-
	F—	74	1	1	-	-	-	-	2	2	5	6	10	14	7	5	5	2	8	3	2	1	-	-
	Nonwhite—M—	30	1	1	-	-	-	-	-	2	4	2	2	7	1	2	1	1	2	3	1	-	-	-
	F—	19	-	-	-	-	-	1	3	2	3	1	3	-	4	2	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																							
584, 585	Cholelithiasis, etc.*	61	-	-	-	-	-	-	-	1	1	3	5	5	4	8	9	7	6	5	4	2	1	-
	White—M	28	-	-	-	-	-	-	-	1	1	1	3	3	1	2	7	3	2	1	2	1	-	-
	F	24	-	-	-	-	-	-	-	-	-	2	-	1	2	5	1	3	3	3	2	1	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	1	-	-	-	-
590, 591	Acute nephritis, etc.*	44	1	4	2	1	1	-	2	2	3	1	1	4	6	4	4	4	-	-	3	1	-	-
	White—M	14	-	1	1	-	-	-	-	-	1	-	1	2	2	2	-	2	-	-	1	1	-	-
	F	12	1	-	-	-	-	-	-	1	1	-	-	1	2	1	2	1	-	-	2	-	-	-
	Nonwhite—M	11	-	3	1	-	1	-	1	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	1	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-
600	Infections of kidney	149	2	-	-	-	2	2	1	2	6	9	6	11	12	18	20	18	18	11	6	3	2	-
	White—M	34	-	-	-	-	-	-	-	-	-	1	1	2	3	6	6	5	2	2	2	2	2	-
	F	51	-	-	-	-	1	-	-	1	1	2	3	4	2	4	6	7	12	5	3	-	-	-
	Nonwhite—M	31	2	-	-	-	-	-	-	-	1	2	-	2	3	4	8	3	2	3	1	-	-	-
	F	33	-	-	-	-	1	2	1	1	4	4	2	3	4	4	-	3	2	1	-	1	-	-
610	Hyperplasia of prostate	65	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	10	20	9	10	1	1	-
	White—M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	15	6	6	1	1	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	5	3	4	-	-	-
640-689	Complications of pregnancy, etc.*	54	...	...	...	-	4	8	8	19	11	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	...	...	...	-	2	3	4	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	...	...	...	-	2	5	4	11	7	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	6	...	...	...	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	...	...	...	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	48	...	...	...	-	3	7	8	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	...	...	...	-	2	3	4	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	26	...	...	...	-	1	4	4	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	501	377	45	14	5	6	3	4	4	5	6	8	9	5	4	2	2	-	2	-	-	-	-
	White—M	169	123	10	6	3	3	1	3	2	1	2	3	4	2	3	1	1	-	1	-	-	-	-
	F	135	104	10	5	2	1	1	-	-	1	1	2	4	3	-	-	1	-	-	-	-	-	-
	Nonwhite—M	105	81	13	1	-	2	-	1	-	2	3	1	-	-	-	1	-	-	-	-	-	-	-
	F	92	69	12	2	-	-	1	-	2	1	-	2	1	-	1	-	-	-	1	-	-	-	-
760-776	Certain diseases of early infancy	1,904	1,903	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	532	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	384	383	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	522	522	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	466	466	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	794	794	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	876	875	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	229	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	176	175	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	322	41	5	-	1	-	1	1	5	5	8	5	17	20	25	35	31	41	22	30	20	8	1
	White—M	77	4	2	-	-	-	1	-	1	1	1	-	9	3	10	12	8	13	4	6	1	-	1
	F	75	8	-	-	1	-	-	-	1	1	1	-	1	5	6	4	4	10	6	11	11	5	-
	Nonwhite—M	101	17	2	-	-	-	-	1	2	2	2	2	6	5	7	12	15	9	7	8	3	1	-
	F	69	12	1	-	-	-	-	-	1	1	4	3	1	7	2	7	4	9	5	5	5	2	-
Residual	All other diseases	1,287	131	69	18	24	25	13	27	32	49	61	61	78	84	113	138	116	110	77	39	13	9	-
	White—M	486	29	12	4	8	9	3	8	6	14	17	23	37	33	58	68	60	48	27	17	2	3	-
	F	299	18	11	3	4	2	2	3	6	10	19	14	17	21	23	28	27	41	30	13	6	1	-
	Nonwhite—M	310	56	25	8	10	6	5	8	10	14	14	9	17	18	25	33	17	17	10	4	2	2	-
	F	192	28	21	3	2	8	3	8	10	11	11	15	7	12	7	9	12	4	10	5	3	3	-
E800-E962	Accidents	2,017	110	131	85	78	172	158	127	120	120	109	108	101	95	86	96	90	83	63	53	21	10	1
	White—M	923	19	33	30	30	82	96	70	78	66	55	65	54	49	42	39	36	33	19	22	3	1	1
	F	385	17	22	20	19	25	14	14	10	21	20	11	15	14	12	19	27	28	34	25	15	3	-
	Nonwhite—M	477	30	43	14	24	54	43	38	26	25	28	22	26	25	16	20	11	16	7	5	1	3	-
	F	232	44	33	21	5	11	5	5	6	8	6	10	6	7	16	18	16	6	3	1	2	3	-
E810-E835	Motor vehicle accidents	810	5	32	34	24	94	104	54	62	62	55	55	52	50	42	33	27	11	10	3	-	-	1
	White—M	415	1	13	8	12	52	61	25	40	33	24	27	29	28	21	14	9	7	7	3	-	-	1
	F	163	4	4	13	10	22	11	8	7	15	14	9	9	8	9	8	8	2	2	-	-	-	-
	Nonwhite—M	185	-	9	8	2	16	30	17	13	11	14	12	11	14	9	8	8	2	1	-	-	-	-
	F	47	-	6	5	-	4	2	4	2	3	3	7	3	-	3	3	2	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,207	105	99	51	54	78	54	73	58	58	54	53	49	45	44	63	63	72	53	50	21	10	-
	White—M	508	18	20	22	18	30	35	45	38	33	31	38	25	21	21	25	27	26	12	19	3	1	-
	F	222	13	18	7	9	3	3	6	3	6	6	2	6	6	3	11	19	26	32	25	15	3	-
	Nonwhite—M	292	30	34	6	22	38	13	21	13	14	14	10	15	11	7	12	3	14	6	5	1	3	-
	F	185	44	27	16	5	7	3	1	4	5	3	3	3	7	13	15	14	6	3	1	2	3	-
E963, E970-E979	Suicide	241	-	-	-	1	5	13	16	23	23	26	18	28	31	22	9	12	8	4	2	-	-	-
	White—M	176	-	-	-	1	2	7	8	13	14	22	15	19	30	16	8	11	5	4	1	-	-	-
	F	40	-	-	-	-	2	2	4	7	6	2	2	8	1	3	1	1	1	-	-	-	-	-
	Nonwhite—M	19	-	-	-	-	1	4	2	3	3	1	-	-	-	3	-	-	1	-	1	-	-	-
	F	6	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-
E964, E980-E985	Homicide	244	4	1	1	1	18	30	36	41	22	23	18	15	13	6	6	1	4	4	-	-	-	-
	White—M	47	2	-	1	1	2	1	3	4	6	4	4	6	3	2	2	1	3	2	-	-	-	-
	F	9	-	-	-	-	-	1	-	3	1	-	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	147	1	-	-	-	14	20	26	28	8	15	10	7	8	3	4	-	1	2	-	-	-	-
	F	41	1	1	-	-	2	8	7	6	7	4	2	2	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE																							
	All causes	10,498	613	97	49	30	62	78	79	100	132	181	288	411	568	844	1,146	1,375	1,544	1,396	901	479	118	7
	White--M	5,817	363	57	30	19	44	62	63	58	81	110	189	255	357	522	703	758	838	680	407	183	37	1
	F	4,630	243	40	17	11	18	16	15	39	46	70	98	153	207	320	433	613	704	713	492	295	81	6
	Nonwhite--M	30	3	-	1	-	-	-	1	2	4	1	-	2	3	1	6	3	2	-	1	-	-	-
	F	21	4	-	1	-	-	-	-	1	1	-	1	1	1	1	4	1	-	3	1	1	-	-
001-019	Tuberculosis, all forms	44	-	1	-	-	1	-	-	2	-	3	1	10	9	3	4	5	4	-	1	-	-	-
	White--M	30	-	-	-	-	1	-	-	-	-	2	1	8	5	2	3	4	3	-	1	-	-	-
	F	13	-	1	-	-	-	-	-	2	-	1	-	2	4	-	1	1	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	39	-	1	-	-	1	-	-	2	-	3	1	7	8	3	4	4	4	-	1	-	-	-
	White--M	27	-	-	-	-	1	-	-	-	-	2	1	6	5	2	3	3	3	-	1	-	-	-
	F	11	-	1	-	-	-	-	-	2	-	1	-	1	3	-	1	1	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	5	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	17	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	3	2	2	-	-	-	-
	White--M	11	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	31	4	-	-	1	2	1	-	-	-	1	-	2	4	2	4	1	4	4	1	-	-	-
	White--M	16	3	-	-	-	1	-	-	-	-	1	-	2	1	2	2	1	2	1	-	-	-	-
	F	15	1	-	-	1	1	1	-	-	-	-	-	-	3	-	2	-	2	3	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	1,693	1	5	4	6	7	3	9	17	27	28	69	113	149	212	256	255	231	189	78	28	6	-
	White--M	866	1	5	2	4	3	1	7	5	11	8	32	51	73	110	137	141	123	94	44	10	4	-
	F	820	-	-	2	2	4	2	2	12	16	20	36	60	75	102	117	114	107	95	34	18	2	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	26	-	-	-	-	1	-	-	-	-	-	-	2	1	5	2	5	5	3	1	-	1	-
	White--M	23	-	-	-	-	1	-	-	-	-	-	-	2	1	5	2	5	3	2	1	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	663	-	-	-	-	-	-	1	5	7	7	22	28	54	79	114	103	104	91	33	14	1	-
	White--M	344	-	-	-	-	-	-	1	1	5	2	12	15	29	40	57	54	55	47	20	5	1	-
	F	316	-	-	-	-	-	-	-	4	2	5	10	13	24	39	56	49	48	44	13	9	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	205	-	-	-	-	1	-	1	-	2	1	9	14	28	43	41	33	23	6	3	-	-	-
	White—M	173	-	-	-	-	-	-	1	-	2	1	6	12	26	39	38	25	17	4	2	-	-	-
	F	32	-	-	-	-	1	-	-	-	-	-	3	2	2	4	3	8	6	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	139	-	-	-	-	-	-	-	1	8	4	5	12	15	18	16	21	8	17	11	2	1	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	139	-	-	-	-	-	-	-	1	8	4	5	12	15	18	16	21	8	17	11	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	272	-	-	-	-	1	-	1	5	4	7	12	19	19	20	29	41	44	44	19	4	3	-
	White—M	124	-	-	-	-	-	-	1	1	-	1	1	2	2	4	8	25	28	30	17	2	2	-
	F	146	-	-	-	-	1	-	-	4	4	6	11	16	17	16	20	16	16	14	2	2	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	87	-	-	-	-	-	-	-	-	1	-	6	8	5	12	9	18	12	8	3	5	-	-
	White—M	51	-	-	-	-	-	-	-	-	-	-	5	4	3	7	7	13	4	5	1	2	-	-
	F	35	-	-	-	-	-	-	-	-	1	-	1	3	2	5	2	5	8	3	2	3	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, etc.*	Of other sites,	173	1	1	2	3	3	2	3	3	2	4	10	21	18	24	25	15	20	10	5	1	-	-
190-199	White—M	88	1	1	2	3	1	1	1	1	1	2	5	11	8	10	17	9	10	2	2	-	-	-
	F	84	-	-	-	-	2	1	2	2	1	2	4	10	10	14	8	6	10	8	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	51	-	4	2	1	1	1	-	1	2	1	1	6	2	3	4	6	9	5	-	2	-	-
	White—M	24	-	4	-	1	1	-	-	1	2	-	1	3	1	2	2	2	3	1	-	1	-	-
	F	27	-	-	2	1	-	1	-	-	-	1	-	3	1	1	2	4	6	4	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	77	-	-	-	2	-	-	3	2	1	4	4	3	7	8	16	13	6	5	3	-	-	-
	White—M	39	-	-	-	1	-	-	3	1	1	2	2	2	3	3	6	8	3	3	1	-	-	-
	F	38	-	-	-	1	-	-	-	1	-	2	2	1	4	5	10	5	3	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	31	2	1	-	-	-	-	-	-	1	3	5	2	4	1	4	5	2	-	1	-	-	-
	White—M	17	1	1	-	-	-	-	-	-	-	1	4	1	3	1	3	-	1	-	1	-	-	-
	F	14	1	-	-	-	-	-	-	-	1	2	1	1	1	-	1	5	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	30	-	1	-	-	-	-	-	-	-	1	1	-	3	2	7	3	6	1	5	-	-	-
	White—M	21	-	1	-	-	-	-	-	-	-	-	1	-	2	1	6	3	4	-	3	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	144	-	-	1	-	-	1	-	1	1	9	4	3	9	13	19	28	29	17	5	4	-	-
	White—M	56	-	-	1	-	-	-	-	-	-	5	1	1	5	8	4	9	11	8	2	1	-	-
	F	87	-	-	-	-	-	1	-	1	1	4	3	2	4	5	15	18	18	9	3	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias	20	-	1	-	-	-	-	-	1	-	-	-	1	2	1	2	7	2	2	1	-	-	-
	White—M	10	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	4	1	-	-	-	-	-
	F	10	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	10	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	6,140	3	4	2	3	5	3	11	16	27	61	123	196	295	484	693	902	1,094	1,034	712	375	94	3
	White—M	3,329	2	1	2	3	5	3	9	9	16	46	92	132	209	312	444	489	574	497	314	143	27	-
	F	2,793	1	3	-	-	-	-	2	7	11	15	31	64	86	171	241	411	519	534	396	231	67	3
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	3	1	1	-	-
330-334, 400-468	Dis. of cardiovascular system	6,038	3	3	1	3	4	2	8	14	25	58	118	192	289	480	686	893	1,073	1,017	706	366	94	3
	White—M	3,271	2	-	1	3	4	2	7	8	14	44	87	131	204	311	441	485	561	488	310	141	27	-
	F	2,749	1	3	-	-	-	-	1	6	11	14	31	61	85	168	237	406	511	526	394	224	67	3
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	3	1	1	-	-
330-334	Vascular lesions, etc.*	1,280	1	2	-	2	2	1	1	3	5	7	10	20	32	95	98	191	264	244	183	89	28	2
	White—M	570	-	-	-	2	2	1	1	1	1	3	6	10	16	53	53	93	117	95	78	34	4	-
	F	706	1	2	-	-	-	-	-	2	4	4	4	10	16	41	43	98	147	149	104	55	24	2
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
400-402, 410-443	Diseases of heart	4,301	2	1	1	1	1	-	7	10	19	46	103	162	247	365	550	643	738	689	435	225	55	1
	White—M	2,475	2	-	1	1	1	-	6	7	13	39	77	118	180	246	366	361	411	344	192	93	17	-
	F	1,814	-	1	-	-	-	-	1	3	6	7	26	44	67	119	179	280	326	342	243	131	38	1
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	1	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	109	-	1	-	1	1	-	2	3	3	7	9	10	10	15	10	10	12	9	6	-	-	-
	White—M	45	-	-	-	1	1	-	2	-	1	3	5	3	5	7	5	2	6	4	-	-	-	-
	F	64	-	1	-	-	-	-	-	3	2	4	4	7	5	8	5	8	6	5	6	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																							
420	Arteriosclerotic heart dis., etc.*	3,156	-	-	-	-	-	-	3	6	15	36	83	126	215	294	449	476	540	478	270	129	35	1
	White----M--	1,949	-	-	-	-	-	-	3	6	12	34	68	98	159	212	307	289	302	253	137	56	13	-
	F--	1,197	-	-	-	-	-	-	-	-	3	2	15	28	56	82	139	185	237	222	133	72	22	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	468	2	-	1	-	-	-	-	-	-	2	3	9	8	15	33	61	80	101	82	55	16	-
	White----M--	218	2	-	1	-	-	-	-	-	-	2	-	6	7	7	20	26	47	45	31	22	2	-
	F--	250	-	-	-	-	-	-	-	-	-	-	3	3	1	8	13	35	33	56	51	33	14	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart----------	117	-	-	-	-	-	-	1	1	-	-	4	7	4	8	18	15	23	16	12	7	1	-
	White----M--	65	-	-	-	-	-	-	-	1	-	-	2	4	4	6	11	6	14	9	4	3	1	-
	F--	51	-	-	-	-	-	-	1	-	-	-	2	3	-	2	6	9	9	7	8	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease----	451	-	-	-	-	-	-	1	-	1	1	4	10	10	33	40	81	83	85	65	34	3	-
	White----M--	198	-	-	-	-	-	-	1	-	-	-	2	7	5	14	23	38	42	33	20	12	1	-
	F--	252	-	-	-	-	-	-	-	-	1	1	2	3	5	19	16	43	41	52	45	22	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
444-447	Other hypertensive disease-----	81	-	-	-	-	-	1	-	-	-	1	1	3	1	1	9	12	12	14	17	8	1	-
	White----M--	45	-	-	-	-	-	1	-	-	-	-	1	1	1	1	4	3	8	9	13	2	1	-
	F--	36	-	-	-	-	-	-	-	-	-	1	-	2	-	-	5	9	4	5	4	6	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	252	-	-	-	-	-	-	-	-	-	-	-	-	1	6	12	29	43	54	59	38	10	-
	White----M--	116	-	-	-	-	-	-	-	-	-	-	-	-	-	4	11	16	16	30	23	11	5	-
	F--	136	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	13	27	24	36	27	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	124	-	-	-	-	1	-	-	1	1	4	4	7	8	13	17	18	16	16	12	6	-	-
	White----M--	65	-	-	-	-	1	-	-	-	-	2	3	2	7	7	7	12	9	10	4	1	-	-
	F--	57	-	-	-	-	-	-	-	1	1	2	1	5	1	6	9	6	7	6	7	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	102	-	1	1	-	1	1	3	2	2	3	5	4	6	4	7	9	21	17	6	9	-	-
	White----M--	58	-	1	1	-	1	1	2	1	2	2	5	1	5	1	3	4	13	9	4	2	-	-
	F--	44	-	-	-	-	-	-	1	1	-	1	-	3	1	3	4	5	8	8	2	7	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	327	64	8	1	2	2	3	3	6	1	3	7	5	5	15	23	38	45	42	29	19	5	1
	White----M--	190	30	7	1	-	1	1	2	4	1	2	-	2	4	8	18	28	34	27	10	9	1	-
	F--	135	33	1	-	2	1	2	1	2	-	1	7	3	1	7	5	9	11	15	19	10	4	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza----------	28	5	1	-	-	-	1	1	2	-	-	-	1	1	-	2	2	2	5	4	-	1	-
	White----M--	15	3	1	-	-	-	-	1	2	-	-	-	-	1	-	1	-	2	3	1	-	-	-
	F--	13	2	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	2	3	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	299	59	7	1	2	2	2	2	4	1	3	7	4	4	15	21	36	43	37	25	19	4	1
	White----M--	175	27	6	1	-	1	1	1	2	1	2	-	2	3	8	17	28	32	24	9	9	1	-
	F--	122	31	1	-	2	1	1	1	2	-	1	7	2	1	7	4	7	11	13	16	10	3	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	25	3	3	1	-	-	-	-	1	1	1	-	2	-	1	5	2	2	1	2	-	-	-
	White----M--	17	2	1	-	-	-	-	-	1	1	-	-	1	-	1	5	-	2	1	2	-	-	-
	F--	8	1	2	1	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	63	1	-	-	-	-	1	-	1	2	1	4	5	1	8	10	15	7	2	3	2	-	-
	White----M--	49	-	-	-	-	-	1	-	1	1	1	4	5	1	8	8	11	5	1	1	1	-	-
	F--	14	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	4	2	1	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	13	-	1	1	-	1	-	-	1	-	-	-	2	2	-	2	-	1	-	1	1	-	-
	White----M--	8	-	1	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	1	-	-	-
	F--	5	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	66	4	1	-	-	-	-	1	1	-	2	1	-	1	7	6	9	9	11	8	4	-	1
	White----M--	33	2	1	-	-	-	-	1	-	-	-	1	-	-	3	4	6	6	6	2	1	-	-
	F--	33	2	-	-	-	-	-	-	1	-	2	-	-	1	4	2	3	3	5	6	3	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	41	16	5	-	-	1	-	-	1	-	2	2	3	1	1	2	-	1	3	2	1	-	-
	White----M--	17	9	2	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	1	-	-	-
	F--	23	6	3	-	-	1	-	-	-	-	2	2	2	-	1	1	-	-	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	84	-	-	-	-	-	-	-	2	3	2	11	6	10	11	17	9	6	4	2	1	-	-
	White----M--	57	-	-	-	-	-	-	-	2	2	1	8	5	6	10	11	4	4	3	-	1	-	-
	F--	27	-	-	-	-	-	-	-	-	1	1	3	1	4	1	6	5	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE--Continued																							
584, 585	Cholelithiasis, etc.*	36	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	4	8	9	2	2	-	-
	White	16	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	4	3	2	1	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	4	6	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	16	-	1	-	-	-	-	-	-	1	-	1	2	2	1	2	1	4	-	-	1	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-
	F	9	-	1	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	-	-	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	39	1	1	1	-	-	-	1	2	3	2	1	1	3	3	3	5	6	1	1	4	-	-
	White	24	-	1	-	-	-	-	1	2	2	1	-	1	1	1	3	4	5	-	1	3	-	-
	F	15	1	-	1	-	-	-	1	1	1	1	1	-	2	2	-	1	1	1	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	30	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	9	7	4	1	-	-
	White	30	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	9	7	4	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	8	...	...	...	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	...	...	...	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	8	...	...	...	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	...	...	...	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	138	96	13	7	2	-	2	1	4	1	2	4	1	2	1	1	-	1	-	-	-	-	-
	White	73	54	7	1	1	-	1	-	1	1	-	4	1	-	1	1	-	-	-	-	-	-	-
	F	64	42	6	5	1	-	1	1	3	-	2	-	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	60	5	-	1	-	-	-	2	-	-	-	1	2	-	1	2	2	6	6	13	14	5	-
	White	25	3	-	1	-	-	-	2	-	-	-	1	-	-	-	1	1	2	3	6	4	1	-
	F	35	2	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	4	3	7	10	4	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	345	29	8	5	4	6	3	4	7	10	13	14	14	24	30	39	44	40	27	11	7	4	2
	White	185	18	3	2	2	3	2	3	3	5	7	8	8	11	19	19	25	25	14	3	2	2	1
	F	157	11	5	2	2	3	1	1	3	4	6	6	6	13	11	20	19	15	13	8	5	2	1
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	560	44	38	24	12	32	47	36	25	41	29	23	26	21	23	29	24	22	28	17	15	4	-
	White	402	29	24	19	9	26	41	32	19	35	22	20	20	19	18	18	11	14	11	7	6	2	-
	F	149	15	14	5	3	6	6	3	4	3	6	3	5	1	5	11	13	8	17	10	9	2	-
	Nonwhite	8	-	-	-	-	-	-	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	211	3	15	15	6	21	18	20	13	13	11	7	9	10	13	13	9	6	6	2	1	-	-
	White	150	2	10	11	4	16	15	17	8	10	5	5	5	10	9	8	3	5	5	1	1	-	-
	F	56	1	5	4	2	5	3	2	3	2	5	2	4	-	4	5	6	1	1	1	-	-	-
	Nonwhite	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	349	41	23	9	6	11	29	16	12	28	18	16	17	11	10	16	15	16	22	15	14	4	-
	White	252	27	14	8	5	10	26	15	11	25	17	15	15	9	9	10	8	9	6	6	5	2	-
	F	93	14	9	1	1	1	3	1	1	1	1	1	1	1	1	6	7	7	16	9	9	2	-
	Nonwhite	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	134	-	-	-	-	5	10	8	8	9	15	12	13	14	14	6	9	4	5	2	-	-	-
	White	108	-	-	-	-	4	10	7	8	6	11	10	12	8	10	6	6	4	4	2	-	-	-
	F	25	-	-	-	-	1	-	1	-	3	4	2	1	5	4	-	3	-	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	15	1	-	-	-	-	2	1	2	3	1	1	1	-	1	1	1	-	-	-	-	-	-
	White	9	1	-	-	-	-	2	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND																							
	All causes	27,116	2,189	298	154	121	157	193	241	383	610	805	1,265	1,659	2,105	2,678	3,152	3,276	2,917	2,537	1,587	617	159	13
	White--M	12,188	777	99	77	54	77	100	102	154	250	366	603	821	1,069	1,413	1,581	1,512	1,286	1,011	594	199	41	2
	F	9,542	628	96	41	35	38	30	59	89	162	187	307	397	504	762	999	1,258	1,310	1,311	861	372	90	6
	Nonwhite--M	3,030	414	59	21	24	25	40	46	83	97	150	203	260	297	287	343	260	183	111	75	19	10	3
	F	2,356	370	44	15	8	17	23	34	57	101	102	152	181	235	216	229	226	138	104	57	27	18	2
001-019	Tuberculosis, all forms	319	1	2	-	2	1	5	5	17	21	24	31	35	31	32	42	27	24	14	4	1	-	-
	White--M	140	-	-	-	-	-	1	1	1	5	5	15	14	14	19	29	11	16	7	2	-	-	-
	F	51	-	1	-	-	-	-	-	3	6	5	5	7	2	1	2	5	5	7	2	-	-	-
	Nonwhite--M	89	-	-	-	1	-	2	1	5	5	10	9	10	12	10	11	9	3	-	-	1	-	-
	F	39	1	1	-	1	1	2	3	8	5	4	2	4	3	2	-	2	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	302	-	1	-	1	1	5	5	15	16	24	29	34	31	31	41	26	24	13	4	1	-	-
	White--M	137	-	-	-	-	-	1	1	1	3	5	15	14	14	18	29	11	16	7	2	-	-	-
	F	47	-	-	-	-	-	-	-	3	5	5	5	6	2	1	2	5	5	6	2	-	-	-
	Nonwhite--M	85	-	-	-	1	-	2	1	5	5	10	7	10	12	10	10	8	3	-	-	1	-	-
	F	33	-	1	-	-	1	2	3	6	3	4	2	4	3	2	-	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms	17	1	1	-	1	-	-	-	2	5	-	2	1	-	1	1	1	-	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
	F	6	1	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	90	-	-	-	-	-	-	-	1	3	2	6	14	15	18	13	10	4	-	3	1	-	-
	White--M	24	-	-	-	-	-	-	-	-	-	-	2	2	5	5	6	3	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	43	-	-	-	-	-	-	-	1	1	1	2	8	6	9	3	5	3	-	3	1	-	-
	F	17	-	-	-	-	-	-	-	-	2	1	1	2	4	3	3	1	-	-	-	-	-	-
045-048	Dysentery, all forms	8	-	3	-	-	1	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	White--M	5	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	F	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	3	6	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	18	3	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	8	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	99	16	9	4	3	1	1	2	5	3	5	7	7	7	7	7	6	1	6	-	1	1	-
	White--M	31	8	-	1	1	-	-	-	-	1	-	2	2	4	4	5	1	-	2	-	-	-	-
	F	36	1	6	2	1	-	1	1	1	1	1	2	3	3	2	2	4	1	2	-	1	1	-
	Nonwhite--M	18	6	2	-	-	1	-	1	1	-	3	1	-	-	-	-	1	-	2	-	-	-	-
	F	14	1	1	1	1	-	-	-	3	1	1	2	2	-	1	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	4,149	3	33	21	20	11	20	33	63	115	168	259	395	460	532	634	558	397	258	131	31	6	1
	White--M	1,870	1	15	15	12	5	14	14	22	40	53	82	169	205	257	308	287	197	109	51	11	3	-
	F	1,616	2	14	5	7	3	6	11	26	49	67	113	140	164	196	225	209	160	120	75	20	3	1
	Nonwhite--M	368	-	3	-	1	2	-	1	6	5	24	27	46	51	53	66	40	23	17	3	-	-	-
	F	295	-	1	1	-	1	-	7	9	21	24	37	40	40	26	35	22	17	12	2	-	-	-
140-148	Of buccal cavity and pharynx	96	-	-	-	1	-	-	1	1	4	6	5	10	11	16	10	11	7	6	5	2	-	-
	White--M	57	-	-	-	-	-	-	-	-	2	3	3	7	4	10	8	9	5	4	1	1	-	-
	F	22	-	-	-	1	-	-	-	-	-	1	1	2	2	5	-	2	1	2	4	1	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	2	2	-	-	4	1	2	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,289	-	-	1	-	-	1	1	8	20	36	69	118	138	161	213	205	154	101	50	10	3	-
	White--M	582	-	-	1	-	-	-	1	2	12	13	28	53	61	79	102	107	72	32	14	4	1	-
	F	488	-	-	-	-	-	1	-	4	3	12	25	35	47	54	68	74	67	56	34	6	2	-
	Nonwhite--M	133	-	-	-	-	-	-	-	1	1	7	8	18	15	20	29	18	9	6	1	-	-	-
	F	86	-	-	-	-	-	-	-	1	4	4	8	12	15	8	14	6	6	7	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	687	-	-	-	1	-	1	-	6	9	31	43	89	105	116	121	93	47	16	7	2	-	-
	White—M	507	-	-	-	1	-	1	-	3	6	17	22	63	81	88	101	72	36	10	6	-	-	-
	F	72	-	-	-	-	-	-	-	1	2	4	8	7	6	9	8	13	6	5	1	2	-	-
	Nonwhite—M	92	-	-	-	-	-	-	-	2	-	8	10	16	17	17	11	6	4	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	2	3	3	1	2	1	2	1	-	-	-	-	-
170	Of breast	378	-	-	-	-	-	-	3	5	17	25	48	44	42	35	48	36	33	19	17	5	1	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F	333	-	-	-	-	-	-	1	5	12	21	39	40	35	34	43	34	29	19	16	4	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	2	-	5	4	9	4	7	1	5	2	3	-	1	-	-	-
171-179	Of genital organs	630	-	1	-	-	2	3	6	14	24	38	38	47	55	70	97	82	73	54	23	3	-	-
	White—M	181	-	-	-	-	-	3	1	2	5	4	3	2	5	9	22	38	37	31	16	3	-	-
	F	312	-	1	-	-	2	-	2	8	11	22	22	33	38	48	53	29	24	13	6	-	-	-
	Nonwhite—M	48	-	-	-	-	-	-	-	-	-	-	1	1	3	4	14	10	7	7	1	-	-	-
	F	89	-	-	-	-	-	-	3	4	8	12	12	11	9	9	8	5	5	3	-	-	-	-
180, 181	Of urinary organs	213	-	3	-	1	-	-	-	3	5	4	14	14	24	24	31	36	21	19	10	3	1	-
	White—M	117	-	1	-	1	-	-	-	3	3	-	4	8	13	12	22	17	12	12	7	1	1	-
	F	62	-	1	-	-	-	-	-	-	2	1	6	2	5	9	4	15	7	5	3	2	-	-
	Nonwhite—M	22	-	1	-	-	-	-	-	-	-	2	4	2	3	2	4	1	2	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	2	3	1	1	3	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	498	3	12	8	7	1	5	8	15	21	17	29	45	61	70	74	46	28	29	13	5	1	-
	White—M	230	1	4	3	5	1	4	5	6	8	7	14	22	26	35	36	22	12	13	4	1	1	-
	F	194	2	5	4	2	-	1	2	5	8	6	8	13	26	25	27	18	15	14	9	4	-	-
	Nonwhite—M	43	-	2	-	-	-	-	1	2	2	3	4	5	8	6	6	2	-	2	-	-	-	-
	F	31	-	1	1	-	-	-	-	2	3	1	3	5	1	4	5	4	1	-	-	-	-	-
204	Leukemia and aleukemia	177	-	16	11	9	4	3	7	3	7	1	4	10	10	15	18	23	19	11	5	1	-	-
	White—M	101	-	9	10	4	2	-	5	2	2	1	3	4	6	10	9	12	13	6	3	-	-	-
	F	64	-	7	1	4	-	3	2	1	5	-	-	4	3	3	8	11	6	4	1	1	-	-
	Nonwhite—M	8	-	-	-	1	2	-	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	181	-	1	1	1	4	7	7	8	8	10	9	18	14	25	22	26	15	3	1	-	-	1
	White—M	93	-	1	1	1	2	6	2	4	2	8	5	10	9	14	8	10	9	1	-	-	-	-
	F	69	-	-	-	-	1	1	4	2	6	-	4	4	2	9	14	13	5	2	1	-	-	1
	Nonwhite—M	10	-	-	-	-	-	-	-	1	-	2	-	2	1	1	-	3	-	-	-	-	-	-
	F	9	-	-	-	-	1	-	1	1	-	-	-	2	2	1	-	-	1	-	-	-	-	-
210-239	Benign & unspec. neoplasms	98	4	-	3	1	4	1	1	4	5	4	10	7	14	10	13	8	5	-	4	-	-	-
	White—M	37	2	-	1	1	-	-	-	2	2	1	3	4	8	2	6	3	2	-	-	-	-	-
	F	40	1	-	2	-	1	-	1	1	2	2	6	1	3	2	7	5	3	-	3	-	-	-
	Nonwhite—M	10	1	-	-	-	1	-	-	1	1	-	-	2	1	2	-	-	-	-	1	-	-	-
	F	11	-	-	-	-	2	1	-	-	-	1	1	-	2	4	-	-	-	-	-	-	-	-
241	Asthma	83	-	1	-	-	-	2	1	3	3	6	7	3	13	16	11	9	5	2	1	-	-	-
	White—M	45	-	-	-	-	-	-	-	-	-	2	3	-	8	14	7	4	4	2	1	-	-	-
	F	16	-	-	-	-	-	-	1	2	1	-	1	2	2	2	2	2	1	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	-	2	1	2	-	2	3	-	-	-	-	-	-
	F	11	-	1	-	-	-	2	-	-	2	4	1	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	506	1	-	-	2	-	3	1	4	5	7	17	31	53	71	92	83	70	39	25	1	1	-
	White—M	143	-	-	-	-	-	-	1	2	2	2	6	6	12	22	24	25	23	7	9	1	1	-
	F	260	1	-	-	2	-	-	-	-	2	3	3	5	22	39	52	47	39	30	15	-	-	-
	Nonwhite—M	37	-	-	-	-	-	2	-	2	-	1	3	4	7	2	6	5	4	-	1	-	-	-
	F	66	-	-	-	-	-	1	-	-	1	1	5	16	12	8	10	6	4	2	-	-	-	-
290-293	Anemias	52	2	4	1	2	2	2	-	-	-	1	-	3	2	5	4	7	6	8	1	1	1	-
	White—M	18	2	1	-	-	-	1	-	-	-	-	-	1	1	2	-	2	4	3	1	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	2	5	-	1	1	-
	Nonwhite—M	11	-	3	1	2	2	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	52	19	11	1	1	1	1	-	-	2	-	1	5	2	2	3	1	2	-	-	-	-	-
	White—M	18	4	6	1	-	-	-	-	-	1	-	-	2	1	-	2	1	-	-	-	-	-	-
	F	18	8	2	-	-	-	1	-	-	-	-	-	3	1	2	-	-	1	-	-	-	-	-
	Nonwhite—M	12	6	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	14,910	16	11	9	11	11	24	40	93	199	326	602	855	1,124	1,600	1,943	2,161	2,081	1,914	1,244	509	127	10
	White—M	6,808	5	5	5	6	6	10	13	39	81	186	335	450	596	864	971	965	868	753	452	167	30	1
	F	5,590	10	3	3	2	3	5	11	17	42	48	104	177	231	433	602	850	978	1,002	686	306	73	4
	Nonwhite—M	1,329	1	1	1	2	1	5	9	19	31	51	85	137	157	156	211	175	128	80	56	13	7	3
	F	1,183	-	2	-	1	1	4	7	18	45	41	78	91	140	147	159	171	107	79	50	23	17	2
330-334, 400-468	Dis. of cardiovascular system	14,645	15	9	7	7	11	22	38	86	189	316	582	832	1,100	1,574	1,921	2,131	2,052	1,893	1,224	502	124	10
	White—M	6,707	5	4	3	5	6	9	12	37	79	184	326	444	591	850	963	951	856	741	447	164	29	1
	F	5,502	9	3	3	1	3	4	11	14	40	46	101	171	225	425	595	841	966	994	673	302	71	4
	Nonwhite—M	1,293	1	-	1	1	1	5	9	19	30	47	80	130	153	155	209	169	126	79	55	13	7	3
	F	1,143	-	2	-	-	1	4	6	16	40	39	75	87	131	144	154	170	104	79	49	23	17	2
330-334	Vascular lesions, etc.*	2,307	6	4	4	-	1	7	6	18	26	50	86	95	151	219	280	336	369	351	196	83	18	1
	White—M	857	3	2	2	-	1	3	2	5	6	20	28	34	51	94	119	113	146	134	66	23	5	-
	F	973	2	2	1	-	-	-	2	4	7	10	16	28	41	63	91	151	177	193	119	54	11	1
	Nonwhite—M	247	1	-	1	-	-	2	-	7	3	7	20	18	36	25	39	38	26	12	7	4	1	-
	F	230	-	-	-	-	-	2	2	2	10	13	22	15	23	37	31	34	20	12	4	2	1	-
400-402, 410-416, 443	Diseases of heart	11,393	6	5	3	7	9	14	27	59	148	238	467	688	903	1,291	1,540	1,662	1,570	1,394	906	367	80	9
	White—M	5,463	1	2	1	5	5	6	10	28	71	154	289	388	521	720	793	776	658	556	337	124	17	1
	F	4,138	5	1	2	1	2	4	8	8	29	31	80	132	172	350	478	641	739	711	483	214	44	3
	Nonwhite—M	951	-	-	-	1	1	3	7	9	24	34	53	102	108	120	154	119	92	64	43	9	5	3
	F	841	-	2	-	-	1	1	2	14	24	19	45	66	102	101	115	126	81	63	43	20	14	2
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	295	1	-	3	4	5	9	9	15	28	20	32	39	31	35	21	12	13	10	7	1	-	-
	White—M	106	-	-	1	2	3	4	5	3	8	11	11	15	13	12	6	5	3	1	3	-	-	-
	F	138	1	-	2	1	1	3	1	5	13	6	18	13	16	21	15	5	7	7	2	1	-	-
	Nonwhite—M	30	-	-	-	1	-	2	3	2	4	1	1	7	1	1	-	1	2	2	2	-	-	-
	F	21	-	-	-	-	1	-	-	5	3	2	2	4	1	1	-	1	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND--Con.																							
420	Arteriosclerotic heart dis., etc.*	6,298	-	-	-	-	-	1	11	26	73	144	303	433	590	808	889	946	815	663	393	160	39	4
	White-----M--	3,575	-	-	-	-	-	1	3	20	49	113	236	292	397	536	518	511	367	298	164	61	8	1
	F--	2,103	-	-	-	-	-	-	7	2	11	12	36	80	106	199	280	346	385	319	207	91	22	-
	Nonwhite--M--	357	-	-	-	-	-	-	1	2	9	12	22	41	51	38	53	51	34	24	11	4	2	2
	F--	263	-	-	-	-	-	-	-	2	4	7	9	20	36	35	38	38	29	22	11	4	7	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,273	1	2	-	1	2	3	1	6	8	24	42	66	97	171	250	338	377	420	301	133	26	4
	White-----M--	937	-	1	-	1	1	1	-	2	3	8	16	34	50	72	118	144	167	163	111	40	5	-
	F--	945	1	1	-	-	-	-	-	1	-	6	11	11	16	48	56	135	164	230	167	79	16	3
	Nonwhite--M--	212	-	-	-	-	1	1	1	2	1	7	6	12	15	30	49	28	26	14	14	3	2	-
	F--	179	-	-	-	-	-	1	-	1	4	3	9	9	16	21	27	31	20	13	9	11	3	1
430-434	Other diseases of heart----------	358	4	3	-	2	2	-	4	3	6	12	10	24	19	41	56	44	46	35	31	15	1	-
	White-----M--	159	1	1	-	2	1	-	-	-	2	7	3	10	10	19	28	16	23	17	13	5	1	-
	F--	115	3	-	-	-	1	-	-	-	2	1	4	2	4	11	18	16	20	10	14	9	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	2	1	2	3	3	9	2	7	9	7	1	4	3	1	-	-
	F--	30	-	2	-	-	-	-	2	2	-	1	-	3	3	4	1	5	2	4	1	-	-	-
440-443	Hypertensive heart disease-----	2,169	-	-	-	-	-	1	2	9	33	38	80	126	166	236	324	322	319	266	174	58	14	1
	White-----M--	686	-	-	-	-	-	-	2	3	9	15	23	37	51	81	123	100	98	77	46	18	3	-
	F--	837	-	-	-	-	-	1	-	-	3	6	11	26	30	71	109	139	163	145	93	34	6	-
	Nonwhite--M--	298	-	-	-	-	-	-	-	2	6	11	21	33	39	44	43	32	29	20	13	1	1	1
	F--	348	-	-	-	-	-	-	-	4	13	6	25	30	46	40	49	51	29	24	22	5	4	-
444-447	Other hypertensive disease------	194	-	-	-	-	-	-	2	3	10	14	10	17	10	12	26	30	26	20	9	3	2	-
	White-----M--	78	-	-	-	-	-	-	-	1	1	4	4	5	2	7	11	14	15	8	2	3	1	-
	F--	57	-	-	-	-	-	-	1	-	4	-	2	3	5	2	6	10	8	9	6	-	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	1	2	2	4	1	6	2	1	7	4	2	1	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	3	6	3	3	1	2	2	2	1	2	-	-	-	-
450	General arteriosclerosis---------	453	-	-	-	-	-	-	-	1	-	-	2	3	8	16	33	55	60	105	103	43	24	-
	White-----M--	162	-	-	-	-	-	-	-	-	-	-	1	1	2	8	15	23	25	34	35	12	6	-
	F--	236	-	-	-	-	-	-	-	-	-	-	-	1	1	-	11	19	29	68	62	30	15	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	1	-	-	1	1	5	6	3	7	5	1	4	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	1	2	2	1	2	-
451-468	Other diseases of circulatory sys.-	298	3	-	-	-	1	1	3	5	5	14	17	29	28	36	42	48	27	23	10	6	-	-
	White-----M--	147	1	-	-	-	-	-	-	3	1	6	4	16	15	21	25	25	12	9	7	2	-	-
	F--	98	2	-	-	-	1	-	-	2	-	5	3	7	6	10	9	20	13	13	3	4	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	1	-	1	2	5	3	2	3	6	1	1	1	-	-	-	-
	F--	27	-	-	-	-	-	1	2	-	3	1	5	3	5	2	2	2	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	265	1	2	2	4	-	2	2	7	10	10	20	23	24	26	22	30	29	21	20	7	3	-
	White-----M--	101	-	1	2	1	-	1	1	2	2	2	9	6	5	14	8	14	12	12	5	3	1	-
	F--	88	1	-	-	1	-	1	-	3	2	2	3	6	6	8	7	9	12	8	13	4	2	-
	Nonwhite--M--	36	-	1	-	1	-	-	-	-	1	4	5	7	4	1	2	6	2	1	1	-	-	-
	F--	40	-	-	-	1	-	-	1	2	5	2	3	4	9	3	5	1	3	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	865	163	38	5	3	4	3	15	9	25	20	30	38	62	60	92	69	70	65	60	25	9	-
	White-----M--	366	52	8	1	1	-	-	2	1	9	6	10	22	28	34	51	29	42	31	29	7	3	-
	F--	246	34	9	2	-	2	1	5	3	8	1	8	4	15	5	24	29	24	28	25	14	5	-
	Nonwhite--M--	170	36	15	2	2	1	1	5	5	5	11	11	11	15	14	13	6	4	4	5	3	1	-
	F--	83	41	6	-	-	1	1	3	-	3	2	1	1	4	7	4	5	-	2	1	1	-	-
480-483	Influenza---------	35	-	-	-	-	1	1	1	-	3	-	1	1	4	5	5	6	2	3	1	-	1	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	1	-	-	1	-
	F--	16	-	-	-	-	1	1	-	-	1	-	1	-	1	-	3	4	1	2	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	2	-	-	1	1	2	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	830	163	38	5	3	3	2	14	9	22	20	29	37	58	55	87	63	68	62	59	25	8	-
	White-----M--	355	52	8	1	1	-	-	2	1	9	6	10	22	26	31	50	27	41	30	29	7	2	-
	F--	230	34	9	2	-	1	-	5	3	7	1	7	4	14	5	21	25	23	26	24	14	5	-
	Nonwhite--M--	163	36	15	2	2	1	1	5	5	3	11	11	10	14	12	12	6	4	4	5	3	1	-
	F--	82	41	6	-	1	1	1	2	-	3	2	1	1	4	7	4	5	-	2	1	1	-	-
500-502	Bronchitis---------	78	18	6	3	2	-	-	1	-	-	4	1	-	1	8	9	11	7	4	2	1	-	-
	White-----M--	46	7	2	-	1	-	-	-	-	-	3	1	-	-	6	8	9	6	2	1	-	-	-
	F--	15	4	1	1	-	-	-	1	-	-	1	-	-	1	-	1	1	-	2	1	1	-	-
	Nonwhite--M--	10	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	7	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	126	3	-	-	-	2	1	1	1	8	5	8	13	21	15	10	10	15	9	3	1	-	-
	White-----M--	87	2	-	-	-	2	-	1	1	5	3	6	7	15	13	8	6	9	5	3	1	-	-
	F--	21	1	-	-	-	-	-	-	-	1	-	1	3	3	2	1	3	3	3	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	2	1	-	3	2	-	1	-	3	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
550-553	Appendicitis-------	15	-	-	1	1	-	-	-	1	-	-	1	2	1	1	-	4	-	1	2	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	F--	8	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	149	16	1	-	-	-	1	-	1	2	2	2	5	4	17	16	28	26	20	6	1	1	-
	White-----M--	58	7	-	-	-	-	-	-	-	-	-	-	2	2	10	5	12	11	5	2	1	1	-
	F--	51	3	1	-	-	-	-	-	-	1	1	1	1	-	3	6	7	11	13	3	-	-	-
	Nonwhite--M--	24	4	-	-	-	-	1	-	1	-	1	-	-	2	3	4	3	3	1	1	-	-	-
	F--	16	2	-	-	-	-	-	-	-	1	-	1	2	-	1	1	6	1	1	-	-	-	-
543, 571, 572	Gastritis, etc.*--	102	39	12	1	-	-	-	-	4	1	1	4	3	6	6	8	5	6	3	3	-	-	-
	White-----M--	33	7	4	1	-	-	-	-	3	-	-	1	2	5	3	3	3	1	-	-	-	-	-
	F--	43	13	5	-	-	-	-	-	1	1	1	1	1	1	3	4	2	4	3	3	-	-	-
	Nonwhite--M--	13	7	2	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	F--	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	334	-	-	-	-	-	1	4	11	21	40	51	47	54	31	27	33	5	6	2	-	1	-
	White-----M--	212	-	-	-	-	-	-	1	4	10	29	29	33	38	20	16	25	3	4	-	-	-	-
	F--	79	-	-	-	-	-	-	2	2	7	8	15	7	11	7	7	6	2	2	2	-	1	-
	Nonwhite--M--	30	-	-	-	-	-	1	1	3	3	2	6	5	2	3	3	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	2	1	1	1	2	3	1	1	1	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																							
584, 585	Cholelithiasis, etc.*	66	-	-	-	-	-	-	-	2	2	1	3	5	8	2	13	6	12	7	5	-	-	-
	White—M	22	-	-	-	-	-	-	-	1	-	1	-	2	4	2	2	3	3	2	2	-	-	-
	F	36	-	-	-	-	-	-	-	1	2	-	2	2	3	-	9	2	8	5	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-
590, 591	Acute nephritis, etc.*	41	2	2	2	2	-	3	-	1	1	3	4	3	2	6	1	3	1	3	2	-	-	-
	White—M	14	1	1	1	1	-	-	-	-	-	-	1	2	1	2	-	-	1	2	1	-	-	-
	F	15	1	1	1	1	-	2	-	-	-	1	2	-	-	2	1	1	-	1	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	-	-	-	-	-	-
600	Infections of kidney	86	-	-	-	-	1	1	-	2	1	4	5	4	8	8	9	13	8	14	4	3	1	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	2	6	1	1	-	-
	F	33	-	-	-	-	1	1	-	1	-	1	2	-	2	3	2	8	3	5	2	2	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	1	-	1	2	2	1	-	2	2	1	1	1	-	1	-
	F	18	-	-	-	-	-	-	-	-	1	2	-	2	4	2	2	1	2	2	-	-	-	-
610	Hyperplasia of prostate	55	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	9	11	15	7	1	1	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	10	12	7	1	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	3	-	-	-	-
640-689	Complications of pregnancy, etc.*	23	...	...	...	-	2	4	5	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	...	...	...	-	1	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	15	...	...	...	-	1	4	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	5	...	...	...	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	18	...	...	...	-	2	3	3	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	12	...	...	...	-	1	3	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	376	271	34	16	8	10	4	5	3	6	4	1	4	4	3	1	1	-	-	1	-	-	-
	White—M	159	117	13	7	2	5	2	2	-	3	2	1	1	2	2	-	-	-	-	-	-	-	-
	F	149	105	16	7	5	3	2	3	2	1	1	-	3	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	34	27	1	-	1	2	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	34	22	4	2	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	1	-	-	-
760-776	Certain diseases of early infancy	1,367	1,367	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	375	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	281	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	531	531	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	687	687	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	119	28	2	1	-	-	-	-	1	2	4	1	4	4	7	9	13	10	10	9	11	2	1
	White—M	43	10	-	-	-	-	-	-	-	-	1	-	2	3	2	6	2	3	5	5	3	1	-
	F	38	8	1	-	-	-	-	-	1	-	1	-	2	-	2	2	6	2	2	3	7	-	1
	Nonwhite—M	21	4	-	1	-	-	-	-	-	2	1	1	-	-	2	-	3	4	2	-	-	1	-
	F	17	6	1	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	1	1	1	-	-
Re-sid-ual	All other diseases	1,188	163	40	21	15	13	9	16	25	44	58	78	78	92	111	112	117	91	66	26	10	3	-
	White—M	546	57	10	7	8	2	3	3	9	16	21	33	41	43	61	67	70	52	25	13	4	1	-
	F	359	43	12	10	3	8	3	9	5	13	16	21	18	19	26	28	33	37	39	10	5	1	-
	Nonwhite—M	170	28	12	3	1	1	3	2	8	10	13	17	10	21	17	8	12	1	-	2	1	-	-
	F	113	35	6	1	3	2	-	2	3	5	8	7	9	9	7	9	2	1	2	1	-	1	-
E800-E962	Accidents	1,277	43	67	61	46	78	81	63	88	83	78	88	51	68	77	48	70	50	71	41	19	5	1
	White—M	678	18	27	35	21	51	60	43	53	53	35	50	32	38	40	30	31	18	27	13	2	-	1
	F	309	12	12	6	13	12	6	3	13	13	18	11	6	11	21	12	27	26	41	26	15	5	-
	Nonwhite—M	204	6	12	13	11	10	12	11	20	17	18	21	9	12	14	5	9	2	-	2	-	-	-
	F	86	7	16	7	1	5	3	6	2	-	7	6	4	7	2	1	3	4	3	-	2	-	-
E810-E835	Motor vehicle accidents	485	4	17	26	15	46	49	39	48	30	35	37	22	27	34	16	19	13	7	2	-	-	1
	White—M	298	4	9	16	9	28	37	27	25	19	16	24	14	18	19	7	13	7	3	2	-	-	1
	F	86	-	4	3	4	9	5	2	10	4	5	4	3	6	9	6	5	4	3	-	-	-	-
	Nonwhite—M	74	-	1	4	2	6	7	6	10	7	9	7	4	2	5	2	1	1	-	-	-	-	-
	F	27	-	3	3	-	3	-	4	1	-	5	2	1	1	1	1	-	1	1	-	-	-	-
E800-E802, E840-E962	Other accidents	792	39	50	35	31	32	32	24	42	53	43	51	29	41	43	32	51	37	64	39	19	5	-
	White—M	380	14	18	19	12	23	23	16	28	34	19	26	18	20	21	23	18	11	24	11	2	-	-
	F	223	12	8	3	9	3	1	1	3	9	13	7	3	5	12	6	22	22	38	26	15	5	-
	Nonwhite—M	130	6	11	9	9	4	5	5	10	10	9	14	5	10	9	3	8	1	-	2	-	-	-
	F	59	7	13	4	1	2	3	2	1	-	2	4	3	6	1	-	3	3	2	-	2	-	-
E963, E970-E979	Suicide	281	-	-	-	-	4	8	20	20	26	23	29	35	36	30	25	14	9	2	-	-	-	-
	White—M	197	-	-	-	-	3	6	17	12	15	13	18	24	28	24	17	9	9	2	-	-	-	-
	F	62	-	-	-	-	1	-	3	5	7	8	8	7	7	5	7	4	-	-	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	2	-	1	3	2	1	1	1	1	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	2	1	-	2	3	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	166	7	4	1	2	8	17	27	18	25	15	18	11	10	2	-	-	-	-	1	-	-	-
	White—M	34	1	-	-	-	2	3	4	4	6	3	3	1	5	1	-	-	-	1	-	-	-	-
	F	23	2	1	-	-	1	2	5	2	3	2	-	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	80	3	2	-	2	3	8	15	7	10	9	12	7	2	-	-	-	-	-	-	-	-	-
	F	29	1	1	1	-	2	4	3	5	6	1	3	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS																							
	All causes------	56,620	2,618	378	231	144	213	253	292	432	692	1,117	1,850	2,622	3,664	5,404	6,922	7,774	7,815	6,977	4,680	1,982	529	31
	White------M--	29,281	1,430	199	142	86	135	176	173	241	379	642	1,120	1,616	2,276	3,254	3,983	4,217	3,674	2,900	1,829	677	115	17
	F---	26,190	1,036	159	84	52	68	64	108	154	276	438	677	945	1,304	2,045	2,814	3,424	4,036	4,011	2,790	1,289	404	12
	Nonwhite--M--	614	89	11	2	4	5	8	6	19	21	17	33	32	58	58	63	74	45	32	26	5	4	2
	F---	535	63	9	3	2	5	5	5	18	16	20	20	29	26	47	62	59	60	34	35	11	6	-
001-019	Tuberculosis, all forms--------	338	-	2	3	-	-	1	3	12	15	17	27	29	49	37	33	41	33	22	9	4	-	1
	White------M--	236	-	1	2	-	-	-	2	3	7	12	17	21	41	28	29	30	20	16	5	1	-	1
	F---	78	-	1	1	-	-	1	-	5	6	4	8	5	4	7	4	8	12	5	4	3	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	3	1	-	2	2	4	2	-	3	1	1	-	-	-	-
	F---	4	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	325	-	-	2	-	-	1	3	12	12	16	26	29	47	37	31	40	33	22	9	4	-	1
	White------M--	229	-	-	1	-	-	-	2	3	5	11	17	21	41	28	27	30	20	16	5	1	-	1
	F---	75	-	-	1	-	-	1	-	5	6	4	7	5	4	7	4	7	12	5	4	3	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	1	3	1	-	2	2	2	2	-	3	1	1	-	-	-	-
	F---	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms-------	13	-	2	1	-	-	-	-	-	3	1	1	-	2	-	2	1	-	-	-	-	-	-
	White------M--	7	-	1	1	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-
	F---	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	89	1	-	-	-	-	-	-	-	1	1	-	5	3	20	19	17	12	5	5	-	-	-
	White------M--	55	1	-	-	-	-	-	-	-	-	1	-	5	3	15	12	9	5	1	3	-	-	-
	F---	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	5	2	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	F---	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	-	-	-	-
045-048	Dysentery, all forms----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	25	9	7	1	1	-	-	1	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-
	White------M--	11	4	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	12	3	2	1	-	-	-	1	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis------------	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White------M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles------------	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases----------	163	16	9	7	1	2	1	5	1	3	11	6	10	19	15	12	15	10	10	7	3	-	-
	White------M--	90	9	8	3	-	1	-	1	1	3	7	4	4	8	7	8	8	4	7	4	3	-	-
	F---	71	7	1	4	1	1	1	4	-	-	4	2	6	11	7	3	7	6	3	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	9,715	7	53	39	21	24	31	40	78	148	294	445	684	925	1,315	1,510	1,472	1,169	849	441	146	21	3
	White------M--	4,932	1	33	22	10	12	18	21	30	50	108	194	326	474	723	807	837	604	408	191	56	6	1
	F---	4,624	6	20	17	9	12	12	18	44	97	179	241	346	435	577	683	606	547	430	240	88	15	2
	Nonwhite--M--	78	-	-	-	1	-	1	-	2	-	-	4	4	11	10	8	16	12	6	3	-	-	-
	F---	81	-	-	-	1	-	-	1	2	1	7	6	8	5	5	12	13	6	5	7	2	-	-
140-148	Of buccal cavity and pharynx-------	280	-	1	-	-	-	-	1	-	-	8	15	33	37	25	45	40	32	28	12	1	2	-
	White------M--	219	-	1	-	-	-	-	-	-	-	4	11	28	26	25	38	32	20	21	10	1	2	-
	F---	55	-	-	-	-	-	-	1	-	-	3	4	5	9	-	5	8	11	7	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	3,633	2	1	-	1	2	3	8	13	24	70	122	179	278	509	601	634	504	378	212	78	11	3
	White------M--	1,865	-	1	-	-	2	1	2	4	10	43	62	95	149	294	327	334	270	161	81	26	2	1
	F---	1,708	2	-	-	-	-	1	5	9	14	26	56	80	124	210	269	283	227	213	126	52	9	2
	Nonwhite--M--	26	-	-	-	-	-	1	-	-	-	-	2	-	4	4	1	9	4	1	-	-	-	-
	F---	34	-	-	-	1	-	-	1	-	-	1	2	4	1	1	4	8	3	3	5	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	1,316	-	1	-	2	-	-	1	4	11	23	80	109	203	230	232	210	120	63	20	7	-	-
	White—M	1,102	-	1	-	1	-	-	-	3	7	19	62	90	179	201	196	185	94	46	13	5	-	-
	F	192	-	-	-	1	-	-	1	1	4	4	17	15	21	25	31	24	24	15	7	2	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	1	4	2	4	4	1	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
170	Of breast	992	-	-	-	-	-	1	-	14	30	60	72	104	109	142	144	105	85	75	39	12	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	1	-	-	-	-
	F	968	-	-	-	-	-	1	-	13	29	59	71	103	105	138	140	102	83	74	38	12	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	1	1	1	-	2	2	3	1	-	-	1	-	-	-
171-179	Of genital organs	1,258	-	-	-	1	4	5	6	16	31	50	54	86	107	142	184	172	178	126	75	17	4	-
	White—M	487	-	-	-	-	-	3	2	7	3	3	1	5	15	38	67	99	96	87	50	9	2	-
	F	743	-	-	-	1	4	2	4	8	28	44	51	77	91	102	115	69	79	34	24	8	2	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	1	-	-	-
	F	18	-	-	-	-	-	-	-	1	-	3	2	4	1	1	1	3	1	1	-	-	-	-
180, 181	Of urinary organs	454	1	5	5	-	-	1	1	-	6	14	10	21	46	50	65	87	74	37	22	9	-	-
	White—M	290	-	3	2	-	-	1	-	-	4	9	9	15	33	36	46	58	39	18	13	4	-	-
	F	159	1	2	3	-	-	-	1	-	2	4	1	6	12	14	19	27	34	19	9	5	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	966	1	13	6	9	9	6	10	13	19	38	51	91	83	105	140	115	107	94	37	15	4	-
	White—M	496	-	7	5	4	6	4	5	5	10	20	27	57	39	57	80	61	45	47	11	6	-	-
	F	453	1	6	1	5	3	2	5	8	9	18	23	34	42	47	58	51	58	47	24	7	4	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	2	-	-
204	Leukemia and aleukemia	373	3	29	27	5	5	4	4	8	14	11	13	19	20	46	35	52	30	30	14	4	-	-
	White—M	219	1	19	14	2	2	2	4	4	9	2	6	11	10	30	22	37	16	18	7	3	-	-
	F	151	2	10	13	2	3	2	-	3	5	9	7	8	10	16	13	15	14	12	6	1	-	-
	Nonwhite—M	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	443	-	3	1	3	4	11	9	10	13	20	28	42	42	66	64	57	39	18	10	3	-	-
	White—M	243	-	1	1	3	2	7	8	7	7	8	16	24	21	40	30	29	22	9	6	2	-	-
	F	195	-	2	-	-	2	4	1	2	6	12	11	18	21	25	33	27	17	9	4	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	184	6	5	2	1	3	7	3	7	7	12	15	11	15	21	27	16	13	5	5	2	1	-
	White—M	99	5	5	1	-	3	4	1	-	4	6	9	4	9	11	14	9	10	2	1	1	-	-
	F	80	1	-	1	1	-	2	2	7	2	6	6	7	5	9	12	7	3	3	4	1	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
241	Asthma	147	-	1	-	1	2	3	2	2	2	3	6	10	8	25	22	21	17	13	7	2	-	-
	White—M	79	-	1	-	1	-	2	-	1	-	1	-	6	6	15	14	14	13	5	-	-	-	-
	F	66	-	-	-	-	2	1	2	1	2	2	6	4	2	9	8	6	4	8	7	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus	1,010	2	4	2	-	-	5	6	19	16	15	29	31	75	131	177	203	143	91	45	15	1	-
	White—M	388	1	4	-	-	-	2	6	14	8	6	12	18	36	50	65	67	48	27	18	6	-	-
	F	595	1	-	2	-	-	3	-	5	8	7	16	13	37	75	107	131	91	63	26	9	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	2	1	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	3	3	1	1	-	-	-
290-293	Anemias	91	1	3	2	-	3	-	-	2	-	2	2	4	7	10	11	11	11	11	7	2	2	-
	White—M	40	-	-	1	-	1	-	-	1	-	2	1	2	4	4	4	7	7	4	2	-	-	-
	F	49	1	2	1	-	2	-	-	1	-	-	1	1	3	6	7	4	4	7	5	2	2	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	69	29	19	-	2	2	1	2	-	1	2	3	3	1	-	3	-	1	-	-	-	-	-
	White—M	38	16	12	-	1	-	1	1	-	-	1	-	2	1	-	2	-	1	-	-	-	-	-
	F	28	13	5	-	1	2	-	1	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	32,942	16	14	11	12	22	32	39	101	226	405	829	1,305	1,927	3,028	4,180	4,959	5,333	5,053	3,495	1,519	419	17
	White—M	16,632	9	5	9	3	10	19	17	66	145	288	580	883	1,295	1,887	2,422	2,642	2,402	2,016	1,328	510	87	9
	F	15,800	5	5	2	8	9	13	20	26	67	109	227	401	584	1,088	1,682	2,248	2,859	2,997	2,124	995	324	7
	Nonwhite—M	243	2	2	-	-	-	-	-	2	6	3	12	10	31	29	39	36	25	18	20	5	2	1
	F	267	-	2	-	1	3	-	2	7	8	5	10	11	17	24	37	33	47	22	23	9	6	-
330-334, 400-468	Dis. of cardiovascular system	32,566	14	14	10	7	16	25	34	91	218	385	812	1,277	1,906	2,997	4,139	4,920	5,287	5,010	3,464	1,507	417	16
	White—M	16,444	7	5	8	2	8	13	14	57	139	275	573	870	1,283	1,868	2,397	2,622	2,381	2,003	1,318	505	87	9
	F	15,620	5	5	2	4	6	12	18	25	67	102	218	386	575	1,077	1,668	2,229	2,834	2,967	2,104	988	322	6
	Nonwhite—M	239	2	2	-	-	-	-	-	2	5	3	11	10	31	29	38	36	25	18	19	5	2	1
	F	263	-	2	-	1	2	-	2	7	7	5	10	11	17	23	36	33	47	22	23	9	6	-
330-334	Vascular lesions, etc.*	6,256	3	8	3	4	4	6	11	17	36	55	92	158	229	419	728	944	1,182	1,149	804	332	71	1
	White—M	2,571	1	3	2	1	1	4	4	8	13	27	46	77	107	212	363	432	489	394	283	91	12	1
	F	3,576	1	2	1	3	3	2	7	7	18	27	44	79	114	195	348	492	682	746	513	234	58	-
	Nonwhite—M	46	1	2	-	-	-	-	-	-	2	-	1	1	5	6	5	11	3	5	2	2	-	-
	F	63	-	1	-	-	-	-	-	2	3	1	1	1	3	6	12	9	8	4	6	5	1	-
400-402, 410-443	Diseases of heart	23,878	11	6	6	3	8	15	17	69	171	302	674	1,057	1,589	2,464	3,183	3,674	3,738	3,393	2,257	956	272	13
	White—M	12,780	6	2	5	1	5	9	9	48	122	229	503	757	1,127	1,589	1,898	2,032	1,739	1,410	891	331	60	7
	F	10,754	4	3	1	1	2	6	8	15	43	66	156	287	425	839	1,233	1,595	1,945	1,956	1,338	620	206	5
	Nonwhite—M	169	1	-	-	-	-	-	-	2	3	3	8	6	24	21	29	23	20	10	15	2	1	1
	F	175	-	1	-	1	1	-	-	4	3	4	7	7	13	15	23	24	34	17	13	3	5	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	719	-	1	2	1	2	3	10	19	32	42	70	90	95	112	96	66	41	26	8	2	1	-
	White—M	297	-	-	2	-	2	2	6	14	15	19	24	38	48	45	32	23	12	10	4	1	-	-
	F	410	-	1	-	1	-	1	4	4	16	23	45	52	44	65	62	43	28	15	4	1	1	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	-	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																							
420	Arteriosclerotic heart dis., etc.*	18,864	-	-	2	-	-	3	5	35	107	220	519	827	1,276	2,012	2,586	2,994	2,942	2,651	1,748	725	202	10
	White——M—	10,744	-	-	1	-	-	3	3	26	86	188	439	643	965	1,378	1,635	1,741	1,436	1,136	744	270	45	5
	F—	7,905	-	-	1	-	-	-	2	8	18	31	73	178	292	606	917	1,222	1,467	1,495	984	454	153	4
	Nonwhite—M—	112	-	-	-	-	-	-	-	-	1	1	5	4	13	16	21	15	17	5	11	1	1	1
	F—	103	-	-	-	-	-	-	-	1	2	-	2	2	6	12	13	16	22	15	9	-	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*—	1,404	3	1	-	-	3	-	-	3	6	5	17	24	43	71	98	169	242	301	243	124	51	-
	White——M—	605	3	-	-	-	2	-	-	3	4	3	12	13	23	39	53	83	113	119	87	38	10	-
	F—	783	-	-	-	-	1	-	-	-	2	1	5	11	18	31	43	86	127	181	153	84	40	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	2	1	-	-
	F—	9	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	1	1	-
430-434	Other diseases of heart—	768	8	4	2	2	3	7	2	8	17	18	33	39	63	73	96	109	112	96	47	22	6	1
	White——M—	401	3	2	2	1	1	4	-	4	11	9	17	27	41	38	52	62	58	47	12	6	3	1
	F—	334	4	2	-	-	1	3	2	2	6	5	13	9	18	33	42	43	51	47	35	16	2	-
	Nonwhite—M—	15	1	-	-	-	-	-	-	1	-	1	-	2	3	1	2	3	-	1	-	-	-	-
	F—	18	-	-	-	1	1	-	-	1	-	3	3	1	1	1	-	1	3	1	-	-	1	-
440-443	Hypertensive heart disease—	2,123	-	-	-	-	-	2	-	4	9	17	35	77	112	196	307	336	401	319	211	83	12	2
	White——M—	733	-	-	-	-	-	-	-	1	6	10	11	36	50	89	126	123	120	98	44	16	2	1
	F—	1,322	-	-	-	-	-	2	-	1	1	6	20	37	53	104	169	201	272	218	162	65	10	1
	Nonwhite—M—	30	-	-	-	-	-	-	-	1	1	-	2	-	5	3	6	5	3	2	2	-	-	-
	F—	38	-	-	-	-	-	-	-	1	1	1	2	4	4	-	6	7	6	1	3	2	-	-
444-447	Other hypertensive disease—	454	-	-	1	-	-	-	1	1	3	8	16	17	22	22	52	65	67	86	56	33	3	1
	White——M—	197	-	-	1	-	-	-	-	-	2	5	8	8	7	13	22	27	27	38	23	15	-	1
	F—	242	-	-	-	-	-	-	1	-	1	3	6	6	13	8	29	37	38	47	32	18	3	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	1	-	-	-	-
	F—	6	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	1	-	-	-	-
450	General arteriosclerosis—	1,276	-	-	-	-	-	-	-	-	-	1	1	2	9	27	80	125	194	299	299	171	67	1
	White——M—	504	-	-	-	-	-	-	-	-	-	1	1	1	6	13	44	64	80	121	101	58	14	-
	F—	756	-	-	-	-	-	-	-	-	-	-	-	1	3	12	36	60	110	175	193	112	53	1
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	1	-	-
451-468	Other diseases of circulatory sys.—	702	-	-	-	-	4	4	5	4	8	19	29	43	57	65	96	112	106	83	48	15	4	-
	White——M—	392	-	-	-	-	2	-	1	1	2	13	15	27	36	41	70	67	46	40	20	10	1	-
	F—	292	-	-	-	-	1	4	2	3	5	6	12	13	20	23	22	45	59	43	28	4	2	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	1	1	-
	F—	10	-	-	-	-	1	-	2	-	1	-	1	1	1	1	1	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*—	376	2	-	1	5	6	7	5	10	8	20	17	28	21	31	41	39	46	43	31	12	2	1
	White——M—	188	2	-	1	1	2	6	3	9	6	13	7	13	12	19	25	20	21	13	10	5	-	-
	F—	180	-	-	-	4	3	1	2	1	-	7	9	15	9	11	14	19	25	30	20	7	2	1
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-
	F—	4	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*—	2,046	194	42	7	11	6	5	11	17	21	39	47	68	100	132	196	234	277	245	238	123	32	1
	White——M—	1,083	95	15	4	5	3	3	6	13	14	20	30	46	63	82	135	141	149	114	97	38	10	-
	F—	894	76	25	3	5	3	1	5	3	6	15	14	19	34	44	56	87	124	128	139	85	21	1
	Nonwhite—M—	39	13	1	-	1	-	1	-	1	-	2	2	2	3	2	4	2	2	1	1	-	1	-
	F—	30	10	1	-	-	-	-	-	-	1	2	1	1	-	4	1	4	2	2	1	-	-	-
480-483	Influenza—	26	1	-	-	-	1	-	-	-	-	2	1	3	3	-	3	2	2	-	6	2	-	-
	White——M—	11	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	1	-	2	1	-	-
	F—	13	1	-	-	-	1	-	-	-	-	1	-	1	1	-	1	1	1	-	4	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*—	2,020	193	42	7	11	5	5	11	17	21	37	46	65	97	132	193	232	275	245	232	121	32	1
	White——M—	1,072	95	15	4	5	3	3	6	13	14	19	29	45	61	82	133	141	148	114	95	37	10	-
	F—	881	75	25	3	5	2	1	5	3	6	14	14	18	33	44	55	86	123	128	135	84	21	1
	Nonwhite—M—	39	13	1	-	1	-	1	-	1	-	2	2	2	3	2	4	2	2	1	1	-	1	-
	F—	28	10	1	-	-	-	-	-	-	1	2	1	-	-	4	1	3	2	2	1	-	-	-
500-502	Bronchitis—	156	15	9	1	-	-	-	-	-	2	2	4	5	10	11	20	21	17	21	6	7	4	1
	White——M—	106	8	6	1	-	-	-	-	-	1	2	2	4	8	8	17	16	11	14	3	4	-	1
	F—	47	7	3	-	-	-	-	-	-	1	-	1	1	1	2	3	5	6	7	3	3	4	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum—	426	2	1	1	1	-	-	2	5	10	5	12	24	39	58	56	61	55	55	33	5	-	1
	White——M—	293	2	-	1	-	-	-	2	2	7	2	6	19	36	47	44	44	36	27	16	1	-	1
	F—	129	-	1	-	1	-	-	-	2	3	3	6	5	3	11	11	17	19	26	17	4	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis—	63	1	-	4	1	-	2	-	1	1	3	7	3	4	3	3	9	12	5	4	-	-	-
	White——M—	34	-	-	3	-	-	1	-	1	-	1	5	3	1	3	1	5	7	2	1	-	-	-
	F—	28	1	-	1	1	-	1	-	-	1	2	2	-	3	-	2	3	5	3	3	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction—	276	19	4	-	1	1	-	1	2	1	1	7	9	19	30	25	37	45	39	25	7	3	-
	White——M—	135	8	3	-	1	1	-	1	1	1	1	3	5	11	20	14	19	17	18	6	3	2	-
	F—	138	11	1	-	-	-	-	-	1	-	-	4	4	8	10	10	16	28	21	19	4	1	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*—	185	22	8	3	-	-	2	3	4	4	5	7	6	5	19	20	19	25	21	4	7	1	-
	White——M—	79	12	4	2	-	-	2	1	2	2	1	3	6	2	8	10	8	7	6	1	2	-	-
	F—	102	8	4	1	-	-	-	2	2	2	4	3	-	3	10	10	11	18	15	3	5	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	719	-	-	-	-	-	-	2	21	37	56	101	90	100	109	84	53	38	17	7	3	-	1
	White——M—	434	-	-	-	-	-	-	1	10	19	33	64	51	55	70	64	32	20	11	2	1	-	1
	F—	266	-	-	-	-	-	-	1	9	17	22	35	33	41	37	20	20	18	6	5	2	-	-
	Nonwhite—M—	12	-	-	-	-	-	-	-	1	1	1	-	4	4	-	-	1	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	1	-	-	2	2	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																							
584, 585	Cholelithiasis, etc.*	165	-	-	-	-	-	-	1	-	1	1	9	3	8	17	13	28	36	26	15	6	1	-
	White—M	65	-	-	-	-	-	-	1	-	1	-	3	2	5	7	6	9	15	11	2	3	-	-
	F	97	-	-	-	-	-	-	-	-	-	1	5	1	3	10	7	19	21	15	12	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	41	2	2	1	-	2	-	2	1	1	1	2	3	2	1	6	5	1	3	6	-	-	-
	White—M	21	2	1	-	-	2	-	2	-	1	-	-	2	1	-	4	1	-	1	4	-	-	-
	F	20	-	1	1	-	-	-	-	1	-	1	2	1	1	1	2	4	1	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	269	-	-	-	-	1	1	2	6	1	5	14	18	10	16	39	42	46	34	22	9	3	-
	White—M	106	-	-	-	-	-	-	-	1	1	1	4	4	5	4	17	15	24	17	10	2	1	-
	F	150	-	-	-	-	1	1	2	3	-	4	10	11	5	12	19	24	21	17	11	7	2	-
	Nonwhite—M	9	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	2	1	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate	120	-	-	-	-	-	-	-	-	-	-	-	2	3	9	12	16	27	26	16	9	-	-
	White—M	117	-	-	-	-	-	-	-	-	-	-	-	2	3	8	12	15	27	25	16	9	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	21	...	...	...	-	-	2	4	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	...	...	...	-	-	2	3	4	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	17	...	...	...	-	-	1	2	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	...	...	...	-	-	1	2	4	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	640	453	45	35	19	6	8	7	4	8	8	11	7	8	3	7	7	3	1	-	-	-	-
	White—M	343	237	19	22	13	6	7	5	2	4	6	6	4	6	1	2	1	1	1	-	-	-	-
	F	281	204	25	13	6	-	1	2	1	3	2	5	3	2	2	5	5	2	-	-	-	-	-
	Nonwhite—M	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	4	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,596	1,595	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	886	886	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	613	612	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	647	647	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	369	369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	851	850	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	460	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	344	343	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	227	17	6	1	-	-	3	5	2	12	7	10	14	14	15	14	24	17	30	19	9	4	4
	White—M	107	11	4	1	-	-	3	2	1	3	2	6	9	5	9	5	11	7	13	8	4	-	3
	F	113	5	2	-	-	-	-	3	1	7	5	3	4	9	4	9	13	10	17	11	5	4	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Residual	All other diseases	2,049	147	47	35	24	28	20	23	36	55	77	101	110	166	205	229	246	242	150	76	21	10	1
	White—M	1,161	85	18	19	17	19	6	10	19	22	35	58	72	105	136	139	155	127	71	36	9	3	-
	F	834	54	28	15	7	6	12	12	16	28	35	42	36	58	67	83	86	114	77	39	12	7	-
	Nonwhite—M	36	6	1	1	-	1	1	1	1	4	3	1	2	2	2	4	3	1	1	-	-	-	1
	F	18	2	-	-	-	2	1	-	-	1	4	-	-	1	-	3	2	-	1	1	-	-	-
E800-E962	Accidents	2,380	59	91	74	46	104	107	93	73	80	99	89	109	111	138	179	185	216	234	182	83	27	1
	White—M	1,384	34	53	50	32	72	90	72	57	60	73	67	77	70	85	115	101	100	75	71	24	6	-
	F	904	20	29	20	12	28	11	17	10	12	19	16	25	39	45	61	80	114	156	109	59	21	1
	Nonwhite—M	62	3	5	1	2	4	4	3	3	7	6	6	4	-	6	2	2	2	2	-	-	-	-
	F	30	2	4	3	-	-	2	1	3	1	1	-	3	2	2	1	2	-	1	2	-	-	-
E810-E835	Motor vehicle accidents	617	-	28	29	12	60	70	57	26	26	35	31	29	32	30	44	39	34	26	5	3	1	-
	White—M	420	-	18	15	6	40	58	47	24	18	21	26	17	17	17	33	25	20	14	2	1	1	-
	F	170	-	10	13	6	17	10	9	2	5	10	4	9	13	10	11	13	12	11	3	2	-	-
	Nonwhite—M	22	-	-	-	-	3	2	1	-	3	4	1	3	-	1	-	1	2	1	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,763	59	63	45	34	44	37	36	47	54	64	58	80	79	108	135	146	182	208	177	80	26	1
	White—M	964	34	35	35	26	32	32	25	33	42	52	41	60	53	68	82	76	80	61	69	23	5	-
	F	734	20	19	7	6	11	1	8	8	7	9	12	16	26	35	50	67	102	145	106	57	21	1
	Nonwhite—M	40	3	5	1	2	1	2	2	3	4	2	5	1	-	5	2	1	-	1	-	-	-	-
	F	25	2	4	2	-	-	2	1	3	1	1	-	3	-	-	1	2	-	1	2	-	-	-
E963, E970-E979	Suicide	413	-	-	-	1	6	17	27	26	29	39	57	54	34	36	24	31	16	10	6	-	-	-
	White—M	296	-	-	-	1	5	16	15	14	24	31	41	35	22	26	21	21	12	8	4	-	-	-
	F	111	-	-	-	-	1	1	12	10	5	8	14	18	12	9	3	10	4	2	2	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	45	1	3	1	1	1	4	7	6	2	4	10	2	1	-	1	1	-	-	-	-	-	-
	White—M	26	1	1	1	1	-	2	6	2	2	2	5	2	1	-	-	-	-	-	-	-	-	-
	F	12	-	2	-	-	1	-	-	1	-	2	5	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN																							
	All causes	65,937	4,982	728	353	276	398	467	545	786	1,132	1,720	2,456	3,663	4,693	6,231	8,031	8,711	8,023	6,564	4,078	1,673	424	5
	White--M	35,469	2,430	360	214	157	249	300	291	360	552	913	1,339	2,162	2,820	3,738	4,776	4,903	4,164	3,188	1,766	662	123	2
	F	25,185	1,768	262	108	95	105	121	148	246	367	517	735	1,033	1,334	1,973	2,704	3,414	3,594	3,197	2,220	967	275	2
	Nonwhite--M	2,868	430	58	16	16	26	26	56	101	104	150	211	260	283	313	317	201	147	80	42	22	9	-
	F	2,415	354	48	15	8	16	20	50	79	109	140	171	208	256	207	234	193	118	99	50	22	17	1
001-019	Tuberculosis, all forms	401	3	3	2	1	1	3	7	9	27	26	40	40	44	48	52	40	34	15	3	1	2	-
	White--M	239	2	2	2	1	-	1	3	1	11	10	15	23	28	38	37	24	27	13	-	1	-	-
	F	59	1	-	-	-	-	1	1	1	7	5	9	5	2	3	4	9	7	1	2	-	1	-
	Nonwhite--M	74	-	1	-	-	1	1	-	4	4	6	11	10	13	5	10	7	-	-	1	-	-	-
	F	29	-	-	-	-	-	-	3	3	5	5	5	2	1	2	1	-	-	1	-	-	1	-
001-008	Tuberculosis of resp. system	366	1	-	-	-	1	3	7	7	25	25	35	35	42	45	50	38	34	12	3	1	2	-
	White--M	219	-	-	-	-	-	1	3	1	10	9	15	21	27	35	35	24	27	10	-	1	-	-
	F	52	1	-	-	-	-	1	1	1	7	5	5	3	2	3	4	8	7	1	2	-	1	-
	Nonwhite--M	70	-	-	-	-	1	1	-	3	3	6	11	10	13	5	10	6	-	-	1	-	-	-
	F	25	-	-	-	-	-	-	3	2	5	5	4	1	-	2	1	-	-	1	-	-	1	-
010-019	Tuberculosis, other forms	35	2	3	2	1	-	-	-	2	2	1	5	5	2	3	2	2	-	3	-	-	-	-
	White--M	20	2	2	2	1	-	-	-	-	1	1	-	2	1	3	2	-	-	3	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	92	-	-	-	-	-	-	1	-	3	1	4	10	14	17	13	15	8	4	2	-	-	-
	White--M	43	-	-	-	-	-	-	-	-	1	-	3	2	6	10	8	8	3	2	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	1	-	-	1	4	5	2	1	1	2	2	-	-	-
	Nonwhite--M	19	-	-	-	-	-	1	-	1	-	1	1	5	3	1	1	4	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	2	-	-	-	-	-
045-048	Dysentery, all forms	9	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	6	1	2	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	30	9	14	2	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White--M	10	3	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	18	5	8	1	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	36	3	7	2	3	4	2	5	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	16	1	3	1	1	1	2	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	1	2	-	1	2	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	18	4	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	11	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	158	25	14	2	3	3	7	5	6	4	10	10	9	10	7	12	12	8	8	2	1	-	-
	White--M	74	10	7	1	-	1	1	2	1	3	2	6	5	8	3	7	7	3	6	1	-	-	-
	F	64	12	5	1	3	1	5	2	5	1	7	1	-	1	4	4	4	4	2	1	1	-	-
	Nonwhite--M	10	1	1	-	-	-	-	-	-	-	1	1	2	1	-	1	1	1	-	-	-	-	-
	F	10	2	1	-	-	1	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	10,929	15	93	58	44	36	47	73	138	229	356	597	909	1,136	1,486	1,682	1,571	1,220	773	342	101	23	-
	White--M	5,583	8	48	30	21	16	24	35	55	83	122	239	428	580	800	943	880	656	397	159	52	7	-
	F	4,562	6	38	24	17	16	19	29	66	117	194	287	383	436	565	634	628	519	354	169	47	14	-
	Nonwhite--M	418	-	3	2	4	2	3	4	4	5	19	33	49	66	82	63	33	29	8	7	1	1	-
	F	366	1	4	2	2	2	1	5	13	24	21	38	49	54	39	42	30	16	14	7	1	1	-
140-148	Of buccal cavity and pharynx	233	-	-	-	-	1	-	1	1	2	7	11	22	28	32	41	24	34	17	11	1	-	-
	White--M	166	-	-	-	-	-	-	1	-	1	2	8	17	21	28	28	17	25	12	7	-	-	-
	F	50	-	-	-	-	1	-	-	1	-	3	2	3	5	3	8	6	9	5	3	1	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	1	1	1	2	1	-	4	1	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	3,879	2	3	-	3	1	4	10	19	36	87	174	263	355	534	630	661	553	330	155	46	13	-
	White--M	2,036	-	2	-	1	-	2	5	9	16	37	80	128	188	290	350	383	293	157	71	19	5	-
	F	1,585	2	1	-	-	1	1	3	10	13	39	68	104	125	199	251	250	244	162	80	25	7	-
	Nonwhite--M	164	-	-	-	2	-	1	1	-	1	8	18	18	27	33	20	18	9	5	2	1	-	-
	F	94	-	-	-	-	-	-	1	-	6	3	8	13	15	12	9	10	7	6	2	1	1	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	1,579	-	1	-	-	2	1	2	5	18	44	88	184	241	288	305	214	108	47	21	8	2	-
	White—M	1,280	-	-	-	-	1	1	1	2	13	32	63	152	199	241	260	177	86	35	11	6	-	-
	F	185	-	1	-	-	1	-	1	1	3	5	12	14	21	26	26	29	21	12	9	2	1	-
	Nonwhite—M	97	-	-	-	-	-	-	-	2	2	5	10	16	20	19	14	6	1	-	1	-	1	-
	F	17	-	-	-	-	-	-	-	-	-	2	3	2	1	2	5	2	-	-	-	-	-	-
170	Of breast	920	-	-	-	-	-	1	5	19	42	67	85	105	115	96	115	106	77	52	25	7	3	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-
	F	855	-	-	-	-	-	1	4	15	37	62	77	96	107	87	107	103	74	50	25	7	3	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	1	4	5	5	8	9	6	6	7	3	2	2	-	-	-	-
171-179	Of genital organs	1,641	-	1	-	1	-	8	12	33	52	64	91	111	149	200	227	241	206	151	70	21	3	-
	White—M	562	-	-	-	-	-	5	5	6	5	4	4	7	17	38	79	125	109	97	42	18	1	-
	F	895	-	-	-	1	-	3	6	20	35	52	72	83	111	130	124	107	75	48	23	3	2	-
	Nonwhite—M	54	-	-	-	-	-	-	-	-	-	1	-	2	1	19	9	4	15	1	2	-	-	-
	F	130	-	1	-	-	-	-	1	7	12	7	15	19	20	13	15	5	7	5	3	-	-	-
180, 181	Of urinary organs	531	2	6	6	-	-	-	-	1	3	7	18	42	52	67	89	92	74	48	16	8	-	-
	White—M	341	1	3	3	-	-	-	-	1	3	7	13	23	37	44	65	50	46	33	6	6	-	-
	F	159	1	3	3	-	-	-	-	-	-	-	3	14	7	17	21	38	27	15	8	2	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	4	5	5	3	1	1	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	3	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,070	3	31	18	16	11	8	19	23	37	49	64	103	97	136	133	118	88	84	25	5	2	-
	White—M	559	1	12	10	8	4	4	11	16	25	18	30	49	52	81	76	61	53	36	10	1	1	-
	F	433	1	15	5	7	6	2	5	7	11	26	29	45	30	49	46	51	33	46	14	4	1	-
	Nonwhite—M	42	-	2	2	-	1	1	1	-	-	3	3	5	9	2	8	2	2	1	-	-	-	-
	F	36	1	2	1	1	-	1	2	-	1	2	2	4	6	4	3	4	-	1	1	-	-	-
204	Leukemia and aleukemia	529	5	45	31	19	11	13	13	18	16	12	24	35	33	52	63	48	46	28	13	4	-	-
	White—M	298	4	27	16	10	6	5	4	9	7	6	13	24	20	30	37	29	25	16	8	2	-	-
	F	208	1	16	14	8	3	7	7	6	9	6	11	10	10	20	23	19	20	11	5	2	-	-
	Nonwhite—M	15	-	1	-	-	1	1	2	2	-	-	-	-	2	2	2	-	1	1	-	-	-	-
	F	8	-	1	1	1	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	547	3	6	3	5	10	12	11	19	23	19	42	44	66	81	79	67	34	16	6	1	-	-
	White—M	332	2	4	1	2	5	7	8	12	13	16	28	28	44	44	47	38	18	11	4	-	-	-
	F	192	1	2	2	1	4	5	3	6	9	1	13	14	20	34	28	25	16	5	2	1	-	-
	Nonwhite—M	14	-	-	-	2	-	-	-	-	1	1	1	2	1	2	3	1	-	-	-	-	-	-
	F	9	-	-	-	-	1	-	-	1	-	1	-	-	1	1	1	3	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	181	6	2	6	3	3	3	3	10	8	14	7	22	19	24	20	11	10	4	5	1	-	-
	White—M	88	3	1	4	2	3	1	-	4	2	4	3	13	7	12	12	7	6	1	3	-	-	-
	F	74	3	-	2	1	-	1	3	3	5	8	2	7	8	11	8	2	4	3	2	1	-	-
	Nonwhite—M	8	-	1	-	-	-	-	-	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	1	-	2	-	2	1	1	1	2	1	-	1	-	-	-	-	-	-
241	Asthma	241	4	3	1	-	1	4	3	4	3	11	11	25	15	38	41	32	24	16	5	-	-	-
	White—M	159	3	1	-	-	-	1	-	3	1	5	5	13	12	29	31	28	16	9	2	-	-	-
	F	61	1	-	-	-	-	3	2	-	2	4	3	7	2	7	8	4	8	7	3	-	-	-
	Nonwhite—M	11	-	2	-	-	-	-	-	-	-	-	1	4	-	2	2	-	-	-	-	-	-	-
	F	10	-	-	1	-	1	-	1	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	1,607	1	3	1	2	3	2	8	16	18	25	46	85	113	221	303	298	226	156	66	14	-	-
	White—M	627	-	2	-	1	1	2	1	5	12	15	15	35	51	75	113	115	93	64	23	4	-	-
	F	871	1	1	1	1	1	-	5	10	5	6	24	38	44	127	172	171	128	86	40	10	-	-
	Nonwhite—M	35	-	-	-	-	1	-	1	1	1	1	3	4	5	5	6	3	1	2	1	-	-	-
	F	74	-	-	-	-	-	-	1	-	-	3	4	8	13	14	12	9	4	4	2	-	-	-
290-293	Anemias	133	3	6	3	5	1	1	1	5	2	-	2	4	8	6	12	9	26	19	12	6	2	-
	White—M	57	1	2	2	2	1	1	1	2	1	-	1	3	1	4	7	4	14	4	4	2	-	-
	F	68	1	2	-	2	-	-	-	2	1	-	1	-	6	2	5	5	12	15	8	4	2	-
	Nonwhite—M	5	-	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	86	28	18	1	4	1	-	2	1	1	1	3	4	6	4	4	3	1	1	2	-	1	-
	White—M	40	15	8	-	4	-	-	-	-	-	-	2	2	3	2	-	2	1	-	1	-	-	-
	F	28	10	8	-	-	-	-	1	-	1	-	-	-	2	-	2	1	-	1	1	-	1	-
	Nonwhite—M	11	1	1	1	-	-	-	1	1	1	-	1	1	-	1	2	-	-	-	-	-	-	-
	F	7	2	1	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	35,829	22	25	17	23	33	40	84	179	386	718	1,103	1,792	2,498	3,444	4,807	5,596	5,516	4,754	3,143	1,306	340	3
	White—M	19,351	10	10	11	9	19	20	38	82	203	440	677	1,156	1,584	2,150	2,893	3,109	2,779	2,253	1,310	501	96	1
	F	14,125	9	9	4	7	12	12	18	53	97	132	237	389	615	1,008	1,583	2,232	2,566	2,375	1,768	773	225	1
	Nonwhite—M	1,196	2	5	-	4	1	3	12	23	41	71	94	132	142	159	191	126	85	56	28	15	5	-
	F	1,157	1	1	2	3	1	5	16	21	46	75	95	115	157	127	140	129	86	70	36	17	14	1
330-334, 400-468	Dis. of cardiovascular system	35,282	19	25	12	17	25	31	71	162	360	700	1,075	1,746	2,456	3,396	4,744	5,530	5,456	4,712	3,112	1,296	334	3
	White—M	19,069	9	10	9	6	16	14	30	71	194	431	666	1,131	1,562	2,126	2,859	3,069	2,750	2,228	1,296	496	95	1
	F	13,922	7	9	1	5	7	10	16	48	85	126	228	376	605	992	1,560	2,212	2,536	2,359	1,751	768	220	1
	Nonwhite—M	1,162	2	5	-	3	1	3	11	22	38	68	92	129	137	153	187	123	84	55	29	15	5	-
	F	1,129	1	1	2	3	1	4	14	21	43	75	89	110	152	125	138	126	86	70	36	17	14	1
330-334	Vascular lesions, etc.*	7,542	7	4	3	8	7	4	12	19	52	103	145	254	379	580	904	1,259	1,411	1,185	829	303	73	1
	White—M	3,367	5	2	2	2	5	2	3	6	16	31	61	104	172	289	443	631	661	491	314	104	22	1
	F	3,601	1	1	-	4	2	1	6	7	25	30	48	96	138	218	373	559	694	665	495	189	49	-
	Nonwhite—M	258	1	1	-	1	-	-	2	2	4	14	15	28	33	36	45	29	25	8	8	6	-	-
	F	316	-	-	1	1	-	1	1	4	7	28	21	26	36	37	43	40	31	21	12	4	2	-
400-402, 410-443	Diseases of heart	25,211	10	15	8	7	17	25	50	118	276	549	874	1,407	1,966	2,661	3,605	3,927	3,621	3,122	1,962	789	200	2
	White—M	14,446	2	7	6	3	11	11	25	61	170	382	576	985	1,327	1,740	2,273	2,250	1,869	1,534	849	313	52	-
	F	9,218	6	4	1	1	4	9	9	32	48	81	167	251	438	728	1,108	1,511	1,657	1,499	1,074	456	133	1
	Nonwhite—M	819	1	3	-	1	1	3	7	14	29	46	71	94	93	110	135	88	47	44	18	9	5	-
	F	728	1	1	1	2	1	2	9	11	29	40	60	77	108	83	89	78	48	45	21	11	10	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	851	-	-	5	5	11	13	16	43	49	57	98	97	100	84	76	77	55	39	20	4	1	1
	White—M	394	-	-	3	3	8	3	7	21	19	27	42	45	54	38	37	34	26	18	8	1	-	-
	F	397	-	-	1	-	2	6	5	17	21	24	47	45	44	43	36	41	28	21	12	3	1	-
	Nonwhite—M	28	-	-	-	-	1	3	1	1	4	3	6	5	1	2	-	1	-	-	-	-	-	-
	F	32	-	-	1	2	-	1	3	4	5	3	3	2	1	1	3	1	1	-	-	-	-	1

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN--Con.																							
420	Arteriosclerotic heart dis., etc.*	18,743	-	2	-	1	1	8	13	54	176	402	651	1,117	1,570	2,155	2,881	2,998	2,617	2,171	1,278	513	134	1
	White----M	11,578	-	-	-	-	1	5	9	35	139	317	493	857	1,134	1,489	1,913	1,807	1,408	1,131	580	223	37	-
	F	6,212	-	1	-	1	-	2	1	10	13	43	87	154	303	534	821	1,077	1,148	983	669	274	90	1
	Nonwhite--M	555	-	-	-	-	-	-	2	8	14	27	45	62	68	85	95	67	31	29	14	6	2	-
	F	398	-	1	-	-	-	1	1	1	10	15	26	44	65	47	52	47	30	28	15	10	5	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,137	5	5	1	-	1	1	8	3	8	17	20	37	80	102	193	307	401	429	318	153	48	-
	White----M	1,047	1	3	1	-	1	1	3	3	3	12	9	17	42	60	117	174	209	200	129	53	9	-
	F	991	3	-	-	-	-	-	1	-	3	3	7	15	23	32	61	123	183	220	187	96	34	-
	Nonwhite--M	54	1	2	-	-	-	-	1	-	1	1	2	3	6	5	11	4	5	6	-	3	3	-
	F	45	-	-	-	-	-	-	3	-	1	1	2	2	9	5	4	6	4	3	2	1	2	-
430-434	Other diseases of heart	981	5	8	2	1	4	2	9	7	13	18	25	39	61	92	111	138	134	138	119	49	6	-
	White----M	529	1	4	2	-	1	1	4	1	5	12	11	25	38	60	64	78	81	72	50	18	1	-
	F	390	3	3	-	-	2	1	2	2	7	4	11	7	18	28	37	57	45	61	66	31	5	-
	Nonwhite--M	33	-	1	-	1	-	-	2	2	1	2	-	2	2	4	5	1	5	3	2	-	-	-
	F	29	1	-	-	-	1	-	1	2	-	-	3	5	3	-	5	2	3	2	1	-	-	-
440-443	Hypertensive heart disease	2,499	-	-	-	-	-	1	4	11	30	55	80	117	155	228	344	407	414	345	227	70	11	-
	White----M	898	-	-	-	-	-	1	2	1	4	14	21	41	59	93	142	157	145	113	82	18	5	-
	F	1,228	-	-	-	-	-	-	-	3	4	7	15	30	50	91	153	213	253	214	140	52	3	-
	Nonwhite--M	149	-	-	-	-	-	-	1	3	9	13	18	22	16	14	24	15	6	6	2	-	-	-
	F	224	-	-	-	-	-	-	1	4	13	21	26	24	30	30	25	22	10	12	3	-	3	-
444-447	Other hypertensive disease	512	-	-	-	-	-	-	4	12	9	25	25	34	31	34	43	72	77	71	49	21	5	-
	White----M	235	-	-	-	-	-	-	2	-	1	9	11	11	9	24	21	31	39	40	21	11	5	-
	F	198	-	-	-	-	-	-	1	1	2	4	3	15	9	9	19	36	32	31	26	10	-	-
	Nonwhite--M	43	-	-	-	-	-	-	1	6	2	8	4	4	7	1	1	3	4	-	2	-	-	-
	F	36	-	-	-	-	-	-	-	5	4	4	7	4	6	-	2	2	2	-	-	-	-	-
450	General arteriosclerosis	1,289	-	-	-	-	-	-	1	-	-	-	1	9	22	35	70	146	258	277	239	175	56	-
	White----M	599	-	-	-	-	-	-	-	-	-	-	1	6	13	22	36	75	135	130	100	65	16	-
	F	654	-	-	-	-	-	-	-	-	-	-	-	2	6	11	29	67	116	140	137	108	38	-
	Nonwhite--M	18	-	-	-	-	-	-	1	-	-	-	-	1	3	-	3	2	4	3	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	4	1	2	2	-
451-468	Other diseases of circulatory sys.	728	2	6	1	2	1	2	4	13	23	23	30	42	58	86	122	126	89	57	33	8	-	-
	White----M	422	2	1	1	1	-	1	-	4	7	9	17	25	41	51	86	82	46	33	12	3	-	-
	F	251	-	4	-	-	1	-	-	8	10	11	10	12	14	26	31	39	37	24	19	5	-	-
	Nonwhite--M	24	-	1	-	1	-	-	-	-	3	-	2	2	1	6	3	1	4	-	-	-	-	-
	F	31	-	-	-	-	-	1	4	1	3	3	1	3	2	3	2	4	2	-	2	-	-	-
592-594	Chronic nephritis, etc.*	547	3	-	5	6	8	9	13	17	26	18	28	46	42	48	63	66	60	42	31	10	6	-
	White----M	282	1	-	2	3	3	6	8	11	9	9	11	25	22	24	34	40	29	25	14	5	1	-
	F	203	2	-	3	2	5	2	2	5	12	6	9	13	10	16	23	20	30	16	17	5	5	-
	Nonwhite--M	34	-	-	-	1	-	-	1	1	3	3	2	3	5	6	4	3	1	1	-	-	-	-
	F	28	-	-	-	-	-	1	2	-	2	-	6	5	5	2	2	3	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	2,191	403	104	18	7	13	11	13	33	18	38	66	65	115	157	181	223	246	211	156	87	26	-
	White----M	1,146	188	39	12	2	4	8	4	8	6	14	31	44	66	89	110	138	139	114	84	38	8	-
	F	704	109	43	5	4	8	3	6	8	6	11	15	12	29	38	42	66	90	83	66	44	16	-
	Nonwhite--M	211	65	12	-	-	1	-	-	10	1	8	12	7	13	22	17	11	13	9	4	4	2	-
	F	130	41	10	1	1	-	-	3	7	5	5	8	2	7	8	12	8	4	5	2	1	-	-
480-483	Influenza	132	7	4	2	1	3	-	-	1	3	3	4	4	11	7	14	11	11	21	13	8	4	-
	White----M	72	4	1	1	-	-	-	-	1	2	1	1	2	6	5	10	7	6	15	5	3	2	-
	F	52	1	3	1	1	3	-	-	-	1	2	3	2	4	1	4	4	4	6	8	3	1	-
	Nonwhite--M	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
490-493	Pneumonia, etc.*	2,059	396	100	16	6	10	11	13	32	15	35	62	61	104	150	167	212	235	190	143	79	22	-
	White----M	1,074	184	38	11	2	4	8	4	7	4	13	30	42	60	84	100	131	133	99	79	35	6	-
	F	652	108	40	4	3	5	3	6	8	5	9	12	10	25	37	38	62	86	77	58	41	15	-
	Nonwhite--M	206	64	12	-	-	1	-	-	10	1	8	12	7	12	22	17	11	12	9	4	3	1	-
	F	127	40	10	1	1	-	-	3	7	5	5	8	2	7	7	12	8	4	5	2	-	-	-
500-502	Bronchitis	147	46	10	1	-	2	-	1	1	1	2	2	5	8	12	16	12	8	12	6	2	-	-
	White----M	92	22	6	1	-	-	-	1	-	1	1	1	4	4	12	14	10	5	6	4	-	-	-
	F	45	20	3	-	-	1	-	-	-	-	1	1	1	3	-	1	2	3	5	2	2	-	-
	Nonwhite--M	5	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	479	-	-	-	-	1	-	1	5	10	14	28	41	44	69	75	74	54	41	15	7	-	-
	White----M	336	-	-	-	-	1	-	1	2	6	10	20	33	30	53	55	56	33	23	11	2	-	-
	F	118	-	-	-	-	-	-	-	2	1	4	5	7	11	10	17	16	18	18	4	5	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	3	-	1	1	1	3	3	2	3	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	2	-	2	3	-	-	-	-	-	-	-	-
550-553	Appendicitis	103	1	3	2	4	2	1	2	2	3	8	3	14	11	9	7	9	8	8	6	-	-	-
	White----M	70	-	1	2	2	2	-	-	1	2	4	3	12	7	7	4	6	6	7	4	-	-	-
	F	22	1	1	-	2	-	-	2	1	1	-	-	1	2	1	3	2	2	1	2	-	-	-
	Nonwhite--M	8	-	1	-	-	-	1	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	299	38	4	2	-	1	-	-	1	4	14	12	13	23	15	43	35	41	30	13	7	3	-
	White----M	135	17	1	1	-	-	-	-	-	1	3	4	3	13	7	25	17	22	12	5	3	1	-
	F	138	17	1	1	-	1	-	-	-	2	9	6	6	9	4	15	18	19	17	8	4	1	-
	Nonwhite--M	15	3	2	-	-	-	-	-	1	-	2	1	2	-	2	1	-	-	1	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	1	-	1	2	1	2	2	-	-	-	-	-	1	-
543, 571, 572	Gastritis, etc.*	298	66	37	6	-	2	4	12	2	6	2	11	14	10	17	16	29	29	17	12	4	-	-
	White----M	147	34	23	1	-	1	2	7	-	2	1	5	4	6	5	8	20	14	7	5	2	-	-
	F	118	17	11	2	-	1	2	4	1	4	1	5	8	3	11	8	8	13	10	7	2	-	-
	Nonwhite--M	11	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	20	10	2	1	-	-	-	-	1	-	-	1	2	1	1	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	810	-	3	-	-	1	1	2	15	36	69	95	118	111	98	104	82	38	29	6	2	-	-
	White----M	518	-	2	-	-	-	-	-	5	19	38	61	80	74	68	74	48	24	18	5	2	-	-
	F	244	-	1	-	-	-	1	1	5	10	23	24	34	32	29	26	32	14	11	1	-	-	-
	Nonwhite--M	26	-	-	-	-	1	-	-	-	3	3	8	2	4	1	2	2	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	1	5	4	5	2	2	1	-	2	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																							
584, 585	Cholelithiasis, etc.*	244	-	-	-	-	-	1	1	1	3	3	8	12	16	26	35	40	37	42	15	3	1	-
	White—M	109	-	-	-	-	-	-	-	-	-	2	2	5	8	14	16	18	22	16	5	1	-	-
	F	126	-	-	-	-	-	1	1	1	2	1	4	5	8	11	18	21	14	26	10	2	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	83	4	1	4	4	1	3	2	1	5	5	5	5	4	3	7	10	6	6	4	2	1	-
	White—M	42	1	-	4	4	-	2	-	1	1	2	1	3	3	2	5	5	3	2	2	-	1	-
	F	34	3	1	-	-	-	1	2	-	2	1	3	2	1	1	2	5	3	4	2	1	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	225	2	1	1	-	4	2	6	5	6	6	8	11	16	25	22	35	27	31	10	5	2	-
	White—M	98	1	-	1	-	-	1	2	2	2	1	3	6	6	13	9	17	12	15	7	-	-	-
	F	87	-	-	-	-	4	1	4	3	1	1	1	3	6	7	9	11	14	14	2	5	1	-
	Nonwhite—M	16	1	1	-	-	-	-	-	-	1	1	2	1	2	3	2	1	-	-	-	-	1	-
	F	24	-	-	-	-	-	-	-	-	2	3	2	1	2	2	2	6	1	2	1	-	-	-
610	Hyperplasia of prostate	212	-	-	-	-	-	-	-	-	-	-	-	-	5	13	24	40	48	37	32	12	1	-
	White—M	198	-	-	-	-	-	-	-	-	-	-	-	-	3	11	21	38	45	36	32	11	1	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	1	-	1	-	-
640-689	Complications of pregnancy, etc.*	60	...	...	...	-	3	9	12	20	11	5	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	45	...	...	...	-	3	7	9	16	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	15	...	...	...	-	-	2	3	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	13	...	...	...	-	1	2	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	...	...	...	-	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	...	...	...	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	47	...	...	...	-	2	7	10	16	8	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	38	...	...	...	-	2	6	8	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	...	...	...	-	-	1	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,020	768	95	33	19	8	11	7	5	12	6	11	10	11	7	7	2	3	5	-	-	-	-
	White—M	512	393	40	10	10	5	4	6	1	7	3	3	7	7	4	7	1	2	2	-	-	-	-
	F	422	311	48	16	8	2	7	1	2	3	2	8	3	3	3	-	1	1	3	-	-	-	-
	Nonwhite—M	46	33	3	5	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	40	31	4	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,198	3,197	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,537	1,536	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,138	1,138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	285	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,472	1,472	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	749	749	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	538	538	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	1,541	1,540	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	706	705	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	539	539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	235	26	3	4	1	2	4	10	8	8	12	19	23	13	18	18	27	10	9	11	8	1	-
	White—M	122	16	2	3	1	-	1	4	2	3	2	8	11	9	12	9	19	8	5	4	3	-	-
	F	82	3	1	-	-	-	2	4	3	3	8	7	11	3	3	8	7	2	4	7	5	1	-
	Nonwhite—M	22	4	-	-	-	1	1	1	2	1	2	4	1	-	3	1	1	-	-	-	-	-	-
	F	9	3	-	1	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Residual	All other diseases	2,294	156	76	42	19	30	39	29	49	84	78	106	159	187	223	283	278	190	151	77	34	4	-
	White—M	1,330	80	41	23	7	20	16	10	18	35	39	56	90	120	148	192	172	121	84	40	16	2	-
	F	773	51	25	16	11	4	16	12	18	38	28	38	48	52	58	79	99	62	62	37	17	2	-
	Nonwhite—M	109	14	6	2	1	2	2	2	8	3	6	9	15	10	13	5	2	6	3	-	-	-	-
	F	82	11	4	1	-	4	5	5	5	8	5	3	6	5	4	7	5	1	2	-	1	-	-
E800-E962	Accidents	3,320	147	180	136	126	210	228	181	187	144	194	167	165	169	171	185	179	171	166	127	69	16	2
	White—M	2,140	82	104	99	86	156	189	125	131	100	136	115	106	120	116	125	111	83	76	50	23	6	1
	F	928	44	46	31	35	44	30	25	32	28	35	37	41	38	48	46	64	84	90	75	44	10	1
	Nonwhite—M	170	12	12	4	4	7	9	24	17	13	19	13	12	10	6	4	3	1	-	-	-	-	-
	F	82	9	18	2	1	3	-	7	7	3	4	2	6	1	1	10	1	3	-	2	2	-	-
E810-E835	Motor vehicle accidents	1,467	7	59	69	66	131	154	121	101	84	106	84	84	88	78	84	69	39	31	10	2	-	-
	White—M	995	4	30	47	41	96	130	81	72	58	72	50	46	59	53	59	48	21	19	8	1	-	-
	F	359	3	21	18	24	28	19	19	17	19	26	23	28	23	21	19	19	17	12	2	1	-	-
	Nonwhite—M	82	-	3	3	1	4	5	15	8	5	7	10	9	6	3	1	1	1	-	-	-	-	-
	F	31	-	5	1	-	3	-	6	4	2	1	1	1	-	1	5	1	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,853	140	121	67	60	79	74	60	86	60	88	83	81	81	93	101	110	132	135	117	67	16	2
	White—M	1,145	78	74	52	45	60	59	44	59	42	64	65	60	61	63	66	63	62	57	42	22	6	1
	F	569	41	25	13	11	16	11	6	15	9	9	14	13	15	27	27	45	67	78	73	43	10	1
	Nonwhite—M	88	12	9	1	3	3	4	9	9	8	12	3	3	4	3	3	2	-	-	-	-	-	-
	F	51	9	13	1	1	-	-	1	3	1	3	1	5	1	-	5	-	3	-	2	2	-	-
E963, E970-E979	Suicide	747	-	-	-	2	17	28	57	50	65	81	69	86	75	62	53	46	31	17	6	1	1	-
	White—M	559	-	-	-	1	14	19	38	31	43	54	52	65	61	48	44	41	28	15	5	1	1	-
	F	158	-	-	-	1	2	6	15	13	18	26	14	18	12	14	7	4	5	2	1	-	-	-
	Nonwhite—M	23	-	-	-	-	1	1	2	6	3	1	3	2	1	-	2	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	2	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	217	1	7	3	4	12	15	17	26	33	19	22	22	10	11	8	2	3	2	-	-	-	-
	White—M	75	-	3	2	2	4	5	9	3	7	4	8	9	3	6	6	2	1	1	-	-	-	-
	F	32	1	3	1	1	3	2	1	1	4	4	2	3	-	3	1	-	1	1	-	-	-	-
	Nonwhite—M	84	-	1	-	-	5	5	6	16	18	7	11	8	4	2	1	-	-	-	-	-	-	-
	F	26	-	-	-	1	-	3	1	6	4	4	1	2	3	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA																							
	All causes------	30,675	1,941	317	168	130	205	220	207	272	368	578	841	1,277	1,801	2,556	3,517	4,190	4,287	3,782	2,636	1,056	324	2
	White-----M---	17,599	1,103	166	99	88	139	156	137	172	228	350	551	626	1,191	1,647	2,176	2,413	2,331	1,929	1,276	496	124	1
	F---	12,714	796	138	67	41	63	54	60	85	131	211	280	435	590	882	1,297	1,745	1,914	1,825	1,345	556	198	1
	Nonwhite--M---	213	19	5	2	1	1	8	6	9	6	11	7	11	11	18	26	22	23	16	6	4	1	-
	F---	149	23	8	-	-	2	2	4	6	3	6	3	5	9	9	18	10	19	12	9	-	1	-
001-019	Tuberculosis, all forms---------	98	-	-	-	-	1	-	-	3	3	5	6	7	11	11	11	17	12	8	2	-	1	-
	White-----M---	66	-	-	-	-	-	-	-	2	3	2	4	2	8	10	10	9	9	6	1	-	-	-
	F---	28	-	-	-	-	-	-	-	1	-	3	2	5	3	1	1	5	3	2	1	-	1	-
	Nonwhite--M---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	F---	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	93	-	-	-	-	1	-	-	3	3	5	6	7	11	11	9	16	11	8	1	-	1	-
	White-----M---	64	-	-	-	-	-	-	-	2	3	2	4	2	8	10	8	9	9	6	1	-	-	-
	F---	25	-	-	-	-	-	-	-	1	-	3	2	5	3	1	1	4	2	2	-	-	1	-
	Nonwhite--M---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	F---	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms-------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-
	White-----M---	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	44	1	-	-	-	-	-	-	1	-	1	2	1	2	6	8	9	9	3	1	-	-	-
	White-----M---	30	-	-	-	-	-	-	-	-	-	1	2	1	1	5	7	3	7	2	1	-	-	-
	F---	11	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	5	2	-	-	-	-	-
	Nonwhite--M---	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat-----	6	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-
	White-----M---	3	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	5	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	White-----M---	8	1	3	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	F---	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	104	20	10	2	1	-	3	2	5	1	4	5	3	7	11	10	4	6	5	3	2	-	-
	White-----M---	62	16	2	1	-	-	2	-	2	1	3	2	2	4	7	7	3	4	3	1	2	-	-
	F---	39	3	7	1	1	-	-	2	3	-	1	3	1	3	4	3	1	2	2	2	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	4,786	6	38	28	17	23	22	33	54	84	118	201	314	411	592	708	731	620	477	233	68	8	-
	White-----M---	2,534	5	19	12	10	16	15	20	29	34	43	91	137	221	323	369	414	343	262	126	40	5	-
	F---	2,206	1	19	16	7	7	7	12	22	49	75	108	176	188	262	327	310	271	213	105	28	3	-
	Nonwhite--M---	28	-	-	-	-	-	-	-	-	-	-	1	-	1	6	8	4	4	2	2	-	-	-
	F---	18	-	-	-	-	-	-	1	3	1	-	1	1	1	1	4	3	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx-------	86	-	-	-	-	-	-	-	-	1	2	9	8	10	13	10	9	12	7	2	2	1	-
	White-----M---	66	-	-	-	-	-	-	-	-	1	1	6	6	8	12	8	7	10	5	-	1	1	-
	F---	19	-	-	-	-	-	-	-	-	-	1	3	2	2	1	2	2	2	1	2	1	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,770	2	1	-	1	-	-	8	11	16	29	49	87	123	191	288	330	274	212	120	26	2	-
	White-----M---	995	1	1	-	-	-	-	5	6	10	9	27	51	79	113	174	190	144	114	57	13	1	-
	F---	757	1	-	-	1	-	-	2	4	6	20	21	36	43	74	111	139	126	97	62	13	1	-
	Nonwhite--M---	13	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	1	3	1	1	-	-	-
	F---	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	466	-	-	-	-	2	-	1	5	9	11	32	32	54	92	88	62	42	21	9	5	1	-
	White—M	369	-	-	-	-	1	-	-	4	5	9	22	23	46	78	72	54	31	13	7	4	-	-
	F	91	-	-	-	-	1	-	1	1	4	2	10	9	8	12	14	6	11	8	2	1	1	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	464	-	-	-	-	-	2	2	5	12	22	29	54	52	62	65	57	48	37	13	3	1	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
	F	458	-	-	-	-	-	2	2	5	12	22	29	53	51	62	65	56	47	36	12	3	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
171-179	Of genital organs	683	-	-	-	-	1	2	2	11	17	14	23	50	44	72	97	110	107	81	38	14	-	-
	White—M	325	-	-	-	-	1	1	1	4	3	1	-	7	9	25	28	69	74	61	31	10	-	-
	F	348	-	-	-	-	-	1	1	6	13	13	23	43	34	47	65	40	32	20	6	4	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-
180, 181	Of urinary organs	235	1	2	3	-	-	-	3	-	1	2	6	9	26	29	28	41	36	31	12	5	-	-
	White—M	162	1	2	2	-	-	-	1	-	1	1	5	5	20	21	19	27	23	22	7	5	-	-
	F	72	-	-	1	-	-	-	2	-	-	1	1	4	6	8	9	13	13	9	5	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	526	2	9	12	5	6	5	5	9	14	18	28	40	53	59	59	68	53	43	25	10	3	-
	White—M	282	2	4	6	3	2	3	4	7	5	10	15	26	30	34	28	33	29	21	12	5	3	-
	F	241	-	5	6	2	4	2	1	2	9	8	13	14	23	25	29	34	24	22	13	5	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	294	1	24	11	9	10	5	5	5	9	8	11	21	18	32	38	27	25	25	7	3	-	-
	White—M	174	1	11	2	7	9	4	4	1	7	4	6	12	8	21	20	19	17	14	5	2	-	-
	F	118	-	13	9	2	1	1	1	3	2	4	4	9	10	11	18	8	8	11	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	262	-	2	2	2	4	8	7	8	5	12	14	13	31	42	35	27	23	20	7	-	-	-
	White—M	158	-	1	2	-	3	7	5	7	2	8	10	7	20	19	20	15	15	11	6	-	-	-
	F	102	-	1	-	2	1	1	2	1	3	4	4	6	11	22	14	12	8	9	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	96	2	3	1	4	1	2	2	3	3	7	5	5	5	7	16	15	6	2	4	3	-	-
	White—M	40	1	3	-	-	-	2	-	2	-	2	2	2	3	3	6	7	4	-	3	-	-	-
	F	55	1	-	1	4	1	-	2	1	3	5	3	3	2	4	10	8	1	2	1	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
241	Asthma	85	-	-	1	1	-	-	3	2	1	3	4	5	8	4	16	7	16	8	4	2	-	-
	White—M	58	-	-	-	-	-	-	2	-	-	1	3	4	5	4	11	7	11	6	2	2	-	-
	F	26	-	-	1	1	-	-	1	2	1	1	1	1	3	-	5	-	5	2	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	570	-	1	1	2	2	4	8	7	9	10	11	22	35	44	89	97	121	60	34	10	3	-
	White—M	225	-	1	1	1	-	2	4	5	4	6	8	12	11	16	40	28	39	25	17	4	1	-
	F	339	-	-	-	1	2	2	4	2	5	3	3	10	24	27	49	67	80	35	17	6	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-
290-293	Anemias	64	3	2	-	1	1	-	-	-	1	2	1	1	2	5	6	11	7	11	6	3	1	-
	White—M	32	1	1	-	-	1	-	-	-	-	-	-	-	2	2	2	7	4	5	4	2	1	-
	F	32	2	1	-	1	-	-	-	-	1	2	1	1	-	3	4	4	3	6	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	47	14	14	2	1	-	-	1	-	-	2	1	-	2	2	3	-	3	1	1	-	-	-
	White—M	28	10	7	1	-	-	-	1	-	-	1	-	-	2	1	3	-	2	-	-	-	-	-
	F	18	4	7	1	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	17,289	9	3	3	7	12	26	28	56	95	219	363	622	969	1,482	2,137	2,748	2,923	2,651	1,928	771	237	-
	White—M	9,954	6	2	3	3	7	13	17	36	68	159	279	467	694	1,009	1,369	1,595	1,577	1,323	905	334	88	-
	F	7,190	3	1	-	4	4	13	11	20	25	56	82	146	265	458	744	1,139	1,317	1,308	1,013	434	147	-
	Nonwhite—M	84	-	-	-	-	-	-	-	-	2	3	1	7	6	9	12	10	16	11	3	3	1	-
	F	61	-	-	-	-	1	-	-	-	-	1	1	2	4	6	12	4	13	9	7	-	1	-
330-334, 400-468	Dis. of cardiovascular system	17,109	9	3	3	3	9	21	25	46	88	209	354	609	957	1,463	2,116	2,728	2,906	2,638	1,917	768	237	-
	White—M	9,851	6	2	3	2	6	9	15	30	63	153	273	460	687	998	1,355	1,585	1,571	1,316	898	331	88	-
	F	7,114	3	1	-	1	3	12	10	16	23	52	79	140	260	450	737	1,129	1,306	1,302	1,009	434	147	-
	Nonwhite—M	84	-	-	-	-	-	-	-	-	2	3	1	7	6	9	12	10	16	11	3	3	1	-
	F	60	-	-	-	-	-	-	-	-	-	1	1	2	4	6	12	4	13	9	7	-	1	-
330-334	Vascular lesions, etc.*	4,027	5	-	1	-	1	7	10	9	21	29	57	83	138	252	406	658	787	739	545	216	63	-
	White—M	1,985	4	-	1	-	-	4	3	4	12	12	27	39	76	148	227	335	400	336	236	96	25	-
	F	2,004	1	-	-	-	1	3	7	5	8	16	29	40	61	102	172	320	381	398	303	120	37	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	2	4	2	2	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	1	2	3	4	-	1	-
400-402, 410-443	Diseases of heart	11,763	3	3	2	3	6	12	10	34	59	164	278	495	789	1,139	1,594	1,918	1,921	1,643	1,122	433	135	-
	White—M	7,152	1	2	2	2	6	4	8	24	45	131	237	399	594	803	1,066	1,157	1,065	843	537	180	46	-
	F	4,517	2	1	-	1	-	8	2	10	13	31	41	92	186	323	512	750	838	787	581	251	88	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	1	2	-	4	6	9	8	8	9	7	1	2	1	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	-	3	4	8	3	9	6	3	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	346	-	1	1	3	3	3	4	10	7	11	26	32	41	56	50	40	24	20	9	5	-	-
	White—M	171	-	-	1	2	3	1	2	4	1	5	16	18	19	25	23	24	14	8	3	2	-	-
	F	171	-	1	-	1	-	2	2	6	6	5	10	14	22	29	26	16	10	12	6	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																							
420	Arteriosclerotic heart dis., etc.*	8,990	-	-	-	-	1	2	5	20	39	132	226	411	668	951	1,280	1,497	1,444	1,170	762	294	88	-
	White——M—	5,779	-	-	-	-	1	2	5	18	35	115	201	346	520	704	904	937	835	615	383	123	35	-
	F—	3,145	-	-	-	-	-	-	-	2	4	16	25	61	141	238	365	553	597	546	376	169	52	-
	Nonwhite—M—	42	-	-	-	-	-	-	-	-	-	1	-	4	5	7	5	5	6	5	1	2	1	-
	F—	24	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	6	4	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*—	936	1	1	-	-	1	2	-	2	4	3	12	12	21	31	80	139	193	190	144	78	22	-
	White——M—	513	-	1	-	-	1	1	-	1	4	1	9	10	15	21	42	79	108	108	70	37	5	-
	F—	415	1	-	-	-	-	1	-	1	-	2	3	2	5	10	37	58	82	81	74	41	17	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
430-434	Other diseases of heart—	415	2	1	1	-	1	4	1	2	6	13	10	17	17	28	36	61	68	66	58	15	8	-
	White——M—	244	1	1	1	-	1	-	1	1	2	8	9	10	12	20	23	31	43	37	33	8	2	-
	F—	166	1	-	-	-	-	4	-	1	3	5	1	7	5	8	11	29	25	28	25	7	6	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertensive heart disease—	1,076	-	-	-	-	-	1	-	-	3	5	4	23	42	73	148	181	192	197	149	41	17	-
	White——M—	445	-	-	-	-	-	-	-	-	3	2	2	15	28	33	74	86	65	75	48	10	4	-
	F—	620	-	-	-	-	-	1	-	-	-	3	2	8	13	38	73	94	124	120	100	31	13	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	1	-	-	-
444-447	Other hypertensive disease—	204	-	-	-	-	1	-	1	1	5	7	7	7	5	17	22	29	29	38	26	6	3	-
	White——M—	96	-	-	-	-	-	-	1	1	4	3	1	5	2	10	9	18	14	14	9	3	2	-
	F—	106	-	-	-	-	1	-	-	-	1	3	6	1	3	7	13	11	15	24	17	3	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis—	763	-	-	-	-	-	-	-	1	-	-	1	2	6	16	34	68	122	182	191	105	35	-
	White——M—	404	-	-	-	-	-	-	-	1	-	-	1	1	1	11	18	39	67	108	97	46	14	-
	F—	352	-	-	-	-	-	-	-	-	-	-	-	1	5	5	15	29	51	73	94	58	21	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.—	352	1	-	-	-	1	2	4	1	3	9	11	22	19	39	60	55	47	36	33	8	1	-
	White——M—	214	1	-	-	-	-	1	3	-	2	7	7	16	14	26	35	36	25	15	19	6	1	-
	F—	135	-	-	-	-	1	1	1	1	1	2	3	6	5	13	25	19	21	20	14	2	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*—	180	-	-	-	4	3	5	3	10	7	10	9	13	12	19	21	20	17	13	11	3	-	-
	White——M—	103	-	-	-	1	1	4	2	6	5	6	6	7	7	11	14	10	6	7	7	3	-	-
	F—	76	-	-	-	3	1	1	1	4	2	4	3	6	5	8	7	10	11	6	4	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*—	1,042	145	35	1	3	4	4	1	8	11	12	19	25	23	44	68	110	122	158	141	79	29	-
	White——M—	566	72	16	1	-	3	1	-	3	7	7	13	12	12	26	36	71	69	81	78	47	11	-
	F—	463	71	16	-	3	1	3	1	4	3	5	6	13	8	18	32	38	53	77	61	31	18	-
	Nonwhite—M—	8	1	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-
	F—	5	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
480-483	Influenza—	61	3	1	-	-	2	-	-	-	1	1	-	-	2	7	4	9	6	10	8	6	1	-
	White——M—	29	1	1	-	-	1	-	-	-	1	-	-	-	-	4	1	5	3	5	2	5	-	-
	F—	32	2	-	-	-	1	-	-	-	-	1	-	-	2	3	3	4	3	5	6	1	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*—	981	142	34	1	3	2	4	1	8	10	11	19	25	21	37	64	101	116	148	133	73	28	-
	White——M—	537	71	15	1	-	2	1	-	3	6	7	13	12	12	22	35	66	66	76	78	42	11	-
	F—	431	69	16	-	3	-	3	1	4	3	4	6	13	6	15	29	35	50	72	55	30	17	-
	Nonwhite—M—	8	1	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-
	F—	5	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
500-502	Bronchitis—	77	19	6	-	-	-	-	-	-	-	-	1	2	-	8	12	5	10	3	8	3	-	-
	White——M—	49	10	3	-	-	-	-	-	-	-	-	-	1	-	7	9	3	7	1	5	3	-	-
	F—	27	9	3	-	-	-	-	-	-	-	-	1	1	-	1	3	1	3	2	3	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum—	199	1	2	1	-	-	-	1	1	2	5	4	9	22	19	33	25	28	26	17	3	-	-
	White——M—	149	1	2	1	-	-	-	-	1	2	2	2	6	19	16	28	21	23	15	8	2	-	-
	F—	46	-	-	-	-	-	-	1	-	-	2	2	3	3	3	5	3	4	10	9	1	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis—	31	-	-	2	1	-	-	-	1	1	1	1	-	2	5	5	6	2	4	-	-	-	-
	White——M—	20	-	-	-	1	-	-	-	1	1	-	-	-	2	4	4	3	1	3	-	-	-	-
	F—	10	-	-	2	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction—	183	25	2	-	-	1	-	-	2	-	3	3	6	11	7	25	23	21	32	12	6	4	-
	White——M—	94	18	1	-	-	1	-	-	2	-	1	2	3	3	4	15	7	9	16	9	2	1	-
	F—	86	6	1	-	-	-	-	-	-	-	2	1	3	8	3	9	15	12	16	3	4	3	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*—	145	29	14	1	1	-	-	1	1	1	2	1	5	5	10	12	14	16	10	16	4	2	-
	White——M—	85	18	10	1	1	-	-	1	-	-	1	-	3	3	6	9	8	10	6	4	3	1	-
	F—	54	7	3	-	-	-	-	-	1	1	1	1	2	2	4	3	6	6	3	12	1	1	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	280	1	1	-	1	1	2	3	7	12	17	33	41	28	40	30	28	19	7	8	1	-	-
	White——M—	195	1	1	-	1	-	-	1	3	11	7	23	28	22	29	22	18	17	6	5	-	-	-
	F—	79	-	-	-	-	1	2	1	2	1	9	9	13	6	10	8	10	2	1	3	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																							
584, 585	Cholelithiasis, etc.*	132	-	-	-	-	-	-	-	1	2	1	1	6	7	14	10	33	17	27	9	4	-	-
	White—M	55	-	-	-	-	-	-	-	-	1	-	-	1	4	6	4	15	7	14	1	2	-	-
	F	74	-	-	-	-	-	-	-	1	1	1	1	4	3	8	6	17	10	12	8	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	25	1	1	-	1	-	1	-	1	-	1	2	-	2	2	3	2	3	2	-	2	1	-
	White—M	17	-	-	-	-	-	1	-	-	-	1	2	-	1	1	3	1	2	2	-	2	1	-
	F	8	1	1	-	1	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	105	2	1	-	-	2	-	-	-	1	2	1	4	5	12	13	20	17	13	8	4	-	-
	White—M	46	1	-	-	-	1	-	-	-	1	-	-	1	1	5	7	12	5	4	5	3	-	-
	F	58	1	1	-	-	1	-	-	-	-	2	1	3	4	7	5	8	12	9	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate	100	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	15	20	16	18	15	3	-
	White—M	99	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	15	20	16	18	15	3	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	17	...	...	...	-	-	4	2	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	...	...	...	-	-	4	2	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	15	...	...	...	-	-	4	2	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	...	...	...	-	-	4	2	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	448	321	48	15	12	3	4	2	2	5	3	8	4	6	5	3	3	2	-	1	1	-	-
	White—M	247	175	24	8	10	1	3	1	-	5	2	6	-	3	3	3	1	1	-	-	1	-	-
	F	194	140	24	7	2	2	1	1	1	-	1	2	4	3	2	-	2	1	-	1	-	-	-
	Nonwhite—M	5	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,195	1,193	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	691	690	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	485	484	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	512	512	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	625	623	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	354	353	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	261	260	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	160	12	3	-	-	-	1	-	-	1	4	3	4	11	9	13	17	15	23	22	10	11	1
	White—M	88	6	2	-	-	-	-	-	-	-	1	1	4	8	8	12	13	5	11	9	5	2	1
	F	67	5	1	-	-	-	-	-	-	1	3	2	-	3	1	1	4	9	11	12	5	9	-
	Nonwhite—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Residual	All other diseases	1,271	79	33	31	9	11	9	15	22	34	37	55	65	94	93	158	140	151	121	75	29	9	1
	White—M	732	48	16	17	6	6	6	6	15	17	19	27	39	57	64	106	86	78	59	43	14	3	-
	F	517	29	17	13	3	5	3	8	7	15	16	27	23	35	27	49	53	71	62	32	15	6	1
	Nonwhite—M	13	1	-	1	-	-	-	-	-	2	2	1	2	-	1	2	-	1	-	-	-	-	-
	F	9	1	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-
E800-E962	Accidents	1,716	47	95	74	63	133	124	92	73	70	93	73	75	91	85	96	92	104	105	81	35	15	-
	White—M	1,162	21	53	49	53	94	101	78	58	54	74	55	60	69	58	70	50	64	54	28	12	7	-
	F	510	21	34	24	9	39	16	10	11	14	16	15	13	21	26	25	42	40	50	53	23	8	-
	Nonwhite—M	29	3	3	1	1	-	5	4	2	1	2	3	1	-	1	1	-	-	1	-	-	-	-
	F	15	2	5	-	-	-	2	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	752	5	32	34	17	93	93	66	44	41	47	39	31	42	38	41	38	32	15	3	1	-	-
	White—M	533	-	18	20	12	59	73	55	35	29	34	29	24	32	26	32	18	23	11	2	1	-	-
	F	199	4	14	13	5	34	13	9	7	10	11	9	7	9	12	8	20	9	4	1	-	-	-
	Nonwhite—M	13	-	-	1	-	-	5	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	964	42	63	40	46	40	31	26	29	29	46	34	44	49	47	55	54	72	90	78	34	15	-
	White—M	629	21	35	29	41	35	28	23	23	25	40	26	36	37	32	38	32	41	43	26	11	7	-
	F	311	17	20	11	4	5	3	1	4	4	5	6	6	12	14	17	22	31	46	52	23	8	-
	Nonwhite—M	16	3	3	-	1	-	-	2	1	-	1	2	1	-	1	-	-	-	1	-	-	-	-	-
	F	8	1	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	298	-	-	-	-	7	9	10	15	22	23	32	49	32	33	21	15	16	9	4	1	-	-
	White—M	240	-	-	-	-	7	8	5	10	18	17	27	40	28	25	15	14	13	9	3	1	-	-
	F	52	-	-	-	-	-	1	4	1	4	6	5	9	4	8	5	1	3	-	1	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	39	3	1	2	-	3	5	3	2	3	2	4	1	5	1	3	1	-	-	-	-	-	-
	White—M	18	1	-	1	-	2	2	1	2	1	-	1	1	3	-	2	1	-	-	-	-	-	-
	F	11	2	1	1	-	-	2	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	1	1	2	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI																							
	All causes	21,573	2,430	452	167	142	206	237	237	318	416	535	878	1,107	1,390	1,583	2,258	2,511	2,390	2,093	1,309	577	303	34
	White--M	6,398	410	67	38	39	71	82	76	99	127	161	268	347	493	591	703	839	757	680	372	140	34	4
	White--F	4,455	310	70	27	28	27	28	29	36	74	79	134	167	203	255	431	556	660	656	464	158	61	2
	Nonwhite--M	5,653	931	161	57	43	68	85	72	81	103	126	232	287	372	390	636	591	539	364	258	130	89	18
	Nonwhite--F	5,067	779	154	45	32	40	42	60	102	112	169	244	306	322	347	488	525	434	373	215	149	119	10
001-019	Tuberculosis, all forms	171	2	4	-	-	1	5	5	6	12	17	13	17	14	12	24	18	8	3	8	1	1	-
	White--M	65	-	1	-	-	-	-	-	1	3	3	6	5	8	5	11	11	5	2	3	1	-	-
	White--F	16	-	-	-	-	-	1	-	2	2	-	2	2	3	-	-	1	2	-	1	-	-	-
	Nonwhite--M	60	1	3	-	-	1	3	3	-	3	8	5	8	2	3	9	4	1	1	4	-	1	-
	Nonwhite--F	30	1	-	-	-	-	1	2	3	4	6	-	2	1	4	4	2	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	153	-	2	-	-	-	4	4	6	11	17	11	15	13	11	22	18	8	3	7	-	1	-
	White--M	61	-	-	-	-	-	-	-	1	3	3	6	5	8	5	10	11	5	2	2	-	-	-
	White--F	13	-	-	-	-	-	1	-	2	1	-	1	1	3	-	-	1	2	-	1	-	-	-
	Nonwhite--M	53	-	2	-	-	-	2	3	-	3	8	4	8	1	3	8	4	1	1	4	-	1	-
	Nonwhite--F	26	-	-	-	-	-	1	1	3	4	6	-	1	1	3	4	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms	18	2	2	-	-	1	1	1	-	1	-	2	2	1	1	2	-	-	-	1	1	-	-
	White--M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
	White--F	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	1	1	-	-	1	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--F	4	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	50	3	-	-	-	-	-	-	-	3	-	3	2	10	5	6	6	5	2	2	1	1	1
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	1	-	-
	White--F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-
	Nonwhite--M	28	3	-	-	-	-	-	-	-	-	-	3	1	7	2	3	4	2	2	-	-	1	-
	Nonwhite--F	9	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	1	1	-	1	-	-	1
045-048	Dysentery, all forms	34	17	3	-	-	-	1	-	-	1	2	1	1	1	1	3	2	-	1	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
	White--F	4	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	16	12	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite--F	10	5	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	20	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	7	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	17	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	99	29	14	3	2	4	3	-	1	2	5	8	4	3	4	3	3	7	2	2	-	-	-
	White--M	14	2	1	-	-	2	-	-	-	-	-	1	2	-	-	1	1	2	1	1	-	-	-
	White--F	19	4	4	-	-	1	1	-	-	1	1	1	1	1	-	-	1	2	-	1	-	-	-
	Nonwhite--M	28	11	2	2	-	1	1	-	-	1	1	2	1	1	3	-	-	1	1	-	-	-	-
	Nonwhite--F	38	12	7	1	2	-	1	-	1	-	3	4	-	1	1	2	1	2	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,513	2	25	11	16	14	17	16	36	63	92	162	212	262	291	331	342	285	204	90	36	6	-
	White--M	827	-	4	6	4	9	6	5	8	14	23	31	58	90	110	101	129	103	85	27	11	3	-
	White--F	693	-	12	4	6	1	6	6	10	24	25	54	64	64	67	73	91	87	58	30	10	1	-
	Nonwhite--M	446	1	5	1	3	2	3	2	3	11	11	24	22	47	56	80	67	52	36	13	6	1	-
	Nonwhite--F	547	1	4	-	3	2	2	3	15	14	33	53	68	61	58	77	55	43	25	20	9	1	-
140-148	Of buccal cavity and pharynx	37	-	-	-	1	-	-	-	-	3	1	2	5	4	4	3	2	4	3	2	2	1	-
	White--M	20	-	-	-	-	-	-	-	-	2	1	-	4	3	1	2	1	1	2	1	1	1	-
	White--F	9	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	763	-	2	1	-	-	2	3	6	9	16	37	50	74	93	121	121	108	76	32	12	-	-
	White--M	239	-	1	-	-	-	-	1	2	-	3	8	17	23	35	28	44	41	26	9	1	-	-
	White--F	201	-	1	-	-	-	-	-	1	2	4	10	9	17	21	29	37	29	26	9	6	-	-
	Nonwhite--M	163	-	-	1	-	-	2	2	2	5	-	9	6	20	20	33	24	16	16	6	1	-	-
	Nonwhite--F	160	-	-	-	-	-	-	-	1	2	9	10	18	14	17	31	16	22	8	8	4	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	306	-	-	-	-	-	-	-	1	10	12	17	36	43	52	55	34	27	11	3	4	1	-
	White—M	188	-	-	-	-	-	-	-	-	4	5	11	20	28	39	31	21	18	7	2	1	1	-
	F	31	-	-	-	-	-	-	-	1	1	-	2	5	2	4	2	4	6	3	-	1	-	-
	Nonwhite—M	67	-	-	-	-	-	-	-	-	4	5	4	5	8	9	20	7	3	1	-	1	-	-
	F	20	-	-	-	-	-	-	-	-	1	2	-	6	5	-	2	2	-	-	1	1	-	-
170	Of breast	176	-	-	-	-	-	-	-	6	7	15	20	22	20	21	16	19	11	10	9	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	100	-	-	-	-	-	-	-	3	6	8	9	13	10	12	8	11	10	4	6	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	76	-	-	-	-	-	-	-	3	1	7	11	9	10	9	8	8	1	6	3	-	-	-
171-179	Of genital organs	502	-	-	-	-	1	-	5	7	16	17	35	43	49	49	62	84	60	42	22	8	2	-
	White—M	108	-	-	-	-	-	-	-	1	1	1	1	2	5	4	13	31	18	22	7	2	-	-
	F	131	-	-	-	-	-	-	4	2	7	6	14	17	20	13	13	9	14	3	8	1	-	-
	Nonwhite—M	99	-	-	-	-	-	-	-	-	-	1	1	2	7	10	16	24	18	13	4	2	1	-
	F	164	-	-	-	-	1	-	1	4	8	9	19	22	17	22	20	20	10	4	3	3	1	-
180, 181	Of urinary organs	84	1	2	-	-	-	-	-	-	1	3	5	5	7	7	10	14	13	11	4	1	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	4	2	6	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	3	2	1	-	-	-
	Nonwhite—M	32	-	2	-	-	-	-	-	-	1	1	2	2	2	4	1	6	7	3	1	-	-	-
	F	15	1	-	-	-	-	-	-	-	-	-	2	2	2	1	2	2	1	-	1	1	-	-
156B, 165, 190-199	Of other sites, etc.*	390	1	2	1	2	7	8	3	9	10	17	29	34	40	39	42	43	43	35	15	8	2	-
	White—M	150	-	-	1	1	4	4	1	3	4	7	9	8	19	16	13	18	15	16	5	5	1	-
	F	118	-	2	-	1	1	3	-	-	4	4	11	14	6	10	14	15	14	10	6	2	1	-
	Nonwhite—M	47	1	-	-	-	1	1	-	1	1	1	4	4	6	7	5	4	6	3	1	1	-	-
	F	75	-	-	-	-	1	-	2	5	1	5	5	8	9	6	10	6	8	6	3	-	-	-
204	Leukemia and aleukemia	127	-	17	8	8	5	3	1	2	3	3	5	5	7	10	9	17	7	14	2	1	-	-
	White—M	46	-	3	5	1	4	-	-	-	-	2	-	2	2	6	4	6	3	5	2	1	-	-
	F	53	-	9	3	4	-	2	1	2	2	-	3	1	3	-	1	9	4	9	-	-	-	-
	Nonwhite—M	18	-	2	-	2	1	-	-	-	-	-	1	2	2	4	3	1	-	-	-	-	-	-
	F	10	-	3	-	1	-	1	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	128	-	2	1	5	1	4	4	5	4	8	12	12	18	16	13	8	12	2	1	-	-	-
	White—M	54	-	-	-	2	1	2	3	2	3	3	2	4	8	8	6	4	5	1	-	-	-	-
	F	35	-	-	1	1	-	1	1	1	1	2	3	4	4	5	2	3	5	1	-	-	-	-
	Nonwhite—M	17	-	1	-	-	-	-	-	-	-	3	3	1	2	1	.2	1	2	-	1	-	-	-
	F	22	-	1	-	2	-	1	-	2	-	-	4	3	4	2	3	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	69	-	-	1	6	-	2	3	4	4	7	7	5	5	2	8	6	1	4	4	-	-	-
	White—M	17	-	-	1	1	-	1	-	1	1	2	3	2	-	1	1	2	-	1	-	-	-	-
	F	23	-	-	-	3	-	1	3	3	-	-	3	1	3	1	2	2	1	-	-	-	-	-
	Nonwhite—M	15	-	-	-	2	-	-	-	-	1	2	-	2	2	-	3	-	-	2	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	2	3	1	-	-	-	2	2	-	1	3	-	-	-
241	Asthma	52	1	2	1	-	-	-	2	1	3	1	2	3	1	8	3	12	7	2	2	-	-	1
	White—M	21	-	-	-	-	-	-	-	-	1	-	1	-	-	4	3	8	3	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	1	1	2	-	-	-	-
	Nonwhite—M	12	-	1	1	-	-	-	1	-	-	-	1	1	1	2	-	2	1	-	-	-	-	1
	F	10	1	1	-	-	-	-	1	1	-	1	-	-	-	1	-	2	2	-	-	-	-	-
260	Diabetes mellitus	312	-	2	-	2	-	3	3	2	2	15	14	24	27	27	59	50	32	32	13	5	-	-
	White—M	64	-	1	-	-	-	1	-	-	1	4	3	7	5	5	9	10	7	7	3	1	-	-
	F	94	-	1	-	-	-	-	-	-	-	2	4	2	6	7	17	23	11	12	8	1	-	-
	Nonwhite—M	41	-	-	-	1	-	2	-	-	-	2	1	4	3	2	10	5	4	5	1	1	-	-
	F	113	-	-	-	1	-	-	3	2	1	7	6	11	13	13	23	12	10	8	1	2	-	-
290-293	Anemias	69	6	4	1	2	4	3	3	-	1	2	3	2	5	5	5	6	8	4	3	1	-	1
	White—M	16	1	1	1	-	1	-	-	-	-	-	-	-	2	-	1	3	3	1	1	1	-	-
	F	15	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
	Nonwhite—M	23	3	1	-	-	2	3	1	-	-	1	1	2	1	1	2	-	2	2	-	-	-	1
	F	15	1	2	-	-	1	-	2	-	-	1	2	-	1	3	-	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	43	27	7	2	-	-	-	-	1	-	1	1	-	1	2	1	-	-	-	-	-	-	-
	White—M	7	3	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	9	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	14	10	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,349	9	19	11	11	16	21	38	80	129	211	378	540	719	859	1,313	1,577	1,549	1,411	903	358	179	18
	White—M	3,370	2	3	1	1	3	4	11	13	40	69	132	160	264	331	439	528	505	470	270	105	17	2
	F	2,469	1	4	2	3	4	3	5	7	13	26	36	70	87	136	267	370	455	487	342	102	47	2
	Nonwhite—M	2,277	1	6	4	3	2	6	8	19	22	43	105	149	188	200	346	346	330	221	154	69	48	7
	F	2,233	5	6	4	4	7	8	14	41	54	73	105	161	180	192	261	333	259	233	137	82	67	7
330-334, 400-468	Dis. of cardiovascular system	10,089	9	16	10	10	12	19	33	73	123	201	361	526	704	843	1,279	1,537	1,522	1,383	885	348	177	18
	White—M	3,323	2	3	1	1	3	4	8	12	39	67	130	158	259	330	435	522	498	464	265	103	17	2
	F	2,426	1	3	2	2	2	2	4	6	12	24	36	69	87	134	263	365	450	479	337	99	47	2
	Nonwhite—M	2,173	1	4	3	3	1	5	8	18	20	42	95	142	183	191	328	328	319	213	148	66	48	7
	F	2,167	5	6	4	4	6	8	13	37	52	68	100	157	175	188	253	322	255	227	135	80	65	7
330-334	Vascular lesions, etc.*	2,873	4	5	3	2	3	1	7	17	36	46	86	128	151	213	345	472	450	450	290	106	53	5
	White—M	719	1	1	1	-	1	1	1	2	5	4	16	13	37	55	75	118	132	138	86	26	5	1
	F	713	-	1	1	1	1	-	2	1	3	9	13	23	23	31	74	106	121	151	100	35	16	1
	Nonwhite—M	679	-	2	-	-	1	-	2	3	6	7	23	36	49	62	109	126	100	63	56	21	11	2
	F	762	3	1	1	1	-	-	2	11	22	26	34	56	42	65	87	122	97	98	48	24	21	1
400-402, 410-443	Diseases of heart	6,518	5	9	7	8	9	15	22	48	68	133	250	364	515	578	867	988	971	838	517	196	98	12
	White—M	2,401	1	2	-	1	2	2	7	9	29	63	111	137	214	255	336	377	337	293	151	62	11	1
	F	1,531	1	1	1	1	1	2	2	4	7	11	21	41	58	96	176	244	295	296	204	49	19	1
	Nonwhite—M	1,341	1	2	3	3	-	4	5	14	11	28	61	93	127	116	200	188	199	133	84	34	31	4
	F	1,245	2	4	3	3	6	7	8	21	21	31	57	93	116	111	155	179	140	116	78	51	37	6
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	143	-	1	5	5	5	4	7	5	9	8	13	6	6	14	12	8	14	12	4	3	2	-
	White—M	52	-	-	-	1	1	2	2	1	4	4	4	2	4	7	5	2	4	6	2	1	-	-
	F	29	-	1	-	1	-	1	1	2	1	2	5	1	1	3	2	1	3	3	1	-	-	-
	Nonwhite—M	28	-	-	3	2	-	-	-	1	3	-	2	2	-	1	2	4	5	2	-	1	-	-
	F	34	-	-	2	1	4	1	4	1	1	2	2	1	1	3	3	1	2	1	1	1	2	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																							
420	Arteriosclerotic heart dis., etc.*	3,813	1	1	-	-	-	2	9	25	40	85	159	232	318	370	542	604	534	465	285	91	44	6
	White----M	1,766	-	1	-	-	-	-	3	6	24	54	94	117	171	209	261	281	224	195	89	32	5	-
	F	978	-	-	-	-	-	-	-	-	3	6	14	28	41	71	130	163	181	180	126	24	10	1
	Nonwhite--M	585	1	-	-	-	-	-	4	8	3	14	34	48	62	49	90	86	70	53	33	16	13	1
	F	484	-	-	-	-	-	2	2	11	10	11	17	39	44	41	61	74	59	37	37	19	16	4
421, 422	Nonrheumatic chronic endocarditis, etc.*	692	1	1	-	1	-	3	2	5	4	7	10	17	41	31	61	91	126	135	89	41	24	2
	White----M	177	1	-	-	-	-	-	1	-	-	2	4	4	9	8	15	17	39	29	31	13	4	-
	F	172	-	-	-	-	-	-	-	1	1	-	-	2	3	3	11	22	33	50	32	10	4	-
	Nonwhite--M	189	-	-	-	-	-	2	1	1	1	2	3	6	14	14	23	23	39	34	14	5	6	1
	F	154	-	1	-	1	-	1	-	3	2	3	3	5	15	6	12	29	15	22	12	13	10	1
430-434	Other diseases of heart	496	3	5	2	2	4	5	2	6	7	7	14	43	43	45	77	66	64	53	30	12	5	1
	White----M	137	-	1	-	-	1	-	1	1	1	1	4	10	17	11	20	19	16	18	9	7	-	-
	F	78	1	-	1	-	1	1	-	1	1	-	-	3	2	6	13	14	16	10	8	-	-	-
	Nonwhite--M	159	-	2	-	1	-	2	-	2	1	3	5	18	14	19	23	22	20	15	7	1	3	1
	F	122	2	2	1	1	2	2	1	2	4	3	5	12	10	9	21	11	12	10	6	4	2	-
440-443	Hypertensive heart disease	1,374	-	1	-	-	-	1	2	7	8	26	54	66	107	118	175	219	233	173	109	49	23	3
	White----M	269	-	-	-	-	-	-	-	1	-	2	5	4	13	20	35	58	54	45	20	9	2	1
	F	274	-	-	-	-	-	-	1	-	1	3	2	7	11	13	20	44	62	53	37	15	5	-
	Nonwhite--M	380	-	-	-	-	-	-	-	2	3	9	17	19	37	33	62	53	65	29	30	11	9	1
	F	451	-	1	-	-	-	1	1	4	4	12	30	36	46	52	58	64	52	46	22	14	7	1
444-447	Other hypertensive disease	251	-	1	-	-	-	1	2	4	9	12	17	14	22	20	22	29	34	30	19	11	4	-
	White----M	49	-	-	-	-	-	1	-	-	1	-	2	2	2	4	4	6	7	8	10	2	-	-
	F	46	-	-	-	-	-	-	-	-	-	1	2	2	2	1	4	3	10	10	6	3	2	-
	Nonwhite--M	79	-	-	-	-	-	-	1	1	3	4	11	5	6	9	8	8	9	8	1	4	1	-
	F	77	-	1	-	-	-	-	1	3	5	7	2	5	12	6	6	12	8	4	2	2	1	-
450	General arteriosclerosis	265	-	-	-	-	-	1	-	-	1	-	1	4	4	12	16	25	43	54	54	31	19	-
	White----M	81	-	-	-	-	-	-	-	-	-	-	-	1	2	6	9	7	7	20	18	10	1	-
	F	98	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	10	19	19	23	12	9	-
	Nonwhite--M	43	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	4	7	7	6	6	5	-
	F	43	-	-	-	-	-	1	-	-	1	-	1	-	-	3	1	4	10	8	7	3	4	-
451-468	Other diseases of circulatory sys.	182	-	1	-	-	-	1	2	4	9	10	7	16	12	20	29	23	24	11	5	4	3	1
	White----M	73	-	-	-	-	-	-	-	1	4	-	1	5	4	10	11	14	15	5	-	3	-	-
	F	38	-	1	-	-	-	-	-	1	2	3	-	3	3	4	6	2	5	3	4	-	1	-
	Nonwhite--M	31	-	-	-	-	-	1	-	-	-	3	-	5	-	3	8	2	4	2	1	1	-	1
	F	40	-	-	-	-	-	-	2	2	3	4	6	3	5	3	4	5	-	1	-	-	2	-
592-594	Chronic nephritis, etc.*	260	-	3	1	1	4	2	5	7	6	10	17	14	15	16	34	40	27	28	18	10	2	-
	White----M	47	-	-	-	-	-	-	3	1	1	2	2	2	5	1	4	6	7	6	5	2	-	-
	F	43	-	1	-	1	2	1	1	1	1	2	-	1	-	2	4	5	5	8	5	3	-	-
	Nonwhite--M	104	-	2	1	-	1	1	-	1	2	1	10	7	5	9	18	18	11	8	6	3	-	-
	F	66	-	-	-	-	1	-	1	4	2	5	5	4	5	4	8	11	4	6	2	2	2	-
480-493	Influenza and pneumonia, etc.*	888	216	63	8	8	5	9	7	7	7	10	16	28	35	38	61	70	83	81	85	33	18	-
	White----M	186	15	4	-	2	2	1	3	3	2	2	1	8	12	14	14	23	24	22	22	7	5	-
	F	149	15	5	2	1	-	1	-	1	2	-	2	2	4	3	9	10	19	22	32	16	3	-
	Nonwhite--M	295	98	28	3	2	-	5	1	-	2	5	7	9	13	12	24	21	23	17	17	4	4	-
	F	258	88	26	3	3	3	2	3	3	1	3	6	9	6	9	14	16	17	20	14	6	6	-
480-483	Influenza	198	32	9	2	1	1	6	2	3	1	2	6	8	5	8	16	22	24	19	18	9	4	-
	White----M	36	1	-	-	1	-	1	1	2	1	-	-	2	1	1	3	5	5	4	4	2	2	-
	F	27	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	4	6	8	2	3	-	-
	Nonwhite--M	69	12	6	1	-	-	3	-	-	-	-	2	2	2	5	6	9	9	3	8	1	-	-
	F	66	18	3	-	-	1	2	1	1	-	2	3	4	2	1	7	4	4	4	4	3	2	-
490-493	Pneumonia, etc.*	690	184	54	6	7	4	3	5	4	6	8	10	20	30	30	45	48	59	62	67	24	14	-
	White----M	150	14	4	-	1	2	-	2	1	1	2	1	6	11	13	11	18	19	18	18	5	3	-
	F	122	14	5	1	1	-	1	-	1	2	-	1	2	4	2	9	6	13	14	30	13	3	-
	Nonwhite--M	226	86	22	2	2	-	2	1	-	2	5	5	7	11	7	18	12	14	14	9	3	4	-
	F	192	70	23	3	3	2	-	2	2	1	1	3	5	4	8	7	12	13	16	10	3	4	-
500-502	Bronchitis	42	9	6	-	-	-	-	-	1	1	-	2	1	3	3	5	1	3	4	2	1	-	-
	White----M	17	2	1	-	-	-	-	-	-	1	-	1	-	1	2	3	1	3	2	-	-	-	-
	F	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	-	-
	Nonwhite--M	10	2	3	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	F	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	92	3	-	-	-	1	-	-	2	3	4	6	11	15	11	10	6	8	9	2	1	-	-
	White----M	49	1	-	-	-	-	-	-	1	1	1	2	8	9	5	8	1	6	5	1	-	-	-
	F	14	-	-	-	-	1	-	-	-	-	-	1	-	2	2	-	2	1	3	1	1	-	-
	Nonwhite--M	24	2	-	-	-	-	-	-	-	2	2	2	4	3	2	3	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	11	-	-	-	2	1	-	-	-	1	-	-	2	-	-	2	1	1	1	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	120	8	-	-	-	-	2	-	1	1	6	9	6	12	16	11	11	14	13	5	4	1	-
	White----M	32	2	-	-	-	-	-	-	-	1	1	1	4	3	3	1	4	5	5	1	-	1	-
	F	29	-	-	-	-	-	-	-	-	-	-	1	3	1	1	5	1	2	5	4	4	2	-	-
	Nonwhite--M	30	3	-	-	-	-	1	-	-	-	-	1	-	5	5	4	5	2	3	-	1	-	-
	F	29	3	-	-	-	-	1	-	1	-	4	4	1	3	3	5	-	2	1	-	1	-	-
543, 571, 572	Gastritis, etc.*	217	134	25	3	-	-	1	3	-	1	3	3	3	3	3	7	8	6	6	4	3	1	-
	White----M	31	5	2	-	-	-	1	-	-	1	1	1	2	1	2	2	4	1	4	2	1	1	-
	F	20	7	1	1	-	-	-	-	-	-	1	-	1	-	-	1	2	4	1	-	1	-	-
	Nonwhite--M	97	73	16	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	1	-	-
	F	69	49	6	2	-	-	-	3	-	-	1	2	-	1	-	3	2	-	-	-	-	-	-
581	Cirrhosis of liver	96	1	-	-	-	-	-	-	2	3	4	11	15	12	12	5	13	8	7	1	1	-	1
	White----M	46	1	-	-	-	-	-	-	2	1	1	3	9	4	7	-	8	6	4	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	1	1	3	2	1	2	3	1	2	-	1	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	1	-	3	2	2	3	3	2	1	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	2	4	1	4	1	-	-	-	1	1	-	-	1

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																							
584, 585	Cholelithiasis, etc.*	52	1	-	-	-	-	-	1	-	-	3	-	2	3	7	12	12	6	5	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	4	1	1	-	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	1	-	-	1	1	6	5	2	2	-	-	-	-
	Nonwhite—M	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	3	-	-	-	-	-
590, 591	Acute nephritis, etc.*	59	1	13	2	-	2	-	1	1	-	4	7	2	1	2	7	4	7	3	1	-	1	-
	White—M	6	-	-	-	-	-	-	1	-	-	-	3	-	-	1	-	-	1	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	Nonwhite—M	29	1	6	1	-	1	-	-	-	-	1	3	1	-	1	5	3	4	1	1	-	-	-
	F	19	-	7	-	-	1	-	-	1	-	3	1	1	1	-	-	1	2	-	-	-	1	-
600	Infections of kidney	103	-	1	-	-	1	-	1	2	1	-	6	6	9	10	13	9	12	23	5	3	1	-
	White—M	30	-	-	-	-	-	-	-	1	1	-	-	1	1	3	4	3	4	11	1	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	8	3	-	-	-
	Nonwhite—M	29	-	1	-	-	-	-	1	1	-	-	2	1	4	2	6	3	2	1	1	3	1	-
	F	23	-	-	-	-	1	-	-	-	-	-	3	3	3	4	2	3	1	3	-	-	-	-
610	Hyperplasia of prostate	78	-	-	-	-	-	-	-	-	-	-	1	1	3	1	16	12	11	12	15	5	1	-
	White—M	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	8	5	9	3	-	-
	Nonwhite—M	44	-	-	-	-	-	-	-	-	-	-	1	1	2	-	13	8	3	7	6	2	1	-
640-689	Complications of pregnancy, etc.*	49	...	...	...	-	6	6	9	13	9	5	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	...	...	...	-	1	1	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	40	...	...	...	-	5	5	8	10	6	5	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	45	...	...	...	-	6	6	8	11	8	5	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	...	...	...	-	1	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	37	...	...	...	-	5	5	7	9	5	5	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	262	194	22	11	2	4	3	4	-	4	1	7	2	3	-	1	1	2	1	-	-	-	-
	White—M	73	51	9	2	-	-	-	1	-	3	1	3	2	1	-	-	-	-	-	-	-	-	-
	F	69	47	7	3	1	3	3	-	-	-	-	2	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	54	43	4	2	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	66	53	2	4	1	-	-	2	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
760-776	Certain diseases of early infancy	1,108	1,108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	363	363	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	298	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	600	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	2,101	463	56	9	10	4	13	16	27	31	37	84	87	95	136	209	198	201	160	97	90	70	8
	White—M	255	22	2	1	2	-	-	1	5	9	10	13	16	22	25	36	37	20	20	9	2	2	1
	F	136	20	3	1	-	-	-	1	2	4	3	8	4	4	10	14	12	18	11	11	7	3	-
	Nonwhite—M	922	225	25	4	2	2	8	8	10	9	14	28	40	43	64	90	77	90	62	48	40	27	6
	F	788	196	26	3	6	2	5	6	10	9	10	35	27	26	37	69	72	73	67	29	41	38	1
Residual	All other diseases	704	65	37	18	10	5	7	14	13	23	27	31	32	58	59	68	74	58	55	29	8	12	1
	White—M	255	14	9	6	2	1	1	3	1	2	5	11	11	25	31	36	34	27	21	10	3	2	-
	F	170	15	11	4	2	-	1	4	-	5	9	8	3	13	9	9	16	19	23	11	4	4	-
	Nonwhite—M	153	23	7	7	2	3	1	4	4	6	6	5	9	12	11	17	15	6	7	2	1	4	1
	F	126	13	10	1	4	1	4	3	8	10	7	7	9	8	8	6	9	6	4	6	-	2	-
E800-E962	Accidents	1,422	101	129	79	64	119	105	72	87	77	50	67	70	61	54	59	56	58	40	35	26	11	2
	White—M	540	15	24	18	24	49	62	42	53	31	25	33	35	24	28	18	16	17	7	11	4	3	1
	F	210	13	16	7	9	16	5	5	6	13	4	6	3	8	7	17	12	19	16	13	12	3	-
	Nonwhite—M	448	43	42	29	25	43	29	21	26	29	18	25	22	22	13	11	18	12	8	8	2	1	1
	F	224	30	47	25	6	11	9	4	2	4	3	3	10	7	6	13	10	10	9	3	8	4	-
E810-E835	Motor vehicle accidents	548	9	25	24	23	68	70	43	44	40	34	32	28	27	21	26	12	12	7	3	-	-	-
	White—M	300	4	10	10	14	35	45	25	31	15	19	17	16	13	12	12	7	9	3	3	-	-	-
	F	75	2	5	5	5	14	4	3	4	7	2	4	2	5	3	7	2	1	-	-	-	-	-
	Nonwhite—M	130	3	4	9	2	12	15	12	7	15	10	10	7	9	4	5	3	1	2	-	-	-	-
	F	43	-	6	-	2	7	6	3	2	3	3	1	3	-	2	2	-	1	2	-	-	-	-
E800-E802, E840-E962	Other accidents	874	92	104	55	41	51	35	29	43	37	16	35	42	34	33	33	44	46	33	32	26	11	2
	White—M	240	11	14	8	10	14	17	17	22	16	6	16	19	11	16	6	9	8	4	8	4	3	1
	F	135	11	11	2	4	2	1	2	2	6	2	2	1	3	4	10	10	16	16	13	12	3	-
	Nonwhite—M	318	40	38	20	23	31	14	9	19	14	8	15	15	13	9	6	15	11	6	8	2	1	1
	F	181	30	41	25	4	4	3	1	-	1	-	2	7	7	4	11	10	9	7	3	8	4	-
E963, E970-E979	Suicide	145	-	-	-	1	4	4	8	9	15	11	17	15	17	11	12	8	9	3	1	-	-	-
	White—M	103	-	-	-	1	3	2	3	7	11	6	13	11	14	9	7	6	6	3	1	-	-	-
	F	18	-	-	-	-	-	1	-	1	1	4	2	2	1	1	3	-	2	-	-	-	-	-
	Nonwhite—M	18	-	-	-	-	1	1	4	1	3	-	2	1	1	1	1	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-
E964, E980-E985	Homicide	204	2	3	1	1	15	32	30	22	19	16	18	14	12	4	4	5	1	4	-	-	-	1
	White—M	34	-	-	-	-	1	3	6	2	3	4	5	3	3	-	1	2	-	1	-	-	-	-
	F	16	-	-	-	-	-	4	3	1	1	1	-	3	-	1	-	1	-	1	-	-	-	-
	Nonwhite—M	126	2	2	-	1	8	22	16	16	12	11	10	8	7	3	2	2	1	2	-	-	-	1
	F	28	-	1	1	-	6	3	5	3	3	-	3	-	2	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI																							
	All causes	48,769	2,553	386	173	145	290	285	292	438	590	907	1,461	2,215	3,058	3,961	5,443	6,083	6,507	5,932	4,006	1,525	490	19
	White--M	23,730	1,133	167	84	92	185	173	143	226	289	450	784	1,193	1,726	2,277	3,015	3,316	3,210	2,778	1,691	626	164	8
	F	18,345	808	157	61	40	70	78	79	125	165	260	427	642	850	1,206	1,824	2,309	2,946	2,927	2,197	845	299	8
	Nonwhite--M	2,633	380	29	12	4	23	21	43	57	74	92	132	197	265	275	360	252	202	121	58	22	11	3
	F	2,061	232	33	16	9	12	13	27	30	42	105	118	183	227	201	244	206	149	106	60	32	16	-
001-019	Tuberculosis, all forms	342	-	3	-	1	1	4	1	8	13	15	26	41	32	46	46	38	33	24	8	1	1	-
	White--M	208	-	-	-	-	1	3	-	2	4	11	13	32	20	30	37	20	17	12	5	-	1	-
	F	69	-	1	-	-	-	-	1	3	3	1	8	5	4	6	2	10	12	10	2	1	-	-
	Nonwhite--M	44	-	-	-	-	-	-	-	2	4	2	3	4	4	5	6	7	4	2	1	-	-	-
	F	21	-	2	-	1	-	1	-	1	2	1	2	-	4	5	1	1	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	324	-	1	-	-	1	3	1	8	13	14	26	40	31	43	42	36	33	22	8	1	1	-
	White--M	199	-	-	-	-	1	2	-	2	4	11	13	31	20	29	33	19	17	11	5	-	1	-
	F	66	-	-	-	-	-	-	1	3	3	1	8	5	4	5	2	10	12	9	2	1	-	-
	Nonwhite--M	41	-	-	-	-	-	-	-	2	4	1	3	4	3	5	6	6	4	2	1	-	-	-
	F	18	-	1	-	-	-	1	-	1	2	1	2	-	4	4	1	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	18	-	2	-	1	-	1	-	-	-	1	-	1	1	3	4	2	-	2	-	-	-	-
	White--M	9	-	-	-	-	-	1	-	-	-	-	-	1	-	1	4	1	-	1	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	124	1	-	-	-	1	1	-	1	1	3	9	12	17	16	23	13	13	9	4	-	-	-
	White--M	76	1	-	-	-	1	1	-	1	-	1	3	8	11	9	16	13	5	6	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	3	-	-	3	5	-	6	2	3	-	-	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	1	1	1	4	5	4	1	-	2	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-
045-048	Dysentery, all forms	9	2	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-
	White--M	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	6	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	5	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	22	5	8	1	1	-	-	-	1	-	-	1	-	1	-	2	-	1	-	1	-	-	-
	White--M	9	-	6	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	11	5	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	12	-	4	-	3	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	3	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	123	10	8	5	3	2	-	1	6	7	3	3	5	9	8	13	16	9	11	-	4	-	-
	White--M	72	4	7	2	1	-	-	1	5	3	2	2	4	5	5	9	9	3	9	-	1	-	-
	F	44	5	1	2	2	2	-	-	-	4	-	1	1	3	3	4	6	5	2	-	3	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	7,059	6	28	28	27	26	27	47	73	121	209	342	514	725	876	1,066	966	915	624	332	98	10	1
	White--M	3,350	4	11	10	17	17	11	16	29	43	68	125	216	320	430	557	516	468	303	153	30	6	-
	F	3,113	1	15	15	9	6	11	25	38	64	110	161	229	313	361	415	375	413	292	175	61	3	1
	Nonwhite--M	311	-	1	2	-	2	2	2	3	5	9	17	35	44	50	50	53	19	15	1	1	-	-
	F	285	1	1	1	1	1	3	4	3	9	22	19	34	48	35	44	22	15	14	3	4	1	-
140-148	Of buccal cavity and pharynx	178	-	-	1	-	-	1	1	3	4	4	10	14	22	27	28	15	24	12	9	3	-	-
	White--M	116	-	-	1	-	-	-	-	2	2	1	7	8	17	21	20	11	13	7	5	1	-	-
	F	42	-	-	-	-	-	-	-	1	1	1	1	4	4	3	5	3	10	3	4	2	-	-
	Nonwhite--M	16	-	-	-	-	-	1	-	-	1	1	1	2	1	3	3	1	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	2,393	-	1	1	-	-	7	6	12	19	39	63	123	210	282	381	385	388	266	162	46	2	-
	White--M	1,126	-	-	1	-	-	1	3	5	11	12	24	63	97	131	200	204	186	108	70	9	1	-
	F	1,047	-	-	-	-	-	4	3	5	7	21	28	37	78	115	144	147	189	146	89	34	-	-
	Nonwhite--M	133	-	1	-	-	-	1	-	1	1	2	9	12	18	24	25	28	6	4	1	-	-	-
	F	87	-	-	-	-	-	1	-	1	-	4	2	11	17	12	12	6	7	8	2	3	1	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)—	943	-	-	-	2	-	-	2	8	19	28	64	86	128	170	167	140	72	40	14	3	-	-
	White——M—	735	-	-	-	2	-	-	-	6	11	19	52	66	108	142	140	108	49	26	4	2	-	-
	F—	142	-	-	-	-	-	-	1	1	6	5	10	9	12	12	19	22	20	14	10	1	-	-
	Nonwhite—M—	57	-	-	-	-	-	-	1	1	2	2	2	10	7	14	7	8	3	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	2	-	-	-	-	-	-
170	Of breast—	593	-	-	-	-	-	-	3	6	20	31	62	64	86	75	70	57	54	37	19	8	-	1
	White——M—	11	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	-	1	-	-	-
	F—	538	-	-	-	-	-	-	2	6	15	27	58	58	81	67	64	49	48	36	18	8	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	44	-	-	-	-	1	-	1	-	5	4	4	5	5	4	5	6	4	1	-	-	-	-
171-179	Of genital organs—	1,168	-	-	-	1	1	4	8	13	26	36	59	94	110	126	162	164	171	123	50	16	4	-
	White——M—	397	-	-	-	-	1	1	1	1	5	2	2	8	8	25	49	67	102	82	29	11	3	-
	F—	658	-	-	-	1	-	3	5	10	18	29	51	75	85	87	90	82	60	36	21	4	1	-
	Nonwhite—M—	36	-	-	-	-	-	-	-	-	-	-	-	1	4	2	7	10	7	4	-	1	-	-
	F—	77	-	-	-	-	-	-	2	2	3	5	6	10	13	12	16	5	2	1	-	-	-	-
180, 181	Of urinary organs—	334	1	3	-	-	-	-	-	1	2	3	10	23	29	36	65	50	52	38	18	2	1	-
	White——M—	219	1	3	-	-	-	-	-	1	-	3	5	15	18	26	46	29	32	30	8	1	1	-
	F—	93	-	-	-	-	-	-	-	-	2	-	4	4	6	6	15	20	18	8	9	1	-	-
	Nonwhite—M—	11	-	-	-	-	-	-	-	-	-	-	1	3	3	1	2	1	-	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	2	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	807	1	14	7	9	9	4	7	16	13	36	44	61	81	98	103	88	91	67	42	14	2	-
	White——M—	403	1	4	2	5	6	3	2	8	5	17	21	27	44	49	51	51	47	30	25	4	1	-
	F—	340	-	9	3	4	1	-	4	8	7	14	19	25	27	43	42	32	43	32	17	9	1	-
	Nonwhite—M—	31	-	-	2	-	2	-	1	-	-	1	1	5	5	4	4	3	1	2	-	-	-	-
	F—	33	-	1	-	-	-	1	-	-	1	4	3	4	5	2	6	2	-	3	-	1	-	-
204	Leukemia and aleukemia—	342	4	9	17	11	12	7	8	6	7	11	12	22	22	26	42	36	45	26	15	3	1	-
	White——M—	176	2	3	5	7	7	4	4	4	6	4	7	10	9	8	21	23	26	15	9	2	-	-
	F—	144	1	6	11	3	4	2	4	1	1	7	2	10	8	17	19	12	18	10	6	1	1	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	1	1	1	-	-	-	-
	F—	13	1	-	1	1	1	1	-	-	-	-	2	2	3	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	301	-	1	2	4	4	4	12	8	11	21	18	27	37	36	48	31	18	15	3	1	-	-
	White——M—	167	-	1	1	3	3	2	6	2	3	10	7	18	19	24	29	21	11	5	2	-	-	-
	F—	109	-	-	1	1	1	2	6	6	7	6	8	7	12	11	17	8	7	7	1	1	-	-
	Nonwhite—M—	18	-	-	-	-	-	-	-	-	1	3	2	2	4	1	1	1	-	3	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	1	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms—	114	4	4	1	1	4	2	1	4	5	9	7	11	8	9	12	12	7	10	3	-	-	-
	White——M—	44	2	2	-	-	2	1	-	1	2	2	1	4	5	6	6	5	3	1	1	-	-	-
	F—	51	2	-	1	-	1	1	1	3	-	5	4	4	2	2	5	6	4	9	1	-	-	-
	Nonwhite—M—	4	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	15	-	-	-	1	1	-	-	-	2	2	2	2	1	1	1	1	-	-	1	-	-	-
241	Asthma—	171	-	2	1	1	-	1	2	2	2	9	7	16	18	23	29	22	21	11	3	1	-	-
	White——M—	105	-	-	-	-	-	1	-	1	-	1	2	2	9	15	17	21	15	15	5	1	1	-	-
	F—	44	-	1	1	1	-	1	-	1	1	2	4	4	1	5	4	7	4	6	1	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	1	-	3	-	3	2	-	3	-	2	-	1	-	-	-
	F—	7	-	1	-	-	-	-	1	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-
260	Diabetes mellitus—	793	1	-	3	1	5	5	3	7	13	13	23	51	66	88	137	152	111	66	39	7	1	1
	White——M—	283	-	-	2	-	1	1	-	2	5	8	10	18	20	39	48	54	41	16	15	3	-	-
	F—	444	1	-	1	-	2	2	1	5	7	3	7	25	34	41	83	89	65	49	23	4	1	1
	Nonwhite—M—	22	-	-	-	-	-	1	-	-	-	2	2	3	1	4	4	2	3	-	-	-	-	-
	F—	44	-	-	-	1	2	1	2	-	1	-	4	5	11	4	2	7	2	1	1	-	-	-
290-293	Anemias—	108	3	5	3	2	-	-	-	4	1	1	2	6	6	7	12	17	11	17	6	5	-	-
	White——M—	51	1	1	2	1	-	-	-	1	-	-	2	1	2	4	7	8	6	9	3	3	-	-
	F—	43	2	2	-	-	-	-	-	-	1	-	-	2	4	2	5	8	5	7	3	2	-	-
	Nonwhite—M—	9	-	2	-	-	-	-	-	2	-	-	-	3	-	1	-	1	-	-	-	-	-	-
	F—	5	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*—	55	13	18	2	-	-	-	1	-	-	-	1	2	2	2	7	3	-	3	1	-	-	-
	White——M—	21	7	6	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-
	F—	23	5	8	-	-	-	-	-	-	-	-	-	-	-	2	4	3	-	1	-	-	-	-
	Nonwhite—M—	7	1	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F—	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	26,711	12	7	9	8	13	24	42	76	150	316	614	1,024	1,596	2,177	3,246	3,972	4,492	4,332	3,048	1,164	379	10
	White——M—	13,569	3	3	4	3	5	13	15	36	78	178	370	595	981	1,303	1,817	2,142	2,173	1,995	1,262	468	120	5
	F—	10,897	5	3	3	4	7	10	12	21	38	61	114	239	350	581	1,051	1,543	2,071	2,177	1,700	654	240	3
	Nonwhite—M—	1,164	3	1	-	-	-	1	7	13	22	31	63	89	140	153	211	134	140	86	42	18	8	2
	F—	1,081	1	-	2	1	1	-	8	6	12	46	67	101	125	130	167	153	108	74	44	24	11	-
330-334, 400-468	Dis. of cardiovascular system—	26,229	9	7	8	5	10	19	40	71	145	298	601	1,004	1,573	2,144	3,194	3,909	4,417	4,257	2,993	1,143	372	10
	White——M—	13,325	2	3	4	2	4	12	14	35	76	170	364	586	971	1,285	1,784	2,109	2,132	1,963	1,235	452	117	5
	F—	10,714	4	3	2	3	5	6	11	19	37	57	108	232	344	584	1,033	1,519	2,041	2,139	1,678	650	236	3
	Nonwhite—M—	1,131	2	1	-	-	-	1	7	12	21	27	62	87	136	149	211	130	137	83	37	18	8	2
	F—	1,059	1	-	2	-	1	-	8	5	11	44	67	99	122	126	166	151	107	72	43	23	11	-
330-334	Vascular lesions, etc.*—	6,019	1	1	2	1	4	7	7	15	25	50	89	175	250	390	652	918	1,134	1,170	775	271	79	3
	White——M—	2,693	-	-	-	-	3	5	3	5	6	10	28	71	107	183	295	449	505	569	325	102	26	1
	F—	2,701	1	-	1	1	1	2	1	6	9	14	22	44	76	126	240	397	568	555	431	157	50	1
	Nonwhite—M—	305	-	1	-	-	-	-	1	3	5	10	16	27	30	42	61	30	33	25	13	5	2	1
	F—	320	-	-	1	-	-	-	2	1	5	16	23	33	37	39	56	42	30	21	6	7	1	-
400-402, 410-443	Diseases of heart—	18,255	7	5	6	4	5	10	25	49	108	231	469	788	1,249	1,635	2,371	2,765	2,961	2,732	1,876	719	233	7
	White——M—	9,728	2	2	4	2	1	7	8	27	67	152	321	496	832	1,030	1,403	1,545	1,471	1,230	776	280	68	4
	F—	7,168	3	3	1	2	3	3	8	11	23	40	76	176	242	432	742	1,037	1,336	1,411	1,049	414	154	2
	Nonwhite—M—	719	1	-	-	-	-	-	4	8	12	17	37	54	99	94	132	86	87	50	19	12	6	1
	F—	640	1	-	1	-	1	-	5	3	6	22	35	62	76	79	94	97	67	41	32	15	5	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.—	536	-	1	2	3	2	5	10	12	29	20	49	56	55	62	54	52	55	37	15	15	1	1
	White——M—	252	-	-	-	1	-	3	2	6	16	11	25	28	23	24	26	28	27	15	10	6	-	1
	F—	230	-	1	1	2	2	2	5	6	9	7	20	26	20	33	22	15	25	20	5	8	1	-
	Nonwhite—M—	21	-	-	-	-	-	-	-	-	2	1	-	-	6	2	4	5	-	-	-	1	-	-
	F—	33	-	-	1	-	-	-	3	-	2	1	4	2	6	3	2	4	3	2	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																							
420	Arteriosclerotic heart dis., etc.*	12,722	1	-	2	-	-	1	7	25	54	159	345	584	938	1,255	1,807	2,036	2,015	1,813	1,143	403	128	6
	White-----M--	7,428	-	-	2	-	-	1	2	18	40	122	268	423	689	871	1,159	1,189	1,068	873	496	169	35	3
	F--	4,609	1	-	-	-	-	-	2	2	10	24	42	112	169	299	529	743	857	893	617	219	88	2
	Nonwhite--M--	384	-	-	-	-	-	-	2	3	3	3	22	30	51	55	66	48	52	28	8	10	2	1
	F--	301	-	-	-	-	-	-	1	2	1	10	13	19	29	30	53	56	38	19	22	5	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,148	1	1	1	-	2	-	3	5	5	16	17	30	62	115	165	258	395	445	385	171	71	-
	White-----M--	957	1	1	1	-	1	-	3	1	4	4	8	17	39	59	81	144	187	181	144	60	21	-
	F--	1,053	-	-	-	-	1	-	-	1	-	5	6	10	8	33	59	97	190	255	234	109	45	-
	Nonwhite--M--	73	-	-	-	-	-	-	-	3	1	2	2	-	4	8	18	10	10	6	4	1	4	-
	F--	65	-	-	-	-	-	-	-	-	-	5	1	3	11	15	7	7	8	3	3	1	1	-
430-434	Other diseases of heart--------	747	5	3	1	1	1	4	5	6	8	19	17	34	71	54	92	100	118	91	75	30	12	-
	White-----M--	345	1	1	1	1	-	3	1	2	4	10	7	11	37	29	43	56	54	36	31	12	5	-
	F--	293	2	2	-	-	-	1	1	2	1	2	4	7	12	13	35	39	55	51	41	18	7	-
	Nonwhite--M--	73	1	-	-	-	-	-	2	1	2	7	4	9	15	8	11	2	8	2	1	-	-	-
	F--	36	1	-	-	-	1	-	1	1	1	-	2	7	7	4	3	3	1	2	2	-	-	-
440-443	Hypertensive heart disease----	2,102	-	-	-	-	-	-	-	1	12	17	41	84	123	149	253	319	378	346	258	100	21	-
	White-----M--	746	-	-	-	-	-	-	-	-	3	5	13	17	44	47	94	128	135	125	95	33	7	-
	F--	983	-	-	-	-	-	-	-	-	3	2	4	21	33	54	97	143	209	192	152	60	13	-
	Nonwhite--M--	168	-	-	-	-	-	-	-	1	4	4	9	15	23	21	33	21	17	14	6	-	-	-
	F--	205	-	-	-	-	-	-	-	-	2	6	15	31	23	27	29	27	17	15	5	7	1	-
444-447	Other hypertensive disease-----	392	-	-	-	-	-	-	4	2	3	6	15	15	25	23	40	39	69	75	50	24	2	-
	White-----M--	169	-	-	-	-	-	-	1	1	-	1	5	4	7	12	15	15	34	41	21	11	1	-
	F--	169	-	-	-	-	-	-	-	-	3	1	6	4	14	7	16	18	30	29	28	12	1	-
	Nonwhite--M--	29	-	-	-	-	-	-	2	1	-	-	3	4	4	2	3	3	3	4	-	-	-	-
	F--	25	-	-	-	-	-	-	1	-	-	4	1	3	-	2	6	3	2	1	1	1	-	-
450	General arteriosclerosis--------	1,127	-	-	-	-	-	-	-	-	-	3	4	6	15	45	56	123	192	239	265	122	57	-
	White-----M--	488	-	-	-	-	-	-	-	-	-	2	1	4	5	20	25	62	85	106	100	56	22	-
	F--	536	-	-	-	-	-	-	-	-	-	-	-	2	3	11	14	48	88	121	156	63	30	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	2	-	-	8	9	7	12	4	5	1	-	-
	F--	55	-	-	-	-	-	-	-	-	-	1	1	-	7	6	8	6	7	8	4	2	5	-
451-468	Other diseases of circulatory sys.-	436	1	1	-	-	1	2	4	5	9	8	24	20	34	51	75	64	61	41	27	7	1	-
	White-----M--	247	-	1	-	-	-	-	2	2	3	5	9	11	20	40	46	38	37	17	13	3	-	-
	F--	140	-	-	-	-	1	1	2	2	2	2	4	6	9	8	21	19	21	23	14	4	1	-
	Nonwhite--M--	30	1	-	-	-	-	1	-	-	4	-	4	2	3	3	6	4	2	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	1	-	1	7	1	2	-	2	3	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	482	3	-	1	3	3	5	2	5	5	18	13	20	23	33	52	63	75	75	55	21	7	-
	White-----M--	244	1	-	-	1	1	1	1	1	2	8	6	9	10	18	33	33	41	32	27	16	3	-
	F--	183	1	-	1	1	2	4	1	2	1	4	6	7	6	7	18	24	30	38	22	4	4	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	1	1	4	1	2	4	4	-	4	3	3	5	-	-	-
	F--	22	-	-	-	1	-	-	-	1	1	2	-	2	3	4	1	2	1	2	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,665	181	43	12	2	10	5	7	7	17	29	43	64	84	103	163	146	224	249	163	75	37	1
	White-----M--	772	85	19	6	1	4	2	2	3	8	9	22	32	38	54	85	75	113	119	69	32	13	1
	F--	609	57	19	4	1	3	3	2	2	4	5	7	10	11	30	43	45	94	121	86	40	22	-
	Nonwhite--M--	188	37	2	-	-	1	-	3	1	3	8	12	13	28	11	26	22	11	4	4	1	1	-
	F--	96	22	3	2	-	2	-	-	1	2	7	2	9	7	8	9	4	6	5	4	2	1	-
480-483	Influenza----------	176	12	5	1	-	2	-	1	-	3	2	3	3	6	9	16	17	24	34	25	8	5	-
	White-----M--	83	4	4	-	-	1	-	1	-	1	-	2	1	3	5	9	10	16	13	10	2	1	-
	F--	81	5	1	-	-	1	-	-	-	2	-	1	1	3	4	6	6	6	20	15	6	4	-
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	-
	F--	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	1,489	169	38	11	2	8	5	6	7	14	27	40	61	78	94	147	129	200	215	138	67	32	1
	White-----M--	689	61	15	6	1	3	2	1	3	7	9	20	31	35	49	76	65	97	108	59	30	12	1
	F--	528	52	18	4	1	2	3	2	2	2	5	6	9	8	26	37	39	88	101	71	34	18	-
	Nonwhite--M--	180	35	2	-	-	1	-	3	1	3	7	12	12	28	11	25	21	10	3	4	1	1	-
	F--	92	21	3	1	-	2	-	-	1	2	6	2	9	7	8	9	4	5	5	4	2	1	-
500-502	Bronchitis---------	116	22	5	3	-	1	1	-	-	1	2	3	3	8	10	11	14	10	7	8	3	4	-
	White-----M--	75	14	2	2	-	-	1	-	-	-	2	3	2	5	6	8	12	7	5	4	1	1	-
	F--	29	4	1	-	-	1	-	-	-	1	-	-	-	3	-	3	2	3	2	4	2	3	-
	Nonwhite--M--	11	4	2	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	291	4	1	-	-	1	-	1	4	4	8	12	26	38	33	36	41	37	28	12	5	-	-
	White-----M--	207	1	1	-	-	1	-	1	4	4	6	5	16	30	23	28	33	25	19	7	3	-	-
	F--	66	-	-	-	-	-	-	-	-	-	2	4	7	6	9	6	5	11	9	5	2	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	-	-	2	3	2	1	2	2	1	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis-------	54	1	2	1	1	1	-	2	1	1	1	1	5	4	5	6	6	8	5	2	1	-	-
	White-----M--	25	-	2	-	1	1	-	1	-	-	-	-	3	1	2	2	3	6	2	1	-	-	-
	F--	19	1	-	-	-	-	-	1	-	-	-	-	1	1	2	4	3	1	3	1	1	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	263	24	2	-	-	-	-	-	1	4	6	12	11	12	21	39	32	47	30	12	8	2	-
	White-----M--	113	15	1	-	-	-	-	-	1	2	1	3	3	3	9	20	19	18	6	7	4	1	-
	F--	110	3	-	-	-	-	-	-	-	1	3	6	2	6	9	13	12	25	22	4	3	1	-
	Nonwhite--M--	22	6	1	-	-	-	-	-	-	-	1	1	3	-	2	4	1	3	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	1	2	3	3	1	2	-	1	2	1	1	-	-
543, 571, 572	Gastritis, etc.*---	173	47	16	-	2	1	1	-	4	2	3	5	5	1	11	11	20	16	12	8	5	3	-
	White-----M--	74	19	9	-	1	1	-	-	-	2	1	3	4	1	6	3	8	5	4	4	1	2	-
	F--	81	15	6	-	1	-	1	-	3	-	2	2	1	-	4	7	12	10	8	4	4	1	-
	Nonwhite--M--	10	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	443	2	1	1	1	1	-	4	4	20	32	57	48	60	48	63	47	27	17	8	2	-	-
	White-----M--	283	1	-	1	1	-	-	-	4	8	16	42	28	37	35	45	36	14	12	2	1	-	-
	F--	101	-	1	-	-	1	-	2	-	6	6	7	10	13	8	17	8	11	5	5	1	-	-
	Nonwhite--M--	34	1	-	-	-	-	-	-	-	1	5	5	8	7	4	-	1	1	-	1	-	-	-
	F--	25	-	-	-	-	-	-	2	-	5	5	3	2	3	1	1	2	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																							
584, 585	Cholelithiasis, etc.*	157	-	-	-	-	-	-	1	1	2	3	3	6	13	12	18	27	29	25	16	-	-	1
	White—M	64	-	-	-	-	-	-	-	1	1	1	2	2	7	4	8	10	12	12	4	-	-	-
	F	87	-	-	-	-	-	-	1	-	1	2	1	2	6	7	9	17	17	12	11	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-
590, 591	Acute nephritis, etc.*	67	2	5	1	-	-	2	-	2	1	-	3	2	2	6	8	6	8	8	7	4	-	-
	White—M	32	1	2	1	-	-	1	-	1	1	-	2	1	-	4	4	4	2	5	2	1	-	-
	F	28	1	2	-	-	-	1	-	1	-	-	-	1	1	1	3	2	4	3	5	3	-	-
	Nonwhite—M	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
600	Infections of kidney	227	1	1	-	-	2	2	2	3	3	7	5	13	15	25	34	32	28	35	17	-	2	-
	White—M	105	1	-	-	-	1	1	-	-	2	2	1	2	6	13	13	16	15	21	11	-	-	-
	F	85	-	-	-	-	1	1	1	2	1	2	2	6	4	10	13	10	11	14	6	-	1	-
	Nonwhite—M	20	-	-	-	-	-	-	1	-	-	-	1	3	3	1	4	5	2	-	-	-	-	-
	F	17	-	1	-	-	-	-	-	1	-	3	1	2	2	1	4	1	-	-	-	-	1	-
610	Hyperplasia of prostate	146	-	-	-	-	-	-	-	-	-	-	-	-	1	3	14	27	24	32	28	12	5	-
	White—M	138	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	26	24	30	28	12	4	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	-	-	1	-
640-689	Complications of pregnancy, etc.*	33	...	...	...	-	3	6	4	6	6	7	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	...	...	...	-	2	5	3	5	4	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	...	...	...	-	1	1	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	29	...	...	...	-	3	6	4	5	5	5	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	...	...	...	-	2	5	3	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	...	...	...	-	1	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	505	363	44	20	10	9	11	-	2	6	3	6	7	3	5	4	6	2	2	2	-	-	-
	White—M	261	186	17	10	7	7	6	-	2	5	1	4	5	1	1	1	4	1	2	1	-	-	-
	F	194	135	24	9	3	1	4	-	-	1	2	2	2	-	4	3	2	1	-	1	-	-	-
	Nonwhite—M	29	26	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	21	16	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,596	1,596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	713	713	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	488	488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	767	767	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	382	382	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	710	710	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	460	37	7	1	1	-	2	4	4	4	6	14	36	28	39	45	55	41	50	38	27	19	2
	White—M	245	13	1	-	1	-	2	2	1	4	2	11	25	19	26	27	38	22	19	13	13	5	1
	F	148	11	2	1	-	-	-	1	-	-	3	1	5	4	7	11	13	13	28	22	13	13	-
	Nonwhite—M	41	6	3	-	-	-	-	1	1	-	-	2	3	3	5	4	2	4	2	3	1	-	1
	F	26	7	1	-	-	-	-	-	2	-	1	-	3	2	1	3	2	2	1	-	-	1	-
Residual	All other diseases	1,733	112	42	15	17	20	21	10	42	41	55	69	105	116	175	201	198	191	160	90	40	13	-
	White—M	892	34	18	11	11	12	8	2	15	20	23	37	44	58	103	118	118	112	84	36	22	6	-
	F	617	40	19	2	4	7	9	4	16	15	14	19	42	40	53	58	67	70	67	49	17	5	-
	Nonwhite—M	140	26	1	-	1	1	2	3	5	5	14	9	7	8	15	22	8	5	4	3	-	1	-
	F	84	12	4	2	1	-	2	1	6	1	4	4	12	10	4	3	5	4	5	2	1	1	-
E800-E962	Accidents	2,421	91	119	64	61	165	131	108	117	107	115	122	117	137	143	136	162	165	140	141	63	14	3
	White—M	1,443	41	49	30	44	120	103	84	89	74	87	82	74	85	94	79	88	73	58	55	28	5	1
	F	736	23	45	21	13	32	21	14	14	20	20	31	31	33	33	42	58	82	75	83	34	9	2
	Nonwhite—M	153	15	10	8	3	10	4	6	10	10	6	5	8	12	10	12	12	4	5	2	1	-	-
	F	89	12	15	5	1	3	3	4	4	3	2	4	4	7	6	3	4	6	2	1	-	-	-
E810-E835	Motor vehicle accidents	964	6	34	27	27	117	103	64	66	52	72	65	60	59	64	52	46	29	17	5	1	-	-
	White—M	677	4	18	15	21	84	83	50	49	35	57	42	37	37	44	33	32	21	14	1	-	-	-
	F	219	2	11	10	5	25	17	10	10	9	11	19	19	17	15	14	11	8	2	3	1	-	-
	Nonwhite—M	51	-	3	2	1	5	2	3	3	6	4	2	3	4	3	5	3	-	1	1	-	-	-
	F	17	-	2	-	-	3	1	1	4	2	-	-	1	1	2	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,457	85	85	37	34	48	28	44	51	55	43	59	57	78	79	84	116	136	123	136	62	14	3
	White—M	766	37	31	15	23	36	20	34	40	39	30	40	37	48	50	46	56	52	44	54	28	5	1
	F	517	21	34	11	8	7	4	4	4	11	9	12	12	16	18	28	47	74	73	80	33	9	2
	Nonwhite—M	102	15	7	6	2	5	2	3	7	4	2	3	5	8	7	7	9	4	4	1	1	-	-
	F	72	12	13	5	1	-	2	3	-	1	2	4	3	6	4	3	4	6	2	1	-	-	-
E963, E970-E979	Suicide	530	-	-	-	1	8	22	18	33	28	33	48	69	58	56	52	43	32	23	5	1	-	-
	White—M	398	-	-	-	1	5	15	10	21	12	23	32	57	48	44	39	39	26	21	4	1	-	-
	F	120	-	-	-	-	3	5	6	10	12	9	16	12	10	12	12	4	6	2	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	2	4	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	223	4	2	-	-	13	16	31	25	29	18	22	16	7	14	7	10	4	1	4	-	-	-
	White—M	80	3	1	-	-	4	4	7	7	10	4	6	8	5	7	2	5	3	1	3	-	-	-
	F	25	-	1	-	-	-	2	3	1	1	3	5	1	-	3	1	2	1	-	1	-	-	-
	Nonwhite—M	100	1	-	-	-	8	10	19	15	17	8	9	3	2	3	4	1	-	-	-	-	-	-
	F	18	-	-	-	-	1	-	2	2	1	3	2	4	-	1	-	2	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA																							
	All causes------	6,261	444	81	48	36	53	91	76	89	129	156	221	262	351	491	734	878	835	697	398	141	40	10
	White-----M--	3,836	244	41	33	25	28	66	51	57	79	105	147	187	229	340	466	569	492	392	190	71	21	3
	F--	2,197	150	26	12	11	21	17	17	21	44	43	69	70	113	140	247	294	332	280	202	67	17	4
	Nonwhite--M--	135	27	6	1	-	1	7	7	6	5	7	5	2	5	7	13	7	7	14	4	2	-	2
	F--	93	23	8	2	-	3	1	1	5	1	1	-	3	4	4	8	8	4	11	2	1	2	1
001-019	Tuberculosis, all forms--------	45	-	2	1	-	-	3	1	3	-	3	-	2	7	5	7	2	4	3	1	1	-	-
	White-----M--	26	-	-	-	-	-	2	-	-	-	-	-	2	5	4	6	1	3	2	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	-	-	-
	Nonwhite--M--	7	-	1	-	-	-	1	-	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	1	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	42	-	-	1	-	-	3	1	3	-	2	-	2	7	5	7	2	4	3	1	1	-	-
	White-----M--	26	-	-	-	-	-	2	-	-	-	-	-	2	5	4	6	1	3	2	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	25	9	2	-	1	-	1	1	2	-	-	1	-	1	-	4	-	1	-	2	-	-	-
	White-----M--	12	4	2	-	-	-	-	-	2	-	-	-	-	1	-	2	-	-	-	1	-	-	-
	F--	11	5	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*----	845	2	15	7	4	1	5	3	9	19	24	45	51	71	93	140	152	109	61	26	7	1	-
	White-----M--	454	1	6	4	2	-	3	1	4	7	12	21	29	28	50	78	91	66	38	9	3	1	-
	F--	371	1	8	2	2	1	1	2	5	12	12	22	21	42	42	58	59	40	22	15	4	-	-
	Nonwhite--M--	12	-	1	-	-	-	1	-	-	-	-	2	-	-	1	2	2	1	1	1	-	-	-
	F--	8	-	-	1	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	14	-	-	-	-	-	-	-	-	-	-	3	2	4	-	1	1	1	-	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	3	1	4	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	271	-	-	-	-	-	-	1	-	3	9	10	7	16	28	58	67	38	24	7	3	-	-
	White-----M--	145	-	-	-	-	-	-	1	-	-	5	5	6	6	10	33	41	21	13	2	2	-	-
	F--	119	-	-	-	-	-	-	-	-	3	4	4	1	10	18	23	25	15	11	4	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	113	-	-	-	1	-	1	-	1	4	2	5	10	13	20	19	14	14	5	3	-	1	-
	White—M	98	-	-	-	-	-	1	-	1	3	2	3	10	11	18	17	11	13	5	2	-	1	-
	F	12	-	-	-	1	-	-	-	-	1	-	1	-	2	1	2	2	1	-	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	73	-	-	-	-	-	-	-	1	3	2	5	11	10	5	9	9	10	4	3	1	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	69	-	-	-	-	-	-	-	1	3	2	5	10	9	5	9	9	8	4	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	114	-	-	-	-	-	1	1	1	2	3	5	3	9	13	13	24	22	10	6	1	-	-
	White—M	56	-	-	-	-	-	1	-	-	1	-	-	-	1	5	5	14	15	10	3	1	-	-
	F	56	-	-	-	-	-	-	1	1	1	3	5	3	8	8	7	10	7	-	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
180, 181	Of urinary organs	58	-	-	1	-	-	-	-	1	1	1	3	2	2	6	12	12	10	7	-	-	-	-
	White—M	41	-	-	-	-	-	-	-	-	-	1	1	2	1	6	7	11	7	5	-	-	-	-
	F	16	-	-	1	-	-	-	-	1	1	-	2	-	1	-	5	1	2	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	109	1	2	3	2	1	3	-	4	4	3	13	10	10	12	14	9	7	4	5	2	-	-
	White—M	57	1	2	3	1	-	1	-	3	1	1	8	7	2	7	6	6	3	3	2	-	-	-
	F	50	-	-	-	1	1	1	-	1	3	2	5	3	8	5	7	3	4	1	3	2	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	53	1	13	2	1	-	-	-	-	-	2	1	1	3	8	7	10	2	2	-	-	-	-
	White—M	22	-	4	-	1	-	-	-	-	-	2	1	1	1	3	4	3	1	1	-	-	-	-
	F	28	1	8	1	-	-	-	-	-	-	-	-	-	2	5	3	7	1	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	40	-	-	1	-	-	-	1	1	2	2	-	5	4	1	7	6	5	5	-	-	-	-
	White—M	23	-	-	1	-	-	-	-	-	2	1	-	2	2	1	5	4	4	1	-	-	-	-
	F	17	-	-	-	-	-	-	1	1	-	1	-	3	2	-	2	2	1	4	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	28	2	1	1	-	-	-	-	1	3	4	3	4	1	2	5	-	-	-	-	1	-	-
	White—M	11	1	-	-	-	-	-	-	1	1	1	-	2	1	2	2	-	-	-	-	-	-	-
	F	17	1	1	1	-	-	-	-	-	2	3	3	2	-	-	3	-	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	23	-	-	-	-	-	-	-	-	-	-	1	-	4	2	5	5	3	2	-	1	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	2	2	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	96	-	-	-	1	-	1	2	2	4	2	1	1	5	11	17	24	14	7	4	-	-	-
	White—M	40	-	-	-	-	-	-	1	2	2	1	1	1	2	5	7	10	3	3	2	-	-	-
	F	53	-	-	-	1	-	1	1	-	2	1	-	-	2	6	10	12	11	4	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
290-293	Anemias	14	-	3	-	-	-	-	1	-	-	-	-	-	-	2	1	2	-	2	1	1	-	1
	White—M	9	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	1	-	-
	F	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	5	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,213	5	4	3	2	3	8	9	16	38	59	93	138	163	277	413	517	543	500	295	101	23	3
	White—M	2,008	3	3	2	2	2	3	5	12	27	45	69	105	122	206	265	345	316	271	139	53	11	2
	F	1,150	1	1	1	-	1	4	4	4	10	13	22	31	39	69	139	164	222	212	154	48	10	1
	Nonwhite—M	32	-	-	-	-	-	1	-	-	1	1	2	1	1	2	6	2	4	10	1	-	-	-
	F	23	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	1	7	1	-	2	-
330-334, 400-468	Dis. of cardiovascular system	3,159	5	4	3	1	2	3	7	14	31	58	93	137	161	273	408	513	539	490	291	100	23	3
	White—M	1,973	3	3	2	1	1	-	4	10	24	44	69	105	121	203	263	342	314	263	136	52	11	2
	F	1,133	1	1	1	-	1	2	3	4	7	13	22	30	38	68	137	163	220	210	153	48	10	1
	Nonwhite—M	30	-	-	-	-	-	1	-	-	-	1	2	1	1	2	5	2	4	10	1	-	-	-
	F	23	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	1	7	1	-	2	-
330-334, 400-468	Vascular lesions, etc.*	668	-	2	2	-	-	-	1	3	6	7	11	15	16	38	75	103	138	136	79	32	4	-
	White—M	356	-	2	2	-	-	-	1	2	4	3	5	8	12	21	43	61	67	68	36	19	2	-
	F	298	-	-	-	-	-	-	-	1	2	4	6	6	4	17	30	41	69	61	43	13	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	-	1	-
400-402, 410-443	Diseases of heart	2,231	5	2	1	1	2	3	5	9	23	50	79	116	141	218	304	383	359	294	167	52	15	2
	White—M	1,469	3	1	-	1	1	-	3	6	19	41	62	93	107	170	202	264	219	161	78	28	8	2
	F	726	1	1	1	-	1	2	2	3	4	8	15	23	32	46	96	112	137	125	87	24	6	-
	Nonwhite—M	21	-	-	-	-	-	1	-	-	-	1	2	-	1	2	4	2	2	5	1	-	-	-
	F	15	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	3	1	-	1	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	77	-	1	1	-	2	1	1	5	4	10	6	13	5	9	7	10	1	1	-	-	-	-
	White—M	33	-	-	-	-	1	-	-	2	2	8	2	3	2	4	3	4	1	1	-	-	-	-
	F	42	-	1	1	-	1	1	1	3	2	1	4	10	3	5	3	6	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																							
420	Arteriosclerotic heart dis., etc.*	1,607	-	-	-	-	-	1	4	4	18	35	60	85	112	171	235	291	257	192	101	32	7	2
	White-----M--	1,146	-	-	-	-	-	-	3	4	16	29	49	77	88	139	161	210	169	120	52	23	4	2
	F--	441	-	-	-	-	-	1	1	-	2	6	9	8	22	30	71	76	87	68	48	9	3	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	2	-	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	3	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	208	1	-	-	-	-	-	-	-	1	1	4	7	7	8	16	26	46	46	29	13	3	-
	White-----M--	105	-	-	-	-	-	-	-	-	1	1	4	5	4	5	10	18	22	20	12	2	1	-
	F--	96	1	-	-	-	-	-	-	-	-	-	-	2	3	3	5	7	23	23	16	11	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
430-434	Other diseases of heart----------	161	4	1	-	1	-	1	-	-	-	2	6	9	11	19	22	25	20	20	16	4	-	-
	White-----M--	106	3	1	-	1	-	-	-	-	-	2	4	7	9	15	15	17	12	9	9	2	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	2	2	4	7	7	7	10	7	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertensive heart disease----	178	-	-	-	-	-	-	-	-	-	2	3	2	6	11	24	31	35	35	21	3	5	-
	White-----M--	79	-	-	-	-	-	-	-	-	-	1	3	1	4	7	13	15	15	11	5	1	3	-
	F--	97	-	-	-	-	-	-	-	-	-	1	-	1	2	4	10	16	20	24	16	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
444-447	Other hypertensive disease-----	40	-	-	-	-	-	-	-	-	1	-	1	1	-	3	7	6	6	7	5	1	1	1
	White-----M--	14	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	-	4	1	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	3	6	3	4	-	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	165	-	-	-	-	-	-	-	-	-	-	-	3	2	4	13	18	27	44	36	15	3	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	-	-	2	1	3	8	12	20	23	19	4	1	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	6	7	19	17	11	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	55	-	-	-	-	-	-	1	2	1	1	2	2	2	10	9	3	9	9	4	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	2	-	-	2	1	1	8	8	2	8	7	2	-	-	-
	F--	13	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	1	1	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	54	-	-	-	1	1	5	2	2	7	1	-	1	2	4	5	4	4	10	4	1	-	-
	White-----M--	35	-	-	-	1	1	3	1	2	3	1	-	-	1	3	2	3	2	8	3	1	-	-
	F--	17	-	-	-	-	-	2	1	-	3	-	-	1	1	1	2	1	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	276	42	6	3	2	1	6	3	3	3	4	4	4	6	18	30	32	36	34	21	12	5	1
	White-----M--	150	13	1	3	1	-	4	2	-	2	3	2	4	2	10	24	20	22	21	10	4	2	-
	F--	97	18	2	-	1	-	2	1	1	1	1	2	-	2	5	4	12	14	10	10	8	3	-
	Nonwhite--M--	13	5	1	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	2	1	-	-	-
	F--	16	6	2	-	-	1	-	-	1	-	-	-	-	-	2	2	-	-	1	-	-	-	1
480-483	Influenza---------	15	6	-	-	-	-	-	1	-	-	1	-	-	-	2	-	1	1	3	-	-	-	-
	White-----M--	7	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*---	261	36	6	3	2	1	6	2	3	3	3	4	4	6	16	30	31	35	31	21	12	5	1
	White-----M--	143	12	1	3	1	-	4	1	-	2	2	2	4	2	9	24	19	21	20	10	4	2	-
	F--	93	15	2	-	1	-	2	1	1	1	1	2	-	2	5	4	12	14	9	10	8	3	-
	Nonwhite--M--	11	3	1	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	2	1	-	-	-
	F--	14	6	2	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	1
500-502	Bronchitis---------	19	9	1	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	3	-	-	-	-
	White-----M--	13	5	1	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	2	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	47	1	-	-	-	-	-	-	-	1	3	1	5	6	3	10	4	6	5	1	1	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	1	2	1	5	4	3	8	4	3	3	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	40	7	-	-	-	1	-	-	-	-	1	1	-	-	1	2	4	8	6	4	5	-	-
	White-----M--	19	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	2	2	-	-	-
	F--	20	4	-	-	-	1	-	-	-	-	1	1	-	-	1	1	1	2	3	2	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*---	44	11	5	-	-	-	-	-	-	-	1	-	3	1	4	3	6	2	6	1	1	-	-
	White-----M--	16	3	2	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	3	1	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	1	-	3	1	1	2	3	-	2	-	1	-	-
	Nonwhite--M--	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
581	Cirrhosis of liver	75	-	-	-	-	-	-	-	2	4	4	10	14	12	8	6	5	4	4	1	-	-	1
	White-----M--	52	-	-	-	-	-	-	-	-	2	3	7	9	9	5	5	5	3	4	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	2	-	3	4	3	3	1	-	1	-	1	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																							
584, 585	Cholelithiasis, etc.*	21	-	-	-	-	-	-	1	-	-	-	-	-	4	1	1	5	4	2	2	-	1	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-
	F	14	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	4	2	1	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
590, 591	Acute nephritis, etc.*	7	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	1	-	1	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	19	-	-	-	-	-	-	1	-	-	-	1	-	2	-	3	5	3	3	-	1	-	-
	White—M	10	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	1	2	2	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	2	3	1	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	2	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	3	...	...	...	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	2	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	79	55	8	-	4	1	-	1	-	2	1	1	3	1	-	1	-	1	-	-	-	-	-
	White—M	51	37	6	-	4	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	F	26	16	2	-	-	1	-	-	-	2	1	-	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	171	10	2	-	-	1	1	-	1	1	3	10	5	8	11	19	25	23	26	10	8	6	1
	White—M	117	4	2	-	-	-	-	-	1	-	3	9	5	6	7	15	18	17	16	6	4	4	-
	F	46	5	-	-	-	1	-	-	-	1	-	1	-	1	3	4	6	5	10	4	2	2	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
	F	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Residual	All other diseases	270	9	4	6	3	2	4	3	7	7	8	12	8	28	31	32	35	40	21	7	1	2	-
	White—M	161	5	2	2	2	-	2	-	2	2	4	6	4	21	23	23	23	23	13	3	-	1	-
	F	96	4	1	4	1	2	1	2	4	4	3	6	3	7	6	9	11	17	6	4	-	1	-
	Nonwhite—M	7	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	1	-	1	-	1	-	-
	F	6	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-
E800-E962	Accidents	494	24	23	24	18	36	56	34	33	32	28	23	14	18	11	24	39	25	10	15	4	1	2
	White—M	356	12	12	20	13	22	47	27	27	25	23	18	13	16	8	17	25	14	4	9	2	1	1
	F	113	11	8	3	5	12	7	2	3	4	2	5	1	2	3	7	14	10	6	6	2	-	-
	Nonwhite—M	21	-	2	1	-	1	2	5	2	3	3	-	-	-	-	-	-	1	-	-	-	-	1
	F	4	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	203	1	3	7	4	21	36	18	26	19	11	7	5	2	6	13	16	6	1	1	-	-	-
	White—M	143	-	1	5	3	8	31	13	20	15	8	4	5	2	4	8	12	2	1	1	-	-	-
	F	46	1	2	2	1	11	4	2	3	2	1	3	-	-	2	5	4	3	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	1	1	3	2	2	2	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	291	23	20	17	14	15	20	16	7	13	17	16	9	16	5	11	23	19	9	14	4	1	2
	White—M	213	12	11	15	10	14	16	14	7	10	15	14	8	14	4	9	13	12	3	8	2	1	1
	F	67	10	6	1	4	1	3	-	-	2	1	2	1	2	1	2	10	7	6	6	2	-	-
	Nonwhite—M	9	-	2	1	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	102	-	-	1	1	2	3	13	5	9	9	12	8	9	6	6	6	7	1	3	-	1	-
	White—M	83	-	-	1	1	2	3	11	5	7	6	9	6	6	6	4	5	7	1	2	-	1	-
	F	15	-	-	-	-	-	-	1	-	2	3	2	2	3	-	1	1	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	18	-	1	-	-	3	2	1	3	3	1	2	1	-	-	-	-	-	-	-	-	-	1
	White—M	10	-	-	-	-	1	1	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA																							
	All causes	13,729	814	141	69	59	103	96	87	110	153	236	363	580	802	1,101	1,444	1,867	1,942	1,840	1,221	552	147	2
	White--M	7,879	404	78	31	46	72	66	46	76	83	149	223	358	502	746	897	1,090	1,132	951	615	259	53	2
	F	5,456	340	56	31	13	26	26	34	24	59	72	126	196	267	323	501	733	780	870	599	290	90	-
	Nonwhite--M	216	39	3	3	-	4	2	3	5	8	9	6	18	20	17	22	25	17	10	4	-	1	-
	F	178	31	4	4	-	1	2	4	5	3	6	8	8	13	15	24	19	13	9	3	3	3	-
001-019	Tuberculosis, all forms	34	-	1	-	-	-	-	-	1	-	1	2	4	3	4	2	7	6	2	1	-	-	-
	White--M	24	-	-	-	-	-	-	-	-	-	1	1	1	3	4	2	6	4	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of resp. system	30	-	-	-	-	-	-	-	1	-	1	2	4	3	3	2	6	5	2	1	-	-	-
	White--M	22	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	5	4	2	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	16	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	3	2	-	-	-	-
	White--M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	2	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	42	6	5	-	2	3	1	1	-	5	-	2	1	4	4	4	2	1	1	-	-	-	-
	White--M	21	3	3	-	2	1	1	-	-	2	-	-	1	2	3	2	1	-	-	-	-	-	-
	F	20	2	2	-	-	2	-	1	-	3	-	2	-	2	1	2	1	1	1	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,237	-	18	8	5	4	4	8	16	20	63	112	152	220	260	289	361	275	253	125	35	7	-
	White--M	1,211	-	12	4	3	4	2	1	12	7	29	43	68	104	152	172	217	164	133	68	14	2	-
	F	979	-	6	3	2	-	2	7	5	13	32	63	80	110	100	109	139	109	116	57	21	5	-
	Nonwhite--M	24	-	-	1	-	-	-	-	-	-	2	2	3	3	4	2	4	1	2	-	-	-	-
	F	23	-	-	-	-	-	-	-	1	-	-	4	1	3	4	6	1	1	2	-	-	-	-
140-148	Of buccal cavity and pharynx	53	-	-	-	-	-	-	-	-	1	1	6	3	5	7	7	13	4	5	1	-	-	-
	White--M	41	-	-	-	-	-	-	-	-	1	1	4	2	5	6	5	10	4	2	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	3	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	807	-	-	-	-	-	1	-	2	6	11	28	36	62	100	108	155	107	116	56	17	2	-
	White--M	466	-	-	-	-	-	1	-	2	2	7	11	23	32	57	67	100	65	60	31	7	1	-
	F	320	-	-	-	-	-	-	-	-	4	3	14	11	27	40	36	55	41	53	25	10	1	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	2	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	-	1	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	252	-	1	-	-	-	-	-	3	1	8	15	22	41	47	35	40	21	12	5	-	1	-
	White—M	209	-	-	-	-	-	-	-	3	1	7	11	21	37	40	30	33	19	6	1	-	-	-
	F	39	-	1	-	-	-	-	-	-	-	1	4	1	4	5	4	6	2	6	4	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
170	Of breast	214	-	-	-	-	-	-	-	2	4	10	21	30	35	16	22	23	18	18	9	5	1	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F	209	-	-	-	-	-	-	-	1	4	10	21	30	34	15	22	21	18	18	9	5	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	356	-	-	-	-	1	-	1	2	-	9	15	25	28	31	46	55	57	56	25	4	1	-
	White—M	174	-	-	-	-	1	-	-	2	-	-	1	-	5	11	27	29	36	41	17	4	-	-
	F	172	-	-	-	-	-	-	1	-	-	9	12	24	22	20	18	23	20	14	8	-	1	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-
180, 181	Of urinary organs	108	-	2	1	-	-	-	-	-	-	3	4	6	8	6	17	21	18	14	7	-	1	-
	White—M	61	-	1	-	-	-	-	-	-	-	-	-	5	4	4	9	14	10	8	6	-	-	-
	F	45	-	1	-	-	-	-	-	-	-	2	4	1	4	2	8	7	8	6	1	-	1	-
	Nonwhite—M	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, etc.*	Of other sites,	214	-	3	3	3	1	2	2	4	3	9	9	12	23	32	21	27	23	19	14	3	1	-
190-199	White—M	125	-	2	3	2	1	1	-	2	1	6	5	9	11	22	11	15	16	9	7	1	1	-
	F	84	-	1	-	1	-	1	2	2	2	3	4	3	11	7	9	12	7	10	7	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	113	-	11	4	1	1	-	1	1	4	6	3	9	7	11	18	12	12	6	4	2	-	-
	White—M	66	-	8	1	1	1	-	-	1	1	3	3	4	4	5	12	5	7	4	4	2	-	-
	F	47	-	3	3	-	-	-	1	-	3	3	-	5	3	6	6	7	5	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	120	-	1	-	1	1	1	4	4	1	6	11	9	11	10	15	15	15	7	4	4	-	-
	White—M	66	-	1	-	-	1	-	1	2	1	5	8	4	6	6	11	9	7	3	1	-	-	-
	F	54	-	-	-	1	-	1	3	2	-	1	3	5	5	4	4	6	8	4	3	4	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	39	-	1	-	-	-	1	-	3	2	2	2	3	6	4	7	1	2	4	-	-	1	-
	White—M	16	-	1	-	-	-	-	-	2	1	-	-	1	4	1	2	1	2	1	-	-	-	-
	F	21	-	-	-	-	-	1	-	1	1	2	2	2	1	3	5	-	-	2	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
241	Asthma	56	-	-	-	-	-	-	1	-	-	2	-	4	7	9	6	9	10	5	3	-	-	-
	White—M	49	-	-	-	-	-	-	1	-	-	2	-	1	7	9	6	7	9	5	2	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	245	-	-	-	-	2	2	1	-	5	5	7	6	18	23	42	44	46	23	15	5	1	-
	White—M	104	-	-	-	-	1	-	1	-	4	3	1	4	7	9	12	15	22	14	9	2	-	-
	F	134	-	-	-	-	1	2	-	-	1	2	5	2	10	13	28	28	24	9	6	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	-	-
290-293	Anemias	33	-	1	2	-	1	-	-	-	-	1	1	1	1	3	5	2	4	2	5	3	1	-
	White—M	19	-	1	1	-	-	-	-	-	-	1	-	1	-	3	3	1	3	1	3	1	-	-
	F	12	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	1	1	2	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	18	11	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White—M	11	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,698	2	4	2	2	6	6	9	26	47	67	133	269	386	622	876	1,207	1,313	1,308	889	419	104	1
	White—M	4,446	1	1	-	1	2	5	4	13	26	50	98	192	271	443	556	698	741	669	440	197	37	1
	F	3,081	1	3	2	1	2	1	5	8	20	13	33	61	98	161	293	476	549	626	444	219	65	-
	Nonwhite—M	96	-	-	-	-	1	-	-	2	1	3	1	10	10	9	16	17	13	8	4	-	1	-
	F	75	-	-	-	-	1	-	-	3	-	1	1	6	7	9	11	16	10	5	1	3	1	-
330-334, 400-468	Dis. of cardiovascular system	7,593	2	3	1	2	6	6	9	24	45	67	128	263	379	607	869	1,194	1,295	1,292	883	414	103	1
	White—M	4,386	1	1	-	1	2	5	4	11	25	50	94	190	265	434	552	691	733	660	437	193	36	1
	F	3,044	1	2	1	1	2	1	5	8	19	13	32	59	97	157	290	472	540	619	442	218	65	-
	Nonwhite—M	93	-	-	-	-	1	-	-	2	1	3	1	10	10	9	16	15	12	8	4	-	1	-
	F	70	-	-	-	-	1	-	-	3	-	1	1	4	7	7	11	16	10	5	-	3	1	-
330-334	Vascular lesions, etc.*	1,870	1	-	1	-	-	3	4	1	8	10	16	34	58	108	162	312	363	378	258	121	32	-
	White—M	925	1	-	-	-	-	3	2	1	3	6	8	17	33	62	87	153	182	177	118	62	10	-
	F	808	-	-	1	-	-	-	2	-	5	4	7	16	19	38	71	149	178	197	140	59	22	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	1	1	4	4	2	4	-	3	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	3	1	-	-	-	-
400-402, 410-443	Diseases of heart	5,266	1	3	-	2	5	2	5	19	33	57	105	220	303	480	676	823	854	823	535	254	65	1
	White—M	3,228	-	1	-	1	2	2	2	10	21	44	82	167	219	356	447	503	514	442	272	117	25	1
	F	1,924	1	2	-	1	2	-	3	5	11	9	22	40	74	117	206	303	321	374	260	134	39	-
	Nonwhite—M	67	-	-	-	-	1	-	-	2	1	3	-	9	5	4	14	8	12	4	3	-	1	-
	F	47	-	-	-	-	-	-	-	2	-	1	1	4	5	3	9	9	7	3	-	3	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	175	-	1	-	1	3	1	4	5	9	7	14	13	17	27	23	19	12	9	8	2	-	-
	White—M	97	-	-	-	-	2	1	1	4	7	3	8	8	9	15	12	12	6	4	4	1	-	-
	F	77	-	1	-	1	1	-	3	1	2	4	6	5	7	12	11	7	6	5	4	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																							
420	Arteriosclerotic heart dis., etc.*	3,808	-	-	-	-	2	-	1	6	20	44	81	174	241	384	550	589	610	552	356	159	39	-
	White-----M--	2,474	-	-	-	-	-	-	1	3	13	39	66	144	184	301	374	372	376	315	190	81	15	-
	F--	1,253	-	-	-	-	1	-	-	2	7	3	14	23	50	80	157	203	220	231	163	76	23	-
	Nonwhite--M--	48	-	-	-	-	1	-	-	1	-	2	-	5	3	1	13	7	8	3	3	-	1	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	2	4	2	6	7	6	3	-	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	560	-	1	-	-	-	-	-	1	2	1	1	7	12	22	34	77	110	126	92	55	18	1
	White-----M--	300	-	1	-	-	-	-	-	-	-	-	-	5	7	12	22	41	68	63	46	26	8	1
	F--	253	-	-	-	-	-	-	-	1	2	1	1	1	5	8	11	36	40	63	46	28	10	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
430-434	Other diseases of heart---------	237	1	1	-	1	-	-	-	5	2	1	5	11	15	24	23	44	36	40	19	7	2	-
	White-----M--	148	-	-	-	1	-	-	-	3	1	1	5	7	12	18	15	28	25	17	11	3	1	-
	F--	83	1	1	-	-	-	-	-	1	-	-	-	3	2	6	8	15	10	23	8	4	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertensive heart disease-----	486	-	-	-	-	-	1	-	2	-	4	4	15	18	23	46	94	86	96	60	31	6	-
	White-----M--	209	-	-	-	-	-	1	-	-	-	1	3	3	7	10	24	50	39	43	21	6	1	-
	F--	258	-	-	-	-	-	-	-	-	-	1	1	8	10	11	19	42	45	52	39	25	5	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	1	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	1	1	-	-	-	-	-
444-447	Other hypertensive disease-----	54	-	-	-	-	-	-	-	-	1	-	1	3	3	2	6	10	9	12	5	1	1	-
	White-----M--	27	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	6	4	4	4	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	4	5	8	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
450	General arteriosclerosis--------	291	-	-	-	-	-	-	-	-	-	-	1	2	3	6	13	26	49	68	83	35	5	-
	White-----M--	140	-	-	-	-	-	-	-	-	-	-	-	1	2	6	9	15	20	30	42	14	1	-
	F--	147	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	9	29	36	41	21	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	112	-	-	-	-	1	1	-	4	3	-	5	4	12	11	12	23	20	11	2	3	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	3	3	9	8	8	14	13	7	1	-	-	-
	F--	40	-	-	-	-	-	1	-	3	3	-	2	1	2	2	4	7	7	4	1	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	105	-	1	1	-	-	-	-	2	2	-	5	6	7	15	7	13	18	16	6	5	1	-
	White-----M--	60	-	-	-	-	-	-	-	2	1	-	4	2	6	9	4	7	8	9	3	4	1	-
	F--	37	-	1	1	-	-	-	-	-	1	-	1	2	1	4	3	4	9	7	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*	466	70	14	7	-	1	1	4	5	6	4	5	9	17	15	29	45	54	64	68	36	12	-
	White-----M--	248	29	5	3	-	1	-	1	3	2	4	2	5	13	10	20	23	37	31	33	20	6	-
	F--	188	23	7	3	-	-	1	3	2	2	-	3	3	2	3	8	22	17	32	35	16	6	-
	Nonwhite--M--	16	9	1	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	-	-	-	-	-
	F--	14	9	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
480-483	Influenza----------	61	5	1	3	-	-	1	1	-	-	-	3	1	2	1	4	7	8	11	7	5	1	-
	White-----M--	32	3	-	2	-	-	-	1	-	-	-	1	1	2	-	1	4	7	5	3	2	-	-
	F--	28	1	1	1	-	-	1	-	-	-	-	2	-	-	1	3	3	1	6	4	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	405	65	13	4	-	1	-	3	5	6	4	2	8	15	14	25	38	46	53	61	31	11	-
	White-----M--	216	26	5	1	-	1	-	-	3	2	4	1	4	11	10	19	19	30	26	30	18	6	-
	F--	160	22	6	2	-	-	-	3	2	2	-	1	3	2	2	5	19	16	26	31	13	5	-
	Nonwhite--M--	16	9	1	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	-	-	-	-	-
	F--	13	8	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
500-502	Bronchitis---------	24	5	3	-	-	-	-	-	-	-	-	-	3	1	2	4	3	1	1	1	-	-	-
	White-----M--	17	3	1	-	-	-	-	-	-	-	-	-	3	1	2	4	2	-	1	-	-	-	-
	F--	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	99	1	-	-	-	-	-	1	2	2	4	1	5	11	7	17	18	13	11	4	2	-	-
	White-----M--	75	1	-	-	-	-	-	1	2	2	4	1	4	7	6	13	14	11	6	2	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	4	1	5	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	23	1	-	1	-	-	-	-	1	-	-	4	2	1	1	2	1	4	1	3	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	4	1	1	1	-	1	4	-	2	-	-	-
	F--	7	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	64	2	1	-	-	-	-	-	-	-	2	3	2	6	3	5	8	10	9	9	3	1	-
	White-----M--	29	1	1	-	-	-	-	-	-	-	-	-	1	3	2	1	5	5	6	2	1	1	-
	F--	32	1	-	-	-	-	-	-	-	-	2	2	1	3	1	3	3	5	3	6	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
543, 571, 572	Gastritis, etc.*--	58	13	1	-	-	-	-	2	-	1	3	-	2	4	4	4	5	9	4	3	2	1	-
	White-----M--	27	5	-	-	-	-	-	-	-	-	1	-	2	1	2	3	3	7	1	1	-	1	-
	F--	27	4	1	-	-	-	-	2	-	1	2	-	-	3	2	1	2	2	3	2	2	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	109	-	-	-	-	-	-	-	-	8	10	10	16	10	14	13	10	10	6	2	-	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	4	6	9	13	10	12	9	6	7	1	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	3	3	1	3	-	1	4	4	3	5	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																							
584, 585	Cholelithiasis, etc.*	66	-	-	-	-	-	1	-	-	2	1	2	3	5	6	11	13	14	2	5	-	1	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	6	6	-	2	-	-	-
	F	47	-	-	-	-	-	1	-	-	2	1	1	2	5	6	8	7	8	2	3	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	12	1	1	-	1	-	1	-	-	-	1	-	-	-	-	1	1	3	2	-	-	-	-
	White—M	8	-	1	-	1	-	1	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	40	-	-	-	-	-	-	-	1	-	2	-	2	1	4	4	6	3	10	5	1	1	-
	White—M	21	-	-	-	-	-	-	-	1	-	-	-	1	1	3	3	3	-	6	3	-	1	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	4	2	1	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate	58	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	6	12	13	14	4	-	-
	White—M	56	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	5	12	13	14	4	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	9	...	...	...	-	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	...	...	...	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	8	...	...	...	-	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	190	131	20	9	5	4	4	3	-	2	1	1	3	1	2	2	1	1	-	-	-	-	-
	White—M	95	64	15	2	5	1	2	1	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-
	F	85	61	4	6	-	3	2	2	-	2	1	-	2	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	532	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	67	1	-	-	-	-	-	1	-	1	1	2	3	2	1	5	9	13	10	8	6	3	1
	White—M	44	-	-	-	-	-	-	1	-	1	-	2	1	1	1	4	9	9	4	5	4	1	1
	F	22	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	4	6	3	2	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	492	17	20	8	9	5	8	7	5	9	9	23	32	38	47	54	53	59	48	25	10	6	-
	White—M	282	7	13	2	5	2	2	3	4	5	5	19	15	22	31	36	33	35	24	9	7	3	-
	F	188	8	6	5	4	2	6	2	1	4	3	3	14	13	15	16	18	24	24	15	3	2	-
	Nonwhite—M	12	1	-	1	-	1	-	1	-	-	-	1	3	2	1	-	1	-	-	-	-	-	-
	F	10	1	1	-	-	-	1	-	-	-	1	-	-	1	-	2	1	-	-	1	-	1	-
E800-E962	Accidents	814	21	40	27	33	66	63	38	36	27	33	37	40	42	46	39	39	69	51	34	25	8	-
	White—M	548	11	19	18	28	54	51	29	32	21	24	28	28	30	34	23	23	42	25	18	8	2	-
	F	242	7	20	7	5	10	8	7	3	3	7	8	12	11	11	16	16	26	26	16	17	6	-
	Nonwhite—M	14	1	-	1	-	2	2	1	1	2	1	1	-	1	1	-	-	-	-	-	-	-	-
	F	10	2	1	1	-	-	2	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
E810-E835	Motor vehicle accidents	389	5	15	12	14	42	46	26	24	18	23	22	19	27	14	17	15	19	9	2	-	-	-
	White—M	263	4	5	10	11	33	35	19	21	15	16	16	11	18	11	7	8	16	5	2	-	-	-
	F	94	-	9	2	3	8	8	5	2	2	5	6	8	9	3	10	7	3	4	-	-	-	-
	Nonwhite—M	7	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	445	16	25	15	19	24	17	12	12	9	10	15	21	15	32	22	24	50	42	32	25	8	-
	White—M	285	7	14	8	17	21	16	10	11	6	8	12	17	12	23	16	15	26	20	16	8	2	-
	F	148	7	11	5	2	2	-	2	1	1	2	2	4	2	8	6	9	23	22	16	17	6	-
	Nonwhite—M	7	1	-	1	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide	140	-	-	-	1	3	2	5	6	7	18	14	15	13	16	13	11	7	7	2	-	-	-
	White—M	117	-	-	-	1	1	2	3	6	7	15	12	13	10	13	12	9	7	5	1	-	-	-
	F	22	-	-	-	-	2	-	2	-	-	2	2	2	3	3	1	2	-	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	40	-	3	2	-	5	-	4	5	7	5	2	3	2	-	-	2	-	-	-	-	-	-
	White—M	13	-	-	1	-	3	-	-	1	1	3	2	-	1	-	-	1	-	-	-	-	-	-
	F	17	-	3	1	-	2	-	2	1	2	1	-	3	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA																							
	All causes	2,311	217	34	15	17	29	42	35	44	66	73	136	170	194	224	258	222	223	176	96	30	9	1
	White--M	1,454	105	12	7	11	21	29	22	19	32	44	84	115	140	163	177	151	143	108	52	15	3	1
	F	673	76	10	5	4	7	6	9	18	21	23	42	48	40	50	64	62	76	63	35	13	3	-
	Nonwhite--M	103	21	8	2	1	1	4	2	3	8	4	5	3	7	7	12	4	2	3	4	1	1	-
	F	81	15	4	1	1	-	3	2	4	5	2	5	6	7	4	5	5	2	2	5	1	2	-
001-019	Tuberculosis, all forms	27	-	-	-	-	-	1	-	-	2	2	2	3	6	4	3	1	1	-	2	-	-	-
	White--M	19	-	-	-	-	-	-	-	-	-	1	2	2	4	3	3	1	1	-	2	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	25	-	-	-	-	-	-	-	-	2	2	2	2	6	4	3	1	1	-	2	-	-	-
	White--M	19	-	-	-	-	-	-	-	-	-	1	2	2	4	3	3	1	1	-	2	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	-	1	-	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	5	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	323	-	3	1	2	3	2	3	4	7	12	24	25	41	53	46	30	41	13	7	5	1	-
	White--M	190	-	1	-	-	2	1	2	2	2	6	7	13	24	39	29	22	25	6	6	2	1	-
	F	118	-	2	1	2	1	1	1	1	5	5	15	10	16	12	13	6	16	7	1	3	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	1	-	1	-	1	-	2	4	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	-	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	88	-	-	-	-	-	-	-	1	1	5	4	4	10	12	12	10	19	7	1	2	-	-
	White--M	53	-	-	-	-	-	-	-	-	-	2	1	3	9	12	6	6	10	2	1	1	-	-
	F	30	-	-	-	-	-	-	-	-	1	2	3	1	1	-	4	3	9	5	-	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	68	-	-	-	-	-	-	-	-	2	1	5	6	11	20	10	6	6	-	1	-	-	-
	White—M	53	-	-	-	-	-	-	-	-	-	1	3	5	10	16	7	5	6	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	2	-	2	-	1	3	2	-	-	-	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	26	-	-	-	-	-	-	-	1	1	1	4	4	6	1	3	1	3	-	-	1	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	1	1	1	4	4	6	1	3	1	3	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	46	-	-	-	-	-	-	1	1	-	-	6	2	3	7	9	5	6	3	-	-	-	-
	White—M	24	-	-	-	-	-	-	1	1	-	-	1	-	-	3	5	3	5	2	3	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	3	2	2	4	3	2	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	20	-	-	1	-	-	-	-	-	1	1	-	1	2	2	4	3	1	2	2	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	3	-	1	2	-	-	-
	F	6	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	47	-	3	-	1	1	1	2	1	-	2	2	6	6	8	6	1	4	1	-	1	1	-
	White—M	26	-	1	-	-	1	-	1	1	-	1	-	3	1	5	6	1	2	1	-	1	1	-
	F	21	-	2	-	1	-	1	1	-	-	1	2	3	5	3	-	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	9	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	3	1	-	-	1	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	3	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	13	-	-	-	1	2	1	-	-	1	2	3	-	1	2	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	1	1	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	6	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	10	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	1	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	28	-	-	-	1	-	-	-	1	1	-	2	-	5	-	7	3	4	3	1	-	-	-
	White—M	16	-	-	-	1	-	-	-	1	1	-	1	-	4	-	3	2	2	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,021	1	1	1	2	4	-	4	3	11	23	55	88	91	112	137	136	141	121	64	18	7	1
	White—M	670	-	1	1	1	2	-	-	2	5	13	44	65	68	81	93	86	89	76	31	10	2	1
	F	306	1	1	-	-	2	-	4	1	3	8	7	20	16	28	38	46	49	42	30	7	3	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	3	1	2	2	3	2	5	1	1	2	-	1	-	-
	F	22	-	-	-	1	-	-	-	-	-	1	2	1	4	1	1	3	2	1	3	-	2	-
330-334, 400-468	Dis. of cardiovascular system	1,001	1	1	1	2	2	-	4	3	11	23	54	87	86	111	135	134	139	120	61	18	7	1
	White—M	659	-	-	1	1	2	-	-	2	5	13	44	65	65	80	91	85	88	75	29	10	2	1
	F	300	1	1	-	-	-	-	4	1	3	8	7	19	16	28	38	45	48	42	29	7	3	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	3	1	1	2	2	2	5	1	1	2	-	1	-	-
	F	21	-	-	-	1	-	-	-	-	-	1	2	1	3	1	1	3	2	1	3	-	2	-
330-334	Vascular lesions, etc.*	213	1	-	1	-	-	-	-	-	1	3	9	7	20	24	23	32	38	34	13	6	1	-
	White—M	125	-	-	1	-	-	-	-	-	-	1	4	3	10	14	15	19	27	21	6	3	1	-
	F	75	1	-	-	-	-	-	-	-	1	1	3	4	8	9	6	11	10	12	6	3	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-
400-402, 410-416	Diseases of heart	708	-	1	-	2	2	-	3	3	9	19	43	75	62	74	105	90	92	74	39	10	4	1
	White—M	485	-	-	-	1	2	-	-	2	5	12	38	58	51	57	69	58	57	48	20	5	1	1
	F	196	-	1	-	-	-	-	3	1	2	6	4	14	8	15	32	30	34	24	17	4	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	2	1	-	2	-	1	3	-	-	1	-	1	-	-
	F	16	-	-	-	1	-	-	-	-	-	-	1	1	3	1	1	2	1	1	2	-	2	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	33	-	-	-	-	1	-	2	2	2	3	2	6	3	3	5	2	2	-	-	-	-	-
	White—M	11	-	-	-	-	1	-	-	1	1	-	1	2	1	2	1	1	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	2	1	1	3	1	4	2	1	4	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																							
420	Arteriosclerotic heart dis., etc.*	512	-	-	-	-	-	-	1	1	5	14	35	56	55	57	77	66	61	52	23	7	1	1
	White----M--	378	-	-	-	-	-	-	-	1	3	12	32	47	47	44	56	43	39	36	13	3	1	1
	F--	117	-	-	-	-	-	-	1	-	-	2	2	8	5	12	19	21	21	14	9	3	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	2	-	-	1	-	1	2	-	-	1	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	1	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	65	-	-	-	-	-	-	-	-	-	-	-	1	3	-	8	8	20	12	10	1	2	-
	White----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	3	12	7	3	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	8	5	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
430-434	Other diseases of heart--------	50	-	1	-	2	1	-	-	-	2	1	5	8	-	7	3	6	4	5	3	1	1	-
	White----M--	34	-	-	-	1	1	-	-	-	1	-	4	6	-	5	1	6	4	2	2	1	-	-
	F--	12	-	1	-	-	-	-	-	-	1	1	1	1	-	2	1	-	-	3	-	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
440-443	Hypertensive heart disease----	48	-	-	-	-	-	-	-	-	-	1	1	4	1	7	12	8	5	5	3	1	-	-
	White----M--	29	-	-	-	-	-	-	-	-	-	-	1	3	1	6	5	5	2	3	2	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
444-447	Other hypertensive disease-----	19	-	-	-	-	-	-	-	-	1	-	-	1	-	6	1	2	1	1	5	-	1	-
	White----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	4	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	37	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	8	8	10	4	2	1	-
	White----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3	5	2	2	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	4	5	2	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys..	24	-	-	-	-	-	-	1	-	-	1	2	2	4	6	5	2	-	1	-	-	-	-
	White----M--	22	-	-	-	-	-	-	-	-	-	-	2	2	4	6	5	2	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	20	-	-	-	-	2	-	-	-	-	-	1	1	5	1	2	2	2	1	3	-	-	-
	White----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	1	2	-	-	-
	F--	6	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	46	15	3	2	-	-	2	-	2	-	-	-	2	-	4	3	2	6	4	1	-	-	-
	White----M--	18	2	1	-	-	-	1	-	-	-	-	-	1	-	4	1	1	5	1	1	-	-	-
	F--	15	5	-	1	-	-	1	-	2	-	-	-	1	-	-	1	1	-	3	-	-	-	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	45	15	3	1	-	-	2	-	2	-	-	-	2	-	4	3	2	6	4	1	-	-	-
	White----M--	18	2	1	-	-	-	1	-	-	-	-	-	1	-	4	1	1	5	1	1	-	-	-
	F--	15	5	-	1	-	-	1	-	2	-	-	-	1	-	-	1	1	-	3	-	-	-	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	10	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	1	-	-
	White----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	15	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	-	2	3	-	-	-	-
	White----M--	13	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	-	1	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	16	4	-	-	-	-	-	1	-	-	-	1	1	-	-	4	3	-	1	1	-	-	-
	White----M--	8	2	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
543, 571, 572	Gastritis, etc.*--	12	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-
	White----M--	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	46	-	-	-	-	-	-	-	3	6	4	6	8	3	1	8	4	-	2	1	-	-	-
	White----M--	25	-	-	-	-	-	-	-	-	-	2	2	5	3	-	6	4	-	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	2	2	2	4	3	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																							
584, 585	Cholelithiasis, etc.*	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	5	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	9	1	-	-	-	-	-	-	-	1	-	-	-	-	4	1	-	1	-	-	1	-	-
	White—M	5	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
610	Hyperplasia of prostate	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
640-689	Complications of pregnancy, etc.*	3	...	...	...	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	2	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	30	22	2	1	-	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	14	11	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	8	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	43	1	-	-	-	-	-	-	-	1	1	1	1	3	2	8	3	4	8	7	2	1	-
	White—M	26	-	-	-	-	-	-	-	-	1	-	-	-	3	2	6	1	3	5	4	1	-	-
	F	10	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	1	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Residual	All other diseases	133	10	6	1	4	-	1	1	4	5	5	15	11	11	12	12	14	11	6	4	-	-	-
	White—M	80	5	1	1	4	-	1	-	1	2	2	7	6	5	10	9	10	8	5	3	-	-	-
	F	41	5	2	-	-	-	-	1	-	2	3	7	5	5	-	3	4	3	-	1	-	-	-
	Nonwhite—M	7	-	3	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	1	-	-	-	-	-
E800-E962	Accidents	263	13	13	6	7	16	31	23	13	25	14	18	16	15	14	13	6	5	8	5	2	-	-
	White—M	182	7	7	3	4	15	24	17	7	17	12	13	13	12	10	8	3	3	4	2	1	-	-
	F	46	4	2	1	2	1	2	3	4	5	1	3	1	-	3	3	2	2	4	2	1	-	-
	Nonwhite—M	25	1	2	2	1	-	4	2	-	3	1	2	-	2	1	2	1	-	-	1	-	-	-
	F	10	1	2	-	-	-	1	1	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	117	2	2	1	3	10	16	18	10	15	7	6	2	10	1	8	2	2	1	-	1	-	-
	White—M	86	2	2	1	2	9	11	14	5	10	5	5	2	9	-	5	1	2	-	-	1	-	-
	F	17	-	-	-	1	1	2	2	4	3	1	1	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	3	1	-	2	1	-	-	1	1	2	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	146	11	11	5	4	6	15	5	3	10	7	12	14	5	13	5	4	3	7	5	1	-	-
	White—M	96	5	5	2	2	6	13	3	2	7	7	8	11	3	10	3	2	1	4	2	-	-	-
	F	29	4	2	1	1	-	-	1	-	2	-	2	1	-	3	2	2	2	3	2	1	-	-
	Nonwhite—M	13	1	2	2	1	-	1	1	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-
	F	8	1	2	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	66	-	-	-	-	-	2	2	9	4	6	8	7	9	5	4	7	1	1	1	-	-	-
	White—M	52	-	-	-	-	-	2	2	4	3	4	6	5	9	3	4	7	1	1	1	-	-	-
	F	13	-	-	-	-	-	-	-	5	1	1	2	2	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	20	-	2	3	1	2	2	1	3	-	1	1	1	1	-	-	-	1	1	-	-	-	-
	White—M	10	-	-	2	1	2	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-
	F	7	-	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE																							
	All causes------	6,563	329	43	28	25	32	35	37	52	75	116	198	290	391	586	716	888	930	866	588	261	75	2
	White-----M--	3,605	186	30	17	17	25	22	28	27	46	74	121	180	267	387	405	508	487	405	268	85	19	1
	F--	2,945	141	13	11	8	7	13	9	25	29	41	76	109	123	198	310	376	442	461	319	176	56	1
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	28	-	-	-	-	-	-	-	-	1	2	2	4	4	2	4	4	1	2	1	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	2	2	1	3	1	3	3	1	1	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	3	1	1	1	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	26	-	-	-	-	-	-	-	-	1	1	2	4	4	2	4	3	1	2	1	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	2	1	3	1	3	3	1	1	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	3	1	1	1	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	9	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	20	3	2	-	1	-	-	-	-	1	-	1	4	1	3	2	-	-	-	1	1	-	-
	White-----M--	9	1	1	-	-	-	-	-	-	1	-	-	1	-	3	1	-	-	-	1	-	-	-
	F--	11	2	1	-	1	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	1,107	1	3	4	2	2	1	4	18	15	24	42	84	86	134	158	191	144	111	62	19	1	1
	White-----M--	580	1	3	4	2	1	-	-	7	5	9	19	39	48	88	78	112	76	51	31	5	-	1
	F--	526	-	-	-	-	1	1	4	11	10	15	23	45	38	46	79	79	68	60	31	14	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	19	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	2	4	3	2	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	2	2	3	2	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	425	-	-	-	-	-	-	-	3	1	5	12	27	29	54	60	81	65	50	27	11	-	-
	White-----M--	230	-	-	-	-	-	-	-	-	1	4	7	11	18	35	30	50	34	24	12	4	-	-
	F--	195	-	-	-	-	-	-	-	3	-	1	5	16	11	19	30	31	31	26	15	7	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)—	132	-	-	-	-	-	-	-	1	2	5	7	17	15	24	18	30	6	5	2	-	-	-
	White——M—	112	-	-	-	-	-	-	-	1	1	4	5	16	14	23	15	25	5	2	1	-	-	-
	F—	19	-	-	-	-	-	-	-	-	1	1	2	1	1	1	2	5	1	3	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast—	125	-	-	-	-	-	-	2	1	5	6	6	8	12	11	21	19	14	12	5	2	1	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	124	-	-	-	-	-	-	2	1	5	6	6	8	12	10	21	19	14	12	5	2	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs—	165	-	-	-	-	-	-	-	8	4	4	6	10	11	19	16	30	22	21	11	2	-	1
	White——M—	71	-	-	-	-	-	-	-	3	-	-	-	-	2	7	9	16	12	13	8	-	-	1
	F—	94	-	-	-	-	-	-	-	5	4	4	6	10	9	12	7	14	10	8	3	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs—	58	-	1	-	-	-	-	-	-	-	-	1	5	5	5	7	10	13	8	2	1	-	-
	White——M—	38	-	1	-	-	-	-	-	-	-	-	-	3	4	4	5	7	9	3	1	1	-	-
	F—	20	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	4	5	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	100	-	1	1	1	2	-	1	1	-	1	8	10	6	12	16	6	17	4	11	2	-	-
	White——M—	61	-	1	1	1	1	-	-	-	-	-	6	4	4	11	7	6	11	2	6	-	-	-
	F—	39	-	-	-	-	1	-	1	1	-	1	2	6	2	1	9	-	6	2	5	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia—	45	1	1	1	1	-	1	-	4	2	1	2	1	3	3	6	8	2	5	2	1	-	-
	White——M—	28	1	1	1	1	-	-	-	3	2	-	1	1	2	3	3	4	2	2	1	-	-	-
	F—	17	-	-	-	-	-	1	-	1	-	1	1	-	1	-	3	4	-	3	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	38	-	-	2	-	-	-	1	-	-	1	1	-	5	5	4	10	5	1	3	-	-	-
	White——M—	23	-	-	2	-	-	-	-	-	-	1	-	-	4	4	2	5	2	1	2	-	-	-
	F—	15	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	5	3	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms—	24	1	1	-	1	1	1	-	-	-	-	1	3	4	1	1	4	2	1	1	1	-	-
	White——M—	10	-	1	-	-	1	1	-	-	-	-	-	-	3	1	-	2	-	-	1	-	-	-
	F—	14	1	-	-	1	-	-	-	-	-	-	1	3	1	-	1	2	2	1	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma—	21	-	-	-	-	1	-	1	1	-	-	1	1	2	6	3	3	1	-	1	-	-	-
	White——M—	15	-	-	-	-	-	-	1	1	-	-	-	1	1	5	1	3	1	-	1	-	-	-
	F—	6	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	120	-	-	-	-	1	-	2	2	-	3	3	3	8	23	18	19	25	9	4	-	-	-
	White——M—	53	-	-	-	-	1	-	1	1	-	1	1	1	6	11	6	8	9	4	3	-	-	-
	F—	66	-	-	-	-	-	-	1	1	-	2	2	2	2	12	12	11	15	5	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias—	12	-	1	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	2	1	-	1	-
	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F—	10	-	1	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	1	1	-	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*—	6	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	5	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	3,825	2	1	2	3	-	4	3	6	25	43	95	127	216	331	415	548	651	646	445	204	57	1
	White——M—	2,058	1	1	2	1	-	2	2	3	16	34	69	97	160	221	244	301	337	292	192	66	17	-
	F—	1,761	1	-	-	2	-	2	1	3	9	9	25	29	56	110	171	244	314	354	252	138	40	1
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
330-334, 400-468	Dis. of cardiovascular system—	3,772	2	1	2	3	-	1	2	5	23	42	92	125	215	328	410	542	637	642	441	202	56	1
	White——M—	2,031	1	1	2	1	-	1	1	2	16	33	67	96	160	220	242	300	329	289	190	64	16	-
	F—	1,735	1	-	-	2	-	-	1	3	7	9	24	28	55	108	168	239	308	353	250	138	40	1
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
330-334	Vascular lesions, etc.*—	734	2	1	1	2	-	-	-	3	6	4	7	11	28	49	82	105	143	150	88	44	8	-
	White——M—	318	1	1	1	1	-	-	-	1	3	-	3	8	20	30	41	44	65	56	31	10	2	-
	F—	415	1	-	-	1	-	-	-	2	3	4	3	3	8	19	41	61	78	94	57	34	6	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402, 410-443	Diseases of heart—	2,711	-	-	-	1	-	1	2	2	14	35	81	109	176	264	304	400	428	436	297	124	36	1
	White——M—	1,549	-	-	-	-	-	1	1	1	12	30	60	85	131	182	188	232	234	208	132	41	11	-
	F—	1,158	-	-	-	1	-	-	1	1	2	5	21	23	45	82	116	166	194	228	164	83	25	1
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.—	77	-	-	-	-	-	-	-	1	6	2	12	4	10	9	8	5	8	6	4	2	-	-
	White——M—	38	-	-	-	-	-	-	-	1	4	1	5	1	6	6	5	2	4	1	2	-	-	-
	F—	39	-	-	-	-	-	-	-	-	2	1	7	3	4	3	3	3	4	5	2	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																							
420	Arteriosclerotic heart dis., etc.*	2,071	-	-	-	1	-	-	2	1	7	26	63	87	142	216	232	300	313	343	223	87	28	-
	White-----M--	1,266	-	-	-	-	-	-	1	-	7	24	52	75	113	157	150	187	179	170	109	33	9	-
	F--	801	-	-	-	1	-	-	1	1	-	2	11	11	29	59	82	111	134	173	113	54	19	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	165	-	-	-	-	-	-	-	-	-	1	1	2	9	11	16	34	22	27	20	18	4	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	1	-	2	5	6	9	14	13	14	5	4	1	-
	F--	91	-	-	-	-	-	-	-	-	-	-	1	-	4	5	7	20	9	13	15	14	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	84	-	-	-	-	-	1	-	-	-	1	2	7	3	5	12	11	16	13	10	2	1	-
	White-----M--	48	-	-	-	-	-	1	-	-	-	1	2	3	1	2	10	6	9	5	6	1	1	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	4	2	3	2	5	7	8	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease	314	-	-	-	-	-	-	-	-	1	5	3	9	12	23	36	50	69	47	40	15	3	1
	White-----M--	123	-	-	-	-	-	-	-	-	1	3	1	4	6	11	14	23	29	18	10	3	-	-
	F--	191	-	-	-	-	-	-	-	-	-	2	2	5	6	12	22	27	40	29	30	12	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Other hypertensive disease	58	-	-	-	-	-	-	-	-	3	1	1	4	2	3	8	11	14	7	4	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	1	1	1	3	2	1	7	7	6	2	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	4	8	5	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	214	-	-	-	-	-	-	-	-	-	-	1	1	2	7	9	21	37	45	46	33	12	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	1	-	2	5	4	12	14	21	20	13	3	-
	F--	118	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	8	23	24	26	20	9	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	55	-	-	1	-	-	-	-	-	-	2	2	-	7	5	7	5	15	4	6	1	-	-
	White-----M--	36	-	-	1	-	-	-	-	-	-	2	2	-	5	2	2	5	10	2	5	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	5	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	53	-	-	-	-	-	3	1	1	2	1	3	2	1	3	5	6	14	4	4	2	1	-
	White-----M--	27	-	-	-	-	-	1	1	1	-	1	2	1	-	1	2	1	8	3	2	2	1	-
	F--	26	-	-	-	-	-	2	-	-	2	-	1	1	1	2	3	5	6	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	175	23	4	-	-	1	2	2	-	-	3	3	3	9	7	10	16	17	33	24	12	6	-
	White-----M--	99	13	2	-	-	1	2	2	-	-	1	3	2	6	6	6	12	8	17	10	6	2	-
	F--	75	10	2	-	-	-	-	-	-	-	2	-	1	2	1	4	4	9	16	14	6	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-483	Influenza	11	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	2	1	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	164	23	4	-	-	1	2	2	-	-	2	3	3	9	6	8	14	16	32	22	11	6	-
	White-----M--	92	13	2	-	-	1	2	2	-	-	1	3	2	6	5	4	10	7	17	9	6	2	-
	F--	71	10	2	-	-	-	-	-	-	-	1	-	1	2	1	4	4	9	15	13	5	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	25	3	1	-	-	-	-	-	-	-	1	-	2	2	1	5	1	3	2	3	1	-	-
	White-----M--	19	2	1	-	-	-	-	-	-	-	-	-	2	2	1	5	1	2	1	2	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	38	-	-	-	-	-	-	-	-	-	2	2	1	3	5	4	6	6	6	2	1	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	2	2	1	2	4	4	5	4	5	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	7	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	2	-	-	1	-	-	-
	White-----M--	5	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	35	3	1	-	-	-	-	-	-	1	1	1	1	1	3	6	2	4	5	5	1	-	-
	White-----M--	12	1	1	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	4	-	-	-
	F--	23	2	-	-	-	-	-	-	-	1	-	-	1	1	3	4	1	4	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	18	1	2	-	-	-	-	-	-	-	-	3	1	1	1	2	2	2	2	1	-	-	-
	White-----M--	9	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	1	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	62	-	-	-	-	-	-	-	3	2	6	5	8	7	9	7	5	5	4	-	1	-	-
	White-----M--	33	-	-	-	-	-	-	-	3	1	5	2	5	6	6	3	1	1	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	1	1	1	3	3	1	3	4	4	4	3	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																							
584, 585	Cholelithiasis, etc.*	18	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	2	3	-	1	1	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	2	-	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	7	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	16	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	3	4	2	2	1	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	2	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	4	1	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	4	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	3	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	3	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	85	62	5	5	1	1	2	1	1	1	-	1	-	1	2	1	-	1	-	-	-	-	-
	White—M	40	26	5	3	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	45	36	-	2	-	-	2	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	55	4	-	-	-	-	-	-	-	-	-	3	5	5	3	9	7	7	1	3	4	4	-
	White—M	38	3	-	-	-	-	-	-	-	-	-	1	3	5	3	7	5	6	-	3	2	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	1	1	-	2	4	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	272	9	4	5	6	4	2	3	5	8	11	11	13	18	28	28	45	27	22	16	6	1	-
	White—M	171	8	2	3	3	3	1	3	2	6	4	5	4	13	19	22	28	18	14	11	2	-	-
	F	100	1	2	2	3	1	1	-	3	2	6	6	9	5	9	6	17	9	8	5	4	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	269	9	15	8	9	17	20	18	9	14	9	13	17	11	13	23	14	21	7	11	7	4	-
	White—M	180	7	12	5	8	14	16	16	7	12	7	8	11	7	8	12	9	13	4	3	1	-	-
	F	89	2	3	3	1	3	4	2	2	2	2	5	6	4	5	11	5	8	3	8	6	4	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	95	-	5	4	3	11	11	10	4	6	2	9	8	3	5	4	2	6	1	-	1	-	-
	White—M	68	-	3	2	2	9	8	8	3	5	1	7	6	1	2	3	1	5	1	-	1	-	-
	F	27	-	2	2	1	2	3	2	1	1	1	2	2	2	3	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	174	9	10	4	6	6	9	8	5	8	7	4	9	8	8	19	12	15	6	11	6	4	-
	White—M	112	7	9	3	6	5	8	8	4	7	6	1	5	6	6	9	8	8	3	3	-	-	-
	F	62	2	1	1	-	1	1	-	1	1	1	3	4	2	2	10	4	7	3	8	6	4	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	75	-	-	-	-	3	1	1	6	6	10	7	6	10	8	7	7	2	1	-	-	-	-
	White—M	52	-	-	-	-	3	-	1	3	4	8	4	5	6	6	4	5	2	1	-	-	-	-
	F	23	-	-	-	-	-	1	-	3	2	2	3	1	4	2	3	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY																							
	All causes	57,929	3,185	459	237	171	259	295	363	591	971	1,450	2,230	3,242	4,419	5,997	7,592	7,982	7,133	5,938	3,572	1,444	377	22
	White---M	29,488	1,356	183	111	98	152	153	157	272	447	781	1,213	1,877	2,549	3,490	4,275	4,258	3,537	2,584	1,388	479	115	15
	F	23,729	1,068	164	90	51	67	72	121	177	330	462	732	1,028	1,412	2,084	2,850	3,326	3,336	3,144	2,060	914	237	4
	Nonwhite---M	2,649	446	53	23	16	22	44	52	78	115	111	149	189	262	250	282	224	134	106	54	25	12	2
	F	2,063	315	59	13	8	18	28	33	64	79	96	136	148	196	173	185	174	126	104	70	26	13	1
001-019	Tuberculosis, all forms	458	5	4	2	4	1	7	5	19	25	31	37	46	50	52	72	41	31	21	4	1	-	-
	White---M	273	2	-	-	-	-	1	-	6	9	16	21	32	35	43	47	27	20	11	3	-	-	-
	F	91	1	-	-	2	-	3	2	4	4	9	9	5	7	5	10	11	9	8	1	1	-	-
	Nonwhite---M	57	1	2	1	1	-	1	-	6	9	2	2	5	7	3	13	3	1	-	-	-	-	-
	F	37	1	2	1	1	1	2	3	3	3	4	5	4	1	1	2	-	1	2	-	-	-	-
001-008	Tuberculosis of resp. system	415	3	-	1	2	-	6	5	17	22	30	36	41	42	49	68	38	30	20	4	1	-	-
	White---M	257	1	-	-	-	-	1	-	5	7	15	20	30	31	42	47	25	19	11	3	-	-	-
	F	83	1	-	-	1	-	3	2	4	4	9	9	4	5	4	8	11	9	7	1	1	-	-
	Nonwhite---M	49	1	-	1	1	-	1	-	5	8	2	2	5	5	2	13	2	1	-	-	-	-	-
	F	26	-	-	-	-	-	1	3	3	3	4	5	2	1	1	-	-	1	2	-	-	-	-
010-019	Tuberculosis, other forms	43	2	4	1	2	1	1	-	2	3	1	1	5	8	3	4	3	1	1	-	-	-	-
	White---M	16	1	-	-	-	-	-	-	1	2	1	1	2	4	1	-	2	1	-	-	-	-	-
	F	8	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	-	-	1	-	-	-	-
	Nonwhite---M	8	-	2	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-
	F	11	1	2	1	1	1	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	98	1	-	-	-	-	-	-	-	1	2	7	4	12	19	22	17	7	4	2	-	-	-
	White---M	48	-	-	-	-	-	-	-	-	1	1	3	-	4	12	13	9	2	2	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	2	2	3	4	5	4	4	1	1	-	-	-
	Nonwhite---M	16	1	-	-	-	-	-	-	-	-	1	2	-	3	3	3	2	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	1	-	-	-	-	-
045-048	Dysentery, all forms	9	-	-	-	-	1	-	1	1	-	2	-	-	1	1	-	2	-	-	-	-	-	-
	White---M	7	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	5	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	22	5	5	1	-	-	-	1	-	2	2	3	1	-	-	1	1	-	-	-	-	-	-
	White---M	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	12	3	3	1	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite---M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	9	-	1	-	1	-	1	1	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White---M	4	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	153	14	13	9	2	4	4	9	4	4	8	8	9	5	14	23	9	5	1	6	2	-	-
	White---M	69	6	9	4	-	2	1	2	2	2	1	5	4	3	6	14	5	-	-	3	-	-	-
	F	67	6	1	4	2	2	2	5	-	2	5	2	4	2	7	9	4	5	1	2	2	-	-
	Nonwhite---M	10	2	2	1	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-
140-205	Malignant neoplasms, etc.*	10,206	1	58	52	18	40	29	46	96	205	343	589	865	1,092	1,402	1,623	1,501	1,100	745	308	83	8	2
	White---M	5,067	-	29	30	9	21	15	19	37	69	127	215	391	515	773	880	798	605	370	129	30	3	2
	F	4,524	1	24	18	8	12	11	23	50	117	188	316	412	489	539	656	633	453	355	167	48	4	-
	Nonwhite---M	339	-	2	1	1	3	1	1	6	6	7	33	35	48	50	50	45	26	16	5	2	1	-
	F	276	-	3	3	-	4	2	3	3	13	21	25	27	40	40	37	25	16	4	7	3	-	-
140-148	Of buccal cavity and pharynx	232	-	-	-	-	-	-	-	2	-	8	19	18	30	37	27	30	36	17	7	1	-	-
	White---M	176	-	-	-	-	-	-	-	2	-	6	16	13	21	27	24	24	26	13	4	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	2	2	3	6	9	2	5	9	3	2	1	-	-
	Nonwhite---M	12	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	1	1	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	3,807	-	3	5	-	1	3	7	23	43	72	142	254	391	543	629	654	484	356	153	39	3	2
	White---M	1,931	-	3	5	-	-	1	5	13	26	36	69	129	198	289	343	338	245	158	58	12	1	2
	F	1,653	-	-	-	-	1	1	1	5	13	33	57	106	158	216	251	281	216	195	92	26	1	-
	Nonwhite---M	143	-	-	-	-	-	1	-	4	2	2	14	13	19	23	19	24	15	3	2	1	1	-
	F	80	-	-	-	-	-	-	1	1	2	1	2	6	16	15	16	11	8	-	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	1,521	-	1	-	-	2	-	-	7	11	41	92	155	185	290	312	211	126	64	17	6	1	-
	White—M	1,235	-	-	-	-	1	-	-	4	4	27	66	124	154	244	265	179	100	51	13	2	1	-
	F	191	-	1	-	-	1	-	-	2	3	9	14	18	18	24	37	23	23	11	4	3	-	-
	Nonwhite—M	78	-	-	-	-	-	-	-	1	2	3	10	10	12	17	10	8	3	2	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	2	2	2	3	1	5	-	1	-	-	-	1	-	-
170	Of breast	974	-	-	-	-	-	-	3	10	44	72	110	121	118	105	120	102	74	52	31	11	1	-
	White—M	8	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	-	-	-	-	-	-	-
	F	914	-	-	-	-	-	-	3	9	42	63	104	115	109	98	112	100	69	50	29	10	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	52	-	-	-	-	-	-	-	1	2	8	6	6	6	4	7	2	5	2	2	1	-	-
171-179	Of genital organs	1,357	-	1	-	1	2	4	6	16	36	46	91	112	138	175	194	209	144	123	39	17	3	-
	White—M	455	-	1	-	-	2	1	1	1	1	1	4	6	19	55	62	95	87	82	26	10	1	-
	F	788	-	-	-	1	-	2	5	14	29	38	76	96	105	106	113	101	49	35	11	5	2	-
	Nonwhite—M	41	-	-	-	-	-	-	-	-	-	-	-	1	3	3	11	10	6	5	1	1	-	-
	F	73	-	-	-	-	-	1	-	1	6	7	11	9	11	11	8	3	2	1	1	1	-	-
180, 181	Of urinary organs	506	-	9	4	1	1	1	-	-	4	9	23	37	29	56	112	71	81	42	24	2	-	-
	White—M	326	-	3	-	-	1	-	-	-	3	6	14	25	18	37	69	48	61	26	13	2	-	-
	F	157	-	5	3	1	-	-	-	-	-	3	7	7	9	16	40	22	20	15	9	-	-	-
	Nonwhite—M	16	-	1	-	-	1	-	-	-	1	-	1	4	2	2	2	-	-	1	1	-	-	-
	F	7	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	974	-	14	15	3	16	9	13	18	29	57	60	80	117	112	128	121	86	66	27	3	-	-
	White—M	493	-	7	7	1	10	6	7	9	16	27	25	41	58	65	66	68	45	25	8	2	-	-
	F	426	-	6	8	2	4	2	5	8	12	26	31	34	48	41	55	50	40	36	17	1	-	-
	Nonwhite—M	30	-	1	-	-	-	-	1	1	1	2	2	4	6	3	4	1	-	4	-	-	-	-
	F	25	-	-	-	-	2	1	-	-	-	2	2	1	5	3	3	2	1	1	2	-	-	-
204	Leukemia and aleukemia	408	-	27	25	9	9	4	8	5	16	18	21	38	30	44	48	50	36	9	7	4	-	-
	White—M	212	-	13	16	6	2	3	1	3	8	9	8	23	11	26	26	19	26	5	5	2	-	-
	F	178	-	12	7	3	4	1	5	2	8	8	11	14	17	17	21	30	10	4	2	2	-	-
	Nonwhite—M	8	-	-	1	-	2	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-
	F	10	-	2	1	-	1	-	2	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	427	1	3	3	4	9	8	9	15	22	20	31	50	54	40	53	53	33	16	3	-	-	-
	White—M	231	-	2	2	2	6	3	3	5	11	14	13	30	33	27	24	27	15	10	2	-	-	-
	F	173	1	-	-	1	2	5	4	10	10	6	14	19	19	12	25	21	17	6	1	-	-	-
	Nonwhite—M	11	-	-	-	1	-	-	-	-	-	-	3	1	1	1	2	1	1	-	-	-	-	-
	F	12	-	1	1	-	1	-	-	-	1	-	1	-	1	-	2	4	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	196	8	3	7	1	2	6	2	9	12	9	19	18	22	17	19	18	7	8	8	1	-	-
	White—M	79	-	-	-	-	2	3	1	2	3	1	9	6	9	10	12	10	5	3	2	1	-	-
	F	96	8	1	7	-	-	2	1	5	8	6	6	10	9	6	6	8	2	5	6	-	-	-
	Nonwhite—M	6	-	2	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	15	-	-	-	1	-	-	-	1	1	2	4	1	4	1	-	-	-	-	-	-	-	-
241	Asthma	136	-	2	1	1	-	-	1	1	7	7	10	10	18	19	26	15	11	4	3	-	-	-
	White—M	77	-	-	1	-	-	-	-	-	1	3	5	5	10	14	20	9	6	1	2	-	-	-
	F	46	-	2	-	1	-	-	-	-	2	3	5	4	7	5	5	4	4	3	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	2	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	1,139	-	-	-	5	-	1	2	9	11	26	29	68	82	150	212	237	163	92	43	6	3	-
	White—M	396	-	-	-	2	-	-	-	7	4	14	10	28	23	48	78	85	55	24	16	1	1	-
	F	657	-	-	-	1	-	1	2	2	5	6	11	29	44	94	124	143	101	63	25	4	2	-
	Nonwhite—M	30	-	-	-	1	-	-	-	-	2	2	4	3	6	3	2	2	1	2	2	-	-	-
	F	56	-	-	-	1	-	-	-	-	-	4	4	8	9	5	8	7	6	3	-	1	-	-
290-293	Anemias	89	3	2	2	1	1	2	1	3	2	2	3	3	5	5	14	10	10	11	6	-	3	-
	White—M	34	-	-	1	-	-	-	1	1	-	1	1	2	3	1	7	8	3	3	1	-	1	-
	F	44	1	1	1	-	1	-	-	-	1	-	2	1	2	4	7	1	7	8	5	-	2	-
	Nonwhite—M	9	2	1	-	-	-	2	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	46	19	7	1	2	1	1	-	-	1	1	2	-	2	1	4	2	-	1	1	-	-	-
	White—M	30	11	5	-	1	1	1	-	-	1	1	1	-	1	1	3	2	-	1	-	-	-	-
	F	11	4	2	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	33,140	5	17	11	16	23	41	65	157	344	627	994	1,583	2,438	3,430	4,590	5,164	4,961	4,383	2,793	1,168	317	13
	White—M	16,998	3	8	1	8	12	17	29	81	177	388	631	1,021	1,523	2,024	2,582	2,722	2,391	1,823	1,071	380	99	7
	F	14,024	1	7	5	5	11	14	20	41	87	140	232	384	666	1,162	1,717	2,174	2,388	2,400	1,625	746	196	3
	Nonwhite—M	1,122	1	1	4	3	-	6	9	18	44	55	64	97	138	134	175	140	90	71	41	21	10	2
	F	996	-	1	1	-	-	4	7	19	36	44	67	81	111	110	116	128	92	89	56	21	12	1
330-334, 400-468	Dis. of cardiovascular system	32,698	5	15	10	13	14	30	55	144	324	607	969	1,561	2,409	3,384	4,544	5,113	4,918	4,324	2,770	1,162	314	13
	White—M	16,798	3	7	-	6	9	14	25	74	169	373	614	1,010	1,513	2,006	2,561	2,698	2,371	1,797	1,063	379	99	7
	F	13,847	1	6	5	4	5	9	17	39	82	138	229	376	654	1,143	1,699	2,153	2,367	2,370	1,612	741	194	3
	Nonwhite—M	1,090	1	1	4	3	-	3	8	15	41	55	60	97	135	128	170	137	89	70	40	21	10	2
	F	963	-	1	1	-	-	4	5	16	32	41	66	78	107	107	114	125	91	87	55	21	11	1
330-334	Vascular lesions, etc.*	5,372	2	9	6	5	4	6	15	20	46	71	112	186	292	478	700	854	938	857	528	200	40	3
	White—M	2,210	2	6	-	2	2	2	4	6	15	30	45	78	128	205	315	403	393	319	193	51	11	1
	F	2,751	-	2	2	1	2	4	7	9	12	24	47	75	122	220	335	391	502	504	320	142	28	2
	Nonwhite—M	200	-	1	3	2	-	-	4	2	5	9	8	15	20	22	29	33	21	15	7	4	-	-
	F	211	-	-	1	-	-	-	-	3	14	8	12	18	22	30	23	27	22	19	8	3	1	-
400-402, 410-443	Diseases of heart	25,308	2	5	4	7	6	22	36	109	255	504	822	1,312	2,025	2,762	3,620	3,975	3,689	3,134	1,978	809	223	9
	White—M	13,642	1	1	-	4	4	12	18	64	146	333	547	903	1,334	1,721	2,134	2,134	1,834	1,335	761	280	71	5
	F	10,168	1	4	3	2	2	3	10	27	61	99	176	285	506	865	1,276	1,654	1,732	1,687	1,142	499	133	1
	Nonwhite—M	821	-	-	1	1	-	3	3	9	32	44	49	76	108	101	127	98	62	49	33	14	9	2
	F	677	-	-	-	-	-	4	5	9	16	28	50	48	77	75	83	89	61	63	42	16	10	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	815	-	1	2	5	2	8	14	44	61	74	109	106	117	94	67	55	31	14	6	4	1	-
	White—M	355	-	-	-	3	2	5	6	23	24	32	44	46	51	43	37	20	14	2	3	-	-	-
	F	414	-	1	1	1	-	1	5	17	25	37	59	58	60	50	29	35	17	11	3	3	1	-
	Nonwhite—M	29	-	-	1	1	-	2	1	2	8	2	3	2	5	1	1	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	2	2	4	3	3	-	1	-	-	-	1	-	1	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																							
420	Arteriosclerotic heart dis., etc.*	18,520	-	-	-	1	-	7	13	50	153	349	595	997	1,569	2,159	2,814	2,993	2,625	2,192	1,312	529	155	7
	White-----M--	10,707	-	-	-	1	-	5	9	34	105	263	442	740	1,113	1,421	1,743	1,685	1,386	999	517	190	50	4
	F--	6,857	-	-	-	-	-	-	2	6	26	40	92	170	332	616	930	1,187	1,168	1,121	751	324	92	-
	Nonwhite--M--	559	-	-	-	-	-	-	1	5	17	31	29	54	80	74	88	72	38	35	19	8	6	2
	F--	397	-	-	-	-	-	2	1	5	5	15	32	33	44	48	53	49	33	37	25	7	7	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,902	-	1	-	-	1	2	2	3	17	32	52	89	136	194	265	425	521	521	401	191	47	2
	White-----M--	1,337	-	-	-	-	-	1	1	3	10	20	34	59	78	104	142	216	234	204	150	63	17	1
	F--	1,357	-	1	-	-	1	1	1	-	2	9	8	20	38	65	98	176	259	292	237	121	27	1
	Nonwhite--M--	106	-	-	-	-	-	-	-	-	4	2	9	8	10	13	14	11	15	9	8	2	1	-
	F--	102	-	-	-	-	-	-	-	-	1	1	1	2	10	12	11	22	13	16	6	5	2	-
430-434	Other diseases of heart---------	544	2	3	2	1	1	5	4	3	10	20	12	25	32	67	82	84	65	52	54	18	2	-
	White-----M--	272	1	1	-	-	-	1	2	2	3	7	8	15	16	39	39	42	39	28	23	5	1	-
	F--	230	1	2	2	1	1	1	1	1	4	7	2	9	10	22	37	40	24	24	28	12	1	-
	Nonwhite--M--	21	-	-	-	-	-	1	-	-	1	3	2	-	3	3	3	2	1	-	1	1	-	-
	F--	21	-	-	-	-	-	2	1	-	2	3	-	1	3	3	3	-	1	-	2	-	-	-
440-443	Hypertensive heart disease----	2,527	-	-	-	-	2	-	3	9	14	29	54	95	171	248	392	418	447	355	205	67	18	-
	White-----M--	971	-	-	-	-	2	-	-	2	4	11	19	43	76	114	173	171	161	102	68	22	3	-
	F--	1,310	-	-	-	-	-	-	1	3	4	6	15	28	66	112	182	216	264	239	123	39	12	-
	Nonwhite--M--	106	-	-	-	-	-	-	1	2	2	6	6	12	10	10	21	13	8	5	5	3	2	-
	F--	140	-	-	-	-	-	-	1	2	4	6	14	12	19	12	16	18	14	9	9	3	1	-
444-447	Other hypertensive disease-----	415	-	-	-	-	-	-	2	9	11	15	16	17	30	48	53	58	54	49	40	10	3	-
	White-----M--	170	-	-	-	-	-	-	1	3	2	3	9	5	13	21	23	26	21	24	14	3	2	-
	F--	190	-	-	-	-	-	-	-	1	4	6	4	4	10	21	26	29	29	22	26	7	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	3	4	2	1	2	4	5	1	1	1	2	-	-	-	-
	F--	28	-	-	-	-	-	-	-	2	1	4	2	6	3	1	3	2	3	1	-	-	-	-
450	General arteriosclerosis--------	1,063	-	-	-	-	-	-	-	-	-	2	3	9	17	31	76	127	174	235	207	134	47	1
	White-----M--	460	-	-	-	-	-	-	-	-	-	1	2	5	11	14	40	66	89	89	87	41	14	1
	F--	556	-	-	-	-	-	-	-	-	-	1	-	2	5	16	28	51	78	140	115	88	32	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	2	1	-	7	5	4	3	-	3	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	3	5	2	-	-	-
451-468	Other diseases of circulatory sys.-	540	1	1	-	1	4	2	2	6	12	15	16	37	45	65	95	99	63	49	17	9	1	-
	White-----M--	316	-	-	-	-	3	-	2	1	6	6	11	19	27	44	51	69	34	30	8	4	1	-
	F--	182	-	-	-	1	1	2	-	2	5	8	2	10	11	21	34	28	26	17	9	5	-	-
	Nonwhite--M--	15	1	-	-	-	-	-	-	1	-	-	1	2	2	-	6	-	1	1	-	-	-	-
	F--	27	-	1	-	-	-	-	-	2	1	1	2	6	5	-	4	2	2	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	442	-	2	1	3	9	11	10	13	20	20	25	22	29	46	46	51	43	59	23	6	3	-
	White-----M--	200	-	1	1	2	3	3	4	7	8	15	17	11	10	18	21	24	20	26	8	1	-	-
	F--	177	-	1	-	1	6	5	3	2	5	2	3	8	12	19	18	21	21	30	13	5	2	-
	Nonwhite--M--	32	-	-	-	-	-	3	1	1	3	-	4	-	3	6	5	3	1	1	1	-	-	-
	F--	33	-	-	-	-	-	-	2	3	4	3	1	3	4	3	2	3	1	2	1	-	1	-
480-493	Influenza and pneumonia, etc.*-	1,713	231	71	16	16	10	9	12	24	26	32	55	79	82	138	166	181	181	177	132	62	12	1
	White-----M--	808	79	22	5	10	4	4	4	11	9	18	23	43	45	86	98	97	90	85	52	20	2	1
	F--	654	62	29	10	5	3	5	4	4	8	8	15	20	23	38	55	73	86	84	72	40	9	-
	Nonwhite--M--	153	51	8	-	-	2	-	3	6	6	3	11	11	12	10	10	8	1	6	4	1	-	-
	F--	98	39	12	1	1	1	-	1	3	3	3	5	5	2	4	3	3	4	2	4	1	1	-
480-483	Influenza---------	48	5	1	2	3	1	1	1	-	-	-	1	1	2	1	5	6	7	3	3	4	1	-
	White-----M--	23	1	-	1	2	1	1	1	-	-	-	1	-	-	-	2	4	6	2	-	1	-	-
	F--	21	3	-	1	1	-	-	-	-	-	-	-	1	1	1	3	2	1	1	2	3	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,665	226	70	14	13	9	8	11	24	26	32	54	78	80	137	161	175	174	174	129	58	11	1
	White-----M--	785	78	22	4	8	3	3	3	11	9	18	22	43	45	86	96	93	84	83	52	19	2	1
	F--	633	59	29	9	4	3	5	4	4	8	8	16	19	22	37	52	71	85	93	70	37	8	-
	Nonwhite--M--	151	50	8	-	-	2	-	3	6	6	3	11	11	12	10	10	8	1	6	3	1	-	-
	F--	96	39	11	1	1	1	-	1	3	3	3	5	5	1	4	3	3	4	2	4	1	1	-
500-502	Bronchitis---------	135	19	13	2	-	-	1	1	3	-	1	1	5	5	16	11	17	15	10	9	5	1	-
	White-----M--	84	11	4	1	-	-	-	-	1	-	-	1	4	5	12	9	14	11	7	3	-	1	-
	F--	39	5	6	1	-	-	1	-	1	-	1	-	1	-	4	2	1	4	1	6	5	-	-
	Nonwhite--M--	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	6	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	434	4	1	-	-	-	1	4	7	9	15	26	44	52	55	55	48	55	37	12	8	1	-
	White-----M--	319	-	1	-	-	-	-	1	5	8	12	23	34	43	39	43	36	40	20	8	6	-	-
	F--	94	4	-	-	-	-	-	-	1	1	2	1	9	5	14	10	10	14	16	4	2	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	3	1	-	1	2	1	3	1	2	1	1	1	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
550-553	Appendicitis-------	76	-	2	3	-	1	-	-	4	2	2	6	7	6	12	11	8	4	5	2	1	-	-
	White-----M--	43	-	1	2	-	-	-	-	2	2	1	3	2	2	8	8	5	2	5	-	-	-	-
	F--	26	-	1	1	-	-	-	-	2	-	1	3	4	2	4	1	2	2	-	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	304	28	2	3	-	-	-	1	2	9	4	12	18	27	23	29	41	42	36	23	4	-	-
	White-----M--	135	17	1	2	-	-	-	1	-	1	3	4	12	12	6	19	19	18	12	6	2	-	-
	F--	140	6	-	1	-	-	-	-	-	4	-	5	3	11	15	10	19	24	23	17	2	-	-
	Nonwhite--M--	22	4	-	-	-	-	-	-	1	3	1	2	2	4	2	-	2	-	1	-	-	-	-
	F--	7	1	1	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	250	37	16	1	1	3	1	5	4	7	9	11	14	15	21	19	21	29	24	9	2	1	-
	White-----M--	96	10	3	-	-	2	1	3	2	3	6	6	6	5	9	6	10	15	7	1	1	-	-
	F--	120	12	6	1	1	1	-	2	1	3	2	5	8	7	10	11	10	13	17	8	1	1	-
	Nonwhite--M--	20	10	3	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	-	-	-	-	-
	F--	14	5	4	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	882	2	-	1	-	2	-	6	20	32	75	102	118	107	120	131	86	47	23	8	1	1	-
	White-----M--	552	1	-	1	-	-	-	3	8	16	38	64	69	67	83	93	57	37	9	5	1	-	-
	F--	273	1	-	-	-	2	-	2	7	10	28	31	43	29	33	33	27	10	13	3	-	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	2	5	8	4	4	7	4	2	2	-	1	-	-	-	-
	F--	18	-	-	-	-	-	-	1	3	1	1	3	2	4	-	3	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																							
584, 585	Cholelithiasis, etc.*	186	-	-	-	-	-	-	1	-	3	3	5	9	17	25	24	38	30	16	12	3	-	-
	White—M	66	-	-	-	-	-	-	1	-	-	3	3	5	7	3	10	13	7	9	5	-	-	-
	F	113	-	-	-	-	-	-	-	-	2	-	2	3	10	19	13	25	23	7	7	2	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	55	1	2	1	1	2	1	2	3	5	3	3	3	3	6	5	6	3	3	1	1	-	-
	White—M	22	-	1	-	1	1	-	2	-	1	2	1	2	1	3	4	1	-	1	1	-	-	-
	F	19	-	-	-	-	1	1	-	1	1	1	-	1	2	3	1	3	1	2	-	1	-	-
	Nonwhite—M	9	1	-	1	-	-	-	-	2	1	-	1	-	-	-	-	1	2	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
600	Infections of kidney	228	2	2	-	-	2	-	4	4	8	11	7	14	20	24	33	36	22	23	11	4	1	-
	White—M	99	-	-	-	-	1	-	3	-	-	5	4	4	8	10	15	21	10	11	4	3	-	-
	F	97	2	1	-	-	-	-	1	2	4	2	2	5	7	13	12	15	10	12	7	1	1	-
	Nonwhite—M	15	-	-	-	-	1	-	-	1	3	3	-	1	1	-	3	-	2	-	-	-	-	-
	F	17	-	1	-	-	-	-	-	1	1	1	1	4	4	1	3	-	-	-	-	-	-	-
610	Hyperplasia of prostate	166	-	-	-	-	-	-	-	-	-	-	-	3	7	11	17	28	42	33	15	9	1	-
	White—M	157	-	-	-	-	-	-	-	-	-	-	-	2	7	10	14	28	39	32	15	9	1	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	3	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	50	...	...	...	-	3	8	17	8	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	32	...	...	...	-	-	5	13	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	18	...	...	...	-	3	3	4	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	12	...	...	...	-	2	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	...	...	...	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	38	...	...	...	-	1	5	13	5	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	...	...	...	-	-	4	11	3	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	11	...	...	...	-	1	1	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	717	500	71	18	17	10	4	7	6	12	8	15	11	11	7	9	5	4	1	1	-	-	-
	White—M	318	232	19	9	8	6	1	3	3	4	5	8	6	4	3	4	-	2	1	-	-	-	-
	F	315	209	44	6	9	3	2	4	3	6	2	6	5	3	2	3	5	2	-	1	-	-	-
	Nonwhite—M	45	37	3	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	39	22	5	3	-	1	1	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	2,100	2,099	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	910	909	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	663	663	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,009	1,009	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	453	453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	344	344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	931	930	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	387	386	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	166	16	1	-	-	2	3	3	6	3	4	6	6	10	8	15	12	16	16	11	22	6	-
	White—M	68	3	1	-	-	-	-	1	1	-	1	3	5	4	5	10	7	5	10	4	5	3	-
	F	78	9	-	-	-	-	2	1	3	1	2	3	1	5	3	4	3	10	6	6	17	2	-
	Nonwhite—M	9	3	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	11	1	-	-	-	1	-	-	2	-	1	-	-	1	-	1	2	1	-	1	-	-	-
Residual	All other diseases	1,906	92	60	23	19	27	18	40	45	62	74	105	129	168	190	252	235	168	116	57	16	9	1
	White—M	1,050	42	31	12	12	18	6	14	13	24	39	49	70	104	128	165	144	85	62	25	4	2	1
	F	674	37	19	9	6	7	6	15	15	24	26	35	42	45	48	80	82	79	48	32	12	7	-
	Nonwhite—M	110	11	7	2	-	-	3	6	7	9	5	11	10	11	13	2	7	2	4	-	-	-	-
	F	72	2	3	-	1	2	3	5	10	5	4	10	7	8	1	5	2	2	2	-	-	-	-
E800-E962	Accidents	2,202	88	98	77	61	103	131	90	107	113	92	105	109	108	158	160	162	157	131	91	44	13	4
	White—M	1,247	27	46	38	42	72	93	50	70	85	60	78	74	65	91	86	92	70	60	28	16	2	4
	F	650	30	15	23	8	20	11	16	16	15	14	17	22	28	42	50	64	81	69	60	28	11	-
	Nonwhite—M	222	17	18	12	9	10	24	21	17	9	13	8	12	10	22	9	5	3	1	2	-	-	-
	F	83	14	19	4	2	1	3	3	4	4	5	4	1	5	3	5	1	3	1	1	-	-	-
E810-E835	Motor vehicle accidents	755	3	20	39	26	71	91	48	62	47	31	31	28	48	46	60	48	25	22	6	1	-	2
	White—M	495	-	10	19	18	51	67	27	44	35	19	21	20	27	26	37	32	15	20	4	1	-	2
	F	166	2	6	13	5	15	7	8	13	7	7	6	5	14	14	18	13	10	2	1	-	-	-
	Nonwhite—M	74	-	2	5	2	4	16	12	5	2	3	3	3	3	6	4	3	-	-	1	-	-	-
	F	20	1	2	2	1	1	1	1	-	3	2	1	-	4	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,447	85	78	38	35	32	40	42	45	66	61	74	81	60	112	100	114	132	109	85	43	13	2
	White—M	752	27	36	19	24	21	26	23	26	50	41	55	54	38	65	49	60	55	40	24	15	2	2
	F	484	28	9	10	3	5	4	8	3	8	7	11	17	14	28	42	51	71	67	59	28	11	-
	Nonwhite—M	148	17	16	7	7	6	8	9	12	7	10	5	9	7	16	5	2	3	1	1	-	-	-
	F	63	13	17	2	1	-	2	2	4	1	3	3	1	1	3	4	1	3	1	1	-	-	-
E963, E970-E979	Suicide	511	-	-	-	3	12	14	22	30	41	39	51	57	48	71	44	39	20	16	2	1	-	1
	White—M	380	-	-	-	3	7	8	13	14	27	27	36	45	41	60	31	34	17	15	2	-	-	-
	F	114	-	-	-	-	3	4	8	12	13	11	15	10	5	9	13	5	3	1	-	1	-	1
	Nonwhite—M	15	-	-	-	-	2	2	1	3	1	-	-	2	2	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	139	4	5	4	1	8	12	14	15	14	15	19	8	6	2	5	1	3	1	2	-	-	-
	White—M	44	1	1	3	-	2	2	4	3	-	6	7	4	2	1	4	1	2	-	1	-	-	-
	F	25	3	1	1	1	1	1	1	1	4	1	4	-	1	1	1	-	1	1	1	-	-	-
	Nonwhite—M	42	-	1	-	-	3	3	6	6	8	7	4	2	2	-	-	-	-	-	-	-	-	-
	F	28	-	2	-	-	2	6	3	5	2	1	4	2	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO																							
	All causes	6,105	1.068	178	45	51	105	116	119	158	147	182	264	285	337	449	518	580	555	450	288	136	49	5
	White--M	3,289	481	59	26	29	73	70	75	95	71	108	157	155	222	276	307	347	292	228	135	63	18	4
	F	2,222	378	73	10	14	21	26	29	44	57	54	98	106	92	148	182	203	241	210	144	65	27	-
	Nonwhite--M	366	122	25	5	5	8	16	13	14	9	13	18	15	16	17	16	17	9	13	7	4	4	-
	F	228	87	21	4	3	3	4	2	5	10	7	11	9	7	8	13	13	13	1	2	4	-	1
001-019	Tuberculosis, all forms	98	-	4	1	-	2	3	2	10	5	5	13	10	8	5	12	7	7	2	2	-	-	-
	White--M	51	-	-	-	-	1	-	-	4	2	2	8	7	6	4	7	6	2	1	1	-	-	-
	F	26	-	2	-	-	-	2	1	3	3	2	2	2	2	-	4	-	2	1	-	-	-	-
	Nonwhite--M	14	-	2	1	-	-	1	1	1	-	1	2	1	-	1	1	-	1	-	1	-	-	-
	F	7	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	1	2	-	-	-	-	-
001-008	Tuberculosis of resp. system	81	-	-	-	-	1	1	-	8	5	4	12	8	8	5	12	7	7	2	1	-	-	-
	White--M	49	-	-	-	-	1	-	-	4	2	2	8	6	6	4	7	6	2	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	3	3	2	2	1	2	-	4	-	2	1	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	1	-	1	-	-	2	1	-	1	1	-	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
010-018	Tuberculosis, other forms	17	-	4	1	-	1	2	2	2	-	1	1	2	-	-	-	-	-	-	1	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F	6	-	2	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	-	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	18	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	2	1	2	1	-	-	-
	White--M	11	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	1	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	21	14	2	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-
	White--M	11	7	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	11	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	20	3	2	-	-	-	-	1	-	1	-	2	1	2	2	2	-	3	1	-	-	-	-
	White--M	10	-	2	-	-	-	-	-	-	1	-	1	-	1	1	1	-	3	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	727	2	5	5	4	3	3	6	17	27	27	60	44	66	92	105	87	88	55	21	6	3	1
	White--M	350	2	3	3	2	1	1	2	7	7	12	21	17	36	47	57	48	44	26	10	1	2	1
	F	333	-	1	2	1	2	2	3	10	16	13	36	23	28	38	41	34	40	28	10	4	1	-
	Nonwhite--M	22	-	1	-	1	-	-	1	-	-	-	3	1	-	5	3	5	-	1	1	-	-	-
	F	22	-	-	-	-	-	-	-	-	4	2	-	3	2	2	4	-	4	-	-	1	-	-
140-148	Of buccal cavity and pharynx	8	-	-	-	-	-	-	1	1	-	-	-	-	2	-	1	1	1	1	-	-	-	-
	White--M	6	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	254	-	-	-	-	-	-	-	2	5	7	17	12	22	31	36	37	42	28	11	2	2	-
	White--M	137	-	-	-	-	-	-	-	1	1	4	8	7	15	16	20	22	22	13	6	-	2	-
	F	95	-	-	-	-	-	-	-	1	2	2	7	4	5	11	11	12	19	15	4	2	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	3	-	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	2	1	-	-	2	1	3	-	1	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	81	-	-	-	-	-	-	-	-	1	2	7	6	11	16	17	8	6	6	1	-	-	-
	White—M	64	-	-	-	-	-	-	-	-	-	2	6	4	7	15	13	7	5	4	1	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	1	2	4	-	4	1	1	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	64	-	-	-	-	-	-	1	5	7	7	12	5	3	8	7	4	3	1	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	62	-	-	-	-	-	-	1	5	7	6	12	4	3	8	7	4	3	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	106	-	-	-	-	1	-	1	3	4	1	13	10	10	14	14	9	13	8	3	2	-	-
	White—M	33	-	-	-	-	-	-	-	1	2	-	-	-	-	3	6	6	8	5	1	1	-	-
	F	66	-	-	-	-	1	-	1	2	2	1	13	8	10	9	8	2	4	3	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	1	-	-	-
180, 181	Of urinary organs	42	-	-	-	-	-	-	-	-	1	-	2	3	2	6	8	8	6	2	2	2	-	-
	White—M	24	-	-	-	-	-	-	-	-	1	-	1	1	2	5	3	4	5	2	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	3	1	-	2	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	95	-	1	3	1	1	1	1	-	2	4	6	5	11	9	15	13	11	7	2	-	1	1
	White—M	42	-	1	1	-	-	-	1	-	1	2	4	3	6	3	10	5	1	2	1	-	-	1
	F	48	-	-	2	-	1	1	-	-	-	2	2	2	5	6	4	8	9	4	1	-	1	-
	Nonwhite—M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	38	1	3	2	2	1	1	1	3	2	-	2	2	1	3	4	5	3	1	1	-	-	-
	White—M	20	1	1	2	1	1	-	-	2	1	-	2	1	-	2	2	2	1	-	1	-	-	-
	F	15	-	1	-	1	-	1	-	1	-	-	-	1	1	1	2	3	2	1	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	39	1	1	-	1	-	1	1	3	5	6	1	1	4	5	3	2	3	1	-	-	-	-
	White—M	24	1	1	-	1	-	1	1	2	1	4	-	1	4	3	2	1	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	4	2	1	-	-	2	1	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign & unspec. neoplasms	15	-	-	1	-	-	1	1	1	-	1	1	-	3	2	2	1	1	-	-	-	-	-
	White—M	7	-	-	1	-	-	-	-	1	-	-	-	-	2	1	-	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	28	-	1	-	-	-	-	1	-	-	1	2	5	4	6	1	4	2	-	-	-	1	-
	White—M	18	-	1	-	-	-	-	-	-	-	-	2	2	3	3	1	3	2	-	-	-	1	-
	F	10	-	-	-	-	-	-	1	-	-	1	-	3	1	3	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	63	-	1	-	-	-	-	4	5	2	3	4	1	9	7	6	8	7	3	2	1	-	-
	White—M	25	-	-	-	-	-	-	3	4	1	1	2	-	2	-	2	3	3	1	2	1	-	-
	F	36	-	1	-	-	-	-	1	1	1	2	2	1	6	7	3	5	4	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias	10	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	-	1	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-
	F	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	20	11	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,088	6	4	2	3	7	2	13	24	24	42	86	110	118	202	258	313	302	282	169	91	29	1
	White—M	1,152	4	4	-	2	2	-	5	12	15	28	55	70	82	127	151	180	146	141	73	45	9	1
	F	847	1	-	-	1	5	1	7	8	7	10	23	34	29	70	98	118	149	132	90	45	19	-
	Nonwhite—M	55	-	-	1	-	-	1	1	4	1	3	5	3	4	1	6	8	3	8	4	1	1	-
	F	34	1	-	1	-	-	-	-	-	1	1	3	3	3	4	3	7	4	1	2	-	-	-
330-334, 400-468	Dis. of cardiovascular system	2,040	4	4	2	3	6	1	11	24	22	40	82	104	116	200	254	308	297	278	164	90	29	1
	White—M	1,132	2	4	-	2	1	-	3	12	15	28	54	68	82	127	148	178	143	139	71	45	9	1
	F	828	1	-	-	1	5	-	7	8	7	9	21	30	28	68	97	117	148	130	87	45	19	-
	Nonwhite—M	50	-	-	1	-	-	1	1	4	-	2	4	3	3	1	6	8	3	8	4	-	1	-
	F	30	1	-	1	-	-	-	-	-	-	1	3	3	3	4	3	5	3	1	2	-	-	-
330-334	Vascular lesions, etc.*	495	4	3	-	1	-	-	2	-	5	5	12	13	25	38	61	70	77	96	52	23	7	1
	White—M	257	2	3	-	1	-	-	1	-	3	2	5	5	17	21	35	43	35	45	24	13	1	1
	F	222	1	-	-	-	-	-	1	-	2	3	7	7	7	16	23	25	41	47	27	10	5	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	4	1	-	1	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
400-402, 410-443	Diseases of heart	1,360	-	1	2	2	5	1	7	23	15	35	65	84	83	145	177	216	193	147	94	51	14	-
	White—M	775	-	1	-	1	1	-	1	12	11	26	45	60	59	97	105	123	91	77	40	22	3	-
	F	523	-	-	-	1	4	-	5	7	4	6	13	19	19	44	66	83	97	65	50	29	11	-
	Nonwhite—M	38	-	-	1	-	-	1	1	4	-	2	4	2	3	1	4	6	3	4	2	-	-	-
	F	24	-	-	1	-	-	-	-	-	-	1	3	3	2	3	2	4	2	1	2	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	97	-	-	1	2	3	1	2	10	5	6	14	9	8	7	6	7	7	4	2	3	-	-
	White—M	40	-	-	-	1	1	-	-	5	1	3	5	4	5	3	1	5	3	1	-	2	-	-
	F	49	-	-	-	1	2	-	2	4	4	3	5	5	3	3	5	2	4	3	2	1	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																							
420	Arteriosclerotic heart dis., etc.*	898	-	-	-	-	1	-	3	6	10	25	47	52	64	109	116	150	128	92	63	24	8	-
	White-----M--	567	-	-	-	-	-	-	1	5	10	22	39	43	46	79	75	85	67	51	29	12	3	-
	F--	300	-	-	-	-	1	-	1	-	-	-	6	6	14	28	39	60	59	38	31	12	5	-
	Nonwhite--M--	18	-	-	-	-	-	-	1	1	-	2	1	-	3	1	1	4	-	3	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	1	2	-	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	134	-	-	1	-	-	-	1	1	-	1	2	6	1	7	14	22	29	19	15	12	3	-
	White-----M--	69	-	-	-	-	-	-	-	1	-	-	1	3	1	4	9	13	11	11	8	7	-	-
	F--	58	-	-	-	-	-	-	1	-	-	1	1	3	-	3	5	6	16	7	7	5	3	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
430-434	Other diseases of heart---------	96	-	1	-	-	1	-	1	3	-	3	-	10	9	9	16	12	8	15	4	3	1	-
	White-----M--	54	-	1	-	-	-	-	-	1	-	1	-	9	7	7	8	6	4	8	1	1	-	-
	F--	36	-	-	-	-	1	-	1	2	-	2	-	-	1	2	7	5	3	6	3	2	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
440-443	Hypertensive heart disease----	135	-	-	-	-	-	-	-	3	-	-	2	7	1	13	25	25	21	17	10	9	2	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	1	-	4	12	14	6	6	2	-	-	-
	F--	80	-	-	-	-	-	-	-	1	-	-	1	5	1	8	10	10	15	11	7	9	2	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	2	-	-	1	1	-	-	2	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
444-447	Other hypertensive disease------	47	-	-	-	-	-	-	-	-	2	-	3	3	2	5	2	9	7	5	4	3	2	-
	White-----M--	22	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	2	4	2	3	2	1	-
	F--	24	-	-	-	-	-	-	-	-	1	-	1	1	-	4	2	6	3	3	1	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	79	-	-	-	-	-	-	-	1	-	-	-	2	-	3	3	5	15	21	12	13	4	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	10	10	4	8	2	-
	F--	35	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	5	11	7	5	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	59	-	-	-	-	1	-	2	-	-	-	2	2	6	9	11	8	5	9	2	-	2	-
	White-----M--	35	-	-	-	-	-	-	1	-	-	-	2	-	4	6	6	6	3	5	-	-	2	-
	F--	24	-	-	-	-	1	-	1	-	-	-	-	2	2	3	5	2	2	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	48	2	-	-	-	1	1	2	-	2	2	4	6	2	2	4	5	5	4	5	1	-	-
	White-----M--	20	2	-	-	-	1	-	2	-	-	-	1	2	-	-	3	2	3	2	2	-	-	-
	F--	19	-	-	-	-	-	1	-	-	-	1	2	4	1	2	1	1	1	2	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	311	102	35	3	1	5	3	4	3	4	3	10	7	6	10	16	19	28	17	22	8	5	-
	White-----M--	138	41	8	2	-	4	1	3	1	1	1	6	2	3	5	11	10	16	8	12	3	-	-
	F--	112	26	15	-	1	1	2	-	2	1	2	3	5	2	3	5	7	11	7	10	4	3	-
	Nonwhite--M--	34	15	7	-	-	-	-	1	-	-	-	1	-	1	2	-	1	1	2	-	1	2	-
	F--	27	18	5	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza---------	23	6	-	-	1	2	1	-	1	-	-	1	1	1	1	3	-	1	1	2	-	1	-
	White-----M--	10	-	-	-	-	1	1	-	1	-	-	1	-	-	1	2	-	1	-	2	-	-	-
	F--	8	2	-	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	288	96	35	3	-	3	2	4	2	4	3	9	6	5	9	13	19	27	16	20	8	4	-
	White-----M--	128	41	8	2	-	3	-	3	-	1	1	5	2	3	4	9	10	15	8	10	3	-	-
	F--	104	26	15	-	-	-	2	-	2	1	2	3	4	1	3	4	7	11	6	10	4	3	-
	Nonwhite--M--	31	13	7	-	-	-	-	1	-	-	-	1	-	1	2	-	1	1	2	-	1	1	-
	F--	25	16	5	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis---------	26	8	8	-	-	-	-	-	-	-	-	-	1	1	-	1	4	4	1	-	-	-	-
	White-----M--	14	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	1	-	-	-	-
	F--	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	41	-	-	-	-	-	-	-	2	3	-	-	2	7	10	7	6	4	-	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	1	2	-	-	1	5	8	7	5	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	6	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	40	4	2	-	-	-	1	-	-	-	3	3	1	2	5	4	3	3	4	3	2	-	-
	White-----M--	20	1	1	-	-	-	1	-	-	-	-	1	-	1	3	3	3	1	3	1	1	-	-
	F--	14	1	1	-	-	-	-	-	-	-	2	1	-	1	1	1	-	2	1	2	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	113	85	8	1	1	-	-	-	-	-	1	1	2	4	-	1	-	3	2	4	-	-	-
	White-----M--	43	28	2	-	1	-	-	-	-	-	1	1	2	2	-	1	-	2	2	1	-	-	-
	F--	35	26	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	3	-	-	-
	Nonwhite--M--	22	20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	60	1	-	-	1	-	-	1	7	5	8	8	3	6	4	11	2	2	1	-	-	-	-
	White-----M--	30	-	-	-	1	-	-	-	5	2	2	3	1	4	2	7	1	2	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	3	5	3	2	1	1	4	1	-	1	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																							
584, 585	Cholelithiasis, etc.*	24	-	-	-	-	-	-	1	1	2	-	1	2	-	1	4	3	4	2	1	2	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	-	1	-	-
	F	14	-	-	-	-	-	-	1	1	2	-	1	1	-	-	3	2	-	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	7	-	-	1	1	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	15	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	4	2	1	2	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	2	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	2	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	6	2	1	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	6	2	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	9	...	...	...	-	-	4	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	9	...	...	...	-	-	4	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	136	106	14	1	1	-	-	-	4	-	-	3	1	2	3	-	-	1	-	-	-	-	-
	White—M	63	52	4	-	-	-	-	-	2	-	-	1	-	2	2	-	-	-	-	-	-	-	-
	F	57	43	7	-	1	-	-	-	2	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	562	561	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	226	225	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	296	295	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	124	123	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	446	69	17	3	1	2	5	7	8	7	10	24	30	32	32	35	39	41	29	32	15	7	1
	White—M	245	30	4	2	-	2	-	2	4	4	6	16	14	23	21	22	25	27	17	14	7	4	1
	F	133	17	8	-	-	-	2	2	2	3	3	7	11	6	9	9	10	10	11	17	4	2	-
	Nonwhite—M	38	13	3	-	-	-	3	2	2	-	1	-	3	2	1	-	2	1	1	1	2	1	-
	F	30	9	2	1	1	-	-	1	-	-	-	1	2	1	1	4	2	3	-	-	2	-	-
Residual	All other diseases	330	39	12	6	4	5	6	8	8	14	12	15	19	19	32	19	46	21	21	16	3	4	1
	White—M	184	18	4	2	3	3	3	5	6	7	6	6	6	13	24	10	34	13	11	7	1	2	-
	F	117	8	8	4	1	2	3	3	1	6	5	8	11	6	4	6	10	8	10	9	2	2	-
	Nonwhite—M	16	7	-	-	-	-	-	-	1	1	-	-	2	-	3	2	-	-	-	-	-	-	-
	F	13	6	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	1
E800-E962	Accidents	684	46	47	19	28	70	71	57	52	32	41	37	30	32	29	19	14	17	19	15	8	-	1
	White—M	467	19	20	15	16	54	53	49	42	19	33	24	24	24	21	15	10	8	9	9	2	-	1
	F	142	17	18	3	6	8	7	4	7	7	4	8	4	5	6	4	4	9	10	6	5	-	-
	Nonwhite—M	55	8	2	-	4	7	9	3	3	5	4	3	2	3	2	-	-	-	-	-	-	-	-
	F	20	2	7	1	2	1	2	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
E810-E835	Motor vehicle accidents	346	3	21	10	14	48	50	28	26	22	22	26	12	20	18	9	9	6	1	-	-	-	1
	White—M	229	1	7	8	7	36	36	21	19	9	17	15	9	15	12	6	6	3	1	-	-	-	1
	F	76	2	12	2	5	6	5	3	5	7	2	7	3	4	4	3	3	3	-	-	-	-	-
	Nonwhite—M	31	-	-	-	-	5	8	3	2	5	3	2	-	1	2	-	-	-	-	-	-	-	-
	F	10	-	2	-	2	1	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	338	43	26	9	14	22	21	29	26	10	19	11	18	12	11	10	5	11	18	15	8	-	-
	White—M	238	18	13	7	9	18	17	28	23	10	16	9	15	9	9	9	4	5	8	9	2	-	-
	F	66	15	6	1	1	2	2	1	2	-	2	1	1	1	2	1	1	6	10	6	5	-	-
	Nonwhite—M	24	8	2	-	4	2	1	-	1	-	1	1	2	2	-	-	-	-	-	-	-	-	-
	F	10	2	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E963, E970-E979	Suicide	92	-	-	-	-	6	8	8	7	7	12	8	7	7	4	6	5	5	1	-	1	-	-
	White—M	69	-	-	-	-	4	7	4	4	5	8	6	5	6	4	5	4	5	1	-	1	-	-
	F	17	-	-	-	-	2	1	3	2	2	2	1	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	48	-	-	-	4	4	8	4	5	4	7	3	2	3	1	1	-	2	-	-	-	-	-
	White—M	24	-	-	-	3	2	4	2	2	2	3	1	2	2	-	-	-	1	-	-	-	-	-
	F	6	-	-	-	1	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	1	2	2	1	1	1	2	-	1	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK																							
	All causes------	173,814	8,826	1,198	662	498	775	981	1,219	1,738	2,661	4,190	6,257	9,812	13,368	17,935	22,407	24,374	22,055	18,258	10,970	4,431	1,139	60
	White-----M--	88,478	4,043	528	359	276	490	541	534	772	1,210	2,008	3,303	5,630	7,882	10,415	12,774	12,836	10,797	7,908	4,202	1,615	330	27
	F--	72,312	2,868	460	216	165	209	243	356	473	819	1,408	2,048	3,053	4,251	6,267	8,424	10,572	10,547	9,898	6,540	2,714	761	20
	Nonwhite--M--	7,008	1,043	106	45	35	48	119	180	286	351	398	496	632	724	713	646	510	347	209	72	29	9	10
	F--	6,016	872	104	42	22	28	78	149	207	281	378	410	497	511	540	563	456	364	243	156	73	39	3
001-019	Tuberculosis, all forms-------	1,363	5	11	5	4	6	16	37	59	78	102	124	142	185	167	159	122	61	43	18	6	2	1
	White-----M--	801	-	4	3	2	-	4	5	10	26	42	62	94	127	119	124	88	42	33	11	2	2	1
	F--	230	1	3	2	2	3	2	12	10	11	24	20	17	19	26	25	21	16	7	6	3	-	-
	Nonwhite--M--	226	4	1	-	-	2	4	10	20	22	23	33	24	28	21	16	13	2	2	-	1	-	-
	F--	106	-	3	-	-	1	6	10	19	19	13	9	7	11	1	4	-	1	1	1	-	-	-
001-008	Tuberculosis of resp. system-----	1,276	1	4	-	2	4	14	30	55	71	96	120	139	178	161	159	116	58	42	17	6	2	1
	White-----M--	770	-	2	-	1	-	4	5	10	20	39	59	94	122	117	122	85	42	33	10	2	2	1
	F--	204	-	1	-	1	3	2	10	9	11	23	19	16	18	24	21	18	13	6	6	3	-	-
	Nonwhite--M--	209	1	1	-	-	1	4	7	18	22	22	33	22	27	19	14	13	2	2	-	1	-	-
	F--	93	-	-	-	-	-	4	8	18	18	12	9	7	11	1	2	-	1	1	1	-	-	-
010-019	Tuberculosis, other forms------	87	4	7	5	2	2	2	7	4	7	6	4	3	7	6	10	6	3	1	1	-	-	-
	White-----M--	31	-	2	3	1	-	-	-	-	6	3	3	-	5	2	2	3	-	-	1	-	-	-
	F--	26	1	2	2	1	-	-	2	1	-	1	1	1	1	2	4	3	3	1	-	-	-	-
	Nonwhite--M--	17	3	-	-	-	1	-	3	2	-	1	-	2	1	2	2	-	-	-	-	-	-	-
	F--	13	-	3	-	-	1	2	2	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	319	-	1	-	-	-	1	1	4	3	12	21	32	44	50	42	49	35	13	8	3	-	-
	White-----M--	174	-	-	-	-	-	1	1	3	-	2	6	13	21	32	27	33	20	8	5	2	-	-
	F--	59	-	-	-	-	-	-	-	-	1	-	1	5	10	5	8	12	9	4	3	1	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	1	1	5	11	11	8	8	5	3	3	1	-	-	-	-
	F--	29	-	1	-	-	-	-	-	-	1	5	3	3	5	5	2	1	3	-	-	-	-	-
045-048	Dysentery, all forms----------	7	-	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	4	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	52	15	14	6	1	1	2	-	-	-	3	2	1	-	2	4	1	-	-	-	-	-	-
	White-----M--	24	6	6	5	-	-	2	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
	F--	17	6	4	1	1	1	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	10	3	3	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	13	-	3	1	1	1	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	28	7	18	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	2	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases----------	409	42	31	8	11	9	8	9	16	26	18	32	20	32	33	28	31	19	18	11	5	2	-
	White-----M--	191	24	13	3	7	5	3	1	4	8	5	16	10	14	18	19	19	10	7	4	1	-	-
	F--	170	11	14	4	4	3	3	5	6	14	10	11	7	14	15	7	12	7	10	7	4	2	-
	Nonwhite--M--	19	4	4	1	-	-	1	1	-	2	2	-	1	1	-	2	-	-	-	-	-	-	-
	F--	29	3	-	-	-	1	1	2	6	2	1	5	2	3	-	-	-	2	1	-	-	-	-
140-205	Malignant neoplasms, etc.*----	30,190	24	143	126	91	101	85	140	303	549	1,000	1,541	2,561	3,448	4,207	4,925	4,490	3,294	2,043	851	223	39	6
	White-----M--	14,991	10	72	71	46	55	45	64	128	179	315	602	1,126	1,673	2,209	2,708	2,500	1,722	1,001	359	93	13	-
	F--	13,310	13	65	46	38	42	25	59	129	297	554	784	1,183	1,475	1,742	1,968	1,825	1,456	987	469	124	23	6
	Nonwhite--M--	974	-	4	5	1	2	8	7	14	26	41	68	132	174	152	127	99	65	32	10	4	1	-
	F--	915	1	2	4	6	2	7	10	32	45	90	87	120	126	104	122	66	51	23	13	2	2	-
140-148	Of buccal cavity and pharynx------	692	-	-	1	-	1	-	1	4	12	24	59	70	88	90	109	98	80	48	21	5	1	-
	White-----M--	508	-	-	-	-	-	-	-	2	7	12	28	56	62	65	87	78	59	33	16	2	1	-
	F--	126	-	-	-	-	1	-	1	-	3	8	6	12	14	14	17	14	13	15	5	3	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	1	-	4	5	2	11	8	4	5	7	-	-	-	-	-
	F--	11	-	-	1	-	-	-	-	1	2	-	-	-	1	3	1	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	11,435	3	2	-	3	3	6	13	54	105	215	401	832	1,183	1,558	1,985	1,990	1,557	1,013	401	95	13	3
	White-----M--	5,904	1	-	-	2	3	1	5	27	46	102	201	425	615	830	1,075	1,069	793	508	158	38	5	-
	F--	4,809	2	1	-	1	-	4	6	21	42	88	147	300	440	615	804	846	709	482	235	55	8	3
	Nonwhite--M--	410	-	-	-	-	-	1	1	4	10	16	28	62	82	70	51	46	24	13	2	-	-	-
	F--	312	-	1	-	-	-	-	1	2	7	9	25	45	46	43	55	29	31	10	6	2	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	4,533	1	-	-	2	2	3	8	18	46	118	242	435	686	848	886	679	341	148	57	9	3	1
	White—M	3,605	-	-	-	2	1	2	4	11	26	66	176	337	557	719	745	549	269	97	37	5	2	-
	F	679	1	-	-	-	1	-	2	4	13	36	42	62	84	89	97	115	65	47	16	4	-	1
	Nonwhite—M	210	-	-	-	-	-	1	2	3	7	12	21	34	36	32	36	14	4	4	3	-	1	-
	F	39	-	-	-	-	-	-	-	-	-	4	3	2	9	8	8	1	3	-	1	-	-	-
170	Of breast	2,944	-	-	-	-	-	-	8	43	98	240	305	346	402	379	366	290	226	149	59	22	11	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	2	1	4	-	3	6	1	-	-	-	1	-
	F	2,742	-	-	-	-	-	-	7	34	85	200	280	326	381	365	343	275	215	143	57	22	9	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F	174	-	-	-	-	-	-	1	9	13	40	22	18	17	13	20	8	5	5	2	-	1	-
171-179	Of genital organs	3,738	1	1	-	2	6	14	24	53	100	157	206	330	372	445	555	537	450	307	132	41	4	1
	White—M	1,226	1	-	-	-	1	8	6	13	7	5	12	23	54	95	211	257	256	182	68	25	2	-
	F	2,185	-	1	-	2	4	4	14	26	79	122	168	267	277	315	303	253	168	110	57	13	1	1
	Nonwhite—M	107	-	-	-	-	-	1	-	-	-	-	4	6	11	15	18	16	19	9	5	3	-	-
	F	220	-	-	-	-	1	1	4	14	14	30	22	34	30	20	23	11	7	6	2	-	1	-
180, 181	Of urinary organs	1,477	-	19	14	3	1	-	2	5	10	20	45	93	137	181	274	256	214	114	68	18	3	-
	White—M	962	-	9	6	-	1	-	1	2	3	9	28	58	95	139	195	174	133	64	33	12	-	-
	F	446	-	9	7	2	-	-	1	2	7	6	13	24	27	34	74	75	75	46	35	6	3	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	-	1	2	8	12	4	1	3	4	3	-	-	-	-
	F	31	-	1	1	1	-	-	-	1	-	4	2	3	3	4	4	4	2	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	2,806	5	44	38	30	27	20	34	54	87	116	162	247	315	399	418	340	220	145	79	24	1	1
	White—M	1,391	3	25	23	13	14	13	16	31	45	59	78	124	152	199	214	190	100	57	30	5	-	-
	F	1,265	2	17	12	13	13	5	15	18	32	52	74	101	137	181	189	136	112	87	48	19	1	1
	Nonwhite—M	80	-	2	2	1	-	-	1	3	5	4	4	10	15	12	7	7	6	1	-	-	-	-
	F	70	-	-	1	3	-	2	2	2	5	1	6	12	11	7	8	7	2	-	1	-	-	-
204	Leukemia and aleukemia	1,239	13	64	65	38	39	23	20	22	45	38	51	91	93	127	145	155	120	60	22	5	3	-
	White—M	680	5	33	37	21	21	13	12	10	20	23	31	41	49	71	85	104	58	32	9	3	2	-
	F	496	7	29	24	15	16	6	4	8	18	14	16	45	41	50	55	45	61	28	12	1	1	-
	Nonwhite—M	39	-	2	3	-	1	3	3	2	4	1	1	3	2	4	4	4	1	-	-	1	-	-
	F	24	1	-	1	2	1	1	1	2	3	-	3	2	1	2	1	2	-	-	1	-	-	-
200-203, 205	Lymphomas, etc.*	1,326	1	13	8	13	22	19	30	50	46	72	90	117	172	180	187	145	86	59	12	4	-	-
	White—M	691	-	5	5	8	14	8	20	32	25	39	46	61	85	91	93	73	48	27	8	3	-	-
	F	562	1	8	3	5	7	6	9	16	18	28	38	46	74	79	86	66	38	29	4	1	-	-
	Nonwhite—M	39	-	-	-	-	1	2	-	1	2	3	2	6	5	6	6	3	-	2	-	-	-	-
	F	34	-	-	-	-	-	3	1	1	1	2	4	4	8	4	2	3	-	1	-	-	-	-
210-239	Benign & unspec. neoplasms	567	11	16	11	6	12	11	15	19	28	35	45	50	60	59	61	50	36	24	13	5	-	-
	White—M	254	3	5	4	2	4	5	5	9	8	15	20	23	35	30	35	19	15	11	3	3	-	-
	F	262	4	9	6	4	5	5	9	5	13	14	18	26	21	25	25	29	19	13	10	2	-	-
	Nonwhite—M	15	2	1	-	-	1	1	-	1	1	-	3	-	2	2	-	-	1	-	-	-	-	-
	F	36	2	1	1	-	2	-	1	4	6	6	4	1	2	2	1	2	1	-	-	-	-	-
241	Asthma	405	1	4	2	3	4	7	5	9	23	16	29	43	44	50	57	50	31	15	8	4	-	-
	White—M	242	1	2	1	1	1	2	1	2	5	4	13	23	26	39	35	42	27	10	4	3	-	-
	F	107	-	-	-	1	3	3	2	4	9	8	10	12	11	7	16	8	4	4	4	1	-	-
	Nonwhite—M	30	-	-	1	1	-	2	1	3	3	3	3	3	3	2	5	-	-	-	-	-	-	-
	F	26	-	2	-	-	-	-	1	-	6	1	3	5	4	2	1	-	-	1	-	-	-	-
260	Diabetes mellitus	3,076	2	3	2	4	6	9	23	29	43	59	79	161	256	446	545	542	454	285	101	26	1	-
	White—M	1,074	-	1	1	2	2	3	9	21	20	23	42	64	105	158	188	177	143	82	25	8	-	-
	F	1,760	1	-	-	2	4	6	10	4	11	18	25	68	111	249	319	343	300	195	76	17	1	-
	Nonwhite—M	87	1	1	1	-	-	-	1	1	7	6	5	11	13	12	14	9	1	3	-	1	-	-
	F	155	-	1	-	-	-	-	3	3	5	12	7	18	27	27	24	13	10	5	-	-	-	-
290-293	Anemias	253	3	13	7	11	4	7	6	3	8	4	11	14	12	19	29	45	29	15	5	8	-	-
	White—M	94	1	3	1	5	2	1	-	1	2	3	5	4	2	10	13	20	11	5	1	4	-	-
	F	126	-	5	4	3	1	5	2	-	5	-	5	6	7	9	15	23	18	10	4	4	-	-
	Nonwhite—M	15	2	4	-	3	1	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-
	F	18	-	1	2	-	-	1	4	2	1	1	1	2	2	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	151	54	21	7	3	3	2	5	6	3	5	6	5	1	11	9	5	1	2	1	1	-	-
	White—M	63	25	8	5	2	3	1	2	-	1	-	1	2	1	4	5	2	-	-	1	-	-	-
	F	41	14	5	1	-	-	-	1	2	1	3	-	1	-	5	2	2	1	2	-	1	-	-
	Nonwhite—M	32	12	4	1	1	-	-	-	3	1	-	5	1	-	1	2	1	-	-	-	-	-	-
	F	15	3	4	-	-	-	1	2	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	100,423	23	26	28	40	52	114	239	395	785	1,626	2,759	4,787	6,968	10,300	13,649	16,134	15,572	13,674	8,622	3,642	961	27
	White—M	51,072	12	13	10	15	25	51	105	190	440	969	1,705	3,062	4,449	6,163	7,813	8,247	7,361	5,711	3,166	1,290	263	12
	F	43,983	9	8	15	16	19	44	70	102	171	388	679	1,182	1,935	3,423	5,115	7,242	7,711	7,639	5,279	2,267	658	11
	Nonwhite—M	2,630	1	1	2	4	6	8	32	52	82	134	187	288	322	369	375	312	238	135	50	23	7	2
	F	2,738	1	4	1	5	2	11	32	51	92	135	188	255	262	345	346	333	262	189	127	62	33	2
330-334, 400-468	Dis. of cardiovascular system	99,215	22	21	21	29	37	81	203	350	735	1,557	2,696	4,706	6,869	10,177	13,509	16,005	15,443	13,599	8,558	3,618	952	27
	White—M	50,521	12	10	8	8	18	32	85	175	414	937	1,678	3,026	4,400	6,106	7,746	8,187	7,304	5,682	3,137	1,284	260	12
	F	43,452	8	6	11	13	11	31	57	83	157	370	658	1,154	1,897	3,371	5,050	7,178	7,644	7,594	5,246	2,250	652	11
	Nonwhite—M	2,567	1	1	2	3	6	7	30	46	76	123	180	282	314	364	370	311	237	134	49	22	7	2
	F	2,675	1	4	-	5	2	11	31	46	88	127	180	244	258	336	343	329	258	189	126	62	33	2
330-334	Vascular lesions, etc.*	15,682	5	14	7	8	7	26	49	72	96	188	306	513	801	1,270	1,924	2,618	2,816	2,536	1,618	634	169	5
	White—M	6,562	1	6	2	4	4	8	18	29	50	63	124	232	368	565	958	1,172	1,167	1,002	560	188	40	1
	F	8,295	3	4	5	2	-	10	12	19	25	83	128	203	342	590	867	1,349	1,579	1,484	1,039	427	121	3
	Nonwhite—M	364	-	1	-	2	1	4	8	14	5	12	25	36	49	51	44	40	32	23	6	10	1	-
	F	461	1	3	-	-	2	4	11	10	16	30	29	42	42	64	55	57	38	27	13	9	7	1
400-443	Diseases of heart	77,709	13	7	11	18	26	44	124	247	582	1,283	2,265	4,029	5,847	8,495	11,004	12,601	11,773	10,030	6,143	2,500	648	19
	White—M	41,241	9	4	5	4	12	20	58	136	346	840	1,491	2,713	3,905	5,302	6,456	6,617	5,719	4,248	2,281	905	182	8
	F	32,416	4	2	4	10	9	15	32	60	115	259	499	900	1,488	2,637	3,974	5,480	5,660	5,535	3,745	1,540	440	8
	Nonwhite—M	2,042	-	-	2	1	5	2	17	26	60	100	146	232	253	299	307	252	186	102	34	12	4	2
	F	2,010	-	1	-	3	-	7	17	25	61	84	129	184	201	257	267	252	208	145	103	43	22	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	2,425	-	2	7	12	15	33	57	106	164	232	292	359	329	294	205	152	84	54	24	3	-	1
	White—M	991	-	1	2	2	6	14	19	51	82	99	122	137	132	136	74	62	24	20	7	1	-	-
	F	1,275	-	1	4	6	5	12	23	39	60	108	153	202	187	147	129	88	58	33	17	2	-	1
	Nonwhite—M	63	-	-	1	1	4	1	8	9	4	10	4	9	4	4	1	-	2	1	-	-	-	-
	F	96	-	-	-	3	-	6	7	7	18	15	13	11	6	7	1	2	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																							
420	Arteriosclerotic heart dis., etc.*	60,709	-	1	1	1	3	6	42	96	312	860	1,657	3,077	4,656	6,903	8,941	10,181	9,247	7,723	4,671	1,842	473	16
	White-----M--	34,661	-	1	-	-	2	4	29	71	232	683	1,254	2,326	3,396	4,606	5,553	5,623	4,745	3,457	1,824	716	131	8
	F--	23,580	-	-	-	1	-	1	4	13	33	97	244	521	991	1,943	3,013	4,213	4,231	4,097	2,756	1,093	324	5
	Nonwhite--M--	1,382	-	-	1	-	1	-	3	6	33	56	106	145	169	208	216	179	146	76	23	9	3	2
	F--	1,086	-	-	-	-	-	1	6	6	14	24	53	85	100	146	159	166	125	93	68	24	15	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	5,835	-	-	1	-	3	2	8	22	32	60	75	142	212	373	594	816	1,018	1,148	803	400	125	1
	White-----M--	2,421	-	-	1	-	1	1	5	6	11	18	28	71	100	178	315	380	442	451	255	120	38	-
	F--	3,021	-	-	-	-	2	1	2	4	6	17	28	38	76	145	231	380	541	664	529	273	83	1
	Nonwhite--M--	178	-	-	-	-	-	-	1	4	7	12	7	15	22	27	21	33	13	9	4	2	1	-
	F--	215	-	-	-	-	-	-	-	8	8	13	12	18	14	23	27	23	22	24	15	5	3	-
430-434	Other diseases of heart---------	984	13	4	2	5	4	3	11	9	22	25	33	57	81	87	121	154	127	116	72	30	8	-
	White-----M--	501	9	2	2	2	3	1	4	4	10	11	20	26	47	52	68	85	68	46	28	10	3	-
	F--	423	4	1	-	3	1	1	3	3	7	8	10	21	27	31	47	66	54	69	43	19	5	-
	Nonwhite--M--	39	-	-	-	-	-	1	2	1	4	4	2	6	6	3	5	1	2	1	-	1	-	-
	F--	21	-	1	-	-	-	-	2	1	1	2	1	4	1	1	1	2	3	-	1	-	-	-
440-443	Hypertensive heart disease----	7,756	-	-	-	-	1	-	6	14	52	106	208	394	569	838	1,143	1,298	1,297	989	573	225	42	1
	White-----M--	2,667	-	-	-	-	-	-	1	4	11	29	67	153	230	330	446	467	440	274	147	58	10	-
	F--	4,117	-	-	-	-	1	-	-	1	9	29	64	118	207	371	554	733	776	672	400	153	28	1
	Nonwhite--M--	380	-	-	-	-	-	-	3	6	12	18	27	57	52	57	64	39	23	15	7	-	-	-
	F--	592	-	-	-	-	-	-	2	3	20	30	50	66	80	80	79	59	58	28	19	14	4	-
444-447	Other hypertensive disease-----	1,326	-	-	-	-	1	4	7	15	28	36	53	52	72	110	144	194	198	207	135	56	14	-
	White-----M--	572	-	-	-	-	1	2	2	4	7	12	24	22	33	46	71	84	91	92	54	23	4	-
	F--	610	-	-	-	-	-	2	2	1	4	7	11	17	24	49	60	100	100	112	79	32	10	-
	Nonwhite--M--	69	-	-	-	-	-	-	2	4	9	8	5	7	7	8	7	6	5	1	-	-	-	-
	F--	75	-	-	-	-	-	-	1	6	8	9	13	6	8	7	6	4	2	2	2	1	-	-
450	General arteriosclerosis--------	3,109	-	-	-	-	-	-	-	1	-	3	5	36	41	91	208	375	485	722	618	404	119	1
	White-----M--	1,333	-	-	-	-	-	-	-	1	-	2	2	17	19	47	108	178	232	291	242	159	34	1
	F--	1,650	-	-	-	-	-	-	-	-	-	-	2	10	15	37	81	178	236	414	362	236	79	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	4	4	2	10	7	9	6	6	-	2	-
	F--	76	-	-	-	-	-	-	-	-	-	1	1	5	3	5	9	12	8	11	8	9	4	-
451-468	Other diseases of circulatory sys.-	1,389	4	-	3	3	3	7	23	15	29	47	67	76	108	211	229	217	171	104	44	24	2	2
	White-----M--	813	2	-	1	-	1	2	7	5	11	20	37	42	75	146	153	136	95	49	20	9	-	2
	F--	481	1	-	2	1	2	4	11	3	13	21	18	24	28	58	68	71	69	49	21	15	2	-
	Nonwhite--M--	42	1	-	-	-	-	1	3	2	2	3	4	3	1	4	2	6	5	2	3	-	-	-
	F--	53	-	-	-	2	-	-	2	5	3	3	8	7	4	3	6	4	2	4	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,208	1	5	7	11	15	33	36	45	50	69	63	81	99	123	140	129	129	75	64	24	9	-
	White-----M--	551	-	3	2	7	7	19	20	15	26	32	27	36	49	57	67	60	57	29	29	6	3	-
	F--	531	1	2	4	3	8	13	13	19	14	18	21	28	38	52	65	64	67	45	33	17	6	-
	Nonwhite--M--	63	-	-	-	1	-	1	2	6	6	11	7	6	8	5	5	1	1	1	1	1	-	-
	F--	63	-	-	1	-	-	-	1	5	4	8	8	11	4	9	3	4	4	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	6,053	773	191	51	35	23	47	56	80	83	136	180	261	342	445	537	642	686	695	495	230	65	-
	White-----M--	2,994	308	68	23	16	14	23	16	30	31	50	79	149	190	270	311	359	384	334	220	92	27	-
	F--	2,266	216	88	18	15	7	12	22	14	22	31	50	68	103	121	182	251	276	341	262	132	35	-
	Nonwhite--M--	481	151	16	3	2	1	6	9	27	18	39	31	25	35	41	29	20	10	12	5	-	1	-
	F--	312	98	19	7	2	1	6	9	9	12	16	20	19	14	13	15	12	16	8	8	6	2	-
480-483	Influenza--------	130	8	3	-	1	3	4	2	-	1	3	4	8	11	6	11	12	20	11	12	6	4	-
	White-----M--	59	2	1	-	1	1	2	1	-	1	1	2	3	3	4	8	7	9	6	5	1	1	-
	F--	62	4	2	-	-	2	2	1	-	-	2	2	3	6	2	3	4	10	5	6	5	3	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
490-493	Pneumonia, etc.*--	5,923	765	189	51	34	20	43	54	80	82	133	176	253	331	439	526	630	666	684	483	224	61	-
	White-----M--	2,935	306	67	23	15	13	21	15	30	30	49	77	146	187	266	303	352	375	328	215	91	26	-
	F--	2,204	212	86	18	15	5	10	21	14	22	29	48	65	97	119	179	247	266	336	256	127	32	-
	Nonwhite--M--	477	150	16	3	2	1	6	9	27	18	39	31	24	34	41	29	19	10	12	5	-	1	-
	F--	307	97	19	7	2	1	6	9	9	12	16	20	18	13	13	15	12	15	8	7	6	2	-
500-502	Bronchitis--------	410	84	38	6	-	1	2	5	4	4	3	9	15	23	47	54	36	28	31	11	7	2	-
	White-----M--	236	31	14	3	-	-	-	3	-	1	2	5	12	16	31	46	27	19	19	4	3	-	-
	F--	120	22	19	2	-	1	1	1	2	3	1	3	2	5	11	7	7	9	11	7	4	2	-
	Nonwhite--M--	34	16	3	-	-	-	1	1	2	-	-	-	1	1	5	1	2	-	1	-	-	-	-
	F--	20	15	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	1,391	4	-	-	-	3	3	10	17	34	51	71	114	159	188	200	195	169	105	54	10	4	-
	White-----M--	967	2	-	-	-	2	2	5	9	20	28	49	87	117	140	146	141	121	68	25	5	-	-
	F--	327	2	-	-	-	1	-	2	2	8	12	12	23	25	36	45	49	37	35	29	5	4	-
	Nonwhite--M--	74	-	-	-	-	-	1	3	4	6	8	6	3	16	10	8	2	6	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	2	-	3	4	1	1	2	1	3	5	1	-	-	-	-
550-553	Appendicitis-------	205	-	2	4	5	4	4	3	1	8	4	7	20	11	28	32	21	24	21	6	-	-	-
	White-----M--	108	-	2	-	3	2	2	-	1	3	1	5	9	6	17	19	15	11	9	1	-	-	-
	F--	71	-	-	1	-	-	1	2	-	3	2	1	7	4	10	8	6	12	9	5	-	-	-
	Nonwhite--M--	14	-	-	2	2	1	-	1	-	1	-	-	2	-	-	3	-	1	1	-	-	-	-
	F--	14	-	-	1	-	1	1	-	-	1	1	1	2	1	1	2	-	2	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	874	78	7	1	-	3	8	3	4	7	19	38	41	61	77	104	116	115	107	55	24	6	-
	White-----M--	395	43	4	-	-	1	2	-	2	6	4	12	21	28	35	47	49	58	46	22	12	3	-
	F--	400	21	3	1	-	-	1	2	1	-	8	16	13	25	36	51	62	55	58	32	12	3	-
	Nonwhite--M--	40	9	-	-	-	-	4	-	-	-	2	4	3	7	5	2	2	1	-	1	-	-	-
	F--	39	5	-	-	-	2	1	1	1	1	5	6	4	1	1	4	3	1	3	-	-	-	-
543, 571, 572	Gastritis, etc.*--	644	95	25	5	2	6	5	8	13	23	15	24	33	44	54	74	73	49	52	31	12	1	-
	White-----M--	307	49	11	3	1	2	2	2	7	9	9	14	21	21	35	35	33	22	13	12	5	1	-
	F--	288	29	12	2	1	3	3	5	3	11	4	8	11	21	19	34	37	25	36	17	7	-	-
	Nonwhite--M--	26	9	2	-	-	1	-	1	1	3	1	-	1	-	-	3	1	1	1	1	-	-	-
	F--	23	8	-	-	-	-	-	-	2	-	1	2	-	2	-	2	1	2	1	1	-	-	-
581	Cirrhosis of liver	2,618	2	3	2	2	2	8	19	54	137	215	333	371	416	357	292	208	110	68	17	1	1	-
	White-----M--	1,548	1	3	-	-	-	2	6	17	54	105	179	233	268	221	211	133	62	43	8	1	1	-
	F--	803	-	-	2	2	2	4	3	10	44	68	112	103	116	118	72	69	47	25	6	-	-	-
	Nonwhite--M--	178	-	-	-	-	-	1	5	16	27	23	30	23	23	14	7	6	1	-	2	-	-	-
	F--	89	1	-	-	-	-	1	5	11	12	19	12	12	9	4	2	-	-	-	1	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																							
584, 585	Cholelithiasis, etc.*	524	1	-	-	-	1	-	1	8	7	9	13	29	34	61	80	82	88	61	32	15	2	-
	White—M	208	-	-	-	-	-	-	-	1	3	2	4	12	17	25	34	32	33	27	11	6	1	-
	F	292	1	-	-	-	-	-	-	5	3	3	8	14	16	34	42	48	54	34	21	9	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	2	-	-	-	-	-	-
	F	17	-	-	-	-	1	-	1	1	-	4	1	2	1	1	3	-	1	-	-	-	1	-
590, 591	Acute nephritis, etc.*	113	2	4	2	-	-	1	6	6	5	4	7	7	10	11	11	10	12	10	4	1	-	-
	White—M	46	-	1	-	-	-	-	3	1	1	-	3	5	4	7	5	5	5	5	1	-	-	-
	F	54	2	1	2	-	-	1	3	2	2	3	4	2	4	3	5	4	7	5	3	1	-	-
	Nonwhite—M	6	-	1	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-
600	Infections of kidney	684	7	-	-	2	3	6	11	9	11	25	22	34	70	73	100	101	100	61	38	9	1	1
	White—M	328	6	-	-	1	1	2	3	2	3	9	7	12	30	28	47	56	63	31	22	4	-	1
	F	269	-	-	-	1	2	3	6	2	3	8	7	16	26	32	41	39	32	30	15	5	1	-
	Nonwhite—M	32	1	-	-	-	-	1	-	2	4	2	2	3	6	5	3	1	2	-	-	-	-	-
	F	55	-	-	-	-	-	-	2	3	1	6	6	3	8	8	9	5	3	-	1	-	-	-
610	Hyperplasia of prostate	478	-	-	-	-	-	-	-	1	2	-	1	2	16	28	59	108	90	79	75	16	1	-
	White—M	454	-	-	-	-	-	-	-	-	1	-	1	2	14	24	55	101	87	77	75	16	1	-
	Nonwhite—M	24	-	-	-	-	-	-	-	1	1	-	-	-	2	4	4	7	3	2	-	-	-	-
640-689	Complications of pregnancy, etc.*	134	...	...	...	-	9	16	39	34	25	11	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	87	...	...	...	-	6	9	24	21	20	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	47	...	...	...	-	3	7	15	13	5	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	41	...	...	...	-	3	6	16	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	...	...	...	-	3	4	7	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	...	...	...	-	-	2	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	93	...	...	...	-	6	10	23	24	21	9	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	63	...	...	...	-	3	5	17	16	17	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	30	...	...	...	-	3	5	6	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,926	1,352	186	72	34	24	25	19	27	25	22	35	26	21	20	19	10	3	2	3	1	-	-
	White—M	946	659	85	43	22	13	14	8	14	12	10	16	13	7	9	11	4	3	-	2	1	-	-
	F	769	539	74	25	9	7	10	8	11	12	11	16	11	12	8	8	5	-	2	1	-	-	-
	Nonwhite—M	118	83	17	2	3	3	-	1	1	1	1	1	1	1	3	-	-	-	-	-	-	-	-
	F	93	71	10	2	-	1	1	2	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy	5,605	5,603	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2,556	2,555	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,782	1,781	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	667	667	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	600	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	2,734	2,734	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,349	1,349	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	903	903	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	374	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	2,497	2,495	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,045	1,044	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	758	757	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	367	367	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	327	327	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,301	118	32	7	8	24	66	73	79	114	101	96	122	95	75	80	66	46	35	30	18	9	7
	White—M	630	58	12	1	5	16	30	24	23	49	47	53	60	53	45	49	38	25	16	11	6	3	6
	F	411	33	9	4	2	6	13	10	22	24	35	30	45	29	24	27	24	20	18	18	12	6	-
	Nonwhite—M	173	17	5	1	-	2	15	26	24	22	14	11	14	11	3	1	4	-	1	1	-	-	1
	F	87	10	6	1	1	-	8	13	10	19	5	2	3	2	3	3	-	1	-	-	-	-	-
Re-sid-ual	All other diseases	5,212	283	137	70	60	60	64	87	114	192	248	276	368	468	578	662	626	434	292	141	40	9	3
	White—M	2,897	145	70	39	27	33	28	34	44	75	101	114	195	292	383	421	398	257	145	74	15	5	2
	F	1,806	97	50	24	26	18	21	33	41	56	97	107	124	130	159	208	217	169	138	65	23	3	-
	Nonwhite—M	300	23	6	1	5	4	7	9	16	38	27	29	34	29	24	22	9	7	8	1	-	-	1
	F	209	18	11	6	2	5	8	11	13	23	23	26	15	17	12	11	2	1	1	1	2	1	-
E800-E962	Accidents	6,521	220	258	230	161	351	354	272	293	293	302	318	377	371	383	431	452	501	466	326	119	31	12
	White—M	3,745	93	119	138	109	277	258	187	190	175	175	193	265	235	247	264	222	245	175	126	38	9	5
	F	2,043	58	79	52	34	60	49	37	40	49	63	74	60	96	110	150	207	247	277	196	80	22	3
	Nonwhite—M	501	36	30	25	12	14	36	36	52	48	47	40	36	31	20	10	11	4	8	1	-	-	4
	F	232	33	30	15	6	-	11	12	11	21	17	11	16	9	6	7	12	5	6	3	1	-	-
E810-E835	Motor vehicle accidents	2,260	11	71	105	68	213	224	149	152	123	125	123	147	137	123	154	130	103	60	29	8	-	5
	White—M	1,508	7	43	68	49	168	178	106	102	79	77	81	94	84	76	94	70	68	36	22	4	-	2
	F	551	2	22	23	15	41	31	21	25	22	26	30	35	42	38	56	55	32	23	7	4	-	1
	Nonwhite—M	148	-	4	12	3	4	11	17	22	15	17	9	10	10	7	2	3	-	-	-	-	-	2
	F	53	2	2	2	1	-	4	5	3	7	5	3	8	1	2	2	2	3	1	-	-	-	-
E800-E802, E840-E962	Other accidents	4,261	209	187	125	93	138	130	123	141	170	177	195	230	234	260	277	322	398	406	297	111	31	7
	White—M	2,237	86	76	70	60	109	80	81	88	96	98	112	171	151	171	170	152	177	139	104	34	9	3
	F	1,492	56	57	29	19	19	18	16	15	27	37	44	25	54	72	94	152	215	254	189	76	22	2
	Nonwhite—M	353	36	26	13	9	10	25	19	30	33	30	31	26	21	13	8	8	4	8	1	-	-	2
	F	179	31	28	13	5	-	7	7	8	14	12	8	8	8	4	5	10	2	5	3	1	-	-
E963, E970-E979	Suicide	1,392	-	-	-	6	23	52	65	84	97	110	135	152	160	145	144	99	62	40	12	4	2	-
	White—M	952	-	-	-	5	18	39	36	45	60	72	86	101	124	102	99	73	48	31	8	4	1	-
	F	355	-	-	-	1	5	9	20	27	23	29	40	44	33	36	39	23	13	8	4	-	1	-
	Nonwhite—M	65	-	-	-	-	-	3	6	10	10	7	7	4	3	6	4	3	1	1	-	-	-	-
	F	20	-	-	-	-	-	1	3	2	4	2	2	3	-	1	2	-	-	-	-	-	-	-
E964, E980-E985	Homicide	468	16	8	8	7	39	53	60	66	48	33	42	23	17	19	9	9	5	1	1	1	-	3
	White—M	162	8	3	4	4	14	17	13	18	18	11	9	11	7	12	4	3	3	1	1	1	-	-
	F	80	4	4	3	2	9	10	7	7	3	5	7	3	3	2	4	5	2	-	-	-	-	-
	Nonwhite—M	170	2	-	-	1	10	20	30	33	22	11	19	7	6	5	1	1	-	-	-	-	-	2
	F	56	2	1	1	-	6	6	10	8	5	6	7	2	1	-	-	-	-	-	-	-	-	1

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA																							
	All causes------	35,674	3,604	538	267	221	403	462	477	641	988	1,277	1,788	2,205	2,578	3,161	3,865	3,800	3,690	3,096	1,779	615	205	14
	White-----M--	14,470	1,063	131	83	98	186	218	202	255	375	528	774	954	1,112	1,381	1,662	1,665	1,582	1,272	669	199	56	5
	F--	10,064	768	138	79	49	74	73	71	108	170	230	318	399	542	765	1,005	1,164	1,471	1,366	871	313	88	2
	Nonwhite--M--	6,130	986	129	56	47	91	107	129	148	221	296	403	476	499	573	668	524	349	224	132	39	29	4
	F--	5,010	787	140	49	27	52	64	75	130	222	223	293	376	425	442	530	447	288	234	107	64	32	3
001-019	Tuberculosis, all forms--------	227	3	1	-	-	-	5	7	12	9	24	16	33	24	31	22	16	17	7	-	-	-	-
	White-----M--	88	-	-	-	-	-	-	-	2	2	8	4	15	12	13	14	4	11	3	-	-	-	-
	F--	26	1	1	-	-	-	-	2	1	-	1	2	3	1	2	3	3	3	3	-	-	-	-
	Nonwhite--M--	64	1	-	-	-	-	2	2	1	3	8	6	9	7	12	5	5	2	1	-	-	-	-
	F--	49	1	-	-	-	-	3	3	8	4	7	4	6	4	4	-	4	1	-	-	-	-	-
001-008	Tuberculosis of resp. system-----	210	2	1	-	-	-	5	6	11	9	21	15	31	20	28	22	15	17	7	-	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	2	2	7	4	15	11	12	14	4	11	3	-	-	-	-
	F--	26	1	1	-	-	-	-	2	1	-	1	2	3	1	2	3	3	3	3	-	-	-	-
	Nonwhite--M--	56	1	-	-	-	-	2	1	1	3	7	6	7	6	10	5	4	2	1	-	-	-	-
	F--	43	-	-	-	-	-	3	3	7	4	6	3	6	2	4	-	4	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	17	1	-	-	-	-	-	1	1	-	3	1	2	4	3	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	1	-	2	1	2	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	75	-	-	-	-	-	-	-	-	-	7	3	13	14	10	13	8	4	1	1	1	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	1	1	2	6	2	4	4	2	1	1	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	5	-	6	5	7	5	4	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	2	2	2	-	2	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	7	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat-----	9	2	3	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	22	9	9	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	29	8	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	110	22	13	3	-	6	4	2	3	4	3	12	5	7	7	3	5	3	5	-	2	1	-
	White-----M--	32	8	4	1	-	-	1	1	-	2	1	2	1	2	4	2	2	-	1	-	-	-	-
	F--	35	6	6	1	-	1	-	-	1	1	2	5	1	1	1	1	1	1	4	-	1	1	-
	Nonwhite--M--	27	5	1	1	-	3	1	1	1	1	-	3	2	2	2	-	2	2	-	-	-	-	-
	F--	16	3	2	-	-	2	2	-	1	-	-	2	1	2	-	-	-	-	-	-	1	-	-
140-205	Malignant neoplasms, etc.*----	4,317	10	45	32	26	29	21	41	58	141	202	294	406	484	535	590	537	396	292	135	36	6	1
	White-----M--	1,657	3	17	16	12	10	5	17	19	39	71	93	137	171	219	228	233	167	140	48	11	1	-
	F--	1,643	4	18	9	6	10	7	14	19	59	73	114	148	186	194	205	188	171	124	71	18	5	-
	Nonwhite--M--	498	1	2	5	3	4	5	6	5	16	18	34	59	54	66	90	69	31	19	7	3	-	1
	F--	519	2	8	2	5	5	4	4	15	27	40	53	62	73	56	67	47	27	9	9	4	-	-
140-148	Of buccal cavity and pharynx------	106	-	-	1	-	-	-	1	2	-	4	8	15	13	19	14	9	7	8	4	1	-	-
	White-----M--	55	-	-	1	-	-	-	1	1	-	3	3	9	7	11	8	2	5	1	2	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	1	3	4	5	4	5	2	6	2	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	2	2	2	3	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,294	-	1	-	-	2	1	5	6	22	40	63	99	130	156	230	194	154	109	59	18	4	1
	White-----M--	462	-	-	-	-	1	-	2	2	8	15	22	29	50	56	84	78	50	42	19	3	1	-
	F--	504	-	1	-	-	1	1	-	3	8	14	20	30	44	50	76	72	75	57	37	12	3	-
	Nonwhite--M--	191	-	-	-	-	-	-	2	-	4	6	14	23	19	26	46	26	16	4	3	1	-	1
	F--	137	-	-	-	-	-	-	1	1	2	5	7	17	17	24	24	18	13	6	-	2	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	487	-	-	1	-	2	1	2	2	15	18	39	69	69	94	65	58	29	17	5	1	-	-
	White—M	351	-	-	-	-	1	-	2	1	4	16	26	44	58	79	46	39	20	11	3	1	-	-
	F	55	-	-	1	-	-	1	-	-	4	-	2	5	2	7	7	11	8	5	2	-	-	-
	Nonwhite—M	68	-	-	-	-	1	-	-	1	3	2	9	18	9	7	10	6	1	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	4	-	2	2	-	1	2	2	-	-	-	-	-	-
170	Of breast	351	1	-	-	-	-	1	-	8	19	29	50	46	52	39	29	29	20	16	10	1	1	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	266	-	-	-	-	-	1	-	2	14	16	39	39	35	31	24	24	17	15	8	-	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	82	1	-	-	-	-	-	-	6	5	13	11	7	16	8	4	5	2	1	2	1	-	-
171-179	Of genital organs	839	-	-	1	1	1	3	6	16	38	45	62	80	97	85	105	127	81	58	27	5	-	-
	White—M	221	-	-	1	-	1	-	1	2	2	4	4	7	5	14	24	60	42	38	14	2	-	-
	F	346	-	-	-	-	-	-	3	8	23	26	37	41	55	41	42	30	21	11	8	-	-	-
	Nonwhite—M	99	-	-	-	-	-	-	-	-	-	1	1	4	10	16	19	23	11	9	3	2	-	-
	F	173	-	-	-	1	-	3	2	6	13	14	20	28	27	14	20	14	7	1	2	1	-	-
180, 181	Of urinary organs	180	-	2	4	-	-	-	-	1	6	3	6	11	21	27	26	26	21	23	2	1	-	-
	White—M	97	-	1	2	-	-	-	-	1	2	3	3	4	12	15	14	13	12	14	-	1	-	-
	F	50	-	-	2	-	-	-	-	-	3	-	1	2	4	6	5	9	7	9	2	-	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	1	-	1	2	3	6	5	4	1	-	-	-	-	-
	F	10	-	1	-	-	-	-	-	-	-	-	1	3	2	-	2	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	612	4	17	14	9	13	5	15	15	13	40	40	51	65	70	68	49	52	41	24	6	1	-
	White—M	257	1	3	5	3	3	-	5	8	6	21	22	27	28	25	28	22	21	19	9	1	-	-
	F	233	2	8	4	3	5	2	6	5	3	10	6	15	25	35	26	17	27	18	10	5	1	-
	Nonwhite—M	53	-	-	4	1	2	3	3	-	2	4	5	5	4	4	5	5	1	4	1	-	-	-
	F	69	1	6	1	2	3	-	1	2	2	5	7	4	8	6	9	5	3	-	4	-	-	-
204	Leukemia and aleukemia	225	4	23	9	9	8	7	8	4	10	13	10	9	13	16	22	24	16	15	3	2	-	-
	White—M	108	1	12	7	6	3	3	4	1	5	6	3	2	5	5	11	12	8	12	-	2	-	-
	F	76	2	8	1	2	3	1	3	1	1	2	5	5	6	9	9	8	6	2	2	-	-	-
	Nonwhite—M	27	1	2	-	-	1	2	1	2	4	3	1	2	1	1	-	4	1	1	-	-	-	-
	F	14	-	1	1	1	1	1	-	-	-	2	1	-	1	1	2	-	1	-	1	-	-	-
200-203, 205	Lymphomas, etc.*	223	1	2	2	7	3	3	4	4	18	10	16	26	24	29	31	21	16	4	1	1	-	-
	White—M	104	1	1	-	3	1	2	2	3	12	3	10	15	6	14	12	7	8	3	1	-	-	-
	F	80	-	1	1	1	1	1	2	-	3	4	3	8	11	10	12	12	8	1	-	1	-	-
	Nonwhite—M	24	-	-	1	2	-	-	-	1	2	2	1	3	5	3	4	-	-	-	-	-	-	-
	F	15	-	-	-	1	1	-	-	-	1	1	2	-	2	2	3	2	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	134	4	-	3	2	3	7	8	7	10	10	13	12	9	11	17	5	4	8	1	-	-	-
	White—M	39	2	-	2	1	1	1	4	-	1	2	5	6	1	2	3	3	3	2	-	-	-	-
	F	55	1	-	-	-	-	4	3	4	5	2	6	3	3	5	11	1	1	5	1	-	-	-
	Nonwhite—M	14	-	-	-	1	-	-	-	-	2	2	1	1	3	2	1	-	-	1	-	-	-	-
	F	26	1	-	1	-	2	2	1	3	2	4	1	2	2	2	2	1	-	-	-	-	-	-
241	Asthma	110	3	3	1	2	3	1	-	3	7	3	7	12	11	17	11	11	9	5	1	-	-	-
	White—M	62	-	1	-	-	-	-	-	1	1	1	5	5	8	13	9	6	8	4	-	-	-	-
	F	20	-	1	-	-	-	1	-	1	2	-	1	3	2	2	1	3	1	1	1	-	-	-
	Nonwhite—M	12	2	-	1	-	-	-	-	1	-	-	1	3	1	1	1	1	-	-	-	-	-	-
	F	16	1	1	-	2	3	-	-	-	4	2	-	1	-	1	-	1	-	-	-	-	-	-
260	Diabetes mellitus	511	-	-	-	2	5	3	4	7	15	17	24	31	47	84	73	67	72	35	19	6	-	-
	White—M	164	-	-	-	-	2	1	2	2	6	5	8	12	12	29	19	18	28	11	7	2	-	-
	F	192	-	-	-	-	1	-	-	2	1	4	4	8	12	27	35	34	33	17	11	3	-	-
	Nonwhite—M	55	-	-	-	1	1	1	2	-	3	4	2	4	10	6	7	7	3	2	1	1	-	-
	F	100	-	-	-	1	1	1	-	3	5	4	10	7	13	22	12	8	8	5	-	-	-	-
290-293	Anemias	73	7	1	2	1	-	5	2	1	-	1	3	4	3	8	13	7	5	7	3	-	-	-
	White—M	28	1	1	-	1	-	1	-	1	-	-	1	1	1	4	8	4	2	1	1	-	-	-
	F	20	1	-	2	-	-	1	1	-	-	1	-	-	-	2	3	2	2	4	1	-	-	-
	Nonwhite—M	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	18	-	-	-	-	-	3	1	-	-	-	2	3	2	2	1	1	1	1	1	-	-	-
340	Nonmeningococcal meningitis*	57	21	14	3	2	2	-	-	1	1	-	3	3	2	3	1	-	1	-	-	-	-	-
	White—M	14	7	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	14	3	3	3	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	17	7	4	-	-	1	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
	F	12	4	4	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	19,094	18	13	8	17	53	51	69	176	317	534	906	1,219	1,535	1,961	2,596	2,658	2,700	2,300	1,331	475	151	8
	White—M	8,037	-	3	2	5	12	18	21	62	114	206	412	550	686	873	1,126	1,145	1,159	933	503	158	46	3
	F	5,599	6	6	-	4	15	14	10	32	38	71	97	150	264	415	627	813	1,075	1,012	653	233	63	1
	Nonwhite—M	2,897	5	2	3	2	10	10	18	48	70	148	227	277	320	389	455	360	259	165	94	30	24	1
	F	2,561	7	2	3	6	16	9	20	34	95	109	170	242	265	304	388	340	207	190	81	54	18	1
330-334, 400-468	Dis. of cardiovascular system	18,668	18	13	7	15	44	43	58	160	305	511	876	1,177	1,504	1,919	2,556	2,609	2,664	2,267	1,299	469	148	6
	White—M	7,898	-	3	1	5	9	12	16	57	111	200	404	540	677	859	1,113	1,126	1,148	921	494	154	45	3
	F	5,494	6	6	-	3	13	14	7	27	31	66	94	144	259	403	622	801	1,063	1,004	635	232	63	1
	Nonwhite—M	2,798	5	2	3	1	8	8	17	43	70	143	215	263	314	361	443	348	252	159	90	30	22	1
	F	2,478	7	2	3	6	14	9	18	33	93	102	163	230	254	296	378	334	201	183	80	53	18	1
330-334	Vascular lesions, etc.*	4,736	5	4	3	1	7	6	12	32	57	100	159	230	312	443	601	720	797	668	404	131	42	2
	White—M	1,572	-	-	-	-	1	1	3	7	6	23	47	65	81	116	207	264	310	250	141	38	11	1
	F	1,604	2	3	-	-	3	3	3	6	10	16	18	37	56	122	158	220	330	316	206	73	22	-
	Nonwhite—M	781	1	-	2	-	3	2	3	11	19	30	45	65	98	105	119	111	78	46	31	6	5	1
	F	779	2	1	1	1	-	-	3	8	22	31	49	63	77	100	117	125	79	56	26	14	4	-
400-402, 410-416	Diseases of heart	12,578	13	7	4	13	28	33	38	111	223	370	651	868	1,115	1,386	1,805	1,723	1,684	1,378	768	271	85	4
	White—M	5,824	-	2	1	5	6	11	13	47	95	169	335	448	565	706	840	800	764	581	305	97	32	2
	F	3,486	4	2	-	3	7	8	3	20	20	46	65	93	186	267	443	532	669	601	363	122	31	1
443	Nonwhite—M	1,773	4	2	1	1	4	5	11	24	46	97	154	178	200	231	292	208	146	88	51	19	11	-
	F	1,495	5	1	2	4	11	9	11	20	62	58	97	149	164	182	230	183	105	108	49	33	11	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	312	1	2	2	12	18	12	11	24	24	23	28	35	31	19	24	17	13	13	2	1	-	-
	White—M	111	-	1	-	4	4	5	5	9	10	7	12	14	9	6	8	9	5	3	-	-	-	-
	F	119	-	-	-	3	4	5	-	8	7	11	5	8	19	10	13	8	7	9	2	-	-	-
	Nonwhite—M	36	-	1	-	1	1	-	3	5	2	5	4	5	2	2	3	-	1	1	-	-	-	-
	F	46	1	-	2	4	9	2	3	2	5	-	7	8	1	1	-	-	-	-	-	1	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																							
420	Arteriosclerotic heart dis., etc.*	7,916	-	1	-	-	3	9	12	53	114	247	435	571	722	922	1,190	1,102	1,068	832	438	148	46	3
	White-----M--	4,348	-	1	-	-	1	1	6	29	65	140	280	368	441	558	661	591	539	384	206	56	20	1
	F--	2,126	-	-	-	-	-	2	1	7	10	24	39	63	113	170	285	345	418	367	193	71	17	1
	Nonwhite--M--	847	-	-	-	-	1	3	2	8	19	53	77	80	98	114	153	91	70	42	21	10	5	-
	F--	595	-	-	-	-	1	3	3	9	20	30	39	60	70	80	91	75	41	39	18	11	4	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,066	-	1	-	-	1	1	4	4	12	12	18	38	43	84	123	149	188	188	135	54	10	1
	White-----M--	371	-	-	-	-	-	1	2	-	2	5	3	11	18	29	39	55	66	76	42	19	2	1
	F--	384	-	-	-	-	1	-	-	-	-	-	4	4	5	14	34	47	89	85	70	24	7	-
	Nonwhite--M--	151	-	-	-	-	-	-	1	2	3	2	5	12	11	24	27	24	15	7	15	3	-	-
	F--	160	-	1	-	-	-	-	1	2	7	5	6	11	9	17	23	23	18	20	8	8	1	-
430-434	Other diseases of heart---------	894	12	3	2	1	5	10	6	15	36	34	68	69	92	98	113	102	80	80	40	18	10	-
	White-----M--	383	-	-	1	1	1	3	-	4	14	13	31	26	44	46	52	47	38	38	15	6	3	-
	F--	187	4	2	-	-	2	1	2	4	3	3	7	4	10	15	21	21	27	28	23	8	2	-
	Nonwhite--M--	203	4	1	1	-	2	2	2	3	8	12	22	29	26	28	21	21	9	8	2	-	2	-
	F--	121	4	-	-	-	-	4	2	4	11	6	8	10	12	9	19	13	6	6	-	4	3	-
440-443	Hypertensive heart disease-----	2,390	-	-	-	-	1	1	5	15	37	54	102	155	227	263	355	353	335	265	153	50	19	-
	White-----M--	611	-	-	-	-	-	1	-	5	4	4	9	29	53	67	80	98	116	80	42	16	7	-
	F--	670	-	-	-	-	-	-	-	1	-	8	10	14	39	58	90	111	128	112	75	19	5	-
	Nonwhite--M--	536	-	-	-	-	-	-	3	6	14	25	46	52	63	63	88	72	51	30	13	6	4	-
	F--	573	-	-	-	-	1	-	2	3	19	17	37	60	72	75	97	72	40	43	23	9	3	-
444-447	Other hypertensive disease-----	406	-	-	-	-	2	2	5	13	17	29	33	40	25	30	45	43	48	40	21	10	3	-
	White-----M--	111	-	-	-	-	1	-	-	2	4	3	8	11	6	10	12	12	17	12	10	1	2	-
	F--	92	-	-	-	-	-	1	1	1	1	2	6	4	7	6	4	11	17	18	6	7	-	-
	Nonwhite--M--	114	-	-	-	-	1	1	2	5	3	14	9	12	6	9	15	15	9	7	4	1	1	-
	F--	89	-	-	-	-	-	-	2	5	9	10	10	13	6	5	14	5	5	3	1	1	-	-
450	General arteriosclerosis--------	592	-	-	-	-	-	-	-	1	-	1	2	10	16	24	46	72	102	155	92	54	17	-
	White-----M--	212	-	-	-	-	-	-	-	-	-	-	-	-	5	7	16	31	41	62	32	18	-	-
	F--	218	-	-	-	-	-	-	-	-	-	-	-	5	4	3	6	16	33	62	52	28	9	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	1	-	-	1	3	4	8	11	9	17	16	4	3	5	-
	F--	80	-	-	-	-	-	-	-	-	-	1	1	2	3	6	13	16	11	15	4	5	3	-
451-468	Other diseases of circulatory sys.-	356	-	2	-	1	7	2	3	3	8	11	31	29	36	36	59	51	33	26	14	3	1	-
	White-----M--	179	-	1	-	-	1	-	-	1	6	5	14	16	20	20	38	19	16	16	6	-	-	-
	F--	94	-	1	-	-	3	2	-	-	-	2	5	5	6	5	11	22	14	7	8	2	1	-
	Nonwhite--M--	48	-	-	-	-	-	-	1	2	2	2	6	5	6	8	6	5	2	2	-	1	-	-
	F--	35	-	-	-	1	3	-	2	-	-	2	6	3	4	3	4	5	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	426	-	-	1	2	9	8	11	16	12	23	30	42	31	42	40	49	36	33	32	6	3	-
	White-----M--	139	-	-	1	-	3	6	5	5	3	6	8	10	9	14	13	19	11	12	9	4	1	-
	F--	105	-	-	-	1	2	-	3	5	7	5	3	6	5	12	5	12	12	8	18	1	-	-
	Nonwhite--M--	99	-	-	-	1	2	2	1	5	-	5	12	14	6	8	12	12	7	6	4	-	2	-
	F--	83	-	-	-	-	2	-	2	1	2	7	7	12	11	8	10	6	6	7	1	1	-	-
480-493	Influenza and pneumonia, etc.*	1,339	480	98	22	4	5	7	13	11	14	20	34	38	49	56	71	80	109	105	85	24	13	1
	White-----M--	406	92	20	3	1	1	1	4	2	5	5	11	12	18	20	34	41	47	42	38	6	3	-
	F--	310	51	16	4	2	2	3	2	2	2	4	4	6	4	12	19	21	42	52	40	14	8	-
	Nonwhite--M--	371	196	32	7	1	2	2	4	3	4	8	13	16	18	14	12	12	13	7	5	2	-	-
	F--	252	141	30	8	-	-	1	3	4	3	3	6	4	9	10	6	6	7	4	2	2	2	1
480-483	Influenza---------	107	21	7	2	-	1	2	2	-	2	2	1	4	7	6	8	7	10	14	10	1	-	-
	White-----M--	28	3	2	-	-	1	1	-	-	-	-	-	1	1	2	1	3	2	6	4	1	-	-
	F--	29	2	-	-	-	-	-	1	-	1	1	-	1	-	-	5	2	5	7	4	-	-	-
	Nonwhite--M--	29	9	2	1	-	-	-	-	-	-	1	1	2	4	1	1	1	3	1	2	-	-	-
	F--	21	7	3	1	-	-	1	1	-	1	-	-	-	2	3	1	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,232	459	91	20	4	4	5	11	11	12	18	33	34	42	50	63	73	99	91	75	23	13	1
	White-----M--	378	89	18	3	1	-	-	4	2	5	5	11	11	17	18	33	38	45	36	34	5	3	-
	F--	281	49	16	4	2	2	3	1	2	1	3	4	5	4	12	14	19	37	45	36	14	8	-
	Nonwhite--M--	342	187	30	6	1	2	2	4	3	4	7	12	14	14	13	11	11	10	6	3	2	-	-
	F--	231	134	27	7	-	-	-	2	4	2	3	6	4	7	7	5	5	7	4	2	2	2	1
500-502	Bronchitis---------	64	12	13	1	1	1	-	-	-	2	-	-	-	6	3	9	5	4	3	2	2	-	-
	White-----M--	35	4	5	1	-	-	-	-	-	2	-	-	-	5	3	8	3	2	1	-	1	-	-
	F--	13	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	2	2	1	-	-
	Nonwhite--M--	10	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	170	1	2	-	-	1	2	3	1	7	10	17	13	12	29	16	18	13	13	9	3	-	-
	White-----M--	109	1	2	-	-	1	-	2	-	5	5	9	8	9	18	9	17	12	7	3	1	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	2	3	-	4	4	1	1	5	5	2	-	-
	Nonwhite--M--	25	-	-	-	-	-	1	-	-	1	3	6	2	2	7	2	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	1	1	1	1	1	-	-	1	-	1	-	-	1	-	-	-	-
550-553	Appendicitis-------	37	-	2	2	1	1	-	3	-	2	1	1	3	6	5	1	5	1	3	-	-	-	-
	White-----M--	13	-	-	1	-	-	-	-	-	1	1	-	1	3	1	-	4	-	1	-	-	-	-
	F--	9	-	1	1	1	-	-	1	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	1	-	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-
	F--	8	-	1	-	-	-	-	2	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	167	26	3	3	1	-	1	3	4	2	8	10	9	8	14	8	20	20	21	4	2	-	-
	White-----M--	54	10	-	-	-	-	-	1	2	-	2	2	2	2	7	1	4	9	8	3	1	-	-
	F--	58	8	1	-	-	-	-	1	-	2	2	1	2	4	3	4	8	11	10	-	1	-	-
	Nonwhite--M--	32	5	2	1	1	-	-	-	-	-	2	2	3	1	4	2	7	-	2	-	-	-	-
	F--	23	3	-	2	-	-	1	1	2	-	2	5	2	1	-	1	1	-	1	1	-	-	-
543, 571, 572	Gastritis, etc.*	182	92	17	3	-	-	1	3	3	1	3	4	4	2	8	6	10	7	7	9	2	-	-
	White-----M--	35	13	2	-	-	-	-	1	1	1	2	2	-	-	4	1	5	2	1	-	-	-	-
	F--	46	11	5	1	-	-	-	-	1	-	-	1	3	1	1	4	3	4	3	6	2	-	-
	Nonwhite--M--	57	37	6	1	-	-	-	2	1	-	1	1	-	1	1	-	1	1	2	2	-	-	-
	F--	44	31	4	1	-	-	1	-	-	-	-	-	1	-	2	1	1	-	1	1	-	-	-
581	Cirrhosis of liver	227	2	-	-	-	-	2	5	15	17	32	22	35	21	23	26	12	10	2	2	1	-	-
	White-----M--	116	2	-	-	-	-	1	-	5	6	19	12	16	9	15	19	5	4	2	-	1	-	-
	F--	64	-	-	-	-	-	-	2	4	5	7	7	12	5	6	4	5	5	-	2	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	3	1	4	3	3	5	1	3	2	1	-	-	-	-	-
	F--	21	-	-	-	-	-	1	3	3	5	2	-	4	2	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																							
584, 585	Cholelithiasis, etc.*	70	-	-	-	-	-	-	1	2	2	2	1	3	5	7	10	9	10	11	6	1	-	-
	White—M	22	-	-	-	-	-	-	-	2	1	1	-	1	2	4	4	3	2	2	-	-	-	-
	F	40	-	-	-	-	-	-	1	-	1	-	1	2	2	2	2	6	8	8	6	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	73	3	6	4	4	2	1	3	-	7	7	5	6	5	6	2	5	3	1	1	1	-	1
	White—M	21	1	1	-	1	-	-	1	-	1	2	2	2	2	2	2	2	1	1	-	-	-	-
	F	13	-	1	-	1	-	-	-	-	-	1	-	1	2	2	-	2	2	-	-	1	-	-
	Nonwhite—M	16	-	1	2	1	1	-	1	-	1	-	3	2	1	1	-	1	-	-	-	-	-	1
	F	23	2	3	2	1	1	1	1	-	5	4	-	1	-	1	-	-	-	-	1	-	-	-
600	Infections of kidney	180	1	-	1	-	1	-	3	5	5	15	15	13	14	14	25	12	21	25	6	4	-	-
	White—M	65	-	-	-	-	-	-	-	1	-	3	5	4	4	4	9	5	11	11	6	2	-	-
	F	66	-	-	1	-	1	-	1	1	3	5	5	5	6	4	8	5	7	12	-	2	-	-
	Nonwhite—M	27	1	-	-	-	-	-	1	3	1	1	3	2	1	6	4	1	1	2	-	-	-	-
	F	22	-	-	-	-	-	-	1	-	1	6	2	2	3	-	4	1	2	-	-	-	-	-
610	Hyperplasia of prostate	102	-	-	-	-	-	-	-	-	-	-	1	2	6	5	21	21	11	20	10	5	-	-
	White—M	69	-	-	-	-	-	-	-	-	-	-	-	-	3	1	16	15	9	15	5	5	-	-
	Nonwhite—M	33	-	-	-	-	-	-	-	-	-	-	1	2	3	4	5	6	2	5	5	-	-	-
640-689	Complications of pregnancy, etc.*	60	...	...	...	-	6	11	17	13	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	...	...	...	-	-	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	46	...	...	...	-	6	6	11	11	9	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	10	...	...	...	-	1	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	...	...	...	-	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	50	...	...	...	-	5	7	15	10	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	...	...	...	-	-	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	38	...	...	...	-	5	3	10	8	9	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	540	385	52	22	9	11	2	3	5	7	9	9	8	3	2	3	-	7	1	2	-	-	-
	White—M	222	162	10	9	2	5	-	2	1	6	4	6	5	2	1	1	-	4	-	2	-	-	-
	F	177	116	20	11	5	5	1	1	3	1	5	3	1	-	1	1	-	2	1	-	-	-	-
	Nonwhite—M	73	59	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	68	48	10	2	2	1	1	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-
760-776	Certain diseases of early infancy	1,986	1,985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	645	645	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	488	487	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	485	485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	882	882	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	325	325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	905	904	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	277	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	224	223	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	936	198	23	5	3	6	4	12	16	39	35	49	53	50	72	75	76	68	56	51	22	22	1
	White—M	255	32	2	2	2	-	2	2	6	10	12	16	21	19	22	26	23	16	22	14	3	3	-
	F	151	19	-	-	-	-	-	1	-	3	7	4	3	2	11	9	12	20	19	19	16	6	-
	Nonwhite—M	278	69	16	1	1	3	-	4	5	13	9	18	17	14	25	23	19	18	5	12	2	4	-
	F	252	78	5	2	-	3	2	5	5	13	7	11	12	15	14	17	22	14	10	6	1	9	1
Residual	All other diseases	1,483	133	42	24	24	26	41	27	60	75	73	104	92	117	111	135	131	113	89	48	13	5	-
	White—M	601	38	11	8	12	9	15	7	20	26	32	48	39	56	47	56	74	45	35	20	2	1	-
	F	431	27	12	13	9	4	9	5	11	14	16	27	21	28	36	42	39	46	40	22	9	1	-
	Nonwhite—M	245	32	8	2	1	10	8	7	15	17	14	18	19	18	17	20	14	11	9	3	1	1	-
	F	206	36	11	1	2	3	9	8	14	18	11	11	13	15	11	17	4	11	5	3	1	2	-
E800-E962	Accidents	2,460	170	156	117	116	215	232	174	153	182	154	139	114	85	97	79	56	72	72	52	15	7	3
	White—M	1,207	35	39	35	58	137	153	106	95	95	84	73	71	45	44	35	27	28	22	17	5	2	1
	F	421	24	29	29	20	28	20	12	15	14	14	23	10	11	27	16	12	31	41	31	9	4	1
	Nonwhite—M	569	62	35	29	31	44	51	52	30	53	45	37	28	19	17	19	8	4	2	2	-	-	1
	F	263	49	53	24	7	6	8	4	13	20	11	6	5	10	9	9	9	9	7	2	1	1	-
E810-E835	Motor vehicle accidents	1,129	4	49	56	47	144	158	109	94	92	80	71	52	34	50	43	21	15	7	2	-	-	1
	White—M	642	1	13	15	25	96	110	67	60	51	39	34	35	17	23	25	14	12	3	2	-	-	-
	F	188	-	15	21	10	23	19	9	12	8	10	17	4	6	19	6	4	2	2	-	-	-	1
	Nonwhite—M	225	1	9	15	10	21	25	30	14	23	25	17	9	7	6	9	2	-	2	-	-	-	-
	F	74	2	12	5	2	4	4	3	8	10	6	3	4	4	2	3	1	1	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,331	166	107	61	69	71	74	65	59	90	74	68	62	51	47	36	35	57	65	50	15	7	2
	White—M	565	34	26	20	33	41	43	39	35	44	45	39	36	28	21	10	13	16	19	15	5	2	1
	F	233	24	14	8	10	5	1	3	3	6	4	6	6	5	8	10	8	29	39	31	9	4	-
	Nonwhite—M	344	61	26	14	21	23	26	22	16	30	20	20	19	12	11	10	6	4	-	2	-	-	1
	F	189	47	41	19	5	2	4	1	5	10	5	3	1	6	7	6	8	8	7	2	1	1	-
E963, E970-E979	Suicide	452	-	-	1	2	6	19	30	28	58	64	57	51	41	32	28	19	10	5	1	-	-	-
	White—M	345	-	-	1	1	5	11	22	18	42	52	45	39	32	25	22	15	9	5	1	-	-	-
	F	61	-	-	-	-	1	4	5	5	8	8	7	9	3	4	3	3	1	-	-	-	-	-
	Nonwhite—M	38	-	-	-	1	-	3	3	4	7	3	4	2	4	3	3	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	363	4	-	3	1	21	42	43	57	54	40	38	22	11	8	11	6	-	1	-	-	-	1
	White—M	81	-	-	-	-	3	8	9	15	9	9	12	3	2	3	5	2	-	-	-	-	-	1
	F	39	-	-	2	-	4	4	2	4	10	6	2	1	1	-	1	1	-	1	-	-	-	-
	Nonwhite—M	194	2	-	1	1	11	23	26	28	27	21	20	15	7	5	5	2	-	-	-	-	-	-
	F	49	2	-	-	-	3	7	6	10	8	4	4	3	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA																							
	All causes	5,215	412	66	30	35	50	59	58	51	71	96	156	193	253	382	528	716	761	667	398	170	41	2
	White--M	3,196	215	29	18	23	34	44	47	33	45	66	108	146	178	261	335	438	446	395	228	88	17	2
	F	1,891	162	30	12	11	15	11	10	17	23	27	40	45	70	116	181	267	303	284	169	77	21	-
	Nonwhite--M	82	21	4	-	1	1	4	-	1	2	2	7	-	5	3	8	7	7	4	1	2	2	-
	F	46	14	3	-	-	-	-	1	-	1	1	1	2	-	2	4	4	5	4	-	3	1	-
001-019	Tuberculosis, all forms	16	-	-	-	-	-	-	-	-	2	1	1	1	1	2	-	4	2	1	1	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	12	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	4	2	1	1	-	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	17	8	2	1	-	-	-	1	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	White--M	8	3	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F	6	2	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	767	2	5	2	4	4	5	3	12	17	12	34	38	62	99	114	121	107	84	29	11	1	1
	White--M	447	2	3	-	3	4	4	3	6	7	5	16	23	34	60	73	70	58	52	15	8	-	1
	F	313	-	2	2	1	-	1	-	6	10	7	18	15	28	39	39	50	47	31	14	2	1	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx	17	-	-	-	-	-	-	-	-	-	-	1	-	5	1	4	2	2	2	-	-	-	-
	White--M	13	-	-	-	-	-	-	-	-	-	-	1	-	5	-	3	2	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	305	-	-	1	-	-	1	2	3	4	2	12	17	23	40	42	52	50	37	12	6	-	1
	White--M	164	-	-	-	-	-	1	2	3	3	1	7	11	15	22	26	23	23	16	5	5	-	1
	F	136	-	-	1	-	-	-	-	-	1	1	5	6	8	18	15	28	26	20	7	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	67	-	-	-	1	-	1	-	-	2	-	1	2	7	13	13	10	6	9	1	1	-	-
	White—M	55	-	-	-	-	-	1	-	-	1	-	-	2	5	11	11	9	5	9	1	-	-	-
	F	11	-	-	-	1	-	-	-	-	1	-	1	-	2	2	1	1	1	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	49	-	-	-	-	-	-	-	1	1	2	5	3	10	5	2	7	7	3	2	1	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	1	1	2	5	3	10	5	2	7	7	3	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	115	-	-	-	-	-	-	-	1	3	1	3	4	4	13	19	19	18	22	6	2	-	-
	White—M	74	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	14	14	19	5	2	-	-
	F	41	-	-	-	-	-	-	-	1	3	1	3	4	2	7	7	5	4	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	52	-	-	-	-	-	-	-	-	-	2	1	3	2	8	10	10	6	8	2	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	1	-	3	1	7	5	5	3	6	1	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	5	2	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	65	1	2	-	2	3	1	-	2	4	1	6	2	3	7	10	11	5	1	2	1	1	-
	White—M	42	1	2	-	2	3	-	-	-	2	1	4	2	-	5	7	10	2	-	-	1	-	-
	F	23	-	-	-	-	-	1	-	2	2	-	2	-	3	2	3	1	3	1	2	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	45	1	3	1	-	-	-	-	1	2	3	1	2	2	7	7	3	8	1	3	-	-	-
	White—M	29	1	1	-	-	-	-	-	1	-	2	1	2	2	5	5	1	5	1	2	-	-	-
	F	16	-	2	1	-	-	-	-	-	2	1	-	-	-	2	2	2	3	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	52	-	-	-	1	1	2	1	4	1	1	4	5	6	5	7	7	5	1	1	-	-	-
	White—M	38	-	-	-	1	1	2	1	2	1	-	3	3	4	4	4	6	4	1	1	-	-	-
	F	14	-	-	-	-	-	-	-	2	-	1	1	2	2	1	3	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	13	-	1	1	-	-	-	-	-	1	1	-	1	1	1	1	3	2	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	F	9	-	1	1	-	-	-	-	-	1	1	-	1	1	-	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	13	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	3	3	1	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	113	-	-	-	1	-	2	2	3	-	1	3	-	4	7	13	25	30	13	6	3	-	-
	White—M	47	-	-	-	-	-	2	1	1	-	1	2	-	1	2	5	11	13	4	3	1	-	-
	F	63	-	-	-	1	-	-	1	2	-	-	1	-	3	4	8	14	16	8	3	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
290-293	Anemias	11	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	5	1	1	-	-
	White—M	9	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	4	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	8	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,792	1	2	2	5	4	5	6	9	21	37	68	95	133	201	327	451	513	473	295	119	25	-
	White—M	1,733	-	-	-	4	1	4	5	7	16	29	52	78	100	149	210	269	310	267	163	56	13	-
	F	1,025	1	1	2	1	3	1	1	2	4	8	11	17	31	50	111	176	199	204	132	59	11	-
	Nonwhite—M	18	-	1	-	-	-	-	-	-	1	-	4	-	2	1	3	3	-	1	-	1	1	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	4	1	-	3	-	-
330-334, 400-468	Dis. of cardiovascular system	2,759	1	1	1	4	3	3	6	9	19	34	68	93	131	200	325	449	505	470	293	119	25	-
	White—M	1,711	-	-	-	3	1	2	5	7	14	26	52	77	99	148	208	268	306	264	162	56	13	-
	F	1,016	1	-	1	1	2	1	1	2	4	8	11	16	31	50	111	175	196	204	131	59	11	-
	Nonwhite—M	17	-	1	-	-	-	-	-	-	1	-	4	-	1	1	3	3	-	1	-	1	1	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	3	1	-	3	-	-
330-334	Vascular lesions, etc.*	695	1	-	1	1	2	1	1	1	4	5	7	12	20	29	83	113	141	145	87	36	5	-
	White—M	384	-	-	-	-	1	-	1	-	2	3	2	8	11	11	55	64	80	75	49	20	2	-
	F	307	1	-	1	1	1	1	-	1	2	2	5	4	9	18	27	49	60	70	38	14	3	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
400-402, 410-443	Diseases of heart	1,858	-	-	-	3	1	2	4	7	15	26	58	77	110	163	229	307	332	268	181	63	12	-
	White—M	1,206	-	-	-	3	-	2	3	6	12	23	49	67	87	133	145	188	203	153	101	26	5	-
	F	628	-	-	-	-	1	-	1	1	2	3	4	10	22	28	79	115	127	113	80	36	6	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	1	-	4	-	1	1	2	2	-	1	-	1	1	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	1	-	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	49	-	-	-	3	-	-	-	2	1	5	5	3	4	5	5	7	5	2	1	1	-	-
	White—M	31	-	-	-	3	-	-	-	1	-	2	5	3	2	3	2	3	4	1	1	1	-	-
	F	16	-	-	-	-	-	-	-	1	-	3	-	-	2	2	3	4	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Continued																							
420	Arteriosclerotic heart dis., etc.*	1,447	-	-	-	-	-	1	1	4	11	17	49	64	91	136	196	252	255	191	123	47	9	-
	White	962	-	-	-	-	-	1	-	4	10	17	41	56	77	114	127	161	159	115	73	23	4	-
	F	449	-	-	-	-	-	-	1	-	1	-	4	8	13	21	64	90	95	75	50	23	4	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	1	-	1	-	1	1	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	120	-	-	-	-	-	1	1	1	-	-	-	4	7	4	4	10	24	28	28	7	1	-
	White	61	-	-	-	-	-	1	1	1	-	-	-	3	5	4	2	6	12	13	11	2	-	-
	F	59	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	12	15	17	5	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	94	-	-	-	-	1	-	1	-	2	3	1	4	4	7	11	12	15	16	11	4	2	-
	White	57	-	-	-	-	-	-	1	-	1	3	1	3	2	6	8	6	10	9	6	-	1	-
	F	35	-	-	-	-	1	-	-	-	1	-	-	1	2	1	3	5	5	6	5	4	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
440-443	Hypertensive heart disease	148	-	-	-	-	-	-	1	-	1	1	3	2	4	11	13	26	33	31	18	4	-	-
	White	75	-	-	-	-	-	-	1	-	1	1	2	2	1	6	6	12	18	15	10	-	-	-
	F	69	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	12	15	16	8	4	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
444-447	Other hypertensive disease	37	-	-	-	-	-	-	1	-	-	2	1	-	-	3	3	8	7	7	2	3	-	-
	White	21	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	3	5	6	1	3	-	-
	F	16	-	-	-	-	-	-	-	-	-	2	1	-	-	2	2	5	2	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	118	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	12	15	42	18	16	8	-
	White	70	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	11	24	11	7	6	-
	F	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	18	7	8	2	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.	51	-	1	-	-	-	-	-	1	-	1	2	4	-	2	7	9	10	8	5	1	-	-
	White	30	-	-	-	-	-	-	-	1	-	-	1	2	-	1	6	6	7	6	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	2	3	2	5	1	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	33	-	1	1	1	1	2	-	-	2	3	-	2	2	1	2	2	8	3	2	-	-	-
	White	22	-	-	-	1	-	2	-	-	2	3	-	1	1	1	2	1	4	3	1	-	-	-
	F	9	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	1	3	-	1	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	189	28	3	-	4	1	4	2	1	-	1	3	3	6	9	14	21	24	31	16	10	8	-
	White	112	13	-	-	1	-	3	1	1	-	1	-	3	5	7	7	16	15	21	11	4	3	-
	F	60	8	1	-	2	1	1	1	-	-	-	3	-	1	2	5	4	7	10	4	6	4	-
	Nonwhite	11	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
	F	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
480-483	Influenza	7	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	F	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	182	27	3	-	2	1	4	2	1	-	1	3	3	6	8	14	20	24	31	16	8	8	-
	White	109	13	-	-	1	-	3	1	1	-	1	-	3	5	6	7	15	15	21	11	3	3	-
	F	56	7	1	-	-	1	1	1	-	-	-	3	-	1	2	5	4	7	10	4	5	4	-
	Nonwhite	11	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
	F	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
500-502	Bronchitis	12	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	1	-	-
	White	11	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	33	-	-	-	-	1	-	-	-	-	-	-	3	5	4	5	3	4	6	2	-	-	-
	White	25	-	-	-	-	-	-	-	-	-	-	-	1	4	3	4	2	4	5	2	-	-	-
	F	7	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	6	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	White	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	38	3	-	1	-	-	-	-	-	1	1	-	1	3	-	3	9	4	7	3	2	-	-
	White	19	1	-	-	-	-	-	-	-	1	1	-	1	2	-	1	4	1	4	3	-	-	-
	F	18	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	5	3	3	-	2	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	23	5	2	-	-	-	-	1	-	-	-	-	-	2	1	-	2	2	5	2	1	-	-
	White	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	-	-
	F	13	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	4	2	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	31	-	-	-	-	-	-	-	-	-	4	2	3	3	2	4	6	4	2	1	-	-	-
	White	26	-	-	-	-	-	-	-	-	-	3	2	3	2	2	4	5	3	1	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Continued																							
584, 585	Cholelithiasis, etc.*	24	-	-	-	-	-	1	-	1	1	-	1	1	2	2	1	5	4	2	1	2	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	2	1	1	1	-	-
	F	10	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	1	2	1	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	5	-	-	-	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	14	-	1	-	-	1	-	-	1	-	-	1	1	1	-	2	2	3	-	1	-	-	-
	White—M	10	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	3	-	1	-	-	-
	F	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	3	5	2	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	3	5	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	86	61	9	2	3	1	-	-	-	-	1	2	1	-	2	2	1	-	-	-	1	-	-
	White—M	39	22	7	2	2	1	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-
	F	43	35	2	-	1	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	51	8	1	-	-	-	-	-	-	-	2	1	1	-	3	3	3	8	7	7	2	2	1
	White—M	31	4	2	1	-	-	-	-	-	-	2	1	-	-	1	2	3	4	5	4	1	-	1
	F	17	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	2	3	1	2	-
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	202	16	4	1	2	2	5	5	3	8	11	7	10	4	14	14	23	21	25	17	8	2	-
	White—M	118	9	2	1	2	2	-	3	1	5	5	6	6	4	10	8	17	7	10	11	8	1	-
	F	71	7	2	-	-	-	4	2	2	3	3	1	3	-	4	6	4	13	11	6	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	2	1	2	-	-	1	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-
E800-E962	Accidents	389	19	26	17	12	36	35	31	16	17	16	21	16	16	16	16	22	21	18	9	6	3	-
	White—M	274	10	10	11	8	26	29	28	13	13	13	18	13	11	10	12	16	14	11	6	2	-	-
	F	99	7	13	6	4	9	3	2	2	4	3	1	3	3	6	4	6	6	7	3	4	3	-
	Nonwhite—M	13	1	2	-	-	1	3	-	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-
	F	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	175	-	7	7	3	17	29	23	6	6	12	12	8	9	10	4	9	8	3	2	-	-	-
	White—M	129	-	3	6	1	10	25	20	4	4	9	10	7	6	5	2	6	8	2	1	-	-	-
	F	41	-	4	1	2	7	2	2	2	2	3	1	1	2	5	2	3	-	1	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	214	19	19	10	9	19	6	8	10	11	4	9	8	7	6	12	13	13	15	7	6	3	-
	White—M	145	10	7	5	7	16	4	8	9	9	4	8	6	5	5	10	10	6	9	5	2	-	-
	F	58	7	9	5	2	2	1	-	-	2	-	-	2	1	1	2	3	6	6	2	4	3	-
	Nonwhite—M	9	1	2	-	-	1	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	69	-	-	-	1	-	1	4	3	1	5	9	14	9	10	4	3	2	2	1	-	-	-
	White—M	59	-	-	-	1	-	1	4	2	1	4	7	14	9	6	3	3	2	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	1	2	-	-	4	-	-	-	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	5	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO																							
	All causes	91,675	5,939	891	505	344	545	582	669	1,050	1,437	2,244	3,225	4,628	6,035	8,061	10,595	12,021	12,108	10,546	6,851	2,700	683	16
	White	47,305	2,815	427	273	187	348	374	360	518	728	1,206	1,802	2,693	3,490	4,662	5,993	6,421	6,082	4,895	2,856	963	202	10
	White--M	36,991	2,076	329	185	124	151	137	198	308	487	686	994	1,356	1,845	2,664	3,804	4,944	5,525	5,293	3,790	1,644	447	4
	White--F	4,191	606	73	26	19	30	42	68	124	124	183	245	333	383	449	461	376	277	203	112	39	16	2
	Nonwhite	3,188	442	62	21	14	16	29	43	100	98	169	184	246	317	286	337	280	224	155	93	54	18	-
	Nonwhite--M	1,597	240	33	13	8	10	16	23	52	49	85	91	123	157	137	164	135	107	70	40	23	9	-
	Nonwhite--F	1,591	202	29	8	6	6	13	20	48	49	84	93	123	160	149	173	145	117	85	53	31	9	-
001-019	Tuberculosis, all forms	554	1	4	1	-	1	4	10	24	25	35	48	49	68	69	74	61	35	34	7	2	2	-
	White	324	-	1	1	-	1	-	3	8	11	12	27	28	39	50	54	44	18	24	2	-	1	-
	White--M	93	-	2	-	-	-	1	1	7	5	9	5	7	9	5	10	10	11	6	3	2	-	-
	White--F	109	-	-	-	-	-	2	3	7	6	10	14	14	16	13	7	6	5	3	2	-	1	-
	Nonwhite	28	1	1	-	-	-	1	3	2	3	4	2	-	4	1	3	1	1	1	-	-	-	-
	Nonwhite--M	16	-	1	-	-	-	1	2	1	2	3	1	-	3	1	2	1	1	1	-	-	-	-
	Nonwhite--F	12	1	-	-	-	-	-	1	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	507	-	2	-	-	1	2	8	20	23	32	45	48	63	66	67	57	32	32	6	2	1	-
	White	302	-	1	-	-	1	-	1	7	10	11	25	28	36	48	51	44	16	22	1	-	-	-
	White--M	84	-	1	-	-	-	1	1	6	5	9	5	6	9	4	8	8	10	6	3	2	-	-
	White--F	102	-	-	-	-	-	1	3	7	6	8	14	14	14	13	6	5	5	3	2	-	1	-
	Nonwhite	19	-	-	-	-	-	-	3	-	2	4	1	-	4	1	2	-	1	1	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	2	-	1	3	1	-	3	1	1	-	1	1	-	-	-	-
	Nonwhite--F	8	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	47	1	2	1	-	-	2	2	4	2	3	3	1	5	3	7	4	3	2	1	-	1	-
	White	22	-	-	1	-	-	-	2	1	1	1	2	-	3	2	3	-	2	2	1	-	1	-
	White--M	9	-	1	-	-	-	-	-	1	-	-	-	1	-	1	2	2	1	-	-	-	-	-
	White--F	7	-	-	-	-	-	1	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite	9	1	1	-	-	-	1	-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	5	-	1	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--F	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	299	2	-	-	-	1	-	1	5	4	8	14	25	35	50	52	53	33	8	7	1	-	-
	White	151	-	-	-	-	1	-	-	2	1	1	3	10	16	31	32	28	17	5	4	-	-	-
	White--M	62	1	-	-	-	-	-	-	-	1	2	1	5	5	7	11	10	12	3	3	1	-	-
	White--F	50	1	-	-	-	-	-	-	1	2	3	5	4	9	9	5	9	2	-	-	-	-	-
	Nonwhite	36	-	-	-	-	-	-	1	2	-	2	5	6	5	3	4	6	2	-	-	-	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	1	-	1	3	4	3	2	3	3	1	-	-	-	-	-
	Nonwhite--F	17	-	-	-	-	-	-	1	1	-	1	2	2	2	1	1	3	1	-	-	-	-	-
045-048	Dysentery, all forms	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	6	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	White	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	45	20	17	1	2	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	White	23	12	7	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	17	7	7	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	20	2	3	-	1	2	-	2	4	3	2	-	1	-	-	-	-	-	-	-	-	-	-
	White	13	1	2	-	-	1	-	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	6	1	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	37	5	19	9	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	White	19	1	11	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	16	4	7	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White--F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	251	25	28	12	4	4	6	3	14	11	15	12	18	13	19	16	23	12	9	4	2	1	-
	White	114	14	14	3	1	1	2	-	5	7	5	7	6	7	11	7	13	6	2	2	-	1	-
	White--M	103	5	11	9	3	3	4	2	5	4	6	5	7	3	6	8	6	6	7	2	1	-	-
	White--F	13	2	1	-	-	-	-	1	2	-	1	-	2	-	1	-	3	-	-	-	-	-	-
	Nonwhite	21	4	2	-	-	-	-	-	2	-	3	-	3	3	1	1	1	-	-	-	1	-	-
	Nonwhite--M	12	2	1	-	-	-	-	-	1	-	2	-	2	2	-	1	1	-	-	-	1	-	-
	Nonwhite--F	9	2	1	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	14,547	9	99	72	58	56	46	91	165	325	509	751	1,116	1,428	1,854	2,154	2,075	1,748	1,214	582	166	26	3
	White	7,141	6	58	38	27	33	25	41	63	102	196	308	517	682	945	1,140	1,092	919	615	270	53	9	2
	White--M	6,393	3	36	28	25	22	16	46	77	198	258	362	475	608	747	891	871	755	561	291	106	16	1
	White--F	534	-	4	3	3	-	2	1	12	11	19	35	62	73	89	75	64	40	23	13	4	1	-
	Nonwhite	479	-	1	3	3	1	3	3	13	14	36	46	62	65	73	48	48	34	15	8	3	-	-
	Nonwhite--M	230	-	1	2	2	1	2	2	6	8	19	23	31	32	34	23	23	16	6	4	1	-	-
	Nonwhite--F	249	-	-	1	1	-	1	1	7	6	17	23	31	33	39	25	25	18	9	4	2	-	-
140-148	Of buccal cavity and pharynx	330	-	-	1	1	1	-	2	1	5	15	12	29	44	49	48	45	36	21	14	6	-	-
	White	264	-	-	-	1	1	-	1	-	4	14	8	16	33	44	41	41	28	18	9	5	-	-
	White--M	49	-	-	1	-	-	-	1	-	1	1	4	9	6	4	5	3	6	3	5	-	-	-
	White--F	13	-	-	-	-	-	-	-	1	-	-	-	3	3	1	2	-	2	-	-	1	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	5,061	2	3	1	1	3	3	10	30	47	109	192	319	410	627	793	854	743	562	265	81	5	1
	White	2,561	1	3	-	-	1	2	3	13	20	40	99	170	202	335	430	456	388	259	117	19	2	1
	White--M	2,169	1	-	1	-	2	-	6	10	25	56	61	113	160	241	316	357	330	289	139	59	3	-
	White--F	183	-	-	-	1	-	1	1	6	1	8	13	18	25	28	30	22	14	7	6	2	-	-
	Nonwhite	148	-	-	-	-	-	-	-	1	1	5	19	18	23	23	17	19	11	7	3	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	2,032	-	3	-	-	2	3	5	13	34	74	129	224	283	335	377	243	183	96	27	1	-	-
	White—M	1,603	-	1	-	-	2	3	4	8	16	55	101	179	231	270	311	195	132	76	18	1	-	-
	F	270	-	2	-	-	-	-	1	4	13	12	18	19	23	32	47	34	44	13	8	-	-	-
	Nonwhite—M	140	-	-	-	-	-	-	-	1	5	5	9	23	25	29	18	12	7	5	1	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	2	1	3	4	4	1	2	-	2	-	-	-	-
170	Of breast	1,309	-	-	-	-	-	1	7	18	60	84	116	128	151	162	172	142	120	82	45	17	4	-
	White—M	10	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	1	1	-	-	-	-
	F	1,222	-	-	-	-	-	-	6	14	55	79	109	119	137	149	160	136	113	81	45	15	4	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	75	-	-	-	-	-	1	1	4	5	4	7	9	11	12	8	5	6	-	2	-	-	-
171-179	Of genital organs	2,294	-	2	1	1	3	6	19	41	75	83	126	155	206	249	305	345	300	226	110	31	8	2
	White—M	831	-	2	1	-	2	2	10	8	12	5	8	14	30	55	101	166	176	145	70	19	4	1
	F	1,264	-	-	-	1	1	3	8	25	58	65	105	122	152	159	180	158	104	73	34	12	3	1
	Nonwhite—M	71	-	-	-	-	-	-	-	1	-	-	2	2	9	11	11	14	12	4	4	-	1	-
	F	128	-	-	-	-	-	1	1	7	5	13	11	17	15	24	13	7	8	4	2	-	-	-
180, 181	Of urinary organs	668	-	11	3	1	1	1	2	1	2	17	23	41	63	72	117	112	95	61	35	9	1	-
	White—M	403	-	5	-	-	-	-	1	-	2	12	12	20	36	50	82	65	67	32	18	1	-	-
	F	212	-	6	1	1	1	-	1	-	-	1	5	12	18	19	32	37	27	26	16	8	1	-
	Nonwhite—M	25	-	-	-	-	-	-	-	1	-	1	2	5	4	1	3	5	-	3	-	-	-	-
	F	28	-	-	2	-	-	1	-	-	-	3	4	4	5	2	-	5	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,510	5	26	15	19	17	17	18	25	39	72	90	129	143	206	197	170	137	101	58	18	8	-
	White—M	738	3	13	7	4	7	10	10	15	18	40	47	67	70	111	88	80	55	59	24	7	3	-
	F	675	2	10	6	12	10	6	8	10	18	24	35	51	66	82	96	77	76	38	33	10	5	-
	Nonwhite—M	54	-	2	2	1	-	1	-	-	-	2	6	8	4	10	7	5	2	3	-	1	-	-
	F	43	-	1	-	2	-	-	-	-	3	6	2	3	3	3	6	8	4	1	1	-	-	-
204	Leukemia and aleukemia	666	1	47	39	26	20	8	10	15	29	23	22	31	48	74	68	75	71	40	19	2	-	-
	White—M	367	1	32	20	15	12	3	4	7	14	15	13	16	28	37	38	41	41	18	11	1	-	-
	F	265	-	14	17	9	7	5	6	6	13	8	8	14	19	28	25	32	25	22	6	1	-	-
	Nonwhite—M	19	-	1	1	1	-	-	-	1	2	-	-	-	1	7	-	2	2	-	1	-	-	-
	F	15	-	-	1	1	1	-	-	1	-	-	1	1	-	2	3	-	3	-	1	-	-	-
200-203, 205	Lymphomas, etc.*	677	1	7	12	9	9	7	18	21	34	32	41	60	80	80	79	89	63	25	9	1	-	-
	White—M	364	1	2	10	7	8	5	8	12	16	14	20	35	50	42	46	47	31	7	3	-	-	-
	F	267	-	4	2	2	1	2	9	8	15	12	17	16	27	33	30	37	30	16	5	1	-	-
	Nonwhite—M	27	-	1	-	-	-	-	-	1	3	3	3	3	1	2	3	4	1	1	1	-	-	-
	F	19	-	-	-	-	-	-	1	-	-	3	1	6	2	3	-	1	1	1	-	-	-	-
210-239	Benign & unspec. neoplasms	232	7	12	6	7	8	2	2	8	9	16	16	16	23	20	26	19	15	11	5	2	1	1
	White—M	84	3	6	3	4	3	2	1	4	3	3	2	4	8	6	6	11	9	4	1	-	-	1
	F	117	3	3	2	3	5	-	1	3	5	9	13	10	11	12	15	5	5	5	4	2	1	-
	Nonwhite—M	13	1	3	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	2	-	-	-	-
	F	18	-	-	1	-	-	-	-	1	1	3	1	1	3	1	3	2	1	-	-	-	-	-
241	Asthma	262	-	5	1	1	2	2	2	5	9	11	14	19	21	43	37	29	25	24	8	3	1	-
	White—M	149	-	1	1	-	1	-	-	1	4	4	5	8	15	25	24	23	17	16	3	-	1	-
	F	88	-	3	-	1	-	2	1	3	2	5	8	7	6	16	7	5	7	8	4	3	-	-
	Nonwhite—M	14	-	1	-	-	1	-	1	1	1	1	1	2	-	-	3	1	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	2	1	-	2	-	2	3	-	-	-	1	-	-	-
260	Diabetes mellitus	1,998	-	-	2	8	6	6	13	27	30	34	49	104	166	228	319	399	295	205	84	21	1	1
	White—M	708	-	-	2	3	2	4	7	17	12	14	15	44	59	79	108	124	119	70	27	1	-	1
	F	1,128	-	-	-	3	3	2	3	7	13	9	24	42	80	127	187	262	164	129	53	19	1	-
	Nonwhite—M	49	-	-	-	-	1	-	2	2	4	2	5	4	3	8	8	2	4	2	1	1	-	-
	F	113	-	-	-	2	-	-	1	1	1	9	5	14	24	14	16	11	8	4	3	-	-	-
290-293	Anemias	181	6	7	10	2	2	1	3	3	3	2	2	5	6	15	16	25	27	25	16	5	-	-
	White—M	79	1	4	4	1	-	-	1	3	1	2	2	2	1	6	6	9	14	12	6	4	-	-
	F	83	2	1	4	1	-	-	1	-	2	-	-	1	5	7	8	15	13	12	10	1	-	-
	Nonwhite—M	12	2	1	-	-	1	1	-	-	-	-	-	2	-	2	1	1	-	1	-	-	-	-
	F	7	1	1	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	137	55	29	6	1	-	1	3	-	-	1	3	7	5	12	5	4	3	1	1	-	-	-
	White—M	58	23	13	3	-	-	-	1	-	-	-	1	4	3	3	2	3	1	-	1	-	-	-
	F	51	23	11	3	1	-	-	-	-	-	-	1	2	1	5	1	-	2	1	-	-	-	-
	Nonwhite—M	18	5	5	-	-	-	-	1	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-
	F	10	4	-	-	-	-	1	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	51,239	26	17	16	27	43	52	109	213	411	882	1,447	2,327	3,171	4,492	6,323	7,731	8,384	7,705	5,215	2,108	535	5
	White—M	26,546	11	6	6	12	17	28	51	110	250	555	923	1,490	1,972	2,706	3,640	4,111	4,121	3,493	2,137	753	152	2
	F	21,393	9	8	9	11	20	17	35	58	80	190	327	548	827	1,387	2,211	3,202	3,928	3,955	2,928	1,284	358	1
	Nonwhite—M	1,774	2	1	1	2	3	3	10	18	37	71	105	167	197	236	250	228	182	139	80	29	11	2
	F	1,526	4	2	-	2	3	4	13	27	44	66	92	122	175	163	222	190	153	118	70	42	14	-
330-334, 400-468	Dis. of cardiovascular system	50,550	24	15	15	21	39	44	88	197	390	853	1,409	2,292	3,132	4,439	6,243	7,652	8,286	7,623	5,165	2,086	532	5
	White—M	26,216	11	6	6	7	15	23	40	102	241	545	913	1,479	1,948	2,676	3,602	4,075	4,062	3,457	2,113	741	152	2
	F	21,122	8	6	8	10	19	14	29	54	72	182	309	535	821	1,372	2,180	3,163	3,894	3,912	2,904	1,274	355	1
	Nonwhite—M	1,740	2	1	1	2	3	3	9	17	36	66	103	162	197	230	245	226	178	138	79	29	11	2
	F	1,472	3	2	-	2	2	4	10	24	41	60	84	116	166	161	216	188	152	116	69	42	14	-
330-334	Vascular lesions, etc.*	11,211	9	4	5	5	11	8	18	48	56	128	197	343	463	724	1,237	1,764	2,086	2,071	1,401	514	119	-
	White—M	5,008	6	2	2	3	4	6	8	16	25	40	84	141	217	329	630	861	936	938	553	176	31	-
	F	5,404	3	2	3	-	7	2	6	16	14	56	72	141	164	291	496	796	1,052	1,068	813	322	80	-
	Nonwhite—M	391	-	-	-	2	-	-	2	3	5	16	24	31	42	55	49	53	49	37	19	2	2	-
	F	408	-	-	-	-	-	-	2	13	12	16	17	30	40	49	62	54	49	28	16	14	6	-
400-402, 410-443	Diseases of heart	34,853	12	11	7	14	25	29	59	130	295	661	1,150	1,848	2,503	3,433	4,603	5,295	5,466	4,710	3,081	1,221	296	4
	White—M	19,081	5	4	3	3	11	14	30	80	202	480	802	1,294	1,635	2,191	2,742	2,905	2,746	2,141	1,263	440	88	2
	F	13,701	4	4	3	10	9	9	18	30	48	104	221	361	612	987	1,548	2,139	2,519	2,415	1,725	738	196	1
	Nonwhite—M	1,160	2	1	1	-	3	3	7	11	24	44	68	119	143	153	174	140	111	86	46	17	6	1
	F	911	1	2	-	1	2	3	4	9	21	33	59	74	113	102	139	111	90	68	47	26	6	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	1,143	-	3	1	10	15	17	23	38	53	99	126	120	144	139	120	83	62	53	25	6	6	-
	White—M	530	-	1	-	2	8	11	11	17	26	49	61	60	70	64	59	35	25	18	10	2	1	-
	F	532	-	1	-	7	5	3	9	17	20	40	57	53	63	66	53	48	36	30	15	4	5	-
	Nonwhite—M	40	-	-	1	-	2	-	2	1	3	5	3	4	7	5	5	-	-	2	-	-	-	-
	F	41	-	1	-	1	-	3	1	3	4	5	5	3	4	4	3	-	1	3	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																							
420	Arteriosclerotic heart dis., etc.*	25,318	-	-	1	-	1	4	22	63	196	476	834	1,472	1,904	2,712	3,538	3,988	3,947	3,207	2,005	770	176	2
	White-----M--	15,007	-	-	1	-	1	1	13	51	161	394	661	1,127	1,355	1,845	2,251	2,328	2,099	1,522	850	300	46	1
	F--	9,142	-	-	-	-	-	2	5	5	15	48	113	232	401	715	1,094	1,517	1,734	1,593	1,100	443	124	1
	Nonwhite--M--	706	-	-	-	-	-	1	4	6	15	21	39	80	85	101	112	85	66	52	25	10	4	-
	F--	463	-	-	-	-	-	-	-	1	5	13	21	33	63	51	81	58	48	40	30	17	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,070	1	5	1	1	3	1	3	7	4	11	37	47	104	143	249	408	588	624	513	249	71	-
	White-----M--	1,375	-	3	1	-	1	-	3	4	3	7	22	24	54	74	109	196	279	266	222	78	29	-
	F--	1,512	1	1	-	1	2	1	-	3	1	3	7	11	31	49	120	185	280	346	275	159	36	-
	Nonwhite--M--	102	-	-	-	-	-	-	-	-	-	1	5	7	10	12	9	17	14	7	11	7	2	-
	F--	81	-	1	-	-	-	-	-	-	-	-	3	5	9	8	11	10	15	5	5	5	4	-
430-434	Other diseases of heart--------	1,254	11	3	4	3	6	6	11	11	16	35	54	56	93	104	117	167	186	166	134	53	16	2
	White-----M--	623	5	-	1	1	1	2	3	4	7	17	24	30	52	63	75	89	89	89	41	25	4	1
	F--	519	3	2	3	2	2	3	4	4	4	8	18	17	28	34	33	69	84	70	91	28	12	-
	Nonwhite--M--	71	2	1	-	-	1	1	1	2	2	5	9	5	8	5	2	9	12	4	1	-	-	1
	F--	41	1	-	-	-	2	-	3	1	3	5	3	4	5	2	7	-	1	3	1	-	-	-
440-443	Hypertensive heart disease-----	4,068	-	-	-	-	-	1	-	11	26	40	99	153	258	335	579	649	683	660	404	143	27	-
	White-----M--	1,546	-	-	-	-	-	-	-	4	5	13	34	53	104	145	248	257	254	246	140	35	8	-
	F--	1,996	-	-	-	-	-	-	-	1	8	5	26	48	89	123	248	320	385	376	244	104	19	-
	Nonwhite--M--	241	-	-	-	-	-	1	-	2	4	12	12	23	33	30	46	29	19	21	9	-	-	-
	F--	285	-	-	-	-	-	-	-	4	9	10	27	29	32	37	37	43	25	17	11	4	-	-
444-447	Other hypertensive disease-----	843	-	-	-	1	1	1	2	10	15	30	30	36	58	69	84	112	112	136	98	39	9	-
	White-----M--	356	-	-	-	1	-	1	-	3	3	8	13	14	26	29	37	49	57	63	45	13	4	-
	F--	371	-	-	-	-	1	-	-	3	2	10	6	12	22	30	39	51	53	63	50	24	5	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	3	5	4	8	4	7	9	6	7	1	4	2	2	-	-
	F--	44	-	-	-	-	-	-	2	1	5	8	3	6	3	1	2	5	1	6	1	-	-	-
450	General arteriosclerosis--------	2,624	-	-	-	-	-	1	-	-	3	3	5	11	33	76	168	319	486	589	533	294	103	-
	White-----M--	1,194	-	-	-	-	-	1	-	-	1	2	3	4	22	40	94	165	246	253	234	102	27	-
	F--	1,289	-	-	-	-	-	-	-	-	1	1	2	2	6	26	55	124	220	313	286	182	71	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	-	-	2	1	7	11	19	12	11	8	8	3	-
	F--	59	-	-	-	-	-	-	-	-	1	-	-	3	4	3	8	11	8	12	5	2	2	-
451-468	Other diseases of circulatory sys.-	1,019	3	-	3	1	2	5	9	9	21	31	27	54	75	137	151	162	136	117	52	18	5	1
	White-----M--	567	-	-	1	-	-	1	2	3	10	15	11	26	48	87	99	95	77	62	18	10	2	-
	F--	357	1	-	2	-	2	3	5	5	7	11	8	19	17	38	42	53	50	53	30	8	3	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	2	2	3	6	4	6	5	7	5	-	4	-	-	1
	F--	50	2	-	-	1	-	1	2	1	2	3	5	3	6	6	5	7	4	2	-	-	-	-
592-594	Chronic nephritis, etc.*----------	689	2	2	1	6	4	8	21	16	21	29	38	35	39	53	80	79	98	82	50	22	3	-
	White-----M--	330	-	-	-	5	2	5	11	8	9	10	10	11	24	30	38	36	59	36	24	12	-	-
	F--	271	1	2	1	1	1	3	6	4	8	8	18	13	6	15	31	39	34	43	24	10	3	-
	Nonwhite--M--	34	-	-	-	-	-	-	1	1	1	5	2	5	-	6	5	2	4	1	1	-	-	-
	F--	54	1	-	-	-	1	-	3	3	3	6	8	6	9	2	6	2	1	2	1	-	-	-
480-483	Influenza and pneumonia, etc.*-	2,526	376	116	20	14	12	16	19	29	32	51	66	77	96	138	196	265	301	301	240	121	40	-
	White-----M--	1,244	178	46	6	9	8	8	10	10	14	15	33	41	58	81	120	144	160	153	96	44	10	-
	F--	959	111	46	11	4	3	7	7	9	11	21	18	27	20	32	52	94	122	133	133	72	26	-
	Nonwhite--M--	217	51	10	2	1	1	1	2	5	5	11	11	8	13	18	22	23	9	11	7	4	2	-
	F--	106	36	14	1	-	-	-	-	5	2	4	4	1	5	7	2	4	10	4	4	1	2	-
480-483	Influenza---------	261	9	4	2	2	1	1	2	1	3	10	6	8	11	14	25	26	30	41	39	20	6	-
	White-----M--	128	3	2	-	2	-	-	1	-	2	5	4	5	8	9	16	17	12	16	18	7	1	-
	F--	125	4	2	2	-	1	1	1	1	1	4	-	3	2	5	9	8	18	24	21	13	5	-
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	2,265	367	112	18	12	11	15	17	28	29	41	60	69	85	124	171	239	271	260	201	101	34	-
	White-----M--	1,116	175	44	6	7	8	8	9	10	12	10	29	36	50	72	104	127	148	137	78	37	9	-
	F--	834	107	44	9	4	2	6	6	8	10	17	18	24	18	27	43	86	104	109	112	59	21	-
	Nonwhite--M--	210	49	10	2	1	1	1	2	5	5	11	9	8	12	18	22	22	9	10	7	4	2	-
	F--	105	36	14	1	-	-	-	-	5	2	3	4	1	5	7	2	4	10	4	4	1	2	-
500-502	Bronchitis--------	221	42	20	4	-	1	-	3	1	3	2	3	4	15	21	26	23	27	12	12	2	-	-
	White-----M--	119	11	6	2	-	-	-	1	-	1	1	1	3	11	15	19	17	15	8	7	1	-	-
	F--	70	20	6	1	-	1	-	2	1	-	1	2	-	4	2	4	5	12	4	5	-	-	-
	Nonwhite--M--	16	5	2	-	-	-	-	-	-	1	-	-	-	-	4	3	1	-	-	-	-	-	-
	F--	16	6	6	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
540, 541	Ulcer of stomach and duodenum-----	564	6	1	1	2	-	-	1	10	9	22	33	36	67	60	74	82	66	47	33	8	6	-
	White-----M--	374	1	1	-	2	-	-	1	9	4	17	22	24	53	44	46	54	42	27	21	4	2	-
	F--	146	1	-	1	-	-	-	-	-	4	5	10	4	9	12	20	24	20	17	11	4	4	-
	Nonwhite--M--	32	1	-	-	-	-	-	-	-	1	-	1	5	4	3	6	4	4	2	1	-	-	-
	F--	12	3	-	-	-	-	-	-	1	-	-	-	3	1	1	2	-	-	1	-	-	-	-
550-553	Appendicitis-------	95	1	-	1	2	1	1	4	4	-	2	7	5	5	6	15	18	8	8	6	1	-	-
	White-----M--	50	-	-	-	1	-	-	3	1	-	1	5	2	3	5	7	9	6	5	1	1	-	-
	F--	37	1	-	1	1	-	1	1	1	-	1	2	3	1	1	6	8	2	3	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-
	F--	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	485	52	2	1	2	-	1	1	4	8	7	14	20	33	35	65	59	71	53	43	12	2	-
	White-----M--	223	29	-	1	1	-	1	1	1	2	1	7	9	16	18	25	28	38	21	21	3	-	-
	F--	216	17	1	-	1	-	-	-	2	4	4	5	8	10	16	26	28	31	30	22	9	2	-
	Nonwhite--M--	20	3	-	-	-	-	-	-	-	1	1	-	1	2	1	8	1	1	1	-	-	-	-
	F--	26	3	1	-	-	-	-	-	1	1	1	2	2	5	-	6	2	1	1	-	-	-	-
543, 571, 572	Gastritis, etc.*--	369	70	35	2	2	4	3	3	3	10	12	10	13	17	27	32	31	21	39	25	10	-	-
	White-----M--	167	25	22	2	-	1	2	3	1	5	7	5	7	8	18	15	15	8	10	11	2	-	-
	F--	168	29	10	-	1	2	1	-	1	4	4	3	6	7	9	15	15	13	29	13	6	-	-
	Nonwhite--M--	18	10	2	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	-
	F--	16	6	1	-	-	1	-	-	-	1	1	1	-	1	-	2	-	-	-	-	2	-	-
581	Cirrhosis of liver	1,068	4	-	-	2	4	1	6	22	39	65	115	150	160	140	129	96	63	35	17	-	-	-
	White-----M--	669	2	-	-	-	1	-	2	6	21	48	73	91	103	107	92	64	33	17	9	-	-	-
	F--	315	-	-	-	2	3	-	1	7	14	29	30	44	44	25	30	31	29	18	8	-	-	-
	Nonwhite--M--	54	-	-	-	-	-	1	2	4	1	4	10	7	10	8	6	-	1	-	-	-	-	-
	F--	30	2	-	-	-	-	-	1	5	3	4	2	8	3	-	1	1	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																							
584, 585	Cholelithiasis, etc.*	248	-	-	-	-	-	2	1	2	5	5	13	10	9	27	40	35	36	35	24	4	-	-
	White—M	94	-	-	-	-	-	-	-	-	1	2	9	4	3	11	16	13	13	16	6	-	-	-
	F	146	-	-	-	-	-	2	1	1	3	3	4	4	5	16	23	20	23	19	18	4	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	124	3	4	5	2	2	1	1	7	5	5	5	12	6	11	15	8	13	12	3	3	1	-
	White—M	55	1	1	3	2	1	-	-	4	1	2	2	6	3	6	7	3	3	6	2	1	1	-
	F	58	2	1	2	-	1	-	1	2	3	3	1	4	3	5	6	5	10	6	1	2	-	-
	Nonwhite—M	6	-	1	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	411	1	-	-	2	2	3	1	3	10	20	12	21	39	42	47	59	62	44	34	6	2	1
	White—M	183	-	-	-	-	1	3	-	-	3	7	3	7	15	20	21	28	38	15	17	4	-	1
	F	167	-	-	-	2	1	-	1	-	3	6	7	8	14	19	16	26	19	24	17	2	2	-
	Nonwhite—M	33	1	-	-	-	-	-	-	3	2	1	-	3	4	1	8	3	4	3	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	2	6	2	3	6	2	2	2	1	2	-	-	-	-
610	Hyperplasia of prostate	276	-	-	-	-	-	-	-	-	-	-	-	1	5	23	26	43	58	63	39	15	3	-
	White	254	-	-	-	-	-	-	-	-	-	-	-	1	5	17	23	40	54	58	38	15	3	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	4	5	1	-	-	-
640-689	Complications of pregnancy, etc.*	74	...	...	...	-	6	11	15	24	16	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	...	...	...	-	5	7	12	14	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	22	...	...	...	-	1	4	3	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	9	...	...	...	-	-	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	...	...	...	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	...	...	...	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	65	...	...	...	-	6	9	13	21	15	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	49	...	...	...	-	5	7	11	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	16	...	...	...	-	1	2	2	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,319	935	128	52	31	24	13	17	15	15	12	14	11	21	7	7	9	6	1	1	-	-	-
	White—M	597	432	56	21	11	15	7	6	7	5	5	6	5	8	4	4	3	2	-	-	-	-	-
	F	580	401	62	26	15	7	4	11	4	9	6	5	6	9	2	2	5	4	1	1	-	-	-
	Nonwhite—M	84	60	6	3	4	2	1	-	3	-	-	1	-	2	-	1	1	-	-	-	-	-	-
	F	58	42	4	2	1	-	1	-	1	1	1	2	-	2	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,813	3,813	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,838	1,838	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,292	1,292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	394	394	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	289	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,929	1,929	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	945	945	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	675	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	247	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	1,637	1,637	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	775	775	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	536	536	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	474	39	13	1	7	7	8	14	13	19	27	25	21	24	26	30	32	23	46	47	38	13	1
	White—M	215	16	4	1	5	4	4	5	2	7	11	11	12	13	16	17	17	12	21	18	11	7	1
	F	184	14	4	-	2	3	2	3	5	6	9	5	4	6	8	8	14	9	22	29	25	6	-
	Nonwhite—M	46	5	4	-	-	-	2	1	4	3	3	5	3	5	2	4	-	2	2	-	1	-	-
	F	29	4	1	-	-	-	-	5	2	3	4	4	2	-	-	1	1	-	1	-	1	-	-
Residual	All other diseases	3,662	271	110	70	26	35	38	41	74	106	150	201	184	260	356	455	457	365	252	142	50	17	2
	White—M	2,034	127	53	39	13	17	22	19	26	50	84	107	114	152	202	292	288	197	127	71	25	7	2
	F	1,259	77	42	26	9	15	14	16	30	38	36	73	52	75	119	128	147	151	116	65	22	8	-
	Nonwhite—M	220	41	9	2	1	2	1	3	7	9	15	13	11	21	26	25	14	9	6	4	-	1	-
	F	149	26	6	3	3	1	1	3	11	9	15	8	7	12	9	10	8	8	3	2	3	1	-
E800-E962	Accidents	4,687	152	209	205	129	276	291	214	255	227	205	209	220	212	230	293	293	352	323	244	115	32	1
	White—M	2,828	78	109	128	89	211	230	161	181	168	134	132	146	141	148	175	167	173	134	79	36	8	-
	F	1,482	47	62	57	31	48	42	32	40	38	46	55	46	54	61	95	119	165	181	160	79	23	1
	Nonwhite—M	278	17	21	14	6	13	14	17	27	19	22	18	25	16	15	16	5	9	3	1	-	-	-
	F	99	10	17	6	3	4	5	4	7	2	3	4	3	1	6	7	2	5	5	4	-	1	-
E810-E835	Motor vehicle accidents	1,855	16	66	98	55	184	210	127	158	128	104	92	94	92	99	104	95	81	36	13	3	-	-
	White—M	1,291	11	29	67	38	138	173	94	114	98	66	59	64	60	62	67	60	57	23	9	2	-	-
	F	463	5	29	24	15	35	28	27	31	26	26	29	18	29	34	33	35	22	13	3	1	-	-
	Nonwhite—M	83	-	6	5	2	8	5	4	12	4	11	4	11	2	2	4	-	2	-	1	-	-	-
	F	18	-	2	2	-	3	4	2	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	2,832	136	143	107	74	92	81	87	97	99	101	117	126	120	131	189	198	271	287	231	112	32	1
	White—M	1,537	67	80	61	51	73	57	67	67	70	68	73	82	81	86	108	107	116	111	70	34	8	-
	F	1,019	42	33	33	16	13	14	5	9	12	20	26	28	25	27	62	84	145	168	157	78	23	1
	Nonwhite—M	195	17	15	9	4	5	9	13	15	15	11	14	14	14	13	12	5	7	3	-	-	-	-
	F	81	10	15	4	3	1	1	2	6	2	2	4	2	-	5	7	2	5	5	4	-	1	-
E963, E970-E979	Suicide	1,123	-	-	-	3	25	41	54	72	74	88	113	124	120	100	118	84	54	37	11	5	-	-
	White—M	841	-	-	-	3	20	28	35	40	45	69	84	93	92	81	92	67	46	35	6	5	-	-
	F	240	-	-	-	-	4	10	14	25	23	16	25	27	25	17	24	16	8	2	4	-	-	-
	Nonwhite—M	30	-	-	-	-	-	1	4	5	6	-	3	4	2	2	2	1	-	-	-	-	-	-
	F	12	-	-	-	1	2	1	2	-	3	1	-	1	-	-	-	-	-	-	1	-	-	-
E964, E980-E985	Homicide	315	11	5	5	8	20	32	35	43	29	31	28	29	10	10	5	7	4	2	-	-	-	1
	White—M	106	4	4	2	1	8	8	6	14	8	8	9	13	4	7	3	5	1	1	-	-	-	-
	F	59	3	1	1	6	4	5	6	4	3	4	3	8	4	1	-	1	3	1	-	-	-	1
	Nonwhite—M	120	3	-	-	1	6	13	20	21	13	17	14	6	2	2	2	-	-	-	-	-	-	-
	F	30	1	-	2	-	2	6	3	4	5	2	2	2	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA																							
	All causes	21,770	1,377	246	115	105	206	188	195	239	345	455	698	1,025	1,276	1,776	2,357	2,600	3,002	2,731	1,879	743	183	29
	White--M	11,466	620	101	48	58	126	117	111	116	193	260	410	611	774	1,061	1,340	1,428	1,529	1,324	853	307	67	12
	F	7,978	443	94	44	33	52	43	47	71	102	127	185	294	349	511	761	944	1,244	1,229	905	398	95	7
	Nonwhite--M	1,282	174	24	17	7	19	15	18	30	22	41	48	62	81	115	139	127	135	99	70	21	12	6
	F	1,044	140	27	6	7	9	13	19	22	28	27	55	58	72	89	117	101	94	79	51	17	9	4
001-019	Tuberculosis, all forms	165	-	3	-	2	-	3	4	4	10	6	7	16	16	26	18	15	20	10	5	-	-	-
	White--M	92	-	1	-	1	-	-	2	1	6	4	3	13	10	17	12	9	9	4	-	-	-	-
	F	31	-	1	-	-	-	1	-	2	2	2	2	1	2	2	2	2	4	4	4	-	-	-
	Nonwhite--M	23	-	1	-	-	-	1	-	1	-	-	1	2	3	4	1	2	6	1	-	-	-	-
	F	19	-	-	-	1	-	1	2	-	2	-	1	-	1	3	3	2	1	1	1	-	-	-
001-008	Tuberculosis of resp. system	158	-	1	-	2	-	3	4	4	10	6	6	16	15	26	18	15	18	10	4	-	-	-
	White--M	92	-	1	-	1	-	-	2	1	6	4	3	13	10	17	12	9	9	4	-	-	-	-
	F	28	-	-	-	-	-	1	-	2	2	2	1	1	2	2	2	2	3	4	4	-	-	-
	Nonwhite--M	20	-	-	-	-	-	1	-	1	-	-	1	2	2	4	1	2	5	1	-	-	-	-
	F	18	-	-	-	1	-	1	2	-	2	-	1	-	1	3	3	2	1	1	-	-	-	-
010-019	Tuberculosis, other forms	7	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
020-029	Syphilis and its sequelae	39	1	-	-	-	-	1	-	-	-	-	-	2	7	6	8	3	7	2	-	2	-	-
	White--M	24	-	-	-	-	-	-	-	-	-	-	-	1	4	5	6	3	2	1	-	2	-	-
	F	11	-	-	-	-	-	1	-	-	-	-	-	-	3	-	2	-	5	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	White--M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	1	5	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	White--M	4	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	92	11	8	4	5	1	2	3	2	3	2	3	5	9	5	8	8	2	6	4	1	-	-
	White--M	42	3	2	4	3	1	1	1	-	-	2	2	2	5	2	5	5	1	1	2	-	-	-
	F	40	3	4	-	2	-	-	2	2	3	-	1	3	3	3	3	3	-	5	2	1	-	-
	Nonwhite--M	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	3,200	3	23	12	14	10	17	18	40	62	115	174	241	293	376	484	394	409	293	154	58	7	3
	White--M	1,594	2	12	6	8	6	8	7	19	22	45	67	110	144	202	236	231	203	157	75	28	5	1
	F	1,357	1	10	5	4	4	7	8	15	35	62	86	111	118	148	202	144	180	117	69	29	1	1
	Nonwhite--M	108	-	-	1	-	-	1	-	2	3	4	9	4	11	12	22	10	13	10	6	-	-	-
	F	141	-	1	-	2	-	1	3	4	2	4	12	16	20	14	24	9	13	9	4	1	1	1
140-148	Of buccal cavity and pharynx	64	-	-	-	-	1	1	-	-	1	2	1	2	4	10	10	6	7	8	6	4	1	-
	White--M	44	-	-	-	-	1	1	-	-	-	2	1	2	4	6	7	4	5	3	5	3	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	2	4	1	1	1	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	995	1	2	-	-	2	3	3	5	10	20	46	53	74	108	175	142	155	112	60	23	1	-
	White--M	499	1	1	-	-	2	1	-	4	4	9	17	19	37	68	88	85	67	60	23	12	1	-
	F	418	-	1	-	-	-	1	2	-	4	11	20	30	31	30	66	53	75	49	34	11	-	-
	Nonwhite--M	43	-	-	-	-	-	1	-	1	1	-	7	1	3	7	10	3	6	2	1	-	-	-
	F	35	-	-	-	-	-	-	1	-	1	-	2	3	3	3	11	1	7	1	2	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	458	-	1	-	-	-	2	-	2	7	15	30	50	57	82	82	58	42	20	8	2	-	-
	White—M	374	-	-	-	-	-	1	-	2	7	11	25	47	50	69	71	45	29	13	4	-	-	-
	F	64	-	1	-	-	-	1	-	-	-	2	4	2	3	10	7	10	11	7	4	2	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	2	1	-	2	2	3	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-
170	Of breast	231	-	-	-	-	-	-	1	6	4	21	30	30	30	24	28	21	18	10	5	3	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	209	-	-	-	-	-	-	-	6	4	19	27	25	26	21	27	21	17	8	5	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	1	-	-	2	3	5	3	3	1	-	1	1	-	-	-	-
171-179	Of genital organs	536	-	-	-	-	-	-	7	5	18	22	20	41	43	50	76	68	82	58	31	13	2	-
	White—M	210	-	-	-	-	-	-	3	2	1	2	1	2	5	9	23	39	53	40	18	10	2	-
	F	262	-	-	-	-	-	-	3	2	17	19	16	32	31	36	39	22	23	11	8	3	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	1	4	3	5	-	-	-
	F	42	-	-	-	-	-	-	1	1	-	1	3	6	7	4	7	6	2	4	-	-	-	-
180, 181	Of urinary organs	137	-	1	-	-	-	-	-	-	1	1	6	9	15	15	14	24	19	22	7	3	-	-
	White—M	86	-	1	-	-	-	-	-	-	-	1	5	8	8	9	9	18	11	13	3	-	-	-
	F	43	-	-	-	-	-	-	-	-	1	-	-	1	4	6	3	4	8	9	4	3	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	457	-	4	4	7	4	4	4	12	8	17	28	37	40	56	52	45	48	46	26	9	3	3
	White—M	209	-	2	3	2	2	2	1	5	4	8	13	19	21	27	18	23	21	19	14	2	2	1
	F	220	-	2	1	4	2	2	3	5	4	7	14	16	14	28	34	20	25	22	10	6	-	1
	Nonwhite—M	10	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	2	3	-	-	-	-
	F	18	-	-	-	1	-	-	-	1	-	1	1	1	4	1	-	1	-	2	2	1	1	1
204	Leukemia and aleukemia	186	2	12	7	5	3	5	2	2	6	9	9	11	11	17	28	15	22	10	9	1	-	-
	White—M	102	1	5	3	4	1	2	2	2	2	6	5	9	5	7	15	8	12	5	7	1	-	-
	F	69	1	6	3	-	2	2	-	-	3	2	3	1	5	9	10	7	10	3	2	-	-	-
	Nonwhite—M	9	-	-	1	-	-	-	-	-	1	1	-	1	1	-	2	-	-	2	-	-	-	-
	F	6	-	1	-	1	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	136	-	3	1	2	-	2	1	8	7	8	4	8	19	14	19	15	16	7	2	-	-	-
	White—M	68	-	3	-	2	-	1	1	4	4	6	-	4	13	7	5	9	5	3	1	-	-	-
	F	56	-	-	1	-	-	1	-	2	1	2	2	4	4	6	13	6	9	4	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	2	1	-	2	-	-	1	1	-	2	-	-	-	-	-
210-239	Benign & unspec. neoplasms	59	2	1	2	-	1	-	-	2	2	3	3	7	5	6	6	3	5	6	3	1	1	-
	White—M	23	-	1	-	-	1	-	-	-	-	-	1	4	2	2	2	2	3	3	1	-	1	-
	F	26	1	-	1	-	-	-	-	1	1	2	2	2	2	4	2	1	2	3	2	-	-	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-
241	Asthma	78	-	1	1	-	1	2	-	-	2	6	1	3	5	11	10	14	10	8	2	1	-	-
	White—M	51	-	-	1	-	-	-	-	-	1	1	1	1	5	9	8	10	8	4	2	-	-	-
	F	18	-	1	-	-	1	1	-	-	1	1	-	2	-	2	-	4	-	4	-	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus	275	1	-	-	-	-	1	-	4	1	-	6	10	15	32	45	49	55	38	13	4	1	-
	White—M	91	-	-	-	-	-	-	-	2	-	-	2	3	6	9	10	19	20	12	4	4	-	-
	F	147	1	-	-	-	-	1	-	1	1	-	3	4	8	14	28	23	32	23	7	-	1	-
	Nonwhite—M	17	-	-	-	-	-	-	-	1	-	-	-	3	-	3	4	-	2	2	2	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	-	1	6	3	7	1	1	-	-	-	-
290-293	Anemias	61	3	2	-	-	1	-	1	1	1	-	1	2	2	3	5	10	9	11	4	4	1	-
	White—M	25	1	-	-	-	1	-	1	-	-	-	-	-	1	2	1	5	4	7	-	2	-	-
	F	27	1	-	-	-	-	-	-	-	1	-	1	1	1	-	3	4	5	4	4	1	1	-
	Nonwhite—M	5	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-
	F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	31	8	10	4	-	-	-	1	2	-	1	2	-	2	-	-	-	1	-	-	-	-	-
	White—M	9	1	4	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	13	3	4	2	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	11,352	11	6	6	5	14	13	26	45	87	139	259	459	655	917	1,353	1,657	1,945	1,848	1,287	489	118	13
	White—M	6,035	6	1	3	2	5	6	15	20	49	95	185	296	423	563	792	896	986	876	589	186	38	3
	F	4,322	2	3	2	2	5	6	9	16	23	28	37	110	151	242	412	615	820	863	622	282	66	6
	Nonwhite—M	562	1	1	1	-	1	-	-	4	7	7	13	32	45	67	84	85	82	63	46	10	10	3
	F	433	2	1	-	1	3	1	2	5	8	9	24	21	36	45	65	61	57	46	30	11	4	1
330-334, 400-468	Dis. of cardiovascular system	11,116	10	6	6	5	11	9	19	41	84	135	255	439	640	902	1,335	1,628	1,911	1,813	1,263	475	116	13
	White—M	5,937	5	1	3	2	4	4	11	20	48	93	184	288	419	557	786	881	972	858	578	183	37	3
	F	4,244	2	3	2	2	3	4	7	15	22	28	37	105	146	236	405	607	810	852	611	275	66	6
	Nonwhite—M	532	1	1	1	-	1	-	-	3	7	7	12	28	42	66	82	83	75	60	44	7	9	3
	F	403	2	1	-	1	3	1	1	3	7	7	22	18	33	43	62	57	54	43	30	10	4	1
330-334	Vascular lesions, etc.*	2,828	5	4	2	1	5	2	6	9	13	15	37	72	112	158	279	406	588	520	396	158	37	3
	White—M	1,259	2	1	1	1	3	2	2	3	8	4	21	33	56	65	134	186	284	226	167	50	10	-
	F	1,298	1	1	-	-	-	-	3	6	4	9	9	28	36	63	104	175	265	263	202	101	25	3
	Nonwhite—M	156	1	1	1	-	-	-	-	-	1	1	2	7	11	22	25	29	23	14	16	1	1	-
	F	115	1	1	-	-	2	-	1	-	-	1	5	4	9	8	16	16	16	17	11	6	1	-
400-402, 410-443	Diseases of heart	7,467	4	2	4	3	5	6	11	25	63	113	202	345	505	697	993	1,116	1,192	1,120	734	257	60	10
	White—M	4,254	3	-	2	1	1	2	7	14	39	85	158	245	350	465	616	634	617	538	352	102	20	3
	F	2,627	1	2	2	1	2	3	4	7	12	16	24	71	105	159	286	397	495	518	343	146	30	3
	Nonwhite—M	330	-	-	-	-	1	-	-	1	5	6	8	16	29	39	50	51	47	39	23	5	7	3
	F	256	-	-	-	1	1	1	-	3	7	6	12	13	21	34	41	34	33	25	16	4	3	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	184	-	-	4	2	4	3	3	11	13	11	16	14	15	20	28	14	11	5	5	4	1	-
	White—M	82	-	-	2	1	1	1	2	5	4	4	10	5	7	13	12	6	6	1	1	1	-	-
	F	84	-	-	2	1	2	1	1	4	8	6	3	8	7	7	16	6	4	3	3	2	-	-
	Nonwhite—M	6	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-
	F	12	-	-	-	-	-	1	-	2	1	-	2	1	1	-	-	1	-	-	1	1	1	-

*For complete category title, see table 81A.

546125 O - 60 - 30

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																							
420	Arteriosclerotic heart dis., etc.*	5,488	-	-	-	-	-	2	3	11	40	88	158	293	405	558	780	870	881	759	450	153	31	6
	White-----M--	3,360	-	-	-	-	-	-	2	9	31	71	131	223	301	383	516	531	475	392	223	59	10	3
	F--	1,793	-	-	-	-	-	2	1	1	2	8	17	52	74	124	209	293	358	335	209	89	17	2
	Nonwhite--M--	201	-	-	-	-	-	-	-	1	3	4	5	11	18	27	36	28	30	20	12	3	3	-
	F--	134	-	-	-	-	-	-	-	-	4	5	5	7	12	24	19	18	18	12	6	2	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	505	-	-	-	1	-	-	1	1	-	2	-	6	14	27	36	56	77	133	95	40	16	-
	White-----M--	234	-	-	-	-	-	-	1	-	-	2	-	4	9	16	21	28	34	59	39	16	5	-
	F--	221	-	-	-	-	-	-	-	1	-	-	-	2	2	4	13	17	39	66	45	23	9	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	-	3	6	2	8	3	5	6	1	2	-
	F--	14	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	3	1	3	5	-	-	-
430-434	Other diseases of heart---------	566	4	2	-	-	1	1	2	1	8	10	17	15	31	55	81	75	94	84	71	26	5	3
	White-----M--	301	3	-	-	-	-	1	1	-	3	8	14	9	16	31	30	31	56	40	42	13	3	-
	F--	189	1	2	-	-	-	-	1	1	2	1	1	3	8	15	19	30	31	35	26	11	1	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	1	-	1	3	2	3	6	7	5	5	2	1	-	2
	F--	38	-	-	-	-	1	-	-	-	2	1	1	-	5	6	6	7	2	4	1	1	1	-
440-443	Hypertensive heart disease-----	724	-	-	-	-	-	-	2	1	2	2	11	17	40	37	88	101	129	139	113	34	7	1
	White-----M--	277	-	-	-	-	-	-	1	-	1	-	3	4	17	22	37	38	46	46	47	13	2	-
	F--	340	-	-	-	-	-	-	1	-	-	1	3	6	14	9	29	51	63	79	60	21	3	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	1	1	1	2	6	3	6	7	8	8	3	-	2	1
	F--	58	-	-	-	-	-	-	-	1	-	-	4	5	3	3	16	5	12	6	3	-	-	-
444-447	Other hypertensive disease-----	193	-	-	-	-	1	-	1	2	3	3	8	7	7	15	11	25	23	37	32	15	3	-
	White-----M--	82	-	-	-	-	-	-	1	1	-	1	3	2	3	7	5	10	10	16	12	10	1	-
	F--	75	-	-	-	-	1	-	-	-	2	2	1	2	1	6	2	8	10	19	15	5	1	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	1	-	1	3	2	2	2	1	2	2	3	-	1	-
	F--	15	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	6	1	-	2	-	-	-
450	General arteriosclerosis--------	403	-	-	-	-	-	-	-	-	-	2	-	4	2	6	24	43	68	107	90	42	15	-
	White-----M--	210	-	-	-	-	-	-	-	-	-	2	-	2	-	4	12	26	38	61	40	20	5	-
	F--	170	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	15	25	40	47	21	10	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	5	2	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	1	1	-	-	-
451-468	Other diseases of circulatory sys..	225	1	-	-	1	-	1	1	5	5	2	8	11	14	26	28	38	40	29	11	3	1	-
	White-----M--	132	-	-	-	-	-	-	1	2	1	1	2	6	10	16	19	25	23	17	7	1	1	-
	F--	74	-	-	-	1	-	1	-	2	4	1	3	3	3	6	5	12	15	12	4	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	-	-	1	1	-	3	3	-	2	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	236	1	-	-	-	3	4	7	4	3	4	4	20	15	15	18	29	34	35	24	14	2	-
	White-----M--	98	1	-	-	-	1	2	4	-	1	2	1	8	4	6	6	15	14	18	11	3	1	-
	F--	78	-	-	-	-	2	2	2	1	1	-	-	5	5	6	7	8	10	11	11	7	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	1	-	-	1	4	3	1	2	2	7	3	2	3	1	-
	F--	30	-	-	-	-	-	-	1	2	1	2	2	3	3	2	3	4	3	3	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	726	86	33	4	2	6	3	1	2	4	9	7	19	21	45	51	68	102	111	101	39	10	2
	White-----M--	355	30	13	2	1	3	-	1	-	2	4	5	10	11	32	29	35	54	55	42	18	7	1
	F--	258	17	13	2	1	1	2	-	1	2	2	1	5	5	10	12	22	38	48	53	21	2	-
	Nonwhite--M--	59	23	4	-	-	1	-	-	1	-	2	1	2	2	1	4	6	6	4	1	-	-	1
	F--	54	16	3	-	-	1	1	-	-	-	1	-	2	3	2	6	5	4	4	5	-	1	-
480-483	Influenza---------	85	7	5	-	-	-	2	-	2	-	3	1	1	2	2	7	6	8	15	18	5	1	-
	White-----M--	34	3	3	-	-	-	-	-	-	-	-	1	1	1	1	5	4	2	7	3	2	1	-
	F--	35	-	2	-	-	-	1	-	1	-	1	-	-	-	1	1	1	3	7	14	3	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	3	1	-	-	-	-
	F--	7	2	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-
490-493	Pneumonia, etc.*--	641	79	28	4	2	6	1	1	-	4	6	6	18	19	43	44	62	94	96	83	34	9	2
	White-----M--	321	27	10	2	1	3	-	1	-	2	4	4	9	10	31	24	31	52	48	39	16	6	1
	F--	223	17	11	2	1	1	1	-	-	2	1	1	5	5	9	11	21	35	41	39	18	2	-
	Nonwhite--M--	50	21	4	-	-	1	-	-	-	-	1	1	2	1	1	4	6	3	3	1	-	-	1
	F--	47	14	3	-	-	1	-	-	-	-	-	-	2	3	2	5	4	4	4	4	-	1	-
500-502	Bronchitis--------	37	7	3	-	1	-	-	-	-	1	-	1	1	1	4	4	1	7	3	2	-	1	-
	White-----M--	18	1	1	-	1	-	-	-	-	1	-	-	-	-	1	3	1	4	2	2	-	1	-
	F--	11	2	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	1	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	126	-	-	-	1	-	-	1	-	3	5	8	14	8	19	20	17	12	16	1	-	1	-
	White-----M--	100	-	-	-	1	-	-	1	-	2	2	8	12	7	12	18	14	8	13	1	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	2	-	2	1	4	2	2	4	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	32	-	1	-	1	1	1	2	1	1	2	3	2	2	4	3	3	3	1	1	-	-	-
	White-----M--	20	-	1	-	1	-	1	1	-	1	1	3	2	-	3	1	2	2	1	-	-	-	-
	F--	8	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	151	16	1	1	1	2	1	2	1	5	3	3	5	5	14	13	14	21	22	17	4	-	-
	White-----M--	64	6	-	-	1	2	-	2	-	2	1	-	3	2	7	6	9	8	9	5	1	-	-
	F--	68	9	1	1	-	-	-	-	-	-	1	2	1	1	5	6	2	12	13	11	3	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	1	-	-	-
	F--	12	-	-	-	-	1	-	1	2	-	1	1	2	2	-	1	1	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	85	30	4	-	-	1	-	-	-	-	-	2	1	1	4	7	7	13	5	7	2	1	-
	White-----M--	39	10	1	-	-	1	-	-	-	-	-	2	1	1	3	4	6	4	2	3	1	-	-
	F--	32	11	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	8	2	3	1	1	-
	Nonwhite--M--	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
581	Cirrhosis of liver	166	-	-	-	2	-	-	1	5	12	6	6	19	12	23	24	22	15	10	5	3	1	-
	White-----M--	99	-	-	-	-	-	-	-	1	6	1	4	14	7	16	18	12	10	6	2	2	-	-
	F--	48	-	-	-	2	-	-	-	3	2	2	1	3	4	5	4	8	5	4	3	1	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	1	4	1	-	2	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																							
584, 585	Cholelithiasis, etc.*	79	-	-	-	-	-	-	-	-	-	1	4	3	4	8	9	13	18	7	5	5	2	-
	White—M	26	-	-	-	-	-	-	-	-	-	1	1	1	3	3	3	4	5	4	-	1	-	-
	F	48	-	-	-	-	-	-	-	-	-	-	3	1	1	4	5	8	13	2	5	4	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-
590, 591	Acute nephritis, etc.*	51	-	3	2	1	-	-	-	2	2	1	2	4	6	3	2	6	6	4	2	3	2	-
	White—M	25	-	3	2	-	-	-	-	1	-	-	-	2	3	2	1	4	2	1	1	2	1	-
	F	19	-	-	-	1	-	-	-	1	1	-	1	-	2	-	1	2	4	3	1	1	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
600	Infections of kidney	97	-	-	-	-	1	-	1	-	3	1	1	6	7	9	11	13	14	15	9	6	-	-
	White—M	52	-	-	-	-	1	-	-	-	1	-	1	2	5	3	6	6	7	10	6	4	-	-
	F	34	-	-	-	-	-	-	1	-	1	-	-	3	-	5	4	5	6	5	3	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate	105	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	13	27	21	24	8	3	1
	White	97	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	13	23	20	23	8	3	1
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	1	1	-	-	-
640-689	Complications of pregnancy, etc.*	17	...	...	...	-	1	2	2	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	...	...	...	-	-	1	1	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	...	...	...	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
650	Abortion	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White—F	3	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	14	...	...	...	-	1	2	2	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	...	...	...	-	-	1	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	...	...	...	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	249	195	15	7	6	5	2	1	4	1	1	3	2	2	1	-	1	2	1	-	-	-	-
	White—M	118	90	6	3	3	3	1	-	4	1	1	2	-	2	-	-	-	1	1	-	-	-	-
	F	102	80	7	4	3	2	-	1	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-
	Nonwhite—M	17	15	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	10	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	843	843	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	469	469	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	845	50	8	3	1	3	5	3	4	8	26	37	53	50	88	91	74	90	98	87	42	18	6
	White—M	420	21	1	-	-	2	2	1	1	2	17	20	32	31	55	55	42	40	40	35	16	4	3
	F	259	10	1	2	-	1	-	2	2	3	6	9	11	11	18	21	18	32	45	37	20	10	-
	Nonwhite—M	99	14	3	-	1	-	2	-	-	1	1	5	3	5	11	8	10	12	7	9	4	2	1
	F	67	5	3	1	-	-	1	-	1	2	2	3	7	3	4	7	4	6	6	6	2	2	2
Residual	All other diseases	916	39	24	11	9	15	9	16	12	15	20	29	50	55	85	85	102	119	108	71	33	8	1
	White—M	473	17	11	4	6	6	4	5	4	10	10	16	29	31	46	54	43	77	53	27	16	4	-
	F	338	15	8	4	1	7	3	5	4	4	6	10	16	22	28	23	50	32	45	39	12	4	-
	Nonwhite—M	49	4	1	3	-	1	1	2	1	-	4	-	2	1	6	3	4	5	4	3	3	-	1
	F	56	3	4	-	2	1	1	4	3	1	-	3	3	1	5	5	5	5	6	2	2	-	-
E800-E962	Accidents	1,547	64	91	55	50	131	109	95	80	75	79	91	68	74	58	72	79	79	83	67	36	8	3
	White—M	950	25	39	21	29	91	84	68	50	56	59	60	49	56	43	46	48	41	38	27	15	2	3
	F	408	26	33	20	16	25	17	11	11	14	8	17	11	11	10	23	25	33	35	37	20	5	-
	Nonwhite—M	126	8	9	10	4	13	6	12	14	2	11	11	5	5	3	3	2	1	5	1	1	-	-
	F	63	5	10	4	1	2	2	4	5	3	1	3	3	2	2	-	4	4	5	2	-	1	-
E810-E835	Motor vehicle accidents	686	9	36	22	23	95	75	57	51	41	35	38	39	35	28	38	25	23	13	1	1	-	1
	White—M	436	4	17	8	11	64	58	36	32	29	26	20	25	22	19	24	18	12	8	1	1	-	1
	F	162	5	14	8	10	20	14	8	7	11	4	9	9	7	7	13	4	8	4	-	-	-	-
	Nonwhite—M	63	-	2	6	2	9	2	10	9	-	4	8	4	4	-	1	1	-	1	-	-	-	-
	F	25	-	3	-	-	2	1	3	3	1	1	1	1	2	2	-	2	3	-	-	-	-	-
E800-E802, E840-E962	Other accidents	861	55	55	33	27	36	34	38	29	34	44	53	29	39	30	34	54	56	70	66	35	8	2
	White—M	514	21	22	15	18	27	26	32	18	27	33	40	24	34	24	22	30	29	30	26	14	2	2
	F	246	21	19	12	6	5	3	3	4	3	4	8	2	4	3	10	21	25	31	37	20	5	-
	Nonwhite—M	63	8	7	4	2	4	4	2	5	2	7	3	1	1	3	2	1	1	4	1	1	-	-
	F	38	5	7	4	1	-	1	1	2	2	-	2	2	-	-	-	2	1	5	2	-	1	-
E963, E970-E979	Suicide	206	-	-	-	1	7	3	9	11	27	18	24	22	14	20	19	10	10	4	5	2	-	-
	White—M	161	-	-	-	-	3	1	3	8	23	13	19	19	12	18	17	8	7	4	5	1	-	-
	F	37	-	-	-	1	4	2	5	2	3	3	5	3	1	2	2	2	2	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	1	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	113	-	1	-	2	5	14	8	11	17	9	18	10	3	5	6	3	-	-	1	-	-	-
	White—M	48	-	1	-	-	-	9	2	4	8	3	8	4	-	4	4	1	-	-	-	-	-	-
	F	15	-	-	-	-	1	1	2	3	3	-	1	2	-	-	-	1	-	-	1	-	-	-
	Nonwhite—M	42	-	-	-	2	3	4	3	3	6	4	7	4	3	1	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	1	-	1	1	-	2	2	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON																							
	All causes	15,479	848	156	87	83	128	112	133	137	237	384	552	777	992	1,317	1,749	2,128	2,130	1,793	1,066	511	148	13
	White--M	9,198	463	87	46	47	100	86	83	80	144	247	353	533	692	869	1,125	1,388	1,182	911	480	222	52	6
	F	5,998	334	65	40	32	28	22	43	49	75	120	184	222	290	430	600	709	921	870	579	286	93	4
	Nonwhite--M	169	23	1	1	-	-	4	5	4	13	10	11	12	9	8	11	20	21	7	2	3	1	3
	F	118	28	3	-	4	-	-	2	4	5	7	4	10	1	10	13	9	6	5	5	-	2	-
001-019	Tuberculosis, all forms	61	-	-	-	-	-	-	1	2	1	2	8	8	7	10	6	7	4	3	-	2	-	-
	White--M	43	-	-	-	-	-	-	1	1	-	-	5	4	5	7	6	7	3	2	-	2	-	-
	F	11	-	-	-	-	-	-	-	1	1	1	1	3	-	3	-	-	1	-	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	57	-	-	-	-	-	-	1	1	1	2	6	8	7	10	6	6	4	3	-	2	-	-
	White--M	40	-	-	-	-	-	-	1	1	-	-	3	4	5	7	6	6	3	2	-	2	-	-
	F	10	-	-	-	-	-	-	-	-	1	1	1	3	-	3	-	-	1	-	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	26	-	-	-	-	-	-	-	-	-	1	3	2	3	4	5	5	2	-	-	-	-	1
	White--M	15	-	-	-	-	-	-	-	-	-	1	2	2	3	3	2	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	3	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White--M	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	47	12	3	1	-	3	3	2	1	-	4	-	2	2	5	2	1	2	2	2	-	-	-
	White--M	23	5	1	-	-	2	-	1	1	-	3	-	1	1	2	2	-	1	2	1	-	-	-
	F	22	6	2	1	-	1	3	1	-	-	1	-	1	1	2	-	1	1	-	1	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,419	4	16	12	11	7	8	10	23	32	77	128	191	250	277	363	370	317	179	96	39	8	1
	White--M	1,328	2	11	4	5	6	5	2	8	13	28	48	93	145	156	215	226	185	97	54	20	3	-
	F	1,055	2	5	8	4	1	3	7	15	19	44	78	92	104	118	142	137	129	81	41	19	5	1
	Nonwhite--M	19	-	-	-	-	-	-	1	-	-	3	1	3	1	-	3	4	2	1	-	-	-	-
	F	19	-	-	-	2	-	-	-	-	-	2	1	3	-	3	3	3	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx	41	-	-	-	-	-	-	-	-	-	1	4	4	5	5	5	5	2	5	4	1	-	-
	White--M	29	-	-	-	-	-	-	-	-	-	-	2	2	4	4	5	3	-	4	4	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	2	2	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	787	1	1	1	-	1	-	-	1	8	12	30	40	67	78	129	150	128	72	45	19	4	-
	White--M	463	1	1	1	-	1	-	-	1	6	4	16	21	51	48	76	97	71	38	24	5	1	-
	F	310	-	-	-	-	-	-	-	-	2	8	14	18	15	27	49	48	57	34	21	14	3	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	349	-	-	-	-	-	2	-	3	3	9	20	43	50	56	63	52	37	8	2	1	-	-
	White—M	297	-	-	-	-	-	1	-	1	2	5	14	37	46	53	55	41	32	7	2	1	-	-
	F	47	-	-	-	-	-	1	-	2	1	3	6	5	4	3	7	9	5	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	203	-	-	-	-	-	-	-	1	5	14	19	22	24	27	28	24	18	14	5	2	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	201	-	-	-	-	-	-	-	1	5	14	19	21	24	27	28	24	18	14	4	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
171-179	Of genital organs	398	-	1	-	-	2	1	-	6	9	14	21	33	34	42	51	48	57	42	25	10	2	-
	White—M	175	-	-	-	-	2	1	-	2	-	2	-	4	-	8	25	31	42	29	18	9	2	-
	F	220	-	1	-	-	-	-	-	4	9	12	20	28	34	34	26	17	14	13	7	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs	112	-	1	-	-	-	-	1	1	1	1	3	3	12	13	19	19	20	13	4	1	-	-
	White—M	78	-	-	-	-	-	-	1	1	1	1	2	2	10	11	14	11	16	7	1	1	-	-
	F	34	-	1	-	-	-	-	1	-	-	-	1	1	2	2	5	8	4	6	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	279	3	6	2	5	2	1	3	5	4	9	16	33	35	35	30	38	29	11	4	5	2	1
	White—M	143	1	4	1	3	1	1	-	2	2	7	7	19	18	16	16	25	11	5	1	3	-	-
	F	132	2	2	1	2	1	-	2	3	2	1	9	14	17	19	14	13	17	5	3	2	2	1
	Nonwhite—M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	126	-	7	8	6	1	3	-	4	1	9	6	4	11	6	17	19	14	7	3	-	-	-
	White—M	71	-	6	2	2	1	2	-	1	1	5	1	2	9	5	12	9	6	4	3	-	-	-
	F	50	-	1	6	2	-	1	-	3	-	3	5	2	2	1	4	10	7	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	124	-	-	1	-	1	1	6	2	1	8	9	9	12	15	21	15	12	7	4	-	-	-
	White—M	70	-	-	-	-	1	-	2	-	1	4	6	6	7	11	12	9	7	3	1	-	-	-
	F	50	-	-	1	-	-	1	4	2	-	2	2	2	5	4	9	6	5	4	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	34	1	2	1	1	-	-	2	2	2	2	2	1	2	5	5	3	2	-	1	-	-	-
	White—M	11	-	-	-	-	-	-	1	-	-	1	2	-	1	4	1	-	1	-	-	-	-	-
	F	21	1	2	1	1	-	-	1	1	2	1	-	1	1	1	4	2	1	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
241	Asthma	58	-	1	-	-	-	-	-	-	3	-	2	4	2	8	8	9	14	3	2	2	-	-
	White—M	39	-	1	-	-	-	-	-	-	1	-	1	1	1	7	7	7	10	2	-	1	-	-
	F	19	-	-	-	-	-	-	-	-	2	-	1	3	1	1	1	2	4	1	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	203	-	-	-	-	-	-	4	-	7	5	4	12	12	26	24	42	34	19	8	5	1	-
	White—M	103	-	-	-	-	-	-	3	-	4	3	4	7	8	9	10	18	20	10	4	2	1	-
	F	93	-	-	-	-	-	-	-	-	2	2	-	5	4	16	12	23	13	9	4	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
290-293	Anemias	27	1	-	1	2	1	-	1	-	-	-	-	-	3	2	1	4	3	5	3	-	-	-
	White—M	12	-	-	-	1	-	-	-	-	-	-	-	-	3	1	-	3	1	2	1	-	-	-
	F	14	1	-	1	1	1	-	-	-	-	-	-	-	-	1	1	1	2	3	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	14	4	2	2	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-
	White—M	8	2	1	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	5	1	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	8,538	3	3	1	5	6	12	15	15	51	130	210	355	514	734	1,065	1,383	1,475	1,309	780	360	107	5
	White—M	5,066	2	2	1	2	4	7	8	6	36	98	160	273	384	503	689	907	788	650	346	157	40	3
	F	3,383	1	1	-	3	2	5	5	8	12	29	46	78	124	221	366	461	671	651	431	201	66	1
	Nonwhite—M	59	-	-	-	-	-	-	1	1	3	-	4	-	5	5	5	12	13	4	2	2	1	1
	F	30	-	-	-	-	-	-	1	-	-	3	-	4	1	5	5	3	3	4	1	-	-	-
330-334, 400-468	Dis. of cardiovascular system	8,455	3	2	1	4	4	10	11	15	47	125	207	346	509	724	1,056	1,377	1,467	1,303	775	357	107	5
	White—M	5,011	2	2	1	2	3	7	5	6	33	95	157	268	380	494	684	901	783	647	342	156	40	3
	F	3,356	1	-	-	2	1	3	4	8	12	27	46	74	123	220	362	461	668	648	430	199	66	1
	Nonwhite—M	58	-	-	-	-	-	-	1	1	2	-	4	-	5	5	5	12	13	4	2	2	1	1
	F	30	-	-	-	-	-	-	1	-	-	3	-	4	1	5	5	3	3	4	1	-	-	-
330-334	Vascular lesions, etc.*	1,972	1	-	1	1	-	4	2	6	5	11	23	49	74	145	208	309	403	376	223	99	31	1
	White—M	983	-	-	1	1	-	3	1	2	1	4	11	24	45	78	108	180	199	180	94	40	11	-
	F	961	1	-	-	-	-	1	1	3	2	6	12	24	28	65	97	125	198	193	127	58	20	-
	Nonwhite—M	22	-	-	-	-	-	-	-	1	2	-	-	-	1	2	2	3	5	2	2	1	-	1
	F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	-
400-402, 410-443	Diseases of heart	5,805	1	1	-	2	3	4	9	8	41	109	177	279	409	547	779	967	938	802	461	209	56	3
	White—M	3,648	1	1	-	1	2	3	4	3	32	87	142	234	314	395	532	655	516	403	208	90	23	2
	F	2,105	-	-	-	1	1	1	3	5	9	21	31	42	91	146	241	301	413	395	252	118	33	1
	Nonwhite—M	32	-	-	-	-	-	-	1	-	-	-	4	-	3	2	3	9	7	2	-	1	-	-
	F	20	-	-	-	-	-	-	1	-	-	1	-	3	1	4	3	2	2	2	1	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	206	-	-	-	1	2	2	3	3	11	14	18	17	24	31	24	29	12	11	2	2	-	-
	White—M	103	-	-	-	-	2	2	1	-	6	8	7	15	12	18	10	12	5	2	1	2	-	-
	F	100	-	-	-	1	-	-	1	3	5	6	11	2	11	13	14	16	7	9	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON--Con.																							
420	Arteriosclerotic heart dis., etc.*	4,444	-	-	-	-	-	-	3	3	27	84	142	227	326	440	645	780	722	566	309	136	33	1
	White-----M--	2,979	-	-	-	-	-	-	3	2	24	73	123	198	268	334	468	547	421	298	148	58	13	1
	F--	1,435	-	-	-	-	-	-	-	1	3	11	16	29	56	104	173	226	293	266	160	77	20	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	3	-	2	1	2	6	6	2	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	328	-	-	-	-	1	1	-	1	1	4	4	8	12	15	20	33	55	81	53	31	8	-
	White-----M--	194	-	-	-	-	-	-	-	1	1	1	2	5	10	11	14	25	28	50	25	18	3	-
	F--	131	-	-	-	-	1	1	-	-	-	3	2	3	2	4	6	6	27	30	28	13	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
430-434	Other diseases of heart---------	182	1	1	-	1	-	1	3	-	2	2	9	8	14	16	15	23	31	22	18	12	2	1
	White-----M--	111	1	1	-	1	-	1	-	-	1	2	7	7	8	15	10	16	15	10	7	6	2	1
	F--	69	-	-	-	-	-	-	2	-	1	-	2	-	6	1	5	7	16	12	11	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease----	645	-	-	-	-	-	-	-	1	-	5	4	19	33	45	75	102	118	122	79	28	13	1
	White-----M--	261	-	-	-	-	-	-	-	-	-	3	3	9	16	17	30	55	47	43	27	6	5	-
	F--	370	-	-	-	-	-	-	-	1	-	1	-	8	16	24	43	46	70	78	52	22	8	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	-	1	-	-	-	-
444-447	Other hypertensive disease-----	83	-	-	-	-	-	-	-	-	-	1	3	4	3	6	9	11	13	17	11	4	1	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	1	2	2	2	4	4	6	8	10	7	2	1	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	2	-	2	5	5	5	7	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	387	-	-	-	-	-	-	-	-	-	2	-	3	5	4	19	55	78	89	70	42	19	1
	White-----M--	194	-	-	-	-	-	-	-	-	-	2	-	1	4	2	13	37	38	42	28	21	5	1
	F--	190	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	18	39	46	42	21	13	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	208	1	1	-	1	1	2	-	1	1	2	4	11	18	22	41	35	35	19	10	3	-	-
	White-----M--	137	1	1	-	-	1	1	-	1	-	1	2	7	15	15	27	23	22	12	5	3	-	-
	F--	67	-	-	-	1	-	1	-	-	1	-	2	4	3	5	13	12	13	7	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	83	-	1	-	1	2	2	4	-	4	5	3	9	5	10	9	6	8	6	5	3	-	-
	White-----M--	55	-	-	-	-	1	-	3	-	3	3	3	5	4	9	5	6	5	3	4	1	-	-
	F--	27	-	1	-	1	1	2	1	-	-	2	-	4	1	1	4	-	3	3	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	551	65	13	4	1	1	4	-	3	9	9	9	11	21	31	45	58	82	78	60	33	13	1
	White-----M--	313	33	9	1	-	-	3	-	1	3	7	6	8	14	19	33	43	55	43	20	11	3	1
	F--	220	25	3	3	1	1	1	-	1	4	2	2	2	6	11	11	15	27	34	39	22	10	-
	Nonwhite--M--	9	2	1	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	F--	9	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-
480-483	Influenza---------	14	1	1	-	-	-	2	-	-	-	-	-	-	-	-	2	1	2	3	-	1	1	-
	White-----M--	8	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	537	64	12	4	1	1	2	-	3	9	9	9	11	21	31	43	57	80	75	60	32	12	1
	White-----M--	305	33	8	1	-	-	1	-	1	3	7	6	8	14	19	33	43	54	41	20	10	2	1
	F--	214	24	3	3	1	1	1	-	1	4	2	2	2	6	11	9	14	26	33	39	22	10	-
	Nonwhite--M--	9	2	1	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	F--	9	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-
500-502	Bronchitis--------	42	8	1	-	-	-	-	-	1	-	1	1	1	2	5	4	3	4	7	2	2	-	-
	White-----M--	28	2	1	-	-	-	-	-	-	-	1	1	1	2	3	4	3	2	4	2	2	-	-
	F--	11	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	3	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	101	-	-	-	-	-	-	1	1	2	3	7	5	8	15	8	23	12	9	2	3	1	1
	White-----M--	83	-	-	-	-	-	-	1	1	1	3	6	5	7	15	6	20	9	7	1	1	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	3	2	2	1	2	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	15	-	2	-	-	-	-	-	-	-	1	-	2	1	1	-	-	2	4	1	1	-	-
	White-----M--	7	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	2	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	80	13	1	-	-	1	-	1	1	3	2	2	2	6	2	8	11	10	10	2	4	-	1
	White-----M--	41	5	1	-	-	1	-	1	1	-	1	-	2	3	1	5	9	6	3	-	1	-	1
	F--	37	8	-	-	-	-	-	-	-	3	1	2	-	3	1	2	1	4	7	2	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	49	6	1	-	-	2	1	1	3	-	1	1	1	5	4	4	4	10	2	3	-	-	-
	White-----M--	21	3	-	-	-	-	1	-	2	-	-	-	-	4	1	2	2	4	1	1	-	-	-
	F--	26	2	1	-	-	2	-	1	1	-	1	1	1	1	3	2	2	5	1	2	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	156	1	-	-	-	-	-	2	1	10	26	23	26	13	17	15	11	3	4	3	1	-	-
	White-----M--	88	1	-	-	-	-	-	-	-	4	10	14	16	8	11	12	7	3	1	1	-	-	-
	F--	57	-	-	-	-	-	-	2	-	2	13	9	8	5	6	3	3	-	3	2	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Con.																							
584, 585	Cholelithiasis, etc.*——	40	-	-	-	-	-	-	1	-	1	-	2	-	3	2	5	8	7	4	3	3	1	-
	White——M——	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	1	2	2	-	-
	F——	21	-	-	-	-	-	-	1	-	-	-	2	-	2	1	3	3	4	3	1	-	1	-
	Nonwhite—M——	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*——	15	-	-	1	-	1	-	1	1	-	1	1	1	1	-	1	3	1	-	2	-	-	-
	White——M——	10	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	3	1	-	1	-	-	-
	F——	4	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney——	71	-	-	-	-	-	-	-	3	-	-	1	3	5	6	10	8	8	9	15	2	1	-
	White——M——	34	-	-	-	-	-	-	-	2	-	-	-	2	2	3	8	2	3	6	6	-	-	-
	F——	37	-	-	-	-	-	-	-	1	-	-	1	1	3	3	2	6	5	3	9	2	1	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate——	48	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	13	8	11	4	3	-	-
	White——M——	44	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	12	6	10	4	3	-	-
	Nonwhite—M——	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
640-689	Complications of pregnancy, etc.*—	6	...	...	...	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White——F——	6	...	...	...	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F——	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion——	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——F——	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F——	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*——	6	...	...	...	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White——F——	6	...	...	...	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F——	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations——	190	125	13	12	3	3	4	1	2	4	5	2	6	5	-	2	1	1	1	-	-	-	-
	White——M——	106	74	5	4	3	2	2	1	1	3	3	1	2	2	-	1	-	1	1	-	-	-	-
	F——	78	46	8	8	-	1	1	-	1	1	2	1	4	3	-	1	1	-	-	-	-	-	-
	Nonwhite—M——	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	497	496	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M——	272	271	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M——	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*——	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M——	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M——	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn——	33	32	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M——	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M——	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*——	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M——	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M——	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*——	173	28	4	1	-	-	2	-	3	2	3	10	11	6	13	8	20	16	11	8	18	9	-
	White——M——	92	18	3	1	-	-	1	-	1	1	2	4	9	3	7	6	14	7	6	-	6	3	-
	F——	74	9	1	-	-	-	-	-	2	1	1	6	1	3	6	2	5	8	5	8	12	4	-
	Nonwhite—M——	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F——	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
Re-sidual	All other diseases	633	37	26	13	4	3	3	7	10	11	16	32	32	49	64	71	73	65	63	40	8	6	-
	White——M——	394	18	14	7	2	2	3	3	6	5	7	15	23	35	49	51	50	40	35	22	5	2	-
	F——	227	16	10	6	2	1	-	4	3	6	9	17	6	14	15	19	23	24	28	17	3	4	-
	Nonwhite—M——	5	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
	F——	7	1	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-
E800-E962	Accidents——	1,112	39	59	36	54	93	65	67	53	80	67	73	72	47	54	63	52	36	49	27	23	1	2
	White——M——	799	24	31	25	34	79	57	49	42	64	56	61	58	38	43	43	38	22	16	12	7	-	-
	F——	279	12	27	10	19	14	7	16	10	11	7	7	10	9	10	18	14	13	33	14	16	1	1
	Nonwhite—M——	22	2	-	1	-	-	1	2	-	2	4	4	3	-	-	1	-	1	-	-	-	-	1
	F——	12	1	1	-	1	-	-	-	1	3	-	1	1	-	1	1	-	-	-	1	-	-	-
E810-E835	Motor vehicle accidents——	436	4	20	12	15	52	44	42	26	29	30	20	29	13	18	33	26	8	11	3	-	-	1
	White——M——	310	4	13	10	6	41	37	29	20	20	22	13	23	9	14	18	20	5	6	-	-	-	-
	F——	114	-	7	2	9	11	6	13	6	7	6	5	4	4	4	13	6	3	5	2	-	-	1
	Nonwhite—M——	6	-	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-
	F——	6	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-
E800-E802, E840-E962	Other accidents——	676	35	39	24	39	41	21	25	27	51	37	53	43	34	36	30	26	28	38	24	23	1	1
	White——M——	489	20	18	15	28	38	20	20	22	44	34	48	35	29	29	25	18	17	10	12	7	-	-
	F——	165	12	20	8	10	3	1	3	4	4	1	2	6	5	6	5	8	10	28	12	16	1	-
	Nonwhite—M——	16	2	-	1	-	-	-	2	-	2	2	3	2	-	-	-	-	1	-	-	-	-	1
	F——	6	1	1	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide——	215	-	-	-	-	4	7	13	9	12	21	21	22	23	25	17	14	12	11	2	2	-	-
	White——M——	172	-	-	-	-	2	6	11	7	8	20	17	16	19	20	12	11	9	10	2	2	-	-
	F——	40	-	-	-	-	2	1	2	2	3	1	4	6	4	5	4	2	3	1	-	-	-	-
	Nonwhite—M——	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide——	38	1	-	-	1	3	2	1	2	5	5	8	5	1	2	1	-	-	-	-	-	-	1
	White——M——	19	1	-	-	-	2	-	1	-	1	1	4	5	1	1	1	-	-	-	-	-	-	1
	F——	13	-	-	-	-	1	1	-	1	3	3	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M——	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA																							
	All causes	118,571	6,371	851	505	323	583	679	745	1,216	1,755	2,867	4,468	6,182	8,403	11,774	15,039	16,346	15,576	12,904	7,958	3,144	849	33
	White--M	61,540	3,022	422	270	177	375	416	390	600	925	1,592	2,486	3,609	4,789	6,645	8,467	8,817	7,880	5,967	3,259	1,152	255	15
	F	48,382	2,135	301	177	112	154	166	224	402	563	884	1,405	1,876	2,689	4,143	5,661	6,829	7,129	6,570	4,489	1,908	554	11
	Nonwhite--M	4,789	686	69	39	24	34	50	74	94	137	216	302	381	531	569	519	393	312	212	94	33	15	4
	F	3,861	528	59	19	10	20	47	57	120	130	175	265	316	394	417	392	307	255	155	116	51	25	3
001-019	Tuberculosis, all forms	1,026	4	8	1	2	4	4	23	42	54	59	85	112	118	117	151	111	65	46	13	5	1	1
	White--M	646	-	4	-	1	2	-	8	6	18	30	57	77	78	71	119	84	44	33	10	1	-	1
	F	174	1	2	-	1	1	-	5	11	16	10	13	15	10	20	16	16	17	12	3	4	1	-
	Nonwhite--M	134	-	1	1	-	-	1	2	6	11	10	12	18	25	22	12	10	2	1	-	-	-	-
	F	72	3	1	-	-	1	3	8	17	9	9	3	2	5	4	4	1	2	-	-	-	-	-
001-008	Tuberculosis of resp. system	969	1	1	-	1	2	4	22	37	51	56	83	111	113	111	147	104	61	44	13	5	1	1
	White--M	620	-	-	-	-	1	-	8	8	17	29	56	76	76	68	116	79	43	31	10	1	-	1
	F	162	-	1	-	1	-	-	4	11	15	9	13	15	9	19	16	15	14	12	3	4	1	-
	Nonwhite--M	124	-	-	-	-	-	1	2	4	10	10	11	18	24	20	11	10	2	1	-	-	-	-
	F	63	1	-	-	-	1	3	8	14	9	8	3	2	4	4	4	-	2	-	-	-	-	-
010-019	Tuberculosis, other forms	57	3	7	1	1	2	-	1	5	3	3	2	1	5	6	4	7	4	2	-	-	-	-
	White--M	26	-	4	-	1	1	-	-	-	1	1	1	1	2	3	3	5	1	2	-	-	-	-
	F	12	1	1	-	-	1	-	1	-	1	1	-	-	1	1	-	1	3	-	-	-	-	-
	Nonwhite--M	10	-	1	1	-	-	-	-	2	1	-	1	-	1	2	1	-	-	-	-	-	-	-
	F	9	2	1	-	-	-	-	-	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	237	-	-	-	-	-	2	1	2	8	11	16	22	31	39	42	38	16	6	3	-	-	-
	White--M	118	-	-	-	-	-	1	-	1	1	1	8	5	23	17	26	23	9	2	1	-	-	-
	F	43	-	-	-	-	-	-	-	-	2	2	2	8	1	5	6	11	4	1	1	-	-	-
	Nonwhite--M	55	-	-	-	-	-	1	1	-	4	6	4	4	5	14	7	2	3	3	1	-	-	-
	F	21	-	-	-	-	-	-	-	1	1	2	2	5	2	3	3	2	-	-	-	-	-	-
045-048	Dysentery, all forms	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	5	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	38	12	14	4	-	1	2	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-
	White--M	15	4	5	2	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	22	8	8	2	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	-	-	1	1	1	1	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	-	-	-	1	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	27	6	10	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	12	3	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	2	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	318	37	26	7	9	8	13	3	9	14	20	19	21	27	21	26	28	19	8	3	-	-	-
	White--M	135	11	16	2	3	3	8	2	4	3	5	7	10	14	10	10	14	6	6	1	-	-	-
	F	142	16	8	5	3	3	4	1	5	6	11	8	9	11	8	15	14	12	1	2	-	-	-
	Nonwhite--M	18	6	1	-	1	1	-	-	-	2	-	3	-	1	1	-	-	1	1	-	-	-	-
	F	23	4	1	-	2	1	1	-	-	3	4	1	2	1	2	1	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	18,776	18	101	68	53	75	61	100	217	366	658	1,042	1,435	1,941	2,512	2,931	2,771	2,192	1,372	628	180	32	3
	White--M	9,271	10	48	46	21	46	32	53	81	141	237	423	651	912	1,323	1,554	1,532	1,130	662	278	78	12	1
	F	8,314	6	44	38	29	27	25	39	114	197	343	517	646	831	996	1,224	1,132	989	672	329	95	19	2
	Nonwhite--M	632	1	6	4	2	2	2	3	4	6	33	44	68	102	113	105	59	42	24	8	3	1	-
	F	559	1	3	-	1	-	2	5	18	22	45	58	70	96	80	48	48	31	14	13	4	-	-
140-148	Of buccal cavity and pharynx	355	-	1	2	-	-	-	1	2	5	15	15	32	35	56	48	58	33	30	16	4	2	-
	White--M	265	-	-	2	-	-	-	-	-	3	10	12	25	28	40	36	49	27	19	10	3	1	-
	F	72	-	1	-	-	-	-	1	2	2	2	2	5	4	12	9	9	4	11	6	1	1	-
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	6,969	2	1	-	-	-	7	14	34	80	139	259	421	665	937	1,145	1,246	1,008	630	291	77	11	2
	White--M	3,515	-	-	-	-	-	3	10	17	45	82	131	213	330	500	598	657	495	296	125	28	4	1
	F	3,022	1	1	-	-	-	4	3	13	31	59	105	156	260	351	480	541	481	316	158	45	6	1
	Nonwhite--M	244	-	-	-	-	-	-	1	3	1	9	17	24	42	52	40	28	13	10	2	1	1	-
	F	188	1	-	-	-	-	-	-	1	3	9	6	28	33	34	17	20	19	8	6	3	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	2,542	-	1	-	1	-	-	7	11	33	90	168	279	354	465	485	347	186	77	33	4	1	-
	White—M	2,044	-	-	-	-	-	-	4	9	18	64	114	220	291	395	408	297	145	53	22	4	-	-
	F	314	-	-	-	1	-	-	2	2	9	18	33	33	33	32	45	39	34	22	10	-	1	-
	Nonwhite—M	158	-	-	-	-	-	-	1	-	4	5	20	24	27	35	24	9	6	2	1	-	-	-
	F	26	-	1	-	-	-	-	-	-	2	3	1	2	3	3	8	2	1	-	-	-	-	-
170	Of breast	1,677	-	-	-	-	-	-	6	35	69	116	168	196	193	200	188	170	151	104	55	19	7	-
	White—M	16	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	1	2	1	-	-	-	-
	F	1,577	-	-	-	-	-	-	5	33	62	103	154	183	179	191	179	162	145	103	53	18	7	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	-	-	-	-	-	-	1	2	7	11	12	11	12	7	7	7	4	-	2	1	-	-
171-179	Of genital organs	2,682	-	1	1	2	5	14	17	42	65	115	155	187	244	320	392	356	385	240	109	26	6	-
	White—M	952	-	-	-	-	4	8	8	4	9	9	9	15	25	87	139	188	228	135	61	19	4	-
	F	1,471	-	1	1	2	1	5	9	28	50	93	116	148	178	198	221	147	137	90	39	5	2	-
	Nonwhite—M	95	-	-	-	-	-	-	-	-	-	2	1	5	11	10	21	12	15	11	5	2	-	-
	F	164	-	-	-	-	-	1	-	10	6	11	29	19	30	25	11	9	5	4	4	-	-	-
180, 181	Of urinary organs	900	2	9	4	-	-	-	-	3	7	23	34	52	82	101	161	152	126	83	41	18	2	-
	White—M	576	2	5	1	-	-	-	-	1	3	11	19	31	48	65	120	105	80	52	23	10	-	-
	F	287	-	3	2	-	-	-	-	2	4	7	13	15	27	32	36	44	44	30	18	8	2	-
	Nonwhite—M	22	-	1	1	-	-	-	-	-	-	2	1	4	2	4	3	1	2	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	3	1	2	5	-	2	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	2,041	8	25	22	24	25	19	14	45	55	84	122	164	209	248	299	268	180	137	63	27	3	-
	White—M	995	6	8	10	10	13	10	6	27	30	36	57	87	101	128	135	141	84	66	26	11	3	-
	F	944	1	13	11	13	11	7	8	16	23	35	58	66	94	109	152	115	91	69	36	16	-	-
	Nonwhite—M	53	1	2	1	1	1	1	-	-	-	8	-	6	9	5	10	5	3	-	-	-	-	-
	F	49	-	2	-	-	-	1	-	2	2	5	7	5	5	6	2	7	2	2	1	-	-	-
204	Leukemia and aleukemia	803	6	54	53	18	31	5	12	16	23	28	40	43	58	77	105	97	79	42	12	4	-	-
	White—M	455	2	30	29	10	21	1	6	7	15	17	23	20	30	44	66	56	45	25	6	2	-	-
	F	315	4	22	22	6	10	3	2	7	8	9	16	20	22	30	37	39	33	17	6	2	-	-
	Nonwhite—M	21	-	2	2	1	-	1	1	1	-	2	-	2	2	2	2	2	1	-	-	-	-	-
	F	12	-	-	-	1	-	-	3	1	-	-	1	1	4	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	807	-	9	6	8	14	16	29	29	29	48	81	61	101	108	108	77	44	29	8	1	-	1
	White—M	453	-	5	4	1	8	10	19	16	18	26	56	38	57	62	50	38	24	15	5	1	-	-
	F	312	-	3	2	7	5	6	9	11	8	17	20	20	34	41	55	36	20	14	3	-	-	1
	Nonwhite—M	25	-	1	-	-	1	-	-	-	1	3	4	2	7	2	2	2	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	1	2	2	2	1	1	3	3	1	1	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	372	4	11	6	2	7	6	9	12	18	33	33	31	41	59	30	23	18	13	11	3	2	-
	White—M	177	1	5	3	1	3	5	5	3	8	17	16	13	18	26	19	14	8	6	3	2	1	-
	F	170	3	6	3	1	4	1	4	4	8	11	16	16	20	29	11	8	8	7	8	1	1	-
	Nonwhite—M	12	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	1	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	4	1	4	-	-	1	3	-	-	-	-	-	-	-	-
241	Asthma	371	2	7	-	1	2	1	4	4	8	9	18	24	46	50	61	58	47	21	7	1	-	-
	White—M	248	2	4	-	1	2	-	2	1	2	4	7	15	31	32	48	44	34	15	4	-	-	-
	F	100	-	2	-	-	-	1	1	1	5	2	5	6	14	14	12	14	13	6	3	1	-	-
	Nonwhite—M	8	-	1	-	-	-	-	-	-	-	2	1	1	-	2	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	1	2	1	1	5	2	1	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus	2,504	2	7	2	2	3	13	20	29	36	28	66	108	211	340	480	483	349	227	79	15	4	-
	White—M	870	2	2	1	2	2	8	9	16	25	18	26	45	78	110	160	156	106	76	21	5	2	-
	F	1,508	-	4	1	-	-	4	8	10	10	7	27	56	113	207	298	316	230	148	57	10	2	-
	Nonwhite—M	45	-	-	-	-	1	-	2	3	-	1	1	2	9	5	7	6	5	3	-	-	-	-
	F	81	-	1	-	-	-	1	1	-	1	2	12	5	11	18	15	5	8	-	1	-	-	-
290-293	Anemias	210	12	6	3	2	-	6	3	2	3	3	7	6	12	14	24	36	31	25	8	7	-	-
	White—M	83	3	2	1	1	-	1	1	-	-	2	5	3	5	5	11	14	13	11	-	5	-	-
	F	102	3	1	2	-	-	5	1	1	1	-	1	1	7	8	9	22	18	13	7	2	-	-
	Nonwhite—M	14	5	2	-	1	-	-	-	-	-	1	1	1	-	-	2	-	-	-	1	-	-	-
	F	11	1	1	-	-	-	-	1	1	2	-	-	1	-	1	2	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*	135	45	16	6	-	3	1	4	5	2	-	9	8	4	7	10	7	5	2	-	1	-	-
	White—M	75	24	7	4	-	2	1	3	3	1	-	5	4	2	4	5	5	3	2	-	-	-	-
	F	36	10	5	1	-	1	-	1	1	1	-	2	3	1	3	4	2	1	-	-	-	-	-
	Nonwhite—M	16	8	2	-	-	-	-	1	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-
	F	8	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	68,745	36	17	25	18	60	76	126	329	562	1,165	2,054	3,210	4,481	6,720	9,104	10,656	10,941	9,684	6,271	2,500	689	21
	White—M	35,410	19	9	15	9	27	35	53	170	345	766	1,273	2,027	2,710	3,841	5,068	5,635	5,450	4,383	2,503	878	207	7
	F	29,353	13	5	7	7	24	34	51	113	143	255	509	803	1,272	2,334	3,459	4,554	5,102	5,048	3,608	1,558	446	8
	Nonwhite—M	2,089	3	3	-	-	6	3	10	22	39	83	135	197	269	293	298	243	206	148	71	24	13	3
	F	1,913	1	-	3	2	3	4	12	24	35	61	137	183	230	252	279	224	183	125	89	40	25	3
330-334, 400-468	Dis. of cardiovascular system	67,805	35	16	24	17	48	61	112	289	548	1,113	2,003	3,140	4,408	6,637	8,995	10,558	10,834	9,590	6,200	2,471	685	21
	White—M	34,961	18	8	14	9	21	26	48	154	335	734	1,249	1,993	2,669	3,808	5,019	5,579	5,398	4,321	2,475	869	207	7
	F	28,963	13	5	7	6	19	30	44	96	139	244	496	780	1,247	2,299	3,410	4,515	5,054	4,998	3,569	1,541	443	8
	Nonwhite—M	2,013	3	3	-	-	5	1	9	19	39	77	128	194	266	282	292	242	202	146	68	22	12	3
	F	1,868	1	-	3	2	3	4	11	20	35	58	130	173	226	248	274	222	180	125	88	39	23	3
330-334	Vascular lesions, etc.*	12,703	10	6	12	4	9	17	16	44	63	130	239	448	621	1,058	1,605	2,046	2,268	2,164	1,338	495	108	2
	White—M	5,669	4	6	8	2	5	9	8	17	27	55	99	210	305	471	755	971	1,073	947	505	159	32	1
	F	6,179	3	-	3	2	3	7	6	24	25	49	99	159	220	457	707	966	1,106	1,153	798	321	71	-
	Nonwhite—M	405	2	-	-	-	1	-	1	2	6	6	19	32	49	71	61	58	43	32	16	5	1	-
	F	450	1	-	1	-	-	1	1	1	5	20	22	47	47	59	82	51	46	32	19	10	4	1
400-402, 410-443	Diseases of heart	49,867	22	10	12	12	35	39	78	218	427	915	1,667	2,529	3,588	5,241	6,914	7,801	7,703	6,537	4,078	1,579	444	18
	White—M	26,824	13	2	6	7	15	14	35	131	289	651	1,106	1,700	2,260	3,152	3,994	4,234	3,888	2,959	1,666	556	140	6
	F	20,384	8	5	4	4	13	21	32	60	99	173	367	575	960	1,731	2,537	3,247	3,563	3,398	2,316	982	281	8
	Nonwhite—M	1,426	1	3	-	-	4	1	6	14	20	62	96	144	196	191	212	167	135	104	42	15	11	2
	F	1,233	-	-	2	1	3	3	5	13	19	29	98	110	172	167	171	153	117	76	54	26	12	2
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	1,661	1	2	8	9	22	27	44	83	92	139	191	218	204	161	154	120	97	45	35	7	2	-
	White—M	719	-	-	4	4	8	9	16	41	36	70	79	105	83	67	70	55	38	18	14	2	-	-
	F	838	1	1	2	4	10	15	23	35	46	59	95	104	107	88	81	61	57	24	19	5	1	-
	Nonwhite—M	48	-	1	-	-	1	1	2	4	3	6	7	4	7	3	-	3	2	2	1	-	1	-
	F	56	-	-	2	1	3	2	3	3	7	4	10	5	7	3	3	1	-	1	1	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA--Continued																							
420	Arteriosclerotic heart dis., etc.*	34,682	-	1	-	1	1	5	18	103	269	639	1,201	1,884	2,704	4,012	5,129	5,590	5,271	4,152	2,499	950	240	13
	White-----M--	20,427	-	-	-	1	1	3	13	75	217	522	923	1,407	1,882	2,608	3,170	3,206	2,856	1,999	1,097	359	83	5
	F--	12,835	-	1	-	-	-	2	4	16	39	75	192	336	620	1,202	1,743	2,215	2,271	2,042	1,354	570	148	5
	Nonwhite--M--	850	-	-	-	-	-	-	1	8	9	34	50	96	125	113	126	93	86	73	22	7	5	2
	F--	570	-	-	-	-	-	-	-	4	4	8	36	45	77	89	90	76	58	38	26	14	4	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	5,979	3	2	2	1	3	2	3	12	24	37	72	114	172	358	584	846	1,086	1,186	927	423	140	2
	White-----M--	2,715	-	1	1	1	1	1	2	9	17	16	38	60	95	175	319	446	485	522	347	138	41	-
	F--	2,933	3	1	1	-	1	1	1	1	4	8	14	27	48	138	222	354	551	639	557	270	90	2
	Nonwhite--M--	171	-	-	-	-	1	-	-	1	1	9	11	18	15	31	23	18	16	8	10	6	3	-
	F--	160	-	-	-	-	-	-	-	1	2	4	9	9	14	14	20	28	14	17	13	9	6	-
430-434	Other diseases of heart---------	1,476	18	5	2	1	6	5	8	14	21	32	40	68	92	128	205	204	258	215	102	35	17	-
	White-----M--	746	13	1	1	1	3	1	3	4	13	22	16	40	53	65	106	114	130	94	48	11	7	-
	F--	631	4	2	1	-	1	3	4	8	6	8	20	20	26	51	78	78	119	116	53	24	9	-
	Nonwhite--M--	53	1	2	-	-	2	-	1	-	1	1	1	4	7	5	12	6	6	2	1	-	1	-
	F--	46	-	-	-	-	-	1	-	2	1	1	3	4	6	7	9	6	3	3	-	-	-	-
440-443	Hypertensive heart disease----	6,069	-	-	-	-	3	-	5	6	21	68	163	245	416	582	842	1,041	1,011	939	515	164	45	3
	White-----M--	2,217	-	-	-	-	2	-	1	2	6	21	50	88	147	237	329	413	379	326	160	46	9	1
	F--	3,147	-	-	-	-	1	-	-	-	4	23	46	88	159	252	413	539	565	577	333	113	33	1
	Nonwhite--M--	304	-	-	-	-	-	-	2	1	6	12	27	22	42	39	51	47	25	19	8	2	1	-
	F--	401	-	-	-	-	-	-	2	3	5	12	40	47	68	54	49	42	42	17	14	3	2	1
444-447	Other hypertensive disease-----	985	-	-	-	-	1	3	6	9	26	26	39	55	59	83	89	141	147	146	95	44	15	1
	White-----M--	414	-	-	-	-	-	2	1	3	7	10	20	21	22	36	37	71	63	69	37	10	5	-
	F--	435	-	-	-	-	1	1	3	2	2	6	6	19	21	30	42	63	75	70	52	33	9	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	2	10	5	7	4	11	6	4	3	5	3	3	-	-	1
	F--	72	-	-	-	-	-	-	2	2	7	5	6	11	5	11	6	4	4	4	3	1	1	-
450	General arteriosclerosis--------	2,914	-	-	-	-	-	-	1	1	3	2	2	23	27	79	160	337	543	643	642	337	114	-
	White-----M--	1,296	-	-	-	-	-	-	1	-	1	-	1	13	18	40	88	155	270	296	244	140	29	-
	F--	1,506	-	-	-	-	-	-	-	1	-	1	1	7	7	31	60	164	252	328	380	193	80	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	2	-	-	2	1	2	4	8	14	6	7	2	-	-
	F--	64	-	-	-	-	-	-	-	-	-	1	-	1	1	6	8	10	7	12	11	2	5	-
451-468	Other diseases of circulatory sys.-	1,336	3	-	-	1	3	2	11	17	29	40	56	85	113	176	227	233	173	100	47	16	4	-
	White-----M--	758	1	-	-	-	1	1	3	3	11	18	23	49	64	109	145	148	104	50	23	4	1	-
	F--	459	2	-	-	-	2	1	3	9	13	15	23	20	39	50	64	75	58	48	23	12	2	-
	Nonwhite--M--	70	-	-	-	-	-	-	2	1	1	4	6	12	9	12	11	6	5	1	-	-	-	-
	F--	49	-	-	-	1	-	-	3	4	4	3	4	4	1	5	7	4	6	1	1		1	-
592-594	Chronic nephritis, etc.*----------	940	1	1	1	1	12	15	14	40	14	52	51	70	73	83	109	98	107	94	71	29	4	-
	White-----M--	449	1	1	1	-	6	9	5	16	10	32	24	34	41	33	49	56	52	42	28	9	-	-
	F--	390	-	-	-	1	5	4	7	17	4	11	13	23	25	35	49	39	48	50	39	17	3	-
	Nonwhite--M--	56	-	-	-	-	1	2	1	3	-	6	7	3	3	11	6	1	4	2	3	2	1	-
	F--	45	-	-	-	-	-	-	1	4	-	3	7	10	4	4	5	2	3	-	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	3,439	403	127	32	16	17	30	27	42	64	69	100	132	186	258	324	397	418	353	271	135	35	1
	White-----M--	1,779	203	60	16	11	11	14	13	17	29	34	47	68	96	137	215	216	228	178	116	60	10	-
	F--	1,263	131	42	12	5	3	10	7	13	13	22	30	36	56	82	81	150	171	158	145	71	25	-
	Nonwhite--M--	244	32	13	3	-	-	4	5	4	16	12	18	16	25	23	18	23	12	12	5	2	-	1
	F--	153	37	12	1	-	3	2	2	8	6	1	5	12	11	16	10	8	7	5	5	2	-	-
480-483	Influenza---------	202	10	7	1	1	2	2	4	5	6	6	4	10	10	13	25	20	19	19	22	12	4	-
	White-----M--	99	5	3	1	1	2	2	3	-	3	3	3	5	7	8	12	13	5	7	7	6	3	-
	F--	91	4	3	-	-	-	-	1	2	3	1	1	4	3	3	12	7	13	12	15	6	1	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	2	-	-	-	1	-	2	1	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	3,237	393	120	31	15	15	28	23	37	58	63	96	122	178	245	299	377	399	334	249	123	31	1
	White-----M--	1,680	198	57	15	10	9	12	10	17	26	31	44	63	89	129	203	203	223	171	109	54	7	-
	F--	1,172	127	39	12	5	3	10	6	11	10	21	29	32	53	79	69	143	158	146	130	65	24	-
	Nonwhite--M--	240	31	13	3	-	-	4	5	3	16	10	18	16	25	23	18	23	12	12	5	2	-	1
	F--	145	37	11	1	-	3	2	2	6	6	1	5	11	11	14	9	8	6	5	5	2	-	-
500-502	Bronchitis--------	246	40	27	11	1	-	1	1	-	1	4	5	7	21	14	27	24	22	21	11	6	2	-
	White-----M--	158	32	15	7	1	-	1	-	-	-	1	3	6	13	10	21	19	14	8	5	1	1	-
	F--	73	5	10	4	-	-	-	1	-	-	2	1	-	4	3	5	5	8	13	6	5	1	-
	Nonwhite--M--	10	2	2	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	758	5	1	-	1	-	1	2	8	19	28	48	60	75	119	99	110	98	52	23	8	1	-
	White-----M--	521	-	1	-	-	-	-	1	5	10	19	33	40	54	92	69	75	62	40	13	6	1	-
	F--	173	1	-	-	-	-	1	-	1	7	3	9	11	15	20	22	30	30	12	9	2	-	-
	Nonwhite--M--	39	2	-	-	1	-	-	1	-	1	3	3	4	4	6	6	4	4	-	-	-	-	-
	F--	25	2	-	-	-	-	-	-	2	1	3	3	5	2	1	2	1	2	-	1	-	-	-
550-553	Appendicitis------	112	-	3	6	4	2	1	3	-	2	3	3	12	10	15	13	14	10	9	2	-	-	-
	White-----M--	58	-	1	3	-	1	1	1	-	2	-	2	5	4	11	8	9	5	3	2	-	-	-
	F--	39	-	1	2	3	1	-	-	-	-	3	1	1	4	3	5	4	5	6	-	-	-	-
	Nonwhite--M--	10	-	-	1	1	-	-	1	-	-	-	-	3	2	1	-	1	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	639	60	6	3	1	3	-	-	7	4	14	29	29	36	55	78	98	91	61	46	14	4	-
	White-----M--	274	31	4	2	-	2	-	-	1	2	6	11	14	17	25	32	41	37	25	20	3	1	-
	F--	308	20	-	-	1	1	-	-	3	1	6	11	13	17	24	39	53	48	34	25	9	3	-
	Nonwhite--M--	33	6	-	1	-	-	-	-	-	1	1	6	-	2	2	3	4	3	1	1	2	-	-
	F--	24	3	2	-	-	-	-	-	3	-	1	1	2	-	4	4	-	3	1	-	-	-	-
543, 571, 572	Gastritis, etc.*--	431	70	30	6	1	7	6	9	7	7	14	18	20	30	28	40	41	47	25	12	9	5	-
	White-----M--	195	29	14	1	-	2	4	3	5	3	5	9	15	16	18	19	15	21	6	4	5	1	-
	F--	210	26	15	2	1	5	2	5	2	4	8	8	5	12	10	19	25	26	19	8	4	4	-
	Nonwhite--M--	17	12	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	9	3	1	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	1,360	1	-	-	2	-	3	5	32	49	132	172	164	151	188	182	144	81	36	13	5	-	-
	White-----M--	865	1	-	-	1	-	-	1	17	23	87	111	113	97	117	129	97	41	21	7	2	-	-
	F--	412	-	-	-	1	-	1	3	6	17	37	50	42	48	58	46	42	37	15	6	3	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	3	4	4	8	8	3	11	5	5	2	-	-	-	-	-
	F--	30	-	-	-	-	-	2	1	6	5	4	3	1	3	2	2	-	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA—Continued																							
584, 585	Cholelithiasis, etc.*	385	-	-	-	-	-	2	1	2	6	3	12	17	23	45	65	63	55	51	25	11	4	-
	White—M	140	-	-	-	-	-	-	-	1	3	3	4	5	10	13	21	20	28	21	8	2	1	-
	F	233	-	-	-	-	-	2	1	1	3	-	6	12	11	30	43	41	25	29	17	9	3	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	154	5	3	5	8	2	2	4	3	9	12	8	6	9	6	17	12	18	19	2	2	2	-
	White—M	75	2	3	2	4	2	1	2	2	3	6	2	3	4	1	10	10	8	8	1	1	-	-
	F	63	2	-	1	4	-	1	2	-	5	3	4	2	4	3	7	2	9	10	1	1	2	-
	Nonwhite—M	6	1	-	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	-	1	2	2	-	-	2	-	-	1	1	-	-	-	-
600	Infections of kidney	406	4	1	-	1	1	2	4	5	11	11	22	28	36	45	61	59	45	40	23	5	2	-
	White—M	182	2	-	-	1	1	1	1	2	4	3	9	10	11	23	28	29	23	18	13	3	-	-
	F	161	-	-	-	-	-	1	-	1	4	6	8	11	17	12	23	25	19	21	10	2	1	-
	Nonwhite—M	34	1	1	-	-	-	-	-	1	1	-	4	4	6	4	6	3	2	1	-	-	-	-
	F	29	1	-	-	-	-	-	3	1	2	2	1	3	2	6	4	2	1	-	-	-	1	-
610	Hyperplasia of prostate	280	-	-	-	-	-	-	-	-	-	-	-	1	5	10	29	43	55	65	47	24	1	-
	White	262	-	-	-	-	-	-	-	-	-	-	-	1	3	8	27	39	52	62	46	24	-	-
	Nonwhite	18	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	3	3	1	-	1	-
640-689	Complications of pregnancy, etc.*	82	...	...	...	-	3	20	14	23	15	7	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	...	...	...	-	1	8	8	16	12	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	30	...	...	...	-	2	12	6	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	16	...	...	...	-	-	8	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	...	...	...	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	12	...	...	...	-	-	7	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	66	...	...	...	-	3	12	11	21	12	7	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	48	...	...	...	-	1	7	7	16	10	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	18	...	...	...	-	2	5	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,221	922	96	29	16	29	16	22	7	7	15	6	14	18	6	5	8	3	2	-	-	-	-
	White—M	577	437	37	10	7	15	8	11	4	4	9	4	7	10	3	4	6	-	1	-	-	-	-
	F	516	389	47	12	7	11	8	8	2	2	6	2	6	7	3	1	2	2	1	-	-	-	-
	Nonwhite—M	63	48	5	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	65	48	7	2	-	1	-	2	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-
760-776	Certain diseases of early infancy	4,145	4,144	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,962	1,961	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,350	1,350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	470	470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	363	363	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,869	1,869	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	937	937	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	629	629	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	314	314	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	1,962	1,961	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	891	890	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	622	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	246	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	793	125	12	1	-	1	4	11	11	13	21	39	37	56	68	69	73	62	78	47	47	16	2
	White—M	431	37	5	1	-	-	-	3	3	8	14	21	29	38	46	49	43	39	46	22	20	5	2
	F	247	33	5	-	-	1	4	4	4	2	5	14	4	10	17	12	26	20	28	22	26	10	-
	Nonwhite—M	72	33	2	-	-	-	-	1	1	1	2	4	3	4	4	5	3	3	3	3	-	-	-
	F	43	22	-	-	-	-	-	3	3	2	-	-	1	4	1	3	1	-	1	-	1	1	-
Residual	All other diseases	4,799	227	98	65	38	37	51	59	86	130	155	236	288	388	612	703	611	482	312	152	48	19	2
	White—M	2,972	124	51	30	23	23	28	21	38	59	72	135	176	257	417	521	413	302	182	73	21	5	1
	F	1,462	64	34	25	13	8	15	28	31	45	60	71	86	97	155	157	179	160	122	73	24	14	1
	Nonwhite—M	223	24	10	7	2	1	3	5	8	9	11	20	20	21	31	19	13	10	5	2	2	-	-
	F	142	15	3	3	-	5	5	5	9	17	12	10	6	13	9	6	6	10	3	4	1	-	-
E800-E962	Accidents	5,150	170	214	192	135	287	291	213	228	236	261	276	241	285	313	345	361	361	345	248	116	29	3
	White—M	3,105	81	123	118	83	212	232	166	153	166	172	186	165	177	204	196	203	181	145	97	34	8	3
	F	1,549	47	53	53	34	58	29	26	40	34	43	56	49	73	77	130	141	167	191	147	80	21	-
	Nonwhite—M	345	26	18	13	13	15	25	19	25	26	33	22	21	28	24	12	10	9	5	1	-	-	-
	F	151	16	20	8	5	2	5	2	10	10	13	12	6	7	8	7	7	4	4	3	2	-	-
E810-E835	Motor vehicle accidents	1,798	9	76	97	53	191	218	128	117	112	101	91	86	90	108	99	93	74	33	17	5	-	-
	White—M	1,246	4	45	64	36	139	172	103	85	80	67	57	56	62	68	55	66	50	18	14	5	-	-
	F	408	4	20	26	15	47	26	16	22	20	16	24	21	22	32	35	22	23	14	3	-	-	-
	Nonwhite—M	110	1	7	7	2	4	17	9	7	9	12	6	8	4	5	7	4	-	1	-	-	-	-
	F	34	-	4	-	-	1	3	-	3	3	6	4	1	2	3	2	1	1	-	-	-	-	-
E800-E802, E840-E962	Other accidents	3,352	161	138	95	82	96	73	85	111	124	160	185	155	195	205	246	268	287	312	231	111	29	3
	White—M	1,859	77	78	54	47	73	60	63	68	86	105	129	109	115	136	141	137	131	127	83	29	8	3
	F	1,141	43	33	27	19	11	3	10	18	14	27	32	28	51	45	95	119	144	177	144	80	21	-
	Nonwhite—M	235	25	11	6	11	11	8	10	18	17	21	16	13	24	19	5	6	9	4	1	-	-	-
	F	117	16	16	8	5	1	2	2	7	7	7	8	5	5	5	5	6	3	4	3	2	-	-
E963, E970-E979	Suicide	1,113	-	-	-	5	14	38	43	78	87	99	118	130	139	101	111	70	41	28	9	1	1	-
	White—M	856	-	-	-	5	11	28	23	56	59	72	84	96	103	78	92	58	34	27	9	1	-	-
	F	233	-	-	-	-	3	6	16	18	20	23	30	33	28	19	17	12	6	1	-	-	1	-
	Nonwhite—M	34	-	-	-	-	-	1	3	3	7	3	3	1	7	4	2	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	3	1	1	1	1	1	-	1	-	-	-	1	-	-	-	-	-
E964, E980-E985	Homicide	277	11	8	1	3	16	25	30	24	23	31	27	19	20	12	12	5	2	3	4	1	-	-
	White—M	76	2	-	-	1	6	6	5	7	5	8	8	6	8	3	6	3	-	-	2	-	-	-
	F	56	2	5	1	1	2	2	4	4	5	8	4	2	5	3	-	1	2	2	2	1	-	-
	Nonwhite—M	102	3	1	-	1	6	10	19	11	7	9	10	7	7	4	6	-	-	1	-	-	-	-
	F	43	4	2	-	-	2	7	2	2	6	6	5	4	-	2	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND																							
	All causes------	8,878	391	56	36	22	29	39	49	65	79	202	293	449	606	886	1,143	1,262	1,243	1,026	653	281	68	-
	White------M--	4,627	204	28	13	12	21	26	30	37	43	113	171	284	401	542	656	647	587	437	265	95	15	-
	F--	4,043	148	24	18	10	7	11	14	27	32	86	113	150	195	328	465	605	628	573	376	184	49	-
	Nonwhite--M--	106	20	1	3	-	-	2	2	1	4	3	4	4	7	7	9	4	13	10	8	1	3	-
	F--	102	19	3	2	-	1	-	3	-	-	-	5	11	3	9	13	6	15	6	4	1	1	-
001-019	Tuberculosis, all forms--------	39	-	-	1	-	-	-	1	1	-	2	2	5	5	4	7	6	1	1	1	2	-	-
	White------M--	25	-	-	-	-	-	-	1	1	-	2	-	2	4	2	6	4	1	1	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	35	-	-	-	-	-	-	1	1	-	2	1	5	5	4	7	6	1	1	-	1	-	-
	White------M--	25	-	-	-	-	-	-	1	1	-	2	-	2	4	2	6	4	1	1	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	13	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	2	1	-	-	-	-
	White------M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White------M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases----------	22	4	1	-	2	-	-	2	-	-	1	-	2	2	2	1	-	3	2	-	-	-	-
	White------M--	9	-	-	-	-	-	-	1	-	-	1	-	1	1	2	-	-	1	2	-	-	-	-
	F--	12	4	1	-	2	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*----	1,590	1	5	10	2	5	5	11	17	25	53	69	114	161	214	280	205	200	121	65	21	6	-
	White------M--	790	1	2	3	1	3	3	3	7	15	17	31	59	82	119	157	102	92	54	33	5	1	-
	F--	776	-	3	4	1	2	2	7	10	10	35	38	54	76	92	118	103	106	65	29	16	5	-
	Nonwhite--M--	18	-	-	2	-	-	-	-	-	-	1	-	1	3	2	3	-	2	2	2	-	-	-
	F--	6	-	-	1	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx-------	22	-	-	-	-	-	-	-	-	-	-	1	2	3	5	3	1	3	2	2	-	-	-
	White------M--	21	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	1	3	2	2	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	581	-	-	-	-	-	-	2	4	4	13	19	33	52	76	114	86	70	57	39	10	2	-
	White------M--	276	-	-	-	-	-	-	1	2	3	5	11	22	26	42	61	34	30	21	16	2	-	-
	F--	297	-	-	-	-	-	-	1	2	1	8	8	11	24	32	51	52	40	35	22	8	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)--	240	-	-	-	-	-	-	1	-	2	9	15	22	32	45	54	30	25	4	1	-	-	-
	White-----M--	208	-	-	-	-	-	-	1	-	2	8	12	19	29	39	49	26	19	3	1	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	3	3	3	5	5	4	5	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	166	-	-	-	-	-	-	1	3	3	12	8	16	16	23	26	18	22	9	2	5	2	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	-	-	-	-	-	-	1	3	2	11	8	16	16	23	25	18	22	9	2	5	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs-	216	-	-	-	-	-	1	2	4	4	9	14	13	15	21	33	24	33	26	13	2	2	-
	White-----M--	78	-	-	-	-	-	1	-	-	1	1	1	1	2	2	11	16	16	14	10	1	1	-
	F--	133	-	-	-	-	-	-	2	4	3	8	13	12	13	19	20	8	17	11	1	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
180, 181	Of urinary organs-	69	-	1	-	-	1	-	-	-	-	-	2	5	10	7	8	9	15	7	1	3	-	-
	White-----M--	49	-	-	-	-	1	-	-	-	-	-	1	2	8	6	7	5	10	6	1	2	-	-
	F--	18	-	1	-	-	-	-	-	-	-	-	1	2	2	1	1	4	4	1	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	166	1	1	4	-	1	2	3	2	4	4	5	14	27	19	15	24	24	9	6	1	-	-
	White-----M--	85	1	1	1	-	1	1	2	2	2	1	2	7	12	14	12	13	8	3	3	-	-	-
	F--	79	-	-	2	-	-	1	2	-	2	3	3	7	14	5	3	11	16	6	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	63	-	3	5	2	1	-	1	1	2	3	1	7	2	10	14	3	4	3	1	-	-	-
	White-----M--	30	-	1	2	1	-	-	-	1	1	-	-	4	1	5	5	2	4	3	-	-	-	-
	F--	32	-	2	2	1	1	-	1	-	1	3	1	3	1	5	9	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	67	-	-	1	-	2	2	1	3	6	3	4	2	4	8	13	10	4	4	-	-	-	-
	White-----M--	42	-	-	-	-	1	1	-	2	5	2	3	2	2	6	9	5	2	2	-	-	-	-
	F--	23	-	-	-	-	1	1	-	1	1	1	1	-	2	2	4	5	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms--------	34	1	1	1	-	-	1	3	-	-	-	4	3	4	3	2	1	2	6	1	1	-	-
	White-----M--	13	-	1	1	-	-	1	1	-	-	-	3	1	-	1	1	-	1	2	-	-	-	-
	F--	21	1	-	-	-	-	-	2	-	-	-	1	2	4	2	1	1	1	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma----------	32	-	-	-	-	-	-	-	2	2	-	3	1	1	6	7	4	3	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	2	-	-	-	1	1	3	5	3	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	3	-	-	3	2	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	233	-	-	-	-	-	1	1	2	-	3	5	13	17	36	40	47	32	20	10	6	-	-
	White-----M--	78	-	-	-	-	-	-	-	1	-	1	3	2	11	15	15	10	9	5	4	2	-	-
	F--	151	-	-	-	-	-	1	1	1	-	2	2	9	6	21	25	37	21	15	6	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
290-293	Anemias----------	14	1	-	-	-	-	-	-	1	-	-	2	-	-	1	2	3	1	1	2	-	-	-
	White-----M--	9	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	9	1	1	2	-	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-
	White-----M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	5	-	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	5,168	4	5	1	2	-	2	7	16	27	84	160	222	309	496	638	840	859	735	494	218	49	-
	White-----M--	2,684	2	5	-	2	-	1	5	10	16	60	112	158	224	313	362	433	408	300	190	72	11	-
	F--	2,379	1	-	1	-	-	1	1	6	8	23	42	54	80	174	263	397	428	423	297	145	35	-
	Nonwhite--M--	45	1	-	-	-	-	-	-	-	3	1	2	2	2	3	4	4	11	6	4	-	2	-
	F--	60	-	-	-	-	-	-	1	-	-	-	4	8	3	6	9	6	12	6	3	1	1	-
330-334, 400-468	Dis. of cardiovascular system-	5,089	4	5	-	2	-	2	6	15	26	79	153	216	302	487	630	826	855	725	490	217	49	-
	White-----M--	2,637	2	5	-	2	-	1	4	9	15	57	110	155	220	308	356	425	406	293	186	72	11	-
	F--	2,349	1	-	-	-	-	1	1	6	8	21	38	51	77	170	261	392	426	420	297	144	35	-
	Nonwhite--M--	44	1	-	-	-	-	-	-	-	3	1	1	2	2	3	4	4	11	6	4	-	2	-
	F--	59	-	-	-	-	-	-	1	-	-	-	4	8	3	6	9	5	12	6	3	1	1	-
330-334	Vascular lesions, etc.*----------	928	-	3	-	1	-	-	3	3	3	9	23	25	42	77	116	160	160	158	84	51	10	-
	White-----M--	396	-	3	-	1	-	-	3	1	2	2	9	14	27	37	50	71	78	55	29	11	3	-
	F--	503	-	-	-	-	-	-	-	2	1	7	12	8	14	38	60	86	77	98	54	39	7	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	2	3	1	1	4	2	3	4	-	1	-	-
400-402, 410-443	Diseases of heart-	3,812	4	2	-	1	-	1	3	9	21	66	124	177	246	389	487	616	634	512	352	136	32	-
	White-----M--	2,063	2	2	-	1	-	1	1	7	13	53	95	133	181	256	288	324	293	216	140	52	5	-
	F--	1,681	1	-	-	-	-	-	1	2	6	12	26	39	61	126	192	288	323	289	207	84	24	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	2	1	1	2	2	2	2	2	9	5	2	-	2	-
	F--	35	-	-	-	-	-	-	1	-	-	-	2	3	2	5	5	2	9	2	3	-	1	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis..	97	-	1	-	-	-	-	3	3	4	8	6	14	15	16	10	6	4	5	2	-	-	-
	White-----M--	39	-	1	-	-	-	-	1	1	-	2	3	7	6	10	3	2	2	1	-	-	-	-
	F--	54	-	-	-	-	-	-	1	2	3	5	3	7	9	6	6	4	2	4	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND--Continued																							
420	Arteriosclerotic heart dis., etc.*	3,051	-	-	-	-	-	-	-	5	15	51	110	148	200	326	401	487	508	401	286	110	23	-
	White-----M--	1,770	-	-	-	-	-	-	-	5	13	46	89	117	159	225	248	271	246	182	120	48	3	-
	F--	1,238	-	-	-	-	-	-	-	-	2	5	20	28	39	95	149	214	246	216	142	64	18	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	9	2	1	-	2	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	7	1	3	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	201	1	1	-	-	-	-	-	-	-	1	2	3	3	9	14	30	31	40	40	19	7	-
	White-----M--	83	1	1	-	-	-	-	-	-	-	1	2	2	2	6	8	13	16	16	11	3	1	-
	F--	115	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	17	14	23	29	16	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
430-434	Other diseases of heart---------	82	3	-	-	1	-	1	-	-	1	2	-	3	7	9	10	17	13	6	5	3	1	-
	White-----M--	35	1	-	-	1	-	1	-	-	-	-	-	2	3	6	8	7	4	-	1	1	-	-
	F--	44	1	-	-	-	-	-	-	-	-	2	-	1	4	3	2	9	9	6	4	2	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease-----	381	-	-	-	-	-	-	-	1	1	4	6	9	21	29	52	76	78	60	39	4	1	-
	White-----M--	136	-	-	-	-	-	-	-	1	-	4	1	5	11	9	21	31	25	17	8	2	1	-
	F--	230	-	-	-	-	-	-	-	-	1	-	3	2	8	19	29	44	52	40	30	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	1	1	-	-	-	-
444-447	Other hypertensive disease-----	89	-	-	-	-	-	-	-	-	1	-	1	5	4	5	9	15	22	13	10	4	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	1	2	4	2	3	8	10	4	3	1	-	-
	F--	48	-	-	-	-	-	-	-	-	-	-	-	2	-	3	6	6	12	9	7	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis--------	174	-	-	-	-	-	-	-	-	-	-	-	2	3	6	8	22	26	37	38	25	7	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	3	4	8	13	19	14	11	8	3	-
	F--	89	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	8	7	23	26	17	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	86	-	-	-	-	-	1	-	3	1	4	5	7	7	10	10	13	13	5	6	1	-	-
	White-----M--	57	-	-	-	-	-	-	-	1	-	2	5	6	5	9	7	9	6	4	3	-	-	-
	F--	28	-	-	-	-	-	1	-	2	1	2	-	-	2	1	3	4	7	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	79	-	-	1	-	-	-	1	1	1	5	7	6	7	9	8	14	4	10	4	1	-	-
	White-----M--	47	-	-	-	-	-	-	1	1	1	3	2	3	4	5	6	8	2	7	4	-	-	-
	F--	30	-	-	1	-	-	-	-	-	-	2	4	3	3	4	2	5	2	3	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	276	21	9	1	-	-	-	1	4	1	2	6	12	13	25	32	25	38	40	27	13	6	-
	White-----M--	157	14	7	-	-	-	-	1	2	1	1	2	6	11	19	19	11	21	20	15	6	1	-
	F--	115	6	2	1	-	-	-	-	2	-	1	4	5	2	5	13	14	16	20	12	7	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
480-483	Influenza---------	11	1	-	-	-	-	-	1	-	-	-	1	1	1	-	2	1	2	-	1	-	-	-
	White-----M--	8	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	265	20	9	1	-	-	-	-	4	1	2	5	11	12	25	30	24	36	40	26	13	6	-
	White-----M--	149	13	7	-	-	-	-	-	2	1	1	1	6	10	19	18	10	20	20	14	6	1	-
	F--	112	6	2	1	-	-	-	-	2	-	1	4	4	2	5	12	14	15	20	12	7	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	36	6	1	-	-	-	-	-	-	-	-	1	1	3	6	11	3	2	1	-	1	-	-
	White-----M--	27	3	-	-	-	-	-	-	-	-	-	-	-	2	6	10	3	2	1	-	-	-	-
	F--	8	2	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	76	1	-	-	-	-	-	1	-	2	4	2	9	7	11	7	14	10	5	2	-	1	-
	White-----M--	55	1	-	-	-	-	-	1	-	2	4	-	8	5	9	6	11	3	3	1	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	7	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	9	1	-	1	1	1	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	4	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	46	5	-	-	-	-	-	-	1	-	2	1	5	1	3	5	8	4	9	2	-	-	-
	White-----M--	24	4	-	-	-	-	-	-	-	-	2	1	5	1	2	2	2	2	2	1	-	-	-
	F--	21	1	-	-	-	-	-	-	1	-	-	-	-	-	1	3	6	2	6	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	30	3	3	-	1	-	-	2	-	-	-	-	2	-	1	7	4	3	1	2	1	-	-
	White-----M--	14	2	1	-	-	-	-	1	-	-	-	-	1	-	1	4	3	-	-	1	-	-	-
	F--	15	1	1	-	1	-	-	1	-	-	-	-	1	-	-	3	1	3	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	129	1	-	-	1	-	-	-	-	2	11	11	18	23	16	23	14	2	5	1	-	1	-
	White-----M--	87	-	-	-	-	-	-	-	-	1	5	6	12	18	11	16	11	1	4	1	-	1	-
	F--	40	1	-	-	1	-	-	-	-	1	6	4	6	5	5	6	3	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																							
584, 585	Cholelithiasis, etc.*	36	-	-	-	-	-	-	-	-	1	-	-	2	4	5	6	6	7	3	2	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	4	1	1	-	-	-
	F	19	-	-	-	-	-	-	-	-	1	-	-	2	1	3	4	2	3	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	5	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	29	-	-	-	-	-	-	-	2	-	3	2	1	3	5	3	3	5	1	-	1	-	-
	White—M	20	-	-	-	-	-	-	-	1	-	3	2	1	3	3	1	2	3	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	4	7	4	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	4	6	4	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	4	...	...	...	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	...	...	...	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	95	62	11	5	2	1	3	1	-	-	2	2	2	-	1	1	-	-	1	-	1	-	-
	White—M	44	30	4	1	1	1	3	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
	F	43	27	4	4	1	-	-	-	-	-	1	2	2	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	24	5	1	-	-	-	-	-	1	-	2	-	-	1	2	1	4	1	2	1	1	2	-
	White—M	9	2	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	1	1	-	-	-
	F	15	3	1	-	-	-	-	-	1	-	1	-	-	-	2	-	2	1	1	-	1	2	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	340	30	6	1	4	1	4	3	5	9	14	14	25	32	28	45	45	36	22	12	3	1	-
	White—M	189	13	3	-	3	-	2	2	2	2	6	7	18	23	19	31	25	18	10	3	2	-	-
	F	141	12	3	1	1	1	1	-	3	7	8	7	7	9	9	12	20	18	12	8	1	1	-
	Nonwhite—M	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-E962	Accidents	283	8	7	11	7	18	17	14	10	5	12	5	8	12	12	17	20	27	35	24	12	2	-
	White—M	164	6	3	5	5	14	13	12	8	4	7	4	5	7	9	9	11	13	15	8	6	-	-
	F	113	2	4	5	2	4	3	1	2	1	4	1	2	5	3	8	9	14	20	16	6	1	-
	Nonwhite—M	5	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	82	-	3	5	2	10	11	8	7	3	5	2	1	5	5	4	9	1	1	-	-	-	-
	White—M	56	-	2	1	1	8	7	6	5	3	2	2	-	4	4	3	6	1	1	-	-	-	-
	F	24	-	1	4	1	2	3	1	2	-	3	-	1	1	1	1	3	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	201	8	4	6	5	8	6	6	3	2	7	3	7	7	7	13	11	26	34	24	12	2	-
	White—M	108	6	1	4	4	6	6	6	3	1	5	2	5	3	5	6	5	12	14	8	6	-	-
	F	89	2	3	1	1	2	-	-	-	1	1	1	1	4	2	7	6	14	20	16	6	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	33	-	-	-	-	1	3	1	2	1	4	3	1	3	4	1	4	1	2	2	-	-	-
	White—M	23	-	-	-	-	1	3	1	1	1	2	-	1	2	2	1	3	1	2	2	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	3	-	1	2	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	7	-	-	-	-	1	-	-	1	-	-	1	-	3	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA																							
	All causes	19,709	2,055	382	193	143	208	294	303	390	547	811	1,102	1,389	1,660	1,933	2,102	1,958	1,801	1,295	726	242	96	79
	White--M	6,624	469	72	54	40	73	120	94	98	166	243	372	499	527	673	806	771	716	495	244	68	21	3
	White--F	4,560	333	50	32	22	27	31	33	60	75	118	168	196	233	310	469	572	721	598	353	115	27	17
	Nonwhite--M	4,532	688	142	58	54	77	95	103	136	168	257	292	344	426	485	455	313	190	105	75	25	14	30
	Nonwhite--F	3,993	565	118	49	27	31	48	73	96	138	193	270	350	474	465	372	302	174	97	54	34	34	29
001-019	Tuberculosis, all forms	160	1	-	2	-	3	11	4	10	10	16	16	19	12	17	16	9	8	1	4	1	-	-
	White--M	51	1	-	1	-	-	-	-	-	-	6	5	11	3	6	6	5	6	-	1	-	-	-
	White--F	14	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	2	1	1	1	-	-	-
	Nonwhite--M	60	-	-	-	-	-	8	1	4	7	7	6	5	6	6	6	2	-	-	2	-	-	-
	Nonwhite--F	35	-	-	1	-	3	3	3	6	2	2	3	1	2	4	3	-	1	-	-	1	-	-
001-008	Tuberculosis of resp. system	148	-	-	-	-	3	11	4	9	9	15	15	18	11	16	15	9	8	1	3	1	-	-
	White--M	47	-	-	-	-	-	-	-	-	-	5	5	11	3	6	5	5	6	-	1	-	-	-
	White--F	14	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	2	1	1	1	-	-	-
	Nonwhite--M	54	-	-	-	-	-	8	1	4	6	7	5	4	5	5	6	2	-	-	1	-	-	-
	Nonwhite--F	33	-	-	-	-	3	3	3	5	2	2	3	1	2	4	3	-	1	-	-	1	-	-
010-019	Tuberculosis, other forms	12	1	-	2	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	1	-	-	-
	White--M	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-	-
	Nonwhite--F	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	56	3	-	-	-	-	1	-	1	-	3	6	8	5	6	8	6	7	2	-	-	-	-
	White--M	12	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	-	4	1	-	-	-	-
	White--F	7	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	2	-	-	-	-	-
	Nonwhite--M	27	2	-	-	-	-	1	-	-	-	3	-	4	3	4	5	3	1	1	-	-	-	-
	Nonwhite--F	10	1	-	-	-	-	-	-	-	-	-	3	3	-	1	1	1	-	-	-	-	-	-
045-048	Dysentery, all forms	11	5	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	6	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	14	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	8	-	2	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	4	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--F	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	12	3	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	92	20	7	5	5	4	3	8	3	4	2	4	4	2	5	6	1	5	2	2	-	-	-
	White--M	19	6	-	-	1	-	1	1	1	1	-	1	-	-	1	1	1	2	1	1	-	-	-
	White--F	24	1	1	-	2	1	-	4	-	-	-	1	1	2	3	3	-	3	1	1	-	-	-
	Nonwhite--M	24	9	2	3	1	2	-	2	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	25	4	4	2	1	1	2	1	1	2	1	2	1	-	1	2	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	2,188	3	12	17	10	11	26	22	34	74	111	186	232	271	284	304	251	170	109	39	13	3	6
	White--M	824	1	6	5	-	5	12	9	9	21	26	51	79	106	121	125	98	82	50	12	4	1	1
	White--F	679	-	2	8	4	1	8	7	12	24	43	60	66	53	66	87	88	70	47	23	6	2	2
	Nonwhite--M	321	1	2	2	3	2	3	1	4	13	12	35	37	44	52	52	36	8	7	4	1	-	2
	Nonwhite--F	364	1	2	2	3	3	3	5	9	16	30	40	50	68	45	40	29	10	5	-	2	-	1
140-148	Of buccal cavity and pharynx	54	-	-	-	-	1	-	-	-	1	3	6	1	5	10	8	8	6	4	1	-	-	-
	White--M	32	-	-	-	-	1	-	-	-	-	2	2	1	3	7	4	4	3	4	1	-	-	-
	White--F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	2	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	1	1	3	-	1	3	2	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	642	-	-	-	1	1	-	1	5	16	20	41	67	90	88	107	74	65	37	18	8	-	3
	White--M	232	-	-	-	-	-	-	-	2	3	5	13	26	34	33	37	27	30	16	4	2	-	-
	White--F	189	-	-	-	-	-	-	-	-	7	5	8	10	11	23	39	25	24	19	12	5	-	1
	Nonwhite--M	127	-	-	-	-	-	-	1	2	5	5	13	21	18	20	18	13	6	1	2	1	-	1
	Nonwhite--F	94	-	-	-	1	1	-	-	1	1	5	7	10	27	12	13	9	5	1	-	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	287	1	-	-	-	-	-	2	3	4	12	35	34	50	45	49	27	9	11	3	2	-	-
	White—M	194	1	-	-	-	-	-	1	-	2	7	20	22	33	33	39	17	9	8	1	1	-	-
	F	30	-	-	-	-	-	-	1	1	2	3	3	5	4	1	2	5	-	2	1	-	-	-
	Nonwhite—M	50	-	-	-	-	-	-	-	1	-	2	8	6	11	9	7	4	-	1	1	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	4	1	2	2	1	1	-	-	-	1	-	-
170	Of breast	177	-	-	-	-	-	-	-	2	11	21	25	29	18	14	17	18	11	8	2	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	113	-	-	-	-	-	-	-	2	6	16	16	15	5	6	12	14	10	8	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	4	5	9	14	11	8	5	4	1	-	-	-	-	-
171-179	Of genital organs	410	-	1	-	1	2	4	6	8	16	30	39	41	45	43	55	56	33	24	4	-	1	1
	White—M	82	-	1	-	-	-	2	-	-	-	-	2	3	4	8	11	18	18	13	2	-	-	-
	F	152	-	-	-	-	-	2	1	5	7	13	21	19	17	15	16	16	12	5	1	-	1	1
	Nonwhite—M	56	-	-	-	-	-	-	-	-	1	3	2	3	4	7	17	13	1	4	1	-	-	-
	F	120	-	-	-	1	2	-	5	3	8	14	14	16	20	13	11	9	2	2	-	-	-	-
180, 181	Of urinary organs	86	-	1	4	-	-	-	-	-	1	3	5	8	9	13	12	8	13	6	2	1	-	-
	White—M	38	-	1	-	-	-	-	-	-	-	2	2	4	4	5	6	6	6	2	-	-	-	-
	F	25	-	-	2	-	-	-	-	-	-	1	1	1	1	3	2	1	7	4	2	-	-	-
	Nonwhite—M	13	-	-	1	-	-	-	-	-	1	-	1	1	3	4	2	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	-	-	-	1	2	1	1	2	1	-	-	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*	313	-	2	6	6	3	12	12	7	15	11	23	25	40	45	29	38	17	12	7	1	1	1
	White—M	141	-	2	4	-	2	4	7	2	9	5	7	10	21	18	13	18	9	5	3	1	-	1
	F	93	-	-	2	2	1	4	5	1	1	3	7	8	10	13	7	12	7	5	4	-	1	-
	Nonwhite—M	36	-	-	-	3	-	3	-	1	4	-	5	2	4	7	2	4	1	-	-	-	-	-
	F	43	-	-	-	1	-	1	-	3	1	3	4	5	5	7	7	4	-	2	-	-	-	-
204	Leukemia and aleukemia	107	2	6	6	1	3	6	-	3	5	5	3	9	10	11	13	11	7	5	-	-	1	-
	White—M	48	-	2	1	-	1	3	-	1	3	2	1	5	3	9	5	6	3	2	-	-	1	-
	F	32	-	2	3	1	-	2	-	1	-	1	-	3	4	1	5	3	4	2	-	-	-	-
	Nonwhite—M	13	1	-	1	-	2	-	-	-	-	-	2	1	2	-	2	1	-	1	-	-	-	-
	F	14	1	2	1	-	-	1	-	-	1	2	2	-	1	1	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	112	-	2	1	1	1	4	1	6	5	6	9	18	4	15	14	11	9	2	2	-	-	1
	White—M	54	-	-	-	-	1	3	1	4	3	3	4	8	2	8	10	2	4	-	1	-	-	-
	F	35	-	-	1	1	-	-	-	2	1	1	3	5	-	4	2	8	4	2	1	-	-	-
	Nonwhite—M	15	-	2	-	-	-	-	-	-	1	1	1	3	1	2	2	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	-	-	1	1	2	1	1	-	-	1	-	-	-	-	1
210-239	Benign & unspec. neoplasms	66	2	2	5	6	1	1	2	3	9	7	4	3	5	7	2	3	2	2	-	-	-	-
	White—M	16	1	1	1	1	1	-	-	1	1	-	1	1	-	2	1	2	2	-	-	-	-	-
	F	17	-	1	-	1	-	-	1	1	-	2	1	1	2	4	-	1	-	2	-	-	-	-
	Nonwhite—M	11	-	-	2	2	-	-	-	-	2	2	-	-	1	1	1	-	-	-	-	-	-	-
	F	22	1	-	2	2	-	1	1	1	6	3	2	1	2	-	-	-	-	-	-	-	-	-
241	Asthma	40	3	-	-	-	-	1	1	1	-	3	4	3	7	6	4	3	1	1	2	-	-	-
	White—M	17	1	-	-	-	-	-	1	-	-	-	1	3	2	4	2	1	1	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	3	1	4	-	-	-	-	1	1	-	-	-	-
	Nonwhite—M	6	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-
260	Diabetes mellitus	231	1	-	-	1	2	1	5	5	4	10	11	18	28	25	35	31	28	11	11	1	2	1
	White—M	61	-	-	-	-	1	1	-	3	1	2	2	5	6	7	8	12	10	1	2	-	-	-
	F	76	1	-	-	-	-	-	1	-	-	2	1	2	6	7	13	11	15	7	8	1	-	1
	Nonwhite—M	32	-	-	-	1	1	-	3	2	1	3	3	3	3	1	5	2	1	1	1	-	1	-
	F	62	-	-	-	-	-	-	1	-	2	3	5	8	13	10	9	6	2	2	-	-	1	-
290-293	Anemias	51	3	4	7	3	-	-	1	2	3	2	3	2	5	3	3	4	2	2	-	2	-	-
	White—M	10	1	-	1	-	-	-	-	-	-	-	1	-	2	2	-	-	1	1	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-
	Nonwhite—M	19	1	1	6	3	-	-	-	1	2	1	-	1	-	-	2	1	-	-	-	-	-	-
	F	15	1	3	-	-	-	-	1	1	1	1	2	1	3	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	50	25	10	4	1	2	-	-	-	-	2	-	-	3	-	2	-	-	-	1	-	-	-
	White—M	10	4	1	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	7	2	2	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-
	F	19	10	6	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,439	5	18	12	12	18	20	43	114	177	379	575	811	1,030	1,272	1,398	1,362	1,349	981	556	179	71	57
	White—M	3,576	1	3	4	1	-	3	6	22	45	98	199	283	312	417	527	531	509	367	194	50	13	1
	F	2,645	1	2	1	2	4	4	3	17	16	38	63	83	126	190	304	393	547	463	273	83	20	12
	Nonwhite—M	2,130	2	5	4	5	9	7	16	42	58	146	154	212	283	330	303	225	150	75	52	22	9	21
	F	2,088	1	8	3	4	5	6	18	33	58	97	159	233	309	335	264	213	143	76	47	24	29	23
330-334, 400-468	Dis. of cardiovascular system	10,182	5	16	10	12	14	17	38	107	164	357	555	791	999	1,240	1,376	1,339	1,325	969	551	174	70	53
	White—M	3,515	1	3	4	1	-	1	5	20	42	91	196	280	309	411	524	521	500	363	181	48	13	1
	F	2,612	1	2	1	2	4	4	2	14	16	36	60	82	124	187	298	391	542	461	271	83	20	11
	Nonwhite—M	2,052	2	3	2	5	7	6	15	42	55	139	151	204	271	318	299	218	144	71	52	21	8	19
	F	2,003	1	8	3	4	3	6	16	31	51	91	148	225	295	324	255	209	139	74	47	22	29	22
330-334	Vascular lesions, etc.*	2,767	1	7	-	2	5	3	14	23	51	92	127	185	271	335	370	362	391	266	179	43	23	17
	White—M	722	-	3	-	1	-	-	1	2	7	19	18	42	40	81	107	113	126	84	63	8	7	-
	F	764	-	1	-	1	1	-	1	4	7	10	19	20	34	46	78	119	177	138	83	22	1	2
	Nonwhite—M	634	1	2	-	-	2	1	5	15	21	32	45	59	91	88	102	66	46	24	20	8	-	6
	F	647	-	1	-	-	2	2	7	2	16	31	45	64	106	120	83	64	42	20	13	5	15	9
400-402, 410-443	Diseases of heart	6,711	4	8	9	10	8	11	16	69	97	241	402	550	686	849	926	890	837	613	315	104	33	33
	White—M	2,595	1	-	3	-	-	1	3	17	34	68	172	219	260	317	394	369	344	250	102	35	5	1
	F	1,662	1	1	1	1	3	2	-	8	8	22	40	57	87	129	209	258	335	276	158	46	13	7
	Nonwhite—M	1,258	1	-	2	5	4	5	7	22	28	97	95	132	162	213	176	136	78	40	28	9	5	13
	F	1,196	1	7	3	4	1	3	6	22	27	54	95	142	177	190	147	127	80	47	27	14	10	12
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	135	-	1	6	10	5	2	2	15	6	12	15	8	10	19	8	7	3	4	2	-	-	-
	White—M	44	-	-	2	-	-	-	-	5	1	1	7	4	4	10	4	3	1	1	1	-	-	-
	F	31	-	-	-	1	1	1	-	4	-	5	3	2	2	2	3	3	2	1	1	-	-	-
	Nonwhite—M	32	-	-	2	5	3	-	2	5	1	2	2	1	-	5	1	1	-	2	-	-	-	-
	F	28	-	1	2	4	1	1	-	1	4	4	3	1	4	2	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA--Continued																							
420	Arteriosclerotic heart dis., etc.*	4,088	2	-	-	-	1	2	8	31	57	135	248	343	426	520	616	569	496	368	169	60	19	18
	White-----M--	2,018	1	-	-	-	-	1	3	12	27	60	141	191	219	262	329	282	235	172	57	21	4	1
	F--	1,044	-	-	-	-	1	1	-	3	7	12	24	44	61	94	143	181	194	155	82	28	9	5
	Nonwhite--M--	570	-	-	-	-	-	-	1	6	15	46	48	60	76	95	84	55	36	22	15	6	-	5
	F--	456	1	-	-	-	-	-	4	10	8	17	35	48	70	69	60	51	31	19	15	5	6	7
421, 422	Nonrheumatic chronic endocarditis, etc.*--	626	-	3	1	-	-	1	-	2	8	7	20	33	51	82	65	77	114	85	52	17	6	2
	White-----M--	180	-	-	-	-	-	-	-	-	2	1	4	6	7	16	18	26	43	33	17	7	-	-
	F--	170	-	-	-	-	-	-	-	-	1	-	3	-	4	9	11	17	47	40	30	6	2	-
	Nonwhite--M--	137	-	-	-	-	-	1	-	1	4	2	7	11	20	26	19	24	10	5	2	1	2	2
	F--	139	-	3	1	-	-	-	-	1	1	4	6	16	20	31	17	10	14	7	3	3	2	-
430-434	Other diseases of heart---------	394	2	4	2	-	2	4	2	8	8	23	31	41	39	37	42	40	46	32	19	4	3	5
	White-----M--	112	-	-	1	-	-	-	-	-	3	3	8	9	12	10	10	15	21	15	3	2	-	-
	F--	84	1	1	1	-	1	-	-	-	-	2	5	4	6	5	6	9	15	10	15	1	1	1
	Nonwhite--M--	106	1	-	-	-	1	3	1	4	3	11	9	13	13	10	16	9	6	3	1	-	-	2
	F--	92	-	3	-	-	-	1	1	4	2	7	9	15	8	12	10	7	4	4	-	1	2	2
440-443	Hypertensive heart disease----	1,468	-	-	-	-	-	2	4	13	18	64	88	125	160	191	195	197	178	124	73	23	5	8
	White-----M--	241	-	-	-	-	-	-	-	-	1	3	12	9	18	19	33	43	44	29	24	5	1	-
	F--	333	-	-	-	-	-	-	-	1	-	3	5	7	14	19	46	48	77	70	30	11	1	1
	Nonwhite--M--	413	-	-	-	-	-	1	3	6	5	36	29	47	53	77	56	47	26	8	10	2	3	4
	F--	481	-	-	-	-	-	1	1	6	12	22	42	62	75	76	60	59	31	17	9	5	-	3
444-447	Other hypertensive disease------	189	-	-	1	-	-	-	5	9	8	15	16	24	17	12	22	24	14	13	5	1	1	2
	White-----M--	36	-	-	1	-	-	-	-	-	-	2	2	4	1	2	6	10	2	4	2	-	-	-
	F--	31	-	-	-	-	-	-	1	-	1	2	1	2	-	4	2	3	3	8	2	-	-	2
	Nonwhite--M--	63	-	-	-	-	-	-	2	3	4	7	8	10	9	4	3	5	6	1	1	-	-	-
	F--	59	-	-	-	-	-	-	2	6	3	4	5	8	7	2	11	6	3	-	-	1	1	-
450	General arteriosclerosis---------	344	-	-	-	-	-	-	-	-	-	1	2	8	13	28	40	41	63	67	41	26	13	1
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	4	2	5	6	13	18	21	8	5	1	-
	F--	114	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	7	18	33	24	15	6	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	-	1	1	1	7	10	15	11	14	6	3	4	3	-
	F--	71	-	-	-	-	-	-	-	-	-	-	1	3	3	10	12	10	13	7	6	2	3	1
451-468	Other diseases of circulatory sys.-	171	-	1	-	-	1	3	3	6	8	8	8	24	12	16	18	22	20	10	11	-	-	-
	White-----M--	79	-	-	-	-	-	-	1	1	1	2	4	11	6	6	11	16	10	4	6	-	-	-
	F--	41	-	-	-	-	-	2	-	2	-	2	-	3	2	5	2	4	9	6	4	-	-	-
	Nonwhite--M--	21	-	1	-	-	1	-	1	2	2	2	2	2	2	3	3	-	-	-	-	-	-	-
	F--	30	-	-	-	-	-	1	1	1	5	2	2	8	2	2	2	2	1	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	257	-	2	2	-	4	3	5	7	13	22	20	20	31	32	22	23	24	12	5	5	1	4
	White-----M--	61	-	-	-	-	-	2	1	2	3	7	3	3	3	6	3	10	9	4	3	2	-	-
	F--	33	-	-	-	-	-	-	1	3	-	2	3	1	2	3	6	2	5	2	2	-	-	1
	Nonwhite--M--	78	-	2	2	-	2	1	1	-	3	7	3	8	12	12	4	7	6	4	-	1	1	2
	F--	85	-	-	-	-	2	-	2	2	7	6	11	8	14	11	9	4	4	2	-	2	-	1
480-493	Influenza and pneumonia, etc.*-	840	274	66	14	10	10	8	8	13	16	21	26	25	36	48	61	54	49	44	32	12	10	3
	White-----M--	184	29	3	2	4	2	3	3	-	1	2	5	10	6	13	26	17	18	21	11	5	3	-
	F--	150	25	5	5	2	2	1	1	4	2	2	3	3	3	5	13	14	19	15	17	6	3	-
	Nonwhite--M--	266	115	31	2	2	3	1	2	5	7	11	9	9	15	14	13	11	6	4	2	-	2	2
	F--	240	105	27	5	2	3	3	2	4	6	6	9	3	12	16	9	12	6	4	2	1	2	1
480-483	Influenza---------	105	34	5	1	1	2	3	-	2	2	4	3	5	7	6	11	2	6	3	4	2	2	-
	White-----M--	19	2	-	-	-	1	1	-	-	-	-	1	1	1	2	4	-	2	2	1	-	1	-
	F--	16	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	-	2	1	3	2	-	-
	Nonwhite--M--	33	15	1	1	1	-	1	-	1	-	2	1	1	3	1	2	-	2	-	-	-	1	-
	F--	37	17	4	-	-	-	1	-	1	2	2	1	2	1	1	3	2	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	735	240	61	13	9	8	5	8	11	14	17	23	20	29	42	50	52	43	41	28	10	8	3
	White-----M--	165	27	3	2	4	1	2	3	-	1	2	4	9	5	11	22	17	16	19	10	5	2	-
	F--	134	25	5	5	2	1	1	1	4	2	2	3	2	1	3	11	14	17	14	14	4	3	-
	Nonwhite--M--	233	100	30	1	1	3	-	2	4	7	9	8	8	12	13	11	11	4	4	2	-	1	2
	F--	203	88	23	5	2	3	2	2	3	4	4	8	1	11	15	6	10	6	4	2	1	2	1
500-502	Bronchitis---------	37	13	2	1	-	-	-	-	1	1	-	-	-	1	6	3	3	2	1	2	1	-	-
	White-----M--	12	1	-	-	-	-	-	-	1	-	-	-	-	1	3	2	1	-	1	1	1	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	Nonwhite--M--	13	4	2	1	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	1	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	83	-	-	1	-	-	-	3	1	5	5	7	9	7	11	6	10	8	6	3	-	-	1
	White-----M--	49	-	-	1	-	-	-	-	1	1	5	5	6	5	7	3	5	5	3	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	3	-	1	2	-	-	2	3	3	3	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	2	-	-	-	1	1	2	2	1	2	-	-	-	-	-	1
	F--	4	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
550-553	Appendicitis------	21	-	-	-	-	1	1	-	1	3	1	1	1	2	5	2	1	2	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	2	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	90	12	-	-	1	-	-	-	3	-	3	4	9	7	9	9	12	7	7	5	2	-	-
	White-----M--	27	3	-	-	-	-	-	-	-	-	2	-	3	1	4	2	5	2	-	3	2	-	-
	F--	31	2	-	-	-	-	-	-	1	-	-	-	2	1	4	2	7	3	7	2	-	-	-
	Nonwhite--M--	14	4	-	-	1	-	-	-	-	-	1	1	-	2	-	3	-	2	-	-	-	-	-
	F--	18	3	-	-	-	-	-	-	2	-	-	3	4	3	1	2	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	169	88	22	3	2	1	-	-	-	1	4	5	4	6	2	8	8	4	6	4	-	1	-
	White-----M--	28	7	5	-	-	1	-	-	-	-	2	1	1	1	2	2	2	2	-	2	-	-	-
	F--	27	5	2	1	-	-	-	-	-	-	-	-	2	-	-	2	6	2	5	2	-	-	-
	Nonwhite--M--	48	35	7	-	1	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
	F--	66	41	8	2	1	-	-	-	-	1	2	-	1	4	-	4	-	-	1	-	-	1	-
581	Cirrhosis of liver	86	1	-	-	-	-	1	1	7	10	6	10	15	10	6	8	4	3	4	-	-	-	-
	White-----M--	47	-	-	-	-	-	-	-	2	5	2	6	7	7	3	5	4	2	4	-	-	-	-
	F--	20	1	-	-	-	-	-	-	1	1	3	3	5	2	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	2	1	1	3	1	-	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	1	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																							
584, 585	Cholelithiasis, etc.*	30	-	-	-	-	-	1	-	-	3	1	1	-	1	1	3	5	8	3	1	1	-	1
	White—M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	4	5	2	1	1	-	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	32	-	8	2	2	2	2	-	3	-	1	2	1	2	4	2	1	-	-	-	-	-	-
	White—M	9	-	2	-	1	1	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	3	2	-	1	1	-	1	-	-	-	1	1	2	1	-	-	-	-	-	-	-
	F	7	-	2	-	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
600	Infections of kidney	100	-	-	-	-	-	-	1	5	6	9	6	11	8	7	5	12	11	9	5	2	2	1
	White—M	34	-	-	-	-	-	-	-	1	1	2	1	2	1	3	3	6	5	3	4	-	2	-
	F	28	-	-	-	-	-	-	-	-	-	2	4	1	2	2	1	4	5	4	-	2	-	1
	Nonwhite—M	23	-	-	-	-	-	-	1	2	4	2	1	3	3	2	1	1	-	2	1	-	-	-
	F	15	-	-	-	-	-	-	-	2	1	3	-	5	2	-	-	1	1	-	-	-	-	-
610	Hyperplasia of prostate	37	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	6	8	3	7	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	5	1	4	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	2	3	-	-	-
640-689	Complications of pregnancy, etc.*	43	...	...	...	-	5	13	12	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	...	...	...	-	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	...	...	...	-	2	9	10	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	7	...	...	...	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	...	...	...	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	36	...	...	...	-	5	9	10	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	...	...	...	-	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	26	...	...	...	-	2	6	8	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	254	190	31	6	3	2	3	-	4	2	1	4	1	1	-	2	1	2	1	-	-	-	-
	White—M	99	75	11	2	-	1	1	-	-	-	1	4	-	-	-	2	1	1	-	-	-	-	-
	F	73	56	8	1	2	-	-	-	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-
	Nonwhite—M	43	33	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	26	6	1	-	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,025	1,025	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	281	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	572	572	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	790	180	35	5	2	5	9	11	17	21	43	62	60	66	72	64	55	23	26	16	13	3	2
	White—M	129	18	2	-	1	2	1	1	2	2	3	6	14	9	9	20	12	8	11	5	3	-	-
	F	40	8	-	-	-	-	-	-	1	-	-	1	3	4	2	4	3	1	4	4	4	1	-
	Nonwhite—M	334	87	23	3	1	1	4	5	7	10	19	31	20	20	37	21	19	9	8	5	2	2	-
	F	287	67	10	2	-	2	4	5	7	9	21	24	23	33	24	19	21	5	3	2	4	-	2
Residual	All other diseases	810	80	39	17	9	12	18	19	30	48	46	54	57	60	65	78	64	53	35	17	4	3	2
	White—M	310	19	8	2	4	4	5	2	5	17	17	20	22	24	35	38	37	26	14	7	2	2	-
	F	194	14	7	4	2	2	2	2	7	12	9	12	13	16	11	19	18	20	17	6	1	-	-
	Nonwhite—M	167	32	15	5	2	4	6	9	8	7	10	17	13	11	5	13	1	5	1	2	-	-	1
	F	139	15	9	6	1	2	5	6	10	12	10	5	9	9	14	8	8	2	3	2	1	1	1
E800-E962	Accidents	1,486	106	108	87	73	103	137	116	86	105	88	80	71	59	57	54	41	44	38	18	11	1	5
	White—M	610	20	25	33	27	47	82	56	34	53	49	41	32	22	22	19	13	18	14	2	-	-	1
	F	209	12	15	10	5	11	8	8	7	7	12	8	10	7	8	9	12	19	17	13	10	1	-
	Nonwhite—M	468	35	38	23	30	40	41	42	39	34	20	20	23	23	19	20	8	4	4	2	-	-	3
	F	199	39	28	21	11	5	6	10	6	11	7	11	6	7	8	6	8	3	3	1	1	-	1
E810-E835	Motor vehicle accidents	573	4	22	33	20	50	85	63	50	51	41	35	23	23	14	23	13	12	6	2	-	-	3
	White—M	291	2	10	14	9	27	56	32	22	27	25	19	6	9	6	10	7	6	3	-	-	-	1
	F	67	1	3	7	3	7	5	6	3	4	6	2	5	2	1	3	3	3	1	2	-	-	-
	Nonwhite—M	176	-	5	10	6	14	20	20	23	17	9	10	9	10	6	9	1	3	2	-	-	-	2
	F	39	1	4	2	2	2	4	5	2	3	1	4	3	2	1	1	2	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	913	102	84	54	53	53	52	53	36	54	47	45	48	36	43	31	28	32	32	16	11	1	2
	White—M	319	18	15	19	18	20	26	24	12	26	24	22	26	13	16	9	6	12	11	2	-	-	-
	F	142	11	12	3	2	4	3	2	4	3	6	6	5	5	7	6	9	16	16	11	10	1	-
	Nonwhite—M	292	35	33	13	24	26	21	22	16	17	11	10	14	13	13	11	7	1	2	2	-	-	1
	F	160	38	24	19	9	3	2	5	4	8	6	7	3	5	7	5	6	3	3	1	1	-	1
E963, E970-E979	Suicide	164	-	-	-	1	4	12	9	15	17	23	16	20	15	8	8	10	5	-	1	-	-	-
	White—M	124	-	-	-	-	3	5	7	11	10	21	12	17	11	7	5	10	4	-	1	-	-	-
	F	22	-	-	-	-	-	3	2	1	5	1	3	2	3	-	1	-	1	-	-	-	-	-
	Nonwhite—M	16	-	-	-	1	1	4	-	3	1	1	1	1	1	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide	185	-	-	1	-	19	24	37	22	25	23	15	4	9	1	3	1	-	1	-	-	-	-
	White—M	43	-	-	1	-	2	5	9	3	4	5	5	2	3	-	2	1	-	1	-	-	-	-
	F	8	-	-	-	-	1	1	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	108	-	-	-	-	12	17	19	16	17	14	8	2	3	-	-	-	-	-	-	-	-	-
	F	26	-	-	-	-	4	1	8	2	3	4	1	-	3	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA																							
	All causes	6,248	455	85	30	33	51	56	56	59	91	106	175	202	349	499	676	876	891	778	492	211	72	5
	White--M	3,554	210	43	14	16	35	36	36	32	55	61	101	119	230	330	426	523	511	415	228	104	25	3
	F	2,367	161	28	11	16	9	14	11	20	27	36	64	70	99	156	232	332	359	343	249	104	45	1
	Nonwhite--M	178	52	5	2	1	4	3	6	5	8	6	5	6	12	6	10	12	11	13	8	2	-	1
	F	129	32	9	3	-	3	3	3	2	1	3	5	7	8	7	8	9	10	7	6	1	2	-
001-019	Tuberculosis, all forms	43	2	3	1	-	1	2	-	1	1	1	3	4	4	2	3	5	3	4	3	-	-	-
	White--M	16	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	2	1	3	2	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M	11	-	1	-	-	-	1	-	-	-	-	1	2	2	-	-	1	1	1	1	-	-	-
	F	11	2	2	1	-	1	1	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	33	1	-	-	-	1	1	-	-	1	1	3	4	3	2	2	5	3	3	3	-	-	-
	White--M	15	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	2	1	2	2	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	1	1	1	1	-	-	-	-
	F	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	10	1	3	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	1	2	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	4	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	13	1	2	-	-	2	-	-	1	-	1	1	-	2	1	-	1	1	-	-	-	-	-
	White--M	8	-	1	-	-	2	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	964	1	8	2	4	5	5	1	8	24	25	39	52	85	108	135	155	132	113	44	12	5	1
	White--M	513	1	8	2	2	3	4	1	2	12	6	14	15	45	57	72	82	79	67	29	9	2	1
	F	421	-	-	-	2	2	1	-	5	11	19	23	33	35	49	59	72	46	43	15	3	3	-
	Nonwhite--M	14	-	-	-	-	-	-	-	1	1	-	-	1	3	1	2	-	2	3	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	1	5	-	-	-	-	-
140-148	Of buccal cavity and pharynx	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	1	-	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	322	-	1	-	-	1	1	-	-	4	5	8	10	34	35	41	53	57	46	21	4	1	-
	White--M	176	-	1	-	-	1	1	-	-	4	2	3	3	18	19	22	25	38	26	11	2	-	-
	F	134	-	-	-	-	-	-	-	-	-	3	5	7	12	15	17	27	15	20	10	2	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA--Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	107	-	-	-	-	-	-	-	-	2	3	4	5	14	19	24	14	10	6	3	2	-	1
	White--M	90	-	-	-	-	-	-	-	-	2	3	3	4	12	18	21	12	7	4	1	2	-	1
	F	15	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	2	2	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast	92	-	-	-	-	-	-	-	-	3	5	6	8	9	13	8	16	8	10	2	2	2	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-
	F	85	-	-	-	-	-	-	-	-	3	5	5	7	9	13	8	14	8	8	2	1	2	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	151	-	-	-	-	-	1	1	4	4	7	6	13	7	11	16	28	21	17	10	4	1	-
	White--M	72	-	-	-	-	-	1	1	1	1	-	-	-	1	5	6	16	13	12	10	4	1	-
	F	75	-	-	-	-	-	-	-	3	3	7	5	13	6	6	9	12	8	3	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs	53	-	1	-	-	-	-	-	-	2	-	2	3	6	1	12	7	6	10	3	-	-	-
	White--M	38	-	1	-	-	-	-	-	-	-	-	1	2	5	1	6	5	5	9	3	-	-	-
	F	15	-	-	-	-	-	-	-	-	2	-	1	1	1	-	6	2	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	124	-	4	2	1	2	1	-	3	4	4	8	7	9	12	15	16	15	16	4	-	1	-
	White--M	61	-	4	2	1	1	-	-	1	1	1	4	3	4	5	7	9	7	7	3	-	1	-
	F	54	-	-	-	-	1	1	-	1	2	3	4	2	4	6	8	7	6	8	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	51	-	2	-	2	1	-	-	-	4	1	-	5	2	7	10	8	5	3	1	-	-	-
	White--M	33	-	2	-	1	-	-	-	-	3	-	-	3	2	5	5	6	3	2	1	-	-	-
	F	17	-	-	-	1	1	-	-	-	1	1	-	1	-	2	5	2	2	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	56	1	-	-	1	1	2	-	1	1	-	4	1	3	10	7	13	7	4	-	-	-	-
	White--M	30	1	-	-	-	1	2	-	-	1	-	2	-	2	4	3	7	3	4	-	-	-	-
	F	26	-	-	-	1	-	-	-	1	-	-	2	1	1	6	4	6	4	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	19	-	3	-	-	-	-	-	2	-	1	3	2	3	-	-	2	2	1	-	-	-	-
	White--M	8	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	2	2	-	-	-	-	-
	F	11	-	1	-	-	-	-	-	1	-	1	2	2	3	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	20	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	3	4	5	-	-	-	-
	White--M	17	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	4	4	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	111	-	-	1	1	-	1	-	2	3	1	4	4	9	14	16	16	20	13	5	1	-	-
	White--M	45	-	-	-	-	-	-	-	1	2	1	4	2	4	5	6	5	10	5	-	-	-	-
	F	61	-	-	1	1	-	1	-	1	1	-	-	1	2	8	10	11	10	8	5	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
290-293	Anemias	19	2	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	3	5	-	1	-	-
	White--M	14	1	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	3	2	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,359	5	1	1	5	2	2	4	11	17	30	71	96	173	273	407	578	588	528	355	160	48	4
	White--M	1,974	2	1	-	1	1	1	3	6	15	19	51	69	127	193	271	356	328	280	155	73	20	2
	F	1,321	1	-	1	4	1	1	1	4	2	9	17	26	41	77	128	209	252	241	193	85	27	1
	Nonwhite--M	38	1	-	-	-	-	-	-	1	-	-	2	1	2	2	5	7	7	3	4	2	-	1
	F	26	1	-	-	-	-	-	-	-	-	2	1	-	3	1	3	6	1	4	3	-	1	-
330-334, 400-468	Dis. of cardiovascular system	3,331	4	1	1	5	1	-	4	10	16	30	70	94	170	270	404	575	585	526	355	159	47	4
	White--M	1,956	2	1	-	1	-	-	3	5	14	19	50	68	126	192	269	353	325	278	155	73	20	2
	F	1,314	1	-	1	4	1	-	1	4	2	9	17	25	40	76	127	209	252	241	193	84	26	1
	Nonwhite--M	37	1	-	-	-	-	-	-	1	-	-	2	1	2	1	5	7	7	3	4	2	-	1
	F	24	-	-	-	-	-	-	-	-	-	2	1	-	2	1	3	6	1	4	3	-	1	-
330-334	Vascular lesions, etc.*	802	1	-	-	3	-	-	2	3	1	7	11	12	28	47	67	127	156	163	106	53	14	1
	White--M	390	1	-	-	-	-	-	1	1	1	2	5	6	15	26	38	73	84	68	44	20	4	1
	F	403	-	-	-	3	-	-	1	2	-	5	6	6	13	21	28	52	70	93	61	33	9	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-
400-402, 410-443	Diseases of heart	2,292	2	1	1	2	-	-	2	5	15	22	58	77	139	216	318	422	390	313	194	86	26	3
	White--M	1,438	-	1	-	1	-	-	2	3	13	16	44	60	108	162	221	266	219	182	82	43	14	1
	F	805	1	-	1	1	-	-	-	2	2	4	11	16	27	52	90	145	166	126	107	41	12	1
	Nonwhite--M	31	1	-	-	-	-	-	-	-	-	-	2	1	2	1	4	6	4	3	4	2	-	1
	F	18	-	-	-	-	-	-	-	-	-	2	1	-	2	1	3	5	1	2	1	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	62	-	-	1	1	-	-	1	1	1	4	3	8	7	7	5	10	9	1	1	2	-	-
	White--M	34	-	-	-	-	-	-	1	-	1	4	1	3	5	5	2	6	4	1	1	-	-	-
	F	28	-	-	1	1	-	-	-	1	-	-	2	5	2	2	3	4	5	-	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																							
420	Arteriosclerotic heart dis., etc.*	1,721	-	-	-	1	-	-	-	2	13	16	43	57	115	171	260	339	286	220	122	56	19	1
	White----M--	1,158	-	-	-	1	-	-	-	2	11	12	36	48	93	141	193	227	164	136	53	29	12	-
	F--	527	-	-	-	-	-	-	-	-	2	2	4	8	19	29	62	105	118	79	67	25	7	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	4	3	3	2	2	-	1
	F--	13	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	3	1	2	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	185	-	-	-	-	-	-	-	-	1	1	2	4	4	13	10	29	38	33	27	17	5	1
	White----M--	89	-	-	-	-	-	-	-	-	1	-	1	3	3	5	5	13	18	17	11	10	2	-
	F--	90	-	-	-	-	-	-	-	-	-	1	1	1	1	7	5	13	19	16	15	7	3	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
430-434	Other diseases of heart---------	150	2	1	-	-	-	-	-	2	-	-	8	3	8	16	20	13	25	27	19	4	1	1
	White----M--	86	-	1	-	-	-	-	-	1	-	-	5	3	6	8	13	9	15	15	9	-	-	1
	F--	60	1	-	-	-	-	-	-	1	-	-	3	-	1	8	7	4	10	12	8	4	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease----	174	-	-	-	-	-	-	1	-	-	1	2	5	5	9	23	31	32	32	25	7	1	-
	White----M--	71	-	-	-	-	-	-	1	-	-	-	1	3	1	3	8	11	18	13	8	4	-	-
	F--	100	-	-	-	-	-	-	-	-	-	1	1	2	4	6	13	19	14	19	17	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
444-447	Other hypertensive disease-----	43	-	-	-	-	-	-	-	-	-	-	-	4	2	3	5	4	9	7	7	2	-	-
	White----M--	22	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	1	3	3	3	2	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	6	4	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	150	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	13	22	38	42	17	7	-
	White----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	13	23	22	8	2	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	8	15	19	9	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	44	1	-	-	-	1	-	-	2	-	1	1	1	-	1	7	9	8	5	6	1	-	-
	White----M--	28	1	-	-	-	-	-	-	1	-	1	1	-	-	1	4	7	6	2	4	-	-	-
	F--	15	-	-	-	-	1	-	-	-	-	-	-	1	-	-	3	2	2	3	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	28	1	-	-	-	1	2	-	1	1	-	1	2	3	3	3	3	3	2	-	1	1	-
	White----M--	18	-	-	-	-	1	1	-	1	1	-	1	1	1	1	2	3	3	2	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	220	45	10	2	-	-	-	3	1	1	4	4	3	3	14	10	21	28	24	34	7	6	-
	White----M--	116	21	6	-	-	-	-	-	-	1	3	2	2	2	11	7	11	15	11	19	4	1	-
	F--	77	10	2	1	-	-	-	3	1	-	-	1	1	1	1	2	9	12	13	14	2	4	-
	Nonwhite--M--	13	7	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-
	F--	14	7	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-
480-483	Influenza---------	15	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	2	1	1	-	1	-
	White----M--	9	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
490-493	Pneumonia, etc.*--	205	41	10	2	-	-	-	3	1	1	3	3	3	2	13	10	19	26	23	33	7	5	-
	White----M--	107	18	6	-	-	-	-	-	-	1	2	2	2	1	10	7	9	15	10	19	4	1	-
	F--	73	9	2	1	-	-	-	3	1	-	-	1	1	1	1	2	9	10	13	14	2	3	-
	Nonwhite--M--	13	7	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-
	F--	12	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
500-502	Bronchitis--------	7	2	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-
	White----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	29	-	-	-	-	-	-	-	-	1	-	1	3	1	3	5	6	5	3	1	-	-	-
	White----M--	21	-	-	-	-	-	-	-	-	1	-	1	3	1	2	2	4	4	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	9	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	-	-
	White----M--	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	44	6	-	1	-	-	-	-	1	1	2	-	2	2	3	2	7	5	5	5	-	2	-
	White----M--	19	2	-	1	-	-	-	-	-	-	1	-	1	2	2	1	2	2	3	2	-	-	-
	F--	22	3	-	-	-	-	-	-	1	1	1	-	1	-	1	-	5	3	1	3	-	2	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	34	16	2	-	-	-	-	1	-	-	1	-	1	1	-	3	1	5	1	2	-	-	-
	White----M--	12	2	-	-	-	-	-	1	-	-	1	-	1	1	-	3	-	2	1	-	-	-	-
	F--	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	32	-	-	-	-	-	-	-	2	1	3	5	1	3	3	5	1	6	1	1	-	-	-
	White----M--	23	-	-	-	-	-	-	-	2	1	3	5	-	2	2	3	-	4	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																							
584, 585	Cholelithiasis, etc.*	31	-	-	-	-	-	-	-	-	2	-	1	1	2	2	7	4	6	5	1	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	2	1	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	2	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	8	-	-	2	-	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	1	-	-
	White—M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	2	3	1	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	2	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	4	-	1	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	8	3	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 650-689	Other complications of pregnancy, etc.*	5	...	...	...	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	85	66	9	2	1	-	1	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-
	White—M	41	32	5	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	38	30	3	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	74	6	3	-	-	-	-	1	-	1	1	2	-	3	1	5	6	12	10	11	10	2	-
	White—M	29	3	1	-	-	-	-	1	-	-	-	1	-	2	1	3	2	4	3	3	5	-	-
	F	32	-	1	-	-	-	-	-	-	1	-	1	-	1	-	2	3	5	5	6	5	2	-
	Nonwhite—M	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-
	F	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-
Residual	All other diseases	272	26	16	4	3	2	4	3	2	7	5	12	8	18	31	28	33	35	17	9	7	2	-
	White—M	160	13	6	1	2	1	3	1	2	2	3	5	6	10	20	19	25	23	10	6	2	-	-
	F	90	7	7	3	1	-	1	1	-	3	1	7	1	6	9	9	7	12	5	3	5	2	-
	Nonwhite—M	9	5	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	13	1	3	-	-	-	-	1	-	-	1	-	1	2	2	-	-	2	-	-	-	-	-
E800-E962	Accidents	451	20	26	12	16	35	37	36	19	22	23	19	12	29	22	27	22	17	30	11	10	6	-
	White—M	282	6	12	8	10	26	26	25	13	15	16	10	8	24	13	18	16	10	13	4	8	1	-
	F	118	8	10	2	5	5	7	4	2	4	3	7	2	3	7	9	5	7	15	6	2	5	-
	Nonwhite—M	36	4	2	1	1	3	2	5	3	3	4	1	1	2	2	-	-	-	1	1	-	-	-
	F	15	2	2	1	-	1	2	2	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-
E810-E835	Motor vehicle accidents	221	5	13	5	7	29	21	23	9	12	13	12	7	13	14	17	10	5	6	-	-	-	-
	White—M	139	3	4	4	3	22	13	18	6	9	8	5	4	8	7	10	7	4	4	-	-	-	-
	F	55	1	7	1	3	3	7	1	1	2	2	5	1	3	5	7	3	1	2	-	-	-	-
	Nonwhite—M	22	1	2	-	1	3	1	2	2	1	3	1	1	2	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	230	15	13	7	9	6	16	13	10	10	10	7	5	16	8	10	12	12	24	11	10	6	-
	White—M	143	3	8	4	7	4	13	7	7	6	8	5	4	16	6	8	9	6	9	4	8	1	-
	F	63	7	3	1	2	2	-	3	1	2	1	2	1	-	2	2	2	6	13	6	2	5	-
	Nonwhite—M	14	3	-	1	-	-	1	3	1	2	1	-	-	-	-	-	-	-	1	1	-	-	-
	F	10	2	2	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
E963, E970-E979	Suicide	80	-	-	-	-	2	2	5	4	6	6	4	8	7	12	8	6	9	-	1	-	-	-
	White—M	64	-	-	-	-	1	2	3	3	4	5	3	7	4	11	6	6	8	-	1	-	-	-
	F	14	-	-	-	-	1	-	1	1	2	1	-	1	3	1	2	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	6	-	-	1	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE																							
	All causes	32,385	2,560	389	166	171	271	327	334	495	611	910	1,323	1,799	2,151	2,662	3,574	3,841	4,160	3,400	2,193	827	214	5
	White—M	14,516	975	156	69	90	155	184	181	202	271	436	617	876	982	1,320	1,629	1,764	1,880	1,484	872	313	57	3
	F	10,804	748	129	83	44	61	63	78	128	138	198	328	403	504	655	1,086	1,337	1,718	1,543	1,098	402	99	1
	Nonwhite—M	3,785	438	49	22	23	30	50	35	82	104	134	195	266	384	383	495	391	319	184	123	54	24	-
	F	3,280	399	55	14	14	25	30	40	83	98	142	183	254	281	304	384	349	243	189	100	58	34	1
001-019	Tuberculosis, all forms	361	2	3	1	1	2	3	11	17	17	16	36	30	31	38	40	42	36	24	9	2	-	-
	White—M	151	-	-	1	-	2	1	1	5	3	7	18	15	12	16	21	17	16	10	5	1	-	-
	F	97	1	-	-	1	-	1	3	3	5	1	5	6	3	11	11	18	15	9	3	1	-	-
	Nonwhite—M	72	-	1	-	-	-	1	2	3	4	7	7	7	12	9	6	5	3	4	1	-	-	-
	F	41	1	2	-	-	-	-	5	6	5	1	6	2	4	2	2	2	2	1	-	-	-	-
001-008	Tuberculosis of resp. system	327	1	1	-	-	-	2	9	16	16	12	36	29	28	35	36	38	35	23	8	2	-	-
	White—M	139	-	-	-	-	-	1	1	5	3	5	18	15	12	14	18	15	16	10	5	1	-	-
	F	91	1	-	-	-	-	1	2	3	4	1	5	6	3	10	11	17	15	9	2	1	-	-
	Nonwhite—M	61	-	-	-	-	-	-	2	3	4	5	7	6	9	9	5	4	3	3	1	-	-	-
	F	36	-	1	-	-	-	-	4	5	5	1	6	2	4	2	2	2	1	1	-	-	-	-
010-019	Tuberculosis, other forms	34	1	2	1	1	2	1	2	1	1	4	-	1	3	3	4	4	1	1	1	-	-	-
	White—M	12	-	-	1	-	2	-	-	-	-	2	-	-	-	2	3	2	-	-	-	-	-	-
	F	6	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-
	Nonwhite—M	11	-	1	-	-	-	1	-	-	-	2	-	1	3	-	1	1	-	1	-	-	-	-
	F	5	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	49	1	-	-	-	-	-	1	1	-	2	4	8	11	6	6	4	2	1	1	1	-	-
	White—M	19	-	-	-	-	-	-	1	-	-	1	2	4	6	2	1	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	1	-	-	2	3	3	3	4	2	-	1	-	1	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
045-048	Dysentery, all forms	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	5	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	22	6	5	3	1	1	1	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-
	White—M	6	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	2	4	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	4	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	17	6	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	117	19	7	9	2	5	4	2	7	5	3	3	9	8	7	5	4	6	5	5	2	-	-
	White—M	44	7	3	2	1	3	1	-	1	1	1	2	6	5	3	1	4	-	1	2	-	-	-
	F	39	5	2	6	-	1	1	1	3	1	1	-	2	1	2	1	-	4	3	3	2	-	-
	Nonwhite—M	19	5	-	1	1	1	1	-	1	1	-	-	1	2	1	2	-	2	-	-	-	-	-
	F	15	2	2	-	-	-	1	1	2	2	1	1	-	-	1	1	-	-	1	-	-	-	-
140-205	Malignant neoplasms, etc.*	4,268	8	38	20	25	24	20	36	73	96	183	268	379	463	505	593	582	477	278	138	52	10	-
	White—M	1,844	5	20	7	13	10	11	17	24	24	66	90	161	190	242	272	251	213	135	60	30	3	-
	F	1,713	2	15	8	10	10	7	14	36	47	86	129	142	156	185	210	238	203	127	66	20	2	-
	Nonwhite—M	368	-	2	3	1	1	1	1	5	9	18	18	31	60	39	69	50	37	9	9	2	3	-
	F	343	1	1	2	1	3	1	4	8	16	13	31	45	57	39	42	43	24	7	3	-	2	-
140-148	Of buccal cavity and pharynx	104	-	-	-	-	1	-	-	-	-	1	11	12	10	14	21	16	9	5	2	2	-	-
	White—M	61	-	-	-	-	-	-	-	-	-	1	6	9	8	10	10	9	3	2	1	2	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	-	1	2	3	10	5	4	3	1	-	-	-
	Nonwhite—M	10	-	-	-	-	1	-	-	-	-	-	2	2	-	1	1	2	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,328	-	2	1	1	2	1	3	7	8	36	69	89	136	148	211	222	196	117	59	17	3	-
	White—M	559	-	1	-	-	2	1	2	3	2	17	29	39	53	66	90	86	83	54	24	7	-	-
	F	534	-	1	-	1	-	-	1	3	4	14	24	33	41	59	80	93	86	54	30	9	1	-
	Nonwhite—M	145	-	-	1	-	-	-	-	-	1	5	10	10	25	14	29	22	17	8	4	1	-	-
	F	90	-	-	-	-	-	-	-	1	1	-	6	7	17	9	12	21	10	3	1	-	2	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	589	-	-	-	-	-	1	1	3	13	29	36	71	83	111	90	83	41	20	6	1	-	-
	White—M	439	-	-	-	-	-	1	-	2	6	16	28	59	64	91	72	57	25	13	4	1	-	-
	F	78	-	-	-	-	-	-	-	1	3	7	3	3	10	9	8	15	10	7	2	-	-	-
	Nonwhite—M	60	-	-	-	-	-	-	-	-	4	6	4	8	8	9	10	7	4	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	4	2	-	-	-	-	-
170	Of breast	350	1	-	-	-	-	2	3	8	17	27	38	57	39	41	36	31	26	13	7	3	1	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	287	-	-	-	-	-	1	2	6	11	22	33	48	26	34	28	28	25	12	7	3	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	61	1	-	-	-	-	1	1	2	6	5	5	8	13	7	8	2	1	1	-	-	-	-
171-179	Of genital organs	727	-	1	-	-	2	2	12	14	31	29	55	56	71	74	94	101	80	54	33	14	4	-
	White—M	209	-	-	-	-	-	1	4	1	2	-	1	4	7	13	26	39	43	37	17	12	2	-
	F	342	-	-	-	-	2	1	7	10	21	23	41	35	39	37	36	42	23	13	10	2	-	-
	Nonwhite—M	59	-	1	-	-	-	-	-	-	-	1	-	-	7	8	17	8	9	2	4	-	2	-
	F	117	-	-	-	-	-	-	1	3	8	5	13	17	18	16	15	12	5	2	2	-	-	-
180, 181	Of urinary organs	180	1	4	5	1	-	-	-	2	2	1	7	13	19	23	34	26	24	11	7	-	-	-
	White—M	105	1	3	1	1	-	-	-	1	1	1	2	6	14	16	21	14	11	7	5	-	-	-
	F	53	-	1	3	-	-	-	-	-	-	-	4	4	2	5	8	9	11	4	2	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	1	-	-	-	3	2	1	5	3	2	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	561	3	14	4	14	7	7	8	21	12	37	33	48	65	48	52	57	59	41	19	10	2	-
	White—M	236	2	6	1	5	4	2	5	11	8	18	11	27	23	21	22	19	25	15	6	4	1	-
	F	240	1	6	1	7	2	4	1	8	3	14	19	8	27	20	20	30	27	24	12	6	-	-
	Nonwhite—M	46	-	1	1	1	-	1	1	1	1	2	1	5	10	5	4	5	4	1	1	-	1	-
	F	39	-	1	1	1	1	-	1	1	-	3	2	8	5	2	6	3	3	1	-	-	-	-
204	Leukemia and aleukemia	219	2	14	10	7	7	4	5	10	6	12	5	16	14	11	29	25	26	9	2	5	-	-
	White—M	120	1	10	5	5	2	4	3	3	-	8	5	8	6	5	15	17	14	4	1	4	-	-
	F	76	1	4	4	2	3	-	2	4	4	3	-	5	2	6	12	7	11	5	1	-	-	-
	Nonwhite—M	17	-	-	1	-	-	-	-	3	2	1	-	2	5	-	1	1	-	-	-	1	-	-
	F	6	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	210	1	3	-	2	5	3	4	8	7	11	14	17	26	35	26	21	16	8	3	-	-	-
	White—M	114	1	-	-	2	2	2	3	3	5	5	8	8	15	20	16	10	9	3	2	-	-	-
	F	74	-	3	-	-	3	1	1	4	1	3	5	5	7	12	8	9	6	5	1	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	1	3	1	1	3	1	2	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	3	1	2	-	1	1	-	-	-	-	-
210-239	Benign & unspec. neoplasms	85	3	1	1	1	-	2	3	3	2	6	14	13	10	6	4	4	3	4	4	-	-	1
	White—M	30	1	-	-	-	-	1	1	1	1	3	3	6	2	3	1	1	3	2	1	-	-	-
	F	31	2	-	-	1	-	-	2	1	-	2	6	6	4	1	1	1	-	2	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	20	-	1	1	-	-	1	-	-	1	1	4	1	2	2	2	2	-	-	1	-	-	1
241	Asthma	118	2	2	2	-	1	-	3	-	3	8	6	10	18	9	19	12	13	4	4	2	-	-
	White—M	64	1	1	-	-	-	-	1	-	-	2	3	7	15	5	11	7	7	1	3	-	-	-
	F	28	1	-	-	-	1	-	-	-	1	1	1	1	1	1	6	4	4	3	1	2	-	-
	Nonwhite—M	15	-	1	1	-	-	-	-	-	1	3	2	1	1	2	1	1	1	-	-	-	-	-
	F	11	-	-	1	-	-	-	2	-	1	2	-	1	1	1	1	-	1	-	-	-	-	-
260	Diabetes mellitus	364	-	1	-	1	3	1	2	3	7	7	12	17	38	44	52	65	67	31	10	2	1	-
	White—M	143	-	1	-	-	1	-	-	1	4	3	4	4	12	11	25	25	28	19	3	1	1	-
	F	135	-	-	-	1	1	1	1	2	1	-	4	4	14	14	17	29	31	8	6	1	-	-
	Nonwhite—M	26	-	-	-	-	-	-	1	-	1	-	-	2	1	9	4	4	3	1	-	-	-	-
	F	60	-	-	-	-	1	-	-	-	1	4	4	7	11	10	6	7	5	3	1	-	-	-
290-293	Anemias	73	2	9	-	1	1	3	1	-	-	1	5	3	3	7	12	10	8	3	4	-	-	-
	White—M	26	-	3	-	-	-	1	1	-	-	-	4	2	-	5	3	2	2	2	1	-	-	-
	F	26	-	3	-	1	1	-	-	-	-	-	-	-	1	1	6	5	5	-	3	-	-	-
	Nonwhite—M	12	2	1	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	1	-	-	-	-
	F	9	-	2	-	-	-	2	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	42	19	8	1	-	1	-	-	2	1	4	-	1	1	1	1	1	1	-	-	-	-	-
	White—M	16	7	3	1	-	-	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-
	F	9	3	2	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	F	10	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	17,221	11	9	12	17	24	33	36	107	200	322	562	869	1,118	1,524	2,205	2,506	2,866	2,476	1,600	568	155	1
	White—M	7,721	4	2	5	6	8	16	16	39	97	168	276	421	523	757	976	1,170	1,294	1,065	622	216	39	1
	F	6,019	2	2	5	6	10	9	11	22	36	49	100	162	230	327	663	867	1,202	1,149	818	274	75	-
	Nonwhite—M	1,788	4	4	1	3	2	2	5	17	27	40	87	143	210	235	298	241	205	125	85	39	15	-
	F	1,693	1	1	1	2	4	6	4	29	40	65	99	143	155	205	268	228	165	137	75	39	26	-
330-334, 400-468	Dis. of cardiovascular system	16,910	10	8	10	13	17	29	34	100	186	307	544	849	1,097	1,503	2,176	2,476	2,824	2,441	1,571	559	155	1
	White—M	7,602	4	2	4	4	6	14	16	38	91	160	269	413	519	750	963	1,161	1,278	1,047	610	213	39	1
	F	5,936	2	1	4	5	6	9	9	19	32	46	94	157	229	320	657	857	1,191	1,143	809	271	75	-
	Nonwhite—M	1,742	3	4	1	2	2	1	5	17	27	40	84	140	201	233	296	235	196	121	80	39	15	-
	F	1,630	1	1	1	2	3	5	4	26	36	61	97	139	148	200	260	223	159	130	72	36	26	-
330-334	Vascular lesions, etc.*	4,711	5	4	5	2	4	9	6	15	36	60	101	179	256	380	577	724	879	739	492	179	59	-
	White—M	1,789	2	2	3	1	1	5	2	5	13	21	29	53	77	147	196	298	358	305	190	64	17	-
	F	1,791	1	-	1	-	3	2	1	2	8	9	23	47	62	81	177	260	388	355	254	90	27	-
	Nonwhite—M	524	1	2	1	1	-	1	2	2	7	7	18	32	59	75	94	81	73	28	22	12	6	-
	F	607	1	-	-	-	-	1	1	6	8	23	31	47	58	77	110	85	60	51	26	13	9	-
400-402, 410-443	Diseases of heart	10,856	5	4	4	10	12	14	24	71	122	217	408	605	776	1,044	1,482	1,562	1,724	1,499	904	295	73	1
	White—M	5,273	2	-	1	2	5	7	14	31	75	129	228	333	413	566	722	771	825	655	360	117	16	1
	F	3,665	1	1	2	5	2	5	5	14	17	30	65	97	156	223	448	539	712	703	462	142	36	-
	Nonwhite—M	1,062	2	2	-	1	2	-	3	13	11	27	55	96	129	143	184	135	104	77	47	23	8	-
	F	856	-	1	1	2	3	2	2	13	19	31	60	79	78	112	128	117	83	64	35	13	13	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	288	-	-	3	7	4	6	11	17	17	22	27	28	26	23	22	17	20	21	16	1	-	-
	White—M	109	-	-	-	-	2	2	6	7	9	12	9	11	8	7	11	5	6	12	2	-	-	-
	F	113	-	-	2	5	2	3	3	7	5	7	9	10	10	10	6	9	10	4	11	-	-	-
	Nonwhite—M	34	-	-	-	1	-	-	1	2	1	3	4	4	4	3	2	2	3	2	1	1	-	-
	F	32	-	-	1	1	-	1	1	1	2	-	5	3	4	3	3	1	1	3	2	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE--Con.																							
420	Arteriosclerotic heart dis., etc.*	7,094	-	-	-	-	1	6	7	28	78	133	278	405	533	755	1,036	1,061	1,091	927	536	178	40	1
	White-----M--	3,931	-	-	-	-	1	4	6	18	60	99	193	272	335	475	574	583	557	446	225	74	8	1
	F--	2,306	-	-	-	-	-	1	1	4	5	15	42	57	103	157	307	359	453	420	274	88	20	-
	Nonwhite--M--	527	-	-	-	-	-	-	-	4	7	9	26	45	70	77	94	74	48	37	21	10	5	-
	F--	330	-	-	-	-	-	1	-	2	6	10	17	31	25	46	61	45	33	24	16	6	7	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,176	-	2	-	1	2	1	-	9	5	14	26	34	47	59	109	164	218	232	170	63	20	-
	White-----M--	450	-	-	-	1	-	-	-	2	2	6	6	12	15	18	40	59	97	90	72	24	6	-
	F--	443	-	1	-	-	-	1	-	1	-	1	7	7	7	15	29	56	89	115	78	27	9	-
	Nonwhite--M--	154	-	-	-	-	1	-	-	2	1	3	4	9	13	14	27	23	19	15	15	8	-	-
	F--	129	-	1	-	-	1	-	-	4	2	4	9	6	12	12	13	26	13	12	5	4	5	-
430-434	Other diseases of heart---------	655	5	2	1	2	5	1	4	6	11	20	26	50	60	64	82	88	86	67	49	18	8	-
	White-----M--	266	2	-	1	1	2	1	2	3	2	6	9	24	25	23	33	44	40	18	20	8	2	-
	F--	210	1	-	-	-	-	-	1	1	4	4	2	7	14	14	27	26	32	41	23	8	5	-
	Nonwhite--M--	101	2	2	-	-	1	-	1	2	-	6	9	9	12	15	10	10	11	6	4	-	1	-
	F--	78	-	-	-	1	2	-	-	-	5	4	6	10	9	12	12	8	3	2	2	2	-	-
440-443	Hypertensive heart disease-----	1,643	-	-	-	-	-	-	2	11	11	28	51	88	110	143	233	232	309	252	133	35	5	-
	White-----M--	517	-	-	-	-	-	-	-	1	2	6	11	14	30	43	64	80	125	89	41	11	-	-
	F--	593	-	-	-	-	-	-	-	1	3	3	5	16	22	27	79	89	128	123	76	19	2	-
	Nonwhite--M--	246	-	-	-	-	-	-	1	3	2	6	12	29	30	34	51	26	23	17	6	4	2	-
	F--	287	-	-	-	-	-	-	1	6	4	13	23	29	28	39	39	37	33	23	10	1	1	-
444-447	Other hypertensive disease-----	323	-	-	-	-	-	2	3	7	11	20	15	29	18	25	26	33	44	42	29	15	4	-
	White-----M--	118	-	-	-	-	-	1	-	2	1	5	5	9	7	8	6	15	22	21	10	5	1	-
	F--	98	-	-	-	-	-	1	2	-	1	5	3	5	4	6	8	14	14	13	13	7	2	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	1	4	5	5	9	6	6	5	1	3	3	3	-	1	-
	F--	55	-	-	-	-	-	-	1	4	5	5	2	6	1	5	7	3	5	5	3	3	-	-
450	General arteriosclerosis--------	642	-	-	-	-	-	-	-	1	-	1	2	5	7	20	40	90	126	143	123	66	18	-
	White-----M--	239	-	-	-	-	-	-	-	-	-	-	-	3	3	8	13	36	49	58	41	24	4	-
	F--	275	-	-	-	-	-	-	-	-	-	1	-	1	-	4	14	26	56	65	67	31	10	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	14	11	12	7	4	-	-
	F--	69	-	-	-	-	-	-	-	1	-	-	2	1	3	4	7	14	10	8	8	7	4	-
451-468	Other diseases of circulatory sys.-	378	-	-	1	1	1	4	1	6	17	9	18	31	40	34	51	67	51	18	23	4	1	-
	White-----M--	183	-	-	-	1	-	1	-	-	2	5	7	15	19	21	26	41	24	8	9	3	1	-
	F--	107	-	-	1	-	1	1	1	3	6	1	3	7	7	6	10	18	21	7	13	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	1	5	1	6	3	6	5	7	4	5	1	1	-	-	-
	F--	43	-	-	-	-	-	2	-	2	4	2	2	6	8	2	8	4	1	2	-	-	-	-
592-594	Chronic nephritis, etc.*----------	311	1	1	2	4	7	4	2	7	14	15	18	20	21	21	29	30	42	35	29	9	-	-
	White-----M--	119	-	-	1	2	2	2	-	1	6	8	7	8	4	7	13	9	16	18	12	3	-	-
	F--	83	-	1	1	1	4	-	2	3	4	3	6	5	1	7	6	10	11	6	9	3	-	-
	Nonwhite--M--	46	1	-	-	1	-	1	-	-	-	-	3	3	9	2	2	6	9	4	5	-	-	-
	F--	63	-	-	-	-	1	1	-	3	4	4	2	4	7	5	8	5	6	7	3	3	-	-
480-493	Influenza and pneumonia, etc.*-	1,356	217	52	12	4	11	7	10	14	12	20	33	40	64	58	110	129	159	177	133	79	15	-
	White-----M--	497	56	15	5	2	2	2	2	2	5	10	10	14	26	26	43	50	63	78	50	30	6	-
	F--	447	58	15	2	1	8	1	3	6	1	2	9	5	10	9	31	37	66	69	67	39	8	-
	Nonwhite--M--	229	48	11	2	1	-	2	1	2	2	4	13	14	17	15	22	26	16	18	9	5	1	-
	F--	183	55	11	3	-	1	2	4	4	4	4	1	7	11	8	14	16	14	12	7	5	-	-
480-483	Influenza--------	225	28	9	-	-	2	1	3	2	1	8	4	7	13	11	21	25	30	25	24	10	1	-
	White-----M--	69	12	4	-	-	1	-	-	-	-	3	-	-	4	4	7	5	12	8	6	3	-	-
	F--	68	5	1	-	-	1	-	-	1	-	1	1	1	2	1	3	11	8	12	12	7	1	-
	Nonwhite--M--	45	4	2	-	-	-	-	-	1	-	2	3	3	3	3	6	5	9	2	2	-	-	-
	F--	43	7	2	-	-	-	1	3	-	1	2	-	3	4	3	5	4	1	3	4	-	-	-
490-493	Pneumonia, etc.*--	1,131	189	43	12	4	9	6	7	12	11	12	29	33	51	47	89	104	129	152	109	69	14	-
	White-----M--	428	44	11	5	2	1	2	2	2	5	7	10	14	22	22	36	45	51	70	44	27	6	-
	F--	379	53	14	2	1	7	1	3	5	1	1	8	4	8	8	28	26	58	57	55	32	7	-
	Nonwhite--M--	184	44	9	2	1	-	2	1	1	2	2	10	11	14	12	16	21	7	16	7	5	1	-
	F--	140	48	9	3	-	1	1	1	4	3	2	1	4	7	5	9	12	13	9	3	5	-	-
500-502	Bronchitis--------	63	13	7	-	-	-	1	-	-	-	2	3	2	7	6	4	6	4	3	5	-	-	-
	White-----M--	28	6	4	-	-	-	-	-	-	-	-	-	2	2	4	2	3	3	1	1	-	-	-
	F--	17	5	3	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-	1	3	-	-	-
	Nonwhite--M--	11	2	-	-	-	-	-	-	-	-	1	-	-	3	1	1	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	186	2	-	-	-	1	1	1	4	4	13	13	12	22	26	21	21	19	15	9	2	-	-
	White-----M--	123	-	-	-	-	-	1	1	4	2	9	10	6	18	14	15	14	12	9	6	2	-	-
	F--	40	1	-	-	-	-	-	-	-	-	2	2	3	2	7	4	4	6	6	3	-	-	-
	Nonwhite--M--	16	1	-	-	-	1	-	-	-	1	1	1	2	1	4	-	3	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	-	-	-	-	-	-	-
550-553	Appendicitis------	32	-	2	3	1	1	1	-	-	-	-	2	4	1	3	3	2	2	4	2	1	-	-
	White-----M--	13	-	1	-	-	-	1	-	-	-	-	1	1	1	1	1	1	1	2	1	1	-	-
	F--	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-
	Nonwhite--M--	7	-	-	3	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	147	17	2	1	1	-	1	-	2	1	5	5	6	4	13	22	19	22	13	11	2	-	-
	White-----M--	58	8	1	1	-	-	-	-	1	-	2	-	4	-	4	9	5	9	6	6	2	-	-
	F--	56	7	1	-	1	-	1	-	-	-	-	2	1	2	7	5	9	9	6	5	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	1	1	2	1	5	3	3	1	-	-	-	-
	F--	15	2	-	-	-	-	-	-	1	1	2	2	-	-	1	3	2	1	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	129	60	14	-	-	-	2	-	2	3	1	1	4	2	-	8	10	6	9	4	2	1	-
	White-----M--	49	20	4	-	-	-	1	-	1	1	-	1	2	1	-	6	6	2	1	3	-	-	-
	F--	41	12	7	-	-	-	1	-	1	1	1	-	1	-	-	1	1	4	7	1	2	1	-
	Nonwhite--M--	24	20	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	15	8	1	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	1	-	-	-	-
581	Cirrhosis of liver	207	1	1	-	1	1	2	1	5	8	15	22	26	31	23	22	18	17	9	3	-	1	-
	White-----M--	118	1	-	-	-	1	-	1	1	3	7	15	13	16	16	19	11	8	4	2	-	-	-
	F--	49	-	1	-	1	-	1	-	2	1	4	4	9	6	4	3	4	5	2	1	-	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	2	3	1	4	-	-	1	1	2	-	-	-	-
	F--	25	-	-	-	-	-	1	-	2	3	2	-	3	5	3	-	2	3	1	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE—Con.																							
584, 585	Cholelithiasis, etc.*	76	1	-	-	-	-	-	-	-	2	-	2	4	3	9	10	11	14	10	8	2	-	-
	White—M	24	1	-	-	-	-	-	-	-	-	-	2	1	2	3	1	2	5	4	3	-	-	-
	F	41	-	-	-	-	-	-	-	-	1	-	-	2	-	5	7	5	8	6	5	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	4	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*	57	-	3	4	1	1	4	1	2	2	2	3	5	4	2	6	5	5	3	4	-	-	-
	White—M	24	-	2	1	1	1	2	-	-	1	1	1	3	1	-	1	3	4	1	1	-	-	-
	F	14	-	1	2	-	-	2	-	2	1	1	-	-	1	-	1	1	1	1	-	-	-	-
	Nonwhite—M	11	-	-	1	-	-	-	-	-	-	-	1	1	1	1	4	-	-	1	1	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	2	-	-	-
600	Infections of kidney	152	1	-	-	1	2	1	2	5	3	7	11	9	15	22	22	11	15	10	14	1	-	-
	White—M	50	1	-	-	-	1	-	-	1	1	3	3	2	2	9	9	4	4	4	6	-	-	-
	F	50	-	-	-	1	-	1	2	2	-	2	4	3	4	7	6	3	6	4	4	1	-	-
	Nonwhite—M	32	-	-	-	-	-	-	-	1	1	1	2	2	5	5	4	3	4	2	2	-	-	-
	F	20	-	-	-	-	1	-	-	1	1	1	2	2	4	1	3	1	1	-	2	-	-	-
610	Hyperplasia of prostate	84	-	-	-	-	-	-	-	-	-	1	-	1	1	5	9	14	26	10	13	3	1	-
	White—M	65	-	-	-	-	-	-	-	-	-	1	-	-	-	5	5	9	20	9	13	3	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	5	6	1	-	-	1	-
640-689	Complications of pregnancy, etc.*	38	...	...	...	-	2	7	11	6	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	...	...	...	-	1	4	6	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	20	...	...	...	-	1	3	5	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	34	...	...	...	-	2	7	9	5	6	5	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	...	...	...	-	1	4	5	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	18	...	...	...	-	1	3	4	4	2	4	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	413	296	45	11	10	7	6	6	4	4	2	4	4	4	5	1	1	1	1	-	-	-	1
	White—M	183	132	21	3	6	2	3	4	3	1	1	1	-	1	2	1	1	1	-	-	-	-	-
	F	154	113	14	7	2	3	2	2	-	-	-	2	3	2	2	-	-	-	1	-	-	-	1
	Nonwhite—M	45	28	8	1	1	-	-	-	1	3	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	31	23	2	-	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,452	1,451	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	563	563	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	431	431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	217	216	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	582	581	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	65	64	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	738	738	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,516	249	30	6	4	11	13	16	29	34	63	67	86	77	112	147	135	152	134	91	41	17	2
	White—M	633	86	7	2	1	3	3	9	7	13	25	32	38	32	56	71	66	69	61	36	10	4	2
	F	383	58	11	2	1	3	3	3	9	4	8	13	9	12	21	32	28	46	52	42	21	5	-
	Nonwhite—M	274	60	6	2	1	3	5	1	7	8	13	9	21	23	25	29	20	20	7	9	3	2	-
	F	226	45	6	-	1	2	2	3	6	9	17	13	18	10	10	15	21	17	14	4	7	6	-
Residual	All other diseases	1,246	61	37	20	17	13	16	21	36	35	54	69	92	100	107	139	116	134	87	53	34	5	-
	White—M	591	28	20	9	10	6	9	7	10	16	21	32	51	50	60	66	58	64	38	23	11	2	-
	F	410	16	12	9	3	2	4	6	13	6	14	18	20	30	27	40	42	57	43	27	18	3	-
	Nonwhite—M	139	6	1	2	3	4	2	3	9	10	6	15	11	13	8	22	10	8	3	2	1	-	-
	F	106	11	4	-	1	1	1	5	4	3	13	4	10	7	12	11	6	5	3	1	4	-	-
E800-E962	Accidents	1,825	102	96	59	73	137	150	124	105	99	96	97	93	78	80	85	81	89	81	62	31	7	-
	White—M	1,038	39	42	31	44	105	113	98	70	67	60	56	64	45	41	44	31	37	25	18	6	2	-
	F	438	26	29	19	12	16	16	17	18	16	13	16	12	14	18	18	34	42	42	37	19	4	-
	Nonwhite—M	217	13	10	4	11	11	15	6	13	14	18	18	10	12	17	13	9	7	7	5	3	1	-
	F	132	24	15	5	6	5	6	3	4	2	5	7	7	7	4	10	7	3	7	2	3	-	-
E810-E835	Motor vehicle accidents	779	10	31	26	28	88	110	73	60	57	36	40	45	42	34	42	21	23	8	5	-	-	-
	White—M	514	4	14	16	18	69	85	56	40	36	22	26	29	26	18	22	11	15	4	3	-	-	-
	F	157	5	10	7	6	11	11	11	13	13	5	5	9	10	12	12	7	7	3	-	-	-	-
	Nonwhite—M	75	-	2	1	3	5	11	3	6	7	7	6	4	4	4	6	3	-	1	2	-	-	-
	F	33	1	5	2	1	3	3	3	1	1	2	3	3	2	-	2	-	1	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,046	92	65	33	45	49	40	51	45	42	60	57	48	36	46	43	60	66	73	57	31	7	-
	White—M	524	35	28	15	26	36	28	42	30	31	38	30	35	19	23	22	20	22	21	15	6	2	-
	F	281	21	19	12	6	5	5	6	5	3	8	11	3	4	6	6	27	35	39	37	19	4	-
	Nonwhite—M	142	13	8	3	8	6	4	3	7	7	11	12	6	8	13	7	6	7	6	3	3	1	-
	F	99	23	10	3	5	2	3	-	3	1	3	4	4	5	4	8	7	2	7	2	3	-	-
E963, E970-E979	Suicide	363	-	-	-	7	7	15	19	27	26	32	50	51	22	35	25	22	13	6	6	-	-	-
	White—M	290	-	-	-	5	6	10	13	19	20	25	41	40	16	32	22	17	13	5	6	-	-	-
	F	57	-	-	-	-	1	5	4	5	6	6	8	9	3	3	3	4	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	1	-	-	2	1	-	-	1	1	3	-	-	1	-	1	-	-	-	-
	F	5	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	285	3	-	-	2	12	33	27	41	40	40	31	19	14	7	3	8	3	1	-	-	1	-
	White—M	93	-	-	-	-	3	8	8	12	10	18	10	8	4	3	3	5	-	1	-	-	-	-
	F	29	2	-	-	2	2	1	3	-	6	2	3	2	3	-	-	1	2	-	-	-	-	-
	Nonwhite—M	132	-	-	-	-	6	21	13	20	21	18	12	8	6	4	-	1	1	-	-	-	1	-
	F	31	1	-	-	-	1	3	3	9	3	2	6	1	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS																							
	All causes------	73,351	7,555	1,131	507	458	734	863	991	1,196	1,505	1,982	2,947	4,230	5,123	6,290	7,752	8,287	8,129	6,980	4,481	1,648	542	20
	White-----M--	36,244	3,221	477	231	259	445	484	495	564	762	993	1,553	2,250	2,810	3,479	4,153	4,246	3,928	3,157	1,920	625	185	7
	F--	25,172	2,536	410	183	134	161	199	235	325	428	527	735	1,004	1,208	1,641	2,302	2,901	3,406	3,328	2,284	917	304	4
	Nonwhite--M--	6,637	1,010	136	49	40	94	126	166	166	165	241	330	508	594	664	775	643	434	261	146	57	27	5
	F--	5,298	788	108	44	25	34	54	95	141	150	221	329	468	511	506	522	497	361	234	131	49	26	4
001-019	Tuberculosis, all forms--------	724	10	21	1	2	8	14	16	36	46	34	53	73	60	76	97	81	56	27	10	3	-	-
	White-----M--	416	4	12	-	-	3	3	6	12	20	17	30	45	40	50	56	59	34	18	5	2	-	-
	F--	194	6	5	1	2	5	9	7	15	19	8	13	14	12	13	24	18	13	7	2	1	-	-
	Nonwhite--M--	75	-	2	-	-	-	1	1	4	4	3	7	9	5	10	16	3	7	2	1	-	-	-
	F--	39	-	2	-	-	-	1	2	5	3	6	3	5	3	3	1	1	2	-	2	-	-	-
001-008	Tuberculosis of resp. system-----	673	4	7	-	1	7	14	16	33	45	31	51	69	58	75	91	78	54	25	10	3	-	-
	White-----M--	392	2	4	-	-	2	3	6	11	20	15	30	44	39	49	53	58	33	16	5	2	-	-
	F--	179	2	2	-	1	5	9	7	15	19	8	12	12	12	13	22	17	13	7	2	1	-	-
	Nonwhite--M--	71	-	-	-	-	-	1	1	3	4	3	7	9	5	10	15	3	7	2	1	-	-	-
	F--	31	-	1	-	-	-	1	2	4	2	5	2	4	3	3	1	-	1	-	2	-	-	-
010-019	Tuberculosis, other forms------	51	6	14	1	1	1	-	-	3	1	3	2	4	1	1	6	3	2	2	-	-	-	-
	White-----M--	24	2	8	-	-	1	-	-	1	-	2	-	1	1	1	3	1	1	2	-	-	-	-
	F--	15	4	3	1	1	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	216	3	-	-	-	1	-	1	1	4	3	14	23	39	33	31	29	22	6	3	1	2	-
	White-----M--	103	-	-	-	-	-	-	-	1	1	2	2	6	18	13	18	21	18	3	-	-	-	-
	F--	33	1	-	-	-	1	-	1	-	-	-	3	3	3	6	3	4	1	3	2	1	1	-
	Nonwhite--M--	63	2	-	-	-	-	-	-	-	2	-	7	11	14	9	10	4	3	-	-	-	1	-
	F--	17	-	-	-	-	-	-	-	-	1	1	2	3	4	5	-	-	-	1	-	-	-	-
045-048	Dysentery, all forms----------	120	79	12	3	-	-	-	-	1	-	-	1	1	-	2	4	5	5	5	-	1	1	-
	White-----M--	58	39	5	2	-	-	-	-	1	-	-	-	1	-	-	1	3	2	3	-	1	-	-
	F--	40	26	4	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	-
	Nonwhite--M--	14	7	3	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	F--	8	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
050, 051	Scarlet fever and strep. throat----	12	1	4	2	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	7	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	8	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	24	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	29	12	9	3	1	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	18	7	7	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	10	4	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis------------	20	3	4	4	-	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	1	1	2	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	3	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	52	10	32	5	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	4	13	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	2	16	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	394	103	36	17	9	9	12	14	13	15	12	17	22	12	20	22	18	24	9	8	1	1	-
	White-----M--	165	39	16	8	3	2	-	8	3	6	6	7	7	7	10	11	9	12	8	2	1	-	-
	F--	133	28	12	5	3	4	10	4	8	5	2	5	8	1	5	8	7	10	1	6	-	1	-
	Nonwhite--M--	53	17	6	2	3	1	1	1	2	2	3	3	3	1	4	2	2	-	-	-	-	-	-
	F--	43	19	2	2	-	2	1	1	-	2	1	2	4	3	1	1	-	2	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	10,482	26	105	81	67	58	49	78	155	288	415	620	973	1,134	1,349	1,504	1,347	1,036	727	349	90	27	4
	White-----M--	4,907	12	48	37	34	33	20	25	68	113	156	239	425	519	674	775	659	516	346	163	34	10	1
	F--	4,291	12	45	35	25	18	23	34	63	136	196	277	401	439	483	533	546	442	352	164	52	15	-
	Nonwhite--M--	701	1	4	5	3	1	4	11	6	15	28	43	76	92	117	128	91	46	16	9	3	-	2
	F--	583	1	8	4	5	6	2	8	18	24	35	61	71	84	75	68	51	32	13	13	1	2	1
140-148	Of buccal cavity and pharynx-------	262	-	-	-	2	1	1	2	2	4	6	18	29	35	31	37	31	29	20	12	2	-	-
	White-----M--	180	-	-	-	2	1	-	1	1	3	4	8	20	23	23	29	19	23	13	9	1	-	-
	F--	58	-	-	-	-	-	-	-	-	1	2	7	5	5	8	7	10	6	5	2	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	1	-	-	-	2	2	5	-	-	1	-	2	-	1	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	1	2	2	-	1	1	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	3,217	2	8	-	1	2	6	16	24	45	87	140	294	342	378	514	481	386	301	142	35	12	1
	White-----M--	1,457	-	2	-	-	2	5	6	13	22	40	66	142	156	171	233	235	170	121	61	9	3	-
	F--	1,323	1	4	-	1	-	1	4	7	18	35	49	87	118	127	210	198	190	167	72	25	9	-
	Nonwhite--M--	252	-	1	-	-	-	-	2	2	3	5	13	42	34	47	49	30	13	6	4	-	-	1
	F--	185	1	1	-	-	-	-	4	2	2	7	12	23	34	33	22	18	13	7	5	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	1,676	1	3	2	2	-	-	3	11	42	70	108	201	239	309	305	179	118	56	21	4	2	-
	White—M	1,279	1	3	1	1	-	-	1	8	27	42	77	152	188	261	240	136	87	37	12	4	1	-
	F	214	-	-	1	1	-	-	2	1	7	7	16	29	24	21	25	30	22	18	9	-	1	-
	Nonwhite—M	155	-	-	-	-	-	-	-	2	6	16	14	17	26	24	32	13	5	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	2	5	1	3	1	3	8	-	4	1	-	-	-	-
170	Of breast	858	1	-	-	-	-	1	10	20	34	74	95	110	117	100	91	84	55	33	28	6	1	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	1	-	1	-	-	-
	F	776	1	-	-	-	-	1	8	16	32	70	82	100	103	92	86	75	48	33	22	6	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	74	-	-	-	-	-	-	2	4	2	4	12	10	12	6	5	8	6	-	3	-	-	-
171-179	Of genital organs	1,689	-	1	-	-	5	7	11	27	49	57	102	132	159	212	215	258	205	158	67	16	7	1
	White—M	522	-	1	-	-	3	1	-	9	5	-	6	7	17	54	76	95	101	98	36	8	5	-
	F	871	-	-	-	-	2	4	9	12	33	44	75	102	105	116	91	119	77	52	24	6	-	-
	Nonwhite—M	141	-	-	-	-	-	-	1	-	2	2	1	2	14	23	29	32	22	6	4	2	-	1
	F	155	-	-	-	-	-	2	1	6	9	11	20	21	23	19	19	12	5	2	3	-	2	-
180, 181	Of urinary organs	513	1	9	5	2	2	1	-	2	9	16	16	31	43	67	72	81	66	49	32	8	1	-
	White—M	287	-	6	2	-	-	-	-	1	4	12	5	17	29	43	44	46	35	24	16	2	1	-
	F	170	1	2	2	1	1	1	-	-	5	1	6	6	10	17	18	26	28	24	15	6	-	-
	Nonwhite—M	32	-	-	-	-	-	-	-	-	-	2	3	5	2	4	7	6	2	-	1	-	-	-
	F	24	-	1	1	1	1	-	-	1	-	1	2	3	2	3	3	3	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,155	11	35	33	22	21	8	15	30	56	58	88	92	107	138	138	109	96	56	25	13	4	-
	White—M	598	6	16	16	7	14	5	8	18	27	28	53	43	57	68	78	57	51	23	16	7	-	-
	F	445	5	15	15	11	6	2	3	11	23	26	24	39	36	53	48	42	38	30	8	6	4	-
	Nonwhite—M	52	-	2	1	1	1	1	3	-	1	2	4	6	6	9	4	6	4	1	-	-	-	-
	F	60	-	2	1	3	-	-	1	1	5	2	7	4	8	8	8	4	3	2	1	-	-	-
204	Leukemia and aleukemia	576	7	40	34	27	24	13	9	21	20	25	24	30	31	53	58	63	46	34	13	2	-	2
	White—M	300	5	16	14	14	12	2	4	9	8	14	12	15	18	25	34	40	27	21	7	2	-	1
	F	223	1	22	15	10	8	9	3	9	7	8	6	13	11	22	22	20	19	12	6	-	-	-
	Nonwhite—M	26	1	-	3	2	-	2	2	1	2	1	2	-	1	5	2	1	-	1	-	-	-	-
	F	27	-	2	2	1	4	-	-	2	3	2	4	2	1	1	-	2	-	-	-	-	-	1
200-203, 205	Lymphomas, etc.*	536	3	9	7	11	3	12	12	18	29	22	29	54	61	61	74	61	35	20	11	4	-	-
	White—M	276	-	4	4	10	1	7	5	9	17	16	11	29	29	27	41	30	21	9	5	1	-	-
	F	211	3	2	2	1	1	5	5	7	10	3	12	20	27	27	26	26	14	11	6	3	-	-
	Nonwhite—M	28	-	1	1	-	-	-	2	1	1	-	4	2	4	5	5	2	-	-	-	-	-	-
	F	21	-	2	-	-	1	-	-	1	1	3	2	3	1	2	2	3	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	183	3	10	7	5	3	6	3	12	10	9	13	18	15	19	13	11	7	15	2	2	-	-
	White—M	68	-	4	3	2	1	3	1	4	1	3	4	6	7	8	7	5	3	6	-	-	-	-
	F	78	2	6	1	2	2	2	2	5	7	3	7	3	5	7	5	4	4	7	2	2	-	-
	Nonwhite—M	13	-	-	2	-	-	1	-	-	-	1	-	2	1	4	-	1	-	1	-	-	-	-
	F	24	1	-	1	1	-	-	-	3	2	2	2	7	2	-	1	1	-	1	-	-	-	-
241	Asthma	255	4	4	2	3	-	2	7	6	8	8	16	11	34	26	31	37	24	23	8	-	1	-
	White—M	148	1	3	1	1	-	-	1	2	-	4	5	5	22	19	25	26	13	14	6	-	-	-
	F	62	1	1	1	-	-	1	2	3	5	1	4	5	4	4	3	7	10	8	1	-	1	-
	Nonwhite—M	23	2	-	-	-	-	-	2	1	1	1	5	1	6	1	1	1	-	1	-	-	-	-
	F	22	-	-	-	2	-	1	2	-	2	2	2	-	2	2	2	3	1	-	1	-	-	-
260	Diabetes mellitus	1,031	-	1	2	1	6	5	14	15	13	26	41	52	101	116	155	191	145	89	48	7	3	-
	White—M	370	-	1	-	-	2	2	6	4	6	10	11	23	35	33	60	60	51	35	25	3	3	-
	F	493	-	-	2	1	4	1	4	7	5	7	15	15	42	67	69	104	78	47	21	4	-	-
	Nonwhite—M	64	-	-	-	-	-	-	3	1	2	4	4	5	4	6	13	12	7	1	2	-	-	-
	F	104	-	-	-	-	-	2	1	3	-	5	11	9	20	10	13	15	9	6	-	-	-	-
290-293	Anemias	142	18	14	3	3	2	1	1	2	9	2	3	3	6	10	13	14	15	12	7	2	2	-
	White—M	52	4	3	-	1	-	-	1	1	2	1	1	2	2	4	7	5	7	7	2	1	1	-
	F	52	4	3	3	1	-	-	-	-	1	-	2	1	1	5	6	8	5	5	5	1	1	-
	Nonwhite—M	21	7	5	-	-	1	1	-	-	1	1	-	-	1	1	-	1	2	-	-	-	-	-
	F	17	3	3	-	1	1	-	-	1	5	-	-	-	2	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	138	60	22	6	2	4	2	3	1	3	2	2	6	8	8	3	4	-	-	1	1	-	-
	White—M	53	26	9	-	2	3	-	1	-	-	-	1	2	4	3	-	2	-	-	-	-	-	-
	F	46	17	7	5	-	-	1	-	1	1	1	-	1	2	3	3	2	-	-	1	1	-	-
	Nonwhite—M	17	9	3	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	22	8	3	-	-	1	-	1	-	1	1	-	3	2	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	36,240	51	28	25	35	47	74	119	221	389	746	1,261	2,060	2,742	3,539	4,631	5,235	5,491	4,877	3,177	1,151	335	6
	White—M	18,098	20	11	14	18	22	34	38	87	209	403	719	1,161	1,568	2,011	2,492	2,676	2,597	2,147	1,337	422	109	3
	F	12,595	17	8	6	7	13	23	39	66	83	135	213	328	513	785	1,319	1,794	2,358	2,393	1,652	650	192	1
	Nonwhite—M	2,876	4	6	3	4	9	4	19	25	43	99	143	284	348	399	460	413	272	176	100	44	20	1
	F	2,671	10	3	2	6	3	13	23	43	54	109	186	287	313	344	360	352	264	161	88	35	14	1
330-334, 400-468	Dis. of cardiovascular system	35,528	50	27	19	29	41	59	100	192	363	715	1,227	2,051	2,674	3,492	4,570	5,154	5,406	4,795	3,123	1,126	329	6
	White—M	17,806	20	11	10	15	20	26	28	78	193	394	705	1,149	1,544	1,992	2,464	2,649	2,563	2,116	1,311	409	106	3
	F	12,367	16	8	6	6	11	19	33	54	81	128	203	318	496	774	1,301	1,771	2,325	2,355	1,630	641	190	1
	Nonwhite—M	2,775	4	6	2	2	7	3	17	22	43	90	138	279	332	390	450	396	266	170	96	42	19	1
	F	2,580	10	2	1	6	3	11	22	38	46	103	181	285	302	336	355	338	252	154	86	34	14	1
330-334	Vascular lesions, etc.*	8,617	16	11	9	10	16	14	20	43	69	134	208	374	501	660	942	1,243	1,492	1,439	989	329	97	1
	White—M	3,479	6	5	5	6	7	7	6	11	18	46	58	124	192	271	416	547	643	575	408	98	29	1
	F	3,557	5	3	2	3	4	5	9	16	24	45	63	89	120	181	303	453	692	753	523	208	56	-
	Nonwhite—M	744	1	2	2	-	5	-	3	1	9	17	30	59	95	102	117	125	70	57	32	10	7	-
	F	837	4	1	-	1	-	2	2	15	18	26	57	102	94	106	106	118	87	54	26	13	5	-
400-402, 410-443	Diseases of heart	24,474	31	13	10	17	20	40	61	121	266	535	949	1,553	2,083	2,654	3,369	3,608	3,516	2,954	1,829	667	193	5
	White—M	13,175	11	5	5	8	11	17	20	54	169	327	614	984	1,295	1,632	1,915	1,929	1,733	1,343	766	268	67	2
	F	7,906	11	5	4	2	5	11	15	33	54	75	122	208	351	547	926	1,232	1,466	1,421	953	357	107	1
	Nonwhite—M	1,832	3	2	-	2	2	3	12	17	26	65	97	198	229	263	298	246	174	100	57	26	11	1
	F	1,561	6	1	1	5	2	9	14	17	17	68	116	163	188	212	230	201	143	90	53	16	8	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	467	3	2	7	7	9	13	18	21	25	37	51	48	48	44	43	31	29	18	12	1	-	-
	White—M	195	-	-	4	3	3	4	3	6	12	15	21	21	21	25	18	15	11	7	5	1	-	-
	F	214	2	1	2	1	2	6	6	12	9	19	24	18	22	17	24	16	17	10	6	-	-	-
	Nonwhite—M	25	1	1	-	-	2	1	2	-	3	2	1	5	5	-	-	-	1	-	1	-	-	-
	F	33	-	-	1	3	2	2	7	3	1	1	5	4	-	2	1	-	-	1	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																							
420	Arteriosclerotic heart dis., etc.*	17,324	-	2	1	3	4	11	30	66	189	395	716	1,189	1,591	2,037	2,498	2,594	2,400	1,962	1,143	392	99	2
	White----M--	10,221	-	2	-	2	4	5	15	34	136	279	520	839	1,109	1,355	1,525	1,489	1,271	912	515	169	39	1
	F--	5,242	-	-	1	1	-	3	3	14	31	43	75	140	255	415	677	849	969	944	566	200	55	1
	Nonwhite--M--	1,054	-	-	-	-	-	-	7	13	12	42	66	120	134	153	173	145	88	51	33	15	2	-
	F--	807	-	-	-	-	-	3	5	5	10	31	55	90	93	114	123	111	72	55	29	8	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,916	7	1	1	1	1	1	2	3	10	11	28	50	65	102	193	269	371	346	284	117	52	1
	White----M--	807	4	-	-	-	1	1	-	2	3	4	16	20	26	50	90	110	157	164	105	41	13	-
	F--	828	1	-	1	-	-	-	1	-	1	4	4	9	14	27	65	112	168	157	162	70	32	-
	Nonwhite--M--	152	1	-	-	-	-	-	1	-	5	1	3	10	14	13	27	27	20	12	9	4	4	1
	F--	129	1	1	-	1	-	-	-	1	1	2	5	11	11	12	11	20	26	13	8	2	3	-
430-434	Other diseases of heart---------	2,107	21	8	1	5	6	12	9	22	24	42	65	136	159	216	267	311	277	254	169	75	27	1
	White----M--	1,057	7	3	1	2	3	7	2	9	11	17	41	65	78	112	148	174	132	130	69	34	11	1
	F--	610	8	4	-	-	3	1	5	6	9	6	10	20	20	40	57	81	105	100	85	37	13	-
	Nonwhite--M--	263	1	1	-	2	-	1	2	2	2	10	5	34	32	37	40	39	27	17	6	2	3	-
	F--	177	5	-	-	1	-	3	-	5	2	9	9	17	29	27	22	17	13	7	9	2	-	-
440-443	Hypertensive heart disease----	2,660	-	-	-	1	-	3	2	9	18	50	89	130	200	255	368	403	439	374	221	82	15	1
	White----M--	895	-	-	-	1	-	-	-	3	7	12	16	39	61	90	134	141	162	130	72	23	4	-
	F--	1,012	-	-	-	-	-	1	-	1	4	3	9	21	40	48	103	174	207	210	134	50	7	-
	Nonwhite--M--	338	-	-	-	-	-	1	-	2	4	10	22	29	44	60	58	35	38	20	8	5	2	-
	F--	415	-	-	-	-	-	1	2	3	3	25	42	41	55	57	73	53	32	14	7	4	2	1
444-447	Other hypertensive disease-----	561	-	-	-	-	2	1	5	10	19	24	27	40	39	47	56	54	89	82	50	14	2	-
	White----M--	215	-	-	-	-	1	-	1	1	3	10	11	8	22	17	20	26	36	35	18	6	-	-
	F--	185	-	-	-	-	-	1	-	-	1	4	6	9	4	15	19	18	31	41	28	6	2	-
	Nonwhite--M--	76	-	-	-	-	-	-	2	4	6	4	7	11	3	6	10	6	11	4	1	1	-	-
	F--	85	-	-	-	-	1	-	2	5	9	6	3	12	10	9	7	4	11	2	3	1	-	-
450	General arteriosclerosis---------	1,130	-	1	-	-	-	-	-	1	-	2	2	6	26	42	92	141	212	251	220	99	35	-
	White----M--	527	-	-	-	-	-	-	-	-	-	2	2	4	11	19	44	77	101	117	108	33	9	-
	F--	490	-	-	-	-	-	-	-	1	-	-	-	2	6	11	29	38	95	123	103	58	24	-
	Nonwhite--M--	68	-	1	-	-	-	-	-	-	-	-	-	-	3	9	15	13	8	7	6	5	1	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	6	3	4	13	8	4	3	3	1	-
451-468	Other diseases of circulatory sys.-	746	3	2	-	2	3	4	14	17	9	20	41	58	45	89	111	108	97	69	35	17	2	-
	White----M--	410	3	1	-	1	1	2	1	12	3	9	20	29	24	53	69	70	50	46	11	4	1	-
	F--	229	-	-	-	1	2	2	9	4	2	4	12	10	15	20	24	30	41	17	23	12	1	-
	Nonwhite--M--	55	-	1	-	-	-	-	-	-	2	4	4	11	2	10	10	6	3	2	-	-	-	-
	F--	52	-	-	-	-	-	-	4	1	2	3	5	8	4	6	8	2	3	4	1	1	-	-
592-594	Chronic nephritis, etc.*----------	712	1	1	6	6	6	15	19	29	26	31	34	29	68	47	61	81	85	82	54	25	6	-
	White----M--	292	-	-	4	3	2	8	10	9	16	9	14	12	24	19	28	27	34	31	26	13	3	-
	F--	228	1	-	-	1	2	4	6	12	2	7	10	10	17	11	18	23	33	38	22	9	2	-
	Nonwhite--M--	101	-	-	1	2	2	1	2	3	-	9	5	5	16	9	10	17	6	6	4	2	1	-
	F--	91	-	1	1	-	-	2	1	5	8	6	5	2	11	8	5	14	12	7	2	1	-	-
480-493	Influenza and pneumonia, etc.*-	3,014	657	187	30	16	14	19	29	28	31	32	71	85	110	147	204	276	322	316	272	117	51	-
	White----M--	1,291	230	72	9	7	6	7	6	11	14	11	34	29	47	74	102	147	152	132	123	53	25	-
	F--	1,062	223	54	12	5	6	8	8	6	7	9	17	24	25	32	47	82	128	153	133	58	25	-
	Nonwhite--M--	372	119	32	1	2	2	2	6	5	10	6	12	12	23	28	31	27	26	18	5	4	1	-
	F--	289	85	29	8	2	-	2	9	6	-	6	8	20	15	13	24	20	16	13	11	2	-	-
480-483	Influenza----------	411	40	23	4	2	1	4	2	4	6	4	17	14	24	23	31	42	52	52	37	21	8	-
	White----M--	170	17	7	1	-	-	1	1	1	4	1	8	3	5	12	13	25	25	19	13	9	5	-
	F--	137	4	7	2	1	1	1	-	2	2	1	3	5	4	8	8	9	17	29	20	10	3	-
	Nonwhite--M--	57	12	6	-	-	-	1	1	-	-	2	3	1	7	1	6	4	9	2	1	1	-	-
	F--	47	7	3	1	1	-	1	-	1	-	-	3	5	8	2	4	4	1	2	3	1	-	-
490-493	Pneumonia, etc.*--	2,603	617	164	26	14	13	15	27	24	25	28	54	71	86	124	173	234	270	264	235	96	43	-
	White----M--	1,121	213	65	8	7	6	6	5	10	10	10	26	26	42	62	89	122	127	113	110	44	20	-
	F--	925	219	47	10	4	5	7	8	4	5	8	14	19	21	24	39	73	111	124	113	48	22	-
	Nonwhite--M--	315	107	26	1	2	2	1	5	5	10	4	9	11	16	27	25	23	17	16	4	3	1	-
	F--	242	78	26	7	1	-	1	9	5	-	6	5	15	7	11	20	16	15	11	8	1	-	-
500-502	Bronchitis----------	159	29	12	1	-	1	-	-	1	-	2	3	8	14	14	22	15	18	11	3	4	1	-
	White----M--	92	7	4	1	-	-	-	-	-	-	1	-	5	11	12	17	12	11	7	2	2	-	-
	F--	47	14	8	-	-	-	-	-	-	-	-	1	2	2	1	3	2	7	3	1	2	1	-
	Nonwhite--M--	11	3	-	-	-	1	-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	-	-
	F--	9	5	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	366	3	-	-	-	-	3	5	7	11	16	34	39	33	35	48	46	48	26	5	7	-	-
	White----M--	249	3	-	-	-	-	2	3	3	6	10	25	31	24	27	28	34	32	14	4	3	-	-
	F--	71	-	-	-	-	-	-	-	3	3	3	4	4	1	4	14	10	9	11	1	4	-	-
	Nonwhite--M--	28	-	-	-	-	-	1	-	-	1	-	3	3	7	3	5	-	4	1	-	-	-	-
	F--	18	-	-	-	-	-	-	2	1	1	3	2	1	1	1	1	2	3	-	-	-	-	-
550-553	Appendicitis-------	79	2	4	2	4	1	3	2	6	1	-	6	5	6	5	10	7	4	4	6	-	1	-
	White----M--	39	-	3	-	2	1	1	1	1	-	-	3	2	5	3	6	2	3	2	4	-	-	-
	F--	24	1	-	1	1	-	2	-	3	1	-	2	-	-	-	4	4	1	2	1	-	1	-
	Nonwhite--M--	10	-	1	1	1	-	-	-	1	-	-	1	1	1	1	-	1	-	-	1	-	-	-
	F--	6	1	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	451	55	3	2	3	2	1	4	7	7	13	24	20	19	40	45	65	50	52	30	8	1	-
	White----M--	170	34	1	1	1	-	1	1	-	2	3	11	7	4	15	13	22	17	25	10	2	-	-
	F--	183	13	-	-	2	2	-	3	3	2	6	8	5	8	13	19	29	26	20	18	6	-	-
	Nonwhite--M--	52	8	1	1	-	-	-	-	2	1	-	2	3	3	6	5	8	5	5	2	-	-	-
	F--	46	-	1	-	-	-	-	-	2	2	4	3	5	4	6	8	6	2	2	-	-	1	-
543, 571, 572	Gastritis, etc.*--	767	503	58	3	1	1	3	5	5	5	10	10	8	16	17	22	28	21	26	16	7	2	-
	White----M--	299	193	26	-	1	1	-	2	2	1	7	5	3	7	6	10	8	9	7	7	2	2	-
	F--	320	200	19	3	-	-	3	2	2	3	2	2	4	5	7	9	18	9	19	8	5	-	-
	Nonwhite--M--	74	55	6	-	-	-	-	1	-	1	1	1	1	2	2	-	2	1	-	1	-	-	-
	F--	74	55	7	-	-	-	-	-	1	-	-	2	-	2	2	3	-	2	-	-	-	-	-
581	Cirrhosis of liver	657	4	1	-	1	3	1	3	11	38	58	84	91	79	85	79	54	35	16	12	2	-	-
	White----M--	392	3	-	-	1	1	-	1	2	19	29	56	56	53	58	46	32	19	8	6	2	-	-
	F--	187	1	1	-	-	1	-	2	6	11	17	19	23	16	24	20	20	15	6	5	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	1	-	1	6	5	5	9	5	2	9	1	1	-	1	-	-	-
	F--	32	-	-	-	-	1	-	-	2	2	7	4	3	5	1	4	1	-	2	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																							
584, 585	Cholelithiasis, etc.*	161	-	-	-	-	-	-	-	4	4	2	5	4	14	14	22	22	30	23	13	4	-	-
	White—M	60	-	-	-	-	-	-	-	-	1	1	2	1	3	6	8	10	17	8	3	-	-	-
	F	91	-	-	-	-	-	-	-	2	2	1	3	3	9	7	11	12	13	14	10	4	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	2	1	-	-	-	2	1	2	-	-	1	-	-	-	-
590, 591	Acute nephritis, etc.*	132	4	8	4	3	4	4	6	2	3	5	10	8	3	14	15	13	8	11	5	2	-	-
	White—M	59	2	5	3	-	2	3	3	-	3	1	5	-	2	5	5	7	5	6	1	1	-	-
	F	52	2	3	-	2	2	1	2	1	-	4	1	5	1	8	7	3	2	4	3	1	-	-
	Nonwhite—M	12	-	-	1	1	-	-	1	-	-	-	2	1	-	1	2	2	-	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	1	1	1	-	-	-	-
600	Infections of kidney	290	3	1	1	1	-	-	4	4	4	10	11	16	29	22	32	47	36	31	27	6	5	-
	White—M	104	-	-	-	1	-	-	-	1	3	2	3	3	6	8	14	21	18	13	7	4	-	-
	F	125	-	1	1	-	-	-	3	3	1	5	2	8	11	4	12	19	16	16	16	2	5	-
	Nonwhite—M	31	3	-	-	-	-	-	1	-	-	1	1	1	7	5	4	4	1	2	1	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	2	5	4	5	5	2	3	1	-	3	-	-	-
610	Hyperplasia of prostate	222	-	-	-	-	-	-	-	-	-	-	-	5	10	24	22	31	39	48	30	10	3	-
	White	172	-	-	-	-	-	-	-	-	-	-	-	4	6	11	13	25	28	44	29	10	2	-
	Nonwhite—M	50	-	-	-	-	-	-	-	-	-	-	-	1	4	13	9	6	11	4	1	-	1	-
640-689	Complications of pregnancy, etc.*	119	...	...	...	1	8	20	30	23	28	8	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	77	...	...	...	-	6	15	19	10	19	8	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	42	...	...	...	1	2	5	11	13	9	-	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	23	...	...	...	-	2	2	9	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	...	...	...	-	1	1	5	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	...	...	...	-	1	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	96	...	...	...	1	6	18	21	19	23	7	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	63	...	...	...	-	5	14	14	8	15	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	33	...	...	...	1	1	4	7	11	8	-	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,155	862	108	38	16	16	8	12	12	16	16	16	9	8	3	6	5	1	3	1	1	-	-
	White—M	538	413	49	14	10	8	3	4	4	7	4	11	3	3	1	2	1	-	1	-	-	-	-
	F	458	338	40	14	6	7	3	6	7	5	8	4	5	4	2	2	3	1	2	-	1	-	-
	Nonwhite—M	90	67	8	3	-	-	1	1	-	3	3	1	-	-	-	1	1	-	-	1	-	-	-
	F	69	44	11	5	-	1	1	1	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	4,356	4,354	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,920	1,918	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,390	1,390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	579	579	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	467	467	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,714	1,714	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	803	803	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	580	580	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	500	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	2,142	2,140	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	924	922	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	675	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	1,301	110	26	6	1	6	8	8	8	12	24	46	59	66	73	90	115	183	186	132	94	45	3
	White—M	601	37	9	2	1	1	3	1	2	4	11	25	34	33	45	50	58	94	87	55	35	12	2
	F	389	33	11	3	-	2	4	3	3	3	4	10	9	7	13	14	23	50	67	59	48	23	-
	Nonwhite—M	184	25	5	1	-	2	1	2	2	4	4	7	6	15	8	16	20	29	18	11	4	3	1
	F	127	15	1	-	-	1	-	2	1	1	5	4	10	11	7	10	14	10	14	7	7	7	-
Residual	All other diseases	3,234	283	128	51	50	36	60	67	71	98	102	142	196	201	279	366	321	288	240	164	58	32	3
	White—M	1,643	105	51	25	25	21	22	20	22	42	42	70	103	131	170	231	186	147	125	72	20	12	1
	F	1,111	97	54	21	18	9	22	26	29	31	36	48	52	42	75	93	105	125	92	81	35	19	1
	Nonwhite—M	271	52	15	1	6	5	8	13	5	9	13	14	18	14	17	32	19	11	10	7	1	-	1
	F	209	29	8	4	1	1	8	8	15	14	11	10	23	14	17	10	11	5	13	4	2	1	-
E800-E962	Accidents	5,230	277	277	203	220	429	425	382	346	311	299	292	278	242	234	201	204	183	183	145	67	29	3
	White—M	3,167	108	113	101	140	301	307	276	241	222	198	191	184	161	147	107	112	92	79	52	26	9	-
	F	1,264	94	102	60	56	63	52	54	46	54	49	49	48	38	62	63	59	74	93	90	38	18	2
	Nonwhite—M	571	41	36	25	18	55	57	41	51	24	39	41	40	30	17	21	18	8	5	2	1	1	-
	F	228	34	26	17	6	10	9	11	8	11	13	11	6	13	8	10	15	9	6	1	2	1	1
E810-E835	Motor vehicle accidents	2,469	35	103	88	86	283	277	235	183	165	164	151	151	128	117	105	98	53	30	14	1	1	1
	White—M	1,598	15	44	41	52	196	200	170	127	109	101	91	100	82	70	61	64	41	23	10	1	-	-
	F	565	16	47	34	31	54	36	41	21	40	29	33	32	28	39	34	29	11	5	4	-	-	1
	Nonwhite—M	247	2	6	12	2	26	38	16	30	12	23	23	15	17	7	10	5	1	2	-	-	-	-
	F	59	2	6	1	1	7	3	8	5	4	11	4	4	1	1	-	-	-	-	-	-	1	-
E800-E802, E840-E962	Other accidents	2,761	242	174	115	134	146	148	147	163	146	135	141	127	114	117	96	106	130	153	131	66	28	2
	White—M	1,569	93	69	60	88	105	107	106	114	113	97	100	84	79	77	46	48	51	56	42	25	9	-
	F	699	78	55	26	25	9	16	13	25	14	20	16	16	10	23	29	30	63	88	86	38	18	1
	Nonwhite—M	324	39	30	13	16	29	19	25	21	12	16	18	25	13	10	11	13	7	3	2	1	1	-
	F	169	32	20	16	5	3	6	3	3	7	2	7	2	12	7	10	15	9	6	1	2	-	1
E963, E970-E979	Suicide	858	-	-	-	3	22	51	57	78	64	67	89	101	99	69	50	56	33	13	4	2	-	-
	White—M	637	-	-	-	3	12	34	44	48	50	45	67	76	80	56	40	39	28	11	3	1	-	-
	F	182	-	-	-	-	8	12	8	24	13	19	18	22	16	10	8	15	5	2	1	1	-	-
	Nonwhite—M	32	-	-	-	-	1	4	4	5	1	2	4	3	2	2	2	2	-	-	-	-	-	-
	F	7	-	-	-	-	1	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	730	6	5	4	9	50	85	118	117	88	61	61	55	23	17	13	9	5	1	2	-	-	1
	White—M	304	3	3	2	5	24	35	43	42	30	26	25	26	12	10	8	4	3	1	2	-	-	-
	F	69	3	-	1	2	6	4	6	8	11	3	8	10	1	-	2	2	2	-	-	-	-	-
	Nonwhite—M	291	-	1	1	2	16	38	58	55	34	26	23	17	8	6	3	3	-	-	-	-	-	-
	F	66	-	1	-	-	4	8	11	12	13	6	5	2	2	1	-	-	-	-	-	-	-	1

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH																							
	All causes	5,842	565	108	43	37	71	71	72	82	98	159	227	275	362	473	576	697	694	612	382	184	51	3
	White--M	3,278	288	64	22	25	50	50	39	54	60	91	149	179	230	305	368	387	364	286	174	72	20	1
	F	2,429	252	35	19	11	17	16	31	27	35	59	73	86	123	163	200	295	319	320	206	110	31	1
	Nonwhite--M	89	15	5	1	1	4	2	2	1	2	6	1	6	7	2	4	12	9	6	1	1	-	1
	F	46	10	4	1	-	-	3	-	-	1	3	4	4	2	3	4	3	2	-	1	1	-	-
001-019	Tuberculosis, all forms	21	-	-	2	-	-	-	-	-	-	1	-	2	1	5	4	2	2	1	1	-	-	-
	White--M	16	-	-	1	-	-	-	-	-	-	-	-	1	1	5	4	2	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	19	-	-	-	-	-	-	-	-	-	1	-	2	1	5	4	2	2	1	1	-	-	-
	White--M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	2	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	10	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	-	-	-	-	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	37	7	7	2	-	1	1	1	-	2	1	1	1	5	2	1	2	2	1	-	-	-	-
	White--M	20	7	1	1	-	1	-	1	-	-	1	-	1	2	1	-	2	1	1	-	-	-	-
	F	13	-	4	1	-	-	1	-	-	1	-	-	-	3	1	1	-	1	-	-	-	-	-
	Nonwhite--M	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	773	-	8	4	9	7	4	7	11	10	29	50	46	79	112	96	117	88	55	26	12	3	-
	White--M	397	-	5	1	8	3	4	3	4	2	3	19	24	37	61	58	60	53	29	18	3	2	-
	F	362	-	3	3	1	3	-	4	7	8	24	30	21	41	51	37	53	33	26	8	8	1	-
	Nonwhite--M	11	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	4	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
140-148	Of buccal cavity and pharynx	17	-	-	-	-	-	-	-	-	1	1	1	1	1	3	3	1	3	2	-	-	-	-
	White--M	12	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	1	2	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	246	-	-	-	-	-	1	-	3	1	6	11	14	14	37	33	46	39	25	11	4	1	-
	White--M	117	-	-	-	-	-	1	-	1	-	-	5	8	7	19	15	22	21	10	8	-	-	-
	F	120	-	-	-	-	-	-	-	2	1	5	6	5	6	18	18	21	16	15	3	3	1	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	81	-	-	-	-	-	-	-	-	-	1	5	7	10	19	17	11	6	3	1	1	-	-
	White—M	70	-	-	-	-	-	-	-	-	-	1	5	7	9	17	16	7	5	3	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	1	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	72	-	-	-	-	-	-	-	1	2	4	13	6	9	8	8	12	4	2	1	2	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	71	-	-	-	-	-	-	-	1	2	4	12	6	9	8	8	12	4	2	1	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	130	-	-	-	-	1	2	2	4	8	5	7	16	13	13	18	16	15	7	1	2	-	-
	White—M	67	-	-	-	-	1	-	-	1	-	1	2	5	5	8	11	11	12	7	1	2	-	-
	F	63	-	-	-	-	-	2	2	3	8	4	5	11	8	5	7	5	3	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	37	-	1	-	-	2	-	-	-	-	-	-	-	5	4	4	11	4	3	2	1	-	-
	White—M	27	-	1	-	-	2	-	-	-	-	-	-	-	3	4	4	8	4	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	2	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	107	-	2	3	4	4	-	3	3	1	6	7	6	15	13	9	11	10	4	3	3	-	-
	White—M	52	-	-	1	3	1	-	2	2	-	1	2	3	7	5	7	6	6	1	3	2	-	-
	F	54	-	2	2	1	2	-	1	1	1	5	5	3	8	8	2	5	4	3	-	1	-	-
	Nonwhite—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	45	-	4	1	4	1	1	2	1	1	-	4	2	3	5	6	4	4	1	1	-	-	-
	White—M	26	-	3	-	4	-	1	1	-	-	-	2	1	1	2	3	3	4	1	-	-	-	-
	F	19	-	1	1	-	1	-	1	1	1	-	2	1	2	3	3	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	38	-	1	-	1	-	1	-	1	-	3	4	3	6	10	3	3	2	-	-	-	-	-
	White—M	26	-	1	-	1	-	1	-	1	-	1	4	2	4	7	2	2	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	22	1	-	-	1	-	-	1	-	-	4	2	3	1	1	2	2	3	-	-	1	-	-
	White—M	6	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-
	F	16	1	-	-	-	-	-	1	-	-	3	2	1	-	1	2	2	3	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	21	-	-	-	-	-	-	-	1	2	-	1	2	1	2	3	4	2	1	2	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	1	-	1	1	-	1	3	3	2	1	1	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	94	-	-	1	-	-	1	5	3	1	-	3	4	6	5	15	23	7	12	4	3	1	-
	White—M	37	-	-	1	-	-	-	1	3	-	-	2	2	4	2	3	5	3	6	3	1	1	-
	F	53	-	-	-	-	-	1	4	-	1	-	1	2	2	3	10	17	3	6	1	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
290-293	Anemias	17	-	1	-	-	-	-	1	-	-	-	-	-	2	-	3	1	2	2	5	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	-	-	-
	F	10	-	1	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	6	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,768	5	3	2	1	11	5	14	15	22	48	81	122	166	247	335	402	465	421	266	110	27	-
	White—M	1,538	1	1	2	1	8	2	6	6	17	35	60	87	111	159	218	231	230	189	116	46	12	-
	F	1,193	4	2	-	-	3	3	8	9	4	11	20	31	51	83	115	167	228	228	148	63	15	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	1	1	-	2	2	2	-	3	5	4	1	1	-	-
	F	15	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	1	2	-	1	-	-	-
330-334, 400-468	Dis. of cardiovascular system	2,716	5	3	1	1	6	2	12	12	20	46	78	118	161	244	326	398	463	419	266	108	27	-
	White—M	1,502	1	1	1	1	3	-	5	5	15	33	58	83	108	156	211	230	229	189	116	45	12	-
	F	1,178	4	2	-	-	3	2	7	7	4	11	19	31	50	83	113	164	227	226	148	62	15	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	1	1	-	2	2	2	-	3	5	4	1	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	1	2	-	1	-	-	-
330-334	Vascular lesions, etc.*	578	3	1	1	-	-	-	2	1	1	2	7	18	25	46	59	80	133	105	64	20	10	-
	White—M	262	-	1	1	-	-	-	-	1	-	1	3	9	14	24	33	34	56	44	30	6	5	-
	F	303	3	-	-	-	-	-	2	-	1	1	4	9	9	20	25	44	73	59	34	14	5	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-
400-402, 410-443	Diseases of heart	1,959	2	2	-	1	4	2	7	9	19	41	66	98	126	186	250	291	303	284	176	81	11	-
	White—M	1,141	1	-	-	1	1	-	4	4	15	30	51	72	87	123	169	179	162	127	73	37	5	-
	F	796	1	2	-	-	3	2	3	5	3	9	14	22	38	60	80	110	138	156	101	43	6	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	1	3	1	1	1	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	1	-	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	128	-	1	-	1	3	1	4	6	8	10	15	17	13	13	14	10	5	5	2	-	-	-
	White—M	56	-	-	-	1	1	-	2	3	5	4	6	7	7	4	7	4	2	1	2	-	-	-
	F	72	-	1	-	-	2	1	2	3	3	6	9	10	6	9	7	6	3	4	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

546125 O - 60 - 32

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																							
420	Arteriosclerotic heart dis., etc.*	1,309	-	-	-	-	-	-	2	1	7	22	48	73	92	143	186	204	209	176	92	49	5	-
	White----M--	846	-	-	-	-	-	-	2	-	7	20	43	59	71	101	138	132	121	83	40	26	3	-
	F--	454	-	-	-	-	-	-	-	1	-	1	5	11	21	40	48	71	87	93	52	22	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	226	-	-	-	-	-	-	-	-	2	-	-	3	5	7	18	31	37	53	47	19	4	-
	White----M--	115	-	-	-	-	-	-	-	-	2	-	-	3	2	5	9	20	14	28	23	8	1	-
	F--	107	-	-	-	-	-	-	-	-	-	-	-	-	3	2	9	10	21	25	23	11	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
430-434	Other diseases of heart	91	2	1	-	-	1	1	1	2	2	4	1	3	7	11	12	7	17	9	5	4	1	-
	White----M--	45	1	-	-	-	-	-	-	1	1	3	1	2	3	7	6	2	10	4	2	1	1	-
	F--	44	1	1	-	-	1	1	1	1	-	1	-	1	4	4	5	5	7	5	3	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertensive heart disease	205	-	-	-	-	-	-	-	-	-	5	2	2	9	12	20	39	35	41	30	9	1	-
	White----M--	79	-	-	-	-	-	-	-	-	-	3	1	1	4	6	9	21	15	11	6	2	-	-
	F--	119	-	-	-	-	-	-	-	-	-	1	-	-	4	5	11	18	20	29	23	7	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
444-447	Other hypertensive disease	21	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	6	4	3	1	-	-
	White----M--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	4	1	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	86	-	-	-	-	-	-	-	-	-	-	-	-	4	1	6	8	14	20	21	6	6	-
	White----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	6	6	11	10	1	2	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	8	9	11	5	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	72	-	-	-	-	2	-	3	2	-	3	4	2	5	10	11	15	7	6	2	-	-	-
	White----M--	45	-	-	-	-	2	-	1	-	-	2	3	2	4	8	6	9	3	3	2	-	-	-
	F--	26	-	-	-	-	-	-	2	2	-	1	1	-	1	2	5	6	4	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	52	-	-	1	-	5	3	2	3	2	2	3	4	5	3	9	4	2	2	-	2	-	-
	White----M--	36	-	-	1	-	5	2	1	1	2	2	2	4	3	3	7	1	1	-	-	1	-	-
	F--	15	-	-	-	-	-	1	1	2	-	-	1	-	1	-	2	3	1	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	202	24	7	3	3	-	4	2	4	3	6	3	3	4	6	19	23	17	21	29	17	4	-
	White----M--	96	13	2	1	1	-	3	-	2	1	3	1	2	2	4	13	15	7	10	11	4	1	-
	F--	97	6	2	2	2	-	1	2	2	2	3	2	1	2	2	5	8	10	11	18	13	3	-
	Nonwhite--M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	18	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	3	4	3	2	1	1	-
	White----M--	8	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
	F--	10	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	184	24	7	1	3	-	3	2	4	3	6	3	3	4	6	18	20	13	18	27	16	3	-
	White----M--	88	13	2	-	1	-	2	-	2	1	3	1	2	2	4	12	14	5	9	10	4	1	-
	F--	87	6	2	1	2	-	1	2	2	2	3	2	1	2	2	5	6	8	9	17	12	2	-
	Nonwhite--M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	16	3	3	-	-	-	-	-	-	-	-	1	1	-	1	4	1	-	-	1	1	-	-
	White----M--	10	1	2	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	-	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	60	-	-	-	-	-	-	-	1	1	2	-	6	9	6	8	16	5	4	2	-	-	-
	White----M--	44	-	-	-	-	-	-	-	1	1	2	-	3	8	6	6	9	4	2	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	6	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	42	4	-	-	-	-	-	-	-	1	1	1	1	4	2	5	6	7	7	1	-	2	-
	White----M--	23	2	-	-	-	-	-	-	-	-	1	1	1	4	2	1	3	4	4	1	-	-	-
	F--	18	2	-	-	-	-	-	-	-	-	1	-	-	-	-	4	3	3	3	-	-	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	24	9	-	-	-	-	-	1	-	-	1	-	-	-	2	3	3	2	2	-	1	-	-
	White----M--	7	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	F--	14	3	-	-	-	-	-	1	-	-	1	-	-	-	1	2	2	2	1	-	1	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	53	-	-	-	-	-	-	-	-	-	6	6	6	5	9	4	5	5	4	2	1	-	-
	White----M--	29	-	-	-	-	-	-	-	-	-	1	3	4	4	6	3	4	1	3	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	5	2	1	1	3	1	1	3	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																							
584, 585	Cholelithiasis, etc.*	13	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	4	1	1	1	2	1	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	1	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	24	-	-	-	-	-	-	1	-	-	-	-	2	2	3	2	2	5	3	2	2	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	-	2	-	-	-
	F	14	-	-	-	-	-	-	1	-	-	-	-	1	-	2	2	2	3	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	8	...	...	...	-	-	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	...	...	...	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	7	...	...	...	-	-	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	...	...	...	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	137	106	17	4	-	-	3	1	-	1	2	1	-	1	-	-	-	-	-	-	1	-	-
	White—M	65	47	10	1	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-
	F	69	57	6	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	258	17	3	-	2	-	-	2	2	2	9	18	15	17	20	20	21	26	35	19	18	10	2
	White—M	148	5	1	-	1	-	-	2	2	1	5	13	10	12	15	14	15	14	18	10	7	2	1
	F	100	10	1	-	1	-	-	-	-	1	3	5	3	5	5	5	4	11	17	9	11	8	1
	Nonwhite—M	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-
Residual	All other diseases	305	19	9	6	6	5	2	3	5	6	11	18	24	26	31	29	40	30	16	12	7	-	-
	White—M	201	11	7	3	2	4	-	-	3	4	7	11	15	19	26	23	25	22	9	8	2	-	-
	F	95	6	2	3	4	1	2	3	1	2	3	6	8	7	5	6	13	8	6	4	5	-	-
	Nonwhite—M	9	2	-	-	-	-	-	-	1	-	1	1	1	-	-	-	2	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	495	19	46	19	15	45	37	28	32	28	25	31	26	21	16	20	17	23	22	13	8	3	1
	White—M	344	8	32	11	11	32	32	22	29	24	20	26	20	15	10	14	7	14	8	3	4	2	-
	F	132	10	12	7	3	10	3	4	3	4	3	5	6	4	6	5	10	9	13	10	4	1	-
	Nonwhite—M	15	-	1	-	1	3	1	2	-	-	2	-	-	2	-	1	-	-	1	-	-	-	1
	F	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor vehicle accidents	200	1	11	8	6	28	21	11	11	17	12	14	12	11	8	6	8	11	3	1	-	-	-
	White—M	142	-	8	6	4	17	16	7	11	14	10	12	9	7	3	5	4	7	2	-	-	-	-
	F	49	1	3	1	2	9	3	3	-	3	1	2	3	3	5	-	4	4	1	1	-	-	-
	Nonwhite—M	7	-	-	-	-	2	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	295	18	35	11	9	17	16	17	21	11	13	17	14	10	8	14	9	12	19	12	8	3	1
	White—M	202	8	24	5	7	15	16	15	18	10	10	14	11	8	7	9	3	7	6	3	4	2	-
	F	83	9	9	6	1	1	-	1	3	1	2	3	3	1	1	5	6	5	12	9	4	1	-
	Nonwhite—M	8	-	1	-	1	1	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	61	-	-	-	-	2	8	2	2	8	10	9	6	6	3	1	2	1	-	1	-	-	-
	White—M	48	-	-	-	-	2	6	2	1	6	8	9	3	3	3	1	2	1	-	1	-	-	-
	F	11	-	-	-	-	-	1	-	1	2	2	-	3	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	12	-	1	-	-	-	2	1	3	2	1	-	1	-	-	-	-	1	-	-	-	-	-
	White—M	6	-	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT																							
	All causes	4,295	211	24	23	19	34	30	33	28	41	71	115	182	253	350	432	583	608	589	427	191	49	2
	White--M	2,354	125	11	13	15	25	26	20	15	25	43	76	121	154	215	262	328	326	294	178	67	14	1
	F	1,929	85	12	9	4	9	4	12	12	16	27	39	61	99	135	169	254	282	295	247	124	34	-
	Nonwhite--M	9	1	1	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	1	-	1	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
001-019	Tuberculosis, all forms	29	-	-	-	-	-	-	-	-	3	2	1	2	2	6	3	5	2	3	-	-	-	-
	White--M	25	-	-	-	-	-	-	-	-	3	2	1	2	2	6	2	4	2	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	28	-	-	-	-	-	-	-	-	3	1	1	2	2	6	3	5	2	3	-	-	-	-
	White--M	24	-	-	-	-	-	-	-	-	3	1	1	2	2	6	2	4	2	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-018	Tuberculosis, other forms	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases	9	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	2	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	674	-	4	1	1	5	1	5	6	12	14	27	48	56	100	89	101	91	67	37	8	1	-
	White--M	346	-	2	1	1	3	1	3	-	5	4	13	19	28	48	55	55	53	36	17	2	-	-
	F	325	-	2	-	-	2	-	1	5	7	10	14	29	28	52	34	45	38	31	20	6	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	15	-	-	-	-	-	-	-	-	-	1	1	-	1	4	2	1	3	-	1	1	-	-
	White--M	13	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	1	3	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	239	-	-	-	-	-	-	-	1	2	4	11	17	16	30	38	39	31	32	14	4	-	-
	White--M	121	-	-	-	-	-	-	-	-	2	1	4	6	9	16	23	23	17	16	4	-	-	-
	F	118	-	-	-	-	-	-	-	1	-	3	7	11	7	14	15	16	14	16	10	4	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)--	88	-	-	-	-	-	-	-	-	-	3	6	10	11	17	13	14	12	3	-	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	6	8	9	14	13	10	10	3	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	3	-	2	2	3	-	3	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	60	-	-	-	-	-	-	-	-	2	2	5	9	6	11	3	10	4	4	3	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	2	2	5	9	6	11	3	10	4	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	117	-	1	-	-	-	-	2	4	2	1	-	6	10	16	14	18	15	14	12	2	-	-
	White-----M--	49	-	1	-	-	-	-	1	-	-	-	-	-	1	3	7	10	7	8	9	2	-	-
	F--	66	-	-	-	-	-	-	-	3	2	1	-	6	9	13	7	8	8	6	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	35	-	1	-	-	-	-	-	-	-	1	1	2	3	3	3	7	7	6	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	5	5	3	1	-	-	-
	F--	11	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	59	-	1	-	-	1	-	1	1	4	1	2	1	4	10	8	5	11	3	5	-	1	-
	White-----M--	30	-	-	-	-	1	-	1	-	2	1	-	1	1	6	3	3	6	3	2	-	-	-
	F--	29	-	1	-	-	-	-	-	1	2	-	2	-	3	4	5	2	5	-	3	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	26	-	1	1	1	3	-	1	-	-	-	1	-	-	5	3	5	2	2	1	-	-	-
	White-----M--	15	-	1	1	1	1	-	1	-	-	-	1	-	-	2	2	2	2	1	-	-	-	-
	F--	11	-	-	-	-	2	-	-	-	-	-	-	-	-	3	1	3	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	34	-	-	-	-	1	1	1	-	2	1	-	3	5	4	5	2	6	3	-	-	-	-
	White-----M--	21	-	-	-	-	1	1	-	-	1	-	-	2	5	3	2	1	3	2	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	1	1	-	1	-	1	3	1	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms--------	10	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	1	1	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	Asthma----------	14	-	-	1	-	-	-	-	-	-	1	-	1	5	1	1	3	1	-	-	-	-	-
	White-----M--	8	-	-	1	-	-	-	-	-	-	-	-	1	3	1	-	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	49	-	-	-	-	-	-	2	2	-	1	2	2	3	6	6	13	6	2	4	-	-	-
	White-----M--	20	-	-	-	-	-	-	1	2	-	1	2	-	3	5	-	4	-	1	1	-	-	-
	F--	29	-	-	-	-	-	-	1	-	-	-	-	2	-	1	6	9	6	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	7	2	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,449	-	-	1	-	3	3	3	2	8	29	47	81	123	175	254	376	409	433	319	147	35	1
	White-----M--	1,311	-	-	-	-	1	3	1	1	5	21	36	64	81	112	161	209	219	212	124	51	9	1
	F--	1,135	-	-	1	-	2	-	2	1	3	7	11	17	42	63	92	167	190	221	194	96	26	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
330-334, 400-468	Dis. of cardiovascular system--	2,431	-	-	1	-	3	3	3	-	8	29	45	79	122	174	252	376	407	429	318	146	35	1
	White-----M--	1,298	-	-	-	-	1	3	1	-	5	21	34	62	80	111	159	209	218	209	124	51	9	1
	F--	1,130	-	-	1	-	2	-	2	-	3	7	11	17	42	63	92	167	189	220	193	95	26	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
330-334	Vascular lesions, etc.*----------	553	-	-	-	-	-	2	2	-	-	5	3	13	17	22	58	97	96	106	88	35	8	1
	White-----M--	249	-	-	-	-	-	2	1	-	-	3	3	7	5	10	29	51	52	44	29	10	2	1
	F--	304	-	-	-	-	-	-	1	-	-	2	-	6	12	12	29	46	44	62	59	25	6	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402, 410-443	Diseases of heart-	1,674	-	-	1	-	2	1	-	-	8	23	42	62	98	140	178	258	281	277	194	87	22	-
	White-----M--	956	-	-	-	-	1	1	-	-	5	18	31	52	70	95	120	144	154	142	82	35	6	-
	F--	715	-	-	1	-	1	-	-	-	3	4	11	10	28	45	57	114	127	135	111	52	16	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.-	59	-	-	-	-	1	1	-	-	3	5	2	6	6	6	7	8	6	5	3	-	-	-
	White-----M--	32	-	-	-	-	-	1	-	-	2	2	1	6	4	4	2	4	3	1	2	-	-	-
	F--	27	-	-	-	-	1	-	-	-	1	3	1	-	2	2	5	4	3	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																							
420	Arteriosclerotic heart dis., etc.*	1,297	-	-	-	-	1	-	-	-	3	17	38	50	76	112	148	195	235	202	140	66	14	-
	White-----M--	764	-	-	-	-	1	-	-	-	3	15	30	42	55	79	103	110	129	109	61	24	3	-
	F--	530	-	-	-	-	-	-	-	-	-	1	8	8	21	33	44	85	106	93	78	42	11	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	150	-	-	-	-	-	-	-	-	-	-	1	-	3	10	7	20	15	40	35	12	7	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	13	9	21	16	7	3	-
	F--	67	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	7	6	19	19	5	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	37	-	-	1	-	-	-	-	-	1	-	-	2	5	2	3	10	3	6	3	1	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	2	4	1	2	7	3	3	1	-	-	-
	F--	14	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	3	-	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease----	131	-	-	-	-	-	-	-	-	1	1	1	4	8	10	13	25	22	24	13	8	1	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	1	-	2	5	5	7	10	10	8	2	4	-	-
	F--	77	-	-	-	-	-	-	-	-	1	-	1	2	3	5	6	15	12	16	11	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Other hypertensive disease------	39	-	-	-	-	-	-	1	-	-	1	-	1	3	3	4	7	5	7	3	3	1	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	5	-	-	-	-
	F--	25	-	-	-	-	-	-	1	-	-	1	-	1	1	2	3	3	4	2	3	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	113	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	17	31	26	20	4	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	8	13	11	5	1	-
	F--	66	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	9	18	15	15	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	52	-	-	-	-	1	-	-	-	-	-	-	3	3	6	7	8	8	8	7	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	3	3	3	6	6	3	5	2	1	-	-
	F--	20	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	2	5	3	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	18	-	-	-	-	-	-	-	2	-	-	2	2	1	1	2	-	2	4	1	1	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	-	-	2	2	1	1	2	-	1	3	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	156	10	5	2	-	-	-	3	1	1	1	4	8	5	7	12	18	20	23	20	12	4	-
	White-----M--	78	4	1	2	-	-	-	1	1	-	-	1	5	2	7	7	10	7	9	12	7	3	-
	F--	76	6	4	-	-	-	-	2	-	1	1	3	3	3	-	5	8	13	14	7	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	10	-	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	1	1	2	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	146	10	5	2	-	-	-	3	1	1	-	4	7	1	7	12	18	19	22	18	12	4	-
	White-----M--	73	4	1	2	-	-	-	1	1	-	-	1	5	-	7	7	10	6	8	10	7	3	-
	F--	72	6	4	-	-	-	-	2	-	1	-	3	2	1	-	5	8	13	14	7	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	9	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	26	-	-	-	-	-	-	-	1	1	1	1	2	1	-	4	4	6	2	2	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	1	1	1	1	2	-	-	3	4	5	2	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	31	3	-	1	-	-	-	1	1	-	-	-	1	3	1	2	1	5	4	3	2	3	-
	White-----M--	15	2	-	-	-	-	-	1	-	-	-	-	-	2	1	-	2	3	2	1	1	-	-
	F--	16	1	-	1	-	-	-	-	1	-	-	-	1	1	-	2	1	3	1	1	1	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	20	4	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	3	3	-	1	-
	White-----M--	11	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	25	-	-	-	1	-	-	-	-	1	-	4	4	4	4	1	1	3	-	2	-	-	-
	White-----M--	14	-	-	-	1	-	-	-	-	1	-	2	1	3	2	1	1	1	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	2	3	1	2	-	-	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																							
584, 585	Cholelithiasis, etc.*	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	15	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	3	3	3	1	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	7	3	2	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	7	3	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	2	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	2	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	39	33	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	24	20	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	13	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	81	8	-	-	-	-	-	1	-	2	2	1	1	7	6	9	13	12	10	4	3	2	-
	White—M	51	6	-	-	-	-	-	-	-	1	1	1	1	6	3	7	11	8	6	-	-	-	-
	F	29	2	-	-	-	-	-	1	-	1	1	-	-	1	3	2	2	4	4	4	3	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	176	1	2	4	5	3	1	2	3	4	4	7	8	15	20	31	17	22	11	10	5	1	-
	White—M	101	1	1	-	3	3	-	-	2	3	3	6	5	9	13	17	10	12	5	4	3	1	-
	F	75	-	1	4	2	-	1	2	1	1	1	1	3	6	7	14	7	10	6	6	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	231	6	10	12	10	18	18	11	9	5	9	12	12	17	10	10	9	12	16	14	9	1	1
	White—M	157	5	6	8	9	14	17	10	6	5	6	9	10	12	8	5	6	5	7	8	1	-	-
	F	71	1	3	3	1	4	1	1	3	-	3	3	2	5	2	5	3	7	9	6	8	1	-
	Nonwhite—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E810-E835	Motor vehicle accidents	83	-	4	4	6	10	10	8	5	3	6	3	4	4	2	4	4	2	1	1	1	-	1
	White—M	63	-	2	2	5	8	9	8	4	3	3	2	3	3	1	3	3	1	1	1	1	-	-
	F	17	-	1	1	1	2	1	-	1	-	3	1	1	1	1	1	1	1	-	-	-	-	-
	Nonwhite—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E800-E802, E840-E962	Other accidents	148	6	6	8	4	8	8	3	4	2	3	9	8	13	8	6	5	10	15	13	8	1	-
	White—M	94	5	4	6	4	6	8	2	2	2	3	7	7	9	7	2	3	4	6	7	-	-	-
	F	54	1	2	2	-	2	-	1	2	-	-	2	1	4	1	4	2	6	9	6	8	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	59	-	-	-	1	3	3	4	2	1	4	4	7	5	8	4	7	3	1	2	-	-	-
	White—M	45	-	-	-	-	3	2	2	2	1	3	3	7	2	6	2	6	3	1	2	-	-	-
	F	14	-	-	-	1	-	1	2	-	-	1	1	-	3	2	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	7	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA																							
	All causes------	33,131	3,010	429	190	150	294	357	345	581	792	1,075	1,440	1,918	2,433	2,950	3,555	3,787	3,763	3,102	2,003	710	222	25
	White-----M---	13,906	1,028	149	71	74	149	187	132	221	324	435	655	911	1,151	1,359	1,539	1,611	1,570	1,268	764	246	57	5
	F---	10,233	773	101	50	38	65	49	75	108	163	247	332	413	495	637	976	1,256	1,532	1,424	995	379	120	5
	Nonwhite--M---	5,023	678	75	38	18	52	80	90	145	152	213	267	333	441	534	606	539	344	226	129	42	16	5
	F---	3,969	531	104	31	20	28	41	48	107	153	180	186	261	346	420	434	381	317	184	115	43	29	10
001-019	Tuberculosis, all forms---------	289	1	3	-	-	1	3	4	19	14	27	14	24	26	34	35	35	35	11	2	1	-	-
	White-----M---	104	1	-	-	-	-	-	1	3	2	8	2	11	12	13	10	21	12	7	1	-	-	-
	F---	56	-	-	-	-	-	-	-	-	3	6	3	5	3	6	6	8	11	3	1	1	-	-
	Nonwhite--M---	93	-	2	-	-	1	1	3	11	2	13	8	4	10	11	15	5	6	1	-	-	-	-
	F---	36	-	1	-	-	-	2	-	5	7	-	1	4	1	4	4	1	6	-	-	-	-	-
001-008	Tuberculosis of resp. system-----	261	1	1	-	-	1	2	4	15	13	25	14	21	26	28	31	32	34	10	2	1	-	-
	White-----M---	100	1	-	-	-	-	-	1	3	2	8	2	11	12	12	9	20	11	7	1	-	-	-
	F---	52	-	-	-	-	-	-	-	-	3	6	3	4	3	6	6	6	11	2	1	1	-	-
	Nonwhite--M---	79	-	1	-	-	1	1	3	8	2	11	8	3	10	7	12	5	6	1	-	-	-	-
	F---	30	-	-	-	-	-	1	-	4	6	-	1	3	1	3	4	1	6	-	-	-	-	-
010-019	Tuberculosis, other forms------	28	-	2	-	-	-	1	-	4	1	2	-	3	-	6	4	3	1	1	-	-	-	-
	White-----M---	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F---	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M---	14	-	1	-	-	-	-	-	3	-	2	-	1	-	4	3	-	-	-	-	-	-	-
	F---	6	-	1	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	78	1	-	-	-	-	-	1	-	3	2	5	11	9	11	21	7	3	3	1	-	-	-
	White-----M---	24	-	-	-	-	-	-	-	-	1	-	1	4	4	2	5	4	-	3	-	-	-	-
	F---	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M---	37	1	-	-	-	-	-	-	-	1	1	2	5	4	6	12	3	1	-	1	-	-	-
	F---	13	-	-	-	-	-	-	-	-	1	1	2	2	1	2	3	-	1	-	-	-	-	-
045-048	Dysentery, all forms----------	10	5	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	White-----M---	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M---	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F---	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	27	11	11	-	1	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	White-----M---	8	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	11	5	3	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M---	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	1	1	3	2	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M---	8	-	1	3	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F---	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	18	6	8	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M---	5	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F---	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases----------	107	19	11	5	3	2	2	3	6	3	6	2	2	10	9	7	7	5	2	3	-	-	-
	White-----M---	42	5	4	1	2	1	-	-	2	-	3	1	-	4	4	3	5	5	1	1	-	-	-
	F---	31	6	3	3	1	-	1	2	2	1	2	-	-	5	1	1	1	-	-	2	-	-	-
	Nonwhite--M---	19	6	2	1	-	1	1	1	-	1	-	-	-	-	2	2	1	-	1	-	-	-	-
	F---	15	2	2	-	-	-	-	-	2	1	1	1	2	1	2	1	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	4,405	6	26	27	18	26	28	34	72	124	190	287	395	483	567	633	540	426	316	151	47	8	1
	White-----M---	1,801	3	15	12	12	14	13	12	22	30	52	103	158	203	257	267	240	176	128	63	18	2	1
	F---	1,638	1	5	8	3	8	10	13	32	57	85	121	138	160	157	216	186	187	151	75	20	5	-
	Nonwhite--M---	517	1	-	3	-	2	4	5	9	11	16	24	48	60	87	92	85	35	22	8	5	-	-
	F---	449	1	6	4	3	2	1	4	9	26	37	39	51	60	66	58	29	28	15	5	4	1	-
140-148	Of buccal cavity and pharynx------	89	-	-	-	-	-	-	-	1	3	2	7	15	10	12	13	7	4	4	10	-	1	-
	White-----M---	53	-	-	-	-	-	-	-	-	1	1	3	10	8	6	11	4	2	2	5	-	-	-
	F---	21	-	-	-	-	-	-	-	-	1	1	1	3	1	2	1	3	2	1	4	-	1	-
	Nonwhite--M---	10	-	-	-	-	-	-	-	-	-	-	3	-	1	4	-	-	-	1	1	-	-	-
	F---	5	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,377		1	-	1	-	6	6	15	18	47	63	103	142	200	212	197	165	121	61	17	1	1
	White-----M---	548	-	-	-	-	-	1	1	4	3	23	25	42	52	86	92	76	69	44	22	7	-	1
	F---	486	-	1	-	-	-	2	3	7	9	12	20	28	43	49	67	68	73	60	36	8	1	-
	Nonwhite--M---	210	-	-	-	-	-	3	1	4	5	8	6	19	24	39	36	43	11	7	3	1	-	-
	F---	133	-	-	-	1	-	-	1	-	1	4	12	14	23	26	17	10	12	10	1	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	633	-	-	-	-	-	1	-	7	16	19	40	74	99	111	112	84	46	16	5	3	-	-
	White—M	446	-	-	-	-	-	1	-	5	8	10	30	58	74	77	76	62	29	11	4	1	-	-
	F	83	-	-	-	-	-	-	-	2	4	5	3	5	7	10	15	11	14	5	1	1	-	-
	Nonwhite—M	86	-	-	-	-	-	-	-	-	2	3	5	11	15	21	17	9	2	-	-	1	-	-
	F	18	-	-	-	-	-	-	-	-	2	1	2	-	3	3	4	2	1	-	-	-	-	-
170	Of breast	389	-	-	-	-	-	-	4	9	19	28	41	43	56	41	42	31	35	22	11	6	1	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	F	322	-	-	-	-	-	-	3	8	16	24	35	35	43	34	32	25	31	21	8	6	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	1	1	3	4	6	8	13	7	9	4	4	1	2	-	-	-
171-179	Of genital organs	693	-	-	1	-	1	2	6	16	27	47	55	50	53	66	106	87	82	58	22	11	3	-
	White—M	176	-	-	-	-	1	1	2	2	-	2	4	3	6	9	21	37	38	28	14	6	2	-
	F	292	-	-	1	-	-	1	3	8	14	25	33	30	31	26	46	25	25	20	4	-	-	-
	Nonwhite—M	92	-	-	-	-	-	-	1	-	-	-	1	4	7	14	19	18	14	8	3	3	-	-
	F	133	-	-	-	-	-	-	-	6	13	20	17	13	9	17	20	7	5	2	1	2	1	-
180, 181	Of urinary organs	212	-	3	1	1	-	-	-	2	2	6	12	18	17	27	36	26	22	24	14	1	-	-
	White—M	125	-	-	-	1	-	-	-	-	1	1	7	7	12	22	25	15	11	16	6	1	-	-
	F	62	-	2	1	-	-	-	-	1	1	1	4	5	3	5	5	10	10	7	7	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	1	-	1	-	4	1	-	3	1	1	1	1	-	-	-
	F	11	-	1	-	-	-	-	-	-	-	3	1	2	1	-	3	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	606	3	7	12	3	13	8	9	11	21	23	40	59	62	77	61	68	51	50	18	8	2	-
	White—M	253	1	5	9	1	4	4	4	4	6	6	23	27	30	41	22	22	16	20	6	2	-	-
	F	242	1	1	-	1	6	3	2	4	8	12	14	19	23	22	26	33	24	25	11	5	2	-
	Nonwhite—M	62	1	-	1	-	1	-	2	2	4	3	3	5	4	7	10	10	5	4	-	-	-	-
	F	49	-	1	2	1	2	1	1	1	3	2	-	8	5	7	3	3	6	1	1	1	-	-
204	Leukemia and aleukemia	193	3	14	10	9	5	4	4	4	8	9	14	12	15	16	25	15	8	11	7	-	-	-
	White—M	92	2	9	3	6	3	1	2	2	5	5	1	2	10	8	10	10	5	5	3	-	-	-
	F	61	-	1	5	2	1	2	1	1	2	1	8	5	2	5	9	3	3	6	4	-	-	-
	Nonwhite—M	20	-	-	1	-	1	1	1	1	-	-	4	3	1	1	6	-	-	-	-	-	-	-
	F	20	1	4	1	1	-	-	-	-	1	3	1	2	2	2	-	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	213	-	1	3	4	7	7	5	7	10	9	15	21	29	17	26	25	13	10	3	1	-	-
	White—M	105	-	1	-	4	6	5	3	5	6	4	10	9	11	8	9	13	6	2	2	1	-	-
	F	69	-	-	1	-	1	2	1	1	2	4	3	8	7	4	15	8	5	6	1	-	-	-
	Nonwhite—M	22	-	-	1	-	-	-	-	1	-	1	2	2	7	1	1	3	2	1	-	-	-	-
	F	17	-	-	1	-	-	-	1	-	2	-	-	2	4	4	1	1	-	1	-	-	-	-
210-239	Benign & unspec. neoplasms	108	1	1	2	3	2	3	6	10	7	6	11	11	11	8	13	6	2	4	1	-	-	-
	White—M	31	-	-	-	-	-	-	1	4	4	-	3	4	6	-	5	1	-	2	1	-	-	-
	F	45	1	-	-	2	1	1	2	2	2	3	4	5	4	6	3	5	2	2	-	-	-	-
	Nonwhite—M	15	-	-	1	1	-	1	1	2	-	1	2	-	1	2	3	-	-	-	-	-	-	-
	F	17	-	1	1	-	1	1	2	2	1	2	2	2	-	-	2	-	-	-	-	-	-	-
241	Asthma	115	-	-	2	1	-	1	1	4	6	5	9	16	18	13	12	14	10	2	1	-	-	-
	White—M	48	-	-	-	-	-	-	-	-	1	2	3	5	8	5	7	11	4	1	1	-	-	-
	F	28	-	-	-	-	-	1	-	1	1	-	2	6	4	3	4	1	5	-	-	-	-	-
	Nonwhite—M	27	-	-	2	-	-	-	-	1	3	1	2	5	4	5	1	2	1	-	-	-	-	-
	F	12	-	-	-	1	-	-	1	2	1	2	2	-	2	-	-	-	-	1	-	-	-	-
260	Diabetes mellitus	436	-	2	-	3	1	3	5	10	7	14	15	28	46	47	69	69	55	39	18	5	-	-
	White—M	120	-	-	-	-	-	2	1	4	6	3	6	9	9	11	15	16	19	13	3	3	-	-
	F	183	-	-	-	1	-	-	-	1	-	4	3	6	17	18	34	34	28	23	12	2	-	-
	Nonwhite—M	36	-	-	-	-	-	-	3	-	-	3	2	1	6	6	6	6	2	-	1	-	-	-
	F	97	-	2	-	2	1	1	1	5	1	4	4	12	14	12	14	13	6	3	2	-	-	-
290-293	Anemias	65	5	10	3	1	-	1	1	2	2	5	1	3	1	5	4	6	6	3	6	-	-	-
	White—M	26	1	1	-	1	-	-	-	-	-	1	1	2	-	4	3	4	4	1	3	-	-	-
	F	20	2	5	3	-	-	-	-	-	1	-	-	1	1	-	-	2	2	3	-	-	-	-
	Nonwhite—M	7	-	2	-	-	-	-	-	-	-	2	-	-	-	-	1	2	-	-	-	-	-	-
	F	12	2	2	-	-	-	1	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	59	22	13	1	3	2	-	1	-	-	1	-	4	2	4	3	2	-	1	-	-	-	-
	White—M	11	5	1	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	20	8	6	-	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-
	Nonwhite—M	15	6	3	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-
	F	13	3	3	-	1	2	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	17,721	9	11	13	5	18	25	57	114	241	396	657	999	1,376	1,761	2,249	2,555	2,723	2,281	1,515	534	166	16
	White—M	7,562	4	4	1	2	8	9	18	38	110	165	316	503	679	823	997	1,062	1,110	919	566	184	41	3
	F	5,741	2	4	6	3	7	4	12	14	29	61	113	168	224	351	577	853	1,116	1,055	758	290	91	3
	Nonwhite—M	2,335	2	2	2	-	-	4	16	26	49	86	130	173	260	306	367	356	249	163	101	29	10	4
	F	2,083	1	1	4	-	3	8	11	36	53	84	98	155	213	281	308	284	248	144	90	31	24	6
330-334, 400-468	Dis. of cardiovascular system	17,382	8	10	11	4	10	20	52	102	234	378	636	974	1,359	1,740	2,210	2,493	2,685	2,246	1,500	529	165	16
	White—M	7,445	4	4	1	1	4	6	17	33	106	160	310	498	676	817	983	1,041	1,097	904	558	181	41	3
	F	5,655	1	4	4	3	3	4	10	12	28	61	107	161	224	348	569	831	1,106	1,042	755	288	91	3
	Nonwhite—M	2,288	2	2	2	-	-	3	14	25	47	83	126	165	252	299	358	346	243	160	98	29	10	4
	F	2,014	1	-	4	-	3	7	11	32	53	74	93	150	207	276	300	275	239	140	89	31	23	6
330-334	Vascular lesions, etc.*	4,241	4	4	4	2	1	3	12	13	52	71	114	192	267	368	532	637	720	636	427	135	45	2
	White—M	1,388	1	3	-	1	-	1	4	-	9	16	27	59	81	120	166	231	250	221	144	42	11	1
	F	1,601	1	1	2	1	-	-	1	3	9	20	34	47	68	81	153	216	328	311	219	82	24	-
	Nonwhite—M	633	1	-	1	-	-	-	3	3	18	17	26	40	63	83	110	100	74	56	32	3	3	-
	F	619	1	-	1	-	1	2	4	7	16	18	27	46	55	84	103	90	68	48	32	8	7	1
400-402, 410-443	Diseases of heart	11,888	3	6	7	2	8	11	32	75	162	276	481	727	1,024	1,272	1,571	1,694	1,778	1,416	911	328	91	15
	White—M	5,524	2	1	1	-	3	4	15	32	94	134	270	411	571	644	767	744	766	586	343	114	23	1
	F	3,665	-	3	2	2	3	3	6	8	17	36	66	105	142	252	396	570	707	658	464	172	50	3
	Nonwhite—M	1,473	1	2	1	-	-	2	8	17	23	55	84	118	172	205	232	219	155	91	57	23	4	4
	F	1,226	-	-	3	-	2	2	5	18	28	51	61	93	139	171	176	161	150	81	47	19	14	5
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	318	-	1	4	1	6	9	12	16	17	24	33	35	40	34	27	24	16	8	8	3	-	-
	White—M	126	-	1	1	-	3	2	6	8	6	10	15	14	15	12	13	9	5	1	5	-	-	-
	F	126	-	-	-	1	2	3	2	5	7	5	10	13	17	19	13	10	9	5	3	2	-	-
	Nonwhite—M	32	-	-	1	-	-	2	2	1	2	4	6	2	5	2	1	3	-	1	-	-	-	-
	F	34	-	-	2	-	1	2	2	2	2	5	2	6	3	1	-	2	2	1	-	1	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA--Con.																							
420	Arteriosclerotic heart dis., etc.*	7,851	-	-	-	-	-	1	6	37	98	185	347	528	748	910	1,100	1,147	1,121	888	501	182	47	5
	White-----M--	4,236	-	-	-	-	-	1	4	21	76	114	235	354	488	533	613	565	538	408	201	70	14	1
	F--	2,301	-	-	-	-	-	-	1	1	8	24	39	73	91	175	285	382	436	406	261	94	24	1
	Nonwhite--M--	787	-	-	-	-	-	-	1	6	10	27	46	61	100	116	125	130	83	46	22	10	2	2
	F--	527	-	-	-	-	-	-	-	9	4	20	27	40	69	86	77	70	64	28	17	8	7	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,244	1	-	1	-	-	1	4	4	5	8	17	23	44	74	122	173	243	212	197	84	29	2
	White-----M--	430	1	-	-	-	-	1	3	1	3	2	1	8	16	24	41	61	84	78	71	30	5	-
	F--	473	-	-	-	-	-	-	-	1	1	-	8	5	2	15	25	56	104	98	97	42	18	1
	Nonwhite--M--	185	-	-	-	-	-	-	1	-	1	2	7	4	17	23	28	35	30	16	13	7	-	1
	F--	156	-	-	1	-	-	-	-	2	-	4	1	6	9	12	28	21	25	20	16	5	6	-
430-434	Other diseases of heart---------	532	2	5	2	1	1	-	7	8	8	15	23	28	37	44	68	69	90	56	45	15	6	2
	White-----M--	225	1	-	-	-	-	-	-	1	4	3	10	11	16	20	33	31	40	26	23	4	2	-
	F--	154	-	3	2	1	-	-	3	1	-	2	3	2	5	9	14	19	37	25	17	9	2	-
	Nonwhite--M--	91	1	2	-	-	-	-	2	3	1	4	5	11	12	7	13	13	6	2	4	2	2	1
	F--	62	-	-	-	-	1	-	2	3	3	6	5	4	4	8	8	6	7	3	1	-	-	1
440-443	Hypertensive heart disease----	1,943	-	-	-	-	1	-	3	10	34	44	61	113	155	210	254	281	308	252	160	44	9	4
	White-----M--	507	-	-	-	-	-	-	-	1	5	5	9	24	36	55	67	78	99	73	43	10	2	-
	F--	611	-	-	-	-	1	-	-	-	1	5	6	12	27	34	59	103	121	124	86	25	6	1
	Nonwhite--M--	378	-	-	-	-	-	-	2	7	9	18	20	40	38	57	65	38	36	26	18	4	-	-
	F--	447	-	-	-	-	-	-	1	2	19	16	26	37	54	64	63	62	52	29	13	5	1	3
444-447	Other hypertensive disease-----	294	-	-	-	-	-	2	2	5	13	14	19	21	16	27	25	36	36	42	23	8	5	-
	White-----M--	104	-	-	-	-	-	1	-	-	2	4	2	6	5	10	7	14	15	23	11	3	1	-
	F--	68	-	-	-	-	-	-	-	-	1	1	2	3	1	4	6	11	10	15	7	4	3	-
	Nonwhite--M--	58	-	-	-	-	-	-	1	2	5	6	10	4	6	5	5	5	3	2	3	-	1	-
	F--	64	-	-	-	-	-	1	1	3	5	3	5	8	4	8	7	6	8	2	2	1	-	-
450	General arteriosclerosis--------	564	-	-	-	-	-	-	-	-	-	-	1	5	15	22	31	73	96	119	127	53	21	1
	White-----M--	224	-	-	-	-	-	-	-	-	-	-	1	4	3	11	12	18	36	58	53	21	6	1
	F--	219	-	-	-	-	-	-	-	-	-	-	-	1	4	2	5	22	43	43	61	26	12	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	-	-	6	3	4	19	7	11	5	3	2	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	14	10	7	8	3	1	-
451-468	Other diseases of circulatory sys.-	395	1	-	-	-	1	4	6	9	7	17	21	29	37	51	51	53	55	33	12	5	3	-
	White-----M--	205	1	-	-	-	1	-	-	1	1	6	10	18	16	32	31	34	30	16	7	1	-	-
	F--	102	-	-	-	-	-	1	3	1	1	4	5	5	9	9	9	12	18	15	4	4	2	-
	Nonwhite--M--	44	-	-	-	-	-	1	2	3	1	5	6	3	5	3	7	3	4	-	1	-	-	-
	F--	44	-	-	-	-	-	2	1	4	4	2	-	3	7	7	4	4	3	2	-	-	1	-
592-594	Chronic nephritis, etc.*----------	339	1	1	2	1	8	5	5	12	7	18	21	25	17	21	39	62	38	35	15	5	1	-
	White-----M--	117	-	-	-	1	4	3	1	5	4	5	6	5	3	6	14	21	13	15	8	3	-	-
	F--	86	1	-	2	-	4	-	2	2	1	-	6	7	-	3	8	22	10	13	3	2	-	-
	Nonwhite--M--	67	-	-	-	-	-	1	2	1	2	3	4	8	8	7	9	10	6	3	3	-	-	-
	F--	69	-	1	-	-	-	1	-	4	-	10	5	5	6	5	8	9	9	4	1	-	1	-
480-493	Influenza and pneumonia, etc.*-	1,253	250	59	13	3	9	6	10	16	18	32	36	37	67	89	91	132	126	124	93	40	20	2
	White-----M--	435	55	24	6	1	5	1	2	6	6	15	5	15	21	28	26	60	57	51	31	14	6	-
	F--	350	42	12	2	2	1	2	2	3	3	3	9	4	10	7	27	35	47	52	54	24	9	-
	Nonwhite--M--	261	79	8	4	-	2	1	3	6	2	11	15	14	14	18	29	24	13	11	5	-	2	-
	F--	207	74	15	1	-	1	2	3	1	7	3	7	4	22	16	9	13	9	10	3	2	3	2
480-483	Influenza---------	90	12	5	2	-	1	1	1	2	-	-	2	7	4	4	11	6	11	7	11	2	1	-
	White-----M--	22	1	2	-	-	1	-	-	1	-	-	-	1	1	1	3	2	3	3	3	-	-	-
	F--	21	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	5	3	6	1	1	-
	Nonwhite--M--	29	6	1	1	-	-	1	-	1	-	-	1	3	1	3	5	2	1	1	2	-	-	-
	F--	18	4	2	1	-	-	-	1	-	-	-	1	2	1	-	1	2	2	-	-	1	-	-
490-493	Pneumonia, etc.*---	1,163	238	54	11	3	8	5	9	14	18	32	34	30	63	65	80	126	115	117	82	38	19	2
	White-----M--	413	54	22	6	1	4	1	2	5	6	15	5	14	20	27	23	58	54	48	28	14	6	-
	F--	329	41	12	2	2	1	2	2	3	3	3	9	3	9	7	25	35	42	49	48	23	8	-
	Nonwhite--M--	232	73	7	3	-	2	-	3	5	2	11	14	11	13	15	24	22	12	10	3	-	2	-
	F--	189	70	13	-	-	1	2	2	1	7	3	6	2	21	16	8	11	7	10	3	1	3	2
500-502	Bronchitis---------	90	18	9	1	-	-	-	-	3	-	2	6	1	3	6	13	7	11	7	1	2	-	-
	White-----M--	44	5	6	1	-	-	-	-	-	-	-	3	-	2	4	9	3	5	4	-	2	-	-
	F--	23	4	-	-	-	-	-	-	1	-	1	2	-	1	2	2	3	5	2	-	-	-	-
	Nonwhite--M--	12	5	2	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-
	F--	11	4	1	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum------	170	3	-	-	-	-	-	-	1	6	12	7	13	15	19	19	30	21	17	5	1	1	-
	White-----M--	105	2	-	-	-	-	-	-	-	3	7	5	4	10	14	13	15	14	14	3	-	1	-
	F--	32	-	-	-	-	-	-	-	1	-	1	2	5	3	2	3	5	5	2	2	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	1	2	-	3	1	1	2	8	2	1	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	2	2	-	1	1	2	1	2	-	-	-	-	-	-
550-553	Appendicitis------	38	-	1	1	5	-	-	1	1	1	2	1	1	2	5	5	4	3	2	3	-	-	-
	White-----M--	17	-	-	1	-	-	-	-	-	-	1	-	1	1	4	2	3	2	2	-	-	-	-
	F--	7	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
	Nonwhite--M--	9	-	-	-	1	-	-	-	1	1	1	-	-	1	1	2	1	-	-	-	-	-	-
	F--	5	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	182	22	4	-	1	4	2	-	4	3	9	8	7	9	20	12	27	24	19	6	1	-	-
	White-----M--	59	5	1	-	1	3	2	-	-	1	2	2	2	3	4	4	8	10	7	4	-	-	-
	F--	58	4	-	-	-	1	-	-	2	-	2	2	2	-	6	5	11	10	10	2	1	-	-
	Nonwhite--M--	40	10	2	-	-	-	-	-	2	2	2	3	2	4	6	1	2	2	2	-	-	-	-
	F--	25	3	1	-	-	-	-	-	-	-	3	1	1	2	4	2	6	2	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	162	71	13	-	-	1	-	-	2	3	3	1	6	5	7	10	14	10	10	3	3	-	-
	White-----M--	41	13	4	-	-	-	-	-	1	-	-	1	2	2	1	3	7	3	2	2	-	-	-
	F--	48	8	3	-	-	-	-	-	-	3	2	-	1	2	3	4	5	6	8	1	2	-	-
	Nonwhite--M--	35	28	1	-	-	1	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	F--	38	22	5	-	-	-	-	-	-	-	-	-	3	-	2	2	2	1	-	-	1	-	-
581	Cirrhosis of liver	283	2	-	-	1	-	-	3	5	21	33	47	43	30	28	30	19	8	8	3	2	-	-
	White-----M--	156	1	-	-	-	-	-	1	4	6	15	24	26	18	16	22	12	3	6	2	2	-	-
	F--	78	1	-	-	1	-	-	-	-	8	14	11	15	7	8	4	3	3	2	1	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	1	1	3	3	9	-	3	3	4	3	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	1	-	4	1	3	2	2	1	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																							
584, 585	Cholelithiasis, etc.*	61	-	-	-	-	-	-	-	-	1	3	3	2	-	6	14	6	9	10	6	1	-	-
	White—M	27	-	-	-	-	-	-	-	-	1	1	1	1	-	2	5	2	5	6	2	1	-	-
	F	31	-	-	-	-	-	-	-	-	-	2	-	1	-	4	8	4	4	4	4	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	45	-	2	2	1	3	1	-	1	3	3	3	3	5	1	5	6	4	2	-	-	-	-
	White—M	14	-	1	1	1	1	-	-	1	1	-	-	-	1	1	1	3	2	-	-	-	-	-
	F	11	-	-	1	-	1	1	-	-	1	-	-	1	2	-	-	1	1	2	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	-	1	2	1	-	2	2	-	-	-	-	-	-
	F	11	-	1	-	-	1	-	-	-	-	3	2	-	1	-	2	-	1	-	-	-	-	-
600	Infections of kidney	180	1	-	-	1	-	2	2	5	5	5	11	13	23	21	24	16	20	17	10	4	-	-
	White—M	53	1	-	-	-	-	-	-	2	-	1	1	1	4	4	9	6	10	7	4	3	-	-
	F	66	-	-	-	1	-	1	2	1	3	-	2	6	6	4	7	9	9	10	5	-	-	-
	Nonwhite—M	35	-	-	-	-	-	1	-	1	1	1	4	3	10	7	5	1	-	-	1	-	-	-
	F	26	-	-	-	-	-	-	-	1	1	3	4	3	3	6	3	-	1	-	-	1	-	-
610	Hyperplasia of prostate	89	1	-	-	-	-	-	-	-	-	-	-	2	2	7	9	15	24	14	8	6	1	-
	White—M	59	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	11	18	9	7	5	-	-
	Nonwhite—M	30	1	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	6	5	1	1	1	-
640-689	Complications of pregnancy, etc.*	46	...	...	...	-	7	7	6	11	11	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	...	...	...	-	4	1	2	5	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	28	...	...	...	-	3	6	4	6	9	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	5	...	...	...	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	41	...	...	...	-	7	5	6	9	10	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	16	...	...	...	-	4	1	2	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	25	...	...	...	-	3	4	4	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	486	348	53	14	8	6	5	6	2	2	6	4	10	5	8	5	-	-	2	2	-	-	-
	White—M	200	143	22	7	1	2	1	3	-	-	3	3	5	3	5	1	-	-	1	-	-	-	-
	F	178	129	18	6	6	2	1	1	1	1	2	1	4	1	2	1	-	-	1	1	-	-	-
	Nonwhite—M	61	43	4	1	1	2	3	2	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-
	F	47	33	9	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,855	1,855	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	674	674	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	476	476	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	785	785	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	909	909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	371	65	9	3	-	2	5	2	6	13	18	15	16	30	26	27	27	20	29	27	16	14	1
	White—M	125	21	2	1	-	-	1	-	1	5	4	7	5	13	11	9	9	9	7	13	4	3	-
	F	85	12	-	1	-	-	2	1	1	2	5	4	1	4	2	5	4	4	15	4	10	8	-
	Nonwhite—M	84	16	2	-	-	1	1	1	1	2	5	2	6	5	11	8	6	5	4	4	2	2	-
	F	77	16	5	1	-	1	1	-	3	4	4	2	4	8	2	5	8	2	3	6	-	1	1
Residual	All other diseases	1,494	160	44	21	17	16	19	32	53	67	72	85	94	116	131	146	141	114	81	63	11	7	4
	White—M	634	48	19	9	10	5	5	4	18	22	28	39	42	69	60	75	60	57	33	25	4	2	-
	F	427	40	11	8	3	4	1	10	10	13	16	19	19	21	34	39	59	44	35	31	4	4	2
	Nonwhite—M	247	39	7	2	1	5	6	8	11	14	16	20	27	17	24	16	12	6	9	3	2	1	1
	F	186	33	7	2	3	2	7	10	14	18	12	7	6	9	13	16	10	7	4	4	1	-	1
E800-E962	Accidents	2,138	117	129	75	63	166	181	109	138	164	132	126	114	83	93	74	81	89	91	71	36	5	1
	White—M	1,083	37	34	25	36	99	127	71	72	94	80	76	66	42	47	28	36	36	39	29	6	2	1
	F	442	25	28	11	9	31	12	16	18	24	17	19	20	9	15	22	21	38	44	36	24	3	-
	Nonwhite—M	446	33	30	21	14	29	38	18	41	38	27	24	23	28	26	21	14	11	4	3	3	-	-
	F	167	22	37	18	4	7	4	4	7	8	8	7	5	4	5	3	10	4	4	3	3	-	-
E810-E835	Motor vehicle accidents	774	5	16	28	19	101	124	62	66	72	45	51	35	35	35	27	26	15	7	4	-	1	-
	White—M	442	2	5	14	10	60	86	35	36	39	23	31	17	20	22	9	11	12	5	4	-	1	-
	F	143	3	4	6	7	25	10	14	9	13	9	9	10	4	2	10	5	2	1	-	-	-	-
	Nonwhite—M	159	-	2	4	2	12	28	10	21	16	11	11	6	10	10	7	7	1	1	-	-	-	-
	F	30	-	5	4	-	4	-	3	-	4	2	-	2	1	1	1	3	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,364	112	113	47	44	65	57	47	72	92	87	75	79	48	58	47	55	74	84	67	36	4	1
	White—M	641	35	29	11	26	39	41	36	36	55	57	45	49	22	25	19	25	24	34	25	6	1	1
	F	299	22	24	5	2	6	2	2	9	11	8	10	10	5	13	12	16	36	43	36	24	3	-
	Nonwhite—M	287	33	28	17	12	17	10	8	20	22	16	13	17	18	16	14	7	10	3	3	3	-	-
	F	137	22	32	14	4	3	4	1	7	4	6	7	3	3	4	2	7	4	4	3	3	-	-
E963, E970-E979	Suicide	426	-	-	-	4	10	24	23	50	37	49	49	45	43	35	21	16	12	6	2	-	-	-
	White—M	313	-	-	-	3	6	17	12	31	28	31	39	39	34	31	16	11	9	4	2	-	-	-
	F	75	-	-	-	1	2	5	6	10	6	14	8	3	7	2	4	5	1	1	-	-	-	-
	Nonwhite—M	31	-	-	-	-	1	2	5	6	1	4	2	2	2	2	1	-	2	1	-	-	-	-
	F	7	-	-	-	-	1	-	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	301	5	4	3	4	18	38	37	46	29	35	36	16	13	6	4	3	2	1	1	-	-	-
	White—M	73	-	2	2	1	5	9	6	12	2	11	13	4	3	1	1	-	-	1	-	-	-	-
	F	41	4	-	-	1	3	5	4	3	3	3	6	1	3	1	1	2	1	-	-	-	-	-
	Nonwhite—M	147	-	1	1	-	7	17	23	24	18	16	15	11	6	4	2	-	1	1	-	-	-	-
	F	40	1	1	-	2	3	7	4	7	6	5	2	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON																							
	All causes	25,500	1,712	268	142	124	198	190	205	272	407	572	915	1,207	1,541	2,004	2,847	3,435	3,560	2,927	1,914	815	235	10
	White--M	14,672	912	134	78	77	135	123	124	163	258	323	555	820	997	1,289	1,761	2,033	2,028	1,478	909	367	101	7
	F	9,994	619	109	57	43	51	44	63	79	125	215	320	335	487	666	1,007	1,335	1,480	1,409	985	436	127	2
	Nonwhite--M	519	97	14	4	2	10	19	6	12	16	21	20	38	41	32	53	45	38	28	12	5	5	1
	F	315	84	11	3	2	2	4	12	18	8	13	20	14	16	17	26	22	14	12	8	7	2	-
001-019	Tuberculosis, all forms	101	1	3	1	-	1	1	-	-	4	5	6	10	13	13	12	14	8	3	3	3	-	-
	White--M	63	1	-	-	-	-	-	-	-	2	2	5	9	6	10	7	12	5	2	2	-	-	-
	F	21	-	1	-	-	-	1	-	-	2	1	1	-	1	2	3	2	2	1	1	3	-	-
	Nonwhite--M	11	-	-	-	-	1	-	-	-	-	2	-	1	4	-	2	-	1	-	-	-	-	-
	F	6	-	2	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	91	1	1	-	-	1	1	-	-	4	3	5	9	13	13	11	14	7	2	3	3	-	-
	White--M	60	1	-	-	-	-	-	-	-	2	2	4	8	6	10	7	12	5	1	2	-	-	-
	F	19	-	-	-	-	-	1	-	-	2	1	1	-	1	2	2	2	2	1	1	3	-	-
	Nonwhite--M	8	-	-	-	-	1	-	-	-	-	-	-	1	4	-	2	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	10	-	2	1	-	-	-	-	-	-	2	1	1	-	-	1	-	1	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	50	-	-	-	-	-	-	1	-	-	-	1	4	5	5	12	8	9	2	3	-	-	-
	White--M	38	-	-	-	-	-	-	1	-	-	-	1	3	5	5	7	7	6	-	3	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	3	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	8	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	4	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Resid-ual[1]	Other infective and parasitic diseases	70	11	5	2	-	-	1	1	3	2	2	1	6	1	9	4	8	4	8	1	1	-	-
	White--M	38	8	2	1	-	-	-	1	1	-	2	1	3	1	6	2	3	2	4	-	1	-	-
	F	27	1	2	1	-	-	1	-	2	2	-	-	2	-	3	2	4	2	4	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*	4,066	4	37	18	15	15	16	31	39	84	118	224	294	394	467	565	573	554	358	192	53	15	-
	White--M	2,177	2	18	12	9	11	12	19	14	40	38	73	153	201	269	319	336	329	193	100	21	8	-
	F	1,798	2	17	6	6	4	4	11	21	44	78	139	130	187	193	229	228	212	162	88	30	7	-
	Nonwhite--M	58	-	2	-	-	-	-	-	-	-	-	6	8	4	3	11	6	12	2	3	1	-	-
	F	33	-	-	-	-	-	-	1	4	-	2	6	3	2	2	6	3	1	1	1	1	-	-
140-148	Of buccal cavity and pharynx	79	-	-	1	-	-	2	-	1	1	1	5	9	10	12	9	9	11	5	2	1	-	-
	White--M	57	-	-	-	-	-	2	-	-	1	-	4	6	8	9	8	5	7	4	2	1	-	-
	F	19	-	-	1	-	-	-	-	1	-	1	1	1	2	3	1	4	3	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,354	1	1	-	-	1	-	1	8	19	24	49	74	109	167	183	226	232	149	82	22	6	-
	White--M	732	1	1	-	-	-	-	1	4	9	14	28	45	54	89	107	130	125	78	35	7	4	-
	F	582	-	-	-	-	1	-	-	2	10	10	18	28	54	75	68	88	98	69	45	14	2	-
	Nonwhite--M	29	-	-	-	-	-	-	-	-	-	-	2	1	1	1	7	6	8	2	1	-	-	-
	F	11	-	-	-	-	-	-	-	2	-	-	1	-	-	2	1	2	1	-	1	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)—	598	-	-	-	-	-	-	1	2	12	13	25	72	82	111	123	62	65	23	6	1	-	-
	White——M—	509	-	-	-	-	-	-	1	-	11	7	16	58	75	106	104	56	53	18	4	-	-	-
	F—	76	-	-	-	-	-	-	-	1	1	6	8	12	5	3	14	6	12	5	2	1	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-
170	Of breast—	377	-	-	-	1	-	-	1	5	12	24	47	39	42	39	50	44	33	23	10	5	2	-
	White——M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F—	370	-	-	-	1	-	-	1	5	12	23	45	39	42	38	48	44	33	23	9	5	2	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs—	619	-	-	-	-	-	4	9	7	13	27	37	39	54	50	60	100	86	70	45	13	5	-
	White——M—	286	-	-	-	-	-	3	7	2	4	-	2	5	9	14	23	63	54	51	36	9	4	-
	F—	318	-	-	-	-	-	1	1	5	9	26	33	32	43	36	35	36	29	19	8	4	1	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
	F—	11	-	-	-	-	-	-	1	-	-	1	2	2	2	-	2	1	-	-	-	-	-	-
180, 181	Of urinary organs—	182	-	2	1	-	-	-	-	1	2	2	10	11	14	20	26	32	26	20	12	3	-	-
	White——M—	119	-	1	-	-	-	-	-	-	-	1	4	10	7	15	16	23	23	10	8	1	-	-
	F—	59	-	1	1	-	-	-	-	1	2	1	4	-	7	5	9	9	3	10	4	2	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	438	1	11	6	9	7	5	10	4	14	7	28	29	43	38	57	46	51	37	26	7	2	-
	White——M—	218	1	5	4	5	5	4	5	2	10	4	11	14	20	19	28	20	31	16	11	3	-	-
	F—	214	-	6	2	4	2	1	5	2	4	3	16	13	22	19	29	26	20	20	15	3	2	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
204	Leukemia and aleukemia—	209	2	20	10	4	2	2	5	3	6	10	7	11	12	13	22	29	30	17	4	-	-	-
	White——M—	129	-	9	8	3	2	1	2	2	3	6	2	8	10	8	11	21	22	10	1	-	-	-
	F—	78	2	9	2	1	-	1	3	1	3	4	5	3	2	5	11	8	8	7	3	-	-	-
	Nonwhite—M—	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	210	-	3	-	1	5	3	4	8	5	10	16	10	28	17	35	25	20	14	5	1	-	-
	White——M—	124	-	2	-	1	4	2	3	4	2	6	6	7	18	8	20	18	14	6	3	-	-	-
	F—	82	-	1	-	-	1	1	1	3	3	4	9	2	10	9	14	7	6	8	2	1	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms—	86	3	3	4	1	1	-	5	3	7	6	7	10	10	2	4	9	3	3	3	1	1	-
	White——M—	36	2	3	2	-	1	-	2	-	2	1	3	6	6	1	-	3	1	-	2	-	1	-
	F—	47	1	-	2	1	-	-	2	3	5	5	4	3	4	1	4	6	2	2	1	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
241	Asthma—	81	1	1	-	-	-	-	1	-	1	1	5	8	5	13	10	7	15	7	3	2	1	-
	White——M—	46	-	-	-	-	-	-	-	-	-	-	-	5	4	7	7	5	10	4	2	1	1	-
	F—	32	1	1	-	-	-	-	1	-	1	1	5	2	1	6	2	1	5	3	1	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	372	-	1	2	2	-	-	4	6	11	4	6	15	17	31	53	90	62	43	22	3	-	-
	White——M—	154	-	-	-	1	-	-	-	3	8	1	2	8	10	13	20	34	25	17	11	1	-	-
	F—	211	-	1	1	1	-	-	4	3	3	2	4	7	6	18	32	54	37	25	11	2	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F—	5	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
290-293	Anemias—	43	1	-	1	-	2	-	1	-	-	1	-	-	-	6	3	8	7	6	4	3	-	-
	White——M—	21	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	5	3	2	3	2	-	-
	F—	20	-	-	1	-	2	-	1	-	-	1	-	-	-	2	1	2	4	4	1	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*—	24	9	5	4	1	1	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-
	White——M—	15	3	5	2	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-
	F—	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	13,911	11	8	9	8	13	16	21	46	115	189	390	538	789	1,141	1,774	2,195	2,417	2,064	1,397	593	172	5
	White——M—	8,037	9	2	5	5	7	6	11	29	75	128	294	408	560	761	1,104	1,270	1,360	1,024	638	267	70	4
	F—	5,577	1	5	2	2	5	7	8	10	34	49	82	108	198	355	626	884	1,026	1,015	744	320	95	1
	Nonwhite—M—	189	-	1	2	-	-	2	-	1	4	7	6	17	23	16	30	28	19	18	8	2	5	-
	F—	108	1	-	-	1	1	1	2	6	2	5	8	5	8	9	14	13	12	7	7	4	2	-
330-334, 400-468	Dis. of cardiovascular system—	13,789	11	7	7	7	11	11	20	41	110	186	382	529	783	1,136	1,761	2,174	2,408	2,054	1,383	591	172	5
	White——M—	7,971	9	2	4	4	7	2	10	25	72	126	290	401	555	760	1,097	1,258	1,359	1,018	632	266	70	4
	F—	5,528	1	4	2	2	3	6	8	10	32	48	79	107	197	351	622	875	1,019	1,011	736	319	95	1
	Nonwhite—M—	183	-	1	1	-	-	2	-	-	4	7	6	16	23	16	28	28	18	18	8	2	5	-
	F—	107	1	-	-	1	1	1	2	6	2	5	7	5	8	9	14	13	12	7	7	4	2	-
330-334	Vascular lesions, etc.*—	3,229	6	3	3	-	3	3	7	10	16	31	45	80	115	183	341	523	658	617	379	161	44	1
	White——M—	1,576	5	1	2	-	2	-	4	6	7	17	21	45	64	93	169	260	346	285	165	69	16	1
	F—	1,585	1	1	1	-	1	3	3	4	9	11	20	27	45	82	165	254	301	331	210	91	25	-
	Nonwhite—M—	37	-	1	-	-	-	-	-	-	-	1	1	5	5	3	3	6	6	3	1	-	2	-
	F—	31	-	-	-	-	-	-	-	-	-	2	3	3	1	5	4	3	5	-	3	1	1	-
400-402, 410-443	Diseases of heart—	9,658	5	2	4	6	6	4	12	27	84	146	320	430	639	896	1,338	1,511	1,609	1,288	879	351	97	4
	White——M—	5,889	4	1	2	3	5	-	6	18	61	108	261	343	470	631	871	909	922	654	413	164	40	3
	F—	3,564	-	1	1	2	1	2	4	5	18	29	51	75	145	249	434	572	668	615	456	182	53	1
	Nonwhite—M—	142	-	-	1	-	-	2	-	-	4	6	5	10	18	13	25	21	12	13	7	2	3	-
	F—	63	1	-	-	1	-	-	2	4	1	3	3	2	6	3	8	9	7	6	3	3	1	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.—	342	-	-	2	2	3	2	7	9	24	27	38	27	40	43	42	34	24	11	7	-	-	-
	White——M—	152	-	-	1	-	3	-	3	6	13	14	21	11	15	17	19	12	10	4	3	-	-	-
	F—	181	-	-	-	1	-	2	2	2	11	12	17	16	25	26	20	22	14	7	4	-	-	-
	Nonwhite—M—	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F—	6	-	-	-	1	-	-	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-

*For complete category title, see table 61A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																							
420	Arteriosclerotic heart dis., etc.*	7,231	-	-	-	1	-	1	3	14	50	100	246	358	496	717	1,067	1,183	1,205	919	577	229	63	2
	White-----M--	4,763	-	-	-	1	-	-	2	11	44	83	217	303	399	542	744	764	710	499	297	116	29	2
	F--	2,343	-	-	-	-	-	-	1	2	5	14	23	46	85	166	303	395	483	406	273	109	32	-
	Nonwhite--M--	88	-	-	-	-	-	1	-	-	1	2	4	8	7	7	18	17	7	9	4	1	2	-
	F--	37	-	-	-	-	-	-	-	1	-	1	2	1	5	2	2	7	5	5	3	3	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	673	2	1	-	1	1	-	-	1	2	1	12	8	24	29	53	80	123	140	116	60	17	2
	White-----M--	334	1	1	-	1	1	-	-	1	2	1	10	6	14	21	32	34	74	64	46	20	4	1
	F--	320	-	-	-	-	-	-	-	-	-	-	1	2	6	8	17	45	45	74	70	40	11	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	1	2	2	-	-	1	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	1	-
430-434	Other diseases of heart---------	427	3	1	2	2	2	1	2	1	8	10	7	22	31	34	51	53	62	65	40	26	4	-
	White-----M--	246	3	-	1	1	1	-	1	-	2	7	4	17	18	20	28	32	39	36	19	15	2	-
	F--	162	-	1	1	1	1	-	1	-	2	1	3	5	8	12	21	21	22	29	21	10	2	-
	Nonwhite--M--	15	-	-	-	-	-	1	-	-	3	1	-	-	5	2	1	-	1	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertensive heart disease----	985	-	-	-	-	-	-	-	2	-	8	17	15	48	73	125	161	195	153	139	36	13	-
	White-----M--	394	-	-	-	-	-	-	-	-	-	3	9	6	24	31	48	67	89	51	48	13	5	-
	F--	558	-	-	-	-	-	-	-	1	-	2	7	6	21	37	73	89	104	99	88	23	8	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	2	-	2	3	4	3	3	2	2	3	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	2	-	1	-	-	-	-
444-447	Other hypertensive disease-----	126	-	-	-	-	1	-	-	2	1	2	7	8	5	11	15	22	19	15	12	5	1	-
	White-----M--	62	-	-	-	-	-	-	-	1	-	-	3	3	2	5	9	12	12	6	6	3	-	-
	F--	59	-	-	-	-	-	-	-	-	1	2	4	4	2	6	6	9	7	9	6	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis--------	493	-	-	-	-	-	-	-	-	-	1	1	2	7	12	26	68	76	104	95	72	29	-
	White-----M--	258	-	-	-	-	-	-	-	-	-	-	1	2	5	6	19	44	43	56	41	28	13	-
	F--	228	-	-	-	-	-	-	-	-	-	1	-	-	2	5	6	23	33	45	53	44	16	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	283	-	2	-	1	1	4	1	2	9	6	9	9	17	34	41	50	46	30	18	2	1	-
	White-----M--	186	-	-	-	1	-	2	-	-	4	1	4	8	14	25	29	33	36	19	7	2	1	-
	F--	92	-	2	-	-	1	1	1	1	4	5	4	1	3	9	11	17	10	11	11	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	122	-	1	2	1	2	5	1	5	5	3	8	9	6	5	13	21	9	10	14	2	-	-
	White-----M--	66	-	-	1	1	-	4	1	4	3	2	4	7	5	1	7	12	1	6	6	1	-	-
	F--	49	-	1	-	-	2	1	-	-	2	1	3	1	1	4	4	9	7	4	8	1	-	-
	Nonwhite--M--	6	-	-	1	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	868	200	31	3	4	3	6	4	4	11	11	24	23	25	28	37	84	98	113	85	60	14	-
	White-----M--	487	103	11	2	1	1	1	1	3	5	5	13	15	18	20	27	63	54	59	48	29	8	-
	F--	317	58	14	1	3	2	5	2	-	3	6	8	7	6	8	9	18	43	53	36	29	6	-
	Nonwhite--M--	39	23	4	-	-	-	-	-	-	3	-	1	1	1	-	1	2	-	1	1	1	-	-
	F--	25	16	2	-	-	-	-	1	1	-	-	2	-	-	-	-	1	1	-	-	1	-	-
480-483	Influenza---------	35	2	-	-	-	-	-	-	-	-	-	1	3	2	-	2	6	4	7	1	6	1	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	1	2	1	2	-	-
	F--	21	2	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	3	5	-	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	833	198	31	3	4	3	6	4	4	11	11	23	20	23	28	35	78	94	106	84	54	13	-
	White-----M--	474	103	11	2	1	1	1	1	3	5	5	13	14	17	20	26	59	53	57	47	27	8	-
	F--	296	56	14	1	3	2	5	2	-	3	6	7	5	6	8	8	16	40	48	36	25	5	-
	Nonwhite--M--	38	23	4	-	-	-	-	-	-	3	-	1	1	-	-	1	2	-	1	1	1	-	-
	F--	25	16	2	-	-	-	-	1	1	-	-	2	-	-	-	-	1	1	-	-	1	-	-
500-502	Bronchitis--------	47	8	7	-	-	-	1	-	1	-	-	-	2	2	4	6	7	4	1	-	3	1	-
	White-----M--	32	4	3	-	-	-	-	-	1	-	-	-	1	1	4	6	5	4	1	-	2	-	-
	F--	14	4	4	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	171	1	-	1	-	-	-	-	1	1	3	4	17	9	22	24	28	25	15	17	3	-	-
	White-----M--	131	1	-	-	-	-	-	-	1	1	3	4	15	6	17	20	22	16	10	12	3	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	6	8	5	5	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	37	2	2	2	-	1	-	-	2	2	-	1	2	1	2	10	3	3	3	1	-	-	-
	White-----M--	20	2	2	-	-	-	-	-	2	1	-	1	1	-	-	6	1	2	2	-	-	-	-
	F--	15	-	-	2	-	1	-	-	-	1	-	-	1	-	1	4	2	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	125	14	1	2	-	-	1	-	-	1	5	4	2	3	7	14	23	17	19	8	3	1	-
	White-----M--	53	6	1	2	-	-	-	-	-	-	3	3	2	-	5	7	10	5	7	2	-	-	-
	F--	66	6	-	-	-	-	1	-	-	-	2	1	-	3	2	5	12	12	12	6	3	1	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*--	92	18	3	1	-	1	2	1	-	4	2	2	4	2	7	6	8	10	11	7	2	1	-
	White-----M--	43	4	1	1	-	-	1	1	-	3	1	1	3	-	3	4	4	5	5	4	2	-	-
	F--	33	4	-	-	-	1	-	-	-	-	1	1	-	1	4	2	4	5	6	3	-	1	-
	Nonwhite--M--	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	11	7	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	257	1	-	-	-	-	-	-	4	11	21	36	45	30	28	41	22	14	2	1	1	-	-
	White-----M--	148	-	-	-	-	-	-	-	1	6	8	23	28	15	17	30	13	6	-	1	-	-	-
	F--	96	1	-	-	-	-	-	-	2	2	12	12	14	13	10	10	9	8	2	-	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	1	-	3	1	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																							
584, 585	Cholelithiasis, etc.*	65	-	-	-	-	-	-	1	1	2	1	-	1	2	5	3	9	12	12	10	6	-	-
	White—M	29	-	-	-	-	-	-	-	-	2	-	-	1	1	3	1	3	6	8	3	1	-	-
	F	32	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	6	5	3	7	5	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	26	2	-	1	1	-	1	-	1	1	2	-	1	3	1	4	3	2	1	2	-	-	-
	White—M	20	2	-	-	-	-	1	-	1	1	1	-	1	1	1	4	3	1	1	2	-	-	-
	F	6	-	-	1	1	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	83	3	-	-	1	1	-	-	1	-	2	1	5	9	9	9	9	14	10	6	1	2	-
	White—M	39	2	-	-	1	-	-	-	1	-	1	-	1	3	5	5	4	8	7	1	-	-	-
	F	40	1	-	-	-	1	-	-	-	-	1	1	3	5	4	3	4	6	3	5	1	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate	80	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	10	20	20	13	4	1	-
	White—M	76	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	9	20	18	13	4	1	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
640-689	Complications of pregnancy, etc.*	10	...	...	...	-	-	1	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	...	...	...	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	...	...	...	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	9	...	...	...	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	...	...	...	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	361	246	29	11	9	14	7	4	1	5	5	4	5	8	2	3	4	4	-	-	-	-	-
	White—M	189	123	19	3	4	9	5	2	-	4	3	3	3	2	2	1	3	3	-	-	-	-	-
	F	143	95	9	8	5	5	2	2	1	1	2	1	2	6	-	2	1	1	-	-	-	-	-
	Nonwhite—M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,016	1,015	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	560	559	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	523	523	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	288	288	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	436	435	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	242	241	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	182	13	4	1	-	1	-	1	1	-	4	7	9	7	12	19	14	16	24	23	19	7	-
	White—M	98	6	1	-	-	1	-	-	-	-	3	5	7	6	6	14	8	11	10	8	8	4	-
	F	78	7	2	1	-	-	-	1	-	-	1	2	2	1	5	5	6	5	11	15	11	3	-
	Nonwhite—M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Residual	All other diseases	1,111	61	33	11	14	12	7	13	23	23	42	47	64	75	78	123	172	136	101	41	25	10	-
	White—M	675	33	16	8	8	7	3	3	11	15	21	30	43	52	52	84	117	85	55	18	11	3	-
	F	391	22	17	3	6	5	3	8	9	5	15	15	16	20	22	36	51	50	45	23	13	7	-
	Nonwhite—M	24	1	-	-	-	-	1	1	2	2	3	-	3	2	3	2	2	1	-	-	1	-	-
	F	21	5	-	-	-	-	-	1	1	1	3	2	2	1	1	1	2	-	1	-	-	-	-
E800-E962	Accidents	1,709	79	87	64	64	120	110	86	98	93	97	98	95	83	76	74	99	86	93	67	27	8	5
	White—M	1,130	38	46	39	43	89	84	70	74	73	70	60	70	60	51	53	70	47	41	33	12	4	3
	F	482	35	32	23	18	23	13	14	14	14	19	31	22	20	19	18	27	37	50	34	14	4	1
	Nonwhite—M	75	2	5	2	2	7	13	-	8	5	6	6	2	3	6	1	2	2	2	-	-	-	1
	F	22	4	4	-	1	1	-	2	2	1	2	1	1	-	-	2	-	-	-	-	1	-	-
E810-E835	Motor vehicle accidents	667	3	22	28	25	64	65	41	43	38	41	49	41	32	26	34	40	35	23	14	1	1	1
	White—M	446	-	13	14	15	41	50	29	30	28	29	25	26	20	14	29	30	24	15	12	1	1	-
	F	176	3	6	12	7	18	10	11	9	8	8	18	13	11	11	3	8	10	7	2	-	-	1
	Nonwhite—M	35	-	2	2	2	4	5	-	3	1	3	5	2	1	1	-	2	1	1	-	-	-	-
	F	10	-	1	-	1	1	-	1	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,042	76	65	36	39	56	45	45	55	55	56	49	54	51	50	40	59	51	70	53	26	7	4
	White—M	684	38	33	25	28	48	34	41	44	45	41	35	44	40	37	24	40	23	26	21	11	3	3
	F	306	32	26	11	11	5	3	3	5	6	11	13	9	9	8	15	19	27	43	32	14	4	-
	Nonwhite—M	40	2	3	-	-	3	8	-	5	4	3	1	-	2	5	1	-	1	1	-	-	-	1
	F	12	4	3	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-
E963, E970-E979	Suicide	367	-	-	-	3	9	9	18	28	22	39	41	42	43	27	27	25	18	8	5	2	1	-
	White—M	270	-	-	-	3	8	5	9	15	16	27	29	30	36	22	23	20	13	8	3	2	1	-
	F	87	-	-	-	-	1	3	5	12	6	12	11	11	6	5	4	5	4	-	2	-	-	-
	Nonwhite—M	7	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	63	-	2	-	-	3	7	9	6	4	10	6	5	4	3	3	-	1	-	-	-	-	-
	White—M	34	-	-	-	-	1	3	4	6	3	4	4	4	2	1	2	-	-	-	-	-	-	-
	F	17	-	2	-	-	1	1	2	-	-	4	2	1	2	1	-	-	1	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	1	2	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA																							
	All causes------	17,714	1,167	194	116	102	147	183	185	242	349	511	660	936	1,160	1,504	1,962	2,219	2,178	1,982	1,316	456	125	18
	White-----M---	9,916	660	100	67	71	99	127	115	151	206	329	424	598	702	911	1,101	1,222	1,149	982	641	199	58	4
	F---	6,599	422	80	44	27	37	44	54	70	113	145	185	239	340	457	690	859	922	927	635	239	64	6
	Nonwhite--M---	723	46	7	3	4	9	7	10	14	20	23	35	57	72	86	110	92	59	40	18	7	1	3
	F---	476	39	7	4	-	2	5	6	7	10	14	16	42	46	50	61	46	48	33	22	11	2	5
001-019	Tuberculosis, all forms---------	163	2	1	1	-	-	1	8	11	8	11	21	12	21	16	8	17	15	4	5	1	-	-
	White-----M---	95	1	1	1	-	-	-	2	5	3	6	17	9	12	11	7	9	8	-	2	1	-	-
	F---	46	1	-	-	-	-	-	4	3	3	3	2	1	6	4	1	6	5	4	3	-	-	-
	Nonwhite--M---	17	-	-	-	-	-	-	1	2	1	1	2	2	3	1	-	2	2	-	-	-	-	-
	F---	5	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system-----	149	-	-	1	-	-	1	8	9	8	11	20	12	20	13	8	16	13	3	5	1	-	-
	White-----M---	84	-	-	1	-	-	-	2	3	3	6	16	9	11	8	7	8	7	-	2	1	-	-
	F---	43	-	-	-	-	-	-	4	3	3	3	2	1	6	4	1	6	4	3	3	-	-	-
	Nonwhite--M---	17	-	-	-	-	-	-	1	2	1	1	2	2	3	1	-	2	2	-	-	-	-	-
	F---	5	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	14	2	1	-	-	-	-	-	2	-	-	1	-	1	3	-	1	2	1	-	-	-	-
	White-----M---	11	1	1	-	-	-	-	-	2	-	-	1	-	1	3	-	1	1	-	-	-	-	-
	F---	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	47	-	-	-	-	-	-	2	-	-	-	2	6	7	12	8	6	2	2	-	-	-	-
	White-----M---	29	-	-	-	-	-	-	1	-	-	-	-	3	5	10	4	3	1	2	-	-	-	-
	F---	8	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M---	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-	-	-
	F---	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
045-048	Dysentery, all forms----------	6	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M---	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	7	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M---	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	6	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	12	-	2	3	-	2	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	6	-	1	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	7	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	18	6	5	3	3	1	3	1	2	3	1	3	3	1	3	3	4	1	-	1	1	-	-
	White-----M---	18	3	3	-	1	1	1	-	-	-	-	1	1	1	1	1	2	1	-	1	-	-	-
	F---	22	1	2	2	1	-	2	1	1	3	1	2	1	-	-	2	2	-	-	-	1	-	-
	Nonwhite--M---	4	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F---	4	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	2,455	4	15	9	16	16	17	14	22	44	96	146	199	243	292	395	318	289	195	87	33	2	3
	White-----M---	1,231	1	11	3	11	9	14	9	2	13	47	60	98	124	159	200	158	149	101	45	17	-	-
	F---	1,070	3	4	6	5	6	3	5	18	26	44	81	87	97	110	165	142	125	85	40	15	2	1
	Nonwhite--M---	81	-	-	-	-	1	-	-	1	2	1	4	5	7	13	18	12	8	6	1	1	-	1
	F---	73	-	-	-	-	-	-	-	1	3	4	1	9	15	10	12	6	7	3	1	-	-	1
140-148	Of buccal cavity and pharynx-------	64	-	-	-	-	2	-	-	-	-	2	4	9	7	11	8	7	8	4	2	-	-	-
	White-----M---	42	-	-	-	-	-	-	-	-	-	1	3	6	5	5	8	5	4	3	2	-	-	-
	F---	15	-	-	-	-	1	-	-	-	-	-	1	3	-	4	-	2	3	1	-	-	-	-
	Nonwhite--M---	5	-	-	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	F---	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	783	1	-	-	-	-	3	2	-	7	16	41	58	57	90	144	121	117	80	35	8	1	2
	White-----M---	395	1	-	-	-	-	2	1	-	4	13	16	36	29	54	71	58	55	39	14	2	-	-
	F---	345	-	-	-	-	-	1	1	-	2	3	24	17	23	32	62	56	60	36	20	6	1	1
	Nonwhite--M---	29	-	-	-	-	-	-	-	-	1	-	1	2	3	3	10	4	-	4	1	-	-	-
	F---	14	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	2	1	-	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																							
160-164	Malignant neoplasm of resp. system (not secondary)	370	-	-	-	-	-	-	1	2	3	18	26	34	64	51	68	45	33	18	4	2	-	1
	White—M	287	-	-	-	-	-	-	-	-	3	14	23	27	54	45	52	35	23	9	1	1	-	-
	F	62	-	-	-	-	-	-	1	1	-	3	2	5	8	4	13	8	5	8	3	1	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	1	-	1	1	2	2	1	3	2	4	1	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
170	Of breast	188	-	-	-	-	-	-	1	3	10	16	19	22	18	23	21	21	11	12	7	3	1	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
	F	170	-	-	-	-	-	-	1	3	8	15	19	21	13	17	19	20	11	12	7	3	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	2	1	-	1	4	3	2	1	-	-	-	-	-	-
171-179	Of genital organs	372	-	-	-	1	-	1	2	8	11	18	23	35	29	33	46	46	49	40	20	10	-	-
	White—M	142	-	-	-	1	-	1	-	1	1	2	-	-	4	9	21	15	30	32	18	7	-	-
	F	198	-	-	-	-	-	-	2	7	10	15	23	31	19	22	19	26	15	6	1	2	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	-	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	-	4	6	1	5	1	2	1	1	-	-	-
180, 181	Of urinary organs	110	-	2	-	1	-	-	-	1	1	1	6	6	18	22	19	8	13	8	4	-	-	-
	White—M	56	-	2	-	1	-	-	-	-	-	1	3	3	8	13	6	5	9	2	3	-	-	-
	F	47	-	-	-	-	-	-	-	1	1	-	2	1	10	7	12	3	3	6	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	329	-	4	4	7	8	5	3	4	7	19	17	13	32	33	48	47	36	21	12	9	-	-
	White—M	161	-	3	-	4	6	4	3	1	2	11	9	9	12	16	20	25	14	11	5	6	-	-
	F	149	-	1	4	3	2	1	-	2	4	7	7	4	19	14	22	20	20	9	7	3	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	1	1	1	-	1	3	3	1	1	1	-	-	-	-
204	Leukemia and aleukemia	117	3	7	3	4	3	3	-	4	1	1	2	11	9	11	20	11	13	8	2	1	-	-
	White—M	68	-	5	2	2	1	3	-	-	1	1	1	8	6	7	9	7	9	4	1	1	-	-
	F	47	3	2	1	2	2	-	-	4	-	-	1	3	2	3	11	4	4	4	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	122	-	2	2	3	3	5	5	-	4	5	8	11	9	18	21	12	9	4	1	-	-	-
	White—M	76	-	1	1	3	2	4	5	-	2	4	5	9	5	7	13	8	5	1	1	-	-	-
	F	37	-	1	1	-	1	1	-	-	1	1	2	2	3	7	7	3	4	3	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	58	-	2	1	1	3	1	3	-	4	4	3	5	2	6	9	8	4	1	1	-	-	-
	White—M	31	-	1	-	1	3	1	2	-	2	1	1	3	2	3	4	5	1	1	-	-	-	-
	F	22	-	1	1	-	-	-	1	-	1	2	2	1	-	3	4	2	3	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
241	Asthma	50	1	3	-	1	1	1	-	-	1	3	5	5	2	6	10	3	6	1	1	-	-	-
	White—M	31	-	1	-	-	-	-	-	-	-	1	2	5	2	5	7	2	5	-	1	-	-	-
	F	18	1	2	-	1	1	1	-	-	1	2	3	-	-	1	2	1	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	280	-	-	-	-	-	3	5	7	2	6	5	16	31	22	43	57	41	24	15	3	-	-
	White—M	101	-	-	-	-	-	3	3	3	2	4	3	3	7	10	9	23	14	8	7	2	-	-
	F	158	-	-	-	-	-	-	2	2	-	1	2	12	19	11	28	31	26	15	8	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	1	-	1	-	1	4	1	3	3	1	1	-	-	-	-
290-293	Anemias	49	1	-	2	-	-	-	-	1	-	-	1	4	2	2	7	3	9	7	7	3	-	-
	White—M	25	1	-	1	-	-	-	-	-	-	-	1	2	2	1	2	2	4	4	3	2	-	-
	F	19	-	-	1	-	-	-	-	1	-	-	-	1	-	-	4	-	5	3	3	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*	21	5	4	1	-	2	1	1	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-
	White—M	11	3	2	1	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	2	1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,632	5	5	8	12	11	22	24	38	106	192	281	464	608	853	1,190	1,481	1,495	1,442	982	310	93	10
	White—M	5,331	1	3	3	6	4	9	11	21	64	127	194	322	398	525	693	828	786	701	464	128	41	2
	F	3,695	4	-	5	5	5	10	10	16	35	50	60	91	150	252	396	564	638	691	486	174	49	4
	Nonwhite—M	352	-	1	-	1	2	2	1	1	5	11	14	25	38	48	64	59	37	26	13	2	1	1
	F	254	-	1	-	-	-	1	2	-	2	4	13	26	22	28	37	30	34	24	19	6	2	3
330-334, 400-468	Dis. of cardiovascular system	9,453	5	5	7	8	9	21	15	36	98	182	272	452	598	840	1,174	1,464	1,483	1,419	961	303	91	10
	White—M	5,235	1	3	2	4	4	9	6	20	60	123	187	314	394	516	682	820	778	690	456	124	40	2
	F	3,632	4	-	5	4	3	9	8	15	31	48	58	88	149	249	393	555	634	681	475	171	48	4
	Nonwhite—M	336	-	1	-	-	2	2	-	1	5	7	14	24	34	47	63	59	37	25	11	2	1	1
	F	250	-	1	-	-	-	1	1	-	2	4	13	26	21	28	36	30	34	23	19	6	2	3
330-334	Vascular lesions, etc.*	2,126	3	-	2	3	1	6	2	8	20	25	32	78	89	129	252	338	400	389	244	80	20	5
	White—M	1,044	-	-	1	-	-	1	1	1	8	14	12	42	45	60	124	182	215	188	118	23	8	1
	F	933	3	-	1	3	-	4	1	7	11	8	15	23	28	54	109	134	162	186	118	54	10	2
	Nonwhite—M	83	-	-	-	-	1	1	-	-	-	1	3	8	10	14	11	14	6	10	2	1	1	-
	F	66	-	-	-	-	-	-	-	-	1	2	2	5	6	1	8	8	17	5	6	2	1	2
400-402, 410-443	Diseases of heart	6,590	2	4	5	5	7	13	13	27	71	153	222	349	478	670	843	1,010	970	896	618	179	50	5
	White—M	3,809	1	3	1	4	3	8	5	19	48	107	166	258	331	436	511	565	508	437	288	83	26	1
	F	2,403	1	-	4	1	3	4	7	7	17	38	38	57	112	187	261	386	423	431	310	91	23	2
	Nonwhite—M	220	-	1	-	-	1	1	-	1	5	6	9	16	22	25	48	39	24	12	8	1	-	1
	F	158	-	-	-	-	-	-	1	-	1	2	9	18	13	22	23	20	15	16	12	4	1	1
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	174	-	-	1	2	4	6	6	6	14	15	23	19	10	15	14	11	15	6	6	1	-	-
	White—M	77	-	-	-	2	1	5	1	4	8	6	10	9	6	10	4	2	6	1	2	-	-	-
	F	91	-	-	1	-	2	1	4	2	6	8	12	9	4	4	10	9	9	5	4	1	-	-
	Nonwhite—M	4	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

546125 O - 60 - 33

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																							
420	Arteriosclerotic heart dis., etc.*	4,521	-	-	-	-	1	2	5	20	42	106	158	267	364	510	624	737	613	571	366	103	30	2
	White-----M--	2,816	-	-	-	-	1	1	4	14	33	86	131	213	277	339	411	436	341	291	173	47	18	-
	F--	1,487	-	-	-	-	-	1	1	5	6	17	16	34	65	141	170	264	252	266	182	56	11	-
	Nonwhite--M--	132	-	-	-	-	-	-	-	1	3	3	5	9	15	19	28	24	12	7	5	-	-	1
	F--	86	-	-	-	-	-	-	-	-	-	-	6	11	7	11	15	13	8	7	6	-	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	656	-	1	-	-	-	1	-	1	4	5	10	17	17	36	57	89	125	130	123	29	10	1
	White-----M--	336	-	-	-	-	-	-	-	1	2	2	7	13	7	23	29	54	60	63	57	14	4	-
	F--	286	-	-	-	-	-	1	-	-	1	3	1	3	8	12	21	31	59	63	62	14	6	1
	Nonwhite--M--	23	-	1	-	-	-	-	-	-	1	-	2	1	1	-	6	3	4	1	2	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	2	-	-	-
430-434	Other diseases of heart----------	399	2	3	4	2	2	4	1	-	5	15	14	20	31	38	55	47	59	44	33	13	5	2
	White-----M--	226	1	3	1	1	1	2	-	-	2	10	9	10	21	24	28	22	36	24	22	6	2	1
	F--	141	1	-	3	1	1	1	1	-	3	4	4	5	9	7	17	23	21	20	11	5	3	1
	Nonwhite--M--	22	-	-	-	-	-	1	-	-	-	-	-	3	1	5	9	2	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	1	-	-	2	-	-
440-443	Hypertensive heart disease----	840	-	-	-	1	-	-	1	-	6	12	17	26	56	71	93	126	158	145	90	33	5	-
	White-----M--	354	-	-	-	1	-	-	-	-	3	3	9	13	20	40	39	51	65	58	34	16	2	-
	F--	398	-	-	-	-	-	-	1	-	1	6	5	6	26	23	43	59	82	77	51	15	3	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	1	2	1	2	5	1	5	10	7	4	1	-	-	-
	F--	49	-	-	-	-	-	-	-	-	1	1	2	5	5	7	6	6	4	6	4	2	-	-
444-447	Other hypertensive disease-----	186	-	-	-	-	-	-	-	1	3	1	5	15	7	13	20	28	32	36	20	4	1	-
	White-----M--	84	-	-	-	-	-	-	-	-	3	-	2	9	4	4	8	12	11	19	11	1	-	-
	F--	75	-	-	-	-	-	-	-	1	-	1	1	3	2	2	10	11	16	16	8	3	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	4	5	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	3	-	4	1	1	-	1	1	-	-	-
450	General arteriosclerosis---------	376	-	-	-	-	-	1	-	-	-	-	4	2	10	8	29	53	60	80	72	38	19	-
	White-----M--	196	-	-	-	-	-	-	-	-	-	-	2	1	8	4	17	38	30	38	36	17	5	-
	F--	161	-	-	-	-	-	1	-	-	-	-	1	1	1	2	8	12	26	39	35	21	14	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	175	-	1	-	-	1	1	-	-	4	3	9	8	14	20	30	35	21	18	7	2	1	-
	White-----M--	102	-	-	-	-	1	-	-	-	1	2	5	4	6	12	22	23	14	8	3	-	1	-
	F--	60	-	-	-	-	-	-	-	-	3	1	3	4	6	4	5	12	7	9	4	2	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	1	-	-	-	-
	F--	6	-	1	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	178	-	-	1	4	2	1	9	2	8	10	9	12	10	13	16	17	12	23	21	7	2	-
	White-----M--	96	-	-	1	2	-	-	5	1	4	4	7	8	4	9	11	8	8	11	8	4	1	-
	F--	63	-	-	-	1	2	1	2	1	4	2	2	3	1	3	3	9	4	10	11	3	1	-
	Nonwhite--M--	16	-	-	-	1	-	-	1	-	-	4	-	1	4	1	1	-	-	1	2	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	637	122	28	4	3	8	2	2	2	5	14	6	15	31	43	46	59	81	65	57	28	16	-
	White-----M--	333	62	13	1	-	3	1	1	1	4	8	4	7	18	28	26	34	40	32	30	11	9	-
	F--	254	46	13	3	3	2	1	1	-	1	5	1	3	11	13	15	23	37	28	27	14	7	-
	Nonwhite--M--	29	6	-	-	-	2	-	-	-	-	-	1	3	2	2	4	2	3	2	-	2	-	-
	F--	21	8	2	-	-	1	-	-	1	-	1	-	2	-	-	1	-	1	3	-	1	-	-
480-483	Influenza----------	68	6	2	-	-	-	-	-	-	-	2	1	1	6	5	5	11	12	4	7	5	1	-
	White-----M--	32	4	-	-	-	-	-	-	-	-	1	1	-	4	3	2	4	6	1	3	2	1	-
	F--	32	1	2	-	-	-	-	-	-	-	1	-	-	2	2	3	7	5	3	4	2	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	569	116	26	4	3	8	2	2	2	5	12	5	14	25	38	41	48	69	61	50	23	15	-
	White-----M--	301	58	13	1	-	3	1	1	1	4	7	3	7	14	25	24	30	34	31	27	9	8	-
	F--	222	45	11	3	3	2	1	1	-	1	4	1	3	9	11	12	16	32	25	23	12	7	-
	Nonwhite--M--	25	5	-	-	-	2	-	-	-	-	-	1	2	2	2	4	2	2	2	-	1	-	-
	F--	21	8	2	-	-	1	-	-	1	-	1	-	2	-	-	1	-	1	3	-	1	-	-
500-502	Bronchitis----------	38	8	4	1	-	1	-	-	-	-	-	1	-	2	5	5	3	3	1	3	1	-	-
	White-----M--	28	6	4	-	-	1	-	-	-	-	-	1	-	2	4	4	2	3	-	-	1	-	-
	F--	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	99	1	1	-	-	-	-	-	4	2	6	5	9	7	12	16	17	7	9	3	-	-	-
	White-----M--	77	1	1	-	-	-	-	-	3	2	6	5	9	3	10	11	12	5	7	2	-	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	-	-	3	1	5	5	2	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	22	-	-	1	-	-	1	-	-	1	4	1	2	-	1	1	5	4	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	4	4	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	103	9	-	-	1	-	1	-	1	2	3	5	1	6	19	7	16	12	11	7	1	-	1
	White-----M--	45	3	-	-	1	-	1	-	-	-	-	2	1	1	10	4	8	6	2	5	-	-	1
	F--	48	4	-	-	-	-	-	-	-	1	3	3	-	4	8	3	6	5	9	2	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	1	-	-
543, 571, 572	Gastritis, etc.*--	53	21	3	2	-	-	1	-	1	-	2	1	1	4	4	3	2	-	4	3	1	-	-
	White-----M--	28	11	2	1	-	-	-	-	1	-	1	1	-	3	3	2	2	-	-	1	-	-	-
	F--	19	5	-	1	-	-	1	-	-	-	1	-	1	1	1	1	-	-	4	2	1	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	139	1	1	1	-	-	-	1	1	11	9	13	17	13	15	16	16	12	8	4	-	-	-
	White-----M--	82	-	1	-	-	-	-	-	-	5	6	7	12	9	10	12	11	5	3	1	-	-	-
	F--	49	1	-	1	-	-	-	1	-	6	3	5	4	1	4	4	5	7	5	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																							
584, 585	Cholelithiasis, etc.*----------	41	-	-	-	-	-	-	-	1	-	1	-	1	3	6	13	6	3	2	4	1	-	-
	White-----M---	18	-	-	-	-	-	-	-	-	-	1	-	-	1	5	5	3	-	1	2	-	-	-
	F---	23	-	-	-	-	-	-	-	1	-	-	-	1	2	1	8	3	3	1	2	1	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	32	-	-	3	-	2	1	1	1	-	-	1	-	4	-	2	5	2	3	2	5	-	-
	White-----M---	15	-	-	3	-	1	-	-	1	-	-	1	-	3	-	-	1	1	2	1	1	-	-
	F---	13	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	4	1	1	1	2	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-
600	Infections of kidney----------	69	-	-	-	-	1	2	-	1	4	3	4	3	7	10	7	9	8	4	3	3	-	-
	White-----M---	35	-	-	-	-	-	-	-	-	1	1	4	3	4	4	4	4	3	2	2	3	-	-
	F---	27	-	-	-	-	1	2	-	1	3	2	-	-	2	4	2	4	4	2	-	-	-	-
	Nonwhite--M---	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
610	Hyperplasia of prostate----------	54	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	12	18	7	2	1	-
	White-----M---	49	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	9	18	7	2	1	-
	Nonwhite--M---	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	19	...	...	...	-	-	5	6	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F---	16	...	...	...	-	-	4	5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	3	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	3	...	...	...	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F---	2	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*-----	16	...	...	...	-	-	5	5	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F---	14	...	...	...	-	-	4	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F---	2	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	236	172	29	7	3	5	2	1	5	1	3	1	1	2	1	1	2	-	-	-	-	-	-
	White-----M---	132	98	15	4	3	2	1	-	3	1	2	-	-	2	-	-	1	-	-	-	-	-	-
	F---	94	68	12	3	-	2	1	1	2	-	1	1	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M---	6	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	670	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	309	309	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*----	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	387	31	6	3	2	1	4	5	5	10	9	12	11	14	25	31	27	46	53	52	30	9	1
	White-----M---	217	18	3	2	1	-	1	1	3	6	6	10	9	6	9	15	19	28	30	29	16	5	-
	F---	127	11	3	1	1	1	3	3	-	3	2	1	1	4	10	7	6	15	20	20	11	4	-
	Nonwhite--M---	25	1	-	-	-	-	-	1	1	1	-	1	-	4	3	5	-	2	2	2	2	-	-
	F---	18	1	-	-	-	-	-	-	1	-	1	-	1	-	3	4	2	1	1	1	1	-	1
Residual	All other diseases	771	46	26	17	13	6	11	13	19	17	38	39	51	68	76	84	83	61	65	26	11	1	-
	White-----M---	454	26	9	11	8	5	7	5	9	6	24	26	29	37	53	54	50	38	36	14	6	1	-
	F	255	15	16	5	5	1	4	6	7	11	10	10	13	26	14	24	25	19	27	12	5	-	-
	Nonwhite--M---	52	4	1	-	-	-	-	2	1	-	3	2	9	5	6	6	7	4	2	-	-	-	-
	F---	10	1	-	1	-	-	-	-	2	-	1	1	-	-	3	-	1	-	-	-	-	-	-
E800-E962	Accidents----------	1,205	44	49	45	46	78	85	79	92	90	67	76	72	57	46	37	54	58	59	45	20	3	3
	White-----M---	844	16	26	31	38	63	72	65	80	76	57	61	57	39	26	21	24	31	29	23	7	1	1
	F---	283	21	20	11	6	12	9	10	9	9	7	8	8	11	16	11	23	26	28	22	13	2	1
	Nonwhite--M---	62	3	2	1	2	3	3	4	3	5	3	7	7	7	2	4	4	-	1	-	-	-	1
	F---	16	4	1	2	-	-	1	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-
E810-E835	Motor vehicle accidents---------	405	-	8	22	11	49	54	38	33	38	19	27	19	19	15	15	13	13	8	4	-	-	-
	White-----M---	317	-	4	17	11	39	47	31	28	32	16	22	13	12	9	11	8	8	6	3	-	-	-
	F---	70	-	4	4	-	8	6	4	4	6	3	4	4	6	4	3	4	4	1	1	-	-	-
	Nonwhite--M---	15	-	-	-	-	2	1	3	1	-	-	1	2	1	2	1	-	-	1	-	-	-	-
	F---	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
E800-E802, E840-E962	Other accidents----	800	44	41	23	35	29	31	41	59	52	48	49	53	38	31	22	41	45	51	41	20	3	3
	White-----M---	527	16	22	14	27	24	25	34	52	44	41	39	44	27	17	10	16	23	23	20	7	1	1
	F---	213	21	16	7	6	4	3	6	5	3	4	4	4	5	12	8	19	22	27	21	13	2	1
	Nonwhite--M---	47	3	2	1	2	1	2	1	2	5	3	6	5	6	-	3	4	-	-	-	-	-	1
	F---	13	4	1	1	-	-	1	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-
E963, E970-E979	Suicide----------	194	-	-	-	1	6	9	6	16	16	26	21	26	19	17	10	10	6	2	1	2	-	-
	White-----M---	159	-	-	-	1	2	8	5	13	12	22	17	19	17	15	8	9	6	2	1	2	-	-
	F---	28	-	-	-	-	4	-	1	3	2	3	2	7	2	1	2	1	-	-	-	-	-	-
	Nonwhite--M---	7	-	-	-	-	-	1	-	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	98	4	-	2	-	3	9	12	7	15	11	6	10	5	8	3	1	1	1	-	-	-	-
	White-----M---	63	1	-	-	-	2	6	10	6	7	6	5	5	4	5	3	1	1	1	-	-	-	-
	F---	14	2	-	2	-	-	1	1	-	3	2	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M---	18	1	-	-	-	1	1	1	1	4	3	-	3	1	2	-	-	-	-	-	-	-	-
	F---	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN																							
	All causes------	37,280	2,272	367	191	137	245	246	242	324	442	740	1,067	1,668	2,260	3,199	4,353	5,140	5,248	4,668	2,932	1,243	296	-
	White-----M---	21,169	1,235	211	119	83	183	180	144	195	254	444	686	1,034	1,434	2,096	2,654	2,995	2,859	2,312	1,431	502	118	-
	F---	15,515	907	138	66	49	56	58	80	114	167	265	348	584	778	1,060	1,656	2,107	2,354	2,332	1,486	735	175	-
	Nonwhite--M---	329	62	7	5	3	6	4	11	8	9	18	20	36	27	26	22	22	24	12	6	1	-	-
	F---	267	68	11	1	2	-	4	7	7	12	13	13	14	21	17	21	16	11	12	9	5	3	-
001-019	Tuberculosis, all forms--------	145	-	1	-	1	-	2	1	1	5	6	7	21	11	17	16	29	13	7	5	2	-	-
	White-----M---	100	-	-	-	-	-	1	-	-	1	2	3	14	10	11	14	24	10	5	4	1	-	-
	F---	35	-	-	-	1	-	1	-	1	2	3	2	6	1	5	2	4	3	2	1	1	-	-
	Nonwhite--M---	6	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-
	F---	4	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	135	-	-	-	-	-	2	1	1	5	4	7	20	10	15	16	28	12	7	4	2	-	-
	White-----M---	96	-	-	-	-	-	1	-	-	1	1	3	14	9	10	14	24	10	5	3	1	-	-
	F---	30	-	-	-	-	-	1	-	1	2	2	2	5	1	4	2	4	2	2	1	1	-	-
	Nonwhite--M---	6	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-
	F---	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms-------	10	-	1	-	1	-	-	-	-	-	2	-	1	1	2	-	-	1	-	1	-	-	-
	White-----M---	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-
	F---	5	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	35	-	-	-	-	-	-	-	-	1	-	-	4	6	7	8	2	5	1	1	-	-	-
	White-----M---	17	-	-	-	-	-	-	-	-	1	-	-	1	3	6	4	1	-	-	1	-	-	-
	F---	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	3	1	-	-	-	-
	Nonwhite--M---	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat-----	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	4	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M---	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F---	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	18	5	10	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	13	4	7	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	99	17	13	5	2	1	-	2	1	2	2	8	6	4	5	4	9	8	6	4	-	-	-
	White-----M---	50	7	6	3	1	1	-	-	1	-	1	4	5	2	2	1	4	5	5	2	-	-	-
	F---	45	9	6	2	1	-	-	1	-	2	1	4	1	2	3	3	4	3	1	2	-	-	-
	Nonwhite--M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	6,218	9	50	37	24	16	20	29	67	91	187	281	411	560	763	937	974	798	621	285	68	10	-
	White-----M---	3,384	4	33	20	12	13	9	15	28	34	79	126	204	285	450	553	560	439	334	151	29	6	-
	F---	2,764	5	15	17	11	3	9	11	36	52	100	149	202	268	307	375	409	357	284	114	38	4	-
	Nonwhite--M---	30	-	1	-	-	-	-	2	2	2	3	2	3	2	3	3	3	2	2	-	-	-	-
	F---	40	-	1	-	1	-	2	1	1	3	5	4	2	7	3	6	2	-	1	-	1	-	-
140-148	Of buccal cavity and pharynx-------	121	-	-	-	-	-	-	-	-	4	4	4	11	16	19	14	16	16	10	5	2	-	-
	White-----M---	98	-	-	-	-	-	-	-	-	2	1	3	8	15	17	13	14	11	9	4	1	-	-
	F---	22	-	-	-	-	-	-	-	-	2	2	1	3	1	2	1	2	5	1	1	1	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	2,367	2	-	-	-	-	3	4	8	19	36	81	121	196	274	391	426	350	301	120	30	5	-
	White-----M---	1,363	1	-	-	-	-	1	1	4	8	20	42	69	115	181	238	264	187	159	59	12	2	-
	F---	986	1	-	-	-	-	2	3	4	10	15	37	52	77	89	152	159	162	141	61	18	3	-
	Nonwhite--M---	8	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	1	-	-	-	-	-
	F---	10	-	-	-	-	-	-	-	-	-	1	1	-	4	2	-	1	-	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)—	654	-	2	1	1	1	1	-	7	4	21	38	69	87	120	119	84	57	28	12	2	-	-
	White——M—	545	-	1	-	-	1	1	-	5	3	17	33	54	77	111	100	71	44	17	8	2	-	-
	F—	100	-	1	1	1	-	-	-	2	-	3	5	13	8	9	18	12	13	10	4	-	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	1	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast—	573	-	-	-	-	-	-	1	8	14	33	57	56	70	63	75	65	68	44	12	6	1	-
	White——M—	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	F—	565	-	-	-	-	-	-	1	8	14	32	53	55	70	63	74	65	67	44	12	6	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs—	892	-	-	1	-	1	3	3	9	18	25	31	47	66	110	135	137	125	116	52	10	3	-
	White——M—	404	-	-	-	-	-	2	1	1	4	1	1	6	8	30	60	75	87	76	42	7	3	-
	F—	472	-	-	1	-	1	-	2	8	11	24	30	40	56	78	71	62	37	39	10	2	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	F—	12	-	-	-	-	-	1	-	-	3	-	-	1	2	1	3	-	-	-	1	-	-	-
180, 181	Of urinary organs—	362	2	6	1	-	-	-	2	-	-	9	12	19	26	38	50	57	67	41	24	7	1	-
	White——M—	262	1	4	-	-	-	-	2	-	-	7	10	16	17	30	37	37	48	29	19	4	1	-
	F—	99	1	2	1	-	-	-	-	-	-	1	2	3	9	8	13	20	19	12	5	3	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	617	2	10	13	7	5	2	6	21	18	34	30	49	51	69	73	95	56	42	26	8	-	-
	White——M—	328	1	6	7	5	3	1	3	9	9	18	16	28	23	38	52	44	30	23	11	1	-	-
	F—	279	1	3	6	2	2	1	1	10	9	14	14	20	27	31	20	51	26	19	15	7	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F—	6	-	1	-	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia—	318	3	26	18	11	4	-	4	7	5	13	7	14	20	28	39	51	33	26	9	-	-	-
	White——M—	193	1	18	11	5	4	-	3	4	2	7	4	7	12	15	28	35	18	13	6	-	-	-
	F—	120	2	7	7	5	-	-	-	3	3	5	3	7	8	13	10	16	15	13	3	-	-	-
	Nonwhite—M—	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	314	-	6	3	5	5	11	9	7	9	12	21	25	28	42	41	43	26	13	5	3	-	-
	White——M—	188	-	4	2	2	5	4	5	5	6	8	16	15	18	28	25	20	13	8	2	2	-	-
	F—	121	-	2	1	3	-	6	4	1	3	4	4	9	10	14	16	22	13	5	3	1	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms—	87	4	1	-	-	-	1	1	2	8	8	9	8	3	7	14	8	6	4	3	-	-	-
	White——M—	37	1	-	-	-	-	-	-	-	2	2	4	-	2	5	11	4	4	1	1	-	-	-
	F—	46	3	1	-	-	-	1	1	2	4	5	5	7	1	2	3	4	2	3	2	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
241	Asthma—	106	-	-	-	1	-	1	1	2	1	2	5	6	12	15	21	17	9	8	4	1	-	-
	White——M—	74	-	-	-	1	-	1	-	2	1	1	2	2	10	11	18	12	7	3	3	-	-	-
	F—	32	-	-	-	-	-	-	1	-	-	1	3	4	2	4	3	5	2	5	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	748	1	3	1	3	1	5	9	13	19	10	14	24	48	75	123	150	132	77	29	11	-	-
	White——M—	320	1	1	-	2	1	2	5	10	13	5	10	14	19	35	49	61	52	26	11	3	-	-
	F—	417	-	2	1	1	-	3	4	3	6	5	4	8	28	38	71	89	79	50	18	7	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	1	-	-
290-293	Anemias—	61	1	2	2	1	-	-	1	1	-	-	1	2	1	3	6	9	11	8	8	3	1	-
	White——M—	27	-	-	-	1	-	-	1	-	-	-	-	1	1	2	5	5	3	-	7	1	-	-
	F—	31	-	1	2	-	-	-	-	1	-	-	1	-	-	1	1	4	8	8	1	2	1	-
	Nonwhite—M—	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*—	46	19	8	3	1	1	-	-	-	-	2	1	1	1	1	1	3	3	1	-	-	-	-
	White——M—	29	9	6	2	-	1	-	-	-	-	1	1	-	1	1	1	2	3	1	-	-	-	-
	F—	15	10	1	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	21,220	14	9	6	8	12	20	40	64	137	264	448	786	1,198	1,839	2,670	3,295	3,628	3,392	2,193	963	234	-
	White——M—	11,943	7	4	3	3	5	14	27	44	85	185	335	545	825	1,240	1,634	1,898	1,945	1,624	1,039	386	97	-
	F—	9,044	6	4	2	5	6	6	10	18	46	70	94	217	348	573	1,014	1,370	1,657	1,749	1,141	574	134	-
	Nonwhite—M—	135	-	-	1	-	1	-	3	-	1	6	12	19	15	15	12	17	16	10	6	1	-	-
	F—	98	1	1	-	-	-	-	-	2	5	3	7	5	10	11	10	12	10	9	7	2	3	-
330-334, 400-468	Dis. of cardiovascular system—	20,969	14	8	6	6	10	17	36	58	130	256	438	766	1,185	1,809	2,634	3,260	3,590	3,370	2,182	962	232	-
	White——M—	11,797	7	3	3	2	4	11	24	40	81	179	331	531	818	1,224	1,619	1,874	1,924	1,608	1,032	386	96	-
	F—	8,946	6	4	2	4	5	6	9	16	43	69	89	212	343	559	993	1,358	1,641	1,743	1,137	574	133	-
	Nonwhite—M—	131	-	-	1	-	1	-	3	-	1	5	12	18	14	15	12	16	16	10	6	1	-	-
	F—	95	1	1	-	-	-	-	-	2	5	3	6	5	10	11	10	12	9	9	7	1	3	-
330-334	Vascular lesions, etc.*—	4,703	6	3	-	2	4	4	10	4	13	41	51	122	168	309	505	812	936	909	539	219	46	-
	White——M—	2,274	1	1	-	1	3	3	7	4	5	16	25	54	90	172	271	427	452	388	253	83	18	-
	F—	2,375	4	2	-	1	1	1	3	-	7	25	23	63	73	131	226	378	476	516	282	135	28	-
	Nonwhite—M—	24	-	-	-	-	-	-	-	-	-	-	1	2	2	4	5	3	3	3	-	1	-	-
	F—	30	1	-	-	-	-	-	-	-	1	-	2	3	3	2	3	4	5	2	4	-	-	-
400-402, 410-416, 443	Diseases of heart—	14,616	3	3	6	4	5	11	24	44	103	199	356	603	953	1,416	2,001	2,256	2,392	2,171	1,348	585	133	-
	White——M—	8,684	2	2	3	1	1	7	17	32	71	150	287	453	691	995	1,281	1,349	1,332	1,078	631	240	61	-
	F—	5,794	1	-	2	3	3	4	5	10	29	41	58	135	245	403	708	892	1,047	1,084	710	344	70	-
	Nonwhite—M—	86	-	-	1	-	1	-	2	-	-	5	8	13	12	10	7	10	9	4	4	-	-	-
	F—	52	-	1	-	-	-	-	-	2	3	3	3	2	5	8	5	5	4	5	3	1	2	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.—	450	-	-	5	3	2	7	6	12	14	31	27	52	61	56	56	35	38	25	16	3	1	-
	White——M—	206	-	-	3	1	-	4	4	8	6	13	9	27	31	22	23	16	18	13	7	1	-	-
	F—	238	-	-	2	2	2	3	2	4	8	17	18	25	27	34	32	18	20	12	9	2	1	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																							
420	Arteriosclerotic heart dis., etc.*	10,865	1	-	-	-	-	1	12	27	70	150	282	460	757	1,138	1,604	1,750	1,780	1,520	862	362	89	-
	White------M--	6,850	1	-	-	-	-	-	9	20	55	126	247	373	591	853	1,086	1,086	1,039	766	425	135	38	-
	F--	3,927	-	-	-	-	-	1	1	5	14	20	28	77	158	272	508	654	733	747	432	227	50	-
	Nonwhite--M--	61	-	-	-	-	-	-	2	-	-	3	5	9	6	8	6	8	7	3	4	-	-	-
	F--	27	-	-	-	-	-	-	-	2	1	1	2	1	2	5	4	2	1	4	1	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,477	-	1	-	-	1	1	1	-	5	5	11	21	35	60	114	190	247	337	279	141	28	-
	White------M--	764	-	1	-	-	1	1	1	-	3	4	9	10	23	33	69	106	127	171	130	62	13	-
	F--	701	-	-	-	-	-	-	-	-	2	-	1	11	11	27	45	83	117	164	147	79	14	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-
430-434	Other diseases of heart----------	460	2	2	1	1	2	2	4	5	7	5	12	24	33	40	52	60	75	57	53	19	4	-
	White------M--	275	1	1	-	-	-	2	3	4	6	3	9	16	20	26	30	40	44	32	25	12	1	-
	F--	177	1	-	-	1	1	-	1	1	1	2	3	8	12	10	22	20	31	25	28	7	3	-
	Nonwhite--M--	5	-	-	1	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease-----	1,364	-	-	-	-	-	-	1	-	7	8	24	46	67	122	175	221	252	232	138	60	11	-
	White------M--	589	-	-	-	-	-	-	-	-	1	4	13	27	26	61	73	101	104	98	44	30	9	-
	F--	751	-	-	-	-	-	-	1	-	4	2	8	14	37	60	101	117	146	136	94	29	2	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	2	4	1	-	-	1	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	2	1	1	1	3	1	1	2	2	-	-	1	-	-
444-447	Other hypertensive disease------	290	-	-	-	-	1	1	1	2	5	7	17	17	25	18	29	40	42	37	36	11	1	-
	White------M--	147	-	-	-	-	-	1	-	1	2	4	10	10	12	11	12	16	23	18	20	6	1	-
	F--	135	-	-	-	-	1	-	-	1	2	3	4	6	13	7	15	24	19	19	16	5	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
450	General arteriosclerosis---------	953	-	-	-	-	-	-	-	-	1	1	-	1	9	22	38	94	157	211	235	134	50	-
	White------M--	464	-	-	-	-	-	-	-	-	-	1	-	1	6	16	21	52	85	102	115	50	15	-
	F--	475	-	-	-	-	-	-	-	-	1	-	-	-	3	4	17	40	70	104	118	84	34	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-
451-468	Other diseases of circulatory sys.--	407	5	2	-	-	-	1	1	8	8	8	14	23	30	44	81	58	63	42	24	13	2	-
	White------M--	228	4	-	-	-	-	-	-	3	3	8	9	13	19	30	34	30	32	22	13	7	1	-
	F--	167	1	2	-	-	-	1	1	5	4	-	4	8	9	14	27	24	29	20	11	6	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	251	-	1	-	2	2	3	4	6	7	8	10	20	13	30	36	35	38	22	11	1	2	-
	White------M--	146	-	1	-	1	1	3	3	4	4	6	4	14	7	18	15	22	21	16	7	-	1	-
	F--	98	-	-	-	1	1	-	1	2	3	1	5	5	5	14	21	12	16	6	4	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,032	160	47	11	5	8	5	10	10	9	17	12	26	46	56	59	106	117	139	127	44	18	-
	White------M--	603	85	21	9	3	7	3	3	6	7	12	11	18	31	41	42	71	71	74	63	18	7	-
	F--	395	59	22	2	2	1	2	6	3	2	3	1	7	13	14	16	34	45	64	62	26	11	-
	Nonwhite--M--	15	7	2	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-
	F--	19	9	2	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	1	2	-	-	-
480-483	Influenza---------	112	8	6	1	1	2	1	3	-	-	-	1	5	7	10	12	7	15	18	6	8	1	-
	White------M--	54	4	3	1	1	2	-	-	-	-	-	-	2	4	6	7	4	8	8	2	2	-	-
	F--	57	3	3	-	-	-	1	3	-	-	-	1	3	3	4	5	3	7	10	4	6	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	920	152	41	10	4	6	4	7	10	9	17	11	21	39	46	47	99	102	121	121	36	17	-
	White------M--	549	81	18	8	2	5	3	3	6	7	12	11	16	27	35	35	67	83	66	61	16	7	-
	F--	338	56	19	2	2	1	1	3	3	2	3	-	4	10	10	11	31	38	54	58	20	10	-
	Nonwhite--M--	14	6	2	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-
	F--	19	9	2	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	1	2	-	-	-
500-502	Bronchitis---------	89	26	13	1	1	-	-	1	-	-	2	-	3	4	3	6	4	7	7	7	2	2	-
	White------M--	57	11	7	-	1	-	-	1	-	-	2	-	3	2	3	5	3	7	5	5	1	1	-
	F--	26	10	6	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	237	1	-	-	-	-	-	1	3	5	12	10	27	22	26	36	34	22	21	9	5	3	-
	White------M--	188	-	-	-	-	-	-	1	1	1	9	9	22	21	23	30	26	20	15	5	3	2	-
	F--	44	1	-	-	-	-	-	-	1	3	1	1	5	1	2	6	8	2	6	4	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	51	-	-	1	2	2	-	2	1	-	1	2	4	4	4	6	8	5	6	3	-	-	-
	White------M--	42	-	-	1	1	2	-	2	1	-	1	2	3	3	3	5	7	4	4	3	-	-	-
	F--	9	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	227	25	1	-	-	1	-	1	2	3	2	2	7	16	21	26	35	32	27	19	5	2	-
	White------M--	124	15	1	-	-	1	-	-	2	2	2	1	3	6	14	12	18	19	14	11	3	-	-
	F--	100	10	-	-	-	-	-	1	-	1	-	1	4	9	7	12	17	13	13	8	2	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*---	160	40	12	2	2	2	4	1	2	1	3	5	6	8	6	15	11	11	16	10	3	-	-
	White------M--	64	17	8	-	1	1	2	-	1	-	1	4	5	3	1	10	6	8	9	5	2	-	-
	F--	72	20	3	2	1	1	2	1	1	1	2	1	1	5	5	5	5	3	7	5	1	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	355	-	-	-	-	1	-	-	8	9	34	36	61	40	40	41	39	25	15	3	3	-	-
	White------M--	238	-	-	-	-	-	-	-	5	8	20	25	33	32	32	32	26	11	9	2	3	-	-
	F--	113	-	-	-	-	1	-	-	3	1	14	10	26	8	8	8	13	14	6	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																							
584, 585	Cholelithiasis, etc.*	149	-	-	-	-	-	-	-	3	-	1	7	6	9	20	25	20	27	19	11	-	1	-
	White—M	67	-	-	-	-	-	-	-	1	-	-	3	2	4	10	10	12	14	7	4	-	-	-
	F	79	-	-	-	-	-	-	-	2	-	1	3	3	5	9	15	8	13	12	7	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	45	1	4	4	2	1	-	1	-	1	2	1	5	2	-	5	5	6	1	1	3	-	-
	White—M	21	1	2	-	1	-	-	-	-	1	2	-	1	-	-	4	2	3	1	1	2	-	-
	F	21	-	2	4	1	-	-	1	-	-	-	-	3	2	-	1	3	3	-	-	1	-	-
	Nonwhite—M	3	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	120	-	-	2	-	1	-	3	2	2	7	4	9	8	6	19	19	17	14	6	1	-	-
	White—M	62	-	-	1	-	-	-	2	2	-	2	1	2	5	4	10	11	11	6	5	-	-	-
	F	54	-	-	-	-	1	-	1	-	2	4	3	6	3	1	9	8	6	8	1	1	-	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	142	-	-	-	-	-	-	-	-	-	-	-	1	-	10	19	30	26	28	22	4	2	-
	White—M	140	-	-	-	-	-	-	-	-	-	-	-	1	-	10	18	29	26	28	22	4	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	31	...	...	...	-	1	3	3	11	8	3	2	-	-	-	-	-	-	-	-	-	-	-
	White—F	30	...	...	...	-	1	2	3	11	8	3	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*	29	...	...	...	-	1	3	3	10	7	3	2	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	...	...	...	-	1	2	3	10	7	3	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	507	391	36	12	9	5	4	6	7	6	5	3	5	9	2	1	3	3	-	-	-	-	-
	White—M	244	184	20	6	5	4	3	2	1	4	3	1	3	4	2	-	-	2	-	-	-	-	-
	F	248	195	15	5	4	-	1	4	6	2	2	2	2	5	-	1	3	1	-	-	-	-	-
	Nonwhite—M	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,385	1,385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	803	803	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	502	502	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	602	602	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	369	369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*	721	721	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	399	399	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	283	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	231	16	2	1	-	-	-	3	1	-	-	3	6	5	7	10	28	29	38	31	41	10	-
	White—M	117	6	1	1	-	-	-	2	-	-	-	3	5	4	4	4	18	18	22	12	15	2	-
	F	110	8	-	-	-	-	-	1	1	-	-	-	-	1	3	6	10	11	16	19	26	8	-
	Nonwhite—M	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	1,297	74	45	22	14	15	23	12	21	26	41	62	85	87	113	149	162	175	78	60	28	5	-
	White—M	706	33	26	13	7	9	9	5	9	10	19	34	50	49	70	85	93	98	43	29	15	-	-
	F	566	36	18	9	6	5	13	7	11	15	21	28	33	34	42	61	69	74	35	31	13	5	-
	Nonwhite—M	18	4	1	-	1	1	1	-	-	-	-	-	1	4	1	2	-	2	-	-	-	-	-
	F	7	1	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-
E800-E962	Accidents	1,934	73	102	80	57	163	143	89	79	82	87	87	95	101	95	94	112	107	119	106	56	7	-
	White—M	1,322	44	64	60	42	129	127	67	61	62	64	65	64	75	72	65	82	58	64	41	16	-	-
	F	569	26	36	19	12	32	14	15	13	16	20	20	28	23	21	29	30	49	55	65	39	7	-
	Nonwhite—M	30	1	-	1	2	2	2	5	4	3	2	1	2	3	2	-	-	-	-	-	-	-	-
	F	13	2	2	-	1	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-
E810-E835	Motor vehicle accidents	815	6	27	41	16	116	109	55	41	41	51	50	48	52	45	37	33	24	19	4	-	-	-
	White—M	608	5	16	35	11	84	98	42	31	30	36	33	27	37	32	28	28	18	14	3	-	-	-
	F	188	1	11	5	5	31	10	11	8	9	12	16	19	13	11	9	5	6	5	1	-	-	-
	Nonwhite—M	15	-	-	1	-	1	1	1	2	1	2	-	2	2	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	1,119	67	75	39	41	47	34	34	38	41	36	37	47	49	50	57	79	83	100	102	56	7	-
	White—M	714	39	48	25	31	45	29	25	30	32	28	32	37	38	40	37	54	40	50	38	16	-	-
	F	381	25	25	14	7	1	4	4	5	7	8	4	9	10	10	20	25	43	50	64	39	7	-
	Nonwhite—M	15	1	-	-	2	1	1	4	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	9	2	2	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
E963, E970-E979	Suicide	441	-	-	-	1	10	11	22	20	22	35	53	49	52	56	42	24	24	14	5	-	1	-
	White—M	330	-	-	-	1	7	8	10	19	18	28	39	33	35	42	32	21	20	12	4	-	1	-
	F	106	-	-	-	-	3	3	10	1	4	6	14	15	16	14	10	3	4	2	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	42	3	3	-	2	2	3	2	2	2	7	3	4	3	2	-	3	1	-	-	-	-	-
	White—M	18	1	1	-	1	1	1	-	-	2	3	2	-	2	2	-	1	1	-	-	-	-	-
	F	15	2	2	-	1	1	-	2	-	-	2	-	2	1	-	-	2	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	1	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING																							
	All causes------	2,536	226	44	19	17	28	35	38	42	40	79	86	125	137	207	308	331	287	258	170	47	14	-
	White-----M--	1,546	142	23	12	10	21	22	25	22	24	42	56	76	91	137	199	205	180	147	86	21	5	-
	F---	912	70	21	6	7	6	10	10	16	15	31	28	42	43	81	101	121	105	103	83	26	7	-
	Nonwhite--M---	43	7	-	-	-	1	2	3	1	1	3	1	4	3	4	6	4	-	2	1	-	-	-
	F---	35	7	-	1	-	-	1	-	3	-	3	1	3	-	5	2	1	2	4	-	-	2	-
001-019	Tuberculosis, all forms---------	10	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	2	1	-	-	-	-
	White-----M---	7	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	1	-	-	-	-
	F---	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system------	10	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	2	1	-	-	-	-
	White-----M---	7	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	1	-	-	-	-
	F---	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-018	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-	-	-
	White-----M---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections----------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M---	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	Other infective and parasitic diseases---------	13	4	2	-	2	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-
	White-----M---	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F---	9	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
	Nonwhite--M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc.*-----	330	-	2	2	2	1	1	4	5	4	13	11	29	23	38	57	57	41	26	10	4	-	-
	White-----M---	178	-	-	1	1	-	1	1	1	1	4	3	14	13	20	33	36	28	15	6	-	-	-
	F---	144	-	2	1	1	1	-	2	4	3	8	8	13	9	16	24	21	13	10	4	4	-	-
	Nonwhite--M---	5	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx-------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-
	White-----M---	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	97	-	-	-	-	-	-	1	1	1	5	4	9	9	9	15	17	11	10	3	2	-	-
	White-----M---	54	-	-	-	-	-	-	-	1	-	3	2	3	5	3	9	11	8	7	2	-	-	-
	F---	39	-	-	-	-	-	-	1	-	1	1	2	5	3	5	6	6	3	3	1	2	-	-
	Nonwhite--M---	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F---	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																							
160-164	Malignant neoplasm of resp. system (not secondary)	50	-	-	-	-	-	-	-	-	-	1	-	8	4	9	13	9	5	1	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	-	-	7	4	8	11	8	4	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	38	-	-	-	-	-	-	-	1	1	3	2	3	3	5	7	5	4	1	1	2	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	1	1	3	2	3	3	4	7	4	4	1	1	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	49	-	-	-	1	-	-	1	2	1	2	2	4	4	2	3	13	4	7	3	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	6	3	6	2	-	-	-
	F	29	-	-	-	1	-	-	1	2	1	2	2	4	2	2	2	7	1	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	20	-	-	2	-	-	-	-	-	-	-	-	-	-	1	8	2	5	1	1	-	-	-
	White—M	15	-	-	1	-	-	-	-	-	-	-	-	-	-	1	7	1	5	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 180-199	Of other sites, etc.*	37	-	-	-	-	-	1	-	1	1	1	2	4	2	6	2	7	6	3	1	-	-	-
	White—M	22	-	-	-	-	-	1	-	-	1	1	1	3	1	2	1	6	3	1	1	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	1	1	1	4	1	1	3	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	15	-	2	-	1	-	-	-	-	-	-	-	-	-	2	2	2	4	1	1	-	-	-
	White—M	10	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	4	-	1	-	-	-
	F	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	19	-	-	-	-	1	-	2	-	-	1	1	1	1	3	5	1	2	1	-	-	-	-
	White—M	11	-	-	-	-	-	-	1	-	-	-	-	1	1	3	3	1	1	-	-	-	-	-
	F	7	-	-	-	-	1	-	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms	13	-	1	-	-	-	-	-	-	1	1	2	1	-	1	2	2	1	1	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
241	Asthma	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	2	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	39	-	-	-	-	-	2	-	-	-	1	-	1	-	6	8	9	5	3	3	1	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	1	-	1	-	1	6	5	1	3	2	1	-	-
	F	16	-	-	-	-	-	2	-	-	-	-	-	-	-	4	2	4	3	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
290-293	Anemias	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,282	-	1	2	-	1	3	5	6	9	16	36	60	81	113	180	210	186	194	133	35	11	-
	White—M	767	-	1	1	-	1	1	4	2	3	9	25	40	55	81	115	124	115	107	64	16	3	-
	F	487	-	-	1	-	-	1	1	2	6	5	11	18	24	29	60	82	70	84	68	19	6	-
	Nonwhite—M	14	-	-	-	-	-	-	-	1	-	1	-	-	2	1	4	3	-	1	1	-	-	-
	F	14	-	-	-	-	-	1	-	1	-	1	-	2	-	2	1	1	1	2	-	-	2	-
330-334, 400-468	Dis. of cardiovascular system	1,265	-	1	1	-	-	2	5	6	9	14	33	59	80	110	179	209	185	193	133	35	11	-
	White—M	760	-	1	1	-	-	1	4	2	3	8	23	40	55	79	114	124	115	107	64	16	3	-
	F	478	-	-	-	-	-	-	1	2	6	4	10	17	23	29	60	81	69	83	68	19	6	-
	Nonwhite—M	13	-	-	-	-	-	-	-	1	-	1	-	-	2	-	4	3	-	1	1	-	-	-
	F	14	-	-	-	-	-	1	-	1	-	1	-	2	-	2	1	1	1	2	-	-	2	-
330-334	Vascular lesions, etc.*	324	-	-	-	-	-	-	2	2	1	3	4	8	14	20	29	54	69	54	46	14	4	-
	White—M	153	-	-	-	-	-	-	1	-	1	2	2	4	6	9	19	24	38	19	21	7	-	-
	F	164	-	-	-	-	-	-	1	1	-	1	2	4	7	11	9	27	31	35	25	7	3	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
400-402, 410-443	Diseases of heart	860	-	1	1	-	-	2	3	4	5	10	26	49	62	88	140	139	104	129	76	15	6	-
	White—M	561	-	1	1	-	-	1	3	2	2	6	19	35	47	68	88	91	69	81	37	8	2	-
	F	280	-	-	-	-	-	-	-	1	3	2	7	12	14	18	49	47	34	45	38	7	3	-
	Nonwhite—M	8	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	1	-	1	1	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	1	-	2	-	2	1	-	1	2	-	-	1	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis.	41	-	-	-	-	-	2	-	2	2	2	6	8	4	4	6	5	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	1	-	-	-	1	2	4	-	1	1	5	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	1	2	-	4	4	4	3	5	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 81B. Deaths From 59 Selected Causes,

(By place of residence. Includes only deaths occurring

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING--Con.																							
420	Arteriosclerotic heart dis., etc.*	610	-	-	-	-	-	-	2	2	3	7	18	34	48	71	107	98	76	85	46	10	3	-
	White-----M--	432	-	-	-	-	-	-	2	2	2	5	16	26	41	59	74	66	52	54	27	5	1	-
	F--	169	-	-	-	-	-	-	-	-	1	1	2	7	7	10	32	31	23	30	18	5	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	101	-	-	-	-	-	-	1	-	-	1	-	1	4	3	13	17	16	24	15	3	3	-
	White-----M--	59	-	-	-	-	-	-	1	-	-	-	-	1	4	3	5	9	10	17	6	2	1	-
	F--	39	-	-	-	-	-	-	-	-	-	1	-	-	-	-	7	8	6	6	9	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
430-434	Other diseases of heart---------	38	-	1	1	-	-	-	-	-	-	-	1	4	2	2	4	8	6	5	3	1	-	-
	White-----M--	25	-	1	1	-	-	-	-	-	-	-	1	4	1	1	3	4	4	4	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertensive heart disease-----	70	-	-	-	-	-	-	-	-	-	-	1	2	4	8	10	11	6	15	12	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	7	3	6	3	1	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	1	1	3	4	4	4	3	8	9	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
444-447	Other hypertensive disease-----	10	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	1	2	-	-	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	7	8	9	5	1	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	6	5	1	1	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	4	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	31	-	-	-	-	-	-	-	-	2	1	2	2	3	1	6	7	3	2	2	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	1	1	2	1	5	4	2	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	3	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	17	-	-	1	-	1	1	-	-	-	2	3	1	1	3	1	1	1	1	-	-	-	-
	White-----M--	7	-	-	-	-	1	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-	-
	F--	9	-	-	1	-	-	1	-	-	-	1	1	1	1	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	82	20	4	-	-	1	1	1	2	2	1	1	4	5	6	7	6	7	9	1	3	1	-
	White-----M--	54	12	3	-	-	1	-	-	2	1	-	1	3	3	4	7	3	3	7	1	2	1	-
	F--	24	7	1	-	-	-	1	1	-	1	1	-	1	2	-	-	3	4	1	-	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
480-483	Influenza---------	7	2	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*	75	18	3	-	-	1	1	1	2	2	-	1	4	5	6	6	5	7	8	1	3	1	-
	White-----M--	50	10	3	-	-	1	-	-	2	1	-	1	3	3	4	6	2	3	7	1	2	1	-
	F--	22	7	-	-	-	-	1	1	-	1	-	-	1	2	-	-	3	4	1	-	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	8	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	20	-	-	-	-	-	-	-	-	1	1	3	-	2	1	3	5	2	1	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	1	3	-	2	-	3	5	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	20	3	-	-	-	-	-	-	1	-	2	1	1	-	2	2	1	4	3	-	-	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	2	-	-	-	-
	F--	11	2	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc.*	16	4	3	-	-	1	-	-	-	1	-	-	-	-	-	2	1	2	-	2	-	-	-
	White-----M--	7	1	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-
	F--	6	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	23	-	-	-	-	-	-	-	-	-	3	5	2	1	4	6	2	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	1	4	-	1	3	3	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

by Age, Color, and Sex: Each State, 1958—Continued

within the continental United States. Excludes fetal deaths)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																							
584, 585	Cholelithiasis, etc.*—	10	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	3	2	-	1	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	1	-	-
	F—	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	White—M—	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney—	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	1	-	-
	White—M—	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	3	...	...	...	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion—	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc.*—	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations—	40	29	4	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	White—M—	29	22	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F—	11	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc.*—	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	19	1	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	2	-	2	-	1	-
	White—M—	13	1	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-sid-ual	All other diseases	123	7	7	1	3	-	2	6	4	6	10	6	6	9	12	15	13	10	4	1	1	-	-
	White—M—	67	-	5	-	1	-	-	3	-	3	3	2	4	6	10	10	9	8	2	-	1	-	-
	F	52	7	2	1	2	-	2	3	4	2	6	4	2	3	1	4	4	2	2	1	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-E962	Accidents—	236	14	17	10	9	20	20	13	15	11	19	11	8	8	10	11	11	8	9	10	1	1	-
	White—M—	176	11	10	8	6	17	17	11	10	11	17	6	6	7	6	9	8	5	5	5	-	1	-
	F—	47	1	7	1	3	2	2	1	3	-	1	4	2	1	4	1	2	3	3	5	1	-	-
	Nonwhite—M—	7	1	-	-	-	1	1	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F—	6	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
E810-E835	Motor vehicle accidents—	110	1	4	1	5	14	11	7	11	5	11	9	6	4	6	4	6	-	4	1	-	-	-
	White—M—	78	-	2	1	2	12	10	7	7	5	9	6	4	3	2	2	4	-	2	-	-	-	-
	F—	23	-	2	-	3	1	1	-	2	-	1	2	2	1	4	1	1	-	1	1	-	-	-
	Nonwhite—M—	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F—	5	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
E800-E802, E840-E962	Other accidents—	126	13	13	9	4	6	9	6	4	6	8	2	2	4	4	7	5	8	5	9	1	1	-
	White—M—	98	11	8	7	4	5	7	4	3	6	8	-	2	4	4	7	4	5	3	5	-	1	-
	F—	24	1	5	1	-	1	1	1	1	-	-	2	-	-	-	-	1	3	2	4	1	-	-
	Nonwhite—M—	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide—	50	-	-	-	-	2	3	4	6	4	7	5	6	2	4	3	-	4	-	-	-	-	-
	White—M—	38	-	-	-	-	-	2	4	5	3	3	5	4	2	3	3	-	4	-	-	-	-	-
	F—	11	-	-	-	-	2	1	-	1	1	4	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	9	-	-	-	-	1	1	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M—	6	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

Table 82. Deaths From 59 Selected Causes:

(By place of occurrence. Excludes fetal deaths. Numbers under causes of death

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Other infective and parasitic diseases 030-044, 049, 052-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159
1	UNITED STATES-------	1,647,886	12,361	11,477	884	3,469	407	139	74	177	746	255	552	5,227	254,426	5,766	88,144
2	Alabama----------	29,285	363	343	20	90	12	5	4	6	21	3	11	134	3,530	70	1,060
3	Arizona----------	9,492	201	189	12	17	14	1	-	5	7	1	8	46	1,214	25	422
4	Arkansas----------	17,017	200	185	15	39	10	-	4	8	7	-	5	89	2,368	53	728
5	California----------	125,842	872	809	63	248	25	4	2	15	45	13	12	310	20,572	512	6,719
6	Colorado----------	14,807	110	104	6	30	1	4	2	1	5	2	8	64	2,142	42	732
7	Connecticut----------	22,875	140	129	11	39	-	1	-	-	12	3	4	91	4,023	111	1,496
8	Delaware----------	4,235	38	36	2	13	1	1	-	1	1	-	3	9	661	9	215
9	District of Columbia----	10,096	103	92	11	48	1	-	1	-	12	-	6	33	1,823	58	600
10	Florida----------	45,102	288	262	26	108	9	4	3	2	24	6	13	207	6,583	164	2,154
11	Georgia----------	33,493	269	249	20	98	17	3	9	5	14	2	14	157	4,104	122	1,211
12	Idaho----------	5,093	16	15	1	11	-	-	-	-	1	1	2	16	626	14	223
13	Illinois----------	100,172	725	677	48	140	7	6	4	5	44	11	34	213	15,867	381	5,751
14	Indiana----------	43,867	276	255	21	79	3	4	1	5	23	8	20	133	6,673	113	2,348
15	Iowa----------	27,782	77	73	4	36	6	4	1	1	8	2	3	84	4,468	86	1,544
16	Kansas----------	20,196	62	58	4	43	-	2	-	-	7	3	3	78	2,915	63	924
17	Kentucky----------	29,071	375	353	22	56	10	10	-	13	18	9	23	108	3,882	108	1,328
18	Louisiana----------	29,059	297	281	16	136	11	5	3	5	25	3	12	164	3,982	99	1,273
19	Maine----------	10,420	44	39	5	17	-	1	1	1	3	-	1	31	1,654	27	651
20	Maryland----------	27,059	339	321	18	90	8	3	1	-	11	2	18	97	4,163	98	1,276
21	Massachusetts----------	56,866	343	331	12	89	1	-	-	2	25	3	3	171	9,880	283	3,673
22	Michigan----------	65,630	401	364	37	91	10	6	-	1	30	36	18	158	10,880	231	3,871
23	Minnesota----------	31,191	99	92	7	47	3	5	3	1	12	1	1	106	4,958	91	1,799
24	Mississippi----------	21,366	163	145	18	51	35	2	6	12	18	1	18	101	2,419	37	740
25	Missouri----------	47,318	356	338	18	123	8	5	1	6	23	12	10	120	7,217	182	2,422
26	Montana----------	6,175	42	39	3	3	-	1	-	-	4	5	2	26	826	13	264
27	Nebraska----------	13,640	36	31	5	18	-	-	1	-	1	1	6	42	2,215	53	801
28	Nevada----------	2,482	18	17	1	8	-	-	-	-	2	-	-	4	297	5	87
29	New Hampshire----------	6,632	26	24	2	9	-	-	-	-	4	1	2	21	1,089	21	424
30	New Jersey----------	56,395	450	408	42	93	9	4	-	-	21	10	3	144	9,633	219	3,677
31	New Mexico----------	6,200	101	86	15	18	19	-	2	3	5	1	13	18	698	9	241
32	New York----------	173,874	1,380	1,295	85	327	7	4	1	1	51	11	28	408	30,548	709	11,519
33	North Carolina----------	35,794	247	231	16	75	7	9	3	2	22	3	28	109	4,368	105	1,308
34	North Dakota----------	5,222	15	11	4	5	1	-	1	-	1	4	1	17	778	17	302
35	Ohio----------	91,296	550	503	47	292	2	5	3	8	46	20	36	254	14,510	332	5,061
36	Oklahoma----------	21,339	158	152	6	38	4	4	-	2	10	1	7	87	3,106	59	953
37	Oregon----------	15,382	55	52	3	25	1	-	1	1	10	2	5	43	2,380	43	773
38	Pennsylvania----------	118,460	1,013	955	58	236	1	6	-	5	40	11	28	317	18,904	360	6,982
39	Rhode Island----------	8,863	40	36	4	12	-	-	-	-	5	1	4	19	1,555	20	577
40	South Carolina----------	19,459	148	135	13	57	11	6	3	15	9	1	13	85	2,118	51	628
41	South Dakota----------	6,229	39	32	7	10	1	1	1	-	2	4	-	12	955	8	325
42	Tennessee----------	33,644	384	346	38	53	7	6	1	8	27	5	16	126	4,577	116	1,404
43	Texas----------	73,431	721	670	51	220	120	12	8	24	28	20	50	395	10,579	266	3,241
44	Utah----------	6,007	23	21	2	11	1	1	-	-	2	-	2	39	816	17	244
45	Vermont----------	4,267	24	23	1	2	-	-	-	-	-	1	2	7	659	15	230
46	Virginia----------	32,634	279	251	28	79	10	2	1	9	27	10	16	105	4,158	86	1,328
47	Washington----------	25,626	111	100	11	52	4	1	-	2	8	4	7	75	4,103	75	1,381
48	West Virginia----------	17,745	171	157	14	50	6	-	2	-	11	11	14	45	2,493	64	805
49	Wisconsin----------	37,184	164	154	10	34	4	1	-	2	13	3	18	94	6,152	120	2,334
50	Wyoming----------	2,572	9	8	1	7	-	-	-	-	1	3	1	15	305	4	95

United States and Each State, 1958

are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary	Malignant neoplasm of breast	Malignant neoplasm of genital organs	Malignant neoplasm of urinary organs	Malignant neoplasm of other and unspecified sites	Leukemia and aleukemia	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues	Benign neoplasms and neoplasms of unspecified nature	Asthma	Diabetes mellitus	Anemias	Meningitis, except meningococcal and tuberculous	Major cardiovascular-renal diseases	Diseases of cardiovascular system	Vascular lesions affecting central nervous system	Diseases of heart	Rheumatic and chronic rheumatic heart disease.	Arteriosclerotic heart disease, including coronary disease	
160-164	170	171-179	180,181	156B,165, 190-199	204	200-203, 205	210-239	241	260	290-293	340	330-334, 400-468, 592-594	330-334, 400-468	330-334	400-402, 410-443	400-402, 410-416	420	
35,423	22,675	38,390	12,122	27,978	11,980	11,948	4,961	5,035	27,501	3,195	2,247	907,316	893,489	190,758	637,246	18,796	461,373	1
441	268	715	132	515	170	159	90	69	399	55	46	15,091	14,690	4,024	9,560	177	5,738	2
190	90	176	57	138	55	61	27	115	93	14	24	4,025	3,966	799	2,847	118	2,054	3
271	189	444	109	339	131	104	56	39	228	48	22	9,291	9,029	2,252	6,145	120	4,276	4
3,112	1,942	2,934	999	2,251	1,026	1,077	420	396	1,445	207	202	67,010	66,279	13,840	46,719	1,647	35,959	5
260	194	355	106	220	124	109	45	60	138	26	24	7,234	7,112	1,514	4,963	263	3,848	6
551	370	509	206	436	171	173	84	45	436	42	34	12,941	12,782	2,649	9,125	242	7,270	7
92	64	105	30	81	34	31	14	13	75	8	5	2,272	2,227	332	1,725	50	1,061	8
249	176	262	91	226	72	89	45	26	120	18	37	4,809	4,734	864	3,412	97	2,173	9
1,096	464	1,017	320	820	298	250	115	170	624	101	78	23,637	23,271	5,297	16,452	526	12,210	10
529	336	782	166	584	206	168	99	101	449	79	66	18,041	17,584	5,544	10,674	216	7,015	11
73	55	111	33	61	35	21	14	15	60	11	2	2,731	2,696	619	1,857	70	1,325	12
2,268	1,466	2,431	772	1,339	710	749	225	245	1,480	181	105	59,126	58,292	10,819	43,679	1,079	32,273	13
896	575	1,135	305	683	312	306	103	142	818	101	40	25,121	24,720	5,804	16,977	512	12,219	14
464	417	736	198	548	249	226	64	83	489	62	21	16,186	15,990	4,025	10,624	253	7,958	15
337	271	461	133	373	190	163	53	90	365	45	19	11.504	11,313	2,854	7,604	221	5,508	16
467	293	645	157	547	169	168	103	99	457	56	44	15,950	15,673	3,713	10,879	254	7,323	17
588	270	610	181	555	210	196	122	89	540	78	69	14,559	14,247	2,853	10,449	161	6,975	18
200	137	262	86	167	48	76	28	30	147	18	9	6,140	6,036	1,281	4,305	111	3,169	19
677	376	626	220	503	204	183	106	84	492	55	47	14,902	14,641	2,288	11,393	290	6,228	20
1,315	1,029	1,281	455	989	397	458	191	144	999	97	70	32,902	32,517	6,247	23,830	739	18,810	21
1,574	913	1,638	528	1,063	519	543	177	237	1,598	137	84	35,688	35,141	7,524	25,098	849	18,653	22
492	481	706	252	553	299	285	109	88	576	67	50	17,424	17,245	4,041	11,864	381	9,026	23
292	170	495	84	371	115	115	59	52	306	67	40	10,269	10,015	2,840	6,489	139	3,798	24
983	607	1,178	347	827	361	310	121	171	802	107	61	26,887	26,394	6,061	18,349	554	12,786	25
114	75	113	53	108	48	38	28	21	99	14	5	3,173	3,121	660	2,207	64	1,601	26
257	203	356	109	207	109	120	38	55	245	31	19	7,657	7,551	1,864	5,236	169	3,789	27
54	26	45	20	42	7	11	7	11	34	5	4	1,106	1,084	221	788	29	579	28
128	121	161	57	98	41	38	24	22	122	11	5	3,881	3,832	762	2,742	75	2,094	29
1,425	917	1,301	484	886	347	377	167	132	1,131	82	37	32,735	32,320	5,323	25,030	756	18,354	30
81	58	108	39	93	36	33	14	29	66	11	16	2,119	2,070	493	1,393	91	931	31
4,575	2,977	3,782	1,492	2,862	1,259	1,373	587	395	3,057	246	152	100,135	98,911	15,626	77,470	2,415	60,533	32
507	359	841	185	609	226	228	132	110	515	72	55	19,110	18,677	4,731	12,594	314	7,918	33
69	52	111	53	70	47	57	14	13	108	11	8	2,752	2,721	691	1,818	52	1,412	34
2,001	1,307	2,293	663	1,506	670	677	235	262	1,997	182	139	51,039	50,348	11,200	34,645	1,146	25,143	35
447	226	532	132	447	179	131	62	75	265	59	30	11,150	10,920	2,790	7,319	177	5,374	36
345	206	396	109	267	123	118	34	56	203	30	15	8,487	8,407	1,964	5,772	202	4,422	37
2,591	1,692	2,683	897	2,056	834	809	374	369	2,513	217	140	68,466	67,515	12,677	49,611	1,731	34,403	38
240	154	211	71	158	61	63	33	35	234	15	10	5,167	5,094	923	3,824	97	3,062	39
279	174	400	79	299	102	106	65	38	231	50	49	10,360	10,108	2,747	6,663	128	4,054	40
108	92	149	50	119	53	51	20	22	112	19	5	3,344	3,313	794	2,281	61	1,734	41
652	365	767	192	604	239	238	101	122	372	80	52	17,660	17,338	4,833	11,099	294	7,281	42
1,675	873	1,689	517	1,186	589	543	180	256	1,038	139	137	36,283	35,576	8,635	24,491	470	17,324	43
95	74	133	36	119	53	45	22	21	97	19	7	2,794	2,740	586	1,973	131	1,317	44
90	55	118	33	59	27	32	9	16	52	4	8	2,446	2,426	554	1,669	53	1,293	45
596	362	659	204	565	172	186	102	116	430	64	64	17,585	17,263	4,212	11,809	296	7,805	46
594	369	622	185	446	215	216	88	87	373	42	24	13,978	13,851	3,252	9,687	346	7,252	47
384	178	377	118	336	112	119	56	54	284	48	20	9,626	9,453	2,140	6,595	170	4,552	48
654	574	884	356	615	312	303	87	105	753	61	47	21,200	20,948	4,705	14,599	441	10,859	49
45	33	45	21	32	14	16	12	10	34	3	-	1,323	1,308	311	912	39	652	50

Table 82. Deaths From 59 Selected Causes:

(By place of occurrence. Excludes fetal deaths. Numbers under causes of death

	AREA	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertensive heart disease 440-443	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540,541	Appendicitis 550-553	Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581
1	UNITED STATES	58,595	24,548	73,934	13,798	34,483	17,204	13,827	57,439	4,442	52,997	3,973	10,801	1,845	8,853	7,838	18,638
2	Alabama	1,211	648	1,786	320	554	232	401	1,196	275	921	70	116	32	129	182	174
3	Arizona	318	105	252	81	161	78	59	426	21	405	71	77	9	65	130	119
4	Arkansas	381	525	843	166	301	165	262	677	113	564	33	61	10	91	114	107
5	California	3,411	1,041	4,661	928	3,009	1,783	731	4,106	109	3,997	375	1,049	150	618	479	2,436
6	Colorado	303	147	402	103	302	230	122	901	35	866	57	105	21	93	95	187
7	Connecticut	610	186	817	205	493	310	159	690	21	669	66	170	22	129	74	345
8	Delaware	251	52	311	41	91	38	45	182	12	170	10	39	6	21	19	67
9	District of Columbia	401	95	646	79	147	232	75	462	5	457	25	73	11	65	34	220
10	Florida	1,210	820	1,686	340	655	527	366	1,494	159	1,335	101	293	51	246	285	550
11	Georgia	965	639	1,839	396	661	309	457	1,407	208	1,201	73	197	34	172	205	226
12	Idaho	202	90	170	35	135	50	35	128	10	118	13	38	3	29	24	34
13	Illinois	4,571	1,610	4,146	1,066	1,930	798	834	3,993	131	3,862	236	676	105	545	431	1,166
14	Indiana	1,478	642	2,126	384	1,163	392	401	1,299	160	1,139	66	263	46	243	179	374
15	Iowa	1,067	441	905	262	803	276	196	854	90	764	72	169	33	165	95	156
16	Kansas	748	330	797	182	502	191	191	613	93	520	43	133	28	128	79	137
17	Kentucky	1,027	695	1,600	230	603	248	277	1,102	135	967	72	154	33	154	149	235
18	Louisiana	819	639	1,855	211	447	287	312	1,143	134	1,009	76	158	29	170	179	254
19	Maine	467	112	446	77	250	123	104	322	28	294	24	56	14	66	44	84
20	Maryland	2,304	351	2,220	197	474	289	261	847	38	809	72	119	17	153	100	317
21	Massachusetts	1,402	770	2,109	459	1,274	707	385	2,043	26	2,017	157	432	65	281	183	727
22	Michigan	2,140	972	2,484	512	1,284	723	547	2,188	130	2,058	143	477	105	299	295	800
23	Minnesota	943	425	1,089	202	762	376	179	1,050	65	985	76	207	31	187	148	300
24	Mississippi	685	510	1,357	252	259	175	254	882	199	683	43	90	11	119	215	92
25	Missouri	2,178	733	2,100	400	1,143	441	493	1,679	179	1,500	119	303	57	265	173	455
26	Montana	207	160	175	39	166	49	52	274	15	259	18	48	3	39	42	72
27	Nebraska	561	236	481	54	294	103	106	465	60	405	25	101	23	62	58	113
28	Nevada	69	58	53	19	37	18	22	49	1	48	10	16	3	19	14	41
29	New Hampshire	164	86	323	57	216	55	49	180	11	169	25	40	7	36	19	61
30	New Jersey	2,900	525	2,495	409	1,053	505	415	1,670	46	1,624	132	408	74	294	239	844
31	New Mexico	134	99	138	45	80	59	49	303	22	281	25	43	6	36	106	55
32	New York	5,820	977	7,725	1,320	3,099	1,396	1,224	6,077	131	5,946	409	1,410	206	873	645	2,638
33	North Carolina	1,063	907	2,392	415	587	350	433	1,330	105	1,225	69	188	37	169	185	230
34	North Dakota	117	91	146	42	117	53	31	195	5	190	13	34	5	39	23	33
35	Ohio	3,044	1,236	4,076	840	2,632	1,031	691	2,529	260	2,289	223	587	96	476	369	1,069
36	Oklahoma	499	553	716	193	400	218	230	718	84	634	32	118	34	147	85	161
37	Oregon	326	179	643	81	387	203	80	544	13	531	41	101	14	82	48	157
38	Pennsylvania	5,954	1,469	6,054	981	2,918	1,328	951	3,451	199	3,252	245	763	107	646	439	1,356
39	Rhode Island	201	82	382	90	173	84	73	273	10	263	38	74	8	48	31	130
40	South Carolina	625	393	1,463	183	346	169	252	830	106	724	37	82	19	88	167	80
41	South Dakota	178	144	164	42	152	44	31	221	14	207	7	35	9	45	34	33
42	Tennessee	1,186	657	1,681	330	660	416	322	1,411	230	1,181	66	202	36	154	141	215
43	Texas	1,921	2,120	2,656	562	1,132	756	707	3,017	415	2,802	160	356	77	454	752	654
44	Utah	226	95	204	21	88	72	54	201	19	182	16	61	2	41	25	56
45	Vermont	149	37	137	41	114	48	20	161	10	151	8	25	3	28	19	23
46	Virginia	1,251	531	1,926	293	565	384	322	1,236	92	1,144	92	164	39	168	160	281
47	Washington	673	429	987	127	500	285	127	877	35	842	49	188	39	127	94	257
48	West Virginia	642	402	829	184	364	170	173	645	67	578	44	105	22	108	54	144
49	Wisconsin	1,494	456	1,369	291	960	393	252	1,015	111	904	88	235	50	219	162	353
50	Wyoming	101	48	72	11	40	34	15	83	7	76	8	22	3	22	16	20

United States and Each State, 1958—Continued

are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis	Acute nephritis, and nephritis with edema including nephrosis	Infections of kidney	Hyperplasia of prostate	Deliveries and complications of pregnancy, childbirth, and the puerperium	Abortion	Other complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Birth injuries, postnatal asphyxia, and atelectasis	Infections of newborn	Other diseases peculiar to early infancy, and immaturity unqualified	Symptoms, senility, and ill-defined conditions	All other diseases	Accidents	Motor vehicle accidents	Other accidents	Suicide	Homicide	
584,585	590,591	600	610	640-689	650-652	640-649, 660-689	750-759	760-776	760-762	763-768	769-776	780-795	Residual	E800-E962	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	
4,720	2,203	6,889	4,627	1,581	259	1,322	21,411	68,960	31,525	5,531	31,904	19,729	63,353	90,604	36,981	53,623	18,519	7,815	1
50	65	171	91	65	4	61	384	1,540	567	193	780	1,313	1,187	1,979	878	1,101	260	352	2
32	9	45	15	15	2	13	158	565	181	50	334	166	553	980	529	451	162	83	3
36	39	57	66	24	2	22	156	574	232	52	290	450	656	1,196	445	751	133	123	4
321	132	577	297	107	35	72	1,760	5,478	2,884	383	2,211	365	5,455	7,384	3,594	3,790	2,388	567	5
69	21	46	39	7	1	6	263	795	379	56	360	56	776	1,050	414	636	261	69	6
60	35	87	41	13	3	10	257	889	428	49	412	97	858	850	266	584	261	36	7
14	5	20	4	5	1	4	46	201	104	7	90	14	190	227	89	138	38	12	8
26	20	100	29	6	-	6	185	712	405	44	263	25	469	359	83	276	108	87	9
117	69	201	121	63	6	57	508	2,058	900	174	964	987	1,960	2,904	1,189	1,715	641	501	10
78	77	218	109	63	9	54	439	1,784	742	174	868	402	1,428	2,323	1,021	1,302	340	393	11
18	9	20	12	3	-	3	74	226	97	16	113	75	206	600	290	310	66	9	12
249	125	409	271	71	8	63	1,129	3,514	2,172	346	996	329	2,724	4,345	1,797	2,548	1,018	418	13
139	80	176	122	30	3	27	544	1,697	788	98	811	210	1,618	2,591	1,099	1,492	509	131	14
91	22	80	81	20	2	18	306	916	410	50	456	166	1,103	1,477	630	847	346	35	15
70	42	62	74	11	-	11	284	728	334	64	330	212	795	1,243	582	661	268	57	16
71	41	110	79	27	2	25	364	1,302	523	110	669	375	1,057	2,029	779	1,250	312	192	17
61	46	153	64	52	6	46	497	1,901	793	235	873	305	1,297	2,074	841	1,233	248	252	18
35	14	38	29	7	-	7	125	330	193	23	114	61	337	559	216	343	135	15	19
58	39	86	53	24	5	19	411	1,290	488	141	661	114	1,180	1,319	517	802	276	166	20
172	44	274	121	21	4	17	691	1,604	644	100	860	218	2,074	2,379	579	1,800	414	46	21
247	85	222	216	61	13	48	1,008	3,189	1,469	185	1,535	218	2,294	3,276	1,417	1,859	741	214	22
137	30	104	98	17	2	15	547	1,199	516	57	626	160	1,306	1,716	734	982	295	33	23
51	58	101	72	50	4	46	248	1,111	381	120	610	2,125	695	1,434	574	860	144	206	24
158	68	241	145	37	5	32	536	1,630	781	124	725	453	1,738	2,473	1,013	1,460	533	225	25
21	6	20	14	3	1	2	75	247	113	9	125	171	260	496	208	288	99	18	26
66	10	41	56	8	-	8	188	525	226	44	255	67	501	790	359	431	136	40	27
8	4	8	8	2	-	2	28	138	56	8	74	47	140	350	151	199	80	21	28
18	8	17	18	3	-	3	79	202	73	13	116	59	274	288	101	187	79	2	29
180	52	214	163	47	10	37	586	2,035	974	155	906	155	1,795	2,213	773	1,440	507	136	30
22	7	13	22	9	-	9	127	558	209	51	298	485	320	784	431	353	100	46	31
524	120	697	476	135	42	93	1,954	5,638	2,757	374	2,507	1,312	5,219	6,353	2,114	4,239	1,384	466	32
72	73	178	101	63	10	53	540	2,004	892	198	914	945	1,483	2,460	1,150	1,310	453	367	33
24	5	18	24	3	1	2	87	270	121	30	119	53	204	385	169	216	71	7	34
252	126	408	281	75	10	65	1,322	3,802	1,922	244	1,636	465	3,648	4,594	1,819	2,775	1,102	312	35
75	50	94	98	17	3	14	244	843	311	62	470	857	897	1,504	666	838	199	108	36
40	17	71	43	6	-	6	193	490	244	31	215	170	628	1,130	460	670	215	44	37
384	157	408	282	84	17	67	1,302	4,164	1,873	321	1,970	782	4,829	5,042	1,746	3,296	1,103	276	38
33	5	27	21	5	1	4	95	250	112	9	129	25	328	303	74	229	32	7	39
25	31	97	36	43	7	36	241	1,009	337	109	563	797	782	1,499	590	909	160	177	40
26	9	19	23	5	-	5	70	248	113	13	122	70	275	469	236	233	78	6	41
87	58	165	94	38	4	34	451	1,516	605	137	774	1,538	1,323	1,880	799	1,081	369	303	42
159	130	295	227	117	22	95	1,180	4,336	1,709	501	2,126	1,296	3,230	5,206	2,424	2,782	854	721	43
14	4	26	5	8	1	7	142	360	181	20	159	264	330	516	206	310	66	15	44
5	3	15	19	2	-	2	36	136	60	7	69	78	174	236	80	156	59	7	45
59	43	177	90	44	5	39	454	1,766	722	162	882	371	1,460	2,242	884	1,358	427	304	46
68	26	87	83	10	1	9	359	1,023	529	58	436	180	1,138	1,652	610	1,042	369	61	47
40	34	66	52	19	3	16	207	661	307	54	300	395	756	1,215	388	827	192	95	48
150	44	124	137	33	2	31	495	1,387	603	62	722	229	1,287	1,957	818	1,139	437	44	49
8	6	6	5	3	2	1	36	139	65	8	66	22	116	273	149	124	51	10	50

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
UNITED STATES													
All causes	1,647,888	644,548	1,003,338	784,360	1,862	9,097	14,592	9,588	1,735	57,675	98,444	1,911	24,074
Tuberculosis, all forms-001-019	12,361	2,468	9,893	4,680	5	3,951	103	65	44	788	98	8	151
Tuberculosis of respiratory system-001-008	11,477	2,360	9,117	4,070	5	3,872	97	47	41	749	86	7	143
Tuberculosis, other forms-010-019	884	108	776	610	-	79	6	18	3	39	12	1	8
Syphilis and its sequelae-020-029	3,469	983	2,486	1,705	2	20	33	11	8	570	101	4	32
Dysentery, all forms-045-048	407	153	254	190	1	-	1	4	-	44	5	-	9
Scarlet fever and strep. sore throat-050,051	139	59	80	69	-	-	-	-	-	3	5	-	3
Diphtheria-055	74	15	59	57	1	-	-	1	-	-	-	-	-
Whooping cough-056	177	70	107	95	-	-	2	7	-	-	-	-	3
Meningococcal infections-057	746	90	656	590	1	-	1	48	1	4	3	-	8
Acute poliomyelitis-080	255	21	234	198	-	2	3	25	-	-	1	-	5
Measles-081	552	200	352	296	-	-	1	25	12	12	1	-	5
Other infective and parasitic dis.----Residual[1]	5,227	869	4,358	3,770	10	41	31	134	9	182	106	6	69
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	254,426	82,215	172,211	143,670	115	1,749	3,490	3,319	194	3,417	12,571	387	3,298
Of buccal cavity and pharynx-140-148	5,766	1,856	3,910	2,959	1	42	176	161	4	116	353	23	75
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	88,144	30,661	57,483	48,312	25	330	1,161	545	73	1,240	4,563	118	1,116
Of respiratory system (not secondary)-160-164	35,423	10,378	25,045	21,339	10	768	447	373	30	454	1,167	42	415
Of breast-170	22,675	7,976	14,699	11,853	17	73	401	403	16	296	1,448	50	342
Of genital organs-171-179	38,390	13,896	24,494	19,591	35	142	634	443	18	524	2,487	80	540
Of urinary organs-180,181	12,122	3,660	8,462	7,099	4	52	174	147	7	152	657	19	151
Of other sites, etc.*-156B,165,190-199	27,978	9,176	18,802	15,486	14	166	356	432	22	439	1,425	52	410
Leukemia and aleukemia-204	11,980	1,920	10,060	8,988	2	109	55	493	15	93	182	1	122
Lymphosarcoma, etc.*-200-203,205	11,948	2,692	9,256	8,243	7	67	86	322	9	103	289	2	128
Benign neoplasms, etc.*-210-239	4,961	869	4,092	3,578	2	26	41	71	4	162	148	5	55
Asthma-241	5,035	2,244	2,791	2,403	3	26	31	11	10	80	164	6	57
Diabetes mellitus-260	27,501	8,626	18,875	15,635	5	59	284	65	29	745	1,610	29	404
Anemias-290-293	3,195	883	2,312	1,943	3	10	17	49	5	68	180	-	37
Nonmeningococcal meningitis, etc.*-340	2,247	184	2,063	1,813	5	4	9	153	3	38	16	1	21
Major cardiovascular-renal diseases-330-334,400-468,592-594	907,316	406,658	500,658	361,430	328	2,103	8,355	1,720	769	37,530	72,308	1,079	15,036
Diseases of cardiovascular system-330-334,400-468	893,489	402,160	491,309	353,544	316	2,047	8,275	1,681	750	37,238	71,576	1,071	14,811
Vascular lesions affecting central nervous system-330-334	190,758	65,272	125,486	88,278	64	413	2,120	392	123	6,719	22,646	293	4,438
Diseases of heart-400-402,410-443	637,246	315,856	321,390	235,108	219	1,463	5,437	1,154	586	26,649	41,083	676	9,015
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	18,796	6,559	12,237	10,930	14	52	117	60	42	341	484	9	188
Arteriosclerotic heart dis., etc.*-420	461,373	237,424	223,949	167,258	155	1,092	3,604	780	389	18,759	25,345	496	6,071
Nonrheumatic chronic endocarditis, etc.*-421,422	58,595	27,677	30,918	16,316	10	127	733	149	69	4,608	7,717	72	1,117
Other diseases of heart-430-434	24,548	12,521	12,027	9,322	7	74	131	59	30	735	1,273	11	385
Hypertensive heart disease-440-443	73,934	31,675	42,259	31,282	33	118	852	106	56	2,206	6,264	88	1,254
Other hypertensive disease-444-447	13,798	4,346	9,452	7,393	9	30	102	24	8	431	1,197	18	240
General arteriosclerosis-450	34,483	13,172	21,311	10,529	14	83	531	79	11	2,791	6,265	75	933
Other diseases of circulatory system-451-468	17,204	3,534	13,670	12,236	10	58	85	32	22	648	385	9	185
Chronic nephritis, etc.*-592-594	13,827	4,478	9,349	7,886	12	56	80	39	19	292	732	8	225
Influenza and pneumonia, etc.*-480-493	57,439	18,054	39,385	27,088	28	235	670	349	116	6,188	3,762	90	859
Influenza-480-483	4,442	2,528	1,914	1,344	2	7	11	10	6	116	339	5	74
Pneumonia, etc.*-490-493	52,997	15,526	37,471	25,744	26	228	659	339	110	6,072	3,423	85	785
Bronchitis-500-502	3,973	1,523	2,450	2,016	-	41	23	30	3	153	134	6	44
Ulcer of stomach and duodenum-540,541	10,801	1,272	9,529	8,797	6	58	54	44	15	291	156	4	104
Appendicitis-550-553	1,845	102	1,743	1,644	2	6	9	13	1	40	6	2	20
Hernia and intestinal obstruction-560,561,570	8,853	838	8,014	7,177	9	26	35	99	14	370	154	5	125
Gastritis, duodenitis, etc.*-543,571,572	7,838	1,673	6,165	5,526	16	17	36	102	8	196	163	2	99
Cirrhosis of liver-581	18,638	3,851	14,787	13,624	13	69	126	63	20	326	337	9	200
Cholelithiasis, cholecystitis, etc.*-584,585	4,720	470	4,250	4,013	4	8	17	10	2	84	67	4	41
Acute nephritis, etc.*-590,591	2,203	528	1,675	1,416	5	7	9	29	4	66	98	5	36
Infections of kidney-600	6,889	999	5,890	4,939	4	27	99	28	5	298	386	3	101
Hyperplasia of prostate-610	4,627	875	3,752	3,196	1	5	37	7	-	133	289	2	82
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	1,581	229	1,352	1,300	9	1	3	1	-	5	4	-	29
Abortion-650-652	259	46	213	205	-	-	1	-	-	1	-	-	6
Other complications, etc.*-640-649,660-689	1,322	183	1,139	1,095	9	1	2	1	-	4	4	-	23
Congenital malformations-750-759	21,411	2,881	18,530	15,999	166	34	71	1,346	72	328	177	71	266
Certain diseases of early infancy-760-776	68,960	3,762	65,198	62,192	1,015	8	131	800	22	29	178	3	820
Birth injuries, etc.*-760-762	31,525	957	30,568	29,221	510	2	55	316	9	12	86	1	356
Infections of newborn-763-768	5,531	1,002	4,529	4,183	64	-	13	192	-	2	14	-	61
Other diseases of infancy, etc.*-769-776	31,904	1,803	30,101	28,788	441	6	63	292	13	15	78	2	403
Symptoms, senility, etc.*-780-795	19,729	14,756	4,973	3,534	16	23	29	27	47	335	710	9	243
All other diseases-Residual	63,353	18,370	44,983	35,465	51	456	546	634	174	3,403	3,216	134	904
Accidents-E800-E962	90,604	47,513	43,091	38,873	30	61	253	266	52	1,526	1,225	32	773
Motor vehicle accidents-E810-E835	36,981	20,693	16,288	15,747	21	7	37	72	9	34	73	-	288
Other accidents-E800-E802,E840-E962	53,623	26,820	26,803	23,126	9	54	216	194	43	1,492	1,152	32	485
Suicide-E963,E970-E979	18,519	15,092	3,427	2,952	4	22	20	17	28	238	53	5	88
Homicide-E964,E980-E985	7,815	5,152	2,663	2,487	2	2	12	15	64	23	12	-	46

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
ALABAMA													
All causes	29,521	16,444	13,077	10,946	1	120	18	79	18	868	771	1	255
Tuberculosis, all forms—001-019	378	155	223	83	-	102	-	-	2	31	-	-	5
Tuberculosis of respiratory system—001-008	359	151	208	72	-	100	-	-	2	29	-	-	5
Tuberculosis, other forms—010-019	19	4	15	11	-	2	-	-	-	2	-	-	-
Syphilis and its sequelae—020-029	91	35	56	27	-	1	-	-	-	27	1	-	-
Dysentery, all forms—045-048	10	6	4	2	-	-	-	-	-	1	1	-	-
Scarlet fever and strep. sore throat—050,051	5	4	1	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	3	-	3	3	-	-	-	-	-	-	-	-	-
Whooping cough—056	6	4	2	1	-	-	-	1	-	-	-	-	-
Meningococcal infections—057	21	1	20	18	-	-	-	1	-	1	-	-	-
Acute poliomyelitis—080	3	2	1	1	-	-	-	-	-	-	-	-	-
Measles—085	12	6	6	6	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	138	37	101	93	-	-	-	2	-	3	2	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,579	1,822	1,757	1,593	-	3	6	9	3	53	65	-	25
Of buccal cavity and pharynx—140-148	74	43	31	30	-	-	-	-	-	1	-	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,066	577	489	438	-	1	2	1	1	16	24	-	6
Of respiratory system (not secondary)—160-164	459	191	268	246	-	1	-	1	1	9	5	-	5
Of breast—170	271	155	116	110	-	-	1	1	-	1	3	-	-
Of genital organs—171-179	718	434	284	247	-	-	1	-	-	11	17	-	8
Of urinary organs—180,181	135	66	69	64	-	-	-	-	-	1	3	-	1
Of other sites, etc.*—156B,165,190-199	522	266	256	225	-	1	1	2	1	11	12	-	3
Leukemia and aleukemia—204	171	39	132	126	-	-	1	2	-	2	-	-	1
Lymphosarcoma, etc.*—200-203,205	163	51	112	107	-	-	-	2	-	1	1	-	1
Benign neoplasms, etc.*—210-239	83	29	64	60	-	-	-	-	1	3	-	-	-
Asthma—241	74	42	32	26	-	1	-	-	-	-	2	1	2
Diabetes mellitus—260	394	181	213	186	-	1	-	-	2	6	13	-	5
Anemias—290-293	55	21	34	34	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*—340	50	7	43	39	-	-	-	2	-	-	-	-	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	15,167	9,332	5,835	4,577	-	6	11	3	4	521	562	-	151
Diseases of cardiovascular system—330-334,400-468	14,772	9,118	5,654	4,439	-	6	11	2	4	500	549	-	143
Vascular lesions affecting central nervous system—330-334	4,058	2,345	1,713	1,351	-	2	7	-	2	100	212	-	39
Diseases of heart—400-402,410-443	9,610	6,169	3,441	2,690	-	4	4	1	1	377	268	-	96
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	175	94	81	75	-	-	-	1	-	2	2	-	1
Arteriosclerotic heart dis., etc.*—420	5,800	3,616	2,184	1,790	-	2	4	-	1	197	127	-	63
Nonrheumatic chronic endocarditis, etc.*—421,422	1,213	848	365	179	-	1	-	-	-	106	70	-	9
Other diseases of heart—430-434	648	503	145	124	-	1	-	-	-	8	8	-	4
Hypertensive heart disease—440-443	1,774	1,108	666	522	-	-	-	-	-	64	61	-	19
Other hypertensive disease—444-447	322	163	159	133	-	-	-	-	-	10	15	-	1
General arteriosclerosis—450	550	376	174	113	-	-	-	-	1	4	49	-	7
Other diseases of circulatory system—451-468	232	65	167	152	-	-	-	1	-	9	5	-	-
Chronic nephritis, etc.*—592-594	395	214	181	138	-	-	-	1	-	21	13	-	8
Influenza and pneumonia, etc.*—480-493	1,200	709	491	376	-	-	1	3	2	72	31	-	6
Influenza—480-483	271	168	103	57	-	-	-	-	-	44	2	-	-
Pneumonia, etc.*—490-493	929	541	388	319	-	-	1	3	2	28	29	-	6
Bronchitis—500-502	74	28	46	36	-	-	-	1	-	8	1	-	-
Ulcer of stomach and duodenum—540,541	119	31	88	82	-	1	-	-	-	3	-	-	2
Appendicitis—550-553	32	2	30	29	-	-	-	-	-	1	-	-	-
Hernia and intestinal obstruction—560,561,570	130	22	108	101	-	1	-	1	-	5	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	184	64	120	116	-	-	-	1	-	1	2	-	-
Cirrhosis of liver—581	173	59	114	102	-	-	-	-	-	4	5	-	3
Cholelithiasis, cholecystitis, etc.*—584,585	51	14	37	35	-	-	-	-	-	-	1	-	1
Acute nephritis, etc.*—590,591	67	30	37	34	-	-	-	-	-	3	-	-	-
Infections of kidney—600	170	63	107	88	-	-	-	-	-	4	11	-	4
Hyperplasia of prostate—610	92	37	55	47	-	-	-	-	-	5	3	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	67	12	55	53	1	-	-	-	-	-	-	-	1
Abortion—650-652	4	1	3	2	-	-	-	-	-	-	-	-	1
Other complications, etc.*—640-649,660-689	63	11	52	51	1	-	-	-	-	-	-	-	-
Congenital malformations—750-759	387	91	296	270	-	-	-	22	-	2	1	-	1
Certain diseases of early infancy—760-776	1,564	235	1,329	1,288	-	-	-	24	-	-	1	-	16
Birth injuries, etc.*—760-762	572	61	511	499	-	-	-	6	-	-	-	-	6
Infections of newborn—763-768	198	41	157	149	-	-	-	5	-	-	-	-	3
Other diseases of infancy, etc.*—769-776	794	133	661	640	-	-	-	13	-	-	1	-	7
Symptoms, senility, etc.*—780-795	1,307	1,158	149	114	-	1	-	-	-	4	27	-	3
All other diseases—Residual	1,199	516	683	543	-	2	-	9	1	88	32	-	8
Accidents—E800-E962	2,007	1,223	784	741	-	-	-	-	-	19	10	-	14
Motor vehicle accidents—E810-E835	902	534	368	357	-	-	-	-	-	5	-	-	6
Other accidents—E800-E802,E840-E962	1,105	689	416	384	-	-	-	-	-	14	10	-	8
Suicide—E963,E970-E979	257	208	49	42	-	1	-	-	1	2	-	-	3
Homicide—E964,E980-E985	362	258	104	99	-	-	-	-	2	1	-	-	2

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
ARIZONA													
All causes	9,068	3,390	5,678	4,739	1	256	50	7	4	177	317	-	127
Tuberculosis, all forms—001-019	188	29	159	118	-	32	1	-	-	6	1	-	1
Tuberculosis of respiratory system—001-008	178	29	149	109	-	32	1	-	-	6	1	-	-
Tuberculosis, other forms—010-019	10	-	10	9	-	-	-	-	-	-	-	-	1
Syphilis and its sequelae—020-029	17	5	12	6	-	2	-	-	-	3	1	-	-
Dysentery, all forms—045-048	14	3	11	10	-	-	-	-	-	-	-	-	1
Scarlet fever and strep. sore throat—050,051	1	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	4	1	3	3	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	7	3	4	3	-	-	-	-	-	-	-	-	1
Acute poliomyelitis—080	2	-	2	1	-	-	-	1	-	-	-	-	-
Measles—085	10	6	4	4	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	44	4	40	39	-	-	-	-	-	-	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,194	355	839	700	-	67	12	1	-	10	40	-	9
Of buccal cavity and pharynx—140-148	24	12	12	10	-	2	-	-	-	-	-	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	398	127	271	235	-	16	3	1	-	2	12	-	2
Of respiratory system (not secondary)—160-164	182	49	133	105	-	18	1	-	-	2	6	-	1
Of breast—170	90	34	56	47	-	-	-	-	-	-	7	-	2
Of genital organs—171-179	172	52	120	108	-	3	1	-	-	3	4	-	1
Of urinary organs—180,181	58	17	41	31	-	4	1	-	-	-	4	-	1
Of other sites, etc.*—156B,165,190-199	138	35	103	83	-	9	4	-	-	1	4	-	2
Leukemia and aleukemia—204	66	10	56	43	-	12	-	-	-	1	-	-	-
Lymphosarcoma, etc.*—200-203,205	66	19	47	38	-	3	2	-	-	1	3	-	-
Benign neoplasms, etc.*—210-239	29	5	24	20	-	-	-	1	-	3	-	-	-
Asthma—241	105	31	74	63	-	2	3	-	-	-	6	-	-
Diabetes mellitus—260	90	26	64	53	-	2	2	-	-	-	6	-	1
Anemias—290-293	14	3	11	11	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*—340	19	2	17	16	-	-	-	-	-	1	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	3,824	1,576	2,248	1,740	1	81	19	3	-	125	223	-	56
Diseases of cardiovascular system—330-334,400-468	3,766	1,571	2,195	1,694	1	80	19	3	-	123	220	-	55
Vascular lesions affecting central nervous system—330-334	776	207	569	440	1	9	3	2	-	10	88	-	16
Diseases of heart—400-402,410-443	2,678	1,282	1,396	1,063	-	64	13	-	-	101	107	-	28
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	115	40	75	66	-	4	1	-	-	2	2	-	-
Arteriosclerotic heart dis., etc.*—420	1,914	928	986	760	-	44	7	-	-	89	70	-	16
Nonrheumatic chronic endocarditis, etc.*—421,422	300	170	130	98	-	3	2	-	-	2	22	-	3
Other diseases of heart—430-434	96	35	61	50	-	3	1	-	-	-	3	-	4
Hypertensive heart disease—440-443	253	109	144	109	-	10	2	-	-	8	10	-	5
Other hypertensive disease—444-447	77	16	61	42	-	1	1	-	-	5	8	-	4
General arteriosclerosis—450	160	49	111	81	-	1	-	1	-	5	17	-	6
Other diseases of circulatory system—451-468	75	17	58	48	-	5	2	-	-	2	-	-	1
Chronic nephritis, etc.*—592-594	58	5	53	46	-	1	-	-	-	2	3	-	1
Influenza and pneumonia, etc.*—480-493	415	155	260	232	-	3	1	-	1	6	10	-	7
Influenza—480-483	20	7	13	13	-	-	-	-	-	-	-	-	-
Pneumonia, etc.*—490-493	395	148	247	219	-	3	1	-	1	6	10	-	7
Bronchitis—500-502	65	11	54	32	-	18	-	-	-	2	1	-	1
Ulcer of stomach and duodenum—540,541	66	5	61	48	-	6	3	-	-	3	-	-	1
Appendicitis—550-553	8	1	7	6	-	1	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	61	3	58	53	-	1	1	-	-	1	2	-	-
Gastritis, duodenitis, etc.*—543,571,572	118	27	91	81	-	1	1	-	-	1	1	-	6
Cirrhosis of liver—581	108	21	87	79	-	5	1	-	-	1	1	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	28	3	25	25	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	11	1	10	10	-	-	-	-	-	-	-	-	-
Infections of kidney—600	45	5	40	34	-	1	-	-	-	2	-	-	3
Hyperplasia of prostate—610	16	4	12	9	-	1	-	-	-	1	1	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	15	1	14	13	-	-	-	-	-	-	-	-	1
Abortion—650-652	2	-	2	2	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	13	1	12	11	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	171	21	150	144	-	-	-	-	-	-	1	-	5
Certain diseases of early infancy—760-776	562	33	529	511	-	-	-	-	-	-	-	-	18
Birth injuries, etc.*—760-762	180	11	169	165	-	-	-	-	-	-	-	-	4
Infections of newborn—763-768	51	7	44	39	-	-	-	-	-	-	-	-	5
Other diseases of infancy, etc.*—769-776	331	15	316	307	-	-	-	-	-	-	-	-	9
Symptoms, senility, etc.*—780-795	166	143	23	19	-	-	-	-	-	-	4	-	-
All other diseases—Residual	528	156	372	308	-	29	6	1	-	11	13	-	4
Accidents—E800-E962	886	570	316	297	-	2	-	-	-	1	6	-	10
Motor vehicle accidents—E810-E835	459	301	158	151	-	1	-	-	-	-	1	-	5
Other accidents—E800-E802,E840-E962	427	269	158	146	-	1	-	-	-	1	5	-	5
Suicide—E963,E970-E979	162	133	29	25	-	2	-	-	1	-	-	-	1
Homicide—E964,E980-E985	75	47	28	26	-	-	-	-	2	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
ARKANSAS													
All causes	17,051	8,623	8,428	6,748	5	141	5	40	10	442	722	-	315
Tuberculosis, all forms 001-019	207	57	150	47	-	88	-	1	-	9	3	-	2
Tuberculosis of respiratory system 001-008	191	55	136	38	-	85	-	1	-	7	3	-	2
Tuberculosis, other forms 010-019	16	2	14	9	-	3	-	-	-	2	-	-	-
Syphilis and its sequelae 020-029	42	16	26	12	-	-	-	-	-	12	2	-	-
Dysentery, all forms 045-048	10	3	7	5	-	-	-	-	-	2	-	-	-
Scarlet fever and strep. sore throat 050,051	1	-	1	1	-	-	-	-	-	-	-	-	-
Diphtheria 055	4	1	3	3	-	-	-	-	-	-	-	-	-
Whooping cough 056	8	3	5	5	-	-	-	-	-	-	-	-	-
Meningococcal infections 057	9	2	7	5	-	-	-	2	-	-	-	-	-
Acute poliomyelitis 080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles 085	5	2	3	3	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis. Residual[1]	85	19	66	57	-	1	-	1	-	4	-	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	2,403	1,112	1,291	1,122	-	11	2	2	-	44	76	-	34
Of buccal cavity and pharynx 140-148	57	27	30	24	-	-	-	-	-	2	4	-	-
Of digestive organs and peritoneum (not secondary) 150-156A,157-159	729	337	392	341	-	2	1	-	-	18	22	-	8
Of respiratory system (not secondary) 160-164	287	103	184	169	-	2	-	-	-	3	8	-	2
Of breast 170	194	99	95	83	-	-	-	-	-	2	7	-	3
Of genital organs 171-179	452	264	188	153	-	-	1	-	-	5	18	-	11
Of urinary organs 180,181	106	44	62	58	-	1	-	-	-	1	2	-	-
Of other sites, etc.* 156B,165,190-199	340	174	166	130	-	2	-	1	-	10	15	-	8
Leukemia and aleukemia 204	136	32	104	98	-	3	-	1	-	1	-	-	1
Lymphosarcoma, etc.* 200-203,205	102	32	70	66	-	1	-	-	-	2	-	-	1
Benign neoplasms, etc.* 210-239	56	22	34	25	-	-	-	-	-	8	1	-	-
Asthma 241	37	20	17	15	-	-	-	-	-	-	1	-	1
Diabetes mellitus 260	221	97	124	103	-	1	-	-	-	1	12	-	7
Anemias 290-293	49	17	32	28	-	-	-	1	-	-	2	-	1
Nonmeningococcal meningitis, etc.* 340	24	-	24	22	-	-	-	1	-	-	1	-	-
Major cardiovascular-renal diseases 330-334,400-468,592-594	9,238	5,007	4,231	3,261	-	35	3	2	6	222	496	-	206
Diseases of cardiovascular system 330-334,400-468	8,978	4,895	4,083	3,152	-	35	3	2	4	212	481	-	194
Vascular lesions affecting central nervous system 330-334	2,244	1,069	1,175	877	-	1	1	-	1	57	167	-	71
Diseases of heart 400-402,410-443	6,093	3,563	2,530	2,019	-	33	1	2	3	135	254	-	103
Rheumatic fever and chronic rheumatic heart disease 400-402,410-416	119	57	62	57	-	-	-	-	-	2	2	-	1
Arteriosclerotic heart dis., etc.* 420	4,230	2,443	1,787	1,430	-	24	-	-	1	89	166	-	77
Nonrheumatic chronic endocarditis, etc.* 421,422	394	262	132	101	-	1	1	1	1	11	7	-	9
Other diseases of heart 430-434	508	343	165	116	-	1	-	-	1	20	21	-	6
Hypertensive heart disease 440-443	842	458	384	315	-	7	-	1	-	13	38	-	10
Other hypertensive disease 444-447	170	75	95	76	-	-	1	-	-	2	8	-	8
General arteriosclerosis 450	302	134	168	82	-	-	-	-	-	8	68	-	10
Other diseases of circulatory system 451-468	169	54	115	98	-	1	-	-	-	10	4	-	2
Chronic nephritis, etc.* 592-594	260	112	148	109	-	-	-	-	2	10	15	-	12
Influenza and pneumonia, etc.* 480-493	683	319	364	233	-	-	-	2	-	72	48	-	9
Influenza 480-483	114	81	33	25	-	-	-	-	-	-	6	-	2
Pneumonia, etc.* 490-493	569	238	331	208	-	-	-	2	-	72	42	-	7
Bronchitis 500-502	31	16	15	13	-	-	-	-	-	-	1	-	1
Ulcer of stomach and duodenum 540,541	66	9	57	55	-	-	-	-	-	1	1	-	-
Appendicitis 550-553	13	-	13	13	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction 560,561,570	92	14	78	70	-	1	-	-	1	5	-	-	1
Gastritis, duodenitis, etc.* 543,571,572	114	45	69	63	-	-	-	-	-	4	1	-	1
Cirrhosis of liver 581	103	33	70	65	-	-	-	-	1	1	2	-	1
Cholelithiasis, cholecystitis, etc.* 584,585	37	7	30	29	-	-	-	-	-	1	-	-	-
Acute nephritis, etc.* 590,591	37	13	24	22	-	-	-	-	-	1	1	-	-
Infections of kidney 600	61	17	44	38	-	-	-	-	-	2	4	-	-
Hyperplasia of prostate 610	64	24	40	36	-	-	-	-	-	2	1	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	26	8	18	16	-	-	-	-	-	-	-	-	2
Abortion 650-652	2	1	1	-	-	-	-	-	-	-	-	-	1
Other complications, etc.* 640-649,660-689	24	7	17	16	-	-	-	-	-	-	-	-	1
Congenital malformations 750-759	171	32	139	123	1	-	-	13	-	1	-	-	1
Certain diseases of early infancy 760-776	587	83	504	479	2	-	-	5	-	1	1	-	16
Birth injuries, etc.* 760-762	231	20	211	200	2	-	-	2	-	-	1	-	6
Infections of newborn 763-768	55	16	39	37	-	-	-	-	-	-	-	-	2
Other diseases of infancy, etc.* 769-776	301	47	254	242	-	-	-	3	-	1	-	-	8
Symptoms, senility, etc.* 780-795	454	387	67	49	1	-	-	-	-	6	24	-	7
All other diseases Residual	665	265	400	311	-	4	-	3	-	36	34	-	12
Accidents E800-E962	1,197	790	407	377	1	-	-	7	1	4	10	-	7
Motor vehicle accidents E810-E835	445	276	169	161	1	-	-	1	-	-	2	-	4
Other accidents E800-E802,E840-E962	752	514	238	216	-	-	-	6	1	4	8	-	3
Suicide E963,E970-E979	129	110	19	18	-	-	-	-	-	1	-	-	-
Homicide E964,E980-E985	121	93	28	25	-	-	-	-	1	2	-	-	2

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
CALIFORNIA													
All causes	125,924	42,104	83,820	64,703	69	846	2,756	1,031	46	4,810	6,436	471	2,652
Tuberculosis, all forms—001-019	874	133	741	451	-	228	5	6	3	39	5	-	4
Tuberculosis of respiratory system—001-008	810	126	684	399	-	227	5	4	3	38	5	-	3
Tuberculosis, other forms—010-019	64	7	57	52	-	1	-	2	-	1	-	-	1
Syphilis and its sequelae—020-029	250	78	172	143	-	1	8	3	-	8	3	3	3
Dysentery, all forms—045-048	25	4	21	15	-	-	-	1	-	5	-	-	-
Scarlet fever and strep. sore throat—050,051	4	-	4	1	-	-	-	-	-	-	1	-	2
Diphtheria—055	2	-	2	2	-	-	-	-	-	-	-	-	-
Whooping cough—056	15	-	15	14	-	-	-	-	-	-	-	-	1
Meningococcal infections—057	47	3	44	43	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	12	-	12	10	-	-	1	-	-	-	-	-	1
Measles—085	12	3	9	8	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	318	32	286	243	-	6	8	14	-	8	5	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	20,511	5,206	15,305	12,603	3	311	530	175	12	330	968	44	329
Of buccal cavity and pharynx—140-148	511	117	394	323	-	6	28	2	-	19	12	-	4
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	6,711	1,880	4,831	3,985	-	56	178	21	-	117	333	22	119
Of respiratory system (not secondary)—160-164	3,088	715	2,373	2,050	3	71	55	14	1	39	88	4	48
Of breast—170	1,948	564	1,384	1,057	-	23	65	13	8	27	145	7	39
Of genital organs—171-179	2,925	786	2,139	1,718	-	29	86	16	-	46	192	6	46
Of urinary organs—180,181	1,000	247	753	618	-	8	30	7	-	23	49	4	14
Of other sites, etc.*—156B,165,190-199	2,243	564	1,679	1,386	-	28	59	21	2	37	107	1	40
Leukemia and aleukemia—204	1,011	118	893	708	-	65	11	71	1	14	14	-	9
Lymphosarcoma, etc.*—200-203,205	1,074	215	859	758	-	27	18	10	-	8	28	-	10
Benign neoplasms, etc.*—210-239	417	54	363	306	-	5	8	6	-	22	6	-	10
Asthma—241	396	154	242	211	-	4	8	1	-	5	6	-	7
Diabetes mellitus—260	1,447	358	1,089	877	-	4	37	10	-	52	76	6	27
Anemias—290-293	208	44	164	136	-	2	1	9	-	6	7	-	3
Nonmeningococcal meningitis, etc.*—340	208	24	184	165	-	1	-	13	-	3	-	-	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	66,937	25,875	41,062	28,912	26	186	1,800	313	13	3,066	4,688	379	1,679
Diseases of cardiovascular system—330-334,400-468	66,202	25,709	40,493	28,404	24	183	1,790	309	12	3,060	4,662	377	1,672
Vascular lesions affecting central nervous system—330-334	13,846	3,080	10,766	6,912	2	39	584	67	1	821	1,814	124	402
Diseases of heart—400-402,410-443	46,668	20,855	25,813	18,817	21	130	1,088	224	10	1,808	2,361	225	1,129
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	1,641	559	1,082	945	2	5	20	10	1	18	49	2	30
Arteriosclerotic heart dis., etc.*—420	35,909	16,933	18,976	14,228	15	105	669	162	5	1,277	1,490	177	848
Nonrheumatic chronic endocarditis, etc.*—421,422	3,415	1,359	2,056	1,008	1	7	210	20	3	264	409	21	113
Other diseases of heart—430-434	1,060	341	719	553	-	8	20	4	1	48	53	5	27
Hypertensive heart disease—440-443	4,643	1,663	2,980	2,083	3	5	169	28	-	201	360	20	111
Other hypertensive disease—444-447	927	242	685	452	1	2	20	5	-	108	77	2	18
General arteriosclerosis—450	3,000	1,087	1,913	1,059	-	8	78	9	-	252	385	23	99
Other diseases of circulatory system—451-468	1,761	445	1,316	1,164	-	4	20	4	1	71	25	3	24
Chronic nephritis, etc.*—592-594	735	166	569	508	2	3	10	4	1	6	26	2	7
Influenza and pneumonia, etc.*—480-493	4,108	1,028	3,080	2,105	2	17	107	34	-	543	183	16	73
Influenza—480-483	110	46	64	50	-	-	1	-	-	8	1	2	2
Pneumonia, etc.*—490-493	3,998	982	3,016	2,055	2	17	106	34	-	535	182	14	71
Bronchitis—500-502	379	137	242	191	-	5	6	8	-	12	14	1	5
Ulcer of stomach and duodenum—540,541	1,050	144	906	826	1	6	6	6	-	32	13	-	16
Appendicitis—550-553	150	9	141	127	-	1	2	1	-	7	-	-	3
Hernia and intestinal obstruction—560,561,570	622	59	563	496	1	1	6	13	-	24	11	-	11
Gastritis, duodenitis, etc.*—543,571,572	477	72	405	354	-	3	5	11	-	18	10	-	4
Cirrhosis of liver—581	2,432	663	1,769	1,605	2	2	24	14	2	37	46	-	37
Cholelithiasis, cholecystitis, etc.*—584,585	324	31	293	272	-	-	3	-	-	7	3	-	8
Acute nephritis, etc.*—590,591	134	16	118	108	-	-	3	2	1	3	1	-	-
Infections of kidney—600	581	49	532	445	-	3	19	5	-	25	23	1	11
Hyperplasia of prostate—610	295	37	258	209	-	-	9	-	-	13	17	1	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	106	10	96	87	2	-	-	1	-	1	-	-	5
Abortion—650-652	34	6	28	25	-	-	-	-	-	-	-	-	3
Other complications, etc.*—640-649,660-689	72	4	68	62	2	-	-	1	-	1	-	-	2
Congenital malformations—750-759	1,758	185	1,573	1,334	4	4	5	162	-	23	19	-	22
Certain diseases of early infancy—760-776	5,496	134	5,362	5,139	15	-	4	96	-	2	4	-	102
Birth injuries, etc.*—760-762	2,893	36	2,857	2,749	11	-	-	33	-	1	1	-	62
Infections of newborn—763-768	383	57	326	304	-	-	1	14	-	-	1	-	6
Other diseases of infancy, etc.*—769-776	2,220	41	2,179	2,086	4	-	3	49	-	1	2	-	34
Symptoms, senility, etc.*—780-795	390	191	199	133	-	1	5	1	-	30	18	1	10
All other diseases—Residual	5,442	1,333	4,109	3,195	4	54	103	61	3	354	241	12	82
Accidents—E800-E962	7,520	3,790	3,730	3,336	7	1	38	40	2	104	61	3	138
Motor vehicle accidents—E810-E835	3,696	1,873	1,823	1,692	7	-	10	23	1	4	10	-	76
Other accidents—E800-E802,E840-E962	3,824	1,917	1,907	1,644	-	1	28	17	1	100	51	3	62
Suicide—E963,E970-E979	2,406	1,880	526	436	1	-	4	12	1	30	6	4	32
Homicide—E964,E980-E985	571	368	203	165	1	-	1	11	9	1	1	-	14

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
COLORADO													
All causes	14,444	4,681	9,763	8,038	1	27	73	111	32	645	701	29	106
Tuberculosis, all forms—001-019	85	13	72	53	-	10	-	-	1	6	2	-	-
Tuberculosis of respiratory system—001-008	79	13	66	49	-	10	-	-	-	6	1	-	-
Tuberculosis, other forms—010-019	6	-	6	4	-	-	-	-	1	-	1	-	-
Syphilis and its sequelae—020-029	33	12	21	16	-	-	-	-	-	3	1	-	1
Dysentery, all forms—045-048	1	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	2	2	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	2	-	2	2	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	5	1	4	3	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	2	-	2	2	-	-	-	-	-	-	-	-	-
Measles—085	8	6	2	1	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	62	14	48	40	-	-	-	3	-	2	1	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,042	417	1,625	1,426	-	1	68	18	1	31	70	4	6
Of buccal cavity and pharynx—140-148	40	10	30	24	-	-	5	-	-	1	-	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	708	163	545	483	-	-	26	1	-	12	18	3	2
Of respiratory system (not secondary)—160-164	243	43	200	185	-	1	5	-	1	4	3	-	1
Of breast—170	180	33	147	126	-	-	8	-	-	1	12	-	-
Of genital organs—171-179	344	85	259	220	-	-	11	1	-	4	20	-	3
Of urinary organs—180,181	103	19	84	70	-	-	4	2	-	2	5	1	-
Of other sites, etc.*—156B,165,190-199	212	32	180	155	-	-	8	5	-	3	9	-	-
Leukemia and aleukemia—204	114	17	97	87	-	-	-	7	-	1	2	-	-
Lymphosarcoma, etc.*—200-203,205	98	15	83	76	-	-	1	2	-	3	1	-	-
Benign neoplasms, etc.*—210-239	45	9	36	32	-	-	-	3	-	1	-	-	-
Asthma—241	61	24	37	37	-	-	-	-	-	-	-	-	-
Diabetes mellitus—260	136	31	105	90	-	1	-	-	-	4	7	1	2
Anemias—290-293	25	3	22	21	-	-	-	-	-	1	-	-	-
Nonmeningococcal meningitis, etc.*—340	22	2	20	19	-	-	-	1	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	7,126	2,781	4,345	3,476	-	8	3	6	6	242	511	21	72
Diseases of cardiovascular system—330-334,400-468	7,005	2,757	4,248	3,389	-	8	3	6	6	238	506	21	71
Vascular lesions affecting central nervous system—330-334	1,486	361	1,125	864	-	1	-	3	-	53	175	6	23
Diseases of heart—400-402,410-443	4,890	2,224	2,666	2,160	-	7	2	3	6	162	273	12	41
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	253	66	187	179	-	3	-	-	1	-	3	-	1
Arteriosclerotic heart dis., etc.*—420	3,787	1,846	1,941	1,568	-	1	1	1	2	156	173	11	28
Nonrheumatic chronic endocarditis, etc.*—421,422	305	124	181	140	-	1	1	-	1	-	36	-	2
Other diseases of heart—430-434	149	45	104	91	-	1	-	2	1	2	4	-	3
Hypertensive heart disease—440-443	396	143	253	182	-	1	-	-	1	4	57	1	7
Other hypertensive disease—444-447	106	29	77	60	-	-	-	-	-	9	7	-	1
General arteriosclerosis—450	301	99	202	138	-	-	1	-	-	8	47	3	5
Other diseases of circulatory system—451-468	222	44	178	167	-	-	-	-	-	6	4	-	1
Chronic nephritis, etc.*—592-594	121	24	97	87	-	-	-	-	-	4	5	-	1
Influenza and pneumonia, etc.*—480-493	881	185	696	376	-	1	-	6	8	248	54	-	5
Influenza—480-483	36	12	24	19	-	-	-	-	1	-	4	-	-
Pneumonia, etc.*—490-493	845	173	672	357	-	1	-	6	5	248	50	-	5
Bronchitis—500-502	55	19	36	32	-	-	-	2	1	1	-	-	-
Ulcer of stomach and duodenum—540,541	103	12	91	85	-	-	-	-	-	5	1	-	-
Appendicitis—550-553	20	4	16	16	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	88	8	80	72	-	-	-	-	-	7	1	-	-
Gastritis, duodenitis, etc.*—543,571,572	91	26	65	59	-	-	1	-	2	1	1	-	1
Cirrhosis of liver—581	179	28	151	145	-	-	-	-	-	-	5	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	68	4	64	62	-	-	-	-	-	-	1	-	1
Acute nephritis, etc.*—590,591	19	5	14	13	-	-	-	-	-	-	1	-	-
Infections of kidney—600	47	5	42	39	-	-	-	1	-	1	1	-	-
Hyperplasia of prostate—610	38	7	31	25	-	-	-	-	-	3	3	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	7	-	7	7	-	-	-	-	-	-	-	-	-
Abortion—650-652	1	-	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,650-689	6	-	6	6	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	232	30	202	162	1	3	-	28	7	-	1	-	-
Certain diseases of early infancy—760-776	793	26	767	735	-	-	-	31	-	-	-	1	-
Birth injuries, etc.*—760-762	378	7	371	363	-	-	-	8	-	-	-	-	-
Infections of newborn—763-768	55	8	47	41	-	-	-	6	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	360	11	349	331	-	-	-	17	-	-	-	1	-
Symptoms, senility, etc.*—780-795	61	34	27	24	-	-	-	-	-	1	1	-	1
All other diseases—Residual	753	174	579	479	-	3	1	6	5	45	30	-	10
Accidents—E800-E962	1,018	536	482	426	-	-	-	4	2	37	8	2	3
Motor vehicle accidents—E810-E835	401	240	161	159	-	-	-	-	1	-	-	-	1
Other accidents—E800-E802,E840-E962	617	296	321	267	-	-	-	4	1	37	8	2	2
Suicide—E963,E970-E979	258	207	51	42	-	-	-	-	1	6	1	-	1
Homicide—E964,E980-E985	75	56	19	19	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION									
			Total, in institution	Nonresident					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
CONNECTICUT													
All causes	23,234	7,660	15,574	10,995	17	165	70	58	22	1,125	2,046	2	1,074
Tuberculosis, all forms—001-019	139	21	118	40	-	36	1	2	-	16	1	-	22
Tuberculosis of respiratory system—001-008	128	19	109	34	-	36	1	2	-	14	1	-	21
Tuberculosis, other forms—010-019	11	2	9	6	-	-	-	-	-	2	-	-	1
Syphilis and its sequelae—020-029	40	9	31	26	-	-	-	-	-	4	-	-	1
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	1	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	13	-	13	12	-	-	-	-	-	-	-	-	1
Acute poliomyelitis—080	3	-	3	1	-	-	-	2	-	-	-	-	-
Measles—085	4	1	3	3	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	91	16	75	62	1	-	-	-	-	4	4	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,129	1,293	2,836	2,120	-	57	21	28	-	70	323	2	215
Of buccal cavity and pharynx—140-148	121	35	86	62	-	1	5	-	-	1	12	-	5
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,526	524	1,002	760	-	10	7	3	-	25	128	1	68
Of respiratory system (not secondary)-160-164	559	162	397	307	-	24	-	1	-	8	26	-	31
Of breast—170	375	130	245	184	-	2	2	-	-	8	28	-	21
Of genital organs—171-179	517	169	348	238	-	12	3	3	-	10	57	1	24
Of urinary organs—180,181	211	58	153	114	-	1	-	1	-	3	21	-	13
Of other sites, etc.*—156B,165,190-199	446	135	311	223	-	5	3	6	-	9	34	-	31
Leukemia and aleukemia—204	188	34	154	121	-	2	1	10	-	3	5	-	12
Lymphosarcoma, etc.*—200-203,205	186	46	140	111	-	-	-	4	-	3	12	-	10
Benign neoplasms, etc.*—210-239	83	12	71	59	-	1	-	-	-	3	5	-	3
Asthma—241	49	18	31	25	-	-	1	-	-	1	1	-	3
Diabetes mellitus—260	439	125	314	218	-	7	2	1	-	12	44	-	30
Anemias—290-293	44	14	30	27	-	-	-	-	-	1	1	-	1
Nonmeningococcal meningitis, etc.*—340	35	-	35	33	-	-	-	-	-	-	-	-	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,078	5,028	8,050	5,200	-	41	32	13	5	748	1,435	-	576
Diseases of cardiovascular system—330-334,400-468	12,917	4,994	7,923	5,094	-	40	32	13	5	746	1,425	-	568
Vascular lesions affecting central nervous system—330-334	2,668	685	1,983	1,176	-	13	8	1	-	208	439	-	138
Diseases of heart—400-402,410-443	9,230	4,055	5,175	3,456	-	18	22	10	5	442	837	-	385
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	254	66	188	160	-	1	2	-	1	10	6	-	8
Arteriosclerotic heart dis., etc.*—420	7,342	3,431	3,911	2,671	-	15	13	8	1	389	514	-	300
Nonrheumatic chronic endocarditis, etc.*—421,422	614	237	377	141	-	-	-	-	3	14	186	-	33
Other diseases of heart—430-434	193	58	135	103	-	1	2	-	-	7	11	-	11
Hypertensive heart disease—440-443	827	263	564	381	-	1	5	2	-	22	120	-	33
Other hypertensive disease—444-447	212	61	151	107	-	1	-	1	-	14	20	-	8
General arteriosclerosis—450	495	152	343	144	-	2	2	1	-	45	124	-	25
Other diseases of circulatory system-451-468	312	41	271	211	-	6	-	-	-	37	5	-	12
Chronic nephritis, etc.*—592-594	161	34	127	106	-	1	-	-	-	2	10	-	8
Influenza and pneumonia, etc.*—480-493	698	116	582	322	-	5	3	-	5	121	89	-	37
Influenza—480-483	22	8	14	8	-	-	-	-	-	-	3	-	3
Pneumonia, etc.*—490-493	676	108	568	314	-	5	3	-	5	121	86	-	34
Bronchitis—500-502	66	20	46	36	-	2	1	-	-	2	4	-	1
Ulcer of stomach and duodenum—540,541	171	20	151	140	1	-	-	-	-	8	-	-	2
Appendicitis—550-553	22	1	21	18	-	-	-	-	-	1	-	-	2
Hernia and intestinal obstruction—560,561,570	131	6	125	107	-	-	-	1	-	8	3	-	6
Gastritis, duodenitis, etc.*—543,571,572	75	8	67	55	-	-	-	-	1	6	2	-	3
Cirrhosis of liver—581	341	62	279	240	-	-	-	-	-	13	8	-	18
Cholelithiasis, cholecystitis, etc.*—584,585	59	3	56	51	-	-	-	-	-	2	2	-	1
Acute nephritis, etc.*—590,591	39	6	33	19	-	-	-	-	-	2	11	-	1
Infections of kidney—600	91	12	79	51	-	3	-	-	-	11	7	-	7
Hyperplasia of prostate—610	41	4	37	28	-	-	-	-	-	6	1	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	13	1	12	10	-	-	-	-	-	1	-	-	1
Abortion—650-652	3	-	3	3	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	10	1	9	7	-	-	-	-	-	1	-	-	1
Congenital malformations—750-759	280	20	260	204	3	-	2	7	3	2	21	-	18
Certain diseases of early infancy—760-776	906	7	899	838	11	-	3	-	-	1	1	-	45
Birth injuries, etc.*—760-762	431	5	426	405	1	-	1	-	-	1	-	-	18
Infections of newborn—763-768	51	2	49	48	1	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	424	-	424	385	9	-	2	-	-	-	1	-	27
Symptoms, senility, etc.*—780-795	102	46	56	47	1	-	-	-	-	1	7	-	-
All other diseases—Residual	873	199	674	501	-	11	4	4	5	54	50	-	45
Accidents—E800-E962	877	367	510	439	-	2	-	-	2	20	24	-	23
Motor vehicle accidents—E810-E835	269	134	135	127	-	-	-	-	-	-	-	-	8
Other accidents—E800-E802,E840-E962	608	233	375	312	-	2	-	-	2	20	24	-	15
Suicide—E963,E970-E979	261	204	57	46	-	-	-	-	1	7	2	-	1
Homicide—E964,E980-E985	39	20	19	16	-	-	-	-	-	-	-	-	3

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
DELAWARE													
All causes	4,098	1,630	2,468	1,867	-	32	10	42	1	201	283	1	31
Tuberculosis, all forms-001-019	37	7	30	11	-	18	-	-	-	1	-	-	-
Tuberculosis of respiratory system-001-008	36	6	30	11	-	18	-	-	-	1	-	-	-
Tuberculosis, other forms-010-019	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae-020-029	13	2	11	8	-	-	-	-	-	3	-	-	-
Dysentery, all forms-045-048	1	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat-050,051	1	-	1	1	-	-	-	-	-	-	-	-	-
Diphtheria-055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	1	-	1	1	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-085	3	-	3	3	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.-Residual[1]	8	-	8	7	-	-	-	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	627	206	421	359	-	5	4	13	-	13	24	-	3
Of buccal cavity and pharynx-140-148	11	1	10	7	-	-	-	2	-	-	1	-	-
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	200	76	124	101	-	2	4	3	-	5	8	-	1
Of respiratory system (not secondary)-160-164	83	23	60	49	-	1	-	2	-	2	6	-	-
Of breast-170	63	21	42	36	-	-	-	-	-	2	4	-	-
Of genital organs-171-179	102	38	64	55	-	-	-	2	-	3	4	-	-
Of urinary organs-180,181	29	9	20	20	-	-	-	-	-	-	-	-	-
Of other sites, etc.*-156B,165,190-199	77	28	49	43	-	1	-	2	-	1	1	-	1
Leukemia and aleukemia-204	37	5	32	29	-	-	-	2	-	-	-	-	1
Lymphosarcoma, etc.*-200-203,205	25	5	20	19	-	1	-	-	-	-	-	-	-
Benign neoplasms, etc.*-210-239	16	3	13	11	-	-	-	-	-	1	1	-	-
Asthma-241	13	10	3	1	-	1	-	-	-	1	-	-	-
Diabetes mellitus-260	71	24	47	43	-	-	-	-	-	1	2	-	1
Anemias-290-293	8	4	4	4	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*-340	5	1	4	3	-	-	-	-	-	-	1	-	-
Major cardiovascular-renal diseases-330-334,400-468,592-594	2,204	1,022	1,182	794	-	5	4	9	-	111	235	-	24
Diseases of cardiovascular system-330-334,400-468	2,162	1,010	1,152	768	-	4	4	9	-	111	233	-	23
Vascular lesions affecting central nervous system-330-334	317	112	205	143	-	-	-	2	-	7	45	-	8
Diseases of heart-400-402,410-443	1,684	830	854	569	-	3	4	7	-	99	158	-	14
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	53	25	28	27	-	-	-	-	-	1	-	-	-
Arteriosclerotic heart dis., etc.*-420	1,032	549	483	328	-	-	3	4	-	69	73	-	6
Nonrheumatic chronic endocarditis, etc.*-421,422	246	103	143	74	-	2	1	-	-	2	60	-	4
Other diseases of heart-430-434	49	21	28	19	-	-	-	1	-	7	1	-	-
Hypertensive heart disease-440-443	304	132	172	121	-	1	-	2	-	20	24	-	4
Other hypertensive disease-444-447	38	17	21	15	-	-	-	-	-	-	6	-	-
General arteriosclerosis-450	88	42	46	18	-	1	-	-	-	4	22	-	1
Other diseases of circulatory system-451-468	35	9	26	23	-	-	-	-	-	1	2	-	-
Chronic nephritis, etc.*-592-594	42	12	30	26	-	1	-	-	-	-	2	-	1
Influenza and pneumonia, etc.*-480-493	179	63	116	61	-	-	-	1	-	47	6	-	1
Influenza-480-483	12	9	3	2	-	-	-	1	-	-	-	-	-
Pneumonia, etc.*-490-493	167	54	113	59	-	-	-	-	-	47	6	-	1
Bronchitis-500-502	11	3	8	6	-	1	-	-	-	1	-	-	-
Ulcer of stomach and duodenum-540,541	35	3	32	29	-	-	-	1	-	1	1	-	-
Appendicitis-550-553	6	-	6	6	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction-560,561,570	21	1	20	19	-	-	-	1	-	-	-	-	-
Gastritis, duodenitis, etc.*-543,571,572	20	2	18	18	-	-	-	-	-	-	-	-	-
Cirrhosis of liver-581	60	10	50	44	-	-	2	2	-	1	1	-	-
Cholelithiasis, cholecystitis, etc.*-584,585	10	1	9	9	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*-590,591	7	2	5	5	-	-	-	-	-	-	-	-	-
Infections of kidney-600	18	2	16	12	-	-	-	1	-	3	-	-	-
Hyperplasia of prostate-610	3	2	1	1	-	-	-	-	-	-	-	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	4	-	4	4	-	-	-	-	-	-	-	-	-
Abortion-650-652	1	-	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,680-689	3	-	3	3	-	-	-	-	-	-	-	-	-
Congenital malformations-750-759	53	2	51	43	-	-	-	5	-	3	-	-	-
Certain diseases of early infancy-760-776	193	14	179	175	-	-	-	4	-	-	-	-	-
Birth injuries, etc.*-760-762	100	4	96	94	-	-	-	2	-	-	-	-	-
Infections of newborn-763-768	7	2	5	5	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*-769-776	86	8	78	76	-	-	-	2	-	-	-	-	-
Symptoms, senility, etc.*-780-795	15	9	6	3	-	-	-	-	-	1	1	-	1
All other diseases-Residual	183	73	110	87	-	1	-	4	-	9	9	-	-
Accidents-E800-E962	222	124	98	89	-	-	-	-	1	4	2	1	1
Motor vehicle accidents-E810-E835	94	53	41	41	-	-	-	-	-	-	-	-	-
Other accidents-E800-E802,E840-E962	128	71	57	48	-	-	-	-	1	4	2	1	1
Suicide-E963,E970-E979	37	32	5	5	-	-	-	-	-	-	-	-	-
Homicide-E964,E980-E985	13	8	5	4	-	1	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
DISTRICT OF COLUMBIA													
All causes	8,952	2,821	6,131	4,929	52	46	108	115	24	501	288	45	23
Tuberculosis, all forms—001-019	122	19	103	71	-	23	-	-	2	7	-	-	-
Tuberculosis of respiratory system—001-008	112	19	93	62	-	23	-	-	2	6	-	-	-
Tuberculosis, other forms—010-019	10	-	10	9	-	-	-	-	-	1	-	-	-
Syphilis and its sequelae—020-029	41	11	30	24	-	-	-	-	-	6	-	-	-
Dysentery, all forms—045-048	1	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	11	-	11	7	-	-	-	4	-	-	-	-	-
Acute poliomyelitis—080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	-	6	2	-	-	-	2	2	-	-	-	-
Other infective and parasitic dis.—Residual[1]	23	3	20	19	-	-	-	-	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,456	339	1,117	983	2	11	9	9	-	51	32	18	2
Of buccal cavity and pharynx—140-148	50	7	43	37	-	-	-	-	-	4	1	1	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	526	129	397	364	-	-	2	2	-	17	10	2	-
Of respiratory system (not secondary)—160-164	197	42	155	128	-	9	3	-	-	7	5	2	1
Of breast—170	142	44	98	80	-	-	1	-	-	4	8	4	1
Of genital organs—171-179	199	54	145	129	1	-	3	-	-	6	1	5	-
Of urinary organs—180,181	82	17	65	59	-	-	-	1	-	1	4	-	-
Of other sites, etc.*—156B,165,190-199	150	31	119	98	1	2	-	1	-	10	3	4	-
Leukemia and aleukemia—204	46	5	41	36	-	-	-	4	-	1	-	-	-
Lymphosarcoma, etc.*—200-203,205	64	10	54	52	-	-	-	1	-	1	-	-	-
Benign neoplasms, etc.*—210-239	34	4	30	26	-	-	1	-	-	2	1	-	-
Asthma—241	28	17	11	10	-	-	-	1	-	-	-	-	-
Diabetes mellitus—260	106	30	76	66	-	-	1	2	-	3	4	-	-
Anemias—290-293	15	1	14	9	-	-	-	4	-	1	-	-	-
Nonmeningococcal meningitis, etc.*—340	30	-	30	25	-	-	-	3	-	2	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	4,493	1,866	2,627	2,006	2	7	85	9	2	259	226	19	12
Diseases of cardiovascular system—330-334,400-468	4,429	1,853	2,576	1,959	2	7	85	8	2	258	224	19	12
Vascular lesions affecting central nervous system—330-334	797	224	573	417	-	1	33	1	1	41	67	9	3
Diseases of heart—400-402,410-443	3,193	1,543	1,650	1,294	2	5	46	6	1	147	135	7	7
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	61	17	44	42	-	-	-	-	-	2	-	-	-
Arteriosclerotic heart dis., etc.*—420	2,015	989	1,026	800	-	5	26	2	-	100	81	6	6
Nonrheumatic chronic endocarditis, etc.*—421,422	395	213	182	117	1	-	9	3	-	24	27	1	-
Other diseases of heart—430-434	91	35	56	47	1	-	1	1	-	3	3	-	-
Hypertensive heart disease—440-443	631	289	342	288	-	-	10	-	1	18	24	-	1
Other hypertensive disease—444-447	82	19	63	54	-	-	-	-	-	4	4	-	1
General arteriosclerosis—450	160	48	112	47	-	-	4	1	-	40	16	3	1
Other diseases of circulatory system—451-468	197	19	178	147	-	1	2	-	-	26	2	-	-
Chronic nephritis, etc.*—592-594	64	13	51	47	-	-	-	1	-	1	2	-	-
Influenza and pneumonia, etc.*—480-493	417	58	359	248	-	3	3	9	5	85	3	2	1
Influenza—480-483	6	3	3	1	-	-	-	-	1	1	-	-	-
Pneumonia, etc.*—490-493	411	55	356	247	-	3	3	9	4	84	3	2	1
Bronchitis—500-502	22	6	16	11	-	-	1	1	-	2	-	1	-
Ulcer of stomach and duodenum—540,541	60	5	55	48	-	1	-	-	-	5	1	-	-
Appendicitis—550-553	12	-	12	10	-	-	-	-	-	2	-	-	-
Hernia and intestinal obstruction—560,561,570	59	3	56	43	-	-	-	3	-	8	2	-	-
Gastritis, duodenitis, etc.*—543,571,572	29	8	21	13	-	-	-	3	1	4	-	-	-
Cirrhosis of liver—581	190	37	153	147	-	-	1	-	2	3	-	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	14	1	13	13	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	16	6	10	8	-	-	-	2	-	-	-	-	-
Infections of kidney—600	96	5	91	76	-	-	4	-	-	8	2	-	1
Hyperplasia of prostate—610	25	2	23	17	-	-	-	-	-	3	3	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	5	3	2	2	-	-	-	-	-	-	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	5	3	2	2	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	115	14	101	70	3	-	1	21	5	1	-	-	-
Certain diseases of early infancy—760-776	544	14	530	461	45	-	-	18	1	-	-	-	5
Birth injuries, etc.*—760-762	297	-	297	252	43	-	-	1	-	-	-	-	1
Infections of newborn—763-768	38	3	35	26	-	-	-	9	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	209	11	198	183	2	-	-	8	1	-	-	-	4
Symptoms, senility, etc.*—780-795	33	19	14	13	-	-	-	-	-	1	-	-	-
All other diseases—Residual	405	97	308	244	-	1	2	10	4	29	11	5	2
Accidents—E800-E962	360	142	218	189	-	-	-	13	-	13	3	-	-
Motor vehicle accidents—E810-E835	100	41	59	54	-	-	-	4	-	1	-	-	-
Other accidents—E800-E802,E840-E962	260	101	159	135	-	-	-	9	-	12	3	-	-
Suicide—E963,E970-E979	97	71	26	21	-	-	-	-	-	5	-	-	-
Homicide—E964,E980-E985	86	40	46	45	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
				Nonresident						Resident			
			Total, in institution	General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	Type of service not specified
FLORIDA													
All causes	43,614	17,628	25,986	21,840	48	186	136	311	27	744	2,127	7	560
Tuberculosis, all forms—001-019	293	59	234	113	-	97	-	1	1	17	5	-	-
Tuberculosis of respiratory system—001-008	268	57	211	95	-	96	-	-	1	16	3	-	-
Tuberculosis, other forms—010-019	25	2	23	18	-	1	-	1	-	1	2	-	-
Syphilis and its sequelae—020-029	108	49	59	48	-	1	-	-	-	6	3	1	-
Dysentery, all forms—045-048	11	2	9	7	-	-	-	1	-	1	-	-	-
Scarlet fever and strep. sore throat—050,051	4	4	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	3	-	3	3	-	-	-	-	-	-	-	-	-
Whooping cough—056	2	-	2	2	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	23	1	22	21	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	6	-	6	5	-	-	-	1	-	-	-	-	-
Measles—085	13	6	7	7	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	197	29	168	135	1	1	1	26	-	2	-	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	6,621	2,257	4,364	3,738	-	41	30	48	6	40	384	-	77
Of buccal cavity and pharynx—140-148	168	55	113	93	-	1	-	2	-	-	16	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	2,136	736	1,400	1,205	-	9	9	13	4	12	127	-	21
Of respiratory system (not secondary)—160-164	1,100	337	763	680	-	21	1	4	-	7	42	-	8
Of breast—170	478	185	293	252	-	1	1	4	-	3	27	-	5
Of genital organs—171-179	1,041	431	610	489	-	2	4	3	-	11	79	-	22
Of urinary organs—180,181	316	97	219	187	-	1	3	2	-	-	21	-	5
Of other sites, etc.*—156B,165,190-199	836	290	546	446	-	1	10	9	-	5	65	-	10
Leukemia and aleukemia—204	293	60	233	211	-	4	1	5	2	2	6	-	2
Lymphosarcoma, etc.*—200-203,205	253	66	187	175	-	1	1	6	-	-	1	-	3
Benign neoplasms, etc.*—210-239	116	15	101	92	-	1	-	-	-	3	3	-	2
Asthma—241	163	98	65	60	-	-	-	1	-	1	3	-	-
Diabetes mellitus—260	606	181	425	367	-	-	1	1	3	12	30	-	11
Anemias—290-293	101	24	77	65	-	-	1	4	-	1	3	-	3
Nonmeningococcal meningitis, etc.*—340	78	6	72	70	-	-	-	2	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	22,381	9,921	12,460	10,006	1	18	92	112	12	467	1,399	4	349
Diseases of cardiovascular system—330-334,400-468	22,016	9,814	12,202	9,776	1	18	92	110	12	466	1,381	4	342
Vascular lesions affecting central nervous system—330-334	5,106	1,797	3,309	2,524	-	3	17	21	1	124	490	1	128
Diseases of heart—400-402,410-443	15,437	7,529	7,908	6,465	1	12	72	83	9	310	768	3	185
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	507	178	329	298	-	-	-	8	-	6	16	-	1
Arteriosclerotic heart dis., etc.*—420	11,338	5,787	5,551	4,628	-	7	52	62	5	228	452	3	114
Nonrheumatic chronic endocarditis, etc.*—421,422	1,167	498	669	431	-	3	17	4	-	29	161	-	24
Other diseases of heart—430-434	787	404	383	318	-	1	-	5	3	14	32	-	10
Hypertensive heart disease—440-443	1,638	662	976	790	1	1	3	4	1	33	107	-	36
Other hypertensive disease—444-447	322	89	233	202	-	1	1	1	2	3	20	-	3
General arteriosclerosis—450	642	278	364	216	-	2	2	3	-	21	97	-	23
Other diseases of circulatory system—451-468	509	121	388	369	-	-	-	2	-	8	6	-	3
Chronic nephritis, etc.*—592-594	365	107	258	230	-	-	-	2	-	1	18	-	7
Influenza and pneumonia, etc.*—480-493	1,468	533	935	713	-	6	2	20	-	90	82	1	21
Influenza—480-483	153	90	63	45	-	1	1	2	-	2	9	-	3
Pneumonia, etc.*—490-493	1,315	443	872	668	-	5	1	18	-	88	73	1	18
Bronchitis—500-502	100	49	51	44	-	-	-	2	-	1	2	-	2
Ulcer of stomach and duodenum—540,541	290	32	258	247	-	2	-	3	-	3	2	-	1
Appendicitis—550-553	51	1	50	45	-	1	-	-	-	3	-	-	1
Hernia and intestinal obstruction—560,561,570	238	24	212	196	-	1	-	6	-	7	2	-	-
Gastritis, duodenitis, etc.*—543,571,572	283	61	222	207	-	2	-	2	-	2	6	-	3
Cirrhosis of liver—581	540	126	414	382	-	2	2	4	-	4	14	-	6
Cholelithiasis, cholecystitis, etc.*—584,585	116	10	106	105	-	-	-	-	-	-	-	-	1
Acute nephritis, etc.*—590,591	65	13	52	46	-	-	-	-	-	2	2	-	2
Infections of kidney—600	200	40	160	141	-	1	-	2	1	2	12	-	1
Hyperplasia of prostate—610	117	21	96	81	-	1	-	-	-	-	12	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	64	11	53	51	1	-	-	-	-	1	-	-	-
Abortion—650-652	6	1	5	5	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	58	10	48	46	1	-	-	-	-	1	-	-	-
Congenital malformations—750-759	527	76	451	411	3	-	-	24	-	1	1	-	11
Certain diseases of early infancy—760-776	2,047	157	1,890	1,810	41	-	-	10	-	-	7	-	22
Birth injuries, etc.*—760-762	909	49	860	815	22	-	-	1	-	-	4	-	18
Infections of newborn—763-768	174	31	143	129	7	-	-	5	-	-	-	-	2
Other diseases of infancy, etc.*—769-776	964	77	887	866	12	-	-	4	-	-	3	-	2
Symptoms, senility, etc.*—780-795	944	750	194	149	-	1	-	2	-	1	36	-	5
All other diseases—Residual	1,927	588	1,339	1,143	1	7	6	28	-	45	87	1	21
Accidents—E800-E962	2,826	1,669	1,157	1,067	-	2	1	10	1	31	29	-	16
Motor vehicle accidents—E810-E835	1,159	674	485	474	-	1	-	1	-	1	-	-	8
Other accidents—E800-E802,E840-E962	1,667	995	672	593	-	1	1	9	1	30	29	-	8
Suicide—E963,E970-E979	606	495	111	106	-	1	-	-	1	1	2	-	-
Homicide—E964,E980-E985	481	320	161	157	-	-	-	-	2	-	1	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
GEORGIA													
All causes	33,286	16,979	16,307	13,394	34	151	4	24	28	1,231	1,108	16	317
Tuberculosis, all forms—001-019	271	70	201	83	-	90	-	-	1	22	1	-	4
Tuberculosis of respiratory system—001-008	248	66	182	66	-	89	-	-	1	21	1	-	4
Tuberculosis, other forms—010-019	23	4	19	17	-	1	-	-	-	1	-	-	-
Syphilis and its sequelae—020-029	96	31	65	44	-	-	-	-	-	20	1	-	-
Dysentery, all forms—045-048	17	10	7	6	-	-	-	-	-	-	1	-	-
Scarlet fever and strep. sore throat—050,051	3	1	2	2	-	-	-	-	-	-	-	-	-
Diphtheria—055	9	3	6	6	-	-	-	-	-	-	-	-	-
Whooping cough—056	6	4	2	2	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	15	3	12	11	-	-	-	-	-	-	-	-	1
Acute poliomyelitis—080	2	-	2	2	-	-	-	-	-	-	-	-	-
Measles—085	13	8	5	5	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	155	49	106	95	-	1	-	-	-	9	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,070	1,982	2,088	1,721	5	14	-	1	8	86	229	-	24
Of buccal cavity and pharynx—140-148	121	55	66	49	-	-	-	-	-	-	16	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,217	598	619	519	2	4	-	-	6	24	56	-	8
Of respiratory system (not secondary)—160-164	528	216	312	241	1	6	-	-	1	20	38	-	5
Of breast—170	334	198	136	110	1	-	-	-	-	3	19	-	3
Of genital organs—171-179	760	459	301	243	-	-	-	-	-	13	42	-	3
Of urinary organs—180,181	163	65	98	77	-	1	-	-	-	5	14	-	1
Of other sites, etc.*—156B,165,190-199	581	283	298	239	1	3	-	-	1	13	39	-	2
Leukemia and aleukemia—204	199	45	154	150	-	-	-	1	-	2	-	-	1
Lymphosarcoma, etc.*—200-203,205	167	63	104	93	-	-	-	-	-	6	5	-	-
Benign neoplasms, etc.*—210-239	99	28	71	63	-	-	-	-	-	2	5	-	1
Asthma—241	99	58	41	35	-	-	-	-	-	4	1	-	1
Diabetes mellitus—260	449	174	275	230	-	1	-	-	1	21	14	-	8
Anemias—290-293	77	33	44	40	-	-	-	-	-	2	1	-	1
Nonmeningococcal meningitis, etc.*—340	65	9	56	56	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	17,946	10,112	7,834	6,051	9	29	2	3	6	821	705	10	198
Diseases of cardiovascular system—330-334,400-468	17,491	9,886	7,605	5,874	9	26	1	3	6	790	694	10	192
Vascular lesions affecting central nervous system—330-334	5,505	3,041	2,464	1,920	2	5	1	2	2	178	288	5	61
Diseases of heart—400-402,410-443	10,616	6,245	4,371	3,454	7	21	-	1	4	424	337	4	119
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	219	102	117	102	-	2	-	-	-	11	2	-	-
Arteriosclerotic heart dis., etc.*—420	6,959	4,107	2,852	2,372	5	16	-	1	4	173	195	3	83
Nonrheumatic chronic endocarditis, etc.*—421,422	958	515	443	212	-	2	-	-	-	178	45	-	6
Other diseases of heart—430-434	634	402	232	176	-	-	-	-	-	23	29	1	3
Hypertensive heart disease—440-443	1,846	1,119	727	592	2	1	-	-	-	39	66	-	27
Other hypertensive disease—444-447	390	196	194	174	-	-	-	-	-	7	7	-	6
General arteriosclerosis—450	663	306	357	132	-	-	-	-	-	164	55	-	6
Other diseases of circulatory system—451-468	317	98	219	194	-	-	-	-	-	17	7	1	-
Chronic nephritis, etc.*—592-594	455	226	229	177	-	3	1	-	-	31	11	-	6
Influenza and pneumonia, etc.*—480-493	1,415	816	599	464	1	2	1	2	-	69	49	2	9
Influenza—480-483	208	150	58	41	-	-	-	-	-	3	13	-	1
Pneumonia, etc.*—490-493	1,207	666	541	423	1	2	1	2	-	66	36	2	8
Bronchitis—500-502	75	37	38	24	-	-	-	-	-	10	3	-	1
Ulcer of stomach and duodenum—540,541	196	44	152	142	-	1	-	-	-	5	2	-	2
Appendicitis—550-553	34	3	31	30	-	-	-	-	1	-	-	-	-
Hernia and intestinal obstruction—560,561,570	168	35	133	127	-	-	-	-	-	4	-	-	2
Gastritis, duodenitis, etc.*—543,571,572	202	97	105	97	2	-	-	-	-	1	3	-	2
Cirrhosis of liver—581	230	61	169	153	-	-	-	-	-	11	4	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	75	14	61	55	-	1	-	-	-	2	1	-	2
Acute nephritis, etc.*—590,591	79	38	41	38	-	-	-	-	-	1	-	-	2
Infections of kidney—600	217	53	164	140	-	-	-	-	-	18	5	-	1
Hyperplasia of prostate—610	109	44	65	58	-	-	-	-	-	1	5	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	63	17	46	45	1	-	-	-	-	-	-	-	-
Abortion—650-652	9	4	5	5	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	54	13	41	40	1	-	-	-	-	-	-	-	-
Congenital malformations—750-759	454	95	359	337	2	-	-	5	-	4	1	2	8
Certain diseases of early infancy—760-776	1,757	312	1,445	1,409	13	1	-	4	-	2	3	-	13
Birth injuries, etc.*—760-762	728	65	663	648	4	-	-	2	-	-	2	-	7
Infections of newborn—763-768	169	70	99	98	-	-	-	-	-	-	1	-	-
Other diseases of infancy, etc.*—769-776	860	177	683	663	9	1	-	2	-	2	-	-	6
Symptoms, senility, etc.*—780-795	408	326	82	64	-	-	-	-	1	2	12	-	3
All other diseases—Residual	1,398	603	795	642	1	9	1	8	1	84	40	2	7
Accidents—E800-E962	2,278	1,280	998	927	-	1	-	1	-	25	20	-	24
Motor vehicle accidents—E810-E835	979	516	463	451	-	-	-	1	-	1	3	-	7
Other accidents—E800-E802,E840-E962	1,299	764	535	476	-	1	-	-	-	24	17	-	17
Suicide—E963,E970-E979	341	271	70	63	-	1	-	-	1	4	1	-	-
Homicide—E964,E980-E985	395	258	137	127	-	-	-	-	8	1	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
IDAHO													
All causes	5,240	2,053	3,187	2,290	2	13	12	6	2	156	455	23	228
Tuberculosis, all forms—001-019	16	3	13	3	-	3	-	-	-	5	-	1	1
Tuberculosis of respiratory system—001-008	15	3	12	2	-	3	-	-	-	5	-	1	1
Tuberculosis, other forms—010-019	1	-	1	1	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	11	5	6	6	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	2	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	18	4	14	10	-	-	-	-	-	3	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	693	220	473	368	-	2	4	1	-	18	47	1	32
Of buccal cavity and pharynx—140-148	15	7	8	6	-	-	-	-	-	-	1	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	244	72	172	128	-	1	1	1	-	10	19	-	12
Of respiratory system (not secondary)—160-164	82	30	52	38	-	1	1	-	-	4	4	-	4
Of breast—170	55	24	31	25	-	-	-	-	-	2	3	1	-
Of genital organs—171-179	120	41	79	60	-	-	1	-	-	-	13	-	5
Of urinary organs—180,181	32	10	22	19	-	-	-	-	-	-	2	-	1
Of other sites, etc.*—156B,165,190-199	72	21	51	39	-	-	-	-	-	2	3	-	7
Leukemia and aleukemia—204	46	9	37	34	-	-	1	-	-	-	1	-	1
Lymphosarcoma, etc.*—200-203,205	27	6	21	19	-	-	-	-	-	-	1	-	1
Benign neoplasms, etc.*—210-239	16	2	14	9	-	-	-	-	-	-	2	-	3
Asthma—241	17	8	9	6	-	-	-	-	-	-	3	-	-
Diabetes mellitus—260	63	17	46	36	-	-	-	-	-	1	3	1	5
Anemias—290-293	15	4	11	10	-	-	-	-	-	-	1	-	-
Nonmeningococcal meningitis, etc.*—340	3	-	3	2	-	-	-	-	-	-	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,785	1,141	1,644	1,050	2	6	8	3	1	103	341	7	123
Diseases of cardiovascular system—330-334,400-468	2,750	1,133	1,617	1,028	2	6	8	2	1	102	338	7	123
Vascular lesions affecting central nervous system—330-334	629	155	474	284	-	-	1	-	-	62	96	1	30
Diseases of heart—400-402,410-443	1,896	927	969	643	2	5	5	2	1	34	193	4	80
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	76	32	44	35	-	1	-	-	-	2	4	-	2
Arteriosclerotic heart dis., etc.*—420	1,345	726	619	446	2	3	5	1	-	22	88	2	50
Nonrheumatic chronic endocarditis, etc.*—421,422	204	69	135	62	-	1	-	-	-	7	48	1	16
Other diseases of heart—430-434	96	46	50	37	-	-	-	1	-	2	7	-	3
Hypertensive heart disease—440-443	175	54	121	63	-	-	-	-	1	1	46	1	9
Other hypertensive disease—444-447	35	11	24	20	-	-	-	-	-	-	2	-	2
General arteriosclerosis—450	138	33	105	45	-	-	1	-	-	6	44	1	8
Other diseases of circulatory system—451-468	52	7	45	36	-	1	1	-	-	-	3	1	3
Chronic nephritis, etc.*—592-594	35	8	27	22	-	-	-	1	-	1	3	-	-
Influenza and pneumonia, etc.*—480-493	138	51	87	57	-	-	-	-	-	11	13	3	3
Influenza—480-483	10	7	3	3	-	-	-	-	-	-	-	-	-
Pneumonia, etc.*—490-493	128	44	84	54	-	-	-	-	-	11	13	3	3
Bronchitis—500-502	13	6	7	5	-	-	-	-	-	-	1	-	1
Ulcer of stomach and duodenum—540,541	42	5	37	31	-	-	-	-	-	2	1	-	3
Appendicitis—550-553	5	-	5	5	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	31	2	29	24	-	-	-	-	-	2	-	-	3
Gastritis, duodenitis, etc.*—543,571,572	22	6	16	13	-	-	-	-	-	1	-	-	2
Cirrhosis of liver—581	37	8	29	27	-	-	-	-	-	-	2	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	20	2	18	17	-	-	-	-	-	-	-	-	1
Acute nephritis, etc.*—590,591	11	1	10	9	-	-	-	-	-	-	-	-	1
Infections of kidney—600	22	2	20	17	-	-	-	-	-	1	1	-	1
Hyperplasia of prostate—610	11	4	7	4	-	-	-	-	-	-	2	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3	-	3	2	-	-	-	-	-	-	-	-	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	3	-	3	2	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	90	12	78	65	-	-	-	-	-	-	-	5	8
Certain diseases of early infancy—760-776	231	11	220	211	-	-	-	-	-	-	-	-	9
Birth injuries, etc.*—760-762	106	2	104	99	-	-	-	-	-	-	-	-	5
Infections of newborn—763-768	15	6	9	9	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	110	3	107	103	-	-	-	-	-	-	-	-	4
Symptoms, senility, etc.*—780-795	74	46	28	19	-	-	-	-	-	-	8	-	1
All other diseases—Residual	231	62	169	121	-	2	-	1	1	6	23	2	13
Accidents—E800-E962	542	363	179	151	-	-	-	1	-	3	6	3	15
Motor vehicle accidents—E810-E835	263	187	76	68	-	-	-	-	-	-	-	-	8
Other accidents—E800-E802,E840-E962	279	176	103	83	-	-	-	1	-	3	6	3	7
Suicide—E963,E970-E979	67	58	9	9	-	-	-	-	-	-	-	-	-
Homicide—E964,E980-E985	10	7	3	3	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
ILLINOIS													
All causes	101,667	36,537	65,130	49,875	129	486	886	390	98	4,416	7,384	146	1,320
Tuberculosis, all forms-001-019	765	71	694	310	-	269	45	9	4	48	4	-	5
Tuberculosis of respiratory system-001-008	715	67	648	272	-	267	45	7	4	45	3	-	5
Tuberculosis, other forms-010-019	50	4	46	38	-	2	-	2	-	3	1	-	-
Syphilis and its sequelae-020-029	147	31	116	82	-	1	2	-	2	25	4	-	-
Dysentery, all forms-045-048	7	1	6	2	-	-	-	-	-	3	-	-	1
Scarlet fever and strep. sore throat-050,051	6	2	4	4	-	-	-	-	-	-	-	-	-
Diphtheria-055	4	1	3	2	-	-	-	1	-	-	-	-	-
Whooping cough-056	5	-	5	4	-	-	-	1	-	-	-	-	-
Meningococcal infections-057	41	10	31	25	-	-	-	6	-	-	-	-	-
Acute poliomyelitis-080	12	1	11	7	-	1	-	3	-	-	-	-	-
Measles-085	36	12	24	14	-	-	-	9	-	-	-	-	1
Other infective and parasitic dis.-Residual[1]	218	28	190	153	1	4	1	5	1	12	7	-	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	16,099	4,367	11,732	10,199	16	87	94	59	13	206	832	14	212
Of buccal cavity and pharynx-140-148	387	105	282	224	-	5	6	1	1	9	24	3	9
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	5,816	1,724	4,092	3,578	2	14	27	8	5	77	298	8	75
Of respiratory system (not secondary)-160-164	2,315	626	1,689	1,462	-	45	19	8	4	42	73	1	35
Of breast-170	1,481	421	1,060	904	6	4	6	4	-	15	108	-	13
Of genital organs-171-179	2,451	701	1,750	1,480	7	8	23	2	1	28	177	-	24
Of urinary organs-180,181	779	168	611	543	-	2	8	1	-	8	38	1	10
Of other sites, etc.*-156B,165,190-199	1,374	362	1,012	851	1	8	3	17	-	21	90	1	20
Leukemia and aleukemia-204	734	111	623	583	-	1	1	14	1	4	10	-	9
Lymphosarcoma, etc.*-200-203,205	762	149	613	574	-	-	1	4	1	2	14	-	17
Benign neoplasms, etc.*-210-239	237	32	205	180	1	-	2	1	-	6	7	-	8
Asthma-241	247	87	160	128	-	1	1	-	1	12	14	1	2
Diabetes mellitus-260	1,523	416	1,107	902	-	2	23	1	-	56	99	2	22
Anemias-290-293	188	31	157	120	1	1	1	3	-	5	24	-	2
Nonmeningococcal meningitis, etc.*-340	113	6	107	89	1	-	-	13	-	2	-	-	2
Major cardiovascular-renal diseases-330-334,400-468,592-594	59,711	25,238	34,473	23,845	15	82	638	92	57	3,063	5,783	111	787
Diseases of cardiovascular system-330-334,400-468	58,868	24,984	33,884	23,375	15	75	638	85	57	3,053	5,718	111	757
Vascular lesions affecting central nervous system-330-334	10,976	2,815	8,161	5,906	-	17	71	23	11	305	1,583	29	216
Diseases of heart-400-402,410-443	44,040	21,256	22,784	15,634	12	53	509	52	42	2,322	3,610	63	487
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	1,107	343	764	680	1	1	4	6	2	23	33	3	11
Arteriosclerotic heart dis., etc.*-420	32,551	16,672	15,879	11,191	10	41	379	28	23	1,578	2,254	49	326
Nonrheumatic chronic endocarditis, etc.*-421,422	4,590	1,994	2,596	1,240	1	4	5	6	8	530	738	3	61
Other diseases of heart-430-434	1,617	851	766	585	-	3	2	7	3	50	95	-	21
Hypertensive heart disease-440-443	4,175	1,396	2,779	1,938	-	4	119	5	6	141	490	8	68
Other hypertensive disease-444-447	1,069	302	767	615	1	2	7	2	2	16	103	2	17
General arteriosclerosis-450	1,950	486	1,464	576	1	2	49	6	1	386	401	17	25
Other diseases of circulatory system-451-468	833	125	708	644	1	1	2	2	1	24	21	-	12
Chronic nephritis, etc.*-592-594	843	254	589	470	-	7	-	7	-	10	65	-	30
Influenza and pneumonia, etc.*-480-493	4,014	1,035	2,979	2,052	-	12	24	21	10	532	260	-	68
Influenza-480-483	136	49	87	60	-	-	-	-	1	1	19	-	6
Pneumonia, etc.*-490-493	3,878	986	2,892	1,992	-	12	24	21	9	531	241	-	62
Bronchitis-500-502	237	86	151	131	-	1	1	-	-	6	11	-	1
Ulcer of stomach and duodenum-540,541	693	49	644	598	1	3	-	1	2	24	8	1	6
Appendicitis-550-553	109	8	101	99	-	-	1	-	-	1	-	-	-
Hernia and intestinal obstruction-560,561,570	554	37	517	456	4	-	1	3	-	32	8	1	12
Gastritis, duodenitis, etc.*-543,571,572	434	56	378	339	1	-	1	4	-	12	16	-	5
Cirrhosis of liver-581	1,197	160	1,037	963	1	3	3	3	-	22	18	1	23
Cholelithiasis, cholecystitis, etc.*-584,585	258	19	239	225	-	1	-	-	1	4	4	1	3
Acute nephritis, etc.*-590,591	127	27	100	82	-	-	-	1	-	5	11	-	1
Infections of kidney-600	420	36	384	325	1	-	4	-	-	17	25	-	12
Hyperplasia of prostate-610	275	31	244	212	-	-	1	-	-	10	17	-	4
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	71	8	63	62	-	1	-	-	-	-	-	-	-
Abortion-650-652	8	1	7	7	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,660-689	63	7	56	55	-	1	-	-	-	-	-	-	-
Congenital malformations-750-759	1,163	172	991	857	5	-	-	80	-	23	16	2	8
Certain diseases of early infancy-760-776	3,586	153	3,433	3,289	78	2	-	32	-	-	1	-	31
Birth injuries, etc.*-760-762	2,206	60	2,146	2,047	69	2	-	10	-	-	1	-	17
Infections of newborn-763-768	352	71	281	262	1	-	-	18	-	-	-	-	-
Other diseases of infancy, etc.*-769-776	1,028	22	1,006	980	8	-	-	4	-	-	-	-	14
Symptoms, senility, etc.*-780-795	352	203	149	122	-	-	-	1	-	7	12	-	7
All other diseases-Residual	2,789	613	2,176	1,725	3	13	33	30	5	177	148	10	32
Accidents-E800-E962	4,585	2,385	2,200	1,996	-	-	7	11	-	86	49	2	49
Motor vehicle accidents-E810-E835	1,926	1,076	850	824	-	-	6	-	-	4	2	-	14
Other accidents-E800-E802,E840-E962	2,659	1,309	1,350	1,172	-	-	1	11	-	82	47	2	35
Suicide-E963,E970-E979	1,016	834	182	153	-	1	2	-	1	16	5	-	4
Homicide-E964,E980-E985	428	291	137	123	-	1	1	-	1	4	1	-	6

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
INDIANA													
All causes	44,227	18,042	26,185	20,113	5	202	4	127	126	1,115	3,904	23	566
Tuberculosis, all forms—001-019	278	67	211	84	-	106	-	1	4	11	4	-	1
Tuberculosis of respiratory system—001-008	257	63	194	69	-	106	-	-	4	11	3	-	1
Tuberculosis, other forms—010-019	21	4	17	15	-	-	-	1	-	-	1	-	-
Syphilis and its sequelae—020-029	84	25	59	38	-	1	-	-	-	15	4	-	1
Dysentery, all forms—045-048	3	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	4	1	3	3	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	7	4	3	2	-	-	-	1	-	-	-	-	-
Meningococcal infections—057	25	2	23	21	-	-	-	2	-	-	-	-	-
Acute poliomyelitis—080	9	-	9	7	-	-	-	2	-	-	-	-	-
Measles—085	20	7	13	12	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	136	25	111	101	-	-	-	2	-	2	5	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	6,791	2,464	4,327	3,686	-	27	2	29	5	77	419	6	76
Of buccal cavity and pharynx—140-148	121	42	79	66	-	1	-	-	-	1	10	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	2,362	913	1,449	1,212	-	4	2	7	2	29	161	1	31
Of respiratory system (not secondary)—160-164	920	288	632	579	-	11	-	1	2	11	22	1	5
Of breast—170	571	246	325	258	-	2	-	1	-	5	50	3	6
Of genital organs—171-179	1,155	471	684	555	-	5	-	5	1	11	95	-	12
Of urinary organs—180,181	316	106	210	178	-	-	-	2	-	3	22	-	5
Of other sites, etc.*—156B,165,190-199	701	253	448	378	-	3	-	2	-	12	46	-	7
Leukemia and aleukemia—204	331	70	261	236	-	-	-	9	-	3	8	1	4
Lymphosarcoma, etc.*—200-203,205	314	75	239	224	-	1	-	2	-	2	5	-	5
Benign neoplasms, etc.*—210-239	111	22	89	81	-	1	-	-	1	1	5	-	-
Asthma—241	143	62	81	73	-	-	-	-	1	3	3	-	1
Diabetes mellitus—260	809	278	531	422	-	3	-	-	4	20	71	-	11
Anemias—290-293	103	42	61	54	-	-	-	-	1	1	4	-	1
Nonmeningococcal meningitis, etc.*—340	38	6	32	31	-	-	-	-	-	-	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	25,259	11,813	13,446	9,332	1	39	2	28	77	638	2,933	13	383
Diseases of cardiovascular system—330-334,400-468	24,848	11,691	13,157	9,102	1	37	2	27	74	629	2,896	13	376
Vascular lesions affecting central nervous system—330-334	5,806	2,122	3,684	2,391	-	9	1	3	15	144	1,000	2	119
Diseases of heart—400-402,410-443	17,090	8,860	8,230	5,919	1	27	1	23	58	394	1,574	9	224
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	526	226	300	266	-	1	1	4	-	10	12	-	6
Arteriosclerotic heart dis., etc.*—420	12,289	6,747	5,542	4,192	1	22	-	17	41	245	864	9	151
Nonrheumatic chronic endocarditis, etc.*—421,422	1,494	727	767	425	-	1	-	-	13	50	257	-	21
Other diseases of heart—430-434	641	271	370	258	-	2	-	1	4	19	78	-	8
Hypertensive heart disease—440-443	2,140	889	1,251	778	-	1	-	1	-	70	363	-	38
Other hypertensive disease—444-447	393	124	269	199	-	-	-	1	-	10	55	-	4
General arteriosclerosis—450	1,162	507	655	301	-	1	-	-	-	69	256	2	26
Other diseases of circulatory system—451-468	397	78	319	292	-	-	-	-	1	12	11	-	3
Chronic nephritis, etc.*—592-594	411	122	289	230	-	2	-	1	3	9	37	-	7
Influenza and pneumonia, etc.*—480-493	1,324	422	902	583	-	-	-	5	19	160	114	2	19
Influenza—480-483	160	77	83	64	-	-	-	-	-	-	17	-	2
Pneumonia, etc.*—490-493	1,164	345	819	519	-	-	-	5	19	160	97	2	17
Bronchitis—500-502	69	33	36	31	-	1	-	-	-	-	3	-	1
Ulcer of stomach and duodenum—540,541	276	33	243	225	-	1	-	-	1	7	8	-	1
Appendicitis—550-553	46	1	45	41	-	-	-	2	-	1	-	-	1
Hernia and intestinal obstruction—560,561,570	249	31	218	200	-	-	-	2	-	8	8	-	-
Gastritis, duodenitis, etc.*—543,571,572	184	43	141	131	-	1	-	-	-	1	7	-	1
Cirrhosis of liver—581	386	78	308	275	-	-	-	3	-	8	13	-	9
Cholelithiasis, cholecystitis, etc.*—584,585	144	18	126	120	-	1	-	1	-	3	1	-	-
Acute nephritis, etc.*—590,591	80	19	61	45	-	-	-	-	-	2	14	-	-
Infections of kidney—600	178	26	152	128	-	-	-	-	-	4	17	1	2
Hyperplasia of prostate—610	126	23	103	76	-	1	-	-	-	2	20	-	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	31	1	30	30	-	-	-	-	-	-	-	-	-
Abortion—650-652	3	-	3	3	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	28	1	27	27	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	563	77	486	444	1	-	-	25	-	4	8	-	4
Certain diseases of early infancy—760-776	1,683	54	1,629	1,605	3	-	-	10	-	-	1	-	10
Birth injuries, etc.*—760-762	777	11	766	755	1	-	-	5	-	-	-	-	5
Infections of newborn—763-768	99	19	80	76	1	-	-	3	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	807	24	783	774	1	-	-	2	-	-	1	-	5
Symptoms, senility, etc.*—780-795	223	118	105	73	-	2	-	1	2	-	24	-	3
All other diseases—Residual	1,624	499	1,125	840	-	12	-	8	10	88	151	-	16
Accidents—E800-E962	2,571	1,229	1,342	1,192	-	6	-	3	1	54	65	1	20
Motor vehicle accidents—E810-E835	1,077	590	487	480	-	-	-	2	-	-	1	-	4
Other accidents—E800-E802,E840-E962	1,494	639	855	712	-	6	-	1	1	54	64	1	16
Suicide—E963,E970-E979	516	432	84	78	-	-	-	-	-	5	1	-	-
Homicide—E964,E980-E985	133	84	49	48	-	-	-	1	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
				Nonresident						Resident			
			Total, in institution	General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	Type of service not specified
IOWA													
All causes	27,776	9,862	17,914	13,563	3	62	2	10	40	573	2,293	11	1,357
Tuberculosis, all forms 001-019	77	8	69	28	-	26	-	-	1	13	-	-	1
Tuberculosis of respiratory system 001-008	73	8	65	26	-	26	-	-	1	11	-	-	1
Tuberculosis, other forms 010-019	4	-	4	2	-	-	-	-	-	2	-	-	-
Syphilis and its sequelae 020-029	37	14	23	14	-	-	-	-	-	2	3	-	4
Dysentery, all forms 045-048	6	1	5	3	-	-	-	-	-	2	-	-	-
Scarlet fever and strep. sore throat 050,051	3	-	3	3	-	-	-	-	-	-	-	-	-
Diphtheria 055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough 056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections 057	9	2	7	7	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles 085	3	1	2	2	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis. Residual[1]	81	22	59	44	-	1	-	1	-	3	6	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	4,439	1,265	3,174	2,710	-	12	-	1	3	21	249	-	178
Of buccal cavity and pharynx 140-148	83	26	57	51	-	-	-	-	-	-	5	-	1
Of digestive organs and peritoneum (not secondary) 150-156A,157-159	1,527	458	1,069	912	-	2	-	-	1	9	87	-	58
Of respiratory system (not secondary) 160-164	470	124	346	303	-	7	-	-	-	3	19	-	14
Of breast 170	411	109	302	248	-	-	-	-	-	-	26	-	28
Of genital organs 171-179	726	236	490	397	-	-	-	-	2	1	61	-	29
Of urinary organs 180,181	198	63	135	110	-	1	-	-	-	1	13	-	10
Of other sites, etc.* 156B,165,190-199	549	154	395	331	-	1	-	-	-	7	28	-	28
Leukemia and aleukemia 204	246	49	197	188	-	-	-	1	-	-	6	-	2
Lymphosarcoma, etc.* 200-203,205	229	46	183	170	-	1	-	-	-	-	4	-	8
Benign neoplasms, etc.* 210-239	66	13	53	44	-	-	-	-	-	3	5	-	1
Asthma 241	84	35	49	38	-	-	-	-	-	2	5	-	4
Diabetes mellitus 260	485	138	347	277	-	2	-	-	1	7	42	-	18
Anemias 290-293	57	13	44	37	-	-	-	-	-	1	4	-	2
Nonmeningococcal meningitis, etc.* 340	24	2	22	18	-	-	-	2	-	-	1	-	1
Major cardiovascular-renal diseases 330-334,400-468,592-594	16,201	6,474	9,727	6,738	1	12	2	1	13	372	1,670	6	912
Diseases of cardiovascular system 330-334,400-468	16,002	6,423	9,579	6,617	1	12	2	1	13	371	1,649	6	907
Vascular lesions affecting central nervous system 330-334	4,005	1,121	2,884	1,861	1	2	-	-	-	81	605	1	333
Diseases of heart 400-402,410-443	10,665	4,961	5,704	4,117	-	9	1	1	11	252	847	5	461
Rheumatic fever and chronic rheumatic heart disease 400-402,410-416	258	102	156	136	-	-	-	-	-	4	10	-	6
Arteriosclerotic heart dis., etc.* 420	8,007	4,029	3,978	2,972	-	8	1	1	8	159	523	4	302
Nonrheumatic chronic endocarditis, etc.* 421,422	1,065	370	695	384	-	1	-	-	3	66	176	-	65
Other diseases of heart 430-434	441	191	250	181	-	-	-	-	-	3	38	-	28
Hypertensive heart disease 440-443	894	269	625	444	-	-	-	-	-	20	100	1	60
Other hypertensive disease 444-447	259	58	201	151	-	-	-	-	1	4	33	-	12
General arteriosclerosis 450	798	229	569	293	-	1	1	-	-	22	158	-	94
Other diseases of circulatory system 451-468	275	54	221	195	-	-	-	-	1	12	6	-	7
Chronic nephritis, etc.* 592-594	199	51	148	121	-	-	-	-	-	1	21	-	5
Influenza and pneumonia, etc.* 480-493	846	213	633	415	-	2	-	-	1	41	115	2	57
Influenza 480-483	88	33	55	27	-	-	-	-	-	10	13	-	5
Pneumonia, etc.* 490-493	758	180	578	388	-	2	-	-	1	31	102	2	52
Bronchitis 500-502	70	22	48	36	-	-	-	-	-	1	8	-	3
Ulcer of stomach and duodenum 540,541	171	14	157	144	-	-	-	-	-	5	1	1	6
Appendicitis 550-553	32	3	29	25	-	-	-	-	-	-	-	-	4
Hernia and intestinal obstruction 560,561,570	161	20	141	126	-	1	-	-	1	-	5	-	8
Gastritis, duodenitis, etc.* 543,571,572	102	19	83	70	-	-	-	1	-	4	7	-	1
Cirrhosis of liver 581	154	21	133	125	-	-	-	-	1	2	3	-	2
Cholelithiasis, cholecystitis, etc.* 584,585	90	10	80	76	-	-	-	-	-	1	1	-	2
Acute nephritis, etc.* 590,591	23	5	18	15	-	-	-	-	-	-	2	-	1
Infections of kidney 600	83	10	73	61	-	-	-	-	-	2	6	-	4
Hyperplasia of prostate 610	80	16	64	48	-	-	-	-	-	5	8	-	3
Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	21	3	18	17	-	-	-	-	-	-	-	-	1
Abortion 650-652	2	-	2	2	-	-	-	-	-	-	-	-	-
Other complications, etc.* 640-649,660-689	19	3	16	15	-	-	-	-	-	-	-	-	1
Congenital malformations 750-759	312	30	282	256	-	-	-	1	2	16	-	1	6
Certain diseases of early infancy 760-776	898	19	879	859	-	-	-	1	-	1	3	-	15
Birth injuries, etc.* 760-762	399	7	392	386	-	-	-	-	-	1	2	-	3
Infections of newborn 763-768	51	6	45	42	-	-	-	-	-	-	-	-	3
Other diseases of infancy, etc.* 769-776	448	6	442	431	-	-	-	1	-	-	1	-	9
Symptoms, senility, etc.* 780-795	167	74	93	48	-	-	-	-	1	-	25	-	19
All other diseases Residual	1,107	273	834	601	-	6	-	2	13	52	88	1	71
Accidents E800-E962	1,502	799	703	619	2	-	-	-	3	15	35	-	29
Motor vehicle accidents E810-E835	650	413	237	229	2	-	-	-	-	-	1	-	5
Other accidents E800-E802,E840-E962	852	386	466	390	-	-	-	-	3	15	34	-	24
Suicide E963,E970-E979	347	303	44	41	-	-	-	-	-	2	1	-	-
Homicide E964,E980-E985	35	20	15	15	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION									
			Total, in institution	Nonresident					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
KANSAS													
All causes	20,321	7,295	13,026	10,617	2	42	3	69	13	367	1,471	1	441
Tuberculosis, all forms—001-019	56	12	44	25	-	15	-	-	-	4	-	-	-
Tuberculosis of respiratory system—001-008	54	12	42	23	-	15	-	-	-	4	-	-	-
Tuberculosis, other forms—010-019	2	-	2	2	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	42	11	31	27	-	-	-	-	-	3	-	-	1
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	2	-	2	2	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	6	1	5	5	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	3	-	3	3	-	-	-	-	-	-	-	-	-
Measles—085	3	-	3	3	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	72	8	64	61	-	-	-	1	-	-	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,925	744	2,181	1,991	-	7	-	10	2	15	112	-	44
Of buccal cavity and pharynx—140-148	59	22	37	33	-	-	-	-	-	1	3	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	925	254	671	602	-	2	-	3	-	7	43	-	14
Of respiratory system (not secondary)—160-164	342	85	257	241	-	4	-	1	-	1	7	-	3
Of breast—170	280	64	216	198	-	-	-	1	-	1	12	-	4
Of genital organs—171-179	469	129	340	307	-	-	-	-	-	-	22	-	11
Of urinary organs—180,181	139	36	103	96	-	-	-	1	-	-	3	-	3
Of other sites, etc.*—156B,165,190-199	364	109	255	231	-	1	-	3	-	4	12	-	4
Leukemia and aleukemia—204	184	20	164	155	-	-	-	1	1	-	5	-	2
Lymphosarcoma, etc.*—200-203,205	163	25	138	128	-	-	-	-	1	1	5	-	3
Benign neoplasms, etc.*—210-239	52	9	43	38	-	-	-	1	-	2	1	-	1
Asthma—241	89	37	52	43	-	-	-	2	-	-	6	-	1
Diabetes mellitus—260	361	98	263	215	-	-	-	2	-	4	31	-	11
Anemias—290-293	44	12	32	26	-	-	-	-	-	-	4	-	2
Nonmeningococcal meningitis, etc.*—340	19	1	18	16	-	-	-	1	-	-	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,592	4,691	6,901	5,246	-	15	2	29	8	181	1,113	1	306
Diseases of cardiovascular system—330-334,400-468	11,404	4,645	6,759	5,126	-	14	2	28	8	179	1,102	1	299
Vascular lesions affecting central nervous system—330-334	2,856	868	1,988	1,436	-	3	1	9	2	39	405	-	93
Diseases of heart—400-402,410-443	7,653	3,520	4,133	3,239	-	9	1	16	6	118	577	1	166
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	226	78	148	134	-	1	-	-	-	3	4	-	6
Arteriosclerotic heart dis., etc.*—420	5,549	2,743	2,806	2,247	-	7	1	10	2	99	348	-	92
Nonrheumatic chronic endocarditis, etc.*—421,422	759	317	442	280	-	-	-	2	1	6	116	1	36
Other diseases of heart—430-434	328	134	194	142	-	-	-	3	1	8	28	-	12
Hypertensive heart disease—440-443	791	248	543	436	-	1	-	1	2	2	81	-	20
Other hypertensive disease—444-447	182	43	139	112	-	-	-	2	-	5	16	-	4
General arteriosclerosis—450	522	181	341	201	-	1	-	1	-	8	97	-	33
Other diseases of circulatory system—451-468	191	33	158	138	-	1	-	-	-	9	7	-	3
Chronic nephritis, etc.*—592-594	188	46	142	120	-	1	-	1	-	2	11	-	7
Influenza and pneumonia, etc.*—480-493	611	173	438	279	-	1	1	3	1	69	70	-	14
Influenza—480-483	94	36	58	35	-	-	-	1	-	-	17	-	5
Pneumonia, etc.*—490-493	517	137	380	244	-	1	1	2	1	69	53	-	9
Bronchitis—500-502	44	19	25	22	-	-	-	-	-	1	1	-	1
Ulcer of stomach and duodenum—540,541	135	21	114	105	-	-	-	1	-	2	5	-	1
Appendicitis—550-553	28	1	27	27	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	125	17	108	98	-	-	-	-	-	5	3	-	2
Gastritis, duodenitis, etc.*—543,571,572	80	13	67	59	-	-	-	1	-	2	3	-	2
Cirrhosis of liver—581	138	29	109	101	-	-	-	1	-	2	2	-	3
Cholelithiasis, cholecystitis, etc.*—584,585	71	11	60	51	-	-	-	2	-	3	3	-	1
Acute nephritis, etc.*—590,591	44	9	35	31	-	-	-	-	-	-	3	-	1
Infections of kidney—600	64	11	53	42	-	-	-	-	-	4	6	-	1
Hyperplasia of prostate—610	73	13	60	50	-	-	-	-	-	1	6	-	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	12	2	10	9	-	-	-	-	-	-	-	-	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	12	2	10	9	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	291	30	261	243	-	-	-	3	-	11	1	-	3
Certain diseases of early infancy—760-776	747	13	734	716	2	-	-	8	-	-	1	-	7
Birth injuries, etc.*—760-762	339	5	334	323	1	-	-	7	-	-	1	-	2
Infections of newborn—763-768	65	6	59	59	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	343	2	341	334	1	-	-	1	-	-	-	-	5
Symptoms, senility, etc.*—780-795	218	148	70	43	-	-	-	-	-	4	17	-	6
All other diseases—Residual	781	203	578	460	-	4	-	4	-	30	61	-	19
Accidents—E800-E962	1,278	701	577	533	-	-	-	-	-	17	18	-	9
Motor vehicle accidents—E810-E835	570	341	229	223	-	-	-	-	-	1	2	-	3
Other accidents—E800-E802,E840-E962	708	360	348	310	-	-	-	-	-	16	16	-	6
Suicide—E963,E970-E979	260	213	47	38	-	-	-	-	1	6	2	-	-
Homicide—E964,E980-E985	55	44	11	9	-	-	-	-	1	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
KENTUCKY													
All causes	29,421	14,607	14,814	11,796	16	154	65	171	37	800	1,302	-	473
Tuberculosis, all forms—001-019	385	154	231	78	-	127	-	3	1	16	1	-	5
Tuberculosis of respiratory system—001-008	360	148	212	63	-	126	-	-	1	16	1	-	5
Tuberculosis, other forms—010-019	25	6	19	15	-	1	-	3	-	-	-	-	-
Syphilis and its sequelae—020-029	54	23	31	16	-	-	-	-	2	12	1	-	-
Dysentery, all forms—045-048	10	3	7	3	-	-	-	1	-	2	1	-	-
Scarlet fever and strep. sore throat—050,051	9	8	1	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	11	6	5	4	-	-	-	1	-	-	-	-	-
Meningococcal infections—057	18	3	15	15	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	10	2	8	8	-	-	-	-	-	-	-	-	-
Measles—085	20	4	16	7	-	-	-	3	6	-	-	-	-
Other infective and parasitic dis.—Residual[1]	108	26	82	68	-	2	-	3	2	5	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,991	1,868	2,123	1,881	-	9	13	13	4	40	107	-	56
Of buccal cavity and pharynx—140-148	111	56	55	46	-	-	-	-	-	3	4	-	2
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,351	662	689	610	-	2	6	-	2	9	40	-	20
Of respiratory system (not secondary)—160-164	486	203	283	249	-	5	-	1	1	5	13	-	9
Of breast—170	293	151	142	125	-	-	2	-	-	2	12	-	1
Of genital organs—171-179	665	347	318	280	-	-	2	-	1	8	19	-	8
Of urinary organs—180,181	161	66	95	89	-	-	2	-	-	-	2	-	2
Of other sites, etc.*—156B,165,190-199	572	282	290	254	-	1	1	5	-	9	10	-	10
Leukemia and aleukemia—204	181	41	140	127	-	-	-	6	-	2	3	-	2
Lymphosarcoma, etc.*—200-203,205	171	60	111	101	-	1	-	1	-	2	4	-	2
Benign neoplasms, etc.*—210-239	110	24	86	76	-	-	-	5	-	-	5	-	-
Asthma—241	99	66	33	29	-	-	-	-	2	1	1	-	-
Diabetes mellitus—260	465	182	283	243	1	-	-	-	-	8	23	-	8
Anemias—290-293	59	26	33	28	-	-	-	-	-	2	2	-	1
Nonmeningococcal meningitis, etc.*—340	45	10	35	28	-	-	-	5	-	2	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	16,106	8,892	7,214	5,346	3	11	43	1	8	508	1,003	-	291
Diseases of cardiovascular system—330-334,400-468	15,829	8,762	7,067	5,226	3	11	43	-	8	499	994	-	283
Vascular lesions affecting central nervous system—330-334	3,771	1,789	1,982	1,430	2	2	19	-	1	121	320	-	87
Diseases of heart—400-402,410-443	10,945	6,484	4,461	3,355	1	7	22	-	6	327	572	-	171
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	232	103	129	115	-	1	-	-	1	3	5	-	4
Arteriosclerotic heart dis., etc.*—420	7,378	4,412	2,966	2,299	1	4	17	-	4	215	322	-	104
Nonrheumatic chronic endocarditis, etc.*—421,422	1,033	620	413	218	-	-	1	-	-	67	105	-	22
Other diseases of heart—430-434	691	475	216	159	-	2	1	-	-	17	28	-	9
Hypertensive heart disease—440-443	1,611	874	737	564	-	-	3	-	1	25	112	-	32
Other hypertensive disease—444-447	239	91	148	128	-	-	-	-	1	3	13	-	3
General arteriosclerosis—450	619	317	302	154	-	2	2	-	-	41	85	-	18
Other diseases of circulatory system—451-468	255	81	174	159	-	-	-	-	-	7	4	-	4
Chronic nephritis, etc.*—592-594	277	130	147	120	-	-	-	1	-	9	9	-	8
Influenza and pneumonia, etc.*—480-493	1,122	528	594	405	2	-	5	5	1	103	58	-	15
Influenza—480-483	134	86	48	35	-	-	-	-	1	4	4	-	4
Pneumonia, etc.*—490-493	988	442	546	370	2	-	5	5	-	99	54	-	11
Bronchitis—500-502	78	37	41	35	-	-	-	1	-	3	1	-	1
Ulcer of stomach and duodenum—540,541	157	37	120	113	-	-	-	-	-	2	1	-	4
Appendicitis—550-553	34	2	32	31	-	-	-	-	-	1	-	-	-
Hernia and intestinal obstruction—560,561,570	155	25	130	116	-	-	1	3	-	8	-	-	2
Gastritis, duodenitis, etc.*—543,571,572	150	42	108	95	1	-	-	4	-	5	1	-	2
Cirrhosis of liver—581	251	60	191	178	-	1	1	1	-	6	3	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	71	11	60	60	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	46	16	30	24	-	-	-	2	-	1	-	-	3
Infections of kidney—600	117	24	93	77	-	-	1	-	-	7	6	-	2
Hyperplasia of prostate—610	82	21	61	52	-	-	-	-	-	3	6	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	27	5	22	21	-	-	-	-	-	-	-	-	1
Abortion—650-652	3	-	3	3	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	24	5	19	18	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	378	93	285	215	2	1	-	57	2	1	-	-	7
Certain diseases of early infancy—760-776	1,272	124	1,148	1,094	6	-	-	32	-	-	-	-	16
Birth injuries, etc.*—760-762	513	27	486	459	5	-	-	16	-	-	-	-	6
Infections of newborn—763-768	104	23	81	76	-	-	-	4	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	655	74	581	559	1	-	-	12	-	-	-	-	9
Symptoms, senility, etc.*—780-795	376	265	111	70	-	1	-	-	-	15	14	-	11
All other diseases—Residual	1,088	462	626	499	-	2	1	23	6	29	41	-	25
Accidents—E800-E962	2,007	1,179	828	754	1	-	-	8	-	20	24	-	21
Motor vehicle accidents—E810-E835	735	478	257	251	-	-	-	-	-	-	-	-	6
Other accidents—E800-E802,E840-E962	1,272	701	571	503	1	-	-	8	-	20	24	-	15
Suicide—E963,E970-E979	318	260	58	56	-	-	-	-	-	-	2	-	-
Homicide—E964,E980-E985	192	119	73	70	-	-	-	-	3	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
LOUISIANA													
All causes	28,889	13,877	15,012	13,327	2	74	1	9	37	547	733	1	281
Tuberculosis, all forms—001-019	290	82	208	143	-	38	-	-	1	26	-	-	-
Tuberculosis of respiratory system—001-008	275	80	195	131	-	38	-	-	1	25	-	-	-
Tuberculosis, other forms—010-019	15	2	13	12	-	-	-	-	-	1	-	-	-
Syphilis and its sequelae—020-029	133	52	81	61	-	-	-	-	-	19	-	-	1
Dysentery, all forms—045-048	11	7	4	4	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	5	3	2	2	-	-	-	-	-	-	-	-	-
Diphtheria—055	3	1	2	2	-	-	-	-	-	-	-	-	-
Whooping cough—056	5	2	3	3	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	25	3	22	22	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	2	1	1	1	-	-	-	-	-	-	-	-	-
Measles—085	12	6	6	6	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	166	24	142	136	-	-	-	-	-	5	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,938	1,742	2,196	2,041	-	7	-	4	2	21	86	1	34
Of buccal cavity and pharynx—140-148	100	46	54	48	-	-	-	1	-	1	3	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,261	633	628	586	-	1	-	-	-	8	26	-	7
Of respiratory system (not secondary)-160-164	571	228	343	326	-	5	-	-	-	1	7	-	4
Of breast—170	267	133	134	119	-	-	-	-	-	3	10	-	2
Of genital organs—171-179	609	312	297	274	-	-	-	1	-	-	17	-	5
Of urinary organs—180,181	179	86	93	86	-	-	-	-	-	2	3	1	1
Of other sites, etc.*—156B,165,190-199	550	222	328	293	-	1	-	1	1	5	18	-	9
Leukemia and aleukemia—204	209	34	175	168	-	-	-	1	1	1	1	-	3
Lymphosarcoma, etc.*—200-203,205	192	48	144	141	-	-	-	-	-	-	1	-	2
Benign neoplasms, etc.*—210-239	118	26	92	88	-	-	-	-	-	3	1	-	-
Asthma—241	88	39	49	45	-	-	-	-	-	1	1	-	2
Diabetes mellitus—260	535	235	300	281	-	-	-	-	-	9	8	-	2
Anemias—290-293	77	31	46	44	-	-	-	-	-	-	2	-	-
Nonmeningococcal meningitis, etc.*—340	67	6	61	60	-	-	-	-	-	1	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,520	8,331	6,189	5,155	2	21	-	2	9	312	536	-	152
Diseases of cardiovascular system—330-334,400-468	14,216	8,180	6,036	5,027	2	21	-	2	9	297	530	-	148
Vascular lesions affecting central nervous system—330-334	2,850	1,361	1,489	1,233	1	3	-	-	1	80	137	-	34
Diseases of heart—400-402,410-443	10,428	6,411	4,017	3,360	1	15	-	2	8	186	344	-	101
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	160	64	96	92	-	-	-	-	-	1	2	-	1
Arteriosclerotic heart dis., etc.*—420	6,960	4,314	2,646	2,219	-	7	-	2	5	109	237	-	67
Nonrheumatic chronic endocarditis, etc.*—421,422	817	559	258	178	-	-	-	-	-	25	45	-	10
Other diseases of heart—430-434	643	329	314	271	1	-	-	-	2	21	13	-	6
Hypertensive heart disease—440-443	1,848	1,145	703	600	-	8	-	-	1	30	47	-	17
Other hypertensive disease—444-447	210	84	126	111	-	-	-	-	-	3	8	-	4
General arteriosclerosis—450	447	253	194	121	-	3	-	-	-	26	39	-	5
Other diseases of circulatory system-451-468	281	71	210	202	-	-	-	-	-	2	2	-	4
Chronic nephritis, etc.*—592-594	304	151	153	128	-	-	-	-	-	15	6	-	4
Influenza and pneumonia, etc.*—480-493	1,150	555	595	480	-	3	-	-	1	69	27	-	15
Influenza—480-483	140	102	38	31	-	-	-	-	-	5	1	-	1
Pneumonia, etc.*—490-493	1,010	453	557	449	-	3	-	-	1	64	26	-	14
Bronchitis—500-502	73	26	47	44	-	-	-	-	-	1	1	-	1
Ulcer of stomach and duodenum—540,541	155	25	130	126	-	-	1	1	-	1	1	-	-
Appendicitis—550-553	27	4	23	23	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	173	19	154	149	-	-	-	-	2	2	-	-	1
Gastritis, duodenitis, etc.*—543,571,572	180	52	128	121	-	-	-	-	-	4	1	-	2
Cirrhosis of liver—581	247	67	180	175	-	-	-	-	1	3	-	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	61	9	52	52	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	44	18	26	25	-	-	-	-	-	-	1	-	-
Infections of kidney—600	149	35	114	96	-	-	-	-	1	5	10	-	2
Hyperplasia of prostate—610	65	16	49	48	-	-	-	-	-	-	1	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	54	8	46	43	-	-	-	-	-	-	-	-	3
Abortion—650-652	6	1	5	5	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	48	7	41	38	-	-	-	-	-	-	-	-	3
Congenital malformations—750-759	501	95	406	396	-	-	-	-	3	1	1	-	5
Certain diseases of early infancy—760-776	1,904	149	1,755	1,727	-	-	-	-	1	-	2	-	25
Birth injuries, etc.*—760-762	794	43	751	743	-	-	-	-	-	-	1	-	7
Infections of newborn—763-768	234	47	187	185	-	-	-	-	-	-	-	-	2
Other diseases of infancy, etc.*—769-776	876	59	817	799	-	-	-	-	1	-	1	-	16
Symptoms, senility, etc.*—780-795	322	239	83	71	-	-	-	-	-	6	1	-	5
All other diseases—Residual	1,287	413	874	759	-	5	-	1	9	43	43	-	14
Accidents—E800-E962	2,017	1,187	830	792	-	-	-	1	3	13	8	-	13
Motor vehicle accidents—E810-E835	810	515	295	284	-	-	-	-	-	1	1	-	9
Other accidents—E800-E802,E840-E962	1,207	672	535	508	-	-	-	1	3	12	7	-	4
Suicide—E963,E970-E979	241	190	51	46	-	-	-	-	-	2	-	-	3
Homicide—E964,E980-E985	244	179	65	60	-	-	-	-	4	-	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
MAINE													
*All causes	10,498	4,484	6,014	4,186	-	22	-	20	1	507	1,063	1	214
Tuberculosis, all forms—001-019	44	8	36	10	-	17	-	1	-	6	1	-	1
Tuberculosis of respiratory system—001-008	39	6	33	8	-	17	-	1	-	6	1	-	-
Tuberculosis, other forms—010-019	5	2	3	2	-	-	-	-	-	-	-	-	1
Syphilis and its sequelae—020-029	17	2	15	9	-	-	-	-	-	5	1	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	1	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	3	-	3	3	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	1	1	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	31	5	26	23	-	-	-	-	-	2	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,693	621	1,072	765	-	1	-	10	-	95	162	-	39
Of buccal cavity and pharynx—140-148	26	12	14	8	-	-	-	-	-	4	2	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	663	248	415	307	-	-	-	1	-	31	60	-	16
Of respiratory system (not secondary)—160-164	205	68	137	93	-	1	-	-	-	28	10	-	5
Of breast—170	139	66	73	47	-	-	-	-	-	1	22	-	3
Of genital organs—171-179	272	101	171	117	-	-	-	1	-	5	41	-	7
Of urinary organs—180,181	87	36	51	41	-	-	-	-	-	4	6	-	-
Of other sites, etc.*—156B,165,190-199	173	56	117	87	-	-	-	1	-	8	15	-	6
Leukemia and aleukemia—204	51	11	40	25	-	-	-	6	-	4	4	-	1
Lymphosarcoma, etc.*—200-203,205	77	23	54	40	-	-	-	1	-	10	2	-	1
Benign neoplasms, etc.*—210-239	31	2	29	27	-	-	-	1	-	-	1	-	-
Asthma—241	30	12	18	16	-	-	-	-	-	-	2	-	-
Diabetes mellitus—260	144	49	95	68	-	1	-	-	-	9	14	-	3
Anemias—290-293	20	9	11	10	-	-	-	-	-	-	1	-	-
Nonmeningococcal meningitis, etc.*—340	10	-	10	8	-	-	-	-	-	1	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	6,140	2,958	3,182	2,003	-	3	-	-	-	274	771	-	131
Diseases of cardiovascular system—330-334,400-468	6,038	2,925	3,113	1,949	-	3	-	-	-	270	760	-	131
Vascular lesions affecting central nervous system—330-334	1,280	486	794	466	-	-	-	-	-	31	254	-	43
Diseases of heart—400-402,410-443	4,301	2,273	2,028	1,306	-	2	-	-	-	228	423	-	69
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	109	44	65	52	-	-	-	-	-	3	6	-	4
Arteriosclerotic heart dis., etc.*—420	3,156	1,780	1,376	936	-	2	-	-	-	161	236	-	41
Nonrheumatic chronic endocarditis, etc.*—421,422	468	211	257	114	-	-	-	-	-	47	90	-	6
Other diseases of heart—430-434	117	56	61	42	-	-	-	-	-	4	12	-	3
Hypertensive heart disease—440-443	451	182	269	162	-	-	-	-	-	13	79	-	15
Other hypertensive disease—444-447	81	31	50	32	-	-	-	-	-	-	16	-	2
General arteriosclerosis—450	252	105	147	65	-	1	-	-	-	8	59	-	14
Other diseases of circulatory system—451-468	124	30	94	80	-	-	-	-	-	3	8	-	3
Chronic nephritis, etc.*—592-594	102	33	69	54	-	-	-	-	-	4	11	-	-
Influenza and pneumonia, etc.*—480-493	327	95	232	147	-	-	-	-	-	37	37	-	11
Influenza—480-483	28	15	13	12	-	-	-	-	-	-	1	-	-
Pneumonia, etc.*—490-493	299	80	219	135	-	-	-	-	-	37	36	-	11
Bronchitis—500-502	25	10	15	11	-	-	-	-	-	3	1	-	-
Ulcer of stomach and duodenum—540,541	63	12	51	45	-	-	-	1	-	4	1	-	-
Appendicitis—550-553	13	2	11	11	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	66	9	57	50	-	-	-	-	1	1	4	-	1
Gastritis, duodenitis, etc.*—543,571,572	41	10	31	30	-	-	-	-	-	1	-	-	-
Cirrhosis of liver—581	84	14	70	53	-	-	-	-	-	8	4	-	5
Cholelithiasis, cholecystitis, etc.*—584,585	36	-	36	33	-	-	-	-	-	1	1	-	1
Acute nephritis, etc.*—590,591	16	1	15	11	-	-	-	-	-	3	1	-	-
Infections of kidney—600	39	9	30	22	-	-	-	-	-	4	3	-	1
Hyperplasia of prostate—610	30	6	24	18	-	-	-	-	-	5	1	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	8	2	6	6	-	-	-	-	-	-	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	8	2	6	6	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	138	24	114	97	-	-	-	5	-	2	3	1	6
Certain diseases of early infancy—760-776	331	13	318	308	-	-	-	1	-	-	5	-	4
Birth injuries, etc.*—760-762	190	2	188	184	-	-	-	-	-	-	2	-	2
Infections of newborn—763-768	25	2	23	20	-	-	-	1	-	-	1	-	1
Other diseases of infancy, etc.*—769-776	116	9	107	104	-	-	-	-	-	-	2	-	1
Symptoms, senility, etc.*—780-795	60	32	28	10	-	-	-	-	-	4	14	-	-
All other diseases—Residual	345	104	241	176	-	-	-	1	-	33	26	-	5
Accidents—E800-E962	560	339	221	201	-	-	-	-	-	7	8	-	5
Motor vehicle accidents—E810-E835	211	130	81	76	-	-	-	-	-	-	1	-	4
Other accidents—E800-E802,E840-E962	349	209	140	125	-	-	-	-	-	7	7	-	1
Suicide—E963,E970-E979	134	123	11	9	-	-	-	-	-	2	-	-	-
Homicide—E964,E980-E985	15	12	3	3	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION: Total, in institution	Nonresident: General hospital	Nonresident: Maternity hospital	Nonresident: Tuberculosis hospital	Nonresident: Chronic disease and convalescent hospitals	Nonresident: Other special hospitals	Nonresident: Hospital department of institution	Resident: Nervous and mental hospitals	Resident: Convalescent and nursing homes, etc.	Resident: Other domiciliary institutions	Type of service not specified
MARYLAND													
All causes	27,116	9,842	17,274	13,791	22	181	396	63	10	1,103	1,445	28	235
Tuberculosis, all forms—001-019	319	34	285	144	-	116	1	-	-	23	1	-	-
Tuberculosis of respiratory system—001-008	302	33	269	131	-	113	1	-	-	23	1	-	-
Tuberculosis, other forms—010-019	17	1	16	13	-	3	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	90	10	80	54	-	2	1	-	-	22	1	-	-
Dysentery, all forms—045-048	8	1	7	4	-	-	-	-	-	3	-	-	-
Scarlet fever and strep. sore throat—050,051	4	1	3	2	-	-	-	-	-	-	1	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	11	2	9	8	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles—085	18	5	13	9	-	-	-	1	-	2	-	-	1
Other infective and parasitic dis.—Residual[1]	99	11	88	78	-	-	-	2	-	3	2	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,149	1,517	2,632	2,217	-	22	75	11	2	74	198	2	31
Of buccal cavity and pharynx—140-148	96	31	65	49	-	-	6	-	-	5	3	-	2
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,289	527	762	631	-	4	14	4	1	24	71	-	13
Of respiratory system (not secondary)-160-164	687	235	452	395	-	17	9	-	-	15	13	-	3
Of breast—170	378	157	221	171	-	-	7	-	-	8	32	-	3
Of genital organs—171-179	630	255	375	302	-	-	20	-	-	7	42	2	2
Of urinary organs—180,181	213	84	129	108	-	-	5	-	1	1	14	-	-
Of other sites, etc.*—156B,165,190-199	498	154	344	299	-	1	11	3	-	9	15	-	6
Leukemia and aleukemia—204	177	21	156	144	-	-	1	3	-	3	3	-	2
Lymphosarcoma, etc.*—200-203,205	181	53	128	118	-	-	2	1	-	2	5	-	-
Benign neoplasms, etc.*—210-239	98	14	84	76	-	2	-	-	1	1	3	1	-
Asthma—241	83	31	52	44	-	-	5	-	1	-	1	-	1
Diabetes mellitus—260	506	178	328	272	-	1	9	-	-	13	29	1	3
Anemias—290-293	52	12	40	34	-	-	1	-	-	2	3	-	-
Nonmeningococcal meningitis, etc.*—340	52	4	48	44	-	-	-	4	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,910	6,469	8,441	6,186	1	26	256	8	5	684	1,079	22	174
Diseases of cardiovascular system—330-334,400-468	14,645	6,395	8,250	6,034	1	24	237	8	5	672	1,075	22	172
Vascular lesions affecting central nervous system—330-334	2,307	820	1,487	1,086	-	6	37	1	-	86	241	4	26
Diseases of heart—400-402,410-443	11,393	5,259	6,134	4,507	1	17	188	5	5	524	741	16	130
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	295	77	218	187	-	-	3	-	-	20	6	-	2
Arteriosclerotic heart dis., etc.*—420	6,298	3,035	3,263	2,550	1	11	67	4	5	255	294	12	64
Nonrheumatic chronic endocarditis, etc.*—421,422	2,273	988	1,285	747	-	4	78	-	-	186	232	1	37
Other diseases of heart—430-434	358	146	212	178	-	1	1	1	-	11	17	-	3
Hypertensive heart disease—440-443	2,189	1,013	1,156	845	-	1	39	-	-	52	192	3	24
Other hypertensive disease—444-447	194	60	134	115	-	1	-	-	-	6	11	-	1
General arteriosclerosis—450	453	203	250	103	-	-	6	2	-	45	78	2	14
Other diseases of circulatory system-451-468	298	53	245	223	-	-	6	-	-	11	4	-	1
Chronic nephritis, etc.*—592-594	265	74	191	152	-	2	19	-	-	12	4	-	2
Influenza and pneumonia, etc.*—480-493	865	234	631	455	-	4	13	6	-	103	44	1	5
Influenza—480-483	35	26	9	7	-	-	-	-	-	-	2	-	-
Pneumonia, etc.*—490-493	830	208	622	448	-	4	13	6	-	103	42	1	5
Bronchitis—500-502	78	26	52	47	-	-	-	-	-	3	1	-	1
Ulcer of stomach and duodenum—540,541	126	18	108	102	-	1	-	-	-	3	1	-	1
Appendicitis—550-553	15	2	13	13	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	149	12	137	128	-	1	-	1	-	4	3	-	-
Gastritis, duodenitis, etc.*—543,571,572	102	17	85	77	-	-	-	3	-	2	1	-	2
Cirrhosis of liver—581	334	64	270	255	-	-	2	-	1	5	6	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	66	4	62	57	1	1	1	-	-	1	1	-	-
Acute nephritis, etc.*—590,591	41	10	31	27	-	-	-	-	-	4	-	-	-
Infections of kidney—600	86	8	78	67	-	-	5	-	-	5	1	-	-
Hyperplasia of prostate—610	55	11	44	40	-	-	1	-	-	2	-	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	23	3	20	20	-	-	-	-	-	-	-	-	-
Abortion—650-652	5	1	4	4	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	18	2	16	16	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	376	38	338	305	2	-	-	12	-	18	1	-	-
Certain diseases of early infancy—760-776	1,367	39	1,328	1,306	17	-	-	4	-	-	-	-	1
Birth injuries, etc.*—760-762	531	9	522	508	14	-	-	-	-	-	-	-	-
Infections of newborn—763-768	149	14	135	134	1	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	687	16	671	664	2	-	-	4	-	-	-	-	1
Symptoms, senility, etc.*—780-795	119	68	51	45	-	-	-	-	-	1	5	-	-
All other diseases—Residual	1,188	291	897	727	1	4	22	9	-	87	43	-	4
Accidents—E800-E962	1,277	464	813	746	-	1	4	1	-	35	20	-	6
Motor vehicle accidents—E810-E835	485	176	309	303	-	1	-	-	-	2	-	-	3
Other accidents—E800-E802,E840-E962	792	288	504	443	-	-	4	1	-	33	20	-	3
Suicide—E963,E970-E979	281	191	90	87	-	-	-	-	-	2	-	-	1
Homicide—E964,E980-E985	166	52	114	113	-	-	-	-	-	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
MASSACHUSETTS													
All causes	56,620	20,164	36,456	25,349	247	273	985	1,053	48	2,565	4,930	128	878
Tuberculosis, all forms-001-019	338	38	300	101	-	108	4	16	2	37	8	-	24
Tuberculosis of respiratory system-001-008	325	38	287	91	-	108	4	14	2	36	8	-	24
Tuberculosis, other forms-010-019	13	-	13	10	-	-	-	2	-	1	-	-	-
Syphilis and its sequelae-020-029	89	22	67	50	-	-	2	1	-	7	6	-	1
Dysentery, all forms-045-048	1	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat-050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria-055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-056	2	-	2	1	-	-	-	1	-	-	-	-	-
Meningococcal infections-057	25	1	24	21	-	-	-	3	-	-	-	-	-
Acute poliomyelitis-080	3	1	2	1	-	-	-	-	-	-	-	-	1
Measles-085	4	2	2	1	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.-Residual[1]	163	17	146	117	-	1	2	9	2	7	5	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	9,715	2,890	6,825	4,765	1	60	417	438	9	140	696	83	216
Of buccal cavity and pharynx-140-148	280	74	206	116	1	1	19	38	-	2	16	6	7
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	3,633	1,193	2,440	1,800	-	12	121	59	3	57	283	30	75
Of respiratory system (not secondary)-160-164	1,318	364	952	688	-	35	66	63	-	12	52	8	28
Of breast-170	992	315	677	420	-	2	64	47	-	9	97	11	27
Of genital organs-171-179	1,258	376	882	557	-	3	65	63	-	22	124	15	33
Of urinary organs-180,181	454	127	327	225	-	2	22	20	1	9	35	4	9
Of other sites, etc.*-156B,165,190-199	966	287	679	451	-	2	47	57	3	24	63	7	25
Leukemia and aleukemia-204	373	54	319	241	-	1	2	59	2	3	8	-	3
Lymphosarcoma, etc.*-200-203,205	443	100	343	267	-	2	11	32	-	2	18	2	9
Benign neoplasms, etc.*-210-239	184	27	157	129	-	1	6	8	-	6	3	1	3
Asthma-241	147	68	79	64	-	3	3	-	-	3	6	-	-
Diabetes mellitus-260	1,010	313	697	537	-	1	23	6	1	42	77	-	10
Anemias-290-293	91	20	71	54	-	-	1	2	-	5	8	-	1
Nonmeningococcal meningitis, etc.*-340	69	3	66	45	-	-	-	16	-	1	1	1	2
Major cardiovascular-renal diseases-330-334,400-468,592-594	32,942	14,124	18,818	12,418	6	59	427	188	18	1,567	3,634	8	493
Diseases of cardiovascular system-330-334,400-468	32,566	14,038	18,528	12,193	6	57	422	186	18	1,554	3,596	8	488
Vascular lesions affecting central nervous system-330-334	6,256	1,900	4,356	2,821	1	5	120	44	3	200	1,033	1	128
Diseases of heart-400-402,410-443	23,878	11,491	12,387	8,323	4	47	239	122	13	1,150	2,167	6	316
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	719	207	512	440	1	1	13	7	-	22	20	1	7
Arteriosclerotic heart dis., etc.*-420	18,864	9,455	9,409	6,379	2	40	186	98	13	896	1,553	4	238
Nonrheumatic chronic endocarditis, etc.*-421,422	1,404	653	751	323	-	2	15	5	-	80	291	-	35
Other diseases of heart-430-434	768	318	450	361	-	3	3	6	-	37	30	-	10
Hypertensive heart disease-440-443	2,123	858	1,265	820	1	1	22	6	-	115	273	1	26
Other hypertensive disease-444-447	454	111	343	214	-	-	7	5	-	35	74	1	7
General arteriosclerosis-450	1,276	439	837	301	-	2	48	10	1	141	306	-	28
Other diseases of circulatory system-451-468	702	97	605	534	1	3	8	5	1	28	16	-	9
Chronic nephritis, etc.*-592-594	376	86	290	225	-	2	5	2	-	13	38	-	5
Influenza and pneumonia, etc.*-480-493	2,046	433	1,613	1,012	-	7	22	31	3	307	197	7	27
Influenza-480-483	26	14	12	9	-	-	-	-	-	2	1	-	-
Pneumonia, etc.*-490-493	2,020	419	1,601	1,003	-	7	22	31	3	305	196	7	27
Bronchitis-500-502	156	52	104	83	-	-	4	-	-	8	9	-	-
Ulcer of stomach and duodenum-540,541	426	43	383	341	-	2	5	4	2	12	11	-	6
Appendicitis-550-553	63	2	61	58	-	-	-	1	-	1	-	1	-
Hernia and intestinal obstruction-560,561,570	276	16	260	216	-	3	1	11	1	19	6	-	3
Gastritis, duodenitis, etc.*-543,571,572	185	16	169	142	-	1	2	4	-	14	2	-	4
Cirrhosis of liver-581	719	111	608	541	-	5	16	3	1	18	19	1	4
Cholelithiasis, cholecystitis, etc.*-584,585	165	10	155	134	-	-	3	2	-	11	4	-	1
Acute nephritis, etc.*-590,591	41	8	33	26	-	-	-	2	-	2	2	1	-
Infections of kidney-600	269	27	242	205	-	-	6	1	-	16	11	-	3
Hyperplasia of prostate-610	120	19	101	81	-	-	-	3	-	8	8	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	21	3	18	17	1	-	-	-	-	-	-	-	-
Abortion-650-652	4	2	2	2	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,660-689	17	1	16	15	1	-	-	-	-	-	-	-	-
Congenital malformations-750-759	640	61	579	385	30	-	2	133	-	23	1	16	9
Certain diseases of early infancy-760-776	1,596	44	1,552	1,266	207	-	-	71	-	1	1	-	6
Birth injuries, etc.*-760-762	647	15	632	526	78	-	-	27	-	-	-	-	1
Infections of newborn-763-768	98	14	84	46	26	-	-	12	-	-	-	-	-
Other diseases of infancy, etc.*-769-776	851	15	836	694	103	-	-	32	-	1	1	-	5
Symptoms, senility, etc.*-780-795	227	112	115	75	-	-	2	7	-	16	13	-	2
All other diseases-Residual	2,049	448	1,601	1,159	2	18	32	73	5	146	123	9	34
Accidents-E800-E962	2,380	874	1,506	1,242	-	3	5	18	1	136	79	-	22
Motor vehicle accidents-E810-E835	617	285	332	323	-	-	1	3	-	-	3	-	2
Other accidents-E800-E802,E840-E962	1,763	589	1,174	919	-	3	4	15	1	136	76	-	20
Suicide-E963,E970-E979	413	331	82	64	-	1	-	-	3	12	-	-	2
Homicide-E964,E980-E985	45	28	17	17	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
MICHIGAN													
All causes	65,937	21,862	44,075	35,234	4	449	1,329	233	41	1,534	4,096	122	1,033
Tuberculosis, all forms—001-019	401	41	360	179	-	154	1	-	-	13	3	-	10
Tuberculosis of respiratory system—001-008	366	36	330	157	-	148	-	-	-	13	3	-	9
Tuberculosis, other forms—010-019	35	5	30	22	-	6	1	-	-	-	-	-	1
Syphilis and its sequelae—020-029	92	15	77	57	-	-	4	1	-	11	3	-	1
Dysentery, all forms—045-048	9	-	9	6	-	-	-	-	-	1	-	-	2
Scarlet fever and strep. sore throat—050,051	6	2	4	4	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	30	4	26	25	1	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	36	1	35	34	-	-	-	-	-	-	-	-	1
Measles—085	18	3	15	11	-	-	-	-	-	3	-	-	1
Other infective and parasitic dis.—Residual[1]	158	35	123	113	-	1	2	1	-	3	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	10,929	3,039	7,890	6,626	1	91	385	17	5	110	516	22	117
Of buccal cavity and pharynx—140-148	233	68	165	119	-	4	16	-	-	5	15	3	3
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	3,879	1,189	2,690	2,253	-	13	134	7	1	44	183	7	48
Of respiratory system (not secondary)—160-164	1,579	419	1,160	985	-	33	48	1	1	12	58	8	14
Of breast—170	920	282	638	525	1	7	33	1	-	6	50	-	15
Of genital organs—171-179	1,641	446	1,195	941	-	15	91	2	1	16	114	1	14
Of urinary organs—180,181	531	147	384	319	-	4	15	1	2	6	26	2	9
Of other sites, etc.*—156B,165,190-199	1,070	289	781	647	-	10	43	4	-	16	52	1	8
Leukemia and aleukemia—204	529	74	455	439	-	1	3	1	-	2	7	-	2
Lymphosarcoma, etc.*—200-203,205	547	125	422	398	-	4	2	-	-	3	11	-	4
Benign neoplasms, etc.*—210-239	181	30	151	131	-	1	2	2	-	4	9	1	1
Asthma—241	241	85	156	132	-	1	1	3	-	4	9	2	4
Diabetes mellitus—260	1,607	440	1,167	945	-	5	40	8	1	30	103	5	30
Anemias—290-293	133	42	91	72	-	-	1	-	-	1	15	-	2
Nonmeningococcal meningitis, etc.*—340	86	9	77	76	-	-	-	-	-	1	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	35,829	14,074	21,755	15,978	-	142	776	137	22	917	3,011	73	699
Diseases of cardiovascular system—330-334,400-468	35,282	13,958	21,324	15,608	-	136	769	136	21	914	2,973	73	694
Vascular lesions affecting central nervous system—330-334	7,542	2,221	5,321	3,592	-	36	259	18	3	180	967	21	245
Diseases of heart—400-402,410-443	25,211	11,059	14,152	10,736	-	92	434	115	18	607	1,698	49	403
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	851	273	578	540	-	1	4	-	-	7	13	-	13
Arteriosclerotic heart dis., etc.*—420	18,743	8,755	9,988	7,880	-	65	265	9	13	392	1,056	37	271
Nonrheumatic chronic endocarditis, etc.*—421,422	2,137	853	1,284	635	-	12	74	75	-	159	285	1	43
Other diseases of heart—430-434	981	399	582	403	-	8	43	3	-	21	86	-	18
Hypertensive heart disease—440-443	2,499	779	1,720	1,278	-	6	48	28	5	28	258	11	58
Other hypertensive disease—444-447	512	129	383	303	-	3	14	-	-	11	40	1	11
General arteriosclerosis—450	1,289	424	865	434	-	2	59	2	-	88	248	2	30
Other diseases of circulatory system—451-468	728	125	603	543	-	3	3	1	-	28	20	-	5
Chronic nephritis, etc.*—592-594	547	116	431	370	-	6	7	1	1	3	38	-	5
Influenza and pneumonia, etc.*—480-493	2,191	477	1,714	1,262	-	10	34	14	-	198	143	3	50
Influenza—480-483	132	68	64	44	-	-	3	-	-	-	13	-	4
Pneumonia, etc.*—490-493	2,059	409	1,650	1,218	-	10	31	14	-	198	130	3	46
Bronchitis—500-502	147	54	93	78	-	1	1	-	-	4	6	-	3
Ulcer of stomach and duodenum—540,541	479	47	432	410	-	1	1	1	-	10	7	1	1
Appendicitis—550-553	103	5	98	94	-	1	-	-	-	1	1	-	1
Hernia and intestinal obstruction—560,561,570	299	22	277	256	-	1	3	2	1	7	4	1	2
Gastritis, duodenitis, etc.*—543,571,572	296	46	250	234	-	1	-	2	-	7	4	-	2
Cirrhosis of liver—581	810	133	677	610	-	8	9	9	2	9	18	3	9
Cholelithiasis, cholecystitis, etc.*—584,585	244	19	225	208	-	-	2	1	-	5	6	2	1
Acute nephritis, etc.*—590,591	83	13	70	55	-	2	3	-	-	1	5	-	4
Infections of kidney—600	225	32	193	161	-	1	4	-	-	9	18	-	-
Hyperplasia of prostate—610	212	26	186	165	-	-	1	-	-	1	17	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	60	5	55	55	-	-	-	-	-	-	-	-	-
Abortion—650-652	13	2	11	11	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	47	3	44	44	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	1,020	88	932	878	1	3	1	4	1	29	4	1	10
Certain diseases of early infancy—760-776	3,198	59	3,139	3,117	-	-	-	-	-	3	-	-	19
Birth injuries, etc.*—760-762	1,472	15	1,457	1,444	-	-	-	-	-	2	-	-	11
Infections of newborn—763-768	185	27	158	156	-	-	-	-	-	1	-	-	1
Other diseases of infancy, etc.*—769-776	1,541	17	1,524	1,517	-	-	-	-	-	-	-	-	7
Symptoms, senility, etc.*—780-795	235	143	92	78	-	-	-	-	1	6	5	1	1
All other diseases—Residual	2,294	580	1,714	1,371	-	17	43	24	4	96	121	3	35
Accidents—E800-E962	3,320	1,603	1,717	1,563	1	8	14	6	2	38	60	4	21
Motor vehicle accidents—E810-E835	1,467	741	726	714	-	1	1	2	-	-	3	-	5
Other accidents—E800-E802,E840-E962	1,853	862	991	849	1	7	13	4	2	38	57	4	16
Suicide—E963,E970-E979	747	577	170	148	-	-	1	1	2	11	4	-	3
Homicide—E964,E980-E985	217	113	104	101	-	-	-	-	-	1	1	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION: Total, in institution	Nonresident: General hospital	Nonresident: Maternity hospital	Nonresident: Tuberculosis hospital	Nonresident: Chronic disease and convalescent hospitals	Nonresident: Other special hospitals	Nonresident: Hospital department of institution	Resident: Nervous and mental hospitals	Resident: Convalescent and nursing homes, etc.	Resident: Other domiciliary institutions	Type of service not specified
MINNESOTA													
All causes	30,675	9,934	20,741	16,413	-	98	160	36	48	1,227	2,111	49	599
Tuberculosis, all forms-001-019	98	14	84	33	-	39	-	-	-	9	3	-	-
Tuberculosis of respiratory system-001-008	93	13	80	30	-	38	-	-	-	9	3	-	-
Tuberculosis, other forms-010-019	5	1	4	3	-	1	-	-	-	-	-	-	-
Syphilis and its sequelae-020-029	44	6	38	27	-	-	-	1	-	6	3	-	1
Dysentery, all forms-045-048	3	1	2	1	-	-	-	-	-	1	-	-	-
Scarlet fever and strep. sore throat-050,051	6	1	5	4	-	-	-	-	-	1	-	-	-
Diphtheria-055	4	1	3	3	-	-	-	-	-	-	-	-	-
Whooping cough-056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	13	1	12	12	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	1	1	-	-	-	-	-	-	-	-	-	-	-
Measles-085	1	-	1	1	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.-Residual[1]	104	13	91	80	-	-	-	1	-	4	3	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	4,786	1,022	3,764	3,192	-	20	28	2	2	74	349	1	96
Of buccal cavity and pharynx-140-148	86	13	73	52	-	-	1	-	-	5	12	-	3
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	1,770	419	1,351	1,156	-	3	12	1	1	24	116	1	37
Of respiratory system (not secondary)-160-164	466	89	377	320	-	13	1	-	-	6	30	-	7
Of breast-170	464	108	356	289	-	-	4	-	-	10	39	-	14
Of genital organs-171-179	683	149	534	439	-	3	2	-	-	7	70	-	13
Of urinary organs-180,181	235	52	183	158	-	-	2	-	-	3	17	-	3
Of other sites, etc.*-156B,165,190-199	526	111	415	344	-	1	3	1	-	10	47	-	9
Leukemia and aleukemia-204	294	39	255	233	-	-	1	-	1	7	5	-	8
Lymphosarcoma, etc.*-200-203,205	262	42	220	201	-	-	2	-	-	2	13	-	2
Benign neoplasms, etc.*-210-239	96	8	88	70	-	-	2	1	-	2	9	-	4
Asthma-241	85	30	55	46	-	-	-	-	-	2	6	-	1
Diabetes mellitus-260	570	133	437	356	-	1	6	-	1	18	43	1	11
Anemias-290-293	64	9	55	48	-	-	-	-	-	-	7	-	-
Nonmeningococcal meningitis, etc.*-340	47	1	46	42	-	-	-	3	-	1	-	-	-
Major cardiovascular-renal diseases-330-334,400-468,592-594	17,289	6,654	10,635	7,851	-	21	105	6	12	773	1,456	32	379
Diseases of cardiovascular system-330-334,400-468	17,109	6,631	10,478	7,707	-	21	104	6	12	773	1,451	32	372
Vascular lesions affecting central nervous system-330-334	4,027	925	3,102	2,240	-	3	35	1	1	180	525	7	110
Diseases of heart-400-402,410-443	11,763	5,415	6,348	4,817	-	17	61	5	10	435	747	19	237
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	346	104	242	215	-	-	1	-	3	9	10	-	4
Arteriosclerotic heart dis., etc.*-420	8,990	4,557	4,433	3,449	-	14	46	4	5	240	503	10	162
Nonrheumatic chronic endocarditis, etc.*-421,422	936	275	661	399	-	-	2	1	-	137	87	4	31
Other diseases of heart-430-434	415	147	268	209	-	-	1	-	2	23	24	1	8
Hypertensive heart disease-440-443	1,076	332	744	545	-	3	11	-	-	26	123	4	32
Other hypertensive disease-444-447	204	39	165	130	-	-	1	-	-	10	19	2	3
General arteriosclerosis-450	763	177	586	272	-	1	6	-	-	132	153	4	18
Other diseases of circulatory system-451-468	352	75	277	248	-	-	1	-	1	16	7	-	4
Chronic nephritis, etc.*-592-594	180	23	157	144	-	-	1	-	-	-	5	-	7
Influenza and pneumonia, etc.*-480-493	1,042	242	800	546	-	4	3	6	7	137	80	1	16
Influenza-480-483	81	18	63	26	-	2	-	-	2	2	9	-	2
Pneumonia, etc.*-490-493	961	224	757	520	-	2	3	6	5	135	71	1	14
Bronchitis-500-502	77	28	49	34	-	-	1	-	-	6	5	-	3
Ulcer of stomach and duodenum-540,541	199	21	178	162	-	-	-	-	-	9	4	-	3
Appendicitis-550-553	31	-	31	31	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction-560,561,570	183	13	170	147	-	-	-	-	1	15	2	-	5
Gastritis, duodenitis, etc.*-543,571,572	145	30	115	101	-	1	-	2	1	5	3	1	1
Cirrhosis of liver-581	280	28	252	230	-	1	1	-	1	8	7	-	4
Cholelithiasis, cholecystitis, etc.*-584,585	132	7	125	122	-	-	-	-	-	1	1	-	1
Acute nephritis, etc.*-590,591	25	2	23	21	-	-	-	-	-	1	1	-	-
Infections of kidney-600	105	8	97	75	-	1	2	-	-	8	9	-	2
Hyperplasia of prostate-610	100	12	88	76	-	-	-	-	-	8	4	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	17	3	14	14	-	-	-	-	-	-	-	-	-
Abortion-650-652	2	-	2	2	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,660-689	15	3	12	12	-	-	-	-	-	-	-	-	-
Congenital malformations-750-759	448	47	401	369	-	1	-	6	4	5	-	7	9
Certain diseases of early infancy-760-776	1,195	22	1,173	1,148	-	-	-	2	-	1	1	-	21
Birth injuries, etc.*-760-762	512	3	509	497	-	-	-	-	-	1	-	-	11
Infections of newborn-763-768	58	9	49	47	-	-	-	1	-	-	-	-	1
Other diseases of infancy, etc.*-769-776	625	10	615	604	-	-	-	1	-	-	1	-	9
Symptoms, senility, etc.*-780-795	160	97	63	45	-	-	-	-	-	4	13	-	1
All other diseases-Residual	1,271	263	1,008	785	-	8	7	6	18	83	73	6	22
Accidents-E800-E962	1,716	926	790	705	-	-	5	-	-	38	27	-	15
Motor vehicle accidents-E810-E835	752	466	286	281	-	-	-	-	-	1	-	-	4
Other accidents-E800-E802,E840-E962	964	460	504	424	-	-	5	-	-	37	27	-	11
Suicide-E963,E970-E979	298	259	39	27	-	1	-	-	1	7	2	-	1
Homicide-E964,E980-E985	39	31	8	8	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
MISSISSIPPI													
All causes	21,573	12,476	9,097	7,632	2	67	2	25	10	358	517	2	482
Tuberculosis, all forms—001-019	171	72	99	48	-	42	-	-	-	7	2	-	-
Tuberculosis of respiratory system—001-008	153	69	84	37	-	40	-	-	-	7	-	-	-
Tuberculosis, other forms—010-019	18	3	15	11	-	2	-	-	-	-	2	-	-
Syphilis and its sequelae—020-029	50	21	29	25	-	1	-	-	-	3	-	-	-
Dysentery, all forms—045-048	34	16	18	9	-	-	-	-	-	8	1	-	-
Scarlet fever and strep. sore throat—050,051	2	1	1	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	7	2	5	5	-	-	-	-	-	-	-	-	-
Whooping cough—056	12	6	6	6	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	20	3	17	14	-	-	-	2	-	-	-	-	1
Acute poliomyelitis—080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles—085	17	9	8	8	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	99	21	78	76	-	1	-	-	-	-	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,513	1,324	1,189	1,065	-	6	-	5	2	23	40	-	48
Of buccal cavity and pharynx—140-148	37	20	17	16	-	-	-	-	-	-	1	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	763	420	343	303	-	2	-	-	1	3	19	-	15
Of respiratory system (not secondary)—160-164	306	138	168	150	-	4	-	-	-	5	4	-	5
Of breast—170	176	103	73	63	-	-	-	-	-	2	-	-	8
Of genital organs—171-179	502	317	185	162	-	-	-	1	1	7	9	-	5
Of urinary organs—180,181	84	43	41	40	-	-	-	-	-	-	-	-	1
Of other sites, etc.*—156B,165,190-199	390	219	171	149	-	-	-	1	-	5	6	-	10
Leukemia and aleukemia—204	127	21	106	99	-	-	-	3	-	-	1	-	3
Lymphosarcoma, etc.*—200-203,205	128	43	85	83	-	-	-	-	-	1	-	-	1
Benign neoplasms, etc.*—210-239	69	22	47	42	-	-	-	-	-	3	1	-	1
Asthma—241	52	28	24	18	-	-	-	-	-	-	2	-	4
Diabetes mellitus—260	312	153	159	138	-	-	-	-	-	2	11	-	8
Anemias—290-293	69	29	40	33	-	-	-	2	1	-	1	-	3
Nonmeningococcal meningitis, etc.*—340	43	7	36	36	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	10,349	6,288	4,061	3,268	-	11	2	2	3	190	326	1	258
Diseases of cardiovascular system—330-334,400-468	10,089	6,142	3,947	3,172	-	10	2	1	2	187	320	1	252
Vascular lesions affecting central nervous system—330-334	2,873	1,629	1,244	956	-	5	-	-	1	70	127	-	85
Diseases of heart—400-402,410-443	6,518	4,181	2,337	1,922	-	4	2	1	1	94	161	-	152
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	143	77	66	63	-	-	-	-	-	-	1	-	2
Arteriosclerotic heart dis., etc.*—420	3,813	2,320	1,493	1,222	-	4	2	1	1	70	101	-	92
Nonrheumatic chronic endocarditis, etc.*—421,422	692	526	166	134	-	-	-	-	-	1	24	-	7
Other diseases of heart—430-434	496	371	125	100	-	-	-	-	-	3	7	-	15
Hypertensive heart disease—440-443	1,374	887	487	403	-	-	-	-	-	20	28	-	36
Other hypertensive disease—444-447	251	119	132	120	-	-	-	-	-	-	6	1	5
General arteriosclerosis—450	265	162	103	65	-	-	-	-	-	8	22	-	8
Other diseases of circulatory system—451-468	182	51	131	109	-	1	-	-	-	15	4	-	2
Chronic nephritis, etc.*—592-594	260	146	114	96	-	1	-	1	1	3	6	-	6
Influenza and pneumonia, etc.*—480-493	888	507	381	307	2	1	-	-	-	18	36	-	17
Influenza—480-483	198	155	43	37	1	-	-	-	-	-	3	-	2
Pneumonia, etc.*—490-493	690	352	338	270	1	1	-	-	-	18	33	-	15
Bronchitis—500-502	42	18	24	22	-	-	-	-	-	1	-	-	1
Ulcer of stomach and duodenum—540,541	92	13	79	70	-	1	-	-	1	3	2	-	2
Appendicitis—550-553	11	1	10	9	-	1	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	120	23	97	85	-	-	-	-	-	4	1	-	7
Gastritis, duodenitis, etc.*—543,571,572	217	78	139	128	-	-	-	-	-	2	3	-	6
Cirrhosis of liver—581	96	30	66	59	-	-	-	-	-	4	2	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	52	10	42	38	-	-	-	-	-	1	1	-	2
Acute nephritis, etc.*—590,591	59	26	33	29	-	-	-	-	-	1	-	-	3
Infections of kidney—600	103	33	70	54	-	-	-	-	-	11	4	-	1
Hyperplasia of prostate—610	78	40	38	34	-	-	-	-	-	2	1	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	49	11	38	34	-	-	-	-	-	-	2	-	2
Abortion—650-652	4	-	4	4	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	45	11	34	30	-	-	-	-	-	-	2	-	2
Congenital malformations—750-759	262	74	188	172	-	-	-	3	-	2	3	-	8
Certain diseases of early infancy—760-776	1,108	187	921	833	-	-	-	3	-	2	31	-	52
Birth injuries, etc.*—760-762	386	33	353	320	-	-	-	1	-	1	15	-	16
Infections of newborn—763-768	122	28	94	84	-	-	-	1	-	-	5	-	4
Other diseases of infancy, etc.*—769-776	600	126	474	429	-	-	-	1	-	1	11	-	32
Symptoms, senility, etc.*—780-795	2,101	1,945	156	104	-	-	-	-	-	24	20	-	8
All other diseases—Residual	704	284	420	340	-	3	-	3	1	33	16	1	23
Accidents—E800-E962	1,422	928	494	444	-	-	-	5	-	12	11	-	22
Motor vehicle accidents—E810-E835	548	366	182	174	-	-	-	1	-	-	3	-	4
Other accidents—E800-E802,E840-E962	874	562	312	270	-	-	-	4	-	12	8	-	18
Suicide—E963,E970-E979	145	121	24	21	-	-	-	-	-	2	-	-	1
Homicide—E964,E980-E985	204	145	59	56	-	-	-	-	2	-	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
				Nonresident						Resident			
			Total, in institution	General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	Type of service not specified
MISSOURI													
All causes	46,769	19,203	27,566	21,321	12	252	482	239	31	809	3,705	72	643
Tuberculosis, all forms—001-019	342	95	247	88	-	131	2	1	-	17	2	-	6
Tuberculosis of respiratory system—001-008	324	91	233	77	-	129	2	-	-	17	2	-	6
Tuberculosis, other forms—010-019	18	4	14	11	-	2	-	1	-	-	-	-	-
Syphilis and its sequelae—020-029	124	44	80	49	-	1	1	1	-	22	6	-	-
Dysentery, all forms—045-048	9	2	7	5	-	-	-	1	-	-	1	-	-
Scarlet fever and strep. sore throat—050,051	6	2	4	3	-	-	-	-	-	-	1	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	6	5	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	22	4	18	14	-	-	-	2	-	-	1	-	1
Acute poliomyelitis—080	12	-	12	10	-	-	-	2	-	-	-	-	-
Measles—085	10	6	4	3	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	123	25	98	84	-	-	-	4	-	6	1	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	7,059	2,356	4,703	4,079	-	45	46	62	8	58	320	3	82
Of buccal cavity and pharynx—140-148	178	67	111	95	-	1	6	-	-	2	6	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	2,393	865	1,528	1,314	-	5	12	16	2	21	128	-	30
Of respiratory system (not secondary)—160-164	943	297	646	568	-	28	4	1	-	8	23	-	14
Of breast—170	593	192	401	351	-	-	5	1	-	4	30	-	10
Of genital organs—171-179	1,168	431	737	618	-	5	9	11	-	7	71	3	13
Of urinary organs—180,181	334	109	225	195	-	2	2	4	-	3	13	-	6
Of other sites, etc.*—156B,165,190-199	807	281	526	449	-	2	6	11	3	10	39	-	6
Leukemia and aleukemia—204	342	49	293	256	-	2	1	12	2	1	7	-	2
Lymphosarcoma, etc.*—200-203,205	301	65	236	223	-	-	1	6	1	2	3	-	-
Benign neoplasms, etc.*—210-239	114	28	86	76	-	-	2	2	-	1	5	-	-
Asthma—241	171	100	71	64	-	-	-	-	-	2	4	1	-
Diabetes mellitus—260	793	265	528	447	1	3	8	1	-	11	48	4	5
Anemias—290-293	108	39	69	59	-	-	-	3	-	1	5	-	1
Nonmeningococcal meningitis, etc.*—340	55	5	50	41	-	-	-	8	1	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	26,711	12,354	14,357	10,133	2	45	297	18	15	507	2,882	39	419
Diseases of cardiovascular system—330-334,400-468	26,229	12,155	14,074	9,912	2	44	296	16	14	500	2,844	38	408
Vascular lesions affecting central nervous system—330-334	6,019	2,149	3,870	2,695	1	8	71	4	2	86	861	9	133
Diseases of heart—400-402,410-443	18,255	9,358	8,897	6,395	1	33	178	12	12	373	1,642	27	224
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	536	224	312	267	-	2	1	-	1	2	31	-	8
Arteriosclerotic heart dis., etc.*—420	12,722	6,680	6,042	4,419	1	27	156	10	8	296	963	16	146
Nonrheumatic chronic endocarditis, etc.*—421,422	2,148	1,153	995	524	-	1	2	1	2	36	404	2	23
Other diseases of heart—430-434	747	374	373	307	-	2	1	-	-	9	43	-	11
Hypertensive heart disease—440-443	2,102	927	1,175	878	-	1	18	1	1	30	201	9	36
Other hypertensive disease—444-447	392	135	257	205	-	1	3	-	-	1	40	1	6
General arteriosclerosis—450	1,127	419	708	302	-	1	40	-	-	35	290	-	40
Other diseases of circulatory system—451-468	436	94	342	315	-	1	4	-	-	5	11	1	5
Chronic nephritis, etc.*—592-594	482	199	283	221	-	1	1	2	1	7	38	1	11
Influenza and pneumonia, etc.*—480-493	1,665	541	1,124	783	-	11	86	10	1	60	148	4	21
Influenza—480-483	176	102	74	46	-	-	5	1	-	1	20	-	1
Pneumonia, etc.*—490-493	1,489	439	1,050	737	-	11	81	9	1	59	128	4	20
Bronchitis—500-502	116	58	58	47	-	1	2	-	-	3	5	-	-
Ulcer of stomach and duodenum—540,541	291	45	246	216	-	3	2	3	-	9	12	-	1
Appendicitis—550-553	54	2	52	51	-	-	-	-	-	1	-	-	-
Hernia and intestinal obstruction—560,561,570	263	30	233	212	-	1	1	4	-	4	8	-	3
Gastritis, duodenitis, etc.*—543,571,572	173	38	135	116	-	1	1	6	1	3	5	-	2
Cirrhosis of liver—581	443	104	339	312	-	1	1	-	-	4	11	2	8
Cholelithiasis, cholecystitis, etc.*—584,585	157	21	136	128	-	-	-	-	-	1	5	-	2
Acute nephritis, etc.*—590,591	67	23	44	34	-	-	1	2	-	1	5	-	1
Infections of kidney—600	227	45	182	156	-	2	7	-	-	4	12	-	1
Hyperplasia of prostate—610	146	45	101	85	-	-	-	1	-	2	10	-	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	33	5	28	27	-	-	-	-	-	-	-	-	1
Abortion—650-652	4	1	3	3	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	29	4	25	24	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	505	81	424	381	2	-	-	48	-	1	5	3	4
Certain diseases of early infancy—760-776	1,596	76	1,520	1,454	6	-	-	29	2	1	4	-	24
Birth injuries, etc.*—760-762	767	21	746	715	6	-	-	12	1	1	2	-	9
Infections of newborn—763-768	119	15	104	90	-	-	-	10	-	-	1	-	3
Other diseases of infancy, etc.*—769-776	710	40	670	649	-	-	-	7	1	-	1	-	12
Symptoms, senility, etc.*—780-795	460	373	87	55	-	-	2	-	-	4	18	-	8
All other diseases—Residual	1,733	557	1,176	927	1	7	13	19	-	52	122	16	19
Accidents—E800-E962	2,421	1,247	1,174	1,040	-	-	10	10	2	31	56	-	25
Motor vehicle accidents—E810-E835	964	572	392	380	-	-	-	2	-	2	2	-	6
Other accidents—E800-E802,E840-E962	1,457	675	782	660	-	-	10	8	2	29	54	-	19
Suicide—E963,E970-E979	530	431	99	91	-	-	-	-	-	3	3	-	2
Homicide—E964,E980-E985	223	151	72	69	-	-	-	1	1	-	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
MONTANA													
All causes	6,261	2,169	4,092	3,465	1	58	2	8	3	194	247	7	107
Tuberculosis, all forms—001-019	45	3	42	19	-	18	-	-	-	5	-	-	-
Tuberculosis of respiratory system—001-008	42	3	39	16	-	18	-	-	-	5	-	-	-
Tuberculosis, other forms—010-019	3	-	3	3	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	3	1	2	2	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	1	-	1	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	4	-	4	3	-	-	-	-	-	1	-	-	-
Acute poliomyelitis—080	5	1	4	3	-	-	-	1	-	-	-	-	-
Measles—085	2	-	2	2	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	25	3	22	20	-	-	-	-	-	1	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	845	182	663	586	-	16	-	1	-	8	39	-	13
Of buccal cavity and pharynx—140-148	14	2	12	8	-	-	-	-	-	-	2	-	2
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	271	64	207	185	-	1	-	-	-	2	18	-	1
Of respiratory system (not secondary)-160-164	113	18	95	77	-	13	-	-	-	1	3	-	1
Of breast—170	73	18	55	51	-	-	-	-	-	-	3	-	1
Of genital organs—171-179	114	24	90	80	-	-	-	-	-	2	5	-	3
Of urinary organs—180,181	58	15	43	38	-	-	-	-	-	-	4	-	1
Of other sites, etc.*—156B,165,190-199	109	29	80	73	-	1	-	-	-	2	3	-	1
Leukemia and aleukemia—204	53	6	47	43	-	-	-	1	-	-	-	-	3
Lymphosarcoma, etc.*—200-203,205	40	6	34	31	-	1	-	-	-	1	1	-	-
Benign neoplasms, etc.*—210-239	28	2	26	26	-	-	-	-	-	-	-	-	-
Asthma—241	23	7	16	15	-	-	-	-	-	-	1	-	-
Diabetes mellitus—260	96	22	74	60	-	2	-	-	-	2	5	1	4
Anemias—290-293	14	4	10	10	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*—340	5	-	5	5	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	3,213	1,202	2,011	1,643	1	18	2	1	1	93	169	3	80
Diseases of cardiovascular system—330-334,400-468	3,159	1,193	1,966	1,606	1	15	2	1	1	93	164	3	80
Vascular lesions affecting central nervous system—330-334	668	167	501	399	-	3	2	-	-	15	54	-	28
Diseases of heart—400-402,410-443	2,231	975	1,256	1,033	1	9	-	1	1	71	92	3	45
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	77	17	60	57	-	2	-	1	-	-	-	-	-
Arteriosclerotic heart dis., etc.*—420	1,607	781	826	698	1	2	-	-	1	46	55	2	21
Nonrheumatic chronic endocarditis, etc.*—421,422	208	56	152	102	-	3	-	-	-	23	14	-	10
Other diseases of heart—430-434	161	87	74	56	-	1	-	-	-	1	8	-	8
Hypertensive heart disease—440-443	178	34	144	120	-	1	-	-	-	1	15	1	6
Other hypertensive disease—444-447	40	7	33	31	-	-	-	-	-	-	1	-	1
General arteriosclerosis—450	165	38	127	101	-	-	-	-	-	4	17	-	5
Other diseases of circulatory system-451-468	55	6	49	42	-	3	-	-	-	3	-	-	1
Chronic nephritis, etc.*—592-594	54	9	45	37	-	3	-	-	-	-	5	-	-
Influenza and pneumonia, etc.*—480-493	276	58	218	128	-	2	-	-	-	69	15	-	4
Influenza—480-483	15	3	12	11	-	-	-	-	-	1	-	-	-
Pneumonia, etc.*—490-493	261	55	206	117	-	2	-	-	-	68	15	-	4
Bronchitis—500-502	19	8	11	11	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum—540,541	47	5	42	42	-	-	-	-	-	-	-	-	-
Appendicitis—550-553	3	-	3	3	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	40	2	38	36	-	-	-	1	-	1	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	44	6	38	37	-	-	-	-	-	-	1	-	-
Cirrhosis of liver—581	75	10	65	62	-	-	-	-	-	3	-	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	21	1	20	20	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	7	1	6	4	-	-	-	-	-	1	1	-	-
Infections of kidney—600	19	3	16	16	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate—610	13	2	11	10	-	-	-	-	-	1	-	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3	-	3	3	-	-	-	-	-	-	-	-	-
Abortion—650-652	1	-	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	2	-	2	2	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	79	16	63	60	-	-	-	2	-	-	-	1	-
Certain diseases of early infancy—760-776	251	4	247	247	-	-	-	-	-	-	-	-	-
Birth injuries, etc.*—760-762	114	3	111	111	-	-	-	-	-	-	-	-	-
Infections of newborn—763-768	9	-	9	9	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	128	1	127	127	-	-	-	-	-	-	-	-	-
Symptoms, senility, etc.*—780-795	171	138	33	27	-	-	-	-	-	-	6	-	-
All other diseases—Residual	270	62	208	188	-	2	-	2	-	6	4	2	4
Accidents—E800-E962	494	327	167	157	-	-	-	-	1	3	4	-	2
Motor vehicle accidents—E810-E835	203	146	57	57	-	-	-	-	-	-	-	-	-
Other accidents—E800-E802,E840-E962	291	181	110	100	-	-	-	-	1	3	4	-	2
Suicide—E963,E970-E979	102	86	16	15	-	-	-	-	-	-	1	-	-
Homicide—E964,E980-E985	18	13	5	4	-	-	-	-	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NEBRASKA													
All causes	13,729	4,571	9,158	7,365	46	22	6	77	21	427	849	-	345
Tuberculosis, all forms 001-019	34	3	31	12	-	11	-	-	1	7	-	-	-
Tuberculosis of respiratory system 001-008	30	2	28	9	-	11	-	-	1	7	-	-	-
Tuberculosis, other forms 010-019	4	1	3	3	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae 020-029	16	1	15	8	-	-	-	-	-	4	2	-	1
Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat 050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria 055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough 056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections 057	1	-	1	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis 080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	6	-	6	4	-	-	-	1	-	-	-	-	1
Other infective and parasitic dis.—Residual[1]	42	8	34	26	-	-	-	3	-	1	4	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	2,237	536	1,701	1,518	7	6	3	7	1	28	79	-	52
Of buccal cavity and pharynx 140-148	53	14	39	33	-	1	-	-	-	-	2	-	3
Of digestive organs and peritoneum (not secondary) 150-156A,157-159	807	206	601	539	4	2	2	-	-	7	27	-	20
Of respiratory system (not secondary) 160-164	252	57	195	184	-	1	-	-	-	5	2	-	3
Of breast 170	214	51	163	136	1	-	1	-	-	2	13	-	10
Of genital organs 171-179	356	103	253	220	-	1	-	-	-	4	22	-	6
Of urinary organs 180,181	108	19	89	79	-	-	-	1	-	2	4	-	3
Of other sites, etc.* 156B,165,190-199	214	46	168	149	2	1	-	2	-	8	2	-	4
Leukemia and aleukemia 204	113	16	97	89	-	-	-	3	-	-	4	-	1
Lymphosarcoma, etc.* 200-203,205	120	24	96	89	-	-	-	1	1	-	3	-	2
Benign neoplasms, etc.* 210-239	39	1	38	35	-	-	-	-	-	2	1	-	-
Asthma 241	56	19	37	36	-	-	-	-	-	-	-	-	1
Diabetes mellitus 260	245	69	176	152	-	-	-	-	1	4	11	-	8
Anemias 290-293	33	9	24	21	-	-	-	-	-	2	1	-	-
Nonmeningococcal meningitis, etc.* 340	18	-	18	12	-	-	-	5	-	-	1	-	-
Major cardiovascular-renal diseases 330-334,400-468,592-594	7,698	2,956	4,742	3,583	32	3	1	1	6	268	614	-	234
Diseases of cardiovascular system 330-334,400-468	7,593	2,939	4,654	3,508	32	3	1	1	6	265	605	-	233
Vascular lesions affecting central nervous system 330-334	1,870	464	1,406	1,042	10	-	1	1	-	52	218	-	82
Diseases of heart 400-402,410-443	5,266	2,323	2,943	2,242	20	3	-	-	6	192	345	-	135
Rheumatic fever and chronic rheumatic heart disease 400-402,410-416	175	62	113	100	-	-	-	-	-	2	6	-	5
Arteriosclerotic heart dis., etc.* 420	3,808	1,805	2,003	1,615	15	2	-	-	6	84	203	-	78
Nonrheumatic chronic endocarditis, etc.* 421,422	560	173	387	193	1	1	-	-	-	98	66	-	28
Other diseases of heart 430-434	237	130	107	87	-	-	-	-	-	3	12	-	5
Hypertensive heart disease 440-443	486	153	333	247	4	-	-	-	-	5	58	-	19
Other hypertensive disease 444-447	54	14	40	33	-	-	-	-	-	-	4	-	3
General arteriosclerosis 450	291	110	181	119	2	-	-	-	-	15	34	-	11
Other diseases of circulatory system 451-468	112	28	84	72	-	-	-	-	-	6	4	-	2
Chronic nephritis, etc.* 592-594	105	17	88	75	-	-	-	-	-	3	9	-	1
Influenza and pneumonia, etc.* 480-493	466	111	355	239	5	1	-	5	1	51	45	-	8
Influenza 480-483	61	26	35	24	1	-	-	1	-	3	6	-	-
Pneumonia, etc.* 490-493	405	85	320	215	4	1	-	4	1	48	39	-	8
Bronchitis 500-502	24	5	19	15	-	-	-	-	-	1	-	-	3
Ulcer of stomach and duodenum 540,541	99	15	84	82	-	-	-	-	-	1	1	-	-
Appendicitis 550-553	23	3	20	19	-	-	-	-	-	1	-	-	-
Hernia and intestinal obstruction 560,561,570	64	6	58	51	-	-	-	-	-	3	3	-	1
Gastritis, duodenitis, etc.* 543,571,572	58	8	50	48	-	-	-	2	-	-	-	-	-
Cirrhosis of liver 581	109	21	88	84	-	-	-	-	-	3	-	-	1
Cholelithiasis, cholecystitis, etc.* 584,585	66	7	59	56	-	-	-	-	1	2	-	-	-
Acute nephritis, etc.* 590,591	12	-	12	12	-	-	-	-	-	-	-	-	-
Infections of kidney 600	40	2	38	30	-	-	-	-	-	1	4	-	3
Hyperplasia of prostate 610	58	4	54	45	-	-	-	-	-	1	4	-	4
Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	9	2	7	7	-	-	-	-	-	-	-	-	-
Abortion 650-652	1	-	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.* 640-649,660-689	8	2	6	6	-	-	-	-	-	-	-	-	-
Congenital malformations 750-759	190	19	171	130	-	-	-	22	6	-	12	-	1
Certain diseases of early infancy 760-776	532	7	525	507	-	-	-	10	-	-	-	-	8
Birth injuries, etc.* 760-762	233	1	232	225	-	-	-	5	-	-	-	-	2
Infections of newborn 763-768	45	2	43	39	-	-	-	3	-	-	-	-	1
Other diseases of infancy, etc.* 769-776	254	4	250	243	-	-	-	2	-	-	-	-	5
Symptoms, senility, etc.* 780-795	67	46	21	14	-	-	-	-	-	-	4	-	3
All other diseases—Residual	492	105	387	290	2	1	2	9	2	29	45	-	7
Accidents E800-E962	814	456	358	302	-	-	-	11	2	16	18	-	9
Motor vehicle accidents E810-E835	369	237	132	124	-	-	-	4	-	-	1	-	3
Other accidents E800-E802,E840-E962	445	219	226	178	-	-	-	7	2	16	17	-	6
Suicide E963,E970-E979	140	123	17	15	-	-	-	-	-	2	-	-	-
Homicide E964,E980-E985	40	29	11	11	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NEVADA													
All causes	2,311	889	1,422	1,334	1	15	-	-	2	29	31	-	10
Tuberculosis, all forms—001-019	27	4	23	12	-	4	-	-	-	-	7	-	-
Tuberculosis of respiratory system—001-008	25	4	21	10	-	4	-	-	-	-	7	-	-
Tuberculosis, other forms—010-019	2	-	2	2	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	9	1	8	8	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	3	-	3	3	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	5	1	4	4	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	323	71	252	242	-	6	-	-	-	1	2	-	1
Of buccal cavity and pharynx—140-148	6	1	5	5	-	-	-	-	-	-	-	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	88	28	60	58	-	2	-	-	-	-	-	-	-
Of respiratory system (not secondary)—160-164	68	10	58	54	-	3	-	-	-	-	-	-	1
Of breast—170	26	7	19	18	-	-	-	-	-	-	1	-	-
Of genital organs—171-179	46	10	36	34	-	-	-	-	-	1	1	-	-
Of urinary organs—180,181	20	-	20	20	-	-	-	-	-	-	-	-	-
Of other sites, etc.*—156B,165,190-199	47	13	34	34	-	-	-	-	-	-	-	-	-
Leukemia and aleukemia—204	9	1	8	8	-	-	-	-	-	-	-	-	-
Lymphosarcoma, etc.*—200-203,205	13	1	12	11	-	1	-	-	-	-	-	-	-
Benign neoplasms, etc.*—210-239	6	2	4	4	-	-	-	-	-	-	-	-	-
Asthma—241	10	3	7	7	-	-	-	-	-	-	-	-	-
Diabetes mellitus—260	28	5	23	22	-	-	-	-	-	1	-	-	-
Anemias—290-293	4	2	2	2	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*—340	3	-	3	3	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,021	421	600	543	1	4	-	-	1	23	21	-	7
Diseases of cardiovascular system—330-334,400-468	1,001	420	581	524	1	4	-	-	1	23	21	-	7
Vascular lesions affecting central nervous system—330-334	213	68	145	132	-	-	-	-	-	6	7	-	-
Diseases of heart—400-402,410-443	708	333	375	336	1	2	-	-	1	15	13	-	7
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	33	9	24	24	-	-	-	-	-	-	-	-	-
Arteriosclerotic heart dis., etc.*—420	512	270	242	216	1	2	-	-	1	8	8	-	6
Nonrheumatic chronic endocarditis, etc.*—421,422	65	17	48	42	-	-	-	-	-	2	3	-	1
Other diseases of heart—430-434	50	31	19	18	-	-	-	-	-	1	-	-	-
Hypertensive heart disease—440-443	48	6	42	36	-	-	-	-	-	4	2	-	-
Other hypertensive disease—444-447	19	3	16	15	-	1	-	-	-	-	-	-	-
General arteriosclerosis—450	37	10	27	24	-	-	-	-	-	2	1	-	-
Other diseases of circulatory system—451-468	24	6	18	17	-	1	-	-	-	-	-	-	-
Chronic nephritis, etc.*—592-594	20	1	19	19	-	-	-	-	-	-	-	-	-
Influenza and pneumonia, etc.*—480-493	46	17	29	28	-	-	-	-	-	1	-	-	-
Influenza—480-483	1	-	1	1	-	-	-	-	-	-	-	-	-
Pneumonia, etc.*—490-493	45	17	28	27	-	-	-	-	-	1	-	-	-
Bronchitis—500-502	10	5	5	5	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum—540,541	15	-	15	15	-	-	-	-	-	-	-	-	-
Appendicitis—550-553	3	-	3	3	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	16	1	15	15	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	12	2	10	10	-	-	-	-	-	-	-	-	-
Cirrhosis of liver—581	46	9	37	36	-	-	-	-	-	1	-	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	7	-	7	7	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	5	-	5	5	-	-	-	-	-	-	-	-	-
Infections of kidney—600	9	1	8	8	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate—610	7	-	7	7	-	-	-	-	-	-	-	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3	-	3	3	-	-	-	-	-	-	-	-	-
Abortion—650-652	1	-	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	2	-	2	2	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	30	5	25	25	-	-	-	-	-	-	-	-	-
Certain diseases of early infancy—760-776	138	6	132	132	-	-	-	-	-	-	-	-	-
Birth injuries, etc.*—760-762	58	2	56	56	-	-	-	-	-	-	-	-	-
Infections of newborn—763-768	8	2	6	6	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	72	2	70	70	-	-	-	-	-	-	-	-	-
Symptoms, senility, etc.*—780-795	43	26	17	17	-	-	-	-	-	-	-	-	-
All other diseases—Residual	133	40	93	89	-	1	-	-	-	1	1	-	1
Accidents—E800-E962	263	192	71	70	-	-	-	-	-	-	-	-	1
Motor vehicle accidents—E810-E835	117	89	28	28	-	-	-	-	-	-	-	-	-
Other accidents—E800-E802,E840-E962	146	103	43	42	-	-	-	-	-	-	-	-	1
Suicide—E963,E970-E979	66	59	7	5	-	-	-	-	1	1	-	-	-
Homicide—E964,E980-E985	20	16	4	4	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NEW HAMPSHIRE													
All causes	6,563	2,196	4,367	3,185	1	13	4	13	158	323	528	1	141
Tuberculosis, all forms—001-019	28	8	20	10		6	-	-	-	2	1	-	1
Tuberculosis of respiratory system—001-008	26	8	18	8	-	6	-	-	-	2	1	-	1
Tuberculosis, other forms—010-019	2	-	2	2	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	9	3	6	3	-	-	-	-	-	3	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	4	-	4	4	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles—085	2	1	1	1	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	20	4	16	14	-	-	-	-	-	-	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,107	324	783	623	-	1	-	3	26	22	80	1	27
Of buccal cavity and pharynx—140-148	19	4	15	9	-	-	-	-	2	1	1	-	2
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	425	122	303	247	-	-	-	-	11	6	30	1	8
Of respiratory system (not secondary)-160-164	132	41	91	81	-	1	-	-	1	2	4	-	2
Of breast—170	125	41	84	60	-	-	-	-	5	5	9	-	5
Of genital organs—171-179	165	58	107	75	-	-	-	-	6	4	18	-	4
Of urinary organs—180,181	58	12	46	36	-	-	-	-	1	2	7	-	-
Of other sites, etc.*—156B,165,190-199	100	28	72	57	-	-	-	1	-	-	10	-	4
Leukemia and aleukemia—204	45	5	40	36	-	-	-	1	-	1	1	-	1
Lymphosarcoma, etc.*—200-203,205	38	13	25	22	-	-	-	1	-	1	-	-	1
Benign neoplasms, etc.*—210-239	24	4	20	19	-	-	-	-	-	-	-	-	1
Asthma—241	21	6	15	12	-	-	-	-	1	1	1	-	-
Diabetes mellitus—260	120	28	92	69	-	1	-	-	2	9	10	-	1
Anemias—290-293	12	3	9	7	-	-	-	-	-	1	1	-	-
Nonmeningococcal meningitis, etc.*—340	6	1	5	4	-	-	1	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	3,825	1,429	2,396	1,574	-	4	1	-	121	221	386	-	89
Diseases of cardiovascular system—330-334,400-468	3,772	1,413	2,359	1,546	-	4	1	-	120	218	383	-	87
Vascular lesions affecting central nervous system—330-334	734	192	542	362	-	1	1	-	12	31	117	-	18
Diseases of heart—400-402,410-443	2,711	1,134	1,577	1,040	-	3	-	-	104	149	223	-	58
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	77	27	50	41	-	-	-	-	3	2	3	-	1
Arteriosclerotic heart dis., etc.*—420	2,071	896	1,175	746	-	1	-	-	92	137	153	-	46
Nonrheumatic chronic endocarditis, etc.*—421,422	165	66	99	68	-	1	-	-	2	5	23	-	-
Other diseases of heart—430-434	84	43	41	30	-	-	-	-	1	4	4	-	2
Hypertensive heart disease—440-443	314	102	212	155	-	1	-	-	6	1	40	-	9
Other hypertensive disease—444-447	58	13	45	36	-	-	-	-	-	-	8	-	1
General arteriosclerosis—450	214	61	153	71	-	-	-	-	4	34	34	-	10
Other diseases of circulatory system-451-468	55	13	42	37	-	-	-	-	-	4	1	-	-
Chronic nephritis, etc.*—592-594	53	16	37	28	-	-	-	-	1	3	3	-	2
Influenza and pneumonia, etc.*—480-493	175	45	130	96	-	1	-	-	3	12	15	-	3
Influenza—480-483	11	4	7	7	-	-	-	-	-	-	-	-	-
Pneumonia, etc.*—490-493	164	41	123	89	-	1	-	-	3	12	15	-	3
Bronchitis—500-502	25	7	18	18	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum—540,541	38	6	32	30	-	-	-	-	-	2	-	-	-
Appendicitis—550-553	7	-	7	7	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	35	2	33	29	-	-	-	1	-	1	1	-	1
Gastritis, duodenitis, etc.*—543,571,572	18	5	13	12	-	-	-	-	-	-	1	-	-
Cirrhosis of liver—581	62	12	50	46	-	-	-	-	-	2	1	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	18	-	18	16	-	-	-	-	-	1	1	-	-
Acute nephritis, etc.*—590,591	7	1	6	6	-	-	-	-	-	-	-	-	-
Infections of kidney—600	16	1	15	12	-	-	-	-	-	-	3	-	-
Hyperplasia of prostate—610	18	1	17	14	-	-	-	-	-	-	2	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3	-	3	2	-	-	-	-	-	1	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	3	-	3	2	-	-	-	-	-	1	-	-	-
Congenital malformations—750-759	85	7	78	63	-	-	2	6	-	6	1	-	-
Certain diseases of early infancy—760-776	204	3	201	195	1	-	-	1	-	-	-	-	4
Birth injuries, etc.*—760-762	76	1	75	73	-	-	-	-	-	-	-	-	2
Infections of newborn—763-768	12	2	10	9	-	-	-	-	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	116	-	116	113	1	-	-	1	-	-	-	-	1
Symptoms, senility, etc.*—780-795	55	37	18	15	-	-	-	-	-	-	2	-	1
All other diseases—Residual	272	59	213	150	-	-	-	2	3	33	19	-	6
Accidents—E800-E962	269	134	135	123	-	-	-	-	2	5	2	-	3
Motor vehicle accidents—E810-E835	95	50	45	44	-	-	-	-	-	-	-	-	1
Other accidents—E800-E802,E840-E962	174	84	90	79	-	-	-	-	2	5	2	-	2
Suicide—E963,E970-E979	75	64	11	9	-	-	-	-	-	1	-	-	1
Homicide—E964,E980-E985	2	1	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NEW JERSEY													
All causes	57,929	22,789	35,140	27,422	167	469	422	379	42	2,854	2,995	64	326
Tuberculosis, all forms—001-019	458	54	404	160	-	184	17	3	1	32	1	3	3
Tuberculosis of respiratory system—001-008	415	49	366	137	-	179	15	3	-	26	1	2	3
Tuberculosis, other forms—010-019	43	5	38	23	-	5	2	-	1	6	-	1	-
Syphilis and its sequelae—020-029	98	26	72	44	-	-	1	1	-	19	5	-	2
Dysentery, all forms—045-048	9	-	9	2	1	-	-	-	-	6	-	-	-
Scarlet fever and strep. sore throat—050,051	5	3	2	2	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	22	3	19	16	-	-	-	1	-	2	-	-	-
Acute poliomyelitis—080	9	-	9	6	-	1	-	2	-	-	-	-	-
Measles—085	3	1	2	1	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	153	27	126	103	-	2	-	6	-	9	3	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	10,206	3,574	6,632	5,523	1	144	119	143	5	156	479	5	57
Of buccal cavity and pharynx—140-148	232	88	144	108	-	1	10	3	-	4	14	1	3
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	3,807	1,466	2,341	2,018	1	16	30	18	3	56	178	2	19
Of respiratory system (not secondary)-160-164	1,521	463	1,058	831	-	94	39	8	1	23	53	-	9
Of breast—170	974	379	595	473	-	7	6	21	-	19	64	-	5
Of genital organs—171-179	1,357	529	828	677	-	8	16	19	-	25	72	-	11
Of urinary organs—180,181	506	166	340	291	-	3	7	7	1	4	26	-	1
Of other sites, etc.*—156B,165,190-199	974	324	650	526	-	12	8	28	-	16	52	2	6
Leukemia and aleukemia—204	408	64	344	310	-	1	1	23	-	1	7	-	1
Lymphosarcoma, etc.*—200-203,205	427	95	332	289	-	2	2	16	-	8	13	-	2
Benign neoplasms, etc.*—210-239	196	29	167	151	-	2	-	5	-	7	2	-	-
Asthma—241	136	63	73	68	-	1	1	1	-	1	1	-	-
Diabetes mellitus—260	1,139	338	801	683	-	1	16	7	2	32	56	-	4
Anemias—290-293	89	29	60	54	-	-	1	-	-	1	4	-	-
Nonmeningococcal meningitis, etc.*—340	46	2	44	36	1	1	-	3	-	3	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	33,140	15,634	17,506	12,680	1	85	223	102	12	1,967	2,196	38	202
Diseases of cardiovascular system—330-334,400-468	32,698	15,479	17,219	12,429	1	83	223	98	11	1,958	2,181	37	198
Vascular lesions affecting central nervous system—330-334	5,372	1,755	3,617	2,719	-	10	31	18	3	210	574	4	48
Diseases of heart—400-402,410-443	25,308	13,007	12,301	8,778	1	71	175	77	8	1,631	1,393	31	136
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	815	283	532	489	1	2	4	1	-	21	10	2	2
Arteriosclerotic heart dis., etc.*—420	18,520	10,133	8,387	6,337	-	47	99	67	6	834	890	15	92
Nonrheumatic chronic endocarditis, etc.*—421,422	2,902	1,353	1,549	569	-	12	45	4	1	620	269	8	21
Other diseases of heart—430-434	544	173	371	301	-	1	3	3	-	30	28	2	3
Hypertensive heart disease—440-443	2,527	1,065	1,462	1,082	-	9	24	2	1	126	196	4	18
Other hypertensive disease—444-447	415	159	256	217	-	1	4	-	-	10	18	-	6
General arteriosclerosis—450	1,063	453	610	315	-	1	11	3	-	84	187	1	8
Other diseases of circulatory system-451-468	540	105	435	400	-	-	2	-	-	23	9	1	-
Chronic nephritis, etc.*—592-594	442	155	287	251	-	2	-	4	1	9	15	1	4
Influenza and pneumonia, etc.*—480-493	1,713	399	1,314	892	1	9	13	5	10	294	78	3	9
Influenza—480-483	48	24	24	17	-	-	-	-	-	-	7	-	-
Pneumonia, etc.*—490-493	1,665	375	1,290	875	1	9	13	5	10	294	71	3	9
Bronchitis—500-502	135	43	92	78	-	3	1	1	-	5	3	-	1
Ulcer of stomach and duodenum—540,541	434	31	403	384	-	1	2	1	-	10	4	-	1
Appendicitis—550-553	76	3	73	68	-	-	-	-	-	2	1	1	1
Hernia and intestinal obstruction—560,561,570	304	21	283	262	-	1	1	5	-	10	4	-	-
Gastritis, duodenitis, etc.*—543,571,572	250	37	213	186	-	-	-	4	1	12	7	-	3
Cirrhosis of liver—581	882	183	699	660	-	4	1	2	1	19	10	-	2
Cholelithiasis, cholecystitis, etc.*—584,585	186	18	168	156	-	1	-	1	-	4	5	-	1
Acute nephritis, etc.*—590,591	55	14	41	37	-	-	-	-	-	1	1	-	2
Infections of kidney—600	228	29	199	170	-	-	3	-	1	17	5	-	3
Hyperplasia of prostate—610	166	32	134	127	-	1	1	1	-	-	4	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	50	5	45	45	-	-	-	-	-	-	-	-	-
Abortion—650-652	12	1	11	11	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	38	4	34	34	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	717	73	644	551	24	6	2	36	1	6	9	1	8
Certain diseases of early infancy—760-776	2,100	51	2,049	1,895	129	-	-	11	2	3	2	-	7
Birth injuries, etc.*—760-762	1,009	10	999	930	59	-	-	2	-	2	2	-	4
Infections of newborn—763-768	160	22	138	121	13	-	-	3	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	931	19	912	844	57	-	-	6	2	1	-	-	2
Symptoms, senility, etc.*—780-795	166	82	84	39	6	-	-	-	-	26	10	-	3
All other diseases—Residual	1,906	444	1,462	1,171	2	20	16	24	5	121	83	10	10
Accidents—E800-E962	2,202	1,008	1,194	1,089	1	1	3	13	-	79	22	1	5
Motor vehicle accidents—E810-E835	755	348	407	403	1	-	-	-	-	-	2	-	1
Other accidents—E800-E802,E840-E962	1,447	660	787	686	-	1	3	13	-	79	20	1	4
Suicide—E963,E970-E979	511	437	74	61	-	1	1	-	1	9	-	-	1
Homicide—E964,E980-E985	139	96	43	42	-	-	-	-	-	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NEW MEXICO													
All causes	6,105	2,335	3,770	3,330	8	57	68	8	2	108	120	-	69
Tuberculosis, all forms-001-019	98	17	81	43	-	31	-	-	-	3	2	-	2
Tuberculosis of respiratory system-001-008	81	17	64	30	-	29	-	-	-	1	2	-	2
Tuberculosis, other forms-010-019	17	-	17	13	-	2	-	-	-	2	-	-	-
Syphilis and its sequelae-020-029	18	6	12	7	-	-	-	-	-	3	1	-	1
Dysentery, all forms-045-048	21	7	14	14	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat-050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria-055	2	-	2	2	-	-	-	-	-	-	-	-	-
Whooping cough-056	4	2	2	2	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	5	-	5	5	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	2	-	2	2	-	-	-	-	-	-	-	-	-
Measles-085	11	5	6	6	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.-Residual[1]	20	3	17	16	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	727	210	517	476	-	5	6	3	-	4	15	-	8
Of buccal cavity and pharynx-140-148	8	3	5	4	-	-	-	-	-	1	-	-	-
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	254	69	185	167	-	2	2	2	-	1	7	-	4
Of respiratory system (not secondary)-160-164	81	26	55	52	-	1	1	-	-	1	-	-	-
Of breast-170	64	22	42	37	-	-	-	-	-	1	3	-	1
Of genital organs-171-179	106	33	73	68	-	-	3	-	-	-	1	-	1
Of urinary organs-180,181	42	9	33	33	-	-	-	-	-	-	-	-	-
Of other sites, etc.*-156B,165,190-199	95	31	64	59	-	2	-	-	-	-	3	-	-
Leukemia and aleukemia-204	38	11	27	26	-	-	-	-	-	-	-	-	1
Lymphosarcoma, etc.*-200-203,205	39	6	33	30	-	-	-	1	-	-	1	-	1
Benign neoplasms, etc.*-210-239	15	3	12	12	-	-	-	-	-	-	-	-	-
Asthma-241	28	8	20	19	-	-	-	-	-	-	1	-	-
Diabetes mellitus-260	63	19	44	42	-	-	-	-	-	1	1	-	-
Anemias-290-293	10	1	9	8	-	-	-	-	-	-	1	-	-
Nonmeningococcal meningitis, etc.*-340	20	2	18	16	-	-	-	1	-	1	-	-	-
Major cardiovascular-renal diseases-330-334,400-468,592-594	2,088	845	1,243	1,022	-	13	46	3	1	55	68	-	35
Diseases of cardiovascular system-330-334,400-468	2,040	836	1,204	985	-	13	46	3	1	54	67	-	35
Vascular lesions affecting central nervous system-330-334	495	154	341	271	-	4	16	1	-	17	24	-	8
Diseases of heart-400-402,410-443	1,360	613	747	616	-	8	25	2	1	35	36	-	24
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	97	37	60	53	-	2	2	-	-	-	1	-	2
Arteriosclerotic heart dis., etc.*-420	898	411	487	407	-	4	22	1	1	15	20	-	17
Nonrheumatic chronic endocarditis, etc.*-421,422	134	60	74	50	-	2	1	-	-	17	3	-	1
Other diseases of heart-430-434	96	52	44	35	-	-	-	1	-	3	4	-	1
Hypertensive heart disease-440-443	135	53	82	71	-	-	-	-	-	-	8	-	3
Other hypertensive disease-444-447	47	19	28	26	-	-	-	-	-	-	1	-	1
General arteriosclerosis-450	79	38	41	27	-	-	5	-	-	1	6	-	2
Other diseases of circulatory system-451-468	59	12	47	45	-	1	-	-	-	1	-	-	-
Chronic nephritis, etc.*-592-594	48	9	39	37	-	-	-	-	-	1	1	-	-
Influenza and pneumonia, etc.*-480-493	311	88	223	193	1	1	-	-	-	12	10	-	6
Influenza-480-483	23	9	14	13	-	-	-	-	-	-	-	-	1
Pneumonia, etc.*-490-493	288	79	209	180	1	1	-	-	-	12	10	-	5
Bronchitis-500-502	26	12	14	14	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum-540,541	41	2	39	38	-	1	-	-	-	-	-	-	-
Appendicitis-550-553	6	-	6	6	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction-560,561,570	40	2	38	35	-	-	-	-	-	2	-	-	1
Gastritis, duodenitis, etc.*-543,571,572	113	22	91	83	-	-	1	-	-	3	-	-	4
Cirrhosis of liver-581	60	8	52	52	-	-	-	-	-	-	-	-	-
Cholelithiasis, cholecystitis, etc.*-584,585	24	3	21	19	-	-	1	-	-	-	-	-	1
Acute nephritis, etc.*-590,591	7	1	6	5	-	-	-	-	-	-	1	-	-
Infections of kidney-600	15	3	12	10	-	-	1	-	-	-	1	-	-
Hyperplasia of prostate-610	23	3	20	18	-	-	2	-	-	-	-	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	9	1	8	8	-	-	-	-	-	-	-	-	-
Abortion-650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,660-689	9	1	8	8	-	-	-	-	-	-	-	-	-
Congenital malformations-750-759	136	15	121	116	2	-	-	1	-	1	-	-	1
Certain diseases of early infancy-760-776	562	38	524	518	4	-	-	-	-	-	-	-	2
Birth injuries, etc.*-760-762	213	6	207	204	2	-	-	-	-	-	-	-	1
Infections of newborn-763-768	53	4	49	47	1	-	-	-	-	-	-	-	1
Other diseases of infancy, etc.*-769-776	296	28	268	267	1	-	-	-	-	-	-	-	-
Symptoms, senility, etc.*-780-795	446	389	57	49	-	-	1	-	-	1	3	-	3
All other diseases-Residual	330	90	240	200	-	6	7	-	-	10	13	-	4
Accidents-E800-E962	684	421	263	246	1	-	3	-	-	10	2	-	1
Motor vehicle accidents-E810-E835	346	223	123	122	-	-	-	-	-	-	-	-	1
Other accidents-E800-E802,E840-E962	338	198	140	124	1	-	3	-	-	10	2	-	-
Suicide-E963,E970-E979	92	76	16	13	-	-	-	-	1	2	-	-	-
Homicide-E964,E980-E985	48	33	15	15	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NEW YORK													
All causes	173,814	59,477	114,337	85,189	122	1,032	3,346	2,132	192	10,246	10,629	40	1,429
Tuberculosis, all forms—001-019	1,363	174	1,189	768	-	321	3	4	3	76	6	-	8
Tuberculosis of respiratory system—001-008	1,276	166	1,110	703	-	316	3	3	3	69	6	-	7
Tuberculosis, other forms—010-019	87	8	79	65	-	5	-	1	-	7	-	-	1
Syphilis and its sequelae—020-029	319	58	261	149	-	-	7	2	3	86	12	-	2
Dysentery, all forms—045-048	7	1	6	2	-	-	-	-	-	4	-	-	-
Scarlet fever and strep. sore throat—050,051	4	-	4	3	-	-	-	-	-	-	1	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	52	3	49	45	-	-	-	4	-	-	-	-	-
Acute poliomyelitis—080	13	4	9	8	-	-	1	-	-	-	-	-	-
Measles—085	28	5	23	21	-	-	-	-	1	-	-	-	1
Other infective and parasitic dis.—Residual[1]	409	38	371	317	1	5	9	4	-	19	8	1	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	30,190	8,003	22,187	17,238	3	183	896	1,528	22	504	1,608	2	203
Of buccal cavity and pharynx—140-148	692	154	538	335	-	2	42	83	-	18	57	1	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	11,435	3,367	8,068	6,411	-	46	338	287	9	220	670	-	87
Of respiratory system (not secondary)—160-164	4,533	1,190	3,343	2,703	1	83	108	202	6	52	163	-	25
Of breast—170	2,944	911	2,033	1,405	1	6	115	253	-	44	187	1	21
Of genital organs—171-179	3,738	980	2,758	1,990	1	12	126	250	-	80	272	-	27
Of urinary organs—180,181	1,477	372	1,105	878	-	8	42	65	-	23	80	-	9
Of other sites, etc.*—156B,165,190-199	2,806	639	2,167	1,721	-	22	84	139	4	41	136	-	20
Leukemia and aleukemia—204	1,239	178	1,061	903	-	2	17	96	2	13	17	-	11
Lymphosarcoma, etc.*—200-203,205	1,326	212	1,114	892	-	2	24	153	1	13	26	-	3
Benign neoplasms, etc.*—210-239	567	70	497	425	-	5	12	14	-	22	14	-	5
Asthma—241	405	155	250	215	1	5	6	-	-	5	16	-	2
Diabetes mellitus—260	3,076	872	2,204	1,815	-	6	71	10	4	103	168	-	27
Anemias—290-293	253	44	209	174	-	-	3	8	-	7	15	-	2
Nonmeningococcal meningitis, etc.*—340	151	9	142	132	1	-	-	5	-	4	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	100,423	41,285	59,138	39,893	28	346	1,774	224	105	7,957	7,826	23	962
Diseases of cardiovascular system—330-334,400-468	99,215	41,003	58,212	39,078	28	342	1,757	220	103	7,936	7,773	23	952
Vascular lesions affecting central nervous system—330-334	15,682	4,478	11,204	7,988	4	60	240	28	18	600	2,000	3	263
Diseases of heart—400-402,410-443	77,709	34,918	42,791	28,156	19	250	1,419	174	82	7,097	4,960	19	615
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	2,425	775	1,650	1,465	-	3	40	7	23	62	40	-	10
Arteriosclerotic heart dis., etc.*—420	60,709	28,637	32,072	21,042	13	219	964	147	39	5,656	3,536	14	442
Nonrheumatic chronic endocarditis, etc.*—421,422	5,835	2,442	3,393	1,504	1	7	159	7	9	806	801	4	95
Other diseases of heart—430-434	984	320	664	528	1	5	17	3	1	42	54	-	13
Hypertensive heart disease—440-443	7,756	2,744	5,012	3,617	4	16	239	10	10	531	529	1	55
Other hypertensive disease—444-447	1,326	356	970	714	1	7	26	3	1	54	150	-	14
General arteriosclerosis—450	3,109	1,012	2,097	1,147	4	21	63	7	-	158	644	1	52
Other diseases of circulatory system—451-468	1,389	239	1,150	1,073	-	4	9	8	2	27	19	-	8
Chronic nephritis, etc.*—592-594	1,208	282	926	815	-	4	17	4	2	21	53	-	10
Influenza and pneumonia, etc.*—480-493	6,053	1,231	4,822	3,450	-	45	240	33	2	576	435	2	39
Influenza—480-483	130	59	71	48	-	-	-	-	-	3	15	-	5
Pneumonia, etc.*—490-493	5,923	1,172	4,751	3,402	-	45	240	33	2	573	420	2	34
Bronchitis—500-502	410	154	256	210	-	3	5	3	-	24	10	-	1
Ulcer of stomach and duodenum—540,541	1,391	122	1,269	1,165	-	6	17	13	-	48	13	-	7
Appendicitis—550-553	205	8	197	180	-	1	5	2	-	8	-	-	1
Hernia and intestinal obstruction—560,561,570	874	50	824	727	-	7	8	4	-	56	11	-	11
Gastritis, duodenitis, etc.*—543,571,572	644	66	578	515	1	2	6	5	-	34	13	-	2
Cirrhosis of liver—581	2,618	483	2,135	2,007	-	12	39	7	1	28	26	-	15
Cholelithiasis, cholecystitis, etc.*—584,585	524	34	490	465	-	-	6	2	-	13	2	-	2
Acute nephritis, etc.*—590,591	113	23	90	71	-	2	-	3	-	8	4	-	2
Infections of kidney—600	684	51	633	546	-	4	25	9	-	14	30	-	5
Hyperplasia of prostate—610	478	36	442	392	-	-	11	-	-	16	16	-	7
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	134	13	121	118	-	-	1	-	-	-	1	-	1
Abortion—650-652	41	6	35	34	-	-	-	-	-	-	-	-	1
Other complications, etc.*—640-649,660-689	93	7	86	84	-	-	1	-	-	-	1	-	-
Congenital malformations—750-759	1,926	167	1,759	1,504	20	3	21	79	28	50	38	5	11
Certain diseases of early infancy—760-776	5,605	133	5,472	5,283	65	-	9	88	-	3	4	-	20
Birth injuries, etc.*—760-762	2,734	39	2,695	2,580	34	-	5	67	-	-	4	-	5
Infections of newborn—763-768	374	45	329	318	1	-	1	7	-	1	-	-	1
Other diseases of infancy, etc.*—769-776	2,497	49	2,448	2,385	30	-	3	14	-	2	-	-	14
Symptoms, senility, etc.*—780-795	1,301	855	446	388	-	6	5	3	1	14	24	-	5
All other diseases—Residual	5,212	1,162	4,050	3,136	2	59	118	60	9	360	249	5	52
Accidents—E800-E962	6,521	2,739	3,782	3,438	-	6	41	16	5	176	74	1	25
Motor vehicle accidents—E810-E835	2,260	1,093	1,167	1,147	-	1	-	4	-	3	7	-	5
Other accidents—E800-E802,E840-E962	4,261	1,646	2,615	2,291	-	5	41	12	5	173	67	1	20
Suicide—E963,E970-E979	1,392	1,148	244	187	-	5	6	2	4	30	5	1	4
Homicide—E964,E980-E985	468	281	187	181	-	-	1	-	4	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
NORTH CAROLINA													
All causes	35,674	17,012	18,662	15,939	16	342	23	28	10	897	919	98	390
Tuberculosis, all forms—001-019	227	46	181	41	-	105	-	-	1	31	1	-	2
Tuberculosis of respiratory system—001-008	210	43	167	31	-	102	-	-	1	31	-	-	2
Tuberculosis, other forms—010-019	17	3	14	10	-	3	-	-	-	-	1	-	-
Syphilis and its sequelae—020-029	75	26	49	39	-	3	-	-	-	7	-	-	-
Dysentery, all forms—045-048	7	3	4	3	-	-	-	-	-	1	-	-	-
Scarlet fever and strep. sore throat—050,051	9	2	7	7	-	-	-	-	-	-	-	-	-
Diphtheria—055	3	-	3	3	-	-	-	-	-	-	-	-	-
Whooping cough—056	2	1	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	22	3	19	18	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	3	-	3	2	-	-	-	1	-	-	-	-	-
Measles—085	29	10	19	18	-	-	-	-	-	1	-	-	-
Other infective and parasitic dis.—Residual[1]	110	23	87	76	-	3	-	2	-	2	2	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,317	1,867	2,450	2,115	-	71	4	7	1	41	80	95	36
Of buccal cavity and pharynx—140-148	106	50	56	48	-	-	-	-	-	1	1	5	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,294	598	696	622	-	16	1	-	-	12	27	13	5
Of respiratory system (not secondary)—160-164	487	192	295	239	-	30	-	1	-	2	8	11	4
Of breast—170	351	165	186	158	-	2	1	1	-	4	8	8	4
Of genital organs—171-179	839	413	426	355	-	4	-	1	-	7	17	32	10
Of urinary organs—180,181	180	74	106	89	-	2	-	-	-	5	4	5	1
Of other sites, etc.*—156B,165,190-199	612	270	342	280	-	9	2	3	1	5	14	21	7
Leukemia and aleukemia—204	225	44	181	174	-	1	-	-	-	4	-	-	2
Lymphosarcoma, etc.*—200-203,205	223	61	162	150	-	7	-	1	-	1	1	-	2
Benign neoplasms, etc.*—210-239	134	32	102	92	-	2	-	-	-	5	2	1	-
Asthma—241	110	53	57	51	-	-	-	-	1	1	2	-	2
Diabetes mellitus—260	511	199	312	278	-	3	-	-	-	14	12	-	5
Anemias—290-293	73	18	55	47	-	1	-	-	-	3	3	-	1
Nonmeningococcal meningitis, etc.*—340	57	2	55	53	-	-	-	1	-	-	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	19,094	9,903	9,191	7,561	3	101	19	6	6	538	701	1	255
Diseases of cardiovascular system—330-334,400-468	18,668	9,730	8,938	7,335	2	95	19	6	6	530	694	1	250
Vascular lesions affecting central nervous system—330-334	4,736	2,063	2,673	2,067	-	19	5	2	2	207	282	-	89
Diseases of heart—400-402,410-443	12,578	7,136	5,442	4,600	2	67	12	4	4	262	352	1	138
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	312	130	182	171	-	2	-	-	-	4	2	-	3
Arteriosclerotic heart dis., etc.*—420	7,916	4,494	3,422	2,896	1	48	7	3	2	170	215	1	79
Nonrheumatic chronic endocarditis, etc.*—421,422	1,066	619	447	335	-	4	-	-	-	53	41	-	14
Other diseases of heart—430-434	894	679	215	177	1	6	-	1	-	13	11	-	6
Hypertensive heart disease—440-443	2,380	1,214	1,176	1,021	-	7	5	-	2	22	83	-	36
Other hypertensive disease—444-447	406	132	274	235	-	3	-	-	-	18	13	-	5
General arteriosclerosis—450	592	314	278	183	-	4	1	-	-	33	39	-	18
Other diseases of circulatory system—451-468	356	85	271	250	-	2	1	-	-	10	8	-	-
Chronic nephritis, etc.*—592-594	426	173	253	226	1	6	-	-	-	8	7	-	5
Influenza and pneumonia, etc.*—480-493	1,339	679	660	475	1	7	-	2	1	116	42	1	15
Influenza—480-483	107	73	34	24	-	-	-	-	-	1	8	-	1
Pneumonia, etc.*—490-493	1,232	606	626	451	1	7	-	2	1	115	34	1	14
Bronchitis—500-502	64	31	33	30	-	2	-	-	-	-	1	-	-
Ulcer of stomach and duodenum—540,541	170	32	138	127	-	2	-	-	-	8	-	-	1
Appendicitis—550-553	37	2	35	35	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	167	19	148	138	-	1	-	-	-	8	-	-	1
Gastritis, duodenitis, etc.*—543,571,572	182	48	134	130	-	2	-	-	-	1	-	-	1
Cirrhosis of liver—581	227	41	186	175	-	3	-	-	-	5	2	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	70	11	59	58	-	-	-	-	-	-	1	-	-
Acute nephritis, etc.*—590,591	73	17	56	50	-	2	-	-	-	4	-	-	-
Infections of kidney—600	180	39	141	127	-	1	-	-	-	5	5	-	3
Hyperplasia of prostate—610	102	25	77	75	-	-	-	-	-	-	1	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	60	20	40	40	-	-	-	-	-	-	-	-	-
Abortion—650-652	10	6	4	4	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	50	14	36	36	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	540	111	429	422	-	-	-	1	-	2	-	-	4
Certain diseases of early infancy—760-776	1,986	259	1,727	1,696	8	-	-	3	-	-	1	-	19
Birth injuries, etc.*—760-762	882	79	803	785	6	-	-	3	-	-	-	-	9
Infections of newborn—763-768	199	65	134	134	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	905	115	790	777	2	-	-	-	-	-	1	-	10
Symptoms, senility, etc.*—780-795	936	777	159	119	1	2	-	-	-	4	19	-	14
All other diseases—Residual	1,483	591	892	741	3	26	-	3	-	70	31	-	18
Accidents—E800-E962	2,460	1,500	960	907	-	5	-	1	-	28	12	-	7
Motor vehicle accidents—E810-E835	1,129	680	449	447	-	-	-	-	-	-	-	-	2
Other accidents—E800-E802,E840-E962	1,331	820	511	460	-	5	-	1	-	28	12	-	5
Suicide—E963,E970-E979	452	371	81	77	-	-	-	-	-	2	-	-	2
Homicide—E964,E980-E985	363	251	112	112	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION: Total, in institution	Nonresident: General hospital	Nonresident: Maternity hospital	Nonresident: Tuberculosis hospital	Nonresident: Chronic disease and convalescent hospitals	Nonresident: Other special hospitals	Nonresident: Hospital department of institution	Resident: Nervous and mental hospitals	Resident: Convalescent and nursing homes, etc.	Resident: Other domiciliary institutions	Type of service not specified
NORTH DAKOTA													
All causes	5,215	1,599	3,616	3,168	-	7	59	-	-	179	199	-	4
Tuberculosis, all forms—001-019	16	4	12	7	-	4	-	-	-	1	-	-	-
Tuberculosis of respiratory system—001-008	12	4	8	3	-	4	-	-	-	1	-	-	-
Tuberculosis, other forms—010-019	4	-	4	4	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	5	3	2	2	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	1	-	1	1	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	4	1	3	3	-	-	-	-	-	-	-	-	-
Measles—085	1	1	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	17	4	13	13	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	767	149	618	584	-	1	10	-	-	12	11	-	-
Of buccal cavity and pharynx—140-148	17	5	12	12	-	-	-	-	-	-	-	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	305	74	231	218	-	1	3	-	-	6	3	-	-
Of respiratory system (not secondary)—160-164	67	6	61	56	-	-	2	-	-	1	2	-	-
Of breast—170	49	14	35	34	-	-	-	-	-	1	-	-	-
Of genital organs—171-179	115	16	99	90	-	-	2	-	-	2	5	-	-
Of urinary organs—180,181	52	6	46	45	-	-	1	-	-	-	-	-	-
Of other sites, etc.*—156B,165,190-199	65	13	52	49	-	-	1	-	-	1	1	-	-
Leukemia and aleukemia—204	45	4	41	40	-	-	1	-	-	-	-	-	-
Lymphosarcoma, etc.*—200-203,205	52	11	41	40	-	-	-	-	-	1	-	-	-
Benign neoplasms, etc.*—210-239	13	3	10	9	-	-	-	-	-	1	-	-	-
Asthma—241	13	4	9	8	-	-	-	-	-	-	1	-	-
Diabetes mellitus—260	113	24	89	79	-	-	-	-	-	2	8	-	-
Anemias—290-293	11	2	9	8	-	-	-	-	-	-	1	-	-
Nonmeningococcal meningitis, etc.*—340	8	-	8	8	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,792	948	1,844	1,555	-	2	43	-	-	98	142	-	4
Diseases of cardiovascular system—330-334,400-468	2,759	942	1,817	1,529	-	2	42	-	-	98	142	-	4
Vascular lesions affecting central nervous system—330-334	695	129	566	483	-	-	21	-	-	17	45	-	-
Diseases of heart—400-402,410-443	1,858	778	1,080	909	-	-	12	-	-	73	84	-	2
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	49	16	33	30	-	-	-	-	-	1	2	-	-
Arteriosclerotic heart dis., etc.*—420	1,447	632	815	691	-	-	9	-	-	54	59	-	2
Nonrheumatic chronic endocarditis, etc.*—421,422	120	39	81	67	-	-	-	-	-	4	10	-	-
Other diseases of heart—430-434	94	50	44	38	-	-	-	-	-	2	4	-	-
Hypertensive heart disease—440-443	148	41	107	83	-	-	3	-	-	12	9	-	-
Other hypertensive disease—444-447	37	3	34	32	-	-	-	-	-	2	-	-	-
General arteriosclerosis—450	118	22	96	70	-	2	9	-	-	2	11	-	2
Other diseases of circulatory system—451-468	51	10	41	35	-	-	-	-	-	4	2	-	-
Chronic nephritis, etc.*—592-594	33	6	27	26	-	-	1	-	-	-	-	-	-
Influenza and pneumonia, etc.*—480-493	189	32	157	113	-	-	-	-	-	34	10	-	-
Influenza—480-483	7	2	5	3	-	-	-	-	-	1	1	-	-
Pneumonia, etc.*—490-493	182	30	152	110	-	-	-	-	-	33	9	-	-
Bronchitis—500-502	12	5	7	6	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum—540,541	33	1	32	29	-	-	1	-	-	1	1	-	-
Appendicitis—550-553	6	-	6	6	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	38	3	35	35	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	23	3	20	20	-	-	-	-	-	-	-	-	-
Cirrhosis of liver—581	31	5	26	23	-	-	-	-	-	1	2	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	24	2	22	21	-	-	-	-	-	-	1	-	-
Acute nephritis, etc.*—590,591	5	-	5	5	-	-	-	-	-	-	-	-	-
Infections of kidney—600	14	-	14	13	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate—610	20	1	19	17	-	-	1	-	-	-	1	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	2	-	2	2	-	-	-	-	-	-	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	2	-	2	2	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	86	8	78	75	-	-	-	-	-	3	-	-	-
Certain diseases of early infancy—760-776	254	6	248	248	-	-	-	-	-	-	-	-	-
Birth injuries, etc.*—760-762	113	1	112	112	-	-	-	-	-	-	-	-	-
Infections of newborn—763-768	26	3	23	23	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	115	2	113	113	-	-	-	-	-	-	-	-	-
Symptoms, senility, etc.*—780-795	51	31	20	13	-	-	2	-	-	1	4	-	-
All other diseases—Residual	202	55	147	116	-	-	2	-	-	17	12	-	-
Accidents—E800-E962	389	234	155	146	-	-	-	-	-	6	3	-	-
Motor vehicle accidents—E810-E835	175	110	65	65	-	-	-	-	-	-	-	-	-
Other accidents—E800-E802,E840-E962	214	124	90	81	-	-	-	-	-	6	3	-	-
Suicide—E963,E970-E979	69	64	5	3	-	-	-	-	-	2	-	-	-
Homicide—E964,E980-E985	5	5	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
OHIO													
All causes	91,675	35,256	56,419	43,457	110	367	554	703	57	2,588	7,230	47	1,306
Tuberculosis, all forms—001-019	554	102	452	212	-	201	-	-	-	33	3	-	3
Tuberculosis of respiratory system—001-008	507	95	412	182	-	193	-	-	-	31	3	-	3
Tuberculosis, other forms—010-019	47	7	40	30	-	8	-	-	-	2	-	-	-
Syphilis and its sequelae—020-029	299	61	238	148	-	1	1	-	-	68	17	-	3
Dysentery, all forms—045-048	2	-	2	2	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	6	2	4	4	-	-	-	-	-	-	-	-	-
Diphtheria—055	3	-	3	3	-	-	-	-	-	-	-	-	-
Whooping cough—056	8	-	8	7	-	-	-	1	-	-	-	-	-
Meningococcal infections—057	45	8	37	29	-	-	-	8	-	-	-	-	-
Acute poliomyelitis—080	20	2	18	14	-	-	-	4	-	-	-	-	-
Measles—085	37	16	21	20	-	-	-	1	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	251	31	220	187	-	2	-	12	-	10	8	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14,547	4,848	9,699	8,215	4	52	194	62	9	141	834	1	187
Of buccal cavity and pharynx—140-148	330	106	224	167	-	5	13	3	-	4	31	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	5,061	1,873	3,188	2,688	-	9	58	7	4	48	316	-	58
Of respiratory system (not secondary)-160-164	2,032	627	1,405	1,225	-	29	29	-	1	15	79	-	27
Of breast—170	1,309	462	847	693	1	2	20	1	-	21	91	-	18
Of genital organs—171-179	2,294	814	1,480	1,210	2	-	40	7	2	26	158	-	35
Of urinary organs—180,181	668	220	448	379	-	3	9	1	-	8	39	-	11
Of other sites, etc.*—156B,165,190-199	1,510	497	1,013	842	-	3	14	14	-	18	94	1	27
Leukemia and aleukemia—204	666	101	565	523	1	1	2	22	1	1	8	-	6
Lymphosarcoma, etc.*—200-203,205	677	148	529	488	-	-	9	7	1	2	18	-	4
Benign neoplasms, etc.*—210-239	232	47	185	168	-	-	1	5	-	5	4	-	2
Asthma—241	262	137	125	103	-	-	-	-	-	5	14	-	3
Diabetes mellitus—260	1,998	676	1,322	1,112	-	2	10	4	-	45	129	1	19
Anemias—290-293	181	59	122	101	-	1	3	3	-	3	11	-	-
Nonmeningococcal meningitis, etc.*—340	137	8	129	98	-	1	1	24	1	2	1	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	51,239	22,850	28,389	20,068	4	70	237	109	23	1,679	5,340	18	841
Diseases of cardiovascular system—330-334,400-468	50,550	22,644	27,906	19,663	4	69	237	108	23	1,662	5,294	15	831
Vascular lesions affecting central nervous system—330-334	11,211	3,707	7,504	4,964	1	14	80	48	3	447	1,677	8	262
Diseases of heart—400-402,410-443	34,853	17,445	17,408	12,856	2	49	148	52	20	923	2,883	3	472
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	1,143	400	743	675	-	1	5	4	1	15	36	-	6
Arteriosclerotic heart dis., etc.*—420	25,318	13,319	11,999	9,024	2	37	95	41	15	686	1,792	1	306
Nonrheumatic chronic endocarditis, etc.*—421,422	3,070	1,446	1,624	908	-	2	13	2	3	117	508	1	70
Other diseases of heart—430-434	1,254	561	693	527	-	2	6	4	-	31	106	-	17
Hypertensive heart disease—440-443	4,068	1,719	2,349	1,722	-	7	29	1	1	74	441	1	73
Other hypertensive disease—444-447	843	256	587	475	-	2	4	2	-	14	73	2	15
General arteriosclerosis—450	2,624	1,050	1,574	633	1	4	3	4	-	238	619	1	71
Other diseases of circulatory system-451-468	1,019	186	833	735	-	-	2	2	-	40	42	1	11
Chronic nephritis, etc.*—592-594	689	206	483	405	-	1	-	1	-	17	46	3	10
Influenza and pneumonia, etc.*—480-493	2,526	783	1,743	1,131	1	5	14	29	-	214	289	8	52
Influenza—480-483	261	130	131	69	-	-	-	-	-	-	59	-	3
Pneumonia, etc.*—490-493	2,265	653	1,612	1,062	1	5	14	29	-	214	230	8	49
Bronchitis—500-502	221	88	133	109	-	-	-	2	-	8	11	1	2
Ulcer of stomach and duodenum—540,541	564	62	502	456	-	7	5	2	2	8	13	1	8
Appendicitis—550-553	95	4	91	86	-	-	1	-	-	3	-	-	1
Hernia and intestinal obstruction—560,561,570	485	35	450	389	1	1	1	7	1	20	17	1	12
Gastritis, duodenitis, etc.*—543,571,572	369	64	305	272	-	-	-	9	-	6	15	-	3
Cirrhosis of liver—581	1,068	234	834	762	-	3	5	4	3	10	32	-	15
Cholelithiasis, cholecystitis, etc.*—584,585	248	22	226	216	-	2	-	-	-	3	3	-	2
Acute nephritis, etc.*—590,591	124	24	100	87	-	-	-	3	-	2	7	-	1
Infections of kidney—600	411	40	371	296	-	1	3	1	-	20	44	-	6
Hyperplasia of prostate—610	276	50	226	187	-	-	-	-	-	9	23	-	7
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	74	8	66	65	-	-	-	-	-	-	-	-	1
Abortion—650-652	9	1	8	8	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	65	7	58	57	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	1,319	159	1,160	922	17	1	1	174	1	10	4	8	22
Certain diseases of early infancy—760-776	3,813	115	3,698	3,421	83	-	-	152	1	1	17	-	23
Birth injuries, etc.*—760-762	1,929	15	1,914	1,785	46	-	-	63	1	-	9	-	10
Infections of newborn—763-768	247	36	211	165	4	-	-	38	-	-	-	-	4
Other diseases of infancy, etc.*—769-776	1,637	64	1,573	1,471	33	-	-	51	-	1	8	-	9
Symptoms, senility, etc.*—780-795	474	258	216	153	-	3	2	3	1	11	40	-	3
All other diseases—Residual	3,662	1,132	2,530	1,980	-	10	25	51	5	159	244	6	50
Accidents—E800-E962	4,687	2,218	2,469	2,147	-	2	49	32	2	100	104	2	31
Motor vehicle accidents—E810-E835	1,855	1,021	834	806	-	-	-	14	-	1	2	-	11
Other accidents—E800-E802,E840-E962	2,832	1,197	1,635	1,341	-	2	49	18	2	99	102	2	20
Suicide—E963,E970-E979	1,123	920	203	179	-	2	1	-	-	12	5	-	4
Homicide—E964,E980-E985	315	193	122	108	-	-	-	1	8	1	1	-	3

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
				Nonresident						Resident			
			Total, in institution	General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	Type of service not specified
OKLAHOMA													
All causes	21,770	8,765	13,005	10,521	2	146	107	43	10	654	1,173	21	328
Tuberculosis, all forms—001-019	165	45	120	42	-	66	-	-	2	7	1	1	1
Tuberculosis of respiratory system—001-008	158	44	114	38	-	65	-	-	2	6	1	1	1
Tuberculosis, other forms—010-019	7	1	6	4	-	1	-	-	-	1	-	-	-
Syphilis and its sequelae—020-029	39	12	27	14	1	-	-	-	-	11	1	-	-
Dysentery, all forms—045-048	4	2	2	1	-	-	-	-	-	1	-	-	-
Scarlet fever and strep. sore throat—050,051	4	2	2	1	-	-	-	-	-	-	1	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	3	1	2	2	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	10	1	9	9	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	3	3	3	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	92	16	76	66	-	-	1	2	-	7	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,200	1,106	2,094	1,807	-	17	22	24	3	32	123	1	65
Of buccal cavity and pharynx—140-148	64	16	48	31	-	-	-	1	-	3	10	-	3
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	995	359	636	551	-	8	7	1	-	15	33	1	20
Of respiratory system (not secondary)—160-164	458	154	304	276	-	3	3	-	1	2	10	-	9
Of breast—170	231	74	157	131	-	-	1	11	-	3	8	-	3
Of genital organs—171-179	536	209	327	271	-	3	6	-	-	6	29	-	12
Of urinary organs—180,181	137	54	83	70	-	-	2	-	-	2	5	-	4
Of other sites, etc.*—156B,165,190-199	457	181	276	233	-	2	3	3	1	1	22	-	11
Leukemia and aleukemia—204	186	26	160	151	-	-	-	6	-	-	1	-	2
Lymphosarcoma, etc.*—200-203,205	136	33	103	93	-	1	-	2	1	-	5	-	1
Benign neoplasms, etc.*—210-239	59	11	48	41	-	-	-	-	-	3	3	-	1
Asthma—241	78	33	45	37	-	-	-	-	1	2	4	-	1
Diabetes mellitus—260	275	82	193	166	-	-	1	-	-	10	10	-	6
Anemias—290-293	61	19	42	33	-	2	2	-	-	3	1	-	1
Nonmeningococcal meningitis, etc.*—340	31	3	28	25	-	-	-	-	-	3	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,352	4,935	6,417	4,986	-	35	68	10	2	314	820	3	179
Diseases of cardiovascular system—330-334,400-468	11,116	4,852	6,264	4,865	-	34	68	10	2	306	799	3	177
Vascular lesions affecting central nervous system—330-334	2,828	976	1,852	1,381	-	8	25	-	1	77	305	1	54
Diseases of heart—400-402,410-443	7,467	3,587	3,880	3,116	-	25	38	10	1	177	400	2	111
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	184	65	119	106	-	1	1	-	-	5	5	-	1
Arteriosclerotic heart dis., etc.*—420	5,488	2,704	2,784	2,275	-	15	26	6	1	136	243	-	82
Nonrheumatic chronic endocarditis, etc.*—421,422	505	237	268	169	-	2	6	1	-	24	54	-	12
Other diseases of heart—430-434	566	298	268	210	-	4	3	1	-	2	42	-	6
Hypertensive heart disease—440-443	724	283	441	356	-	3	2	2	-	10	56	2	10
Other hypertensive disease—444-447	193	85	108	84	-	-	2	-	-	3	17	-	2
General arteriosclerosis—450	403	154	249	136	-	-	3	-	-	32	70	-	8
Other diseases of circulatory system—451-468	225	50	175	148	-	1	-	-	-	17	7	-	2
Chronic nephritis, etc.*—592-594	236	83	153	121	-	1	-	-	-	8	21	-	2
Influenza and pneumonia, etc.*—480-493	726	221	505	308	-	6	5	1	-	112	58	4	11
Influenza—480-483	85	41	44	27	-	-	-	-	-	3	12	-	2
Pneumonia, etc.*—490-493	641	180	461	281	-	6	5	1	-	109	46	4	9
Bronchitis—500-502	37	15	22	20	-	-	-	-	-	-	2	-	-
Ulcer of stomach and duodenum—540,541	126	13	113	104	-	-	-	-	-	8	-	-	1
Appendicitis—550-553	32	4	28	25	-	-	-	-	-	3	-	-	-
Hernia and intestinal obstruction—560,561,570	151	20	131	110	-	-	-	-	-	15	2	-	4
Gastritis, duodenitis, etc.*—543,571,572	85	18	67	64	-	-	-	-	-	-	2	-	1
Cirrhosis of liver—581	166	40	126	107	-	4	-	-	-	10	4	-	1
Cholelithiasis, cholecystitis, etc.*—584,585	79	11	68	67	-	-	-	-	-	-	1	-	-
Acute nephritis, etc.*—590,591	51	10	41	35	-	-	-	-	-	1	5	-	-
Infections of kidney—600	97	17	80	64	-	1	-	-	-	2	10	-	3
Hyperplasia of prostate—610	105	24	81	69	-	-	2	-	-	3	5	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	17	4	13	13	-	-	-	-	-	-	-	-	-
Abortion—650-652	3	1	2	2	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	14	3	11	11	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	249	35	214	200	-	3	-	-	1	1	-	4	5
Certain diseases of early infancy—760-776	843	36	807	791	-	4	-	-	-	-	-	-	12
Birth injuries, etc.*—760-762	312	11	301	297	-	-	-	-	-	-	-	-	4
Infections of newborn—763-768	62	8	54	53	-	-	-	-	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	469	17	452	441	-	4	-	-	-	-	-	-	7
Symptoms, senility, etc.*—780-795	845	654	191	129	-	3	2	-	1	10	37	-	9
All other diseases—Residual	916	314	602	449	-	3	2	1	-	63	65	8	11
Accidents—E800-E962	1,547	814	733	662	1	2	2	5	-	30	18	-	13
Motor vehicle accidents—E810-E835	686	381	305	295	1	-	-	1	-	1	3	-	6
Other accidents—E800-E802,E840-E962	861	433	428	369	-	2	2	4	-	29	15	-	7
Suicide—E963,E970-E979	206	166	40	37	-	-	-	-	-	2	-	-	1
Homicide—E964,E980-E985	113	78	35	34	-	-	-	-	-	1	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
OREGON													
All causes	15,479	5,468	10,011	6,829	26	61	290	14	3	644	1,962	6	176
Tuberculosis, all forms—001-019	61	9	52	29	-	16	2	-	-	3	2	-	-
Tuberculosis of respiratory system—001-008	57	8	49	26	-	16	2	-	-	3	2	-	-
Tuberculosis, other forms—010-019	4	1	3	3	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	26	11	15	13	-	1	-	-	-	-	1	-	-
Dysentery, all forms—045-048	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	10	2	8	7	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	2	-	2	2	-	-	-	-	-	-	-	-	-
Measles—085	5	1	4	1	-	-	-	-	-	3	-	-	-
Other infective and parasitic dis.—Residual[1]	47	8	39	28	-	-	1	2	-	-	6	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,419	591	1,828	1,345	1	13	71	-	-	41	321	1	35
Of buccal cavity and pharynx—140-148	41	10	31	21	-	-	-	-	-	1	7	-	2
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	787	226	561	409	1	1	23	-	-	15	98	1	13
Of respiratory system (not secondary)—160-164	349	66	283	225	-	8	8	-	-	4	35	-	3
Of breast—170	203	62	141	93	-	-	10	-	-	2	35	-	1
Of genital organs—171-179	398	109	289	189	-	1	20	-	-	10	65	-	4
Of urinary organs—180,181	112	23	89	69	-	-	1	-	-	-	18	-	1
Of other sites, etc.*—156B,165,190-199	279	60	219	158	-	3	7	-	-	7	40	-	4
Leukemia and aleukemia—204	126	13	113	95	-	-	1	-	-	1	12	-	4
Lymphosarcoma, etc.*—200-203,205	124	22	102	86	-	-	1	-	-	1	11	-	3
Benign neoplasms, etc.*—210-239	34	7	27	21	-	-	2	-	-	1	3	-	-
Asthma—241	58	18	40	27	-	2	-	-	-	2	9	-	-
Diabetes mellitus—260	203	51	152	111	-	-	4	-	1	8	26	-	2
Anemias—290-293	27	3	24	18	-	-	-	-	-	-	5	-	1
Nonmeningococcal meningitis, etc.*—340	14	2	12	10	-	-	-	-	-	2	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	8,538	3,315	5,223	3,216	16	18	178	3	2	346	1,341	1	102
Diseases of cardiovascular system—330-334,400-468	8,455	3,303	5,152	3,151	16	18	178	3	2	345	1,336	1	102
Vascular lesions affecting central nervous system—330-334	1,972	473	1,499	780	1	5	78	1	-	93	510	-	31
Diseases of heart—400-402,410-443	5,805	2,711	3,094	2,079	15	10	82	1	2	137	706	1	61
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	206	60	146	116	-	-	5	-	-	6	19	-	-
Arteriosclerotic heart dis., etc.*—420	4,444	2,246	2,198	1,536	15	8	50	1	2	106	439	1	40
Nonrheumatic chronic endocarditis, etc.*—421,422	328	115	213	101	-	1	4	-	-	12	88	-	7
Other diseases of heart—430-434	182	70	112	71	-	1	3	-	-	6	30	-	1
Hypertensive heart disease—440-443	645	220	425	255	-	-	20	-	-	7	130	-	13
Other hypertensive disease—444-447	83	16	67	52	-	1	1	-	-	3	10	-	-
General arteriosclerosis—450	387	55	332	94	-	1	17	-	-	111	101	-	8
Other diseases of circulatory system—451-468	208	48	160	146	-	1	-	1	-	1	9	-	2
Chronic nephritis, etc.*—592-594	83	12	71	65	-	-	-	-	-	1	5	-	-
Influenza and pneumonia, etc.*—480-493	551	123	428	170	2	2	8	2	-	147	66	-	11
Influenza—480-483	14	6	8	5	-	-	-	-	-	-	3	-	-
Pneumonia, etc.*—490-493	537	117	420	165	2	2	8	2	-	147	83	-	11
Bronchitis—500-502	42	11	31	25	-	-	-	-	-	-	6	-	-
Ulcer of stomach and duodenum—540,541	101	16	85	76	1	-	-	-	-	3	4	-	1
Appendicitis—550-553	15	3	12	10	-	-	-	-	-	1	1	-	-
Hernia and intestinal obstruction—560,561,570	80	2	78	71	-	-	-	-	-	7	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	49	3	46	41	-	-	-	1	-	-	4	-	-
Cirrhosis of liver—581	156	44	112	97	1	1	3	-	-	3	7	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	40	2	38	34	-	-	-	-	-	2	2	-	-
Acute nephritis, etc.*—590,591	15	-	15	13	-	-	1	-	-	-	1	-	-
Infections of kidney—600	71	9	62	39	-	2	1	-	-	5	13	-	2
Hyperplasia of prostate—610	48	5	43	39	-	-	-	-	-	-	4	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	6	-	6	6	-	-	-	-	-	-	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	6	-	6	6	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	190	25	165	148	-	-	-	1	-	7	2	2	5
Certain diseases of early infancy—760-776	497	24	473	471	-	-	-	-	-	-	1	-	1
Birth injuries, etc.*—760-762	249	13	236	235	-	-	-	-	-	-	-	-	1
Infections of newborn—763-768	33	5	28	28	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	215	6	209	208	-	-	-	-	-	-	1	-	-
Symptoms; senility, etc.*—780-795	173	111	62	31	-	-	1	-	-	5	21	-	4
All other diseases—Residual	633	151	482	335	2	6	13	4	-	48	65	2	7
Accidents—E800-E962	1,112	701	411	366	-	-	5	-	-	8	30	-	2
Motor vehicle accidents—E810-E835	436	279	157	151	-	-	1	-	-	-	3	-	2
Other accidents—E800-E802,E840-E962	676	422	254	215	-	-	4	-	-	8	27	-	-
Suicide—E963,E970-E979	215	185	30	23	3	-	-	-	-	2	1	-	1
Homicide—E964,E980-E985	38	34	4	4	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident					Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
PENNSYLVANIA													
All causes	118,571	47,939	70,632	55,750	338	471	486	474	89	3,771	7,953	280	1,020
Tuberculosis, all forms—001-019	1,026	212	814	343	3	330	2	4	2	107	13	3	7
Tuberculosis of respiratory system—001-008	969	207	762	303	3	327	2	1	1	104	11	3	7
Tuberculosis, other forms—010-019	57	5	52	40	-	3	-	3	1	3	2	-	-
Syphilis and its sequelae—020-029	237	71	166	108	-	1	-	-	-	46	8	-	3
Dysentery, all forms—045-048	2	1	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	5	1	4	2	-	-	-	-	-	2	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	5	1	4	4	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	38	2	36	32	-	-	-	4	-	-	-	-	-
Acute poliomyelitis—080	10	1	9	9	-	-	-	-	-	-	-	-	-
Measles—085	27	6	21	18	-	-	-	2	-	1	-	-	-
Other infective and parasitic dis.—Residual[1]	318	52	266	228	3	1	1	10	1	10	8	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	18,776	6,908	11,868	10,189	52	38	218	91	8	245	857	33	137
Of buccal cavity and pharynx—140-148	355	127	228	163	-	2	15	14	-	8	19	2	5
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	6,969	2,818	4,151	3,591	10	11	61	5	4	90	321	14	44
Of respiratory system (not secondary)—160-164	2,542	838	1,704	1,534	3	12	18	7	-	28	88	2	12
Of breast—170	1,677	677	1,000	815	3	3	33	2	1	19	105	6	13
Of genital organs—171-179	2,682	1,102	1,580	1,272	21	3	49	5	-	36	155	7	32
Of urinary organs—180,181	900	286	614	523	2	1	13	5	-	8	55	-	7
Of other sites, etc.*—156B,165,190-199	2,041	689	1,352	1,142	8	4	23	17	2	45	90	2	19
Leukemia and aleukemia—204	803	166	637	588	-	1	1	29	1	7	7	-	3
Lymphosarcoma, etc.*—200-203,205	807	205	602	561	5	1	5	7	-	4	17	-	2
Benign neoplasms, etc.*—210-239	372	60	312	275	1	-	1	4	-	13	15	-	3
Asthma—241	371	166	205	183	2	-	-	1	2	7	6	-	4
Diabetes mellitus—260	2,504	797	1,707	1,425	2	2	10	5	2	74	156	6	25
Anemias—290-293	210	69	141	116	-	-	-	4	1	5	14	-	1
Nonmeningococcal meningitis, etc.*—340	135	11	124	111	1	1	-	6	-	4	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	68,745	32,389	36,356	26,524	88	65	216	36	28	2,346	6,182	185	686
Diseases of cardiovascular system—330-334,400-468	67,805	32,087	35,718	26,003	80	63	212	35	27	2,322	6,108	185	683
Vascular lesions affecting central nervous system—330-334	12,703	4,584	8,119	5,855	22	11	32	8	4	388	1,610	26	163
Diseases of heart—400-402,410-443	49,867	25,766	24,101	17,877	47	43	161	25	20	1,657	3,691	142	438
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	1,661	578	1,083	965	7	1	2	5	-	32	58	1	12
Arteriosclerotic heart dis., etc.*—420	34,682	18,753	15,929	12,344	31	29	109	13	12	1,044	1,964	101	282
Nonrheumatic chronic endocarditis, etc.*—421,422	5,979	3,036	2,943	1,479	-	6	28	2	3	343	996	21	65
Other diseases of heart—430-434	1,476	629	847	664	2	3	3	4	3	65	96	1	6
Hypertensive heart disease—440-443	6,069	2,770	3,299	2,425	7	4	19	1	2	173	577	18	73
Other hypertensive disease—444-447	985	266	719	516	4	-	1	-	-	25	149	6	18
General arteriosclerosis—450	2,914	1,242	1,672	739	2	7	18	-	-	211	629	10	56
Other diseases of circulatory system—451-468	1,336	229	1,107	1,016	5	2	-	2	3	41	29	1	8
Chronic nephritis, etc.*—592-594	940	302	638	521	8	2	4	1	1	24	74	-	3
Influenza and pneumonia, etc.*—480-493	3,439	883	2,556	1,820	3	8	13	21	11	409	221	14	36
Influenza—480-483	202	106	96	70	-	1	-	1	-	3	18	2	1
Pneumonia, etc.*—490-493	3,237	777	2,460	1,750	3	7	13	20	11	406	203	12	35
Bronchitis—500-502	246	105	141	110	-	-	-	-	-	23	8	-	-
Ulcer of stomach and duodenum—540,541	758	78	680	652	1	1	-	1	-	10	10	-	5
Appendicitis—550-553	112	4	108	102	1	-	-	3	-	-	2	-	-
Hernia and intestinal obstruction—560,561,570	639	67	572	520	2	1	-	12	-	17	14	1	5
Gastritis, duodenitis, etc.*—543,571,572	431	76	355	322	1	-	-	6	-	13	11	-	2
Cirrhosis of liver—581	1,360	280	1,080	1,017	7	2	2	1	1	18	24	1	7
Cholelithiasis, cholecystitis, etc.*—584,585	385	50	335	318	1	-	-	1	-	6	6	1	2
Acute nephritis, etc.*—590,591	154	29	125	94	5	-	1	6	2	6	5	2	4
Infections of kidney—600	406	54	352	298	2	1	1	1	-	25	24	-	2
Hyperplasia of prostate—610	280	54	226	191	1	-	2	-	-	3	26	1	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	82	7	75	73	2	-	-	-	-	-	-	-	-
Abortion—650-652	16	2	14	14	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	66	5	61	59	2	-	-	-	-	-	-	-	-
Congenital malformations—750-759	1,221	159	1,062	866	17	-	-	144	2	18	2	5	8
Certain diseases of early infancy—760-776	4,145	85	4,060	3,859	124	-	-	51	-	-	1	2	23
Birth injuries, etc.*—760-762	1,869	28	1,841	1,774	38	-	-	15	-	-	-	1	13
Infections of newborn—763-768	314	23	291	262	6	-	-	22	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	1,962	34	1,928	1,823	80	-	-	14	-	-	1	1	9
Symptoms, senility, etc.*—780-795	793	514	279	219	1	-	1	2	1	17	26	2	10
All other diseases—Residual	4,799	1,420	3,379	2,741	15	18	15	47	22	246	228	16	31
Accidents—E800-E962	5,150	2,223	2,927	2,716	3	2	2	11	3	89	83	8	10
Motor vehicle accidents—E810-E835	1,798	891	907	892	-	-	-	3	-	3	4	-	5
Other accidents—E800-E802,E840-E962	3,352	1,332	2,020	1,824	3	2	2	8	3	86	79	8	5
Suicide—E963,E970-E979	1,113	922	191	177	-	-	1	-	1	8	2	-	2
Homicide—E964,E980-E985	277	182	95	89	-	-	-	-	2	3	1	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
RHODE ISLAND													
All causes	8,878	3,301	5,577	3,815	111	69	330	40	1	468	655	42	46
Tuberculosis, all forms—001-019	39	5	34	7	-	25	-	-	-	2	-	-	-
Tuberculosis of respiratory system—001-008	35	4	31	4	-	25	-	-	-	2	-	-	-
Tuberculosis, other forms—010-019	4	1	3	3	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	13	-	13	8	-	1	-	-	-	3	1	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	5	-	5	4	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	1	-	1	-	-	-	-	-	-	-	1	-	-
Measles—085	3	3	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	22	1	21	14	1	-	-	1	-	4	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,590	572	1,018	762	-	14	47	10	-	29	115	35	6
Of buccal cavity and pharynx—140-148	22	7	15	12	-	-	1	-	-	-	1	1	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	581	210	371	278	-	5	17	-	-	12	49	8	2
Of respiratory system (not secondary)—160-164	240	84	156	119	-	7	6	1	-	6	11	5	1
Of breast—170	166	69	97	71	-	-	2	-	-	3	13	7	1
Of genital organs—171-179	216	84	132	80	-	-	17	1	-	5	22	5	2
Of urinary organs—180,181	69	27	42	32	-	1	1	-	-	1	6	1	-
Of other sites, etc.*—156B,165,190-199	166	62	104	80	-	-	2	3	-	1	10	8	-
Leukemia and aleukemia—204	63	9	54	48	-	1	-	4	-	-	1	-	-
Lymphosarcoma, etc.*—200-203,205	67	20	47	42	-	-	1	1	-	1	2	-	-
Benign neoplasms, etc.*—210-239	34	6	28	21	-	-	1	-	-	2	3	1	-
Asthma—241	32	17	15	10	-	-	-	-	-	1	3	-	1
Diabetes mellitus—260	233	82	151	106	-	-	19	-	-	7	18	-	1
Anemias—290-293	14	3	11	8	-	-	-	-	-	1	2	-	-
Nonmeningococcal meningitis, etc.*—340	9	1	8	3	-	-	-	3	-	1	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	5,168	2,270	2,898	1,903	1	13	207	5	1	275	458	2	33
Diseases of cardiovascular system—330-334,400-468	5,089	2,251	2,838	1,854	1	12	206	4	1	275	453	1	31
Vascular lesions affecting central nervous system—330-334	928	303	625	427	-	-	34	-	-	27	130	-	7
Diseases of heart—400-402,410-443	3,812	1,854	1,958	1,287	1	10	151	4	1	224	258	1	21
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	97	34	63	53	-	2	2	-	-	2	3	-	1
Arteriosclerotic heart dis., etc.*—420	3,051	1,543	1,508	1,016	1	5	93	2	-	178	194	1	18
Nonrheumatic chronic endocarditis, etc.*—421,422	201	91	110	28	-	1	26	1	1	23	29	-	1
Other diseases of heart—430-434	82	25	57	42	-	2	6	-	-	6	1	-	-
Hypertensive heart disease—440-443	381	161	220	148	-	-	24	1	-	15	31	-	1
Other hypertensive disease—444-447	89	32	57	38	-	-	3	-	-	3	13	-	-
General arteriosclerosis—450	174	53	121	37	-	1	14	-	-	17	49	-	3
Other diseases of circulatory system—451-468	86	9	77	65	-	1	4	-	-	4	3	-	-
Chronic nephritis, etc.*—592-594	79	19	60	49	-	1	1	1	-	-	5	1	2
Influenza and pneumonia, etc.*—480-493	276	47	229	128	-	6	12	1	-	63	16	1	2
Influenza—480-483	11	6	5	4	-	1	-	-	-	-	-	-	-
Pneumonia, etc.*—490-493	265	41	224	124	-	5	12	1	-	63	16	1	2
Bronchitis—500-502	36	9	27	24	-	1	-	-	-	1	1	-	-
Ulcer of stomach and duodenum—540,541	76	4	72	69	-	1	1	-	-	1	-	-	-
Appendicitis—550-553	9	1	8	8	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	46	3	43	39	-	-	3	-	-	1	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	30	4	26	17	-	-	2	3	-	3	1	-	-
Cirrhosis of liver—581	129	28	101	89	1	-	2	-	-	8	1	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	36	1	35	33	-	-	-	-	-	1	1	-	-
Acute nephritis, etc.*—590,591	5	2	3	3	-	-	-	-	-	-	-	-	-
Infections of kidney—600	29	2	27	20	-	-	6	-	-	-	1	-	-
Hyperplasia of prostate—610	22	1	21	17	-	-	-	-	-	-	4	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	5	-	5	4	-	-	-	-	-	1	-	-	-
Abortion—650-652	1	-	1	-	-	-	-	-	-	1	-	-	-
Other complications, etc.*—640-649,660-689	4	-	4	4	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	95	13	82	54	17	1	3	5	-	1	-	1	-
Certain diseases of early infancy—760-776	234	9	225	135	88	-	-	1	-	-	-	-	1
Birth injuries, etc.*—760-762	105	2	103	58	45	-	-	-	-	-	-	-	-
Infections of newborn—763-768	7	2	5	4	-	-	-	1	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	122	5	117	73	43	-	-	-	-	-	-	-	1
Symptoms, senility, etc.*—780-795	24	6	18	13	1	-	-	-	-	2	1	-	1
All other diseases—Residual	340	77	263	179	1	7	16	9	-	29	20	1	1
Accidents—E800-E962	283	102	181	131	1	-	11	-	-	31	6	1	-
Motor vehicle accidents—E810-E835	82	38	44	44	-	-	-	-	-	-	-	-	-
Other accidents—E800-E802,E840-E962	201	64	137	87	1	-	11	-	-	31	6	1	-
Suicide—E963,E970-E979	33	27	6	4	-	-	-	1	-	1	-	-	-
Homicide—E964,E980-E985	7	5	2	2	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
SOUTH CAROLINA													
All causes	19,709	9,881	9,828	8,140	1	125	27	3	18	630	738	15	131
Tuberculosis, all forms—001-019	160	35	125	32	-	69	-	-	3	14	2	-	5
Tuberculosis of respiratory system—001-008	148	35	113	21	-	69	-	-	3	14	1	-	5
Tuberculosis, other forms—010-019	12	-	12	11	-	-	-	-	-	-	1	-	-
Syphilis and its sequelae—020-029	56	18	38	28	-	-	-	-	-	9	1	-	-
Dysentery, all forms—045-048	11	7	4	4	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	5	3	2	2	-	-	-	-	-	-	-	-	-
Diphtheria—055	3	-	3	3	-	-	-	-	-	-	-	-	-
Whooping cough—056	14	10	4	4	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	8	1	7	5	-	-	-	-	-	-	2	-	-
Acute poliomyelitis—080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles—085	12	4	8	7	-	-	-	-	-	-	1	-	-
Other infective and parasitic dis.—Residual[1]	92	15	77	68	-	2	-	-	-	2	5	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,188	969	1,219	1,085	-	15	4	2	2	30	74	-	7
Of buccal cavity and pharynx—140-148	54	22	32	31	-	-	-	-	-	-	1	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	642	319	323	290	-	3	-	-	2	7	18	-	3
Of respiratory system (not secondary)—160-164	287	99	188	171	-	8	1	-	-	4	4	-	-
Of breast—170	177	88	89	75	-	-	-	-	-	3	11	-	-
Of genital organs—171-179	410	212	198	168	-	2	-	1	-	6	20	-	1
Of urinary organs—180,181	86	30	56	51	-	-	-	-	-	1	3	-	1
Of other sites, etc.*—156B,165,190-199	313	138	175	153	-	1	3	-	-	8	8	-	2
Leukemia and aleukemia—204	107	22	85	79	-	1	-	1	-	-	4	-	-
Lymphosarcoma, etc.*—200-203,205	112	39	73	67	-	-	-	-	-	1	5	-	-
Benign neoplasms, etc.*—210-239	66	26	40	35	-	1	-	-	-	1	3	-	-
Asthma—241	40	18	22	20	-	-	-	-	-	2	-	-	-
Diabetes mellitus—260	231	84	147	116	-	1	1	-	-	18	10	-	1
Anemias—290-293	51	13	38	33	-	-	-	-	-	2	3	-	-
Nonmeningococcal meningitis, etc.*—340	50	4	46	41	-	-	-	-	-	-	4	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	10,439	5,648	4,791	3,748	1	20	12	-	11	464	449	4	82
Diseases of cardiovascular system—330-334,400-468	10,182	5,541	4,641	3,617	1	20	12	-	11	457	439	4	80
Vascular lesions affecting central nervous system—330-334	2,767	1,314	1,453	1,139	-	5	4	-	1	118	160	3	23
Diseases of heart—400-402,410-443	6,711	3,945	2,766	2,181	1	12	8	-	10	274	229	1	50
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	135	67	68	61	-	1	2	-	-	2	2	-	-
Arteriosclerotic heart dis., etc.*—420	4,088	2,377	1,711	1,354	1	8	5	-	4	178	133	1	27
Nonrheumatic chronic endocarditis, etc.*—421,422	626	368	258	159	-	2	1	-	3	37	52	-	4
Other diseases of heart—430-434	394	269	125	103	-	-	-	-	-	5	10	-	7
Hypertensive heart disease—440-443	1,468	864	604	504	-	1	-	-	3	52	32	-	12
Other hypertensive disease—444-447	189	76	113	95	-	1	-	-	-	3	13	-	1
General arteriosclerosis—450	344	161	183	95	-	-	-	-	-	57	27	-	4
Other diseases of circulatory system—451-468	171	45	126	107	-	2	-	-	-	5	10	-	2
Chronic nephritis, etc.*—592-594	257	107	150	131	-	-	-	-	-	7	10	-	2
Influenza and pneumonia, etc.*—480-493	840	455	385	327	-	2	2	1	-	24	22	4	3
Influenza—480-483	105	75	30	26	-	-	1	-	-	2	1	-	-
Pneumonia, etc.*—490-493	735	380	355	301	-	2	1	1	-	22	21	4	3
Bronchitis—500-502	37	18	19	19	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum—540,541	83	18	65	54	-	1	-	-	-	3	7	-	-
Appendicitis—550-553	21	2	19	18	-	-	-	-	-	-	1	-	-
Hernia and intestinal obstruction—560,561,570	90	12	78	71	-	1	-	-	-	1	5	-	-
Gastritis, duodenitis, etc.*—543,571,572	169	60	109	97	-	-	-	-	-	1	8	1	2
Cirrhosis of liver—581	86	19	67	64	-	1	-	-	-	1	1	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	30	4	26	23	-	1	-	-	-	-	2	-	-
Acute nephritis, etc.*—590,591	32	18	14	14	-	-	-	-	-	-	-	-	-
Infections of kidney—600	100	24	76	72	-	-	-	-	-	1	3	-	-
Hyperplasia of prostate—610	37	6	31	22	-	-	-	-	-	4	4	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	43	10	33	33	-	-	-	-	-	-	-	-	-
Abortion—650-652	7	1	6	6	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	36	9	27	27	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	254	48	206	194	-	-	1	-	-	1	10	-	-
Certain diseases of early infancy—760-776	1,025	196	829	752	-	-	4	-	-	-	59	-	14
Birth injuries, etc.*—760-762	342	27	315	277	-	-	1	-	-	-	28	-	9
Infections of newborn—763-768	111	46	65	61	-	-	-	-	-	-	3	-	1
Other diseases of infancy, etc.*—769-776	572	123	449	414	-	-	3	-	-	-	28	-	4
Symptoms, senility, etc.*—780-795	790	683	107	90	-	-	-	-	1	5	7	-	4
All other diseases—Residual	810	301	509	424	-	7	2	-	-	35	32	4	5
Accidents—E800-E962	1,486	897	589	553	-	3	1	-	-	7	17	2	6
Motor vehicle accidents—E810-E835	573	339	234	227	-	-	-	-	-	-	5	-	2
Other accidents—E800-E802,E840-E962	913	558	355	326	-	3	1	-	-	7	12	2	4
Suicide—E963,E970-E979	164	129	35	28	-	1	-	-	1	4	1	-	-
Homicide—E964,E980-E985	165	126	59	53	-	-	-	-	-	1	5	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										Type of service not specified
			Total, in institution	Nonresident						Resident			
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
SOUTH DAKOTA													
All causes	6,248	2,095	4,153	3,538	1	16	11	2	1	195	308	-	81
Tuberculosis, all forms-001-019	43	8	35	19	-	12	-	-	-	4	-	-	-
Tuberculosis of respiratory system-001-008	33	7	26	12	-	10	-	-	-	4	-	-	-
Tuberculosis, other forms-010-019	10	1	9	7	-	2	-	-	-	-	-	-	-
Syphilis and its sequelae-020-029	8	1	7	7	-	-	-	-	-	-	-	-	-
Dysentery, all forms-045-048	1	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat-050,051	1	-	1	1	-	-	-	-	-	-	-	-	-
Diphtheria-055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough-056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	2	-	2	2	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	4	-	4	3	-	-	-	-	-	-	-	-	1
Measles-085	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.-Residual[1]	13	3	10	8	-	-	-	-	-	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	964	227	737	677	-	-	2	-	1	20	28	-	9
Of buccal cavity and pharynx-140-148	8	1	7	5	-	-	-	-	-	-	2	-	-
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	322	79	243	228	-	-	2	-	1	4	4	-	4
Of respiratory system (not secondary)-160-164	107	19	88	85	-	-	-	-	-	3	-	-	-
Of breast-170	92	23	69	58	-	-	-	-	-	3	7	-	1
Of genital organs-171-179	151	37	114	101	-	-	-	-	-	2	9	-	2
Of urinary organs-180,181	53	12	41	41	-	-	-	-	-	-	-	-	-
Of other sites, etc.*-156B,165,190-199	124	34	90	78	-	-	-	-	-	6	4	-	2
Leukemia and aleukemia-204	51	7	44	41	-	-	-	-	-	1	2	-	-
Lymphosarcoma, etc.*-200-203,205	56	15	41	40	-	-	-	-	-	1	-	-	-
Benign neoplasms, etc.*-210-239	19	2	17	16	-	-	-	-	-	-	1	-	-
Asthma-241	20	11	9	7	-	-	-	-	-	-	2	-	-
Diabetes mellitus-260	111	21	90	79	-	-	-	-	-	4	4	-	3
Anemias-290-293	19	6	13	10	-	-	-	-	-	2	1	-	-
Nonmeningococcal meningitis, etc.*-340	7	-	7	7	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases-330-334,400-468,592-594	3,359	1,239	2,120	1,722	1	1	8	-	-	109	240	-	39
Diseases of cardiovascular system-330-334,400-468	3,331	1,236	2,095	1,697	1	1	8	-	-	109	240	-	39
Vascular lesions affecting central nervous system-330-334	802	197	605	493	-	-	2	-	-	13	84	-	13
Diseases of heart-400-402,410-443	2,292	985	1,307	1,076	1	1	5	-	-	70	134	-	20
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	62	21	41	38	-	-	-	-	-	2	1	-	-
Arteriosclerotic heart dis., etc.*-420	1,721	794	927	798	1	1	5	-	-	30	76	-	16
Nonrheumatic chronic endocarditis, etc.*-421,422	185	66	119	78	-	-	-	-	-	11	29	-	1
Other diseases of heart-430-434	150	59	91	61	-	-	-	-	-	26	4	-	-
Hypertensive heart disease-440-443	174	45	129	101	-	-	-	-	-	1	24	-	3
Other hypertensive disease-444-447	43	7	36	27	-	-	-	-	-	3	5	-	1
General arteriosclerosis-450	150	37	113	70	-	-	1	-	-	21	17	-	4
Other diseases of circulatory system-451-468	44	10	34	31	-	-	-	-	-	2	-	-	1
Chronic nephritis, etc.*-592-594	28	3	25	25	-	-	-	-	-	-	-	-	-
Influenza and pneumonia, etc.*-480-493	220	58	162	125	-	1	-	-	-	29	4	-	3
Influenza-480-483	15	5	10	9	-	-	-	-	-	1	-	-	-
Pneumonia, etc.*-490-493	205	53	152	116	-	1	-	-	-	28	4	-	3
Bronchitis-500-502	7	3	4	4	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum-540,541	29	3	26	25	-	-	-	-	-	1	-	-	-
Appendicitis-550-553	9	-	9	9	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction-560,561,570	44	7	37	35	-	-	-	-	-	2	-	-	-
Gastritis, duodenitis, etc.*-543,571,572	34	6	28	27	-	-	-	-	-	-	1	-	-
Cirrhosis of liver-581	32	3	29	27	-	-	1	-	-	1	-	-	-
Cholelithiasis, cholecystitis, etc.*-584,585	31	4	27	27	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*-590,591	8	1	7	5	-	1	-	-	-	-	-	-	1
Infections of kidney-600	18	4	14	12	-	-	-	-	-	2	-	-	-
Hyperplasia of prostate-610	20	3	17	15	-	-	-	-	-	-	2	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	5	-	5	5	-	-	-	-	-	-	-	-	-
Abortion-650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,660-689	5	-	5	5	-	-	-	-	-	-	-	-	-
Congenital malformations-750-759	85	13	72	69	-	-	-	1	-	-	-	-	2
Certain diseases of early infancy-760-776	251	13	238	224	-	-	-	1	-	-	-	-	13
Birth injuries, etc.*-760-762	114	5	109	104	-	-	-	1	-	-	-	-	4
Infections of newborn-763-768	14	2	12	12	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*-769-776	123	6	117	108	-	-	-	-	-	-	-	-	9
Symptoms, senility, etc.*-780-795	74	44	30	22	-	-	-	-	-	1	7	-	-
All other diseases-Residual	272	76	196	162	-	1	-	-	-	17	13	-	3
Accidents-E800-E962	451	266	185	173	-	-	-	-	-	-	5	-	7
Motor vehicle accidents-E810-E835	221	142	79	75	-	-	-	-	-	-	1	-	3
Other accidents-E800-E802,E840-E962	230	124	106	98	-	-	-	-	-	-	4	-	4
Suicide-E963,E970-E979	80	68	12	11	-	-	-	-	-	1	-	-	-
Homicide-E964,E980-E985	6	5	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
TENNESSEE													
All causes	32,385	15,578	16,807	13,648	19	408	324	117	239	805	916	12	319
Tuberculosis, all forms—001-019	361	111	250	78	-	150	-	-	3	10	3	-	6
Tuberculosis of respiratory system—001-008	327	107	220	58	-	142	-	-	3	10	2	-	5
Tuberculosis, other forms—010-019	34	4	30	20	-	8	-	-	-	-	1	-	1
Syphilis and its sequelae—020-029	49	10	39	25	-	-	1	-	-	12	1	-	-
Dysentery, all forms—045-048	6	3	3	3	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	5	1	4	4	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	7	2	5	5	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	22	1	21	18	-	-	-	-	1	-	-	-	2
Acute poliomyelitis—080	2	-	2	1	-	-	-	1	-	-	-	-	-
Measles—085	17	6	11	11	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	117	29	88	79	-	2	-	4	2	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,268	1,915	2,353	2,059	-	68	34	27	17	27	88	1	32
Of buccal cavity and pharynx—140-148	104	56	48	37	-	2	1	-	1	2	4	-	1
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,328	641	687	611	-	8	13	5	4	8	29	-	9
Of respiratory system (not secondary)-160-164	589	213	376	326	-	31	4	-	2	2	8	-	3
Of breast—170	350	176	174	144	-	7	-	2	2	4	9	-	6
Of genital organs—171-179	727	382	345	297	-	9	10	2	3	6	14	1	3
Of urinary organs—180,181	180	86	94	84	-	2	1	2	1	1	3	-	-
Of other sites, etc.*—156B,165,190-199	561	264	297	258	-	6	3	3	2	3	19	-	3
Leukemia and aleukemia—204	219	39	180	164	-	1	2	10	-	-	1	-	2
Lymphosarcoma, etc.*—200-203,205	210	58	152	138	-	2	-	3	2	1	1	-	5
Benign neoplasms, etc.*—210-239	85	18	67	65	-	1	-	-	-	-	-	-	1
Asthma—241	118	66	52	48	-	2	-	-	-	-	1	-	1
Diabetes mellitus—260	364	149	215	196	-	2	1	-	3	1	7	-	5
Anemias—280-293	73	18	55	50	-	1	-	1	2	-	1	-	-
Nonmeningococcal meningitis, etc.*—340	42	2	40	37	1	-	-	2	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	17,221	8,998	8,223	6,323	8	158	281	19	92	503	669	4	166
Diseases of cardiovascular system—330-334,400-468	16,910	8,849	8,061	6,178	8	158	281	18	90	502	658	4	164
Vascular lesions affecting central nervous system—330-334	4,711	2,246	2,465	1,790	2	52	114	3	20	168	254	2	60
Diseases of heart—400-402,410-443	10,856	6,016	4,840	3,832	4	103	107	14	56	308	325	2	89
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	288	130	158	138	-	2	-	2	5	1	6	-	4
Arteriosclerotic heart dis., etc.*—420	7,094	3,841	3,253	2,609	2	61	82	8	37	229	178	2	45
Nonrheumatic chronic endocarditis, etc.*—421,422	1,176	728	448	303	1	28	3	2	4	46	50	-	11
Other diseases of heart—430-434	655	417	238	183	-	4	1	1	6	21	10	-	12
Hypertensive heart disease—440-443	1,643	900	743	599	1	8	21	1	4	11	81	-	17
Other hypertensive disease—444-447	323	146	177	163	1	-	1	-	1	-	8	-	3
General arteriosclerosis—450	642	353	289	151	-	-	53	-	3	9	67	-	6
Other diseases of circulatory system-451-468	378	88	290	242	1	3	6	1	10	17	4	-	6
Chronic nephritis, etc.*—592-594	311	149	162	145	-	-	-	1	2	1	11	-	2
Influenza and pneumonia, etc.*—480-493	1,356	653	703	514	-	7	2	8	13	105	46	-	8
Influenza—480-483	225	159	66	55	-	-	-	1	-	1	8	-	1
Pneumonia, etc.*—490-493	1,131	494	637	459	-	7	2	7	13	104	38	-	7
Bronchitis—500-502	63	32	31	27	-	-	-	-	2	1	-	-	1
Ulcer of stomach and duodenum—540,541	186	27	159	143	-	1	-	-	6	4	1	-	4
Appendicitis—550-553	32	2	30	29	-	-	-	1	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	147	16	131	118	-	-	-	2	3	1	3	-	4
Gastritis, duodenitis, etc.*—543,571,572	129	44	85	76	-	-	-	5	1	-	2	-	1
Cirrhosis of liver—581	207	46	161	156	-	1	-	-	1	1	2	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	76	12	64	61	-	-	-	-	-	-	1	-	2
Acute nephritis, etc.*—590,591	57	16	41	35	-	-	-	2	1	2	-	-	1
Infections of kidney—600	152	27	125	112	-	-	-	-	2	6	3	-	2
Hyperplasia of prostate—610	84	26	58	55	-	-	-	-	-	-	2	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	38	8	30	28	-	-	-	-	-	-	-	-	2
Abortion—650-652	4	-	4	4	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	34	8	26	24	-	-	-	-	-	-	-	-	2
Congenital malformations—750-759	413	73	340	307	-	2	-	17	5	-	2	-	7
Certain diseases of early infancy—760-776	1,452	106	1,346	1,275	9	-	1	12	14	-	1	-	34
Birth injuries, etc.*—760-762	562	26	536	531	4	-	-	5	6	-	1	-	9
Infections of newborn—763-768	132	26	106	99	-	-	-	3	-	-	-	-	4
Other diseases of infancy, etc.*—769-776	738	54	684	645	5	-	1	4	8	-	-	-	21
Symptoms, senility, etc.*—780-795	1,516	1,172	344	227	-	1	-	2	34	51	18	2	9
All other diseases—Residual	1,246	440	806	628	1	12	4	11	18	76	40	4	12
Accidents—E800-E962	1,825	1,063	762	709	-	-	-	3	12	1	24	1	12
Motor vehicle accidents—E810-E835	779	421	358	339	-	-	-	1	7	-	3	-	8
Other accidents—E800-E802,E840-E962	1,046	642	404	370	-	-	-	2	5	1	21	1	4
Suicide—E963,E970-E979	363	304	59	50	-	-	-	-	3	3	-	-	3
Homicide—E964,E980-E985	285	182	103	95	-	-	-	-	4	1	-	-	3

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
TEXAS													
All causes	73,351	32,382	40,969	33,420	92	392	707	712	67	1,492	2,391	22	1,674
Tuberculosis, all forms—001-019	724	209	515	247	2	210	19	9	2	15	1	-	10
Tuberculosis of respiratory system—001-008	673	203	470	216	2	200	16	8	2	15	1	-	10
Tuberculosis, other forms—010-019	51	6	45	31	-	10	3	1	-	-	-	-	-
Syphilis and its sequelae—020-029	216	70	146	114	-	1	5	-	1	20	2	-	3
Dysentery, all forms—045-048	120	60	60	55	-	-	1	-	-	-	-	-	4
Scarlet fever and strep. sore throat—050,051	12	7	5	5	-	-	-	-	-	-	-	-	-
Diphtheria—055	8	4	4	3	1	-	-	-	-	-	-	-	-
Whooping cough—056	24	10	14	9	-	-	2	1	-	-	-	-	2
Meningococcal infections—057	29	5	24	22	-	-	1	-	-	-	-	-	1
Acute poliomyelitis—080	20	1	19	17	-	-	1	-	-	-	-	-	1
Measles—085	52	15	37	34	-	-	1	-	1	1	-	-	-
Other infective and parasitic dis.—Residual[1]	394	83	311	277	2	2	3	9	1	6	3	1	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	10,482	3,945	6,537	5,477	2	55	79	364	2	106	244	2	206
Of buccal cavity and pharynx—140-148	262	125	137	111	-	3	1	9	-	-	9	-	4
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	3,217	1,321	1,896	1,630	-	9	25	62	2	34	71	-	63
Of respiratory system (not secondary)—160-164	1,676	510	1,166	1,016	-	29	12	49	-	11	20	-	29
Of breast—170	858	340	518	413	1	-	9	35	-	14	25	-	21
Of genital organs—171-179	1,689	763	926	739	-	4	16	41	-	27	56	1	42
Of urinary organs—180,181	513	209	304	248	-	-	3	23	-	6	14	-	10
Of other sites, etc.*—156B,165,190-199	1,155	468	687	573	1	7	4	40	-	9	32	1	20
Leukemia and aleukemia—204	576	90	486	408	-	2	6	53	-	3	7	-	7
Lymphosarcoma, etc.*—200-203,205	536	119	417	339	-	1	3	52	-	2	10	-	10
Benign neoplasms, etc.*—210-239	183	37	146	128	-	-	1	5	-	8	2	-	2
Asthma—241	255	133	122	111	-	1	2	-	-	2	4	-	2
Diabetes mellitus—260	1,031	376	655	562	1	1	7	2	-	20	35	-	27
Anemias—290-293	142	33	109	98	1	1	2	1	-	1	2	-	3
Nonmeningococcal meningitis, etc.*—340	138	15	123	103	-	-	6	8	1	-	1	-	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	36,240	18,389	17,851	13,922	28	74	231	88	26	870	1,663	6	943
Diseases of cardiovascular system—330-334,400-468	35,528	18,101	17,427	13,570	28	72	219	87	25	862	1,636	6	922
Vascular lesions affecting central nervous system—330-334	8,617	3,711	4,906	3,538	6	15	86	41	5	251	632	3	329
Diseases of heart—400-402,410-443	24,474	13,384	11,090	8,950	20	54	106	31	20	542	849	3	515
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	467	173	294	273	-	2	3	1	-	3	7	-	5
Arteriosclerotic heart dis., etc.*—420	17,324	9,540	7,784	6,425	14	44	74	27	8	351	522	3	316
Nonrheumatic chronic endocarditis, etc.*—421,422	1,916	1,030	886	540	1	1	7	2	5	108	143	-	79
Other diseases of heart—430-434	2,107	1,335	772	610	1	4	10	-	1	47	57	-	42
Hypertensive heart disease—440-443	2,660	1,306	1,354	1,102	4	3	12	1	6	33	120	-	73
Other hypertensive disease—444-447	561	218	343	290	1	-	1	1	-	4	31	-	15
General arteriosclerosis—450	1,130	589	541	315	-	-	16	13	-	42	112	-	43
Other diseases of circulatory system—451-468	746	199	547	477	1	3	10	1	-	23	12	-	20
Chronic nephritis, etc.*—592-594	712	288	424	352	-	2	12	1	1	8	27	-	21
Influenza and pneumonia, etc.*—480-493	3,014	1,294	1,720	1,193	6	13	46	38	6	204	135	4	75
Influenza—480-483	411	263	148	113	-	2	-	2	-	2	19	-	10
Pneumonia, etc.*—490-493	2,603	1,031	1,572	1,080	6	11	46	36	6	202	116	4	65
Bronchitis—500-502	159	49	110	99	-	1	-	1	-	1	2	-	6
Ulcer of stomach and duodenum—540,541	366	57	309	274	-	1	10	4	1	9	3	-	7
Appendicitis—550-553	79	7	72	67	-	-	-	1	-	1	-	-	3
Hernia and intestinal obstruction—560,561,570	451	64	387	338	-	1	7	3	1	22	5	-	10
Gastritis, duodenitis, etc.*—543,571,572	767	231	536	457	9	-	16	16	-	9	7	-	22
Cirrhosis of liver—581	657	171	486	449	-	1	10	6	1	6	7	-	6
Cholelithiasis, cholecystitis, etc.*—584,585	161	21	140	134	-	-	1	-	-	2	2	-	1
Acute nephritis, etc.*—590,591	132	30	102	96	-	-	-	2	-	-	2	-	2
Infections of kidney—600	290	73	217	172	1	-	7	1	-	7	22	1	6
Hyperplasia of prostate—610	222	68	154	122	-	-	6	1	-	2	12	-	11
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	119	16	103	95	1	-	2	-	-	-	1	-	4
Abortion—650-652	23	5	18	17	-	-	1	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	96	11	85	78	1	-	1	-	-	-	1	-	4
Congenital malformations—750-759	1,155	169	986	843	4	3	29	63	-	13	4	5	22
Certain diseases of early infancy—760-776	4,356	407	3,949	3,657	21	-	110	44	1	4	20	-	92
Birth injuries, etc.*—760-762	1,714	87	1,627	1,517	7	-	48	12	1	-	9	-	33
Infections of newborn—763-768	500	118	382	346	2	-	11	13	-	-	2	-	8
Other diseases of infancy, etc.*—769-776	2,142	202	1,940	1,794	12	-	51	19	-	4	9	-	51
Symptoms, senility, etc.*—780-795	1,301	951	350	212	2	1	5	2	2	15	63	1	47
All other diseases—Residual	3,234	1,178	2,056	1,675	4	20	37	29	14	102	95	2	78
Accidents—E800-E962	5,230	3,016	2,214	1,985	7	4	48	14	2	40	52	-	62
Motor vehicle accidents—E810-E835	2,469	1,440	1,029	974	5	-	18	1	-	1	3	-	27
Other accidents—E800-E802,E840-E962	2,761	1,576	1,185	1,011	2	4	30	13	2	39	49	-	35
Suicide—E963,E970-E979	858	683	175	159	-	2	3	-	-	5	2	-	4
Homicide—E964,E980-E985	730	505	225	209	-	-	9	-	5	1	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
				Nonresident						Resident			
			Total, in institution	General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	Type of service not specified
UTAH													
All causes	5,842	2,625	3,217	2,796	10	11		24	3	107	202	-	64
Tuberculosis, all forms—001-019	21	3	18	8	-	9	-	1	-	-	-	-	-
Tuberculosis of respiratory system—001-008	19	3	16	7	-	9	-	-	-	-	-	-	-
Tuberculosis, other forms—010-019	2	-	2	1	-	-	-	1	-	-	-	-	-
Syphilis and its sequelae—020-029	10	4	6	6	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	2	1	1	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	2	1	1	1	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	2	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	37	2	35	35	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	773	343	430	403	-	1	-	2	-	2	11	-	11
Of buccal cavity and pharynx—140-148	17	7	10	9	-	-	-	-	-	-	1	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	246	128	118	111	-	-	-	-	-	1	3	-	3
Of respiratory system (not secondary)—160-164	81	32	49	46	-	-	-	-	-	-	1	-	2
Of breast—170	72	42	30	29	-	-	-	1	-	-	-	-	-
Of genital organs—171-179	130	59	71	65	-	-	-	-	-	-	4	-	2
Of urinary organs—180,181	37	7	30	29	-	-	-	-	-	1	-	-	-
Of other sites, etc.*—156B,165,190-199	107	47	60	53	-	-	-	1	-	-	2	-	4
Leukemia and aleukemia—204	45	7	38	37	-	1	-	-	-	-	-	-	-
Lymphosarcoma, etc.*—200-203,205	38	14	24	24	-	-	-	-	-	-	-	-	-
Benign neoplasms, etc.*—210-239	22	2	20	18	-	-	-	1	-	-	1	-	-
Asthma—241	21	13	8	7	-	-	-	-	-	1	-	-	-
Diabetes mellitus—260	94	34	60	56	-	-	-	-	-	1	3	-	-
Anemias—290-293	17	7	10	9	-	-	-	1	-	-	-	-	-
Nonmeningococcal meningitis, etc.*—340	6	1	5	5	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,768	1,420	1,348	1,112	1	-	-	3	1	66	135	-	30
Diseases of cardiovascular system—330-334,400-468	2,716	1,407	1,309	1,076	1	-	-	3	1	64	134	-	30
Vascular lesions affecting central nervous system—330-334	578	257	321	274	-	-	-	2	-	7	34	-	4
Diseases of heart—400-402,410-443	1,959	1,095	864	703	1	-	-	1	1	51	83	-	24
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	128	43	85	82	-	-	-	-	-	2	-	-	1
Arteriosclerotic heart dis., etc.*—420	1,309	767	542	463	1	-	-	-	1	16	47	-	14
Nonrheumatic chronic endocarditis, etc.*—421,422	226	116	110	59	-	-	-	-	-	24	23	-	4
Other diseases of heart—430-434	91	49	42	33	-	-	-	1	-	3	3	-	2
Hypertensive heart disease—440-443	205	120	85	66	-	-	-	-	-	6	10	-	3
Other hypertensive disease—444-447	21	7	14	13	-	-	-	-	-	-	-	-	1
General arteriosclerosis—450	86	34	52	31	-	-	-	-	-	3	17	-	1
Other diseases of circulatory system—451-468	72	14	58	55	-	-	-	-	-	3	-	-	-
Chronic nephritis, etc.*—592-594	52	13	39	36	-	-	-	-	-	2	1	-	-
Influenza and pneumonia, etc.*—480-493	202	67	135	100	-	1	-	-	-	14	15	-	5
Influenza—480-483	18	13	5	3	-	-	-	-	-	1	-	-	1
Pneumonia, etc.*—490-493	184	54	130	97	-	1	-	-	-	13	15	-	4
Bronchitis—500-502	16	7	9	8	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum—540,541	60	5	55	54	-	-	-	-	-	1	-	-	-
Appendicitis—550-553	2	-	2	2	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	42	4	38	37	-	-	-	-	-	1	-	-	-
Gastritis, duodenitis, etc.*—543,571,572	24	3	21	17	-	-	-	2	-	2	-	-	-
Cirrhosis of liver—581	53	11	42	41	-	-	-	-	-	-	1	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	13	1	12	10	-	-	-	-	-	1	-	-	1
Acute nephritis, etc.*—590,591	4	1	3	3	-	-	-	-	-	-	-	-	-
Infections of kidney—600	24	3	21	18	-	-	-	-	-	-	3	-	-
Hyperplasia of prostate—610	5	1	4	4	-	-	-	-	-	-	-	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	8	2	6	6	-	-	-	-	-	-	-	-	-
Abortion—650-652	1	1	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	7	1	6	6	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	137	21	116	104	1	-	-	7	-	1	-	-	3
Certain diseases of early infancy—760-776	346	3	343	328	7	-	-	4	-	-	-	-	4
Birth injuries, etc.*—760-762	172	1	171	170	-	-	-	-	-	-	-	-	1
Infections of newborn—763-768	21	2	19	19	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	153	-	153	139	7	-	-	4	-	-	-	-	3
Symptoms, senility, etc.*—780-795	258	212	46	23	-	-	-	-	1	1	21	-	-
All other diseases—Residual	305	101	204	181	1	-	-	2	-	9	9	-	2
Accidents—E800-E962	495	299	196	183	-	-	-	1	-	3	2	-	7
Motor vehicle accidents—E810-E835	200	120	80	78	-	-	-	1	-	-	-	-	1
Other accidents—E800-E802,E840-E962	295	179	116	105	-	-	-	-	-	3	2	-	6
Suicide—E963,E970-E979	61	45	16	11	-	-	-	-	-	4	-	-	1
Homicide—E964,E980-E985	12	6	6	5	-	-	-	-	1	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VERMONT													
All causes	4,295	1,598	2,697	1,962	2	17	-	3	6	231	392	-	84
Tuberculosis, all forms—001-019	29	5	24	6	-	14	-	-	-	4	-	-	-
Tuberculosis of respiratory system—001-008	28	5	23	5	-	14	-	-	-	4	-	-	-
Tuberculosis, other forms—010-019	1	-	1	1	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	2	1	1	-	-	-	-	-	-	1	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	-	1	1	-	-	-	-	-	-	-	-	-
Measles—085	2	1	1	1	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	9	3	6	6	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	674	180	494	416	-	1	-	1	1	13	50	-	10
Of buccal cavity and pharynx—140-148	15	2	13	11	-	-	-	-	-	1	1	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	239	75	164	141	-	1	-	-	1	4	14	-	3
Of respiratory system (not secondary)—160-164	89	20	69	59	-	-	-	-	-	2	7	-	1
Of breast—170	60	16	44	36	-	-	-	-	-	2	3	-	3
Of genital organs—171-179	117	38	79	65	-	-	-	-	-	1	12	-	1
Of urinary organs—180,181	35	7	28	21	-	-	-	-	-	1	5	-	1
Of other sites, etc.*—156B,165,190-199	59	16	43	37	-	-	-	-	-	1	4	-	1
Leukemia and aleukemia—204	26	2	24	21	-	-	-	1	-	1	1	-	-
Lymphosarcoma, etc.*—200-203,205	34	4	30	27	-	-	-	-	-	-	3	-	-
Benign neoplasms, etc.*—210-239	10	3	7	6	-	-	-	-	-	-	1	-	-
Asthma—241	14	4	10	10	-	-	-	-	-	-	-	-	-
Diabetes mellitus—260	49	16	33	23	-	-	-	-	-	3	6	-	1
Anemias—290-293	4	1	3	3	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*—340	7	1	6	5	-	-	-	-	-	1	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,449	1,021	1,428	954	-	1	-	-	4	124	282	-	63
Diseases of cardiovascular system—330-334,400-468	2,431	1,014	1,417	945	-	1	-	-	4	124	281	-	62
Vascular lesions affecting central nervous system—330-334	553	160	393	232	-	-	-	-	1	54	92	-	14
Diseases of heart—400-402,410-443	1,674	792	882	626	-	-	-	-	2	62	155	-	37
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	59	21	38	37	-	-	-	-	-	-	1	-	-
Arteriosclerotic heart dis., etc.*—420	1,297	651	646	464	-	-	-	-	2	46	106	-	28
Nonrheumatic chronic endocarditis, etc.*—421,422	150	69	81	41	-	-	-	-	-	9	25	-	6
Other diseases of heart—430-434	37	15	22	15	-	-	-	-	-	4	2	-	1
Hypertensive heart disease—440-443	131	36	95	69	-	-	-	-	-	3	21	-	2
Other hypertensive disease—444-447	39	11	28	17	-	-	-	-	-	1	6	-	4
General arteriosclerosis—450	113	41	72	34	-	1	-	-	1	2	28	-	6
Other diseases of circulatory system—451-468	52	10	42	36	-	-	-	-	-	5	-	-	1
Chronic nephritis, etc.*—592-594	18	7	11	9	-	-	-	-	-	-	1	-	1
Influenza and pneumonia, etc.*—480-493	156	28	128	64	-	-	-	-	-	40	22	-	2
Influenza—480-483	10	3	7	6	-	-	-	-	-	-	-	-	1
Pneumonia, etc.*—490-493	146	25	121	58	-	-	-	-	-	40	22	-	1
Bronchitis—500-502	9	4	5	3	-	-	-	-	-	-	2	-	-
Ulcer of stomach and duodenum—540,541	26	2	24	21	-	-	-	-	-	1	2	-	-
Appendicitis—550-553	3	-	3	3	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	31	2	29	21	-	-	-	-	-	5	3	-	-
Gastritis, duodenitis, etc.*—543,571,572	20	2	18	16	-	-	-	-	-	-	2	-	-
Cirrhosis of liver—581	25	4	21	20	-	-	-	-	-	1	-	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	6	-	6	5	-	-	-	-	-	1	-	-	-
Acute nephritis, etc.*—590,591	3	-	3	2	-	-	-	-	-	-	-	-	1
Infections of kidney—600	15	2	13	12	-	-	-	-	-	1	-	-	-
Hyperplasia of prostate—610	18	4	14	8	-	-	-	-	-	1	3	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	2	2	-	-	-	-	-	-	-	-	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	2	2	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	39	5	34	33	-	-	-	1	-	-	-	-	-
Certain diseases of early infancy—760-776	138	4	134	132	2	-	-	-	-	-	-	-	-
Birth injuries, etc.*—760-762	61	2	59	58	1	-	-	-	-	-	-	-	-
Infections of newborn—763-768	6	-	6	6	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	71	2	69	68	1	-	-	-	-	-	-	-	-
Symptoms; senility, etc.*—780-795	81	69	12	3	-	-	-	-	-	4	4	-	1
All other diseases—Residual	176	40	136	97	-	1	-	1	-	22	14	-	1
Accidents—E800-E962	231	135	96	83	-	-	-	-	1	9	1	-	2
Motor vehicle accidents—E810-E835	83	53	30	29	-	-	-	-	-	-	-	-	1
Other accidents—E800-E802,E840-E962	148	82	66	54	-	-	-	-	1	9	1	-	1
Suicide—E963,E970-E979	59	52	7	6	-	-	-	-	-	-	-	-	1
Homicide—E964,E980-E985	7	7	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
VIRGINIA													
All causes	33,131	14,987	18,144	14,824	23	112	90	133	19	1,269	1,433	8	233
Tuberculosis, all forms—001-019	289	80	209	105	-	72	-	2	3	19	2	-	6
Tuberculosis of respiratory system—001-008	261	74	187	84	-	72	-	2	3	19	2	-	5
Tuberculosis, other forms—010-019	28	6	22	21	-	-	-	-	-	-	-	-	1
Syphilis and its sequelae—020-029	78	33	45	28	-	-	-	1	-	16	-	-	-
Dysentery, all forms—045-048	10	2	8	6	-	-	-	-	-	2	-	-	-
Scarlet fever and strep. sore throat—050,051	2	1	1	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	9	6	3	3	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	27	6	21	21	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	11	1	10	10	-	-	-	-	-	-	-	-	-
Measles—085	18	11	7	7	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	107	14	93	86	-	2	-	-	-	5	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,405	1,733	2,672	2,345	2	20	5	19	2	78	176	3	22
Of buccal cavity and pharynx—140-148	89	41	48	44	-	-	-	-	-	1	3	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,377	565	812	724	1	1	3	3	-	22	52	1	5
Of respiratory system (not secondary)-160-164	633	224	409	351	1	13	-	3	2	16	21	-	2
Of breast—170	389	155	234	199	-	-	1	3	-	3	22	2	4
Of genital organs—171-179	693	311	382	334	-	-	1	2	-	11	33	-	1
Of urinary organs—180,181	212	80	132	113	-	2	-	1	-	2	13	-	1
Of other sites, etc.*—156B,165,190-199	606	256	350	295	-	2	-	5	-	16	26	-	6
Leukemia and aleukemia—204	193	43	150	144	-	1	-	-	-	2	2	-	1
Lymphosarcoma, etc.*—200-203,205	213	58	155	141	-	1	-	2	-	5	4	-	2
Benign neoplasms, etc.*—210-239	108	24	84	70	-	1	-	-	-	8	5	-	-
Asthma—241	115	59	56	52	-	-	-	-	-	1	3	-	-
Diabetes mellitus—260	436	164	272	234	-	-	-	4	-	10	21	-	3
Anemias—290-293	65	12	53	48	-	-	-	-	-	2	3	-	-
Nonmeningococcal meningitis, etc.*—340	59	5	54	52	-	-	-	-	-	1	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	17,721	9,093	8,628	6,493	4	8	76	68	7	733	1,072	3	164
Diseases of cardiovascular system—330-334,400-468	17,382	8,963	8,419	6,302	4	7	76	68	7	729	1,061	3	162
Vascular lesions affecting central nervous system—330-334	4,241	1,871	2,370	1,670	3	-	43	25	2	191	368	-	68
Diseases of heart—400-402,410-443	11,888	6,606	5,282	4,098	1	6	23	28	5	461	579	3	78
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	318	133	185	169	-	1	1	1	-	4	8	-	1
Arteriosclerotic heart dis., etc.*—420	7,851	4,430	3,421	2,708	1	4	17	15	4	332	294	3	43
Nonrheumatic chronic endocarditis, etc.*—421,422	1,244	785	459	274	-	1	4	4	-	59	106	-	11
Other diseases of heart—430-434	532	284	248	193	-	-	1	3	-	25	25	-	1
Hypertensive heart disease—440-443	1,943	974	969	754	-	-	-	5	1	41	146	-	22
Other hypertensive disease—444-447	294	110	184	142	-	-	-	1	-	15	26	-	-
General arteriosclerosis—450	564	280	284	136	-	-	10	14	-	35	77	-	12
Other diseases of circulatory system-451-468	395	96	299	256	-	1	-	-	-	27	11	-	4
Chronic nephritis, etc.*—592-594	339	130	209	191	-	1	-	-	-	4	11	-	2
Influenza and pneumonia, etc.*—480-493	1,253	521	732	489	-	2	3	4	1	178	44	-	11
Influenza—480-483	90	68	22	15	-	-	-	-	-	-	5	-	2
Pneumonia, etc.*—490-493	1,163	453	710	474	-	2	3	4	1	178	39	-	9
Bronchitis—500-502	90	44	46	40	-	-	-	2	-	2	2	-	-
Ulcer of stomach and duodenum—540,541	170	29	141	132	-	2	-	1	-	3	2	-	1
Appendicitis—550-553	38	4	34	34	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	182	21	161	149	-	-	-	1	1	6	4	-	-
Gastritis, duodenitis, etc.*—543,571,572	162	36	126	120	-	-	-	2	-	3	1	-	-
Cirrhosis of liver—581	283	73	210	193	-	1	-	1	-	12	3	-	-
Cholelithiasis, cholecystitis, etc.*—584,585	61	4	57	56	-	-	-	-	-	1	-	-	-
Acute nephritis, etc.*—590,591	45	12	33	26	-	-	-	-	-	3	4	-	-
Infections of kidney—600	180	32	148	128	-	-	-	3	-	10	7	-	-
Hyperplasia of prostate—610	89	19	70	61	-	-	-	1	-	4	4	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	46	7	39	39	-	-	-	-	-	-	-	-	-
Abortion—650-652	5	-	5	5	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	41	7	34	34	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	486	86	400	376	2	-	-	7	1	14	-	-	-
Certain diseases of early infancy—760-776	1,855	177	1,678	1,656	12	-	-	2	-	2	-	-	6
Birth injuries, etc.*—760-762	785	61	724	709	9	-	-	2	-	1	-	-	3
Infections of newborn—763-768	161	36	125	124	-	-	-	-	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	909	80	829	823	3	-	-	-	-	1	-	-	2
Symptoms, senility, etc.*—780-795	371	264	107	79	-	1	1	1	-	9	8	1	7
All other diseases—Residual	1,494	617	877	725	2	2	2	10	-	75	50	1	10
Accidents—E800-E962	2,138	1,243	895	799	-	1	2	4	-	67	20	-	2
Motor vehicle accidents—E810-E835	774	478	296	293	-	-	-	-	-	-	3	-	-
Other accidents—E800-E802,E840-E962	1,364	765	599	506	-	1	2	4	-	67	17	-	2
Suicide—E963,E970-E979	426	340	86	79	-	-	1	-	1	4	1	-	-
Homicide—E964,E980-E985	301	214	87	81	1	-	-	-	3	1	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
WASHINGTON													
All causes	25,500	8,393	17,107	12,085	1	199	5	250	31	604	3,482	2	448
Tuberculosis, all forms—001-019	101	8	93	34	-	47	-	1	-	6	5	-	-
Tuberculosis of respiratory system—001-008	91	8	83	28	-	43	-	1	-	6	5	-	-
Tuberculosis, other forms—010-019	10	-	10	6	-	4	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	50	12	38	30	-	-	-	-	-	4	3	-	1
Dysentery, all forms—045-048	4	1	3	2	-	-	-	-	-	-	-	-	1
Scarlet fever and strep. sore throat—050,051	1	-	1	-	-	-	-	-	-	-	-	-	1
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	2	1	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	8	1	7	7	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	4	-	4	4	-	-	-	-	-	-	-	-	-
Measles—085	7	2	5	3	-	-	-	-	2	-	-	-	-
Other infective and parasitic dis.—Residual[1]	70	13	57	44	-	1	-	1	-	8	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,066	888	3,178	2,376	-	42	2	39	6	45	590	-	78
Of buccal cavity and pharynx—140-148	79	14	65	45	-	-	-	1	-	1	14	-	4
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	1,354	310	1,044	789	-	8	-	3	2	15	203	-	24
Of respiratory system (not secondary)—160-164	598	114	484	376	-	21	1	3	3	5	64	-	11
Of breast—170	377	112	265	195	-	-	1	-	-	11	52	-	6
Of genital organs—171-179	619	136	483	318	-	4	-	3	-	6	133	-	19
Of urinary organs—180,181	182	35	147	115	-	1	-	-	-	3	27	-	1
Of other sites, etc.*—156B,165,190-199	438	101	337	235	-	6	-	14	1	2	72	-	7
Leukemia and aleukemia—204	209	25	184	163	-	-	-	13	-	-	4	-	4
Lymphosarcoma, etc.*—200-203,205	210	41	169	140	-	2	-	2	-	2	21	-	2
Benign neoplasms, etc.*—210-239	86	15	71	54	-	-	-	4	1	3	7	-	2
Asthma—241	81	27	54	40	-	1	-	-	-	2	10	-	1
Diabetes mellitus—260	372	95	277	202	-	1	-	1	-	7	60	-	6
Anemias—290-293	43	8	35	24	-	1	-	1	-	-	7	-	2
Nonmeningococcal meningitis, etc.*—340	24	1	23	17	-	-	-	6	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,911	5,206	8,705	5,620	1	61	3	42	11	323	2,380	2	262
Diseases of cardiovascular system—330-334,400-468	13,789	5,188	8,601	5,542	1	60	3	41	10	320	2,362	2	260
Vascular lesions affecting central nervous system—330-334	3,229	670	2,559	1,500	-	22	2	8	3	71	864	-	89
Diseases of heart—400-402,410-443	9,658	4,362	5,296	3,583	1	29	-	30	6	225	1,271	2	149
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	342	104	238	203	-	3	-	2	-	6	19	-	5
Arteriosclerotic heart dis., etc.*—420	7,231	3,625	3,606	2,494	-	21	-	22	6	173	778	2	110
Nonrheumatic chronic endocarditis, etc.*—421,422	673	199	474	265	1	-	-	4	-	15	176	-	13
Other diseases of heart—430-434	427	160	267	188	-	2	-	2	-	15	55	-	5
Hypertensive heart disease—440-443	985	274	711	433	-	3	-	-	-	16	243	-	16
Other hypertensive disease—444-447	126	16	110	79	-	1	-	-	-	1	23	-	6
General arteriosclerosis—450	493	95	398	176	-	5	1	2	-	13	189	-	12
Other diseases of circulatory system—451-468	283	45	238	204	-	3	-	1	1	10	15	-	4
Chronic nephritis, etc.*—592-594	122	18	104	78	-	1	-	1	1	3	18	-	2
Influenza and pneumonia, etc.*—480-493	868	253	615	334	-	13	-	13	5	106	131	-	13
Influenza—480-483	35	7	28	19	-	-	-	-	-	-	8	-	1
Pneumonia, etc.*—490-493	833	246	587	315	-	13	-	13	5	106	123	-	12
Bronchitis—500-502	47	18	29	21	-	1	-	5	-	-	2	-	-
Ulcer of stomach and duodenum—540,541	171	17	154	143	-	2	-	-	-	3	4	-	2
Appendicitis—550-553	37	-	37	35	-	-	-	2	-	-	-	-	-
Hernia and intestinal obstruction—560,561,570	125	6	119	105	-	-	-	6	-	2	4	-	2
Gastritis, duodenitis, etc.*—543,571,572	92	8	84	75	-	-	-	-	-	2	6	-	1
Cirrhosis of liver—581	257	37	220	194	-	4	-	1	-	6	12	-	3
Cholelithiasis, cholecystitis, etc.*—584,585	65	4	61	57	-	-	-	-	-	1	3	-	-
Acute nephritis, etc.*—590,591	26	3	23	20	-	-	-	-	-	1	2	-	-
Infections of kidney—600	83	2	81	63	-	2	-	2	-	3	9	-	2
Hyperplasia of prostate—610	80	4	76	60	-	-	-	-	-	2	13	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	10	-	10	9	-	-	-	-	-	-	-	-	1
Abortion—650-652	1	-	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	9	-	9	8	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	361	48	313	232	-	1	-	68	-	1	4	-	7
Certain diseases of early infancy—760-776	1,016	19	997	980	-	1	-	22	-	-	1	-	13
Birth injuries, etc.*—760-762	523	6	517	505	-	-	-	5	-	-	1	-	6
Infections of newborn—763-768	57	8	49	41	-	-	-	7	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	436	5	431	414	-	1	-	10	-	-	-	-	6
Symptoms, senility, etc.*—780-795	182	94	88	52	-	-	-	1	-	3	28	-	4
All other diseases—Residual	1,111	260	851	579	-	15	-	22	5	50	151	-	29
Accidents—E800-E962	1,709	995	714	617	-	5	-	12	1	19	46	-	14
Motor vehicle accidents—E810-E835	667	388	279	268	-	2	-	3	-	1	1	-	4
Other accidents—E800-E802,E840-E962	1,042	607	435	349	-	3	-	9	1	18	45	-	10
Suicide—E963,E970-E979	367	301	66	55	-	1	-	1	-	7	1	-	1
Homicide—E964,E980-E985	63	46	17	16	-	-	-	-	-	-	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
WEST VIRGINIA													
All causes	17,714	7,851	9,863	8,187	5	97	34	34	2	486	699	24	295
Tuberculosis, all forms—001-019	163	38	125	46	-	65	-	-	-	11	1	-	2
Tuberculosis of respiratory system—001-008	149	35	114	36	-	65	-	-	-	10	1	-	2
Tuberculosis, other forms—010-019	14	3	11	10	-	-	-	-	-	1	-	-	-
Syphilis and its sequelae—020-029	47	12	35	24	-	1	-	-	-	9	-	-	1
Dysentery, all forms—045-048	6	2	4	4	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	2	1	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	12	3	9	9	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	12	-	12	7	-	-	-	5	-	-	-	-	-
Measles—085	12	4	8	8	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.—Residual[1]	48	7	41	38	-	-	-	-	-	2	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,455	1,016	1,439	1,297	-	3	1	3	-	19	76	-	40
Of buccal cavity and pharynx—140-148	64	24	40	36	-	-	-	1	-	-	1	-	2
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	783	346	437	403	-	-	-	-	-	8	20	-	6
Of respiratory system (not secondary)-160-164	370	138	232	211	-	1	-	-	-	2	8	-	10
Of breast—170	188	85	103	94	-	-	-	-	-	1	6	-	2
Of genital organs—171-179	372	158	214	188	-	-	-	-	-	3	17	-	6
Of urinary organs—180,181	110	41	69	63	-	-	-	-	-	-	4	-	2
Of other sites, etc.*—156B,165,190-199	329	168	161	137	-	-	1	2	-	2	11	-	8
Leukemia and aleukemia—204	117	18	99	94	-	1	-	-	-	1	3	-	-
Lymphosarcoma, etc.*—200-203,205	122	38	84	71	-	1	-	-	-	2	6	-	4
Benign neoplasms, etc.*—210-239	58	11	47	46	-	-	-	-	-	-	1	-	-
Asthma—241	50	21	29	24	-	-	-	1	-	1	1	1	1
Diabetes mellitus—260	280	103	177	161	-	-	1	-	-	4	7	-	4
Anemias—290-293	49	18	31	23	-	-	-	-	-	1	6	-	1
Nonmeningococcal meningitis, etc.*—340	21	3	18	17	-	-	-	1	-	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	9,632	4,630	5,002	3,944	-	19	22	10	2	323	501	7	174
Diseases of cardiovascular system—330-334,400-468	9,453	4,560	4,893	3,846	-	19	22	10	2	322	495	7	170
Vascular lesions affecting central nervous system—330-334	2,126	829	1,297	958	-	2	9	3	-	111	159	5	50
Diseases of heart—400-402,410-443	6,590	3,449	3,141	2,528	-	17	9	6	2	192	281	2	104
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	174	67	107	101	-	1	-	-	-	-	4	-	1
Arteriosclerotic heart dis., etc.*—420	4,521	2,424	2,097	1,711	-	13	6	2	1	159	148	-	57
Nonrheumatic chronic endocarditis, etc.*—421,422	656	357	299	201	-	1	1	1	1	12	69	-	13
Other diseases of heart—430-434	399	257	142	111	-	1	1	-	-	9	13	1	6
Hypertensive heart disease—440-443	840	344	496	404	-	1	1	3	-	12	47	1	27
Other hypertensive disease—444-447	186	71	115	104	-	-	1	-	-	3	5	-	2
General arteriosclerosis—450	376	165	211	134	-	-	2	-	-	16	46	-	13
Other diseases of circulatory system-451-468	175	46	129	122	-	-	1	1	-	-	4	-	1
Chronic nephritis, etc.*—592-594	179	70	109	98	-	-	-	-	-	1	6	-	4
Influenza and pneumonia, etc.*—480-493	637	257	380	270	-	1	1	-	-	58	40	3	7
Influenza—480-483	68	46	22	19	-	-	-	-	-	1	2	-	-
Pneumonia, etc.*—490-493	569	211	358	251	-	1	1	-	-	57	38	3	7
Bronchitis—500-502	38	16	22	18	-	-	-	-	-	-	-	2	2
Ulcer of stomach and duodenum—540,541	99	18	81	77	-	-	-	-	-	2	1	-	1
Appendicitis—550-553	22	1	21	20	-	-	-	-	-	1	-	-	-
Hernia and intestinal obstruction—560,561,570	103	5	98	91	-	1	1	1	-	1	-	1	2
Gastritis, duodenitis, etc.*—543,571,572	53	15	38	36	-	-	-	-	-	1	-	-	1
Cirrhosis of liver—581	139	42	97	88	-	1	-	1	-	1	3	-	3
Cholelithiasis, cholecystitis, etc.*—584,585	41	6	35	35	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*—590,591	32	11	21	16	-	-	-	-	-	1	1	2	1
Infections of kidney—600	69	11	58	49	-	-	-	-	-	3	2	-	4
Hyperplasia of prostate—610	54	14	40	35	-	-	-	-	-	1	3	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	19	-	19	19	-	-	-	-	-	-	-	-	-
Abortion—650-652	3	-	3	3	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	16	-	16	16	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	236	37	199	185	-	-	-	6	-	-	1	1	6
Certain diseases of early infancy—760-776	670	52	618	593	3	-	-	-	-	-	4	-	18
Birth injuries, etc.*—760-762	309	10	299	290	1	-	-	-	-	-	-	-	8
Infections of newborn—763-768	54	11	43	42	-	-	-	-	-	-	-	-	1
Other diseases of infancy, etc.*—769-776	307	31	276	261	2	-	-	-	-	-	4	-	9
Symptoms, senility, etc.*—780-795	387	308	79	58	1	-	-	1	-	-	15	1	3
All other diseases—Residual	771	259	512	423	1	4	8	2	-	29	27	5	13
Accidents—E800-E962	1,205	688	517	477	-	2	-	3	-	17	9	-	9
Motor vehicle accidents—E810-E835	405	213	192	189	-	-	-	-	-	1	-	-	2
Other accidents—E800-E802,E840-E962	800	475	325	288	-	2	-	3	-	16	9	-	7
Suicide—E963,E970-E979	194	171	23	22	-	-	-	-	-	1	-	-	-
Homicide—E964,E980-E985	98	71	27	26	-	-	-	-	-	-	-	-	1

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
WISCONSIN													
All causes	37,280	12,412	24,868	19,769	85	238	140	120	5	1,549	2,099	43	820
Tuberculosis, all forms—001-019	145	22	123	52	-	62	-	-	-	7	-	-	2
Tuberculosis of respiratory system—001-008	135	20	115	47	-	59	-	-	-	7	-	-	2
Tuberculosis, other forms—010-019	10	2	8	5	-	3	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	35	13	22	17	1	-	-	-	-	2	2	-	-
Dysentery, all forms—045-048	4	-	4	3	-	-	-	1	-	1	-	-	-
Scarlet fever and strep. sore throat—050,051	1	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	2	-	2	2	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	12	-	12	11	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	3	-	3	3	-	-	-	-	-	-	-	-	-
Measles—085	18	8	10	9	-	-	-	-	-	1	-	-	-
Other infective and parasitic dis.—Residual[1]	99	14	85	71	-	-	2	2	-	6	-	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	6,218	1,573	4,645	4,102	15	59	27	16	1	109	239	6	71
Of buccal cavity and pharynx—140-148	121	26	95	81	-	4	1	-	-	4	5	-	-
Of digestive organs and peritoneum (not secondary)—150-156A,157-159	2,367	661	1,706	1,499	4	15	15	-	-	44	98	2	29
Of respiratory system (not secondary)-160-164	654	156	498	445	1	16	2	-	1	13	12	-	8
Of breast—170	573	144	429	379	2	5	2	-	-	11	22	-	8
Of genital organs—171-179	892	223	669	580	3	6	5	-	-	22	36	1	16
Of urinary organs—180,181	362	93	269	233	2	2	-	-	-	8	22	-	2
Of other sites, etc.*—156B,165,190-199	617	156	461	404	-	4	2	4	-	5	37	3	2
Leukemia and aleukemia—204	318	52	266	245	1	4	-	11	-	-	3	-	2
Lymphosarcoma, etc.*—200-203,205	314	62	252	236	2	3	-	1	-	2	4	-	4
Benign neoplasms, etc.*—210-239	87	14	73	67	-	2	-	2	-	1	1	-	-
Asthma—241	106	41	65	56	-	1	-	-	-	4	-	-	4
Diabetes mellitus—260	748	190	558	485	-	1	1	-	-	22	36	-	13
Anemias—290-293	61	19	42	31	1	-	-	2	-	4	3	-	1
Nonmeningococcal meningitis, etc.*—340	46	-	46	29	-	-	1	14	-	1	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	21,220	8,177	13,043	9,572	37	74	98	2	4	1,095	1,566	33	562
Diseases of cardiovascular system—330-334,400-468	20,989	8,129	12,840	9,387	36	73	97	2	3	1,091	1,560	33	558
Vascular lesions affecting central nervous system—330-334	4,703	1,151	3,552	2,606	4	9	25	1	-	254	476	16	159
Diseases of heart—400-402,410-443	14,616	6,549	8,067	5,861	27	56	63	1	3	734	939	10	353
Rheumatic fever and chronic rheumatic heart disease—400-402,410-416	450	140	310	279	2	1	-	-	-	6	12	-	10
Arteriosclerotic heart dis., etc.*—420	10,865	5,233	5,632	4,110	17	47	41	-	1	573	584	6	253
Nonrheumatic chronic endocarditis, etc.*—421,422	1,477	531	946	574	2	6	17	1	2	90	217	3	34
Other diseases of heart—430-434	460	217	243	189	-	1	1	-	-	11	23	-	18
Hypertensive heart disease—440-443	1,364	428	936	729	6	1	4	-	-	54	103	1	38
Other hypertensive disease—444-447	290	76	214	183	-	1	3	-	-	3	15	-	9
General arteriosclerosis—450	953	290	663	408	4	5	5	-	-	85	118	5	33
Other diseases of circulatory system-451-468	407	63	344	309	1	2	1	-	-	15	12	-	4
Chronic nephritis, etc.*—592-594	251	48	203	165	1	1	1	-	1	4	6	-	4
Influenza and pneumonia, etc.*—480-493	1,032	241	791	535	1	10	5	8	-	116	85	2	29
Influenza—480-483	112	35	77	55	-	-	-	-	-	10	9	1	2
Pneumonia, etc.*—490-493	920	206	714	480	1	10	5	8	-	106	76	1	27
Bronchitis—500-502	89	32	57	44	-	-	-	1	-	8	3	1	-
Ulcer of stomach and duodenum—540,541	237	20	217	197	1	3	-	-	-	5	5	-	6
Appendicitis—550-553	51	-	51	48	1	-	-	-	-	-	-	-	2
Hernia and inteetinal obstruction—560,561,570	227	18	209	189	1	-	-	5	-	7	5	-	2
Gastritis, duodenitis, etc.*—543,571,572	160	27	133	117	1	2	-	3	-	4	2	-	4
Cirrhosis of liver—581	355	34	321	293	1	3	-	-	-	12	5	1	6
Cholelithiasis, cholecystitis, etc.*—584,585	149	13	136	132	2	-	-	-	-	2	-	-	-
Acute nephritis, etc.*—590,591	45	6	39	32	-	-	-	2	-	1	3	-	1
Infections of kidney—600	120	13	107	98	-	3	-	1	-	3	2	-	-
Hyperplasia of prostate—610	142	26	116	101	-	1	-	-	-	3	8	-	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	31	1	30	30	-	-	-	-	-	-	-	-	-
Abortion—650-652	2	-	2	2	-	-	-	-	-	-	-	-	-
Other complications, etc.*—640-649,660-689	29	1	28	28	-	-	-	-	-	-	-	-	-
Congenital malformations—750-759	507	74	433	371	2	1	1	40	-	17	-	-	1
Certain diseases of early infancy—760-776	1,385	29	1,356	1,300	13	-	-	13	-	1	-	-	29
Birth injuries, etc.*—760-762	602	10	592	572	1	-	-	3	-	1	-	-	15
Infections of newborn—763-768	62	10	52	46	-	-	-	6	-	-	-	-	-
Other diseases of infancy, etc.*—769-776	721	9	712	682	12	-	-	4	-	-	-	-	14
Symptoms, senility, etc.*—780-795	231	115	116	65	2	-	-	-	-	17	22	-	10
All other diseases—Residual	1,287	314	983	792	2	12	3	7	-	75	79	-	23
Accidents—E800-E962	1,934	979	955	863	4	2	2	1	-	17	31	-	35
Motor vehicle accidents—E810-E835	815	458	357	342	4	-	-	-	-	-	-	-	11
Other accidents—E800-E802,E840-E962	1,119	521	598	521	-	2	2	1	-	17	31	-	24
Suicide—E963,E970-E979	441	374	67	48	-	2	-	-	-	8	2	-	7
Homicide—E964,E980-E985	42	24	18	14	-	-	-	-	-	-	-	-	4

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 83. Deaths From 59 Selected Causes, by Type of Service of Institution in Which Death Occurred: United States and Each State, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Total deaths	Not in institution	TYPE OF SERVICE OF INSTITUTION										
			Total, in institution	Nonresident						Resident			Type of service not specified
				General hospital	Maternity hospital	Tuberculosis hospital	Chronic disease and convalescent hospitals	Other special hospitals	Hospital department of institution	Nervous and mental hospitals	Convalescent and nursing homes, etc.	Other domiciliary institutions	
WYOMING													
All causes	2,536	782	1,754	1,536	-	8	-	2	-	104	86	-	18
Tuberculosis, all forms-001-019	10	1	9	4	-	4	-	-	-	-	-	-	1
Tuberculosis of respiratory system-001-008	10	1	9	4	-	4	-	-	-	-	-	-	1
Tuberculosis, other forms-010-019	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae-020-029	7	-	7	4	-	-	-	-	-	3	-	-	-
Dysentery, all forms-045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep. sore throat-050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria-055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	2	-	2	2	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	4	-	4	4	-	-	-	-	-	-	-	-	-
Measles-085	1	-	1	1	-	-	-	-	-	-	-	-	-
Other infective and parasitic dis.-Residual[1]	13	-	13	12	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	330	57	273	258	-	1	-	1	-	4	8	-	1
Of buccal cavity and pharynx-140-148	5	-	5	5	-	-	-	-	-	-	-	-	-
Of digestive organs and peritoneum (not secondary)-150-156A,157-159	97	12	85	81	-	-	-	-	-	2	2	-	-
Of respiratory system (not secondary)-160-164	50	6	44	40	-	1	-	1	-	-	2	-	-
Of breast-170	38	9	29	28	-	-	-	-	-	1	-	-	-
Of genital organs-171-179	49	9	40	36	-	-	-	-	-	1	2	-	1
Of urinary organs-180,181	20	5	15	14	-	-	-	-	-	-	1	-	-
Of other sites, etc.*-156B,165,190-199	37	8	29	28	-	-	-	-	-	-	-	-	-
Leukemia and aleukemia-204	15	3	12	11	-	-	-	-	-	-	1	-	-
Lymphosarcoma, etc.*-200-203,205	19	5	14	14	-	-	-	-	-	-	-	-	-
Benign neoplasms, etc.*-210-239	13	-	13	13	-	-	-	-	-	-	-	-	-
Asthma-241	11	2	9	8	-	-	-	-	-	-	1	-	-
Diabetes mellitus-260	39	8	31	29	-	-	-	-	-	1	1	-	-
Anemias-290-293	3	-	3	3	-	-	-	-	-	-	-	-	-
Nonmeningococcal meningitis, etc.*-340	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular-renal diseases-330-334,400-468,592-594	1,282	434	848	697	-	1	-	-	-	69	69	-	12
Diseases of cardiovascular system-330-334,400-468	1,265	431	834	683	-	1	-	-	-	69	69	-	12
Vascular lesions affecting central nervous system-330-334	324	71	253	187	-	-	-	-	-	30	31	-	5
Diseases of heart-400-402,410-443	860	343	517	445	-	1	-	-	-	38	28	-	5
Rheumatic fever and chronic rheumatic heart disease-400-402,410-416	41	9	32	31	-	1	-	-	-	-	-	-	-
Arteriosclerotic heart dis., etc.*-420	610	264	346	303	-	-	-	-	-	14	25	-	4
Nonrheumatic chronic endocarditis, etc.*-421,422	101	34	67	43	-	-	-	-	-	23	1	-	-
Other diseases of heart-430-434	38	16	22	22	-	-	-	-	-	-	-	-	-
Hypertensive heart disease-440-443	70	20	50	46	-	-	-	-	-	1	2	-	1
Other hypertensive disease-444-447	10	3	7	6	-	-	-	-	-	-	-	-	1
General arteriosclerosis-450	40	9	31	20	-	-	-	-	-	-	10	-	1
Other diseases of circulatory system-451-468	31	5	26	25	-	-	-	-	-	1	-	-	-
Chronic nephritis, etc.*-592-594	17	3	14	14	-	-	-	-	-	-	-	-	-
Influenza and pneumonia, etc.*-480-493	82	22	60	53	-	-	-	-	-	6	1	-	-
Influenza-480-483	7	3	4	4	-	-	-	-	-	-	-	-	-
Pneumonia, etc.*-490-493	75	19	56	49	-	-	-	-	-	6	1	-	-
Bronchitis-500-502	8	1	7	7	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum-540,541	20	1	19	18	-	-	-	-	-	-	1	-	-
Appendicitis-550-553	3	-	3	3	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction-560,561,570	20	-	20	19	-	-	-	-	-	1	-	-	-
Gastritis, duodenitis, etc.*-543,571,572	16	3	13	12	-	-	-	-	-	1	-	-	-
Cirrhosis of liver-581	23	6	17	16	-	-	-	-	-	-	-	-	1
Cholelithiasis, cholecystitis, etc.*-584,585	10	-	10	10	-	-	-	-	-	-	-	-	-
Acute nephritis, etc.*-590,591	5	-	5	3	-	-	-	-	-	2	-	-	-
Infections of kidney-600	6	-	6	6	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate-610	7	1	6	5	-	-	-	-	-	-	1	-	-
Deliveries and complications of pregnancy, childbirth, and the puerperium-640-689	3	1	2	2	-	-	-	-	-	-	-	-	-
Abortion-650-652	2	1	1	1	-	-	-	-	-	-	-	-	-
Other complications, etc.*-640-649,660-689	1	-	1	1	-	-	-	-	-	-	-	-	-
Congenital malformations-750-759	40	7	33	28	-	1	-	1	-	3	-	-	-
Certain diseases of early infancy-760-776	141	2	139	139	-	-	-	-	-	-	-	-	-
Birth injuries, etc.*-760-762	67	-	67	67	-	-	-	-	-	-	-	-	-
Infections of newborn-763-768	7	-	7	7	-	-	-	-	-	-	-	-	-
Other diseases of infancy, etc.*-769-776	67	2	65	65	-	-	-	-	-	-	-	-	-
Symptoms, senility, etc.*-780-795	19	14	5	4	-	-	-	-	-	-	1	-	-
All other diseases-Residual	123	26	97	81	-	1	-	-	-	11	1	-	3
Accidents-E800-E962	236	148	88	85	-	-	-	-	-	2	1	-	-
Motor vehicle accidents-E810-E835	110	77	33	33	-	-	-	-	-	-	-	-	-
Other accidents-E800-E802,E840-E962	126	71	55	52	-	-	-	-	-	2	1	-	-
Suicide-E963,E970-E979	50	43	7	6	-	-	-	-	-	1	-	-	-
Homicide-E964,E980-E985	9	5	4	4	-	-	-	-	-	-	-	-	-

*For complete category title, see table 81A.

[1]For category numbers, see table 81A.

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuber-culosis, all forms 001-019	Syph-ilis and its seque-lae 020-029	All other infec-tive and para-sitic dis-eases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum, not spec-ified as secondary 150-156A, 157-159	Malignant neoplasm of respir-atory system, not specified as secondary 160-164	Malig-nant neo-plasm of breast 170	Malig-nant neo-plasm of genital organs 171-179	Malig-nant neo-plasm of urinary organs 180,181	Leu-kemia and aleu-kemia 204	Other malig-nant neo-plasms 140-148, 156B, 165, 190-203, 205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Vascular lesions af-fecting central nervous system 330-334	Diseases of heart 400-402, 410-443
1	UNITED STATES	1,647,886	12,361	3,469	7,577	254,428	88,144	35,423	22,675	38,390	12,122	11,980	45,692	27,501	907,316	190,758	637,246
2	Metropolitan counties[1]	972,733	7,921	2,241	3,947	160,625	56,152	23,795	14,998	22,666	7,741	7,150	28,123	16,668	532,764	102,440	385,502
3	Nonmetropolitan counties[1]	675,153	4,440	1,228	3,630	93,801	31,992	11,628	7,677	15,724	4,381	4,830	17,569	10,833	374,552	88,318	251,744
4	ALABAMA	29,521	378	91	198	3,579	1,066	459	271	718	135	171	759	394	15,167	4,058	9,610
5	Metropolitan counties	11,221	166	55	65	1,450	434	221	94	271	56	72	302	141	5,790	1,375	3,870
6	Nonmetropolitan counties	18,300	212	36	133	2,129	632	238	177	447	79	99	457	253	9,377	2,683	5,740
7	Autauga	200	1	-	4	20	8	-	2	5	-	1	4	3	100	23	63
8	Baldwin	420	3	-	3	49	10	11	3	10	2	1	12	5	226	42	157
9	Barbour	311	2	1	3	24	1	3	3	7	-	4	6	5	175	55	101
10	Bibb	177	5	-	3	17	4	3	-	7	-	2	1	4	84	26	51
11	Blount	227	2	-	2	26	9	-	2	8	1	1	5	2	138	47	79
12	Bullock	181	1	-	2	14	6	1	1	6	-	-	-	4	90	17	64
13	Butler	283	3	-	-	34	12	7	-	9	-	1	5	4	133	28	92
14	Calhoun	750	8	1	4	89	25	11	15	17	4	3	14	8	344	80	230
15	Anniston	390	3	1	1	48	11	4	10	10	2	1	10	2	193	46	127
16	Balance of county	360	5	-	3	41	14	7	5	7	2	2	4	6	151	34	103
17	Chambers	388	2	1	1	44	17	5	5	5	2	-	10	4	228	109	104
18	Cherokee	144	-	-	1	21	1	2	3	3	2	2	8	1	74	23	48
19	Chilton	237	2	-	2	32	10	7	2	3	2	-	8	1	135	43	85
20	Choctaw	191	1	1	1	24	8	2	2	3	3	-	6	1	96	23	68
21	Clarke	229	1	1	-	30	10	2	2	8	1	-	7	6	117	31	79
22	Clay	114	-	-	2	13	8	-	1	1	-	2	1	2	63	21	37
23	Cleburne	87	-	-	-	8	1	-	-	5	-	-	2	3	45	10	29
24	Coffee	232	2	2	5	21	6	4	1	4	-	1	5	3	115	30	73
25	Colbert	330	8	-	2	39	12	6	5	6	3	-	7	4	172	57	96
26	Sheffield	104	3	-	-	13	6	2	2	2	-	-	1	2	53	17	33
27	Balance of county	226	5	-	2	26	6	4	3	4	3	-	6	2	119	40	63
28	Conecuh	189	3	1	-	22	7	3	2	5	1	-	4	3	108	31	47
29	Coosa	114	-	-	-	15	8	1	-	1	-	-	5	2	62	8	41
30	Covington	348	4	-	3	45	17	3	2	7	2	-	14	2	172	49	109
31	Crenshaw	178	-	-	1	9	3	2	1	2	1	-	-	2	116	41	69
32	Cullman	353	3	-	2	51	17	9	5	3	1	7	9	2	181	45	113
33	Dale	219	3	1	1	19	5	1	1	4	1	4	3	1	110	37	69
34	Dallas	614	6	4	3	67	13	9	5	17	1	3	19	7	297	106	150
35	Selma	300	4	3	3	42	7	7	4	10	-	1	13	4	150	49	88
36	Balance of county	314	2	1	-	25	6	2	1	7	1	2	6	3	147	57	62
37	De Kalb	329	4	1	-	48	13	4	6	9	2	5	9	8	177	46	104
38	Elmore	297	3	-	1	41	17	5	3	10	1	1	4	2	160	54	90
39	Escambia	325	2	1	5	48	16	3	4	9	1	6	9	3	151	42	101
40	Etowah	805	6	3	3	107	22	13	8	25	3	4	32	4	405	77	284
41	Gadsden	485	5	1	1	68	14	7	6	14	2	2	23	3	245	40	179
42	Balance of county	320	1	2	2	39	8	6	2	11	1	2	9	1	160	37	105
43	Fayette	190	3	-	1	29	9	3	3	5	4	-	5	1	102	29	66
44	Franklin	219	5	-	1	29	9	3	1	5	1	2	8	1	106	38	55
45	Geneva	226	-	-	3	31	5	2	6	8	1	1	8	7	113	30	73
46	Greene	193	1	-	1	19	8	1	4	5	1	-	-	2	90	23	53
47	Hale	214	-	-	1	21	8	2	-	7	-	3	1	3	124	29	84
48	Henry	159	1	-	1	9	3	-	-	3	-	-	3	2	101	36	57
49	Houston	447	6	-	2	54	20	2	7	5	3	3	14	4	229	66	139
50	Dothan	236	6	-	1	27	11	1	1	5	1	1	7	3	121	35	77
51	Balance of county	211	-	-	1	27	9	1	6	-	2	2	7	1	108	31	62
52	Jackson	358	2	-	3	59	17	5	6	10	3	3	15	5	179	52	110
53	Jefferson	5,976	99	33	32	803	259	126	49	141	33	38	157	87	3,056	814	1,956
54	Birmingham	3,666	60	24	20	501	166	73	32	89	18	23	100	61	1,910	485	1,242
55	Bessemer	355	7	3	4	44	18	5	4	7	1	2	7	3	175	52	100
56	Fairfield	129	3	1	-	10	5	1	-	1	1	-	2	1	77	22	47
57	Homewood	137	1	-	-	26	8	4	5	3	1	1	4	-	87	30	49
58	Balance of county	1,689	28	5	8	222	62	43	8	41	12	12	44	22	807	225	518
59	Lamar	164	1	-	3	19	8	3	-	1	1	1	5	2	90	27	56
60	Lauderdale	434	10	-	4	49	13	5	4	8	1	3	15	8	211	60	129
61	Florence	242	6	-	2	33	9	4	4	5	-	1	10	4	119	35	67
62	Balance of county	192	4	-	2	16	4	1	-	3	1	2	5	4	92	25	62
63	Lawrence	196	7	2	3	29	9	2	3	9	2	1	3	2	100	26	68
64	Lee	386	1	1	2	44	10	2	-	22	-	1	9	9	180	46	102
65	Auburn	73	-	-	1	10	3	1	-	6	-	-	-	2	37	9	23
66	Opelika	129	1	1	-	16	3	-	-	6	-	-	7	4	60	15	33
67	Balance of county	184	-	-	1	18	4	1	-	10	-	1	2	3	83	22	46
68	Limestone	328	7	1	4	36	10	3	5	8	3	1	6	5	161	46	103
69	Lowndes	161	2	1	-	14	4	2	3	-	-	1	4	1	78	24	46
70	Macon	273	1	-	4	30	14	2	2	8	-	1	3	3	148	42	88
71	Madison	737	10	-	11	81	16	9	12	14	6	2	22	8	333	100	198
72	Huntsville	416	7	-	3	48	8	5	7	9	5	2	12	5	205	65	122
73	Balance of county	321	3	-	8	33	8	4	5	5	1	-	10	3	128	35	76
74	Marengo	317	3	3	-	30	11	4	2	7	-	1	5	5	173	56	95
75	Marion	174	3	-	-	27	8	-	-	8	3	-	8	1	92	33	54
76	Marshall	370	3	1	1	52	11	6	2	20	-	1	12	8	187	43	125

[1] Includes estimate for Massachusetts; for explanation, see "Massachusetts data" in section 1 of text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
18,796	461,373	73,934	83,143	13,798	34,483	17,204	13,827	57,439	10,801	7,838	18,638	1,581	21,411	68,960	19,729	36,981	53,623	18,519	7,815	111,901	1
12,332	285,670	43,368	44,132	7,656	19,313	10,683	7,170	33,875	6,975	3,935	13,832	834	13,036	41,914	7,798	17,237	28,098	10,809	4,777	65,447	2
6,464	175,703	30,566	39,011	6,142	15,170	6,521	6,657	23,564	3,826	3,903	4,806	747	8,375	27,046	11,931	19,744	25,525	-7,710	3,038	46,454	3
175	5,800	1,774	1,861	322	550	232	395	1,200	119	184	173	67	387	1,564	1,307	902	1,105	257	362	2,087	4
65	2,360	729	716	126	193	102	124	442	52	41	79	20	163	708	331	248	368	107	172	823	5
110	3,440	1,045	1,145	196	357	130	271	758	67	143	94	47	224	856	976	654	737	150	190	1,264	6
-	32	15	16	3	10	-	1	12	1	2	-	1	5	12	9	5	8	4	-	13	7
4	81	35	37	6	14	2	5	18	2	4	7	-	4	17	20	19	20	4	3	16	8
3	58	25	15	-	14	4	1	16	3	2	1	2	5	15	17	5	13	3	1	18	9
2	30	9	10	3	1	-	3	5	1	1	1	1	1	9	12	5	13	-	2	13	10
-	50	10	19	4	5	1	2	8	-	-	-	-	-	8	7	12	10	2	1	9	11
-	33	17	14	2	2	3	2	12	-	2	-	2	4	10	21	3	3	-	2	11	12
1	55	24	12	3	7	-	3	12	2	3	2	1	1	8	11	8	7	1	6	27	13
6	142	32	50	8	5	6	15	22	6	4	7	1	13	48	61	40	30	8	8	48	14
4	76	20	27	2	3	4	11	11	4	3	5	-	5	30	35	4	8	3	5	29	15
2	66	12	23	6	2	2	4	11	2	1	2	1	8	18	26	36	22	5	3	19	16
-	74	12	18	-	10	4	2	17	1	-	-	1	2	12	11	10	15	1	7	30	17
4	34	4	6	-	3	-	-	3	1	-	-	-	3	6	20	3	4	1	1	5	18
4	55	13	13	-	3	3	1	10	1	2	4	1	2	16	4	5	9	1	-	10	19
9	27	14	18	-	4	-	1	8	-	1	-	-	-	9	21	5	8	-	3	12	20
2	43	9	25	3	1	1	2	10	-	4	-	-	3	14	10	5	10	1	3	14	21
3	28	4	2	1	3	-	1	4	-	-	1	-	-	6	4	5	4	2	-	8	22
-	20	5	4	-	2	1	3	2	-	-	-	-	-	4	7	5	6	-	-	7	23
2	52	6	13	3	3	3	3	11	-	1	2	-	1	11	8	18	5	5	1	21	24
1	72	11	12	5	8	4	2	11	-	3	5	-	7	12	12	11	15	2	3	24	25
1	21	6	5	-	1	1	1	4	-	-	2	-	2	5	4	1	4	1	2	8	26
-	51	5	7	5	7	3	1	7	-	3	3	-	5	7	8	10	11	1	1	16	27
2	26	5	14	6	22	-	2	7	-	1	1	2	2	9	9	3	6	1	1	10	28
1	25	5	10	-	10	1	2	2	-	-	2	1	1	3	4	4	5	-	1	12	29
3	60	31	15	3	4	4	3	17	1	6	2	-	1	17	17	9	12	4	4	32	30
3	38	5	23	1	1	2	2	7	-	-	-	1	2	4	7	5	9	2	3	10	31
2	57	15	39	3	5	3	12	15	-	2	1	3	6	16	8	18	11	3	1	30	32
1	42	9	17	-	1	1	2	2	-	2	-	2	4	11	11	17	9	6	1	19	33
6	74	25	45	8	13	1	19	22	-	11	2	2	8	28	53	18	31	5	7	43	34
-	45	6	37	4	4	1	4	13	-	5	1	2	6	11	14	4	11	4	4	23	35
6	29	19	8	4	9	-	15	9	-	6	1	-	2	17	39	18	20	1	3	20	36
2	72	7	23	2	15	4	6	9	2	1	1	1	5	10	17	8	11	3	-	23	37
3	57	17	13	3	8	1	4	21	-	5	-	-	2	6	9	3	11	4	4	25	38
1	70	20	10	3	3	1	1	15	1	8	-	1	4	21	12	13	11	6	2	21	39
10	208	34	32	16	12	8	8	26	4	-	2	1	10	56	50	28	22	5	14	59	40
9	132	21	17	13	5	3	5	15	1	-	-	1	6	30	36	12	11	4	7	39	41
1	76	13	15	3	7	5	3	11	3	-	2	-	4	26	14	16	11	1	7	20	42
3	42	10	11	-	3	1	3	10	1	1	1	-	-	7	4	8	4	2	2	14	43
1	41	10	3	2	6	1	4	10	-	-	3	-	1	18	9	7	4	4	-	21	44
-	52	12	9	3	2	3	2	14	1	2	3	-	3	10	4	8	10	1	1	15	45
-	29	13	11	3	10	1	-	7	1	2	2	-	4	5	30	9	5	2	2	11	46
1	35	20	28	5	2	3	1	20	-	2	-	2	1	8	9	3	4	-	1	15	47
1	33	11	12	3	1	2	2	5	-	1	-	-	2	7	3	6	8	1	-	12	48
1	60	22	56	6	8	2	8	17	5	4	5	-	4	17	19	24	22	1	3	31	49
1	26	14	36	3	1	1	4	7	3	3	4	-	3	12	8	10	10	-	2	16	50
-	34	8	20	3	7	1	4	10	2	1	1	-	1	5	11	14	12	1	1	15	51
1	72	16	21	5	7	2	3	16	-	1	1	1	5	17	8	15	16	2	4	24	52
36	1,082	354	484	61	100	61	64	242	27	11	34	9	77	369	219	132	180	58	88	420	53
20	683	232	307	38	64	34	47	147	15	5	24	3	37	224	148	56	100	28	61	242	54
3	40	23	34	6	8	4	5	14	4	1	1	-	4	32	8	5	8	6	5	31	55
2	28	9	8	1	3	3	1	5	-	-	-	-	2	7	5	3	5	1	-	9	56
3	34	7	5	2	3	3	-	4	-	-	1	-	4	3	3	1	1	-	1	5	57
8	297	83	130	14	22	17	11	72	8	5	8	6	30	103	55	67	66	23	21	133	58
-	38	10	8	3	2	2	-	2	-	-	-	-	6	8	3	8	8	3	2	9	59
2	84	25	18	8	7	5	2	25	2	3	8	-	2	31	19	17	14	3	4	24	60
1	45	16	5	6	5	4	2	11	-	2	6	-	1	18	13	4	7	-	3	13	61
1	39	9	13	2	2	1	-	14	2	1	2	-	1	13	6	13	7	3	1	11	62
-	43	12	13	1	3	2	-	9	2	5	-	-	2	5	11	3	5	1	-	10	63
2	54	36	10	19	3	5	5	20	1	5	2	5	6	17	20	16	27	5	2	23	64
1	15	7	-	2	1	1	1	4	-	-	1	-	1	2	3	1	6	1	-	4	65
-	14	15	4	8	1	2	1	11	1	2	-	2	2	8	5	3	3	3	-	7	66
1	25	14	6	9	1	2	3	5	-	3	1	3	3	7	12	12	18	1	2	12	67
-	58	22	23	2	7	3	-	13	-	3	1	2	4	23	11	14	18	-	4	21	68
4	30	9	3	1	3	-	4	4	-	1	2	-	-	4	28	4	9	1	1	11	69
-	50	24	14	1	8	2	7	17	-	1	-	-	3	14	17	10	2	1	6	16	70
7	136	33	22	5	17	6	7	28	1	12	3	1	9	49	64	39	23	6	13	46	71
3	86	21	12	3	11	2	2	14	1	7	-	-	5	27	32	10	9	4	10	29	72
4	50	12	10	2	6	4	5	14	-	5	3	1	4	22	32	29	14	2	3	17	73
1	46	23	25	8	5	-	9	11	1	3	1	1	4	11	30	6	5	3	1	26	74
-	36	11	7	-	2	-	3	2	1	1	-	-	2	7	10	8	7	4	1	8	75
2	84	21	18	4	3	2	10	13	3	1	-	-	4	13	9	17	21	4	2	31	76

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	ALABAMA—Continued																
1	Mobile	2,436	43	6	20	298	86	50	22	49	13	13	63	28	1,233	181	960
2	Mobile	1,514	28	3	10	192	53	41	15	31	8	6	38	20	819	116	644
3	Prichard	304	9	2	5	23	5	2	1	6	2	2	5	2	147	25	108
4	Balance of county	618	6	1	5	83	30	7	6	12	3	5	20	6	267	40	208
5	Monroe	213	1	1	2	21	2	4	1	7	1	1	5	4	105	28	59
6	Montgomery	1,560	13	13	9	189	57	20	11	42	7	13	39	15	870	231	538
7	Montgomery	1,231	13	12	8	156	50	18	8	29	6	11	34	15	701	189	439
8	Balance of county	329	-	1	1	33	7	2	3	13	1	2	5	-	169	42	99
9	Morgan	523	10	-	2	55	17	6	6	9	2	2	13	10	273	67	178
10	Decatur	243	5	-	-	22	8	2	4	3	1	-	4	6	130	25	96
11	Balance of county	280	5	-	2	33	9	4	2	6	1	2	9	4	143	42	82
12	Perry	209	3	-	-	16	2	2	2	3	-	1	6	8	120	31	81
13	Pickens	209	5	-	1	27	10	3	4	3	-	3	4	1	110	33	71
14	Pike	304	4	2	1	37	10	5	3	9	3	-	7	2	161	52	96
15	Randolph	204	1	2	-	21	6	2	3	3	2	1	4	1	107	35	65
16	Russell	444	5	-	1	53	6	12	4	14	-	4	11	7	226	72	132
17	Phenix City	247	4	-	-	38	3	10	1	10	-	3	11	3	129	48	70
18	Balance of county	197	1	-	1	15	5	2	3	4	-	1	-	4	97	24	62
19	St. Clair	246	3	1	7	24	5	2	1	5	1	-	10	3	128	31	87
20	Shelby	287	3	-	4	37	10	10	1	7	1	2	6	1	146	47	95
21	Sumter	264	8	2	-	24	8	1	-	8	-	-	7	6	124	39	74
22	Talladega	587	5	2	2	68	18	10	7	8	1	2	22	15	307	92	172
23	Talladega	127	2	-	1	11	4	1	-	-	-	-	6	3	70	28	32
24	Balance of county	460	3	2	1	57	14	9	7	8	1	2	16	12	237	64	140
25	Tallapoosa	365	4	-	1	40	11	3	2	11	1	3	9	6	215	61	129
26	Tuscaloosa	801	16	2	7	92	38	14	6	11	3	4	16	13	391	104	256
27	Tuscaloosa	445	13	2	4	56	24	7	3	6	3	4	9	7	226	59	151
28	Balance of county	356	3	-	3	36	14	7	3	5	-	-	7	6	165	45	105
29	Walker	569	7	-	7	78	20	10	5	17	3	7	16	7	261	74	161
30	Washington	129	-	-	-	10	2	3	-	5	-	-	-	2	60	19	39
31	Wilcox	248	4	-	2	25	3	-	-	11	1	3	7	2	125	24	72
32	Winston	149	3	-	1	22	13	3	-	3	-	1	2	3	77	16	55
33	ARIZONA	9,068	188	17	82	1,194	398	182	90	172	58	66	228	90	3,824	776	2,678
34	Metropolitan counties	4,264	89	6	20	625	207	90	51	87	31	30	129	45	1,943	411	1,366
35	Nonmetropolitan counties	4,804	99	11	62	569	191	92	39	85	27	36	99	45	1,881	365	1,312
36	Apache	248	6	-	9	16	6	1	-	5	2	1	1	1	51	9	31
37	Cochise	412	7	2	6	63	19	9	5	9	5	3	13	6	165	26	117
38	Coconino	207	4	2	3	18	6	-	1	3	-	1	7	3	61	11	41
39	Gila	230	1	-	3	22	6	5	-	4	2	-	5	1	82	24	48
40	Graham	110	-	1	1	15	5	1	2	3	1	-	3	2	42	12	27
41	Greenlee	73	2	-	1	9	-	2	-	1	1	2	3	1	33	6	24
42	Maricopa	4,264	89	6	20	625	207	90	51	87	31	30	129	45	1,943	411	1,366
43	Phoenix	1,949	39	2	6	305	110	51	28	33	10	14	59	21	956	209	680
44	Mesa	203	4	-	-	32	9	4	2	6	3	1	7	3	96	17	64
45	Balance of county	2,112	46	4	14	288	88	35	21	48	18	15	63	21	891	185	622
46	Mohave	103	1	-	3	13	6	3	1	1	-	-	2	-	41	9	26
47	Navajo	293	3	-	12	25	7	3	1	4	-	2	8	3	64	17	39
48	Pima	1,925	50	4	11	264	89	50	20	37	11	19	38	17	864	153	629
49	Tucson	1,206	34	2	6	176	63	34	13	21	6	14	25	15	572	95	417
50	Balance of county	719	16	2	5	88	26	16	7	16	5	5	13	2	292	58	212
51	Pinal	477	9	2	8	39	19	3	1	6	2	2	6	6	153	26	108
52	Santa Cruz	93	2	-	-	12	2	2	1	4	-	-	3	-	41	13	26
53	Yavapai	322	9	-	1	40	15	6	3	6	2	3	5	4	175	31	122
54	Yuma	311	5	-	4	33	11	7	4	2	1	3	5	1	109	28	74
55	ARKANSAS	17,051	207	42	123	2,403	729	287	194	452	106	136	498	221	9,238	2,244	6,093
56	Metropolitan counties	2,129	23	6	8	322	96	45	34	47	12	15	73	31	1,142	252	763
57	Nonmetropolitan counties	14,922	184	36	115	2,081	633	242	160	405	94	121	426	190	8,096	1,992	5,330
58	Arkansas	195	4	-	1	31	9	6	1	9	-	1	5	1	104	24	64
59	Ashley	191	1	1	1	25	7	1	2	5	2	4	4	-	88	25	57
60	Baxter	120	1	-	1	21	8	2	-	4	-	2	5	3	72	18	50
61	Benton	404	3	1	1	52	17	11	2	8	1	6	7	6	261	69	162
62	Boone	129	2	-	-	18	4	1	2	3	1	3	4	-	78	20	51
63	Bradley	142	2	-	2	19	7	3	1	4	1	-	3	7	90	23	54
64	Calhoun	65	2	-	-	9	4	-	-	1	1	-	3	1	44	12	29
65	Carroll	133	-	-	-	20	6	3	3	4	1	-	3	2	79	18	50
66	Chicot	223	4	-	4	23	10	1	1	6	1	1	3	2	124	30	84
67	Clark	189	2	1	2	32	8	5	1	6	4	3	5	2	101	20	78
68	Clay	225	8	-	3	32	9	4	6	3	3	2	5	9	104	24	72
69	Cleburne	126	4	-	2	16	6	1	2	2	1	1	3	3	70	17	41
70	Cleveland	83	2	-	2	6	1	1	1	1	-	-	2	1	46	13	31
71	Columbia	261	2	-	4	37	9	7	5	8	-	-	8	3	134	32	90
72	Conway	141	1	-	1	18	4	-	1	5	2	1	5	1	83	12	64
73	Craighead	362	4	-	3	56	14	5	6	14	1	3	13	6	225	55	156
74	Jonesboro	165	2	-	1	25	7	3	2	3	1	2	7	-	107	26	73
75	Balance of county	197	2	-	2	31	7	2	4	11	-	1	6	6	118	29	83
76	Crawford	197	1	-	2	23	8	2	-	3	2	1	7	3	115	54	54
77	Crittenden	454	8	1	3	37	7	1	3	16	1	1	8	7	204	47	142

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	605	228	117	25	31	16	20	91	8	9	28	6	55	168	25	54	95	27	42	200	1
7	408	150	79	16	23	10	10	53	7	5	17	3	27	91	15	18	44	14	24	124	2
2	52	43	11	3	4	2	5	16	-	-	4	1	13	29	3	2	10	3	8	27	3
1	145	35	27	6	4	4	5	22	1	4	7	2	15	48	7	34	41	10	10	49	4
1	40	12	6	4	9	1	4	13	-	3	2	1	2	8	8	8	13	3	2	16	5
9	385	76	68	18	43	14	26	53	10	17	14	4	15	88	26	27	49	14	21	113	6
5	333	57	44	14	30	12	17	32	8	14	11	4	11	75	21	12	27	13	14	84	7
4	52	19	24	4	13	2	9	21	2	3	3	-	4	13	5	15	22	1	7	29	8
2	116	27	33	4	8	9	7	17	2	4	1	-	12	27	26	9	25	10	11	29	9
1	58	19	18	-	3	3	3	8	-	1	1	-	7	16	10	2	14	5	4	12	10
1	58	8	15	4	5	6	4	9	2	3	-	-	5	11	16	7	11	5	7	17	11
1	26	18	36	3	-	1	4	14	1	1	-	1	2	15	3	7	4	-	3	11	12
-	52	12	7	1	4	1	-	6	-	-	1	1	1	8	6	12	7	1	3	19	13
-	50	20	26	2	2	1	8	16	1	-	-	1	1	9	11	11	16	2	3	26	14
1	46	7	11	-	3	-	4	6	3	1	-	1	2	7	10	7	9	-	6	20	15
-	80	37	15	6	7	3	6	30	3	4	1	-	6	27	11	7	22	3	7	31	16
-	45	14	11	3	2	1	5	12	2	1	1	-	4	15	3	1	9	2	4	19	17
-	35	23	4	3	5	2	1	18	1	3	-	-	2	12	8	6	13	1	3	12	18
2	55	12	18	2	5	1	2	7	1	-	1	-	2	14	13	11	8	2	-	21	19
1	66	11	17	-	1	-	3	6	2	1	3	-	2	9	17	22	14	1	-	19	20
-	38	16	20	2	5	1	3	14	1	-	2	3	3	13	28	6	7	1	2	20	21
2	106	32	32	7	16	7	13	24	6	8	3	2	12	26	11	20	22	2	9	43	22
1	20	4	7	2	3	2	3	6	-	2	1	1	1	5	4	3	5	-	3	9	23
1	86	28	25	5	13	5	10	18	6	6	2	1	11	21	7	17	17	2	6	34	24
1	66	35	27	2	6	1	16	6	3	2	2	-	7	14	10	8	13	4	6	24	25
1	179	42	34	8	8	7	8	30	3	8	4	-	15	43	38	16	39	6	12	66	26
1	111	24	15	4	4	4	4	14	2	3	2	-	10	27	18	6	12	4	5	34	27
-	68	18	19	4	4	3	4	16	1	5	2	-	5	16	20	10	27	2	7	32	28
1	97	28	35	5	7	5	9	34	1	-	2	-	7	22	55	17	19	2	12	38	29
1	25	9	4	-	2	-	-	3	1	1	1	-	4	10	5	7	12	2	4	7	30
4	22	30	16	3	5	1	20	15	1	1	1	1	2	10	23	4	10	-	3	19	31
1	26	10	18	4	-	2	-	6	-	-	-	1	2	8	2	5	11	1	-	7	32
115	1,914	253	396	77	160	75	58	415	66	118	108	15	171	562	166	459	427	162	75	929	33
60	926	133	247	37	72	32	25	197	28	31	54	6	77	232	39	185	172	67	35	413	34
55	988	120	149	40	88	43	33	218	38	87	54	9	94	330	127	274	255	95	40	516	35
2	19	4	6	3	4	-	4	23	-	18	1	3	11	27	21	20	11	5	3	22	36
4	81	12	20	3	9	5	5	16	2	4	2	2	10	29	15	17	18	9	2	37	37
3	29	4	5	2	4	1	2	10	2	-	1	-	5	22	4	28	12	9	6	17	38
2	40	3	3	2	5	1	2	15	-	5	2	-	3	10	13	16	20	4	3	30	39
1	19	1	6	-	1	2	-	6	1	5	3	-	1	7	4	5	4	1	3	9	40
1	16	6	1	-	2	-	1	2	-	-	2	-	3	3	3	4	3	2	-	5	41
60	926	133	247	37	72	32	25	197	28	31	54	6	77	232	39	185	172	67	35	413	42
33	461	66	120	15	27	15	10	75	16	10	32	3	27	78	13	68	59	32	17	190	43
-	50	7	7	4	6	3	2	10	2	-	1	-	1	11	3	6	9	2	2	21	44
27	415	60	120	18	39	14	13	112	10	21	21	3	49	143	23	111	104	33	16	202	45
-	18	2	6	3	2	1	-	4	2	-	-	-	-	2	1	13	6	1	-	16	46
3	31	1	4	2	4	1	1	31	1	15	4	3	8	27	22	20	23	4	-	28	47
31	484	56	58	8	36	23	15	62	20	22	27	1	28	103	26	76	66	33	15	235	48
15	322	38	42	6	25	19	10	33	11	12	16	-	13	54	5	40	31	26	10	150	49
16	162	18	16	2	11	4	5	29	9	10	11	1	16	49	21	36	35	7	5	85	50
1	86	10	11	9	6	2	2	24	1	12	5	-	14	42	9	41	46	9	6	51	51
1	15	5	5	1	-	1	-	5	-	1	-	-	2	9	1	2	6	1	-	11	52
4	97	8	13	6	12	4	-	4	7	2	2	-	-	9	1	12	18	10	2	26	53
2	53	8	11	1	3	2	1	16	2	3	5	-	8	40	7	20	22	7	-	29	54
119	4,230	842	902	170	302	169	260	683	66	114	103	26	171	587	454	445	752	129	121	1,166	55
19	596	80	68	20	56	20	31	80	6	13	15	-	24	119	24	54	80	23	19	140	56
100	3,634	762	834	150	246	149	229	603	60	101	88	26	147	468	430	391	672	106	102	1,026	57
4	50	5	5	2	4	1	9	8	1	1	1	-	2	5	9	6	11	1	1	8	58
2	39	8	8	-	1	1	4	6	-	-	4	-	1	4	24	3	14	4	2	13	59
3	31	3	13	1	2	1	-	6	1	-	-	-	-	1	-	4	4	3	-	3	60
7	106	17	32	2	19	7	2	10	1	3	3	-	3	5	1	10	12	3	2	27	61
2	34	3	12	3	2	-	2	5	-	1	1	-	4	2	-	3	1	2	-	12	62
1	46	4	3	2	-	6	5	4	1	1	-	-	1	-	-	-	8	1	2	4	63
1	16	4	8	1	1	-	1	-	-	-	-	-	-	-	-	3	2	-	2	2	64
1	39	4	6	2	2	2	5	1	2	-	1	-	-	3	-	1	8	2	-	14	65
-	60	15	9	1	7	2	-	9	1	-	1	-	1	6	17	5	9	2	4	11	66
1	56	11	10	2	-	1	-	3	1	1	1	-	1	5	7	4	9	-	1	16	67
-	51	12	9	2	3	-	3	11	2	2	2	1	2	5	8	5	14	2	-	15	68
-	37	2	2	2	5	1	4	5	1	-	-	-	3	-	1	6	5	-	-	10	69
-	23	2	6	1	1	-	-	2	1	2	-	-	-	2	1	1	6	-	-	11	70
2	66	15	7	6	-	2	4	10	-	1	-	-	2	15	3	6	19	2	3	20	71
2	41	7	14	-	4	-	3	5	-	4	1	-	3	4	4	6	3	-	-	7	72
2	86	18	50	-	5	4	5	7	1	-	1	-	1	12	5	9	14	1	1	16	73
-	40	10	23	-	3	2	3	3	1	-	-	-	1	9	-	4	3	1	-	8	74
2	46	8	27	-	2	2	2	4	-	-	1	-	-	3	5	5	11	-	1	8	75
1	43	1	9	1	3	-	3	6	-	1	1	-	3	4	7	5	8	2	2	14	76
3	59	22	58	6	2	4	3	20	1	3	2	1	4	28	50	16	39	2	9	19	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	ARKANSAS—Continued																
1	Cross	179	5	1	4	24	7	2	3	4	1	3	4	2	108	21	75
2	Dallas	119	1	-	1	24	9	6	2	3	1	1	2	-	63	11	47
3	Desha	193	3	1	1	18	3	5	-	5	1	1	3	5	103	32	54
4	Drew	172	1	-	1	23	8	5	1	2	-	2	5	3	97	28	64
5	Faulkner	208	5	-	2	28	9	3	3	5	2	1	5	-	122	37	73
6	Franklin	95	2	-	-	13	4	1	1	2	3	-	2	-	51	16	32
7	Fulton	79	-	1	-	15	5	-	2	2	-	2	4	1	46	12	32
8	Garland	672	6	3	5	115	34	19	11	25	5	1	20	9	372	79	262
9	Hot Springs	510	5	2	3	89	27	16	8	21	5	1	11	7	284	65	195
10	Balance of county	162	1	1	2	26	7	3	3	4	-	-	9	2	88	14	67
11	Grant	51	-	-	-	7	-	1	1	1	2	-	2	-	28	7	18
12	Greene	223	1	-	2	44	7	5	1	11	2	4	14	3	120	39	77
13	Hempstead	248	2	-	-	29	11	2	1	9	-	3	3	2	148	40	99
14	Hot Spring	182	1	1	2	26	3	3	3	5	1	2	9	2	92	19	65
15	Howard	106	1	-	-	16	3	4	1	4	1	-	3	-	67	17	32
16	Independence	211	1	-	1	17	3	2	1	6	1	1	3	2	140	27	85
17	Izard	74	-	-	-	11	2	2	1	-	-	-	6	-	42	4	32
18	Jackson	215	4	-	2	28	11	3	-	5	2	1	6	1	98	30	60
19	Jefferson	773	7	7	6	97	39	12	4	17	6	1	18	8	405	96	276
20	Pine Bluff	492	5	6	1	66	26	10	4	10	5	1	10	4	260	60	178
21	Balance of county	281	2	1	5	31	13	2	-	7	1	-	8	4	145	36	98
22	Johnson	133	1	-	1	25	3	2	2	4	1	2	11	3	76	19	53
23	Lafayette	121	2	-	1	20	9	1	3	3	-	1	3	1	64	21	40
24	Lawrence	189	3	-	1	19	7	4	-	2	1	-	5	-	111	25	80
25	Lee	171	3	1	2	16	1	3	1	8	1	1	1	-	91	28	52
26	Lincoln	115	3	-	1	19	6	2	2	4	1	2	2	3	51	14	30
27	Little River	98	1	-	-	12	3	2	2	2	-	-	3	3	47	15	30
28	Logan	188	5	1	1	32	13	-	2	3	2	2	10	2	99	25	65
29	Lonoke	236	2	1	1	32	8	3	3	7	-	2	9	5	118	36	68
30	Madison	84	1	-	-	13	6	-	2	1	-	-	4	1	47	7	31
31	Marion	56	2	-	-	7	4	1	1	-	-	-	1	-	40	8	25
32	Miller	298	8	3	1	39	14	4	2	7	3	2	7	2	157	38	104
33	Texarkana[2]	193	5	3	1	25	9	3	1	5	1	1	5	2	104	24	71
34	Balance of county	105	3	-	-	14	5	1	1	2	2	1	2	-	53	14	33
35	Mississippi	537	5	-	7	65	17	6	4	18	2	3	15	8	241	71	157
36	Blytheville	168	2	-	3	19	6	1	2	5	-	-	5	3	82	23	54
37	Balance of county	369	3	-	4	46	11	5	2	13	2	3	10	5	159	48	103
38	Monroe	204	2	1	-	21	6	1	3	6	-	2	3	1	108	20	86
39	Montgomery	53	-	-	-	5	2	-	1	1	-	-	1	1	33	6	24
40	Nevada	125	-	-	2	17	7	1	2	2	2	2	1	2	70	32	34
41	Newton	56	-	-	2	8	2	-	2	1	-	3	-	1	27	10	16
42	Ouachita	324	6	3	2	57	17	7	7	12	1	1	12	4	165	45	92
43	Camden	186	3	-	1	32	9	4	5	6	-	-	8	2	96	30	51
44	Balance of county	138	3	3	1	25	8	3	2	6	1	1	4	2	69	15	41
45	Perry	61	-	-	-	10	3	-	-	1	-	1	5	3	28	4	20
46	Phillips	464	7	1	5	65	15	8	3	20	2	3	14	5	249	52	155
47	Helena	149	1	-	2	26	7	2	-	9	1	2	5	-	81	17	48
48	Balance of county	315	6	1	3	39	8	6	3	11	1	1	9	5	168	35	107
49	Pike	89	2	-	-	14	8	-	1	1	-	2	2	3	44	9	28
50	Poinsett	229	3	-	1	34	10	3	3	5	1	4	8	4	107	16	82
51	Polk	176	2	1	2	22	8	3	-	5	1	2	3	4	113	9	97
52	Pope	168	-	-	-	25	9	2	2	6	-	3	3	4	89	23	57
53	Prairie	104	2	1	-	22	8	2	2	2	1	4	3	1	53	13	38
54	Pulaski	2,129	23	6	8	322	96	45	34	47	12	15	73	31	1,142	252	763
55	Little Rock	1,252	13	4	4	209	61	30	22	31	9	8	48	13	686	160	448
56	North Little Rock	513	7	2	3	62	20	10	5	7	3	5	12	13	281	58	192
57	Balance of county	364	3	-	1	51	15	5	7	9	-	2	13	5	175	34	123
58	Randolph	144	-	-	1	25	8	4	5	1	2	2	3	1	95	24	64
59	St. Francis	318	3	-	5	45	13	5	2	11	2	1	11	3	154	28	112
60	Saline	178	-	1	1	25	8	2	1	2	-	1	11	2	90	19	61
61	Scott	71	-	-	-	12	4	2	-	2	-	1	3	1	32	5	24
62	Searcy	75	1	-	1	15	3	1	3	-	2	1	5	-	45	16	28
63	Sebastian	677	3	-	7	91	25	10	7	22	7	7	13	11	390	97	256
64	Fort Smith	520	2	-	6	75	21	8	6	18	7	4	11	9	296	77	194
65	Balance of county	157	1	-	1	16	4	2	1	4	-	3	2	2	94	20	62
66	Sevier	110	4	-	2	23	12	4	1	2	1	1	2	1	58	10	45
67	Sharp	65	2	1	-	10	3	3	1	1	-	-	2	2	34	9	20
68	Stone	51	1	1	-	5	3	1	-	-	-	-	1	1	24	5	16
69	Union	437	6	1	4	60	19	10	4	8	6	5	8	7	210	67	121
70	El Dorado	217	2	-	1	25	9	4	-	2	3	3	4	2	111	37	61
71	Balance of county	220	4	1	3	35	10	6	4	8	3	2	4	5	99	30	60
72	Van Buren	55	-	-	-	8	3	-	2	-	-	-	3	-	35	13	18
73	Washington	464	4	-	-	61	23	2	6	10	1	3	16	1	296	57	200
74	Fayetteville	117	-	-	-	12	4	-	3	2	1	-	2	1	77	12	55
75	Balance of county	347	4	-	-	49	19	2	3	8	-	3	14	-	219	45	145
76	White	317	3	-	4	47	12	6	5	8	3	4	9	3	163	40	108
77	Woodruff	121	5	1	-	19	9	4	-	2	1	-	3	1	55	9	41
78	Yell	120	1	-	1	26	6	4	-	7	-	1	8	-	65	19	40

[2]Includes data for Texarkana, Ark., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	51	13	10	1	1	5	5	7	-	2	2	-	-	4	4	3	3	1	-	9	1
2	31	4	10	-	1	2	2	4	-	2	3	-	1	4	1	3	3	-	1	8	2
-	32	10	12	1	7	2	7	12	1	6	-	1	-	7	7	4	9	-	-	15	3
2	52	8	2	-	3	1	1	6	-	4	1	-	1	4	1	4	12	-	1	13	4
1	64	4	4	-	4	4	4	8	-	-	1	-	1	3	5	5	7	2	2	17	5
1	19	5	7	1	2	-	-	3	-	-	-	-	3	3	3	1	3	-	1	12	6
-	21	6	5	-	1	1	-	1	-	-	-	-	-	-	4	2	2	1	1	5	7
3	195	31	33	2	14	5	10	28	3	1	8	-	3	13	9	10	15	9	4	59	8
1	144	24	26	1	11	3	9	22	2	1	8	-	1	10	6	6	11	8	2	43	9
2	51	7	7	1	3	2	1	6	1	-	-	-	2	3	3	4	4	1	2	16	10
-	17	1	-	-	-	2	1	2	-	-	-	-	-	2	1	3	1	4	-	3	11
-	62	10	5	1	1	-	2	16	2	2	2	-	1	9	1	2	4	-	-	14	12
5	73	14	7	1	4	1	1	9	-	3	1	-	3	6	5	6	12	1	3	20	13
-	40	19	6	1	2	5	-	6	1	1	-	1	-	5	11	6	13	1	-	13	14
-	26	4	2	10	4	2	2	4	-	-	-	-	2	4	2	2	3	-	-	5	15
2	72	7	4	6	6	-	16	7	3	-	-	1	2	4	4	9	11	2	1	6	16
2	26	-	4	1	1	2	2	3	1	1	-	-	-	-	3	3	2	-	-	8	17
1	37	7	15	4	2	1	1	16	1	1	-	2	4	9	8	7	13	3	1	17	18
4	158	75	39	9	5	7	12	36	2	7	5	3	11	29	14	19	50	4	8	55	19
1	111	42	24	8	3	2	9	27	2	6	3	2	4	15	4	11	30	4	5	37	20
3	47	33	15	1	2	5	3	9	-	1	2	1	7	14	10	8	20	-	3	18	21
-	30	14	9	1	1	1	1	7	1	-	-	-	-	3	1	1	8	-	-	6	22
-	31	5	4	1	1	1	-	9	-	2	-	3	-	3	1	1	6	-	-	8	23
1	57	16	6	-	2	3	1	12	1	2	-	-	2	7	1	10	6	1	-	13	24
-	21	8	23	2	9	-	-	7	-	1	1	-	1	2	17	4	7	1	2	15	25
1	22	2	5	1	1	1	4	9	-	-	1	1	3	6	2	2	2	2	1	9	26
-	22	5	3	1	1	-	-	2	1	-	1	-	1	6	5	3	2	1	1	12	27
1	40	6	18	1	4	2	2	4	1	-	1	-	-	1	15	5	6	3	-	12	28
2	47	13	6	-	8	3	3	7	1	-	-	-	5	17	4	10	9	3	2	19	29
1	26	2	2	3	4	1	1	-	-	-	-	-	2	3	2	2	3	2	-	8	30
-	18	3	4	-	5	-	2	4	1	-	-	-	-	-	-	-	1	-	-	1	31
5	47	31	21	4	1	6	4	16	1	-	4	-	3	8	10	6	16	3	1	20	32
5	37	17	12	2	-	4	3	10	1	-	3	-	2	4	4	3	10	2	-	14	33
-	10	14	9	2	1	2	1	6	-	-	1	-	1	4	6	3	6	1	1	6	34
5	106	17	29	3	5	2	3	24	2	7	-	2	7	37	19	20	27	3	12	51	35
2	36	4	12	2	2	1	-	8	-	2	-	1	4	13	3	7	2	-	2	17	36
3	70	13	17	1	3	1	3	16	2	5	-	1	3	24	16	13	25	3	10	34	37
1	55	15	15	-	-	-	2	10	-	3	1	2	1	11	7	6	12	1	-	17	38
-	11	9	4	1	-	-	2	3	-	-	1	-	-	1	-	1	5	-	-	3	39
-	24	4	6	1	2	1	-	4	-	-	-	-	2	8	-	2	8	-	2	8	40
-	14	2	-	-	-	-	1	7	1	-	1	-	-	-	1	-	1	1	1	5	41
4	61	11	16	5	8	5	10	9	1	2	1	-	3	10	5	13	9	2	2	30	42
2	36	4	9	3	3	4	5	2	1	2	-	-	3	6	3	10	7	1	2	15	43
2	25	7	7	2	5	1	5	7	-	-	1	-	-	4	2	3	2	1	-	15	44
-	15	-	5	-	1	1	2	8	1	-	-	-	-	2	-	4	3	-	-	2	45
-	99	37	19	14	6	5	17	13	1	7	-	3	4	13	27	9	19	2	1	33	46
-	37	5	6	5	3	2	6	2	-	3	-	1	1	6	6	2	8	1	-	9	47
-	62	32	13	9	3	3	11	11	1	4	-	2	3	7	21	7	11	1	1	24	48
-	21	2	5	1	3	3	-	2	-	-	1	-	-	-	4	3	5	-	-	11	49
-	58	11	13	1	5	-	3	10	4	2	3	-	1	19	4	9	13	-	3	12	50
1	36	25	35	2	-	3	2	1	1	-	-	-	4	2	-	3	6	1	1	13	51
3	41	8	5	2	5	2	-	3	1	1	1	-	3	3	2	5	15	1	2	13	52
-	32	4	2	1	-	-	1	4	-	-	1	-	-	-	4	3	7	2	-	4	53
19	596	80	68	20	56	20	31	80	6	13	15	-	24	119	24	54	80	23	19	140	54
11	362	41	34	12	36	14	16	43	3	8	12	-	10	55	17	25	40	13	10	87	55
4	153	20	15	6	12	3	10	18	1	3	3	-	9	38	3	10	20	5	4	31	56
4	81	19	19	2	8	3	5	19	2	2	-	-	5	26	4	19	20	5	5	22	57
-	56	5	3	1	4	1	1	3	-	-	1	-	-	4	3	2	1	1	-	7	58
-	46	31	35	2	-	2	10	17	-	4	3	1	4	18	23	6	12	1	3	16	59
1	50	6	4	2	1	3	4	11	-	1	3	-	2	7	-	6	15	2	1	11	60
-	21	1	2	1	2	-	-	1	1	-	-	1	1	1	1	3	5	1	1	10	61
2	22	1	3	-	-	-	1	2	-	-	1	1	1	2	-	1	-	-	-	4	62
2	200	27	27	9	13	8	7	19	1	4	9	-	14	21	9	18	26	3	4	47	63
2	156	21	15	6	9	7	3	14	1	4	7	-	13	17	8	11	16	2	3	36	64
-	44	6	12	3	4	1	4	5	-	-	2	-	1	4	1	7	10	1	1	11	65
-	37	4	4	-	2	-	1	7	2	1	-	-	-	1	-	1	4	-	-	6	66
1	14	1	4	-	2	-	3	4	-	-	-	-	-	1	2	2	3	1	1	2	67
1	12	1	2	1	1	-	1	4	1	-	2	-	2	2	1	3	1	-	-	3	68
-	92	18	11	5	6	7	4	31	2	2	4	2	4	19	1	19	15	8	7	35	69
-	45	10	6	4	4	3	2	16	1	1	3	-	4	13	1	7	6	5	3	16	70
-	47	8	5	1	2	4	2	15	1	1	1	2	-	6	-	12	9	3	4	19	71
-	14	1	3	1	2	1	-	1	-	1	-	-	-	-	2	1	2	-	1	4	72
4	150	27	19	8	18	8	5	17	3	8	1	-	11	10	4	11	12	2	-	23	73
3	41	8	3	3	2	3	2	6	-	2	-	-	5	2	1	2	3	1	-	5	74
1	109	19	16	5	16	5	3	11	3	6	1	-	6	8	3	9	9	1	-	18	75
2	79	8	19	2	3	3	7	13	-	2	3	-	2	6	23	8	21	2	1	16	76
5	24	7	5	1	-	2	2	9	2	1	-	-	1	4	4	4	6	1	-	8	77
1	24	3	12	-	1	2	3	3	1	-	1	-	-	4	4	3	3	-	-	8	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
1	CALIFORNIA	125,924	874	250	435	20,511	6,711	3,088	1,948	2,925	1,000	1,011	3,628	1,447	66,937	13,846	46,668
2	Metropolitan counties	102,390	697	203	342	17,026	5,568	2,589	1,656	2,387	831	834	3,161	1,168	54,710	11,388	38,065
3	Nonmetropolitan counties	23,534	177	47	93	3,485	1,143	499	292	538	169	177	667	279	12,227	2,478	8,603
4	Alameda	8,100	55	15	23	1,320	457	180	119	185	65	63	251	126	4,515	878	3,263
5	Oakland	4,475	30	12	12	756	258	110	67	113	37	29	142	71	2,469	473	1,789
6	Berkeley	1,054	7	2	3	139	55	14	14	15	8	6	27	15	687	164	462
7	Alameda	511	2	-	2	72	21	9	6	10	4	6	14	8	278	46	209
8	San Leandro	468	3	-	1	93	28	14	8	14	4	4	21	8	249	43	188
9	Albany	139	-	-	1	34	9	3	4	6	2	2	8	3	77	15	56
10	Hayward	439	1	-	2	67	22	7	4	10	4	6	14	7	224	46	162
11	Piedmont	98	-	-	-	19	4	3	2	3	-	2	5	1	71	14	50
12	Balance of county	915	12	1	2	140	60	20	12	14	6	8	20	13	460	77	347
13	Alpine	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
14	Amador	108	2	1	-	20	7	2	2	1	2	1	5	2	63	11	47
15	Butte	882	4	1	7	144	48	25	11	18	6	5	31	10	457	91	296
16	Chico	219	2	1	2	37	14	3	5	5	2	3	5	3	115	24	80
17	Balance of county	663	2	-	5	107	34	22	6	13	4	2	26	7	342	67	216
18	Calaveras	128	-	1	-	25	12	2	1	3	2	-	5	2	70	15	49
19	Colusa	138	-	-	1	13	5	2	2	2	-	-	2	2	72	17	47
20	Contra Costa	2,416	12	6	12	416	125	56	50	52	25	22	86	29	1,183	230	829
21	Richmond	565	4	1	3	96	29	13	16	18	4	6	10	11	274	44	198
22	Antioch	100	1	-	-	16	7	4	1	2	2	-	-	1	49	10	30
23	El Cerrito	170	1	-	3	39	13	8	8	1	1	-	8	3	83	15	59
24	Pittsburg	143	1	-	1	23	8	3	2	4	-	-	6	3	65	11	50
25	San Pablo	134	2	1	1	25	7	4	1	4	2	1	6	-	69	13	51
26	Balance of county	1,304	3	4	4	217	61	24	22	23	16	15	56	11	643	137	441
27	Del Norte	142	-	-	1	17	5	2	1	1	3	-	5	3	61	14	40
28	El Dorado	219	1	-	1	33	9	4	4	7	2	3	4	3	120	27	82
29	Fresno	2,902	21	6	6	469	159	72	40	76	19	21	82	36	1,441	278	1,028
30	Fresno	1,261	13	2	3	200	65	33	16	39	4	10	33	15	677	121	487
31	Balance of county	1,641	8	4	3	269	94	39	24	37	15	11	49	21	764	157	541
32	Glenn	184	1	-	-	35	9	5	2	6	2	3	8	3	94	16	68
33	Humboldt	799	4	1	2	106	37	15	4	19	4	6	21	4	422	68	320
34	Eureka	346	3	-	1	38	17	6	-	8	-	-	7	2	207	33	158
35	Balance of county	453	1	1	1	68	20	9	4	11	4	6	14	2	215	35	162
36	Imperial	497	11	-	3	56	20	11	3	7	2	2	11	4	207	50	135
37	Brawley	95	1	-	-	14	4	3	1	3	1	-	2	3	37	7	23
38	El Centro	109	5	-	-	16	6	2	1	1	-	2	4	-	42	12	26
39	Balance of county	293	5	-	3	26	10	6	1	3	1	-	5	1	128	31	86
40	Inyo	117	2	1	-	13	5	1	3	3	1	-	-	3	56	17	32
41	Kern	1,987	22	5	10	272	82	33	30	44	17	12	54	21	922	186	677
42	Bakersfield	529	7	1	3	64	28	9	9	12	4	3	19	5	264	52	185
43	Balance of county	1,458	15	4	7	188	54	24	21	32	13	9	35	16	658	134	492
44	Kings	416	2	1	1	64	16	9	4	14	4	3	14	11	197	56	111
45	Hanford	142	-	1	1	23	3	2	2	7	1	2	6	5	76	27	37
46	Balance of county	274	2	-	-	41	13	7	2	7	3	1	8	6	121	29	74
47	Lake	194	4	-	-	19	3	1	1	5	1	-	8	1	118	25	71
48	Lassen	114	1	-	-	16	4	3	2	4	1	-	2	2	58	16	37
49	Los Angeles	51,145	326	94	176	8,499	2,756	1,313	883	1,204	419	387	1,537	545	28,263	6,132	19,096
50	Long Beach	3,555	11	8	6	575	184	105	53	82	27	28	96	22	2,146	483	1,466
51	Los Angeles	24,367	188	47	91	4,040	1,331	615	421	553	213	168	739	337	13,432	2,927	9,011
52	Pasadena	1,614	12	2	2	257	91	28	23	40	19	14	42	7	1,010	268	618
53	Alhambra	664	3	-	1	114	41	12	19	14	2	5	21	3	413	78	290
54	Burbank	701	1	1	1	128	43	23	15	12	5	6	24	6	415	86	286
55	Glendale	1,327	5	1	1	213	65	29	31	40	8	6	34	11	835	180	563
56	Santa Monica	1,016	4	3	1	159	60	35	16	11	5	4	28	6	634	129	429
57	South Gate	464	2	2	-	72	20	10	7	15	1	5	14	-	272	46	198
58	Belvedere (twp.)[3] [4]	289	8	1	6	40	17	6	2	6	-	3	6	8	132	31	90
59	Beverly Hills	389	1	2	1	71	27	10	11	6	6	1	10	3	252	49	183
60	Compton	441	2	1	3	63	23	10	11	6	-	2	11	6	226	47	160
61	Huntington Park	371	1	2	-	58	27	9	3	10	1	3	5	-	214	57	134
62	Inglewood	568	1	1	1	105	30	11	12	15	9	6	22	6	334	69	233
63	Lynwood	231	2	-	-	31	10	5	-	7	-	3	6	-	142	29	101
64	Pomona	526	1	-	1	87	22	16	9	14	4	8	14	4	306	65	212
65	Redondo Beach	348	1	-	-	58	14	10	3	9	1	3	18	4	191	41	129
66	Arcadia	327	3	-	-	67	21	11	13	10	6	-	6	5	185	44	124
67	Azusa	125	1	-	-	17	4	3	2	3	2	-	3	2	50	6	38
68	Bell	181	1	1	-	25	10	5	3	4	-	1	2	2	111	23	77
69	Culver City	213	-	-	-	36	13	3	3	5	1	1	10	-	111	18	82
70	Gardena	190	-	-	-	37	13	8	-	7	1	3	5	1	86	21	55
71	Hawthorne	205	1	-	2	38	16	6	3	3	1	1	8	2	107	13	81
72	Hermosa Beach	127	1	-	-	17	4	2	3	2	2	1	3	-	76	21	51
73	Manhattan Beach	161	-	-	-	32	4	6	3	3	3	3	10	2	79	18	53
74	Maywood	135	-	-	2	24	5	4	3	7	-	1	4	2	69	14	48
75	Monrovia	325	-	-	2	47	15	2	9	10	5	3	3	-	210	49	142
76	Montebello	234	3	-	-	43	18	5	2	6	1	2	9	2	135	25	100
77	Monterey Park	234	1	-	2	39	9	7	2	8	6	2	5	1	122	26	86
78	San Fernando	153	2	2	1	19	8	4	-	2	-	2	3	-	92	23	57
79	San Gabriel	225	2	-	1	45	14	7	3	8	2	1	10	1	135	33	88
80	San Marino	125	1	-	-	24	8	5	1	3	-	1	6	-	84	22	51

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,641	35,909	4,643	4,475	927	3,000	1,761	735	4,108	1,050	477	2,432	106	1,758	5,496	390	3,696	3,824	2,406	571	9,156	1
1,373	29,286	3,846	3,560	732	2,542	1,421	582	3,228	868	368	2,097	93	1,440	4,548	240	2,619	2,877	1,985	486	7,395	2
268	6,623	797	915	195	458	340	153	880	182	109	335	13	318	948	150	1,077	947	421	85	1,761	3
115	2,375	342	431	59	152	113	50	206	55	21	174	11	93	307	27	169	227	161	36	559	4
50	1,312	206	221	24	90	62	31	112	27	11	121	7	41	155	14	71	122	93	25	326	5
22	350	38	52	14	20	18	9	20	5	2	17	2	13	29	2	9	26	14	2	60	6
9	144	18	38	3	10	9	1	24	7	3	11	-	6	28	3	12	18	5	1	31	7
9	138	20	21	3	9	4	2	13	5	2	7	-	7	17	1	11	11	7	1	32	8
3	43	1	9	3	2	1	-	2	-	1	-	-	2	2	-	3	2	3	1	8	9
7	105	14	36	3	3	8	2	11	3	-	5	2	12	30	2	10	21	8	2	32	10
1	38	6	5	2	2	3	-	3	3	-	-	-	-	-	-	-	-	-	-	2	11
14	245	39	49	7	16	8	5	21	5	2	13	-	12	46	5	53	27	31	4	68	12
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	13
-	40	1	6	1	1	-	3	-	-	-	-	-	-	1	-	4	4	4	-	7	14
6	236	31	23	7	40	21	2	37	7	3	15	-	9	18	2	44	32	14	6	72	15
1	61	13	5	2	6	3	-	7	2	-	4	-	1	6	1	8	5	4	-	21	16
5	175	18	18	5	34	18	2	30	5	3	11	-	8	12	1	36	27	10	6	51	17
-	42	5	2	-	3	2	1	3	1	-	2	-	1	2	1	3	6	4	-	7	18
1	32	6	8	3	2	2	1	2	1	-	1	-	2	2	1	10	9	3	-	19	19
34	631	81	83	19	53	38	14	72	9	8	41	4	54	129	8	94	86	48	13	192	20
8	158	19	13	8	9	10	5	20	2	-	11	-	16	23	1	16	20	11	6	50	21
1	22	3	4	1	5	3	-	3	1	-	6	-	4	4	1	3	3	3	-	5	22
3	45	8	3	-	4	4	1	3	-	-	1	-	5	3	-	4	6	6	-	13	23
4	30	9	7	-	3	1	-	6	1	-	6	1	2	8	1	4	4	2	-	15	24
4	40	5	2	2	-	1	2	1	-	1	1	-	1	7	-	9	3	2	-	11	25
14	336	37	54	8	32	19	6	39	5	7	16	3	26	84	5	58	50	24	7	98	26
1	33	1	5	2	3	2	-	5	2	-	2	-	4	7	-	6	15	3	1	15	27
3	62	3	14	2	5	4	-	5	-	1	1	-	5	5	1	6	11	4	-	22	28
29	813	97	89	16	59	43	17	114	22	28	40	3	51	149	4	135	98	40	14	225	29
12	383	49	43	6	36	18	9	47	10	6	14	-	23	44	1	34	37	21	8	106	30
17	430	48	46	10	23	25	8	67	12	22	26	3	28	105	3	101	61	19	6	119	31
3	54	4	7	1	2	3	4	7	1	1	2	-	3	3	-	10	4	4	1	15	32
9	277	7	27	5	13	10	6	31	8	1	6	2	18	22	6	49	47	15	2	53	33
6	135	3	14	3	5	6	2	13	4	1	3	1	3	4	3	14	14	8	1	26	34
3	142	4	13	2	8	4	4	18	4	-	3	1	15	18	3	35	33	7	1	27	35
2	98	14	21	2	9	6	5	14	4	4	9	1	14	40	1	39	33	8	4	45	36
-	15	3	5	2	-	3	2	2	-	1	2	-	3	6	-	11	4	-	3	8	37
1	18	2	5	-	3	-	1	5	1	2	3	-	3	7	1	8	3	1	1	11	38
1	65	9	11	-	6	3	2	7	3	1	4	1	8	27	-	20	26	7	-	26	39
2	24	2	4	-	3	4	-	5	3	1	1	-	-	2	-	10	7	2	1	10	40
35	532	72	38	13	13	23	10	94	20	13	29	3	44	127	10	131	87	25	15	137	41
9	139	28	9	4	8	11	4	29	7	3	8	1	8	23	5	30	8	3	3	37	42
26	393	44	29	9	5	12	6	65	13	10	21	2	36	104	5	101	79	22	12	100	43
3	83	12	13	5	11	7	7	17	4	4	6	-	4	28	2	21	17	7	2	28	44
1	30	4	2	3	4	3	2	6	-	2	-	-	1	9	-	7	3	1	-	7	45
2	53	8	11	2	7	4	5	11	4	2	6	-	3	19	2	14	14	6	2	21	46
3	55	2	11	1	17	2	2	7	1	-	1	-	-	3	-	8	9	5	-	18	47
-	34	3	-	-	3	2	-	5	1	-	2	-	1	5	1	5	8	1	-	8	48
692	14,565	1,928	1,911	423	1,655	642	315	1,538	429	169	970	41	688	2,245	102	1,117	1,174	955	252	3,562	49
55	1,135	107	169	26	110	46	15	101	31	5	56	2	36	116	2	67	69	68	11	223	50
324	6,794	983	910	196	821	312	165	761	196	82	509	17	262	972	59	489	548	446	138	1,753	51
12	456	58	92	13	76	24	11	36	7	4	21	-	17	37	3	31	39	26	2	101	52
11	234	19	26	8	27	6	4	19	9	3	7	-	7	16	1	5	9	14	3	37	53
14	220	21	31	6	29	6	2	22	5	1	10	-	11	24	1	15	13	11	3	33	54
25	400	70	68	12	52	19	9	33	9	7	23	-	9	39	3	22	27	13	3	73	55
8	346	43	32	5	52	17	2	15	11	1	25	-	9	33	3	18	13	23	3	55	56
8	150	16	24	1	17	7	3	16	9	-	5	2	12	18	1	5	5	9	-	34	57
8	66	9	7	1	4	4	2	13	1	3	9	2	5	16	-	6	4	6	1	28	58
4	150	15	14	1	13	5	1	6	2	1	2	-	1	5	-	5	7	5	-	25	59
3	120	17	20	-	13	4	2	10	3	4	9	-	9	33	-	17	11	8	5	31	60
11	105	9	9	4	12	3	4	11	5	1	5	-	8	11	1	7	9	7	1	30	61
7	172	33	21	10	18	4	-	9	3	1	7	-	6	26	-	14	10	8	-	34	62
7	77	10	7	2	1	9	-	8	-	1	1	-	1	10	1	1	4	2	-	27	63
8	169	21	14	4	12	9	4	11	1	2	9	1	7	29	-	14	11	9	4	29	64
4	99	12	14	2	14	5	-	12	4	-	7	-	1	14	-	13	10	9	1	23	65
7	98	9	10	2	8	6	1	4	6	-	9	-	2	8	-	6	6	8	-	18	66
1	25	7	5	-	6	-	-	5	2	2	2	1	6	12	-	6	1	4	1	13	67
1	57	11	8	3	5	3	-	5	-	2	6	1	2	7	-	2	3	3	2	8	68
3	56	6	17	3	5	3	-	2	1	1	3	-	4	10	-	9	2	9	1	24	69
2	51	-	2	3	3	3	1	4	2	1	5	-	4	15	-	6	3	6	3	17	70
-	66	6	9	-	7	6	-	3	-	1	3	-	7	13	-	8	6	4	-	10	71
1	37	6	7	-	3	1	-	4	-	-	1	-	2	6	-	1	5	2	1	11	72
1	39	5	8	1	5	1	1	3	1	1	7	-	6	12	-	2	2	3	-	11	73
1	39	4	4	1	5	-	1	4	1	-	2	-	4	5	2	3	6	-	-	11	74
10	100	21	11	5	8	5	1	4	5	1	5	-	6	8	-	5	6	2	-	24	75
-	84	8	8	4	2	4	-	5	4	-	6	-	4	7	-	2	5	4	-	14	76
2	65	12	7	1	6	2	1	9	1	2	5	-	6	14	-	5	4	8	2	13	77
2	47	6	2	-	8	3	1	7	3	1	3	-	-	5	1	5	3	1	2	6	78
2	63	14	9	2	9	1	2	7	2	-	2	-	1	4	3	2	4	1	-	15	79
1	43	3	4	1	8	-	2	2	1	-	1	-	-	-	-	2	-	3	-	7	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	CALIFORNIA—Continued																
	Los Angeles—Continued																
1	South Pasadena	220	1	-	-	33	10	4	4	6	1	1	7	1	140	49	79
2	Torrance	429	6	-	2	97	27	13	12	12	3	5	25	4	199	42	142
3	Whittier	362	2	1	2	52	18	8	7	5	2	1	11	2	213	54	137
4	Balance of county	10,305	58	19	47	1,736	534	276	174	260	82	93	317	95	5,105	1,046	3,502
5	Madera	343	1	-	-	47	13	5	7	9	3	3	7	1	170	50	109
6	Madera	134	1	-	-	16	5	1	2	4	1	2	1	1	67	17	44
7	Balance of county	209	-	-	-	31	8	4	5	5	2	1	6	-	103	33	65
8	Marin	935	4	2	3	185	61	19	21	30	5	14	35	5	475	141	301
9	San Rafael	209	2	-	1	38	14	3	4	6	2	4	5	2	104	34	64
10	Balance of county	726	2	2	2	147	47	16	17	24	3	10	30	3	371	107	237
11	Mariposa	59	-	-	-	8	2	2	1	1	-	1	1	-	31	6	23
12	Mendocino	484	3	-	1	65	19	11	5	5	3	3	19	2	250	69	163
13	Merced	621	5	1	3	88	29	17	6	7	4	4	21	13	296	48	217
14	Merced	172	3	-	-	22	9	3	-	4	2	1	3	3	92	15	65
15	Balance of county	449	2	1	3	66	20	14	6	3	2	3	18	10	204	33	152
16	Modoc	84	-	-	1	15	5	1	1	4	-	1	3	-	46	10	34
17	Mono	17	-	-	1	2	2	-	-	-	-	-	-	-	8	2	6
18	Monterey	1,236	12	1	4	195	61	34	18	29	8	11	34	11	584	123	408
19	Monterey	142	-	-	1	19	7	5	1	1	-	1	4	-	78	26	43
20	Salinas	239	1	-	-	34	10	7	4	2	3	2	6	1	116	21	84
21	Balance of county	855	11	1	3	142	44	22	13	26	5	8	24	10	390	76	281
22	Napa	568	-	2	3	88	27	14	7	13	3	5	19	7	315	53	230
23	Napa	266	-	-	2	41	11	5	5	7	2	1	10	3	144	20	109
24	Balance of county	302	-	2	1	47	16	9	2	6	1	4	9	4	171	33	121
25	Nevada	284	5	1	-	46	16	7	5	5	2	6	5	1	174	23	135
26	Orange	3,754	15	2	9	657	194	87	63	120	30	47	116	46	1,924	418	1,335
27	Santa Ana	738	6	2	1	120	50	20	9	14	6	5	16	14	429	101	287
28	Anaheim	475	4	-	2	86	28	13	15	10	2	3	15	6	225	54	152
29	Fullerton	290	1	-	-	56	10	7	7	15	3	5	9	3	136	25	98
30	Newport Beach	226	1	-	-	48	5	6	5	15	1	2	14	3	123	30	89
31	Orange	176	-	-	-	29	11	1	2	5	-	3	7	1	97	24	66
32	Balance of county	1,849	3	-	6	318	90	40	25	61	18	29	55	19	914	184	643
33	Placer	462	6	1	-	66	20	13	4	6	4	8	11	12	256	43	186
34	Plumas	127	-	-	-	14	6	2	-	2	2	-	2	3	64	10	45
35	Riverside	2,506	15	2	5	381	118	50	30	68	19	22	74	29	1,230	245	866
36	Riverside	701	1	1	-	106	28	13	9	18	5	8	25	9	360	84	245
37	Corona	128	-	-	-	18	8	3	3	3	1	-	-	2	72	12	54
38	Balance of county	1,677	14	1	5	257	82	34	18	47	13	14	49	18	798	149	567
39	Sacramento	3,606	34	13	15	566	192	82	51	74	31	36	100	40	1,812	253	1,428
40	Sacramento	2,159	31	11	4	318	120	43	28	38	16	21	52	25	1,152	166	902
41	Balance of county	1,447	3	2	11	248	72	39	23	36	15	15	48	15	660	87	526
42	San Benito	148	-	-	-	28	10	3	2	6	1	1	5	2	69	15	49
43	San Bernardino	3,960	43	11	11	592	184	100	56	84	18	31	119	42	1,889	385	1,346
44	San Bernardino	970	9	3	3	144	41	23	14	22	4	6	34	10	466	104	309
45	Colton	159	2	-	-	20	9	2	2	3	-	-	4	1	69	17	45
46	Ontario	366	3	2	-	58	19	10	6	8	1	1	13	2	200	42	146
47	Redlands	267	4	1	2	41	18	7	2	3	2	2	7	3	146	29	109
48	Balance of county	2,198	25	5	6	329	97	58	32	48	11	22	61	26	1,008	193	737
49	San Diego	6,675	41	5	26	1,068	350	152	106	159	55	46	200	71	3,390	753	2,351
50	San Diego	4,040	28	4	16	675	221	97	75	99	34	28	121	38	2,084	481	1,427
51	Chula Vista	203	-	-	1	36	8	8	1	4	3	4	8	1	97	14	70
52	Coronado	107	-	-	1	15	5	1	1	2	1	1	4	-	46	14	29
53	La Mesa	181	1	-	-	32	11	5	2	1	1	1	11	2	103	22	74
54	National City	222	2	-	3	23	7	5	1	4	1	2	3	2	102	26	65
55	Oceanside	155	1	-	-	28	11	3	1	5	1	3	4	3	60	9	46
56	Balance of county	1,767	9	1	5	259	87	33	25	44	14	7	49	25	898	187	640
57	San Francisco, coextensive with San Francisco (city)	9,417	76	27	20	1,611	527	286	141	196	83	73	305	107	5,018	967	3,621
58	San Joaquin	2,210	34	8	17	353	137	51	26	37	19	19	64	24	1,125	188	853
59	Stockton	981	24	5	10	146	60	25	8	14	7	6	26	13	506	77	392
60	Lodi	201	-	1	1	30	10	4	3	4	3	1	5	5	125	29	91
61	Balance of county	1,028	10	2	6	177	67	22	15	19	9	12	33	6	494	82	370
62	San Luis Obispo	712	3	-	2	98	37	15	10	13	6	3	14	8	398	57	309
63	San Luis Obispo	170	-	-	-	25	11	2	1	-	2	3	6	1	89	16	65
64	Balance of county	542	3	-	2	73	26	13	9	13	4	-	8	7	309	41	244
65	San Mateo	2,820	9	5	8	508	170	78	39	54	29	29	109	26	1,348	274	975
66	Redwood City	384	1	1	1	76	23	13	4	8	5	2	21	2	197	41	139
67	San Mateo	497	-	2	1	92	34	16	6	9	4	3	20	5	263	50	195
68	Burlingame	213	1	-	1	41	13	7	3	5	-	4	9	2	127	29	88
69	Daly City	188	1	1	2	33	16	5	2	1	1	4	4	3	91	19	62
70	Menlo Park	219	1	-	-	45	20	6	3	3	2	1	10	3	108	24	78
71	San Bruno	147	1	-	-	34	12	4	4	4	2	3	5	-	74	14	56
72	San Carlos	102	-	-	-	27	5	4	1	3	3	1	10	1	50	10	40
73	South San Francisco	192	-	1	-	36	11	3	1	5	6	2	8	1	90	15	66
74	Balance of county	678	4	-	3	124	36	20	15	16	6	9	22	9	348	72	250
75	Santa Barbara	1,193	4	4	8	204	87	26	16	30	10	5	30	14	683	140	478
76	Santa Barbara	697	1	3	3	105	52	9	9	15	4	2	14	6	440	101	290
77	Santa Maria	133	2	1	1	26	13	5	2	4	1	1	-	2	74	10	60
78	Balance of county	363	1	-	4	73	22	12	5	11	5	2	16	6	169	29	128

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	62	3	10	4	6	1	1	9	3	1	1	-	2	3	-	4	4	2	-	16	1
5	118	10	9	3	9	3	-	12	2	1	5	-	10	30	2	10	14	10	2	23	2
1	124	7	5	5	8	6	3	9	2	1	6	-	2	14	2	10	5	10	-	29	3
139	2,698	347	318	94	273	114	76	357	97	38	193	15	219	673	17	300	308	211	63	756	4
2	87	9	11	-	7	3	1	13	3	4	6	-	5	15	1	23	21	3	1	29	5
-	31	7	6	-	4	1	1	9	2	3	1	-	1	6	1	9	5	2	-	10	6
2	56	2	5	-	3	2	-	4	1	1	5	-	4	9	-	14	16	1	1	19	7
11	232	30	28	4	13	11	5	17	9	1	22	-	20	36	3	22	33	20	3	75	8
3	53	5	3	1	3	1	1	3	3	-	6	-	2	8	2	4	7	2	1	24	9
8	179	25	25	3	10	10	4	14	6	1	16	-	18	28	1	18	26	18	2	51	10
-	20	2	1	-	-	2	-	5	-	-	-	-	1	2	-	2	3	1	-	6	11
6	112	19	26	-	8	7	3	28	3	1	9	-	5	15	4	23	30	12	1	32	12
12	159	14	32	5	12	9	5	25	4	5	10	1	11	37	3	40	19	6	4	50	13
4	53	4	4	1	4	6	1	8	1	-	3	-	4	14	1	5	1	1	3	11	14
8	106	10	28	4	8	3	4	17	3	5	7	1	7	23	2	35	18	5	1	39	15
1	23	4	6	1	1	-	-	-	2	1	1	-	4	2	-	1	6	1	-	4	16
-	5	-	1	-	-	-	-	-	-	-	2	-	-	-	-	2	1	1	-	-	17
16	317	34	41	7	14	25	7	56	8	7	29	-	14	60	10	78	47	22	3	95	18
1	34	3	5	1	2	5	1	3	3	2	8	-	-	8	1	3	6	2	-	8	19
2	70	5	7	2	3	5	1	11	1	1	6	-	2	14	2	15	5	3	1	26	20
13	213	26	29	4	9	15	5	42	4	4	15	-	12	38	7	60	36	17	2	61	21
12	166	27	25	5	16	8	3	19	5	1	9	-	5	23	8	15	15	11	-	42	22
7	81	11	10	1	7	5	2	8	3	-	3	-	2	15	6	10	6	3	-	20	23
5	85	16	15	4	9	3	1	11	2	1	6	-	3	8	2	5	9	8	-	22	24
2	76	34	23	-	14	1	1	7	4	1	4	-	3	3	1	10	12	5	-	7	25
51	1,067	111	106	33	70	48	20	125	27	16	58	4	75	219	10	110	123	79	8	247	26
11	235	19	22	5	20	14	2	24	4	1	11	-	7	34	3	6	17	9	1	49	27
8	125	15	4	4	5	4	6	17	2	2	7	-	15	33	-	14	17	12	5	28	28
3	80	6	9	3	3	5	2	18	1	3	5	-	5	23	2	8	8	6	1	14	29
3	75	6	5	1	1	2	-	4	4	2	5	-	2	3	2	5	3	12	-	9	30
3	49	6	8	-	3	3	1	6	3	-	2	-	2	11	-	3	2	3	-	17	31
23	503	59	58	20	38	20	9	56	13	8	28	4	44	115	3	74	76	37	1	130	32
4	143	23	16	6	6	9	6	11	6	1	8	-	5	6	3	17	22	8	1	33	33
2	38	1	4	-	5	2	2	6	2	1	1	-	-	4	1	10	7	3	1	10	34
27	645	85	109	22	43	38	16	150	21	8	26	3	33	125	15	123	80	43	8	209	35
11	185	24	25	6	12	8	5	47	7	3	6	-	11	31	5	20	23	8	3	60	36
-	39	6	9	1	3	2	-	11	-	-	3	-	1	2	1	3	1	-	2	12	37
16	421	55	75	15	28	28	11	92	14	5	17	3	21	92	9	100	56	35	3	137	38
49	1,158	126	95	28	44	40	19	134	36	12	80	6	58	146	11	112	110	83	23	315	39
31	717	94	60	18	32	23	11	85	20	7	54	2	28	56	7	51	60	43	13	192	40
18	441	32	35	10	12	17	8	49	16	5	26	4	30	90	4	61	50	40	10	123	41
-	37	6	6	1	1	1	2	8	1	-	4	-	5	7	1	5	5	3	-	10	42
41	1,059	149	97	17	59	66	16	183	35	17	72	8	61	205	12	186	174	56	25	338	43
11	243	34	21	9	23	17	4	67	10	6	16	1	22	52	-	30	35	5	7	84	44
2	30	6	7	-	3	3	1	6	-	1	4	-	3	6	1	6	12	4	1	23	45
5	110	21	10	3	1	7	1	17	2	1	9	2	4	8	1	7	16	7	4	23	46
2	87	14	6	-	5	3	-	10	2	2	1	-	3	7	-	8	16	1	-	20	47
21	589	74	53	5	27	36	10	83	21	7	42	5	29	132	10	135	95	39	13	188	48
87	1,846	259	159	34	120	100	32	213	57	28	124	7	119	415	8	219	232	140	37	475	49
55	1,116	160	96	23	67	64	22	123	33	17	80	5	74	234	5	115	119	81	19	290	50
1	58	5	6	-	9	3	1	8	2	2	4	-	1	15	-	7	8	7	3	11	51
1	25	2	1	-	2	1	-	6	2	-	3	-	2	12	-	2	10	2	-	6	52
3	52	15	4	1	3	3	-	6	-	-	5	-	2	7	-	4	2	-	1	16	53
3	51	8	3	-	5	4	2	9	-	1	4	-	7	27	1	3	7	5	2	24	54
1	34	6	5	1	3	1	-	10	-	2	5	-	8	12	-	6	7	5	-	8	55
23	510	63	44	9	31	24	7	51	20	6	23	2	25	108	2	82	79	40	12	120	56
114	2,867	374	266	44	167	166	53	283	109	35	364	4	77	260	21	155	338	197	44	671	57
29	641	112	71	10	37	30	7	101	25	10	40	1	20	78	8	72	65	41	15	173	58
7	292	63	30	5	13	14	5	52	15	6	18	-	6	32	3	28	24	21	6	66	59
3	72	10	6	1	1	3	-	1	1	-	4	-	1	4	1	2	6	-	1	18	60
19	277	39	35	4	23	13	2	48	9	4	18	1	13	42	4	42	35	20	8	89	61
11	252	16	30	8	16	5	3	27	10	2	13	-	9	29	-	22	29	18	4	40	62
3	56	2	4	2	5	-	1	10	2	-	3	-	1	4	-	9	5	6	1	14	63
8	196	14	26	6	11	5	2	17	8	2	10	-	8	25	-	13	24	12	3	26	64
49	741	92	93	14	37	41	7	65	13	2	47	-	39	115	2	70	73	72	6	212	65
6	105	16	12	3	7	7	-	10	4	-	7	-	7	13	1	7	17	14	1	25	66
7	149	18	21	3	6	9	-	15	1	1	6	-	9	18	-	13	10	10	1	50	67
4	63	15	6	-	4	5	1	1	1	-	3	-	2	2	1	5	2	8	-	16	68
6	40	8	8	2	4	3	1	1	1	1	5	-	5	15	-	7	8	3	-	11	69
2	62	6	9	2	1	2	-	7	2	-	1	-	5	8	-	8	4	8	-	19	70
5	42	5	4	-	1	3	-	1	1	-	4	-	2	10	-	2	3	5	-	10	71
4	32	-	4	-	-	-	-	3	-	-	-	-	1	4	-	3	3	-	-	10	72
5	51	6	4	1	2	2	4	4	1	-	3	-	5	11	-	7	10	5	-	18	73
10	197	18	25	3	12	10	1	23	2	-	18	-	3	34	-	18	16	19	4	53	74
13	366	57	42	23	26	11	5	34	9	7	14	-	15	35	6	36	24	17	5	74	75
11	227	32	20	16	22	8	3	17	6	6	8	-	6	12	-	12	15	6	3	48	76
-	40	8	12	3	1	-	-	4	1	-	2	-	2	5	2	2	2	-	-	7	77
2	99	17	10	4	3	3	2	13	2	1	4	-	7	18	4	22	7	11	2	19	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	CALIFORNIA--Continued																
1	Santa Clara	3,704	22	8	13	632	206	86	54	95	24	38	129	56	1,878	384	1,312
2	San Jose	1,276	9	3	5	214	66	31	16	29	10	12	50	20	663	141	449
3	Palo Alto	381	-	-	-	72	24	8	10	10	1	5	14	3	203	41	146
4	Santa Clara	232	3	-	1	43	14	8	6	7	1	3	4	5	107	26	71
5	Balance of county	1,815	10	5	7	303	102	39	22	49	12	18	61	28	905	176	646
6	Santa Cruz	1,194	8	5	5	176	68	18	12	36	9	8	25	16	747	140	535
7	Santa Cruz	531	5	3	4	74	32	5	6	15	3	3	10	5	343	74	241
8	Watsonville	156	1	-	-	26	11	1	-	4	2	3	5	1	88	16	58
9	Balance of county	507	2	2	1	76	25	12	6	17	4	2	10	10	316	50	236
10	Shasta	458	5	2	3	67	20	12	3	11	3	4	14	3	238	42	161
11	Redding	154	2	2	-	22	5	3	1	5	2	-	6	1	76	14	58
12	Balance of county	304	3	-	3	45	15	9	2	6	1	4	8	2	162	28	123
13	Sierra	27	1	-	-	2	-	1	-	-	-	1	-	-	14	1	11
14	Siskiyou	293	1	1	-	42	10	6	4	8	2	4	8	1	158	37	99
15	Solano	946	5	1	3	150	50	27	7	21	9	8	28	15	449	87	327
16	Vallejo	479	2	1	1	80	22	17	4	12	7	3	15	9	248	45	186
17	Balance of county	467	3	-	2	70	28	10	3	9	2	5	13	6	201	42	141
18	Sonoma	1,441	8	4	4	250	98	36	15	36	7	16	51	17	814	180	548
19	Petaluma	157	1	1	2	26	10	2	2	5	-	1	6	2	85	19	60
20	Santa Rosa	379	4	-	1	62	23	8	5	11	2	4	9	4	224	47	149
21	Balance of county	905	3	3	1	162	56	26	8	20	5	11	36	11	505	114	339
22	Stanislaus	1,295	13	5	7	205	68	29	22	22	7	11	46	16	690	143	473
23	Modesto	364	3	2	3	64	25	10	1	6	1	4	17	2	192	49	121
24	Balance of county	931	10	3	4	141	43	19	21	16	6	7	29	14	498	94	352
25	Sutter	265	2	-	1	33	11	5	1	6	-	2	8	3	151	28	113
26	Tehama	235	1	-	-	43	14	7	5	9	2	1	5	2	128	43	77
27	Trinity	77	-	-	-	11	3	-	1	2	3	-	2	1	38	5	29
28	Tulare	1,331	11	4	7	180	60	27	20	26	6	8	33	17	673	141	478
29	Tulare	124	-	2	-	11	3	1	2	3	-	-	2	1	61	15	44
30	Visalia	174	2	-	-	25	8	3	4	3	-	-	7	4	97	18	72
31	Balance of county	1,033	9	2	7	144	49	23	14	20	6	8	24	12	515	108	362
32	Tuolumne	174	3	-	2	13	7	-	1	4	-	-	1	1	123	31	87
33	Ventura	1,180	12	1	8	172	52	19	19	25	10	12	35	12	558	115	400
34	Oxnard	201	3	-	-	27	11	-	1	5	1	1	8	3	86	12	66
35	San Buenaventura	263	3	-	2	43	11	10	4	2	2	6	8	3	143	31	102
36	Santa Paula	96	2	-	3	7	3	-	1	-	1	-	2	1	46	13	32
37	Balance of county	620	4	1	3	95	27	9	13	18	6	5	17	5	283	59	200
38	Yolo	529	2	1	1	89	19	21	7	19	3	2	18	13	265	40	200
39	Yuba	262	2	1	1	24	8	3	-	2	5	-	6	3	137	29	100
40	COLORADO	14,444	85	33	83	2,042	708	243	180	344	103	114	350	136	7,126	1,486	4,890
41	Metropolitan counties	7,474	46	15	35	1,125	386	146	108	175	54	63	193	68	3,583	696	2,516
42	Nonmetropolitan counties	6,970	39	18	48	917	322	97	72	169	49	51	157	68	3,543	790	2,374
43	Adams	435	2	-	4	63	21	10	6	7	4	1	14	4	165	30	117
44	Aurora (part)	68	2	-	-	10	3	2	1	1	-	-	3	2	25	5	16
45	Aurora (total)	187	3	-	2	27	10	3	2	4	1	1	6	3	65	13	46
46	Balance of county	367	-	-	4	53	18	8	5	6	4	1	11	2	140	25	101
47	Alamosa	77	-	-	-	15	5	2	-	3	1	-	4	1	24	3	19
48	Arapahoe	594	4	1	7	100	31	11	8	22	5	5	18	3	256	47	186
49	Aurora (part)	119	1	-	2	17	7	1	1	3	1	1	3	1	40	8	30
50	Englewood	264	3	1	3	47	12	7	4	12	1	2	9	1	126	23	88
51	Balance of county	211	-	-	2	36	12	3	3	7	3	2	6	1	90	16	68
52	Archuleta	27	-	-	1	2	2	-	-	-	-	-	-	2	11	1	10
53	Baca	45	-	-	-	7	1	2	-	2	-	1	1	3	24	4	18
54	Bent	78	-	-	1	7	2	-	-	2	-	-	3	1	41	9	29
55	Boulder	554	3	1	5	91	27	10	8	19	2	7	18	2	291	69	189
56	Boulder	257	1	1	3	48	15	3	4	9	2	5	10	2	135	34	87
57	Balance of county	297	2	-	2	43	12	7	4	10	-	2	8	-	156	35	102
58	Chaffee	105	-	-	1	12	2	2	2	2	-	-	4	-	52	12	33
59	Cheyenne	26	1	-	-	6	1	1	1	2	1	-	-	-	11	4	6
60	Clear Creek	31	-	-	-	4	-	1	1	-	1	-	1	-	16	1	14
61	Conejos	68	1	-	1	5	3	-	-	2	-	-	-	-	21	5	13
62	Costilla	42	-	-	-	3	2	-	-	1	-	-	-	1	18	5	12
63	Crowley	41	-	-	-	4	2	-	1	-	-	-	1	-	16	4	12
64	Custer	18	-	-	-	2	-	1	-	-	1	-	-	-	10	1	8
65	Delta	190	1	-	1	21	7	4	-	6	-	1	3	1	109	29	66
66	Denver, coextensive with Denver (city)	4,811	27	13	13	724	251	96	67	120	34	43	113	46	2,399	465	1,667
67	Dolores	14	-	-	-	2	1	-	-	1	-	-	-	-	5	2	3
68	Douglas	42	-	-	-	8	-	1	2	3	-	-	2	1	17	7	10
69	Eagle	44	-	-	2	9	4	-	2	2	-	-	1	-	17	3	11
70	Elbert	31	-	-	-	3	1	1	-	-	1	-	-	-	19	3	15
71	El Paso	1,015	9	4	5	158	53	19	12	25	13	9	27	7	482	112	315
72	Colorado Springs	750	8	3	4	117	36	16	9	19	10	8	19	5	372	85	245
73	Balance of county	265	1	1	1	41	17	3	3	6	3	1	8	2	110	27	70
74	Fremont	294	2	-	1	47	22	4	3	11	-	2	5	2	150	36	105
75	Garfield	107	1	-	-	13	3	2	-	4	1	1	2	-	61	13	38
76	Gilpin	15	1	-	-	3	-	-	-	2	-	-	1	-	8	1	5
77	Grand	33	-	-	-	3	3	-	-	-	-	-	-	-	22	5	14

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
57	1,044	111	100	25	66	73	18	151	39	18	47	4	68	180	17	113	97	75	7	279	1
13	364	35	37	13	22	34	4	44	16	6	24	2	23	57	5	35	34	17	2	97	2
4	117	9	16	-	12	3	1	13	4	1	1	-	3	17	2	5	12	14	1	30	3
5	57	7	2	3	-	3	4	12	-	1	2	1	5	24	1	7	6	5	-	9	4
35	506	60	45	9	32	33	9	82	19	10	20	1	37	82	9	66	45	39	4	143	5
13	424	52	46	17	28	23	4	17	11	3	11	-	4	18	2	20	30	25	3	93	6
9	186	18	28	5	15	7	1	8	4	2	3	-	1	7	2	5	13	8	-	44	7
1	48	4	5	3	7	3	1	2	-	1	4	-	1	5	-	4	2	3	1	17	8
3	190	30	13	9	6	13	2	7	7	-	4	-	2	6	-	11	15	14	2	32	9
6	122	24	29	4	3	4	4	11	1	3	10	-	9	17	3	19	18	12	-	37	10
-	41	6	11	1	2	-	1	-	1	1	7	-	4	9	3	7	4	3	-	12	11
6	81	18	18	3	1	4	3	11	-	2	3	-	5	8	-	12	14	9	-	25	12
-	11	-	-	-	1	1	-	2	-	1	-	-	-	1	-	3	3	-	-	-	13
1	78	5	15	1	12	6	3	16	-	1	6	-	4	13	3	14	12	6	-	15	14
15	247	34	31	6	10	10	9	26	3	3	18	-	17	64	7	45	47	18	3	72	15
11	138	19	18	3	7	4	3	13	2	1	9	-	8	25	3	18	17	8	2	32	16
4	109	15	13	3	3	6	6	13	1	2	9	-	9	39	4	27	30	10	1	40	17
10	419	43	76	12	35	24	15	26	8	4	24	1	10	33	19	43	34	25	3	114	18
1	40	4	15	-	3	1	2	3	-	2	4	1	1	7	5	2	5	3	-	7	19
4	109	18	18	5	13	5	5	7	4	-	5	-	3	8	2	12	9	4	1	29	20
5	270	21	43	7	19	18	8	16	4	2	15	-	6	18	12	29	20	18	2	78	21
19	360	44	50	8	27	31	8	52	5	5	12	-	19	37	13	45	46	29	-	96	22
4	92	11	14	3	6	10	3	12	-	2	3	-	5	7	1	12	13	11	-	32	23
15	268	33	36	5	21	21	5	40	5	3	9	-	14	30	12	33	33	18	-	64	24
7	81	9	16	-	4	4	2	5	-	1	6	-	5	11	1	13	13	4	1	15	25
2	66	3	6	3	4	-	1	3	3	1	4	-	3	9	-	15	7	4	-	12	26
-	24	1	4	1	2	1	-	2	1	-	1	-	2	4	1	4	6	1	1	4	27
13	363	51	51	9	23	12	10	47	14	15	11	1	20	56	12	58	68	18	5	114	28
1	33	6	4	-	-	-	2	7	1	-	3	-	4	7	-	6	9	1	1	10	29
3	58	5	6	-	6	1	-	3	-	1	-	-	2	7	1	3	11	4	1	13	30
9	272	40	41	9	17	11	8	37	13	14	8	1	14	42	11	49	48	13	3	91	31
-	69	6	12	1	-	3	1	2	1	-	-	-	1	4	2	5	6	1	-	10	32
14	309	42	35	12	14	11	6	48	5	8	24	1	14	79	8	51	50	22	9	98	33
3	53	8	2	2	3	1	2	11	1	1	6	1	5	19	4	10	14	1	1	8	34
3	82	8	9	3	3	4	-	8	1	2	6	-	2	13	-	8	5	4	-	20	35
1	23	5	3	1	-	-	-	4	1	3	1	-	3	6	1	5	2	1	-	10	36
7	151	21	21	6	8	6	4	25	2	2	11	-	4	41	3	28	29	16	8	60	37
4	170	16	10	6	10	6	3	14	2	-	7	-	4	23	5	21	31	13	2	36	38
3	79	7	11	1	1	5	1	14	-	-	6	-	3	15	3	13	13	8	1	18	39
253	3,787	396	454	108	301	222	121	881	103	91	179	7	232	793	61	401	617	258	75	1,241	40
153	1,953	200	210	50	137	135	49	507	52	34	109	4	124	442	23	157	286	125	52	687	41
100	1,834	196	244	56	164	87	72	374	51	57	70	3	108	351	38	244	331	133	23	554	42
10	93	8	6	-	6	9	3	20	2	1	1	-	16	57	2	22	24	8	-	44	43
1	13	-	2	-	1	2	1	3	-	-	1	-	1	11	-	-	3	2	-	8	44
4	36	1	5	-	3	2	1	7	1	1	4	-	5	30	1	6	9	4	2	17	45
9	80	8	4	-	5	7	2	17	2	1	-	-	15	46	2	22	21	6	-	36	46
2	11	4	2	-	2	-	-	10	1	1	3	-	-	5	1	2	3	4	-	7	47
15	148	13	10	4	11	6	2	24	3	1	8	1	15	51	2	12	33	6	9	58	48
3	23	1	3	-	2	-	-	4	1	1	3	-	4	19	1	6	6	2	2	9	49
5	70	8	5	2	9	3	1	11	-	-	3	-	5	15	-	4	11	3	3	28	50
7	55	4	2	2	-	3	1	9	2	-	2	1	6	17	1	2	16	1	4	21	51
1	8	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	7	52
2	12	4	-	-	1	-	1	2	-	-	-	-	-	3	-	-	2	-	-	4	53
1	18	3	7	-	-	1	2	4	-	2	-	-	2	4	1	5	5	-	-	5	54
9	148	14	18	5	15	7	6	26	4	3	2	-	3	26	4	13	21	12	1	46	55
4	70	4	9	2	8	3	1	10	2	2	1	-	2	11	1	4	8	5	1	20	56
5	78	10	9	3	7	4	5	16	2	1	1	-	1	15	3	9	13	7	-	26	57
1	24	1	7	1	3	3	-	9	-	1	1	-	2	8	-	1	10	2	-	6	58
1	3	1	1	-	-	1	-	3	-	-	-	-	-	1	-	2	-	-	-	2	59
1	10	1	2	-	-	1	-	-	-	-	-	-	-	1	-	1	6	-	-	3	60
3	8	-	2	-	1	1	1	11	-	3	-	-	-	6	1	3	6	4	1	5	61
1	10	1	-	-	1	-	-	2	-	3	1	-	1	2	2	2	3	1	-	3	62
1	9	-	2	-	-	-	-	4	-	-	-	-	1	5	1	2	3	1	1	3	63
-	6	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-	2	64
1	46	6	13	1	8	1	4	14	-	3	4	-	-	4	2	2	10	3	1	14	65
97	1,284	145	141	35	107	96	29	328	39	22	87	1	62	234	17	75	164	82	32	446	66
-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	3	67
-	10	-	-	-	-	-	-	4	-	-	-	-	-	3	1	1	3	3	-	1	68
1	10	-	-	-	1	2	-	3	-	-	1	-	-	1	-	4	3	2	-	2	69
-	15	-	-	-	-	1	-	3	-	-	-	-	-	2	-	3	-	-	-	1	70
7	270	23	15	9	22	18	6	55	12	3	8	-	29	79	2	29	31	20	3	79	71
7	208	16	14	6	15	15	6	41	8	3	6	-	19	49	1	21	19	10	3	61	72
-	62	7	1	3	7	3	-	14	4	-	2	-	10	30	1	8	12	10	-	18	73
5	70	3	27	6	-	-	3	27	3	-	2	-	2	4	-	9	14	3	1	27	74
1	26	7	4	1	6	-	3	5	2	1	-	-	2	3	1	7	4	-	-	7	75
1	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	76
2	11	-	1	-	1	1	1	1	1	-	1	-	1	-	1	-	1	1	-	1	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	COLORADO—Continued																
1	Gunnison	42	-	-	-	2	1	-	-	1	-	-	-	1	19	5	11
2	Hinsdale	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
3	Huerfano	134	-	-	-	14	8	1	-	1	-	-	4	-	74	9	53
4	Jackson	10	1	-	1	-	-	-	-	-	-	-	-	-	6	1	4
5	Jefferson	659	7	-	6	109	38	14	17	10	7	5	18	4	322	72	225
6	Kiowa	28	-	-	-	4	1	-	-	1	1	-	1	-	15	4	8
7	Kit Carson	59	1	-	-	10	5	1	1	1	-	1	1	-	32	5	26
8	Lake	60	-	-	-	4	1	2	-	-	-	-	1	-	26	1	20
9	La Plata	172	2	1	1	24	10	-	2	6	1	1	4	-	76	17	40
10	Larimer	486	3	1	3	70	21	6	8	17	4	2	12	4	258	52	181
11	Fort Collins	204	3	-	3	24	5	2	2	8	3	-	4	1	113	25	78
12	Balance of county	282	-	1	-	46	16	4	6	9	1	2	8	3	145	27	103
13	Las Animas	256	1	1	-	32	12	2	2	7	3	1	5	1	136	32	88
14	Trinidad	172	1	1	-	19	8	2	1	6	1	-	1	-	95	22	61
15	Balance of county	84	-	-	-	13	4	-	1	1	2	1	4	1	41	10	27
16	Lincoln	51	-	-	1	7	1	2	-	-	2	-	2	-	25	6	16
17	Logan	172	-	-	2	24	11	-	1	5	2	1	4	-	87	18	63
18	Mesa	483	3	1	5	58	20	6	8	11	3	2	8	9	267	57	179
19	Grand Junction	226	-	1	2	22	11	-	1	6	1	1	2	3	137	34	85
20	Balance of county	257	3	-	3	36	9	6	7	5	2	1	6	6	130	23	94
21	Mineral	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Moffat	50	-	-	-	7	5	-	-	2	-	-	-	1	28	4	23
23	Montezuma	104	1	1	-	10	2	-	-	1	1	1	5	1	44	6	31
24	Montrose	167	1	2	1	17	9	2	1	1	-	1	3	1	74	16	50
25	Morgan	187	1	1	-	20	7	3	1	4	1	3	1	1	118	31	77
26	Otero	277	3	2	6	26	10	1	3	4	2	2	4	10	146	20	111
27	Ouray	13	-	-	-	5	-	-	1	2	-	1	1	-	3	2	1
28	Park	19	-	-	1	1	1	-	-	-	-	-	-	1	9	3	4
29	Phillips	42	-	-	-	6	1	-	1	1	1	1	1	-	25	7	14
30	Pitkin	22	-	-	-	6	1	1	1	1	-	1	1	1	8	1	6
31	Prowers	116	-	-	1	11	2	1	2	1	2	-	3	3	66	10	56
32	Pueblo	975	6	1	5	129	45	15	10	16	4	9	30	11	441	82	321
33	Pueblo	799	5	-	2	109	42	14	8	14	3	7	21	10	370	71	268
34	Balance of county	176	1	1	3	20	3	1	2	2	1	2	9	1	71	11	53
35	Rio Blanco	32	-	-	-	8	2	1	1	2	-	1	1	1	12	-	11
36	Rio Grande	118	2	-	-	6	3	1	-	-	-	-	2	3	43	6	32
37	Routt	71	-	2	1	8	6	-	-	-	-	-	2	-	29	3	25
38	Saguache	50	-	-	2	7	3	2	-	1	1	-	-	1	21	7	11
39	San Juan	13	-	-	-	-	-	-	-	-	-	-	-	-	9	1	7
40	San Miguel	26	-	-	-	5	3	-	1	-	1	-	-	-	7	2	4
41	Sedgwick	35	-	-	1	2	2	-	-	-	-	-	-	2	17	2	10
42	Summit	15	-	-	-	-	-	-	-	-	-	-	-	-	8	1	6
43	Teller	44	-	-	-	11	5	4	-	-	-	-	2	-	23	6	15
44	Washington	46	-	-	-	7	2	1	2	-	-	-	2	-	27	7	16
45	Weld	577	1	1	4	69	24	6	4	11	3	7	14	4	317	108	178
46	Greeley	274	-	-	1	39	14	2	1	6	2	6	8	2	162	66	80
47	Balance of county	303	1	1	3	30	10	4	3	5	1	1	6	2	155	42	99
48	Yuma	90	-	-	-	10	1	4	-	1	-	4	-	2	62	11	50
49	CONNECTICUT	23,234	139	40	113	4,129	1,526	559	375	517	211	188	753	439	13,078	2,668	9,230
50	Metropolitan counties	18,191	117	33	91	3,276	1,190	458	306	410	166	142	604	356	10,171	2,031	7,241
51	Nonmetropolitan counties	5,043	22	7	22	853	336	101	69	107	45	46	149	83	2,907	637	1,989
52	Fairfield	5,799	28	13	25	1,046	361	147	99	138	64	40	197	95	3,303	713	2,293
53	Bridgeport	1,801	13	3	6	292	106	45	23	41	12	9	56	34	1,081	205	796
54	Stamford	795	3	3	3	149	50	18	13	19	10	10	29	13	417	95	283
55	Norwalk	547	2	-	4	109	41	15	5	17	8	4	19	12	292	85	180
56	Stratford (town)[3]	356	1	2	1	75	24	10	7	6	4	2	22	6	196	34	141
57	Danbury	430	1	2	2	72	24	14	3	12	7	3	9	10	240	65	148
58	Shelton	123	1	1	1	15	7	2	2	1	2	-	1	4	66	11	48
59	Balance of county	1,747	7	2	8	334	109	43	46	42	21	12	61	16	1,011	218	697
60	Hartford	6,009	52	9	36	1,084	396	148	97	156	46	49	192	125	3,236	628	2,326
61	Hartford	2,015	26	3	14	324	137	50	20	45	10	11	51	31	1,077	199	790
62	New Britain	735	10	-	3	149	55	18	8	20	6	6	36	30	383	66	287
63	Bristol	321	3	1	1	58	24	4	7	5	4	4	10	5	164	37	117
64	East Hartford (town)[3]	316	2	-	3	56	19	9	4	10	4	2	8	8	168	33	116
65	West Hartford (town)[3]	533	1	2	1	113	35	11	16	16	8	3	24	8	321	71	226
66	Balance of county	2,089	10	3	14	384	126	56	42	60	14	23	63	43	1,123	222	790
67	Litchfield	1,240	7	2	7	224	92	24	20	36	14	10	28	23	701	176	457
68	Torrington	320	3	-	3	60	23	7	5	11	5	2	7	10	179	45	113
69	Balance of county	920	4	2	4	164	69	17	15	25	9	8	21	13	522	131	344
70	Middlesex	828	3	2	4	132	50	16	11	14	8	8	25	12	487	118	325
71	Middletown	283	-	1	1	42	16	6	2	3	5	3	7	6	167	49	110
72	Balance of county	545	3	1	3	90	34	10	9	11	3	5	18	6	320	69	215
73	New Haven	6,383	37	11	30	1,146	433	163	110	116	56	53	215	136	3,632	690	2,622
74	New Haven	1,893	16	3	9	296	109	53	31	20	16	10	57	48	1,086	215	791
75	Waterbury	1,149	7	3	5	222	84	29	15	28	10	12	44	34	630	115	453
76	Meriden	530	5	-	1	100	34	15	13	8	7	3	20	6	312	59	228
77	West Haven (town)[3]	380	2	-	1	63	31	8	4	9	2	5	4	6	226	34	178

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	8	2	1	-	2	1	-	2	-	1	-	-	1	1	-	-	1	5	-	9	1
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	47	3	1	3	7	1	1	8	-	3	3	-	1	6	-	3	8	4	-	10	3
-	4	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	4
9	182	17	17	7	5	8	5	21	4	3	4	1	14	51	1	19	19	15	6	53	5
-	8	-	-	-	1	2	-	-	-	-	-	-	-	2	-	3	2	-	-	2	6
1	25	-	-	-	-	1	-	1	1	-	1	-	2	2	-	-	1	3	-	5	7
3	9	2	6	-	2	2	1	4	1	1	-	-	1	2	1	6	5	4	-	5	8
1	28	3	8	1	10	5	3	2	1	1	2	-	3	14	2	10	15	5	-	13	9
7	138	17	19	6	10	4	5	20	2	1	6	-	13	20	2	18	13	7	3	42	10
2	56	10	10	1	6	2	1	7	1	-	2	-	4	8	1	10	3	2	3	19	11
5	82	7	9	5	4	2	4	13	1	1	4	-	9	12	1	8	10	5	-	23	12
-	77	9	2	2	6	4	4	14	-	2	8	-	2	14	4	6	11	4	2	18	13
-	54	5	2	2	4	3	3	10	-	1	7	-	2	9	2	3	4	2	2	14	14
-	23	4	-	-	2	1	1	4	-	1	1	-	-	5	2	3	7	2	-	4	15
-	15	1	-	2	1	-	-	4	-	1	2	-	-	1	-	5	1	1	-	3	16
-	52	5	6	3	1	-	2	6	2	-	-	-	3	8	3	8	12	4	-	13	17
8	137	17	17	3	12	11	5	12	6	5	4	-	11	16	1	21	21	10	1	32	18
4	66	9	6	2	8	6	2	7	3	3	4	-	1	2	-	9	10	5	1	16	19
4	71	8	11	1	4	5	3	5	3	2	-	-	10	14	1	12	11	5	-	16	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	21
1	19	1	2	-	-	-	1	2	1	-	-	-	1	2	-	2	3	-	-	3	22
1	22	1	7	-	-	2	5	9	1	2	1	-	1	12	-	4	11	1	-	5	23
2	33	4	11	-	7	-	1	11	1	1	-	-	2	8	1	7	17	3	1	19	24
3	59	6	9	-	6	1	3	11	-	-	2	-	1	12	1	2	4	1	1	11	25
6	83	7	15	5	2	2	6	16	1	3	3	1	1	16	-	8	11	4	1	19	26
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-	27
1	2	-	1	-	1	1	-	2	-	-	2	-	-	-	-	-	1	-	-	2	28
-	10	3	1	-	3	1	-	1	-	-	1	-	1	-	-	1	4	1	-	2	29
-	4	-	2	-	-	1	-	1	-	-	-	-	1	1	-	2	1	-	-	1	30
5	28	19	4	-	-	-	-	8	1	1	-	1	3	4	-	4	3	2	-	8	31
22	246	17	36	4	8	16	10	114	4	7	9	1	17	49	1	29	46	14	5	86	32
17	206	17	28	4	6	13	8	88	4	6	8	1	11	39	-	22	35	9	5	75	33
5	40	-	8	-	2	3	2	26	-	1	1	-	6	10	1	7	11	5	-	11	34
1	9	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	4	-	-	5	35
1	28	1	2	-	4	1	-	6	-	5	4	-	2	18	-	8	7	1	1	12	36
4	15	3	3	-	1	-	-	7	1	-	1	-	-	5	-	3	1	2	3	8	37
2	7	-	2	-	2	1	-	2	-	3	-	-	-	2	1	-	3	-	2	6	38
-	7	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	39
-	3	-	1	-	-	1	-	1	-	-	-	-	1	3	-	1	4	2	-	2	40
-	8	1	1	1	2	-	2	5	-	-	-	-	2	-	1	2	-	1	-	2	41
1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	3	42
3	9	-	3	-	1	-	1	-	-	-	-	1	-	2	-	2	3	-	-	2	43
1	13	1	1	1	2	1	-	-	1	-	1	-	-	1	-	2	2	-	-	5	44
5	156	8	10	5	16	5	4	30	7	7	4	-	11	19	4	19	22	10	-	48	45
3	72	2	3	2	8	4	2	11	3	4	2	-	4	6	3	8	5	4	-	20	46
2	84	6	7	3	8	1	2	19	4	3	2	-	7	13	1	11	17	6	-	28	47
-	37	11	2	1	-	-	-	1	-	-	-	-	1	-	-	6	2	1	-	5	48
254	7,342	827	807	212	495	312	161	698	171	75	341	13	280	906	102	269	608	261	39	1,533	49
192	5,754	676	619	168	353	259	119	537	130	60	266	9	224	741	97	186	466	210	32	1,189	50
62	1,588	151	188	44	142	53	42	161	41	15	75	4	56	165	5	83	142	51	7	344	51
68	1,848	187	190	67	112	80	38	180	38	13	77	4	64	237	23	54	160	79	9	351	52
24	634	64	74	20	27	23	10	59	13	4	23	1	18	74	6	11	41	21	3	98	53
15	205	39	23	9	12	14	4	20	3	3	17	2	11	47	2	6	24	6	3	63	54
5	149	11	15	6	10	6	5	21	8	2	7	1	7	17	3	5	15	9	1	32	55
5	106	20	10	2	8	7	4	5	5	1	4	-	2	22	1	2	6	4	-	23	56
3	128	7	10	3	12	8	4	16	3	-	3	-	5	18	2	8	15	7	-	26	57
4	37	4	3	3	2	1	1	5	1	-	2	-	1	6	1	4	4	1	-	10	58
12	588	42	55	24	41	21	10	54	5	3	21	-	20	53	8	18	55	31	2	99	59
58	1,846	231	191	54	111	80	37	182	42	20	101	2	84	292	18	71	160	67	14	414	60
25	632	81	52	18	33	29	8	64	23	9	41	1	21	86	7	17	62	16	10	183	61
9	210	22	46	6	12	9	3	23	2	2	14	-	15	33	-	8	9	10	1	43	62
2	103	11	1	3	5	1	1	17	3	-	6	-	6	22	-	2	11	1	-	21	63
1	101	9	5	4	6	5	4	9	1	1	5	-	6	20	-	5	7	4	-	21	64
3	184	27	12	6	11	3	4	11	2	3	7	-	5	12	1	10	12	4	1	19	65
18	616	81	75	17	44	33	17	58	11	5	28	1	31	119	10	29	59	32	2	127	66
8	363	44	42	16	32	11	9	42	18	4	18	-	10	36	2	19	34	8	1	84	67
2	96	8	7	8	10	1	2	11	5	1	4	-	3	6	1	2	8	2	-	22	68
6	267	36	35	8	22	10	7	31	13	3	14	-	7	30	1	17	26	6	1	62	69
11	255	29	30	3	24	11	6	24	3	4	15	1	8	31	1	13	24	13	1	50	70
5	87	11	7	-	2	5	1	5	3	2	4	1	4	11	-	3	11	1	-	21	71
6	168	18	23	3	22	6	5	19	-	2	11	-	4	20	1	10	13	12	1	29	72
66	2,060	258	238	47	130	99	44	175	50	27	88	3	76	212	56	61	146	64	9	424	73
9	636	57	89	16	25	28	11	51	18	10	25	-	26	63	29	15	40	21	3	134	74
21	336	69	27	13	27	13	9	24	13	8	22	2	14	33	4	11	26	5	3	83	75
4	194	24	6	5	7	9	4	19	3	1	6	-	4	19	-	4	13	4	1	32	76
5	149	18	6	1	7	3	3	11	2	1	2	-	7	17	4	3	10	6	-	19	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	CONNECTICUT—Continued																
	New Haven—Continued																
1	Ansonia	220	2	-	-	38	16	4	5	2	2	1	8	3	132	25	97
2	Derby	101	1	-	-	19	5	2	4	-	-	-	8	1	57	15	38
3	Naugatuck	182	-	-	2	35	15	5	1	6	3	1	4	3	102	20	70
4	Wallingford	270	2	1	1	47	14	8	7	5	3	3	7	6	162	25	123
5	Balance of county	1,658	2	4	11	326	125	39	30	38	13	18	63	29	925	182	644
6	New London	1,725	9	1	7	280	105	36	23	39	10	14	53	31	997	200	685
7	New London	360	2	-	1	56	20	11	4	7	1	-	13	6	213	48	142
8	Norwich	459	3	-	3	76	31	6	8	12	4	5	10	9	268	58	178
9	Balance of county	907	4	1	3	148	54	19	11	20	5	9	30	16	516	94	365
10	Tolland	516	1	-	4	89	41	13	4	5	3	5	18	6	318	65	233
11	Windham	734	2	2	-	128	48	12	11	13	10	9	25	11	404	78	289
12	Willimantic	148	-	-	-	26	11	1	2	2	2	3	5	2	74	13	53
13	Balance of county	586	2	2	-	102	37	11	9	11	8	6	20	9	330	65	236
14	DELAWARE	4,098	37	13	14	627	200	83	63	102	29	37	113	71	2,204	317	1,684
15	Metropolitan counties	2,668	23	9	7	453	151	63	44	72	24	23	76	47	1,406	189	1,091
16	Nonmetropolitan counties	1,430	14	4	7	174	49	20	19	30	5	14	37	24	798	128	593
17	Kent	574	4	1	1	76	26	6	8	11	3	7	15	10	302	45	225
18	New Castle	2,668	23	9	7	453	151	63	44	72	24	23	76	47	1,406	189	1,091
19	Wilmington	1,490	14	6	3	250	90	40	27	38	10	10	35	26	808	108	625
20	Balance of county	1,178	9	3	4	203	61	23	17	34	14	13	41	21	598	81	466
21	Sussex	856	10	3	6	98	23	14	11	19	2	7	22	14	496	63	368
22	DISTRICT OF COLUMBIA	8,952	122	41	42	1,456	526	197	142	199	82	46	264	106	4,493	797	3,193
23	FLORIDA	43,614	293	108	259	6,621	2,136	1,100	478	1,041	316	293	1,257	606	22,381	5,106	15,437
24	Metropolitan counties	22,199	187	66	135	3,624	1,168	629	271	563	178	151	664	314	11,326	2,469	7,973
25	Nonmetropolitan counties	21,415	106	42	124	2,997	968	471	207	478	138	142	593	292	11,055	2,637	7,464
26	Alachua	553	3	2	7	68	17	13	6	13	2	7	10	8	285	109	152
27	Gainesville	216	2	-	4	30	6	5	4	5	1	4	5	2	106	36	57
28	Balance of county	337	1	2	3	38	11	8	2	8	1	3	5	6	179	73	95
29	Baker	52	-	-	-	5	2	1	1	-	-	1	-	1	20	7	11
30	Bay	400	3	1	2	50	9	4	2	9	4	3	19	3	168	41	114
31	Panama City	274	2	1	1	39	6	3	2	7	4	3	14	3	116	25	82
32	Balance of county	126	1	-	1	11	3	1	-	2	-	-	5	-	52	16	32
33	Bradford	131	5	-	-	17	5	4	1	2	2	1	2	1	64	17	42
34	Brevard	594	2	1	5	90	26	13	10	10	7	4	20	7	270	51	199
35	Broward	2,395	11	11	10	395	122	83	33	57	18	19	63	31	1,206	232	868
36	Fort Lauderdale	891	5	6	3	141	46	33	7	23	5	3	24	12	460	94	312
37	Hollywood	337	1	1	-	65	19	16	7	9	2	3	9	6	195	36	143
38	Balance of county	1,167	5	4	7	189	57	34	19	25	11	13	30	13	551	102	413
39	Calhoun	71	-	-	-	10	1	1	2	2	-	-	4	-	41	16	24
40	Charlotte	100	-	-	2	19	3	4	-	8	-	1	3	1	58	13	44
41	Citrus	117	-	-	-	22	6	7	2	4	-	1	2	-	68	11	50
42	Clay	129	-	1	-	12	4	1	3	2	-	-	2	-	64	22	38
43	Collier	113	-	-	1	11	5	1	1	1	1	1	1	1	54	9	41
44	Columbia	189	-	-	1	19	6	5	-	1	2	1	4	2	111	49	52
45	Dade	7,979	71	26	52	1,384	431	262	113	172	86	52	288	118	3,901	713	2,925
46	Miami	3,607	47	16	29	633	204	125	43	80	36	22	123	42	1,724	326	1,269
47	Miami Beach	888	1	1	4	137	44	24	13	11	13	5	27	21	575	82	474
48	Coral Gables	313	-	1	1	74	31	14	4	8	1	4	12	1	168	34	122
49	Hialeah	351	6	1	1	50	10	12	7	8	3	3	7	5	163	32	122
50	North Miami	197	1	-	1	38	11	5	5	5	2	2	8	3	105	20	79
51	Balance of county	2,623	16	7	16	452	131	82	41	60	31	16	91	46	1,166	219	859
52	De Soto	101	-	-	-	18	4	6	2	5	-	-	1	4	51	14	32
53	Dixie	45	1	-	-	7	3	1	-	-	-	-	3	-	29	5	20
54	Duval	3,585	45	18	28	533	146	83	44	114	19	23	104	42	1,703	478	1,053
55	Jacksonville	2,460	38	14	18	349	102	57	27	83	11	11	58	34	1,208	356	732
56	Balance of county	1,125	7	4	10	184	44	26	17	31	8	12	46	8	495	122	321
57	Escambia	1,221	11	3	5	157	36	21	7	31	7	6	49	13	586	124	423
58	Pensacola	577	7	3	1	87	21	9	5	20	3	5	24	3	296	56	223
59	Balance of county	644	4	-	4	70	15	12	2	11	4	1	25	10	290	68	200
60	Flagler	53	-	-	2	6	2	1	-	1	1	-	1	-	21	5	13
61	Franklin	68	-	-	1	12	4	1	1	2	1	1	2	1	34	7	26
62	Gadsden	342	2	1	3	30	3	5	1	10	-	2	9	7	148	44	91
63	Gilchrist	30	-	-	1	3	1	-	-	2	-	-	-	1	17	4	10
64	Glades	24	-	-	-	-	-	-	-	-	-	-	-	-	8	1	6
65	Gulf	72	1	1	-	14	4	2	3	2	-	-	3	-	35	10	21
66	Hamilton	84	1	-	-	4	-	-	-	2	1	-	1	3	45	11	31
67	Hardee	124	2	-	-	12	4	1	2	2	-	-	3	-	58	10	36
68	Hendry	55	-	-	-	6	4	-	-	-	1	-	1	4	22	4	16
69	Hernando	114	1	-	1	16	6	2	-	3	1	-	4	1	56	17	33
70	Highlands	242	1	1	1	38	13	7	3	10	-	4	1	3	124	25	85
71	Hillsborough	3,567	30	8	23	498	143	99	39	78	27	26	86	56	1,662	331	1,211
72	Tampa	2,775	25	4	16	384	112	75	35	62	21	17	62	49	1,328	270	941
73	Balance of county	792	5	4	7	114	31	24	4	16	6	9	24	7	334	61	270
74	Holmes	106	-	-	-	12	4	1	2	1	-	2	2	1	65	13	47
75	Indian River	244	-	1	1	32	13	6	4	3	-	-	6	3	128	22	96

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	71	13	12	-	7	2	1	6	1	-	6	-	1	4	2	-	9	1	1	14	1
1	18	8	11	2	1	-	1	2	1	1	1	-	2	2	2	3	1	-	-	8	2
1	53	5	11	1	8	2	1	9	2	-	1	-	2	3	3	4	1	1	-	14	3
4	109	6	4	1	6	4	3	7	2	-	5	-	5	5	-	-	10	5	-	12	4
20	494	58	72	8	42	38	11	46	8	6	20	1	15	66	12	21	36	21	1	108	5
25	567	33	60	11	62	22	17	55	6	6	25	3	26	60	-	29	50	15	3	122	6
5	121	8	8	1	18	3	1	13	2	1	10	1	5	8	-	6	10	5	2	19	7
10	139	9	20	6	9	7	10	16	4	2	7	-	5	9	-	9	10	4	-	33	8
10	307	16	32	4	35	12	6	26	-	3	8	2	16	43	-	14	30	6	1	70	9
6	201	11	15	4	10	3	3	12	5	-	7	-	7	16	-	4	15	8	1	23	10
12	202	34	41	10	14	6	7	28	9	1	10	-	5	22	2	18	19	7	1	65	11
-	39	8	6	2	4	1	1	7	1	-	4	-	2	3	1	8	4	2	-	14	12
12	163	26	35	8	10	5	6	21	8	1	6	-	3	19	1	10	15	5	1	51	13
53	1,032	304	295	38	88	35	42	179	35	20	60	4	53	193	15	94	128	37	13	301	14
30	692	186	183	21	53	23	29	108	28	9	47	2	42	127	8	49	77	25	3	198	15
23	340	118	112	17	35	12	13	71	7	11	13	2	11	66	7	45	51	12	10	103	16
11	124	47	43	6	13	7	6	30	3	4	4	1	7	31	2	15	31	8	3	41	17
30	692	186	183	21	53	23	29	108	28	9	47	2	42	127	8	49	77	25	3	198	18
14	390	118	103	12	31	14	18	62	16	3	34	1	18	52	6	25	33	12	2	119	19
16	302	68	80	9	22	9	11	46	12	6	13	1	24	75	2	24	44	13	1	79	20
12	216	71	69	11	22	5	7	41	4	7	9	1	4	35	5	30	20	4	7	62	21
61	2,015	631	486	82	160	197	64	417	60	29	190	5	115	544	33	100	260	97	86	756	22
507	11,338	1,638	1,954	322	642	509	365	1,468	290	283	540	64	527	2,047	944	1,159	1,667	606	481	3,270	23
267	5,899	826	981	161	314	254	155	733	163	110	303	25	259	958	436	505	762	329	238	1,726	24
240	5,439	812	973	161	328	255	210	735	127	173	237	39	268	1,089	508	654	905	277	243	1,544	25
3	103	26	20	2	9	6	7	22	4	5	3	-	7	25	20	11	24	5	6	48	26
3	43	7	4	1	6	2	4	8	2	1	1	-	4	13	10	2	9	2	4	16	27
-	60	19	16	1	3	4	3	14	2	4	2	-	3	12	10	9	15	3	2	32	28
-	8	2	1	-	-	2	-	2	2	-	-	-	1	3	2	5	7	1	2	1	29
2	70	29	13	1	4	5	3	13	2	5	9	-	12	43	13	18	24	6	5	23	30
1	51	24	6	1	3	2	3	9	1	4	6	-	7	28	7	13	12	4	5	16	31
1	19	5	7	-	1	3	-	4	1	1	3	-	5	15	6	5	12	2	-	7	32
-	36	3	3	1	2	2	-	8	2	1	2	-	2	4	-	7	6	-	3	9	33
8	157	12	22	3	7	7	3	21	3	3	4	2	12	50	8	23	27	3	3	60	34
44	679	76	69	27	24	26	29	74	14	28	33	2	28	120	14	58	101	39	34	186	35
13	245	29	25	15	10	11	18	27	8	6	15	-	11	44	4	20	32	21	11	65	36
4	124	8	7	4	3	5	4	3	2	3	5	-	2	7	2	4	9	5	1	26	37
27	310	39	37	8	11	10	7	44	4	19	13	2	15	69	8	34	60	13	22	95	38
2	19	2	1	-	-	1	-	5	-	1	3	-	-	1	2	1	1	-	-	6	39
5	31	-	8	-	-	1	-	2	-	-	1	-	1	2	5	1	2	-	1	5	40
1	40	4	5	-	6	1	-	-	2	1	-	-	-	4	4	5	7	-	-	4	41
2	28	4	4	-	3	-	1	4	-	3	-	1	4	9	4	6	7	4	1	9	42
2	32	4	3	2	-	1	1	2	1	1	1	-	-	14	3	8	4	2	3	7	43
-	42	5	5	6	-	3	1	5	-	-	-	2	3	4	13	3	10	1	2	13	44
136	2,301	242	246	48	93	85	37	302	57	37	135	8	110	379	34	194	259	146	96	670	45
51	961	125	132	18	51	39	21	159	39	11	66	3	36	130	16	88	112	70	47	339	46
24	411	21	18	2	8	6	3	22	3	1	14	-	3	10	3	13	17	17	4	42	47
7	103	6	6	7	3	2	-	10	-	2	3	-	2	4	3	8	7	4	-	25	48
9	94	11	8	-	4	4	1	10	3	-	7	-	7	23	1	7	16	7	7	37	49
4	57	8	10	1	2	2	1	4	1	2	1	-	3	5	-	3	10	3	3	14	50
41	675	71	72	20	25	32	11	97	11	21	44	5	59	207	11	75	97	45	35	213	51
1	21	4	6	-	-	1	4	1	1	-	1	-	1	2	2	3	4	-	1	12	52
-	15	3	2	2	-	-	2	-	-	-	1	-	-	-	-	1	4	-	2	-	53
21	679	202	151	33	57	41	41	138	18	10	51	5	52	186	56	112	166	46	61	315	54
13	447	155	117	25	34	31	30	97	11	9	35	3	32	99	42	66	119	32	42	212	55
8	232	47	34	8	23	10	11	41	7	1	16	2	20	87	14	46	47	14	19	103	56
11	282	60	70	3	15	11	10	49	8	15	17	3	28	109	7	31	59	19	15	86	57
3	147	36	37	2	5	6	4	25	5	8	9	3	6	43	5	10	24	6	8	28	58
8	135	24	33	1	10	5	6	24	3	7	8	-	22	66	2	21	35	13	7	58	59
-	9	1	3	1	2	-	-	4	-	-	-	-	1	4	3	2	2	3	2	3	60
1	15	5	5	-	1	-	-	5	-	1	1	1	-	3	4	-	1	-	1	3	61
2	60	16	13	3	3	3	4	15	-	17	1	3	5	25	20	11	16	3	6	29	62
-	6	1	3	-	3	-	-	3	-	-	-	-	-	-	-	-	1	2	1	1	63
1	1	4	-	-	-	1	-	-	-	1	1	-	-	1	1	2	4	2	-	4	64
-	17	2	2	-	4	-	-	2	1	-	-	-	2	4	2	2	2	1	2	3	65
-	10	8	13	-	2	1	-	5	1	1	1	-	-	3	3	3	8	-	1	5	66
1	32	1	2	2	5	3	2	4	2	1	1	-	3	8	7	11	4	2	-	9	67
-	11	3	2	1	-	1	-	-	1	1	1	1	2	6	1	2	5	-	-	3	68
1	29	1	2	2	-	2	2	7	1	-	-	-	1	7	1	8	5	2	1	6	69
2	71	5	7	2	7	3	2	6	2	1	2	1	6	5	5	6	11	3	2	24	70
25	745	155	286	36	44	28	32	81	26	13	37	6	45	182	326	89	143	38	36	248	71
21	564	130	226	30	36	22	29	60	22	11	32	4	34	130	267	54	112	29	29	185	72
4	181	25	60	6	8	6	3	21	4	2	5	2	11	52	59	35	31	9	7	63	73
1	26	6	14	2	2	1	-	1	1	-	-	-	-	-	4	7	6	1	2	6	74
3	68	15	10	2	5	2	1	9	1	2	1	-	2	10	9	10	11	1	3	20	75

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the contunental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	FLORIDA—Continued																
1	Jackson	296	4	-	7	30	7	3	2	5	-	2	11	2	161	55	85
2	Jefferson	116	-	-	1	13	6	2	1	1	1	-	2	2	62	22	35
3	Lafayette	26	-	-	-	2	-	-	-	-	-	1	1	-	18	2	16
4	Lake	600	2	2	2	76	30	8	7	13	1	3	14	15	317	62	228
5	Lee	445	5	-	4	59	18	13	3	8	5	5	7	6	205	38	151
6	Fort Myers	248	4	-	2	33	9	8	2	3	2	4	5	4	115	17	85
7	Balance of county	197	1	-	2	26	9	5	1	5	3	1	2	2	90	21	66
8	Leon	482	2	1	1	60	22	8	4	10	1	4	11	3	216	71	121
9	Tallahassee	334	-	1	1	43	17	5	3	8	1	3	6	3	151	45	89
10	Balance of county	148	2	-	-	17	5	3	1	2	-	1	5	-	65	26	32
11	Levy	121	-	-	-	17	6	1	1	5	1	-	3	1	65	18	42
12	Liberty	24	-	-	-	5	2	-	1	1	-	-	1	-	13	2	10
13	Madison	168	-	1	1	8	2	1	1	1	-	1	2	3	94	20	70
14	Manatee	776	2	-	2	101	42	16	3	13	7	6	14	14	460	92	320
15	Bradenton	306	1	-	1	42	16	5	1	5	2	1	12	7	185	45	120
16	Balance of county	470	1	-	1	59	26	11	2	8	5	5	2	7	275	47	200
17	Marion	537	2	2	5	55	18	9	6	9	1	1	11	11	297	69	199
18	Ocala	186	-	1	-	16	5	2	1	3	-	-	5	4	100	23	67
19	Balance of county	351	2	1	5	39	13	7	5	6	1	1	6	7	197	46	132
20	Martin	170	1	-	-	30	11	4	1	5	3	2	4	-	95	28	62
21	Monroe	281	1	-	1	51	15	12	5	5	1	4	9	6	112	38	66
22	Key West	224	-	-	1	41	13	10	4	3	1	2	8	4	90	35	49
23	Balance of county	57	1	-	-	10	2	2	1	2	-	2	1	2	22	3	17
24	Nassau	133	1	-	1	21	6	4	1	4	-	2	4	5	62	22	36
25	Okaloosa	260	4	-	2	29	10	3	-	4	-	2	10	1	100	23	66
26	Okeechobee	55	1	-	-	1	-	-	-	1	-	-	-	-	15	6	8
27	Orange	2,103	20	4	15	298	100	46	15	46	9	16	66	30	1,160	267	806
28	Orlando	1,012	10	2	6	132	42	27	4	25	1	5	28	13	575	145	390
29	Balance of county	1,091	10	2	9	166	58	19	11	21	8	11	38	17	585	122	416
30	Osceola	289	2	-	-	31	12	2	3	3	-	4	7	2	180	38	122
31	Palm Beach	2,151	8	5	15	343	110	55	16	45	21	13	83	30	1,094	262	761
32	West Palm Beach	681	3	1	7	108	35	18	7	16	4	3	25	13	376	107	246
33	Lake Worth	323	1	1	2	67	22	12	-	7	6	3	17	1	195	42	140
34	Balance of county	1,147	4	3	6	168	53	25	9	22	11	7	41	16	523	113	375
35	Pasco	410	3	1	-	65	24	9	8	9	2	4	9	7	230	50	155
36	Pinellas	4,965	21	10	17	911	348	139	60	153	37	34	140	68	2,880	680	1,978
37	St. Petersburg	2,987	10	5	14	533	219	78	35	82	16	21	82	30	1,759	407	1,214
38	Clearwater	440	2	2	1	77	26	15	4	14	5	1	12	8	250	74	156
39	Balance of county	1,538	9	3	2	301	103	46	21	57	16	12	46	30	871	199	608
40	Polk	1,552	5	1	11	244	88	30	14	38	14	8	52	19	843	203	569
41	Lakeland	479	3	1	2	72	24	8	6	14	4	1	15	3	287	69	198
42	Balance of county	1,073	2	-	9	172	64	22	8	24	10	7	37	16	556	134	371
43	Putnam	382	1	-	3	50	20	4	3	9	4	-	10	7	198	38	134
44	St. Johns	317	2	1	1	45	16	8	-	6	4	-	11	7	153	30	110
45	St. Augustine	182	1	1	-	30	11	5	-	4	3	-	7	3	98	24	64
46	Balance of county	135	1	-	1	15	5	3	-	2	1	-	4	4	55	6	46
47	St. Lucie	350	-	-	2	51	15	8	2	13	3	1	9	2	178	44	116
48	Fort Pierce	258	-	-	2	36	10	6	1	10	1	1	7	2	123	38	72
49	Balance of county	92	-	-	-	15	5	2	1	3	2	-	2	-	55	6	44
50	Santa Rosa	190	2	-	-	18	7	-	2	5	-	-	4	1	103	33	55
51	Sarasota	780	2	1	4	129	39	23	7	22	6	11	21	14	435	87	313
52	Sarasota	471	1	1	4	76	20	14	4	18	2	7	11	7	263	67	178
53	Balance of county	309	1	-	-	53	19	9	3	4	4	4	10	7	172	20	135
54	Seminole	399	1	1	5	50	12	8	5	8	4	2	11	5	187	37	132
55	Sanford	165	1	-	2	21	7	3	2	3	-	2	4	1	73	13	51
56	Balance of county	234	-	1	3	29	5	5	3	5	4	-	7	4	114	24	81
57	Sumter	95	1	-	2	8	4	-	1	3	-	-	-	1	60	18	39
58	Suwannee	165	1	-	-	25	8	4	3	3	-	1	6	1	91	27	54
59	Taylor	108	-	-	1	15	4	1	3	1	1	-	5	-	53	23	24
60	Union	52	1	-	-	10	4	1	-	5	-	-	-	1	28	6	20
61	Volusia	1,593	5	3	10	241	95	34	16	35	10	11	40	29	922	214	629
62	Daytona Beach	540	2	1	3	77	25	8	9	13	4	2	16	11	315	75	220
63	Balance of county	1,053	3	2	7	164	70	26	7	22	6	9	24	18	607	139	409
64	Wakulla	59	1	-	-	5	2	2	-	1	-	-	-	1	27	11	15
65	Walton	150	1	-	-	14	2	5	2	3	-	-	2	-	87	31	50
66	Washington	114	1	-	-	10	4	2	-	1	-	-	3	-	58	24	30
67	GEORGIA	33,286	271	96	220	4,070	1,217	528	334	760	163	199	869	449	17,946	5,505	10,616
68	Metropolitan counties	13,063	134	51	60	1,805	511	260	166	315	63	89	401	194	6,891	1,978	4,273
69	Nonmetropolitan counties	20,223	137	45	160	2,265	706	268	168	445	100	110	468	255	11,055	3,527	6,343
70	Appling	119	1	-	-	14	3	1	1	5	1	-	3	1	70	28	35
71	Atkinson	70	1	-	-	9	4	1	-	1	-	2	1	-	37	16	20
72	Bacon	78	-	-	-	3	3	-	-	-	-	-	-	-	49	9	34
73	Baker	31	-	-	-	5	3	1	-	-	-	-	1	1	18	4	14
74	Baldwin	212	2	-	-	22	6	2	3	4	-	2	5	-	132	41	78
75	Banks	44	-	-	-	6	2	1	-	1	-	-	2	3	23	8	14
76	Barrow	108	1	-	-	12	4	-	2	1	-	1	4	1	63	21	38
77	Bartow	222	2	-	3	27	5	5	1	9	3	2	2	1	116	43	59
78	Ben Hill	161	2	-	-	21	8	1	5	5	-	-	2	5	83	36	39

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	56	11	16	1	10	2	8	14	-	2	2	1	3	4	17	13	15	1	1	19	1
-	18	12	5	1	2	1	1	8	-	1	1	-	1	8	1	2	6	2	3	5	2
-	5	5	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	3	3
3	166	36	23	-	12	11	4	29	4	3	8	1	7	23	24	14	22	8	5	38	4
9	117	10	15	3	2	9	2	10	2	2	1	2	6	26	22	13	20	8	10	44	5
6	65	5	9	3	2	6	2	5	1	2	-	2	4	13	14	5	8	3	6	27	6
3	52	5	6	-	-	3	-	5	1	-	1	-	2	13	8	8	12	5	4	17	7
6	72	15	28	5	4	8	7	25	1	5	6	-	10	38	18	13	26	7	8	42	8
3	55	9	22	5	2	5	5	17	1	5	5	-	8	27	6	8	18	3	5	32	9
3	17	6	6	-	2	3	2	8	-	-	1	-	2	11	12	5	8	4	3	10	10
2	20	14	6	5	-	-	-	5	2	1	1	1	-	3	5	4	4	1	1	10	11
-	6	2	2	-	1	-	-	2	-	-	-	-	-	2	1	-	-	-	-	1	12
1	46	9	14	1	-	1	2	9	1	3	2	-	1	9	6	2	15	2	1	10	13
8	233	16	63	7	14	20	7	33	7	1	7	1	2	25	26	21	16	6	4	48	14
3	84	5	28	4	10	6	-	19	5	-	2	1	1	9	9	2	7	-	-	15	15
5	149	11	35	3	4	14	7	14	2	1	5	-	1	16	17	19	9	6	4	33	16
7	132	28	32	4	9	5	11	25	3	7	3	-	5	19	9	20	27	7	5	35	17
3	46	7	11	-	3	5	2	12	1	4	2	-	2	7	2	8	15	1	2	9	18
4	86	21	21	4	6	-	9	13	2	3	1	-	3	12	7	12	12	6	3	26	19
3	44	10	5	-	2	1	2	4	-	1	-	-	2	8	9	6	4	1	2	7	20
1	52	4	9	1	1	3	3	11	2	1	7	-	7	20	6	7	12	6	3	28	21
1	40	2	6	-	1	3	2	10	2	1	6	-	7	16	4	5	11	3	-	23	22
-	12	2	3	1	-	-	1	1	-	-	1	-	-	4	2	2	1	3	3	5	23
-	24	11	1	1	3	-	-	3	-	1	4	-	-	8	10	3	3	-	1	10	24
2	41	7	16	2	3	3	3	10	1	1	2	1	9	32	13	16	19	3	2	15	25
-	8	-	-	1	-	-	-	3	-	1	-	-	-	3	10	4	8	1	-	8	26
25	579	95	107	9	29	31	18	82	15	14	21	3	30	86	11	49	77	32	19	137	27
16	287	34	53	4	11	17	8	41	7	5	10	3	10	31	3	19	43	21	8	73	28
9	292	61	54	5	18	14	10	41	8	9	11	-	20	55	8	30	34	11	11	64	29
-	101	11	10	2	11	5	2	10	-	1	3	-	-	4	20	4	9	2	2	19	30
27	609	50	75	9	29	26	7	58	16	22	36	4	20	101	25	79	70	35	31	159	31
3	194	20	29	2	13	6	2	19	2	2	18	-	4	19	6	16	12	10	9	56	32
10	110	8	12	2	4	7	-	8	2	1	3	-	2	8	1	3	7	4	-	17	33
14	305	22	34	5	12	13	5	31	12	19	15	4	14	74	18	60	51	21	22	86	34
2	101	21	31	4	12	7	2	8	5	2	2	1	2	10	4	13	10	8	4	35	35
60	1,595	132	191	35	91	69	27	130	47	36	59	3	22	125	9	61	117	67	26	356	36
31	977	89	117	24	59	42	13	91	29	17	29	1	12	67	4	28	73	38	20	227	37
6	123	16	11	5	6	4	5	8	5	2	8	1	2	10	3	9	16	5	3	28	38
23	495	27	63	6	26	23	9	31	13	17	22	1	8	48	2	24	28	24	3	101	39
14	428	70	57	11	26	18	16	45	5	2	10	4	20	80	28	44	65	13	16	96	40
5	144	33	16	1	8	7	4	17	1	-	1	1	6	22	3	11	19	3	3	24	41
9	284	37	41	10	18	11	12	28	4	2	9	3	14	58	26	33	46	10	13	72	42
5	65	4	60	1	1	6	18	12	3	2	3	1	-	33	3	10	22	7	5	22	43
2	73	14	21	2	6	3	2	12	3	4	4	-	2	12	21	6	16	4	5	19	44
2	44	8	10	2	4	2	2	6	3	2	1	-	2	3	12	1	6	2	2	9	45
-	29	6	11	-	2	1	-	6	-	2	3	-	-	9	9	5	10	2	3	10	46
7	82	15	12	6	2	7	3	14	1	3	6	1	9	24	1	12	13	3	5	25	47
5	48	10	9	3	2	5	3	11	-	3	5	1	6	21	-	11	12	3	5	17	48
2	34	5	3	3	-	2	-	3	1	-	1	-	3	3	1	1	1	-	-	8	49
1	45	3	6	1	8	2	4	6	2	-	2	-	7	12	2	10	8	3	4	10	50
14	250	25	24	7	11	11	6	19	2	4	16	-	6	20	8	17	23	14	4	62	51
6	144	12	16	7	4	4	3	10	-	3	8	-	3	12	6	12	15	10	1	39	52
8	106	13	8	-	7	7	3	9	2	1	8	-	3	8	2	5	8	4	3	23	53
2	78	19	33	4	2	3	9	14	2	3	1	1	7	31	9	11	25	8	5	33	54
-	32	8	11	1	-	3	5	5	1	1	-	-	3	13	3	6	13	5	2	15	55
2	46	11	22	3	2	-	4	9	1	2	1	1	4	18	6	5	12	3	3	18	56
-	26	4	9	1	-	2	-	4	-	1	-	-	-	4	2	-	5	2	1	4	57
1	41	9	3	2	6	-	2	9	1	2	-	-	3	6	4	4	8	-	1	9	58
2	18	2	2	-	2	1	3	7	1	-	1	-	1	7	2	4	6	1	-	9	59
1	18	-	1	1	1	-	-	-	-	-	-	-	-	2	2	2	2	1	-	3	60
21	509	54	45	13	39	16	11	40	13	7	17	1	12	43	20	40	45	19	10	116	61
8	185	13	14	4	7	3	6	18	5	4	8	-	2	12	4	9	16	5	7	41	62
13	324	41	31	9	32	13	5	22	8	3	9	1	10	31	16	31	29	14	3	75	63
1	5	2	7	-	1	-	-	5	-	-	1	-	2	1	5	3	5	1	-	2	64
3	17	13	17	2	1	-	3	10	1	1	4	3	2	-	8	4	6	2	5	2	65
-	15	4	11	1	3	-	-	2	-	1	3	-	1	2	9	8	7	1	-	11	66
219	6,959	1,846	1,592	390	663	317	455	1,415	196	202	230	63	454	1,757	408	979	1,299	341	395	2,495	67
104	2,879	702	588	120	235	125	160	465	85	57	121	21	208	731	82	325	450	136	184	1,063	68
115	4,080	1,144	1,004	270	428	192	295	950	111	145	109	42	246	1,026	326	654	849	205	211	1,432	69
-	18	13	4	1	4	2	-	5	2	-	-	4	1	2	-	3	4	-	2	10	70
-	13	3	4	-	-	1	-	5	-	1	-	-	2	3	1	3	3	-	-	5	71
-	23	5	6	1	2	2	1	5	1	-	-	-	1	3	1	-	4	1	2	8	72
-	9	4	1	-	-	-	-	2	-	-	-	-	-	3	1	-	-	-	1	-	73
2	61	3	12	1	3	4	5	9	-	3	1	-	4	11	1	3	4	3	6	11	74
1	7	4	2	-	1	-	-	3	-	-	-	-	1	2	-	2	3	-	-	1	75
1	29	2	6	-	2	2	-	5	-	-	1	-	1	4	2	2	4	2	1	9	76
2	44	7	6	8	4	1	1	12	1	2	3	-	-	13	3	4	13	-	2	20	77
1	22	10	6	2	5	1	-	6	-	1	-	-	2	4	3	3	12	3	2	14	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	GEORGIA—Continued																
1	Berrien	92	-	-	1	8	2	5	-	-	-	-	1	2	51	11	35
2	Bibb	1,275	16	9	7	182	50	25	19	27	7	14	40	15	677	195	404
3	Macon	883	13	8	3	132	32	19	12	23	6	11	29	8	465	133	281
4	Balance of county	392	3	1	4	50	18	6	7	4	1	3	11	7	212	62	123
5	Bleckley	94	1	-	2	14	4	2	-	4	-	2	2	1	43	16	25
6	Brantley	61	-	-	-	4	3	-	-	1	-	-	-	1	31	8	17
7	Brooks	160	-	-	1	11	1	4	2	2	-	-	2	1	105	46	49
8	Bryan	76	-	1	-	6	1	-	1	-	-	-	4	-	38	13	22
9	Bulloch	192	1	2	2	19	7	5	1	-	1	-	5	2	107	38	50
10	Burke	257	1	5	4	24	4	6	1	6	-	-	7	3	142	37	84
11	Butts	62	-	-	-	4	1	-	1	1	-	-	1	1	37	9	24
12	Calhoun	90	-	-	-	6	-	-	-	1	1	1	3	1	54	13	37
13	Camden	59	-	-	1	4	1	-	1	1	-	-	1	-	32	13	16
14	Candler	62	-	-	-	8	2	1	-	4	-	-	1	-	34	7	19
15	Carroll	286	-	-	2	42	18	3	2	4	2	6	7	3	147	43	86
16	Catoosa	121	-	-	-	18	7	2	2	1	2	1	3	-	69	31	31
17	Charlton	54	-	-	-	4	1	1	-	-	1	-	1	1	27	8	17
18	Chatham	1,802	21	5	6	215	71	30	13	40	10	9	42	30	997	329	600
19	Savannah	1,476	18	5	6	190	57	24	12	34	9	8	36	23	815	280	475
20	Balance of county	326	3	-	-	35	14	6	1	6	1	1	6	7	182	49	125
21	Chattahoochee	28	-	-	-	2	1	-	-	-	-	-	1	-	8	3	4
22	Chattooga	166	4	-	2	20	7	3	5	3	-	1	1	5	74	22	47
23	Cherokee	164	1	-	1	17	6	3	1	1	1	-	5	2	83	23	53
24	Clarke	384	1	2	3	48	20	2	7	7	2	3	7	1	223	60	130
25	Athens	299	1	2	2	39	13	2	6	7	2	2	7	1	173	46	104
26	Balance of county	85	-	-	1	9	7	-	1	-	-	1	-	-	50	14	26
27	Clay	53	-	-	-	5	2	-	-	2	-	-	1	1	39	15	20
28	Clayton	226	1	-	1	35	9	3	1	8	2	2	10	3	96	19	64
29	College Park (part)	21	-	-	1	2	1	-	-	-	-	-	1	-	11	3	6
30	Balance of county	205	1	-	-	33	8	3	1	8	2	2	9	3	85	16	58
31	Clinch	62	1	-	1	8	-	2	-	2	-	1	3	1	30	2	25
32	Cobb	626	7	5	4	94	22	15	11	17	3	3	23	4	325	91	205
33	Marietta	215	5	1	1	32	11	8	5	5	1	1	1	-	111	22	80
34	Balance of county	411	2	4	3	62	11	7	6	12	2	2	22	4	214	69	125
35	Coffee	216	-	1	4	21	5	1	3	7	-	2	3	1	114	31	70
36	Colquitt	264	1	-	5	31	6	5	-	10	3	-	7	6	132	39	80
37	Moultrie	155	-	-	3	19	3	3	-	6	3	-	4	3	74	23	45
38	Balance of county	129	1	-	2	12	3	2	-	4	-	-	3	3	58	16	35
39	Columbia	93	-	-	-	12	3	3	1	1	-	-	4	-	50	12	32
40	Cook	89	1	-	1	6	3	-	1	2	-	-	-	1	45	17	25
41	Coweta	268	1	-	1	27	10	3	3	1	3	1	6	2	145	52	79
42	Crawford	36	-	-	-	4	-	1	-	-	-	1	2	-	22	7	10
43	Crisp	178	3	-	3	20	5	1	2	5	3	-	4	1	92	30	49
44	Dade	57	1	-	-	8	2	3	-	-	-	-	3	1	29	8	16
45	Dawson	36	-	1	-	4	-	2	-	-	-	-	2	-	15	11	2
46	Decatur	228	-	-	-	33	14	3	2	9	1	-	4	3	122	42	71
47	De Kalb	1,359	11	5	5	225	61	30	22	33	10	9	50	15	694	184	449
48	Atlanta (part)	414	4	1	2	64	18	13	7	11	3	2	10	7	209	53	142
49	Decatur	340	2	3	1	58	14	7	5	8	3	4	17	5	171	48	105
50	Balance of county	605	5	1	2	103	29	10	10	14	4	3	33	3	314	83	202
51	Dodge	165	2	1	2	23	3	1	1	4	1	2	11	1	86	29	49
52	Dooly	151	-	-	1	22	11	1	-	3	1	1	5	3	76	22	40
53	Dougherty	528	4	3	6	56	16	8	5	7	2	3	15	9	237	67	143
54	Albany	439	4	3	6	49	11	8	4	7	2	3	14	6	206	59	123
55	Balance of county	89	-	-	-	7	5	-	1	-	-	-	1	3	31	8	20
56	Douglas	102	1	-	-	8	3	-	-	3	-	1	1	-	60	24	32
57	Early	186	1	1	2	19	8	1	3	5	-	1	1	4	105	31	68
58	Echols	12	-	-	-	2	1	1	-	-	-	-	-	-	3	1	2
59	Effingham	87	1	-	-	8	3	2	-	1	1	-	1	2	44	15	26
60	Elbert	160	4	-	-	10	2	-	1	5	-	1	1	3	100	36	46
61	Emanuel	190	-	-	1	16	9	2	1	1	1	-	2	3	110	33	69
62	Evans	61	-	-	-	11	2	4	1	3	-	-	1	2	33	8	18
63	Fannin	115	-	1	-	11	4	1	2	1	-	-	3	6	69	27	35
64	Fayette	76	-	-	1	5	-	-	2	1	-	1	1	-	37	7	26
65	Floyd	561	8	-	1	84	24	11	3	16	5	2	23	5	307	68	205
66	Rome	355	4	-	1	55	15	8	2	11	3	2	14	3	196	44	134
67	Balance of county	206	4	-	-	29	9	3	1	5	2	-	9	2	111	24	71
68	Forsyth	78	-	-	1	8	4	-	1	-	-	-	3	-	45	12	28
69	Franklin	126	-	-	3	18	8	2	3	4	-	-	1	2	76	29	43
70	Fulton	5,271	46	15	27	754	223	116	69	134	22	39	151	85	2,796	798	1,722
71	Atlanta (part)	4,535	37	14	23	657	190	105	62	116	19	34	131	75	2,416	687	1,479
72	Atlanta (total)	4,949	41	15	25	721	208	118	69	127	22	36	141	82	2,625	740	1,621
73	College Park (part)	122	1	-	-	11	6	-	1	1	1	1	1	1	61	14	44
74	College Park (total)	143	1	-	1	13	7	-	1	1	1	1	2	1	72	17	50
75	East Point	206	2	-	1	31	9	3	4	6	1	1	7	4	101	33	63
76	Balance of county	408	6	1	3	55	18	8	2	11	1	3	12	5	218	64	136
77	Gilmer	79	-	-	-	3	1	-	-	-	-	-	2	-	43	24	15
78	Glascock	34	-	-	-	3	1	-	-	1	-	1	-	-	19	7	12
79	Glynn	294	1	3	1	43	11	8	1	13	2	1	7	5	122	41	69
80	Brunswick	197	1	2	1	29	8	5	1	8	1	1	5	3	78	30	42
81	Balance of county	97	-	1	-	14	3	3	-	5	1	-	2	2	44	11	27

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	24	7	3	1	2	-	2	4	-	-	2	-	2	7	-	2	6	-	1	6	1
9	284	51	60	12	30	16	20	39	4	9	10	2	19	77	2	32	41	24	11	99	2
4	204	36	37	7	17	12	15	27	3	8	7	2	13	57	2	14	24	17	9	71	3
5	80	15	23	5	13	4	5	12	1	1	3	-	6	20	-	18	17	7	2	28	4
-	12	4	9	2	-	-	-	3	-	3	-	-	1	5	-	3	7	1	-	10	5
-	5	4	8	2	1	-	3	1	2	1	-	-	-	-	1	7	8	2	-	3	6
-	36	10	3	2	1	-	7	9	-	1	-	3	1	5	2	9	7	-	1	4	7
1	18	2	1	-	2	-	1	7	-	-	-	-	1	5	-	4	7	-	3	4	8
-	32	14	4	4	10	2	3	4	-	-	-	1	3	7	6	9	12	-	1	16	9
1	50	9	24	11	4	3	3	9	1	2	1	1	3	17	7	3	8	-	4	22	10
-	15	5	4	1	3	-	-	4	-	1	1	-	-	1	-	2	5	1	-	5	11
-	20	14	3	2	1	1	-	1	1	2	1	-	4	5	2	1	4	1	-	7	12
-	6	6	4	2	-	1	-	3	-	-	1	-	1	4	1	3	3	-	1	5	13
-	15	3	1	3	-	4	1	4	1	-	-	2	1	5	1	1	2	-	-	3	14
-	63	7	16	7	6	2	3	10	2	1	1	-	3	17	4	14	11	2	5	22	15
1	26	1	3	1	1	5	-	4	-	1	1	-	-	8	2	7	2	3	2	4	16
-	6	5	6	1	1	-	-	4	-	-	-	-	1	8	-	1	4	-	-	4	17
14	407	112	67	16	20	14	18	78	14	6	15	4	28	96	14	35	75	7	21	135	18
12	309	97	57	13	17	13	17	65	11	3	13	3	20	79	10	23	60	5	19	118	19
2	98	15	10	3	3	1	1	13	3	3	2	1	8	17	4	12	15	2	2	17	20
-	3	1	-	-	-	-	1	1	-	-	-	-	-	7	1	3	2	1	1	2	21
-	30	11	6	4	-	-	1	5	1	2	1	-	3	13	-	10	9	3	-	14	22
2	34	9	8	-	3	1	3	8	1	-	2	-	4	11	2	7	3	-	1	21	23
8	87	23	12	10	9	3	11	10	3	3	1	-	7	18	5	11	13	6	9	20	24
6	70	20	8	8	6	3	6	8	2	3	1	-	5	14	5	6	7	3	8	19	25
2	17	3	4	2	3	-	5	2	1	-	-	-	2	4	-	5	6	3	1	1	26
-	13	1	6	1	-	-	3	2	-	1	-	-	1	-	-	1	1	-	-	2	27
3	47	6	8	-	8	3	2	15	2	1	2	-	6	17	-	10	10	-	3	24	28
-	5	1	-	-	2	-	-	1	-	-	-	-	1	1	-	2	2	-	-	-	29
3	42	5	8	-	6	3	2	14	2	1	2	-	5	16	-	8	8	-	3	24	30
-	16	6	3	1	1	1	-	2	-	-	1	-	-	8	-	2	4	1	-	3	31
7	146	25	27	6	10	8	5	17	4	1	1	2	13	42	6	23	24	8	6	40	32
1	56	8	15	1	3	4	1	6	2	-	-	1	3	19	1	7	6	5	3	12	33
6	90	17	12	5	7	4	4	11	2	1	1	1	10	23	5	16	18	3	3	28	34
2	46	15	7	2	5	3	3	16	-	3	2	-	2	15	-	8	5	1	2	21	35
2	46	24	8	3	3	3	4	22	-	3	3	-	4	13	4	11	18	7	4	20	36
2	24	15	4	1	1	1	3	9	-	2	1	-	3	7	2	4	9	3	2	14	37
-	22	9	4	2	2	2	1	13	-	1	2	-	1	6	2	7	9	4	2	6	38
1	21	5	5	-	-	-	6	8	1	-	-	-	2	4	2	7	3	-	-	4	39
-	17	2	6	1	1	1	-	5	1	2	1	-	-	9	1	3	7	1	1	4	40
1	52	12	14	6	7	-	1	21	2	1	1	2	5	8	8	12	9	3	3	17	41
-	8	-	2	-	3	1	1	1	-	-	-	-	1	2	1	-	2	-	-	3	42
-	35	6	8	8	4	-	1	10	2	5	-	-	1	8	2	3	8	2	1	17	43
-	13	3	2	2	-	1	-	3	-	-	1	-	1	-	1	5	3	1	1	2	44
-	1	-	1	-	2	-	-	1	-	-	1	-	1	2	-	3	4	-	-	4	45
-	43	20	8	1	6	1	1	15	-	-	2	-	3	6	9	4	15	1	-	15	46
17	353	43	36	14	23	15	9	36	11	3	14	3	25	69	2	48	38	30	6	119	47
5	115	17	5	1	4	5	4	12	6	2	5	1	2	24	1	13	12	10	1	38	48
4	79	9	13	4	8	3	3	10	2	-	4	-	9	14	1	9	9	6	2	34	49
8	159	17	18	9	11	7	2	14	3	1	5	2	14	31	-	26	17	14	3	47	50
-	30	5	14	1	5	-	2	9	-	1	-	-	-	9	1	5	9	3	-	13	51
2	24	11	3	2	2	1	9	10	1	1	-	-	1	7	4	3	4	2	2	14	52
6	79	44	14	8	5	6	8	29	4	3	2	-	7	59	8	14	33	6	5	43	53
3	68	39	13	6	5	6	7	26	4	1	1	-	7	44	8	8	22	5	5	34	54
3	11	5	1	2	-	-	1	3	-	2	1	-	-	15	-	6	11	1	-	9	55
1	26	3	2	-	3	-	1	4	-	-	1	-	2	5	1	4	7	2	1	6	56
-	36	22	10	2	2	-	2	10	1	7	-	-	-	5	1	3	8	2	2	15	57
-	2	-	-	-	-	-	-	1	-	-	-	-	1	4	1	-	-	-	-	-	58
-	15	9	2	-	3	-	-	5	-	-	-	-	1	5	4	5	6	1	1	4	59
-	27	6	13	4	8	4	2	1	3	-	2	-	-	7	4	3	8	-	2	13	60
3	31	21	14	1	2	2	3	15	2	-	1	1	1	9	2	4	7	3	-	15	61
1	8	6	3	-	5	2	-	2	-	-	-	-	-	2	-	5	1	1	1	3	62
1	23	3	8	1	5	-	1	1	2	-	-	1	3	6	4	2	4	-	-	5	63
-	19	2	5	-	4	-	-	5	1	-	1	-	4	3	3	3	2	-	3	8	64
5	152	32	16	9	11	7	7	13	3	4	5	-	8	28	6	13	21	7	12	36	65
2	101	19	12	6	7	4	1	8	-	1	3	-	6	19	3	8	16	3	8	21	66
3	51	13	4	3	4	3	6	5	3	3	2	-	2	9	3	5	5	4	4	15	67
1	13	3	11	-	3	2	-	-	-	-	-	-	-	4	1	6	7	1	-	5	68
-	31	9	3	-	3	-	1	2	1	1	-	1	-	2	-	7	2	2	1	8	69
39	1,080	325	278	44	108	50	74	179	32	25	58	7	64	266	30	109	163	42	107	466	70
37	909	285	248	43	95	45	67	158	26	21	52	6	47	216	25	86	135	32	97	412	71
42	1,024	302	253	44	99	50	71	170	32	23	57	7	49	240	26	99	147	42	98	450	72
-	31	7	6	-	1	-	2	3	2	1	3	1	5	8	1	4	5	1	1	13	73
-	36	8	6	-	3	-	2	4	2	1	3	1	6	9	1	6	7	1	1	13	74
-	44	12	7	1	1	1	2	9	2	1	1	-	6	19	-	2	8	2	2	10	75
2	96	21	17	-	11	4	3	9	2	2	2	-	6	23	4	17	15	7	2	31	76
-	13	1	1	1	3	-	-	5	-	1	1	-	1	6	2	2	6	2	2	5	77
1	8	-	3	-	-	-	-	-	-	-	-	-	-	4	3	-	2	-	1	2	78
3	47	14	5	2	2	3	5	24	3	2	1	1	8	22	2	13	8	3	5	27	79
2	27	10	3	1	-	2	3	22	1	1	-	-	6	14	1	7	8	3	4	16	80
1	20	4	2	1	2	1	2	2	2	1	1	1	2	8	1	6	-	-	1	11	81

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	GEORGIA—Continued																
1	Gordon	176	2	-	1	14	7	-	-	2	1	-	4	2	108	27	68
2	Grady	167	1	-	2	16	6	1	-	4	-	1	4	2	89	18	65
3	Greene	134	-	-	1	12	3	3	1	1	-	1	3	1	88	36	45
4	Gwinnett	307	1	1	3	36	14	2	3	3	3	3	8	3	178	56	101
5	Habersham	145	-	-	1	16	4	1	1	-	1	2	7	2	84	34	41
6	Hall	338	1	-	3	43	16	4	2	10	1	4	6	5	172	48	107
7	Gainesville	160	1	-	1	16	6	1	-	3	-	2	4	2	81	19	54
8	Balance of county	178	-	-	2	27	10	3	2	7	1	2	2	3	91	29	53
9	Hancock	123	1	-	1	15	5	2	-	4	1	1	2	-	65	15	42
10	Haralson	122	-	-	1	25	7	3	2	3	1	-	9	2	57	8	46
11	Harris	99	-	-	-	13	3	4	3	2	1	-	-	3	58	27	27
12	Hart	112	1	-	1	13	3	-	-	2	1	3	4	3	68	20	44
13	Heard	65	-	-	-	10	2	2	-	2	1	-	3	2	34	12	18
14	Henry	138	-	-	1	19	6	1	2	2	1	-	7	2	77	26	46
15	Houston	172	-	-	-	17	5	1	2	3	-	-	6	2	91	27	52
16	Irwin	76	1	-	1	7	4	-	-	2	1	-	-	-	44	15	28
17	Jackson	155	1	1	-	18	6	1	-	5	-	4	2	2	82	28	46
18	Jasper	62	-	-	-	3	-	-	-	2	-	-	1	-	34	15	17
19	Jeff Davis	68	-	-	-	4	1	1	-	1	1	-	-	-	40	16	18
20	Jefferson	191	3	1	1	19	4	3	3	3	-	2	4	3	108	43	54
21	Jenkins	100	1	-	-	10	6	-	1	1	-	-	2	1	62	28	25
22	Johnson	99	2	-	-	11	6	-	1	2	-	-	2	2	59	19	31
23	Jones	71	-	1	-	7	2	1	2	1	-	-	1	-	36	8	25
24	Lamar	91	-	-	1	14	6	2	-	3	1	-	2	1	47	20	23
25	Lanier	49	1	-	1	2	-	-	1	-	-	-	1	-	23	6	14
26	Laurens	291	4	-	6	27	12	6	3	4	-	1	1	3	176	57	103
27	Dublin	132	2	-	2	16	8	2	2	2	-	1	1	1	81	26	46
28	Balance of county	159	2	-	4	11	4	4	1	2	-	-	-	2	95	31	57
29	Lee	55	-	-	-	7	2	2	-	-	-	-	3	1	27	7	17
30	Liberty	86	1	-	-	9	3	-	-	4	-	-	2	-	42	17	22
31	Lincoln	59	-	1	1	7	3	-	1	-	-	1	2	-	29	9	17
32	Long	37	-	-	1	5	1	-	-	3	-	-	1	-	24	8	14
33	Lowndes	388	5	1	2	44	17	7	1	11	1	1	6	9	216	83	114
34	Valdosta	270	5	-	2	35	15	6	1	8	1	1	3	4	153	55	82
35	Balance of county	118	-	1	-	9	2	1	-	3	-	-	3	5	63	28	32
36	Lumpkin	45	-	-	1	7	3	1	-	2	-	-	1	2	23	6	13
37	McDuffie	128	1	-	1	14	3	1	4	3	1	1	1	3	65	18	36
38	McIntosh	76	1	-	1	10	1	4	1	2	-	-	2	-	35	11	18
39	Macon	125	-	-	2	12	5	1	-	4	-	-	2	-	67	19	39
40	Madison	117	1	-	1	9	4	-	1	2	-	-	2	1	72	24	43
41	Marion	51	-	-	-	4	3	-	-	1	-	-	-	1	26	13	11
42	Meriwether	188	3	-	1	23	12	2	-	4	2	1	2	2	119	42	63
43	Miller	48	-	-	-	5	1	-	-	2	-	-	2	-	27	9	16
44	Mitchell	193	1	-	1	23	5	4	2	5	1	2	4	1	104	30	57
45	Monroe	98	1	-	1	11	2	1	1	5	1	-	1	3	58	21	32
46	Montgomery	60	1	-	-	6	2	-	-	3	-	1	-	-	40	15	21
47	Morgan	100	1	1	1	13	1	1	2	2	1	-	6	-	52	16	33
48	Murray	66	-	-	-	14	3	3	-	2	1	1	4	3	31	11	17
49	Muscogee	1,034	11	6	3	106	28	8	10	30	4	5	23	24	513	134	331
50	Columbus	858	10	6	2	83	22	5	8	20	3	4	21	18	436	112	283
51	Balance of county	176	1	-	1	23	4	3	2	10	1	1	2	6	77	22	48
52	Newton	214	2	-	1	21	3	1	3	7	-	2	5	1	111	39	62
53	Oconee	57	1	-	3	7	1	3	1	-	-	-	2	-	27	11	12
54	Oglethorpe	68	-	-	2	12	4	1	-	2	-	-	5	1	31	11	17
55	Paulding	107	-	-	1	16	5	-	1	3	3	1	3	2	59	24	31
56	Peach	123	-	2	-	10	2	2	3	1	2	-	-	1	77	13	58
57	Pickens	79	-	-	1	11	6	2	-	-	-	-	3	1	35	10	23
58	Pierce	119	-	1	-	10	3	2	-	3	-	-	2	2	57	11	42
59	Pike	78	-	-	-	7	3	-	1	1	-	-	2	2	47	13	25
60	Polk	238	2	-	-	38	5	5	1	15	2	5	5	3	131	26	92
61	Pulaski	95	2	-	1	11	4	2	-	2	-	-	3	2	46	17	24
62	Putnam	71	-	1	-	7	4	-	1	-	1	-	1	1	45	18	27
63	Quitman	26	-	-	-	4	1	1	1	1	-	-	-	1	18	8	9
64	Rabun	57	-	-	-	7	2	-	-	2	-	-	3	-	32	13	18
65	Randolph	134	2	-	-	9	1	1	1	2	-	1	3	1	83	22	53
66	Richmond	1,141	17	5	8	158	41	28	13	23	5	8	40	12	607	188	396
67	Augusta	920	15	4	8	125	32	23	10	19	3	6	32	12	505	146	323
68	Balance of county	221	2	1	-	33	9	5	3	4	2	2	8	-	102	22	73
69	Rockdale	100	-	-	1	17	9	1	1	2	1	-	3	-	57	17	37
70	Schley	51	1	-	-	7	2	-	1	1	1	1	1	1	28	7	20
71	Screven	164	2	-	2	9	2	1	2	2	1	-	1	3	100	37	55
72	Seminole	82	-	1	-	10	2	1	-	3	-	-	4	-	48	14	30
73	Spalding	314	3	1	1	39	15	5	5	9	-	2	3	4	176	56	97
74	Griffin	209	3	-	-	28	10	5	4	7	-	1	1	3	115	40	58
75	Balance of county	105	-	1	1	11	5	-	1	2	-	1	2	1	61	16	39
76	Stephens	137	-	-	1	19	5	3	1	5	-	1	4	1	76	13	54
77	Stewart	84	-	-	3	5	2	-	-	-	-	2	1	1	49	17	24
78	Sumter	293	4	2	2	32	8	6	2	12	2	1	1	6	180	62	101
79	Americus	167	2	1	1	20	7	2	2	8	1	-	-	3	102	34	60
80	Balance of county	126	2	1	1	12	1	4	-	4	1	1	1	3	78	28	41

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	40	10	18	7	4	1	1	11	2	2	-	-	-	5	4	4	7	2	1	11	1
-	39	15	11	1	2	-	3	8	-	2	1	-	5	11	6	3	6	1	-	14	2
-	24	11	10	-	3	2	2	4	-	-	-	-	1	2	6	3	4	1	2	9	3
3	76	10	12	3	9	4	5	13	1	-	1	-	5	16	2	13	13	3	5	13	4
2	31	6	2	2	2	4	1	8	-	-	-	-	1	12	-	7	5	1	-	8	5
1	82	15	9	4	10	-	3	15	2	5	2	-	5	18	1	19	11	5	3	28	6
-	41	8	5	-	7	-	1	5	1	3	2	-	1	8	-	11	7	3	1	17	7
1	41	7	4	4	3	-	2	10	1	2	-	-	4	10	1	8	4	2	2	11	8
-	21	11	10	1	1	3	3	8	1	2	1	1	1	8	1	3	5	2	1	7	9
-	36	5	5	-	1	1	1	7	2	-	1	-	2	4	1	5	6	2	1	6	10
-	18	4	5	-	3	-	1	3	1	-	-	1	-	5	1	2	4	-	1	7	11
-	36	4	4	-	3	-	1	2	1	-	-	-	2	3	-	6	3	1	2	6	12
1	11	-	6	1	1	2	-	3	1	-	-	-	-	-	-	3	4	-	1	7	13
1	28	11	6	-	1	3	1	6	1	1	-	-	-	7	-	4	4	1	2	13	14
3	26	9	14	6	3	1	2	8	1	2	2	-	6	15	1	7	9	3	-	8	15
-	23	-	5	-	-	-	1	6	2	-	-	1	1	2	1	-	4	-	-	6	16
2	35	5	4	-	5	1	2	6	1	-	2	-	2	10	1	13	5	3	1	7	17
-	9	2	6	-	1	-	1	3	1	1	-	-	1	2	5	-	6	-	1	5	18
1	16	-	1	-	4	2	-	6	-	1	-	-	1	4	1	5	2	-	1	3	19
1	35	7	11	2	4	1	2	8	-	-	1	-	2	10	6	8	10	1	1	11	20
1	19	2	3	1	3	2	3	6	-	-	-	-	1	3	2	1	5	-	2	6	21
-	25	4	2	2	3	-	4	5	-	1	2	-	-	2	2	4	3	1	-	5	22
-	18	1	6	1	2	-	-	5	-	4	-	-	2	6	-	5	2	-	-	3	23
-	18	-	5	-	4	-	-	4	2	-	1	-	-	3	-	2	5	1	-	10	24
-	9	3	2	-	2	1	-	3	-	1	1	-	-	3	-	2	3	-	-	9	25
2	47	36	18	4	5	3	4	7	2	4	-	1	5	12	2	2	11	6	5	18	26
2	17	18	9	1	4	2	2	4	1	1	-	-	1	7	-	1	6	4	2	3	27
-	30	18	9	3	1	1	2	3	1	3	-	1	4	5	2	1	5	2	3	15	28
-	11	4	2	1	1	-	1	4	-	-	-	1	1	5	1	1	1	1	2	3	29
2	10	4	6	1	1	-	1	11	-	-	-	-	1	9	1	3	4	1	-	4	30
-	9	7	1	-	-	-	3	2	-	-	-	1	-	2	7	1	3	1	-	4	31
-	12	1	1	-	1	-	1	1	-	-	1	-	-	-	1	1	2	-	-	1	32
2	76	21	15	6	8	1	4	12	2	-	2	1	5	28	9	7	14	6	4	21	33
2	50	17	13	6	6	1	3	7	1	-	-	-	5	19	6	2	8	3	3	17	34
-	26	4	2	-	2	-	1	5	1	-	2	1	-	9	3	5	6	3	1	4	35
-	6	3	4	1	1	2	-	4	1	1	1	-	-	1	-	1	-	1	-	2	36
1	17	8	10	3	4	2	2	4	-	1	2	-	-	8	4	4	6	-	-	15	37
-	14	4	-	1	1	2	2	4	-	1	1	2	1	5	-	4	4	1	2	4	38
-	22	10	7	3	2	-	4	9	1	-	-	2	-	8	3	2	7	-	2	10	39
-	30	5	8	-	3	1	1	5	2	-	-	-	3	4	-	5	3	2	2	7	40
1	10	-	-	-	1	-	1	2	1	1	-	-	-	3	-	4	4	-	1	4	41
1	38	16	8	1	9	1	3	8	-	-	-	2	-	6	1	3	5	4	2	9	42
-	13	1	2	-	2	-	-	4	-	-	-	-	-	5	1	1	1		-	4	43
1	33	17	6	2	5	7	3	7	-	3	-	-	3	12	5	8	5	1	3	16	44
1	15	5	11	2	1	-	2	4	-	1	1	-	1	-	2	2	3	-	1	9	45
-	17	4	-	2	-	-	2	2	-	-	-	-	2	2	3	2	-	-	-	2	46
1	17	8	7	1	1	-	1	8	1	1	1	-	2	4	-	2	6	1	2	4	47
1	13	1	2	2	-	-	1	5	-	-	1	-	-	-	-	5	1	-	-	6	48
5	221	67	38	8	19	5	16	47	7	6	8	1	32	76	2	38	44	14	13	83	49
4	190	56	33	6	16	4	15	40	5	5	6	1	22	65	1	28	36	12	10	72	50
1	31	11	5	2	3	1	1	7	2	1	2	-	10	11	1	10	8	2	3	11	51
-	45	12	5	2	5	2	1	11	1	3	1	1	2	19	2	4	9	5	3	17	52
1	9	-	2	2	-	1	1	2	-	-	2	-	-	2	-	3	5	2	-	3	53
-	11	6	-	2	-	-	1	1	-	1	-	-	-	3	2	1	4	2	2	6	54
-	23	4	4	-	1	-	3	7	-	-	1	-	-	2	-	7	6	-	1	5	55
2	25	22	9	-	3	1	2	5	1	2	-	-	1	4	2	2	4	3	5	4	56
-	18	2	3	2	-	-	-	4	1	1	1	-	-	1	-	6	7	1	1	8	57
-	27	12	3	1	2	-	1	4	1	3	-	-	3	9	3	10	1	-	1	14	58
1	9	5	10	-	2	3	4	1	1	-	1	1	2	4	1	1	4	1	2	3	59
2	67	13	10	3	6	1	3	9	-	1	2	-	1	10	1	9	8	2	1	20	60
-	16	6	2	-	1	2	2	2	-	-	-	-	1	4	10	5	2	1	-	8	61
-	18	3	6	-	-	-	-	1	-	-	-	1	1	3	1	1	2	-	1	6	62
-	3	4	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	63
1	14	1	2	1	-	-	-	4	-	-	-	-	1	1	-	2	2	-	1	7	64
-	23	10	20	1	5	-	2	7	1	2	-	-	-	9	3	5	4	-	1	7	65
7	282	51	56	8	16	10	9	49	9	4	6	2	19	66	8	21	39	6	16	89	66
5	226	44	48	5	14	9	8	41	5	3	3	2	16	49	5	11	29	4	12	71	67
2	56	7	8	3	2	1	1	8	4	1	3	-	3	17	3	10	10	2	4	18	68
2	24	5	6	1	2	-	-	1	1	-	-	-	2	4	-	5	2	2	-	8	69
-	9	6	5	-	1	-	-	2	-	1	-	1	-	3	1	-	1	1	-	4	70
-	27	8	20	5	1	-	2	8	1	1	1	-	2	9	5	5	6	2	3	5	71
2	14	3	11	-	2	1	1	7	-	-	-	-	1	2	1	1	3	-	-	8	72
-	76	10	11	3	4	5	11	12	4	1	1	-	6	18	2	7	13	5	2	19	73
-	47	7	4	3	3	5	6	9	2	1	-	-	4	10	2	5	10	2	2	13	74
-	29	3	7	-	1	-	5	3	2	-	1	-	2	8	-	2	3	3	-	6	75
1	35	9	9	3	2	2	2	6	1	1	-	-	4	4	-	6	5	4	3	6	76
-	20	1	3	4	3	1	-	6	-	3	1	-	2	-	3	2	2	1	-	6	77
1	38	22	40	5	5	3	4	11	-	1	2	-	4	14	5	3	5	-	-	22	78
1	20	14	25	2	2	-	4	6	-	-	1	-	2	11	3	1	1	-	-	13	79
-	18	8	15	3	3	3	-	5	-	1	1	-	2	3	2	2	4	-	-	9	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	GEORGIA—Continued																
1	Talbot	73	-	-	-	8	-	-	1	3	-	-	4	2	44	13	26
2	Taliaferro	38	-	-	-	9	2	1	1	2	-	1	2	-	23	7	14
3	Tattnall	135	1	-	2	15	4	5	-	2	-	1	3	2	74	21	44
4	Taylor	109	-	-	-	8	6	1	1	-	-	-	-	1	66	28	30
5	Telfair	142	3	2	-	9	5	-	1	1	-	1	1	-	79	31	40
6	Terrell	179	2	1	2	16	3	1	-	7	1	1	3	3	100	44	41
7	Thomas	325	3	-	1	40	15	3	3	10	-	2	7	11	171	63	90
8	Thomasville	179	2	-	-	24	10	1	2	6	-	1	4	8	97	40	48
9	Balance of county	146	1	-	1	16	5	2	1	4	-	1	3	3	74	23	42
10	Tift	182	-	1	1	20	6	2	-	3	1	1	7	1	112	28	65
11	Toombs	195	-	1	-	16	8	3	1	1	1	1	1	4	112	22	80
12	Towns	24	-	-	-	4	1	-	-	1	-	1	1	-	8	3	5
13	Treutlen	47	1	-	-	4	1	-	-	-	-	1	2	1	26	6	15
14	Troup	448	4	1	5	46	10	4	4	9	2	2	15	8	257	92	137
15	La Grange	229	2	1	3	23	4	1	3	5	1	-	9	5	130	47	65
16	Balance of county	219	2	-	2	23	6	3	1	4	1	2	6	3	127	45	72
17	Turner	85	1	1	3	10	3	-	1	-	2	-	4	-	41	16	24
18	Twiggs	62	-	-	-	3	2	-	-	1	-	-	-	-	36	14	19
19	Union	51	-	-	-	5	1	-	1	1	-	-	2	1	32	9	19
20	Upson	249	1	-	4	25	8	1	1	7	1	3	4	4	134	45	77
21	Walker	355	5	1	-	52	11	7	7	8	2	2	15	7	183	49	110
22	Walton	162	-	-	3	21	4	3	5	2	1	1	5	1	88	31	46
23	Ware	303	3	-	5	33	8	7	3	4	3	1	7	4	169	40	108
24	Waycross	214	2	-	4	23	4	4	3	4	1	1	6	4	130	33	80
25	Balance of county	89	1	-	1	10	4	3	-	-	2	-	1	-	39	7	28
26	Warren	95	-	-	1	12	4	1	2	2	1	-	2	1	58	15	33
27	Washington	231	2	1	1	20	6	2	-	6	2	-	4	2	135	40	66
28	Wayne	125	2	1	1	8	4	-	-	-	-	-	4	1	70	27	40
29	Webster	35	2	-	-	3	1	1	-	1	-	-	-	-	17	7	9
30	Wheeler	42	-	-	-	4	-	-	-	1	1	-	2	-	23	9	12
31	White	57	-	-	-	7	1	2	1	3	-	-	-	1	33	12	15
32	Whitfield	290	6	-	7	40	9	5	4	6	5	2	9	4	145	47	77
33	Dalton	174	6	-	4	23	6	2	2	4	5	1	3	2	85	27	49
34	Balance of county	116	-	-	3	17	3	3	2	2	-	1	6	2	60	20	28
35	Wilcox	83	-	-	3	8	2	-	-	-	1	1	4	-	37	11	23
36	Wilkes	127	-	-	1	18	6	1	2	3	1	-	5	1	77	31	35
37	Wilkinson	102	1	-	-	11	3	2	-	2	1	-	3	1	59	17	38
38	Worth	161	1	-	5	17	7	4	-	3	1	2	-	1	81	28	43
39	IDAHO	5,240	16	11	21	693	244	82	55	120	32	46	114	83	2,785	629	1,896
40	Nonmetropolitan counties	5,240	16	11	21	693	244	82	55	120	32	46	114	63	2,785	629	1,896
41	Ada	694	1	1	-	104	31	13	13	18	4	6	19	4	381	88	260
42	Boise City	548	1	1	-	84	25	11	9	16	3	6	14	3	298	69	204
43	Balance of county	146	-	-	-	20	6	2	4	2	1	-	5	1	83	19	56
44	Adams	14	-	-	-	-	-	-	-	-	-	-	-	1	10	-	9
45	Bannock	336	-	-	1	39	9	4	3	7	3	3	10	3	158	38	104
46	Pocatello (part)	248	-	-	1	24	4	1	2	6	1	2	8	3	118	33	71
47	Pocatello (total)	248	-	-	1	24	4	1	2	6	1	2	8	3	118	33	71
48	Balance of county	88	-	-	-	15	5	3	1	1	2	1	2	-	40	5	33
49	Bear Lake	59	-	-	1	5	2	-	-	2	-	-	1	2	27	6	19
50	Benewah	63	1	-	-	8	5	-	1	-	-	-	2	1	33	13	19
51	Bingham	200	2	-	1	22	6	2	-	7	1	1	5	5	82	19	57
52	Blaine	43	-	-	-	5	-	1	-	1	1	1	1	-	27	7	19
53	Boise	11	-	-	-	1	1	-	-	-	-	-	-	-	8	2	6
54	Bonner	160	-	-	2	28	9	3	3	3	3	1	6	1	81	22	52
55	Bonneville	239	1	1	1	35	12	5	2	4	3	3	6	3	105	26	67
56	Idaho Falls	177	1	1	-	30	11	4	2	4	2	1	6	2	84	22	52
57	Balance of county	62	-	-	1	5	1	1	-	-	1	2	-	1	21	4	15
58	Boundary	71	-	-	1	10	3	4	1	-	-	1	1	1	40	12	26
59	Butte	26	-	1	-	1	1	-	-	-	-	-	-	-	9	1	7
60	Camas	11	-	-	-	2	1	1	-	-	-	-	-	1	6	1	5
61	Canyon	513	2	3	3	61	25	5	6	11	1	5	8	5	295	51	212
62	Caldwell	134	1	-	1	16	7	2	-	5	-	1	1	2	75	10	60
63	Nampa	185	-	2	1	32	9	3	6	6	1	3	4	1	116	22	85
64	Balance of county	184	1	1	1	13	9	-	-	-	-	1	3	2	104	19	67
65	Caribou	42	-	-	-	5	3	-	-	1	-	1	-	-	19	5	13
66	Cassia	108	-	-	-	15	5	2	-	3	2	1	2	1	65	8	55
67	Clark	7	-	-	-	2	-	1	-	-	-	-	1	-	4	1	2
68	Clearwater	79	-	-	-	8	2	-	-	1	1	1	3	1	43	13	27
69	Custer	37	1	-	-	5	3	-	-	1	-	-	1	-	22	8	10
70	Elmore	74	-	-	-	9	5	1	-	1	-	1	1	-	31	7	20
71	Franklin	57	-	-	-	6	1	-	-	1	1	2	1	1	33	7	25
72	Fremont	64	-	-	-	10	2	-	2	3	-	-	3	3	30	4	24
73	Gem	74	-	-	-	12	4	2	1	2	-	1	2	-	45	10	32
74	Gooding	96	1	-	-	11	5	-	1	2	1	-	2	4	63	12	42
75	Idaho	114	-	1	1	19	11	2	1	2	-	1	2	2	48	13	28
76	Jefferson	63	-	-	-	14	2	3	3	1	-	2	3	-	28	8	19
77	Jerome	92	-	-	-	9	3	1	-	3	1	1	-	2	50	11	33

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	15	3	5	1	1	2	1	3	2	-	-	1	-	7	-	1	3	-	-	2	1
-	7	6	1	-	2	-	-	2	-	-	-	-	-	-	2	-	1	-	-	1	2
1	26	4	13	3	2	3	1	1	2	-	-	1	2	7	1	7	6	1	1	12	3
-	20	2	8	3	4	-	1	9	-	-	1	1	-	6	4	4	5	1	-	3	4
-	31	7	2	2	3	-	3	8	2	2	3	-	3	4	2	7	6	2	-	10	5
-	26	10	5	5	3	3	4	11	2	3	-	-	2	13	1	3	5	1	3	11	6
1	68	7	14	4	1	2	11	15	2	1	2	1	4	16	6	4	18	2	3	25	7
-	36	4	8	4	-	-	5	6	1	-	2	-	1	8	2	3	10	-	-	15	8
1	32	3	6	-	1	2	6	9	1	1	-	1	3	8	4	1	8	2	3	10	9
-	43	10	12	4	9	3	3	10	-	1	-	-	1	6	5	4	8	1	1	10	10
2	45	19	14	1	4	2	3	9	2	1	1	-	2	10	4	7	13	1	2	10	11
-	4	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	3	-	-	6	12
-	11	2	2	-	2	-	3	1	-	1	1	-	2	4	-	2	-	-	1	3	13
4	96	25	12	8	8	7	5	24	3	2	4	3	3	20	2	12	9	4	7	34	14
1	45	14	5	6	5	4	3	11	1	1	4	-	1	14	1	5	5	1	4	17	15
3	51	11	7	2	3	3	2	13	2	1	-	3	2	6	1	7	4	3	3	17	16
-	20	3	1	-	1	-	-	4	-	1	1	-	2	2	-	2	6	1	2	8	17
-	11	3	5	-	1	1	1	8	1	-	1	-	-	3	1	2	-	1	-	6	18
-	14	-	5	-	3	-	1	3	1	1	-	-	1	1	-	-	2	2	-	2	19
1	49	17	10	2	3	5	2	8	-	1	4	-	2	21	5	7	8	3	3	19	20
3	77	18	12	6	6	6	6	11	3	1	7	-	2	17	16	9	15	1	3	22	21
1	28	10	7	4	3	2	2	10	2	2	1	-	1	5	1	12	5	3	2	25	22
2	71	22	13	3	4	5	9	10	1	1	2	1	5	10	5	8	14	6	2	24	23
2	53	16	9	2	3	3	9	4	1	1	2	1	4	7	2	3	7	1	2	16	24
-	18	6	4	1	1	2	-	6	-	-	-	-	1	3	3	5	7	5	-	8	25
1	22	6	4	2	3	-	5	4	-	1	-	-	1	2	5	-	-	2	-	8	26
2	41	14	9	5	19	2	3	7	1	6	-	-	2	9	5	7	13	1	2	17	27
-	26	12	2	-	1	-	2	5	-	1	-	-	4	8	2	6	6	1	-	9	28
1	4	3	1	-	1	-	-	1	-	-	-	-	-	4	-	-	3	-	1	4	29
1	6	3	2	-	-	-	2	-	-	1	-	-	-	1	5	2	1	-	1	4	30
-	12	1	2	1	2	-	3	3	-	-	-	-	1	3	1	2	4	2	-	-	31
1	51	7	18	6	7	3	5	16	2	3	4	-	4	8	1	16	12	1	2	19	32
1	32	5	11	3	4	-	2	8	2	3	4	-	2	3	1	11	5	1	1	13	33
-	19	2	7	3	3	3	3	8	-	-	-	-	2	5	-	5	7	-	1	6	34
-	11	5	7	-	2	-	1	6	-	-	1	-	2	6	2	1	8	2	-	7	35
1	22	4	8	-	6	2	3	5	-	-	1	-	1	4	10	-	5	-	1	3	36
-	20	9	9	-	1	3	-	4	-	1	-	-	-	1	2	4	9	3	1	5	37
-	23	8	12	4	2	2	2	9	2	1	-	-	1	10	11	3	2	2	-	15	38
76	1,345	175	300	35	138	52	35	138	42	22	37	3	90	231	74	263	279	67	10	395	39
76	1,345	175	300	35	138	52	35	138	42	22	37	3	90	231	74	263	279	67	10	395	40
13	198	23	26	7	14	10	2	16	4	2	9	-	14	24	15	20	43	10	1	45	41
12	154	17	21	5	11	7	2	13	3	2	5	-	10	23	11	17	30	9	1	37	42
1	44	6	5	2	3	3	-	3	1	-	4	-	4	1	4	3	13	1	-	8	43
-	7	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	44
7	80	7	10	5	7	1	3	15	4	3	5	-	6	22	10	27	11	7	3	22	45
4	58	4	5	5	5	1	3	10	3	2	4	-	3	15	8	21	10	4	3	19	46
4	58	4	5	5	5	1	3	10	3	2	4	-	3	15	8	21	10	4	3	19	47
3	22	3	5	-	2	-	-	5	1	1	1	-	3	7	2	6	1	3	-	3	48
2	11	3	3	1	-	1	-	-	1	-	-	-	1	1	3	2	10	-	1	5	49
1	16	2	-	-	-	1	-	2	-	-	-	-	-	6	-	-	5	2	-	5	50
4	39	1	13	1	-	3	2	7	2	2	1	1	7	16	3	17	21	2	-	9	51
-	12	3	4	1	-	-	-	1	-	-	-	-	1	-	-	3	3	-	-	3	52
-	2	-	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	53
-	31	9	12	1	4	-	2	4	-	-	1	-	2	8	2	4	10	3	1	13	54
6	49	6	6	-	4	5	3	8	1	1	2	-	5	18	1	25	12	4	-	16	55
5	37	6	4	-	3	4	3	6	1	-	-	-	4	13	1	14	7	1	-	12	56
1	12	-	2	-	1	1	-	2	-	1	2	-	1	5	-	11	5	3	-	4	57
-	22	-	4	-	2	-	-	2	1	-	-	-	1	4	-	3	2	1	1	4	58
-	6	-	1	-	1	-	-	1	-	-	1	-	1	1	-	6	4	-	-	1	59
-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	60
8	134	35	35	1	19	10	2	12	6	4	2	-	3	14	4	24	15	5	-	55	61
2	40	11	7	-	4	1	-	3	1	1	1	-	1	4	3	3	3	3	-	16	62
4	51	16	14	-	6	3	-	5	3	2	1	-	2	4	-	5	5	1	-	15	63
2	43	8	14	1	9	6	2	4	2	1	-	-	-	6	1	16	7	1	-	24	64
-	9	1	3	-	1	-	-	-	-	-	-	-	3	4	1	2	2	1	-	5	65
1	34	3	17	1	1	-	-	1	1	-	-	-	2	4	-	6	4	-	-	9	66
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	67
1	20	2	4	-	-	1	2	4	1	1	-	1	-	5	-	4	4	1	-	6	68
-	7	1	2	-	2	1	1	2	-	1	-	-	-	1	-	3	1	-	-	1	69
-	16	3	1	1	2	-	1	2	-	-	2	-	3	7	-	10	3	-	-	7	70
2	20	1	2	-	1	-	-	1	-	-	-	-	1	1	-	4	1	-	1	8	71
-	18	1	5	1	-	-	1	2	2	-	-	-	1	3	2	3	2	-	-	6	72
1	20	2	9	-	2	1	-	1	-	-	-	-	-	2	-	3	4	1	-	6	73
5	27	-	10	2	5	1	1	1	-	-	1	-	1	2	-	4	3	1	-	4	74
1	17	4	6	1	6	-	-	3	3	1	2	-	1	7	2	5	10	-	-	9	75
1	7	3	8	-	1	-	-	2	-	-	1	-	1	2	-	2	4	1	-	8	76
2	24	2	5	3	1	2	-	2	-	2	-	-	5	4	2	4	4	-	-	8	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	IDAHO—Continued																
1	Kootenai	262	2	1	4	39	20	3	5	5	2	1	3	3	151	25	112
2	Coeur d'Alene	159	1	-	1	24	14	2	2	4	2	-	-	2	101	19	71
3	Balance of county	103	1	1	3	15	6	1	3	1	-	1	3	1	50	6	41
4	Latah	163	-	-	-	31	11	4	3	6	1	-	6	1	82	21	52
5	Moscow	59	-	-	-	11	2	1	3	2	-	-	3	-	32	12	16
6	Balance of county	104	-	-	-	20	9	3	-	4	1	-	3	1	50	9	36
7	Lembi	79	-	1	1	6	2	1	-	2	-	1	-	3	44	9	30
8	Lewis	27	-	-	-	1	-	-	-	1	-	-	-	-	12	4	8
9	Lincoln	30	-	-	-	2	2	-	-	-	-	-	-	-	21	7	14
10	Madison	60	-	-	-	7	2	1	1	-	1	-	2	-	33	9	24
11	Minidoka	90	-	-	-	18	5	2	1	4	-	-	6	3	42	9	31
12	Nez Perce	263	1	1	-	39	14	5	-	9	2	5	4	4	135	27	91
13	Lewiston	205	-	1	-	31	10	4	-	7	2	4	4	2	114	23	76
14	Balance of county	58	1	-	-	8	4	1	-	2	-	1	-	2	21	4	15
15	Oneida	46	-	-	-	2	1	-	-	1	-	-	-	-	29	8	20
16	Owyhee	53	-	-	-	4	1	2	-	1	-	-	-	-	28	7	19
17	Payette	112	-	-	1	13	5	2	-	5	-	-	1	1	70	24	43
18	Power	35	-	-	-	4	2	-	-	1	1	-	-	-	13	7	5
19	Pocatello (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Balance of county	35	-	-	-	4	2	-	-	1	1	-	-	-	13	7	5
21	Shoshone	184	2	-	1	23	10	4	2	1	1	2	3	3	97	19	74
22	Teton	16	-	-	-	1	-	1	-	-	-	-	-	-	10	2	8
23	Twin Falls	347	1	1	3	45	14	7	6	7	1	5	5	2	204	45	124
24	Twin Falls	191	1	1	3	25	9	6	4	1	-	3	2	1	112	27	64
25	Balance of county	156	-	-	-	20	5	1	2	6	1	2	3	1	92	18	60
26	Valley	23	-	-	-	5	2	-	-	-	1	-	2	-	11	2	7
27	Washington	103	1	-	-	7	2	-	-	3	-	-	2	2	60	11	42
28	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	ILLINOIS	101,667	765	147	329	16,099	5,816	2,315	1,481	2,451	779	734	2,523	1,523	59,711	10,976	44,040
30	Metropolitan counties	73,097	630	115	243	11,973	4,344	1,797	1,119	1,774	598	513	1,828	1,112	42,024	7,273	31,645
31	Nonmetropolitan counties	28,570	135	32	86	4,126	1,472	518	362	677	181	221	695	411	17,687	3,703	12,395
32	Adams	914	7	1	5	136	46	14	14	19	4	5	34	14	562	132	362
33	Quincy	639	4	1	5	107	34	14	10	13	2	3	31	10	386	93	245
34	Balance of county	275	3	-	-	29	12	-	4	6	2	2	3	4	176	39	117
35	Alexander	288	6	-	1	33	15	3	2	6	1	3	3	-	174	33	110
36	Cairo	183	5	-	-	21	12	2	1	3	1	-	2	-	116	19	77
37	Balance of county	105	1	-	1	12	3	1	1	3	-	3	1	-	58	14	33
38	Bond	181	1	-	-	30	6	5	2	6	-	2	9	1	115	25	83
39	Boone	196	-	-	-	31	12	4	2	4	2	-	7	1	122	30	88
40	Brown	77	-	-	-	11	4	-	1	3	2	-	1	-	50	14	33
41	Bureau	432	1	1	-	71	26	11	5	10	1	4	14	7	272	52	196
42	Calhoun	68	-	-	-	5	3	1	-	-	-	-	1	-	43	9	33
43	Carroll	212	-	1	-	28	6	1	2	7	2	3	7	5	134	26	98
44	Cass	217	1	-	-	38	13	3	2	5	7	3	5	1	137	35	89
45	Champaign	848	-	1	2	115	39	17	12	20	1	12	14	17	483	98	341
46	Champaign	341	-	1	2	54	16	11	5	11	-	5	6	6	186	36	129
47	Urbana	181	-	-	-	20	5	4	2	2	-	5	2	3	111	25	77
48	Balance of county	326	-	-	-	41	18	2	5	7	1	2	6	8	186	37	135
49	Christian	433	3	1	3	71	25	10	5	10	3	6	12	4	257	51	187
50	Clark	213	1	-	1	23	6	4	3	3	1	-	6	5	138	39	81
51	Clay	200	-	-	-	23	6	5	1	5	-	-	6	4	121	20	95
52	Clinton	247	1	-	1	37	16	2	5	6	3	2	3	5	146	25	112
53	Centralia (part)	7	-	-	-	3	2	1	-	-	-	-	-	-	3	3	-
54	Balance of county	240	1	-	1	34	14	1	5	6	3	2	3	5	143	22	112
55	Coles	488	4	-	6	75	28	10	8	9	2	5	13	6	298	69	189
56	Mattoon	223	1	-	-	41	15	5	6	5	1	2	7	1	132	31	92
57	Balance of county	265	3	-	6	34	13	5	2	4	1	3	6	5	166	38	97
58	Cook	53,032	517	86	171	8,712	3,272	1,321	809	1,232	432	357	1,289	834	30,668	4,931	23,520
59	Chicago	42,439	474	77	134	6,877	2,584	1,070	641	991	330	260	1,001	644	24,686	3,873	19,011
60	Berwyn	617	-	-	1	125	50	24	8	13	7	9	14	8	362	45	315
61	Cicero	680	6	-	3	118	58	20	7	12	6	5	10	25	401	60	321
62	Evanston	868	2	-	1	126	50	15	12	24	7	3	15	14	569	113	406
63	Oak Park	734	5	1	1	125	50	12	20	21	5	4	13	7	471	88	348
64	Elgin (part)	16	-	-	-	4	1	1	-	-	1	-	1	-	10	1	8
65	Maywood	298	2	-	1	55	20	9	4	5	7	3	7	8	176	29	137
66	Blue Island	219	-	-	-	40	16	5	3	5	2	4	5	2	131	20	104
67	Brookfield	159	-	-	1	38	14	3	2	9	2	1	7	4	86	11	67
68	Calumet City	176	1	-	-	36	12	8	3	4	3	2	4	5	93	12	79
69	Chicago Heights	317	3	-	1	43	17	3	3	5	-	5	10	16	172	50	109
70	Des Plaines	235	2	-	1	33	18	2	6	3	-	1	3	6	133	25	95
71	Elmwood Park	177	-	-	1	31	10	4	5	3	1	2	6	4	104	20	77
72	Evergreen Park	125	1	-	-	18	8	1	2	2	2	1	2	1	73	20	49
73	Forest Park	145	-	-	-	32	12	7	3	4	2	1	3	3	77	9	62
74	Harvey	236	2	1	1	43	18	9	5	1	1	2	7	4	124	28	85
75	La Grange	158	-	-	-	24	10	5	3	2	1	1	2	3	95	24	60
76	Melrose Park	189	1	-	1	25	8	4	1	4	3	2	3	3	103	11	87
77	Park Ridge	213	-	-	1	50	18	6	10	2	5	-	9	2	118	25	87
78	River Forest	123	-	-	-	23	5	2	3	4	2	1	6	1	81	22	55

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	75	10	26	-	12	1	1	11	2	1	1	-	4	9	2	5	12	-	-	15	1
-	44	7	20	-	9	1	1	5	2	-	-	-	-	5	1	3	5	-	-	9	2
1	31	3	6	-	3	-	-	6	-	1	1	-	4	4	1	2	7	-	-	6	3
-	40	5	7	-	4	1	4	5	2	-	-	-	1	6	-	8	9	4	-	14	4
-	13	1	2	-	2	1	1	1	2	-	-	-	-	1	-	1	2	2	-	7	5
-	27	4	5	-	2	-	3	4	-	-	-	-	1	5	-	7	7	2	-	7	6
-	22	1	7	-	3	2	-	2	-	-	-	-	1	4	-	7	2	1	-	7	7
-	5	1	2	-	-	-	-	1	1	-	-	-	1	3	1	2	3	-	-	2	8
-	12	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	9
-	17	3	4	-	-	-	-	-	1	1	-	-	2	3	-	2	5	-	1	5	10
-	21	3	7	-	1	1	-	3	2	1	-	1	2	5	-	6	5	-	-	2	11
4	64	12	11	1	12	4	-	7	1	1	2	-	2	11	5	10	13	5	-	26	12
3	54	8	11	1	11	3	-	4	1	1	1	-	2	8	1	5	11	4	-	19	13
1	10	4	-	-	1	1	-	3	-	-	1	-	-	3	4	5	2	1	-	7	14
2	9	1	8	-	-	-	1	-	-	-	1	-	3	-	1	1	2	2	-	5	15
-	17	2	-	-	1	1	-	1	1	-	-	-	1	2	2	2	4	3	-	5	16
2	34	3	4	-	3	-	-	2	1	-	2	-	2	1	-	1	2	1	1	14	17
-	2	-	3	-	1	-	-	-	-	-	1	-	1	6	-	4	1	1	-	4	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	2	-	3	-	1	-	-	-	-	-	1	-	1	6	-	4	1	1	-	4	20
5	56	5	8	1	-	2	1	6	2	-	-	-	3	10	-	13	12	1	-	11	21
1	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	22
5	99	10	10	4	23	3	5	8	3	1	3	-	6	12	1	17	14	6	-	20	23
1	52	5	6	1	15	1	4	2	1	-	2	-	3	9	1	10	7	1	-	12	24
4	47	5	4	3	8	2	1	6	2	1	1	-	3	3	-	7	7	5	-	8	25
-	7	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	2	1	-	3	26
1	30	4	7	2	3	-	2	1	-	-	-	-	2	2	15	1	7	2	-	3	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1,107	32,551	4,175	6,207	1,069	1,950	833	843	4,014	693	434	1,197	71	1,163	3,586	352	1,926	2,659	1,016	428	5,554	29
845	23,439	2,985	4,376	744	1,213	607	542	3,105	511	315	998	56	854	2,826	254	1,212	1,820	719	399	3,931	30
262	9,112	1,190	1,831	325	737	226	301	909	182	119	199	15	309	760	98	714	839	297	29	1,623	31
8	278	31	45	13	34	14	7	32	9	1	6	-	9	23	4	18	17	10	-	60	32
6	194	15	30	10	22	11	5	26	4	1	4	-	5	14	3	13	9	7	-	40	33
2	84	16	15	3	12	3	2	6	5	-	2	-	4	9	1	5	8	3	-	20	34
5	78	12	15	3	20	1	7	8	2	2	1	1	5	9	-	7	12	1	3	23	35
2	53	9	13	2	15	-	3	6	1	2	1	-	-	4	-	4	9	-	3	11	36
3	25	3	2	1	5	1	4	2	1	-	-	1	5	5	-	3	3	1	-	12	37
1	45	23	14	1	4	1	1	10	2	1	2	-	3	2	-	6	-	-	-	8	38
4	68	10	6	1	1	1	1	6	-	1	1	-	-	15	-	2	6	1	-	10	39
-	23	7	3	-	1	1	1	3	-	-	-	-	-	1	-	2	1	3	-	6	40
3	142	21	30	2	10	4	8	8	1	3	3	-	6	10	1	9	17	2	-	20	41
2	17	4	10	-	-	1	-	3	2	-	-	-	3	-	-	1	2	2	-	7	42
1	72	7	16	4	7	1	-	7	2	1	1	1	1	7	1	9	4	2	-	8	43
1	67	6	15	5	4	2	2	9	1	-	-	-	1	6	1	4	6	4	-	8	44
10	259	24	48	10	13	11	10	32	6	7	8	-	13	55	2	29	21	7	-	50	45
3	103	11	12	4	8	4	5	14	4	2	3	-	3	19	1	10	11	2	-	23	46
2	60	6	9	4	2	2	1	2	-	2	1	-	5	16	1	2	5	2	-	11	47
5	96	7	27	2	3	5	4	16	2	3	4	-	5	20	-	17	5	3	-	16	48
3	152	15	17	7	4	5	3	14	4	1	5	-	5	13	-	16	11	1	3	21	49
2	45	13	21	4	10	2	2	3	-	3	1	-	2	2	-	12	8	2	-	12	50
4	54	8	29	-	4	-	2	9	-	1	2	1	2	2	1	3	10	3	-	18	51
-	76	15	21	2	2	3	2	12	-	3	1	1	1	8	2	10	4	-	-	15	52
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	53
-	76	15	21	2	2	3	2	12	-	2	1	1	1	8	2	10	4	-	-	15	54
4	136	15	34	6	6	6	22	12	4	2	1	-	3	17	4	11	13	8	1	23	55
2	76	8	6	2	-	4	3	4	4	2	1	-	1	9	1	3	8	3	1	11	56
2	60	7	28	4	6	2	19	8	-	-	-	-	2	8	3	8	5	5	-	12	57
619	17,544	2,116	3,241	545	815	444	413	2,357	379	227	818	34	559	1,951	200	693	1,238	483	348	2,757	58
467	14,148	1,692	2,704	455	653	352	342	1,984	318	175	705	22	374	1,489	175	472	994	353	324	2,162	59
9	245	34	27	6	10	3	3	16	1	1	6	-	4	16	1	13	11	7	-	25	60
13	247	31	30	5	5	6	4	21	3	2	11	-	7	13	1	15	10	10	-	34	61
16	298	30	62	10	23	12	5	31	7	7	10	-	5	19	1	10	8	9	5	44	62
11	247	37	53	4	17	8	6	14	3	3	6	-	6	13	3	6	21	7	-	42	63
1	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	64
7	104	14	12	5	4	1	-	6	1	2	4	-	4	5	1	3	5	2	1	22	65
1	84	14	5	3	1	1	2	8	-	2	2	-	4	8	1	2	4	2	2	11	66
-	51	5	11	2	4	1	1	8	1	-	2	-	3	6	-	2	3	1	-	4	67
3	68	4	4	-	-	-	2	3	-	-	4	-	5	9	-	5	4	1	-	10	68
-	79	15	15	2	7	1	3	15	2	3	1	2	10	12	1	9	7	1	-	19	69
5	62	8	20	1	5	5	2	8	3	-	2	-	3	14	-	6	7	2	1	14	70
2	50	9	16	-	2	4	1	9	1	1	2	-	-	7	1	3	2	1	-	10	71
1	42	2	4	1	-	-	3	3	-	2	3	-	1	5	-	1	7	2	-	8	72
-	53	5	4	2	1	2	1	6	2	-	-	1	5	-	1	1	4	2	-	11	73
-	71	10	4	3	4	1	3	11	-	1	4	-	1	13	1	8	3	3	1	15	74
1	51	4	4	2	5	3	1	6	1	-	4	-	-	5	-	3	2	2	2	12	75
2	62	9	14	2	1	1	1	14	1	5	3	-	3	7	1	5	5	2	-	10	76
-	71	5	11	1	1	3	1	6	3	-	2	-	2	6	1	4	2	6	1	9	77
2	37	8	8	2	1	-	1	3	-	2	-	-	3	2	1	2	-	1	-	4	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	ILLINOIS—Continued																
	Cook—Continued																
1	Skokie	254	1	-	3	51	20	4	8	6	6	3	4	3	135	19	112
2	Wilmette	194	1	1	-	37	13	3	3	7	2	3	6	3	109	28	71
3	Winnetka	105	-	-	-	12	4	2	-	-	1	1	4	-	65	18	38
4	Balance of county	4,354	16	6	20	746	256	102	57	105	36	43	147	68	2,274	382	1,737
5	Crawford	243	-	-	1	27	8	3	2	6	2	-	6	4	149	27	110
6	Cumberland	137	1	1	-	20	6	-	2	5	-	2	5	1	77	22	48
7	De Kalb	500	-	1	-	71	20	9	4	13	2	7	16	7	313	61	222
8	De Kalb	165	-	1	-	25	9	3	1	4	1	3	4	-	100	23	70
9	Balance of county	335	-	-	-	46	11	6	3	9	1	4	12	7	213	38	152
10	De Witt	219	-	-	-	32	10	5	2	7	-	4	4	3	145	40	94
11	Douglas	226	2	-	1	28	14	2	2	3	-	3	4	6	142	22	108
12	Du Page	1,876	4	-	10	329	114	44	29	59	17	18	48	26	1,015	191	742
13	Downers Grove	176	-	-	-	31	12	6	-	3	3	2	5	3	101	21	73
14	Elmhurst	258	-	-	2	60	26	7	4	9	2	3	9	4	138	26	94
15	Wheaton	131	1	-	-	17	2	3	3	6	-	-	3	1	65	10	48
16	Balance of county	1,313	3	-	8	221	74	28	22	41	12	13	31	18	711	134	527
17	Edgar	289	1	1	1	49	20	3	4	9	-	3	10	4	173	50	112
18	Edwards	95	1	-	-	11	4	1	1	3	-	1	1	-	63	16	42
19	Effingham	220	1	1	-	27	10	1	1	4	3	1	7	6	128	22	95
20	Fayette	240	3	-	-	31	14	3	2	6	-	-	6	5	153	36	93
21	Ford	180	1	-	-	15	3	1	2	5	-	1	3	4	117	18	83
22	Franklin	614	8	-	3	93	30	19	6	15	3	6	14	8	381	48	296
23	West Frankfort	154	3	-	-	30	8	5	1	5	1	3	7	2	96	9	74
24	Balance of county	460	5	-	3	63	22	14	5	10	2	3	7	6	285	39	222
25	Fulton	479	2	-	-	82	28	12	7	11	6	6	11	10	296	72	206
26	Canton	152	1	-	-	24	12	1	2	3	2	1	3	5	94	26	65
27	Balance of county	327	1	-	-	58	17	11	5	8	4	5	8	5	202	46	141
28	Gallatin	119	2	-	-	17	7	2	1	3	-	1	3	1	74	20	49
29	Greene	227	3	-	2	40	13	2	3	6	1	6	9	5	130	26	93
30	Grundy	233	-	1	1	41	15	7	6	7	1	-	5	2	129	28	91
31	Hamilton	130	2	-	1	11	3	-	1	2	-	3	2	1	92	23	59
32	Hancock	343	-	-	-	36	13	2	2	6	3	3	7	3	235	50	166
33	Hardin	76	1	-	-	13	4	3	-	4	-	-	2	1	46	13	29
34	Henderson	86	-	-	-	5	2	-	1	-	-	1	1	1	57	11	42
35	Henry	611	3	1	-	81	33	9	5	11	3	6	14	16	383	77	271
36	Kewanee	255	3	-	-	44	19	2	4	6	2	4	7	7	151	29	105
37	Balance of county	356	-	1	-	37	14	7	1	5	1	2	7	9	232	48	166
38	Iroquois	395	-	1	-	53	21	5	3	6	4	3	11	5	249	45	180
39	Jackson	471	2	-	-	60	24	8	8	12	4	-	4	8	296	77	180
40	Carbondale	148	-	-	-	24	10	2	4	6	2	-	-	4	88	27	58
41	Balance of county	323	2	-	-	36	14	6	4	6	2	-	4	4	208	50	122
42	Jasper	139	-	-	-	29	14	2	2	3	1	3	4	-	85	10	66
43	Jefferson	371	3	3	2	52	21	4	7	8	2	-	10	4	202	44	141
44	Mount Vernon	192	1	1	1	26	9	1	5	3	2	-	6	1	111	24	79
45	Balance of county	179	2	2	1	26	12	3	2	5	-	-	4	3	91	20	62
46	Jersey	154	1	-	1	35	11	6	3	7	-	1	7	1	86	12	63
47	Jo Daviess	250	2	-	2	35	10	4	4	7	1	3	6	3	151	42	102
48	Johnson	116	2	-	1	13	5	2	1	1	1	-	3	-	84	24	47
49	Kane	1,850	7	3	9	272	98	31	30	54	8	10	41	29	1,085	256	755
50	Aurora	748	3	1	4	114	40	11	15	25	2	2	19	18	440	105	304
51	Elgin (part)	491	3	1	-	78	27	14	8	18	2	2	7	4	302	81	195
52	Elgin (total)	507	3	1	-	82	28	15	8	18	3	2	8	4	312	82	203
53	Balance of county	611	1	1	5	80	31	6	7	11	4	6	15	7	343	70	256
54	Kankakee	741	2	-	2	112	45	13	9	17	8	3	17	13	425	78	325
55	Kankakee	330	-	-	1	51	18	9	4	7	4	1	8	6	194	35	147
56	Balance of county	411	2	-	1	61	27	4	5	10	4	2	9	7	231	41	178
57	Kendall	129	-	-	-	22	10	1	4	4	-	1	2	3	71	18	44
58	Knox	678	6	2	1	108	33	20	10	16	4	5	20	9	430	95	305
59	Galesburg	430	4	2	1	72	20	16	8	12	2	3	11	6	272	60	193
60	Balance of county	248	2	-	-	36	13	4	2	4	2	2	9	3	158	35	112
61	Lake	2,024	15	4	9	325	99	46	26	52	27	20	55	15	1,124	232	820
62	Waukegan	470	6	-	1	88	33	16	9	7	6	5	13	3	247	50	182
63	Highland Park	202	1	-	-	37	11	4	2	7	5	3	5	2	116	34	74
64	Balance of county	1,352	8	4	8	199	55	26	15	38	16	12	37	10	761	148	564
65	La Salle	1,190	2	-	5	172	63	19	20	26	9	9	26	17	755	179	529
66	La Salle	160	-	-	-	22	9	2	3	2	1	3	2	4	107	30	70
67	Ottawa	241	2	-	1	37	9	6	5	2	3	1	11	3	144	30	104
68	Streator (part)	184	-	-	-	23	7	2	1	6	2	1	4	4	118	36	73
69	Streator (total)	186	-	-	-	23	7	2	1	6	2	1	4	4	119	36	73
70	Balance of county	605	-	-	4	90	38	9	11	16	3	4	9	6	386	83	282
71	Lawrence	236	1	-	2	32	15	4	1	6	1	-	5	5	140	35	92
72	Lee	368	-	-	1	45	12	9	4	7	2	4	7	7	224	48	152
73	Dixon	171	-	-	1	20	3	4	3	4	2	2	2	3	101	19	68
74	Balance of county	197	-	-	-	25	9	5	1	3	-	2	5	4	123	29	84
75	Livingston	420	-	-	-	67	22	5	11	14	3	2	10	5	257	68	170
76	Streator (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
77	Balance of county	418	-	-	-	67	22	5	11	14	3	2	10	5	256	68	170
78	Logan	289	-	-	1	36	17	5	6	3	1	-	4	2	193	33	137
79	Lincoln	157	-	-	1	22	10	4	4	2	-	-	2	1	104	18	73
80	Balance of county	132	-	-	-	14	7	1	2	1	1	-	2	1	89	15	64

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	81	8	18	1	2	-	1	9	5	3	4	-	3	11	-	3	7	3	2	11	1
5	52	7	7	1	8	1	2	12	2	-	1	-	2	7	-	6	5	-	-	8	2
-	27	3	8	3	3	2	1	5	1	-	1	-	-	4	-	1	3	2	-	11	3
68	1,307	162	200	34	57	37	27	159	24	18	41	9	114	280	10	113	124	64	9	259	4
1	80	9	20	1	5	2	4	13	3	1	3	-	3	4	2	3	8	3	-	19	5
-	41	3	4	2	1	1	3	7	-	1	1	-	1	2	-	7	7	2	-	9	6
7	169	11	35	5	11	5	9	22	3	4	5	1	5	12	1	9	10	5	-	31	7
-	54	-	16	-	1	1	5	8	2	1	1	-	3	5	-	5	3	1	-	10	8
7	115	11	19	5	10	4	4	14	1	3	4	1	2	7	1	4	7	4	-	21	9
-	56	11	27	1	4	1	5	5	-	1	-	-	5	7	-	8	3	2	1	7	10
3	64	15	26	3	2	1	6	8	-	2	1	-	1	7	-	5	4	5	-	14	11
31	521	82	108	16	32	25	9	81	15	8	19	-	37	80	5	54	55	15	5	120	12
2	50	5	16	5	1	1	-	6	4	-	1	-	1	7	-	1	7	-	-	14	13
2	65	15	12	3	8	5	2	10	3	-	5	-	1	11	1	4	4	3	-	12	14
-	32	8	8	1	3	3	-	11	1	1	-	-	4	7	-	4	4	-	-	15	15
27	374	54	72	7	20	16	7	54	7	7	13	-	31	55	4	45	40	12	5	79	16
2	89	10	11	1	4	-	6	6	5	-	2	-	1	6	-	7	10	2	-	21	17
-	28	5	9	1	4	-	-	2	1	-	-	-	-	-	-	3	3	2	-	9	18
8	58	13	16	2	5	-	4	9	-	2	2	-	1	10	1	14	7	2	-	9	19
2	67	4	20	7	12	2	3	11	1	-	1	-	2	6	1	5	9	2	-	10	20
1	62	6	14	5	8	1	2	3	3	1	1	1	3	4	-	7	4	5	1	10	21
5	243	24	24	5	23	2	7	20	2	2	7	-	5	13	2	8	15	9	1	37	22
-	64	4	6	-	11	-	2	1	-	1	2	-	1	3	1	2	2	1	-	9	23
5	179	20	18	5	12	2	5	19	2	1	5	-	4	10	1	6	13	8	1	28	24
5	159	16	26	11	4	2	1	14	6	-	5	1	9	2	-	10	9	4	-	29	25
2	48	7	8	2	1	-	-	4	2	-	2	1	1	2	-	5	2	1	-	8	26
3	111	9	18	9	3	2	1	10	4	-	3	-	8	-	-	5	7	3	-	21	27
1	24	4	20	-	3	-	2	2	-	-	2	-	-	4	4	3	4	-	-	6	28
2	56	11	24	2	5	3	1	5	1	-	1	-	2	4	1	11	3	7	-	12	29
1	75	5	10	1	6	-	3	5	4	2	5	-	1	5	-	14	5	1	-	17	30
-	37	14	8	3	5	-	2	4	1	3	-	-	-	-	-	3	2	1	-	9	31
2	113	17	34	1	12	3	3	13	3	1	-	-	1	15	-	8	6	5	-	17	32
-	23	2	4	-	-	3	1	1	-	-	-	-	2	3	-	-	4	1	-	4	33
-	30	1	11	2	1	1	-	3	-	-	2	-	-	1	-	5	4	1	-	7	34
4	222	20	25	10	18	3	4	28	2	-	6	-	6	13	2	14	20	6	-	30	35
1	85	8	11	7	8	1	1	11	2	-	1	-	2	5	-	7	12	-	-	10	36
3	137	12	14	3	10	2	3	17	-	-	5	-	4	8	2	7	8	6	-	20	37
1	134	17	28	7	10	4	3	10	2	2	1	2	5	9	-	16	13	3	2	22	38
4	130	20	26	11	18	3	7	13	3	2	2	-	5	18	1	17	17	8	-	19	39
-	46	4	8	2	1	-	-	7	-	-	-	-	3	7	1	5	5	2	-	2	40
4	84	16	18	9	17	3	7	6	3	2	2	-	2	11	-	12	12	6	-	17	41
1	45	9	11	1	5	1	2	2	-	1	1	-	1	1	-	2	5	2	-	10	42
1	101	14	25	1	10	3	3	10	5	-	5	-	5	7	24	9	10	4	-	26	43
-	55	8	16	-	6	1	1	4	3	-	4	-	4	4	8	3	7	3	-	11	44
1	46	6	9	1	4	2	2	6	2	-	1	-	1	3	16	6	3	1	-	15	45
1	34	15	13	3	4	2	2	2	4	1	1	-	-	10	1	3	4	2	-	12	46
2	71	13	16	3	4	-	-	10	-	1	-	-	1	8	-	7	7	1	1	21	47
1	41	3	2	-	10	-	3	1	-	-	1	-	1	-	-	6	1	1	-	5	48
24	556	71	104	22	33	8	11	84	11	10	19	4	26	80	2	37	51	22	1	98	49
11	221	31	41	6	12	6	7	37	2	6	10	2	8	36	1	14	12	9	1	30	50
6	144	21	24	9	14	2	1	20	5	2	4	1	5	9	1	7	12	8	-	29	51
7	151	21	24	9	15	2	1	20	5	2	4	1	5	9	1	7	12	8	-	31	52
7	191	19	39	7	7	-	3	27	4	2	5	1	13	35	-	16	27	5	-	39	53
7	261	28	29	5	10	4	5	27	6	4	9	-	10	33	2	29	23	3	1	40	54
4	120	14	9	2	7	2	1	14	2	2	6	-	2	16	-	6	11	-	-	19	55
3	141	14	20	3	3	2	4	13	4	2	3	-	8	17	2	23	12	3	1	21	56
2	35	3	4	2	2	1	4	7	2	-	1	-	1	6	-	5	5	1	-	5	57
6	255	23	21	8	16	5	1	22	5	-	3	1	7	14	-	18	12	6	-	34	58
3	162	14	14	4	11	3	1	16	3	-	-	1	4	10	-	8	9	3	-	19	59
3	93	9	7	4	5	2	-	6	2	-	3	-	3	4	-	10	3	3	-	15	60
28	622	78	92	20	25	21	6	75	7	14	21	7	46	101	3	63	53	32	3	107	61
4	130	25	23	-	7	6	2	18	2	1	8	4	9	23	1	7	14	10	1	26	62
3	58	4	9	1	3	4	-	9	1	3	-	-	2	6	-	6	5	4	-	10	63
21	434	49	60	19	15	11	4	48	4	10	13	3	35	72	2	50	34	18	2	71	64
19	373	61	76	8	17	11	11	25	9	3	7	-	12	35	-	24	40	15	-	69	65
1	47	11	11	1	1	2	3	1	1	1	1	-	1	4	-	-	2	3	-	13	66
1	74	12	17	2	4	1	3	8	4	1	3	-	3	9	-	6	8	2	-	10	67
4	52	8	9	1	6	2	-	3	1	1	1	-	1	3	-	4	7	4	-	14	68
4	52	8	9	1	7	2	-	3	1	1	1	-	1	3	-	4	8	4	-	14	69
13	200	30	39	4	6	6	5	13	3	-	2	-	7	19	-	14	23	6	-	32	70
3	59	8	22	1	7	-	5	16	1	1	-	-	3	5	1	3	5	2	-	19	71
8	108	12	24	4	14	5	1	17	4	2	1	-	5	8	2	16	12	6	-	18	72
3	51	5	9	1	9	3	1	13	2	2	1	-	-	5	-	4	5	2	-	12	73
5	57	7	15	3	5	2	-	4	2	-	-	-	5	3	2	12	7	4	-	6	74
2	137	8	23	6	6	5	2	13	3	3	3	-	7	6	-	5	23	2	-	26	75
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	76
2	137	8	23	6	5	5	2	13	3	3	3	-	7	6	-	5	22	2	-	26	77
5	99	7	26	5	14	1	3	10	3	2	2	-	4	9	-	5	9	3	-	10	78
3	51	4	15	4	8	-	1	2	1	2	1	-	3	6	-	3	4	1	-	6	79
2	48	3	11	1	6	1	2	8	2	-	1	-	1	3	-	2	5	2	-	4	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	ILLINOIS—Continued																
1	McDonough	383	2	-	1	64	24	8	5	8	3	1	15	8	230	50	159
2	Macomb	126	-	-	-	20	5	3	2	3	2	1	4	2	74	21	46
3	Balance of county	257	2	-	1	44	19	5	3	5	1	-	11	6	156	29	111
4	McHenry	738	1	-	5	129	44	13	12	26	8	9	17	8	420	80	307
5	McLean	882	3	-	3	138	42	20	18	16	9	6	27	3	557	130	385
6	Bloomington	464	2	-	2	74	19	8	7	12	8	4	16	1	290	68	199
7	Balance of county	418	1	-	1	64	23	12	11	4	1	2	11	2	267	62	186
8	Macon	1,142	7	2	4	186	59	21	24	25	14	14	29	21	638	132	462
9	Decatur	891	7	1	2	144	44	18	19	18	13	7	25	15	499	113	350
10	Balance of county	251	-	1	2	42	15	3	5	7	1	7	4	6	139	19	112
11	Macoupin	598	4	1	2	76	27	11	5	13	3	4	13	15	378	84	272
12	Madison	1,827	13	3	4	297	90	56	24	45	11	13	58	28	1,009	211	726
13	Alton	372	4	2	-	60	15	14	5	11	2	2	11	5	200	38	152
14	Granite City	314	3	-	1	69	18	17	9	7	2	5	11	5	160	34	119
15	Collinsville (part)	150	-	-	1	25	11	2	1	4	1	1	5	1	101	24	69
16	Collinsville (total)	167	-	-	1	30	12	3	2	4	1	2	6	2	109	26	75
17	Wood River	70	2	-	-	12	5	3	-	1	1	1	1	2	39	13	19
18	Balance of county	921	4	1	2	131	41	20	9	22	5	4	30	15	509	102	367
19	Marion	496	1	1	-	78	14	9	4	22	9	6	14	5	283	61	201
20	Centralia (part)	191	-	-	-	30	6	6	1	5	4	4	4	1	110	20	79
21	Centralia (total)	198	-	-	-	33	8	7	1	5	4	4	4	1	113	23	79
22	Balance of county	305	1	1	-	48	8	3	3	17	5	2	10	4	173	41	122
23	Marshall	147	-	-	2	22	9	2	2	3	2	1	3	1	94	22	67
24	Mason	192	2	-	1	28	9	3	3	3	3	1	6	1	127	25	94
25	Massac	197	2	1	-	30	7	3	5	7	-	-	8	3	108	32	67
26	Menard	138	-	-	2	21	11	1	-	6	-	1	2	2	90	13	69
27	Mercer	180	-	-	2	28	13	3	2	4	1	3	2	1	119	16	89
28	Monroe	175	1	-	-	33	13	3	6	2	3	1	5	1	100	18	71
29	Montgomery	439	3	3	-	54	19	4	4	16	1	2	8	8	272	65	194
30	Morgan	377	1	-	2	44	19	6	5	7	2	-	5	4	263	46	184
31	Jacksonville	249	-	-	2	31	15	4	4	5	1	-	2	3	174	28	123
32	Balance of county	128	1	-	-	13	4	2	1	2	1	-	3	1	89	18	61
33	Moultrie	148	2	-	-	17	6	4	-	2	1	-	4	2	99	21	70
34	Ogle	348	3	-	-	46	23	8	4	5	3	-	5	9	222	39	171
35	Peoria	1,864	12	6	10	328	123	39	25	54	21	7	59	24	1,078	225	741
36	Peoria	1,276	8	5	6	222	80	30	20	36	12	6	38	16	736	144	519
37	Balance of county	588	4	1	4	106	43	9	5	18	9	1	21	8	342	81	222
38	Perry	274	2	-	-	29	11	7	-	6	1	1	3	2	185	33	130
39	Piatt	157	1	1	-	25	8	5	1	5	1	3	2	3	99	20	70
40	Pike	298	-	-	-	41	19	4	3	6	2	1	6	2	201	43	140
41	Pope	74	-	1	-	4	-	3	-	-	-	-	1	1	47	7	38
42	Pulaski	167	4	-	1	28	10	6	2	5	-	1	4	4	98	22	64
43	Putnam	54	-	-	-	8	3	2	1	1	-	-	1	1	36	10	24
44	Randolph	366	1	1	-	51	14	8	4	6	9	1	9	6	243	58	171
45	Richland	184	3	-	-	23	10	1	2	6	-	-	4	-	116	20	84
46	Rock Island	1,452	6	1	2	225	75	31	17	40	13	7	42	26	853	167	599
47	Moline	468	1	-	1	68	20	7	6	15	3	3	14	12	295	60	208
48	Rock Island	587	4	1	-	96	39	15	8	12	6	2	14	11	345	62	245
49	East Moline	131	-	-	-	24	7	3	1	6	1	1	5	-	72	15	51
50	Balance of county	266	1	-	1	37	9	6	2	7	3	1	9	3	141	30	95
51	St. Clair	2,484	28	4	9	411	115	77	39	72	13	27	68	29	1,390	259	1,025
52	East St. Louis	1,195	19	3	4	169	55	33	10	25	6	12	28	15	669	130	473
53	Belleville	465	3	-	1	96	21	15	13	17	3	6	21	2	271	54	198
54	Collinsville (part)	17	-	-	-	5	1	1	1	-	-	1	1	1	8	2	6
55	Balance of county	807	6	1	4	141	38	28	15	30	4	8	18	11	442	73	348
56	Saline	410	3	-	1	51	23	3	4	8	5	6	2	10	260	53	187
57	Harrisburg	139	-	-	-	16	7	-	2	4	-	3	-	5	86	14	65
58	Balance of county	271	3	-	1	35	16	3	2	4	5	3	2	5	174	39	122
59	Sangamon	1,642	9	3	4	271	92	44	23	55	11	11	35	20	994	216	713
60	Springfield	1,140	7	2	3	183	58	33	15	38	8	5	26	8	708	146	517
61	Balance of county	502	2	1	1	88	34	11	8	17	3	6	9	12	286	70	196
62	Schuyler	111	1	-	-	17	11	-	2	2	-	-	2	1	70	9	56
63	Scott	66	-	-	-	13	6	-	2	4	-	-	1	1	48	5	38
64	Shelby	282	-	-	-	45	14	6	6	8	1	3	7	3	172	45	106
65	Stark	116	-	-	1	18	4	3	2	1	1	3	4	1	77	14	58
66	Stephenson	526	1	1	-	75	27	8	7	16	4	1	12	10	320	51	244
67	Freeport	357	1	1	-	58	21	7	7	10	2	1	10	8	215	36	164
68	Balance of county	169	-	-	-	17	6	1	-	6	2	-	2	2	105	15	80
69	Tazewell	689	3	1	2	118	36	12	18	23	4	5	22	15	381	72	268
70	Pekin	253	1	-	1	47	13	6	6	11	1	2	8	5	137	22	102
71	Balance of county	436	2	1	1	71	23	6	10	12	3	3	14	10	244	50	166
72	Union	209	1	-	1	34	15	3	3	5	1	1	6	6	124	27	81
73	Vermilion	1,121	5	5	5	194	63	35	16	31	6	12	31	18	659	117	469
74	Danville	594	4	3	3	115	39	19	11	16	4	9	17	8	335	61	228
75	Balance of county	527	1	2	2	79	24	16	5	15	2	3	14	10	324	56	241
76	Wabash	176	-	-	1	39	17	5	3	3	-	4	7	2	97	24	67
77	Warren	261	-	-	1	29	10	5	1	5	1	2	5	1	188	37	140
78	Monmouth	145	-	-	1	20	7	4	-	3	1	2	3	1	100	24	72
79	Balance of county	116	-	-	-	9	3	1	1	2	-	-	2	-	88	13	68
80	Washington	189	-	-	-	18	4	3	3	5	1	1	1	4	128	36	81

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	117	11	29	6	9	4	2	8	2	1	-	-	1	7	-	10	11	4	1	33	1
1	31	3	13	-	2	2	1	3	1	-	-	-	1	3	-	3	1	1	1	16	2
1	86	8	16	6	7	2	1	5	1	1	-	-	-	4	-	7	10	3	-	17	3
7	226	36	38	5	13	8	7	25	3	4	6	1	14	26	1	17	23	7	-	48	4
5	319	29	32	9	25	4	4	21	10	3	4	-	15	25	-	20	26	12	1	41	5
3	161	17	18	5	15	1	2	14	10	3	3	-	13	9	-	9	10	3	1	20	6
2	158	12	14	4	10	3	2	7	-	-	1	-	2	16	-	11	16	9	-	21	7
10	339	53	60	11	18	10	5	35	7	2	16	-	20	46	3	27	30	24	4	70	8
7	257	41	45	10	15	7	4	27	6	1	16	-	15	34	2	22	24	17	4	55	9
3	82	12	15	1	3	3	1	8	1	1	-	-	5	12	1	5	6	7	-	15	10
5	197	37	33	3	12	6	1	21	3	4	6	-	6	16	2	11	13	8	1	31	11
21	457	79	169	13	34	10	15	68	11	8	5	-	22	98	12	59	67	18	5	100	12
8	97	12	35	1	7	1	1	12	2	1	2	-	3	25	5	15	14	3	1	18	13
1	72	14	32	-	4	1	2	7	2	1	1	-	2	22	-	11	10	1	-	19	14
2	45	4	18	2	4	1	1	5	1	-	1	-	2	4	-	1	1	-	-	7	15
2	50	4	19	2	4	1	1	5	1	-	1	-	2	4	-	1	1	1	-	9	16
-	10	3	6	1	3	-	3	2	-	1	-	-	1	2	-	2	2	1	-	4	17
10	233	46	78	9	16	7	8	42	6	5	1	-	14	45	7	30	40	13	4	52	18
8	145	17	31	1	12	2	6	25	3	1	5	-	6	20	3	10	20	4	-	31	19
2	61	2	14	-	7	1	3	8	2	1	2	-	3	6	2	6	6	2	-	12	20
2	61	2	14	-	7	1	3	8	2	2	2	-	3	6	2	6	6	2	-	12	21
6	84	15	17	1	5	1	3	17	1	-	3	-	3	14	1	4	14	2	-	19	22
6	48	6	7	1	3	1	-	4	-	-	-	-	2	2	-	2	3	4	-	11	23
1	72	6	15	5	2	-	1	8	-	1	2	-	1	3	-	3	3	3	-	9	24
2	52	5	8	1	6	1	1	6	-	2	2	-	2	3	-	7	8	2	2	19	25
2	45	8	14	3	1	2	2	5	-	1	-	-	1	4	1	4	1	-	-	6	26
2	66	7	14	1	7	2	4	6	2	-	1	-	-	2	-	3	4	4	-	8	27
-	61	5	5	2	8	-	1	6	-	2	1	-	2	8	1	6	7	-	-	7	28
1	140	10	43	4	7	2	-	17	3	2	2	-	-	9	5	17	16	6	2	20	29
5	136	15	28	7	21	3	2	9	2	1	5	-	1	9	-	3	11	5	-	17	30
3	88	12	20	5	15	3	-	6	2	-	5	-	1	5	-	2	7	3	-	8	31
2	48	3	8	2	6	-	2	3	-	1	-	-	-	4	-	1	4	2	-	9	32
-	53	8	9	2	3	1	2	2	2	-	-	-	4	3	1	5	6	-	-	5	33
3	127	11	30	1	5	2	4	10	2	2	2	-	7	8	-	6	11	6	-	12	34
27	562	72	80	20	73	11	8	67	17	8	21	1	16	63	2	52	43	18	1	97	35
16	391	51	61	14	46	8	5	53	12	8	17	1	7	43	-	24	33	13	1	71	36
11	171	21	19	6	27	3	3	14	5	-	4	-	9	20	2	28	10	5	-	26	37
-	107	9	14	7	10	2	3	10	-	-	2	-	4	5	-	8	10	3	-	14	38
4	39	8	19	-	6	-	3	7	1	-	-	-	-	4	2	3	5	1	-	5	39
3	118	11	8	6	3	8	1	5	-	2	2	-	2	3	-	10	11	5	-	14	40
1	32	2	3	1	1	-	-	1	-	-	-	-	-	1	1	1	11	2	-	4	41
-	51	4	9	2	6	1	3	3	1	-	3	-	1	2	-	3	6	4	-	9	42
-	18	3	3	1	1	-	-	-	-	1	-	-	-	1	-	4	-	2	-	1	43
4	127	12	28	2	8	2	2	7	3	-	2	-	3	9	-	4	15	1	-	20	44
1	68	11	4	6	6	-	-	5	2	-	1	-	4	6	-	3	7	1	1	12	45
9	496	39	55	20	49	7	11	45	7	6	13	2	18	59	-	40	50	17	5	77	46
3	171	13	21	5	15	2	5	7	2	2	5	-	8	17	-	12	14	5	-	19	47
5	201	16	23	10	21	4	3	22	2	3	6	-	5	24	-	15	16	7	5	25	48
-	46	2	3	-	5	-	1	4	1	-	1	2	1	3	-	3	6	2	-	12	49
1	78	8	8	5	8	1	2	12	2	1	1	-	4	15	-	10	14	3	-	21	50
29	678	152	166	22	32	21	31	83	9	11	28	5	30	110	4	63	79	25	15	151	51
17	316	66	74	11	14	16	25	49	6	5	9	3	12	59	3	27	42	9	11	81	52
7	130	30	31	6	10	2	1	16	-	4	8	-	2	19	-	3	10	3	-	27	53
-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	54
5	227	56	60	5	8	3	5	18	3	2	11	2	16	32	1	33	27	12	4	41	55
1	122	29	35	2	12	1	5	8	5	1	8	-	2	9	3	10	11	1	1	26	56
-	54	6	5	-	3	-	4	4	-	-	4	-	-	6	2	4	3	-	1	8	57
1	68	23	30	2	9	1	1	4	5	1	4	-	2	3	1	6	8	1	-	18	58
14	546	89	64	13	26	19	7	43	10	5	11	-	19	57	16	25	39	19	3	94	59
10	395	69	43	8	15	17	5	34	8	2	7	-	16	31	13	15	26	11	3	63	60
4	151	20	21	5	11	2	2	9	2	3	4	-	3	26	3	10	13	8	-	31	61
-	41	4	11	2	2	-	1	2	-	-	1	1	1	2	-	3	7	1	-	4	62
2	27	2	7	1	2	1	1	5	-	-	-	-	1	4	-	4	3	-	-	7	63
3	61	6	36	8	4	-	9	7	1	-	1	1	3	7	1	7	10	3	-	21	64
2	44	6	6	-	4	-	1	4	1	-	-	-	1	3	-	-	6	-	1	3	65
7	159	54	24	4	8	4	9	20	3	2	3	-	8	13	2	9	14	9	1	35	66
4	118	34	8	3	5	3	4	10	3	2	2	-	4	10	2	5	8	5	1	22	67
3	41	20	16	1	3	1	5	10	-	-	1	-	4	3	-	4	6	4	-	13	68
5	199	22	42	13	18	5	5	27	4	1	1	-	11	29	2	16	21	7	1	49	69
1	78	8	15	5	4	1	3	14	-	1	1	-	4	9	-	4	8	3	-	18	70
4	121	14	27	8	14	4	2	13	4	-	-	-	7	20	2	12	13	4	1	31	71
2	57	13	9	1	14	-	1	6	2	1	2	-	2	6	2	3	1	-	-	18	72
7	341	48	73	15	20	17	21	39	8	6	7	-	14	38	3	14	27	8	4	67	73
4	171	22	31	11	13	11	11	21	5	3	2	-	6	23	1	6	12	4	3	40	74
3	170	26	42	4	7	6	10	18	3	3	5	-	8	15	2	8	15	4	1	27	75
3	45	5	14	-	4	-	2	11	-	-	-	-	1	1	1	3	4	3	-	13	76
4	94	10	32	6	3	-	2	7	-	-	3	-	3	3	-	4	7	3	-	12	77
3	47	6	16	3	1	-	-	3	-	-	3	-	3	1	-	2	5	1	-	5	78
1	47	4	16	3	2	-	2	4	-	-	-	-	-	2	-	2	2	2	-	7	79
-	51	14	16	3	7	-	1	15	1	-	1	-	-	2	1	2	8	1	-	8	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	ILLINOIS—Continued																
1	Wayne	212	5	-	1	23	11	3	-	2	-	2	5	5	137	19	110
2	White	243	1	-	1	28	6	7	1	6	-	1	7	7	154	33	95
3	Whiteside	541	2	-	3	78	26	10	5	13	1	6	17	4	338	63	237
4	Sterling	149	1	-	1	24	10	3	1	2	-	4	4	-	90	11	64
5	Balance of county	392	1	-	2	54	16	7	4	11	1	2	13	4	248	52	173
6	Will	1,578	6	1	5	235	83	30	29	34	13	9	37	25	890	167	654
7	Joliet	739	3	1	2	113	39	16	11	14	9	4	20	14	425	70	322
8	Balance of county	839	3	-	3	122	44	14	18	20	4	5	17	11	465	97	332
9	Williamson	616	3	-	3	81	34	11	4	13	2	2	15	5	402	82	270
10	Marion	150	1	-	2	17	8	1	1	4	1	1	1	1	99	22	66
11	Balance of county	466	2	-	1	64	26	10	3	9	1	1	14	4	303	60	204
12	Winnebago	1,635	3	1	4	264	88	45	28	29	14	15	45	20	899	214	620
13	Rockford	1,163	3	1	3	208	61	38	23	25	12	11	38	14	647	155	442
14	Balance of county	472	-	-	1	56	27	7	5	4	2	4	7	6	252	59	178
15	Woodford	223	-	-	-	38	14	3	4	4	3	2	8	3	143	27	98
16	INDIANA	44,227	278	84	205	6,791	2,362	920	571	1,155	316	331	1,136	809	25,259	5,806	17,090
17	Metropolitan counties	19,333	140	39	110	3,123	1,043	461	280	534	138	145	522	354	10,485	2,342	7,126
18	Nonmetropolitan counties	24,894	138	45	95	3,668	1,319	459	291	621	178	186	614	455	14,774	3,464	9,964
19	Adams	198	-	-	-	28	16	2	3	3	1	1	2	7	113	32	70
20	Allen	1,871	23	3	10	299	90	45	35	45	16	15	53	47	1,035	202	730
21	Fort Wayne	1,462	22	3	8	231	70	37	23	36	13	10	42	36	820	167	567
22	Balance of county	409	1	-	2	68	20	8	12	9	3	5	11	11	215	35	163
23	Bartholomew	402	-	-	2	71	24	9	7	11	4	2	14	9	216	59	146
24	Columbus	204	-	-	1	39	16	4	4	7	1	1	6	6	115	29	80
25	Balance of county	198	-	-	1	32	8	5	3	4	3	1	8	3	101	30	66
26	Benton	125	3	1	-	12	1	2	-	1	1	1	6	-	69	15	48
27	Blackford	180	-	1	2	19	5	3	1	3	1	-	6	4	115	35	65
28	Boone	303	3	1	-	51	24	3	2	11	2	2	7	5	180	49	117
29	Brown	83	-	-	-	7	1	2	2	-	1	-	1	-	56	12	41
30	Carroll	194	-	1	1	27	5	5	3	6	3	3	2	3	121	31	78
31	Cass	472	4	1	1	68	32	9	-	6	4	2	15	9	276	51	201
32	Logansport	289	2	-	1	39	20	6	-	4	2	2	5	5	176	30	130
33	Balance of county	183	2	1	-	29	12	3	-	2	2	-	10	4	100	21	71
34	Clark	508	7	-	1	78	25	16	8	14	1	4	10	13	282	63	199
35	Jeffersonville	222	3	-	-	28	10	3	2	6	-	2	5	9	121	23	90
36	Balance of county	286	4	-	1	50	15	13	6	8	1	2	5	4	161	40	109
37	Clay	294	-	-	2	45	19	5	3	8	4	1	5	5	170	41	119
38	Clinton	368	2	1	2	49	20	5	4	9	2	1	8	7	230	64	145
39	Frankfort	192	1	1	1	24	14	2	2	5	-	-	1	5	127	33	80
40	Balance of county	176	1	-	1	25	6	3	2	4	2	1	7	2	103	31	65
41	Crawford	119	1	-	1	8	2	2	1	-	-	-	3	3	91	24	44
42	Daviess	283	-	-	-	42	11	4	5	8	2	5	7	7	163	32	122
43	Washington	153	-	-	-	22	5	4	-	4	-	5	4	4	91	14	73
44	Balance of county	130	-	-	-	20	6	-	5	4	2	-	3	3	72	18	49
45	Dearborn	266	2	-	2	43	13	7	2	10	4	1	6	4	142	24	96
46	Decatur	230	1	-	-	30	6	9	4	5	1	2	3	2	148	50	82
47	De Kalb	293	1	1	-	33	15	1	4	5	3	1	4	10	174	30	125
48	Delaware	953	9	4	4	130	39	18	14	23	4	11	21	13	522	138	344
49	Muncie	717	7	4	3	93	26	16	10	17	3	6	15	10	393	98	265
50	Balance of county	236	2	-	1	37	13	2	4	6	1	5	6	3	129	40	79
51	Dubois	258	3	1	3	41	8	7	5	6	5	2	8	6	134	45	74
52	Elkhart	934	2	4	3	148	47	21	11	28	5	6	30	15	549	109	394
53	Elkhart	450	2	4	1	73	22	10	5	15	3	2	16	11	255	40	185
54	Goshen	133	-	-	-	19	7	-	2	5	-	1	4	1	81	19	58
55	Balance of county	351	-	-	2	56	18	11	4	8	2	3	10	3	213	50	151
56	Fayette	245	-	1	1	39	20	5	4	5	2	-	3	4	144	32	94
57	Connersville	184	-	1	-	31	15	5	4	2	2	-	3	2	112	25	75
58	Balance of county	61	-	-	1	8	5	-	-	3	-	-	-	2	32	7	19
59	Floyd	512	-	2	1	66	22	8	6	12	2	6	10	4	316	68	214
60	New Albany	391	-	2	-	43	13	7	3	8	2	4	6	3	249	55	170
61	Balance of county	121	-	-	1	23	9	1	3	4	-	2	4	1	67	13	44
62	Fountain	247	1	-	1	36	12	2	6	4	1	1	10	2	140	28	92
63	Franklin	177	-	-	-	18	6	1	3	4	-	2	2	1	104	19	73
64	Fulton	227	1	-	2	40	11	8	4	8	3	1	5	2	135	23	101
65	Gibson	341	2	-	1	50	21	8	4	8	2	2	5	7	221	55	142
66	Grant	675	1	2	1	92	30	9	5	18	5	7	18	7	432	101	306
67	Marion	361	1	2	1	55	18	5	3	10	4	3	12	2	234	55	170
68	Balance of county	314	-	-	-	37	12	4	2	8	1	4	6	5	198	46	136
69	Greene	380	1	-	1	63	22	8	5	9	3	6	10	8	239	50	170
70	Hamilton	356	2	-	-	63	21	10	3	13	1	2	13	4	209	53	142
71	Hancock	270	2	-	1	36	15	2	4	5	2	2	6	3	164	47	104
72	Harrison	215	3	2	1	24	9	4	3	1	-	3	4	4	138	42	75
73	Hendricks	295	2	-	2	47	17	6	1	9	2	3	9	5	170	46	107
74	Henry	461	6	-	4	81	30	9	7	10	5	4	10	5	280	81	178
75	New Castle	215	1	-	-	35	12	5	6	2	-	2	8	2	131	39	83
76	Balance of county	266	5	-	4	46	18	4	1	14	5	2	2	3	149	42	95
77	Howard	620	5	3	3	87	31	11	10	11	6	2	16	11	345	75	231
78	Kokomo	473	3	1	3	65	24	8	8	8	3	1	13	9	269	53	182
79	Balance of county	147	2	2	-	22	7	3	2	3	3	1	3	2	76	22	49

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	73	12	24	-	5	2	1	8	2	-	3	-	4	2	-	4	6	3	-	9	1
-	82	5	8	1	17	7	1	4	1	1	1	1	3	5	-	7	14	1	-	14	2
4	167	18	48	7	20	7	4	13	3	4	1	1	11	16	4	15	15	2	-	31	3
1	48	5	10	3	9	2	1	5	-	1	-	-	4	3	1	5	5	-	-	9	4
3	119	13	38	4	11	5	3	8	3	3	1	1	7	13	3	10	10	2	-	22	5
9	431	78	136	14	36	10	9	59	17	9	18	2	18	81	2	41	49	14	4	102	6
3	210	33	76	7	15	6	5	28	7	3	9	1	9	34	2	15	20	4	2	47	7
6	221	45	60	7	21	4	4	31	10	6	9	1	9	47	-	26	29	10	2	55	8
5	217	30	18	12	26	7	5	11	1	6	8	-	6	9	2	14	19	7	-	39	9
3	52	10	1	1	5	4	1	2	-	2	-	-	-	3	-	3	6	3	-	11	10
2	165	20	17	11	21	3	4	9	1	4	8	-	6	6	2	11	13	4	-	28	11
19	488	54	59	15	22	16	12	81	17	6	8	1	32	71	3	42	45	25	4	109	12
13	341	45	43	14	16	12	8	61	9	5	6	1	20	44	1	28	27	13	4	68	13
6	147	9	16	1	6	4	4	20	8	1	2	-	12	27	2	14	18	12	-	41	14
4	76	10	8	1	14	1	2	4	-	3	1	-	4	7	1	7	4	1	-	7	15
526	12,289	2,140	2,135	393	1,162	397	411	1,324	276	184	386	31	563	1,683	223	1,077	1,494	516	133	2,911	16
243	5,201	869	813	187	484	183	163	642	126	86	209	15	295	886	88	411	711	208	99	1,306	17
283	7,088	1,271	1,322	206	678	214	248	682	150	98	177	16	268	797	135	666	783	308	34	1,605	18
3	52	7	8	2	9	-	-	3	-	-	-	1	2	9	-	12	5	5	-	13	19
26	519	91	94	15	45	24	19	61	10	4	8	1	30	81	3	45	58	20	4	129	20
21	416	62	68	13	39	18	16	47	8	4	6	-	25	58	3	28	42	16	4	101	21
5	103	29	26	2	6	6	3	14	2	-	2	1	5	23	-	17	16	4	-	28	22
9	105	18	14	3	3	4	1	14	4	2	3	1	5	22	1	5	17	3	1	26	23
5	57	13	5	3	1	2	-	6	2	1	2	-	3	8	1	2	4	3	-	11	24
4	48	5	9	-	2	2	1	8	2	1	1	1	2	14	-	3	13	-	1	15	25
-	31	8	9	1	3	-	2	4	1	2	2	-	3	2	3	2	4	3	-	14	26
2	52	4	7	-	8	2	5	5	-	1	1	1	-	7	1	5	7	-	1	10	27
4	90	13	10	3	4	3	4	7	2	1	1	-	2	11	5	3	11	3	-	17	28
-	29	7	5	2	-	1	-	5	-	-	1	-	1	-	-	3	4	-	1	5	29
2	50	16	10	4	3	3	2	4	1	1	-	-	-	5	-	8	8	3	-	11	30
3	127	18	53	3	15	3	3	17	1	1	3	-	7	15	5	12	12	2	2	36	31
2	90	7	31	2	10	2	2	11	-	1	3	-	5	9	3	6	8	1	-	19	32
1	37	11	22	1	5	1	1	6	1	-	-	-	2	6	2	6	4	1	2	17	33
8	139	21	31	2	11	6	1	14	2	1	4	-	7	30	3	13	12	9	1	31	34
4	63	10	13	-	4	3	1	5	2	1	2	-	4	15	3	4	7	1	-	17	35
4	76	11	18	2	7	3	-	9	-	-	2	-	3	15	-	9	5	8	1	14	36
7	74	21	17	3	3	1	3	13	1	1	4	-	1	7	1	7	11	5	-	21	37
2	106	8	29	2	10	8	1	12	2	-	4	-	2	9	-	10	14	1	-	23	38
1	58	4	17	2	8	4	-	4	-	-	3	-	1	6	-	3	4	-	-	12	39
1	48	4	12	-	2	4	1	8	2	-	1	-	1	3	-	7	10	1	-	11	40
2	29	6	7	-	11	-	2	5	-	-	-	-	-	1	1	5	7	1	-	5	41
4	78	15	25	1	5	1	2	8	-	2	1	1	4	10	-	7	12	2	-	24	42
3	52	7	11	-	3	-	1	3	-	1	-	-	2	6	-	4	6	1	-	13	43
1	26	8	14	1	2	1	1	5	-	1	1	1	2	4	-	3	6	1	-	11	44
4	68	14	10	2	16	2	2	10	2	-	1	1	4	9	2	4	14	5	-	21	45
-	76	1	5	-	12	1	3	4	2	1	-	-	1	7	-	9	9	1	-	15	46
3	72	36	14	1	10	1	7	6	1	1	2	-	3	8	7	12	10	5	-	19	47
7	278	27	32	6	19	8	7	33	7	2	6	-	16	39	20	20	44	15	4	65	48
4	217	22	22	6	11	7	6	25	6	1	4	-	8	33	18	14	32	10	4	52	49
3	61	5	10	-	8	1	1	8	1	1	2	-	8	6	2	6	12	5	-	13	50
3	52	5	14	5	9	-	1	6	3	2	1	1	5	15	1	8	9	4	-	15	51
12	281	43	58	12	23	6	5	26	4	3	8	-	13	35	3	31	27	9	1	53	52
8	132	12	33	8	15	4	3	13	3	1	4	-	7	22	1	8	10	3	1	31	53
2	37	12	7	1	3	-	-	2	1	-	2	-	2	8	-	8	2	2	-	5	54
2	112	19	18	3	5	2	2	11	-	2	2	-	4	5	2	15	15	4	-	17	55
3	72	6	13	5	11	1	1	7	3	3	-	-	2	2	2	7	6	5	2	17	56
2	56	5	12	4	7	1	-	7	1	1	-	-	2	2	1	4	3	2	2	13	57
1	16	1	1	1	4	-	1	-	2	2	-	-	-	-	1	3	3	3	-	4	58
10	125	46	33	8	17	3	6	12	2	3	11	-	7	22	3	14	11	6	1	31	59
8	96	40	26	5	13	1	5	9	2	3	11	-	5	15	3	9	7	6	1	23	60
2	29	6	7	3	4	2	1	3	-	-	-	-	2	7	-	5	4	-	-	8	61
-	62	11	19	2	11	3	4	11	3	-	2	-	2	2	1	12	10	4	1	19	62
1	59	4	9	1	6	-	5	3	1	-	1	-	3	6	-	2	8	8	-	22	63
2	55	30	14	2	4	2	3	11	1	-	1	-	2	4	3	6	8	2	-	9	64
3	89	18	32	4	16	1	3	13	1	-	2	-	4	6	-	4	14	3	-	13	65
4	243	45	14	1	11	6	7	24	3	2	5	-	4	22	1	11	16	7	-	45	66
1	138	26	5	-	3	3	3	12	2	2	4	-	3	12	-	2	9	2	-	18	67
3	105	19	9	1	8	3	4	12	1	-	1	-	1	10	1	9	7	5	-	27	68
1	85	33	51	5	7	3	4	5	-	1	2	-	2	7	2	8	10	8	1	22	69
3	95	15	29	2	5	5	2	12	2	2	4	-	11	12	3	4	10	-	-	18	70
9	76	12	7	2	7	2	2	5	1	1	2	-	2	11	-	9	12	4	1	16	71
1	53	13	8	2	5	4	10	6	1	-	-	-	2	9	7	1	6	-	1	10	72
2	81	9	15	1	11	2	3	5	2	-	3	-	4	11	1	12	9	3	2	17	73
6	128	18	26	1	10	2	8	8	4	1	4	-	4	17	-	15	14	8	1	29	74
2	66	6	9	1	3	1	4	2	1	1	2	-	2	9	-	2	11	6	-	10	75
4	62	12	17	-	7	1	4	6	3	-	2	-	2	8	-	13	3	2	1	19	76
3	181	13	34	4	19	6	10	28	3	4	6	-	10	35	6	11	16	9	1	37	77
2	141	11	28	4	15	6	9	22	3	4	6	-	8	30	4	7	11	5	-	23	78
1	40	2	6	-	4	-	1	6	-	-	-	-	2	5	2	4	5	4	1	14	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	INDIANA—Continued																
1	Huntington	369	-	-	3	48	18	5	4	5	2	3	11	10	244	57	159
2	Huntington	178	-	-	2	24	8	2	3	1	1	3	6	7	112	18	85
3	Balance of county	191	-	-	1	24	10	3	1	4	1	-	5	3	132	39	74
4	Jackson	297	3	-	-	46	18	3	5	10	1	3	6	6	164	27	120
5	Jasper	187	1	1	1	30	12	3	5	6	2	1	1	6	97	23	66
6	Jay	279	-	-	-	37	9	4	4	7	4	3	6	1	175	51	104
7	Jefferson	264	4	-	1	37	12	5	5	8	1	3	3	2	164	36	112
8	Jennings	158	-	-	2	22	12	4	-	2	-	1	3	2	97	33	59
9	Johnson	400	2	1	1	38	16	4	3	7	3	2	3	8	256	40	195
10	Knox	511	5	1	1	78	19	9	5	19	4	5	17	14	303	58	213
11	Vincennes	248	2	-	-	38	8	6	3	9	-	2	10	10	146	29	98
12	Balance of county	263	3	1	1	40	11	3	2	10	4	3	7	4	157	29	115
13	Kosciusko	386	5	1	-	65	26	7	6	13	2	2	9	5	227	37	164
14	Lagrange	165	-	1	4	17	6	1	1	3	-	1	5	3	93	24	59
15	Lake	3,872	31	10	40	614	240	92	45	85	38	21	93	88	1,932	449	1,324
16	Gary	1,521	20	4	7	236	91	36	22	37	15	7	28	28	762	172	525
17	East Chicago	567	4	4	12	82	30	18	6	9	4	2	13	19	257	48	188
18	Hammond	824	4	-	12	133	56	12	6	17	10	5	27	19	440	104	300
19	Hobart	123	-	-	-	15	5	2	1	2	2	-	3	4	55	12	40
20	Balance of county	837	3	2	9	148	58	24	10	20	7	7	22	18	418	113	271
21	La Porte	852	4	2	2	150	54	18	14	27	9	6	22	23	492	104	340
22	Michigan City	326	-	1	1	66	20	6	9	14	4	1	12	7	194	45	127
23	La Porte	217	1	1	-	27	8	7	3	4	2	-	3	6	133	32	91
24	Balance of county	309	3	-	1	57	26	5	2	9	3	5	7	10	185	27	122
25	Lawrence	382	4	-	3	61	19	12	2	12	1	3	12	5	222	36	170
26	Bedford	158	-	-	1	30	9	7	1	7	-	2	4	3	96	18	69
27	Balance of county	224	4	-	2	31	10	5	1	5	1	1	8	2	126	18	101
28	Madison	1,070	5	2	1	149	58	11	10	28	6	5	31	28	639	133	458
29	Anderson	537	2	-	-	76	29	9	4	11	3	3	17	14	311	66	220
30	Elwood	138	1	2	-	20	10	-	1	4	1	2	2	2	88	17	64
31	Balance of county	395	2	-	1	53	19	2	5	13	2	-	12	12	240	50	174
32	Marion	6,510	44	17	28	1,047	328	152	102	189	44	37	195	101	3,499	790	2,360
33	Indianapolis	5,403	39	14	20	843	255	125	76	151	41	32	163	89	2,934	666	1,968
34	Balance of county	1,107	5	3	8	204	73	27	26	38	3	5	32	12	565	124	392
35	Marshall	336	1	-	1	65	18	9	12	11	3	2	10	5	204	46	129
36	Martin	117	1	-	1	21	9	2	3	3	-	-	4	1	69	9	53
37	Miami	378	2	-	-	58	21	9	2	9	6	3	8	8	208	49	143
38	Peru	199	2	-	-	31	8	6	-	6	6	2	3	5	113	23	83
39	Balance of county	179	-	-	-	27	13	3	2	3	-	1	5	3	95	26	60
40	Monroe	410	2	2	-	72	25	8	3	11	5	6	14	6	204	52	142
41	Bloomington	228	2	1	-	45	15	3	1	7	4	5	10	3	115	28	78
42	Balance of county	182	-	1	-	27	10	5	2	4	1	1	4	3	89	24	64
43	Montgomery	383	3	-	1	47	19	6	3	9	1	3	6	5	225	62	135
44	Crawfordsville	167	2	-	-	24	13	-	2	5	-	1	3	3	93	21	57
45	Balance of county	216	1	-	1	23	6	6	1	4	1	2	3	2	132	41	78
46	Morgan	284	4	-	3	38	14	9	-	5	1	1	8	4	150	32	96
47	Newton	133	-	-	1	14	8	1	3	2	-	-	-	1	82	20	57
48	Noble	315	-	-	3	45	16	12	3	5	1	-	8	6	195	50	126
49	Ohio	63	2	-	-	6	2	1	-	1	1	1	-	1	46	6	33
50	Orange	200	-	1	-	20	9	2	1	3	-	1	4	2	113	33	68
51	Owen	144	-	1	1	20	9	1	2	4	3	-	1	4	89	30	50
52	Parke	195	-	-	1	27	10	5	1	3	2	1	5	7	133	31	91
53	Perry	218	2	-	2	27	11	2	2	2	2	1	7	4	126	35	76
54	Pike	177	-	-	2	26	9	5	1	4	-	3	4	4	125	29	90
55	Porter	417	4	-	2	61	18	4	5	9	4	7	14	8	223	41	161
56	Valparaiso	124	1	-	2	13	7	2	-	1	-	-	3	2	73	15	51
57	Balance of county	293	3	-	-	48	11	2	5	8	4	7	11	6	150	26	110
58	Posey	187	-	-	1	34	16	4	-	5	1	2	6	2	117	41	73
59	Pulaski	137	-	-	-	20	11	3	1	1	-	-	4	2	80	21	49
60	Putnam	221	2	-	-	39	12	3	7	9	2	1	5	3	145	35	97
61	Randolph	330	5	-	-	43	13	3	3	10	2	-	12	10	213	45	154
62	Ripley	261	-	-	1	30	14	2	1	7	2	-	4	3	159	30	105
63	Rush	240	-	1	2	31	8	4	4	7	3	2	3	6	157	35	106
64	St. Joseph	2,038	6	1	10	344	101	48	23	62	14	29	67	42	1,171	292	756
65	South Bend	1,276	3	1	6	224	69	31	14	44	10	16	40	27	725	174	471
66	Mishawaka	314	-	-	-	62	17	9	4	12	3	4	13	5	188	53	120
67	Balance of county	448	3	-	4	58	15	8	5	6	1	9	14	10	258	65	165
68	Scott	115	1	-	-	12	3	-	1	6	-	1	1	3	70	20	47
69	Shelby	344	2	1	2	39	14	5	3	6	2	4	5	3	210	57	138
70	Shelbyville	158	1	1	-	18	3	4	2	4	2	1	2	2	98	20	69
71	Balance of county	186	1	-	2	21	11	1	1	2	-	3	3	1	112	37	69
72	Spencer	189	4	-	-	33	14	2	2	6	-	3	6	2	106	29	65
73	Starke	214	1	-	-	47	21	8	1	7	3	2	5	3	120	25	83
74	Steuben	205	-	-	2	36	13	5	1	8	2	-	7	6	113	31	73
75	Sullivan	314	-	1	2	45	17	4	3	7	2	1	11	7	201	56	132
76	Switzerland	91	-	-	-	15	2	2	1	3	1	2	4	1	56	7	43
77	Tippecanoe	693	5	2	2	110	37	19	11	14	1	8	20	7	403	73	305
78	Lafayette	435	4	2	1	75	27	13	5	10	-	6	14	4	265	45	205
79	West Lafayette	55	-	-	-	8	2	1	3	1	-	-	1	-	31	5	24
80	Balance of county	203	1	-	1	27	8	5	3	3	1	2	5	3	107	23	76

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	111	22	23	2	16	4	6	7	3	1	-	-	2	6	3	6	12	2	-	22	1
1	58	8	18	1	6	1	1	3	2	1	-	-	1	4	3	2	5	-	-	12	2
2	53	14	5	1	10	3	5	4	1	-	-	-	1	2	-	4	7	2	-	10	3
3	76	18	23	2	12	2	1	10	4	1	3	1	-	11	-	9	9	1	1	28	4
1	51	6	8	-	5	-	3	9	1	1	-	-	5	3	-	10	10	3	-	9	5
1	80	7	16	2	12	4	2	11	2	2	-	1	-	3	8	11	8	6	-	14	6
1	89	12	10	4	10	1	1	10	2	2	2	-	2	7	4	3	7	6	-	11	7
2	39	16	2	2	-	1	2	6	1	1	2	-	1	7	-	9	2	2	-	4	8
5	166	14	10	7	8	3	3	10	4	3	1	-	8	11	1	16	13	2	-	25	9
2	161	23	27	8	15	7	2	15	2	-	3	-	3	17	-	8	18	3	-	40	10
2	74	10	12	5	10	4	-	8	1	-	1	-	3	12	-	2	5	1	-	19	11
-	87	13	15	3	5	3	2	7	1	-	2	-	-	5	-	6	13	2	-	21	12
7	124	15	18	5	13	3	5	8	2	3	7	-	4	8	2	11	12	6	-	20	13
4	45	1	9	2	5	1	2	5	1	-	-	-	6	3	3	6	9	1	-	13	14
63	989	149	123	46	52	28	33	146	29	32	65	7	79	237	18	91	128	40	44	241	15
27	370	69	59	22	18	10	15	62	8	13	27	4	29	90	11	27	43	9	29	112	16
7	145	20	16	5	8	5	3	22	9	3	16	-	19	43	-	10	19	5	6	37	17
15	223	37	25	13	11	7	5	25	5	5	15	2	16	50	3	19	31	12	4	29	18
3	29	5	3	1	2	-	-	8	1	2	1	-	1	7	-	11	8	1	2	7	19
11	222	18	20	5	13	6	10	29	6	9	6	1	14	47	4	24	27	13	3	56	20
15	253	34	38	2	32	6	8	18	5	4	7	-	9	24	1	30	22	6	1	52	21
5	97	12	13	1	12	4	5	4	1	-	3	-	3	7	-	9	10	-	-	20	22
2	63	12	14	1	7	2	-	7	2	2	2	-	2	4	1	8	4	3	-	14	23
8	93	10	11	-	13	-	3	7	2	2	2	-	4	13	-	13	8	3	1	18	24
12	100	29	29	1	9	1	5	13	3	-	1	-	5	11	2	11	11	7	1	22	25
5	42	9	13	1	5	-	3	2	1	-	-	-	2	2	2	2	4	4	-	9	26
7	58	20	16	-	4	1	2	11	2	-	1	-	3	9	-	9	7	3	1	13	27
14	348	55	41	8	16	12	12	28	8	4	10	1	11	34	10	24	29	16	2	69	28
8	168	20	24	6	6	5	8	14	3	3	5	-	6	23	5	10	17	11	2	35	29
1	51	8	4	1	2	3	1	6	1	-	2	-	2	2	1	3	3	1	-	4	30
5	129	27	13	1	8	4	3	8	4	1	3	1	3	9	4	11	9	4	-	30	31
72	1,736	299	253	61	179	64	45	210	44	26	54	4	90	329	12	142	290	72	39	462	32
60	1,437	261	210	45	161	54	40	187	37	22	48	4	70	274	12	109	230	48	38	385	33
12	299	38	43	16	18	10	5	23	7	4	6	-	20	55	-	33	60	24	1	77	34
7	100	15	7	3	15	5	6	2	1	1	1	-	4	3	-	9	7	2	1	29	35
-	33	4	16	2	4	-	1	-	1	-	-	-	-	4	-	4	7	2	-	6	36
-	95	25	23	2	10	3	1	11	2	1	3	-	5	15	2	13	16	8	-	26	37
-	58	17	8	1	2	3	1	7	2	-	3	-	2	11	1	4	3	2	-	13	38
-	37	8	15	1	8	-	-	4	-	1	-	-	3	4	1	9	13	6	-	13	39
3	107	25	7	-	5	4	1	14	4	3	7	-	5	24	-	13	17	9	3	25	40
2	60	12	4	-	5	4	-	7	2	1	5	-	1	14	-	4	9	5	2	12	41
1	47	13	3	-	-	-	1	7	2	2	2	-	4	10	-	9	8	4	1	13	42
5	102	16	12	6	14	2	6	6	2	1	1	1	2	13	2	16	15	4	-	39	43
1	41	9	6	2	10	1	2	3	1	-	1	-	1	9	1	8	3	2	-	16	44
4	61	7	6	4	4	1	4	3	1	1	-	1	1	4	1	8	12	2	-	23	45
3	71	10	12	4	12	2	4	9	2	1	4	-	3	15	2	5	14	6	-	24	46
7	41	6	3	-	4	-	1	4	-	-	3	-	1	5	-	5	3	3	-	11	47
5	92	10	19	3	9	2	5	3	-	2	-	-	3	13	2	11	9	4	-	19	48
1	19	7	6	4	1	-	2	1	1	1	-	-	1	-	-	-	1	1	-	2	49
2	38	20	8	3	6	1	2	13	-	1	2	-	4	8	-	7	6	1	-	22	50
1	29	11	9	2	6	-	1	4	-	2	-	-	-	2	-	7	3	3	-	8	51
-	56	17	18	4	4	1	2	2	1	1	-	-	1	4	1	3	3	4	1	6	52
2	61	5	8	1	11	3	-	7	1	-	2	-	3	13	3	4	5	2	-	17	53
-	61	10	19	2	1	1	2	1	2	-	3	-	-	1	-	1	3	1	-	8	54
-	125	11	25	4	7	7	3	11	1	1	4	1	10	21	4	13	20	5	1	27	55
-	42	2	7	2	-	2	3	2	-	-	1	-	5	8	1	1	6	1	-	8	56
-	83	9	18	2	7	5	-	9	1	1	3	1	5	13	3	12	14	4	1	19	57
-	54	6	13	-	1	-	2	10	1	2	1	-	-	3	1	1	3	2	-	9	58
3	34	3	9	1	9	-	-	4	1	-	-	-	1	4	-	7	4	1	-	13	59
7	64	15	11	1	5	5	2	3	-	-	1	-	2	4	1	-	7	2	-	12	60
2	89	41	22	4	5	1	4	7	-	1	2	-	1	9	1	7	12	2	-	17	61
4	64	25	12	6	10	5	3	6	4	1	2	-	1	10	1	11	8	2	-	22	62
2	83	14	7	3	6	6	1	8	3	-	4	-	3	5	-	6	2	2	-	10	63
28	596	75	57	18	58	20	27	52	13	5	25	-	27	63	16	39	71	20	2	131	64
14	375	48	34	13	31	15	21	39	9	3	21	-	18	48	11	14	37	16	2	72	65
5	101	8	6	-	12	1	2	5	1	1	1	-	2	7	1	4	9	1	-	27	66
9	120	19	17	5	15	4	4	8	3	1	3	-	7	8	4	21	25	3	-	32	67
4	29	5	9	1	2	-	-	7	2	1	1	1	3	3	-	1	3	3	-	4	68
2	101	25	10	2	9	2	2	5	3	5	2	-	2	13	6	5	14	3	-	29	69
1	48	13	7	2	6	1	-	1	3	2	1	-	2	7	2	-	6	1	-	13	70
1	53	12	3	-	3	1	2	4	-	3	1	-	-	6	4	5	8	2	-	16	71
3	51	7	4	1	7	1	3	-	1	2	3	-	1	7	-	7	7	4	-	12	72
-	62	6	15	-	7	4	1	6	-	-	3	-	2	9	-	8	4	5	-	6	73
3	58	8	4	2	7	-	-	6	3	-	1	-	3	3	1	5	4	3	-	19	74
4	102	10	16	3	3	-	7	9	3	-	2	1	-	7	2	7	8	7	1	11	75
3	27	9	4	-	5	-	1	4	-	-	-	-	-	3	3	1	2	1	-	5	76
12	193	54	46	7	8	8	2	10	3	4	6	1	11	30	6	18	10	8	-	57	77
6	128	39	32	4	4	7	-	5	1	2	4	-	4	14	3	7	2	3	-	39	78
1	14	4	5	-	1	-	1	1	-	-	1	-	2	3	1	1	3	1	-	3	79
5	51	11	9	3	3	1	1	4	2	2	1	1	5	13	2	10	5	4	-	15	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	INDIANA—Continued																
1	Tipton	188	1	-	3	23	8	3	-	7	-	2	3	1	120	22	84
2	Union	69	1	-	-	6	2	1	2	1	-	-	-	-	46	10	33
3	Vanderburgh	1,674	14	1	7	301	109	39	28	63	11	12	39	17	952	191	657
4	Evansville	1,440	14	-	5	256	92	33	25	55	8	12	31	16	829	167	567
5	Balance of county	234	-	1	2	45	17	6	3	8	3	-	8	1	123	24	90
6	Vermillion	236	-	2	-	33	11	2	2	6	1	5	6	6	143	34	92
7	Vigo	1,395	6	1	9	244	89	43	19	41	8	10	34	29	776	149	542
8	Terre Haute	1,028	5	-	7	182	68	35	14	30	5	6	24	21	574	112	402
9	Balance of county	367	1	1	2	62	21	8	5	11	3	4	10	8	202	37	140
10	Wabash	344	-	1	-	60	21	9	4	8	3	7	8	11	197	72	117
11	Wabash	127	-	-	-	17	7	1	2	4	-	1	2	6	74	28	44
12	Balance of county	217	-	1	-	43	14	8	2	4	3	6	6	5	123	44	73
13	Warren	82	-	-	-	17	4	3	1	5	-	1	3	8	39	7	30
14	Warrick	265	1	2	-	40	15	5	1	8	2	1	8	7	151	33	106
15	Washington	193	5	-	2	33	16	5	2	4	3	1	2	1	117	32	78
16	Wayne	707	5	-	2	95	33	9	11	11	3	6	22	15	411	96	273
17	Richmond	461	4	-	1	58	15	7	7	7	2	5	15	10	261	64	169
18	Balance of county	246	1	-	1	37	18	2	4	4	1	1	7	5	150	32	104
19	Wells	225	-	2	-	39	18	6	4	6	1	2	2	1	135	34	85
20	White	205	1	-	1	33	16	5	2	5	2	1	2	4	123	41	76
21	Whitley	218	2	-	1	32	9	6	2	5	3	2	5	5	119	39	69
22	IOWA	27,776	77	37	105	4,439	1,527	470	411	726	198	246	861	485	16,201	4,005	10,665
23	Metropolitan counties	7,801	26	15	27	1,200	422	143	104	180	46	76	229	116	4,319	998	2,917
24	Nonmetropolitan counties	20,175	51	22	78	3,239	1,105	327	307	546	152	170	632	369	11,882	3,007	7,748
25	Adair	111	-	-	1	16	5	1	1	4	-	1	4	2	59	18	37
26	Adams	81	-	-	-	8	-	2	1	2	2	-	1	2	53	5	45
27	Allamakee	195	-	-	-	28	10	3	4	5	3	-	3	4	111	21	83
28	Appanoose	248	-	1	1	33	13	5	-	4	1	1	9	4	155	35	106
29	Audubon	104	-	-	1	14	4	1	1	-	1	3	4	1	63	12	45
30	Benton	185	-	-	-	28	11	2	1	4	2	1	7	4	112	27	78
31	Black Hawk	963	4	-	2	140	44	11	11	23	9	17	25	16	562	114	397
32	Waterloo	644	2	-	2	89	29	8	7	14	7	13	11	12	378	84	256
33	Cedar Falls	165	-	-	-	25	6	1	3	5	1	1	8	2	102	14	80
34	Balance of county	154	2	-	-	26	9	2	1	4	1	3	6	2	82	16	61
35	Boone	309	-	-	1	47	13	8	5	6	1	6	8	5	187	39	135
36	Boone	173	-	-	-	29	11	2	4	4	-	4	4	3	103	23	74
37	Balance of county	136	-	-	1	18	2	6	1	2	1	2	4	2	84	16	61
38	Bremer	215	1	-	2	46	17	6	2	7	2	5	7	7	112	38	68
39	Buchanan	252	1	-	1	30	13	2	3	4	2	1	5	5	147	34	99
40	Buena Vista	231	-	1	-	40	16	1	4	7	-	3	9	6	133	31	93
41	Butler	149	1	-	-	23	10	3	-	4	2	-	4	4	87	23	62
42	Calhoun	178	-	-	-	18	3	3	1	4	-	3	4	6	120	32	77
43	Carroll	228	-	-	2	47	12	7	7	4	-	2	15	4	129	28	88
44	Cass	218	1	1	-	34	15	4	2	7	2	1	3	6	133	24	96
45	Cedar	178	-	-	1	24	9	5	1	5	-	2	2	7	101	32	54
46	Cerro Gordo	469	-	1	2	91	33	9	10	12	8	2	17	6	250	62	165
47	Mason City	278	-	1	1	60	23	5	6	10	5	-	11	3	146	32	98
48	Balance of county	191	-	-	1	31	10	4	4	2	3	2	6	3	104	30	67
49	Cherokee	178	-	-	1	38	12	6	4	7	1	4	4	1	100	26	64
50	Chickasaw	155	-	-	-	27	6	7	3	6	2	1	2	3	91	20	58
51	Clarke	104	1	-	-	13	6	1	1	1	1	1	2	3	62	15	41
52	Clay	164	-	-	-	30	11	6	4	5	1	-	3	4	102	28	63
53	Clayton	259	1	-	1	31	12	3	1	4	1	2	8	4	173	37	122
54	Clinton	581	1	2	-	103	38	8	3	22	7	6	19	11	322	74	222
55	Clinton	383	-	2	-	70	27	5	2	12	4	5	15	8	221	55	149
56	Balance of county	198	1	-	-	33	11	3	1	10	3	1	4	3	101	19	73
57	Crawford	171	-	-	1	26	10	1	1	5	3	2	4	2	96	21	62
58	Dallas	272	1	1	2	38	14	3	4	7	-	2	8	8	157	36	110
59	Davis	117	-	-	-	17	1	3	1	3	1	3	5	3	73	15	50
60	Decatur	170	-	1	1	39	17	3	4	4	2	3	6	2	92	29	49
61	Delaware	176	-	-	-	25	8	2	2	5	1	-	7	4	106	41	60
62	Des Moines	493	-	1	-	78	25	13	10	11	3	4	12	6	302	73	174
63	Burlington	377	-	1	-	65	21	9	10	9	3	2	11	4	216	55	134
64	Balance of county	116	-	-	-	13	4	4	-	2	-	2	1	2	86	18	40
65	Dickinson	123	-	-	1	22	10	2	1	4	-	1	4	-	69	11	47
66	Dubuque	840	3	-	1	149	48	14	16	17	11	9	34	15	463	117	291
67	Dubuque	655	3	-	1	116	34	14	13	14	7	7	27	8	367	91	230
68	Balance of county	185	-	-	-	33	14	-	3	3	4	2	7	7	96	26	61
69	Emmet	142	1	-	1	22	11	2	3	2	-	1	3	1	82	16	63
70	Fayette	320	3	-	1	56	26	4	6	4	5	2	9	10	179	31	122
71	Floyd	221	-	-	1	29	8	1	5	6	3	-	6	2	128	34	78
72	Charles City	135	-	-	1	18	3	1	4	2	3	-	5	1	77	25	45
73	Balance of county	86	-	-	-	11	5	-	1	4	-	-	1	1	51	9	33
74	Franklin	142	-	-	-	25	6	4	2	3	1	3	6	1	83	18	52
75	Fremont	140	1	-	1	26	10	1	4	6	-	1	4	2	83	18	56
76	Greene	153	1	1	1	29	8	3	3	5	1	1	8	1	94	25	62
77	Grundy	126	-	-	-	21	6	1	1	6	2	3	2	1	78	16	55
78	Guthrie	156	1	-	1	21	6	2	1	5	2	-	5	6	90	25	54
79	Hamilton	215	-	-	-	30	11	3	5	4	2	1	4	2	130	26	96

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	67	7	6	1	6	3	4	1	-	2	-	-	3	3	-	7	10	1	2	11	1
-	25	2	6	-	1	1	1	3	1	-	-	-	-	-	-	3	3	1	-	5	2
16	458	111	72	12	66	17	9	61	8	8	17	-	29	51	2	20	60	12	1	113	3
13	393	101	60	11	62	13	9	49	5	8	13	-	25	41	2	17	51	9	1	99	4
3	65	10	12	1	4	4	-	12	3	-	4	-	4	10	-	3	9	3	-	14	5
1	62	7	22	2	11	1	3	8	1	-	5	-	3	7	-	4	6	4	-	14	6
13	361	50	118	19	37	13	16	53	11	5	19	3	10	34	11	27	37	14	3	103	7
10	264	39	89	13	26	10	11	36	10	4	15	-	8	20	9	16	24	7	2	88	8
3	97	11	29	6	11	3	5	17	1	1	4	3	2	14	2	11	13	7	1	15	9
6	91	10	10	-	3	3	2	6	2	5	2	-	2	5	2	9	13	7	-	22	10
2	36	3	3	-	1	1	-	2	1	1	2	-	-	2	1	3	6	2	-	10	11
4	55	7	7	-	2	2	2	4	1	4	-	-	2	3	1	6	7	5	-	12	12
2	16	8	4	1	1	-	-	-	1	-	-	-	-	3	1	5	1	-	-	7	13
3	68	19	16	-	7	3	2	6	3	-	1	-	6	8	1	7	12	5	1	14	14
-	52	12	14	1	2	3	1	8	-	-	-	-	3	6	-	4	6	-	-	8	15
5	191	45	32	6	21	10	5	22	8	4	9	1	5	33	-	15	22	7	2	51	16
5	119	27	18	3	13	7	5	16	6	2	7	-	3	23	-	11	16	7	1	35	17
-	72	18	14	3	8	3	-	6	2	2	2	1	2	10	-	4	6	-	1	16	18
1	70	11	3	2	6	2	6	6	1	1	2	1	2	6	1	7	4	3	1	13	19
6	56	3	11	-	1	4	1	5	2	1	-	-	3	7	-	4	5	1	-	15	20
2	55	8	4	1	6	3	1	7	2	-	-	-	8	7	2	7	2	5	-	19	21
258	8,007	894	1,506	259	798	275	199	846	171	102	154	21	312	898	167	650	852	347	35	1,877	22
81	2,224	265	347	66	211	77	50	222	53	35	54	4	102	342	23	147	236	114	21	545	23
177	5,783	629	1,159	193	587	198	149	624	118	67	100	17	210	556	144	503	616	233	14	1,332	24
1	24	2	10	-	2	1	1	3	-	-	-	-	1	3	4	4	4	1	-	13	25
-	37	1	7	-	2	-	1	2	-	-	1	-	-	-	-	1	6	2	-	6	26
1	59	6	17	-	1	4	2	12	-	-	1	1	1	3	-	5	12	-	-	17	27
7	58	7	34	6	4	2	2	3	1	2	-	-	3	6	4	5	5	2	-	23	28
2	31	2	10	1	2	3	-	1	-	-	-	-	-	2	-	1	14	2	-	5	29
-	54	8	16	2	1	2	2	5	1	-	1	-	1	3	2	11	3	7	-	7	30
10	306	21	60	6	35	6	4	29	4	6	10	3	16	48	-	24	27	18	3	51	31
8	203	14	31	3	27	4	4	19	3	4	7	2	10	29	-	18	19	12	3	35	32
1	56	4	19	2	5	1	-	6	-	1	3	-	2	7	-	2	5	1	-	9	33
1	47	3	10	1	3	1	-	4	1	1	-	1	4	12	-	4	3	5	-	7	34
3	92	26	14	2	6	5	-	16	4	1	1	-	3	8	6	6	4	3	-	17	35
2	53	13	6	1	2	3	-	7	2	1	1	-	-	5	4	2	2	1	-	13	36
1	39	13	8	1	4	2	-	9	2	-	-	-	3	3	2	4	2	2	-	4	37
3	53	2	10	1	5	-	-	6	2	-	1	-	5	4	-	11	7	-	-	11	38
4	63	14	18	4	5	3	2	6	1	4	-	-	4	10	-	9	7	-	1	26	39
1	81	5	6	4	3	2	-	9	1	-	1	-	4	7	1	5	8	2	-	13	40
-	37	14	11	1	-	-	1	5	-	2	1	-	1	5	3	3	1	3	-	10	41
2	59	6	10	2	4	3	2	3	1	1	1	-	1	5	1	2	4	3	-	12	42
1	68	12	7	5	4	3	1	5	3	-	-	-	5	9	1	5	4	3	-	11	43
3	68	8	17	2	3	4	4	7	-	2	2	-	2	2	-	6	5	1	-	16	44
2	39	5	8	1	10	1	3	10	1	2	-	-	3	2	1	5	3	6	-	12	45
6	131	14	14	4	14	3	2	30	3	1	-	1	3	18	2	20	15	7	-	19	46
4	76	7	11	2	10	2	2	19	2	1	-	-	3	10	1	6	7	4	-	14	47
2	55	7	3	2	4	1	-	11	1	-	-	1	-	8	1	14	8	3	-	5	48
-	45	12	7	1	5	3	1	4	1	-	-	-	-	6	2	7	4	2	-	12	49
1	38	5	14	5	5	2	1	2	-	-	2	-	-	2	1	2	9	7	1	8	50
-	23	3	15	-	5	-	1	3	1	1	-	-	1	2	-	4	4	-	-	9	51
3	48	2	10	-	9	1	1	2	-	-	1	-	3	1	1	3	4	4	-	9	52
2	84	12	24	3	5	3	3	6	-	2	1	1	2	5	3	-	6	3	-	20	53
11	165	12	34	5	12	5	4	17	2	1	3	-	6	21	1	19	15	5	-	52	54
9	108	6	26	3	7	5	2	13	2	-	2	-	5	14	-	7	5	-	-	34	55
2	57	6	8	2	5	-	2	4	-	1	1	-	1	7	1	12	10	5	-	18	56
2	41	7	12	1	7	4	1	2	-	-	2	-	2	8	1	7	5	1	-	18	57
-	87	9	14	1	4	3	3	10	4	1	1	-	2	7	2	4	7	-	2	25	58
1	34	7	8	1	2	1	4	1	-	1	1	-	1	3	4	1	6	1	-	5	59
2	36	4	7	1	12	1	-	5	1	2	-	-	3	5	-	5	7	3	-	4	60
2	39	6	13	2	2	-	1	2	1	1	-	-	1	8	1	7	6	1	-	13	61
3	126	10	35	8	31	9	7	26	4	1	1	1	7	15	1	5	10	7	-	28	62
3	97	6	28	6	13	4	4	21	4	1	1	1	5	15	-	5	10	5	-	23	63
-	29	4	7	2	18	5	3	5	-	-	-	-	2	-	1	-	-	2	-	5	64
-	38	2	7	3	5	2	1	1	2	-	3	-	2	2	-	4	2	4	-	11	65
5	223	20	43	2	40	7	6	47	8	3	11	-	9	23	3	14	21	11	-	59	66
4	173	17	36	2	33	7	4	43	7	2	7	-	8	13	3	5	12	10	-	50	67
1	50	3	7	-	7	-	2	4	1	1	4	-	1	10	-	9	9	1	-	9	68
1	57	1	4	3	-	-	-	4	2	-	-	-	-	5	-	4	9	2	-	9	69
4	86	7	25	4	16	2	4	15	2	2	3	-	4	6	7	9	10	2	-	11	70
2	63	8	5	2	12	1	1	4	3	-	-	-	2	15	1	2	15	2	-	17	71
-	36	6	3	2	5	-	-	2	1	-	-	-	1	10	1	1	9	2	-	11	72
2	27	2	2	-	7	1	1	2	2	-	-	-	1	5	-	1	6	-	-	6	73
2	42	1	7	6	1	5	1	5	1	-	1	-	-	5	2	8	2	1	-	8	74
2	41	5	8	1	3	1	4	3	-	1	1	-	1	3	1	3	4	2	-	8	75
3	45	3	11	2	3	1	1	3	-	2	1	-	2	5	1	-	6	-	-	6	76
-	43	2	10	2	5	1	-	1	2	1	-	-	2	2	-	2	6	1	-	8	77
3	41	6	4	3	7	1	-	2	1	-	-	-	1	1	3	8	12	1	1	7	78
3	77	7	9	3	2	2	1	7	-	-	1	-	3	6	4	5	8	2	-	17	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	IOWA—Continued																
1	Hancock	136	-	-	1	21	9	-	1	7	2	1	1	-	76	18	49
2	Hardin	252	1	1	2	40	13	5	4	10	3	-	5	8	159	45	98
3	Harrison	200	-	-	1	32	11	5	4	2	1	2	7	4	111	30	73
4	Henry	217	-	-	-	34	15	1	3	4	1	2	8	3	138	23	106
5	Howard	156	-	-	2	22	7	2	4	7	1	-	1	3	97	22	64
6	Humboldt	149	-	-	2	23	12	2	-	3	1	1	4	2	93	29	56
7	Ida	100	1	-	-	10	3	1	-	1	-	1	4	3	66	16	40
8	Iowa	185	-	-	-	42	16	2	5	5	2	2	10	1	105	28	68
9	Jackson	246	2	-	-	27	11	4	1	3	-	-	8	5	154	45	88
10	Jasper	316	2	-	1	57	19	5	5	9	-	5	14	7	174	47	106
11	Newton	135	1	-	1	19	9	2	2	3	-	-	3	3	78	20	51
12	Balance of county	181	1	-	-	38	10	3	3	6	-	5	11	4	96	27	55
13	Jefferson	175	-	-	1	23	11	1	1	2	1	2	5	5	109	28	74
14	Johnson	386	3	1	1	52	15	6	9	7	3	3	9	11	215	43	151
15	Iowa City	241	2	1	-	40	9	5	8	6	1	3	8	8	131	24	93
16	Balance of county	145	1	-	1	12	6	1	1	1	2	-	1	3	84	19	58
17	Jones	199	1	1	-	32	10	2	2	10	2	3	3	3	119	37	72
18	Keokuk	231	1	-	2	35	13	-	6	7	1	2	6	3	145	43	88
19	Kossuth	236	-	-	6	44	18	4	2	9	2	2	7	5	129	37	77
20	Lee	499	3	1	-	77	21	5	7	16	3	4	21	8	297	60	219
21	Fort Madison	183	-	-	-	33	8	4	4	6	-	2	9	4	113	22	83
22	Keokuk	209	3	1	-	31	10	-	1	7	2	2	9	2	121	24	90
23	Balance of county	107	-	-	-	13	3	1	2	3	1	-	3	2	63	14	46
24	Linn	1,165	5	2	4	181	58	28	13	26	9	12	35	15	677	143	471
25	Cedar Rapids	821	4	2	3	141	42	21	9	23	7	9	30	12	474	93	343
26	Balance of county	344	1	-	1	40	16	7	4	3	2	3	5	3	203	50	128
27	Louisa	125	1	-	-	15	5	2	-	5	-	1	2	5	76	16	52
28	Lucas	148	-	-	-	20	8	2	1	4	2	-	3	3	98	33	54
29	Lyon	119	-	-	-	25	8	3	3	4	1	2	4	4	71	26	41
30	Madison	153	-	-	-	33	15	1	2	4	3	3	5	2	91	20	66
31	Mahaska	290	-	-	1	47	17	4	3	11	1	2	9	6	177	46	116
32	Oskaloosa	177	-	-	1	27	12	4	-	6	1	-	4	5	109	25	72
33	Balance of county	113	-	-	-	20	5	-	3	5	-	2	5	1	68	21	44
34	Marion	263	1	1	-	36	11	4	6	7	3	-	5	4	156	49	95
35	Marshall	408	1	-	2	60	22	6	10	8	4	-	10	9	248	67	150
36	Marshalltown	254	1	-	1	35	16	3	4	4	2	-	6	8	155	50	83
37	Balance of county	154	-	-	1	25	6	3	6	4	2	-	4	1	93	17	67
38	Mills	114	-	-	1	15	5	1	2	4	1	-	2	3	63	17	41
39	Mitchell	134	-	-	-	27	7	3	1	6	1	5	4	-	78	19	53
40	Monona	153	-	-	2	24	9	3	1	5	1	1	4	1	89	26	55
41	Monroe	125	-	-	1	15	7	1	2	2	1	-	2	2	70	21	37
42	Montgomery	165	-	-	-	23	5	5	1	3	1	3	5	1	111	38	62
43	Muscatine	404	3	-	2	77	24	8	11	14	4	3	13	9	229	63	141
44	Muscatine	255	2	-	1	51	18	6	8	8	2	3	6	6	144	39	93
45	Balance of county	149	1	-	1	26	6	2	3	6	2	-	7	3	85	24	48
46	O'Brien	179	-	-	-	25	10	2	1	4	1	1	6	5	108	15	90
47	Osceola	82	1	-	-	16	4	2	3	3	-	-	4	2	42	9	31
48	Page	243	1	1	1	43	11	7	5	10	1	-	9	2	151	37	97
49	Palo Alto	155	1	-	2	36	9	3	5	8	2	-	9	3	68	21	40
50	Plymouth	226	-	-	-	33	12	4	5	2	2	1	7	4	132	32	87
51	Pocahontas	147	-	-	2	25	7	1	6	3	2	1	5	1	74	21	44
52	Polk	2,493	11	6	10	399	141	41	38	66	12	20	81	30	1,382	336	900
53	Des Moines	2,199	10	5	8	348	123	36	32	56	12	16	73	27	1,221	294	799
54	Balance of county	294	1	1	2	51	18	5	6	10	-	4	8	3	161	42	101
55	Pottawattamie	755	2	2	3	112	42	17	9	12	4	10	18	13	435	117	275
56	Council Bluffs	561	1	1	3	86	35	14	6	9	4	6	12	8	335	86	214
57	Balance of county	194	1	1	-	26	7	3	3	3	-	4	6	5	100	31	61
58	Poweshiek	206	-	2	-	25	8	4	-	2	-	4	7	3	130	29	94
59	Ringgold	128	-	-	-	12	5	3	1	1	-	-	2	2	77	28	40
60	Sac	159	-	-	-	25	7	2	2	6	1	2	5	1	96	35	54
61	Scott	1,119	2	1	5	186	68	21	18	26	7	8	38	19	625	153	430
62	Davenport	921	1	1	4	153	55	19	15	21	6	4	33	14	521	132	356
63	Balance of county	198	1	-	1	33	13	2	3	5	1	4	5	5	104	21	74
64	Shelby	153	1	-	1	31	9	4	4	6	-	2	6	1	87	18	61
65	Sioux	201	1	-	1	37	15	3	2	5	3	3	6	4	106	26	68
66	Story	376	-	-	2	63	22	6	8	10	3	2	12	8	217	48	148
67	Ames	130	-	-	1	24	6	3	5	2	-	1	7	4	63	17	40
68	Balance of county	246	-	-	1	39	16	3	3	8	3	1	5	4	154	31	108
69	Tama	239	-	-	1	39	10	3	3	7	3	3	10	2	146	51	81
70	Taylor	147	-	-	-	26	13	-	2	4	1	1	5	2	91	13	76
71	Union	190	-	1	-	25	9	3	-	3	2	2	6	5	128	25	94
72	Van Buren	131	2	1	1	16	8	1	1	4	1	1	-	4	90	25	61
73	Wapello	520	1	-	3	91	23	15	6	15	2	9	21	3	311	71	223
74	Ottumwa	380	1	-	3	67	20	11	4	10	2	5	15	2	227	57	160
75	Balance of county	140	-	-	-	24	3	4	2	5	-	4	6	1	84	14	63
76	Warren	202	-	-	3	29	9	3	2	6	1	-	8	-	128	39	73
77	Washington	200	1	-	-	30	7	2	4	7	1	2	7	4	118	39	60
78	Wayne	140	-	-	1	17	6	2	2	3	-	1	3	4	91	27	54
79	Webster	441	3	1	3	76	28	9	13	8	-	2	16	9	251	72	162
80	Fort Dodge	280	1	1	2	49	19	7	9	4	-	1	9	5	164	48	108
81	Balance of county	161	2	-	1	27	9	2	4	4	-	1	7	4	87	24	54

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	36	4	6	4	3	1	1	4	1	-	-	-	2	12	2	1	7	1	-	8	1
-	81	8	9	7	7	1	1	-	2	1	3	-	2	7	3	1	7	2	-	13	2
1	60	3	9	3	5	-	-	4	1	1	-	-	3	4	-	7	11	2	-	19	3
2	80	12	14	-	1	5	1	5	-	-	-	-	1	7	2	6	4	3	-	14	4
3	41	8	12	-	9	1	1	2	-	-	-	-	3	3	2	8	3	-	-	11	5
-	46	3	7	1	5	2	-	1	2	1	2	-	2	3	-	1	1	2	-	14	6
1	30	3	6	-	9	1	-	4	-	-	-	-	-	5	-	3	6	1	-	1	7
1	43	4	20	2	4	2	1	1	-	1	-	-	1	1	-	6	14	4	-	9	8
5	52	10	21	2	12	5	2	13	1	-	3	-	4	2	-	11	5	5	1	13	9
1	82	6	17	1	15	3	2	10	2	1	1	-	8	12	2	4	10	3	-	22	10
1	39	4	7	1	5	-	1	4	-	-	1	-	3	8	-	3	5	2	-	7	11
-	43	2	10	-	10	3	1	6	2	1	-	-	5	4	2	1	5	1	-	15	12
-	62	4	8	2	2	1	2	9	-	-	-	-	1	4	-	2	5	3	-	13	13
5	117	9	20	3	11	6	1	9	3	-	4	-	8	22	3	13	11	8	-	22	14
3	75	8	7	1	7	5	1	3	2	-	1	-	2	15	3	8	5	4	-	16	15
2	42	1	13	2	4	1	-	6	1	-	3	-	6	7	-	5	6	4	-	6	16
2	49	6	15	1	7	2	-	3	1	1	-	-	2	3	1	3	6	6	1	16	17
1	65	7	15	2	10	2	-	10	1	-	1	-	1	1	-	2	10	2	1	16	18
-	61	7	9	5	4	5	1	6	1	-	-	1	4	10	2	7	7	3	-	11	19
5	142	24	48	2	7	6	3	27	5	1	3	-	2	13	-	13	12	7	1	29	20
2	64	4	13	1	3	3	1	10	2	1	-	-	-	2	-	2	3	2	-	11	21
3	50	15	22	1	4	1	1	10	3	-	3	-	2	8	-	8	5	2	1	9	22
-	28	5	13	-	-	2	1	7	-	-	-	-	-	3	-	3	4	3	-	9	23
10	377	41	43	8	37	12	6	33	7	-	7	1	15	43	5	25	40	18	1	86	24
8	276	33	26	6	19	9	4	25	3	-	5	-	7	31	4	18	24	13	1	54	25
2	101	8	17	2	18	3	2	8	4	-	2	1	8	12	1	7	16	5	-	32	26
1	38	4	9	1	4	2	1	6	2	-	-	-	-	-	-	4	5	2	-	9	27
1	38	2	13	3	5	1	2	2	2	-	-	-	1	1	-	5	4	-	-	12	28
-	35	2	4	1	2	1	-	4	1	-	-	1	1	2	-	2	3	-	1	4	29
-	59	3	4	-	1	1	3	7	1	-	1	-	1	4	-	2	3	2	-	6	30
4	86	17	9	2	9	3	1	7	2	-	1	-	5	6	3	5	9	2	-	19	31
2	54	11	5	2	8	1	1	5	2	-	1	-	5	4	3	3	2	1	-	9	32
2	32	6	4	-	1	2	-	2	-	-	-	-	-	2	-	2	7	1	-	10	33
1	75	9	10	3	4	1	4	4	2	-	2	1	3	6	3	8	5	1	-	30	34
7	121	14	8	3	19	5	4	8	2	1	3	-	4	13	3	13	12	4	-	25	35
4	68	8	3	2	13	4	3	7	2	1	2	-	3	8	2	5	9	1	-	14	36
3	53	6	5	1	6	1	1	1	-	-	1	-	1	5	1	8	3	3	-	11	37
-	31	1	9	-	3	2	-	1	-	-	-	1	1	4	-	6	5	3	-	11	38
-	47	3	3	-	4	2	-	4	1	1	-	-	1	2	1	2	3	-	-	14	39
1	37	6	11	-	6	-	2	5	-	-	2	-	1	5	1	5	5	1	-	12	40
-	29	1	7	7	3	-	2	5	-	-	1	-	-	1	14	3	5	2	-	6	41
1	55	1	5	1	8	2	-	6	1	-	1	-	1	1	-	2	7	2	-	9	42
2	104	14	21	3	12	3	7	13	2	-	1	-	4	14	1	9	5	7	-	28	43
1	67	9	16	1	3	2	6	6	1	-	1	-	2	8	1	5	2	4	-	21	44
1	37	5	5	2	9	1	1	7	1	-	-	-	2	6	-	4	3	3	-	7	45
1	68	6	15	-	-	2	1	4	3	1	1	-	2	3	2	4	9	-	-	12	46
2	23	1	5	1	1	-	-	-	-	-	-	-	-	5	2	5	-	1	-	8	47
1	81	3	12	-	15	1	1	8	1	-	1	1	2	-	4	1	6	2	-	18	48
1	35	-	4	2	3	1	1	3	1	1	-	-	2	9	2	4	7	3	-	12	49
4	68	7	8	2	9	2	-	8	4	1	-	1	2	6	2	6	6	4	1	16	50
-	37	4	3	1	5	1	2	8	1	2	-	1	-	7	1	5	5	4	-	11	51
36	681	98	85	26	77	24	19	65	17	15	23	-	36	121	10	52	66	30	10	210	52
34	600	91	74	24	67	19	18	62	13	14	22	-	33	102	9	48	58	24	10	185	53
2	81	7	11	2	10	5	1	3	4	1	1	-	3	19	1	4	8	6	-	25	54
4	210	21	40	11	13	13	6	22	4	3	4	-	12	38	2	15	31	8	3	46	55
3	162	16	33	10	11	9	5	16	3	3	1	-	8	27	1	11	18	7	2	30	56
1	48	5	7	1	2	4	1	6	1	-	3	-	4	11	1	4	13	1	1	16	57
1	74	5	14	-	1	5	1	10	1	-	-	-	1	4	2	3	4	4	-	17	58
-	32	3	5	1	5	2	1	4	2	3	1	-	1	3	1	4	4	2	-	12	59
3	41	3	7	-	3	2	2	6	2	-	3	1	-	6	3	4	2	2	-	8	60
12	327	37	54	9	17	9	7	37	14	6	6	-	9	45	2	16	36	30	2	78	61
10	269	34	43	9	12	7	5	30	11	6	5	-	9	39	2	9	29	22	2	63	62
2	58	3	11	-	5	2	2	7	3	-	1	-	-	6	-	7	7	8	-	15	63
2	46	1	12	-	6	2	-	4	2	-	1	-	1	3	-	7	6	-	-	8	64
-	52	4	12	3	5	3	1	4	1	3	-	-	-	8	6	7	4	1	-	18	65
3	126	7	12	5	11	3	2	4	1	4	1	-	7	18	2	11	16	-	-	22	66
2	33	3	2	2	3	1	-	3	1	3	-	-	3	11	-	2	5	-	-	10	67
1	93	4	10	3	8	2	2	1	-	1	1	-	4	7	2	9	11	-	-	12	68
3	65	4	9	4	4	4	2	4	2	1	3	1	3	8	2	3	6	2	1	15	69
1	65	2	8	1	1	-	-	5	-	1	1	1	1	2	1	8	3	-	-	5	70
-	71	6	17	-	7	2	-	7	-	-	-	-	3	4	2	1	2	2	-	8	71
1	41	7	12	-	1	-	3	1	-	-	-	-	-	2	4	1	-	4	1	4	72
4	176	19	24	3	7	3	4	22	1	2	6	-	5	11	3	7	10	4	-	40	73
3	128	10	19	3	4	1	2	15	1	1	3	-	5	7	3	5	6	3	-	31	74
1	48	9	5	-	3	2	2	7	-	1	3	-	-	4	-	2	4	1	-	9	75
1	51	10	11	1	12	2	1	6	1	1	1	-	1	7	-	6	5	1	-	13	76
-	45	2	13	2	11	1	5	7	1	-	1	-	1	3	1	4	11	5	-	13	77
3	32	4	15	-	2	1	7	8	1	1	-	-	1	3	-	3	3	1	-	6	78
4	100	27	31	7	7	1	2	13	3	1	1	1	10	14	1	11	12	4	2	25	79
3	69	22	14	3	4	-	1	8	2	1	1	1	7	10	-	4	7	3	1	13	80
1	31	5	17	4	3	1	1	5	1	-	-	-	3	4	1	7	5	1	1	12	81

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuber-culosis, all forms 001-019	Syph-ilis and its seque-lae 020-029	All other infec-tive and para-sitic dis-eases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum, not spec-ified as secondary 150-156A, 157-159	Malignant neoplasm of respir-atory system, not specified as secondary 160-164	Malig-nant neo-plasm of breast 170	Malig-nant neo-plasm of genital organs 171-179	Malig-nant neo-plasm of urinary organs 180,181	Leu-kemia and aleu-kemia 204	Other malig-nant neo-plasms 140-148, 156B, 165, 190-203, 205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Vascular lesions af-fecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	IOWA—Continued																
1	Winnebago	147	-	1	-	23	7	1	-	11	1	-	3	3	87	22	60
2	Winneshiek	207	1	-	1	36	10	1	5	4	-	2	14	6	127	36	78
3	Woodbury	1,106	2	4	3	182	69	25	15	27	5	9	32	23	638	135	444
4	Sioux City	932	2	3	3	151	57	22	12	21	4	9	26	22	537	116	368
5	Balance of county	174	-	1	-	31	12	3	3	6	1	-	6	1	101	19	76
6	Worth	116	-	-	1	14	3	1	-	6	1	1	2	2	71	24	41
7	Wright	187	-	-	1	36	12	2	2	8	2	-	10	4	103	39	55
8	KANSAS	20,321	56	42	86	2,925	925	342	280	469	139	184	586	361	11,592	2,856	7,653
9	Metropolitan counties	5,873	18	9	25	905	249	123	93	146	50	54	190	87	3,138	725	2,124
10	Nonmetropolitan counties	14,448	38	33	61	2,020	676	219	187	323	89	130	396	274	8,454	2,131	5,529
11	Allen	257	-	2	2	31	11	4	2	5	1	1	7	3	156	33	111
12	Anderson	141	-	-	1	18	7	2	1	4	1	-	3	1	88	17	69
13	Atchison	288	2	1	-	36	13	3	2	5	3	2	8	6	177	40	118
14	Atchison	198	2	1	-	20	6	2	2	4	1	-	5	5	122	26	87
15	Balance of county	90	-	-	-	16	7	1	-	1	2	2	3	1	55	14	31
16	Barber	97	-	-	-	12	1	1	3	2	1	-	4	3	58	15	37
17	Barton	224	1	-	-	32	10	5	4	2	1	2	8	7	128	31	83
18	Great Bend	74	1	-	-	11	4	2	1	-	-	-	4	2	40	7	29
19	Balance of county	150	-	-	-	21	6	3	3	2	1	2	4	5	88	24	54
20	Bourbon	232	-	1	-	20	6	2	1	5	-	-	6	2	171	48	106
21	Fort Scott	152	-	1	-	12	3	2	-	3	-	-	4	2	117	27	76
22	Balance of county	80	-	-	-	8	3	-	1	2	-	-	2	-	54	21	30
23	Brown	203	1	1	-	31	15	-	-	6	2	2	6	8	112	32	73
24	Butler	336	1	-	4	62	15	9	6	9	1	5	17	8	173	32	132
25	El Dorado	133	-	-	1	24	7	5	4	-	1	4	3	3	63	10	50
26	Balance of county	203	1	-	3	38	8	4	2	9	-	1	14	5	110	22	82
27	Chase	59	-	-	1	5	3	-	-	1	-	-	1	3	36	7	28
28	Chautauqua	94	-	-	-	16	10	-	-	1	1	1	3	-	56	11	36
29	Cherokee	293	4	-	1	37	15	5	4	7	1	1	4	8	179	44	113
30	Cheyenne	47	-	-	-	9	-	2	1	3	1	1	1	1	26	4	21
31	Clark	45	-	-	-	7	2	-	-	2	2	1	-	-	27	7	19
32	Clay	153	-	-	1	16	8	-	3	2	1	1	1	4	96	32	55
33	Cloud	195	1	-	1	26	11	8	1	1	-	-	5	5	112	38	65
34	Coffey	126	-	-	-	20	8	3	1	3	1	-	4	2	82	20	52
35	Comanche	42	-	-	-	4	1	-	1	-	1	-	1	-	27	10	15
36	Cowley	457	1	1	2	80	15	6	4	13	3	4	15	7	268	85	153
37	Arkansas City	212	1	-	-	30	6	5	2	5	1	2	9	4	131	47	71
38	Winfield	141	-	1	2	17	4	1	1	5	2	1	3	2	79	22	46
39	Balance of county	104	-	-	-	13	5	-	1	3	-	1	3	1	58	16	36
40	Crawford	521	3	-	-	64	18	10	7	13	3	4	9	9	340	87	236
41	Pittsburg	262	3	-	-	30	7	4	4	8	2	2	3	4	169	41	118
42	Balance of county	259	-	-	-	34	11	6	3	5	1	2	6	5	171	46	118
43	Decatur	70	-	-	-	15	7	-	2	2	-	1	3	2	37	7	27
44	Dickinson	247	1	1	1	43	16	2	4	10	2	2	7	4	156	54	88
45	Doniphan	132	-	-	-	23	8	3	-	5	1	-	6	1	81	24	51
46	Douglas	305	1	-	-	36	12	1	5	5	-	3	10	6	180	46	121
47	Lawrence	211	1	-	-	24	8	1	3	2	-	2	8	3	126	32	85
48	Balance of county	94	-	-	-	12	4	-	2	3	-	1	2	3	54	14	36
49	Edwards	69	-	-	-	8	5	1	-	-	-	-	2	1	43	7	29
50	Elk	78	-	2	-	9	4	-	-	-	1	3	1	2	45	10	27
51	Ellis	139	1	-	-	21	5	3	3	3	1	2	4	6	69	13	51
52	Ellsworth	101	-	-	-	16	4	2	2	2	1	1	4	5	61	16	44
53	Finney	121	-	1	1	26	10	4	2	5	1	1	3	-	59	18	35
54	Garden City	108	-	1	1	23	8	4	2	5	1	-	3	-	52	15	31
55	Balance of county	13	-	-	-	3	2	-	-	-	-	1	-	-	7	3	4
56	Ford	205	-	1	2	34	9	2	3	9	-	4	7	6	113	31	78
57	Dodge City	133	-	1	2	19	5	1	3	4	-	4	2	3	75	26	47
58	Balance of county	72	-	-	-	15	4	1	-	5	-	-	5	3	38	5	31
59	Franklin	272	-	-	-	38	10	5	5	9	3	2	4	7	175	35	116
60	Ottawa	148	-	-	-	22	6	4	3	5	3	1	-	3	94	16	64
61	Balance of county	124	-	-	-	16	4	1	2	4	-	1	4	4	81	19	52
62	Geary	188	1	1	-	13	5	3	1	2	1	1	-	-	80	18	55
63	Junction City	139	1	1	-	13	5	3	1	2	1	1	-	-	64	15	44
64	Balance of county	49	-	-	-	-	-	-	-	-	-	-	-	-	16	3	11
65	Gove	27	-	-	-	1	-	-	-	-	-	-	1	3	15	1	12
66	Graham	51	-	-	-	5	2	-	-	1	-	-	2	1	30	14	16
67	Grant	18	-	-	-	1	-	-	-	-	-	-	1	-	9	2	6
68	Gray	42	-	-	1	3	-	1	-	1	-	-	1	-	28	5	17
69	Greeley	13	-	-	-	3	2	1	-	-	-	-	-	-	8	2	6
70	Greenwood	156	-	-	-	21	10	2	2	2	-	1	4	3	100	33	59
71	Hamilton	29	-	-	-	5	1	-	1	3	-	-	-	1	15	5	9
72	Harper	98	-	-	-	16	6	1	2	1	-	1	5	1	57	26	25
73	Harvey	237	-	1	-	34	13	3	6	4	-	2	6	3	139	31	92
74	Newton	136	-	1	-	21	8	1	3	4	-	2	3	2	82	19	53
75	Balance of county	101	-	-	-	13	5	2	3	-	-	-	3	1	57	12	39
76	Haskell	13	-	-	-	1	-	-	-	1	-	-	-	-	5	2	3
77	Hodgeman	25	-	-	-	6	-	2	-	2	-	-	2	-	11	1	10
78	Jackson	126	-	-	-	13	4	1	-	2	2	3	1	1	95	21	69

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	48	8	2	1	4	-	-	-	-	2	1	1	3	4	-	8	8	3	-	3	1
2	60	7	9	3	9	1	-	3	-	-	1	1	-	6	-	3	5	2	-	15	2
9	323	47	65	6	32	13	8	36	7	5	4	-	14	47	4	15	36	10	2	74	3
8	271	43	46	6	28	13	6	29	7	5	3	-	13	42	3	12	26	9	2	63	4
1	52	4	19	-	4	-	2	7	-	-	1	-	1	5	1	3	10	1	-	11	5
-	27	8	6	-	4	1	1	5	1	-	1	-	2	1	-	2	7	-	-	9	6
2	41	3	9	3	4	1	1	5	-	-	-	-	1	8	-	9	1	3	-	16	7
226	5,549	791	1,087	182	522	191	188	611	135	80	138	12	291	747	218	570	708	260	55	1,434	8
82	1,597	230	215	60	116	65	48	203	40	24	51	4	116	312	96	145	165	85	32	418	9
144	3,952	561	872	122	406	126	140	408	95	56	87	8	175	435	122	425	543	175	23	1,016	10
2	70	8	31	4	3	3	2	6	-	-	1	-	5	7	3	13	3	3	1	21	11
-	56	1	12	1	-	-	1	4	1	-	1	-	3	1	-	4	7	3	-	9	12
1	77	14	26	-	12	2	5	12	2	1	-	-	3	13	-	3	10	4	1	17	13
1	53	11	22	-	7	1	1	11	2	-	-	-	1	10	-	2	7	2	1	12	14
-	24	3	4	-	5	1	4	1	-	1	-	-	2	3	-	1	3	2	-	5	15
-	30	7	-	1	4	1	-	6	-	-	-	-	2	1	1	7	1	-	-	6	16
6	59	4	14	3	8	1	2	8	1	1	2	1	5	6	1	4	8	5	2	12	17
2	20	3	4	1	1	1	1	1	1	-	1	1	3	3	-	2	3	2	-	3	18
4	39	1	10	2	7	-	1	7	-	1	1	-	2	3	1	2	5	3	2	9	19
5	92	6	3	6	6	2	3	8	-	-	2	-	4	6	-	4	5	3	-	6	20
3	66	6	1	6	5	1	2	3	-	-	2	-	2	3	-	3	5	-	-	2	21
2	26	-	2	-	1	1	1	5	-	-	-	-	2	3	-	1	-	3	-	4	22
-	53	10	10	1	3	1	2	17	1	2	-	-	-	4	1	4	7	1	-	13	23
6	97	14	15	2	5	-	2	8	1	-	4	-	7	6	1	12	23	2	2	22	24
2	39	5	4	1	1	-	1	3	1	-	3	-	4	3	-	4	14	-	-	10	25
4	58	9	11	1	4	-	1	5	-	-	1	-	3	3	1	8	9	2	2	12	26
-	21	5	2	-	1	-	-	1	-	1	1	-	-	1	-	-	3	1	1	5	27
2	26	4	4	-	6	-	3	1	-	1	-	-	-	-	1	-	2	2	-	15	28
3	80	12	18	3	13	3	3	6	1	-	2	-	2	4	1	10	10	3	1	24	29
-	13	-	8	-	-	1	-	1	-	-	-	-	-	-	1	1	2	-	-	6	30
-	19	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	5	-	-	4	31
4	34	7	10	2	6	-	1	5	1	-	1	-	2	5	-	2	11	1	-	8	32
2	53	5	5	1	5	1	2	3	2	-	2	-	2	8	3	5	7	1	-	17	33
1	28	9	14	-	10	-	-	3	1	1	-	-	-	3	2	4	4	1	-	3	34
-	15	-	-	-	1	1	-	1	-	-	-	-	-	2	-	3	1	-	-	4	35
2	118	23	10	5	21	1	3	10	5	1	2	-	11	14	4	17	9	12	2	31	36
1	55	10	5	3	8	-	2	2	1	-	-	-	2	9	2	6	2	8	2	12	37
1	36	6	3	1	8	1	1	2	1	-	2	-	5	2	2	3	6	2	-	15	38
-	27	7	2	1	5	-	-	6	3	1	-	-	4	3	-	8	1	2	-	4	39
4	176	35	21	2	9	3	3	11	4	-	2	-	-	18	1	11	23	8	-	27	40
2	84	20	12	-	6	2	2	3	3	-	2	-	-	15	1	4	9	3	-	16	41
2	92	15	9	2	3	1	1	8	1	-	-	-	-	3	-	7	14	5	-	11	42
1	17	1	8	1	1	1	-	1	1	-	-	-	1	2	-	4	3	-	-	4	43
1	52	10	25	-	11	1	2	2	1	-	1	1	4	9	1	8	6	1	-	7	44
-	30	7	14	1	5	-	-	3	1	1	-	-	-	4	3	1	7	1	-	6	45
8	84	11	18	1	3	5	4	11	2	-	2	-	6	13	2	9	17	6	-	14	46
7	63	6	9	1	1	5	2	7	2	-	2	-	4	11	1	5	15	3	-	7	47
1	21	5	9	-	2	-	2	4	-	-	-	-	2	2	1	4	2	3	-	7	48
1	23	2	3	3	4	-	-	4	-	-	1	-	-	4	-	1	1	1	-	5	49
1	20	4	2	-	5	2	1	1	2	-	-	-	-	-	4	1	1	1	-	10	50
4	39	3	5	-	3	1	1	1	-	-	3	-	7	9	-	3	5	3	-	11	51
1	30	1	12	-	1	-	-	1	-	1	-	-	3	1	-	2	2	1	-	8	52
2	25	3	5	2	3	-	1	9	-	1	-	-	-	6	-	5	3	3	1	6	53
1	22	3	5	2	3	-	1	9	-	1	-	-	-	6	-	4	3	2	1	5	54
1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	55
2	55	12	9	-	3	-	1	4	2	1	1	1	1	9	-	8	7	1	1	13	56
-	33	10	4	-	1	-	1	3	1	-	-	-	1	6	-	5	6	1	1	9	57
2	22	2	5	-	2	-	-	1	1	1	1	1	-	3	-	3	1	-	-	4	58
1	71	13	31	4	10	5	5	6	1	2	-	-	1	5	-	6	8	5	2	16	59
-	42	6	16	3	4	3	4	3	1	2	-	-	-	2	-	3	2	3	1	12	60
1	29	7	15	1	6	2	1	3	-	-	-	-	1	3	-	3	6	2	1	4	61
-	41	3	11	1	4	1	1	6	3	2	-	-	6	24	1	13	19	5	2	12	62
-	32	3	9	1	4	-	-	6	2	1	-	-	6	21	1	-	12	2	1	8	63
-	9	-	2	-	-	1	1	-	1	1	-	-	-	3	-	13	7	3	1	4	64
1	10	-	1	-	1	1	-	1	-	-	-	-	2	3	-	-	1	-	-	1	65
3	9	4	-	-	-	-	-	-	1	2	-	1	-	1	-	4	3	-	-	3	66
-	5	1	-	-	-	-	1	-	-	-	-	-	-	3	1	-	4	-	-	-	67
-	11	-	6	5	-	-	1	1	-	-	-	-	1	-	-	2	2	-	-	4	68
-	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	69
2	49	4	4	-	2	-	6	3	1	-	2	-	2	2	-	6	3	2	-	11	70
-	6	2	1	1	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	2	71
-	15	4	6	1	3	-	2	3	2	1	-	-	-	1	1	2	8	-	-	6	72
3	74	8	7	-	9	5	2	10	3	-	2	-	5	7	-	8	5	2	-	18	73
-	44	6	3	-	7	3	-	5	-	-	2	-	3	6	-	3	2	2	-	7	74
3	30	2	4	-	2	2	2	5	3	-	-	-	2	1	-	5	3	-	-	11	75
-	2	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	2	-	-	1	76
-	8	2	-	-	-	-	-	1	-	-	-	-	-	-	-	5	2	-	-	-	77
-	31	11	27	1	3	-	1	-	1	-	-	-	2	-	1	2	2	3	-	6	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	KANSAS--Continued																
1	Jefferson	136	-	-	2	23	10	3	4	5	-	-	1	5	74	13	54
2	Jewell	112	-	-	-	20	8	2	3	1	-	1	5	3	69	15	52
3	Johnson	631	2	1	2	117	36	19	17	17	5	7	16	8	334	70	233
4	Kearny	22	-	-	1	4	2	1	-	-	-	-	1	2	5	-	5
5	Kingman	109	-	-	1	13	5	2	-	1	3	-	2	1	59	14	43
6	Kiowa	50	-	-	-	6	3	1	-	-	-	1	1	2	32	7	22
7	Labette	356	1	1	-	43	14	3	3	8	1	3	11	3	224	56	135
8	Parsons	186	-	-	-	27	9	2	3	5	1	1	6	-	122	25	80
9	Balance of county	170	1	1	-	16	5	1	-	3	-	2	5	3	102	31	55
10	Lane	23	-	-	-	3	-	1	1	-	-	-	1	2	12	3	9
11	Leavenworth	431	-	4	2	64	19	9	3	14	3	2	14	2	257	71	166
12	Leavenworth	277	-	2	-	40	11	7	1	8	1	1	11	1	167	54	103
13	Balance of county	154	-	2	2	24	8	2	2	6	2	1	3	1	90	17	63
14	Lincoln	74	-	-	1	4	3	-	-	-	-	-	1	2	44	14	28
15	Linn	121	-	-	-	16	6	2	3	4	1	-	-	1	82	22	54
16	Logan	30	-	-	-	7	1	1	1	3	-	-	1	-	17	3	11
17	Lyon	286	1	1	3	40	11	4	6	10	1	3	5	8	172	35	121
18	Emporia	194	1	1	2	28	5	1	6	8	1	3	4	4	120	28	81
19	Balance of county	92	-	-	1	12	6	3	-	2	-	-	1	4	52	7	40
20	McPherson	240	1	-	1	31	9	4	4	5	-	-	9	-	151	33	107
21	Marion	179	-	-	1	27	8	1	5	4	-	2	7	7	112	30	71
22	Marshall	227	-	-	-	29	8	4	3	5	-	4	5	5	143	45	85
23	Meade	41	-	-	-	4	3	1	-	-	-	-	-	1	24	9	13
24	Miami	179	-	-	-	25	7	3	4	3	1	3	4	6	105	19	66
25	Mitchell	118	-	-	1	11	2	-	-	3	-	2	4	-	82	19	53
26	Montgomery	571	1	1	5	77	18	12	8	14	3	3	19	11	336	60	239
27	Coffeyville	245	1	1	5	35	6	8	3	6	2	3	7	5	140	26	100
28	Independence	146	-	-	-	19	6	-	3	4	-	-	6	-	82	18	59
29	Balance of county	180	-	-	-	23	6	4	2	4	1	-	6	6	114	16	80
30	Morris	93	-	1	1	12	2	-	2	2	-	3	3	1	65	18	39
31	Morton	18	-	-	-	-	-	-	-	-	-	-	-	-	9	2	6
32	Nemaha	154	1	1	1	22	8	2	3	4	2	-	3	4	89	24	52
33	Neosho	246	4	-	3	32	8	3	2	9	2	3	5	2	149	43	92
34	Chanute	147	2	-	2	20	6	2	2	6	-	1	3	1	87	24	53
35	Balance of county	99	2	-	1	12	2	1	-	3	2	2	2	1	62	19	39
36	Ness	72	-	-	-	20	9	1	1	1	1	2	5	-	40	5	33
37	Norton	95	-	-	-	18	3	1	2	3	2	3	4	1	53	13	36
38	Osage	178	-	1	1	23	10	3	3	1	1	-	5	6	109	29	67
39	Osborne	103	1	-	-	13	6	2	-	2	-	1	2	2	69	20	39
40	Ottawa	68	-	-	-	15	6	1	3	-	-	-	5	-	35	13	18
41	Pawnee	100	1	-	-	12	3	-	1	1	1	2	4	1	65	14	48
42	Phillips	98	-	-	-	8	4	-	-	-	-	2	2	2	58	10	43
43	Pottawatomie	141	-	-	-	21	7	2	2	2	1	-	7	5	87	23	56
44	Pratt	117	-	-	1	18	2	4	1	5	2	2	2	3	72	21	43
45	Rawlins	46	-	-	-	6	3	-	-	2	1	-	-	2	23	4	19
46	Reno	535	5	2	7	86	25	8	6	13	7	9	18	8	277	61	185
47	Hutchinson	374	4	2	5	60	17	4	3	9	5	6	16	6	187	44	123
48	Balance of county	161	1	-	2	26	8	4	3	4	2	3	2	2	90	17	62
49	Republic	142	1	1	1	26	7	3	1	2	3	3	7	-	85	21	54
50	Rice	129	-	-	2	14	4	5	3	2	-	-	-	4	67	12	47
51	Riley	232	-	-	-	33	10	4	6	5	1	2	5	6	106	25	70
52	Manhattan	152	-	-	-	24	7	4	4	4	1	-	4	3	63	14	44
53	Balance of county	80	-	-	-	9	3	-	2	1	-	2	1	3	43	11	26
54	Rooks	85	-	1	1	11	3	1	2	-	-	2	3	1	53	14	34
55	Rush	81	-	-	-	17	11	1	-	2	-	1	2	1	42	10	30
56	Russell	100	2	-	-	20	6	3	2	2	1	1	5	2	55	15	37
57	Saline	408	1	-	2	46	16	3	5	5	2	4	11	6	205	67	122
58	Salina	332	1	-	-	33	14	2	4	4	1	1	7	5	169	57	97
59	Balance of county	76	-	-	2	13	2	1	1	1	1	3	4	1	36	10	25
60	Scott	34	-	-	-	6	3	2	-	-	-	-	1	-	17	5	9
61	Sedgwick	2,304	8	4	9	349	102	39	35	50	19	26	78	35	1,142	258	780
62	Wichita	1,986	7	3	7	302	89	36	30	40	18	25	64	29	987	229	663
63	Balance of county	318	1	1	2	47	13	3	5	10	1	1	14	6	155	29	117
64	Seward	125	-	1	1	17	9	3	1	1	-	-	3	2	61	12	45
65	Shawnee	1,245	-	3	6	181	44	22	18	34	10	11	42	19	715	191	451
66	Topeka	1,097	-	3	5	157	40	19	16	29	10	11	32	17	642	179	404
67	Balance of county	148	-	-	1	24	4	3	2	5	-	-	10	2	73	12	47
68	Sheridan	31	-	-	-	3	-	-	-	-	1	2	-	1	15	2	12
69	Sherman	46	-	1	-	3	1	-	-	-	-	-	2	2	28	3	22
70	Smith	80	-	-	1	11	3	1	1	-	1	-	5	-	52	15	31
71	Stafford	102	-	1	1	19	9	1	2	2	-	1	4	1	55	13	36
72	Stanton	13	-	-	-	3	2	-	-	-	-	1	-	2	4	1	3
73	Stevens	27	-	-	-	4	2	-	-	-	1	-	1	-	13	3	9
74	Sumner	263	-	1	-	32	11	3	6	2	-	1	9	3	146	48	85
75	Thomas	63	-	-	-	11	1	-	1	3	4	2	-	4	25	5	19
76	Trego	44	-	-	1	3	2	-	-	1	-	-	-	4	24	4	19
77	Wabaunsee	80	-	-	1	14	8	1	1	2	2	-	-	1	39	12	22
78	Wallace	23	-	-	-	3	3	-	-	-	-	-	-	-	12	4	7
79	Washington	136	-	-	-	21	6	1	2	5	1	4	2	2	78	19	47
80	Wichita	23	-	-	-	4	4	-	-	-	-	-	-	-	9	1	6

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	43	6	3	-	5	1	1	5	1	1	-	-	-	6	1	1	4	3	-	10	1
-	30	9	13	-	2	-	-	6	1	2	-	-	-	1	1	-	1	1	-	7	2
12	162	27	32	3	12	12	4	11	6	-	3	1	14	28	1	19	14	21	1	48	3
-	1	2	2	-	-	-	-	1	-	-	-	-	1	-	-	2	3	-	-	3	4
1	37	2	3	-	1	1	-	4	-	1	-	-	2	5	1	4	6	3	-	9	5
-	21	1	-	1	2	-	-	-	-	-	-	-	-	2	1	-	1	1	-	5	6
3	85	18	29	5	14	9	5	8	3	2	4	-	4	4	1	13	9	1	-	35	7
2	49	18	11	3	6	5	3	3	-	1	3	-	4	2	-	9	3	-	-	12	8
1	36	-	18	2	8	4	2	5	3	1	1	-	-	2	1	4	6	1	-	23	9
-	8	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	3	10
4	128	16	18	2	7	6	5	12	3	2	5	-	2	12	3	8	11	8	1	35	11
1	82	11	9	2	3	3	2	7	2	2	4	-	2	8	3	5	8	3	1	22	12
3	46	5	9	-	4	3	3	5	1	-	1	-	-	4	-	3	3	5	-	13	13
1	21	-	6	1	1	-	-	5	1	1	-	-	-	1	-	4	3	2	-	6	14
3	46	1	4	-	4	2	-	2	1	1	2	-	1	1	-	3	3	1	-	8	15
-	10	-	1	-	1	1	1	1	-	-	1	-	1	-	-	2	-	-	-	1	16
3	89	19	10	7	6	1	2	8	2	-	1	-	3	10	2	5	11	3	-	16	17
2	56	15	8	5	4	1	1	6	-	-	-	-	2	8	1	4	4	2	-	11	18
1	33	4	2	2	2	-	1	2	2	-	1	-	1	2	1	1	7	1	-	5	19
-	82	10	15	-	8	2	1	6	4	1	1	-	1	3	-	9	9	1	-	21	20
1	60	3	7	4	2	1	4	1	1	1	-	-	1	4	1	4	8	1	1	9	21
-	61	9	15	1	6	3	3	7	2	1	1	-	2	3	1	7	6	2	-	18	22
-	10	1	2	1	1	-	-	-	-	-	-	-	1	4	-	2	2	-	-	3	23
5	46	9	6	2	16	1	1	5	2	2	1	-	1	3	2	5	6	4	-	12	24
1	36	4	12	1	6	2	1	3	1	1	-	-	-	2	-	2	5	2	-	8	25
7	156	25	51	4	19	6	8	11	2	-	5	-	8	9	25	9	19	5	4	43	26
-	69	9	22	4	5	-	5	8	-	-	4	-	4	7	1	5	7	4	2	16	27
3	37	9	10	-	2	3	-	3	-	-	-	-	3	1	13	2	8	-	1	14	28
4	50	7	19	-	12	3	3	-	2	-	1	-	1	1	11	2	4	1	1	13	29
1	29	1	8	-	5	3	-	-	-	-	-	-	-	1	2	2	3	-	-	5	30
-	4	1	1	-	-	1	-	1	-	-	-	-	-	5	1	-	1	1	-	-	31
1	33	5	13	-	12	1	-	3	-	-	1	1	1	5	-	8	5	2	-	10	32
2	60	9	21	-	6	5	3	6	3	-	1	1	2	4	1	6	14	2	-	16	33
-	33	6	14	-	3	4	3	5	3	-	1	-	1	3	1	3	8	2	-	8	34
2	27	3	7	-	3	1	-	1	-	-	-	1	1	1	-	3	6	-	-	8	35
1	21	3	8	1	-	-	1	2	1	-	1	-	-	1	-	1	2	-	-	4	36
1	20	3	12	1	2	-	1	2	2	1	1	-	1	3	1	4	-	1	-	7	37
-	50	10	7	1	6	2	4	1	2	2	2	-	1	3	1	3	9	1	-	13	38
1	24	5	9	2	6	1	1	2	-	-	-	-	1	3	-	6	2	-	-	4	39
-	16	1	1	-	2	2	-	1	-	-	-	-	-	3	-	1	4	-	-	9	40
2	31	7	8	1	1	-	1	3	-	-	1	-	1	3	2	2	1	1	-	7	41
-	32	4	7	-	4	-	1	4	-	-	2	-	2	2	-	5	2	1	-	10	42
3	50	1	2	2	5	-	1	4	1	1	2	-	-	1	-	2	6	1	-	10	43
1	29	8	5	1	4	1	2	4	-	2	1	-	-	4	-	3	2	1	-	6	44
-	15	1	3	-	-	-	-	3	-	-	-	-	-	-	1	1	3	1	-	6	45
5	138	16	26	5	12	8	6	8	5	1	5	-	11	14	11	19	25	10	1	40	46
3	96	8	16	4	7	6	3	8	3	1	4	-	10	12	10	10	18	4	1	29	47
2	42	8	10	1	5	2	3	-	2	-	1	-	1	2	1	9	7	6	-	11	48
2	33	1	18	1	4	3	2	5	-	1	1	-	-	1	-	1	6	1	-	12	49
1	36	5	5	2	1	-	5	6	1	4	2	-	1	4	3	1	5	1	-	14	50
5	40	13	12	5	4	2	-	15	1	3	3	-	6	25	4	3	5	4	-	18	51
2	26	10	6	3	1	1	-	10	1	3	2	-	4	19	1	2	3	3	-	14	52
3	14	3	6	2	3	1	-	5	-	-	1	-	2	6	3	1	2	1	-	4	53
1	32	-	1	2	2	1	-	4	1	-	-	-	1	2	-	2	2	1	-	5	54
-	18	-	12	1	1	-	-	7	2	-	-	-	1	-	-	3	3	-	-	5	55
2	27	7	1	1	1	-	1	3	2	-	1	-	2	2	-	2	2	-	-	7	56
2	83	18	19	3	5	4	4	15	-	3	3	2	10	37	3	13	22	7	-	33	57
2	68	14	13	2	5	4	4	14	-	2	3	2	8	32	3	10	16	6	-	28	58
-	15	4	6	1	-	-	-	1	-	1	-	-	2	5	-	3	6	1	-	5	59
-	7	1	1	-	2	-	1	1	1	-	-	-	-	-	1	2	4	-	-	2	60
28	608	76	68	18	38	28	20	84	16	15	21	2	60	158	57	56	77	23	10	178	61
21	520	65	57	16	34	25	20	74	12	15	18	1	57	135	55	39	61	20	9	155	62
7	88	11	11	2	4	3	-	10	4	-	3	1	3	23	2	17	16	3	1	23	63
-	40	2	3	-	3	-	1	5	-	-	1	-	2	5	1	13	7	1	-	8	64
21	326	56	48	25	30	11	7	35	4	5	11	1	19	57	31	26	28	19	5	80	65
21	296	53	34	22	22	10	5	31	3	5	11	1	16	50	24	20	22	17	4	69	66
-	30	3	14	3	8	1	2	4	1	-	-	-	3	7	7	6	6	2	1	11	67
-	9	1	2	-	-	-	1	-	-	-	-	-	-	3	1	3	2	2	-	1	68
1	20	-	1	-	-	3	-	-	-	-	1	-	-	1	1	2	3	1	-	3	69
2	21	1	7	-	4	2	-	5	-	-	-	-	-	-	-	5	2	-	-	4	70
-	27	6	3	3	2	-	1	4	-	1	2	-	-	2	1	2	3	-	-	10	71
-	3	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	72
-	9	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	5	73
2	60	4	19	5	2	3	3	5	2	1	1	-	7	6	-	18	11	6	-	24	74
-	16	1	2	-	-	1	-	1	-	-	-	-	4	2	1	5	3	-	-	7	75
2	12	3	2	1	-	-	-	3	-	-	-	-	1	-	-	1	2	-	-	5	76
-	16	1	5	1	4	-	-	6	-	1	1	-	-	4	1	1	3	1	-	7	77
-	5	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	2	-	-	4	78
2	30	8	7	-	6	2	4	6	1	-	1	-	1	2	5	2	3	2	-	12	79
-	3	2	1	-	1	-	1	-	1	-	-	-	1	1	-	3	2	-	-	2	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	KANSAS—Continued																
1	Wilson	173	-	1	-	32	10	7	1	6	2	3	3	3	105	28	62
2	Woodson	69	-	1	-	17	10	2	-	5	-	-	-	1	35	9	23
3	Wyandotte	1,693	8	1	8	258	67	43	23	45	16	10	54	25	947	206	660
4	Kansas City	1,430	7	1	8	212	55	36	18	43	14	9	37	23	803	183	550
5	Balance of county	263	1	-	-	46	12	7	5	2	2	1	17	2	144	23	110
6	KENTUCKY	29,421	385	54	186	3,991	1,351	496	293	665	161	181	854	465	16,106	3,771	10,945
7	Metropolitan counties	9,479	116	20	50	1,459	503	212	111	232	62	62	277	179	5,160	1,176	3,543
8	Nonmetropolitan counties	19,942	269	34	136	2,532	848	274	182	433	99	119	577	286	10,946	2,595	7,402
9	Adair	137	4	-	2	15	4	1	1	3	-	2	4	1	80	17	54
10	Allen	176	5	-	1	15	11	1	-	1	-	1	1	1	118	22	92
11	Anderson	101	1	-	1	9	3	-	1	3	-	-	2	1	55	20	31
12	Ballard	115	3	-	-	14	6	3	-	-	-	-	5	1	71	10	61
13	Barren	276	4	1	2	39	16	4	4	4	-	3	8	5	172	49	104
14	Bath	103	2	1	-	16	3	-	2	5	1	1	4	-	57	12	44
15	Bell	333	7	1	2	43	14	4	2	10	1	2	10	2	173	45	113
16	Middlesborough	133	2	1	-	18	6	3	-	5	-	1	3	1	74	18	50
17	Balance of county	200	5	-	2	25	8	1	2	5	1	1	7	1	99	27	63
18	Boone	175	-	1	-	24	9	3	1	5	1	2	3	3	104	23	74
19	Bourbon	216	1	-	1	25	11	4	2	3	1	-	4	6	124	22	92
20	Boyd	476	4	-	6	80	29	9	5	13	3	4	17	17	248	55	167
21	Ashland	326	1	-	6	60	22	8	4	9	2	2	13	11	163	38	107
22	Balance of county	150	3	-	-	20	7	1	1	4	1	2	4	6	85	17	60
23	Boyle	216	2	1	-	23	6	2	5	2	2	1	5	8	117	29	76
24	Bracken	102	1	1	1	16	3	-	2	6	1	-	4	-	65	19	43
25	Breathitt	92	1	-	-	13	5	2	-	3	-	1	2	2	44	14	29
26	Breckinridge	177	1	1	-	29	8	5	-	3	3	3	7	3	98	25	61
27	Bullitt	117	3	-	-	18	5	4	2	3	1	-	3	1	65	15	45
28	Butler	103	1	-	-	12	4	1	-	4	1	-	2	2	66	19	46
29	Caldwell	170	6	-	1	21	10	1	-	6	-	-	4	2	103	25	67
30	Calloway	220	3	-	2	39	12	7	2	7	-	1	10	-	137	33	86
31	Campbell	952	5	2	5	155	64	19	10	22	11	3	26	30	533	104	385
32	Newport	377	4	-	2	65	25	9	6	10	6	1	8	9	205	38	153
33	Fort Thomas	160	-	-	1	33	16	4	1	5	2	1	4	7	94	23	64
34	Balance of county	415	1	2	2	57	23	6	3	7	3	1	14	14	234	43	168
35	Carlisle	85	-	-	-	11	2	1	1	2	-	3	2	-	51	12	34
36	Carroll	107	2	-	-	13	7	-	-	-	-	2	4	1	61	26	30
37	Carter	170	2	-	-	27	12	5	-	4	2	1	3	2	78	17	55
38	Casey	150	3	1	2	21	4	2	1	6	1	-	7	1	77	14	55
39	Christian	505	5	-	1	46	13	1	2	10	2	4	14	8	308	66	212
40	Hopkinsville	253	1	-	-	24	7	-	1	5	-	2	9	4	165	34	110
41	Balance of county	252	4	-	1	22	6	1	1	5	2	2	5	4	143	32	102
42	Clark	223	2	-	2	18	5	4	2	-	2	2	3	3	130	27	91
43	Clay	138	2	-	4	16	3	4	2	4	1	-	2	2	60	9	48
44	Clinton	114	1	-	-	10	5	-	1	2	-	-	2	3	59	8	49
45	Crittenden	131	2	-	-	14	4	1	-	4	2	1	2	6	80	20	54
46	Cumberland	69	3	1	1	10	3	-	-	-	-	-	7	-	37	8	24
47	Daviess	618	5	1	9	81	26	11	7	13	1	5	18	9	337	62	246
48	Owensboro	427	3	1	5	57	18	9	4	9	1	2	14	8	232	45	164
49	Balance of county	191	2	-	4	24	8	2	3	4	-	3	4	1	105	17	82
50	Edmonson	60	-	-	-	13	4	1	-	1	2	-	5	1	37	5	28
51	Elliott	50	-	-	-	7	3	-	1	1	1	-	1	-	30	7	21
52	Estill	119	6	1	-	17	4	2	-	3	2	1	5	3	64	10	49
53	Fayette	1,096	11	4	6	160	48	17	10	33	8	8	36	20	597	137	397
54	Lexington	753	8	3	3	114	32	13	5	23	5	6	30	16	401	95	261
55	Balance of county	343	3	1	3	46	16	4	5	10	3	2	6	4	196	42	136
56	Fleming	132	1	2	2	14	5	1	1	2	1	-	4	1	78	21	49
57	Floyd	315	6	1	5	40	13	9	2	2	-	2	12	4	123	27	83
58	Franklin	269	3	2	1	40	17	3	1	5	1	1	12	6	133	38	83
59	Frankfort	197	2	2	1	28	12	2	1	2	1	-	10	5	98	29	59
60	Balance of county	72	1	-	-	12	5	1	-	3	-	1	2	1	35	9	24
61	Fulton	166	-	-	2	16	5	2	1	4	-	1	3	1	97	19	76
62	Gallatin	50	-	-	-	10	2	2	-	3	-	1	2	1	28	9	19
63	Garrard	126	3	-	2	14	5	1	-	2	-	1	5	3	78	20	46
64	Grant	113	1	-	-	9	4	-	1	1	1	1	1	2	77	18	54
65	Graves	380	4	1	1	62	17	9	4	12	4	1	15	5	217	65	136
66	Grayson	172	6	-	2	28	12	1	1	4	1	-	9	1	82	10	65
67	Green	116	1	-	-	16	8	-	3	1	-	-	4	1	71	24	46
68	Greenup	238	4	-	5	38	13	9	3	4	-	1	8	2	102	24	64
69	Hancock	57	-	-	-	10	6	-	-	1	-	1	2	-	31	5	24
70	Hardin	341	3	-	4	36	13	3	2	6	1	1	10	2	151	37	91
71	Harlan	434	3	2	2	58	11	9	1	15	2	5	15	7	180	34	139
72	Harrison	186	1	-	1	19	4	4	3	3	-	1	4	4	121	21	90
73	Hart	143	1	-	1	23	10	2	3	3	-	2	3	1	81	22	54
74	Henderson	355	6	1	2	47	11	4	4	10	5	4	9	2	207	60	126
75	Henderson	234	2	1	2	33	8	3	4	6	2	3	7	1	133	38	79
76	Balance of county	121	4	-	-	14	3	1	-	4	3	1	2	1	74	22	47
77	Henry	154	4	1	1	21	4	2	3	6	1	1	4	1	80	28	44
78	Hickman	95	1	-	1	14	4	2	-	2	1	1	4	3	47	8	33

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	41	3	17	1	10	2	2	3	4	-	-	-	-	1	3	2	8	2	-	9	1
3	14	1	5	-	3	-	-	2	-	-	-	-	-	1	3	1	2	1	-	5	2
21	501	71	67	14	36	14	17	73	14	4	16	-	23	69	7	44	46	22	16	112	3
18	408	64	60	12	31	12	15	61	10	3	16	-	16	60	7	33	38	21	12	99	4
3	93	7	7	2	5	2	2	12	4	1	-	-	7	9	-	11	8	1	4	13	5
232	7,378	1,611	1,724	239	619	255	277	1,122	157	150	251	27	378	1,272	376	735	1,272	318	192	1,984	6
85	2,534	475	449	59	210	102	70	329	53	41	151	7	107	438	53	163	349	90	67	647	7
147	4,844	1,136	1,275	180	409	153	207	793	104	109	100	20	271	834	323	572	923	228	125	1,337	8
1	25	10	18	2	4	-	3	7	1	2	3	-	-	3	1	2	1	4	-	11	9
1	54	14	23	1	1	-	2	2	-	1	2	-	1	6	2	2	4	1	2	13	10
-	20	4	7	-	2	-	2	8	-	-	-	-	2	3	2	2	6	3	-	8	11
1	41	10	9	-	-	-	-	5	1	-	-	-	-	1	4	3	5	1	-	6	12
1	67	17	19	8	6	4	1	6	1	-	-	-	1	11	4	5	7	3	1	14	13
-	36	6	2	-	1	-	-	5	-	-	2	-	2	6	-	3	4	-	-	5	14
3	70	12	28	2	4	3	6	10	2	3	1	1	9	13	15	6	9	5	4	27	15
-	36	4	10	1	2	1	2	3	1	-	-	-	4	8	5	3	3	1	1	8	16
3	34	8	18	1	2	2	4	7	1	3	1	1	5	5	10	3	6	4	3	19	17
3	56	6	9	-	7	-	-	5	3	-	1	-	2	3	1	4	10	3	-	11	18
1	52	20	19	2	5	1	2	9	2	3	3	-	3	4	2	6	10	2	1	14	19
3	128	15	21	2	10	6	8	20	3	2	7	-	7	14	8	9	13	5	3	30	20
2	82	9	14	1	7	6	4	15	3	1	4	-	4	7	7	8	8	5	3	20	21
1	46	6	7	1	3	-	4	5	-	1	3	-	3	7	1	1	5	-	-	10	22
2	58	2	14	4	6	-	2	5	-	1	2	-	5	7	3	5	11	8	1	17	23
-	24	3	16	-	2	-	1	2	1	-	-	-	-	3	-	2	4	1	-	5	24
-	17	7	5	-	-	-	1	3	1	1	-	-	3	6	1	3	6	-	-	8	25
1	29	4	27	1	8	1	2	9	1	-	1	-	4	4	3	3	11	1	2	6	26
1	30	9	5	1	2	1	1	4	-	2	-	-	2	4	1	2	7	-	1	7	27
-	27	7	12	-	-	1	-	3	-	-	-	-	1	1	1	3	5	1	-	7	28
1	46	10	10	3	4	4	-	2	2	-	-	-	-	6	7	3	6	-	1	10	29
4	63	6	13	4	10	3	1	5	1	-	1	-	2	3	1	5	5	1	2	13	30
13	258	49	65	7	21	11	5	26	7	2	19	2	4	45	1	13	39	9	6	49	31
5	101	22	25	2	8	2	2	13	5	-	6	2	2	17	1	4	20	3	1	18	32
2	54	4	4	-	3	4	-	3	-	-	4	-	-	4	-	1	3	-	1	9	33
6	103	23	36	5	10	5	3	10	2	2	9	-	2	24	-	8	16	6	4	22	34
1	22	3	8	2	3	-	-	3	1	2	-	-	-	8	-	1	1	1	-	6	35
-	19	6	5	-	4	1	-	7	-	-	-	-	-	3	-	5	7	1	2	4	36
1	40	7	7	-	3	2	1	4	2	-	-	1	2	5	6	9	11	2	1	18	37
1	34	6	14	2	2	1	3	6	-	5	-	-	1	7	5	5	4	3	1	8	38
3	144	42	23	4	8	2	16	17	3	2	3	1	7	26	6	10	22	6	6	28	39
-	76	27	7	3	6	1	11	9	2	1	3	-	2	12	3	3	4	2	2	16	40
3	68	15	16	1	2	1	5	8	1	1	-	1	5	14	3	7	18	4	4	12	41
2	67	11	11	1	6	2	3	11	-	2	3	-	3	8	1	6	12	4	-	18	42
3	35	5	5	-	1	1	1	6	-	3	1	-	4	11	10	3	4	2	3	7	43
1	29	15	4	2	-	-	-	10	-	-	-	-	5	7	1	7	6	-	1	4	44
1	35	3	15	1	5	-	-	4	1	-	-	-	1	4	8	-	6	-	-	5	45
-	11	12	1	1	3	-	1	2	-	2	1	-	1	1	2	2	2	2	-	2	46
4	171	49	22	7	7	5	10	14	2	2	5	-	18	34	3	14	22	4	3	35	47
2	115	32	15	6	5	5	7	9	1	2	5	-	13	24	2	6	16	1	2	10	48
2	56	17	7	1	2	-	3	5	1	-	-	-	5	10	1	8	6	3	1	15	49
-	17	8	3	1	-	2	1	-	-	1	-	-	1	2	2	-	1	-	-	2	50
-	15	4	2	2	-	-	-	1	-	-	1	1	-	3	1	-	1	1	1	2	51
3	31	6	9	1	1	1	2	3	1	1	-	-	1	4	4	4	5	1	-	2	52
6	259	49	83	7	31	15	10	40	6	7	10	-	15	54	3	17	44	12	14	76	53
3	161	33	64	3	21	13	8	29	5	6	8	-	9	36	3	9	31	9	13	50	54
3	98	16	19	4	10	2	2	11	1	1	2	-	6	18	-	8	13	3	1	26	55
-	41	3	5	2	2	2	2	6	2	1	2	-	4	4	-	6	6	-	1	6	56
1	52	15	15	2	3	2	2	21	2	2	3	-	2	15	11	37	21	2	3	29	57
2	82	10	9	3	5	4	2	16	6	1	3	-	1	11	4	7	13	2	1	22	58
2	41	8	8	3	3	2	2	12	5	1	3	-	-	6	3	6	7	-	1	11	59
-	21	2	1	-	-	1	-	4	1	-	-	-	1	2	1	1	6	2	-	6	60
1	39	20	16	1	-	-	-	6	-	-	1	-	2	6	4	3	12	3	-	6	61
1	12	5	1	-	-	-	-	1	-	-	-	-	2	2	-	-	4	-	-	2	62
1	38	3	4	-	1	-	1	4	-	-	1	-	2	5	2	2	6	-	1	2	63
1	43	6	4	-	1	-	2	2	-	-	-	-	1	3	-	4	4	1	-	4	64
2	96	18	20	6	6	2	2	13	3	4	2	-	1	8	7	6	18	2	1	6	65
1	35	16	13	-	3	3	3	6	1	-	-	1	-	6	6	6	8	1	1	6	66
1	28	10	7	-	-	1	1	1	1	-	-	-	-	3	3	2	6	-	-	3	67
-	43	15	6	4	1	1	5	12	3	-	2	-	8	12	2	8	12	3	2	8	68
3	15	1	5	-	-	-	-	1	1	-	-	-	1	1	1	3	2	-	-	3	69
2	62	6	21	2	2	1	-	14	5	3	-	-	11	4	4	11	28	2	5	10	70
4	95	24	16	1	3	2	2	21	2	2	3	-	5	8	7	21	32	7	12	14	71
1	56	7	26	3	2	1	1	7	-	-	-	-	-	3	2	1	4	4	1	4	72
1	37	11	5	2	2	-	-	8	-	-	-	-	-	2	2	2	5	3	-	11	73
2	90	22	12	5	10	2	2	11	2	3	2	-	6	5	2	6	8	2	1	24	74
1	58	16	6	5	5	1	1	7	-	2	2	-	5	1	3	3	6	2	1	15	75
1	34	6	6	-	1	-	-	4	2	1	-	-	1	1	3	2	3	1	-	7	76
1	29	7	7	-	2	1	2	4	-	3	3	-	-	4	2	10	5	1	1	9	77
2	22	7	2	2	1	1	1	4	-	-	-	-	-	5	2	3	8	-	2	18	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	KENTUCKY--Continued																
1	Hopkins	419	3	-	1	53	15	3	6	7	3	3	16	4	244	62	154
2	Madisonville	147	-	-	1	17	4	1	1	2	2	1	6	2	97	28	57
3	Balance of county	272	3	-	-	36	11	2	5	5	1	2	10	2	147	34	97
4	Jackson	75	4	-	-	8	5	1	-	-	-	-	2	-	48	17	29
5	Jefferson	5,725	92	12	26	857	298	135	70	127	34	37	156	89	3,117	762	2,109
6	Louisville	4,639	76	12	19	687	237	105	54	113	29	25	124	73	2,566	634	1,724
7	Balance of county	1,086	16	-	7	170	61	30	16	14	5	12	32	16	551	128	385
8	Jessamine	123	1	1	1	13	5	2	1	2	1	-	2	2	79	8	67
9	Johnson	214	4	-	2	27	9	1	2	3	-	3	9	5	119	35	75
10	Kenton	1,230	4	2	7	207	64	32	16	37	6	10	42	23	665	118	485
11	Covington	787	2	1	5	135	44	25	11	23	3	5	24	15	402	70	287
12	Balance of county	443	2	1	2	72	20	7	5	14	3	5	18	8	263	48	198
13	Knott	102	3	-	-	10	3	2	1	-	-	1	3	3	38	9	26
14	Knox	227	1	-	4	37	9	5	4	8	4	-	7	4	114	26	78
15	Larue	98	2	-	-	11	4	1	2	2	1	-	1	1	53	11	37
16	Laurel	241	1	-	3	31	9	2	-	8	1	4	7	3	138	32	98
17	Lawrence	128	-	-	2	21	13	2	-	2	1	1	2	5	75	13	53
18	Lee	76	4	1	-	8	4	-	1	1	-	1	1	-	45	16	26
19	Leslie	74	1	-	1	9	5	-	-	1	-	-	3	-	26	5	20
20	Letcher	229	6	1	-	26	8	3	2	7	-	-	6	5	96	18	69
21	Lewis	148	1	-	1	18	5	2	1	2	-	1	7	-	75	14	55
22	Lincoln	186	-	1	3	19	8	-	-	3	3	2	3	3	98	32	56
23	Livingston	77	2	-	-	7	4	-	-	1	-	-	2	3	42	16	21
24	Logan	247	2	1	2	36	14	1	3	7	1	1	9	-	148	26	109
25	Lyon	57	2	-	1	8	4	-	-	2	-	-	2	-	28	4	21
26	McCracken	619	6	1	6	96	24	17	13	14	5	4	19	8	348	99	223
27	Paducah	473	4	1	5	71	20	15	8	12	4	2	12	6	270	76	178
28	Balance of county	146	2	-	1	25	4	2	7	2	1	2	7	2	78	23	45
29	McCreary	125	2	-	2	15	6	2	1	2	-	1	3	1	63	12	46
30	McLean	98	-	-	-	5	3	-	1	1	-	-	-	1	69	13	54
31	Madison	290	1	-	2	42	14	6	3	8	1	-	10	5	157	36	107
32	Richmond	131	1	-	-	21	6	3	2	5	-	-	5	3	71	17	44
33	Balance of county	159	-	-	2	21	8	3	1	3	1	-	5	2	86	19	63
34	Magoffin	81	3	-	1	11	4	1	-	3	1	1	1	-	32	12	17
35	Marion	177	-	-	1	18	6	-	1	3	2	1	5	3	97	25	62
36	Marshall	141	2	-	-	20	7	4	1	5	1	-	2	3	95	21	64
37	Martin	84	5	-	1	7	5	-	-	1	1	-	-	1	36	10	24
38	Mason	228	4	-	1	25	8	5	3	4	-	1	4	3	160	23	123
39	Meade	94	-	-	-	8	3	-	1	2	1	-	1	2	58	15	39
40	Menifee	49	-	-	2	9	3	1	-	2	-	1	2	2	18	6	10
41	Mercer	153	2	1	-	28	8	4	2	5	3	-	7	2	81	16	54
42	Metcalfe	100	1	-	-	6	3	-	-	1	-	-	2	2	57	16	40
43	Monroe	123	5	1	2	17	4	3	3	3	-	1	3	2	66	24	33
44	Montgomery	158	2	2	2	22	6	2	4	4	-	-	6	-	79	16	56
45	Morgan	136	2	-	2	21	6	-	3	3	1	1	7	1	68	12	56
46	Muhlenberg	342	3	-	2	54	27	7	-	6	3	1	10	8	197	35	146
47	Nelson	206	2	-	-	24	10	2	3	2	1	3	3	1	119	26	82
48	Nicholas	101	1	-	1	12	5	2	1	-	1	-	3	1	67	24	37
49	Ohio	225	2	-	1	29	13	1	3	5	2	-	5	4	131	29	90
50	Oldham	109	-	-	-	19	7	3	1	3	1	1	3	1	61	25	27
51	Owen	87	1	-	-	9	4	1	-	4	-	-	-	2	52	15	32
52	Owsley	64	1	-	1	4	-	1	-	-	1	1	1	2	43	15	26
53	Pendleton	110	-	-	-	9	6	1	-	2	-	-	-	2	72	8	63
54	Perry	252	8	-	1	29	7	4	1	5	2	5	5	5	114	32	70
55	Pike	446	9	1	8	47	11	6	4	11	1	2	12	2	192	55	119
56	Powell	61	-	1	1	4	2	1	-	1	-	-	-	-	35	5	21
57	Pulaski	363	3	-	2	44	16	3	2	10	-	-	13	5	196	53	127
58	Robertson	45	-	-	-	7	2	-	1	2	-	1	1	-	27	5	21
59	Rockcastle	108	2	-	1	10	5	-	1	2	-	-	2	5	62	17	35
60	Rowan	102	2	-	-	22	8	3	4	1	2	1	3	1	43	12	23
61	Russell	111	4	-	-	11	3	2	1	1	-	-	4	2	74	15	52
62	Scott	194	-	-	1	21	6	-	2	3	-	1	9	5	118	30	73
63	Shelby	218	2	-	1	18	5	1	-	6	1	1	4	5	128	24	87
64	Simpson	147	8	-	1	18	4	3	3	5	-	1	2	1	80	13	63
65	Spencer	67	-	-	1	9	4	1	1	1	-	1	1	3	38	17	18
66	Taylor	146	1	-	1	17	5	-	1	4	-	2	5	2	88	27	55
67	Todd	155	1	-	-	15	5	-	3	2	-	-	5	2	94	19	68
68	Trigg	93	1	-	-	10	2	-	2	3	-	2	1	3	51	12	36
69	Trimble	43	-	-	-	2	-	-	1	-	-	-	1	-	31	13	16
70	Union	148	2	-	-	18	4	3	-	3	1	1	6	1	85	21	60
71	Warren	488	5	1	2	68	22	6	6	15	2	3	14	9	264	62	172
72	Bowling Green	299	3	-	2	46	14	4	4	13	1	1	11	4	157	37	101
73	Balance of county	189	2	1	-	20	8	2	2	2	1	2	3	5	107	25	71
74	Washington	123	1	-	1	11	1	3	-	1	1	-	5	7	69	15	48
75	Wayne	137	3	-	1	15	6	1	1	4	-	1	2	1	77	10	62
76	Webster	215	2	-	1	34	11	4	1	4	2	-	12	-	129	37	78
77	Whitley	273	5	-	1	34	9	5	5	4	1	-	10	3	142	32	98
78	Wolfe	61	2	-	-	6	4	-	-	1	-	-	1	2	30	4	25
79	Woodford	114	-	-	-	19	11	3	1	1	-	2	1	3	45	8	34

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital mal formations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	108	20	21	7	15	3	3	16	2	1	2	-	6	17	-	10	30	6	1	23	1
2	44	6	5	4	5	2	1	2	-	-	-	-	-	4	-	4	9	3	1	7	2
3	64	14	16	3	10	1	2	14	2	1	2	-	6	13	-	6	21	3	-	16	3
-	28	-	1	-	1	1	-	2	-	-	-	-	1	3	1	1	3	1	-	3	4
58	1,538	314	199	36	107	59	44	207	32	23	83	4	65	270	36	105	208	54	41	404	5
43	1,256	260	165	33	89	51	35	166	27	21	72	2	41	205	30	75	174	39	36	318	6
15	282	54	34	3	18	8	9	41	5	2	11	2	24	65	6	30	34	15	5	86	7
3	50	5	9	-	1	1	2	-	1	-	-	1	3	3	2	-	7	1	-	8	8
2	61	2	10	1	5	1	2	6	1	-	1	-	4	14	3	6	11	3	-	8	9
5	351	48	81	7	41	11	3	36	5	7	32	1	16	55	5	19	45	10	3	88	10
2	202	30	53	7	29	8	1	27	4	4	27	-	11	42	3	9	33	6	1	60	11
3	149	18	28	-	12	3	2	9	1	3	5	1	5	13	2	10	12	4	2	28	12
-	19	3	4	-	3	-	-	12	1	2	1	-	1	5	4	7	7	-	1	7	13
-	51	12	15	1	4	2	3	10	2	-	-	-	3	5	3	8	17	2	-	17	14
-	25	10	2	1	2	-	2	4	1	1	1	1	1	5	2	5	4	1	-	5	15
3	69	21	5	-	3	2	3	16	-	-	-	-	3	5	2	5	13	3	1	17	16
-	32	7	14	1	3	1	4	7	-	-	-	-	1	4	1	5	3	-	-	4	17
2	23	1	-	1	1	1	-	3	-	-	-	-	1	4	-	-	3	1	-	6	18
-	14	2	4	-	1	-	-	1	2	2	-	-	1	5	4	6	6	-	3	7	19
6	34	19	10	5	-	3	1	16	2	2	2	-	4	20	5	7	15	1	4	17	20
2	31	6	16	1	2	2	1	13	-	1	2	1	3	4	2	8	9	1	-	9	21
-	35	6	15	1	6	2	1	10	-	2	2	1	-	13	4	14	3	-	2	11	22
-	16	-	5	1	3	1	-	7	-	-	-	-	1	4	2	1	-	1	-	7	23
4	71	17	17	2	7	3	1	6	1	1	1	-	4	13	6	4	10	2	1	9	24
-	18	3	-	2	-	-	1	1	-	-	-	-	1	1	1	2	6	-	1	5	25
3	166	24	30	7	11	4	4	7	3	4	5	1	9	26	3	14	33	8	4	37	26
3	128	22	25	4	7	3	2	6	2	4	5	1	5	17	1	12	26	5	4	28	27
-	38	2	5	3	4	1	2	1	1	-	-	-	4	9	2	2	7	3	-	9	28
1	28	3	14	1	4	-	-	11	-	1	3	-	4	4	7	-	5	2	-	5	29
-	29	6	19	-	1	-	1	1	-	-	1	-	2	5	1	3	3	2	1	4	30
2	71	23	11	2	5	4	3	10	1	3	1	1	2	10	5	11	16	3	2	18	31
1	29	8	6	1	3	3	3	5	-	-	1	-	1	5	2	6	9	-	1	5	32
1	42	15	5	1	2	1	-	5	1	3	-	1	1	5	3	5	7	3	1	13	33
-	8	9	-	-	1	1	1	9	-	-	-	-	-	2	2	2	11	2	1	5	34
2	36	13	11	-	9	-	1	7	-	4	-	-	4	14	-	2	13	1	-	13	35
2	47	9	6	1	4	-	5	-	1	-	-	-	-	3	-	2	6	4	-	5	36
-	9	4	11	-	-	-	2	8	-	1	-	-	2	6	8	2	1	1	-	5	37
-	82	7	34	7	4	-	3	8	-	1	-	-	1	5	1	2	8	5	-	4	38
-	25	3	11	-	3	-	1	5	-	1	-	-	-	5	-	5	4	1	-	5	39
2	5	1	2	-	1	-	1	-	-	-	-	-	-	1	3	2	2	2	1	7	40
1	37	13	3	-	9	2	-	5	2	-	1	-	-	6	-	5	4	1	1	13	41
-	21	9	10	-	1	-	-	3	1	1	1	-	2	3	1	4	6	2	-	10	42
-	27	2	4	1	6	-	2	5	-	-	-	1	2	7	-	2	2	2	1	8	43
-	47	8	1	-	5	2	-	7	1	-	-	1	4	10	1	6	9	1	2	9	44
-	27	25	4	-	-	-	-	10	1	2	-	1	1	4	-	4	7	3	4	5	45
3	92	41	10	1	8	3	4	9	1	2	2	-	2	13	1	9	10	2	4	23	46
1	60	16	5	-	3	5	3	15	-	1	1	-	4	8	-	7	7	3	2	12	47
1	31	2	3	1	2	2	1	4	-	1	1	-	-	1	-	-	-	1	-	11	48
1	49	15	25	3	-	2	7	9	2	-	-	-	2	10	6	5	4	1	-	19	49
2	18	2	5	-	5	1	3	9	1	-	2	-	2	1	-	2	2	2	1	6	50
3	25	1	3	-	4	1	-	3	1	-	-	-	-	3	-	6	-	3	-	7	51
2	22	2	-	-	1	1	-	4	-	2	-	-	-	2	-	1	2	-	-	2	52
-	31	14	18	-	-	1	-	6	-	1	2	-	1	1	1	1	4	4	-	6	53
2	56	4	8	3	5	2	2	9	1	5	-	-	7	18	8	8	12	3	3	21	54
5	73	15	26	4	4	5	5	20	1	2	1	-	10	38	10	15	36	6	3	45	55
-	9	1	11	2	5	1	1	7	-	-	-	-	2	1	-	1	2	-	3	4	56
6	90	14	17	3	5	2	6	15	4	-	1	-	6	22	8	14	17	6	1	19	57
-	16	3	2	-	-	1	-	3	-	-	-	-	-	-	4	-	-	2	-	2	58
1	14	11	9	2	6	-	2	4	-	-	1	-	4	3	1	5	1	-	-	9	59
1	15	3	4	1	4	1	2	2	-	-	1	-	3	4	3	5	3	2	-	11	60
2	31	7	12	1	3	-	3	4	2	-	-	-	1	2	1	2	6	1	-	1	61
2	40	12	19	3	8	-	4	7	2	3	-	-	1	5	1	4	8	3	-	15	62
-	67	12	8	5	7	3	2	11	2	1	2	-	3	9	3	3	16	1	2	11	63
-	30	11	22	-	-	1	3	3	-	-	-	1	-	3	5	6	7	3	-	11	64
-	11	1	6	-	1	1	1	1	-	-	-	-	1	3	-	2	1	3	-	5	65
-	38	9	8	-	4	1	1	6	-	-	-	-	1	4	1	4	6	2	2	11	66
-	42	9	17	-	2	4	1	8	1	-	3	1	-	6	1	3	2	4	1	14	67
-	24	5	7	-	2	-	1	6	1	-	2	-	-	3	1	5	5	1	-	4	68
-	12	3	1	-	2	-	-	1	1	-	-	-	-	-	-	1	4	1	1	1	69
2	36	5	17	2	1	-	1	5	2	-	1	-	2	3	2	2	14	2	1	8	70
2	108	22	40	8	10	10	2	30	-	1	2	2	4	19	5	11	22	6	2	35	71
-	70	9	22	6	9	3	1	15	-	1	2	2	3	11	2	5	15	5	2	22	72
2	38	13	18	2	1	7	1	15	-	-	-	-	1	8	3	6	7	1	-	13	73
1	35	9	3	-	6	-	-	5	1	2	1	-	5	7	-	2	1	3	1	6	74
-	24	30	8	-	2	1	2	5	2	1	-	-	2	2	6	4	3	1	-	14	75
-	35	13	30	2	6	-	6	5	2	1	-	-	3	4	2	5	8	1	-	12	76
2	43	10	43	2	4	4	2	6	2	2	1	-	4	11	12	9	14	-	2	25	77
-	12	11	2	-	1	-	-	5	-	1	-	-	-	2	-	4	2	1	-	6	78
1	25	-	8	1	1	-	1	4	1	-	1	-	2	6	4	6	5	3	-	15	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
1	LOUISIANA	28,889	290	133	229	3,938	1,261	571	267	609	179	209	842	535	14,520	2,850	10,428
2	Metropolitan parishes	12,129	135	71	79	1,782	545	278	143	266	93	90	367	252	6,078	1,041	4,569
3	Nonmetroplitan parishes	16,760	155	62	150	2,156	716	293	124	343	86	119	475	283	8,442	1,809	5,859
4	Acadia	418	6	-	5	61	26	11	4	10	1	5	4	14	213	47	138
5	Crowley	138	-	-	1	24	8	4	2	6	-	3	1	2	70	18	44
6	Balance of parish	280	6	-	4	37	18	7	2	4	1	2	3	12	143	29	94
7	Allen	208	3	1	1	25	6	6	-	3	1	2	7	2	96	21	68
8	Ascension	260	3	1	2	28	8	10	-	1	1	1	7	10	128	18	99
9	Assumption	194	-	1	1	29	7	8	2	2	2	2	6	5	104	17	74
10	Avoyelles	425	6	1	7	55	22	7	1	3	5	1	16	4	230	48	167
11	Beauregard	196	1	-	5	33	13	6	1	1	1	1	10	3	95	27	64
12	Bienville	207	1	1	2	33	9	1	4	7	-	1	11	8	97	20	56
13	Bossier	352	-	2	2	28	9	2	-	7	2	1	7	5	164	34	120
14	Bossier City	169	-	1	1	16	6	2	-	3	1	1	3	1	73	9	60
15	Balance of parish	183	-	1	1	12	3	-	-	4	1	-	4	4	91	25	60
16	Caddo	1,995	22	9	10	291	83	32	23	57	13	13	70	36	972	208	701
17	Shreveport	1,560	18	8	7	227	65	25	18	44	11	10	54	25	753	164	540
18	Balance of parish	435	4	1	3	64	18	7	5	13	2	3	16	11	219	44	161
19	Calcasieu	949	8	4	12	136	39	19	12	22	8	8	28	9	431	84	314
20	Lake Charles	460	4	1	8	67	23	5	7	14	5	1	12	4	217	39	162
21	Balance of parish	489	4	3	4	69	16	14	5	8	3	7	16	5	214	45	152
22	Caldwell	98	1	-	-	17	6	1	-	4	-	2	4	-	50	18	30
23	Cameron	38	-	-	-	8	5	2	-	-	-	-	1	1	17	3	11
24	Catahoula	91	1	-	2	10	3	2	1	1	1	1	1	1	45	13	24
25	Claiborne	220	2	1	-	23	4	5	3	6	1	1	3	3	133	23	103
26	Concordia	193	3	1	1	18	3	5	1	2	1	2	4	4	98	23	67
27	De Soto	258	-	-	-	32	11	4	3	7	-	3	4	3	137	45	88
28	East Baton Rouge	1,576	7	10	17	229	61	24	24	39	14	15	52	32	751	148	526
29	Baton Rouge	1,241	6	7	14	180	47	19	19	32	11	11	41	22	607	114	430
30	Balance of parish	335	1	3	3	49	14	5	5	7	3	4	11	10	144	34	96
31	East Carroll	172	-	-	2	15	3	3	2	3	1	-	3	3	99	47	44
32	East Feliciana	151	2	1	-	13	6	-	1	1	1	2	2	-	86	13	60
33	Evangeline	277	3	1	-	42	17	3	1	7	-	1	13	2	140	24	107
34	Franklin	201	2	-	1	25	11	4	-	5	-	2	3	2	116	34	69
35	Grant	133	1	1	1	22	8	4	-	4	-	1	5	2	75	15	55
36	Iberia	461	4	2	7	84	25	11	8	15	3	4	18	7	201	39	145
37	New Iberia	233	3	1	2	39	11	4	4	9	2	-	9	3	110	24	75
38	Balance of parish	228	1	1	5	45	14	7	4	6	1	4	9	4	91	15	70
39	Iberville	321	2	-	2	33	9	6	-	7	1	3	7	-	185	48	122
40	Jackson	138	-	-	-	14	5	1	-	4	-	-	4	4	62	14	42
41	Jefferson	1,235	12	3	8	185	44	42	20	18	7	13	41	25	574	82	443
42	Gretna	190	2	1	-	24	5	7	4	1	-	3	4	4	91	13	67
43	Balance of parish	1,045	10	2	8	161	39	35	16	17	7	10	37	21	483	69	376
44	Jefferson Davis	222	3	1	3	34	14	5	2	5	1	-	7	2	118	27	80
45	Lafayette	543	7	5	5	70	20	13	2	8	3	7	17	14	256	52	178
46	Lafayette	344	4	5	4	43	13	8	1	6	2	4	9	10	162	39	111
47	Balance of parish	199	3	-	1	27	7	5	1	2	1	3	8	4	94	13	67
48	Lafourche	402	3	3	2	46	14	9	5	8	2	3	5	9	182	35	137
49	La Salle	113	1	-	-	16	8	2	-	2	1	2	1	-	69	13	44
50	Lincoln	201	2	-	2	29	8	1	-	9	1	2	8	2	100	22	60
51	Ruston	83	1	-	-	15	3	1	-	4	1	1	5	1	41	10	24
52	Balance of parish	118	1	-	2	14	5	-	-	5	-	1	3	1	59	12	36
53	Livingston	217	3	2	1	27	9	5	-	3	-	2	8	1	80	16	58
54	Madison	195	2	-	2	19	2	2	3	3	2	2	5	-	78	24	47
55	Morehouse	326	4	3	2	20	6	-	2	6	1	2	3	4	187	39	132
56	Bastrop	137	3	1	1	6	1	-	1	2	-	-	2	3	77	11	59
57	Balance of parish	189	1	2	1	14	5	-	1	4	1	2	1	1	110	28	73
58	Natchitoches	365	1	2	2	44	15	5	2	8	1	1	12	3	210	65	132
59	Orleans, coextensive with New Orleans	7,181	92	48	44	1,062	355	177	74	150	59	48	199	158	3,705	594	2,839
60	Ouachita	890	14	3	6	112	35	13	7	18	3	5	31	16	473	75	337
61	Monroe	559	9	3	4	71	29	6	3	10	3	3	17	11	284	43	205
62	West Monroe	137	2	-	1	17	2	4	-	4	-	-	7	3	74	11	55
63	Balance of parish	194	3	-	1	24	4	3	4	4	-	2	7	2	115	21	77
64	Plaquemines	146	-	-	2	7	4	-	1	2	-	-	-	3	62	16	43
65	Pointe Coupee	246	4	1	2	38	18	5	-	7	2	1	5	1	116	28	77
66	Rapides	1,004	6	4	7	134	46	21	4	15	7	10	31	15	531	110	355
67	Alexandria	497	3	-	4	69	24	12	3	8	2	5	15	11	270	48	179
68	Balance of parish	507	3	4	3	65	22	9	1	7	5	5	16	4	261	62	176
69	Red River	132	2	1	1	11	2	1	2	2	-	-	4	2	55	21	31
70	Richland	270	2	-	3	33	10	6	5	2	3	1	6	4	147	37	96
71	Sabine	173	2	-	2	21	5	-	1	7	-	3	5	3	104	27	66
72	St. Bernard	142	2	1	-	15	2	3	2	2	-	1	5	1	76	9	60
73	St. Charles	128	1	1	1	15	4	-	1	4	-	2	4	5	59	16	40
74	St. Helena	60	-	1	-	4	-	-	-	2	-	-	2	-	32	8	21
75	St. James	169	1	-	4	19	9	2	2	2	3	-	1	6	96	21	65
76	St. John the Baptist	111	-	2	2	22	6	4	-	4	1	3	4	-	53	11	36
77	St. Landry	677	8	2	13	83	18	10	5	19	4	4	23	8	293	47	228
78	Opelousas	187	2	1	1	21	8	5	1	3	1	-	3	2	86	18	65
79	Balance of parish	490	6	1	12	62	10	5	4	16	3	4	20	6	207	29	163

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
160	6,960	1,848	1,460	210	447	281	304	1,150	155	180	247	54	501	1,904	322	810	1,207	241	244	2,229	1
68	3,018	881	602	75	173	109	111	425	72	56	150	18	227	784	62	259	458	96	116	1,009	2
92	3,942	967	858	135	274	172	193	725	83	124	97	36	274	1,120	260	551	749	145	128	1,220	3
3	96	19	20	4	10	6	8	8	2	5	5	1	7	23	4	19	9	5	-	31	4
1	29	7	7	2	2	2	2	5	-	-	4	-	1	9	-	7	3	1	-	11	5
2	67	12	13	2	8	4	6	3	2	5	1	1	6	14	4	12	6	4	-	20	6
-	53	12	3	-	5	1	1	12	1	-	2	-	6	12	5	7	12	2	1	20	7
1	58	17	23	5	4	1	1	5	4	2	-	-	6	11	9	11	11	1	2	26	8
-	42	14	18	1	6	5	1	12	1	-	1	-	2	12	1	3	5	-	2	15	9
4	126	24	13	4	4	5	2	16	-	5	1	-	7	15	3	14	32	4	1	24	10
1	54	1	8	-	1	1	2	7	-	1	-	-	5	9	-	8	9	2	2	16	11
-	29	10	17	3	6	2	10	9	-	-	1	2	2	9	10	7	9	2	-	14	12
2	82	22	14	1	3	3	3	25	1	2	3	2	4	42	3	10	21	5	4	29	13
2	43	9	6	-	2	2	-	11	1	2	1	1	3	20	1	7	12	2	3	13	14
-	39	13	8	1	1	1	3	14	-	-	2	1	1	22	2	3	9	3	1	16	15
5	389	206	91	8	17	13	25	85	10	11	16	4	24	141	13	66	80	18	32	155	16
4	315	142	79	6	12	12	19	59	9	8	14	3	20	115	12	46	67	15	26	128	17
1	84	64	12	2	5	1	6	26	1	3	2	1	4	26	1	20	13	3	6	27	18
7	231	45	31	6	5	10	12	35	6	9	4	3	27	93	10	25	50	11	6	70	19
5	110	29	18	2	2	6	6	16	4	2	2	2	16	48	3	8	18	5	2	33	20
2	121	16	13	4	3	4	6	19	2	7	2	1	11	45	7	17	32	6	4	37	21
-	22	3	5	1	-	1	-	3	-	-	-	-	4	2	3	4	5	-	-	9	22
-	5	-	6	1	1	-	1	1	-	-	-	-	1	3	1	-	2	1	-	3	23
-	19	2	3	-	5	2	1	6	-	2	-	-	1	8	2	2	2	-	1	8	24
1	90	9	3	1	3	2	1	15	1	1	2	-	2	13	1	5	7	-	1	10	25
1	17	24	25	4	1	2	1	5	-	-	-	3	-	13	7	12	11	-	2	15	26
-	56	13	19	-	2	2	-	11	2	1	1	-	5	17	6	5	6	4	2	26	27
9	318	89	110	13	33	18	13	37	9	13	14	3	44	113	6	63	70	17	13	128	28
8	260	76	86	11	28	14	10	31	9	11	12	2	24	81	4	48	57	14	9	103	29
1	58	13	24	2	5	4	3	6	-	2	2	1	20	32	2	15	13	3	4	25	30
-	26	12	6	1	4	2	1	11	-	4	1	-	1	12	4	2	4	1	-	13	31
1	32	14	13	1	4	3	5	12	1	3	2	-	2	9	-	3	1	5	1	10	32
-	63	31	13	2	4	3	-	15	2	4	4	-	2	13	1	12	6	8	1	21	33
1	41	12	15	2	5	4	2	10	-	1	-	1	4	11	1	4	8	1	-	14	34
-	42	4	9	1	2	1	1	-	1	-	-	-	3	6	1	9	5	1	-	5	35
2	90	17	36	3	5	4	5	22	2	6	4	-	9	36	9	11	23	3	1	30	36
-	40	7	28	2	3	4	2	8	-	3	3	-	5	18	7	7	13	-	-	11	37
2	50	10	8	1	2	-	3	14	2	3	1	-	4	18	2	4	10	3	1	19	38
2	82	26	12	1	6	2	6	10	3	-	1	4	4	18	1	11	21	1	6	19	39
1	31	7	3	2	-	2	2	8	1	2	-	-	-	5	27	1	5	-	1	8	40
9	316	62	56	8	18	11	12	40	4	6	11	1	30	116	2	26	56	11	12	113	41
-	43	17	7	3	5	2	1	4	3	-	1	-	3	23	1	6	9	1	-	17	42
9	273	45	49	5	13	9	11	36	1	6	10	1	27	93	1	20	47	10	12	96	43
2	64	8	6	3	5	2	1	9	-	-	2	-	6	13	-	9	8	-	1	13	44
8	125	19	26	8	12	3	3	21	2	4	3	-	9	48	5	15	26	4	3	46	45
6	75	13	17	4	5	2	1	10	1	4	1	-	6	33	3	8	13	1	2	34	46
2	50	6	9	4	7	1	2	11	1	-	2	-	3	15	2	7	13	3	1	12	47
3	108	17	9	-	4	4	2	15	2	3	3	1	13	36	1	22	22	4	-	35	48
1	29	9	5	-	5	2	5	4	-	-	-	1	1	9	2	1	2	-	-	7	49
-	38	7	15	4	5	4	5	6	1	-	3	1	3	11	10	11	9	1	2	8	50
-	14	2	8	2	-	3	2	2	1	-	2	-	1	7	2	6	2	-	1	1	51
-	24	5	7	2	5	1	3	4	-	-	1	1	2	4	8	5	7	1	1	7	52
-	32	7	19	2	3	1	-	6	-	2	3	-	7	24	4	17	14	5	2	19	53
1	22	10	14	2	2	1	2	5	-	-	-	-	4	9	37	1	14	1	3	20	54
1	55	40	36	3	5	4	4	13	3	5	1	1	6	25	3	10	12	3	1	23	55
1	25	20	13	2	2	2	1	3	1	-	-	1	2	12	1	5	5	1	1	14	56
-	30	20	23	1	3	2	3	10	2	5	1	-	4	13	2	5	7	2	-	9	57
3	88	16	25	2	5	4	2	14	2	-	2	1	5	11	4	15	20	3	4	22	58
42	1,945	514	338	46	103	63	60	257	47	24	108	10	125	404	40	100	247	46	59	605	59
3	244	51	39	18	6	13	24	31	7	-	8	-	20	51	6	20	31	8	12	72	60
1	139	35	30	9	3	7	17	21	5	-	6	-	13	36	4	11	17	5	10	49	61
1	45	7	2	5	-	2	1	5	-	-	2	-	5	9	2	1	6	1	1	8	62
1	60	9	7	4	3	4	6	5	2	-	-	-	2	6	-	8	8	2	1	15	63
-	30	6	7	1	-	1	1	6	2	1	2	-	3	13	3	6	18	-	2	16	64
1	30	30	16	3	3	1	4	15	2	4	-	-	-	18	4	10	10	3	-	18	65
9	267	44	35	14	22	13	17	51	4	3	4	2	10	70	10	26	49	2	10	66	66
5	129	28	17	9	15	8	11	16	1	2	4	-	5	36	6	10	17	2	9	32	67
4	138	16	18	5	7	5	6	35	3	1	-	2	5	34	4	16	32	-	1	34	68
1	17	4	9	-	2	1	-	2	1	4	-	-	1	6	14	7	7	4	-	14	69
-	73	16	7	1	6	4	3	11	-	6	4	1	3	14	1	8	9	-	2	21	70
1	51	11	3	-	5	4	2	7	-	-	2	-	1	10	-	2	9	5	1	6	71
3	40	10	7	-	2	4	1	6	2	2	1	-	4	10	1	4	5	4	-	8	72
2	27	8	3	1	2	-	-	4	2	1	1	-	5	12	2	3	5	1	-	10	73
-	13	5	3	1	1	-	1	3	-	-	-	-	-	2	2	2	3	-	1	10	74
2	35	9	19	2	7	1	-	4	-	1	1	-	2	3	1	5	9	-	1	16	75
-	18	11	7	2	2	2	-	2	1	3	3	-	-	8	1	4	4	-	1	5	76
2	170	28	28	2	6	4	6	54	4	5	3	4	11	60	4	24	38	10	5	48	77
1	51	8	5	-	1	1	1	14	1	-	1	2	5	15	1	6	8	2	2	17	78
1	119	20	23	2	5	3	5	40	3	5	2	2	6	45	3	18	30	8	3	31	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	LOUISIANA—Continued																
1	St. Martin	256	4	1	4	27	7	1	3	5	2	1	8	3	121	22	86
2	St. Mary	392	1	-	4	55	23	8	5	8	3	1	7	15	187	33	133
3	St. Tammany	374	1	3	2	47	11	11	5	7	-	2	11	11	190	27	144
4	Tangipahoa	606	7	4	2	70	23	12	3	12	2	3	15	11	315	72	215
5	Tensas	143	2	-	-	16	9	-	-	3	1	-	3	8	80	26	50
6	Terrebonne	401	4	1	6	66	24	7	5	5	3	3	19	7	178	21	137
7	Houma	185	1	1	3	37	15	4	5	4	1	2	6	3	75	10	60
8	Balance of parish	216	3	-	3	29	9	3	-	1	2	1	13	4	103	11	77
9	Union	180	-	-	1	25	11	2	1	2	1	-	8	2	109	33	66
10	Vermilion	322	2	1	4	60	21	6	3	10	5	4	11	6	168	38	124
11	Vernon	251	-	-	2	42	17	3	2	6	1	3	10	1	111	16	91
12	Washington	401	4	2	3	48	15	6	3	8	1	3	12	14	213	38	164
13	Bogalusa	211	2	2	3	25	8	5	2	3	1	1	5	10	114	19	90
14	Balance of parish	190	2	-	-	23	7	1	1	5	-	2	7	4	99	19	74
15	Webster	343	7	1	2	44	20	5	2	4	-	2	11	8	170	46	99
16	West Baton Rouge	154	2	-	1	20	7	3	2	4	1	-	3	3	80	16	55
17	West Carroll	137	2	-	3	17	4	3	1	4	-	2	3	1	78	12	63
18	West Feliciana	83	2	-	1	10	5	-	-	3	-	1	1	1	41	8	28
19	Winn	166	2	-	-	21	11	1	1	4	1	-	3	2	98	16	74
20	MAINE	10,498	44	17	38	1,693	663	205	139	272	87	51	276	144	6,140	1,280	4,301
21	Metropolitan counties	2,053	15	3	12	323	110	36	31	55	17	15	59	34	1,180	238	840
22	Nonmetropolitan counties	8,445	29	14	26	1,370	553	169	108	217	70	36	217	110	4,960	1,042	3,461
23	Androscoggin	969	5	2	2	181	82	21	16	26	10	3	23	8	570	102	422
24	Lewiston	428	4	-	1	81	43	11	6	8	3	1	9	6	248	36	195
25	Auburn	236	1	1	1	47	15	6	5	8	6	2	5	-	135	27	95
26	Balance of county	305	-	1	-	53	24	4	5	10	1	-	9	2	187	39	132
27	Aroostock	747	4	3	4	100	46	7	8	18	4	6	11	10	372	89	241
28	Cumberland	2,053	15	3	12	323	110	36	31	55	17	15	59	34	1,180	238	840
29	Portland	999	11	1	8	142	48	13	13	27	7	7	27	14	600	120	436
30	South Portland	219	-	2	2	38	12	5	7	5	2	1	6	7	119	26	83
31	Westbrook	113	-	-	-	19	8	2	1	2	-	1	5	2	63	12	46
32	Balance of county	722	4	-	2	124	42	16	10	21	8	6	21	11	398	80	275
33	Franklin	220	1	-	-	36	19	4	3	8	-	-	2	1	134	46	73
34	Hancock	450	2	-	-	79	36	10	6	10	4	4	9	2	279	70	185
35	Kennebec	945	2	-	1	154	59	18	16	23	7	5	26	20	540	118	361
36	Augusta	191	-	-	-	31	14	3	1	5	1	2	5	2	119	26	83
37	Waterville	181	1	-	-	29	10	4	2	6	1	2	4	4	111	26	81
38	Balance of county	573	1	-	1	94	35	11	13	12	5	1	17	14	310	66	197
39	Knox	416	1	1	-	69	26	13	3	9	3	1	14	9	264	67	176
40	Lincoln	266	-	1	1	42	19	6	4	6	3	1	3	2	162	29	120
41	Oxford	514	1	1	3	94	35	7	6	15	10	2	19	6	278	65	192
42	Penobscot	1,119	4	2	8	176	60	24	8	29	8	3	44	12	657	129	473
43	Bangor	363	-	1	4	68	25	7	4	8	4	2	18	3	207	32	154
44	Balance of county	756	4	1	4	108	35	17	4	21	4	1	26	9	450	97	319
45	Piscataquis	217	1	-	-	34	17	2	2	8	2	1	2	2	130	34	84
46	Sagadahoc	271	-	-	-	36	11	7	1	8	1	-	8	5	177	37	116
47	Bath	124	-	-	-	16	7	3	1	2	-	-	3	3	84	14	54
48	Balance of county	147	-	-	-	20	4	4	-	6	1	-	5	2	93	23	62
49	Somerset	476	3	1	-	71	24	11	5	13	6	5	7	9	282	60	202
50	Waldo	291	2	-	-	46	20	6	4	2	1	2	11	5	167	31	125
51	Washington	397	1	-	1	59	27	9	6	8	2	-	7	1	254	47	189
52	York	1,147	2	3	6	193	72	24	20	34	9	3	31	18	694	118	502
53	Biddeford	195	-	-	1	37	14	6	3	5	3	1	5	4	109	14	80
54	Saco	98	-	-	-	21	9	1	1	5	-	-	5	1	59	11	46
55	Balance of county	854	2	3	5	135	49	17	16	24	6	2	21	13	526	93	376
56	MARYLAND	27,116	319	90	143	4,149	1,289	687	378	630	213	177	775	506	14,910	2,307	11,393
57	Metropolitan counties	19,442	254	72	101	3,165	967	538	305	468	167	139	561	352	10,410	1,531	8,069
58	Nonmetropolitan counties	7,674	65	18	42	984	322	149	73	162	46	38	194	154	4,500	776	3,324
59	Allegany	1,053	4	-	2	135	43	18	14	27	4	6	23	21	665	84	522
60	Cumberland	526	-	-	1	66	18	10	9	15	2	2	10	14	342	37	267
61	Balance of county	527	4	-	1	69	25	8	5	12	2	4	13	7	343	47	255
62	Anne Arundel	1,220	18	3	8	185	63	29	20	24	13	6	30	21	602	95	459
63	Annapolis	248	2	2	2	33	10	3	5	3	4	1	7	3	125	21	94
64	Balance of county	972	16	1	6	152	53	26	15	21	9	5	23	18	477	74	365
65	Baltimore	3,057	23	4	14	532	182	87	44	78	24	26	91	46	1,733	223	1,386
66	District 12[3] [4]	351	5	-	2	67	26	10	4	7	5	3	12	7	174	22	139
67	District 13[3] [4]	219	-	-	-	32	13	6	-	4	1	1	7	10	127	14	107
68	Balance of county	2,487	18	4	12	433	143	71	40	67	18	22	72	29	1,432	187	1,140
69	Baltimore (city)	11,485	188	58	57	1,795	553	331	162	272	104	64	309	229	6,202	873	4,843
70	Calvert	162	1	2	-	24	10	1	3	7	-	-	3	6	84	11	65
71	Caroline	260	3	2	-	37	12	5	1	3	4	1	11	5	150	33	105
72	Carroll	486	4	-	5	76	25	12	10	6	3	5	15	12	286	55	212
73	Cecil	373	1	-	5	53	18	9	4	5	1	3	13	5	207	34	150
74	Charles	249	2	-	1	20	5	3	2	3	1	-	6	2	120	24	89
75	Dorchester	390	2	2	3	61	18	11	-	12	5	3	12	8	231	50	159
76	Cambridge	183	1	-	1	33	12	4	-	7	2	1	7	2	112	28	75
77	Balance of county	207	1	2	2	28	6	7	-	5	3	2	5	6	119	22	84

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	62	15	9	2	5	4	2	16	1	2	1	-	6	25	1	13	11	2	-	18	1
1	74	30	28	1	10	3	7	13	1	4	2	-	9	25	6	10	25	2	2	31	2
3	105	13	23	1	15	2	1	18	2	2	2	1	4	20	2	15	16	3	6	29	3
6	157	31	21	1	8	6	13	35	1	8	5	2	11	36	5	28	20	3	4	39	4
1	29	16	4	1	-	-	3	5	-	3	1	-	-	8	4	3	3	-	1	9	5
2	82	28	25	2	13	2	3	14	3	2	1	-	8	40	2	14	18	2	3	32	6
1	35	12	12	1	3	-	1	4	1	2	1	-	4	26	-	6	6	1	1	13	7
1	47	16	13	1	10	2	2	10	2	-	-	-	4	14	2	8	12	1	2	19	8
-	53	9	4	1	6	1	2	8	3	1	-	-	1	7	-	6	5	2	3	7	9
2	85	15	22	1	-	3	2	14	4	1	3	1	1	17	1	10	7	4	1	17	10
-	57	12	22	-	2	-	2	14	2	-	2	-	8	24	2	10	12	1	3	17	11
8	100	43	13	2	3	2	4	12	2	4	-	-	1	18	4	18	15	3	4	36	12
4	52	27	7	2	1	-	2	5	2	1	-	-	1	7	2	8	5	1	2	21	13
4	48	16	6	-	2	2	2	7	-	3	-	-	-	11	2	10	10	2	2	15	14
1	71	18	9	5	12	6	2	9	3	1	1	1	4	27	4	8	17	4	8	24	15
-	34	19	2	1	3	3	2	11	-	3	-	3	2	7	3	6	4	2	1	6	16
-	46	8	9	-	2	-	1	5	-	1	1	-	1	8	-	1	1	6	1	11	17
-	18	8	2	3	-	2	-	7	-	1	-	-	3	5	-	1	6	-	2	3	18
1	46	8	19	1	1	5	1	3	-	1	1	-	1	8	3	4	6	2	4	10	19
109	3,156	451	585	81	252	124	102	327	63	41	84	8	138	331	60	211	349	134	15	661	20
20	641	70	109	13	35	34	20	88	13	4	23	1	28	62	12	35	68	25	5	122	21
89	2,515	381	476	68	217	90	82	239	50	37	61	7	110	269	48	176	281	109	10	539	22
10	335	45	32	6	18	15	7	24	7	1	10	1	10	38	1	16	27	11	1	54	23
7	154	22	12	2	4	7	4	12	3	1	4	1	3	16	-	5	12	4	1	26	24
1	78	10	6	1	5	4	3	5	3	-	3	-	3	10	-	2	7	4	-	14	25
2	103	13	14	3	9	4	-	7	1	-	3	-	4	12	1	9	8	3	-	14	26
11	176	22	32	9	10	4	19	31	7	4	3	1	18	50	2	19	55	10	3	51	27
20	641	70	109	13	35	34	20	88	13	4	23	1	28	62	12	35	68	25	5	122	28
10	345	30	51	5	14	19	6	53	6	2	11	-	11	21	6	14	28	13	1	57	29
3	67	5	8	2	3	3	2	8	1	1	4	1	1	6	2	2	4	4	1	16	30
-	31	7	8	-	2	2	1	6	1	-	1	-	1	6	1	4	-	-	-	9	31
7	198	28	42	6	16	10	11	21	5	1	7	-	15	29	3	15	36	8	3	40	32
2	60	3	8	2	6	3	4	6	2	-	1	-	2	8	2	3	5	3	-	16	33
6	127	19	33	2	14	6	2	12	2	1	4	-	5	6	1	10	14	5	-	28	34
5	280	35	41	9	36	8	8	30	2	4	3	-	9	27	2	36	24	17	2	72	35
2	63	13	5	-	8	1	1	5	-	1	1	-	1	2	-	8	4	2	-	15	36
1	72	3	5	1	2	1	-	4	-	-	1	-	1	4	-	4	2	1	1	18	37
2	145	19	31	8	26	6	7	21	2	3	1	-	7	21	2	24	18	14	1	39	38
4	119	22	31	3	10	2	6	9	1	2	2	-	6	6	2	4	14	3	-	23	39
3	87	11	19	3	6	2	2	8	3	1	5	-	1	7	4	3	5	5	-	16	40
5	141	25	21	5	11	5	-	11	3	3	2	1	6	19	6	12	10	16	1	41	41
12	353	44	64	7	28	17	3	26	7	8	12	-	16	40	4	31	44	8	2	62	42
3	119	8	24	3	12	5	1	12	2	1	4	-	6	12	1	10	13	1	1	17	43
9	234	36	40	4	16	12	2	14	5	7	8	-	10	28	3	21	31	7	1	45	44
5	51	13	15	1	4	3	4	8	1	1	-	-	-	4	5	3	7	4	-	17	45
3	96	12	5	4	12	4	4	9	1	1	2	-	5	6	-	5	11	1	-	12	46
1	48	4	1	3	7	3	3	6	-	-	-	-	4	4	-	2	2	-	-	3	47
2	48	8	4	1	5	1	1	3	1	1	2	-	1	2	-	3	9	1	-	9	48
2	149	14	37	2	13	4	1	8	4	1	5	1	9	12	7	15	15	5	-	28	49
3	77	25	20	2	6	2	1	9	1	2	1	1	5	7	4	1	10	4	1	25	50
6	106	27	50	4	5	3	6	11	2	4	2	-	4	11	4	4	13	5	-	21	51
12	358	64	68	9	38	12	15	37	7	4	9	2	14	28	4	14	27	12	-	73	52
4	55	10	11	3	7	2	3	7	2	2	3	1	2	7	-	1	2	3	-	14	53
-	37	3	6	-	2	-	-	-	-	1	-	-	-	2	-	-	3	-	-	11	54
8	266	51	51	6	29	10	12	30	5	1	6	1	12	19	4	13	22	9	-	48	55
295	6,298	2,169	2,631	194	453	298	265	865	126	102	334	23	376	1,367	119	485	792	281	166	1,963	56
221	4,342	1,608	1,898	130	295	220	165	623	98	60	273	20	279	1,039	71	295	557	201	126	1,446	57
74	1,956	561	733	64	158	78	100	242	28	42	61	3	97	328	48	190	235	80	40	517	58
10	290	72	150	8	24	9	38	19	6	5	16	-	16	20	2	16	23	9	2	72	59
4	161	27	75	1	15	4	18	14	2	2	11	-	5	10	-	7	12	3	1	36	60
6	129	45	75	7	9	5	20	5	4	3	5	-	11	10	2	9	11	6	1	36	61
10	245	76	128	11	17	9	11	40	8	4	17	3	21	74	6	35	48	8	7	112	62
2	48	15	29	2	5	2	1	10	1	3	-	1	4	21	1	3	8	1	-	28	63
8	197	61	99	9	12	7	10	30	7	1	17	2	17	53	5	32	40	7	7	84	64
42	819	208	317	19	53	27	25	67	16	5	30	-	63	148	11	46	75	36	5	203	65
7	100	10	22	1	5	4	3	4	1	1	3	-	7	34	2	3	10	5	2	24	66
2	61	12	32	1	3	1	1	3	1	-	2	-	4	14	1	5	5	-	1	14	67
33	658	186	263	17	45	22	21	60	14	4	25	-	52	100	8	38	60	31	2	165	68
120	2,414	1,022	1,287	71	172	133	110	402	54	43	173	13	116	584	50	141	307	96	102	875	69
1	32	26	6	1	5	2	-	6	-	-	4	-	4	6	3	5	8	-	-	9	70
4	54	22	25	3	6	1	2	11	3	-	1	-	5	8	1	4	5	4	4	17	71
3	130	28	51	1	8	4	6	23	2	3	2	-	4	12	4	15	8	8	-	32	72
2	89	20	39	2	11	5	5	7	4	3	2	-	7	21	-	12	16	4	7	19	73
1	50	18	20	2	3	2	-	8	1	5	3	-	4	29	3	11	15	2	3	20	74
3	108	29	19	4	11	3	4	9	-	2	3	-	5	14	3	8	17	2	2	18	75
-	57	11	7	1	4	2	2	3	-	1	2	-	1	6	2	4	6	-	1	8	76
3	51	18	12	3	7	1	2	6	-	1	1	-	4	8	1	4	11	2	1	10	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MARYLAND—Continued																
1	Frederick	729	7	-	3	88	31	13	4	13	3	3	21	22	444	69	338
2	Frederick	238	2	-	1	31	11	6	2	5	1	-	6	6	144	23	108
3	Balance of county	491	5	-	2	57	20	7	2	8	2	3	15	16	300	46	230
4	Garrett	166	1	-	-	21	13	1	1	2	1	1	2	3	104	18	80
5	Harford	547	4	1	4	74	21	12	9	16	1	4	11	10	302	48	228
6	Howard	261	2	1	5	33	9	7	2	3	2	2	8	4	150	21	113
7	Kent	226	3	3	2	28	5	3	1	8	1	2	8	5	128	30	90
8	Montgomery	1,866	9	1	8	360	95	53	48	52	10	24	78	28	976	188	700
9	Takoma Park (part)	148	1	-	-	29	8	4	4	3	2	2	6	3	76	15	52
10	Takoma Park (total	176	1	-	-	30	9	4	4	3	2	2	6	6	93	19	65
11	Balance of county	1,718	8	1	8	331	87	49	44	49	8	22	72	25	900	173	648
12	Prince Georges	1,814	16	6	14	293	74	38	31	42	16	19	73	28	897	152	681
13	College Park	95	-	1	1	20	5	1	1	3	-	1	9	-	47	11	33
14	Hyattsville	319	6	1	-	55	14	7	5	7	3	7	12	4	155	27	118
15	Mount Rainier	80	-	-	-	11	2	-	3	2	2	-	2	2	53	6	43
16	Takoma Park (part)	28	-	-	-	1	1	-	-	-	-	-	-	3	17	4	13
17	Balance of county	1,292	10	4	13	206	52	30	22	30	11	11	50	19	625	104	474
18	Queen Annes	192	-	-	-	23	8	2	1	4	3	-	5	3	116	20	89
19	St. Marys	226	2	-	1	19	5	4	2	4	1	-	3	4	94	22	66
20	Somerset	284	2	-	-	31	13	2	4	4	-	2	6	6	175	43	115
21	Talbot	289	5	-	1	40	14	8	2	8	-	2	6	4	164	24	121
22	Washington	890	6	3	4	118	41	19	7	19	8	3	21	19	543	89	414
23	Hagerstown	491	4	2	2	74	22	16	4	13	7	2	10	12	290	52	218
24	Balance of county	399	2	1	2	44	19	3	3	6	1	1	11	7	253	37	196
25	Wicomico	562	12	1	4	65	18	8	6	11	7	1	14	10	311	60	225
26	Salisbury	280	5	1	1	34	9	5	5	5	-	1	9	6	151	31	109
27	Balance of county	282	7	-	3	31	9	3	1	6	7	-	5	4	160	29	116
28	Worcester	319	4	3	2	38	13	11	-	7	1	-	6	5	205	41	143
29	MASSACHUSETTS[5]	56,620	338	89	198	9,715	3,633	1,316	992	1,258	454	373	1,689	1,010	32,942	6,256	23,878
30	MICHIGAN	65,937	401	92	258	10,929	3,879	1,579	920	1,641	531	529	1,850	1,607	35,829	7,542	25,211
31	Metropolitan counties	41,796	311	65	181	7,211	2,495	1,139	583	1,047	365	326	1,256	995	21,817	4,394	15,584
32	Nonmetropolitan counties	24,141	90	27	77	3,718	1,384	440	337	594	166	203	594	612	14,012	3,148	9,627
33	Alcona	93	-	-	-	18	7	3	2	1	1	1	3	2	55	11	42
34	Alger	123	-	-	-	22	9	4	1	2	-	3	3	-	65	13	40
35	Allegan	560	3	-	1	95	35	8	8	16	4	4	20	14	325	81	207
36	Alpena	246	1	-	1	52	19	7	8	5	1	6	6	4	127	29	92
37	Alpena	152	-	-	-	33	10	5	7	3	-	3	5	2	80	19	58
38	Balance of county	94	1	-	1	19	9	2	1	2	1	3	1	2	47	10	34
39	Antrim	126	-	-	-	19	7	2	2	2	-	-	6	2	81	21	55
40	Arenac	120	1	-	1	15	6	1	1	-	2	-	5	3	76	15	60
41	Baraga	91	1	-	3	11	3	1	1	4	-	-	2	2	51	6	39
42	Barry	337	1	-	-	47	16	6	7	8	4	1	5	2	212	61	128
43	Bay	933	4	2	2	173	58	38	8	26	9	5	29	18	508	111	364
44	Bay City	611	4	-	1	115	42	27	6	11	7	3	19	14	343	64	252
45	Balance of county	322	-	2	1	58	16	11	2	15	2	2	10	4	165	47	112
46	Benzie	118	1	-	-	16	4	3	3	3	-	-	3	2	76	18	52
47	Berrien	1,371	7	1	5	234	77	28	23	45	7	18	36	24	757	173	494
48	Benton Harbor	300	3	-	-	39	14	5	5	7	3	-	5	4	154	37	97
49	Niles	132	-	-	1	20	6	3	2	2	-	3	4	2	79	15	53
50	St. Joseph	119	1	-	-	20	7	3	1	3	-	2	4	1	71	24	38
51	Balance of county	820	3	1	4	155	50	17	15	33	4	13	23	17	453	97	306
52	Branch	390	1	-	-	63	21	15	7	8	1	3	8	8	246	68	150
53	Calhoun	1,283	3	2	2	177	52	23	18	34	7	11	32	40	739	142	529
54	Battle Creek	561	1	1	-	79	18	14	9	18	2	6	12	12	352	73	251
55	Albion	112	1	-	-	11	3	-	1	3	-	1	3	4	62	11	47
56	Balance of county	610	1	1	2	87	31	9	8	13	5	4	17	24	325	58	251
57	Cass	381	-	1	1	64	22	10	3	12	2	7	8	15	220	40	163
58	Charlevoix	174	-	-	-	26	7	5	4	4	2	2	2	3	105	26	72
59	Cheboygan	182	1	1	-	21	8	3	5	2	1	-	2	4	116	15	94
60	Chippewa	309	-	1	3	41	18	6	6	4	-	2	5	15	167	47	114
61	Sault Ste. Marie	195	-	1	1	25	12	3	3	2	-	1	4	11	107	35	68
62	Balance of county	114	-	-	2	16	6	3	3	2	-	1	1	4	60	12	46
63	Clare	134	-	-	1	14	8	1	1	2	1	-	1	2	89	12	73
64	Clinton	354	-	1	-	44	18	4	4	9	2	1	6	9	222	41	163
65	Crawford	43	-	1	-	1	-	-	1	-	-	-	3	3	28	5	22
66	Delta	334	1	-	1	45	19	2	4	8	1	3	8	11	200	34	149
67	Escanaba	148	-	-	-	15	8	2	1	-	-	2	2	5	92	19	62
68	Balance of county	186	1	-	1	30	11	-	3	8	1	1	6	6	108	15	87
69	Dickinson	238	2	1	-	44	18	7	4	3	2	6	6	7	143	20	115
70	Eaton	447	1	-	1	65	26	8	6	8	3	5	9	17	259	57	180
71	Emmet	183	-	-	-	20	7	4	1	4	2	-	2	5	111	19	87
72	Genesee	2,574	13	3	12	418	125	75	28	64	21	28	77	46	1,354	258	972
73	Flint	1,555	10	1	9	263	77	48	14	41	14	20	49	28	829	173	580
74	Balance of county	1,019	3	2	3	155	48	27	14	23	7	8	28	18	525	85	392
75	Gladwin	98	1	1	-	14	6	3	-	3	1	1	-	2	65	18	46

[5]Data are shown only for the State as a whole; for explanation, see "Massachusetts data" in section 1 of text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital mal formations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12	207	53	66	5	15	12	5	28	1	1	4	1	10	22	8	12	22	14	5	37	1
4	69	16	19	3	1	7	2	6	-	1	1	-	4	13	5	1	7	3	2	11	2
8	138	37	47	2	14	5	3	22	1	-	3	1	6	9	3	11	15	11	3	26	3
2	49	16	13	1	5	-	-	5	-	-	-	-	2	10	-	3	5	3	-	9	4
3	113	53	59	5	7	8	6	13	1	5	1	-	7	43	3	18	13	7	1	40	5
3	65	15	30	4	4	8	-	4	1	2	-	-	3	20	1	5	8	4	1	17	6
3	50	13	24	1	6	2	-	7	-	1	3	-	2	6	8	3	13	-	1	12	7
21	498	91	90	20	31	25	12	41	7	5	28	2	29	104	4	36	49	32	3	144	8
-	41	3	8	1	5	2	1	3	2	-	-	-	3	12	-	3	4	1	-	11	9
1	47	7	10	1	5	2	1	3	3	-	1	-	6	13	-	4	4	1	-	11	10
21	457	88	82	19	26	23	11	38	5	5	28	2	26	92	4	33	45	31	3	133	11
28	366	211	76	9	22	26	7	73	13	3	25	2	50	129	-	37	78	29	9	112	12
-	17	10	6	-	-	3	-	5	-	-	3	-	3	6	-	-	5	1	-	3	13
5	70	31	12	2	4	1	3	9	5	-	3	-	9	27	-	7	12	3	-	23	14
3	27	11	2	-	3	1	-	3	-	-	2	-	-	4	-	1	2	-	-	2	15
1	6	4	2	-	-	-	-	-	1	-	1	-	3	1	-	1	-	-	-	-	16
19	246	155	54	7	15	21	4	56	7	3	16	2	35	91	-	28	59	25	9	84	17
2	52	7	28	2	5	-	-	8	2	-	2	-	2	6	1	6	7	-	-	16	18
1	41	4	20	1	3	-	2	17	-	4	3	-	3	27	1	13	17	2	2	17	19
4	72	18	21	5	3	3	6	12	-	2	1	1	2	8	-	6	7	-	2	29	20
1	77	14	29	5	4	6	4	13	1	-	-	-	2	12	1	7	11	3	1	24	21
13	290	52	59	5	22	9	4	17	2	2	13	-	9	29	5	19	22	8	4	67	22
7	151	32	28	4	9	5	2	12	1	1	11	-	2	14	2	6	12	5	3	38	23
6	139	20	31	1	13	4	2	5	1	1	2	-	7	15	3	13	10	3	1	29	24
5	126	48	46	6	13	1	6	27	4	3	2	1	8	23	4	19	11	7	3	47	25
2	59	31	17	3	6	-	2	12	3	2	1	-	2	15	-	10	8	1	2	26	26
3	67	17	29	3	7	1	4	15	1	1	1	1	6	8	4	9	3	6	1	21	27
1	61	53	28	3	3	3	12	8	-	4	1	-	2	12	-	8	7	3	2	15	28
719	18,864	2,123	2,172	454	1,276	702	376	2,046	426	185	719	21	640	1,596	227	617	1,763	413	45	3,630	29
851	18,743	2,499	3,118	512	1,289	728	547	2,191	479	296	810	60	1,020	3,198	235	1,467	1,853	747	217	4,248	30
602	11,725	1,641	1,616	314	680	498	347	1,552	319	201	618	44	717	2,297	187	840	1,082	465	178	2,716	31
249	7,018	858	1,502	198	609	230	200	639	160	95	192	16	303	901	48	627	771	282	39	1,532	32
1	30	5	6	-	1	-	1	1	-	1	1	-	-	1	1	4	3	-	-	6	33
1	23	1	15	2	10	-	-	3	1	1	1	-	1	5	2	6	5	4	-	7	34
2	163	10	32	8	16	8	5	14	4	4	4	-	8	22	1	13	16	5	-	31	35
3	66	5	18	2	2	1	1	6	4	-	1	-	2	12	-	7	12	3	-	14	36
-	42	3	13	2	-	-	1	4	4	-	1	-	2	7	-	2	7	1	-	9	37
3	24	2	5	-	2	1	-	2	-	-	-	-	-	5	-	5	5	2	-	5	38
1	36	9	9	-	4	-	1	5	1	-	-	-	2	2	-	1	3	1	-	9	39
2	42	5	11	-	-	1	-	3	1	1	-	-	3	3	-	3	2	2	-	6	40
-	32	2	5	1	1	1	3	3	2	-	3	-	-	2	-	4	2	3	-	4	41
4	97	8	19	7	10	4	2	7	3	-	3	-	3	9	2	7	10	6	-	25	42
7	259	50	48	4	12	10	7	29	6	4	15	6	7	38	2	27	26	9	-	57	43
6	180	36	30	3	9	8	7	18	5	1	10	2	5	22	1	15	17	3	-	35	44
1	79	14	18	1	3	2	-	11	1	3	5	4	2	16	1	12	9	6	-	22	45
1	38	3	10	1	-	4	1	-	-	-	2	-	-	3	-	6	3	1	-	8	46
17	367	46	64	10	53	19	8	42	5	6	17	4	22	75	2	31	41	13	2	83	47
4	69	14	10	4	12	4	-	15	2	3	5	1	5	25	1	4	11	7	1	20	48
-	44	4	5	1	6	3	1	8	-	2	2	-	-	6	-	3	2	1	-	6	49
1	30	4	3	-	5	4	-	2	-	-	1	-	4	4	-	-	5	1	-	9	50
12	224	24	46	5	30	8	7	17	3	1	9	3	13	40	1	24	23	4	1	48	51
4	109	16	21	6	11	7	4	7	3	2	2	-	2	8	-	5	13	8	-	22	52
15	351	72	91	9	33	14	12	37	4	8	9	-	21	65	2	28	32	14	2	98	53
6	164	39	42	3	11	10	4	19	3	2	5	-	8	20	2	8	9	1	1	38	54
-	32	7	8	-	2	1	1	4	-	2	2	-	3	8	-	4	3	-	-	8	55
9	155	26	41	6	20	3	7	14	1	4	2	-	10	37	-	16	20	13	1	52	56
-	123	18	22	3	10	1	3	11	2	4	2	-	3	6	-	8	8	6	-	30	57
1	50	4	17	2	2	2	1	2	2	1	4	-	1	5	-	5	2	-	-	18	58
3	69	16	6	3	3	1	-	3	1	-	-	-	4	6	-	4	6	2	-	13	59
3	83	7	21	2	4	-	-	10	4	3	-	-	6	17	2	7	9	2	1	21	60
1	52	6	9	1	3	-	-	3	3	1	-	-	5	12	1	1	5	1	-	18	61
2	31	1	12	1	1	-	-	7	1	2	-	-	1	5	1	6	4	1	1	3	62
1	63	4	5	1	2	1	-	3	2	-	-	-	1	5	-	3	5	-	1	8	63
3	110	32	18	2	15	-	1	8	3	2	3	-	3	11	-	8	9	7	2	22	64
1	17	1	3	-	-	1	-	3	-	-	-	-	1	1	-	2	1	-	-	2	65
-	84	9	56	2	6	2	7	9	4	1	3	-	5	8	-	8	17	2	-	19	66
-	41	6	15	1	5	2	3	6	1	-	3	-	3	2	-	3	6	2	-	10	67
-	43	3	41	1	1	-	4	3	3	1	-	-	2	6	-	5	11	-	-	9	68
1	91	9	12	1	5	-	4	4	1	-	2	-	1	5	-	3	6	2	-	17	69
6	111	25	38	2	14	9	2	12	5	1	6	1	3	12	2	20	14	4	1	23	70
5	63	15	4	-	2	2	1	5	1	-	3	-	3	7	1	4	8	1	1	13	71
32	776	69	95	21	58	27	18	65	16	14	25	2	55	183	5	62	91	24	9	177	72
14	485	37	44	15	32	20	9	43	9	10	17	2	27	107	2	26	49	12	7	104	73
18	291	32	51	6	26	7	9	22	7	4	8	-	28	76	3	36	42	12	2	73	74
-	36	2	8	-	-	-	1	3	1	-	-	-	2	1	-	1	1	-	1	5	75

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MICHIGAN—Continued																
1	Gogebic	341	6	1	2	49	22	8	3	7	3	3	3	11	193	48	128
2	Ironwood	144	3	1	-	25	10	4	2	4	2	2	1	3	83	19	57
3	Balance of county	197	3	-	2	24	12	4	1	3	1	1	2	8	110	29	71
4	Grand Traverse	299	1	1	-	45	18	5	4	4	3	3	8	3	184	52	116
5	Traverse City	166	1	1	-	28	9	4	3	3	3	2	4	-	105	27	69
6	Balance of county	133	-	-	-	17	9	1	1	1	-	1	4	3	79	25	47
7	Gratiot	382	3	-	2	60	19	8	3	13	3	6	8	12	218	54	145
8	Hillsdale	322	2	1	3	40	13	4	5	8	1	5	4	8	182	47	116
9	Houghton	553	3	-	1	87	45	6	11	11	1	4	9	22	353	80	241
10	Huron	394	2	-	1	51	19	5	3	9	4	4	7	18	245	46	175
11	Ingham	1,604	2	-	10	258	81	35	32	37	16	11	46	35	880	218	578
12	Lansing	955	2	-	3	156	53	25	19	21	8	6	24	18	535	140	339
13	East Lansing	93	-	-	1	17	6	1	4	2	3	-	1	1	49	11	35
14	Balance of county	556	-	-	6	85	22	9	9	14	5	5	21	16	296	67	204
15	Ionia	422	-	-	1	70	21	11	7	14	4	4	9	9	248	54	173
16	Iosco	151	-	-	3	15	6	2	-	3	2	-	2	1	88	15	67
17	Iron	228	3	-	-	39	16	8	3	2	2	2	6	5	135	43	97
18	Isabella	265	1	-	2	42	16	7	2	8	1	2	8	12	129	36	80
19	Mount Pleasant	99	1	-	-	20	7	3	1	2	1	2	4	5	40	12	24
20	Balance of county	166	-	-	2	22	9	4	1	6	-	-	2	7	89	24	56
21	Jackson	1,251	7	1	4	191	65	22	14	35	14	9	32	39	681	148	441
22	Jackson	699	5	1	2	112	38	17	6	18	9	4	20	22	387	86	249
23	Balance of county	552	2	-	2	79	27	5	8	17	5	5	12	17	294	62	192
24	Kalamazoo	1,343	5	4	3	211	93	18	20	35	14	9	22	28	776	161	523
25	Kalamazoo	818	2	-	2	141	65	13	14	21	10	6	12	20	472	96	313
26	Balance of county	525	3	4	1	70	28	5	6	14	4	3	10	8	304	65	210
27	Kalkaska	57	-	-	-	8	2	-	2	2	-	-	2	2	32	6	25
28	Kent	3,119	8	5	15	492	164	48	47	85	26	32	90	85	1,721	364	1,198
29	Grand Rapids	1,978	8	4	7	309	101	33	28	53	17	19	58	54	1,112	236	772
30	Balance of county	1,141	-	1	8	183	63	15	19	32	9	13	32	31	609	128	426
31	Keweenaw	41	-	-	-	8	4	1	1	-	1	-	1	2	22	7	14
32	Lake	94	-	1	-	20	6	4	1	5	2	-	2	5	51	11	34
33	Lapeer	396	1	-	1	61	20	3	4	16	3	2	13	15	213	48	147
34	Leelanau	95	-	-	1	7	2	1	1	2	1	-	-	1	54	10	40
35	Lenawee	710	1	1	6	106	46	8	14	14	5	5	14	23	394	86	267
36	Adrian	202	1	1	1	38	14	4	5	6	3	1	5	7	112	33	64
37	Balance of county	508	-	-	5	68	32	4	9	8	2	4	9	16	282	53	203
38	Livingston	346	2	-	2	54	16	5	6	8	3	3	13	4	204	41	148
39	Luce	67	-	-	-	7	3	1	1	1	-	-	1	2	36	6	27
40	Mackinac	102	3	-	-	12	6	3	-	1	-	1	1	-	58	16	38
41	Macomb	2,087	11	2	16	355	104	60	36	30	25	23	77	55	1,004	194	728
42	East Detroit	249	4	-	3	50	20	8	5	6	2	3	6	5	113	21	83
43	Mount Clemens	266	1	1	2	38	11	2	2	2	2	4	15	7	137	33	89
44	Roseville	185	-	-	-	30	12	4	3	1	2	2	6	8	74	10	56
45	St. Clair Shores	334	1	-	1	62	13	13	7	8	4	4	13	13	148	27	110
46	Balance of county	1,053	5	1	10	175	48	33	19	13	15	10	37	22	532	103	390
47	Manistee	240	1	-	2	31	15	3	2	6	1	1	3	8	160	45	108
48	Marquette	554	3	1	-	73	30	10	4	8	2	4	15	11	333	84	223
49	Marquette	173	1	1	-	31	14	6	2	-	-	3	6	7	95	15	73
50	Balance of county	381	2	-	-	42	16	4	2	8	2	1	9	4	238	69	150
51	Mason	250	1	-	-	52	18	6	2	13	3	2	8	7	125	20	95
52	Mecosta	206	-	1	-	30	11	3	3	4	1	3	5	2	117	29	75
53	Menominee	271	1	-	-	47	22	7	2	8	1	2	5	2	167	50	108
54	Menominee	137	1	-	-	22	9	3	1	5	1	1	2	1	81	15	59
55	Balance of county	134	-	-	-	25	13	4	1	3	-	1	3	1	86	35	47
56	Midland	264	-	-	-	49	14	9	1	3	1	8	13	3	130	28	94
57	Midland	131	-	-	-	26	8	7	-	1	-	4	6	2	61	12	46
58	Balance of county	133	-	-	-	23	6	2	1	2	1	4	7	1	69	16	48
59	Missaukee	83	-	-	-	8	5	1	1	-	-	-	1	6	50	9	37
60	Monroe	750	5	2	1	128	34	19	18	15	11	5	26	19	429	103	296
61	Monroe	227	2	1	-	38	8	3	8	5	3	2	9	8	121	35	82
62	Balance of county	523	3	1	1	90	26	16	10	10	8	3	17	11	308	68	214
63	Montcalm	407	2	1	1	82	29	4	5	13	8	1	22	5	224	50	149
64	Montmorency	52	-	1	1	6	3	-	-	-	-	-	3	-	35	5	27
65	Muskegon	1,195	7	3	2	205	66	28	15	42	11	9	34	19	647	156	433
66	Muskegon	514	3	-	-	90	28	14	8	19	4	3	14	8	292	78	191
67	Muskegon Heights	175	3	1	-	38	11	4	2	10	3	3	5	3	92	21	60
68	Balance of county	506	1	2	2	77	27	10	5	13	4	3	15	8	263	57	182
69	Newaygo	261	-	-	-	47	23	5	3	7	3	-	6	8	148	34	102
70	Oakland	4,041	16	5	12	678	214	108	65	101	30	27	133	97	2,114	395	1,545
71	Pontiac	794	5	2	-	130	42	22	14	16	5	7	24	23	419	96	278
72	Ferndale	259	-	-	1	41	15	8	2	3	1	1	11	4	139	25	102
73	Royal Oak	430	3	1	2	69	22	10	6	10	5	2	14	5	233	42	173
74	Berkley	108	1	-	-	19	5	1	-	9	-	-	4	3	57	10	42
75	Birmingham	199	1	-	1	40	11	4	3	6	6	1	9	2	100	21	72
76	Hazel Park	167	-	-	2	35	11	4	3	8	1	4	4	3	73	16	50
77	Balance of county	2,084	6	2	6	344	108	59	37	49	12	12	67	57	1,093	185	828
78	Oceana	176	-	-	1	28	15	1	1	5	3	-	3	8	105	27	68
79	Ogemaw	115	-	-	-	17	8	3	-	3	-	-	3	3	73	17	52
80	Ontonagon	136	-	-	1	19	11	2	1	-	2	-	3	-	78	20	50
81	Osceola	158	-	-	-	24	12	1	3	2	1	2	3	5	93	18	70

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	106	7	14	3	11	1	2	5	5	-	4	-	4	10	-	4	15	7	1	24	1
-	49	3	5	1	5	1	-	1	-	-	2	-	3	4	-	2	6	2	-	9	2
1	57	4	9	2	6	-	2	4	5	-	2	-	1	6	-	2	9	5	1	15	3
7	88	8	13	2	9	4	1	8	2	-	3	-	6	10	1	5	8	5	-	17	4
1	53	6	9	2	5	1	1	4	1	-	3	-	3	5	1	-	2	3	-	9	5
6	35	2	4	-	4	3	-	4	1	-	-	-	3	5	-	5	6	2	-	8	6
4	104	12	25	3	11	2	3	9	-	1	-	-	8	16	-	10	10	3	2	28	7
4	89	7	16	2	13	-	4	11	-	2	2	-	1	21	1	11	14	4	-	19	8
5	190	8	38	5	17	4	6	10	1	3	5	-	2	6	-	7	21	6	2	24	9
1	125	11	38	3	14	2	5	12	3	-	5	-	5	9	-	12	8	2	-	21	10
33	436	67	42	9	28	26	21	38	14	9	13	-	33	81	3	36	46	23	3	120	11
20	257	43	19	5	17	19	15	22	9	5	12	-	17	37	3	12	27	15	3	79	12
3	26	6	-	1	-	2	-	2	1	1	-	-	5	10	-	2	2	-	-	2	13
10	153	18	23	3	11	5	6	14	4	3	1	-	11	34	-	22	17	8	-	39	14
5	126	13	29	4	14	1	2	5	3	2	3	-	11	12	3	7	10	5	1	32	15
-	45	3	19	-	2	3	1	5	-	-	-	-	2	14	-	7	4	3	-	9	16
3	74	4	6	1	2	2	-	1	1	-	1	-	4	4	2	2	12	2	-	17	17
2	65	4	9	2	8	2	1	6	1	2	3	-	5	19	-	11	13	-	1	18	18
2	18	1	3	2	1	1	-	4	-	2	2	-	1	5	-	2	8	-	-	9	19
-	47	3	6	-	7	1	1	2	1	-	1	-	4	14	-	9	5	-	1	9	20
16	339	56	30	7	51	11	23	41	14	4	23	-	21	59	4	26	30	10	3	93	21
7	181	39	22	1	29	7	15	22	5	2	16	-	8	31	3	11	17	3	3	49	22
9	158	17	8	6	22	4	8	19	9	2	7	-	13	28	1	15	13	7	-	44	23
11	400	40	72	6	60	16	10	38	9	9	10	1	15	58	4	26	22	22	5	97	24
10	236	25	42	3	42	10	8	25	3	6	5	-	10	34	4	17	5	7	4	61	25
1	164	15	30	3	18	6	2	13	6	3	5	1	5	24	-	9	17	15	1	36	26
-	23	-	2	-	1	-	-	3	-	-	-	1	-	-	-	3	2	1	-	5	27
36	908	97	157	34	72	35	18	92	23	18	31	1	45	127	52	60	80	33	7	224	28
20	579	71	102	19	48	25	12	58	13	13	23	-	24	71	39	32	51	20	2	138	29
16	329	26	55	15	24	10	6	34	10	5	8	1	21	56	13	28	29	13	5	86	30
-	12	-	2	-	1	-	-	-	1	-	-	-	-	1	-	2	-	-	-	5	31
-	24	1	9	-	1	1	4	3	1	-	1	-	1	1	-	3	2	2	-	3	32
7	104	17	19	5	3	5	5	15	3	1	2	1	3	19	1	10	12	5	2	31	33
1	30	6	3	1	2	-	1	5	-	-	1	-	-	7	1	3	3	3	-	9	34
4	173	28	62	6	15	8	12	14	6	3	2	1	6	26	5	22	25	5	1	63	35
-	43	7	14	2	5	4	4	3	1	2	1	-	-	3	2	2	9	-	-	19	36
4	130	21	48	4	10	4	8	11	5	1	1	1	6	23	3	20	16	5	1	44	37
5	112	11	20	1	9	3	2	7	4	1	2	1	4	13	1	16	11	4	-	16	38
-	14	2	11	-	3	-	-	1	1	-	1	-	1	4	-	3	4	2	-	5	39
2	26	1	9	-	1	2	1	1	-	1	-	-	3	2	-	3	13	1	-	5	40
41	509	59	119	10	30	21	21	58	16	10	27	3	65	176	7	57	62	23	3	137	41
12	56	6	9	1	4	2	2	6	2	1	3	-	9	25	2	1	8	4	-	13	42
3	54	8	24	-	7	2	6	10	3	-	4	-	4	20	-	13	4	3	1	18	43
4	43	2	7	1	3	1	3	5	3	-	2	-	8	22	1	5	7	1	1	18	44
6	72	12	20	-	3	5	3	5	1	3	9	2	12	34	2	4	8	3	1	25	45
16	284	31	59	8	13	11	7	32	7	6	9	1	32	75	2	34	35	12	-	63	46
-	84	11	13	-	1	4	2	1	2	3	2	-	3	5	-	3	6	-	-	13	47
8	139	11	65	10	8	4	4	20	6	2	5	-	5	26	2	8	18	11	1	29	48
4	39	2	28	4	2	1	-	10	2	1	-	-	1	7	1	-	6	3	1	6	49
4	100	9	37	6	6	3	4	10	4	1	5	-	4	19	1	8	12	8	-	23	50
3	76	5	11	2	2	4	2	8	2	-	1	-	2	6	-	6	14	6	1	19	51
-	59	3	13	4	4	2	3	7	2	-	1	1	3	5	-	4	13	5	-	15	52
1	68	7	30	2	5	3	1	8	4	1	1	-	4	10	-	4	4	7	-	11	53
1	44	4	10	2	2	2	1	2	3	-	1	-	2	6	-	4	2	4	-	8	54
-	24	3	20	-	3	1	-	6	1	1	-	-	2	4	-	-	2	3	-	3	55
2	74	9	9	-	3	4	1	5	1	2	3	-	3	17	-	20	12	6	-	13	56
2	34	5	5	-	1	1	1	4	-	1	1	-	2	12	-	7	7	3	-	5	57
-	40	4	4	-	2	3	-	1	1	1	2	-	1	5	-	13	5	3	-	8	58
1	25	2	9	1	2	-	1	3	1	-	-	-	1	2	-	1	4	-	-	7	59
5	232	21	38	-	24	2	4	13	5	2	11	-	7	25	2	20	18	12	3	48	60
1	71	3	7	-	2	1	1	6	-	1	5	-	2	7	2	3	7	3	1	20	61
4	161	18	31	-	22	1	3	7	5	1	6	-	5	18	-	17	11	9	2	28	62
1	112	12	24	3	8	7	7	13	1	1	3	-	5	23	1	12	9	5	-	19	63
1	19	2	5	-	2	-	1	2	-	-	-	-	-	1	1	3	-	1	-	1	64
19	339	27	48	9	26	16	7	43	11	7	9	1	22	51	1	30	39	13	4	81	65
11	145	13	22	6	8	6	3	14	5	5	3	-	10	17	-	13	15	5	2	32	66
1	53	1	5	1	5	4	1	6	2	1	2	1	2	9	1	2	2	-	-	10	67
7	141	13	21	2	13	6	3	23	4	1	4	-	10	25	-	15	22	8	2	39	68
4	52	14	32	-	8	2	2	8	1	1	1	-	4	5	1	7	7	2	1	20	69
66	1,116	129	234	25	75	47	27	80	30	13	41	3	106	274	5	123	120	55	5	264	70
5	182	22	69	6	23	9	7	19	4	1	10	-	12	49	-	23	23	5	-	69	71
5	75	10	12	-	7	3	2	7	3	1	3	-	2	22	-	6	11	6	3	10	72
9	135	13	16	2	8	4	4	12	3	2	7	-	14	38	-	8	5	5	-	23	73
6	27	2	7	1	1	3	-	3	3	-	-	-	3	5	-	-	4	2	-	8	74
2	55	6	9	1	4	1	1	1	-	2	2	1	6	21	-	1	7	2	-	12	75
2	34	4	10	-	2	2	3	5	1	-	2	-	12	6	-	5	6	4	-	13	76
37	608	72	111	15	30	25	10	33	16	7	17	2	57	133	5	80	64	31	2	129	77
2	47	11	8	-	6	2	2	3	1	2	-	1	3	4	-	3	4	-	-	13	78
-	40	4	8	-	2	1	1	3	3	-	2	-	1	2	-	3	2	1	-	5	79
5	39	3	3	1	7	-	-	4	1	1	1	-	2	9	2	4	5	1	-	8	80
2	36	9	23	3	1	1	-	1	-	1	-	-	4	4	2	3	9	-	-	12	81

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MICHIGAN—Continued																
1	Oscoda	27	-	-	-	8	3	2	1	-	-	-	2	-	14	-	11
2	Otsego	77	1	-	1	12	4	1	-	3	-	-	4	1	44	8	32
3	Ottawa	770	2	-	4	146	57	11	19	18	6	5	30	22	456	103	302
4	Holland	193	-	-	1	26	14	-	2	-	1	3	6	4	132	25	95
5	Balance of county	577	2	-	3	120	43	11	17	18	5	2	24	18	324	78	207
6	Presque Isle	157	2	-	1	13	8	-	-	2	-	1	2	1	75	16	52
7	Roscommon	95	-	-	-	14	5	2	1	-	1	1	4	3	56	11	42
8	Saginaw	1,609	5	3	5	250	92	36	19	39	15	7	42	50	904	215	591
9	Saginaw	967	2	3	2	153	52	22	12	26	13	2	26	35	559	143	361
10	Balance of county	642	3	-	3	97	40	14	7	13	2	5	16	15	345	72	230
11	St. Clair	1,115	2	-	6	157	54	21	14	32	11	3	22	28	676	134	490
12	Port Huron	475	1	-	1	66	17	12	9	11	5	3	9	13	297	56	217
13	Balance of county	640	1	-	5	91	37	9	5	21	6	-	13	15	379	78	273
14	St. Joseph	482	1	1	5	61	21	7	11	10	3	2	7	8	285	67	170
15	Sanilac	356	2	-	-	56	22	5	4	10	2	5	8	13	220	54	146
16	Schoolcraft	101	1	-	-	18	9	-	1	5	-	2	1	4	54	8	41
17	Shiawassee	521	-	-	1	89	33	7	9	12	4	8	16	10	317	78	208
18	Owosso	193	-	-	1	34	14	1	3	6	3	3	4	2	115	31	73
19	Balance of county	328	-	-	-	55	19	6	6	6	1	5	12	8	202	47	135
20	Tuscola	468	1	1	2	66	23	5	7	14	3	5	9	13	275	63	199
21	Van Buren	569	-	-	-	81	30	11	6	14	1	5	14	21	341	72	239
22	Washtenaw	1,086	4	1	2	182	80	19	11	26	4	11	31	24	577	138	386
23	Ann Arbor	407	-	-	1	78	31	7	1	14	4	6	15	4	220	59	149
24	Ypsilanti	202	1	-	-	32	15	4	5	3	-	2	3	6	105	29	66
25	Balance of county	477	3	1	1	72	34	8	5	9	-	3	13	14	252	50	171
26	Wayne	23,235	240	40	102	4,185	1,499	699	314	595	195	175	708	542	11,875	2,330	8,644
27	Detroit	17,299	201	36	75	3,131	1,124	539	227	433	155	122	531	419	8,982	1,808	6,499
28	Dearborn	919	5	-	2	169	57	24	14	24	7	10	33	22	463	94	340
29	Hamtramck	421	4	-	4	79	34	17	3	7	2	4	12	6	214	33	158
30	Highland Park	508	3	1	1	78	29	9	7	13	6	2	12	6	289	68	202
31	Lincoln Park	269	1	1	3	48	11	12	7	8	1	4	5	7	128	23	98
32	Wyandotte	355	6	-	-	62	18	15	5	11	4	3	6	9	176	24	145
33	Allen Park	147	-	-	-	31	12	5	6	3	-	-	5	5	69	10	52
34	Ecorse	150	2	-	1	34	10	8	2	11	1	-	2	6	59	15	41
35	Grosse Pointe Park	113	-	-	-	22	11	1	1	1	2	-	6	2	64	13	48
36	Grosse Pointe Woods	101	-	-	1	28	14	5	1	3	-	1	4	3	52	10	38
37	Inkster	218	3	-	1	32	15	2	2	5	1	1	6	4	92	11	67
38	Livonia	257	-	-	1	53	21	5	8	8	-	-	11	4	129	21	97
39	River Rouge	172	2	-	1	30	12	7	-	5	1	-	5	5	83	9	65
40	Balance of county	2,306	13	2	12	388	131	50	31	63	15	28	70	44	1,075	191	794
41	Wexford	197	1	-	1	20	8	3	1	4	-	-	4	7	134	28	92
42	Cadillac	105	1	-	1	8	2	1	-	2	-	-	3	6	74	15	52
43	Balance of county	92	-	-	-	12	6	2	1	2	-	-	1	1	60	13	40
44	MINNESOTA	30,675	98	44	133	4,786	1,770	466	464	683	235	294	874	570	17,289	4,027	11,763
45	Metropolitan counties	14,497	60	27	71	2,367	862	265	233	319	116	148	426	254	8,032	1,737	5,623
46	Nonmetropolitan counties	16,178	38	17	62	2,419	908	201	231	364	119	148	448	316	9,257	2,290	6,140
47	Aitkin	151	2	-	1	27	15	5	-	3	1	-	3	3	89	28	54
48	Anoka	360	-	1	3	53	16	6	4	7	4	4	12	7	175	37	123
49	Becker	251	-	-	-	50	21	2	3	7	1	3	13	3	147	49	87
50	Beltrami	223	-	2	2	31	14	3	-	10	-	-	4	2	123	35	79
51	Bemidji	99	-	2	-	12	5	1	-	5	-	-	1	-	67	13	49
52	Balance of county	124	-	-	2	19	9	2	-	5	-	-	3	2	56	22	30
53	Benton	122	-	-	-	18	6	1	1	4	1	2	3	5	60	11	45
54	St. Cloud (part)	30	-	-	-	5	1	1	-	1	1	-	1	1	16	2	14
55	Balance of county	92	-	-	-	13	5	-	1	3	-	2	2	4	44	9	31
56	Big Stone	93	-	-	-	14	2	1	1	4	1	1	4	2	60	18	37
57	Blue Earth	444	-	1	1	80	22	8	10	13	6	4	17	13	240	49	169
58	Mankato	241	-	1	1	40	12	4	6	8	2	-	8	6	134	17	103
59	Balance of county	203	-	-	-	40	10	4	4	5	4	4	9	7	106	32	66
60	Brown	264	1	-	-	48	19	3	2	6	1	3	14	8	134	29	94
61	Carlton	230	-	-	-	29	12	2	4	3	2	1	5	2	145	22	111
62	Carver	191	-	-	-	28	8	1	3	7	3	1	5	3	109	35	67
63	Cass	174	1	-	2	27	10	4	1	7	1	-	4	2	102	25	70
64	Chippewa	154	-	-	-	19	9	2	1	2	1	1	3	3	101	23	63
65	Chisago	175	-	-	1	26	13	1	1	3	1	2	5	5	95	25	61
66	Clay	287	1	-	-	45	9	4	8	8	2	3	11	3	152	31	104
67	Moorhead	132	-	-	-	22	5	2	5	2	1	1	6	-	61	13	41
68	Balance of county	155	1	-	-	23	4	2	3	6	1	2	5	3	91	18	63
69	Clearwater	104	-	-	-	13	7	1	-	-	1	1	3	3	55	19	31
70	Cook	32	-	-	1	2	1	1	-	-	-	-	-	2	17	2	13
71	Cottonwood	140	-	-	-	23	9	1	3	4	1	1	4	4	74	17	48
72	Crow Wing	330	-	-	1	54	17	10	5	11	2	1	8	4	201	44	138
73	Brainerd	146	-	-	-	19	1	6	2	5	2	-	3	1	97	18	67
74	Balance of county	184	-	-	1	35	16	4	3	6	-	1	5	3	104	26	71
75	Dakota	460	1	1	6	65	23	7	4	7	6	3	15	9	239	56	164
76	South St. Paul	133	1	-	-	21	8	3	1	2	3	1	3	1	65	17	44
77	Balance of county	327	-	1	6	44	15	4	3	5	3	2	12	8	174	39	120
78	Dodge	132	-	-	1	19	8	2	1	3	-	1	4	2	79	18	55
79	Douglas	227	1	-	-	38	14	3	3	6	4	2	6	4	141	27	102
80	Faribault	234	1	-	2	27	13	5	1	5	1	-	2	9	146	39	97

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	6	-	4	-	-	-	3	-	-	1	-	-	-	-	-	2	-	-	-	2	1
-	29	3	-	2	-	-	2	1	1	1	1	-	2	3	-	1	4	1	-	3	2
13	241	29	19	7	29	9	6	15	-	5	3	-	10	29	-	15	20	3	1	39	3
5	79	6	5	2	7	3	-	6	-	1	2	-	1	3	-	4	4	-	-	9	4
8	162	23	14	5	22	6	6	9	-	4	1	-	9	26	-	11	16	3	1	30	5
3	35	7	7	4	-	2	1	7	1	-	1	-	2	2	-	3	32	3	-	14	6
-	40	1	1	2	1	-	-	3	1	-	-	-	1	6	-	3	2	2	-	4	7
14	474	43	60	15	53	16	14	35	12	7	11	2	27	79	3	53	46	17	2	98	8
8	283	27	43	8	29	12	6	20	8	5	8	2	11	47	3	19	21	8	2	59	9
6	191	16	17	7	24	4	8	15	4	2	3	-	16	32	-	34	25	9	-	39	10
9	335	96	50	12	19	9	12	29	7	5	10	1	12	33	2	25	30	14	-	78	11
4	147	50	16	6	9	4	5	11	2	1	3	1	3	10	-	11	12	6	-	37	12
5	188	46	34	6	10	5	7	18	5	4	7	-	9	23	2	14	18	8	-	41	13
5	126	16	23	12	21	8	7	14	1	2	6	1	10	20	-	17	10	2	-	38	14
1	106	12	27	1	15	2	2	11	5	-	2	-	3	7	-	7	14	6	-	12	15
1	22	7	11	1	2	1	1	7	-	-	-	-	2	2	1	3	3	1	-	5	16
4	167	16	21	3	17	7	4	14	3	-	2	-	4	28	-	16	13	4	-	20	17
1	59	7	6	2	4	3	2	6	1	-	1	-	2	11	-	5	5	3	-	7	18
3	108	9	15	1	13	4	2	8	2	-	1	-	2	17	-	11	8	1	-	13	19
6	157	9	27	3	5	3	2	17	-	2	5	1	5	13	2	19	13	2	-	31	20
6	181	16	36	9	16	4	1	15	3	-	5	-	4	19	-	14	18	7	3	38	21
17	295	14	60	4	28	12	9	36	6	5	16	-	13	56	1	40	30	19	3	71	22
8	109	5	27	1	4	4	3	13	2	2	9	-	3	17	1	8	15	8	1	25	23
1	53	2	10	1	6	1	2	8	1	1	4	-	3	16	-	4	3	1	-	17	24
8	133	7	23	2	18	7	4	15	3	2	3	-	7	23	-	28	12	10	2	29	25
346	6,508	1,031	759	183	241	289	188	1,076	179	113	422	26	343	1,222	102	370	559	249	141	1,449	26
263	4,812	831	593	138	175	217	145	782	141	75	335	20	217	791	76	219	406	181	120	1,092	27
13	282	30	15	6	9	8	6	43	9	4	16	-	13	63	4	18	20	11	3	54	28
4	119	21	14	5	9	4	5	22	1	1	14	-	5	17	2	5	13	4	2	28	29
5	156	28	13	6	6	5	2	25	7	1	3	2	5	13	2	6	13	9	3	41	30
2	80	10	6	1	1	1	4	12	2	2	5	-	7	19	1	9	7	2	-	15	31
6	120	7	12	3	2	2	-	10	-	4	8	-	9	33	3	8	9	-	1	17	32
3	44	2	3	2	1	3	1	4	2	-	-	-	3	8	1	6	7	2	-	9	33
-	32	5	4	-	2	-	1	9	-	1	2	1	2	11	-	2	5	2	2	11	34
1	43	1	3	1	1	1	-	1	1	2	2	-	1	4	1	1	3	1	-	8	35
1	31	2	4	1	-	3	-	-	-	2	2	-	1	4	-	-	3	3	-	2	36
5	46	10	6	7	2	4	1	12	2	2	6	-	5	20	3	12	6	4	2	12	37
6	73	13	5	1	5	3	2	9	-	-	2	-	6	20	-	8	5	3	-	17	38
1	46	8	10	1	4	4	-	13	-	-	-	2	3	7	-	4	10	-	2	10	39
36	624	63	71	11	24	34	21	134	14	19	27	1	86	212	9	72	52	27	6	133	40
3	53	14	22	1	6	3	4	6	5	-	-	1	3	3	-	2	3	2	1	8	41
1	34	7	10	-	1	3	3	4	3	-	-	-	-	1	-	1	1	-	1	4	42
2	19	7	12	1	5	-	1	2	2	-	-	1	3	2	-	1	2	2	-	4	43
346	8,990	1,076	1,351	204	763	352	180	1,042	199	145	280	17	448	1,195	160	752	964	298	39	2,216	44
196	4,413	520	494	95	324	182	71	536	108	66	170	6	212	605	62	290	431	153	28	1,019	45
150	4,577	556	857	109	439	170	109	506	91	79	110	11	236	590	98	462	533	145	11	1,197	46
-	45	1	8	-	5	2	-	5	2	-	2	-	1	-	1	4	3	-	-	11	47
4	88	13	18	1	9	3	2	13	2	2	1	-	11	30	2	11	15	4	-	30	48
-	67	2	18	3	5	2	1	3	-	1	1	-	-	6	3	6	12	3	-	16	49
1	66	6	6	1	6	2	-	1	2	2	1	-	2	7	8	9	15	-	1	15	50
1	40	3	5	1	3	1	-	-	-	-	1	-	-	3	2	1	1	-	-	10	51
-	26	3	1	-	3	1	-	1	2	2	-	-	2	4	6	8	14	-	1	5	52
-	33	8	4	-	3	-	1	7	-	2	1	-	2	6	4	5	6	2	-	4	53
-	13	1	-	-	-	-	-	2	-	-	1	-	-	-	-	1	3	-	-	1	54
-	20	7	4	-	3	-	1	5	-	2	-	-	2	6	4	4	3	2	-	3	55
1	29	3	4	1	3	1	-	3	-	-	-	-	1	2	-	1	5	1	-	4	56
1	134	14	20	5	9	7	1	12	2	-	3	-	7	22	2	12	19	1	-	29	57
-	87	8	8	2	5	7	-	7	1	-	2	-	6	15	1	8	7	-	-	12	58
1	47	6	12	3	4	-	1	5	1	-	1	-	1	7	1	4	12	1	-	17	59
2	61	16	15	2	6	-	3	12	2	-	2	-	3	14	1	5	7	3	-	24	60
2	76	10	23	-	9	1	2	5	2	4	1	-	3	7	-	6	8	3	1	14	61
2	51	5	9	2	5	-	-	7	3	-	-	-	5	4	2	6	5	4	-	15	62
1	50	7	12	2	1	1	3	1	1	2	2	-	-	5	2	3	5	3	2	14	63
2	48	7	6	1	8	1	5	2	2	-	2	-	1	4	-	4	3	-	-	13	64
1	47	5	8	1	4	3	1	3	1	1	-	-	1	3	4	7	4	3	-	21	65
6	76	2	20	3	9	5	-	10	3	1	-	-	5	20	2	15	8	4	-	18	66
2	32	-	7	1	2	4	-	4	3	1	-	-	5	16	1	4	1	3	-	11	67
4	44	2	13	2	7	1	-	6	-	-	-	-	-	4	1	11	7	1	-	7	68
1	11	6	13	1	1	-	3	5	-	-	-	-	-	12	1	4	5	-	-	6	69
-	10	-	3	-	2	-	-	1	-	-	-	-	1	-	-	1	-	2	1	4	70
1	33	4	10	1	3	1	4	8	1	-	-	-	3	5	-	5	8	1	-	8	71
1	113	13	11	3	7	6	3	6	3	2	3	1	4	8	2	5	8	6	-	22	72
1	55	5	6	3	5	2	2	3	1	-	1	-	2	4	-	2	2	3	-	11	73
-	58	8	5	-	2	4	1	3	2	2	2	1	2	4	2	3	6	3	-	11	74
8	120	16	20	4	11	2	2	18	3	4	4	-	10	33	2	13	15	5	2	30	75
4	28	6	6	-	3	1	-	4	1	1	-	-	3	13	1	6	8	-	1	7	76
4	92	10	14	4	8	1	2	14	2	3	4	-	7	20	1	7	7	5	1	23	77
1	32	15	7	-	4	1	1	8	1	1	-	-	1	1	1	3	5	2	-	8	78
7	65	14	16	2	7	3	-	7	-	-	2	-	6	5	2	4	4	4	-	9	79
3	79	7	8	1	4	3	2	7	-	-	2	-	5	5	-	6	6	1	-	17	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MINNESOTA—Continued																
1	Fillmore	295	-	-	-	41	16	2	3	9	5	1	5	6	173	54	107
2	Freeborn	319	-	-	2	47	22	3	5	7	-	-	10	4	193	54	125
3	Albert Lea	172	-	-	2	24	10	1	4	3	-	-	6	3	107	28	71
4	Balance of county	147	-	-	-	23	12	2	1	4	-	-	4	1	86	26	54
5	Goodhue	375	1	-	2	47	11	-	7	7	-	5	17	6	210	61	126
6	Red Wing	141	1	-	2	17	7	-	5	2	-	1	2	3	79	25	46
7	Balance of county	234	-	-	-	30	4	-	2	5	-	4	15	3	131	36	80
8	Grant	98	-	-	-	13	4	1	2	1	2	-	3	1	61	14	38
9	Hennepin	7,500	33	14	37	1,164	415	131	125	165	60	73	195	117	4,247	981	2,934
10	Minneapolis	5,978	25	12	29	923	329	113	99	137	46	53	146	95	3,468	802	2,398
11	Richfield	123	1	-	1	18	4	3	4	2	1	-	4	-	58	18	34
12	Robbinsdale	99	-	-	-	15	10	1	3	1	-	-	-	3	50	13	35
13	St. Louis Park	193	-	1	3	30	16	1	1	2	3	2	5	6	104	21	73
14	Balance of county	1,107	7	1	4	178	56	13	18	23	10	18	40	13	567	127	394
15	Houston	134	-	1	1	25	12	3	5	1	1	1	2	1	57	15	37
16	Hubbard	106	-	1	1	29	13	2	1	6	1	-	6	3	54	14	37
17	Isanti	126	1	-	-	17	6	-	2	-	-	2	7	1	81	19	58
18	Itasca	337	1	-	-	52	17	14	4	7	1	3	6	9	180	38	130
19	Jackson	149	1	-	-	33	11	5	2	7	3	2	3	6	71	18	46
20	Kanabec	116	-	-	-	15	6	1	-	3	1	1	3	3	74	33	36
21	Kandiyohi	249	1	-	-	28	13	3	-	8	-	2	2	2	143	36	97
22	Kittson	92	-	-	-	12	4	-	2	2	-	1	3	4	45	12	31
23	Koochiching	157	-	1	2	19	6	2	1	-	-	1	9	4	99	13	74
24	Lac qui Parle	151	-	-	2	21	8	-	2	2	3	2	4	1	95	22	70
25	Lake	98	-	-	1	12	5	-	2	3	-	-	2	-	59	13	36
26	Lake of the Woods	57	-	-	-	3	1	-	-	-	-	1	1	5	33	9	23
27	Le Sueur	190	-	-	-	36	20	1	3	3	-	4	5	6	112	29	73
28	Lincoln	94	-	1	-	13	5	1	3	2	-	1	1	1	53	23	28
29	Lyon	224	2	1	-	26	11	3	2	2	2	-	8	5	132	43	73
30	McLeod	224	-	-	2	23	8	2	1	3	3	1	5	1	155	37	101
31	Mahnomen	51	-	-	-	8	3	-	-	1	1	1	2	-	29	9	19
32	Marshall	154	1	-	-	22	6	2	4	2	1	1	6	1	100	28	69
33	Martin	224	-	-	-	30	9	4	3	5	1	4	4	6	126	34	83
34	Meeker	203	1	1	1	32	8	4	2	6	1	2	9	6	118	25	80
35	Mille Lacs	165	-	-	-	26	8	2	3	7	2	3	1	2	93	23	57
36	Morrison	233	1	1	1	29	13	-	2	2	-	2	10	-	136	31	93
37	Mower	347	-	1	2	48	15	3	7	7	3	4	9	7	189	52	119
38	Austin	209	-	1	-	26	8	3	4	1	2	3	5	4	118	34	73
39	Balance of county	138	-	-	2	22	7	-	3	6	1	1	4	3	71	18	46
40	Murray	118	1	-	-	17	4	1	1	2	-	3	6	3	63	14	38
41	Nicollet	175	-	-	-	41	16	5	2	4	1	5	8	5	92	24	62
42	Nobles	198	-	-	1	40	21	4	6	3	-	3	3	5	95	14	72
43	Norman	138	-	-	-	21	7	1	1	9	1	-	2	2	75	18	50
44	Olmsted	503	1	-	4	83	23	12	4	10	4	7	23	3	243	59	161
45	Rochester	357	1	-	4	64	16	9	4	8	3	6	18	3	172	37	120
46	Balance of county	146	-	-	-	19	7	3	-	2	1	1	5	-	71	22	41
47	Otter Tail	454	3	1	1	68	24	6	9	7	6	2	14	12	274	74	185
48	Fergus Falls	113	1	-	1	19	5	1	3	2	2	1	5	2	65	21	40
49	Balance of county	341	2	1	-	49	19	5	6	5	4	1	9	10	209	53	145
50	Pennington	120	2	-	1	12	4	1	-	5	-	1	1	4	70	20	40
51	Pine	197	-	-	1	21	7	4	3	3	-	2	2	3	124	27	88
52	Pipestone	119	-	-	1	16	2	-	2	5	-	-	7	1	72	14	50
53	Polk	351	2	-	2	51	10	6	7	9	3	4	12	4	197	51	123
54	Pope	112	1	-	1	15	5	-	3	1	1	3	2	1	77	13	61
55	Ramsey	3,810	14	7	17	652	228	74	66	86	27	47	124	79	2,045	437	1,442
56	St. Paul	3,366	14	5	14	588	208	70	60	73	23	45	109	69	1,830	393	1,288
57	Balance of county	444	-	2	3	64	20	4	6	13	4	2	15	10	215	44	154
58	Red Lake	50	-	-	-	11	7	1	1	1	-	1	-	1	21	8	11
59	Redwood	203	-	-	-	28	12	2	2	6	-	2	4	5	118	32	73
60	Renville	222	-	-	1	37	16	3	3	4	4	3	4	6	133	27	89
61	Rice	376	1	-	1	54	20	2	10	7	4	4	7	6	241	50	174
62	Faribault	179	1	-	-	25	11	2	4	2	2	2	2	4	118	26	87
63	Balance of county	197	-	-	1	29	9	-	6	5	2	2	5	2	123	24	87
64	Rock	108	-	-	-	16	8	2	1	2	-	-	3	-	71	23	39
65	Roseau	104	-	-	-	17	7	-	3	4	1	2	-	3	58	16	40
66	St. Louis	2,367	12	4	8	433	180	47	34	54	19	19	80	42	1,326	226	960
67	Duluth	1,206	5	2	6	221	84	15	20	33	13	11	45	18	692	128	490
68	Hibbing	178	1	-	-	32	14	3	2	4	2	1	6	3	100	12	72
69	Virginia	155	1	-	-	30	12	2	4	4	2	-	6	5	90	20	66
70	Balance of county	828	5	2	2	150	70	27	8	13	2	7	23	18	444	66	332
71	Scott	176		-	-	28	9	3	4	5	4	2	1	4	97	18	63
72	Sherburne	125	1	-	-	19	7	1	3	4	1	1	2	3	73	22	47
73	St. Cloud (part)	20	-	-	-	3	2	-	-	-	-	-	1	-	14	3	11
74	Balance of county	105	1	-	-	16	5	1	3	4	1	1	1	3	59	19	36
75	Sibley	154	-	-	2	15	11	-	-	-	-	2	2	1	98	29	58
76	Stearns	568	3	1	1	85	44	6	6	6	6	1	16	10	304	48	227
77	St. Cloud (part)	207	2	-	1	32	21	2	1	3	1	-	4	5	106	16	78
78	St. Cloud (total)	257	2	-	1	40	24	3	1	4	2	-	6	6	136	21	103
79	Balance of county	361	1	1	-	53	23	4	5	3	5	1	12	5	198	32	149
80	Steele	187	1	2	1	25	12	1	3	4	1	3	1	4	100	26	63
81	Owatonna	100	1	2	1	15	8	1	2	2	1	1	-	2	51	12	34
82	Balance of county	87	-	-	-	10	4	-	1	2	-	2	1	2	49	14	29

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	76	7	21	2	5	3	2	13	-	-	2	-	1	7	1	7	11	4	-	29	1
3	98	19	5	-	9	5	-	5	1	3	2	-	3	10	1	8	9	4	-	27	2
-	58	9	4	-	6	2	-	2	1	2	1	-	1	4	-	4	1	3	-	17	3
3	40	10	1	-	3	3	-	3	-	1	1	-	2	6	1	4	8	1	-	10	4
3	78	15	30	4	13	3	3	24	2	3	7	1	2	14	-	9	8	5	-	34	5
2	18	9	17	2	3	2	1	12	1	-	4	-	1	6	-	3	1	3	-	8	6
1	60	6	13	2	10	1	2	12	1	3	3	1	1	8	-	6	7	2	-	26	7
-	34	2	2	4	3	1	1	4	3	1	-	-	1	2	-	4	3	1	-	4	8
100	2,386	212	236	45	159	91	37	299	52	37	82	1	110	293	30	147	212	94	11	520	9
74	1,963	174	187	42	126	72	28	246	47	34	76	1	73	187	24	91	165	70	10	402	10
4	26	1	3	1	4	-	1	7	-	-	1	-	8	15	-	3	4	-	-	7	11
4	26	4	1	-	1	1	-	2	-	-	-	-	1	6	-	2	3	5	-	12	12
3	66	3	1	-	5	4	1	5	2	-	1	-	2	10	1	3	10	2	1	12	13
15	305	30	44	2	23	14	7	39	3	3	4	-	26	75	5	48	30	17	-	87	14
-	30	2	5	-	2	2	1	13	2	-	-	1	4	2	2	8	4	1	-	12	15
1	26	4	6	-	2	-	1	3	1	1	-	-	-	1	-	3	2	1	-	6	16
3	47	4	4	-	2	1	1	3	2	-	-	-	1	1	1	1	2	2	-	13	17
5	96	8	21	1	8	3	-	12	-	-	4	2	5	22	-	12	14	2	1	21	18
-	41	2	3	2	3	1	1	6	3	-	2	-	1	10	1	3	3	1	-	8	19
-	27	3	6	1	3	1	-	5	-	-	-	-	1	5	-	2	2	-	-	9	20
2	75	5	15	1	4	4	1	10	-	-	2	-	2	9	3	17	6	2	-	24	21
1	19	2	9	-	1	1	-	3	1	1	1	-	-	7	5	1	2	1	-	9	22
3	49	12	10	1	9	1	1	2	1	1	1	-	3	3	2	3	6	2	-	8	23
2	51	8	9	-	2	-	1	5	2	-	-	-	1	4	-	6	2	2	-	10	24
1	26	4	5	-	6	3	1	2	-	1	1	-	3	5	-	2	8	2	-	2	25
1	13	5	4	-	1	-	-	-	-	-	-	-	2	1	-	4	3	-	-	6	26
1	58	4	10	2	3	2	3	3	1	1	2	-	3	1	1	6	7	2	-	9	27
-	20	1	7	-	2	-	-	7	1	-	-	-	1	3	-	3	5	1	-	5	28
1	59	4	9	3	7	2	4	12	1	1	-	-	5	9	-	6	11	-	-	13	29
2	84	8	7	2	15	-	-	2	-	1	2	-	3	5	1	5	6	5	-	13	30
1	14	2	2	-	1	-	-	2	1	-	1	-	2	1	-	1	-	1	-	5	31
1	46	5	17	-	-	2	1	2	-	1	-	-	1	3	-	7	4	1	-	11	32
1	72	4	6	3	3	2	1	7	3	-	2	-	3	7	-	1	8	5	1	25	33
-	66	2	12	1	9	1	2	5	1	-	2	-	2	5	3	4	5	1	-	16	34
1	52	-	4	-	10	3	-	6	1	1	-	-	-	10	3	7	7	1	-	8	35
1	62	9	21	-	5	5	2	5	1	2	1	-	9	5	1	10	11	1	-	19	36
2	96	8	13	2	5	9	2	14	3	2	3	-	6	16	5	8	11	1	-	31	37
-	64	2	7	1	5	4	1	10	2	-	2	-	2	11	2	4	4	-	-	23	38
2	32	6	6	1	-	5	1	4	1	2	1	-	4	5	3	4	7	1	-	8	39
1	36	1	-	3	4	1	3	3	2	-	-	-	2	4	1	4	3	3	-	12	40
5	44	5	8	1	3	1	1	3	-	1	3	-	2	4	1	5	3	1	-	14	41
-	54	3	15	1	4	3	1	7	-	-	2	1	-	8	-	6	8	1	-	14	42
-	37	7	6	2	3	2	-	2	2	1	-	-	1	9	2	2	6	2	-	13	43
9	112	19	21	2	10	10	1	16	4	3	3	1	25	26	4	21	8	4	1	53	44
7	82	13	18	1	4	9	1	13	4	3	2	-	16	17	4	9	5	1	1	38	45
2	30	6	3	1	6	1	-	3	-	-	1	1	9	9	-	12	3	3	-	15	46
12	131	17	25	2	9	2	2	13	2	1	3	-	9	10	-	11	12	3	1	30	47
1	30	3	6	1	2	1	-	8	-	-	-	-	4	3	-	2	3	-	-	5	48
11	101	14	19	1	7	1	2	5	2	1	3	-	5	7	-	9	9	3	1	25	49
2	22	6	10	3	7	-	-	3	1	1	-	-	4	4	-	3	6	3	-	6	50
3	72	4	9	-	6	2	1	6	2	1	1	-	1	3	1	9	3	2	1	18	51
-	42	4	4	1	4	1	2	3	1	1	-	-	1	10	-	7	1	1	-	4	52
3	87	22	11	4	13	3	3	13	2	3	1	-	6	18	3	6	13	4	-	26	53
3	44	1	13	-	2	-	1	-	-	1	1	-	2	2	-	2	5	-	-	4	54
49	1,127	147	119	31	64	52	19	151	34	15	60	2	48	181	19	74	106	24	7	275	55
44	1,001	139	104	27	61	43	18	124	30	14	56	2	38	144	18	64	91	22	6	237	56
5	126	8	15	4	3	9	1	27	4	1	4	-	10	37	1	10	15	2	1	38	57
-	11	-	-	-	2	-	-	1	-	-	-	-	2	3	-	4	1	1	-	5	58
1	55	4	13	2	7	2	2	3	-	2	2	-	3	14	1	3	5	5	-	14	59
2	69	8	10	-	12	3	2	9	-	2	1	-	3	12	1	1	6	-	-	10	60
3	124	25	22	3	10	3	1	6	2	1	2	-	1	9	3	13	13	-	-	23	61
1	58	18	10	-	4	-	1	2	-	1	2	-	1	4	1	4	4	-	-	12	62
2	66	7	12	3	6	3	-	4	2	-	-	-	-	5	2	9	9	-	-	11	63
-	35	2	2	-	6	-	3	1	1	1	-	-	2	5	1	1	2	-	-	7	64
-	34	3	3	1	-	1	-	7	1	1	-	-	1	1	-	2	6	1	-	6	65
35	692	132	101	14	81	34	11	55	17	8	23	3	33	68	9	45	83	26	8	164	66
19	329	78	64	3	42	22	7	27	8	6	13	-	15	35	3	14	39	14	2	86	67
5	57	5	5	3	10	3	-	4	2	1	2	-	2	11	1	2	1	2	-	14	68
1	56	7	2	1	1	1	1	3	1	-	-	-	1	1	-	2	6	-	-	15	69
10	250	42	30	7	28	8	3	21	6	1	8	3	15	21	5	27	37	10	6	49	70
1	47	7	8	4	9	2	1	3	2	-	1	1	2	11	1	5	8	2	-	11	71
-	37	8	2	-	1	2	1	-	-	-	1	-	3	-	-	5	7	3	-	10	72
-	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	73
-	29	6	1	-	1	2	1	-	-	-	1	-	3	-	-	5	6	1	-	10	74
2	41	1	14	1	8	1	1	7	-	-	4	1	-	8	1	1	4	1	-	11	75
4	182	22	19	3	14	7	5	25	3	10	5	-	15	30	2	17	14	2	-	41	76
1	68	7	2	-	4	5	3	8	2	1	1	-	2	11	2	6	6	-	-	22	77
1	89	10	3	-	4	5	3	10	2	1	2	-	2	11	2	7	10	2	-	23	78
3	114	15	17	3	10	2	2	17	1	9	4	-	13	19	-	11	8	2	-	19	79
-	46	4	13	-	7	3	1	7	-	1	3	-	3	7	-	7	7	1	-	18	80
-	28	2	4	-	3	1	1	3	-	-	2	-	1	3	-	3	3	-	-	13	81
-	18	2	9	-	4	2	-	4	-	1	1	-	2	4	-	4	4	1	-	5	82

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MINNESOTA—Continued																
1	Stevens	108	-	-	1	17	7	2	1	1	-	2	4	-	61	8	47
2	Swift	126	-	-	1	25	11	-	1	5	2	1	5	3	62	20	39
3	Todd	227	-	1	2	38	13	3	8	5	2	-	7	5	129	25	83
4	Traverse	58	-	-	-	1	1	-	-	-	-	-	-	-	38	10	24
5	Wabasha	213	-	1	2	23	9	2	2	1	3	3	3	7	122	47	61
6	Wadena	136	1	-	-	10	2	-	1	4	-	-	3	4	91	16	73
7	Waseca	159	1	-	2	21	10	2	2	3	-	-	4	4	93	23	60
8	Washington	381	1	-	2	61	20	2	11	7	3	2	16	10	210	46	150
9	Watonwan	157	-	-	-	22	8	1	4	-	2	2	5	5	87	23	53
10	Wilkin	91	-	-	1	17	5	3	1	3	-	4	1	5	37	14	19
11	Winona	413	2	-	3	71	30	4	5	11	7	4	10	8	231	64	143
12	Winona	286	2	-	3	48	19	4	2	9	6	3	5	7	162	44	99
13	Balance of county	127	-	-	-	23	11	-	3	2	1	1	5	1	69	20	44
14	Wright	287	-	-	1	47	20	1	2	11	-	5	8	4	162	37	119
15	Yellow Medicine	148	-	-	-	21	6	2	3	3	2	2	3	2	97	25	64
16	MISSISSIPPI	21,573	171	50	192	2,513	763	306	176	502	84	127	555	312	10,349	2,873	6,518
17	Metropolitan counties	1,508	16	3	16	174	55	20	14	33	7	11	34	25	624	156	399
18	Nonmetropolitan counties	20,065	155	47	176	2,339	708	286	162	469	77	116	521	287	9,725	2,717	6,119
19	Adams	389	5	-	2	36	5	5	5	8	2	2	9	4	211	55	139
20	Natchez	288	2	-	2	29	4	5	5	7	1	2	5	3	161	38	106
21	Balance of county	101	3	-	-	7	1	-	-	1	1	-	4	1	50	17	33
22	Alcorn	262	1	1	1	44	9	8	3	8	-	4	12	7	136	23	99
23	Amite	134	1	-	-	13	2	2	1	4	-	-	4	1	80	31	41
24	Attala	249	2	-	1	29	9	1	2	9	-	1	7	3	126	36	79
25	Benton	71	-	-	1	5	2	1	1	-	-	-	1	3	36	12	18
26	Bolivar	648	11	2	9	62	22	6	1	12	5	2	14	11	284	84	173
27	Calhoun	142	2	-	-	20	10	1	2	2	-	2	3	-	74	19	47
28	Carroll	131	-	1	1	17	8	1	-	4	-	1	3	1	59	12	35
29	Chickasaw	168	1	-	2	13	3	2	4	1	-	-	3	3	89	24	58
30	Choctaw	108	1	-	-	13	4	-	1	2	-	-	6	5	55	14	36
31	Claiborne	133	-	-	2	12	2	2	-	2	1	-	5	-	63	17	37
32	Clarke	188	1	-	1	27	8	3	2	4	3	1	6	3	93	29	62
33	Clay	186	2	1	1	20	3	2	1	8	-	-	6	2	84	18	55
34	Coahoma	601	13	3	2	72	24	7	5	14	3	3	16	9	257	65	170
35	Clarksdale	273	4	2	1	40	14	5	-	8	1	1	11	7	141	33	92
36	Balance of county	328	9	1	1	32	10	2	5	6	2	2	5	2	116	32	78
37	Copiah	314	1	1	6	44	18	6	5	7	-	-	10	5	169	28	126
38	Covington	114	1	2	3	13	2	1	2	6	-	-	2	-	59	18	38
39	De Soto	226	1	-	5	31	14	1	2	5	-	3	6	3	94	31	50
40	Forrest	473	6	1	2	56	18	6	1	10	3	4	14	9	259	62	178
41	Hattiesburg	302	6	-	2	37	13	4	1	7	2	2	8	6	175	44	118
42	Balance of county	171	-	1	-	19	5	2	-	3	1	2	6	3	84	18	60
43	Franklin	101	2	-	-	9	4	1	1	1	-	-	2	1	60	7	43
44	George	80	2	-	2	9	4	1	-	2	-	1	1	1	43	10	31
45	Greene	84	-	-	1	3	2	-	-	-	1	-	-	1	49	12	34
46	Grenada	202	2	2	1	30	11	1	3	7	1	3	4	-	91	37	51
47	Hancock	138	2	-	1	22	6	3	2	3	-	-	8	4	67	22	43
48	Harrison	786	3	1	7	111	28	19	9	19	7	4	25	10	364	83	247
49	Biloxi	274	2	-	-	31	8	8	4	5	2	1	3	4	129	26	91
50	Gulfport	222	-	1	2	34	5	6	2	6	2	2	11	3	104	26	65
51	Balance of county	290	1	-	5	46	15	5	3	8	3	1	11	3	131	31	91
52	Hinds	1,508	16	3	16	174	55	20	14	33	7	11	34	25	624	156	399
53	Jackson	1,075	15	3	10	119	38	16	12	21	3	7	24	19	447	106	298
54	Balance of county	433	1	-	6	55	19	4	2	12	4	4	10	6	177	50	101
55	Holmes	335	2	-	4	49	21	4	3	9	-	3	9	3	134	43	78
56	Humphreys	209	3	1	1	21	4	1	1	9	-	-	6	2	95	36	40
57	Issaquena	49	-	-	-	8	1	2	1	2	-	-	2	-	21	6	14
58	Itawamba	120	-	-	-	17	4	1	-	5	-	-	7	4	65	20	43
59	Jackson	376	4	-	3	51	17	14	3	9	2	1	5	5	173	47	114
60	Pascagoula	137	2	-	1	17	3	6	1	4	-	-	3	1	71	20	48
61	Balance of county	239	2	-	2	34	14	8	2	5	2	1	2	4	102	27	66
62	Jasper	165	2	-	-	18	5	2	2	2	-	3	4	3	93	28	55
63	Jefferson	127	-	-	-	10	2	1	1	3	-	1	2	3	62	17	39
64	Jefferson Davis	145	1	-	-	13	6	2	-	2	-	2	1	1	78	17	55
65	Jones	560	3	1	5	72	19	16	4	11	5	1	16	6	269	93	162
66	Laurel	296	2	-	3	32	9	10	1	3	5	-	4	2	150	46	98
67	Balance of county	264	1	1	2	40	10	6	3	8	-	1	12	4	119	47	64
68	Kemper	131	1	-	-	12	3	1	-	2	-	2	4	3	49	10	35
69	Lafayette	173	1	-	-	15	5	-	1	1	-	1	7	7	95	26	59
70	Lamar	109	1	1	2	15	5	1	-	3	-	1	5	2	56	13	37
71	Lauderdale	723	4	-	9	75	24	10	9	13	2	3	14	11	355	97	230
72	Meridian	499	4	-	3	54	16	8	7	10	2	2	9	4	250	61	170
73	Balance of county	224	-	-	6	21	8	2	2	3	-	1	5	7	105	36	60
74	Lawrence	128	-	1	2	15	1	1	-	9	-	-	4	2	72	18	41
75	Leake	181	-	1	4	27	7	2	-	5	1	3	9	4	93	27	59
76	Lee	358	3	-	3	59	18	6	5	12	3	3	12	-	184	55	119
77	Tupelo	135	1	-	1	21	7	3	2	2	2	2	3	-	64	23	41
78	Balance of county	223	2	-	2	38	11	3	3	10	1	1	9	-	120	32	78

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	33	-	12	-	4	-	2	4	1	1	-	-	-	4	1	6	4	-	-	8	1
1	30	4	4	1	-	-	2	5	-	-	2	-	-	3	1	3	2	2	-	17	2
2	58	10	13	3	11	2	5	7	3	-	-	-	4	7	2	9	8	-	-	12	3
1	17	2	4	-	3	-	1	1	-	-	1	-	1	1	1	1	6	1	-	6	4
5	42	7	7	1	9	4	-	11	1	1	2	-	3	4	1	9	8	1	-	17	5
-	45	16	12	-	1	1	-	-	-	1	1	-	1	5	-	9	4	1	-	8	6
1	34	6	19	1	5	3	1	3	2	-	1	-	2	5	-	5	7	-	-	13	7
3	125	9	13	5	2	6	1	11	-	1	2	-	5	19	1	4	24	5	1	24	8
2	43	1	7	-	6	4	1	7	-	-	2	1	1	7	-	4	5	1	-	15	9
2	17	-	-	1	3	-	-	2	1	1	-	-	3	8	-	4	3	1	-	8	10
7	94	14	28	3	12	6	3	14	1	2	6	1	4	14	3	9	12	-	-	32	11
5	65	10	19	2	10	5	2	9	1	2	6	-	4	8	1	7	4	-	-	22	12
2	29	4	9	1	2	1	1	5	-	-	-	1	-	6	2	2	8	-	-	10	13
1	87	17	14	1	2	1	2	12	1	5	2	-	6	9	1	4	11	1	-	21	14
-	49	3	12	2	6	-	-	3	-	-	1	-	2	2	-	1	2	-	-	17	15
143	3,813	1,374	1,188	251	265	182	260	868	92	217	96	49	262	1,108	2,101	548	874	145	204	1,402	16
11	229	102	57	10	21	13	25	57	7	18	9	3	23	117	158	41	58	13	15	131	17
132	3,584	1,272	1,131	241	244	169	235	831	85	199	87	46	239	991	1,943	507	816	132	189	1,271	18
5	68	34	32	4	10	2	1	21	2	6	2	-	10	16	15	3	16	3	3	34	19
4	53	24	25	4	10	2	1	15	1	4	2	-	10	12	5	2	12	3	3	22	20
1	15	10	7	-	-	-	-	6	1	2	-	-	-	4	10	1	4	-	-	12	21
1	77	9	12	5	4	3	2	15	-	1	1	-	1	12	10	8	9	2	3	10	22
1	24	8	8	3	3	1	1	3	-	1	1	-	2	3	8	1	7	1	1	11	23
2	38	19	20	5	1	2	3	18	1	2	-	1	2	13	17	9	10	2	1	12	24
1	8	7	2	-	2	1	3	2	1	-	-	1	2	4	3	5	4	-	-	4	25
2	89	54	28	5	5	3	14	34	2	13	1	1	12	27	102	9	23	5	5	35	26
1	17	15	14	1	5	-	2	5	1	-	-	-	1	5	15	6	3	5	-	5	27
1	24	7	3	8	1	2	1	4	2	3	-	2	1	5	17	5	4	1	1	7	28
1	44	9	4	3	2	1	1	11	1	2	1	1	2	4	13	3	6	2	6	8	29
2	18	7	9	-	3	1	1	4	-	2	1	-	2	3	4	2	4	-	-	12	30
2	20	12	3	3	-	4	2	8	-	2	-	1	1	3	21	1	5	2	1	11	31
2	35	12	13	-	1	-	1	6	1	1	1	1	-	5	13	10	3	3	2	17	32
-	32	17	6	4	2	3	2	6	-	3	-	-	-	12	28	7	9	5	1	5	33
6	87	47	30	6	2	3	11	40	1	8	5	1	7	22	69	12	33	2	5	40	34
4	46	28	14	3	2	3	8	18	-	2	-	-	3	11	15	4	8	1	1	15	35
2	41	19	16	3	-	-	3	22	1	6	5	1	4	11	54	8	25	1	4	25	36
4	78	31	13	3	2	4	6	13	1	4	1	-	1	14	14	4	11	1	2	22	37
-	26	4	8	1	2	-	-	7	-	-	1	-	-	2	6	7	5	1	1	6	38
1	31	11	7	8	3	1	1	16	-	-	2	1	3	12	32	6	7	2	1	10	39
2	121	23	32	5	5	4	5	12	1	4	2	-	7	24	24	6	13	4	8	35	40
2	80	17	19	4	4	1	4	7	1	2	1	-	2	13	15	2	7	2	6	18	41
-	41	6	13	1	1	3	1	5	-	2	1	-	5	11	9	4	6	2	2	17	42
2	24	9	8	2	7	-	1	3	-	-	1	-	2	6	3	2	7	-	-	5	43
-	20	6	5	-	1	-	1	1	-	-	1	-	3	7	1	2	6	-	1	1	44
-	25	3	6	-	-	3	-	3	-	-	-	-	1	2	5	8	6	-	2	3	45
-	29	9	13	2	-	-	1	12	-	2	-	1	3	4	22	3	17	2	1	9	46
-	33	6	4	-	-	1	1	2	1	1	1	-	-	2	13	9	9	-	-	4	47
7	152	46	42	7	12	10	5	25	2	5	6	1	15	52	67	20	37	5	11	44	48
1	62	13	15	3	3	5	1	7	-	2	2	-	8	23	29	6	15	2	2	12	49
3	32	16	14	3	5	3	2	5	-	1	2	1	1	16	17	4	11	2	3	15	50
3	58	17	13	1	4	2	2	13	2	2	2	-	6	13	21	10	11	1	6	17	51
11	229	102	57	10	21	13	25	57	7	18	9	3	23	117	158	41	58	13	15	131	52
9	169	81	39	5	10	8	20	44	6	11	9	2	19	93	102	27	41	6	14	88	53
2	60	21	18	5	11	5	5	13	1	7	-	1	4	24	56	14	17	7	1	43	54
2	49	17	10	6	5	-	2	19	-	1	1	1	4	12	49	7	17	1	2	29	55
1	22	9	8	2	5	6	6	2	-	6	-	1	2	9	41	3	4	1	2	15	56
-	3	9	2	-	1	-	-	-	1	-	-	-	-	4	3	3	6	1	1	1	57
2	32	5	4	1	-	-	1	2	1	-	-	-	-	2	10	5	1	2	3	8	58
1	78	15	20	2	3	5	2	13	1	-	4	1	11	29	16	12	19	4	6	24	59
-	36	3	9	1	-	1	1	3	-	-	2	-	4	9	4	3	6	2	2	10	60
1	42	12	11	1	3	4	1	10	1	-	2	1	7	20	12	9	13	2	4	14	61
2	28	11	14	3	2	1	4	9	3	-	1	-	6	5	16	4	6	-	2	17	62
5	13	10	11	-	2	3	1	7	-	3	-	-	4	5	8	2	11	-	1	11	63
3	31	7	14	2	-	1	3	5	1	3	-	-	2	4	15	4	10	1	-	7	64
2	106	28	26	2	2	4	6	18	5	7	4	-	10	40	30	14	26	4	5	41	65
2	62	19	15	-	1	2	3	9	3	3	2	-	6	29	13	4	17	2	4	15	66
-	44	9	11	2	1	2	3	9	2	4	2	-	4	11	17	10	9	2	1	26	67
5	20	4	6	2	-	-	2	12	1	2	-	1	-	5	20	5	4	1	1	14	68
-	30	13	16	-	5	1	4	7	-	3	1	-	-	7	12	4	9	-	-	12	69
1	27	8	1	2	2	1	1	9	1	1	-	-	2	8	2	3	2	-	-	4	70
9	142	49	30	6	8	6	8	26	7	11	9	1	8	32	62	29	17	2	9	56	71
4	108	38	20	2	6	5	6	20	7	9	5	1	8	21	39	20	8	2	8	36	72
5	34	11	10	4	2	1	2	6	-	2	4	-	-	11	23	9	9	-	1	20	73
1	25	10	5	2	8	1	2	5	1	1	1	-	2	4	6	5	5	-	-	6	74
2	45	7	5	5	-	-	2	5	-	-	-	-	1	9	7	5	6	4	1	14	75
4	69	28	18	2	3	4	1	18	-	1	1	-	5	18	14	12	11	-	6	23	76
-	26	9	6	-	-	-	-	8	-	1	1	-	3	9	2	4	8	-	3	9	77
4	43	19	12	2	3	4	1	10	-	-	-	-	2	9	12	8	3	-	3	14	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MISSISSIPPI--Continued																
1	Leflore	541	1	-	5	47	17	2	4	12	2	3	7	4	236	81	124
2	Greenwood	266	1	-	1	29	14	1	3	4	2	3	2	4	132	39	76
3	Balance of county	275	-	-	4	18	3	1	1	8	-	-	5	-	104	42	48
4	Lincoln	292	3	-	-	35	11	6	1	10	-	1	6	1	165	31	126
5	Lowndes	387	6	-	3	45	12	9	1	8	-	3	12	4	196	48	130
6	Columbus	206	4	-	2	24	8	4	1	4	-	1	6	1	112	30	69
7	Balance of county	181	2	-	1	21	4	5	-	4	-	2	6	3	84	18	61
8	Madison	368	4	1	3	34	16	3	5	-	2	1	7	6	162	50	95
9	Marion	230	3	-	2	18	2	2	2	5	-	-	7	5	116	41	66
10	Marshall	238	3	1	3	14	2	-	3	5	-	-	4	4	133	42	84
11	Monroe	357	2	1	-	46	12	3	3	17	2	2	7	4	188	62	103
12	Montgomery	155	1	-	-	19	5	1	1	6	1	2	3	4	88	20	63
13	Neshoba	223	1	1	1	27	10	4	2	4	1	-	6	6	120	35	73
14	Newton	223	-	-	-	30	12	-	6	4	2	1	5	6	105	28	63
15	Noxubee	196	1	1	-	23	7	3	-	8	-	-	5	5	96	29	58
16	Oktibbeha	216	-	-	-	24	9	4	3	4	1	-	3	7	119	51	60
17	Panola	345	1	1	8	49	20	3	1	7	2	-	16	1	178	51	111
18	Pearl River	209	1	1	4	32	4	7	4	4	1	4	8	3	78	10	58
19	Perry	88	3	-	1	11	5	2	-	1	-	2	1	3	52	21	28
20	Pike	401	5	-	4	44	17	6	5	6	-	3	7	6	205	51	132
21	McComb	144	1	-	3	12	6	-	-	2	-	1	3	1	81	15	55
22	Balance of county	257	4	-	1	32	11	6	5	4	-	2	4	5	124	36	77
23	Pontotoc	191	1	-	1	23	8	3	-	2	1	3	6	3	103	21	74
24	Prentiss	149	1	-	-	21	3	1	1	5	1	2	8	1	77	27	36
25	Quitman	226	3	2	-	36	12	6	1	6	3	-	8	4	83	20	54
26	Rankin	224	-	3	1	23	7	3	1	4	1	2	5	3	92	26	59
27	Scott	243	2	-	6	23	6	1	1	6	1	4	4	2	114	40	64
28	Sharkey	114	-	-	2	12	3	4	-	2	-	2	1	1	41	9	26
29	Simpson	224	1	-	5	32	10	6	1	7	-	4	4	1	112	27	78
30	Smith	131	1	1	-	12	2	-	2	2	-	1	5	3	73	18	52
31	Stone	71	-	-	-	9	1	1	1	2	-	1	3	-	42	10	29
32	Sunflower	458	3	2	4	48	19	5	2	8	-	3	11	6	178	51	105
33	Tallahatchie	283	3	-	6	34	12	5	5	6	1	2	3	2	127	40	74
34	Tate	172	-	-	5	17	4	2	-	5	1	-	5	2	87	17	59
35	Tippah	168	2	-	1	16	9	1	1	2	2	-	1	1	102	21	78
36	Tishomingo	136	3	-	-	21	6	3	2	3	1	-	6	6	73	30	38
37	Tunica	203	1	-	3	16	4	-	2	6	1	1	2	3	110	23	71
38	Union	207	3	1	-	26	6	1	2	2	2	5	8	3	113	28	84
39	Walthall	116	-	-	1	13	3	2	1	-	1	2	4	-	57	21	32
40	Warren	510	1	3	1	61	20	8	2	22	1	1	7	10	236	73	138
41	Vicksburg	390	1	2	1	43	13	4	-	18	1	1	6	8	192	59	113
42	Balance of county	120	-	1	-	18	7	4	2	4	-	-	1	2	44	14	25
43	Washington	803	2	3	9	87	25	14	4	18	2	2	22	11	341	91	211
44	Greenville	410	2	2	5	61	17	11	3	17	1	1	11	5	165	54	95
45	Balance of county	393	-	1	4	26	8	3	1	1	1	1	11	6	176	37	116
46	Wayne	175	4	-	2	19	7	1	-	7	-	1	3	3	81	26	46
47	Webster	89	-	-	1	14	5	4	-	1	1	-	3	1	51	19	30
48	Wilkinson	144	-	-	-	16	3	3	2	3	1	-	4	1	76	28	43
49	Winston	197	1	1	2	20	6	2	2	2	1	-	7	4	90	24	51
50	Yalobusha	156	1	2	2	19	2	5	2	5	1	1	3	2	83	28	52
51	Yazoo	369	2	2	6	35	6	6	3	7	1	2	10	3	149	46	91
52	MISSOURI	46,769	342	124	189	7,059	2,393	943	593	1,168	334	342	1,286	793	26,711	6,019	18,255
53	Metropolitan counties	25,054	192	84	84	4,061	1,355	587	383	627	204	184	711	457	13,686	2,833	9,616
54	Nonmetropolitan counties	21,715	150	40	105	2,998	1,038	346	210	541	130	158	575	336	13,025	3,186	8,639
55	Adair	217	2	1	3	27	6	1	5	3	2	1	9	6	135	34	81
56	Kirksville	135	1	-	2	19	3	1	3	3	-	1	8	3	86	18	55
57	Balance of county	82	1	1	1	8	3	-	2	-	2	-	1	3	49	16	26
58	Andrew	132	-	-	-	21	6	-	-	2	1	3	9	1	86	24	58
59	Atchison	98	-	-	-	14	4	1	2	3	1	2	1	2	60	12	43
60	Audrain	262	1	1	3	43	13	7	2	4	2	2	13	5	147	39	94
61	Mexico	124	-	-	-	21	9	3	-	2	1	-	6	3	69	10	53
62	Balance of county	138	1	1	3	22	4	4	2	2	1	2	7	2	78	29	41
63	Barry	230	1	1	-	37	16	1	2	14	-	1	3	1	129	30	92
64	Barton	174	3	-	1	25	12	1	1	4	-	1	6	3	115	36	71
65	Bates	249	-	-	-	35	11	7	2	7	2	-	6	6	136	32	89
66	Benton	122	-	-	2	25	10	1	2	7	1	-	4	2	74	28	42
67	Bollinger	97	3	1	1	11	1	-	1	2	4	2	1	1	60	12	42
68	Boone	452	4	2	3	57	24	6	4	17	1	1	4	5	287	76	186
69	Columbia	253	3	2	2	33	12	2	3	12	1	-	3	3	158	45	102
70	Balance of county	199	1	-	1	24	12	4	1	5	-	1	1	2	129	31	84
71	Buchanan	1,193	9	6	9	169	64	29	9	29	4	8	26	21	735	197	489
72	St. Joseph	1,013	9	5	6	143	52	25	7	25	4	8	22	18	632	173	415
73	Balance of county	180	-	1	3	26	12	4	2	4	-	-	4	3	103	24	74
74	Butler	427	3	-	4	48	16	6	-	9	3	2	12	3	250	47	191
75	Poplar Bluff	222	2	-	2	21	8	3	-	3	1	-	6	2	132	25	100
76	Balance of county	205	1	-	2	27	8	3	-	6	2	2	6	1	118	22	91
77	Caldwell	152	-	-	-	23	8	2	1	7	-	1	4	3	93	39	48

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	74	33	16	13	5	5	8	26	1	9	6	1	5	23	108	8	16	4	8	33	1
-	43	25	8	8	2	4	3	9	1	3	5	-	2	15	31	4	8	2	4	15	2
1	31	8	8	5	3	1	5	17	-	6	1	1	3	8	77	4	8	2	4	18	3
2	68	21	35	1	-	2	5	16	1	5	-	1	-	16	15	9	10	1	2	12	4
3	74	25	28	6	7	1	4	15	4	3	-	-	1	16	49	6	19	1	1	18	5
2	41	17	9	5	6	-	2	9	4	3	-	-	-	9	20	2	6	1	-	9	6
1	33	8	19	1	1	1	2	6	-	-	-	-	1	7	29	4	13	-	1	9	7
1	45	20	29	6	2	4	5	17	-	5	-	2	1	35	50	7	18	1	3	19	8
2	36	11	17	2	2	-	5	7	1	3	2	-	2	11	21	9	11	1	1	17	9
1	46	21	16	3	3	-	1	9	-	1	-	3	4	9	24	8	8	-	6	8	10
6	65	9	23	6	5	2	10	18	3	3	3	1	-	13	35	3	8	3	3	23	11
-	39	15	9	4	1	-	-	7	-	-	1	1	-	5	12	3	2	-	1	11	12
2	46	10	15	3	1	4	4	5	1	2	-	-	2	11	13	8	10	1	1	13	13
1	48	8	6	4	4	4	2	3	2	3	1	1	5	10	21	9	5	3	-	19	14
2	39	8	9	2	3	2	2	8	-	1	-	1	1	5	32	3	7	-	2	10	15
1	37	9	13	2	3	-	3	7	3	3	1	-	5	11	15	4	5	1	-	11	16
2	65	22	22	6	3	1	6	15	1	1	-	-	4	17	35	6	10	2	2	14	17
1	41	8	8	3	5	-	2	5	2	-	-	-	1	16	7	16	19	3	3	18	18
-	18	3	7	-	1	1	1	-	-	-	-	-	1	3	2	-	5	-	-	7	19
-	92	22	18	6	8	2	6	15	4	3	2	-	5	20	36	10	9	3	3	27	20
-	42	7	6	3	4	2	2	6	3	1	1	-	4	7	6	1	2	1	2	12	21
-	50	15	12	3	4	-	4	9	1	2	1	-	1	13	30	9	7	2	1	15	22
1	33	21	19	3	3	2	-	15	-	-	2	-	4	6	7	7	11	-	2	6	23
-	23	8	5	5	3	3	3	7	2	-	-	-	1	4	7	5	3	3	3	14	24
1	25	19	9	1	5	1	2	11	1	1	-	-	3	13	31	3	20	1	3	11	25
1	33	14	11	2	4	1	-	15	3	1	-	2	8	17	25	4	7	2	2	16	26
2	40	10	12	3	1	4	2	5	-	2	-	-	3	16	25	8	12	2	3	20	27
1	10	8	7	2	1	-	3	2	-	2	1	1	-	7	23	-	7	-	2	13	28
2	54	9	13	1	3	1	2	8	1	1	2	-	2	9	15	11	9	1	2	12	29
2	30	9	11	-	-	3	-	1	-	1	-	1	1	4	2	8	9	2	1	11	30
-	16	7	6	-	1	1	1	-	-	1	-	-	2	1	3	4	2	1	1	5	31
1	52	32	20	5	6	5	7	19	2	7	-	3	7	25	75	10	25	1	6	36	32
-	39	23	12	2	7	2	2	9	2	5	-	-	4	14	38	4	12	2	7	14	33
-	28	21	10	2	5	1	3	4	2	1	2	1	3	10	12	3	6	2	2	13	34
2	44	25	7	-	1	2	-	6	1	2	1	-	5	9	3	3	6	-	2	8	35
-	30	3	5	-	3	1	1	6	1	2	1	1	1	2	3	3	3	2	-	8	36
-	36	21	14	4	1	4	7	12	-	3	1	1	1	12	19	1	10	2	1	7	37
-	49	16	19	-	-	1	-	2	-	4	-	1	-	8	14	6	8	2	-	16	38
-	20	5	7	1	1	1	1	3	1	1	-	-	2	10	11	4	4	2	-	7	39
2	84	33	19	6	7	7	5	21	4	4	1	-	1	32	66	6	22	-	4	37	40
1	73	28	11	5	6	5	4	19	4	2	1	-	1	22	43	5	16	-	3	27	41
1	11	5	8	1	1	2	1	2	-	2	-	-	-	10	23	1	6	-	1	10	42
1	78	61	71	11	5	9	14	43	1	11	9	5	6	65	116	13	31	5	6	39	43
1	34	31	29	6	4	4	2	24	1	4	5	-	5	37	41	8	13	4	2	26	44
-	44	30	42	5	1	5	12	19	-	7	4	5	1	28	75	5	18	1	4	13	45
1	32	6	7	1	4	2	2	8	-	1	-	-	3	6	16	6	9	1	-	16	46
-	22	4	4	-	2	-	-	3	-	1	-	1	-	-	7	2	1	-	-	7	47
1	24	8	10	2	1	1	1	2	-	-	-	-	1	12	18	7	3	-	2	6	48
-	37	8	6	7	3	4	1	12	1	1	1	-	5	14	14	2	5	2	3	19	49
1	28	7	16	-	-	1	2	6	-	2	-	-	2	5	14	3	4	3	2	6	50
5	44	14	28	4	5	2	1	10	1	4	-	1	2	17	71	10	17	3	4	32	51
536	12,722	2,102	2,895	392	1,127	436	482	1,665	291	173	443	33	505	1,596	460	964	1,457	530	223	3,211	52
326	6,949	1,083	1,258	191	598	268	180	992	168	78	309	18	308	1,033	249	422	754	282	155	1,722	53
210	5,773	1,019	1,637	201	529	168	302	673	123	95	134	15	197	563	211	542	703	248	68	1,489	54
4	62	6	9	3	6	6	5	8	-	-	2	-	2	4	-	-	8	2	-	17	55
2	41	6	6	3	4	4	2	5	-	-	1	-	2	3	-	-	3	1	-	9	56
2	21	-	3	-	2	2	3	3	-	-	1	-	-	1	-	-	5	1	-	8	57
2	46	6	4	1	2	1	-	2	1	-	-	-	-	1	2	2	6	3	-	7	58
1	32	3	7	1	1	3	-	3	1	-	-	-	-	2	-	4	3	4	-	5	59
-	66	14	14	1	7	2	4	5	2	-	1	1	1	8	2	8	15	4	-	15	60
-	33	12	8	1	4	-	1	4	1	-	1	1	-	4	-	2	6	1	-	11	61
-	33	2	6	-	3	2	3	1	1	-	-	-	1	4	2	6	9	3	-	4	62
1	62	12	17	-	2	-	5	8	1	1	4	-	2	3	1	9	6	1	-	25	63
4	50	9	8	-	3	1	4	6	2	2	2	-	-	2	1	3	-	3	-	6	64
2	59	11	17	-	6	1	8	9	3	-	3	1	2	3	1	7	10	4	1	28	65
5	29	2	6	1	2	1	-	2	-	1	-	-	2	-	-	4	1	-	-	9	66
1	29	8	4	3	2	1	-	2	-	-	1	-	-	1	2	1	3	3	-	7	67
3	139	23	21	4	16	-	5	18	3	4	5	-	5	11	1	3	4	4	3	33	68
2	81	9	10	3	6	-	2	13	3	2	3	-	3	9	-	-	3	1	1	15	69
1	58	14	11	1	10	-	3	5	-	2	2	-	2	2	1	3	4	1	2	18	70
19	358	55	57	9	28	6	6	15	11	6	9	1	15	36	2	9	39	17	1	83	71
18	308	47	42	9	25	5	5	9	7	5	7	1	14	28	2	8	33	13	1	72	72
1	50	8	15	-	3	1	1	6	4	1	2	-	1	8	-	1	6	4	-	11	73
1	122	26	42	1	-	4	7	15	3	3	4	-	2	17	2	3	21	2	3	44	74
1	63	15	21	-	-	2	5	6	2	1	3	-	2	8	1	2	10	2	2	24	75
-	59	11	21	1	-	2	2	9	1	2	1	-	-	9	1	1	11	-	1	20	76
1	33	2	12	1	5	-	-	5	-	1	-	-	3	1	2	3	6	1	-	11	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MISSOURI—Continued																
1	Callaway	240	1	1	2	24	10	2	1	4	1	-	6	4	149	33	105
2	Fulton	91	-	-	-	8	4	1	1	-	-	-	2	2	59	15	40
3	Balance of county	149	1	1	2	16	6	1	-	4	1	-	4	2	90	18	65
4	Camden	94	1	-	-	20	5	3	-	3	2	-	7	1	56	13	42
5	Cape Girardeau	363	1	1	1	41	13	3	5	6	2	2	10	6	229	52	162
6	Cape Girardeau	212	1	-	1	25	5	2	4	6	1	-	7	5	121	22	87
7	Balance of county	151	-	1	-	16	8	1	1	-	1	2	3	1	108	30	75
8	Carroll	174	-	2	-	25	7	4	1	3	1	2	7	2	104	35	59
9	Carter	51	1	-	1	5	2	1	-	1	-	-	1	-	32	5	23
10	Cass	222	1	1	-	37	14	4	4	11	1	-	3	2	111	28	71
11	Cedar	130	-	-	-	14	5	1	1	2	-	-	5	3	96	22	67
12	Chariton	169	1	-	-	25	7	4	2	4	2	3	3	3	109	31	74
13	Christian	115	1	-	-	14	5	3	2	-	-	1	3	-	79	23	45
14	Clark	141	-	1	-	28	11	1	1	3	2	1	9	-	89	25	55
15	Clay	741	5	-	5	138	38	26	9	19	6	9	31	11	402	93	256
16	Kansas City (part)	328	4	-	2	72	14	20	6	11	4	4	13	5	173	42	117
17	Balance of county	413	1	-	3	66	24	6	3	8	2	5	18	6	229	51	139
18	Clinton	188	1	-	-	24	10	1	2	5	1	1	4	2	120	30	78
19	Cole	315	-	-	-	60	20	7	3	10	1	6	13	5	178	36	125
20	Jefferson City	230	-	-	-	48	14	6	2	10	1	4	11	4	122	29	83
21	Balance of county	85	-	-	-	12	6	1	1	-	-	2	2	1	56	7	42
22	Cooper	201	-	-	-	27	11	3	2	5	2	2	2	6	125	29	80
23	Crawford	134	-	1	-	18	7	2	-	1	1	1	6	2	85	22	54
24	Dade	111	-	-	-	23	12	3	2	3	1	-	2	1	72	17	44
25	Dallas	111	1	-	-	11	7	-	-	-	1	1	2	-	78	27	43
26	Daviess	144	-	-	-	29	10	-	1	4	1	1	12	6	84	23	49
27	De Kalb	105	-	-	-	10	3	-	1	2	-	2	2	1	75	20	51
28	Dent	133	2	-	-	26	10	3	2	6	1	-	4	2	77	25	47
29	Douglas	106	-	-	-	10	2	1	1	4	1	-	1	1	76	19	37
30	Dunklin	388	4	1	4	58	14	11	4	13	2	2	12	7	219	50	150
31	Franklin	452	2	1	2	64	27	4	9	7	3	1	13	2	270	52	195
32	Gasconade	156	-	1	-	19	6	2	2	5	-	1	3	3	115	28	83
33	Gentry	157	1	-	1	21	10	4	1	3	-	1	2	6	96	22	64
34	Greene	1,174	4	5	1	163	49	17	22	31	9	5	30	23	738	158	506
35	Springfield	932	3	5	-	131	35	15	19	28	5	5	24	19	579	119	401
36	Balance of county	242	1	-	1	32	14	2	3	3	4	-	6	4	159	39	105
37	Grundy	178	-	-	-	25	6	-	-	6	1	2	10	2	116	22	64
38	Harrison	160	2	1	1	18	5	5	-	4	-	1	3	1	89	19	57
39	Henry	280	-	-	1	43	17	5	5	5	1	1	9	3	172	35	128
40	Hickory	52	-	-	-	5	2	-	-	2	-	-	1	1	37	7	25
41	Holt	125	1	-	1	22	7	1	3	6	-	1	4	3	76	28	44
42	Howard	165	-	-	-	20	6	2	3	3	1	1	4	4	96	25	63
43	Howell	269	3	1	1	37	17	3	3	7	1	2	4	4	164	46	107
44	Iron	124	1	-	2	13	8	1	1	2	-	-	1	-	85	19	47
45	Jackson	6,451	61	24	24	1,007	332	147	99	152	43	48	186	104	3,531	722	2,422
46	Kansas City (part)	5,398	54	21	19	836	280	121	84	127	36	37	151	93	2,968	599	2,015
47	Kansas City (total)	5,726	58	21	21	908	294	141	90	138	40	41	164	98	3,141	641	2,132
48	Independence	454	4	1	5	70	21	8	7	15	1	5	13	6	243	51	176
49	Balance of county	599	3	2	-	101	31	18	8	10	6	6	22	5	320	72	231
50	Jasper	1,093	26	2	4	158	51	19	9	36	6	12	25	22	667	131	474
51	Joplin (part)	538	14	1	3	74	20	10	3	18	4	6	13	12	325	70	226
52	Joplin (total)	549	14	1	3	74	20	10	3	18	4	6	13	12	329	71	229
53	Carthage	165	1	1	-	20	8	3	-	5	-	1	3	3	114	10	90
54	Balance of county	390	11	-	1	64	23	6	6	13	2	5	9	7	228	51	158
55	Jefferson	517	2	1	5	70	29	11	4	14	1	3	8	8	267	39	208
56	Johnson	287	-	-	2	35	12	6	3	9	-	3	2	5	177	35	127
57	Knox	98	1	-	-	9	1	1	3	-	1	1	2	-	69	21	34
58	Laclede	187	1	-	-	27	12	2	3	2	2	1	5	7	101	23	73
59	Lafayette	336	2	-	-	53	17	7	2	8	1	6	12	2	195	33	147
60	Lawrence	301	7	-	-	45	22	4	-	9	3	2	5	-	184	47	114
61	Lewis	148	1	1	2	25	7	1	1	4	2	1	9	1	87	34	49
62	Lincoln	218	4	1	2	19	3	5	1	4	1	3	2	4	143	56	76
63	Linn	279	-	-	-	41	15	6	2	9	4	1	4	4	189	35	129
64	Livingston	228	1	-	1	30	13	4	1	2	3	1	6	3	143	50	78
65	McDonald	149	2	-	-	19	10	2	2	2	-	-	3	2	90	23	59
66	Macon	274	1	-	1	37	11	9	1	5	2	1	8	5	168	38	116
67	Madison	97	2	-	-	16	3	3	1	3	2	2	2	-	56	14	40
68	Maries	67	1	-	-	10	1	-	-	3	1	1	4	-	36	6	26
69	Marion	374	2	1	3	56	15	5	8	12	-	3	13	9	219	58	140
70	Hannibal (part)	278	2	-	3	39	12	4	5	9	-	-	9	7	171	43	115
71	Hannibal (total)	282	2	-	3	39	12	4	5	9	-	-	9	7	175	43	119
72	Balance of county	96	-	1	-	17	3	1	3	3	-	3	4	2	48	15	25
73	Mercer	89	-	-	-	14	2	2	3	3	-	-	4	-	55	14	32
74	Miller	162	-	-	1	20	10	1	2	6	1	-	-	3	89	15	63
75	Mississippi	236	2	-	1	24	9	3	-	3	-	3	6	3	116	29	77
76	Moniteau	174	1	-	-	20	9	2	1	3	-	2	3	1	116	25	84
77	Monroe	176	2	-	-	24	8	1	2	6	3	-	4	3	119	25	83
78	Montgomery	182	-	-	1	25	7	2	2	6	2	3	3	2	101	32	57
79	Morgan	125	-	-	-	15	3	3	3	3	-	-	3	3	82	26	48

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	60	17	26	5	4	2	-	11	1	-	3	-	3	8	2	7	8	1	1	14	1
1	19	10	10	1	3	-	-	3	1	-	3	-	1	3	1	2	1	-	-	7	2
1	41	7	16	4	1	2	-	8	-	-	-	-	2	5	1	5	7	1	1	7	3
-	28	11	3	-	-	-	1	2	-	-	-	-	-	1	-	2	4	1	-	6	4
4	114	18	26	-	9	2	4	8	2	3	2	-	6	15	3	7	12	4	1	21	5
3	63	7	14	-	7	2	3	4	1	1	2	-	4	14	2	4	9	2	1	15	6
1	51	11	12	-	2	-	1	4	1	2	-	-	2	1	1	3	3	2	-	6	7
-	33	8	18	1	4	3	2	8	-	-	1	1	1	3	7	6	5	-	-	9	8
-	14	1	8	1	1	1	1	3	-	-	-	-	-	-	-	1	3	-	1	4	9
1	50	5	15	4	5	1	2	11	-	1	3	-	4	10	1	6	16	3	-	15	10
1	46	5	15	1	4	1	1	3	-	-	-	-	2	1	1	-	2	3	-	5	11
2	40	13	19	2	1	-	1	1	2	-	-	-	1	3	2	4	5	2	1	10	12
5	33	3	4	-	4	2	5	1	2	-	-	-	1	2	1	3	2	2	-	7	13
1	34	3	17	-	8	-	1	2	-	-	-	-	1	1	1	2	7	3	-	6	14
13	193	21	29	4	42	4	3	27	7	1	10	1	7	29	5	15	24	15	1	38	15
9	82	10	16	1	11	2	-	8	1	-	4	-	4	16	2	3	12	6	-	16	16
4	111	11	13	3	31	2	3	19	6	1	6	1	3	13	3	12	12	9	1	22	17
2	57	3	17	2	6	1	2	-	1	1	-	-	1	6	-	9	8	6	-	9	18
3	96	14	12	6	7	4	-	4	2	1	2	-	1	10	1	13	8	5	-	25	19
2	64	11	6	1	5	4	-	4	2	1	1	-	1	9	1	10	5	4	-	18	20
1	32	3	6	5	2	-	-	-	-	-	1	-	-	1	-	3	3	1	-	7	21
-	51	11	18	1	8	2	5	3	1	-	2	-	5	4	-	1	9	2	2	14	22
3	30	5	16	1	4	3	1	3	2	1	1	1	-	2	4	-	3	1	-	10	23
-	38	1	5	2	3	3	3	4	1	1	-	-	1	-	-	1	2	-	-	5	24
1	31	7	4	2	4	1	1	3	-	-	-	-	3	1	5	2	2	1	-	4	25
2	20	14	13	3	3	1	5	5	-	-	-	-	1	4	-	-	3	1	-	11	26
-	33	3	15	1	-	1	2	-	2	1	-	1	1	1	2	1	3	2	-	5	27
1	38	5	3	1	3	-	1	3	-	1	-	-	1	1	6	1	3	3	1	6	28
-	28	4	5	3	6	1	10	5	-	-	-	-	-	3	2	2	1	-	-	6	29
9	90	22	29	3	5	3	8	16	3	4	1	-	-	21	3	11	8	2	1	25	30
6	131	25	33	4	12	2	5	11	4	2	7	1	2	15	3	12	13	8	3	30	31
1	57	7	18	1	2	-	1	-	-	-	2	-	-	-	-	4	4	3	-	5	32
5	45	6	8	1	1	3	5	3	1	-	1	-	2	2	-	4	6	3	-	10	33
10	342	80	74	11	44	8	11	25	7	3	7	1	12	31	11	32	30	12	5	64	34
8	272	61	60	10	33	8	8	20	5	3	6	1	11	25	7	24	23	8	5	57	35
2	70	19	14	1	11	-	3	5	2	-	1	-	1	6	4	8	7	4	-	7	36
1	35	14	14	4	21	3	2	5	1	-	1	1	2	4	4	3	6	1	-	7	37
3	34	12	8	-	8	1	4	4	1	-	2	-	1	2	1	4	6	6	-	21	38
3	75	9	41	4	3	-	2	11	-	1	-	-	1	6	2	7	7	5	-	21	39
1	15	2	7	1	2	-	2	2	-	-	-	-	-	-	-	2	1	1	-	3	40
-	35	2	7	1	3	-	-	2	-	-	2	-	1	2	1	2	2	5	1	4	41
-	43	7	13	1	4	2	1	6	1	1	2	-	3	2	-	5	8	1	1	15	42
-	77	10	20	5	2	1	3	6	-	-	1	-	6	6	4	7	7	3	-	19	43
-	38	4	5	1	14	2	2	7	1	-	-	-	1	1	-	2	2	2	-	7	44
109	1,795	241	277	41	233	69	44	290	45	15	82	4	74	294	48	119	196	82	41	410	45
98	1,479	209	229	35	222	57	40	259	41	12	73	4	56	224	45	82	167	71	39	334	46
107	1,561	219	245	36	233	59	40	267	42	12	77	4	60	240	47	85	179	77	39	350	47
5	136	18	17	3	6	6	1	13	-	1	7	-	8	27	2	17	9	3	1	37	48
6	180	14	31	3	5	6	3	18	4	2	2	-	10	43	1	20	20	8	1	39	49
16	327	56	75	13	20	16	13	30	3	2	9	-	9	29	10	17	24	8	4	69	50
8	166	23	29	8	8	9	4	14	2	1	7	-	7	20	-	9	12	4	2	31	51
8	169	23	29	8	8	9	4	14	2	1	7	-	8	20	1	11	13	4	2	33	52
1	56	11	22	2	5	4	3	4	-	1	-	-	2	-	2	-	3	-	-	14	53
7	105	22	24	3	7	3	6	12	1	-	2	-	-	9	8	8	9	4	2	24	54
7	138	16	47	3	8	3	6	15	2	5	2	-	8	24	6	31	21	6	1	43	55
2	85	17	23	6	7	2	-	4	1	1	-	-	6	12	-	12	15	4	1	12	56
1	24	1	8	3	4	2	5	1	-	-	1	-	-	1	2	4	1	3	-	6	57
2	46	12	13	2	-	-	3	13	1	2	1	-	2	6	5	1	6	1	-	13	58
1	111	18	17	3	8	-	4	15	1	2	4	-	2	9	2	8	15	6	-	20	59
8	60	18	28	2	8	7	6	11	2	2	2	-	2	1	3	6	5	5	-	26	60
1	37	4	7	1	2	-	1	5	-	1	-	-	-	9	1	2	6	1	-	6	61
1	52	10	13	2	4	1	4	5	1	1	-	-	3	6	1	6	3	5	-	14	62
2	75	25	27	9	8	2	6	4	2	1	1	-	-	1	1	11	6	3	-	15	63
3	53	4	18	1	7	1	6	11	2	1	1	-	2	2	1	5	9	1	-	15	64
-	47	4	8	1	5	1	1	9	-	-	-	1	-	-	2	5	7	2	1	9	65
2	78	11	25	1	2	4	7	6	-	1	1	-	1	3	5	7	10	1	1	26	66
-	27	4	9	1	1	-	-	5	1	-	-	-	1	1	-	4	3	1	-	7	67
2	18	1	5	-	1	1	2	3	1	-	-	1	-	3	-	3	5	2	-	2	68
5	103	6	26	2	11	6	2	8	2	3	2	-	2	9	3	6	15	3	2	29	69
3	85	6	21	1	6	5	1	4	1	3	2	-	1	5	2	5	11	3	2	17	70
3	88	6	22	1	6	5	1	4	1	3	2	-	1	5	2	5	11	3	2	17	71
2	18	-	5	1	5	1	1	4	1	-	-	-	1	4	1	1	4	-	-	12	72
-	20	5	7	1	6	-	2	2	1	1	-	-	-	1	-	1	-	5	-	9	73
3	33	11	16	5	3	2	1	7	3	1	2	-	4	7	-	4	5	5	-	11	74
-	52	9	16	1	4	2	3	20	-	2	3	1	1	14	9	10	15	1	3	11	75
7	43	7	27	1	5	-	1	7	2	-	-	-	1	3	2	1	3	1	-	16	76
2	54	8	19	-	7	1	3	5	-	1	-	-	-	1	4	5	3	2	-	7	77
-	39	3	15	1	3	3	5	13	1	2	-	-	1	5	-	8	7	1	1	14	78
1	38	4	5	1	7	-	-	1	2	-	1	-	2	1	-	3	6	-	1	8	79

546125 O -60 -41

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MISSOURI—Continued																
1	New Madrid	289	7	1	3	30	9	6	2	3	-	3	7	4	143	33	95
2	Sikeston (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
3	Balance of county	288	7	1	3	30	9	6	2	3	-	3	7	4	142	33	94
4	Newton	337	5	1	1	42	11	8	4	7	4	2	6	1	192	45	123
5	Joplin part	11	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3
6	Balance of county	326	5	1	1	42	11	8	4	7	4	2	6	1	188	44	120
7	Nodaway	263	-	1	-	33	10	2	4	11	1	2	3	8	161	57	96
8	Oregon	111	1	-	-	19	11	1	-	1	-	-	6	2	66	13	50
9	Osage	110	1	-	-	18	6	1	2	2	-	2	5	1	65	21	39
10	Ozark	66	-	-	-	11	3	1	1	2	2	-	2	1	37	11	23
11	Pemiscot	406	4	-	2	38	9	4	1	10	1	2	11	10	198	51	133
12	Perry	141	2	1	1	14	6	1	2	1	1	1	2	1	88	22	56
13	Pettis	428	4	1	5	69	23	7	3	12	4	6	14	7	258	57	190
14	Sedalia	297	3	1	2	50	18	7	3	6	4	3	9	5	174	36	129
15	Balance of county	131	1	-	3	19	5	-	-	6	-	3	5	2	84	21	61
16	Phelps	229	1	-	1	33	18	1	-	7	-	1	6	3	138	30	98
17	Pike	249	1	2	4	42	15	6	6	5	3	1	6	5	148	28	104
18	Platte	168	-	-	1	27	8	1	2	5	2	3	6	2	95	34	48
19	Polk	197	1	1	2	17	6	-	-	5	1	2	3	-	143	30	104
20	Pulaski	180	-	-	2	24	5	5	1	6	1	-	6	4	70	19	46
21	Putnam	108	-	1	1	17	4	3	2	3	1	2	2	2	60	17	29
22	Ralls	100	-	-	1	12	5	1	-	2	2	1	1	3	58	12	40
23	Hannibal (part)	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4
24	Balance of county	96	-	-	1	12	5	1	-	2	2	1	1	3	54	12	36
25	Randolph	342	-	1	1	52	18	6	3	9	4	2	10	8	195	46	126
26	Moberly	201	-	1	-	31	8	5	1	5	3	2	7	3	121	24	82
27	Balance of county	141	-	-	1	21	10	1	2	4	1	-	3	5	74	22	44
28	Ray	202	-	-	2	22	6	3	1	3	1	-	8	2	124	39	74
29	Reynolds	55	-	-	-	4	2	-	-	1	-	-	1	4	31	11	20
30	Ripley	133	1	-	-	22	5	5	3	1	1	1	6	1	82	23	48
31	St. Charles	374	2	1	1	54	23	7	4	9	3	-	8	4	208	38	155
32	St. Charles	176	1	-	1	23	10	5	-	2	1	-	5	1	97	13	75
33	Balance of county	198	1	1	-	31	13	2	4	7	2	-	3	3	111	25	80
34	St. Clair	130	1	-	-	21	4	4	1	3	2	1	6	4	72	15	49
35	St. Francois	410	2	1	2	62	23	6	8	14	2	-	9	11	244	46	173
36	St. Louis	4,572	17	4	12	852	263	120	89	129	43	55	153	91	2,408	466	1,762
37	University City	489	3	1	2	112	45	13	16	10	4	4	20	12	273	54	200
38	Clayton	169	1	-	-	41	13	6	5	4	2	6	5	4	89	17	69
39	Ferguson	139	1	-	-	26	9	3	1	7	-	3	3	3	82	12	65
40	Jennings	194	3	-	1	31	9	4	3	5	2	2	6	5	97	10	78
41	Kirkwood	269	-	-	1	49	10	12	7	6	3	2	9	3	148	40	100
42	Maplewood	162	-	-	-	25	9	4	2	4	2	2	2	2	97	13	75
43	Overland	180	-	-	2	45	19	4	2	8	3	3	6	4	72	11	57
44	Richmond Heights	159	-	-	-	23	7	2	4	2	4	3	1	2	97	18	71
45	Webster Groves	253	1	1	-	41	13	5	6	5	2	1	9	6	145	45	92
46	Balance of county	2,558	8	2	6	459	129	67	43	78	21	29	92	50	1,308	246	955
47	St. Louis (city)	10,549	94	44	32	1,678	586	251	151	258	96	59	277	203	5,664	1,159	4,026
48	Ste. Genevieve	112	1	-	2	17	5	2	2	2	1	1	4	5	65	13	50
49	Saline	313	2	1	1	46	17	7	4	6	3	2	7	6	181	43	124
50	Schuyler	69	-	-	-	5	2	-	-	2	-	-	1	1	50	20	24
51	Scotland	88	-	-	-	12	8	-	2	1	-	-	1	1	56	16	37
52	Scott	269	-	1	5	47	16	8	2	6	1	4	10	-	138	34	91
53	Sikeston (part)	116	-	-	3	21	10	1	2	2	1	1	4	-	57	18	36
54	Sikeston (total)	117	-	-	3	21	10	1	2	2	1	1	4	-	58	18	37
55	Balance of county	153	-	1	2	26	6	7	-	4	-	3	6	-	81	16	55
56	Shannon	71	2	-	-	8	2	-	1	4	-	-	1	2	41	8	31
57	Shelby	160	1	-	-	24	5	6	-	4	-	6	3	5	100	33	61
58	Stoddard	262	3	-	4	41	16	6	3	4	1	2	9	3	147	40	91
59	Stone	87	1	1	-	8	3	-	-	2	-	2	1	2	53	8	41
60	Sullivan	159	-	1	2	23	7	2	-	6	1	2	5	4	109	31	69
61	Taney	105	-	-	-	15	8	2	1	2	2	-	-	1	63	15	41
62	Texas	189	3	-	1	28	9	5	2	2	-	2	8	4	113	25	80
63	Vernon	272	1	-	-	32	7	7	3	4	1	2	8	1	188	45	134
64	Warren	106	1	-	-	11	4	1	1	2	2	-	1	1	67	9	45
65	Washington	143	1	-	3	20	6	4	1	2	1	1	5	2	80	20	50
66	Wayne	119	1	-	1	11	6	2	-	1	-	-	2	4	72	20	47
67	Webster	151	1	-	-	16	8	1	1	3	1	1	1	2	99	30	59
68	Worth	66	-	-	-	13	7	-	1	2	-	-	3	-	36	8	23
69	Wright	158	1	1	-	18	2	5	2	2	1	-	6	-	101	22	69
70	MONTANA	6,261	45	3	37	845	271	113	73	114	58	53	163	96	3,213	668	2,231
71	Nonmetropolitan counties	6,261	45	3	37	845	271	113	73	114	58	53	163	96	3,213	668	2,231
72	Beaverhead	93	-	-	-	13	7	1	1	-	2	1	1	2	50	12	35
73	Big Horn	108	3	-	3	9	5	-	1	-	1	-	2	1	44	12	29
74	Blaine	64	-	-	1	6	2	1	-	1	-	1	1	2	31	9	19
75	Broadwater	22	-	-	-	4	1	-	-	2	-	-	1	-	12	3	9
76	Carbon	103	-	-	1	17	9	-	-	2	2	1	3	2	57	14	34
77	Carter	21	-	-	-	3	1	-	-	1	-	1	-	1	11	1	8

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	58	15	21	8	3	1	3	11	2	7	1	1	7	17	11	7	11	-	3	23	1
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	58	15	20	8	3	1	3	11	2	7	1	1	7	17	11	7	11	-	3	23	3
2	75	15	31	4	13	1	6	13	5	3	1	-	5	9	2	13	9	4	1	30	4
-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	2	5
2	72	15	31	4	13	1	6	13	5	3	1	-	4	9	1	11	8	4	1	28	6
7	65	5	19	1	3	2	2	10	-	1	2	-	2	4	1	6	7	2	-	25	7
1	33	12	4	-	2	1	-	3	1	-	1	-	-	1	-	5	2	1	1	8	8
-	27	5	7	-	3	2	-	1	-	-	2	-	-	2	-	-	5	3	-	12	9
1	11	5	6	-	1	-	2	1	1	-	-	1	-	2	-	4	1	-	-	7	10
3	92	22	16	3	3	1	5	10	2	6	2	-	4	30	26	21	17	4	8	26	11
2	41	3	10	3	2	3	2	7	-	-	1	-	4	6	-	3	5	2	-	6	12
5	102	29	54	3	3	1	4	6	2	-	4	-	6	15	2	7	10	2	1	29	13
4	69	21	35	2	2	1	4	4	1	-	4	-	4	12	1	4	8	2	1	21	14
1	33	8	19	1	1	-	-	2	1	-	-	-	2	3	1	3	2	-	-	8	15
8	58	15	15	2	4	2	4	6	3	1	2	-	4	3	1	3	13	1	3	13	16
-	58	23	23	2	7	2	5	7	1	1	-	-	-	2	1	4	10	2	-	19	17
1	34	6	7	2	7	2	2	8	2	-	3	-	1	3	-	5	4	4	-	13	18
-	60	3	41	2	6	-	1	3	-	-	2	-	1	1	2	6	5	-	-	13	19
2	25	8	11	-	4	-	1	10	1	-	3	-	7	26	2	8	2	2	1	18	20
-	15	2	12	2	2	1	9	1	2	-	-	-	-	3	2	2	8	-	-	9	21
1	23	3	13	2	3	-	1	3	1	-	1	-	1	3	1	5	3	1	-	7	22
-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	20	3	12	2	3	-	1	3	1	-	1	-	1	3	1	5	3	1	-	7	24
4	69	20	33	6	16	-	1	7	1	4	2	-	3	3	10	13	14	3	1	24	25
2	45	13	22	1	13	-	1	4	1	3	2	-	2	3	4	5	6	1	-	14	26
2	24	7	11	5	3	-	-	3	-	1	-	-	1	-	6	8	8	2	1	10	27
-	62	4	8	1	8	1	1	6	1	1	3	-	2	4	-	7	6	3	1	18	28
-	12	1	7	-	-	-	-	-	2	-	-	-	1	1	1	4	-	-	-	7	29
1	40	3	4	-	9	-	2	4	1	-	1	-	1	-	3	2	2	3	-	10	30
7	112	20	16	4	5	4	2	12	4	3	1	3	9	27	5	8	10	5	1	16	31
5	53	9	8	3	3	2	1	8	1	-	-	1	6	17	4	1	4	2	1	8	32
2	59	11	8	1	2	2	1	4	3	3	1	2	3	10	1	7	6	3	-	8	33
3	36	4	6	1	3	1	3	7	1	-	1	-	-	6	1	2	4	1	1	8	34
4	133	19	17	3	14	7	1	10	2	1	3	-	5	13	4	5	16	3	3	23	35
56	1,265	179	262	31	62	52	35	115	23	17	46	3	79	195	147	87	117	46	11	302	36
13	144	21	22	3	9	6	1	7	1	1	4	-	7	4	11	2	9	2	3	35	37
1	46	10	12	-	1	1	1	3	-	1	2	-	1	3	5	-	8	1	-	10	38
1	41	6	17	1	-	2	2	-	-	-	1	-	3	4	6	1	2	2	-	8	39
5	57	6	10	2	2	4	1	7	1	1	4	1	4	4	7	2	5	1	-	20	40
2	71	12	15	3	1	4	-	10	4	2	4	-	7	14	4	8	3	3	-	9	41
1	57	10	7	3	3	1	2	7	1	-	-	-	2	1	6	2	6	1	-	12	42
3	39	5	10	1	2	-	1	5	1	1	2	-	3	13	5	2	7	5	-	13	43
-	52	7	12	1	5	2	-	7	1	-	2	-	-	6	4	5	3	2	1	6	44
2	71	8	11	1	3	4	-	3	-	2	-	1	2	6	6	2	10	3	-	24	45
28	687	94	146	16	36	28	27	66	14	9	27	1	50	140	93	63	64	26	7	165	46
112	2,884	487	543	91	184	125	79	508	71	33	154	5	112	421	31	152	338	105	95	809	47
1	26	5	18	-	2	-	-	4	-	1	1	-	-	2	1	4	2	1	-	6	48
1	81	20	22	3	3	-	8	9	6	2	2	-	5	11	-	7	13	7	1	13	49
2	17	3	2	-	2	1	3	1	-	-	-	-	1	2	-	1	2	-	-	6	50
-	30	2	5	1	1	-	1	2	2	-	-	-	1	3	-	2	2	2	-	5	51
1	65	15	10	2	8	1	2	12	1	4	1	-	1	9	3	7	8	2	2	28	52
1	26	8	1	1	2	-	-	7	1	1	1	-	-	6	1	4	2	-	1	11	53
1	26	8	2	1	2	-	-	7	1	1	1	-	-	6	1	4	2	-	1	11	54
-	39	7	9	1	6	1	2	5	-	3	-	-	1	3	2	3	6	2	1	17	55
-	22	4	5	1	1	-	-	2	-	-	1	1	-	1	1	8	2	1	-	1	56
1	44	11	5	1	3	-	2	6	-	1	-	-	-	-	-	1	7	1	-	14	57
-	69	8	14	1	6	3	6	11	2	-	1	-	1	9	3	8	8	3	-	18	58
3	27	2	9	1	1	-	2	4	-	-	2	-	-	-	-	2	4	1	2	7	59
-	45	7	17	-	4	-	5	5	1	-	-	-	-	4	1	-	5	1	-	3	60
1	35	-	5	2	2	1	2	6	-	-	1	-	3	1	-	1	5	2	1	6	61
1	55	15	9	-	5	2	1	5	2	1	2	-	2	4	-	5	5	1	-	13	62
1	91	23	19	2	3	2	2	9	-	1	1	1	2	8	-	7	4	-	-	17	63
1	33	7	4	1	5	3	4	2	1	1	-	-	1	3	-	1	4	2	-	11	64
1	32	2	15	2	5	3	-	7	-	-	1	-	4	-	3	3	9	1	2	7	65
1	32	3	11	-	4	1	-	7	1	-	-	1	-	1	1	3	4	1	1	10	66
1	36	11	11	1	6	3	-	1	1	-	-	-	3	4	1	6	7	1	-	9	67
-	13	2	8	-	3	-	2	4	1	-	-	-	-	3	-	1	5	1	-	2	68
-	53	10	6	-	5	-	5	6	2	-	1	-	1	6	-	5	4	1	-	11	69
77	1,607	178	369	40	165	55	54	276	47	44	75	3	79	251	171	203	291	102	18	462	70
77	1,607	178	369	40	165	55	54	276	47	44	75	3	79	251	171	203	291	102	18	462	71
-	26	-	9	1	1	-	1	2	1	2	2	-	1	2	5	1	4	2	-	6	72
-	21	-	8	-	-	1	2	7	2	6	-	-	1	6	1	6	6	4	1	8	73
-	12	5	2	-	2	1	-	-	-	-	-	-	1	4	2	5	6	1	1	4	74
-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	1	75
1	23	4	6	3	3	1	2	8	1	1	1	-	1	1	1	1	5	1	-	5	76
2	6	-	-	-	1	1	-	-	-	-	1	-	1	1	1	-	1	-	-	1	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	MONTANA—Continued																
1	Cascade	593	4	2	3	73	21	11	10	8	3	5	15	5	298	50	221
2	Great Falls	499	3	2	3	61	17	9	7	7	3	5	13	5	263	43	198
3	Balance of county	94	1	-	-	12	4	2	3	1	-	-	2	-	35	7	23
4	Chouteau	59	-	-	-	6	3	1	-	-	-	1	1	-	34	7	25
5	Custer	150	-	-	-	19	8	-	4	-	1	2	4	4	93	18	64
6	Daniels	33	-	-	-	8	2	3	1	-	-	1	1	1	19	2	16
7	Dawson	97	-	-	2	12	6	-	-	2	2	-	2	2	46	10	33
8	Deer Lodge	173	-	-	-	33	8	8	2	3	2	1	9	2	83	18	58
9	Anaconda	150	-	-	-	27	6	7	2	2	2	1	7	2	77	16	54
10	Balance of county	23	-	-	-	6	2	1	-	1	-	-	2	-	6	2	4
11	Fallon	37	-	-	-	1	-	-	-	1	-	-	-	1	18	7	10
12	Fergus	142	2	-	-	23	8	5	3	1	-	1	5	2	79	14	54
13	Flathead	332	1	-	1	35	14	7	4	2	3	2	3	4	203	37	150
14	Gallatin	213	1	-	-	27	8	2	2	4	5	2	4	1	116	22	85
15	Bozeman	109	1	-	-	17	5	-	1	3	4	2	2	1	56	11	39
16	Balance of county	104	-	-	-	10	3	2	1	1	1	-	2	-	60	11	46
17	Garfield	28	-	-	-	1	-	-	-	-	-	-	1	-	17	6	11
18	Glacier	92	4	1	1	10	-	3	2	2	1	-	2	2	36	5	26
19	Golden Valley	18	-	-	-	-	-	-	-	-	-	-	-	-	11	4	7
20	Granite	28	1	-	-	4	2	-	-	1	-	-	1	-	16	5	11
21	Hill	137	-	-	-	16	5	2	2	4	-	2	1	3	77	15	53
22	Jefferson	33	2	-	-	2	1	-	-	-	-	1	-	-	24	6	18
23	Judith Basin	31	-	-	-	2	1	-	-	1	-	-	-	1	16	3	13
24	Lake	135	1	-	-	21	10	3	-	2	-	1	5	2	67	14	47
25	Lewis and Clark	302	1	-	6	34	8	7	2	8	-	3	6	8	153	33	115
26	Helena	236	-	-	6	28	8	6	-	7	-	2	5	3	117	28	84
27	Balance of county	66	1	-	-	6	-	1	2	1	-	1	1	5	36	5	31
28	Liberty	15	-	-	-	1	-	-	-	-	1	-	-	-	8	2	6
29	Lincoln	84	-	-	1	17	5	-	3	1	1	-	7	1	39	7	27
30	McCone	29	-	-	-	3	-	1	-	1	1	-	-	-	15	2	13
31	Madison	57	1	-	-	9	1	2	2	-	-	-	4	-	27	8	14
32	Meagher	34	-	-	-	8	1	3	-	1	-	1	2	1	15	1	12
33	Mineral	26	1	-	-	4	1	1	-	2	-	-	-	-	9	3	5
34	Missoula	347	1	-	3	55	17	5	5	10	7	5	6	6	177	59	107
35	Missoula	266	1	-	2	46	13	4	5	9	7	4	4	6	138	53	76
36	Balance of county	81	-	-	1	9	4	1	-	1	-	1	2	-	39	6	31
37	Musselshell	60	1	-	-	5	1	-	-	-	2	2	-	-	36	7	29
38	Park	157	1	-	1	25	11	2	1	5	1	1	4	2	86	13	61
39	Petroleum	7	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
40	Phillips	64	-	-	-	6	2	2	-	1	-	-	1	7	25	7	15
41	Pondera	64	1	-	1	7	-	1	-	3	1	-	2	1	23	8	13
42	Powder River	14	-	-	-	1	-	-	-	-	-	-	1	1	9	3	5
43	Powell	82	-	-	1	18	6	7	-	1	1	1	2	-	36	7	25
44	Prairie	33	-	-	1	4	-	-	-	1	1	-	2	2	19	2	17
45	Ravalli	156	1	-	1	31	14	4	2	3	1	1	6	2	78	14	60
46	Richland	95	-	-	1	13	5	-	2	3	1	1	1	1	52	8	37
47	Roosevelt	100	1	-	1	12	4	-	-	1	4	1	2	4	47	8	37
48	Rosebud	64	3	-	1	10	3	1	3	2	-	-	1	1	23	4	16
49	Sanders	78	-	-	-	9	4	1	1	2	1	-	-	2	34	9	24
50	Sheridan	51	-	-	-	11	7	1	-	2	-	-	1	-	25	2	22
51	Silver Bow	622	11	-	1	89	29	14	8	11	3	5	19	8	316	59	188
52	Butte	495	10	-	1	72	26	10	6	9	3	4	14	6	253	49	147
53	Balance of county	127	1	-	-	17	3	4	2	2	-	1	5	2	63	10	41
54	Stillwater	57	-	-	-	8	4	-	1	2	-	1	-	1	35	6	28
55	Sweet Grass	38	-	-	-	6	1	-	1	2	1	-	1	-	25	5	18
56	Teton	58	-	-	-	7	2	-	-	1	-	3	1	4	31	8	20
57	Toole	67	-	-	1	10	4	-	-	1	1	-	4	2	26	6	11
58	Treasure	16	-	-	-	3	-	2	-	1	-	-	-	-	7	1	6
59	Valley	109	1	-	3	11	4	2	1	3	1	-	-	1	50	6	39
60	Wheatland	38	-	-	-	4	1	1	1	-	-	-	1	-	17	5	9
61	Wibaux	14	-	-	-	-	-	-	-	-	-	-	-	-	9	1	8
62	Yellowstone	581	2	-	2	78	13	9	8	9	7	5	27	3	302	70	207
63	Billings	405	1	-	1	52	8	3	8	6	5	2	20	3	216	48	153
64	Balance of county	176	1	-	1	26	5	6	-	3	2	3	7	-	86	22	54
65	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	NEBRASKA	13,729	34	16	50	2,237	807	252	214	356	108	113	387	245	7,698	1,870	5,266
67	Metropolitan counties	4,541	17	6	12	755	254	109	72	112	31	32	145	72	2,438	584	1,687
68	Nonmetropolitan counties	9,188	17	10	38	1,482	553	143	142	244	77	81	242	173	5,260	1,286	3,579
69	Adams	266	-	-	1	45	19	5	4	5	4	3	5	9	140	48	88
70	Hastings	210	-	-	-	34	14	4	3	3	4	2	4	8	112	40	68
71	Balance of county	56	-	-	1	11	5	1	1	2	-	1	1	1	28	8	20
72	Antelope	109	2	-	-	17	4	2	-	3	1	2	5	-	73	14	51
73	Arthur	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
74	Banner	7	-	-	1	1	1	-	-	-	-	-	-	-	4	-	3
75	Blaine	9	-	-	-	1	1	-	-	-	-	-	-	-	5	2	2
76	Boone	114	-	-	-	15	5	2	-	4	1	1	2	4	58	11	46
77	Box Butte	107	-	-	-	16	6	1	2	4	-	1	2	2	54	12	36
78	Boyd	45	-	-	-	12	4	2	2	2	1	-	1	2	22	7	13

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
11	138	21	51	5	8	9	5	24	8	1	6	1	12	31	23	11	27	12	2	50	1
11	122	19	46	5	7	7	3	18	6	1	5	1	12	27	18	7	19	7	2	39	2
-	16	2	5	-	1	2	2	6	2	-	1	-	-	4	5	4	8	5	-	11	3
-	19	5	1	-	1	1	-	-	1	-	-	-	2	3	2	1	3	2	-	5	4
2	47	5	10	2	7	1	1	4	1	-	1	-	-	6	1	4	4	2	-	11	5
-	15	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	2	6
1	22	1	9	-	1	1	1	8	1	-	2	-	-	9	1	5	3	1	1	4	7
1	37	7	13	1	3	1	2	6	-	-	7	1	3	7	-	4	5	1	1	20	8
1	34	7	12	1	3	1	2	5	-	-	6	-	2	4	-	3	5	1	1	17	9
-	3	-	1	-	-	-	-	1	-	-	1	1	1	3	-	1	-	-	-	3	10
-	7	-	3	-	-	-	1	3	-	1	1	-	-	5	-	2	3	-	-	2	11
-	50	-	4	1	3	4	3	5	3	1	-	-	1	2	3	4	6	-	1	10	12
4	117	13	16	2	6	4	4	9	2	4	1	-	6	10	5	6	14	6	-	25	13
2	58	12	13	1	3	2	3	5	2	1	1	-	5	13	2	10	9	1	-	19	14
1	23	8	7	1	2	1	2	3	1	-	1	-	1	8	1	5	5	1	-	8	15
1	35	4	6	-	1	1	1	2	1	1	-	-	4	5	1	5	4	-	-	11	16
-	5	2	4	-	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	4	17
1	13	2	10	-	5	-	-	7	1	4	1	-	-	8	1	5	4	-	3	4	18
-	5	1	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	1	-	2	19
-	10	-	1	-	-	-	-	1	-	-	2	-	-	1	1	-	1	-	-	1	20
4	42	1	6	1	7	1	-	5	-	1	-	-	1	7	3	1	7	4	-	12	21
-	11	1	6	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	1	22
1	9	-	3	-	-	-	-	1	1	-	1	-	-	1	1	2	2	-	-	3	23
-	37	7	3	1	4	-	1	2	2	-	1	-	2	3	12	8	2	1	-	11	24
4	66	7	38	1	2	-	2	17	1	1	6	-	2	15	2	7	13	8	1	27	25
4	54	7	19	1	2	-	2	16	1	1	3	-	2	14	1	5	11	5	1	22	26
-	12	-	19	-	-	-	-	1	-	-	3	-	-	1	1	2	2	3	-	5	27
-	5	-	1	-	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	1	28
1	21	3	2	-	1	1	3	2	-	-	4	-	-	4	1	2	4	2	-	7	29
-	8	1	4	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	4	30
1	5	3	5	2	3	-	-	3	-	-	-	-	-	1	5	-	3	5	-	3	31
-	9	-	3	-	1	1	-	2	1	-	-	-	-	-	-	1	2	1	-	3	32
1	4	-	-	-	1	-	-	1	-	1	1	-	1	2	-	2	-	1	-	3	33
2	91	9	5	2	4	2	3	18	1	1	2	-	4	15	14	16	15	-	-	19	34
2	62	7	5	1	3	2	3	13	-	1	1	-	2	12	10	9	9	-	-	16	35
-	29	2	-	1	1	-	-	5	1	-	1	-	2	3	4	7	6	-	-	3	36
2	26	1	-	-	-	-	-	5	-	-	1	1	-	1	-	2	5	-	-	3	37
2	44	6	9	1	10	1	-	4	-	1	3	-	1	6	3	3	5	-	3	13	38
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	2	39
-	14	-	1	-	2	1	-	3	-	4	-	-	1	1	1	2	4	3	-	7	40
-	11	1	1	1	1	-	-	4	-	-	-	-	-	2	3	6	10	-	-	6	41
-	5	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	42
-	21	1	3	1	1	-	2	2	-	-	-	-	-	3	9	4	6	1	-	2	43
-	13	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	-	-	1	44
1	41	2	16	1	1	1	1	1	2	2	1	-	1	2	4	10	6	5	1	8	45
-	24	4	9	1	5	-	1	4	-	2	-	-	1	5	1	4	7	-	1	3	46
2	27	2	6	1	1	-	-	9	-	1	1	-	1	6	-	4	5	-	-	8	47
1	9	-	6	-	1	1	1	7	-	-	1	-	-	6	3	-	4	2	1	2	48
-	19	1	4	-	1	-	-	7	-	-	-	-	2	4	5	2	6	1	-	6	49
2	17	1	2	-	1	-	-	4	1	-	-	-	-	3	-	-	3	-	-	4	50
12	115	26	35	4	49	10	6	29	5	2	15	-	5	18	25	8	35	6	-	49	51
12	89	18	28	3	39	10	5	23	4	1	15	-	5	14	21	8	26	1	-	35	52
-	26	8	7	1	10	-	1	6	1	1	-	-	-	4	4	-	9	5	-	14	53
-	19	1	8	-	1	-	-	-	-	-	-	-	2	3	1	2	2	-	-	3	54
-	15	1	2	-	2	-	-	1	-	-	-	-	-	-	1	1	2	2	-	-	55
1	18	-	1	1	1	-	1	-	-	-	1	-	1	2	2	3	2	-	-	5	56
-	8	1	2	2	4	-	3	6	-	-	1	-	2	1	3	3	8	1	-	3	57
-	5	-	1	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	1	58
1	29	3	6	-	2	1	2	7	3	2	1	-	4	8	2	5	5	1	-	5	59
1	7	-	1	1	2	-	-	2	-	-	-	-	-	1	6	3	1	1	-	3	60
-	8	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	2	61
13	166	13	15	3	13	7	2	30	5	3	9	-	14	21	7	18	18	21	1	47	62
9	125	13	8	3	7	5	-	20	4	3	7	-	8	13	3	11	10	15	1	37	63
4	43	-	7	-	6	2	2	10	1	-	2	-	6	8	4	7	8	6	-	10	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
175	3,808	486	797	54	291	112	105	466	99	58	109	9	190	532	67	369	445	140	40	925	66
67	1,282	145	193	19	81	38	29	167	35	19	52	3	81	243	16	110	115	42	29	329	67
108	2,526	341	604	35	210	74	76	299	64	39	57	6	109	289	51	259	330	98	11	596	68
6	77	2	3	1	2	1	-	6	1	1	-	-	4	18	3	9	5	3	1	20	69
3	61	1	3	1	2	1	-	5	-	1	-	-	1	15	3	8	3	3	1	16	70
3	16	1	-	-	-	-	-	1	1	-	-	-	3	3	-	1	2	-	-	4	71
1	34	4	12	-	6	-	2	4	-	1	-	-	-	2	-	1	3	1	-	5	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	73
-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	74
-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	75
-	30	8	8	-	1	-	-	4	2	-	-	-	-	6	-	4	4	1	2	14	76
1	29	4	2	1	4	1	-	7	3	-	2	-	3	1	-	1	5	4	-	9	77
-	11	1	1	-	-	-	2	2	-	1	-	-	1	1	-	2	-	-	-	2	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NEBRASKA--Continued																
1	Brown	70	-	-	-	9	4	1	-	-	1	-	3	1	43	13	30
2	Buffalo	286	-	-	2	42	13	2	4	7	3	2	11	4	163	41	113
3	Kearney	133	-	-	-	24	7	1	3	5	2	2	4	2	74	13	57
4	Balance of county	153	-	-	2	18	6	1	1	2	1	-	7	2	89	28	56
5	Burt	114	1	-	-	15	5	-	3	1	1	1	4	2	74	23	44
6	Butler	113	1	-	-	23	16	2	1	2	-	1	1	2	61	20	39
7	Cass	180	1	-	1	21	8	-	3	3	-	-	7	2	104	35	63
8	Cedar	101	1	-	-	11	2	1	5	1	-	-	2	1	65	11	50
9	Chase	54	-	-	2	6	1	-	1	2	-	-	2	-	35	9	24
10	Cherry	69	-	1	-	18	7	1	1	2	2	1	4	1	36	7	26
11	Cheyenne	94	-	-	1	18	4	2	1	5	1	2	3	-	48	7	38
12	Clay	120	-	-	-	11	5	1	-	2	1	-	2	1	81	18	57
13	Colfax	94	-	-	1	21	6	1	2	5	-	1	6	-	47	13	34
14	Cuming	92	-	-	1	18	10	-	3	2	-	-	3	3	49	8	34
15	Custer	193	-	-	-	27	7	4	1	7	1	2	5	-	120	34	74
16	Dakota	82	-	-	-	11	5	-	-	4	1	-	1	2	47	12	29
17	Dawes	93	1	-	-	10	6	-	2	-	-	-	2	2	56	13	40
18	Dawson	192	1	-	3	34	12	2	3	2	3	1	11	6	101	18	78
19	Deuel	23	-	-	-	4	2	-	1	-	1	-	-	-	12	2	10
20	Dixon	89	1	1	-	12	5	-	-	1	-	2	4	4	45	9	30
21	Dodge	307	-	-	3	50	17	11	2	8	1	3	8	5	174	37	123
22	Fremont	194	-	-	-	35	11	8	1	6	1	2	6	3	112	25	78
23	Balance of county	113	-	-	3	15	6	3	1	2	-	1	2	2	62	12	45
24	Douglas	3,179	14	5	6	527	179	79	49	83	17	19	101	53	1,694	382	1,199
25	Omaha	2,945	13	5	6	487	168	72	45	75	17	15	95	51	1,580	353	1,119
26	Balance of county	234	1	-	-	40	11	7	4	8	-	4	6	2	114	29	80
27	Dundy	37	-	-	-	4	3	-	-	1	-	-	-	-	24	2	21
28	Fillmore	106	-	-	-	14	5	2	1	2	3	-	1	3	65	16	44
29	Franklin	78	-	-	-	13	5	2	-	2	2	-	2	-	47	12	34
30	Frontier	46	-	-	-	10	2	-	3	3	1	1	-	1	29	4	20
31	Furnas	97	-	-	2	13	5	-	3	2	-	1	2	3	62	11	43
32	Gage	307	-	-	2	44	19	7	4	6	3	1	4	4	172	36	123
33	Beatrice	174	-	-	2	25	10	5	2	3	2	-	3	2	91	20	65
34	Balance of county	133	-	-	-	19	9	2	2	3	1	1	1	2	81	16	58
35	Garden	35	-	-	-	5	2	-	-	2	-	-	1	-	21	3	17
36	Garfield	37	-	-	-	5	4	1	-	-	-	-	-	-	18	8	8
37	Gosper	21	-	-	-	3	2	-	-	-	1	-	-	-	12	-	10
38	Grant	12	-	-	-	-	-	-	-	-	-	-	-	-	11	1	7
39	Greeley	44	-	-	-	3	2	1	-	-	-	-	-	-	30	8	19
40	Hall	358	2	-	-	53	20	6	3	13	2	3	6	7	217	61	140
41	Grand Island	268	2	-	-	43	17	3	2	11	2	3	5	6	157	47	98
42	Balance of county	90	-	-	-	10	3	3	1	2	-	-	1	1	60	14	42
43	Hamilton	98	-	-	-	20	5	1	2	5	1	2	4	4	49	22	23
44	Harlan	65	1	-	-	6	3	1	1	-	-	1	-	4	39	8	27
45	Hayes	16	-	-	-	3	2	-	-	-	-	-	1	1	9	-	7
46	Hitchcock	54	-	-	-	11	3	1	2	2	1	1	1	1	26	4	20
47	Holt	149	-	-	1	19	3	3	-	3	1	1	8	1	90	18	66
48	Hooker	15	-	-	-	3	1	-	-	-	1	-	1	1	7	1	6
49	Howard	77	-	1	-	10	6	-	-	2	-	-	2	1	49	17	26
50	Jefferson	164	-	-	-	23	5	1	2	6	1	2	6	5	106	37	65
51	Johnson	77	-	-	-	10	6	1	-	-	1	1	1	1	53	25	24
52	Kearney	63	-	-	-	6	3	-	-	-	2	-	1	1	40	9	27
53	Keith	59	-	1	-	13	2	2	3	1	2	-	3	1	26	5	19
54	Keya Paha	14	-	-	-	4	1	-	1	-	1	-	1	-	5	1	3
55	Kimball	61	-	-	-	5	2	1	-	-	-	1	1	2	28	9	18
56	Knox	147	-	-	-	26	10	-	3	7	-	2	4	2	83	18	55
57	Lancaster	1,236	3	1	5	213	71	30	21	27	12	12	40	19	683	189	447
58	Lincoln	1,101	2	1	5	190	64	25	19	23	10	12	37	17	615	167	402
59	Balance of county	135	1	-	-	23	7	5	2	4	2	-	3	2	68	22	45
60	Lincoln	247	-	1	-	45	16	3	3	6	4	4	9	4	144	27	105
61	North Platte	180	-	1	-	35	12	3	3	4	4	3	6	3	103	18	76
62	Balance of county	67	-	-	-	10	4	-	-	2	-	1	3	1	41	9	29
63	Logan	7	-	-	-	-	-	-	-	-	-	-	-	-	6	-	6
64	Loup	8	-	-	-	-	-	-	-	-	-	-	-	-	5	-	5
65	McPherson	6	-	-	-	1	1	-	-	-	-	-	-	-	5	2	3
66	Madison	291	-	1	2	57	17	7	6	11	3	5	8	10	161	40	109
67	Norfolk	167	-	1	1	29	6	5	5	7	2	1	3	4	97	26	63
68	Balance of county	124	-	-	1	28	11	2	1	4	1	4	5	6	64	14	46
69	Merrick	98	-	-	-	18	9	-	1	3	2	1	2	1	52	16	34
70	Morrill	72	-	-	1	10	3	-	-	3	-	1	3	2	34	3	29
71	Nance	64	-	-	-	10	5	2	-	-	1	-	2	3	40	12	23
72	Nemaha	107	-	-	-	25	7	2	3	6	2	-	5	4	63	16	43
73	Nuckolls	88	-	-	1	17	6	2	2	4	1	-	2	-	53	12	35
74	Otoe	206	-	1	1	35	13	1	5	8	2	-	6	5	123	33	79
75	Pawnee	85	-	-	-	13	4	1	-	1	3	1	3	-	59	9	47
76	Perkins	36	-	-	-	4	1	-	-	1	-	-	2	1	25	9	15
77	Phelps	92	-	-	-	22	9	4	2	4	1	1	1	2	48	11	34
78	Pierce	103	-	-	-	18	9	2	3	2	-	-	2	5	57	9	47
79	Platte	215	-	2	-	43	18	9	4	5	1	1	5	2	110	22	83
80	Polk	86	1	-	1	10	6	-	2	-	-	1	1	1	56	22	29

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	26	-	2	-	-	-	-	1	1	-	-	-	-	3	1	-	7	-	-	4	1
5	81	12	15	2	5	2	-	11	2	1	3	-	2	6	1	10	15	3	-	21	2
4	43	6	4	1	2	1	-	5	1	1	1	-	2	5	1	4	4	-	-	9	3
1	38	6	11	1	3	1	-	6	1	-	2	-	-	1	-	6	11	3	-	12	4
3	31	3	7	2	3	-	2	2	1	-	1	-	-	-	-	3	3	-	-	12	5
4	28	3	4	-	1	1	-	3	-	-	1	-	4	2	-	1	5	1	-	9	6
-	52	3	8	-	4	2	-	8	1	2	1	1	1	10	-	6	7	2	-	12	7
-	33	3	14	-	2	2	-	4	1	1	1	-	1	-	-	5	3	-	-	7	8
-	20	2	2	-	-	-	2	-	1	-	-	-	-	-	-	3	3	2	-	2	9
1	20	4	1	-	-	2	1	-	-	-	-	-	2	1	-	3	3	-	-	4	10
-	23	4	11	-	2	1	-	1	3	-	-	-	2	4	2	6	-	1	-	8	11
1	40	7	9	2	2	1	1	1	-	-	2	-	1	2	1	3	4	2	-	11	12
1	28	1	4	-	-	-	-	4	-	-	-	-	2	2	7	3	1	-	-	6	13
1	22	4	7	1	5	1	-	-	1	2	3	-	2	3	-	3	4	1	-	2	14
2	51	6	15	2	7	2	1	5	-	1	2	-	3	2	-	6	6	3	-	18	15
-	21	4	4	1	3	2	-	2	-	-	2	-	-	4	-	1	5	1	-	7	16
-	29	8	3	1	-	-	2	1	-	-	1	-	3	4	-	-	3	1	-	11	17
4	53	7	14	-	3	1	1	2	-	1	1	1	4	10	-	3	9	1	-	15	18
-	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	3	19
-	19	3	8	-	4	-	2	6	1	-	-	-	-	4	2	5	1	1	-	6	20
6	80	19	18	1	6	2	5	12	1	2	3	-	6	11	2	15	6	2	-	15	21
4	46	16	12	1	3	2	3	8	-	2	1	-	4	8	1	8	4	1	-	7	22
2	34	3	6	-	3	-	2	4	1	-	2	-	2	3	1	7	2	1	-	8	23
49	964	107	79	15	54	19	25	123	27	18	43	3	53	160	4	72	78	26	17	256	24
43	902	100	74	15	52	18	23	118	27	16	40	3	50	144	4	62	68	23	15	233	25
6	62	7	5	-	2	1	2	5	-	2	3	-	3	16	-	10	10	3	2	23	26
-	15	1	5	-	1	-	-	1	-	-	-	-	1	-	-	-	4	2	-	1	27
1	26	-	17	-	3	-	2	4	-	-	2	-	-	3	-	4	2	-	-	9	28
1	20	5	8	-	-	1	-	3	1	1	2	-	-	-	1	3	2	-	-	5	29
-	16	2	2	-	4	1	-	1	-	1	-	-	-	-	-	1	1	-	-	2	30
1	33	1	8	-	2	3	3	2	1	-	-	-	1	2	-	4	3	2	-	2	31
7	91	14	11	2	6	4	1	18	3	3	5	-	6	6	3	6	5	6	4	20	32
3	52	4	6	1	1	3	1	15	1	3	3	-	2	2	2	3	3	3	4	13	33
4	39	10	5	1	5	1	-	3	2	-	2	-	4	4	1	3	2	3	-	7	34
-	11	4	2	1	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	3	35
-	5	-	3	-	1	-	1	3	-	-	1	-	-	2	-	3	-	1	-	4	36
-	7	-	3	-	1	1	-	2	-	-	-	-	-	1	1	1	-	-	-	1	37
1	4	1	1	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	38
1	11	-	7	-	3	-	-	2	-	-	-	-	-	1	-	1	4	-	-	3	39
6	115	10	9	1	10	2	3	7	1	-	1	-	5	21	1	8	10	5	-	20	40
5	80	7	6	1	9	1	1	6	1	-	1	-	2	14	1	7	7	4	-	17	41
1	35	3	3	-	1	1	2	1	-	-	-	-	3	7	-	1	3	1	-	3	42
4	10	4	5	-	1	1	2	4	1	2	-	-	3	2	-	4	4	-	-	5	43
-	24	1	2	-	3	-	1	-	-	-	-	-	2	3	-	4	2	-	-	4	44
-	6	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	45
-	17	2	1	1	1	-	-	1	3	-	-	-	-	1	2	1	5	-	-	3	46
1	50	5	10	1	3	-	2	13	-	1	1	-	-	9	-	3	6	1	-	4	47
1	3	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	48
-	16	5	5	-	6	-	-	2	1	-	-	-	-	3	1	2	3	1	-	3	49
1	45	4	15	-	3	-	1	3	1	-	1	-	1	4	-	6	2	1	-	11	50
2	16	3	3	-	3	-	1	1	-	-	-	-	2	-	-	-	3	-	-	7	51
-	21	3	3	-	4	-	-	1	2	-	-	-	-	-	1	2	5	-	-	5	52
-	17	-	2	-	1	1	-	2	-	-	-	-	1	6	1	1	2	1	-	4	53
-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	54
-	14	3	1	-	1	-	-	3	1	-	-	-	3	9	1	2	2	2	-	3	55
2	32	5	16	1	7	1	1	4	2	-	-	-	3	3	-	5	5	2	-	12	56
16	288	33	110	4	24	15	4	37	8	1	7	-	21	69	11	34	31	12	11	70	57
16	258	29	99	4	24	14	4	35	8	1	7	-	18	66	10	23	23	11	7	62	58
-	30	4	11	-	-	1	-	2	-	-	-	-	3	3	1	11	8	1	4	8	59
4	71	7	23	1	3	3	5	13	1	1	2	1	5	6	3	1	9	1	1	9	60
4	51	5	16	1	2	2	4	12	1	1	2	-	3	4	1	-	6	-	-	8	61
-	20	2	7	-	1	1	1	1	-	-	-	1	2	2	2	1	3	1	1	1	62
1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	63
-	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	64
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
2	79	6	22	-	5	6	1	10	1	-	-	1	2	9	1	10	5	5	-	16	66
2	43	3	15	-	5	3	-	8	-	-	-	-	2	6	1	2	2	4	-	10	67
-	36	3	7	-	-	3	1	2	1	-	-	1	-	3	-	8	3	1	-	6	68
-	25	1	8	1	1	-	-	6	-	-	-	-	1	4	1	2	3	-	-	10	69
4	14	5	6	-	2	-	-	2	1	-	-	-	2	3	-	5	5	1	-	6	70
-	16	5	2	-	2	2	1	2	-	-	-	-	1	2	-	2	1	-	-	3	71
1	29	4	9	1	2	1	-	5	1	-	-	-	-	1	1	1	3	-	-	3	72
3	22	1	9	-	2	-	4	4	1	-	1	-	-	-	1	1	3	2	-	4	73
3	51	11	14	2	3	2	4	9	-	-	1	-	2	5	1	3	7	1	-	12	74
2	19	13	13	-	-	2	1	4	2	-	1	-	-	1	-	2	1	-	-	2	75
-	11	2	2	-	-	-	1	1	-	1	-	-	1	3	-	-	-	-	-	-	76
-	20	2	12	-	1	1	1	-	-	-	2	-	1	1	-	5	6	1	-	4	77
-	23	6	18	-	1	-	-	3	1	-	-	-	1	2	-	4	2	1	-	9	78
3	56	9	15	1	1	-	3	7	1	1	1	-	7	17	-	7	8	-	-	9	79
-	23	2	4	-	1	1	3	-	-	-	2	-	1	2	1	2	3	1	-	5	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NEBRASKA—Continued																
1	Red Willow	156	-	-	-	17	3	2	1	2	-	4	5	4	98	19	67
2	Richardson	189	-	-	1	37	16	3	6	8	1	1	2	-	118	31	80
3	Rock	23	-	-	-	3	1	-	1	-	-	1	-	-	16	6	10
4	Saline	181	2	-	1	40	16	5	5	4	1	3	6	2	106	31	72
5	Sarpy	126	-	-	1	15	4	-	2	2	2	1	4	-	81	13	41
6	Saunders	177	-	-	2	26	7	5	3	3	1	1	6	2	109	30	69
7	Scotts Bluff	267	-	-	1	46	14	6	7	9	3	5	2	3	133	26	91
8	Scottsbluff	131	-	-	-	33	9	6	6	5	3	2	2	3	62	16	39
9	Balance of county	136	-	-	1	13	5	-	1	4	-	3	-	-	71	10	52
10	Seward	134	-	-	2	18	5	2	2	4	-	-	5	2	79	14	61
11	Sheridan	110	-	-	-	22	9	3	2	4	-	2	2	3	45	6	35
12	Sherman	52	-	-	-	9	5	2	1	-	-	-	1	4	33	5	26
13	Sioux	22	-	-	-	3	-	-	-	-	-	1	2	-	13	2	10
14	Stanton	44	-	-	-	2	-	-	-	1	-	-	1	2	27	4	19
15	Thayer	121	-	1	1	16	5	3	1	5	-	-	2	2	69	15	51
16	Thomas	4	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1
17	Thurston	83	1	-	2	18	7	2	3	5	-	-	1	1	37	10	25
18	Valley	85	-	-	-	12	5	-	-	2	1	2	2	1	51	10	28
19	Washington	127	1	-	1	19	5	3	1	3	2	1	4	5	68	19	47
20	Wayne	86	-	-	-	16	4	3	2	2	1	2	2	4	42	10	28
21	Webster	95	-	-	-	19	10	1	1	6	1	-	-	1	57	21	31
22	Wheeler	14	-	-	-	2	1	-	-	-	-	-	1	-	9	4	5
23	York	145	-	-	-	34	20	-	5	3	-	3	3	1	72	19	50
24	NEVADA	2,311	27	9	8	323	88	68	26	46	20	9	66	28	1,021	213	708
25	Nonmetropolitan counties	2,311	27	9	8	323	88	68	26	46	20	9	66	28	1,021	213	708
26	Churchill	92	2	-	-	15	4	-	2	3	2	1	3	1	47	11	28
27	Clark	810	10	3	6	110	31	26	11	10	6	2	24	11	314	61	225
28	Las Vegas	524	9	3	3	79	24	20	8	7	5	1	14	8	208	41	152
29	Balance of county	286	1	-	3	31	7	6	3	3	1	1	10	3	106	20	73
30	Douglas	27	-	-	-	6	2	1	-	3	-	-	-	-	14	2	9
31	Elko	120	1	1	-	5	1	1	-	1	-	-	2	2	59	6	44
32	Esmeralda	13	-	-	-	1	-	1	-	-	-	-	-	-	6	3	3
33	Eureka	11	-	-	-	1	-	-	-	-	-	-	1	-	3	1	2
34	Humboldt	83	2	-	-	9	1	1	-	3	1	-	3	2	38	6	29
35	Lander	20	-	-	-	2	1	-	-	-	-	-	1	-	12	2	9
36	Lincoln	34	-	-	-	7	2	4	-	-	-	-	1	-	20	7	13
37	Lyon	63	-	-	-	7	2	2	2	-	-	1	-	-	23	6	13
38	Mineral	63	3	-	-	9	1	2	-	2	2	-	2	-	30	4	23
39	Nye	60	3	-	-	5	3	-	-	1	-	-	1	-	25	11	13
40	Ormsby	72	-	1	-	8	1	1	1	1	-	1	3	-	40	7	28
41	Pershing	36	-	1	-	8	4	2	-	-	-	-	2	-	14	4	9
42	Storey	11	-	-	-	2	-	2	-	-	-	-	-	-	7	3	3
43	Washoe	705	5	3	2	115	33	23	10	20	7	3	19	7	330	67	238
44	Reno	511	4	3	2	88	23	20	7	15	5	3	15	5	244	51	178
45	Balance of county	194	1	-	-	27	10	3	3	5	2	-	4	2	86	16	60
46	White Pine	91	1	-	-	13	2	2	-	2	2	1	4	5	39	12	19
47	NEW HAMPSHIRE	6,563	28	9	27	1,107	425	132	125	165	58	45	157	120	3,825	734	2,711
48	Metropolitan counties	1,900	13	3	9	339	146	43	41	39	17	8	45	39	1,061	200	720
49	Nonmetropolitan counties	4,663	15	6	18	768	279	89	84	126	41	37	112	81	2,764	534	1,991
50	Belknap	337	2	1	-	57	13	7	6	13	4	4	10	4	216	48	151
51	Laconia	167	1	-	-	30	6	4	2	7	2	2	7	-	114	26	81
52	Balance of county	170	1	1	-	27	7	3	4	6	2	2	3	4	102	22	70
53	Carroll	239	-	-	-	33	14	6	1	3	-	3	6	4	144	27	108
54	Cheshire	467	-	1	4	71	18	6	14	13	9	2	9	5	268	62	185
55	Keene	192	-	1	3	36	7	4	6	7	5	1	6	2	107	26	72
56	Balance of county	275	-	-	1	35	11	2	8	6	4	1	3	3	161	36	113
57	Coos	423	1	-	-	57	33	4	3	7	1	2	7	4	255	58	180
58	Berlin	179	1	-	-	24	16	2	1	1	1	1	2	2	108	21	82
59	Balance of county	244	-	-	-	33	17	2	2	6	-	1	5	2	147	37	98
60	Grafton	531	3	-	4	92	33	10	9	18	1	8	13	11	295	72	191
61	Hillsborough	1,900	13	3	9	339	146	43	41	39	17	8	45	39	1,061	200	720
62	Manchester	940	7	-	3	168	77	17	19	21	8	3	23	22	540	96	385
63	Nashua	429	4	1	2	74	24	12	9	10	6	1	12	9	224	52	134
64	Balance of county	531	2	2	4	97	45	14	13	8	3	4	10	8	297	52	201
65	Merrimack	803	4	2	6	135	48	16	16	24	8	7	16	15	493	88	369
66	Concord	348	2	-	-	58	24	5	6	6	7	3	7	3	223	37	174
67	Balance of county	455	2	2	6	77	24	11	10	18	1	4	9	12	270	51	195
68	Rockingham	969	1	-	4	180	65	24	17	24	9	7	34	20	550	107	398
69	Portsmouth	247	1	-	1	39	16	6	3	5	3	-	6	5	135	34	88
70	Balance of county	722	-	-	3	141	49	18	14	19	6	7	28	15	415	73	310
71	Strafford	582	3	-	-	96	37	11	11	17	8	2	10	16	338	44	254
72	Dover	211	-	-	-	42	14	3	4	8	6	2	5	6	119	14	91
73	Rochester	154	1	-	-	29	11	4	4	6	1	-	3	5	84	15	65
74	Balance of county	217	2	-	-	25	12	4	3	3	1	-	2	5	135	15	98
75	Sullivan	312	1	2	-	47	18	5	7	7	1	2	7	2	205	28	157
76	Claremont	145	1	-	-	25	9	4	4	1	1	2	4	1	98	13	76
77	Balance of county	167	-	2	-	22	9	1	3	6	-	-	3	1	107	15	81

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	39	11	14	2	7	3	-	5	3	-	1	-	-	6	-	1	4	4	-	13	1
2	59	9	10	1	5	1	-	6	2	-	1	-	2	-	-	3	6	1	-	12	2
-	9	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	3
1	53	2	16	-	1	1	1	3	-	2	-	-	1	6	-	-	5	4	-	9	4
2	30	5	4	-	3	4	-	7	-	-	2	-	7	14	1	4	6	4	1	3	5
2	53	3	11	2	5	3	-	4	1	3	1	-	1	5	1	5	3	4	-	10	6
2	63	12	14	-	6	5	5	8	3	4	1	-	5	19	-	5	16	2	2	19	7
1	26	7	5	-	1	4	2	4	-	1	-	-	3	6	-	1	9	1	2	6	8
1	37	5	9	-	5	1	3	4	3	3	1	-	2	13	-	4	7	1	-	13	9
1	46	2	12	1	2	-	1	4	2	-	1	-	-	3	1	8	7	-	-	7	10
-	26	4	5	-	2	-	2	4	2	1	-	-	1	5	-	6	6	2	-	13	11
1	20	4	1	-	2	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	12
-	8	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	2	1	-	1	13
1	11	3	4	-	3	1	-	-	-	1	-	-	-	-	-	1	3	2	-	6	14
1	32	12	6	1	2	-	-	8	-	-	1	-	3	-	-	4	3	2	-	11	15
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	16
-	22	1	2	-	-	2	-	6	-	-	-	-	-	3	-	4	3	2	1	5	17
1	24	1	2	1	10	2	-	1	1	1	-	1	1	1	1	3	8	1	-	2	18
-	36	1	10	-	2	-	-	7	2	1	3	-	-	3	4	5	3	-	-	5	19
1	23	1	3	-	4	-	-	2	1	1	-	-	-	6	1	2	4	-	-	7	20
-	23	2	6	-	2	-	3	3	-	-	-	1	-	1	-	4	1	1	-	7	21
-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	22
1	33	6	10	-	2	1	-	5	1	-	-	-	1	-	-	5	12	1	-	13	23
33	512	48	115	19	37	24	20	46	15	12	46	3	30	138	43	117	146	66	20	213	24
33	512	48	115	19	37	24	20	46	15	12	46	3	30	138	43	117	146	66	20	213	25
-	13	2	13	2	3	-	3	3	-	1	-	-	1	6	-	7	3	2	-	4	26
11	172	18	24	8	10	6	4	23	2	7	14	1	14	79	6	36	76	20	10	68	27
8	119	11	14	4	6	3	2	15	2	5	7	1	7	45	4	19	43	10	8	48	28
3	53	7	10	4	4	3	2	8	-	2	7	-	7	34	2	17	33	10	2	20	29
-	7	-	2	-	2	-	1	-	2	-	1	-	-	1	-	-	1	-	-	2	30
3	31	-	10	2	5	-	2	2	1	1	2	-	3	3	7	9	10	-	-	14	31
-	3	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	1	32
-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	1	-	-	1	33
-	8	1	20	-	-	2	1	1	-	-	1	-	1	2	3	4	8	3	-	9	34
1	8	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	-	1	35
-	8	-	5	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	2	36
2	7	1	3	1	2	-	1	1	1	-	-	-	2	2	4	3	4	2	2	12	37
-	18	2	3	-	2	1	-	2	1	-	3	1	1	1	1	4	2	-	1	4	38
-	10	1	2	-	-	1	-	-	-	-	-	-	-	3	7	8	4	-	-	5	39
2	23	1	2	1	3	1	-	-	-	1	2	-	2	3	-	3	4	2	-	6	40
-	4	1	4	-	1	-	-	-	-	-	-	-	-	1	4	1	2	1	-	4	41
-	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	42
13	181	20	24	3	7	10	5	6	7	2	18	1	5	30	4	32	27	35	6	70	43
8	142	15	13	1	4	8	2	3	6	2	12	1	2	17	3	18	16	29	6	50	44
5	39	5	11	2	3	2	3	3	1	-	6	-	3	13	1	14	11	6	-	20	45
1	14	1	3	1	2	2	3	5	1	-	3	-	-	5	1	5	2	-	1	10	46
77	2,071	314	249	58	214	55	53	175	38	18	62	3	85	204	55	95	174	75	2	461	47
17	536	93	74	15	94	18	14	45	13	4	24	1	29	70	22	22	57	17	-	132	48
60	1,535	221	175	43	120	37	39	130	25	14	38	2	56	134	33	73	117	58	2	329	49
3	113	23	12	3	7	5	2	13	2	1	1	-	4	5	4	3	8	1	-	15	50
2	57	12	10	1	3	2	1	5	1	-	1	-	2	4	1	2	1	-	-	5	51
1	56	11	2	2	4	3	1	8	1	1	-	-	2	1	3	1	7	1	-	10	52
3	79	12	12	3	4	2	2	4	1	-	1	-	6	9	-	2	1	6	-	28	53
4	158	12	11	6	9	3	3	14	3	-	7	-	8	18	3	13	10	5	-	37	54
2	62	4	4	3	5	-	1	5	1	-	3	-	3	9	1	5	3	1	-	12	55
2	96	8	7	3	4	3	2	9	2	-	4	-	5	9	2	8	7	4	-	25	56
2	126	29	23	2	6	3	6	11	3	1	7	-	5	20	4	3	19	3	-	30	57
-	62	8	12	-	3	1	1	2	1	1	3	-	5	9	3	-	10	-	-	10	58
2	64	21	11	2	3	2	5	9	2	-	4	-	-	11	1	3	9	3	-	20	59
7	145	17	22	7	21	2	2	14	3	1	2	-	8	9	12	8	12	10	-	47	60
17	536	93	74	15	94	18	14	45	13	4	24	1	29	70	22	22	57	17	-	132	61
7	304	56	18	6	36	9	8	26	6	2	14	-	14	31	1	9	28	5	-	64	62
3	90	18	23	5	24	5	4	7	2	1	7	-	8	17	15	6	12	6	-	34	63
7	142	19	33	4	34	4	2	12	5	1	3	1	7	22	6	7	17	6	-	34	64
11	286	47	25	6	21	6	3	22	5	2	7	1	4	15	3	10	16	14	-	49	65
6	124	28	16	1	8	2	1	11	-	1	4	-	2	2	1	4	6	3	-	28	66
5	162	19	9	5	13	4	2	11	5	1	3	1	2	13	2	6	10	11	-	21	67
15	294	51	38	5	30	5	5	26	1	6	7	-	9	30	3	19	26	11	1	75	68
2	64	13	9	2	10	-	1	7	-	3	2	-	3	12	1	4	6	5	-	23	69
13	230	38	29	3	20	5	4	19	1	3	5	-	6	18	2	15	20	6	1	52	70
9	202	21	22	7	14	6	13	17	6	2	5	-	10	20	2	9	17	3	1	37	71
3	77	4	7	4	3	3	4	7	2	-	-	-	4	6	2	5	6	1	-	11	72
4	54	4	3	1	3	-	-	5	1	1	2	-	2	5	-	2	5	1	1	10	73
2	71	13	12	2	8	3	9	5	3	1	3	-	4	9	-	2	6	1	-	16	74
6	132	9	10	4	8	5	3	9	1	1	1	1	2	8	2	6	8	5	-	11	75
1	64	7	4	2	4	1	2	4	1	-	1	1	-	4	-	2	2	-	-	5	76
5	68	2	6	2	4	4	1	5	-	1	-	-	2	4	2	4	6	5	-	6	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
1	NEW JERSEY	57,929	458	98	201	10,206	3,807	1,521	974	1,357	506	408	1,633	1,139	33,140	5,372	25,308
2	Metropolitan counties	50,594	417	91	176	9,011	3,381	1,339	869	1,177	443	366	1,436	991	28,769	4,672	21,998
3	Nonmetropolitan counties	7,335	41	7	25	1,195	426	182	105	180	63	42	197	148	4,371	700	3,310
4	Atlantic	2,122	14	7	8	360	142	65	30	45	12	12	54	38	1,299	208	1,006
5	Atlantic City	1,057	8	2	3	170	65	25	16	20	5	7	32	24	647	104	500
6	Pleasantville	147	2	-	2	28	10	6	2	4	2	1	3	1	86	12	71
7	Balance of county	918	4	5	3	162	67	34	12	21	5	4	19	13	566	92	437
8	Bergen	5,993	31	7	18	1,221	427	167	142	158	56	60	210	101	3,403	560	2,521
9	Garfield	267	-	1	1	59	25	6	5	6	3	3	11	9	147	25	114
10	Hackensack	343	1	-	1	61	15	13	1	14	2	2	14	10	199	26	154
11	Teaneck (twp.)[3 4]	309	2	-	-	64	27	9	9	7	2	1	9	4	186	28	142
12	Bergenfield	176	-	-	1	36	13	5	4	4	4	3	3	2	107	9	87
13	Cliffside Park	173	1	1	-	34	13	3	2	7	2	2	5	3	104	17	78
14	Dumont	139	-	-	1	26	10	5	2	3	1	1	4	5	84	17	57
15	East Paterson	107	-	-	1	19	9	3	2	-	-	1	4	1	58	11	38
16	Englewood	241	1	-	2	46	18	7	6	5	3	-	7	3	136	25	100
17	Fair Lawn	223	1	-	-	63	21	5	13	6	1	2	15	6	106	20	79
18	Fort Lee	147	-	-	1	36	8	6	3	3	2	5	9	3	80	10	64
19	Lodi	154	1	1	-	29	14	4	2	2	2	-	5	4	71	13	52
20	Lyndhurst (twp.)[3 4]	182	-	-	-	35	11	5	5	4	3	2	5	2	104	16	80
21	North Arlington	134	2	-	1	29	10	3	7	4	-	1	4	4	74	14	57
22	Ridgefield Park	136	1	-	-	41	15	8	1	4	1	3	9	-	68	13	51
23	Ridgewood	232	1	-	-	37	14	1	6	3	3	4	6	1	155	25	117
24	Rutherford	255	2	1	3	54	18	3	6	12	5	2	8	4	149	40	96
25	Balance of county	2,775	18	3	6	552	186	81	68	75	22	28	92	40	1,575	251	1,155
26	Burlington	1,495	13	5	7	244	93	34	16	46	9	11	35	28	812	150	600
27	Burlington	150	1	2	-	25	8	6	1	2	2	2	4	5	73	14	51
28	Balance of county	1,345	12	3	7	219	85	28	15	44	7	9	31	23	739	136	549
29	Camden	3,751	32	9	11	650	229	100	64	86	37	27	107	56	2,187	347	1,676
30	Camden	1,509	21	4	7	243	83	35	20	41	10	13	41	23	850	134	652
31	Collingswood	246	-	1	-	49	23	6	6	5	3	1	5	2	150	23	116
32	Gloucester City	172	-	-	-	45	21	8	2	7	4	-	3	2	83	14	67
33	Haddonfield	176	-	-	-	26	6	2	8	2	1	1	6	2	105	18	80
34	Pennsauken (twp.)[3 4]	225	1	2	-	38	15	6	3	3	4	2	5	4	138	15	111
35	Balance of county	1,423	10	2	4	249	81	43	25	28	15	10	47	23	861	143	650
36	Cape May	679	7	2	1	126	45	19	4	21	7	5	25	17	393	70	298
37	Cumberland	1,133	11	1	8	181	66	36	11	30	7	7	24	25	666	95	504
38	Bridgeton	263	3	1	1	37	15	5	2	6	2	-	7	7	155	18	117
39	Millville	214	1	-	2	44	13	13	3	7	3	1	4	5	124	16	99
40	Balance of county	656	7	-	5	100	38	18	6	17	2	6	13	13	387	61	288
41	Essex	10,226	90	19	32	1,756	664	264	169	223	82	75	279	199	5,827	889	4,576
42	Newark	5,014	67	12	15	801	284	136	66	108	37	28	142	97	2,779	378	2,260
43	East Orange	989	5	1	3	186	70	32	22	23	9	10	20	12	598	99	461
44	Irvington	675	-	1	3	130	48	15	14	16	9	11	17	21	393	58	307
45	Belleville	276	1	-	2	53	25	6	5	4	2	5	6	7	154	16	119
46	Bloomfield	518	3	-	1	96	38	14	13	10	3	2	16	11	300	43	235
47	Montclair	556	4	2	1	94	41	8	8	13	4	2	18	9	339	62	253
48	Nutley	257	1	-	1	46	18	9	8	4	-	1	6	5	155	25	117
49	Orange	435	2	1	1	73	26	4	8	10	5	4	16	10	236	43	179
50	West Orange	297	2	-	1	71	28	16	3	5	5	3	11	7	148	21	116
51	Maplewood (twp.)[3 4]	245	-	-	-	32	15	1	3	7	1	-	5	5	166	32	119
52	Millburn (twp.)[3 4]	152	-	-	-	29	9	4	3	5	2	4	2	1	101	19	76
53	South Orange	182	1	-	-	34	10	6	5	7	2	2	2	4	110	27	76
54	Verona	91	-	-	1	18	6	3	1	1	1	-	6	2	55	10	42
55	Balance of county	539	4	2	3	93	46	10	10	10	2	3	12	8	293	56	216
56	Gloucester	1,188	12	2	4	177	71	18	18	25	9	4	32	21	671	100	534
57	Woodbury	156	2	-	-	25	7	3	3	4	1	-	7	1	89	13	71
58	Balance of county	1,032	10	2	4	152	64	15	15	21	8	4	25	20	582	87	463
59	Hudson	7,153	85	13	23	1,231	484	216	107	134	56	51	183	195	4,006	537	3,224
60	Jersey City	3,346	47	9	10	592	239	102	58	63	28	25	77	89	1,781	266	1,395
61	Bayonne	781	13	1	3	123	45	23	8	14	5	4	24	24	479	61	392
62	Hoboken	606	8	-	1	107	44	13	8	18	6	5	13	11	349	34	304
63	Union City	639	2	1	2	108	42	21	10	13	4	2	16	24	376	48	303
64	Kearny	393	3	-	1	60	23	12	6	3	3	4	9	8	237	24	204
65	North Bergen (twp.)[3 4]	444	4	-	3	86	33	17	8	8	1	3	16	6	240	34	191
66	West New York	371	2	1	3	60	22	9	5	8	1	5	10	18	217	24	175
67	Harrison	158	2	-	-	25	10	6	1	1	2	-	5	7	84	7	72
68	Weehawken (twp.)[3 4]	169	1	1	-	25	7	2	2	3	4	2	5	3	97	21	73
69	Balance of county	246	3	-	-	45	19	11	1	3	2	1	8	5	146	18	115
70	Hunterdon	619	3	1	3	103	31	18	12	13	8	5	16	15	376	74	273
71	Mercer	2,669	37	4	11	449	174	59	38	58	20	24	76	56	1,513	256	1,125
72	Trenton	1,504	24	3	7	268	102	31	20	34	12	17	52	34	831	153	601
73	Princeton	128	1	-	1	33	17	4	2	3	2	1	4	4	68	8	57
74	Balance of county	1,037	12	1	3	148	55	24	16	21	6	6	20	18	614	95	467
75	Middlesex	3,140	16	4	14	566	235	80	48	53	32	19	99	62	1,727	291	1,314
76	New Brunswick	454	4	-	1	75	38	12	6	4	3	2	10	12	257	50	193
77	Perth Amboy	483	3	1	2	98	31	15	12	11	6	2	21	5	284	42	221
78	Woodbridge (twp.)[3 4]	415	1	1	1	86	44	6	7	7	3	5	14	11	215	41	157
79	Carteret	141	1	-	1	30	12	4	1	1	3	2	7	2	69	13	52
80	Sayreville	115	1	-	-	16	5	2	3	2	-	-	4	1	66	12	46
81	South River	119	-	-	1	25	10	5	4	3	1	-	2	4	59	6	47
82	Balance of county	1,413	6	2	8	236	95	36	15	25	16	8	41	27	777	127	598

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital mal formations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
815	18,520	2,527	3,446	415	1,063	540	442	1,713	434	250	882	50	717	2,100	166	755	1,447	511	139	3,523	1
731	16,166	2,156	2,945	364	887	466	382	1,520	394	217	791	42	631	1,845	145	621	1,252	441	129	3,111	2
84	2,354	371	501	51	176	74	60	193	40	33	91	8	86	255	21	134	195	70	10	412	3
23	781	83	121	17	33	18	15	54	11	10	19	1	17	63	10	34	41	13	10	113	4
11	391	43	55	14	14	8	7	27	4	7	13	1	7	33	4	15	19	6	8	59	5
2	54	6	9	-	1	2	-	3	1	-	2	-	1	7	1	3	3	3	-	4	6
10	336	34	57	3	18	8	8	24	6	3	4	-	9	23	5	16	19	4	2	50	7
111	1,934	280	216	37	163	84	38	151	61	24	83	6	70	184	17	79	106	62	10	359	8
7	91	7	9	2	4	1	1	9	2	1	4	-	-	8	-	-	5	2	1	18	9
6	123	14	11	-	7	7	5	11	3	1	5	-	1	10	2	3	6	2	1	26	10
6	107	21	8	3	7	4	2	3	5	1	3	1	1	6	1	4	6	2	-	20	11
6	58	14	9	1	6	3	1	2	1	-	2	-	1	7	-	-	4	1	-	12	12
2	58	8	10	4	3	2	-	3	2	-	3	-	1	3	1	3	1	2	-	11	13
4	39	7	7	2	6	2	-	3	2	1	1	1	-	4	-	-	4	2	-	5	14
3	29	4	2	1	3	2	3	2	1	-	4	1	5	3	1	1	3	-	1	6	15
3	67	19	11	1	3	5	2	9	2	1	6	-	1	6	1	8	1	2	1	15	16
3	61	6	9	1	2	4	-	6	1	2	4	-	2	7	1	2	5	3	-	14	17
3	49	7	5	-	3	3	-	5	1	-	-	-	3	3	-	1	2	-	-	12	18
1	41	6	4	1	3	2	-	4	2	-	2	1	4	10	1	2	2	5	2	13	19
3	64	6	7	3	3	1	1	3	2	1	4	-	5	5	1	2	5	4	1	8	20
5	40	7	5	-	3	-	-	2	1	-	1	-	2	5	-	-	2	4	-	7	21
-	43	4	4	-	2	2	-	-	3	-	4	-	2	5	-	-	2	2	1	7	22
5	88	11	13	1	6	5	1	7	1	-	3	-	2	4	1	1	2	-	-	17	23
6	70	9	11	2	5	3	3	4	3	1	3	-	1	7	-	3	5	1	-	14	24
48	906	110	91	15	97	38	19	78	29	15	34	2	39	91	7	49	51	30	2	154	25
11	438	71	80	16	27	11	8	49	14	5	16	1	29	84	9	35	43	7	3	91	26
4	35	7	5	2	5	1	-	6	-	-	2	-	5	12	2	6	2	-	-	9	27
7	403	64	75	14	22	10	8	43	14	5	14	1	24	72	7	29	41	7	3	82	28
57	1,155	209	255	35	57	43	29	125	17	15	60	-	51	130	15	41	78	24	5	245	29
17	448	91	96	12	19	20	13	61	5	8	26	-	23	58	6	18	34	13	2	107	30
4	86	14	12	2	5	3	1	7	-	1	1	-	3	5	-	5	3	2	-	17	31
2	47	7	11	-	2	-	-	7	-	1	5	-	2	7	2	1	3	1	-	13	32
4	55	9	12	1	2	1	3	6	-	2	2	-	5	7	1	1	5	-	-	14	33
4	73	12	22	3	3	5	1	10	2	1	2	-	3	3	2	-	3	2	1	13	34
26	446	76	102	17	26	14	11	34	10	2	24	-	15	50	4	16	30	6	2	81	35
5	205	26	62	2	10	7	6	17	4	1	14	-	5	19	9	5	14	2	-	43	36
15	292	81	116	5	33	11	18	24	1	7	8	4	7	62	5	30	23	9	-	61	37
5	61	17	34	2	12	3	3	8	-	4	-	1	3	20	1	8	3	1	-	10	38
5	54	17	23	-	4	2	3	3	-	1	2	-	-	8	1	2	5	2	-	14	39
5	177	47	59	3	17	6	12	13	1	2	6	3	4	34	3	20	15	6	-	37	40
136	3,276	413	751	78	117	85	82	254	82	39	175	13	116	410	24	109	335	86	52	608	41
68	1,633	210	349	31	47	25	38	126	37	18	98	7	50	253	9	55	194	38	45	313	42
6	311	34	110	7	17	7	7	12	5	4	16	-	9	32	2	12	25	11	1	55	43
9	237	28	33	4	7	10	7	16	7	3	7	1	7	16	2	2	23	7	-	36	44
5	91	8	15	3	6	3	7	7	3	1	8	1	5	12	-	2	5	-	-	15	45
9	169	20	37	6	7	5	4	14	3	2	8	1	12	16	2	4	13	4	-	28	46
4	181	22	46	5	8	4	7	17	5	3	3	-	7	11	4	6	20	4	-	27	47
7	87	11	12	4	3	5	1	5	4	2	3	2	2	5	-	3	5	-	-	18	48
8	117	17	37	4	6	1	3	11	7	2	10	-	9	22	1	4	13	2	2	29	49
-	79	15	22	3	3	3	2	9	2	1	12	-	2	9	1	5	8	1	-	18	50
5	80	12	22	3	6	5	1	3	2	1	3	-	2	4	-	2	7	2	-	16	51
1	56	11	8	3	1	2	-	3	1	-	1	-	-	4	-	2	2	2	-	6	52
4	52	7	13	2	1	3	1	2	-	-	1	-	2	7	-	2	3	4	-	12	53
4	27	2	9	1	1	1	-	2	1	-	-	-	-	1	-	2	2	1	-	6	54
6	156	16	38	2	4	11	4	27	5	2	5	1	9	18	3	8	15	10	4	29	55
12	368	72	82	3	9	13	12	37	13	8	14	1	18	48	6	24	32	16	1	83	56
-	52	11	8	1	1	1	2	5	2	2	-	-	-	9	1	1	7	-	-	12	57
12	316	61	74	2	8	12	10	32	11	6	14	1	18	39	5	23	25	16	1	71	58
115	2,310	294	505	36	94	53	62	275	59	33	159	6	84	231	25	63	141	52	16	456	59
64	1,007	107	217	13	46	29	32	169	26	18	75	2	38	126	14	29	67	19	10	225	60
12	283	53	44	1	10	7	8	13	10	3	15	-	7	21	1	4	17	2	3	42	61
8	206	29	61	1	7	1	2	22	5	2	13	-	8	23	5	5	14	6	1	26	62
10	207	23	63	3	12	2	8	23	2	2	12	1	7	13	1	8	10	7	-	40	63
6	151	21	26	3	4	1	1	10	3	4	9	1	2	12	1	1	12	3	-	26	64
4	137	22	28	4	5	4	2	8	3	2	11	1	5	16	-	7	9	5	2	36	65
6	126	9	34	5	3	7	3	8	2	2	7	1	5	8	2	3	6	3	-	23	66
4	53	9	6	2	3	-	-	7	3	-	3	-	4	2	1	1	4	2	-	13	67
1	53	7	12	-	-	1	2	8	3	-	7	-	5	5	-	1	1	1	-	11	68
-	87	14	14	4	4	1	4	7	2	-	7	-	3	5	-	4	1	4	-	14	69
5	216	22	30	3	19	5	2	18	3	2	4	-	4	17	2	14	15	9	-	30	70
33	807	134	151	17	64	29	22	77	22	11	47	1	29	106	5	29	80	17	10	165	71
16	434	78	73	11	41	14	11	43	14	6	33	-	13	61	2	10	45	6	6	98	72
2	39	8	8	1	2	-	-	2	-	-	-	-	2	5	-	3	2	1	1	5	73
15	334	48	70	5	21	15	11	32	8	5	14	1	14	40	3	16	33	10	3	62	74
45	956	138	175	27	50	22	23	103	20	14	56	3	53	139	6	46	84	42	5	180	75
4	145	19	25	2	5	1	6	19	2	2	6	-	10	13	-	6	15	4	-	28	76
2	156	36	27	9	7	1	4	9	6	5	13	1	4	8	1	2	9	4	1	27	77
3	114	13	27	7	4	3	3	13	1	1	8	1	9	26	-	6	12	6	-	17	78
3	35	3	11	-	2	-	2	6	1	-	2	-	2	10	-	2	4	3	-	8	79
-	36	5	5	4	3	-	1	10	-	-	1	-	-	7	-	1	1	2	1	8	80
5	34	2	6	-	4	1	1	3	1	-	4	-	1	2	-	1	5	2	-	11	81
28	436	60	74	5	25	16	8	43	9	6	22	1	27	73	5	28	38	21	3	81	82

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NEW JERSEY—Continued																
1	Monmouth	3,285	9	-	10	541	200	73	60	81	20	19	88	59	1,949	294	1,488
2	Asbury Park	327	1	-	1	47	20	8	2	10	1	1	5	9	196	28	151
3	Long Branch	262	-	-	2	52	19	10	8	4	3	1	7	.7	150	26	112
4	Neptune (twp.)[3 4]	226	-	-	-	35	15	4	3	4	2	-	7	3	157	27	117
5	Red Bank	162	1	-	3	26	12	4	4	2	1	1	2	3	86	19	59
6	Balance of county	2,308	7	-	4	381	134	47	43	61	13	16	67	37	1,360	194	1,049
7	Morris	2,062	11	3	8	374	131	57	37	55	22	11	61	29	1,167	204	876
8	Dover	150	2	-	1	26	12	5	2	1	-	1	5	-	92	11	73
9	Madison	120	-	1	-	22	10	1	1	3	-	2	5	1	74	12	57
10	Morristown	245	1	-	-	43	14	7	7	6	2	1	6	1	141	32	105
11	Balance of county	1,547	8	2	7	283	95	44	27	45	20	7	45	27	860	149	641
12	Ocean	1,120	3	1	2	175	59	27	13	26	15	5	30	28	678	108	523
13	Passaic	4,048	31	6	18	719	286	107	66	103	39	27	91	98	2,299	416	1,698
14	Paterson	1,819	16	3	9	291	122	39	20	42	21	13	34	49	1,043	175	784
15	Clifton	648	4	1	1	128	46	23	14	16	9	5	15	14	368	71	257
16	Passaic	639	6	2	2	109	40	22	8	14	4	4	17	16	362	62	274
17	Hawthorne	173	1	-	3	29	13	4	3	5	-	1	3	6	110	23	80
18	Balance of county	769	4	-	3	162	65	19	21	26	5	4	22	13	416	85	303
19	Salem	587	1	-	2	88	31	11	10	16	7	1	12	13	342	72	236
20	Somerset	1,069	6	5	4	193	61	27	18	36	7	11	33	15	604	115	455
21	North Plainfield	162	1	1	1	34	13	5	3	4	1	2	6	2	88	14	70
22	Somerville	138	1	-	1	23	5	5	2	6	-	1	4	-	87	17	63
23	Balance of county	769	4	4	2	136	43	17	13	26	6	8	23	13	429	84	322
24	Sussex	499	8	2	1	69	25	9	5	9	6	1	14	4	309	59	224
25	Union	4,358	36	6	13	867	304	117	99	122	50	27	148	68	2,463	460	1,808
26	Elizabeth	1,270	13	1	5	232	86	32	15	34	18	7	40	28	730	152	520
27	Linden	288	3	1	-	56	19	11	11	6	3	-	6	2	156	33	112
28	Plainfield	524	5	2	2	87	21	13	18	17	3	2	13	12	298	55	221
29	Union (twp.)[3 4]	409	3	-	-	85	31	10	10	9	2	4	19	6	241	40	192
30	Cranford (twp.)[3 4]	178	-	-	2	41	15	6	4	4	1	2	9	3	95	16	70
31	Hillside (twp.)[3 4]	192	1	-	-	43	16	4	5	6	3	-	9	2	115	15	94
32	Rahway	223	-	-	2	45	20	7	3	6	2	-	7	8	120	25	88
33	Roselle	177	1	-	1	36	11	5	4	5	2	3	6	1	95	20	65
34	Roselle Park	113	1	-	-	24	8	2	2	5	2	2	3	-	67	11	48
35	Summit	237	2	-	-	52	15	8	6	6	2	1	14	1	145	26	96
36	Westfield	219	-	-	1	53	23	1	9	7	2	2	9	3	126	20	92
37	Balance of county	528	7	2	-	113	39	18	12	17	10	4	13	2	277	47	210
38	Warren	733	2	1	3	116	49	17	7	16	5	6	16	12	449	67	347
39	Phillipsburg	261	-	-	2	40	19	1	1	8	2	5	4	2	167	26	129
40	Balance of county	472	2	1	1	76	30	16	6	8	3	1	12	10	282	41	218
41	NEW MEXICO	6,105	98	18	65	727	254	81	64	106	42	38	142	63	2,088	495	1,360
42	Metropolitan counties	1,435	33	3	12	193	62	19	18	27	13	14	40	15	499	126	313
43	Nonmetropolitan counties	4,670	65	15	53	534	192	62	46	79	29	24	102	48	1,589	369	1,047
44	Bernalillo	1,435	33	3	12	193	62	19	18	27	13	14	40	15	499	126	313
45	Albuquerque	1,175	30	3	10	157	52	17	17	25	12	10	34	13	420	109	258
46	Balance of county	260	3	-	2	26	10	2	1	2	1	4	6	2	79	17	55
47	Catron	35	-	-	-	8	3	1	2	1	1	-	-	2	11	1	9
48	Chaves	317	4	1	4	38	12	5	1	5	1	2	12	1	126	28	87
49	Roswell	247	3	-	2	29	10	4	1	3	1	2	8	1	106	22	77
50	Balance of county	70	1	1	2	9	2	1	-	2	-	-	4	-	20	6	10
51	Colfax	129	1	-	2	14	2	3	4	1	3	-	1	3	53	10	35
52	Curry	223	-	-	-	25	11	2	3	1	1	3	4	1	102	20	74
53	Clovis	179	-	-	-	22	9	2	3	1	1	2	4	1	79	17	56
54	Balance of county	44	-	-	-	3	2	-	-	-	-	1	-	-	23	3	18
55	De Baca	24	-	-	-	4	2	1	1	-	-	-	-	1	7	4	3
56	Dona Ana	317	7	1	2	41	15	2	5	2	3	3	11	5	101	33	57
57	Las Cruces	154	1	-	1	25	10	1	3	1	1	3	6	-	41	14	23
58	Balance of county	163	6	1	1	16	5	1	2	1	2	-	5	5	60	19	34
59	Eddy	325	1	1	3	43	9	12	2	8	1	4	7	3	124	25	85
60	Carlsbad	181	1	1	-	32	8	8	1	6	-	3	6	2	70	14	48
61	Balance of county	144	-	-	3	11	1	4	1	2	1	1	1	1	54	11	37
62	Grant	145	5	1	-	18	9	1	-	2	1	1	4	2	57	12	41
63	Guadalupe	46	-	1	1	6	1	1	2	1	-	-	1	-	16	4	9
64	Harding	18	-	-	-	3	2	-	1	-	-	-	-	-	12	3	8
65	Hidalgo	34	1	-	-	3	1	1	-	-	-	-	1	-	10	3	6
66	Lea	232	2	1	2	32	13	1	2	7	2	1	6	3	68	9	51
67	Hobbs	126	1	-	2	18	8	1	2	4	-	1	2	1	41	6	31
68	Balance of county	106	1	1	-	14	5	-	-	3	2	-	4	2	27	3	20
69	Lincoln	66	2	-	-	10	5	1	1	1	1	-	1	-	27	7	18
70	Los Alamos	26	1	-	-	6	1	-	-	1	-	1	3	-	6	-	5
71	Luna	108	-	2	-	15	8	1	2	2	2	-	-	-	53	9	35
72	McKinley	305	7	-	8	30	9	6	1	4	1	1	8	3	56	12	39
73	Mora	87	3	-	1	9	1	2	1	3	-	-	2	-	26	6	18
74	Otero	201	-	1	5	26	6	2	6	9	1	1	1	3	46	11	28
75	Quay	119	-	-	-	12	2	2	1	-	1	1	5	3	68	26	32
76	Rio Arriba	192	4	1	-	18	5	1	-	5	2	1	4	1	45	14	27
77	Roosevelt	119	-	-	-	16	6	2	-	2	1	2	3	6	56	12	36
78	Sandoval	94	5	1	4	12	7	-	-	2	1	-	2	-	15	3	10

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
45	1,086	157	200	27	77	39	24	86	23	16	44	2	49	105	4	56	105	34	8	185	1
6	100	24	21	2	9	3	3	11	-	1	11	1	5	6	1	3	11	5	2	16	2
1	88	9	14	3	6	3	-	6	-	1	6	-	4	8	-	3	7	3	-	13	3
-	85	15	17	1	10	1	1	4	1	1	-	-	2	7	-	-	2	1	-	13	4
1	42	6	10	2	3	1	2	5	-	2	1	-	2	10	-	3	6	-	1	13	5
37	771	103	138	19	49	31	18	60	22	11	26	1	36	74	3	47	79	25	5	130	6
29	697	73	77	14	48	17	8	72	14	7	31	2	34	70	2	36	56	25	2	119	7
3	55	5	10	4	2	1	1	4	1	-	1	-	2	4	-	3	3	-	-	11	8
2	46	4	5	1	3	-	1	5	2	-	2	-	4	-	-	1	-	2	-	6	9
-	89	7	9	-	-	3	1	9	1	-	4	-	3	9	-	1	14	1	-	17	10
24	507	57	53	9	43	13	5	54	10	7	24	2	25	57	2	31	39	22	2	85	11
12	388	47	76	10	21	10	6	35	8	4	18	2	14	35	1	19	26	8	2	61	12
64	1,295	142	197	31	95	34	25	127	30	15	62	3	36	136	8	37	111	40	7	265	13
29	601	62	92	15	45	13	11	78	13	6	26	-	15	65	3	18	51	14	4	115	14
11	201	15	30	7	21	6	6	15	8	4	10	-	3	18	-	4	14	7	-	49	15
11	201	29	33	5	14	3	4	14	2	2	17	1	5	19	2	5	18	8	2	47	16
4	61	6	9	2	3	2	-	3	1	-	2	-	2	3	-	2	2	1	-	8	17
9	231	30	33	2	12	10	4	17	6	3	7	2	11	31	3	8	26	10	1	46	18
2	182	21	31	4	16	7	7	24	7	8	7	2	9	26	4	9	14	2	-	29	19
22	367	23	43	12	7	12	3	35	6	3	11	-	17	31	3	17	29	10	-	80	20
7	46	10	7	-	-	4	-	6	1	-	2	-	3	5	-	1	2	3	-	12	21
2	53	2	6	2	3	1	1	5	-	-	1	-	1	2	-	2	4	2	-	9	22
13	268	11	30	10	4	7	2	24	5	3	8	-	13	24	3	14	23	5	-	59	23
2	167	38	17	4	16	2	4	13	1	3	3	-	7	17	-	10	12	8	-	32	24
67	1,341	187	213	34	85	32	44	108	34	20	45	3	58	172	10	48	82	40	8	277	25
17	411	50	42	9	30	10	9	41	5	5	15	-	12	49	2	12	23	6	4	87	26
3	84	7	18	2	5	1	3	8	3	-	3	-	7	15	1	3	6	6	1	17	27
9	151	26	35	5	5	4	6	16	4	2	2	1	6	28	4	3	14	3	1	36	28
9	138	20	25	1	3	1	4	9	4	4	5	1	6	9	-	8	5	3	-	20	29
4	58	4	4	2	5	1	1	5	-	-	1	-	2	9	-	-	4	-	-	16	30
1	67	11	15	1	2	3	-	2	2	1	2	-	1	5	-	2	2	3	-	11	31
4	60	12	12	2	3	-	2	7	1	2	5	1	3	11	-	1	3	3	1	10	32
4	46	9	6	2	4	-	4	2	2	1	3	-	2	7	1	4	5	4	-	12	33
2	40	1	5	-	4	1	3	4	2	-	-	-	-	3	-	-	-	3	-	9	34
7	62	14	13	4	8	5	6	3	4	1	4	-	1	6	1	3	2	1	-	11	35
2	64	11	15	1	8	-	5	1	5	1	1	-	3	5	-	3	4	3	-	10	36
5	160	22	23	5	8	6	1	10	2	3	4	-	15	25	1	9	14	5	1	38	37
4	259	36	48	3	22	6	4	29	4	5	6	-	10	15	1	14	20	5	-	41	38
3	93	16	17	-	7	3	2	11	-	-	3	-	6	7	-	1	3	1	-	18	39
1	166	20	31	3	15	3	2	18	4	5	3	-	4	8	1	13	17	4	-	23	40
97	898	135	230	47	79	59	48	311	41	113	60	9	136	562	446	346	338	92	48	544	41
28	214	25	46	6	17	24	13	52	10	18	14	2	38	135	111	64	66	28	4	138	42
69	684	110	184	41	62	35	35	259	31	95	46	7	98	427	335	282	272	64	44	406	43
28	214	25	46	6	17	24	13	52	10	18	14	2	38	135	111	64	66	28	4	138	44
21	180	22	35	5	14	23	11	37	8	9	13	1	30	105	79	53	58	25	2	112	45
7	34	3	11	1	3	1	2	15	2	9	1	1	8	30	32	11	8	3	2	26	46
1	5	-	3	-	-	1	-	2	-	-	-	-	-	1	4	-	3	3	-	1	47
2	54	14	17	4	5	1	1	13	4	8	1	-	13	32	13	14	12	3	1	29	48
2	48	11	16	1	5	-	1	6	2	6	-	-	12	27	8	7	10	1	1	26	49
-	6	3	1	3	-	1	-	7	2	2	1	-	1	5	5	7	2	2	-	3	50
2	21	4	8	4	2	-	2	6	1	2	3	-	-	8	7	3	7	5	-	14	51
3	65	3	3	-	7	-	1	4	3	2	1	1	4	22	4	10	23	3	-	18	52
3	49	2	2	-	5	-	1	4	3	2	1	1	4	19	3	4	19	2	-	15	53
-	16	1	1	-	2	-	-	-	-	-	-	-	-	3	1	6	4	1	-	3	54
-	3	-	-	-	-	-	-	2	1	-	-	-	-	1	1	1	2	-	1	3	55
6	32	7	12	1	2	6	2	15	2	3	4	-	11	32	21	24	9	5	2	32	56
2	13	4	4	-	-	4	-	9	1	2	3	-	7	17	13	10	4	4	2	14	57
4	19	3	8	1	2	2	2	6	1	1	1	-	4	15	8	14	5	1	-	18	58
2	66	5	12	1	6	3	4	18	3	6	3	-	10	23	8	20	23	3	1	32	59
1	38	2	7	1	2	3	2	7	1	2	2	-	6	12	8	12	8	1	1	15	60
1	28	3	5	-	4	-	2	11	2	4	1	-	4	11	-	8	15	2	-	17	61
-	18	9	14	2	1	1	-	4	1	1	2	-	3	12	6	7	10	3	-	13	62
1	5	1	2	1	2	-	-	3	-	-	-	-	-	4	6	1	2	-	1	5	63
-	5	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	64
1	3	-	2	1	-	-	-	2	2	-	-	-	-	4	3	3	1	2	-	3	65
-	42	4	5	1	3	1	3	4	2	3	1	1	4	24	21	25	16	6	5	12	66
-	25	4	2	-	1	-	3	3	1	2	-	-	2	9	12	12	9	5	2	6	67
-	17	-	3	1	2	1	-	1	1	1	1	1	2	15	9	13	7	1	3	6	68
-	14	1	3	-	-	1	1	2	-	-	1	-	1	4	1	7	5	2	-	4	69
1	4	-	-	-	1	-	-	-	-	-	-	-	1	5	-	4	-	1	-	2	70
1	26	3	5	4	2	-	3	2	-	3	1	-	1	6	2	4	5	2	2	10	71
6	27	2	4	1	2	1	1	36	3	20	5	1	6	30	20	17	26	4	4	29	72
1	10	3	4	2	-	-	-	8	-	2	1	-	-	6	20	2	1	-	2	6	73
2	20	3	3	1	3	2	1	13	1	2	1	-	2	34	6	20	13	5	3	20	74
1	22	1	8	2	6	1	1	7	-	-	-	-	-	9	2	7	4	1	-	6	75
6	13	3	5	1	2	1	-	17	-	5	1	1	7	27	26	12	12	1	2	12	76
2	25	4	5	2	5	1	-	2	-	2	3	-	1	7	3	6	1	1	-	15	77
1	7	1	1	1	-	1	-	4	-	1	3	1	3	7	19	2	5	-	5	7	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NEW MEXICO—Continued																
1	San Juan	273	8	-	4	19	10	1	3	3	-	-	2	1	51	12	33
2	San Miguel	236	4	2	3	23	12	2	2	2	1	1	3	1	82	18	57
3	Santa Fe	291	2	1	3	34	9	4	4	8	1	1	7	4	113	22	82
4	Santa Fe	224	1	-	3	26	8	2	4	6	1	1	4	3	95	20	69
5	Balance of county	67	1	1	-	8	1	2	-	2	-	-	3	1	18	2	13
6	Sierra	125	-	1	-	21	9	2	-	3	1	1	5	1	57	16	35
7	Socorro	97	3	-	1	9	4	3	-	-	1	-	1	-	28	9	15
8	Taos	144	3	-	8	12	4	1	1	3	1	-	2	-	42	12	23
9	Torrance	50	-	-	-	6	2	1	-	1	1	-	1	1	19	3	11
10	Union	67	-	-	1	11	7	1	-	1	-	-	2	1	35	11	22
11	Valencia	225	2	-	1	10	5	-	1	1	-	-	3	2	77	14	56
12	NEW YORK	173,814	1,363	319	514	30,190	11,435	4,533	2,944	3,738	1,477	1,239	4,824	3,076	100,423	15,682	77,709
13	Metropolitan counties	144,098	1,245	279	436	25,830	9,850	3,936	2,538	3,103	1,239	1,022	4,142	2,597	82,205	12,065	64,686
14	Nonmetropolitan counties	29,716	118	40	78	4,360	1,585	597	406	635	238	217	682	479	18,218	3,617	13,023
15	Albany	3,223	20	3	10	485	184	88	37	53	26	19	78	54	2,023	308	1,556
16	Albany	1,917	16	1	4	271	100	48	21	30	14	12	46	31	1,200	198	920
17	Cohoes	268	1	1	1	35	17	6	3	1	2	-	6	6	176	15	149
18	Watervliet	227	2	1	1	36	16	8	1	2	1	2	6	3	146	17	114
19	Balance of county	811	1	-	4	143	51	26	12	20	9	5	20	14	501	78	374
20	Allegany	516	1	1	1	74	19	7	9	12	9	3	15	6	309	83	203
21	Broome	2,043	9	2	4	309	105	38	26	53	18	9	60	24	1,257	254	900
22	Binghamton	1,019	4	1	2	150	49	20	11	27	9	3	31	16	631	137	450
23	Endicott	205	1	-	1	33	13	4	2	2	5	1	6	3	129	27	95
24	Johnson City	202	1	1	1	32	9	5	4	3	-	2	9	1	121	19	87
25	Balance of county	617	3	-	-	94	34	9	9	21	4	3	14	4	376	71	268
26	Cattaraugus	942	4	1	2	147	49	20	15	24	7	9	23	13	529	105	372
27	Olean	264	1	1	-	38	19	2	4	7	3	1	2	3	149	34	103
28	Balance of county	678	3	-	2	109	30	18	11	17	4	8	21	10	380	71	269
29	Cayuga	826	1	2	-	122	46	16	11	20	9	3	17	24	517	91	376
30	Auburn	462	1	2	-	76	29	11	5	12	7	-	12	15	285	41	215
31	Balance of county	364	-	-	-	46	17	5	6	8	2	3	5	9	232	50	161
32	Chautauqua	1,625	4	1	4	236	91	32	21	35	10	12	35	39	982	215	659
33	Jamestown	520	-	1	2	81	35	9	8	12	2	4	11	8	331	76	224
34	Dunkirk	219	3	-	-	35	10	8	1	7	-	-	9	12	121	28	80
35	Balance of county	886	1	-	2	120	46	15	12	16	8	8	15	19	530	111	355
36	Chemung	1,009	8	3	2	161	59	27	10	30	6	9	20	16	601	155	393
37	Elmira	611	6	2	1	92	31	17	5	20	3	5	11	12	365	102	231
38	Balance of county	398	2	1	1	69	28	10	5	10	3	4	9	4	236	53	162
39	Chenango	544	1	1	2	70	13	9	8	16	6	5	13	8	341	70	244
40	Clinton	575	2	-	6	68	25	11	4	12	2	2	12	9	323	56	239
41	Plattsburgh	174	1	-	2	23	7	5	2	4	1	1	3	1	102	17	78
42	Balance of county	401	1	-	4	45	18	6	2	8	1	1	9	8	221	39	161
43	Columbia	558	1	-	1	82	39	5	5	17	4	2	10	10	367	74	277
44	Hudson	140	-	-	-	30	13	1	2	8	3	-	3	3	89	14	71
45	Balance of county	418	1	-	1	52	26	4	3	9	1	2	7	7	278	60	206
46	Cortland	423	2	-	1	71	28	3	10	8	2	4	16	8	247	76	158
47	Cortland	191	1	-	-	34	14	1	8	4	1	1	5	2	113	26	78
48	Balance of county	232	1	-	1	37	14	2	2	4	1	3	11	6	134	50	80
49	Delaware	554	1	-	1	80	31	8	7	10	5	2	17	5	345	70	236
50	Dutchess	1,590	9	3	4	248	91	44	21	29	6	16	41	22	967	153	733
51	Poughkeepsie	582	4	2	-	105	39	25	8	10	1	5	17	11	340	51	268
52	Beacon	146	1	-	-	17	6	2	3	1	-	2	3	3	100	17	70
53	Balance of county	862	4	1	4	126	46	17	10	18	5	9	21	8	527	85	395
54	Erie	10,734	66	26	40	1,883	681	285	193	242	107	66	309	220	6,011	995	4,602
55	Buffalo	6,938	50	18	30	1,210	427	191	116	158	72	43	203	140	3,922	610	3,043
56	Lackawanna	268	2	2	1	43	16	6	4	4	3	1	7	13	134	28	95
57	Kenmore	206	-	1	-	44	16	4	8	7	3	1	5	2	118	17	96
58	Tonawanda	234	1	-	1	45	19	8	2	3	3	2	8	12	123	30	85
59	Balance of county	3,088	13	5	8	541	203	74	63	70	26	19	86	53	1,714	310	1,283
60	Essex	432	5	2	1	63	22	11	4	9	5	3	9	6	243	50	176
61	Franklin	559	9	1	2	62	32	5	8	8	1	2	6	9	344	68	244
62	Fulton	666	1	1	-	108	48	18	12	13	2	3	12	14	416	80	306
63	Gloversville	305	1	1	-	46	24	7	5	3	2	-	5	3	192	46	134
64	Johnstown	168	-	-	-	32	12	7	4	4	-	1	4	8	102	20	70
65	Balance of county	193	-	-	-	30	12	4	3	6	-	2	3	3	122	14	102
66	Genesee	566	3	1	1	75	30	8	10	11	3	3	10	10	348	88	231
67	Batavia	215	2	1	-	27	12	6	3	2	1	-	3	3	130	26	93
68	Balance of county	351	1	-	1	48	18	2	7	9	2	3	7	7	218	62	138
69	Greene	451	2	1	1	80	28	10	8	13	3	4	14	7	291	54	207
70	Hamilton	55	-	-	-	7	2	1	-	1	-	1	2	-	31	5	24
71	Herkimer	753	3	2	1	137	53	18	11	17	14	3	21	11	458	94	321
72	Jefferson	1,148	1	2	4	171	58	24	17	22	13	7	30	25	675	133	488
73	Watertown	474	-	-	2	68	25	10	7	7	7	3	9	9	288	53	218
74	Balance of county	674	1	2	2	103	33	14	10	15	6	4	21	16	387	80	270
75	Lewis	258	-	-	2	31	9	6	2	3	3	2	6	4	170	31	126
76	Livingston	469	2	-	1	69	24	6	4	13	5	6	11	10	297	77	205
77	Madison	585	1	2	2	76	28	8	9	10	2	8	11	4	369	80	265
78	Oneida	150	-	-	1	18	10	1	2	4	-	1	-	-	96	20	67
79	Balance of county	435	1	2	1	58	18	7	7	6	2	7	11	4	273	60	198

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	22	3	5	4	1	1	-	23	2	10	2	1	11	30	26	28	23	2	5	27	1
6	26	7	18	1	2	3	1	11	1	7	2	-	5	25	28	10	9	2	1	20	2
5	57	9	11	2	2	2	3	24	2	5	6	-	2	19	19	15	15	1	5	21	3
5	47	8	9	2	1	2	1	15	1	3	6	-	2	12	13	10	12	1	4	17	4
-	10	1	2	-	1	-	2	9	1	2	-	-	-	7	6	5	3	-	1	4	5
3	14	5	13	1	4	-	1	5	1	1	1	-	2	1	6	2	2	2	1	21	6
1	11	3	-	1	-	1	2	5	1	2	-	1	2	10	7	7	8	2	3	8	7
4	7	5	7	-	2	3	2	11	-	4	1	-	3	8	21	12	8	1	-	10	8
-	10	-	1	2	-	1	2	1	-	2	-	-	-	3	4	4	6	-	-	4	9
1	13	3	5	-	-	1	1	2	-	-	-	-	1	2	3	1	5	1	-	4	10
7	37	6	6	1	1	2	3	13	1	4	3	-	5	30	28	14	16	3	-	16	11
2,425	60,709	7,756	6,819	1,326	3,109	1,389	1,208	6,053	1,391	644	2,618	134	1,926	5,605	1,301	2,260	4,261	1,392	468	9,876	12
2,105	50,970	6,557	5,054	1,001	2,371	1,110	972	5,217	1,194	515	2,386	120	1,629	4,684	1,158	1,572	3,436	1,096	439	8,060	13
320	9,739	1,199	1,765	325	738	279	236	836	197	129	232	14	297	921	143	688	825	296	29	1,816	14
30	1,283	122	121	30	75	34	20	98	21	12	42	3	44	98	14	25	68	20	6	177	15
18	773	73	56	13	42	18	9	68	9	9	31	1	26	57	8	14	42	10	5	114	16
4	121	4	19	1	7	3	2	4	-	-	6	1	1	13	3	1	6	4	-	9	17
3	87	12	12	5	7	3	-	6	2	1	1	-	5	5	-	-	2	1	-	15	18
5	302	33	34	11	19	10	9	20	10	2	4	1	12	23	3	10	18	5	1	39	19
3	146	22	32	2	12	5	4	12	7	5	2	-	3	11	8	14	16	9	-	37	20
31	750	75	44	15	47	28	13	61	15	12	30	1	24	73	7	32	34	22	1	126	21
16	361	48	25	5	23	10	6	32	10	7	19	-	13	34	5	12	15	6	1	61	22
2	81	3	9	2	1	3	1	5	1	-	4	-	2	5	-	3	1	2	-	15	23
6	71	7	3	1	8	2	4	6	2	2	1	-	-	9	1	2	4	2	-	16	24
7	237	17	7	7	15	13	2	18	2	3	6	1	9	25	1	15	14	12	-	34	25
17	250	25	80	11	27	6	8	37	6	4	8	-	13	36	1	29	29	11	-	72	26
2	87	7	7	3	6	3	-	18	1	2	4	-	6	7	1	5	8	2	-	18	27
15	163	18	73	8	21	3	8	19	5	2	4	-	7	29	-	24	21	9	-	54	28
6	251	33	86	8	29	8	5	17	5	7	6	-	11	23	3	19	18	9	-	42	29
2	156	16	41	5	13	6	5	8	4	4	5	-	9	12	2	8	8	4	-	19	30
4	95	17	45	3	16	2	-	9	1	3	1	-	2	11	1	11	10	5	-	23	31
15	462	54	128	20	66	10	12	59	12	8	8	-	14	48	7	48	55	22	-	78	32
3	177	11	33	10	14	4	3	13	4	2	5	-	4	10	1	14	16	2	-	26	33
1	62	5	12	1	7	1	4	8	3	-	1	-	4	3	3	4	6	5	-	11	34
11	223	38	83	9	45	5	5	38	5	6	2	-	6	35	3	30	33	15	-	41	35
16	311	32	34	8	29	13	3	24	8	4	10	-	11	43	4	18	22	13	1	60	36
9	176	23	23	7	20	4	1	18	5	1	7	-	4	21	2	11	14	5	-	45	37
7	135	9	11	1	9	9	2	6	3	3	3	-	7	22	2	7	8	8	1	15	38
7	157	33	47	2	8	1	16	11	6	2	2	1	12	15	1	8	19	3	2	39	39
3	192	22	22	6	13	7	2	19	4	-	2	1	4	44	14	22	17	6	-	34	40
2	66	4	6	-	5	2	-	7	1	-	2	1	1	7	7	1	6	3	-	9	41
1	126	18	16	6	8	5	2	12	3	-	-	-	3	37	7	21	11	3	-	25	42
7	232	19	19	1	8	3	4	11	2	4	-	-	4	9	3	6	18	7	1	32	43
1	61	6	3	-	2	1	1	-	1	-	-	-	1	-	-	1	5	1	1	8	44
6	171	13	16	1	6	2	3	11	1	4	-	-	3	9	3	5	13	6	-	24	45
5	110	23	20	-	8	4	1	12	3	3	3	-	4	12	2	14	11	4	-	26	46
3	49	13	13	-	6	3	-	6	2	-	2	-	1	6	1	6	4	1	-	12	47
2	61	10	7	-	2	1	1	6	1	3	1	-	3	6	1	8	7	3	-	14	48
5	184	22	25	13	13	11	2	9	4	2	5	-	9	14	8	18	17	5	-	31	49
27	575	89	42	18	35	20	8	53	12	4	20	1	11	56	3	38	32	11	1	95	50
14	217	25	12	6	11	2	2	22	8	2	5	1	4	17	-	13	8	2	1	37	51
2	58	1	9	1	8	4	-	5	1	-	4	-	2	2	-	1	2	-	-	8	52
11	300	63	21	11	16	14	6	26	3	2	11	-	5	37	3	24	22	9	-	50	53
120	3,598	382	502	85	138	121	70	253	107	49	186	7	140	401	51	155	269	68	28	774	54
71	2,395	260	317	51	90	77	51	161	70	29	136	4	71	232	33	80	167	39	20	526	55
3	70	9	13	5	3	1	2	2	4	2	5	-	5	19	-	2	4	2	2	26	56
1	74	9	12	-	1	3	1	3	3	1	3	-	2	1	-	1	11	-	1	15	57
1	68	5	11	-	4	3	1	6	3	2	5	1	1	9	1	2	3	1	2	16	58
44	991	99	149	29	40	37	15	81	27	15	37	2	61	140	17	70	84	26	3	191	59
4	134	12	26	3	9	2	3	22	4	2	4	-	2	11	4	7	15	8	-	33	60
4	198	15	27	10	17	4	1	12	2	2	4	1	1	15	2	21	25	9	-	38	61
5	218	27	56	6	11	8	5	19	3	2	7	-	8	10	-	7	17	5	-	48	62
2	94	15	23	1	4	5	2	13	2	1	2	-	-	7	-	4	8	2	-	23	63
2	51	4	13	3	5	1	3	1	-	-	3	-	3	-	-	1	4	1	-	13	64
1	73	8	20	2	2	2	-	5	1	1	2	-	5	3	-	2	5	2	-	12	65
7	180	24	20	5	16	6	2	8	9	3	4	-	3	24	-	16	11	5	2	43	66
5	65	13	10	1	9	1	-	3	2	2	2	-	2	8	-	3	7	4	1	18	67
2	115	11	10	4	7	5	2	5	7	1	2	-	1	16	-	13	4	1	1	25	68
3	161	17	26	7	15	3	5	9	4	-	5	1	1	10	-	3	11	6	-	19	69
1	15	4	4	-	2	-	-	1	1	-	-	-	2	1	-	-	6	-	-	6	70
6	223	42	50	7	22	12	2	18	3	3	8	-	6	20	6	11	20	10	-	36	71
7	386	47	48	8	23	19	4	36	9	9	12	-	9	32	16	19	43	9	-	76	72
4	190	18	6	3	5	6	3	13	3	4	6	-	7	16	6	6	18	2	-	26	73
3	196	29	42	5	18	13	1	23	6	5	6	-	2	16	10	13	25	7	-	50	74
-	105	12	9	1	9	1	2	4	5	2	-	1	1	8	2	3	8	2	1	14	75
4	153	10	36	3	9	2	3	10	6	2	5	1	5	12	-	10	9	6	-	24	76
3	198	22	42	5	8	5	6	13	7	2	9	-	8	22	-	15	21	5	2	27	77
1	54	4	8	-	3	2	4	3	3	2	2	-	2	6	-	-	4	3	1	9	78
2	144	18	34	5	5	3	2	10	4	-	7	-	6	16	-	15	17	2	1	18	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NEW YORK—Continued																
1	Monroe	5,869	38	3	12	973	363	130	103	125	52	45	155	77	3,624	643	2,733
2	Rochester	4,171	33	3	8	668	257	90	64	92	35	28	102	57	2,601	443	1,968
3	Irondequoit (town)[3]	319	1	-	1	54	16	2	9	8	5	5	9	3	195	30	148
4	Balance of county	1,379	4	-	3	251	90	38	30	25	12	12	44	17	828	170	617
5	Montgomery	730	2	-	2	127	45	15	9	16	5	10	27	17	422	88	292
6	Amsterdam	390	1	-	-	76	28	10	5	13	3	5	12	13	214	45	151
7	Balance of county	340	1	-	2	51	17	5	4	3	2	5	15	4	208	43	141
8	Nassau	8,586	44	17	18	1,735	586	267	215	193	88	85	301	129	4,630	806	3,508
9	Hempstead	380	3	-	-	86	24	11	12	16	4	1	18	5	196	30	149
10	Valley Stream	368	-	-	1	65	19	13	7	9	3	4	10	2	207	33	155
11	Floral Park	206	1	-	-	38	14	7	7	4	1	2	3	2	130	32	86
12	Freeport	369	4	2	1	68	28	10	5	8	3	3	11	6	200	34	159
13	Garden City	214	-	-	1	45	14	7	4	8	2	3	7	3	123	18	92
14	Glen Cove	204	5	1	-	27	9	3	6	2	1	2	4	7	121	26	83
15	Long Beach	270	-	1	-	46	22	8	4	5	1	-	6	5	155	15	127
16	Lynbrook	246	3	-	-	40	14	5	6	8	2	-	5	6	149	23	120
17	Mineola	162	1	1	-	36	10	7	3	6	2	1	7	2	78	11	59
18	Rockville Centre	300	1	1	-	65	23	12	7	5	2	5	11	2	177	34	128
19	Balance of county	5,887	26	11	15	1,219	409	184	154	122	67	64	219	89	3,094	550	2,350
20	New York City	87,902	928	175	248	16,112	6,350	2,472	1,526	1,851	742	617	2,554	1,830	49,437	6,450	40,045
21	Bronx Bor.(Bronx)	15,247	125	20	35	3,082	1,271	471	274	327	113	126	498	291	8,363	1,004	6,908
22	Brooklyn Bor. (Kings)	28,712	241	48	83	4,993	1,999	769	467	574	227	188	769	643	16,593	2,126	13,589
23	Manhattan Bor. (N. Y.)	24,866	424	62	91	4,323	1,694	617	416	558	176	144	718	357	13,547	1,831	10,976
24	Queens Bor. (Queens)	16,809	122	25	35	3,374	1,257	572	339	362	204	138	502	295	9,559	1,290	7,496
25	Richmond Bor. (Richmond)	2,268	16	-	4	340	129	43	30	30	22	19	67	44	1,375	199	1,076
26	Niagara	2,033	14	3	9	297	112	43	29	37	17	10	49	38	1,201	209	918
27	Niagara Falls	890	9	1	7	138	57	25	9	15	8	6	18	14	506	83	385
28	Lockport	339	2	-	-	46	20	4	6	6	2	-	8	6	226	48	163
29	North Tonawanda	272	1	1	-	42	14	6	5	5	4	2	6	8	154	26	118
30	Balance of county	532	2	1	2	71	21	8	9	11	3	2	17	10	315	52	252
31	Oneida	2,625	16	4	8	379	160	42	41	55	17	15	49	44	1,642	269	1,255
32	Utica	1,204	10	3	3	186	83	18	18	29	6	7	25	27	741	123	574
33	Rome	413	-	1	2	54	21	12	5	6	1	3	6	2	283	39	220
34	Balance of county	1,008	6	-	3	139	56	12	18	20	10	5	18	15	618	107	461
35	Onondaga	4,180	23	12	16	681	257	95	57	110	30	32	100	67	2,535	499	1,842
36	Syracuse	2,787	16	10	7	450	166	59	34	76	24	18	73	45	1,705	336	1,238
37	Balance of county	1,393	7	2	9	231	91	36	23	34	6	14	27	22	830	163	604
38	Ontario	695	2	-	2	97	32	13	11	14	6	6	15	7	445	104	297
39	Geneva	184	1	-	-	26	10	3	2	2	3	2	4	3	118	22	84
40	Balance of county	511	1	-	2	71	22	10	9	12	3	4	11	4	327	82	213
41	Orange	2,163	15	4	10	350	130	61	30	46	18	16	49	25	1,307	235	934
42	Newburgh	492	3	1	2	91	33	20	8	9	5	4	12	3	293	56	203
43	Middletown	288	2	-	-	43	17	9	4	8	1	1	3	2	181	32	139
44	Balance of county	1,383	10	3	8	216	80	32	18	29	12	11	34	20	833	147	592
45	Orleans	429	1	1	-	65	28	10	7	12	1	3	4	8	261	64	186
46	Oswego	968	2	1	2	128	51	17	10	16	9	5	20	16	594	112	431
47	Fulton	163	1	1	1	26	14	1	3	5	1	-	2	5	94	18	64
48	Oswego	309	-	-	-	46	19	5	2	5	5	2	8	5	183	41	120
49	Balance of county	496	1	-	1	56	18	11	5	6	3	3	10	6	317	53	247
50	Otsego	617	2	-	1	86	35	6	9	14	4	4	14	5	420	90	288
51	Oneonta	175	1	-	-	26	7	4	3	7	-	3	2	4	114	24	79
52	Balance of county	442	1	-	1	60	28	2	6	7	4	1	12	1	306	66	209
53	Putnam	327	-	1	-	63	22	12	4	9	3	1	12	4	190	39	138
54	Rensselaer	1,793	9	1	8	259	86	49	26	38	13	10	37	40	1,156	203	820
55	Troy	1,023	7	-	5	154	54	32	19	23	5	3	18	26	658	119	463
56	Rensselaer	135	-	-	-	23	6	3	3	2	3	1	5	2	85	9	63
57	Balance of county	635	2	1	3	82	26	14	4	13	5	6	14	12	413	75	294
58	Rockland	1,028	3	2	4	176	61	25	21	26	8	6	29	19	568	99	425
59	St. Lawrence	1,145	6	2	3	152	41	15	18	34	11	8	25	13	645	112	474
60	Massena	107	1	-	1	16	4	1	2	3	1	2	3	-	63	13	47
61	Ogdensburg	206	2	-	-	32	9	3	9	1	3	-	7	6	103	15	76
62	Balance of county	832	3	2	2	104	28	11	7	30	7	6	15	7	479	84	351
63	Saratoga	959	4	1	4	139	47	23	9	19	8	7	26	22	593	117	439
64	Saratoga Springs	215	2	-	1	29	10	4	2	4	2	2	5	4	137	22	111
65	Balance of county	744	2	1	3	110	37	19	7	15	6	5	21	18	456	95	328
66	Schenectady	1,650	11	4	8	318	122	54	35	33	13	8	53	36	990	160	736
67	Schenectady	1,127	8	4	5	200	77	33	25	15	10	6	34	27	704	114	521
68	Balance of county	523	3	-	3	118	45	21	10	18	3	2	19	9	286	46	215
69	Schoharie	295	2	2	1	37	18	5	2	3	6	1	2	6	179	21	136
70	Schuyler	178	-	-	-	23	10	2	1	5	-	1	4	2	114	26	80
71	Seneca	341	2	-	1	53	19	7	4	7	4	2	10	4	204	38	144
72	Steuben	1,076	4	-	6	154	54	23	14	22	10	8	23	15	678	126	499
73	Corning	200	1	-	1	30	9	3	2	4	4	2	6	-	135	26	101
74	Hornell	197	-	-	-	27	7	6	-	7	2	-	5	4	124	17	94
75	Balance of county	679	3	-	5	97	38	14	12	11	4	6	12	11	419	83	304
76	Suffolk	4,511	29	13	18	800	287	130	75	115	32	30	131	88	2,559	434	1,890
77	Sullivan	595	4	-	-	92	28	9	8	11	7	10	19	4	366	63	277
78	Tioga	378	-	1	-	49	21	3	4	9	4	2	6	3	258	66	174

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
75	2,327	172	159	33	125	69	21	174	51	22	52	-	70	177	4	81	113	57	6	335	1
50	1,674	128	116	27	95	52	16	131	41	17	35	-	46	122	1	46	82	32	6	242	2
6	129	9	4	2	8	6	1	8	2	-	4	-	6	10	1	5	1	7	-	21	3
19	524	35	39	4	22	11	4	35	8	5	13	-	18	45	2	30	30	18	-	72	4
9	223	31	29	8	17	5	12	17	2	1	13	-	7	23	1	16	21	8	1	50	5
6	111	15	19	3	10	2	3	9	1	-	10	-	4	14	1	4	7	5	1	30	6
3	112	16	10	5	7	3	9	8	1	1	3	-	3	9	-	12	14	3	-	20	7
151	2,777	358	222	58	113	90	55	244	51	27	116	4	140	320	240	98	192	73	18	490	8
7	116	19	7	3	3	6	5	10	2	2	6	-	3	16	13	3	8	3	1	23	9
6	127	17	5	1	9	6	3	6	2	-	5	1	6	10	5	9	10	6	1	32	10
-	70	6	10	2	4	3	3	7	2	-	2	-	3	-	7	-	5	1	-	8	11
6	130	14	9	1	2	3	1	15	3	3	6	-	-	10	19	2	8	1	1	20	12
-	65	16	11	3	8	2	-	3	1	-	3	-	1	4	-	1	11	3	-	15	13
-	68	6	9	3	6	1	2	8	1	-	2	-	1	12	4	3	4	-	-	8	14
1	107	10	9	4	6	2	1	9	1	1	5	-	-	7	7	-	6	2	2	23	15
2	96	10	12	2	3	1	-	5	-	-	2	1	1	11	7	1	5	2	-	13	16
1	45	10	3	-	5	3	-	7	2	1	1	-	3	8	9	3	4	1	-	5	17
3	102	11	12	5	4	6	-	14	-	3	3	-	3	6	4	5	4	3	-	9	18
125	1,851	239	135	34	63	57	40	160	37	17	81	2	119	236	165	71	127	51	13	334	19
1,341	31,318	4,377	3,009	565	1,293	477	607	3,691	762	306	1,581	91	863	2,749	685	788	2,175	644	347	4,690	20
225	5,540	755	388	91	191	66	103	612	136	53	271	17	168	472	135	141	337	123	49	817	21
478	10,574	1,410	1,127	174	393	115	196	1,175	272	97	416	26	274	988	136	279	617	182	102	1,547	22
331	8,397	1,253	995	143	295	165	137	1,221	178	87	606	35	198	743	310	179	750	207	161	1,367	23
277	5,907	885	427	129	377	118	149	598	159	63	251	11	195	476	93	160	416	117	27	833	24
30	900	74	72	28	37	13	22	85	17	6	37	2	28	70	11	29	55	15	8	126	25
32	696	66	124	14	23	21	16	60	11	8	33	1	28	85	5	41	50	20	4	125	26
21	310	22	32	7	10	13	8	37	9	1	17	1	14	40	2	13	14	10	2	55	27
-	113	10	40	2	5	4	4	7	-	-	1	-	4	11	1	6	10	1	-	18	28
6	94	9	9	2	4	3	1	5	-	2	7	-	4	15	-	3	7	3	1	19	29
5	179	25	43	3	4	1	3	11	2	5	8	-	6	19	2	19	19	6	1	33	30
33	866	167	189	22	43	23	30	63	18	5	36	3	39	87	6	48	81	23	4	119	31
17	445	48	64	4	18	10	12	39	12	2	20	2	11	39	2	12	34	10	1	50	32
3	109	59	49	11	1	6	6	7	3	-	5	-	8	10	1	6	14	3	-	14	33
13	312	60	76	7	24	7	12	17	3	3	11	1	20	38	3	30	33	10	3	55	34
62	1,546	93	141	20	103	47	24	100	29	11	48	1	48	153	9	47	93	36	5	266	35
37	1,035	67	99	15	72	29	15	66	20	6	36	-	28	99	8	30	56	19	5	181	36
25	511	26	42	5	31	18	9	34	9	5	12	1	20	54	1	17	37	17	-	85	37
10	231	18	38	8	21	11	4	23	5	1	7	-	9	22	2	16	12	2	-	43	38
2	58	8	16	2	3	5	2	4	2	1	1	-	2	4	1	4	3	-	-	14	39
8	173	10	22	6	18	6	2	19	3	-	6	-	7	18	1	12	9	2	-	29	40
30	668	99	137	47	45	25	21	66	13	7	11	1	19	65	21	45	60	21	2	121	41
6	145	12	40	12	14	4	4	11	2	-	1	-	7	14	14	5	20	-	1	24	42
4	95	14	26	3	2	4	1	12	-	2	-	-	2	10	1	3	4	6	-	20	43
20	428	73	71	32	29	17	16	43	11	5	10	1	10	41	6	37	36	15	1	77	44
10	141	13	22	1	6	2	2	9	3	2	1	-	6	17	-	13	16	3	-	23	45
19	308	31	73	6	28	12	5	33	1	2	13	2	15	32	3	16	18	9	1	80	46
3	39	7	15	3	7	1	1	3	-	1	1	1	2	3	2	1	3	2	1	15	47
6	82	7	25	1	10	9	2	12	-	-	7	-	3	7	-	2	7	2	-	35	48
10	187	17	33	2	11	2	2	18	1	1	5	1	10	22	1	13	8	5	-	30	49
11	228	31	18	6	19	9	8	15	-	4	4	-	4	11	5	10	7	7	1	35	50
5	61	8	5	3	5	2	1	4	-	1	-	-	1	3	1	3	3	2	-	12	51
6	167	23	13	3	14	7	7	11	-	3	4	-	3	8	4	7	4	5	1	23	52
4	103	7	24	1	8	1	3	12	1	1	3	-	6	9	2	4	8	2	1	20	53
19	660	59	82	24	77	16	16	61	22	7	18	1	12	48	3	19	41	7	1	80	54
14	363	36	50	16	40	10	10	37	13	4	16	-	6	29	1	8	17	2	1	39	55
-	55	5	3	1	9	2	1	5	2	-	-	-	2	3	1	1	6	1	-	4	56
5	242	18	29	7	28	4	5	19	7	3	2	1	4	16	1	10	18	4	-	37	57
12	343	40	30	6	22	11	5	27	8	2	14	-	16	42	6	27	32	7	3	72	58
9	363	62	40	10	29	13	7	51	7	5	12	-	14	47	6	53	42	9	-	78	59
3	35	6	3	2	1	-	-	6	-	-	2	-	1	4	-	6	2	-	-	5	60
1	67	5	3	3	3	6	-	9	4	-	3	-	2	7	-	11	8	1	-	18	61
5	261	51	34	5	25	7	7	36	3	5	7	-	11	36	6	36	32	8	-	55	62
8	349	40	42	9	14	4	10	29	5	4	6	1	11	30	6	14	22	7	-	61	63
1	90	14	6	2	2	-	-	9	2	2	3	-	2	7	1	4	2	1	-	9	64
7	259	26	36	7	12	4	10	20	3	2	3	1	9	23	5	10	20	6	-	52	65
21	609	68	38	15	45	23	11	32	9	4	28	1	25	48	5	16	20	12	-	83	66
15	427	52	27	7	39	15	8	22	5	2	24	-	11	30	3	11	10	6	-	55	67
6	182	16	11	8	6	8	3	10	4	2	4	1	14	18	2	5	10	6	-	28	68
2	111	13	10	9	7	4	2	8	2	1	-	-	3	9	2	7	13	1	-	22	69
1	50	11	18	1	4	1	2	9	3	-	1	-	1	5	-	5	6	1	-	8	70
3	101	10	30	4	10	3	5	14	3	6	1	1	8	9	-	10	9	1	1	14	71
6	385	45	63	8	28	10	7	19	5	8	7	-	5	35	4	32	24	13	4	63	72
-	70	16	15	-	4	4	-	3	1	2	1	-	-	6	1	1	2	2	2	12	73
1	75	9	9	2	8	-	3	5	-	1	2	-	-	6	-	7	7	4	-	10	74
5	240	20	39	6	16	6	4	11	4	5	4	-	5	23	3	24	15	7	2	41	75
57	1,564	159	110	44	125	35	31	109	29	15	71	1	90	195	18	101	86	37	7	245	76
9	172	34	62	8	5	2	11	7	5	4	1	-	9	13	2	15	13	10	1	49	77
-	139	7	28	5	13	-	-	14	1	2	-	1	1	11	-	6	12	3	-	16	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NEW YORK—Continued																
1	Tompkins	558	-	-	2	71	32	10	8	8	3	3	7	6	372	52	268
2	Ithaca	282	-	-	1	39	15	8	5	5	1	2	3	5	187	22	133
3	Balance of county	276	-	-	1	32	17	2	3	3	2	1	4	1	185	30	135
4	Ulster	1,419	5	-	2	225	83	37	17	27	15	7	39	21	883	159	665
5	Kingston	461	1	-	1	73	28	16	7	6	3	2	11	6	289	70	197
6	Balance of county	958	4	-	1	152	55	21	10	21	12	5	28	15	594	89	468
7	Warren	576	4	2	1	75	18	12	10	13	8	2	12	15	363	65	275
8	Glens Falls	272	2	1	-	32	8	5	4	6	5	-	4	8	187	31	145
9	Balance of county	304	2	1	1	43	10	7	6	7	3	2	8	7	176	34	130
10	Washington	572	3	-	1	81	30	14	10	7	2	3	15	9	370	60	272
11	Wayne	729	-	2	2	106	42	10	17	15	4	7	11	17	442	96	315
12	Newark	105	-	-	1	18	8	1	2	1	1	3	2	5	56	17	37
13	Balance of county	624	-	2	1	88	34	9	15	14	3	4	9	12	386	79	278
14	Westchester	7,168	32	12	32	1,286	443	200	143	155	62	67	216	120	4,114	642	3,135
15	Yonkers	1,686	10	2	6	303	108	49	34	32	16	13	51	30	983	127	775
16	Mount Vernon	850	5	1	6	142	32	20	16	29	9	6	30	19	502	75	387
17	New Rochelle	709	3	-	5	120	43	20	11	14	5	6	21	12	410	67	310
18	White Plains	585	2	2	-	103	46	19	10	8	4	5	11	9	326	58	246
19	Mamaroneck	139	-	-	-	25	10	6	3	3	-	2	1	2	76	8	63
20	Ossining	191	1	-	1	38	11	11	2	7	2	1	4	3	110	17	78
21	Peekskill	233	2	-	-	38	14	5	5	7	4	1	2	7	142	30	103
22	Port Chester	260	1	1	-	54	24	9	6	5	2	2	6	6	142	23	105
23	Rye	118	-	-	1	28	8	2	6	3	2	1	6	1	65	15	44
24	Scarsdale	142	1	-	-	25	8	6	1	1	1	2	5	-	87	18	61
25	Balance of county	2,255	7	6	13	410	138	53	49	46	17	28	79	31	1,271	204	963
26	Wyoming	366	1	-	-	82	21	12	7	8	6	2	6	6	225	44	155
27	Yates	249	1	1	-	24	6	2	2	4	1	3	6	5	175	26	124
28	NORTH CAROLINA	35,674	227	75	185	4,317	1,294	487	351	839	180	225	941	511	19,094	4,736	12,578
29	Metropolitan counties	8,528	43	29	34	1,179	339	144	100	223	50	68	255	117	4,622	1,102	3,104
30	Nonmetropolitan counties	27,146	184	46	151	3,138	955	343	251	616	130	157	686	394	14,472	3,634	9,474
31	Alamance	564	2	-	4	84	35	8	7	13	3	4	14	13	295	72	193
32	Burlington	203	1	-	2	28	7	4	2	7	1	-	7	4	111	22	80
33	Balance of county	361	1	-	2	56	28	4	5	6	2	4	7	9	184	50	113
34	Alexander	131	2	-	-	10	5	1	-	1	-	-	3	2	64	15	39
35	Alleghany	74	1	-	-	6	3	-	-	2	-	-	1	2	48	15	29
36	Anson	252	1	-	-	33	12	1	2	6	2	2	8	5	124	36	71
37	Ashe	163	3	-	-	23	4	4	1	4	4	2	4	1	80	26	46
38	Avery	95	-	-	-	9	3	-	-	3	-	-	3	1	53	8	39
39	Beaufort	371	2	-	6	42	13	12	3	3	2	2	7	7	200	44	138
40	Bertie	219	2	1	-	32	16	2	2	8	-	-	4	5	111	41	54
41	Bladen	263	2	-	1	19	2	6	-	7	-	2	2	2	147	40	95
42	Brunswick	199	-	-	1	15	2	1	3	6	3	-	-	3	97	22	68
43	Buncombe	1,219	13	3	4	171	48	22	20	34	5	9	33	16	711	198	466
44	Asheville	666	10	2	3	96	27	14	13	17	3	7	15	9	387	111	250
45	Balance of county	553	3	1	1	75	21	8	7	17	2	2	18	7	324	87	216
46	Burke	310	2	1	1	40	10	3	3	3	2	3	16	7	155	37	98
47	Cabarrus	459	2	1	5	59	14	7	4	9	3	2	20	3	267	68	180
48	Concord	159	1	-	3	18	5	1	-	3	2	-	7	-	99	30	60
49	Balance of county	300	1	1	2	41	9	6	4	6	1	2	13	3	168	38	120
50	Caldwell	339	-	1	3	37	8	5	4	9	1	3	7	10	162	29	116
51	Camden	59	-	-	-	10	2	1	-	4	-	-	3	-	32	10	17
52	Carteret	227	1	-	1	36	5	8	4	10	3	1	5	5	116	31	75
53	Caswell	166	-	-	-	17	4	3	1	4	2	-	3	-	98	25	65
54	Catawba	460	1	-	3	57	13	4	3	15	2	5	15	5	249	57	167
55	Hickory	162	1	-	-	25	6	1	1	6	2	3	6	2	82	26	51
56	Balance of county	298	-	-	3	32	7	3	2	9	-	2	9	3	167	31	116
57	Chatham	245	-	-	1	28	8	4	2	4	2	1	7	2	141	40	89
58	Cherokee	143	-	-	-	14	2	2	2	6	-	-	2	2	73	17	53
59	Chowan	108	1	-	-	7	3	2	-	1	-	-	1	-	61	20	37
60	Clay	51	-	-	-	8	3	1	1	2	-	-	1	1	26	11	14
61	Cleveland	494	1	-	5	76	24	8	6	18	2	5	13	8	266	67	181
62	Shelby	155	-	-	1	30	8	3	4	8	1	1	5	7	84	18	61
63	Balance of county	339	1	-	4	46	16	5	2	10	1	4	8	1	182	49	120
64	Columbus	451	1	1	6	27	4	2	2	5	2	2	10	3	248	71	161
65	Craven	414	4	-	2	48	16	7	3	9	1	2	10	6	210	61	136
66	New Bern	179	3	-	1	22	8	3	2	5	-	1	3	-	106	32	69
67	Balance of county	235	1	-	1	26	8	4	1	4	1	1	7	6	104	29	67
68	Cumberland	722	8	6	5	72	19	11	9	11	2	2	18	5	301	59	208
69	Fayetteville	379	4	2	2	47	15	9	4	7	1	1	10	2	162	29	113
70	Balance of county	343	4	4	3	25	4	2	5	4	1	1	8	3	139	30	95
71	Currituck	71	-	-	2	8	2	1	1	4	-	-	-	2	39	2	35
72	Dare	67	-	-	-	10	3	2	1	2	1	-	1	1	39	11	27
73	Davidson	483	1	1	1	60	22	9	3	8	2	6	10	5	278	87	175
74	Lexington	140	1	1	-	15	5	1	2	3	1	-	3	3	73	24	43
75	Thomasville	99	-	-	-	7	3	2	-	-	1	1	-	-	60	18	40
76	Balance of county	244	-	-	1	38	14	6	1	5	-	5	7	2	145	45	92
77	Davie	129	-	-	1	16	4	2	1	3	3	-	3	1	80	25	46
78	Duplin	357	1	-	3	36	11	-	5	6	3	3	8	2	207	51	130

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	201	35	29	16	25	7	4	5	2	4	1	-	7	10	3	18	22	4	-	31	1
1	97	22	13	7	18	5	2	1	1	4	1	-	2	2	2	9	9	1	-	18	2
2	104	13	16	9	7	2	2	4	1	-	-	-	5	8	1	9	13	3	-	13	3
12	496	52	105	11	25	14	9	37	8	2	15	1	11	52	3	21	32	14	5	82	4
-	164	15	18	-	12	7	3	12	4	1	5	-	2	19	2	6	8	3	-	29	5
12	332	37	87	11	13	7	6	25	4	1	10	1	9	33	1	15	24	11	5	53	6
10	190	17	58	1	10	9	3	14	1	2	3	-	5	19	1	13	14	10	-	34	7
4	102	12	27	1	5	4	1	5	-	-	1	-	2	10	-	3	5	3	-	13	8
6	88	5	31	-	5	5	2	9	1	2	2	-	3	9	1	10	9	7	-	21	9
2	195	25	50	8	22	1	7	17	3	2	5	-	7	8	2	9	17	6	1	31	10
9	238	35	33	10	12	4	5	25	3	3	9	-	7	23	2	14	26	7	1	40	11
-	29	3	5	1	-	-	1	5	-	1	1	-	3	4	-	1	4	-	-	6	12
9	209	32	28	9	12	4	4	20	3	2	8	-	4	19	2	13	22	7	1	34	13
115	2,410	377	233	63	120	103	51	226	58	32	123	6	84	188	99	83	162	60	9	442	14
25	568	133	49	9	42	17	13	52	15	7	35	1	15	42	21	15	38	9	-	102	15
16	290	35	46	9	9	17	5	16	8	2	14	1	9	25	9	8	16	10	3	54	16
8	243	35	24	9	9	10	5	26	6	7	10	1	9	17	9	8	15	7	2	42	17
12	185	30	19	4	10	5	3	23	5	-	15	-	10	16	13	8	15	1	-	37	18
1	51	8	3	1	2	1	1	5	3	-	6	-	3	6	-	1	4	-	-	8	19
2	63	5	8	2	4	7	2	8	1	1	-	2	2	6	2	6	1	2	-	7	20
1	88	8	6	2	3	3	1	4	2	-	4	-	3	4	3	2	7	3	-	12	21
8	77	12	8	4	6	3	1	8	1	1	4	-	2	6	2	3	8	1	2	18	22
2	36	2	4	1	2	2	1	2	-	1	1	-	-	2	1	1	3	3	-	9	23
3	51	4	3	2	1	4	1	4	1	-	3	-	3	-	2	3	6	3	-	4	24
37	758	105	63	20	32	34	18	78	16	13	31	1	28	64	37	28	49	21	2	149	25
2	119	15	19	6	13	2	5	7	4	1	3	-	5	10	-	10	5	3	-	24	26
2	110	4	8	5	10	2	8	7	1	-	-	-	1	5	-	6	6	-	-	17	27
312	7,916	2,390	1,960	406	592	356	426	1,339	170	182	227	60	540	1,986	936	1,129	1,331	452	363	2,550	28
76	2,169	520	339	106	120	100	90	316	51	35	89	10	135	499	79	211	249	122	108	600	29
236	5,747	1,870	1,621	300	472	256	336	1,023	119	147	138	50	405	1,487	857	918	1,082	330	255	1,950	30
1	136	31	25	5	13	7	5	11	5	-	2	-	11	33	17	19	23	6	3	36	31
-	53	15	12	-	4	3	2	6	2	-	1	-	3	9	5	5	8	3	2	13	32
1	83	16	13	5	9	4	3	5	3	-	1	-	8	24	12	14	15	3	1	23	33
1	28	8	2	6	3	-	1	5	-	-	1	-	1	7	17	5	3	2	1	11	34
1	14	1	13	1	-	-	3	5	-	-	1	-	-	2	1	-	6	-	-	2	35
3	41	21	6	4	1	4	8	8	1	5	2	2	3	8	27	8	8	1	3	13	36
2	28	8	8	1	6	-	1	7	1	-	-	-	3	9	8	1	5	8	2	12	37
3	23	12	1	-	1	3	2	3	3	-	-	-	1	5	7	2	3	3	-	5	38
2	78	32	26	3	6	2	7	27	1	3	-	1	3	11	10	10	16	3	4	25	39
-	31	11	12	3	4	2	7	10	2	1	2	1	4	4	6	3	10	1	1	23	40
3	61	18	13	2	2	4	4	13	1	1	3	2	5	7	4	12	19	1	1	23	41
1	38	16	13	4	3	-	-	10	1	5	2	1	2	9	15	15	9	-	3	11	42
13	340	67	46	13	15	10	9	47	8	5	6	-	13	48	12	30	31	16	15	70	43
7	180	39	24	8	5	8	5	19	4	-	4	-	7	27	7	13	20	8	5	45	44
6	160	28	22	5	10	2	4	28	4	5	2	-	6	21	5	17	11	8	10	25	45
3	63	16	16	3	5	9	3	13	-	-	2	-	4	20	7	12	11	-	6	29	46
6	129	33	12	2	7	7	3	12	1	1	1	-	9	16	2	17	15	3	6	39	47
4	43	9	4	2	2	4	1	4	-	-	-	-	5	3	2	7	4	1	2	10	48
2	86	24	8	-	5	3	2	8	1	1	1	-	4	13	-	10	11	2	4	29	49
5	56	30	25	5	5	2	5	11	3	2	2	2	3	21	19	7	18	10	3	25	50
-	10	1	6	-	1	2	2	3	-	1	-	-	-	4	1	-	4	-	1	3	51
2	56	7	10	2	3	1	4	4	-	-	2	-	5	13	5	10	13	2	1	13	52
2	37	21	5	2	4	1	1	8	4	-	1	-	1	8	-	8	6	-	-	15	53
4	107	26	30	6	8	6	5	7	3	4	3	1	10	26	10	24	22	9	5	21	54
2	33	8	8	1	2	2	-	4	3	2	2	-	3	7	2	9	9	1	3	7	55
2	74	18	22	5	6	4	5	3	-	2	1	1	7	19	8	15	13	8	2	14	56
1	52	25	11	-	9	3	-	10	-	-	1	-	5	14	3	5	8	2	3	22	57
2	27	15	9	-	3	-	-	1	1	-	1	-	1	1	13	2	10	2	-	22	58
1	27	6	3	-	1	1	2	3	1	-	-	-	1	6	3	5	8	1	-	11	59
-	10	1	3	1	-	-	-	1	-	2	-	-	1	2	-	2	1	1	-	6	60
9	109	40	23	3	7	4	4	15	2	1	2	1	11	23	4	16	14	4	3	42	61
4	36	11	10	1	-	2	2	1	1	-	2	1	3	4	2	3	3	-	1	12	62
5	73	29	13	2	7	2	2	14	1	1	-	-	8	19	2	13	11	4	2	30	63
5	98	32	26	5	3	3	5	29	-	2	3	2	10	24	11	23	22	7	7	25	64
2	90	28	16	4	3	4	2	18	1	2	5	-	7	34	2	14	20	3	6	32	65
1	50	10	8	1	1	2	1	5	-	-	1	-	1	16	1	2	5	-	3	13	66
1	40	18	8	3	2	2	1	13	1	2	4	-	6	18	1	12	15	3	3	19	67
6	114	58	30	9	14	4	7	25	3	2	5	1	13	63	86	33	43	8	9	34	68
1	66	29	17	6	8	2	4	17	2	2	4	-	9	23	45	15	22	2	4	15	69
5	48	29	13	3	6	2	3	8	1	-	1	1	4	40	41	18	21	6	5	19	70
1	23	3	8	-	-	1	1	5	-	-	-	-	1	4	-	1	3	1	-	5	71
-	19	4	4	-	1	-	-	2	-	-	1	-	-	-	2	1	4	-	-	7	72
6	132	18	19	4	3	6	3	11	2	4	-	-	8	22	4	14	24	9	2	37	73
2	36	3	2	2	1	2	1	1	1	2	-	-	2	14	-	4	11	2	-	10	74
1	30	4	5	-	-	1	1	5	-	-	-	-	3	3	1	1	4	3	2	10	75
3	66	11	12	2	2	3	1	5	1	2	-	-	3	5	3	9	9	4	-	17	76
1	36	4	5	3	1	1	4	1	-	1	1	-	-	3	2	4	7	1	1	10	77
5	73	18	34	3	11	6	6	13	-	1	1	-	3	13	15	15	12	4	7	24	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NORTH CAROLINA—Con.																
1	Durham	902	7	3	5	140	40	14	8	33	4	7	34	10	480	119	313
2	Durham	696	7	2	4	104	31	9	8	26	3	3	24	8	366	95	236
3	Balance of county	206	-	1	1	36	9	5	-	7	1	4	10	2	114	24	77
4	Edgecombe	508	6	-	-	55	15	7	7	8	3	2	13	8	280	82	166
5	Rocky Mount (part)	149	1	-	-	22	5	3	3	3	2	-	6	3	88	26	53
6	Balance of county	359	5	-	-	33	10	4	4	5	1	2	7	5	192	56	113
7	Forsyth	1,453	7	2	5	181	56	21	13	32	7	14	38	20	822	204	545
8	Winston-Salem	1,045	2	1	4	135	38	14	12	25	6	11	29	14	576	143	381
9	Balance of county	408	5	1	1	46	18	7	1	7	1	3	9	6	246	61	164
10	Franklin	307	4	-	5	23	6	3	2	6	1	1	4	2	174	28	136
11	Gaston	908	9	1	8	116	40	9	6	26	4	5	26	11	507	107	366
12	Gastonia	330	4	-	4	47	16	2	2	13	-	-	14	5	183	39	131
13	Balance of county	578	5	1	4	69	24	7	4	13	4	5	12	6	324	68	235
14	Gates	85	-	-	-	14	2	1	3	3	-	2	3	1	45	10	31
15	Graham	36	1	-	1	5	2	-	1	-	-	-	2	-	18	7	11
16	Granville	277	1	-	1	29	7	2	8	4	1	-	7	5	162	32	97
17	Greene	145	2	-	-	17	4	2	4	5	-	-	2	2	62	15	43
18	Guilford	1,694	6	5	6	254	75	30	27	49	15	14	44	32	881	230	562
19	Greensboro	816	4	1	1	123	39	18	13	17	5	9	22	17	429	125	260
20	High Point	391	2	3	3	57	15	7	5	13	5	4	8	5	196	45	136
21	Balance of county	487	-	1	2	74	21	5	9	19	5	1	14	10	256	60	166
22	Halifax	536	8	-	4	68	15	8	7	20	-	3	15	4	280	70	175
23	Harnett	444	2	1	2	49	16	6	4	7	4	4	8	3	244	52	166
24	Haywood	304	-	1	2	42	12	1	3	11	4	1	10	5	167	37	121
25	Henderson	313	1	4	1	50	18	6	5	6	4	2	9	1	157	49	98
26	Hertford	182	3	1	1	14	6	-	1	4	-	-	3	5	107	23	67
27	Hoke	115	1	-	3	10	3	-	1	4	-	1	1	1	59	18	31
28	Hyde	55	-	-	1	6	4	1	-	1	-	-	-	2	30	3	27
29	Iredell	513	1	1	1	56	19	3	6	8	3	3	14	4	309	52	222
30	Statesville	158	-	-	-	20	7	1	2	3	-	2	5	2	98	12	75
31	Balance of county	355	1	1	1	36	12	2	4	5	3	1	9	2	211	40	147
32	Jackson	139	-	1	-	14	4	2	1	3	1	1	2	2	88	17	63
33	Johnston	541	2	-	4	58	15	3	5	13	4	1	17	6	277	74	179
34	Jones	83	-	-	2	5	3	1	1	-	-	-	-	-	51	15	31
35	Lee	229	1	2	-	19	9	-	1	2	-	-	7	4	133	21	105
36	Sanford	107	-	1	-	9	5	-	-	-	-	-	4	3	61	10	47
37	Balance of county	122	1	1	-	10	4	-	1	2	-	-	3	1	72	11	58
38	Lenoir	467	6	1	1	52	13	6	5	8	3	-	17	13	238	79	139
39	Kinston	236	4	-	-	23	5	3	2	5	1	-	7	9	126	49	65
40	Balance of county	231	2	1	1	29	8	3	3	3	2	-	10	4	112	30	74
41	Lincoln	214	-	-	-	33	7	5	2	5	1	4	9	1	119	27	83
42	McDowell	189	3	-	-	31	11	2	3	9	-	1	5	1	90	33	48
43	Macon	118	1	-	-	15	4	1	1	3	1	1	4	2	75	8	56
44	Madison	151	-	-	-	10	2	1	1	3	-	2	1	1	90	22	64
45	Martin	230	-	-	-	24	5	4	2	4	1	-	8	3	129	24	99
46	Mecklenburg	2,032	4	10	11	285	85	37	22	50	8	17	66	19	1,106	210	799
47	Charlotte	1,396	3	5	8	179	53	23	15	28	8	10	42	18	771	139	562
48	Balance of county	636	1	5	3	106	32	14	7	22	-	7	24	1	335	71	237
49	Mitchell	142	-	-	-	20	5	2	3	7	-	2	1	3	65	24	36
50	Montgomery	148	-	-	-	19	8	1	3	2	-	3	2	4	79	24	48
51	Moore	306	3	1	-	42	15	2	3	11	-	1	10	1	173	37	116
52	Nash	551	8	-	5	51	22	7	5	6	1	2	8	8	293	93	177
53	Rocky Mount (part)	172	1	-	2	18	9	2	2	2	-	2	1	1	102	31	62
54	Rocky Mount (total)	321	2	-	2	40	14	5	5	5	2	2	7	4	190	57	115
55	Balance of county	379	7	-	3	33	13	5	3	4	1	-	7	7	191	62	115
56	New Hanover	692	3	5	2	75	23	8	3	20	1	5	15	10	351	104	214
57	Wilmington	512	2	4	-	54	16	6	2	13	-	4	13	7	266	83	156
58	Balance of county	180	1	1	2	21	7	2	1	7	1	1	2	3	85	21	58
59	Northampton	265	7	1	2	21	7	3	-	3	1	1	6	1	141	34	91
60	Onslow	342	2	-	3	26	12	3	1	5	-	1	4	5	119	27	78
61	Orange	267	3	1	3	42	11	6	1	10	1	3	10	2	133	38	87
62	Pamlico	90	1	-	-	10	3	1	1	1	1	-	3	-	48	19	22
63	Pasquotank	265	2	-	1	23	6	3	-	4	3	1	6	4	146	33	103
64	Elizabeth City	178	1	-	1	10	4	2	-	1	-	-	3	4	96	21	67
65	Balance of county	87	1	-	-	13	2	1	-	3	3	1	3	-	50	12	36
66	Pender	159	-	-	2	9	2	1	2	1	2	-	1	2	95	35	50
67	Perquimans	106	4	-	-	9	2	2	2	-	-	-	3	4	57	23	27
68	Person	183	3	-	1	21	3	2	1	8	2	2	3	-	89	22	57
69	Pitt	606	6	1	2	73	26	12	3	17	1	1	13	7	339	77	241
70	Greenville	179	2	-	1	27	7	3	3	10	-	-	4	3	99	21	70
71	Balance of county	427	4	1	1	46	19	9	-	7	1	1	9	4	240	56	171
72	Polk	104	-	-	-	14	1	3	2	4	-	-	4	2	64	14	36
73	Randolph	404	1	-	-	57	19	6	5	8	2	4	13	6	232	53	152
74	Richmond	347	2	-	2	33	9	1	3	5	2	3	10	8	201	64	122
75	Robeson	768	5	2	9	79	21	12	8	17	4	2	15	8	324	95	190
76	Rockingham	550	4	1	-	71	25	10	5	15	2	2	12	12	295	84	173
77	Reidsville	127	1	1	-	22	14	2	1	3	1	1	-	3	62	17	38
78	Balance of county	423	3	-	-	49	11	8	4	12	1	1	12	9	233	67	135
79	Rowan	580	4	1	1	82	28	6	4	16	4	2	22	15	340	79	230
80	Salisbury	190	2	1	-	20	3	4	2	4	1	1	5	5	114	28	80
81	Balance of county	390	2	-	1	62	25	2	2	12	3	1	17	10	226	53	150

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	206	80	22	11	12	8	17	25	8	2	11	1	11	47	17	20	34	7	9	65	1
5	149	66	16	9	10	7	9	19	6	1	8	1	10	36	13	12	27	5	9	58	2
-	57	14	6	2	2	1	8	6	2	1	3	-	1	11	4	8	7	2	-	7	3
4	98	35	29	7	15	3	7	19	2	6	3	1	6	31	19	9	14	13	4	32	4
-	29	13	11	1	5	-	3	6	-	1	2	-	2	9	1	1	2	4	1	6	5
4	69	22	18	6	10	3	4	13	2	5	1	1	4	22	18	8	12	9	3	26	6
17	416	82	30	21	22	11	19	39	6	11	17	3	29	57	10	35	38	35	24	112	7
14	285	64	18	20	14	6	12	33	5	10	15	3	17	43	7	24	30	20	21	85	8
3	131	18	12	1	8	5	7	6	1	1	2	-	12	14	3	11	8	15	3	27	9
4	63	33	36	4	1	1	4	9	-	1	1	1	4	20	12	9	6	4	-	32	10
18	245	45	58	11	11	6	6	23	5	3	8	2	21	48	9	32	28	9	10	58	11
6	98	11	16	3	6	3	1	6	1	1	3	2	8	19	-	7	9	1	4	26	12
12	147	34	42	8	5	3	5	17	4	2	5	-	13	29	9	25	19	8	6	32	13
-	13	8	10	2	1	1	-	3	-	-	-	-	-	4	7	3	1	1	-	6	14
-	6	4	1	-	-	-	-	-	-	-	-	-	-	1	4	1	4	-	-	1	15
1	50	22	24	4	14	4	11	10	1	5	3	1	3	12	8	8	11	2	2	13	16
-	18	17	8	1	-	-	3	6	-	-	1	1	3	14	4	6	5	4	3	15	17
11	387	101	63	23	19	28	19	63	10	3	18	-	27	121	16	35	44	16	18	139	18
8	179	50	23	12	8	15	9	28	7	2	9	-	9	60	9	14	20	9	9	65	19
2	93	26	15	1	3	3	8	20	1	-	7	-	4	30	5	10	10	2	6	30	20
1	115	25	25	10	8	10	2	15	2	1	2	-	14	31	2	11	14	5	3	44	21
3	98	47	27	10	12	8	5	24	1	5	4	3	6	38	15	12	26	2	4	32	22
2	110	33	21	8	8	6	4	21	1	4	2	2	6	19	5	16	29	5	4	29	23
5	77	24	15	1	3	4	1	10	-	1	2	2	5	17	-	4	15	5	2	24	24
4	68	10	16	2	5	1	2	18	1	5	1	-	6	20	2	8	11	3	3	21	25
-	27	17	23	2	5	5	5	8	1	1	1	-	1	8	6	3	8	2	2	10	26
-	13	11	7	4	4	-	2	6	-	2	-	-	2	7	8	3	4	1	1	7	27
-	18	1	8	-	-	-	-	3	-	-	-	-	-	1	1	2	3	1	-	5	28
7	146	37	32	6	15	7	7	14	7	1	1	-	8	23	3	13	17	10	7	37	29
2	56	8	9	3	3	5	-	8	2	-	1	-	2	5	1	2	3	4	2	8	30
5	90	29	23	3	12	2	7	6	5	1	-	-	6	18	2	11	14	6	5	29	31
1	52	5	5	-	5	2	1	6	2	2	-	-	1	7	-	5	4	-	1	6	32
3	107	29	40	4	14	2	4	13	-	6	4	1	7	24	33	14	21	14	6	51	33
1	21	3	6	1	-	-	4	4	-	2	-	-	1	6	1	-	4	1	1	5	34
2	69	23	11	1	3	2	1	10	-	7	1	-	2	15	2	5	8	3	2	15	35
2	30	9	6	1	1	1	1	7	-	4	1	-	1	9	1	-	2	2	1	5	36
-	39	14	5	-	2	1	-	3	-	3	-	-	1	6	1	5	6	1	1	10	37
2	73	30	34	3	7	5	5	23	4	-	4	1	11	28	5	21	19	4	2	34	38
1	40	12	12	2	4	2	4	7	2	-	4	-	7	13	3	10	6	1	-	21	39
1	33	18	22	1	3	3	1	16	2	-	-	1	4	15	2	11	13	3	2	13	40
-	51	16	16	1	-	4	4	7	2	1	1	-	1	11	5	8	11	-	5	9	41
5	29	10	4	4	3	1	1	8	1	2	2	-	4	4	10	5	3	7	2	16	42
2	36	14	4	5	4	1	1	3	2	-	-	-	3	2	2	1	4	-	-	8	43
5	40	13	6	1	2	-	1	3	3	1	-	1	2	11	1	4	9	2	2	11	44
1	36	38	24	-	-	2	4	12	-	-	1	-	2	11	13	9	7	1	2	16	45
21	585	121	72	25	37	22	13	96	12	7	15	1	36	135	3	50	52	25	30	135	46
18	396	94	54	21	28	14	7	67	7	5	10	-	24	96	3	30	32	18	23	97	47
3	189	27	18	4	9	8	6	29	5	2	5	1	12	39	-	20	20	7	7	38	48
2	19	9	6	-	1	1	3	5	1	-	-	-	1	8	8	4	5	1	-	21	49
-	40	3	5	3	3	1	-	3	-	-	1	1	3	12	7	6	2	1	-	10	50
2	91	17	6	2	6	7	5	11	-	1	4	-	6	13	6	8	12	1	2	22	51
6	125	31	15	4	9	6	4	22	3	1	1	1	8	38	4	29	32	7	2	38	52
1	49	8	4	1	4	4	-	4	3	-	1	1	4	10	1	4	6	1	-	13	53
1	78	21	15	2	9	4	3	10	3	1	3	1	6	19	2	5	8	5	1	19	54
5	76	23	11	3	5	2	4	18	-	1	-	-	4	28	3	25	26	6	2	25	55
3	155	35	21	8	12	3	10	27	3	1	3	1	5	38	64	15	25	5	5	54	56
3	109	28	16	8	9	3	7	22	-	1	3	1	1	23	49	10	19	3	5	42	57
-	46	7	5	-	3	-	3	5	3	-	-	-	4	15	15	5	6	2	-	12	58
2	37	25	27	4	5	2	5	13	-	-	1	-	3	19	3	11	12	3	5	22	59
1	47	13	17	1	4	4	5	18	-	2	2	-	11	50	1	36	26	4	5	32	60
-	51	13	23	-	2	6	-	10	2	-	1	1	5	18	5	9	10	5	1	16	61
-	11	5	6	-	3	-	4	9	-	-	-	-	2	5	-	1	4	-	-	10	62
2	66	24	11	5	2	1	2	16	-	1	6	-	2	14	5	9	8	3	4	21	63
2	46	14	5	3	2	1	2	12	-	1	6	-	1	9	5	6	6	3	2	15	64
-	20	10	6	2	-	-	-	4	-	-	-	-	1	5	-	3	2	-	2	6	65
-	27	5	18	3	4	1	2	6	-	2	-	-	2	6	10	4	7	-	2	12	66
-	14	5	8	-	2	2	3	3	1	-	-	-	2	2	2	3	6	1	2	10	67
1	32	11	13	-	8	2	-	10	-	1	2	1	5	14	5	9	6	3	2	11	68
8	103	82	48	3	9	5	4	20	4	4	4	1	9	40	6	14	15	6	7	48	69
1	26	25	18	1	2	3	2	6	2	-	2	-	2	5	2	3	4	2	1	18	70
7	77	57	30	2	7	2	2	14	2	4	2	1	7	35	4	11	11	4	6	30	71
1	21	10	4	1	11	1	1	1	1	1	-	-	2	4	2	5	3	-	-	5	72
2	99	18	33	6	12	3	6	11	-	1	1	-	7	16	3	18	15	8	3	25	73
3	71	32	16	6	3	3	3	9	-	-	1	1	4	9	27	16	14	6	1	13	74
6	121	39	24	12	9	9	9	25	-	7	3	1	13	67	106	20	30	2	12	55	75
3	129	14	27	4	16	9	9	25	2	3	2	-	7	15	11	26	18	14	4	40	76
-	24	5	9	-	2	4	1	6	-	-	-	-	2	4	5	7	1	2	-	11	77
3	105	9	18	4	14	5	8	19	2	3	2	-	5	11	6	19	17	12	4	29	78
1	160	37	32	7	12	6	6	18	1	1	2	-	6	29	4	13	10	9	4	40	79
-	58	10	12	3	3	1	1	4	1	-	1	-	2	13	2	2	5	2	4	12	80
1	102	27	20	4	9	5	5	14	-	1	1	-	4	16	2	11	5	7	-	28	81

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NORTH CAROLINA—Con.																
1	Rutherford	380	2	2	1	53	13	4	8	8	5	1	14	7	217	70	121
2	Sampson	415	1	-	2	54	17	2	5	8	-	4	18	10	211	53	142
3	Scotland	209	1	-	1	19	6	1	3	4	2	2	1	3	124	25	82
4	Stanly	286	3	-	2	46	10	11	2	13	-	2	8	4	147	43	97
5	Albemarle	102	1	-	1	13	1	4	2	4	-	1	1	1	55	17	34
6	Balance of county	184	2	-	1	33	9	7	-	9	-	1	7	3	92	26	63
7	Stokes	167	-	-	1	27	9	1	2	5	3	3	4	3	97	19	66
8	Surry	392	-	-	-	55	17	6	4	5	1	6	16	12	224	42	169
9	Swain	83	-	-	1	20	5	2	1	2	-	4	6	1	36	8	23
10	Transylvania	137	-	-	-	19	3	4	1	6	2	-	3	1	84	18	61
11	Tyrrell	46	-	-	1	4	2	-	-	2	-	-	-	-	18	2	13
12	Union	392	1	2	2	52	20	3	3	7	1	3	15	9	216	32	147
13	Monroe	105	-	1	1	20	10	2	2	2	-	-	4	3	50	7	37
14	Balance of county	287	1	1	1	32	10	1	1	5	1	3	11	6	166	25	110
15	Vance	291	4	1	2	36	11	4	4	6	1	3	7	8	158	44	106
16	Henderson	111	2	-	1	13	6	1	3	-	1	1	1	3	62	12	46
17	Balance of county	180	2	1	1	23	5	3	1	6	-	2	6	5	96	32	60
18	Wake	1,228	6	6	3	148	35	20	10	25	11	7	40	20	822	141	419
19	Raleigh	657	2	3	3	84	18	14	4	14	10	4	20	13	335	75	231
20	Balance of county	571	4	3	-	64	17	6	6	11	1	3	20	7	287	66	188
21	Warren	187	2	1	4	18	4	4	-	2	-	2	6	3	94	31	52
22	Washington	144	1	1	2	14	4	2	1	5	-	2	-	3	63	16	42
23	Watauga	122	-	-	1	16	6	1	1	4	-	-	4	3	61	11	44
24	Wayne	658	6	-	2	68	28	8	6	10	3	3	10	9	336	78	232
25	Goldsboro	306	2	-	1	35	17	4	3	6	2	1	2	4	161	35	107
26	Balance of county	352	4	-	1	33	11	4	3	4	1	2	8	5	175	43	125
27	Wilkes	375	3	-	2	28	11	4	1	2	2	3	5	3	202	61	129
28	Wilson	515	10	1	5	43	17	3	-	7	-	2	14	11	262	58	171
29	Wilson	290	7	-	-	23	11	-	-	2	-	1	9	4	154	32	100
30	Balance of county	225	3	1	5	20	6	3	-	5	-	1	5	7	108	26	71
31	Yadkin	178	1	-	-	21	7	1	-	7	-	-	6	5	109	23	77
32	Yancey	119	1	-	1	14	3	-	1	4	3	1	2	1	71	18	44
33	NORTH DAKOTA	5,215	16	5	24	767	305	67	49	115	52	45	134	113	2,792	695	1,858
34	Nonmetropolitan counties	5,215	16	5	24	767	305	67	49	115	52	45	134	113	2,792	695	1,858
35	Adams	35	-	-	-	2	1	-	-	-	-	1	-	1	24	9	13
36	Barnes	164	-	-	1	22	9	3	1	5	-	1	3	3	103	20	78
37	Benson	93	2	1	1	9	3	2	-	1	-	1	2	2	52	16	30
38	Billings	9	-	-	-	2	-	-	-	-	-	1	1	-	6	2	4
39	Bottineau	107	-	-	1	13	8	1	1	1	1	1	-	5	61	16	41
40	Bowman	36	-	-	-	4	3	-	-	-	-	1	-	1	18	5	12
41	Burke	66	-	-	-	9	5	1	1	-	1	1	-	-	35	9	25
42	Burleigh	196	-	-	2	32	8	4	1	6	2	1	10	2	110	27	77
43	Bismarck	162	-	-	2	28	7	4	1	4	2	1	9	-	91	23	62
44	Balance of county	34	-	-	-	4	1	-	-	2	-	-	1	2	19	4	15
45	Cass	537	1	1	3	84	33	6	5	14	11	6	9	9	280	90	160
46	Fargo	366	-	1	3	54	20	6	3	9	6	4	6	6	181	59	102
47	Balance of county	171	1	-	-	30	13	-	2	5	5	2	3	3	99	31	58
48	Cavalier	67	-	-	1	12	5	1	-	2	1	1	2	1	37	8	27
49	Dickey	76	-	-	-	16	5	1	-	1	1	1	7	1	40	9	29
50	Divide	66	-	-	-	8	5	-	-	-	-	1	2	1	38	5	28
51	Dunn	41	-	-	1	5	1	1	-	2	-	-	1	2	18	2	16
52	Eddy	58	-	-	-	3	-	1	1	-	-	-	1	-	31	7	22
53	Emmons	69	-	-	1	11	3	2	-	2	-	-	4	-	37	6	26
54	Foster	50	-	-	-	13	6	1	-	1	-	2	3	1	19	3	14
55	Golden Valley	32	-	-	-	1	-	-	-	1	-	-	-	-	24	4	17
56	Grand Forks	351	2	-	-	57	30	2	3	7	8	-	7	10	162	37	115
57	Grand Forks	238	1	-	-	37	17	1	2	5	7	-	5	10	106	26	72
58	Balance of county	113	1	-	-	20	13	1	1	2	1	-	2	-	56	11	43
59	Grant	41	1	-	-	7	2	-	1	2	-	1	1	-	21	3	16
60	Griggs	46	-	-	1	6	5	-	-	-	-	-	1	1	23	4	15
61	Hettinger	35	-	-	-	7	5	-	-	1	-	-	1	3	20	3	15
62	Kidder	45	-	-	-	7	1	1	-	2	-	2	1	1	28	8	19
63	La Moure	83	-	-	-	11	4	1	-	1	2	-	3	2	51	8	41
64	Logan	40	-	-	-	4	-	1	-	2	-	1	-	3	19	7	11
65	McHenry	108	1	-	-	13	2	1	3	2	1	1	3	2	65	12	47
66	McIntosh	55	-	-	-	11	5	2	-	2	-	1	1	2	30	12	16
67	McKenzie	50	-	-	1	7	3	-	-	-	-	2	2	1	27	8	15
68	McLean	115	-	-	1	17	5	3	1	1	4	1	2	3	58	14	38
69	Mercer	58	-	-	-	15	5	3	1	-	2	2	2	2	28	5	21
70	Morton	147	1	-	-	19	6	3	1	2	-	2	5	1	82	24	50
71	Mountrail	96	-	-	1	16	5	1	2	4	-	1	3	2	49	15	28
72	Nelson	68	-	-	-	7	4	-	-	2	-	-	1	2	43	12	27
73	Oliver	20	-	-	-	6	2	-	2	1	-	1	-	-	10	2	7
74	Pembina	98	-	-	-	10	3	-	2	2	1	-	2	2	53	20	28
75	Pierce	70	-	-	-	10	5	1	-	1	-	2	1	-	44	4	35
76	Ramsey	138	-	-	-	28	13	1	1	5	2	2	4	2	82	28	51
77	Ransom	102	1	-	-	14	9	-	-	1	1	1	2	2	63	15	42
78	Renville	39	-	-	-	6	1	1	1	1	-	-	2	2	18	5	12

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	83	8	30	3	11	8	4	15	4	3	1	-	7	16	2	9	9	1	3	28	1
1	86	33	22	12	4	-	-	21	2	2	-	1	11	29	4	13	18	3	2	31	2
-	44	28	10	8	6	1	2	8	1	3	2	1	-	21	2	5	3	2	2	11	3
3	68	17	9	1	4	1	1	8	-	1	1	-	5	15	6	8	13	1	1	25	4
2	25	4	3	-	2	1	1	3	-	-	-	-	3	6	1	3	3	-	1	11	5
1	43	13	6	1	2	-	-	5	-	1	1	-	2	9	5	5	10	1	-	14	6
2	35	23	6	3	3	1	5	7	3	-	-	-	2	4	-	4	4	5	2	8	7
6	89	37	37	3	3	5	2	12	1	1	2	-	6	24	8	18	3	3	-	23	8
-	16	2	5	1	2	-	2	1	-	1	1	-	-	5	1	-	7	2	2	5	9
2	38	7	14	2	-	2	1	5	1	1	1	-	2	5	-	9	4	1	-	4	10
1	8	-	4	1	2	-	-	-	1	-	-	-	-	-	14	1	4	-	1	2	11
1	87	35	24	5	8	1	23	9	3	2	1	2	2	19	5	8	13	10	6	30	12
-	23	8	6	1	1	1	3	2	-	2	-	-	-	3	1	2	2	6	5	7	13
1	64	27	18	4	7	-	20	7	3	-	1	2	2	16	4	6	11	4	1	23	14
5	47	21	33	3	1	-	4	7	2	2	-	1	2	17	9	7	15	2	1	17	15
-	20	9	17	2	-	-	2	4	-	1	-	1	-	5	2	4	5	1	1	6	16
5	27	12	16	1	1	-	2	3	2	1	-	-	2	12	7	3	10	1	-	11	17
9	235	69	106	13	15	21	13	46	7	7	22	5	19	91	21	41	50	23	12	79	18
4	123	33	71	8	7	11	3	23	3	2	12	3	13	49	14	18	17	12	6	45	19
5	112	36	35	5	8	10	10	23	4	5	10	2	6	42	7	23	33	11	6	34	20
-	27	17	8	3	4	2	2	6	1	1	-	-	-	11	12	6	7	3	1	17	21
-	15	12	15	1	1	-	3	7	1	-	1	-	2	4	10	9	12	1	1	12	22
1	26	7	10	2	1	2	1	5	1	-	-	-	4	10	-	3	4	2	1	11	23
8	104	45	75	7	13	1	5	48	1	2	4	2	13	39	10	22	26	10	8	52	24
5	46	22	34	3	10	1	5	24	-	1	2	-	4	25	4	9	6	4	3	21	25
3	58	23	41	4	3	-	-	24	1	1	2	2	9	14	6	13	20	6	5	31	26
3	61	31	34	3	1	4	4	15	4	5	2	-	6	13	14	21	11	10	7	29	27
6	102	34	29	6	9	5	13	26	4	2	4	5	7	32	1	20	24	4	13	41	28
2	63	23	12	3	7	4	8	15	3	-	4	1	2	19	-	15	9	2	9	23	29
4	39	11	17	3	2	1	5	11	1	2	-	4	5	13	1	5	15	2	4	18	30
5	50	13	9	1	2	2	4	3	2	-	-	-	2	5	3	5	3	4	-	15	31
1	32	3	8	3	4	1	1	4	-	2	-	-	-	7	1	5	3	1	-	8	32
49	1,447	148	214	37	118	51	33	189	33	23	31	2	86	254	51	175	214	69	5	366	33
49	1,447	148	214	37	118	51	33	189	33	23	31	2	86	254	51	175	214	69	5	366	34
-	10	-	3	-	2	-	-	-	-	-	-	-	-	2	-	4	-	1	-	1	35
1	54	14	9	-	3	2	-	10	1	-	1	-	1	10	-	2	5	-	-	5	36
1	24	2	3	-	4	1	1	8	-	1	1	-	-	5	-	-	3	3	-	5	37
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	38
2	35	2	2	-	1	1	2	4	1	-	1	-	-	5	1	-	4	3	-	8	39
-	9	-	3	-	1	-	-	1	-	-	-	-	-	3	-	4	4	-	-	1	40
-	16	3	6	1	-	-	-	3	1	1	-	-	2	2	1	2	6	-	-	4	41
3	69	3	2	-	3	2	1	4	2	-	1	-	3	18	-	3	6	2	-	11	42
3	56	2	1	-	3	2	1	3	2	-	1	-	2	16	-	2	5	1	-	9	43
-	13	1	1	-	-	-	-	1	-	-	-	-	1	2	-	1	1	1	-	2	44
4	129	5	22	2	17	9	2	19	2	-	3	-	12	27	2	23	15	13	-	43	45
1	83	3	15	1	10	8	1	13	1	-	3	-	9	22	1	13	12	12	-	35	46
3	46	2	7	1	7	1	1	6	1	-	-	-	3	5	1	10	3	1	-	8	47
-	22	2	3	1	1	-	-	1	-	-	1	-	1	-	-	4	-	-	-	9	48
-	24	4	1	-	2	-	-	6	1	1	-	-	2	3	1	1	1	-	-	3	49
-	22	3	3	3	2	-	-	-	-	-	-	-	-	2	-	9	2	-	-	6	50
2	10	1	3	-	-	-	-	3	-	-	-	-	2	2	-	-	4	-	-	4	51
-	21	-	1	-	1	-	1	2	2	-	1	-	2	2	3	1	3	-	-	8	52
-	12	2	12	2	1	1	1	-	-	-	-	-	2	-	7	4	-	-	-	7	53
1	11	-	2	1	-	1	-	4	1	1	-	-	-	-	3	1	3	-	-	4	54
1	14	-	2	-	2	-	1	1	1	1	-	-	1	-	-	-	-	1	-	2	55
1	79	12	23	2	4	2	2	14	3	3	4	-	6	23	6	9	12	7	-	33	56
1	54	9	8	2	3	1	2	10	3	3	4	-	6	17	6	5	5	4	-	21	57
-	25	3	15	-	1	1	-	4	-	-	-	-	-	6	-	4	7	3	-	12	58
-	13	1	2	-	1	1	-	1	-	1	1	-	-	-	-	1	5	-	-	3	59
1	9	-	5	1	1	2	-	2	-	-	-	-	-	1	3	1	2	1	-	5	60
1	14	-	-	-	1	1	-	-	1	-	-	-	-	3	-	-	-	-	-	1	61
-	15	2	2	-	-	-	1	1	-	-	-	-	1	2	1	-	1	1	-	2	62
1	34	2	4	-	2	-	-	2	-	1	1	-	3	4	-	4	-	2	-	2	63
-	8	-	3	-	1	-	-	2	-	-	-	-	2	4	1	1	1	1	-	2	64
1	42	2	2	-	3	2	1	3	1	-	1	-	1	4	1	5	6	-	-	5	65
-	13	-	3	-	1	-	1	2	-	-	-	-	-	-	1	1	1	2	-	5	66
-	13	-	2	-	2	-	2	2	-	-	-	-	3	3	-	1	3	-	-	2	67
3	29	5	1	2	1	3	-	2	-	-	-	-	6	9	-	6	5	1	1	6	68
2	17	-	2	1	1	-	-	1	1	-	-	-	-	-	-	1	3	1	-	6	69
1	41	3	5	1	1	3	3	8	1	-	1	-	-	6	3	8	7	3	-	7	70
1	21	1	5	-	5	-	1	3	1	-	-	-	-	6	-	6	2	1	1	8	71
-	22	3	2	2	2	-	-	2	1	1	-	-	1	4	-	2	1	-	-	4	72
-	4	1	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	73
1	20	4	3	1	2	2	-	6	1	1	1	-	2	7	-	1	1	3	-	10	74
-	31	3	1	2	1	-	2	2	-	-	1	-	2	3	-	-	2	2	-	4	75
1	46	1	3	1	1	1	-	3	1	-	2	-	-	3	-	6	3	2	-	6	76
1	35	4	2	-	5	1	-	3	-	2	1	-	-	-	1	4	3	1	-	7	77
-	8	2	2	-	1	-	-	-	-	-	-	-	2	2	1	1	2	-	-	5	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	NORTH DAKOTA—Continued																
1	Richland	178	1	-	-	25	11	2	2	5	1	-	4	5	106	31	71
2	Rolette	117	-	-	2	15	7	3	-	1	3	-	1	1	49	13	32
3	Sargent	52	1	-	-	3	1	-	-	2	-	-	-	2	25	9	16
4	Sheridan	45	-	-	-	5	3	-	-	1	-	-	1	-	30	5	23
5	Sioux	33	1	-	1	2	1	-	-	-	-	-	1	1	12	2	8
6	Slope	12	-	-	-	4	1	-	1	1	-	-	1	-	2	-	2
7	Stark	140	-	2	-	23	9	3	2	4	-	-	5	7	78	16	55
8	Steele	29	-	-	-	3	1	1	-	1	-	-	-	-	17	3	14
9	Stutsman	190	2	1	1	26	9	2	3	3	1	1	7	4	96	22	69
10	Jamestown	123	-	1	1	19	5	1	2	3	1	1	6	1	68	15	51
11	Balance of county	67	2	-	-	7	4	1	1	-	-	-	1	3	28	7	18
12	Towner	60	1	-	-	10	2	1	3	2	2	-	-	-	27	10	13
13	Traill	92	1	-	2	8	1	-	-	1	2	1	3	1	63	11	42
14	Walsh	152	-	-	-	22	8	5	1	2	1	-	5	7	79	23	42
15	Ward	327	-	-	1	62	29	2	6	11	2	4	8	7	153	29	110
16	Minot	233	-	-	-	47	21	1	4	10	1	3	7	4	111	22	81
17	Balance of county	94	-	-	1	15	8	1	2	1	1	1	1	3	42	7	29
18	Wells	88	-	-	-	14	4	2	1	2	1	-	4	2	44	11	27
19	Williams	193	-	-	2	21	8	1	2	4	1	-	5	4	102	26	66
20	OHIO	91,675	554	299	372	14,547	5,061	2,032	1,309	2,294	668	666	2,517	1,998	51,239	11,211	34,853
21	Metropolitan counties	61,432	412	219	247	10,262	3,517	1,522	953	1,545	489	446	1,790	1,385	33,318	6,944	23,108
22	Nonmetropolitan counties	30,243	142	80	125	4,285	1,544	510	356	749	179	220	727	613	17,921	4,267	11,745
23	Adams	265	2	-	3	33	15	2	2	4	2	2	6	4	159	28	105
24	Allen	943	10	6	1	159	48	16	13	30	11	11	30	17	513	108	351
25	Lima	566	8	5	1	102	32	13	7	19	5	6	20	9	314	64	215
26	Balance of county	377	2	1	-	57	16	3	6	11	6	5	10	8	199	44	136
27	Ashland	418	2	-	1	50	17	7	3	10	2	3	8	6	272	74	178
28	Ashland	193	2	-	-	24	6	4	2	5	1	2	4	3	120	31	78
29	Balance of county	225	-	-	1	26	11	3	1	5	1	1	4	3	152	43	100
30	Ashtabula	1,005	4	5	1	164	65	15	14	23	11	8	28	28	574	124	381
31	Ashtabula	303	4	1	-	45	20	2	4	4	2	2	11	10	175	38	117
32	Conneaut	133	-	1	-	24	8	4	3	6	1	1	1	3	78	16	53
33	Balance of county	569	-	3	1	95	37	9	7	13	8	5	16	15	321	70	211
34	Athens	510	5	1	2	72	23	17	6	14	-	-	12	11	319	75	220
35	Athens	122	1	-	1	16	5	1	3	2	-	-	5	5	77	21	51
36	Balance of county	388	4	1	1	56	18	16	3	12	-	-	7	6	242	54	169
37	Auglaize	382	1	3	2	53	24	4	2	8	2	1	12	10	237	52	154
38	Belmont	1,071	1	6	2	156	70	27	10	18	7	3	21	21	662	174	437
39	Bellaire	167	-	1	-	35	17	5	3	3	-	1	6	1	94	24	67
40	Martins Ferry	162	1	1	-	23	10	4	2	3	1	-	3	3	98	24	56
41	Balance of county	742	-	4	2	98	43	18	5	12	6	2	12	17	470	126	314
42	Brown	287	1	-	2	31	11	5	4	2	1	3	5	6	183	50	126
43	Butler	1,584	17	4	7	250	87	40	19	37	10	11	46	26	853	167	587
44	Hamilton	697	10	2	1	103	33	12	12	18	3	6	19	10	384	76	274
45	Middletown	385	4	1	2	72	24	14	1	10	4	2	17	9	205	32	136
46	Balance of county	502	3	1	4	75	30	14	6	9	3	3	10	7	264	59	177
47	Carroll	208	-	-	2	29	18	3	-	2	3	1	2	2	128	41	73
48	Champaign	317	2	1	1	30	11	8	1	7	1	1	1	11	202	60	118
49	Clark	1,275	4	5	7	203	71	34	17	27	9	11	34	23	708	149	478
50	Springfield	961	4	4	6	157	56	26	14	19	9	7	26	21	528	111	351
51	Balance of county	314	-	1	1	46	15	8	3	8	-	4	8	2	180	38	127
52	Clermont	519	4	1	4	80	35	6	6	13	5	6	9	9	256	51	182
53	Clinton	335	1	-	2	40	9	8	4	11	-	1	7	2	210	56	136
54	Columbiana	1,180	6	5	5	171	65	22	9	33	7	7	28	21	732	131	525
55	East Liverpool	324	3	1	3	48	18	6	2	10	3	-	9	8	190	40	129
56	Salem	143	-	1	-	24	9	2	3	5	-	2	3	1	86	14	60
57	Balance of county	713	3	3	2	99	38	14	4	18	4	5	16	12	456	77	336
58	Coshocton	417	1	-	2	53	15	6	7	10	2	1	12	11	224	55	147
59	Coshocton	183	-	-	-	22	4	3	4	3	-	-	8	5	98	23	65
60	Balance of county	234	1	-	2	31	11	3	3	7	2	1	4	6	126	32	82
61	Crawford	459	1	-	3	80	32	5	9	11	1	8	14	9	251	65	161
62	Bucyrus	138	-	-	2	22	10	-	3	3	-	3	3	2	76	18	50
63	Balance of county	321	1	-	1	58	22	5	6	8	1	5	11	7	175	47	111
64	Cuyahoga	15,975	132	51	62	2,883	1,025	428	285	413	131	115	486	434	8,418	1,590	6,083
65	Cleveland	10,386	115	41	41	1,787	615	285	163	268	82	61	313	283	5,336	956	3,875
66	Cleveland Heights	679	5	1	2	123	40	13	21	15	5	6	23	37	421	73	316
67	Lakewood	741	-	4	4	143	60	21	12	16	8	9	17	20	443	107	311
68	East Cleveland	435	1	1	2	83	33	8	12	11	2	1	16	8	246	49	176
69	Euclid	376	1	-	1	82	38	10	11	7	3	3	10	8	200	35	150
70	Parma	458	1	1	-	104	41	14	6	19	10	4	10	16	232	46	174
71	Shaker Heights	308	-	-	1	61	24	10	7	6	3	4	7	8	183	37	129
72	Berea	99	1	-	-	17	3	4	1	3	1	5	-	2	49	7	40
73	Garfield Heights	237	-	-	1	34	17	4	4	2	-	2	5	7	127	23	93
74	Maple Heights	144	-	-	1	26	8	2	2	5	2	-	7	1	74	16	54
75	Rocky River	141	-	-	-	30	12	1	2	5	-	2	8	3	77	17	54
76	South Euclid	187	-	-	-	44	16	5	7	10	1	3	2	8	109	20	80
77	University Heights	98	-	-	-	30	11	6	2	3	4	-	4	2	52	10	40
78	Balance of county	1,686	8	3	9	319	107	45	35	43	10	15	64	31	869	194	591
79	Darke	475	4	-	2	63	20	8	6	11	4	3	11	9	294	71	200

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400–402, 410–416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440–443	Other forms of disease of heart 421–434	Other hypertensive disease 444–447	General arteriosclerosis 450	Other diseases of circulatory system 451–468	Chronic and unspecified nephritis and other renal sclerosis 592–594	Influenza and pneumonia, except pneumonia of newborn 480–493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640–689	Congenital malformations 750–759	Certain diseases of early infancy 760–776	Symptoms, senility, and ill-defined conditions 780–795	Motor vehicle accidents E810–E835	All other accidents E800–E802, E840–E962	Suicide E963, E970–E979	Homicide E964, E980–E985	All other causes Residual	
1	63	4	3	-	3	-	1	5	1	-	-	-	3	10	-	5	7	1	-	9	1
-	25	6	1	-	3	1	-	7	2	2	1	-	1	13	-	2	9	-	1	12	2
-	14	1	1	-	-	-	-	1	-	-	-	-	3	1	1	1	5	-	-	9	3
1	18	1	3	-	1	-	1	1	-	1	-	-	-	-	-	3	4	-	-	1	4
-	4	2	2	1	-	1	-	3	-	-	-	-	2	1	3	-	2	-	1	4	5
-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	3	6
1	44	6	4	2	2	3	-	1	-	1	2	-	4	6	1	3	5	2	-	5	7
1	9	1	3	-	-	-	-	2	1	-	-	-	-	3	1	-	2	-	-	-	8
1	48	15	5	2	2	-	1	5	-	-	2	1	2	10	-	10	12	4	-	14	9
1	36	11	3	1	-	-	1	3	-	-	-	1	1	7	-	5	6	1	-	9	10
-	12	4	2	1	2	-	-	2	-	-	2	-	1	3	-	5	6	3	-	5	11
-	10	-	3	-	1	2	1	1	-	-	-	-	2	4	1	4	6	1	-	3	12
3	32	3	4	-	6	1	3	2	-	-	-	-	2	2	-	3	3	1	-	4	13
-	28	5	9	3	7	2	2	4	-	2	-	-	3	6	2	2	12	2	-	11	14
6	84	11	9	4	8	2	-	21	5	1	3	1	5	14	4	7	15	1	-	27	15
4	60	10	7	2	5	1	-	12	4	1	3	1	4	10	3	3	11	1	-	18	16
2	24	1	2	2	3	1	-	9	1	-	-	-	1	4	1	4	4	-	-	9	17
-	17	2	8	1	2	3	-	5	1	1	1	-	1	4	3	6	3	-	-	3	18
5	49	4	8	1	6	1	2	5	-	1	-	-	3	12	5	8	9	5	1	15	19
1,143	25,318	4,068	4,324	843	2,624	1,019	689	2,526	564	369	1,068	74	1,319	3,813	474	1,855	2,832	1,123	315	6,334	20
792	16,866	2,857	2,593	528	1,617	706	415	1,696	404	239	845	54	951	2,752	358	1,077	1,849	742	270	4,352	21
351	8,452	1,211	1,731	315	1,007	313	274	830	160	130	223	20	368	1,061	116	778	983	381	45	1,982	22
4	78	9	14	11	8	7	-	8	1	1	2	-	2	9	-	7	10	2	1	21	23
12	244	32	63	8	28	12	6	27	3	3	9	1	13	43	3	24	37	3	2	69	24
8	148	22	37	8	15	10	2	15	1	2	5	1	5	27	2	7	20	2	-	40	25
4	96	10	26	-	13	2	4	12	2	1	4	-	8	16	1	17	17	1	2	29	26
5	115	17	41	4	11	3	2	12	-	1	2	-	3	12	-	12	13	3	1	28	27
4	51	6	17	1	6	2	2	6	-	1	1	-	3	8	-	4	7	1	-	13	28
1	64	11	24	3	5	1	-	6	-	-	1	-	-	4	-	8	6	2	1	15	29
10	282	45	44	9	42	8	10	35	5	5	10	-	7	22	8	17	37	17	3	63	30
4	87	15	11	2	13	2	3	10	2	1	4	-	4	9	3	3	6	7	1	18	31
1	37	6	9	1	6	-	2	5	2	1	3	-	-	2	-	3	2	1	-	8	32
5	158	24	24	6	23	6	5	20	1	3	3	-	3	11	5	11	29	9	2	37	33
8	161	20	31	-	17	4	3	14	3	3	5	-	6	12	5	5	15	5	1	26	34
-	38	7	6	-	5	-	-	4	-	1	-	-	1	3	1	3	3	2	-	4	35
8	123	13	25	-	12	4	3	10	3	2	5	-	5	9	4	2	12	3	1	22	36
6	109	12	27	3	15	6	7	7	1	1	2	-	4	7	-	10	15	3	-	26	37
10	347	25	55	9	28	8	6	39	4	-	7	1	12	18	6	14	33	13	1	75	38
1	59	2	5	2	1	-	-	12	1	-	2	1	2	3	1	2	5	1	-	6	39
2	45	3	6	1	13	2	2	5	1	-	-	-	3	6	1	2	5	3	-	10	40
7	243	20	44	6	14	6	4	22	2	-	5	-	7	9	4	10	23	9	1	59	41
2	84	25	15	2	3	1	1	8	1	-	4	-	2	8	-	5	13	6	-	17	42
17	426	76	68	21	43	19	16	35	13	12	16	1	29	71	6	54	59	17	5	109	43
9	203	38	24	7	17	4	6	17	9	4	7	-	11	33	4	19	24	7	1	51	44
3	96	16	21	8	15	8	6	7	1	3	3	1	8	13	1	14	12	2	2	25	45
5	127	22	23	6	11	7	4	11	3	5	6	-	10	25	1	21	23	8	2	33	46
1	51	5	16	2	10	-	2	6	-	-	-	1	5	6	-	5	13	-	-	11	47
4	92	5	17	5	13	-	6	9	1	5	1	-	6	7	-	7	3	5	1	25	48
14	350	61	53	18	30	23	10	48	10	7	17	-	19	39	3	32	32	14	3	101	49
10	261	39	41	14	23	21	8	40	9	4	12	-	16	28	3	13	27	10	2	77	50
4	89	22	12	4	7	2	2	8	1	3	5	-	3	11	-	19	5	4	1	24	51
4	143	12	23	1	12	7	3	25	3	2	5	-	11	17	2	21	21	10	-	48	52
6	102	5	23	4	8	3	3	14	1	2	4	1	5	6	1	6	6	11	1	22	53
18	422	51	34	13	38	11	14	29	6	4	7	2	9	44	4	22	27	7	-	79	54
7	98	16	8	4	12	2	3	5	-	1	2	2	1	14	2	6	12	-	-	26	55
2	51	3	4	3	8	-	1	7	2	-	-	-	2	6	-	4	1	1	-	8	56
9	273	32	22	6	18	9	10	17	4	3	5	-	6	24	2	12	14	6	-	45	57
5	102	7	33	4	8	-	10	20	3	3	1	-	6	14	3	18	19	6	-	33	58
2	52	1	10	1	6	-	3	11	1	2	-	-	3	3	2	9	6	3	-	18	59
3	50	6	23	3	2	-	-7	9	2	1	1	-	3	11	1	9	13	3	-	15	60
3	123	15	20	5	9	6	5	9	6	3	8	-	4	9	-	23	22	4	3	24	61
1	41	2	6	1	5	1	1	3	2	-	5	-	1	4	-	9	3	3	1	5	62
2	82	13	14	4	4	5	4	6	4	3	3	-	3	5	-	14	19	1	2	19	63
249	4,480	835	519	119	362	168	96	385	115	60	312	17	254	697	31	190	523	168	96	1,147	64
163	2,787	581	344	84	244	107	70	292	83	34	235	13	148	475	16	134	360	110	80	803	65
7	244	31	34	2	18	10	2	6	4	4	8	-	4	4	4	1	20	6	-	29	66
11	245	38	17	1	15	7	2	9	6	4	11	-	14	14	-	10	16	4	-	39	67
5	128	25	18	5	7	7	2	12	5	1	3	-	5	12	2	3	22	3	-	26	68
6	108	18	18	4	7	1	3	8	1	2	6	-	6	19	2	2	10	7	1	20	69
11	130	26	7	1	8	2	1	11	1	3	1	1	10	27	-	7	10	5	1	27	70
4	102	17	6	2	9	5	1	4	-	1	4	-	1	7	1	5	9	3	3	17	71
1	36	3	-	-	2	-	-	2	-	1	2	-	2	7	-	3	2	1	-	10	72
7	72	8	6	4	5	2	-	6	-	2	5	-	5	18	1	5	6	3	-	17	73
1	37	8	8	1	2	-	1	4	3	-	3	1	4	9	2	1	4	2	-	9	74
3	43	3	5	1	5	-	-	5	1	2	2	-	2	2	-	1	3	4	-	9	75
2	66	10	2	2	2	4	1	1	1	-	1	-	2	7	-	-	5	1	-	8	76
3	31	3	3	1	-	-	1	2	-	-	-	1	1	1	-	2	3	-	-	4	77
25	451	64	51	11	38	23	12	23	10	6	31	1	50	95	3	16	53	19	11	129	78
6	137	36	21	8	11	1	3	5	1	2	3	-	7	12	3	10	17	5	-	38	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	OHIO—Continued																
1	Defiance	284	3	1	1	40	16	1	3	8	3	4	5	2	178	32	127
2	Defiance	106	3	1	-	16	9	1	2	-	1	2	1	1	62	16	32
3	Balance of county	178	-	-	1	24	7	-	1	8	2	2	4	1	116	16	95
4	Delaware	374	1	-	1	43	20	4	1	5	-	4	9	11	235	55	152
5	Delaware	180	-	-	1	24	10	3	1	3	-	1	6	5	106	30	60
6	Balance of county	194	1	-	-	19	10	1	-	2	-	3	3	6	129	25	92
7	Erie	686	6	4	2	103	33	20	7	12	3	4	24	13	396	103	240
8	Sandusky	399	6	2	1	57	17	12	5	4	1	2	16	12	223	62	130
9	Balance of county	287	-	2	1	46	16	8	2	8	2	2	8	1	173	41	110
10	Fairfield	637	4	5	1	83	27	10	4	18	4	8	12	17	374	83	264
11	Lancaster	315	2	-	-	38	12	7	2	7	2	4	4	5	189	49	125
12	Balance of county	322	2	5	1	45	15	3	2	11	2	4	8	12	185	34	139
13	Fayette	283	-	-	3	46	19	6	2	6	4	3	6	10	165	40	104
14	Washington Court House	166	-	-	2	33	14	4	2	3	3	2	5	6	89	22	60
15	Balance of county	117	-	-	1	13	5	2	-	3	1	1	1	4	76	18	44
16	Franklin	5,843	21	17	24	986	342	145	104	157	48	36	154	124	3,185	754	2,153
17	Columbus	4,575	18	14	21	775	281	112	81	122	38	27	114	98	2,503	589	1,701
18	Bexley	142	-	-	1	23	9	3	1	5	1	-	4	5	88	22	57
19	Balance of county	1,126	3	3	2	188	52	30	22	30	9	9	36	21	594	143	395
20	Fulton	272	-	-	1	32	13	3	4	2	1	1	8	10	167	36	124
21	Gallia	254	-	-	-	35	13	3	3	5	3	1	7	4	140	31	94
22	Geauga	324	1	-	1	50	15	5	11	8	3	2	6	8	165	40	114
23	Greene	577	3	2	5	79	25	9	5	15	2	4	19	6	331	105	191
24	Xenia	220	1	2	2	31	10	4	3	7	1	2	4	4	119	32	77
25	Balance of county	357	2	-	3	48	15	5	2	8	1	2	15	2	212	73	114
26	Guernsey	466	-	1	-	69	30	5	5	9	2	1	17	7	294	73	184
27	Cambridge	189	-	1	-	34	19	2	4	4	1	-	4	3	120	30	75
28	Balance of county	277	-	-	-	35	11	3	1	5	1	1	13	4	174	43	109
29	Hamilton	9,104	82	56	45	1,527	477	245	154	231	85	58	277	168	4,922	1,034	3,359
30	Cincinnati	6,526	67	49	33	1,075	343	173	102	163	62	37	195	133	3,477	732	2,340
31	Norwood	329	2	-	-	61	23	9	5	9	2	4	9	5	199	35	155
32	Balance of county	2,249	13	7	12	391	111	63	47	59	21	17	73	30	1,246	287	864
33	Hancock	528	-	2	3	74	24	10	6	16	4	5	9	7	343	87	210
34	Findlay	297	-	2	-	38	12	6	2	9	3	4	2	3	193	52	120
35	Fostoria (part)	34	-	-	-	5	1	2	1	1	-	-	-	1	19	4	13
36	Balance of county	197	-	-	3	31	11	2	3	6	1	1	7	3	131	31	77
37	Hardin	342	2	3	1	39	17	3	1	7	2	1	8	11	214	64	123
38	Harrison	204	1	-	-	27	6	6	-	8	4	1	2	4	125	32	72
39	Henry	234	-	-	-	39	14	6	5	4	-	3	7	4	138	23	95
40	Highland	345	2	3	-	36	19	5	1	3	1	3	4	8	212	42	138
41	Hocking	221	1	-	-	37	9	4	2	5	4	2	11	4	138	28	101
42	Holmes	185	3	-	1	24	9	2	1	7	-	2	3	2	113	35	61
43	Huron	501	-	3	-	78	29	9	5	16	2	6	11	12	284	68	192
44	Jackson	326	4	-	-	44	15	6	2	8	4	-	9	4	193	56	114
45	Jefferson	1,068	7	2	2	152	53	22	13	27	4	6	27	16	655	142	468
46	Steubenville	455	3	-	1	74	24	8	6	16	3	3	14	6	272	62	190
47	Balance of county	613	4	2	1	78	29	14	7	11	1	3	13	10	383	80	278
48	Knox	459	2	2	1	58	20	8	3	15	-	3	9	8	293	59	202
49	Mount Vernon	184	1	-	-	29	7	3	3	9	-	2	5	3	111	23	77
50	Balance of county	275	1	2	1	29	13	5	-	6	-	1	4	5	182	36	125
51	Lake	895	5	2	3	153	54	20	11	21	4	13	30	24	458	101	297
52	Painesville	161	2	1	-	25	9	4	1	5	-	2	4	3	84	14	58
53	Balance of county	734	3	1	3	128	45	16	10	16	4	11	26	21	374	87	239
54	Lawrence	589	1	1	4	94	28	15	6	20	7	6	12	13	325	76	217
55	Ironton	223	1	-	1	42	12	7	2	9	4	2	6	3	132	31	86
56	Balance of county	366	-	1	3	52	16	8	4	11	3	4	6	10	193	45	131
57	Licking	907	6	1	7	137	50	15	10	27	8	6	21	21	526	103	361
58	Newark	490	2	-	4	82	29	9	5	19	6	1	13	11	278	61	182
59	Balance of county	417	4	1	3	55	21	6	5	8	2	5	8	10	248	42	179
60	Logan	450	2	1	1	66	19	8	6	12	3	3	15	10	267	84	149
61	Bellefontaine	141	1	-	1	21	7	2	2	2	1	2	5	3	85	35	38
62	Balance of county	309	1	1	-	45	12	6	4	10	2	1	10	7	182	49	111
63	Lorain	1,648	11	2	5	277	96	40	22	46	12	14	47	38	865	173	633
64	Lorain	597	8	-	-	99	32	20	5	14	7	5	16	18	308	51	238
65	Elyria	337	-	1	-	44	14	5	6	5	1	4	9	-	185	49	124
66	Balance of county	714	3	1	5	134	50	15	11	27	4	5	22	20	372	73	271
67	Lucas	4,664	22	25	17	760	250	126	61	113	28	44	138	140	2,569	451	1,801
68	Toledo	3,710	18	21	12	617	205	105	45	89	25	32	116	113	2,076	362	1,454
69	Balance of county	954	4	4	5	143	45	21	16	24	3	12	22	27	493	89	347
70	Madison	224	1	-	-	29	9	5	2	3	1	1	8	2	134	33	85
71	Mahoning	2,699	21	4	6	461	180	65	35	64	24	19	74	62	1,499	342	1,014
72	Youngstown (part)	1,851	16	3	3	309	124	38	22	44	16	13	52	37	1,016	242	674
73	Youngstown (total)	1,862	16	3	3	310	124	39	22	44	16	13	52	37	1,025	243	679
74	Campbell	111	1	-	-	19	9	3	1	2	1	-	3	4	61	15	42
75	Struthers	112	2	1	1	20	8	3	-	4	-	1	4	2	65	14	46
76	Balance of county	625	2	-	2	113	39	21	12	14	7	5	15	19	357	71	252
77	Marion	572	4	-	8	85	29	13	5	16	3	8	11	18	316	83	200
78	Marion	392	3	-	7	46	14	8	3	8	1	6	6	17	221	64	137
79	Balance of county	180	1	-	1	39	15	5	2	8	2	2	5	1	95	19	63
80	Medina	506	2	1	3	67	20	9	5	12	6	6	9	11	287	66	191

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400–402, 410–416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440–443	Other forms of diseases of heart 421–434	Other hypertensive disease 444–447	General arteriosclerosis 450	Other diseases of circulatory system 451–468	Chronic and unspecified nephritis and other renal sclerosis 592–594	Influenza and pneumonia, except pneumonia of newborn 480–493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640–689	Congenital malformations 750–759	Certain diseases of early infancy 760–776	Symptoms, senility, and ill-defined conditions 780–795	Motor vehicle accidents E810–E835	All other accidents E800–E802, E840–E962	Suicide E963, E970–E979	Homicide E964, E980–E985	All other causes Residual	
1	93	15	18	2	13	1	3	8	1	-	2	-	6	7	-	3	15	4	-	13	1
1	25	4	2	2	10	-	2	2	-	-	-	-	4	2	-	-	8	3	-	4	2
-	68	11	16	-	3	1	1	6	1	-	2	-	2	5	-	3	7	1	-	9	3
5	105	17	25	5	13	5	5	9	1	2	1	-	6	14	1	8	16	7	-	18	4
4	38	8	10	2	7	3	4	3	1	1	1	-	3	9	-	5	9	1	-	11	5
1	67	9	15	3	6	2	1	6	-	1	-	-	3	5	1	3	7	6	-	7	6
10	181	27	22	6	35	9	3	20	10	2	11	1	10	28	1	22	22	2	-	33	7
5	98	13	14	4	21	5	1	15	8	-	8	1	8	15	1	10	14	1	-	17	8
5	83	14	8	2	14	4	2	5	2	2	3	-	2	13	-	12	8	1	-	16	9
10	190	28	36	4	13	5	5	21	3	2	1	-	9	34	2	16	22	7	-	36	10
3	92	11	19	2	8	1	4	7	2	1	1	-	8	16	-	13	12	2	-	19	11
7	98	17	17	2	5	4	1	14	1	1	-	-	1	18	2	3	10	5	-	17	12
-	88	6	10	3	9	7	2	4	2	2	3	1	3	8	1	5	10	-	-	20	13
-	53	4	3	-	4	2	1	2	-	2	2	-	2	3	-	3	7	-	-	15	14
-	35	2	7	3	5	5	1	2	2	-	1	1	1	5	1	2	3	-	-	5	15
71	1,423	391	268	49	117	76	36	163	37	24	69	7	86	299	87	103	148	70	16	377	16
57	1,103	327	214	42	84	58	29	133	35	17	57	4	59	235	73	79	109	44	14	287	17
1	38	10	8	-	7	2	-	4	-	-	2	-	2	2	2	3	1	3	-	6	18
13	282	54	46	7	26	16	7	26	2	7	10	3	25	62	12	21	38	23	2	84	19
4	76	17	27	-	7	-	-	9	1	2	2	-	3	13	1	10	6	2	-	13	20
3	78	9	4	4	3	5	3	8	5	2	1	-	4	13	1	4	12	4	-	21	21
6	80	15	13	1	7	1	2	20	4	1	1	1	7	14	3	10	11	6	-	21	22
5	154	15	17	5	22	3	5	14	6	1	1	1	12	34	-	18	19	10	5	30	23
1	59	10	7	2	5	1	2	3	3	1	-	-	4	17	-	5	8	3	3	14	24
4	95	5	10	3	17	2	3	11	3	-	1	1	8	17	-	13	11	7	2	16	25
2	147	7	28	7	15	7	8	16	1	-	-	-	4	11	3	12	10	6	1	31	26
1	62	1	11	4	4	3	4	8	-	-	-	-	2	4	2	3	2	1	-	9	27
1	85	6	17	3	11	4	4	8	1	-	-	-	2	7	1	9	8	5	1	22	28
113	2,418	456	372	83	249	143	54	312	60	44	112	7	103	395	48	136	268	120	41	658	29
66	1,688	326	260	65	189	115	36	234	43	33	85	5	61	300	38	83	197	84	34	495	30
4	114	20	17	-	4	3	2	5	3	1	4	1	4	6	2	2	8	6	1	19	31
43	616	110	95	18	56	25	16	73	14	10	23	1	38	89	8	51	63	30	6	144	32
5	153	14	38	5	32	3	6	14	2	1	5	-	7	15	-	6	11	6	1	31	33
3	90	7	20	1	17	2	1	8	2	1	4	-	2	9	-	4	4	4	1	22	34
-	8	-	5	1	-	-	1	1	-	-	1	-	1	3	-	-	-	1	-	2	35
2	55	7	13	3	15	1	4	5	-	-	-	-	4	3	-	2	7	1	-	7	36
4	97	9	13	4	15	6	2	5	1	2	2	-	1	14	1	7	14	3	-	22	37
2	49	3	18	7	5	6	3	3	1	-	2	-	1	3	3	6	7	3	2	16	38
3	54	5	33	5	7	5	3	7	1	2	1	1	4	6	-	10	4	3	-	14	39
4	89	18	27	6	20	4	2	18	1	2	1	-	4	6	-	7	15	4	-	26	40
2	62	11	26	-	5	2	2	4	2	1	-	-	-	8	-	7	8	3	1	7	41
2	45	7	7	1	15	1	-	13	1	-	-	-	5	3	-	3	6	1	-	10	42
7	138	23	24	4	12	2	6	8	3	3	2	1	8	30	5	12	13	4	1	34	43
1	78	25	10	3	16	3	1	11	1	-	5	-	6	13	-	6	14	1	-	24	44
10	357	32	69	7	22	8	8	21	4	8	16	1	16	27	2	20	36	13	5	65	45
2	152	8	28	1	9	4	6	10	2	3	8	-	6	15	2	5	13	7	1	27	46
8	205	24	41	6	13	4	2	11	2	5	8	1	10	12	-	15	23	6	4	38	47
6	164	5	27	5	18	3	6	12	2	5	5	-	3	14	2	7	19	5	-	21	48
3	64	3	7	2	5	-	4	5	1	2	3	-	1	8	2	2	7	2	-	7	49
3	100	2	20	3	13	3	2	7	1	3	2	-	2	6	-	5	12	3	-	14	50
14	222	31	30	4	38	12	6	27	6	3	11	-	18	62	7	19	26	15	4	52	51
4	40	4	10	2	4	3	3	2	1	-	1	-	1	13	1	6	3	1	1	16	52
10	182	27	20	2	34	9	3	25	5	3	10	-	17	49	6	13	23	14	3	36	53
-	154	25	38	7	10	2	13	20	2	1	3	2	8	28	1	15	29	4	3	35	54
-	59	13	14	2	5	-	8	3	1	-	1	1	3	12	-	3	4	2	2	12	55
-	95	12	24	5	5	2	5	17	1	1	2	1	5	16	1	12	25	2	1	23	56
13	257	47	44	14	36	8	4	26	7	2	6	1	13	22	2	16	34	8	2	70	57
7	122	28	25	8	22	3	2	13	6	1	5	-	8	9	1	10	17	5	2	36	58
6	135	19	19	6	14	5	2	13	1	1	1	1	5	13	1	6	17	3	-	34	59
3	107	19	20	4	18	5	7	13	2	1	7	1	2	13	-	9	11	7	1	36	60
2	24	4	8	2	5	2	3	6	-	1	1	1	-	6	-	2	3	-	-	10	61
1	83	15	12	2	13	3	4	7	2	-	6	-	2	7	-	7	8	7	1	26	62
20	462	83	68	12	33	8	6	42	6	9	21	1	32	82	19	43	52	21	5	117	63
10	170	30	28	4	12	-	3	17	2	3	8	-	16	30	7	12	22	5	1	41	64
1	97	16	10	-	7	3	2	6	2	1	7	1	4	21	5	7	10	4	1	38	65
9	195	37	30	8	14	5	1	19	2	5	6	-	12	31	7	24	20	12	3	38	66
41	1,263	214	283	50	193	53	21	94	41	10	68	3	67	172	16	80	144	63	16	357	67
35	1,019	172	228	36	164	41	19	80	35	8	61	2	41	107	13	48	110	47	13	288	68
6	244	42	55	14	29	12	2	14	6	2	7	1	26	65	3	32	34	16	3	69	69
5	62	7	11	4	7	2	3	6	1	-	1	-	4	3	4	14	7	6	-	12	70
23	763	96	132	20	59	35	29	93	14	7	25	2	40	120	3	39	85	26	12	180	71
13	515	60	86	15	41	27	17	67	8	5	22	1	29	94	1	26	60	18	11	125	72
14	519	60	86	16	42	27	18	67	8	5	22	1	29	94	1	27	60	18	11	125	73
1	30	7	4	1	1	1	1	3	2	-	1	-	2	5	-	3	3	2	-	5	74
1	38	3	4	1	2	-	2	2	-	-	-	-	1	3	-	-	5	-	-	10	75
8	180	26	38	3	15	7	9	21	4	2	2	1	8	18	2	10	17	6	1	40	76
7	140	30	23	1	20	4	8	11	2	3	2	1	7	28	1	13	22	8	-	43	77
7	97	18	15	1	10	2	7	9	1	3	1	-	4	21	1	7	15	4	-	32	78
-	43	12	8	-	10	2	1	2	1	-	1	1	3	7	-	6	7	4	-	11	79
3	148	21	19	4	17	4	5	19	2	1	6	1	7	23	2	15	16	11	1	31	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	OHIO—Continued																
1	Meigs	287	-	2	1	42	14	7	3	11	-	3	4	4	187	53	122
2	Mercer	316	1	2	1	41	16	9	2	3	4	3	4	4	193	52	114
3	Miami	701	3	1	2	104	39	11	7	19	4	4	20	11	406	115	255
4	Piqua	208	2	1	2	38	16	3	4	5	2	2	6	6	112	31	72
5	Troy	142	1	-	-	18	8	2	2	2	1	-	3	-	87	32	49
6	Balance of county	351	-	-	-	48	15	6	1	12	1	2	11	5	207	52	134
7	Monroe	205	1	1	1	30	12	1	3	4	1	1	8	4	134	40	83
8	Montgomery	4,440	35	17	24	643	209	85	68	104	33	24	120	77	2,390	570	1,553
9	Dayton	2,925	24	14	13	410	141	55	38	57	19	18	82	58	1,553	381	983
10	Balance of county	1,515	11	3	11	233	68	30	30	47	14	6	38	19	837	189	570
11	Morgan	167	1	-	2	29	9	2	3	5	1	-	9	1	95	22	68
12	Morrow	192	1	1	1	29	7	6	3	4	2	2	5	1	99	23	65
13	Muskingum	957	9	6	4	122	47	16	10	20	5	10	14	18	565	124	393
14	Zanesville	541	5	6	-	69	28	13	5	8	1	7	7	7	319	63	230
15	Balance of county	416	4	-	4	53	19	3	5	12	4	3	7	11	246	61	163
16	Noble	150	-	-	-	19	11	-	2	1	-	1	4	-	100	26	62
17	Ottawa	341	-	2	1	48	16	5	8	7	2	2	8	8	200	34	147
18	Paulding	155	-	-	1	13	4	1	2	-	-	-	6	5	88	23	48
19	Perry	291	2	1	2	33	13	3	-	9	3	1	4	4	182	42	121
20	Pickaway	293	-	-	1	47	18	4	4	13	-	3	5	8	159	41	107
21	Pike	172	-	-	1	20	6	3	1	5	1	1	3	2	100	30	60
22	Portage	749	2	1	3	102	37	18	8	12	4	6	17	14	410	104	264
23	Kent	136	-	-	1	18	7	1	-	4	1	-	5	7	78	21	51
24	Balance of county	613	2	1	2	84	30	17	8	8	3	6	12	7	332	83	213
25	Preble	309	2	1	1	43	18	5	3	5	3	-	9	4	181	36	129
26	Putnam	258	-	1	-	37	12	6	8	3	-	4	4	5	158	39	99
27	Richland	992	7	5	3	168	59	19	26	34	8	6	16	26	543	142	340
28	Mansfield	546	6	5	3	98	37	15	12	17	6	5	6	13	302	78	196
29	Balance of county	446	1	-	-	70	22	4	14	17	2	1	10	13	241	64	144
30	Ross	578	3	1	6	78	29	6	14	9	4	5	11	10	341	85	225
31	Chillicothe	301	2	-	5	43	13	4	9	4	2	4	7	4	186	44	130
32	Balance of county	277	1	1	1	35	16	2	5	5	2	1	4	6	155	41	95
33	Sandusky	609	1	-	1	76	23	8	9	14	1	6	15	12	394	70	274
34	Fremont	247	1	-	-	27	7	3	4	4	1	4	4	4	169	33	118
35	Balance of county	362	-	-	1	49	16	5	5	10	-	2	11	8	225	37	156
36	Scioto	927	10	3	4	151	47	21	10	33	8	2	30	21	518	127	345
37	Portsmouth	449	3	1	1	80	23	8	6	18	7	-	18	13	245	56	164
38	Balance of county	478	7	2	3	71	24	13	4	15	1	2	12	8	273	69	181
39	Seneca	624	3	2	3	91	28	9	8	22	5	1	18	15	366	73	247
40	Fostoria (part)	157	1	1	1	22	6	2	2	7	1	-	4	5	82	20	52
41	Fostoria (total)	191	1	1	1	27	7	4	3	8	1	-	4	6	101	24	65
42	Tiffin	231	-	-	1	40	13	4	4	6	3	-	10	8	138	25	101
43	Balance of county	236	2	1	1	29	9	3	2	9	1	1	4	2	146	28	94
44	Shelby	330	4	-	3	53	21	6	3	11	1	3	8	9	186	40	130
45	Sidney	168	3	-	1	33	13	4	1	7	1	2	5	7	92	19	69
46	Balance of county	162	1	-	2	20	8	2	2	4	-	1	3	2	94	21	61
47	Stark	3,087	7	5	13	485	160	67	43	76	22	22	95	62	1,727	356	1,194
48	Canton	1,273	2	2	5	202	65	33	17	33	8	8	38	23	738	156	511
49	Alliance	318	2	2	-	55	17	6	7	8	4	1	12	2	161	25	113
50	Massillon	408	1	1	-	63	21	9	6	11	4	3	9	14	236	53	164
51	Balance of county	1,088	2	-	8	165	57	19	13	24	6	10	36	23	592	122	406
52	Summit	4,299	28	10	10	733	248	103	69	106	35	32	140	87	2,282	450	1,614
53	Akron	2,831	21	8	5	478	161	61	46	67	20	20	103	59	1,531	285	1,092
54	Barberton	320	1	1	1	51	19	10	3	9	3	2	5	8	158	38	109
55	Cuyahoga Falls	293	1	-	-	62	18	7	8	14	5	3	7	4	145	32	97
56	Balance of county	855	5	1	4	142	50	25	12	16	7	7	25	16	448	95	316
57	Trumbull	1,671	5	4	10	261	94	35	18	40	17	17	40	47	956	202	678
58	Youngstown (part)	11	-	-	-	1	-	1	-	-	-	-	-	-	9	1	5
59	Warren	563	1	4	4	94	33	10	6	18	10	1	16	12	312	73	218
60	Girard	127	-	-	-	19	5	5	4	1	1	2	1	5	78	21	53
61	Niles	198	1	-	1	32	13	7	3	4	1	2	2	8	118	29	77
62	Balance of county	772	3	-	5	115	43	12	5	17	5	12	21	22	439	78	325
63	Tuscarawas	827	-	1	4	127	42	14	6	31	1	6	27	24	491	114	333
64	New Philadelphia	180	-	-	1	34	10	6	-	8	-	1	9	7	100	18	73
65	Balance of county	647	-	1	3	93	32	8	6	23	1	5	18	17	391	96	260
66	Union	250	-	-	1	35	11	2	6	8	-	1	7	6	155	39	96
67	Van Wert	322	1	1	-	47	22	6	5	9	2	-	3	5	196	52	125
68	Van Wert	129	-	1	-	18	7	3	1	5	1	-	1	1	83	17	63
69	Balance of county	193	1	-	-	29	15	3	4	4	1	-	2	4	113	35	62
70	Vinton	109	-	-	1	20	5	2	-	1	2	2	8	-	57	16	38
71	Warren	462	4	-	2	64	27	9	3	11	3	-	11	10	253	62	174
72	Washington	576	3	1	1	73	24	5	7	8	3	8	18	10	365	88	236
73	Marietta	227	2	1	-	31	9	2	3	5	1	4	7	3	151	37	92
74	Balance of county	349	1	-	1	42	15	3	4	3	2	4	11	7	214	51	144
75	Wayne	617	1	1	4	93	41	6	9	13	1	5	18	5	357	85	220
76	Wooster	171	1	-	-	30	13	1	3	4	1	1	7	-	102	26	60
77	Balance of county	446	-	1	4	63	28	5	6	9	-	4	11	5	255	59	160
78	Williams	315	-	1	-	55	12	5	8	14	3	2	11	8	194	41	127
79	Wood	560	4	1	1	75	29	10	4	14	1	6	11	10	337	91	197
80	Bowling Green	105	1	1	1	14	6	1	1	3	-	1	2	2	65	19	35
81	Balance of county	455	3	-	-	61	23	9	3	11	1	5	9	8	272	72	162
82	Wyandot	241	-	1	2	30	10	3	4	5	-	3	5	2	173	49	98

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	93	13	16	-	6	1	5	5	-	2	1	-	1	6	-	4	13	1	-	18	1
2	74	14	24	1	13	7	6	5	1	1	3	-	4	17	1	13	5	5	1	18	2
12	205	15	23	9	17	6	4	18	4	2	7	-	10	22	-	21	25	10	2	53	3
3	58	3	8	4	3	-	2	4	1	1	2	-	1	7	-	8	4	3	2	14	4
2	44	2	1	1	4	-	1	3	1	-	1	-	3	4	-	4	8	1	-	11	5
7	103	10	14	4	10	6	1	11	2	1	4	-	6	11	-	9	13	6	-	28	6
5	50	5	23	4	4	1	2	2	1	-	1	-	1	6	2	5	5	3	-	8	7
47	1,149	163	194	46	161	35	25	132	35	17	52	2	83	237	23	81	128	56	27	381	8
27	719	104	133	30	117	21	21	92	26	11	39	2	57	149	16	57	86	38	25	255	9
20	430	59	61	16	44	14	4	40	9	6	13	-	26	88	7	24	42	18	2	126	10
4	43	7	14	1	3	1	-	3	1	-	-	-	1	3	2	8	4	3	-	14	11
1	47	13	4	2	4	3	2	7	2	-	1	-	1	7	2	8	10	7	2	13	12
12	298	35	48	4	29	5	10	30	6	6	3	-	7	39	1	12	30	12	1	86	13
6	176	20	28	3	18	2	3	17	2	2	3	-	4	25	1	6	16	6	-	53	14
6	122	15	20	1	11	3	7	13	4	4	-	-	3	14	-	6	14	6	1	33	15
-	51	2	9	3	6	-	3	2	-	1	-	-	1	1	-	5	4	6	-	11	16
2	105	17	23	4	10	3	2	2	2	3	1	-	3	13	3	17	12	8	-	18	17
-	36	5	7	1	10	3	3	8	1	2	-	-	1	9	-	10	2	3	-	12	18
5	69	22	25	5	8	3	3	10	2	1	3	-	1	6	-	11	14	2	-	17	19
3	84	7	13	3	6	-	2	10	-	1	2	1	3	10	2	7	10	9	-	23	20
1	39	6	14	3	3	2	2	6	1	1	-	-	2	6	5	7	8	1	1	11	21
7	196	19	42	8	21	11	2	26	3	6	11	2	11	40	1	26	27	7	1	56	22
2	38	2	9	-	2	3	1	1	-	1	6	-	1	8	-	4	4	-	-	7	23
5	158	17	33	8	19	8	1	25	3	5	5	2	10	32	1	22	23	7	1	49	24
4	83	16	26	3	8	4	1	6	1	2	1	-	7	13	1	14	4	6	-	22	25
2	62	15	20	3	13	4	-	9	1	4	-	-	4	7	1	5	9	4	-	13	26
6	233	43	58	13	32	11	5	21	7	6	7	-	17	42	1	30	33	9	4	63	27
6	140	22	28	5	15	7	1	11	3	1	3	-	9	22	1	7	15	4	2	41	28
-	93	21	30	8	17	4	4	10	4	5	4	-	8	20	-	23	18	5	2	22	29
7	152	22	44	8	15	5	3	13	6	2	8	1	5	21	2	15	13	9	1	43	30
4	92	18	16	4	5	3	-	4	2	1	4	-	1	7	1	6	9	4	1	21	31
3	60	4	28	4	10	2	3	9	4	1	4	1	4	14	1	9	4	5	-	22	32
7	201	18	48	12	25	7	6	14	3	2	3	1	10	14	3	18	10	7	2	38	33
3	91	7	17	7	7	3	1	6	1	1	-	1	6	3	-	4	4	5	1	14	34
4	110	11	31	5	18	4	5	8	2	1	3	-	4	11	3	14	6	2	1	24	35
11	249	35	50	8	21	7	10	26	3	4	9	-	13	34	5	19	38	12	3	54	36
5	119	16	24	4	11	2	6	12	3	1	7	-	5	16	2	10	19	6	1	24	37
6	130	19	26	4	10	5	4	14	-	3	2	-	8	18	3	9	19	6	2	30	38
6	161	40	40	6	27	7	6	12	1	5	4	-	7	27	1	12	17	8	1	49	39
3	31	2	16	2	5	1	2	3	-	1	1	-	1	4	-	1	7	4	1	22	40
3	39	2	21	3	5	1	3	4	-	1	2	-	2	7	-	1	7	5	1	24	41
3	67	21	10	2	7	-	3	4	1	1	1	-	5	8	1	4	6	1	-	12	42
-	63	17	14	2	15	6	1	5	-	3	2	-	1	15	-	7	4	3	-	15	43
3	89	17	21	2	8	4	2	6	1	2	-	-	6	14	-	6	14	3	-	23	44
-	48	7	14	-	1	3	-	1	-	1	-	-	1	10	-	1	6	-	-	12	45
3	41	10	7	2	7	1	2	5	1	1	-	-	5	4	-	5	8	3	-	11	46
49	936	94	115	27	93	30	27	113	13	9	32	5	52	124	26	76	78	50	11	199	47
19	401	37	54	12	30	15	14	55	5	1	13	3	21	45	10	20	26	22	4	76	48
2	86	7	18	1	15	5	2	10	3	3	4	1	6	13	5	13	13	3	1	21	49
11	125	15	13	2	15	2	-	6	-	1	3	1	8	21	2	3	6	7	3	32	50
17	324	35	30	12	33	8	11	42	5	4	12	-	17	45	9	40	33	18	3	70	51
73	1,218	158	165	36	95	51	36	98	29	16	56	2	80	231	63	103	105	60	14	292	52
50	818	114	110	26	65	33	30	63	22	10	37	2	53	143	41	63	57	35	13	190	53
5	89	6	9	2	4	3	2	6	1	3	6	-	5	19	4	14	15	7	-	20	54
4	77	9	7	1	9	5	1	11	2	1	3	-	4	17	5	6	8	4	-	20	55
14	234	29	39	7	17	10	3	18	4	2	10	-	18	52	13	20	25	14	1	62	56
24	500	70	84	7	34	20	15	33	6	8	18	1	27	73	14	30	47	19	4	108	57
1	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	58
10	166	18	24	3	8	6	4	13	1	3	6	1	12	24	3	11	13	7	2	40	59
1	40	6	6	-	2	-	2	3	-	-	2	-	2	3	1	3	6	3	-	2	60
-	55	18	4	-	6	4	2	3	3	-	2	-	1	6	2	-	6	1	2	12	61
12	235	28	50	3	17	10	6	14	2	5	8	-	12	40	8	15	22	8	-	54	62
16	217	31	69	6	23	9	6	23	4	3	6	-	9	32	2	12	26	8	-	55	63
4	55	3	11	-	6	1	2	3	3	-	1	-	1	6	-	2	8	3	-	11	64
12	162	28	58	6	17	8	4	20	1	3	5	-	8	26	2	10	18	5	-	44	65
3	60	11	22	3	11	1	5	5	-	1	-	-	5	7	3	8	5	4	-	15	66
5	85	12	23	2	7	4	6	9	2	-	1	1	4	9	3	11	6	4	-	22	67
3	45	5	10	1	1	-	1	4	1	-	1	-	-	3	-	6	3	1	-	7	68
2	40	7	13	1	6	4	5	5	1	-	-	1	4	6	3	5	3	3	-	15	69
2	27	4	5	-	-	3	-	4	-	1	1	-	1	4	1	2	10	2	-	5	70
8	121	20	25	3	12	1	1	13	3	1	10	-	8	24	2	17	12	5	3	31	71
5	191	15	25	12	15	11	3	14	1	2	5	-	9	24	3	8	18	7	2	30	72
1	81	4	6	9	8	5	-	3	-	1	3	-	1	6	1	4	5	2	2	11	73
4	110	11	19	3	7	6	3	11	1	1	2	-	8	18	2	4	13	5	-	19	74
9	162	14	35	4	31	13	4	18	6	-	5	1	4	39	6	14	14	8	-	41	75
1	47	5	7	1	10	3	2	5	1	-	2	-	-	9	2	1	1	4	-	13	76
8	115	9	28	3	21	10	2	13	5	-	3	1	4	30	4	13	13	4	-	28	77
2	73	32	20	3	8	6	9	6	1	1	2	-	-	5	2	12	14	3	-	11	78
9	140	22	26	7	32	9	1	10	5	-	7	-	10	24	-	23	11	8	-	34	79
-	24	5	6	1	9	1	-	3	2	-	1	-	1	1	-	4	2	1	-	6	80
9	116	17	20	6	23	8	1	7	3	-	6	-	9	23	-	19	9	7	-	28	81
2	74	15	7	2	16	6	2	1	2	-	-	-	1	8	2	2	4	2	-	11	82

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
1	OKLAHOMA	21,770	165	39	119	3,200	995	458	231	536	137	186	657	275	11,352	2,828	7,467
2	Metropolitan counties	5,970	36	12	30	902	263	129	90	139	35	57	189	68	2,829	722	1,813
3	Nonmetropolitan counties	15,800	129	27	89	2,298	732	329	141	397	102	129	468	207	8,523	2,106	5,654
4	Adair	146	5	-	1	15	8	1	-	3	-	-	3	1	69	22	38
5	Alfalfa	115	1	-	-	20	6	3	4	5	-	1	1	2	68	20	45
6	Atoka	124	1	-	1	17	6	2	2	4	-	1	2	2	71	14	50
7	Beaver	59	-	-	-	13	7	1	1	1	-	-	3	1	29	7	19
8	Beckham	206	-	-	1	34	7	6	3	6	1	2	9	6	117	22	87
9	Blaine	165	2	-	1	26	11	3	4	5	-	-	3	1	89	26	55
10	Bryan	290	1	-	1	53	20	8	2	11	4	1	7	4	156	32	107
11	Durant	140	-	-	-	26	7	5	1	6	3	-	4	3	75	15	56
12	Balance of county	150	1	-	1	27	13	3	1	5	1	1	3	1	81	17	51
13	Caddo	314	4	1	1	51	16	8	3	7	3	6	8	6	161	35	110
14	Canadian	217	1	-	-	27	8	4	2	3	1	2	7	2	135	38	93
15	El Reno	138	-	-	-	14	4	2	1	1	-	2	4	1	93	31	60
16	Balance of county	79	1	-	-	13	4	2	1	2	1	-	3	1	42	7	33
17	Carter	417	4	1	2	61	16	14	2	7	2	3	17	3	225	50	165
18	Ardmore	235	2	-	1	30	7	6	-	3	1	2	11	2	134	33	97
19	Balance of county	182	2	1	1	31	9	8	2	4	1	1	6	1	91	17	68
20	Cherokee	180	5	-	-	31	10	3	2	6	3	2	5	1	94	27	62
21	Choctaw	202	-	-	1	18	9	2	1	3	-	-	3	3	112	21	80
22	Cimarron	41	-	-	-	4	-	-	-	2	1	-	1	-	23	10	11
23	Cleveland	273	2	1	-	38	17	5	2	5	1	3	5	2	143	48	88
24	Norman	187	1	1	-	29	14	4	1	2	1	3	4	1	94	38	51
25	Balance of county	86	1	-	-	9	3	1	1	3	-	-	1	1	49	10	37
26	Coal	83	-	-	-	17	6	3	2	2	-	-	4	2	54	11	36
27	Comanche	442	1	1	10	67	17	11	3	13	2	4	17	-	202	47	141
28	Lawton	330	1	1	8	49	13	7	3	10	1	1	14	-	150	41	98
29	Balance of county	112	-	-	2	18	4	4	-	3	1	3	3	-	52	6	43
30	Cotton	109	1	-	-	23	8	3	-	3	1	2	6	-	55	14	35
31	Craig	170	1	-	1	17	2	4	2	1	1	1	6	6	102	26	73
32	Creek	422	5	1	3	57	17	9	5	7	3	1	15	7	233	50	162
33	Sapulpa	155	1	-	2	19	6	3	1	2	2	1	4	2	95	20	69
34	Balance of county	267	4	1	1	38	11	6	4	5	1	-	11	5	138	30	93
35	Custer	203	-	1	1	26	8	5	2	6	2	1	2	7	94	23	50
36	Delaware	166	4	-	2	19	10	2	1	3	-	1	2	6	89	22	62
37	Dewey	74	-	-	1	13	4	2	1	3	-	2	1	2	36	9	23
38	Ellis	81	-	-	-	11	2	1	1	2	1	3	1	1	55	15	34
39	Garfield	513	2	4	2	84	25	5	8	16	8	7	15	8	252	54	166
40	Enid	381	2	3	2	67	20	4	7	14	6	6	10	7	181	38	124
41	Balance of county	132	-	1	-	17	5	1	1	2	2	1	5	1	71	16	42
42	Garvin	250	3	1	3	36	7	8	4	3	2	2	10	5	131	34	81
43	Grady	353	-	-	-	48	15	12	2	12	1	2	4	6	213	60	141
44	Chickasha	198	-	-	-	27	6	5	1	10	1	2	2	2	115	33	75
45	Balance of county	155	-	-	-	21	9	7	1	2	-	-	2	4	98	27	66
46	Grant	104	2	-	1	18	5	4	2	4	-	-	3	3	60	16	39
47	Greer	98	-	-	1	29	13	5	-	4	-	3	4	1	40	17	21
48	Harmon	65	1	-	-	9	5	-	-	1	-	1	2	1	37	6	25
49	Harper	62	-	-	-	7	2	2	-	-	1	-	2	1	31	6	21
50	Haskell	119	1	-	-	23	8	1	-	6	2	-	6	1	58	12	42
51	Hughes	195	1	-	-	29	9	8	1	5	3	1	2	1	112	24	69
52	Jackson	225	2	1	1	23	9	2	3	2	1	2	4	1	109	30	70
53	Jefferson	128	1	-	-	18	7	-	-	3	1	1	6	1	75	24	44
54	Johnston	124	2	-	-	22	8	3	1	2	-	2	6	1	66	10	52
55	Kay	483	3	-	2	63	20	9	6	13	1	4	10	8	279	68	190
56	Ponca City	203	2	-	-	23	6	3	2	6	-	2	4	5	110	25	76
57	Balance of county	280	1	-	2	40	14	6	4	7	1	2	6	3	169	43	114
58	Kingfisher	112	-	-	2	16	7	1	2	2	-	2	2	3	59	15	40
59	Kiowa	182	1	1	-	28	11	3	1	7	-	1	5	2	103	27	70
60	Latimer	106	3	-	-	13	4	3	1	2	-	1	2	-	54	15	32
61	Le Flore	351	4	1	2	53	19	4	1	10	3	1	15	5	181	42	116
62	Lincoln	243	2	1	2	37	13	2	3	7	1	-	11	5	141	28	94
63	Logan	255	1	-	-	35	16	4	1	1	2	3	8	3	136	41	90
64	Guthrie	172	-	-	-	19	9	2	1	1	1	1	4	2	95	28	62
65	Balance of county	83	1	-	-	16	7	2	-	-	1	2	4	1	41	13	28
66	Love	61	1	-	-	12	5	1	-	2	1	-	3	1	32	12	19
67	McClain	123	1	-	2	17	6	4	1	-	-	1	5	2	68	17	48
68	McCurtain	286	3	-	3	30	8	2	2	7	2	2	7	2	155	36	105
69	McIntosh	164	2	-	-	21	7	3	-	4	1	1	5	2	93	33	51
70	Major	97	-	-	-	14	8	2	-	1	-	-	3	-	60	17	41
71	Marshall	89	1	-	-	11	4	2	1	-	2	-	2	2	50	19	30
72	Mayes	201	4	1	-	36	11	10	3	7	-	3	2	5	98	29	56
73	Murray	125	1	1	1	13	5	1	-	3	-	-	4	-	73	19	46
74	Muskogee	656	5	1	5	89	24	16	9	18	4	4	14	8	356	83	236
75	Muskogee	469	4	1	3	60	15	10	8	11	4	3	9	8	265	61	178
76	Balance of county	187	1	-	2	29	9	6	1	7	-	1	5	-	91	22	58
77	Noble	132	-	1	1	17	5	2	1	4	2	-	3	3	71	17	48
78	Nowata	172	2	1	1	31	9	2	2	6	1	3	8	3	89	28	55
79	Okfuskee	146	1	-	2	16	4	4	1	5	1	1	-	3	74	20	46

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
184	5,488	724	1,071	193	403	225	236	726	126	85	166	17	249	843	845	686	861	206	113	1,697	1
49	1,398	139	227	48	114	65	67	166	41	20	61	3	85	360	420	185	217	70	35	430	2
135	4,090	585	844	145	289	160	169	560	85	65	105	14	164	483	425	501	644	136	78	1,267	3
2	23	4	9	6	-	2	1	12	1	-	-	-	-	3	2	10	5	1	3	18	4
2	26	5	12	1	2	-	-	5	-	-	2	-	-	1	2	4	3	-	-	7	5
1	36	3	10	2	2	1	2	3	-	-	-	-	1	3	6	5	5	1	-	8	6
-	17	2	-	-	1	2	-	2	-	-	-	-	1	1	1	1	3	1	-	6	7
1	50	23	13	-	4	2	2	2	-	-	1	-	1	6	4	5	9	5	-	15	8
1	36	1	17	1	3	1	3	8	-	1	1	1	1	2	5	8	6	2	-	11	9
2	86	10	9	5	5	2	5	6	-	1	2	-	5	5	11	12	14	1	3	15	10
-	48	5	3	-	1	-	3	3	-	-	-	-	1	3	7	7	6	-	1	8	11
2	38	5	6	5	4	2	2	3	-	1	2	-	4	2	4	5	8	1	2	7	12
2	74	6	28	3	6	4	3	14	-	1	2	-	4	4	11	6	14	2	1	31	13
2	70	9	12	1	1	1	1	7	1	1	1	-	-	8	5	4	8	1	3	13	14
1	43	8	8	-	1	-	1	4	-	-	1	-	-	7	4	1	3	-	2	8	15
1	27	1	4	1	-	1	-	3	1	1	-	-	-	1	1	3	5	1	1	5	16
4	119	21	21	3	3	4	-	27	3	-	-	-	5	21	6	12	15	6	2	24	17
3	75	8	11	1	3	-	-	18	-	-	-	-	2	14	5	5	7	2	1	12	18
1	44	13	10	2	-	4	-	9	3	-	-	-	3	7	1	7	8	4	1	12	19
1	45	7	9	1	1	3	-	8	2	-	1	-	-	5	2	8	6	2	5	10	20
2	50	16	12	-	9	1	1	10	2	2	2	-	4	6	9	2	7	-	4	20	21
-	9	-	2	-	2	-	-	1	-	-	-	-	-	1	1	10	-	-	-	1	22
2	74	7	5	3	2	2	-	7	-	1	1	2	2	19	5	14	8	3	3	22	23
1	44	4	2	2	2	1	-	3	-	-	-	1	1	16	1	10	6	3	2	18	24
1	30	3	3	1	-	1	-	4	-	1	1	1	1	3	4	4	2	-	1	4	25
-	23	9	4	1	2	2	-	-	-	-	3	-	-	-	2	-	1	-	2	2	26
5	105	7	24	3	6	4	1	14	3	3	4	-	13	36	8	13	24	6	2	35	27
5	73	5	15	2	4	4	1	7	2	3	3	-	8	32	8	7	18	5	1	27	28
-	32	2	9	1	2	-	-	7	1	-	1	-	5	4	-	6	6	1	1	8	29
-	24	2	9	-	1	2	3	1	-	-	2	-	2	3	3	2	4	1	2	10	30
3	46	8	16	-	2	1	-	7	1	-	1	-	-	6	5	5	4	1	-	13	31
4	114	11	33	4	9	1	7	13	1	1	1	-	-	18	12	9	19	5	1	36	32
1	47	4	17	2	3	1	-	4	-	-	-	-	-	10	4	2	3	1	-	12	33
3	67	7	16	2	6	-	7	9	1	1	1	-	-	8	8	7	16	4	1	24	34
-	41	2	7	4	8	5	4	7	1	1	1	-	5	8	8	8	11	-	1	23	35
-	39	9	14	1	3	-	1	15	-	2	1	-	-	2	7	5	7	-	2	5	36
2	10	1	10	1	-	1	2	6	-	-	-	-	1	-	3	4	-	-	-	8	37
2	24	7	1	-	3	3	-	3	-	-	-	-	-	-	-	3	2	-	-	6	38
8	133	10	15	1	13	9	9	15	5	1	1	-	4	26	17	9	27	12	-	44	39
4	103	9	8	-	8	7	4	10	5	-	1	-	4	21	10	5	19	9	-	35	40
4	30	1	7	1	5	2	5	5	-	1	-	-	-	5	7	4	8	3	-	9	41
1	59	13	8	3	7	5	1	7	1	1	1	1	6	7	4	9	10	1	-	23	42
4	87	17	33	1	7	-	4	10	1	2	4	-	3	6	4	9	16	4	-	27	43
3	47	9	16	1	3	-	3	7	-	2	3	-	2	2	3	2	11	3	-	19	44
1	40	8	17	-	4	-	1	3	1	-	1	-	1	4	1	7	5	1	-	8	45
-	29	2	8	1	2	1	1	2	-	1	-	-	1	-	3	2	3	-	-	8	46
-	17	-	4	1	1	-	-	3	-	1	-	-	1	3	2	-	7	1	-	9	47
-	19	-	6	-	4	-	-	2	-	-	-	-	-	4	-	-	5	-	2	4	48
-	11	4	6	-	3	1	-	2	-	-	-	-	1	-	1	3	5	1	-	10	49
1	35	3	3	2	-	1	1	3	1	-	1	-	1	2	8	3	6	-	1	10	50
-	57	4	8	4	6	4	5	4	1	-	1	-	-	4	7	5	9	2	-	19	51
2	54	2	12	1	5	2	1	5	1	2	1	-	-	12	2	13	24	6	-	22	52
-	35	5	4	-	4	1	2	3	-	1	1	-	-	1	8	6	4	-	-	9	53
1	36	12	3	-	-	1	3	1	2	-	3	1	3	4	-	4	4	1	-	10	54
5	149	16	20	3	7	5	6	9	1	1	1	1	11	11	5	20	26	5	1	36	55
3	60	7	6	3	3	2	1	5	1	-	1	1	6	7	3	6	16	1	1	15	56
2	89	9	14	-	4	3	5	4	-	1	-	-	5	4	2	14	10	4	-	21	57
-	32	2	6	-	1	1	2	4	1	2	-	-	-	5	2	4	7	1	-	6	58
2	50	8	10	1	3	2	-	9	1	1	-	1	-	4	5	9	4	-	-	13	59
1	20	-	11	-	4	1	2	3	-	-	1	1	1	5	3	1	7	-	-	14	60
2	83	17	14	4	12	3	4	13	1	3	4	1	3	13	20	5	14	3	2	23	61
-	71	9	14	6	6	2	5	12	1	-	-	-	1	4	5	7	6	1	-	18	62
3	57	17	13	-	2	2	1	12	1	2	-	1	2	5	8	9	7	2	1	30	63
-	41	13	8	-	2	2	1	11	1	2	-	1	2	2	8	3	5	2	-	19	64
3	16	4	5	-	-	-	-	1	-	-	-	-	-	3	-	6	2	-	1	11	65
-	16	1	2	1	-	-	-	4	-	-	2	-	1	-	1	1	2	2	-	2	66
-	38	3	7	1	1	1	-	3	1	-	2	1	2	3	3	4	3	2	1	8	67
3	80	7	15	-	4	4	6	16	3	1	4	1	1	9	17	9	8	2	2	20	68
1	40	3	7	3	4	1	1	7	-	-	4	-	2	3	2	3	4	1	2	18	69
2	21	2	16	-	-	2	-	-	2	1	-	-	-	2	4	2	1	-	-	11	70
-	26	-	4	-	-	-	1	6	2	-	-	-	2	1	1	2	4	1	-	6	71
2	36	7	11	2	2	4	5	5	4	-	3	-	1	5	8	5	7	2	-	17	72
1	38	6	1	2	4	-	2	6	1	-	2	1	1	4	1	3	3	1	-	13	73
9	177	23	27	11	10	6	10	25	2	6	3	-	8	22	23	14	24	4	6	55	74
6	135	18	19	8	7	4	7	20	2	3	2	-	7	18	17	10	15	2	3	29	75
3	42	5	8	3	3	2	3	5	-	3	1	-	1	4	6	4	9	2	3	26	76
5	38	2	3	3	3	-	-	4	3	1	1	-	1	-	3	6	6	1	-	13	77
-	46	2	7	-	2	-	4	4	1	1	1	-	-	5	7	4	3	1	-	18	78
2	33	4	7	1	1	2	4	5	1	-	3	1	5	8	5	2	2	1	1	16	79

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	OKLAHOMA—Continued																
1	Oklahoma	3,380	22	6	15	509	155	75	50	84	17	33	95	37	1,546	412	972
2	Oklahoma City	2,785	20	5	10	407	126	56	44	69	14	26	72	28	1,288	345	806
3	Midwest City	87	-	-	1	10	2	-	1	2	-	1	4	-	33	5	25
4	Balance of county	508	2	1	4	92	27	19	5	13	3	6	19	9	225	62	141
5	Okmulgee	428	2	-	4	78	22	7	6	20	4	3	16	1	221	48	151
6	Okmulgee	203	-	-	1	46	14	5	4	12	1	3	7	1	102	26	62
7	Balance of county	225	2	-	3	32	8	2	2	8	3	-	9	-	119	22	89
8	Osage	316	5	-	2	40	12	8	1	3	-	1	15	7	166	47	108
9	Ottawa	355	9	-	3	55	15	8	4	9	4	1	14	1	198	36	143
10	Miami	129	3	-	-	20	5	2	3	2	1	-	7	-	77	13	57
11	Balance of county	226	6	-	3	35	10	6	1	7	3	1	7	1	121	23	86
12	Pawnee	151	1	-	2	25	10	2	3	6	2	-	2	3	80	15	60
13	Payne	336	1	-	-	58	21	6	4	7	2	4	14	2	166	38	106
14	Stillwater	116	-	-	-	18	8	2	2	-	1	1	4	1	54	15	32
15	Balance of county	220	1	-	-	40	13	4	2	7	1	3	10	1	112	23	74
16	Pittsburg	411	2	2	-	63	13	10	3	9	4	3	21	6	196	56	118
17	McAlester	187	1	1	-	29	6	3	2	4	-	2	12	1	93	26	58
18	Balance of county	224	1	1	-	34	7	7	1	5	4	1	9	5	103	30	60
19	Pontotoc	299	4	-	2	36	10	3	1	7	4	3	8	1	179	64	101
20	Ada	178	2	-	1	15	3	-	1	3	4	1	3	1	114	44	63
21	Balance of county	121	2	-	1	21	7	3	-	4	-	2	5	-	65	20	38
22	Pottawatomie	471	3	1	1	59	16	10	4	9	-	7	13	5	278	81	169
23	Shawnee	275	1	1	-	34	9	3	4	4	-	5	9	3	168	46	103
24	Balance of county	196	2	-	1	25	7	7	-	5	-	2	4	2	110	35	66
25	Pushmataha	104	3	-	1	17	3	4	-	4	2	1	3	-	46	13	31
26	Roger Mills	55	-	-	-	9	5	-	-	1	-	1	2	2	30	6	24
27	Rogers	189	2	-	2	21	3	5	1	4	-	2	6	3	108	23	74
28	Seminole	334	1	-	3	57	16	10	3	12	2	2	12	7	179	42	124
29	Seminole	85	-	-	-	9	3	2	-	2	-	-	2	-	53	8	40
30	Balance of county	249	1	-	3	48	13	8	3	10	2	2	10	7	126	34	84
31	Sequoyah	165	1	-	-	24	8	4	1	6	-	2	3	2	92	19	66
32	Stephens	316	1	2	2	46	16	7	4	4	6	4	5	2	172	37	119
33	Duncan	161	1	2	-	25	10	6	3	1	1	3	1	-	86	18	60
34	Balance of county	155	-	-	2	21	6	1	1	3	5	1	4	2	86	19	59
35	Texas	121	-	-	1	18	4	3	-	4	1	2	4	3	57	13	34
36	Tillman	185	1	-	-	21	12	2	-	3	-	2	2	1	111	19	84
37	Tulsa	2,590	14	6	15	393	108	54	40	55	18	24	94	31	1,283	310	841
38	Tulsa	2,135	11	6	14	327	89	44	33	49	16	21	75	25	1,051	260	688
39	Balance of county	455	3	-	1	66	19	10	7	6	2	3	19	6	232	50	153
40	Wagoner	145	2	-	1	23	4	3	1	3	1	3	8	1	75	19	48
41	Washington	345	3	1	3	46	16	5	2	11	1	2	9	3	189	39	141
42	Bartlesville	237	3	1	2	34	13	2	2	8	1	2	6	2	127	21	99
43	Balance of county	108	-	-	1	12	3	3	-	3	-	-	3	1	62	18	42
44	Washita	108	-	-	1	13	3	3	1	2	-	2	2	2	66	15	42
45	Woods	122	-	1	3	21	5	4	-	5	1	-	6	2	65	6	51
46	Woodward	125	-	-	-	12	4	-	1	3	2	-	2	1	81	20	50
47	OREGON	15,479	61	26	67	2,419	787	349	203	398	112	126	444	203	8,538	1,972	5,805
48	Metropolitan counties	7,191	30	15	41	1,160	383	163	103	184	54	58	215	89	4,018	1,001	2,676
49	Nonmetropolitan counties	8,288	31	11	26	1,259	404	186	100	214	58	68	229	114	4,520	971	3,129
50	Baker	175	-	1	-	19	7	3	2	3	-	1	3	3	101	14	74
51	Benton	201	-	1	-	27	7	3	2	6	2	-	7	1	116	31	78
52	Corvallis	107	-	1	-	13	1	2	2	4	1	-	3	1	65	15	47
53	Balance of county	94	-	-	-	14	6	1	-	2	1	-	4	-	51	16	31
54	Clackamas	882	3	2	6	136	48	11	13	21	7	10	26	18	505	102	359
55	Clatsop	314	3	-	-	47	16	4	4	5	6	2	10	4	177	53	109
56	Astoria	119	1	-	-	16	4	2	1	1	2	1	5	-	60	18	37
57	Balance of county	195	2	-	-	31	12	2	3	4	4	1	5	4	117	35	72
58	Columbia	253	1	1	-	34	9	8	2	6	2	2	5	3	143	19	119
59	Coos	369	2	-	1	57	12	9	5	13	4	3	11	3	177	45	125
60	Crook	67	-	-	-	9	3	-	-	1	-	-	5	-	30	5	22
61	Curry	67	-	-	-	5	2	-	2	1	-	-	-	2	32	10	21
62	Deschutes	201	1	-	-	30	9	2	4	8	-	2	5	2	123	19	89
63	Bend	99	1	-	-	14	3	2	2	3	-	2	2	2	64	10	52
64	Balance of county	102	-	-	-	16	6	-	2	5	-	-	3	-	59	9	37
65	Douglas	422	-	-	2	69	19	10	9	11	2	2	16	8	221	42	167
66	Gilliam	20	-	-	1	5	2	2	1	-	-	-	-	-	8	1	7
67	Grant	83	1	-	1	12	-	3	3	2	-	-	4	2	47	13	28
68	Harney	57	-	-	-	10	4	1	-	3	-	1	1	-	28	7	20
69	Hood River	131	-	-	1	24	8	4	2	2	1	2	5	2	62	16	42
70	Jackson	615	1	1	3	72	22	12	6	13	3	4	12	4	381	90	257
71	Medford	225	1	1	2	29	6	6	2	6	2	1	6	1	139	29	96
72	Balance of county	390	-	-	1	43	16	6	4	7	1	3	6	3	242	61	161
73	Jefferson	42	2	-	3	7	3	-	-	1	-	1	2	-	15	6	5
74	Josephine	318	3	-	1	49	15	12	1	10	3	-	8	8	170	46	101
75	Klamath	369	4	-	1	56	15	10	7	3	4	3	14	9	169	30	129
76	Klamath Falls	151	1	-	-	24	5	6	4	1	1	2	5	3	83	15	64
77	Balance of county	218	3	-	1	32	10	4	3	2	3	1	9	6	86	15	65
78	Lake	62	-	-	-	12	4	1	-	4	-	-	3	1	32	7	22

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
30	719	87	136	33	57	39	33	90	25	12	40	2	46	218	330	100	114	34	19	215	1
27	607	67	105	29	50	31	27	71	23	10	35	2	35	181	293	72	86	26	16	177	2
-	18	3	4	-	1	1	1	2	-	1	1	-	2	11	6	4	7	2	-	7	3
3	94	17	27	4	6	7	5	17	2	1	4	-	9	26	31	24	21	6	3	31	4
2	116	12	21	5	5	5	7	13	3	2	2	-	5	15	21	15	14	2	3	27	5
1	46	6	9	3	3	3	5	5	1	2	2	-	-	8	9	6	4	1	1	14	6
1	70	6	12	2	2	2	2	8	2	-	-	-	5	7	12	9	10	1	2	13	7
1	80	10	17	4	3	1	3	10	2	1	3	-	3	5	5	13	20	2	1	31	8
9	108	16	10	5	7	4	3	12	3	2	7	-	4	6	10	10	12	6	1	16	9
3	46	8	-	1	2	3	1	5	1	-	4	-	1	-	3	4	5	3	-	3	10
6	62	8	10	4	5	1	2	7	2	2	3	-	3	6	7	6	7	3	1	13	11
-	36	12	12	1	3	1	-	11	1	1	-	-	1	3	4	2	5	1	-	11	12
5	70	12	19	4	11	3	4	12	4	1	2	-	3	13	10	14	13	2	-	35	13
3	24	3	2	1	5	1	-	2	1	-	-	-	1	8	5	7	6	1	-	12	14
2	46	9	17	3	6	2	4	10	3	1	2	-	2	5	5	7	7	1	-	23	15
-	83	10	25	6	9	3	4	22	4	3	2	-	5	9	21	10	18	4	4	40	16
-	38	6	14	3	2	2	2	9	2	1	-	-	3	6	10	4	10	1	2	14	17
-	45	4	11	3	7	1	2	13	2	2	2	-	2	3	11	6	8	3	2	26	18
3	78	7	13	2	6	2	4	10	4	-	2	-	5	9	3	6	7	2	2	27	19
2	49	4	8	2	1	1	3	5	3	-	1	-	4	7	1	4	2	1	2	15	20
1	29	3	5	-	5	1	1	5	1	-	1	-	1	2	2	2	5	1	-	12	21
1	136	14	18	2	14	8	4	14	3	3	2	-	5	17	3	17	17	-	-	43	22
1	83	9	10	2	7	6	4	8	2	2	1	-	2	9	1	4	7	-	-	32	23
-	53	5	8	-	7	2	-	6	1	1	1	-	3	8	2	13	10	-	-	11	24
-	18	4	9	-	-	2	-	5	-	-	-	-	3	4	4	4	8	1	-	8	25
-	18	2	4	-	-	-	-	2	1	-	1	-	-	1	1	1	-	-	-	7	26
-	52	7	15	3	5	1	2	9	1	3	-	-	5	6	1	4	11	2	1	10	27
1	99	11	13	2	2	5	4	8	2	2	2	-	2	9	10	18	10	1	1	22	28
-	30	3	7	1	1	3	-	3	-	-	1	-	1	5	4	2	3	-	-	4	29
1	69	8	6	1	1	2	4	5	2	2	1	-	1	4	6	16	7	1	1	18	30
-	41	19	6	-	2	2	3	12	1	1	-	-	-	4	6	5	8	1	1	7	31
2	93	10	14	3	9	4	-	7	-	2	2	-	2	9	8	16	12	3	4	26	32
1	47	7	5	2	4	2	-	4	-	-	-	-	-	2	5	8	8	2	3	15	33
1	46	3	9	1	5	2	-	3	-	2	2	-	2	7	3	8	4	1	1	11	34
1	28	1	4	3	3	1	3	2	-	-	1	-	3	7	1	8	7	2	-	11	35
1	54	23	6	3	4	-	1	4	-	1	3	-	1	8	3	6	6	-	2	17	36
19	679	52	91	15	57	26	34	76	16	8	21	1	39	142	90	85	103	36	16	215	37
16	559	42	71	12	46	20	25	65	15	7	18	1	32	116	77	66	84	29	11	180	38
3	120	10	20	3	11	6	9	11	1	1	3	-	7	26	13	19	19	7	5	35	39
-	32	6	10	4	1	2	1	6	2	-	3	-	-	2	-	6	5	1	1	17	40
6	97	19	19	1	2	4	2	12	1	1	1	-	8	12	10	14	17	7	-	17	41
6	69	15	9	1	2	2	2	6	1	1	1	-	7	8	9	9	8	6	-	12	42
-	28	4	10	-	-	2	-	6	-	-	-	-	1	4	1	5	9	1	-	5	43
3	34	2	3	1	6	1	1	1	-	-	-	-	1	3	5	1	10	1	-	4	44
3	28	10	10	2	2	2	2	5	-	-	-	-	-	1	2	4	7	1	1	9	45
4	25	7	14	2	2	4	3	1	-	-	2	-	1	4	-	4	4	1	3	11	46
206	4,444	645	510	83	387	208	83	551	101	49	156	6	190	497	173	436	676	215	38	1,077	47
115	2,064	303	194	37	169	99	36	261	53	22	101	3	78	229	96	132	265	88	16	494	48
91	2,380	342	316	46	218	109	47	290	48	27	55	3	112	268	77	304	411	127	22	583	49
2	57	5	10	2	7	1	3	2	-	-	-	-	1	4	2	8	14	4	-	16	50
1	66	9	2	-	3	3	1	6	2	1	2	-	2	8	-	8	12	1	-	14	51
-	39	7	1	-	2	-	1	4	2	-	-	-	1	6	-	5	6	-	-	3	52
1	27	2	1	-	1	3	-	2	-	1	2	-	1	2	-	3	6	1	-	11	53
11	268	51	29	4	24	8	8	27	5	3	9	2	16	30	3	16	34	9	1	57	54
5	75	15	14	3	4	7	1	8	2	-	3	-	1	7	4	11	11	7	-	29	55
5	23	4	5	1	1	3	-	6	-	-	2	-	-	5	2	4	7	3	-	13	56
-	52	11	9	2	3	4	1	2	2	-	1	-	1	2	2	7	4	4	-	16	57
1	90	15	13	1	4	-	-	12	-	-	3	-	4	6	2	9	19	3	-	13	58
2	92	15	16	-	2	5	-	19	3	-	2	-	4	18	15	13	25	7	3	20	59
-	18	1	3	-	2	-	1	8	1	-	-	1	-	2	-	5	1	2	-	8	60
1	14	3	3	-	-	-	1	1	2	-	-	-	-	1	1	7	10	1	-	5	61
2	72	3	12	1	12	1	1	3	-	1	-	-	3	2	1	12	5	2	-	16	62
1	42	3	6	-	1	-	1	2	-	-	-	-	2	1	1	2	4	-	-	6	63
1	30	-	6	1	11	1	-	1	-	1	-	-	1	1	-	10	1	2	-	10	64
4	137	9	17	2	4	5	1	12	2	-	1	-	9	16	1	21	32	7	-	21	65
-	5	2	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	2	66
-	23	3	2	-	4	2	-	1	-	1	1	-	1	-	1	7	1	2	1	4	67
1	18	1	-	-	-	1	-	4	-	-	-	-	-	1	-	5	3	1	1	4	68
3	29	2	8	-	3	1	-	6	2	1	1	-	2	1	2	5	8	5	-	9	69
7	191	31	28	2	17	11	4	11	4	4	5	-	7	17	4	20	30	13	1	37	70
2	66	11	17	1	8	4	1	3	1	1	3	-	3	5	2	3	9	5	-	17	71
5	125	20	11	1	9	7	3	8	3	3	2	-	4	12	2	17	21	8	1	20	72
-	3	-	2	1	2	1	-	2	1	1	1	-	-	4	2	2	1	-	-	1	73
2	71	11	17	3	11	8	1	10	2	2	1	-	4	9	2	8	17	11	-	21	74
7	104	8	10	2	4	3	1	12	2	-	9	-	3	18	1	18	24	3	6	34	75
1	55	3	5	1	-	2	1	3	1	-	2	-	-	4	1	3	10	-	1	15	76
6	49	5	5	1	4	1	-	9	1	-	7	-	3	14	-	15	14	3	5	19	77
3	15	2	2	-	1	-	2	3	-	1	1	-	1	2	-	2	3	1	-	3	78

546125 O - 60 - 43

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	OREGON—Continued																
1	Lane	1,038	4	-	2	162	54	21	11	28	11	8	29	16	551	109	386
2	Eugene	344	-	-	-	52	19	7	1	8	3	4	10	7	192	38	131
3	Springfield	104	-	-	-	25	5	2	4	7	2	2	3	1	54	10	38
4	Balance of county	590	4	-	2	85	30	12	6	13	6	2	16	8	305	61	217
5	Lincoln	223	-	2	-	25	8	4	1	2	-	5	5	-	129	28	91
6	Linn	449	3	2	3	63	19	13	2	15	2	4	8	11	260	58	176
7	Albany	108	1	2	-	11	2	3	-	2	-	1	3	3	69	13	51
8	Balance of county	341	2	-	3	52	17	10	2	13	2	3	5	8	191	45	125
9	Malheur	162	1	-	-	28	6	5	3	9	-	1	4	1	71	18	47
10	Marion	1,021	2	1	2	193	69	23	16	31	12	14	28	13	559	119	395
11	Salem (part)	459	-	1	1	90	40	8	8	9	6	6	13	10	260	52	187
12	Salem (total)	473	-	1	1	93	43	8	8	9	6	6	13	11	265	55	189
13	Balance of county	562	2	-	1	103	28	15	8	22	6	8	15	3	299	67	208
14	Morrow	50	-	-	-	9	3	1	-	4	-	-	1	-	28	4	19
15	Multnomah	5,712	27	12	32	927	307	141	81	143	43	41	171	60	3,180	823	2,085
16	Portland	4,632	19	8	27	749	255	113	64	112	36	30	139	56	2,639	673	1,740
17	Balance of county	1,080	8	4	5	178	52	28	17	31	7	11	32	4	541	150	345
18	Polk	197	2	-	1	34	12	2	5	7	-	3	5	4	110	26	71
19	Salem (part)	14	-	-	-	3	3	-	-	-	-	-	-	1	5	3	2
20	Balance of county	183	2	-	1	31	9	2	5	7	-	3	5	3	105	23	69
21	Sherman	21	-	-	-	2	-	1	-	-	-	1	-	-	14	1	11
22	Tillamook	166	-	-	-	23	7	2	2	4	-	1	7	5	87	23	52
23	Umatilla	377	-	1	1	62	20	12	5	9	-	4	12	2	205	41	143
24	Pendleton	125	-	-	-	14	4	4	1	2	-	1	2	1	77	14	52
25	Balance of county	252	-	1	1	48	16	8	4	7	-	3	10	1	128	27	91
26	Union	195	-	-	-	32	14	2	1	5	3	1	6	1	116	18	74
27	Wallowa	58	-	-	-	4	2	-	-	-	-	-	2	1	36	9	23
28	Wasco	183	-	-	-	21	7	6	-	4	-	3	1	1	98	18	66
29	Washington	597	-	1	3	97	28	11	9	20	4	7	18	11	333	76	232
30	Wheeler	21	-	1	1	4	3	1	-	-	-	-	-	-	9	3	5
31	Yamhill	361	1	-	2	53	23	9	4	4	3	-	10	7	215	42	155
32	PENNSYLVANIA	118,571	1,026	237	405	18,776	6,969	2,542	1,677	2,682	900	803	3,203	2,504	68,745	12,703	49,867
33	Metropolitan counties	92,984	873	194	314	15,006	5,576	2,126	1,384	2,052	699	610	2,559	1,906	53,503	9,660	39,155
34	Nonmetropolitan counties	25,587	153	43	91	3,770	1,393	416	293	630	201	193	644	598	15,242	3,043	10,712
35	Adams	479	3	1	3	74	31	6	8	8	1	8	12	9	282	56	204
36	Allegheny	16,546	164	30	46	2,760	1,022	416	239	376	125	101	481	327	9,325	1,803	6,708
37	Pittsburgh	8,385	112	19	19	1,354	507	212	116	185	59	54	221	175	4,661	939	3,328
38	McKeesport	608	6	4	4	96	37	14	8	12	4	5	16	14	340	55	254
39	Mount Lebanon (twp.)[3 4]	245	-	-	-	52	16	7	5	5	6	3	10	-	142	19	114
40	Wilkinsburg	349	2	-	2	61	20	4	5	9	2	4	17	5	219	47	151
41	Bellevue	153	-	-	-	24	10	4	4	4	-	-	2	1	91	17	60
42	Bethel	120	2	-	1	21	11	-	1	2	-	1	6	5	62	12	46
43	Braddock	207	3	1	-	41	13	4	3	10	1	1	9	5	87	24	59
44	Brentwood	108	-	-	1	18	5	4	1	2	3	1	2	1	68	20	43
45	Carnegie	141	-	-	-	25	13	5	-	4	-	-	3	1	87	16	64
46	Clairton	198	-	-	-	31	11	5	2	4	-	2	7	3	109	27	71
47	Coraopolis	132	1	-	-	22	6	4	3	3	1	-	5	2	75	13	51
48	Dormont	128	-	-	-	25	9	4	1	6	3	1	1	2	74	13	54
49	Duquesne	194	2	-	-	35	16	4	4	4	2	-	5	7	113	20	85
50	Harrison (twp.)[3 4]	114	1	-	1	17	5	2	-	4	1	-	5	5	53	12	32
51	Homestead	101	-	-	-	14	8	1	1	2	-	-	2	-	54	9	41
52	McKees Rocks	215	4	-	-	34	16	3	1	6	-	1	7	4	113	19	85
53	Munhall	164	-	-	-	23	13	4	3	1	-	-	2	3	109	21	81
54	North Braddock	117	-	-	1	16	8	3	-	-	-	2	3	2	74	6	63
55	Shaler (twp.)[3 4]	166	-	-	-	26	13	1	2	2	-	1	7	1	106	18	71
56	Stowe (twp.)[3 4]	71	-	-	-	11	4	3	-	2	-	-	2	2	39	9	27
57	Swissvale	146	1	1	1	25	6	7	2	5	-	-	5	3	95	10	75
58	Turtle Creek	131	-	-	-	26	14	5	1	2	1	1	2	2	73	19	49
59	West Mifflin	109	2	-	2	14	5	2	1	2	1	-	3	3	69	13	53
60	Balance of county	4,244	28	5	14	749	256	114	75	100	41	24	139	81	2,412	445	1,751
61	Armstrong	779	5	2	2	114	37	15	11	15	9	7	20	20	470	98	329
62	Beaver	1,728	15	1	8	289	127	33	20	41	15	11	42	25	984	199	680
63	Aliquippa	284	2	-	2	50	24	6	5	5	-	3	7	8	150	34	97
64	Ambridge	191	-	-	-	31	13	6	-	4	3	1	4	2	134	26	98
65	Beaver Falls	197	2	-	2	33	13	4	3	6	-	2	5	1	121	25	87
66	Ellwood City (part)	12	-	-	-	1	1	-	-	-	-	-	-	-	7	5	2
67	Balance of county	1,044	11	1	4	174	76	17	12	26	12	5	26	14	572	109	396
68	Bedford	421	2	2	4	63	24	4	3	13	5	2	12	5	273	45	185
69	Berks	3,047	31	6	10	515	196	59	51	79	24	20	86	57	1,853	418	1,272
70	Reading	1,390	16	4	6	233	89	28	24	34	9	10	39	27	856	189	603
71	Balance of county	1,657	15	2	4	282	107	31	27	45	15	10	47	30	995	229	669
72	Blair	1,667	9	5	3	253	76	39	23	50	9	8	48	42	1,016	219	688
73	Altoona	991	4	3	2	166	50	28	15	26	8	5	34	23	596	133	401
74	Balance of county	676	5	2	1	87	26	11	8	24	1	3	14	19	420	86	287
75	Bradford	648	4	-	1	93	31	10	8	19	3	5	17	11	385	68	271

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
11	303	38	34	7	24	22	3	40	5	-	9	-	13	41	7	38	48	18	1	83	1
3	104	13	11	3	8	11	1	15	3	-	5	-	4	9	2	9	13	4	-	29	2
2	27	4	5	-	4	1	1	2	-	-	1	-	-	6	1	3	3	3	-	5	3
6	172	21	18	4	12	10	1	23	2	-	3	-	9	26	4	26	32	11	1	49	4
4	74	5	8	1	5	1	3	14	1	1	-	-	4	5	2	4	19	2	-	15	5
9	134	15	18	6	13	3	4	21	5	4	3	-	3	10	1	12	18	3	2	25	6
3	36	8	4	-	3	2	-	4	1	-	1	-	1	2	1	2	1	-	1	8	7
6	98	7	14	6	10	1	4	17	4	4	2	-	2	8	-	10	17	3	1	17	8
1	41	3	2	-	5	-	1	7	1	1	1	-	2	8	3	10	12	-	1	15	9
7	283	70	35	3	27	12	3	38	5	4	5	1	18	24	6	28	33	9	1	79	10
4	130	37	16	2	10	8	1	15	2	3	4	-	4	10	2	5	14	5	1	32	11
4	132	37	16	2	10	6	1	16	2	3	4	-	5	12	2	5	14	5	1	33	12
3	153	33	19	1	17	4	2	23	3	1	1	1	14	14	4	23	19	4	-	47	13
-	11	4	4	1	2	2	-	1	-	-	1	-	1	-	-	3	5	-	-	2	14
93	1,612	232	148	29	135	85	23	213	47	15	88	1	54	179	82	99	206	75	12	403	15
75	1,333	205	127	26	112	68	20	157	39	14	80	1	40	123	61	77	156	67	9	310	16
18	279	27	21	3	23	17	3	56	8	1	8	-	14	56	21	22	50	8	3	93	17
2	47	17	5	-	7	3	3	8	2	-	1	-	3	9	3	4	5	1	-	10	18
-	2	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	1	19
2	45	17	5	-	7	3	3	7	2	-	1	-	2	7	3	4	5	1	-	9	20
-	10	1	-	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	2	21
2	48	1	1	-	7	5	-	7	-	-	-	-	3	6	-	9	10	2	1	13	22
4	117	11	11	-	17	2	2	14	3	2	3	-	4	14	10	18	12	5	1	20	23
1	46	2	3	-	10	1	-	5	1	-	1	-	1	4	6	6	2	1	-	6	24
3	71	9	8	-	7	1	2	9	2	2	2	-	3	10	4	12	10	4	1	14	25
2	54	7	11	5	10	3	6	1	2	1	2	-	2	8	1	6	6	3	-	14	26
-	17	3	3	-	2	1	1	1	-	-	-	-	2	2	-	1	2	2	2	5	27
5	54	3	4	4	6	3	1	3	-	-	-	-	6	12	3	4	13	6	1	15	28
11	184	20	17	4	10	6	5	21	1	4	4	-	8	20	11	17	25	4	3	34	29
-	5	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	30
3	102	29	21	2	11	3	2	12	1	1	-	1	8	12	3	4	11	4	-	26	31
1,661	34,682	6,069	7,455	985	2,914	1,336	940	3,439	758	431	1,360	82	1,221	4,145	793	1,798	3,352	1,113	277	8,109	32
1,351	27,225	4,890	5,689	779	2,122	1,072	715	2,783	589	321	1,145	69	983	3,436	662	1,281	2,521	867	247	6,284	33
310	7,457	1,179	1,766	208	792	264	225	656	169	110	215	13	238	709	131	517	831	246	30	1,825	34
4	122	26	52	6	6	6	4	12	1	-	3	-	8	15	-	26	10	2	-	30	35
224	5,250	690	544	122	360	178	154	522	88	59	278	10	173	575	337	211	454	159	46	982	36
107	2,611	361	249	62	164	98	70	309	46	28	166	4	82	285	215	98	224	65	30	493	37
3	185	33	33	1	20	5	5	21	2	3	12	1	6	16	10	4	17	7	6	39	38
7	90	10	7	-	4	4	1	6	1	3	7	-	3	7	5	2	6	3	-	8	39
6	118	11	16	5	10	3	3	9	2	1	2	-	2	7	2	2	13	3	-	17	40
3	47	7	3	2	7	1	4	4	2	1	2	-	2	9	3	-	3	4	-	7	41
2	35	6	3	1	1	1	1	2	1	-	-	-	1	7	1	-	2	3	1	11	42
4	44	7	4	-	2	1	1	8	2	1	5	-	6	10	4	3	13	1	3	14	43
6	31	3	3	-	3	2	-	2	-	1	1	-	2	-	1	-	4	1	-	8	44
2	50	6	6	-	3	1	3	1	-	1	2	-	2	6	4	1	4	-	1	6	45
4	49	8	10	3	5	2	1	3	2	1	2	-	3	12	3	-	5	2	-	22	46
1	40	6	4	1	7	2	1	3	-	2	-	-	1	7	1	1	6	1	1	9	47
3	45	3	3	2	3	-	2	4	-	1	3	-	1	2	4	1	4	-	-	7	48
3	73	7	2	-	6	2	-	7	-	-	5	-	2	4	2	4	2	2	-	9	49
1	26	2	3	2	5	1	1	-	2	1	1	-	3	6	-	5	4	3	-	12	50
-	32	8	1	-	2	-	2	7	-	-	3	-	-	5	7	2	2	1	-	6	51
2	72	4	7	1	3	2	3	10	-	-	4	1	1	3	10	4	9	5	-	13	52
3	59	15	4	-	2	3	2	7	1	1	-	-	-	5	-	-	4	1	-	10	53
1	47	8	7	-	2	1	2	1	1	-	2	-	1	7	-	5	3	-	1	3	54
3	59	5	4	2	9	3	3	2	-	-	3	-	4	7	-	2	5	2	-	8	55
-	20	3	4	-	1	-	2	1	1	2	2	-	1	3	1	1	1	1	-	5	56
3	53	15	4	5	4	1	-	3	-	-	4	-	-	2	3	-	1	-	-	7	57
1	43	2	3	-	4	1	-	1	1	-	1	-	2	3	3	2	9	-	-	8	58
3	42	4	4	-	-	2	1	1	-	-	2	-	-	1	2	1	8	2	-	2	59
56	1,379	156	160	35	93	42	46	110	24	12	49	4	48	161	56	73	105	52	3	258	60
12	232	26	59	5	22	10	6	12	4	4	5	2	8	18	4	17	35	4	2	51	61
33	511	85	51	11	62	19	13	49	9	5	17	-	21	70	8	36	52	24	6	109	62
4	77	12	4	2	10	5	2	11	2	1	3	-	2	15	1	5	10	5	1	16	63
2	84	10	2	2	5	1	2	2	-	-	3	-	3	2	-	2	1	1	1	9	64
4	59	19	5	1	4	1	3	3	1	1	1	-	2	4	3	2	5	5	-	11	65
-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	66
23	289	44	40	6	43	12	6	33	6	3	9	-	14	49	4	27	34	13	4	72	67
10	127	7	41	5	24	3	11	6	2	2	-	-	3	11	-	9	13	5	1	20	68
47	973	110	142	31	89	21	22	57	9	12	32	-	16	79	16	54	85	41	3	171	69
18	478	50	57	11	40	8	7	24	5	3	20	-	7	28	9	24	34	14	-	78	70
29	495	60	85	20	49	13	15	33	4	9	12	-	9	51	7	30	51	27	3	93	71
29	530	57	72	22	59	15	13	28	14	5	10	2	16	57	8	31	44	10	1	113	72
13	315	36	37	15	35	6	6	20	7	2	7	1	10	30	6	15	17	7	1	74	73
16	215	21	35	7	24	9	7	8	7	3	3	1	6	27	2	16	27	3	-	39	74
7	178	27	59	7	31	6	2	20	5	2	2	2	4	24	10	13	27	6	4	35	75

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	PENNSYLVANIA—Continued																
1	Bucks	1,955	6	2	7	340	115	43	33	38	27	19	65	47	1,063	204	774
2	Bristol	163	1	2	-	32	6	5	3	3	3	4	6	2	84	13	63
3	Balance of county	1,792	5	-	7	308	107	38	30	35	24	15	59	45	979	191	711
4	Butler	1,041	9	1	5	158	52	26	13	25	8	6	28	22	584	125	403
5	Butler	281	5	-	3	46	12	12	3	8	1	2	8	4	150	34	101
6	Balance of county	760	4	1	2	112	40	14	10	17	7	4	20	18	434	91	302
7	Cambria	2,044	14	2	6	297	113	41	27	41	11	15	49	55	1,218	222	869
8	Johnstown	852	5	-	1	138	48	20	12	25	3	7	23	23	498	68	358
9	Balance of county	1,192	9	2	5	159	65	21	15	16	8	8	26	32	720	134	511
10	Cameron	83	-	-	-	16	6	3	3	1	-	-	3	3	46	4	37
11	Carbon	589	7	-	3	91	28	9	5	17	6	5	21	21	337	57	256
12	Centre	544	-	1	3	83	26	11	8	9	5	2	22	12	346	82	225
13	State College	81	-	-	1	9	4	1	1	1	-	-	2	1	52	14	31
14	Balance of county	463	-	1	2	74	22	10	7	8	5	2	20	11	294	68	194
15	Chester	1,903	14	1	8	302	115	35	19	46	17	11	59	35	1,061	183	759
16	Coatesville	199	3	-	1	30	9	8	1	5	3	-	4	5	106	16	75
17	Phoenixville	180	2	-	-	19	11	1	-	2	-	3	2	5	104	16	61
18	West Chester	258	2	-	1	36	15	4	4	6	-	1	6	3	152	31	109
19	Balance of county	1,266	7	1	6	217	80	22	14	33	14	7	47	22	699	120	494
20	Clarion	404	1	1	1	49	20	4	4	10	-	1	10	7	246	49	170
21	Clearfield	896	4	1	9	147	53	20	12	20	12	10	20	22	521	93	373
22	Du Bois	174	-	-	2	25	9	3	4	2	3	2	2	2	108	23	76
23	Balance of county	722	4	1	7	122	44	17	8	18	9	8	18	20	413	70	297
24	Clinton	410	1	1	1	53	17	9	1	10	1	6	9	11	262	50	190
25	Lock Haven	150	-	1	-	19	6	3	1	4	-	2	3	4	102	22	70
26	Balance of county	260	1	-	1	34	11	6	-	6	1	4	6	7	160	28	120
27	Columbia	620	4	-	2	69	29	1	6	14	3	2	14	32	367	82	245
28	Berwick	167	1	-	-	15	7	-	-	5	-	1	2	9	94	19	68
29	Bloomsburg	115	1	-	-	16	3	1	2	2	1	-	7	3	72	15	47
30	Balance of county	338	2	-	2	38	19	-	4	7	2	1	5	20	201	48	130
31	Crawford	913	1	3	3	143	58	17	7	27	7	5	22	14	542	112	352
32	Meadville	260	1	1	1	38	17	5	2	2	1	2	9	7	157	35	101
33	Balance of county	653	-	2	2	105	41	12	5	25	6	3	13	7	385	77	251
34	Cumberland	1,035	6	5	5	159	56	21	18	23	6	5	30	13	649	128	460
35	Carlisle	198	-	3	2	31	12	2	6	5	-	1	5	-	130	28	88
36	Balance of county	837	6	2	3	128	44	19	12	18	6	4	25	13	519	100	372
37	Dauphin	2,444	19	11	6	426	148	61	40	56	16	20	85	53	1,356	247	980
38	Harrisburg	1,351	13	5	5	255	87	36	24	31	8	11	58	26	728	135	524
39	Steelton	138	-	2	-	21	7	4	4	3	-	1	2	-	73	15	54
40	Balance of county	955	6	4	1	150	54	21	12	22	8	8	25	27	555	97	402
41	Delaware	4,587	38	9	20	774	271	122	77	101	38	31	134	75	2,606	379	1,995
42	Chester	789	16	5	3	120	46	20	8	14	1	5	26	15	411	51	328
43	Upper Darby (twp.)[3 4]	778	6	1	2	142	58	20	11	19	6	4	24	12	451	66	338
44	Haverford (twp.)[3 4]	432	-	-	1	82	22	15	12	11	4	2	16	8	243	36	186
45	Darby	177	1	1	1	28	14	6	-	4	2	1	1	-	110	13	86
46	Lansdowne	180	2	-	-	32	11	5	4	3	2	-	7	3	99	15	71
47	Yeadon	124	-	-	-	25	13	1	4	2	1	2	2	2	71	11	58
48	Balance of county	2,127	13	2	13	345	107	55	38	48	22	17	58	35	1,221	187	928
49	Elk	377	4	1	-	52	23	4	4	8	5	3	5	13	206	40	148
50	Erie	2,407	21	6	8	372	144	56	38	45	21	13	55	43	1,345	269	990
51	Erie	1,487	14	6	4	235	101	33	20	30	12	5	34	19	824	151	620
52	Balance of county	920	7	-	4	137	43	23	18	15	9	8	21	24	521	118	370
53	Fayette	1,971	13	5	4	318	126	36	17	53	17	16	53	42	1,166	215	867
54	Connellsville	200	-	-	-	30	12	2	3	7	2	2	2	5	126	16	102
55	Uniontown	369	3	1	1	65	23	9	6	6	3	6	12	7	234	49	175
56	Balance of county	1,402	10	4	3	223	91	25	8	40	12	8	39	30	806	150	590
57	Forest	59	-	1	-	5	1	-	1	1	-	-	2	1	41	10	27
58	Franklin	766	4	5	5	115	44	8	9	20	11	4	19	15	474	104	324
59	Chambersburg	194	1	2	1	27	11	3	2	5	1	-	5	4	126	43	70
60	Waynesboro	134	-	2	-	26	12	4	3	-	3	1	3	3	78	14	55
61	Balance of county	438	3	1	4	62	21	1	4	15	7	3	11	8	270	47	199
62	Fulton	109	1	-	-	14	4	1	-	4	2	2	1	2	64	16	40
63	Greene	409	1	-	3	63	25	7	2	6	4	4	15	8	227	44	162
64	Huntingdon	393	1	-	3	51	18	3	5	7	1	4	13	6	258	38	179
65	Indiana	769	4	2	1	106	34	14	7	22	7	7	15	17	448	89	321
66	Indiana	136	-	1	-	17	4	4	-	3	2	1	3	1	87	20	58
67	Balance of county	633	4	1	1	89	30	10	7	19	5	6	12	16	361	69	263
68	Jefferson	544	-	2	2	81	25	4	8	16	5	11	12	14	338	65	246
69	Juniata	176	1	-	-	14	3	2	2	1	-	3	3	8	117	29	80
70	Lackawanna	3,163	33	3	15	474	204	52	55	57	17	13	76	61	1,915	258	1,505
71	Scranton	1,639	17	2	7	245	109	29	27	29	7	10	34	31	991	138	780
72	Carbondale	213	2	-	2	33	13	7	2	4	1	1	5	6	136	18	105
73	Dunmore	224	3	-	1	42	19	3	8	3	1	1	7	2	137	17	108
74	Balance of county	1,087	11	1	5	154	63	13	18	21	8	1	30	22	651	85	512
75	Lancaster	2,582	14	6	10	394	126	56	39	54	20	18	81	60	1,583	331	1,101
76	Lancaster	909	6	4	5	149	45	25	14	18	7	9	30	18	547	118	384
77	Columbia	146	1	2	-	21	11	1	1	5	1	1	1	3	92	25	62
78	Balance of county	1,527	7	-	5	224	70	29	24	31	12	8	50	39	944	188	655

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
29	558	76	111	13	44	18	10	61	7	9	14	-	36	113	2	36	52	29	6	125	1
2	46	7	8	2	3	2	1	5	-	1	2	-	3	12	-	1	5	-	1	12	2
27	512	69	103	11	41	16	9	56	7	8	12	-	33	101	2	35	47	29	5	113	3
17	317	36	33	4	32	15	5	37	8	5	15	-	15	41	5	18	46	9	4	59	4
5	78	8	10	-	10	3	2	11	2	2	5	-	2	14	2	5	12	1	1	16	5
12	239	28	23	4	22	12	3	26	6	3	10	-	13	27	3	13	34	8	3	43	6
38	619	68	144	22	70	13	22	54	19	8	20	1	20	83	6	27	54	16	2	142	7
18	239	35	66	12	24	4	12	26	10	3	10	-	8	40	3	8	18	2	2	57	8
20	380	33	78	10	46	9	10	28	9	5	10	1	12	43	3	19	36	14	-	85	9
2	18	7	10	1	2	1	1	4	-	1	-	-	1	5	-	3	1	1	-	2	10
9	166	39	42	2	9	8	5	11	5	4	7	-	6	14	-	11	15	5	-	52	11
2	164	28	31	6	23	7	3	14	2	2	4	-	3	21	4	12	13	4	-	20	12
1	26	4	-	-	5	2	-	1	-	2	-	-	-	5	1	1	2	2	-	4	13
1	138	24	31	6	18	5	3	13	2	-	4	-	3	16	3	11	11	2	-	16	14
18	521	95	125	16	52	25	26	77	8	9	22	2	28	95	14	34	54	24	9	106	15
1	55	8	11	2	4	4	5	9	3	-	3	-	-	9	3	2	4	3	2	16	16
2	55	12	12	1	1	3	2	6	-	3	4	-	6	11	1	1	5	3	-	10	17
1	83	8	17	2	5	3	2	12	-	-	2	-	1	19	-	4	5	-	2	19	18
14	328	67	85	11	42	15	17	50	5	6	13	2	21	56	10	27	40	18	5	61	19
2	107	28	33	1	18	5	3	14	2	1	4	-	1	8	2	12	18	6	1	30	20
12	256	23	82	12	28	5	10	28	4	7	5	1	9	20	7	16	31	14	1	49	21
-	58	5	13	1	6	1	1	6	2	-	1	-	3	4	2	2	3	3	-	11	22
12	198	18	69	11	22	4	9	22	2	7	4	1	6	16	5	14	28	11	1	38	23
4	142	14	30	4	14	3	1	10	1	2	3	-	1	12	4	5	15	3	-	25	24
2	60	6	2	1	7	1	1	4	-	1	1	-	-	1	-	2	6	1	-	8	25
2	82	8	28	3	7	2	-	6	1	1	2	-	1	11	4	3	9	2	-	17	26
11	166	34	34	3	28	4	5	17	8	5	5	-	8	10	2	14	20	4	-	53	27
1	53	7	7	-	5	-	2	5	5	2	3	-	2	4	1	2	6	1	-	17	28
2	34	7	4	1	6	1	2	1	-	1	2	-	2	3	-	1	5	-	-	8	29
8	79	20	23	2	17	3	1	11	3	2	-	-	4	3	1	11	9	3	-	28	30
8	242	38	64	21	44	9	4	23	10	7	9	1	10	22	6	16	24	7	1	71	31
1	66	13	21	8	10	3	-	9	2	2	3	-	2	6	2	1	7	2	-	19	32
7	176	25	43	13	34	6	4	14	8	5	6	1	8	16	4	15	17	5	1	52	33
15	340	47	58	6	26	19	10	24	3	3	5	1	13	35	4	21	22	15	2	50	34
1	72	8	7	1	10	3	-	7	1	-	-	1	2	2	1	4	4	2	-	8	35
14	268	39	51	5	16	16	10	17	2	3	5	-	11	33	3	17	18	13	2	42	36
24	694	131	131	27	46	42	14	81	9	7	25	2	19	99	10	40	65	27	6	183	37
15	371	79	59	12	29	22	6	49	5	5	12	1	13	53	9	19	36	13	6	98	38
1	42	2	9	2	-	2	-	3	1	-	3	-	3	11	1	2	4	2	-	12	39
8	281	50	63	13	17	18	8	29	3	2	10	1	3	35	-	19	25	12	-	73	40
105	1,296	275	319	45	82	72	33	150	48	14	55	1	54	200	16	55	129	45	9	289	41
23	193	71	41	9	11	5	7	38	6	1	11	-	4	34	2	12	31	5	4	71	42
20	237	39	42	7	20	12	8	20	11	3	12	-	9	30	2	12	20	6	1	38	43
8	127	21	30	3	11	6	1	16	2	2	3	-	4	24	2	8	8	5	-	24	44
4	48	9	25	1	4	3	3	7	4	1	-	-	3	6	1	-	3	-	1	10	45
5	43	10	13	3	4	4	2	4	-	-	1	-	1	3	-	-	5	2	-	8	46
2	34	8	14	1	-	-	1	3	3	1	1	-	-	4	1	1	5	5	-	2	47
43	614	117	154	21	32	42	11	62	22	6	27	1	33	99	8	22	57	22	3	136	48
1	125	10	12	2	9	5	2	6	2	3	6	2	3	15	3	8	13	4	-	36	49
37	714	86	153	13	43	21	9	91	15	10	25	4	28	117	19	34	77	17	3	172	50
22	444	62	92	8	23	16	6	56	11	6	17	4	17	75	11	13	46	10	3	116	51
15	270	24	61	5	20	5	3	35	4	4	8	-	11	42	8	21	31	7	-	56	52
27	681	91	68	19	37	15	13	43	7	8	12	-	16	71	10	52	63	17	2	122	53
2	58	19	23	-	2	3	3	1	2	1	1	-	1	12	2	3	5	1	-	10	54
6	150	13	6	1	2	7	-	7	-	2	3	-	2	6	3	5	6	2	-	22	55
19	473	59	39	18	33	5	10	35	5	5	8	-	13	53	5	44	52	14	2	90	56
3	18	-	6	-	3	-	1	2	-	-	1	-	-	2	-	1	1	-	-	4	57
6	215	40	63	9	23	6	8	13	1	3	2	-	7	22	2	21	19	7	2	49	58
1	51	8	10	4	3	2	4	1	1	1	1	-	1	6	-	3	4	2	-	13	59
-	36	5	14	-	5	1	3	3	-	-	-	-	1	3	-	2	6	1	-	9	60
5	128	27	39	5	15	3	1	9	-	2	1	-	5	13	2	16	9	4	2	27	61
-	19	10	11	1	3	2	2	5	-	-	1	-	3	-	-	6	4	2	-	7	62
4	130	12	16	3	11	1	6	21	6	1	5	-	2	10	2	15	13	6	1	25	63
2	119	31	27	-	32	3	6	8	1	1	-	-	1	6	-	3	10	6	-	38	64
11	239	27	44	6	14	9	9	30	5	2	8	-	10	35	4	9	36	6	1	45	65
2	51	3	2	1	3	3	2	5	-	1	3	-	1	2	1	3	3	-	-	11	66
9	188	24	42	5	11	6	7	25	5	1	5	-	9	33	3	6	33	6	1	34	67
3	152	35	56	6	15	4	2	15	4	2	4	1	6	15	-	10	14	9	-	27	68
3	37	3	37	1	3	1	3	4	-	-	-	-	2	1	-	5	9	4	-	11	69
46	926	209	324	31	62	36	23	57	29	16	41	3	23	65	12	40	82	17	3	274	70
27	491	97	165	16	30	19	8	35	19	8	25	1	13	35	7	17	41	9	1	135	71
2	54	21	28	-	6	4	3	2	-	1	2	-	3	4	2	3	4	-	1	12	72
3	75	12	18	4	5	-	3	3	-	2	3	1	-	4	-	4	4	-	-	18	73
14	306	79	113	11	21	13	9	17	10	5	11	1	7	22	3	16	33	8	1	109	74
40	768	137	156	21	92	19	19	57	15	12	17	1	25	78	7	61	53	26	4	159	75
10	261	65	48	3	31	5	6	18	9	5	7	-	5	34	5	14	15	3	3	62	76
1	44	-	17	3	1	-	1	1	1	-	3	-	2	5	-	3	1	1	-	10	77
29	463	72	91	15	60	14	12	38	5	7	7	1	18	39	2	44	37	22	1	87	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	PENNSYLVANIA—Continued																
1	Lawrence	1,167	5	1	2	167	61	20	15	27	11	7	26	36	716	159	467
2	New Castle	630	2	1	-	87	32	9	8	16	5	3	14	16	391	87	253
3	Ellwood City (part)	119	-	-	-	26	6	8	4	4	2	1	1	4	64	19	39
4	Ellwood City (total)	131	-	-	-	27	7	8	4	4	2	1	1	4	71	24	41
5	Balance of county	418	3	-	2	54	23	3	3	7	4	3	11	16	261	53	175
6	Lebanon	880	3	1	4	159	58	14	17	34	9	4	23	25	544	104	404
7	Lebanon	414	2	-	4	74	26	8	11	16	2	1	10	17	250	37	195
8	Balance of county	466	1	1	-	85	32	6	6	18	7	3	13	8	294	67	209
9	Lehigh	2,209	9	7	5	358	144	39	32	46	21	11	65	45	1,336	235	1,004
10	Allentown	1,239	7	4	3	198	76	22	24	25	12	5	34	27	756	131	572
11	Bethlehem (part)	157	-	1	1	28	10	5	2	4	2	1	4	4	89	21	62
12	Balance of county	813	2	2	1	132	58	12	6	17	7	5	27	14	491	83	370
13	Luzerne	4,415	60	5	11	651	263	82	59	76	36	32	103	117	2,399	368	1,838
14	Wilkes-Barre	1,015	18	-	1	143	56	14	21	16	9	6	21	26	567	85	437
15	Hazleton	395	1	-	1	67	31	5	5	8	5	2	11	14	234	36	180
16	Hanover (twp.)[3] [4]	136	3	-	-	18	6	4	1	3	-	1	3	6	72	9	56
17	Kingston	282	3	1	2	49	14	11	4	5	2	1	12	7	147	23	111
18	Nanticoke	232	7	1	-	29	9	2	3	6	1	2	6	6	106	23	73
19	Pittston	185	1	-	-	32	15	2	1	3	3	2	6	3	111	12	93
20	Plains (twp.)[3] [4]	102	1	1	-	18	11	-	1	-	-	1	5	3	56	13	39
21	Plymouth	156	4	-	-	23	8	3	3	5	-	2	2	-	86	15	63
22	Balance of county	1,912	22	2	7	272	113	41	20	30	16	15	37	52	1,020	152	786
23	Lycoming	1,184	3	-	3	177	59	22	16	37	14	5	24	17	696	139	502
24	Williamsport	569	-	-	1	83	27	10	9	16	11	1	9	9	340	67	248
25	Balance of county	615	3	-	2	94	32	12	7	21	3	4	15	8	356	72	254
26	McKean	615	3	-	3	92	33	10	7	13	4	7	18	12	354	68	236
27	Bradford	242	1	-	1	50	15	6	5	7	1	4	12	4	132	19	98
28	Balance of county	373	2	-	2	42	18	4	2	6	3	3	6	8	222	49	138
29	Mercer	1,233	3	2	4	188	68	19	22	26	4	8	41	36	701	121	534
30	Sharon	299	-	-	2	58	18	6	12	8	1	3	10	9	159	24	121
31	Farrell	150	2	-	1	25	10	3	1	4	-	-	7	8	74	8	65
32	Balance of county	784	1	2	1	105	40	10	9	14	3	5	24	19	468	89	348
33	Mifflin	440	6	-	2	62	28	7	8	5	2	4	8	12	260	51	190
34	Lewistown	182	1	-	-	31	15	2	6	1	-	3	4	4	108	25	73
35	Balance of county	258	5	-	2	31	13	5	2	4	2	1	4	8	152	26	117
36	Monroe	406	5	-	1	60	21	8	7	8	6	2	8	10	257	48	178
37	Montgomery	4,401	31	10	18	752	247	98	80	111	43	33	140	86	2,556	457	1,869
38	Abington (twp.)[3] [4]	427	5	2	2	87	32	11	8	10	7	4	15	4	232	51	157
39	Lower Merion (twp.)[3] [4]	587	1	2	-	110	28	16	13	19	8	6	20	6	357	73	259
40	Norristown	498	6	1	1	81	25	14	9	12	7	4	10	16	277	39	212
41	Cheltenham (twp.)[3] [4]	300	1	-	1	54	16	6	8	9	3	2	10	5	189	38	132
42	Conshohocken	134	2	1	-	23	8	7	1	2	1	-	4	5	72	11	57
43	Pottstown	314	1	1	-	46	12	6	5	6	4	2	11	7	180	38	114
44	Balance of county	2,141	15	3	14	351	126	38	36	53	13	15	70	43	1,249	207	938
45	Montour	162	2	-	1	29	9	2	3	7	1	2	5	1	92	16	69
46	Northampton	2,105	9	6	3	345	136	33	36	51	19	15	55	37	1,271	229	943
47	Bethlehem (part)	566	4	2	2	102	50	8	10	13	6	3	12	10	315	47	246
48	Bethlehem (total)	723	4	3	3	130	60	13	12	17	8	4	16	14	404	68	308
49	Easton	491	1	2	1	79	27	9	7	9	5	8	14	4	314	65	211
50	Balance of county	1,048	4	2	-	164	59	16	19	29	8	4	29	23	642	117	486
51	Northumberland	1,277	8	3	5	169	53	21	16	31	5	14	29	45	775	139	556
52	Mount Carmel	147	2	-	1	23	6	8	1	4	-	-	4	8	83	8	67
53	Shamokin	217	3	-	1	34	13	3	1	8	2	2	5	8	126	15	101
54	Sunbury	215	-	-	-	21	7	4	-	3	2	1	4	6	148	37	101
55	Balance of county	698	3	3	3	91	27	6	14	16	1	11	16	23	418	79	287
56	Perry	258	2	1	2	43	12	8	1	7	4	3	8	7	158	41	105
57	Philadelphia, coextensive																
57	with Philadelphia (city)	25,120	339	64	95	4,013	1,485	649	369	540	175	169	626	486	14,286	2,288	10,741
58	Pike	140	1	-	-	25	10	3	5	2	2	-	3	1	88	18	62
59	Potter	192	-	-	1	24	5	1	-	10	1	2	5	4	117	27	82
60	Schuylkill	2,352	35	2	5	342	146	38	23	41	13	10	71	61	1,320	283	911
61	Mahanoy City	158	2	-	-	24	14	1	-	2	2	1	4	-	82	13	60
62	Pottsville	326	3	-	-	45	12	3	4	6	4	1	15	9	196	47	136
63	Shenandoah	200	5	-	-	30	12	3	1	5	1	2	6	3	95	18	68
64	Tamaqua	160	2	-	-	28	14	3	2	2	-	-	7	5	103	20	78
65	Balance of county	1,508	23	2	5	215	94	28	16	26	6	6	39	44	844	165	589
66	Snyder	252	3	1	1	36	12	1	2	6	3	1	11	6	151	32	111
67	Somerset	810	4	-	2	131	53	15	9	19	2	8	25	15	486	118	326
68	Sullivan	88	-	-	-	20	8	2	1	7	1	1	-	1	57	19	36
69	Susquehanna	380	-	1	1	45	22	6	3	6	1	1	6	4	220	49	152
70	Tioga	415	3	1	1	61	21	8	5	9	2	3	13	8	236	37	169
71	Union	218	-	1	1	29	11	4	3	6	1	-	4	5	133	22	96
72	Venango	703	1	1	2	110	43	17	7	20	6	4	13	11	439	116	283
73	Franklin	134	-	-	1	23	7	5	2	6	1	1	1	3	88	19	58
74	Oil City	244	1	-	-	40	20	8	2	1	2	-	7	3	154	52	92
75	Balance of county	325	-	1	1	47	16	4	3	13	3	3	5	5	197	45	133
76	Warren	492	1	1	1	65	25	6	6	18	1	6	3	9	294	70	206
77	Warren	195	1	-	-	32	12	2	3	11	1	3	-	4	116	23	85
78	Balance of county	297	-	1	1	33	13	4	3	7	-	3	3	5	178	47	121

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
17	358	41	51	12	47	19	12	30	6	3	12	-	10	35	9	16	34	15	2	68	1
7	194	27	25	7	24	12	8	20	3	2	5	-	6	21	2	6	21	7	-	40	2
4	27	3	5	2	2	2	-	-	-	-	1	-	1	4	2	3	3	1	-	10	3
4	29	3	5	2	2	2	-	-	-	-	2	-	1	4	2	3	5	1	-	11	4
6	137	11	21	3	21	5	4	10	3	1	6	-	3	10	5	7	10	7	2	18	5
16	261	53	74	1	12	7	16	12	2	2	5	1	8	27	5	15	16	6	-	45	6
6	132	23	34	-	8	5	5	6	1	1	-	1	1	16	4	5	9	4	-	19	7
10	129	30	40	1	4	2	11	6	1	1	5	-	7	11	1	10	7	2	-	28	8
34	720	122	128	18	50	22	7	44	19	7	26	-	29	55	-	36	63	27	1	142	9
25	421	63	63	10	24	15	4	28	13	4	14	-	17	25	-	13	36	13	-	81	10
1	44	9	8	1	4	1	-	6	2	2	3	-	1	7	-	1	7	1	-	4	11
8	255	50	57	7	22	6	3	10	4	1	9	-	11	23	-	22	20	13	1	57	12
58	1,163	265	352	30	87	38	38	103	35	10	77	4	36	93	27	55	120	43	4	565	13
9	297	51	80	7	15	16	7	22	14	1	17	1	10	17	6	10	35	12	-	115	14
11	93	31	45	3	7	4	4	6	1	1	8	2	2	9	2	4	8	3	2	30	15
2	44	6	4	1	3	2	1	1	2	-	3	-	-	2	1	1	1	2	-	24	16
7	73	18	13	2	4	4	3	6	2	1	3	-	3	4	3	7	12	3	-	29	17
2	52	9	10	2	4	3	1	8	-	1	3	-	2	5	1	4	2	2	-	55	18
1	63	9	20	1	4	-	1	5	2	1	4	-	3	2	-	1	4	1	-	15	19
-	25	3	11	-	4	-	-	-	-	1	2	-	1	1	-	3	2	1	-	12	20
1	43	8	11	1	5	1	1	4	3	-	3	-	1	2	1	2	4	1	-	22	21
25	473	130	158	13	41	8	20	51	11	4	34	1	14	51	13	23	52	18	2	263	22
18	337	66	81	7	25	15	8	35	13	3	13	-	13	40	7	29	31	10	-	94	23
11	167	34	36	4	13	6	2	20	5	3	8	-	6	19	4	12	8	7	-	44	24
7	170	32	45	3	12	9	6	15	8	-	5	-	7	21	3	17	23	3	-	50	25
6	155	30	45	3	38	2	7	24	5	3	3	-	10	22	4	14	22	4	-	40	26
4	65	15	14	1	14	-	-	11	3	2	1	-	2	9	1	2	7	-	-	16	27
2	90	15	31	2	24	2	7	13	2	1	2	-	8	13	3	12	15	4	-	24	28
20	360	58	96	9	19	11	7	50	5	4	15	-	15	44	1	37	33	10	1	84	29
6	79	14	22	2	7	5	-	9	2	1	3	-	2	13	1	5	11	4	1	19	30
1	42	12	10	1	-	-	-	9	-	1	4	-	1	5	-	5	1	1	-	13	31
13	239	32	64	6	12	6	7	32	3	2	8	-	12	26	-	27	21	5	-	52	32
5	141	13	31	2	11	1	5	20	-	1	4	-	7	13	-	2	7	7	-	37	33
2	50	8	13	2	4	1	3	5	-	-	1	-	2	2	-	1	4	3	-	20	34
3	91	5	18	-	7	-	2	15	-	1	3	-	5	11	-	1	3	4	-	17	35
6	115	16	41	2	16	5	8	6	1	-	1	-	5	9	1	7	8	4	1	30	36
69	1,280	202	318	35	115	50	30	141	13	17	53	2	42	152	15	58	96	51	7	301	37
4	121	14	18	4	13	2	5	13	2	2	5	-	3	17	5	3	8	8	-	29	38
12	178	31	38	4	10	9	2	18	-	4	10	-	4	11	2	4	12	4	2	40	39
1	146	18	47	3	9	10	4	12	1	-	6	1	5	23	2	9	17	3	2	35	40
5	92	14	21	2	9	6	2	13	1	-	4	-	1	3	1	1	2	5	-	19	41
2	37	8	10	-	3	1	-	8	-	-	1	-	3	5	-	3	1	1	-	9	42
6	82	11	15	8	14	3	3	9	1	2	6	-	2	18	1	6	6	4	-	24	43
39	624	106	169	14	57	19	14	68	8	9	21	1	24	75	4	32	50	26	3	145	44
-	47	7	15	2	3	2	-	4	1	-	1	-	-	8	-	7	3	1	-	12	45
24	729	71	119	15	39	31	14	58	15	3	17	1	28	56	3	27	59	19	2	146	46
3	212	9	22	3	6	7	6	16	4	-	7	-	8	13	1	10	19	10	-	43	47
4	256	18	30	4	10	8	6	22	6	2	10	-	9	20	1	11	26	11	-	47	48
8	148	22	33	6	19	12	1	14	2	1	3	-	7	15	1	2	7	3	1	34	49
13	369	40	64	6	14	12	7	28	9	2	7	1	13	28	1	15	33	6	1	69	50
15	373	69	99	6	37	19	18	27	10	4	12	2	8	22	9	19	38	9	1	111	51
3	47	9	8	1	3	3	1	5	2	-	2	-	1	3	-	2	2	-	-	13	52
3	61	15	22	-	6	2	2	3	4	-	5	1	-	2	2	2	5	3	1	17	53
3	64	11	23	-	4	2	4	5	-	-	1	-	3	3	-	3	6	1	-	18	54
6	201	34	46	5	24	12	11	14	4	4	4	1	4	14	7	12	25	5	-	63	55
6	80	6	13	-	4	6	2	6	1	-	-	-	1	10	1	4	7	2	-	13	56
344	6,738	1,797	1,862	241	499	342	175	857	174	83	309	32	263	1,102	118	247	692	191	115	1,654	57
4	36	6	16	2	5	1	-	1	1	2	6	-	2	1	1	1	2	-	-	8	58
6	49	11	16	1	3	3	1	6	2	2	-	-	3	6	1	4	4	2	-	16	59
23	632	112	144	28	76	26	16	42	20	16	33	-	11	44	12	29	91	15	1	273	60
3	38	10	9	2	4	1	2	4	4	-	6	-	1	3	1	1	8	1	-	21	61
3	100	14	19	3	6	4	-	6	4	3	2	-	3	11	2	3	11	-	1	27	62
-	48	8	12	2	6	-	1	1	2	-	4	-	-	6	-	2	10	2	-	40	63
2	52	9	15	1	3	1	-	1	1	-	-	-	-	2	1	1	9	-	-	7	64
15	394	71	89	20	57	20	13	30	9	13	21	-	7	22	8	22	53	12	-	178	65
2	72	15	22	1	6	1	-	7	2	1	-	-	5	6	3	4	8	-	2	16	66
14	239	40	33	5	25	3	9	16	3	2	4	-	5	21	3	11	31	10	1	65	67
1	30	2	3	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	7	68
3	101	20	28	2	7	9	1	16	1	-	4	-	6	14	3	7	14	12	1	31	69
4	126	15	44	-	8	1	1	6	5	1	4	-	5	14	2	12	22	9	-	25	70
2	57	11	26	2	9	1	3	4	3	1	2	-	2	8	-	8	5	4	-	12	71
3	203	48	29	4	20	10	6	16	9	3	6	1	5	14	3	18	20	7	1	36	72
-	46	8	4	1	6	3	1	2	3	-	2	-	1	-	-	4	2	-	-	5	73
1	66	22	3	1	3	3	3	7	3	-	3	1	2	5	-	5	4	2	1	13	74
2	91	18	22	2	11	4	2	7	3	3	1	-	2	9	3	9	14	5	-	18	75
5	143	19	39	2	7	5	4	24	5	4	2	-	6	6	1	10	21	6	-	36	76
2	57	12	14	1	2	3	2	9	2	2	1	-	3	-	-	2	8	1	-	14	77
3	86	7	25	1	5	2	2	15	3	2	1	-	3	6	1	8	13	5	-	22	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	PENNSYLVANIA—Continued																
1	Washington	2,183	11	4	6	352	147	58	24	44	16	9	54	46	1,292	299	911
2	Washington	338	1	-	2	47	17	6	3	10	2	2	7	10	221	52	158
3	Canonsburg	132	-	-	-	24	9	4	3	2	1	-	5	1	76	15	59
4	Donora	135	1	-	-	27	10	6	-	4	1	1	5	4	66	17	47
5	Balance of county	1,578	9	4	4	254	111	42	18	28	12	6	37	31	929	215	647
6	Wayne	333	1	-	-	47	25	3	2	4	-	2	11	6	195	38	128
7	Westmoreland	3,166	13	5	8	503	199	51	39	83	17	22	92	81	1,879	402	1,330
8	New Kensington	252	1	2	-	38	16	3	3	3	4	3	6	8	131	27	96
9	Arnold	83	1	-	-	18	8	-	1	2	-	1	6	4	42	10	28
10	Greensburg	217	1	-	1	46	17	3	5	14	2	2	3	2	126	24	89
11	Jeannette	191	-	-	2	33	11	5	6	4	-	1	6	6	108	20	81
12	Latrobe	146	1	-	-	22	8	2	3	2	1	4	2	2	95	16	74
13	Monessen	189	1	-	2	36	15	7	4	4	1	2	3	5	103	16	77
14	Balance of county	2,088	8	3	3	310	124	31	17	54	9	9	66	54	1,274	289	885
15	Wyoming	233	1	-	-	36	16	1	2	6	2	2	7	2	140	16	115
16	York	2,234	10	4	10	358	121	48	35	49	20	18	67	64	1,323	283	878
17	York	707	4	-	4	115	34	23	13	16	5	8	16	13	418	97	263
18	Hanover	184	2	1	1	23	7	4	2	2	2	3	3	10	107	32	64
19	Balance of county	1,343	4	3	5	220	80	21	20	31	13	7	48	41	798	154	551
20	RHODE ISLAND	8,878	39	13	31	1,590	581	240	166	216	69	63	255	233	5,168	928	3,812
21	Metropolitan counties	7,783	34	13	27	1,408	510	220	143	192	59	59	225	211	4,531	809	3,355
22	Nonmetropolitan counties	1,095	5	-	4	182	71	20	23	24	10	4	30	22	637	119	457
23	Bristol	319	1	-	-	60	16	7	8	10	4	4	11	4	198	48	139
24	Bristol (town)[3]	130	-	-	-	31	8	3	4	6	2	3	5	2	75	19	51
25	Balance of county	189	1	-	-	29	8	4	4	4	2	1	6	2	123	29	88
26	Kent	933	1	1	2	167	62	25	16	26	5	11	22	24	535	85	409
27	Warwick	564	1	1	1	104	41	19	12	11	5	4	12	14	316	49	239
28	West Warwick (town)[3]	202	-	-	1	34	11	4	4	7	-	3	5	4	126	20	98
29	Balance of county	167	-	-	-	29	10	2	-	8	-	4	5	6	93	16	72
30	Newport	643	3	-	3	103	40	14	17	9	6	3	14	12	378	67	279
31	Newport	376	2	-	1	56	20	9	11	7	3	2	4	6	224	49	154
32	Balance of county	267	1	-	2	47	20	5	6	2	3	1	10	6	154	18	125
33	Providence	6,531	32	12	25	1,181	432	188	119	156	50	44	192	183	3,798	676	2,807
34	Providence	2,826	15	5	11	503	186	76	55	61	21	22	82	86	1,597	291	1,178
35	Cranston	626	2	1	1	135	39	28	13	21	9	5	20	22	346	70	248
36	Pawtucket	975	6	2	6	170	54	30	19	21	10	5	31	23	575	110	415
37	Woonsocket	531	-	1	4	91	40	10	6	13	2	4	16	20	318	33	267
38	East Providence (town)[3]	406	2	1	-	70	27	7	8	9	3	3	13	8	253	51	184
39	Central Falls	245	2	-	-	41	15	11	4	2	-	-	9	10	157	23	116
40	Cumberland (town)[3]	110	-	-	-	22	10	1	2	1	1	2	5	-	67	9	49
41	Johnston (town)[3]	126	-	-	-	20	7	4	-	3	2	1	3	-	80	19	50
42	Lincoln (town)[3]	125	1	-	1	18	6	3	3	3	-	-	3	3	81	16	60
43	North Providence (town)[3]	153	1	1	-	34	12	9	4	6	1	-	2	5	80	14	59
44	Balance of county	408	3	1	2	77	36	9	5	16	1	2	8	6	244	40	181
45	Washington	452	2	-	1	79	31	6	6	15	4	1	16	10	259	52	178
46	Westerly (town)[3]	122	-	-	-	16	8	-	1	2	2	-	3	2	80	14	62
47	Balance of county	330	2	-	1	63	23	6	5	13	2	1	13	8	179	38	116
48	SOUTH CAROLINA	19,709	160	56	146	2,188	642	287	177	410	86	107	479	231	10,439	2,767	6,711
49	Metropolitan counties	5,243	46	18	45	621	185	86	51	105	27	34	133	51	2,566	649	1,678
50	Nonmetropolitan counties	14,466	114	38	101	1,567	457	201	126	305	59	73	346	180	7,873	2,118	5,033
51	Abbeville	235	1	-	1	25	6	6	2	5	1	1	4	1	144	43	95
52	Aiken	590	7	2	5	69	21	8	3	13	3	5	16	6	305	76	209
53	Allendale	140	-	-	-	12	6	1	1	1	1	1	1	1	83	23	55
54	Anderson	807	9	2	4	92	23	8	7	21	2	1	29	13	470	101	335
55	Anderson	251	3	-	1	22	5	5	2	4	-	1	5	6	154	34	113
56	Balance of county	556	6	2	3	70	18	4	5	17	2	-	24	7	316	67	222
57	Bamberg	160	2	1	2	17	7	1	3	2	1	2	1	1	86	33	45
58	Barnwell	134	1	2	1	13	5	1	2	1	-	-	4	2	65	21	39
59	Beaufort	271	2	-	3	32	9	6	4	6	1	1	5	2	102	35	62
60	Berkeley	290	2	-	4	22	6	4	-	6	3	1	2	-	152	41	98
61	Calhoun	114	-	1	1	12	4	3	2	-	-	-	3	3	63	11	48
62	Charleston	1,709	16	6	21	189	69	26	10	26	10	11	37	11	688	201	422
63	Charleston	823	8	3	7	99	37	13	6	12	6	6	19	5	361	98	221
64	Balance of county	886	8	3	14	90	32	13	4	14	4	5	18	6	327	103	201
65	Cherokee	305	5	1	1	40	10	7	4	5	2	4	8	4	156	32	108
66	Chester	317	1	-	2	30	8	1	4	6	-	1	10	2	189	65	106
67	Chesterfield	306	-	-	2	31	8	4	1	7	2	1	8	7	166	49	99
68	Clarendon	267	1	-	7	22	8	1	3	4	-	2	4	4	132	48	68
69	Colleton	250	2	2	1	29	9	4	1	7	1	4	3	5	131	33	84
70	Darlington	510	6	1	5	47	10	6	4	11	1	2	13	3	256	78	154
71	Dillon	277	4	-	1	29	13	1	-	7	-	2	6	2	154	38	98
72	Dorchester	211	1	2	-	21	7	4	1	3	1	2	3	3	127	39	78
73	Edgefield	157	-	-	1	7	1	-	-	2	-	-	4	1	98	31	64
74	Fairfield	199	1	2	-	19	7	4	-	6	-	-	2	3	117	30	82

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
28	726	76	81	12	28	21	21	64	18	5	26	2	27	75	12	34	63	12	5	129	1
7	119	20	12	2	6	1	2	4	5	2	5	-	4	11	1	4	6	2	-	13	2
1	43	8	7	2	-	-	-	5	-	2	1	1	1	6	1	2	2	-	-	10	3
3	30	7	7	-	-	2	-	5	2	-	4	-	2	3	3	3	5	2	-	8	4
17	534	41	55	8	22	18	19	50	11	1	16	1	20	55	7	25	50	8	5	98	5
7	85	15	21	3	21	2	3	8	1	2	4	-	3	7	3	7	15	2	1	31	6
43	986	121	180	17	73	32	25	99	20	7	37	1	40	97	15	56	93	31	7	174	7
4	67	9	16	1	2	3	2	8	3	-	5	-	6	9	2	4	9	4	1	21	8
1	21	4	2	1	-	3	-	3	1	-	-	-	2	3	-	1	1	1	-	6	9
3	67	8	11	1	7	3	2	4	1	-	4	-	1	8	3	2	4	3	-	11	10
3	58	7	13	-	3	3	1	11	2	-	3	-	-	5	-	2	8	1	-	10	11
2	59	5	8	-	2	1	2	7	-	-	3	-	3	3	1	-	4	1	-	4	12
1	57	8	11	1	2	1	6	6	-	-	6	1	2	5	2	2	7	1	1	9	13
29	657	80	119	13	57	18	12	60	13	7	16	-	26	64	7	45	60	20	5	113	14
1	84	12	18	2	5	-	2	4	3	-	2	-	1	5	1	2	13	-	-	23	15
32	584	72	190	17	100	24	21	43	14	14	20	-	26	75	9	40	48	23	4	149	16
16	177	15	55	9	35	8	6	14	3	5	8	-	11	26	4	10	14	3	2	53	17
1	39	7	17	2	4	1	4	6	3	1	1	-	2	8	-	4	2	3	-	10	18
15	368	50	118	6	61	15	11	23	8	8	11	-	13	41	5	26	32	17	2	86	19
97	3,051	381	283	89	174	86	79	276	76	30	129	5	95	234	24	82	201	33	7	612	20
88	2,674	335	258	80	146	77	64	246	70	24	116	5	84	181	22	70	175	27	6	533	21
9	377	46	25	9	28	9	15	30	6	6	13	-	11	53	2	12	26	6	1	79	22
7	111	13	8	-	7	1	3	9	3	-	6	-	2	7	1	3	6	-	-	19	23
4	39	3	5	-	3	1	1	5	-	-	3	-	-	4	-	-	1	-	-	9	24
3	72	10	3	-	4	-	2	4	3	-	3	-	2	3	1	3	5	-	-	10	25
9	317	51	32	5	18	7	11	27	9	3	12	1	13	25	6	11	23	4	1	68	26
6	184	31	18	2	13	7	6	14	5	2	7	1	9	19	4	8	15	3	1	39	27
1	75	13	9	2	2	-	4	6	3	-	2	-	2	2	1	1	2	1	-	17	28
2	58	7	5	1	3	-	1	7	1	1	3	-	2	4	1	2	6	-	-	12	29
8	234	26	11	7	13	6	6	17	5	3	10	-	6	36	1	8	8	5	-	45	30
4	133	11	6	6	8	3	4	9	2	3	7	-	4	20	-	3	5	2	-	32	31
4	101	15	5	1	5	3	2	8	3	-	3	-	2	16	1	5	3	3	-	13	32
72	2,246	271	218	75	121	69	50	210	58	21	98	4	69	149	15	56	146	23	5	446	33
29	929	136	84	35	44	33	16	118	27	5	57	2	25	62	5	22	62	11	2	211	34
3	202	29	14	5	13	2	8	13	9	2	7	-	8	17	1	3	19	1	-	39	35
7	348	28	32	12	19	12	7	31	9	2	19	-	11	21	1	5	15	2	2	75	36
8	210	16	33	5	6	5	2	13	2	2	5	-	3	17	2	3	10	-	-	40	37
7	142	16	19	5	3	5	5	6	4	1	2	-	5	6	1	6	10	3	1	27	38
4	89	10	13	4	9	1	4	6	2	2	2	-	1	5	2	1	4	1	-	9	39
1	42	2	4	2	6	1	-	4	1	-	-	1	3	2	1	1	3	-	-	5	40
3	40	4	3	3	3	3	2	1	1	1	-	1	5	4	1	1	5	-	-	6	41
5	49	4	2	2	2	1	-	6	1	1	2	-	-	1	-	2	2	1	-	5	42
2	44	10	3	1	2	3	1	5	1	1	1	-	3	5	1	2	4	-	-	9	43
3	151	16	11	1	14	3	5	7	1	4	3	-	5	9	-	10	12	4	-	20	44
1	143	20	14	2	15	3	9	13	1	3	3	-	5	17	1	4	18	1	1	34	45
-	50	9	3	1	1	-	2	3	-	1	-	-	2	3	-	1	5	-	-	9	46
1	93	11	11	1	14	3	7	10	1	2	3	-	3	14	1	3	13	1	1	25	47
135	4,088	1,468	1,020	189	344	171	257	840	83	169	86	43	254	1,025	790	573	913	164	185	1,364	48
39	1,086	355	198	35	79	62	63	191	21	35	29	6	83	261	360	157	242	42	55	414	49
96	3,002	1,113	822	154	265	109	194	649	62	134	57	37	171	764	430	416	671	122	130	950	50
3	67	15	10	1	5	-	-	7	-	-	-	-	1	16	5	7	10	2	-	15	51
6	108	65	30	2	7	4	7	19	2	4	3	-	12	34	14	19	31	5	7	46	52
1	28	16	10	-	2	1	2	6	-	-	1	-	2	4	8	5	3	1	-	14	53
5	199	72	59	10	13	7	4	32	6	3	5	1	7	37	7	17	27	9	3	63	54
2	59	35	17	5	-	2	-	10	1	1	4	-	-	13	1	5	9	1	1	19	55
3	140	37	42	5	13	5	4	22	5	2	1	1	7	24	6	12	18	8	2	44	56
1	30	9	5	2	2	-	4	8	1	-	-	-	3	7	6	4	9	-	2	11	57
1	25	7	6	-	4	-	1	9	2	-	-	-	1	7	7	7	3	1	-	13	58
1	32	15	14	1	1	1	2	16	-	3	1	-	6	23	23	15	17	4	1	21	59
2	61	29	6	1	5	4	3	16	1	2	3	2	1	14	27	8	15	1	3	17	60
1	14	29	4	1	3	-	-	6	-	2	1	1	-	5	3	1	5	-	1	9	61
14	298	75	35	13	14	16	22	46	5	13	12	1	27	70	311	57	80	16	19	121	62
6	146	45	24	7	12	10	13	24	4	4	5	-	10	30	124	14	36	6	11	72	63
8	152	30	11	6	2	6	9	22	1	9	7	1	17	40	187	43	44	10	8	49	64
2	73	19	14	6	3	1	6	18	3	5	4	-	3	13	-	9	17	4	3	19	65
3	56	30	17	2	12	2	2	18	3	-	-	1	4	23	2	8	13	2	2	17	66
3	60	27	9	5	5	5	3	20	-	3	1	-	2	16	5	13	14	2	2	22	67
1	42	14	11	4	9	-	3	11	2	3	-	1	1	14	23	7	17	1	5	16	68
3	54	11	16	1	3	3	7	10	1	4	1	1	1	4	23	5	11	4	1	14	69
-	119	22	13	2	10	5	7	25	3	9	2	1	1	55	12	14	30	4	4	32	70
3	53	30	12	3	7	4	4	12	-	2	1	-	3	16	5	5	17	1	5	20	71
3	38	27	10	1	4	1	4	7	1	2	-	1	2	6	6	7	8	-	-	17	72
-	40	12	12	1	2	-	-	4	1	1	-	-	-	8	10	1	11	2	1	11	73
2	48	20	12	1	3	-	1	5	1	1	1	-	1	3	11	6	16	3	-	9	74

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	SOUTH CAROLINA—Con.																
1	Florence	747	11	2	9	79	27	14	5	18	1	3	11	7	371	108	229
2	Florence	298	8	2	4	31	11	4	1	9	-	2	4	2	157	45	96
3	Balance of county	449	3	-	5	48	16	10	4	9	1	1	7	5	214	63	133
4	Georgetown	279	1	-	2	21	4	5	5	2	-	1	4	4	149	35	93
5	Greenville	1,559	14	7	10	185	50	29	19	27	6	9	45	21	820	181	560
6	Greenville	597	6	5	6	80	22	14	6	14	2	4	18	8	292	64	202
7	Balance of county	962	8	2	4	105	28	15	13	13	4	5	27	13	528	117	358
8	Greenwood	426	2	-	2	54	19	7	3	11	4	1	9	2	252	53	177
9	Greenwood	188	1	-	-	25	9	4	1	5	-	-	6	1	103	25	69
10	Balance of county	238	1	-	2	29	10	3	2	6	4	1	3	1	149	28	108
11	Hampton	185	2	-	-	24	9	3	1	6	1	1	3	2	108	24	73
12	Horry	534	5	1	-	32	9	5	3	7	-	2	6	9	295	91	174
13	Jasper	123	1	-	1	17	5	2	-	3	2	1	4	1	66	34	31
14	Kershaw	296	1	2	4	28	8	6	3	4	-	1	6	6	164	34	105
15	Lancaster	296	3	2	-	32	11	-	4	7	2	3	5	5	163	32	118
16	Laurens	428	4	1	2	55	17	6	7	10	1	4	10	7	234	60	152
17	Lee	202	3	-	3	14	1	4	2	4	-	1	2	-	106	23	79
18	Lexington	467	1	1	1	58	14	6	4	12	2	5	15	2	262	70	170
19	McCormick	86	-	-	1	8	4	1	-	2	1	-	-	-	37	10	23
20	Marion	293	4	-	2	33	3	3	3	9	1	2	12	2	153	47	96
21	Marlboro	374	2	-	4	39	9	2	3	11	4	1	9	1	193	44	129
22	Newberry	259	2	2	1	34	7	6	4	8	-	-	9	-	153	38	109
23	Oconee	276	-	-	4	47	12	7	2	5	3	2	16	8	145	32	100
24	Orangeburg	621	6	1	4	65	21	6	4	17	2	3	12	12	349	125	196
25	Orangeburg	131	1	-	1	19	6	3	2	4	2	1	1	5	76	23	49
26	Balance of county	490	5	1	3	46	15	3	2	13	-	2	11	7	273	102	147
27	Pickens	339	3	-	2	51	15	6	4	7	3	2	14	10	177	65	104
28	Richland	1,385	9	3	9	178	45	23	19	39	8	9	35	13	753	191	487
29	Columbia	938	5	3	7	128	30	18	13	28	6	8	25	9	510	131	330
30	Balance of county	447	4	-	2	50	15	5	6	11	2	1	10	4	243	60	157
31	Saluda	129	1	1	1	17	5	1	-	5	-	2	4	-	75	24	43
32	Spartanburg	1,280	9	2	7	163	41	19	8	30	9	5	51	14	703	151	495
33	Spartanburg	396	3	-	-	48	16	5	2	9	3	1	12	5	228	42	166
34	Balance of county	884	6	2	7	115	25	14	6	21	6	4	39	9	475	109	329
35	Sumter	594	6	3	5	61	20	11	4	13	2	2	9	13	292	70	189
36	Sumter	228	3	-	2	28	5	7	3	7	-	1	5	5	126	27	86
37	Balance of county	366	3	3	3	33	15	4	1	6	2	1	4	8	166	43	103
38	Union	263	-	3	3	34	11	5	6	5	-	2	5	2	147	41	93
39	Williamsburg	381	5	-	2	27	9	4	4	5	2	-	3	5	214	58	119
40	York	638	4	3	5	74	29	9	8	4	3	4	17	11	374	98	218
41	Rock Hill	258	2	-	2	35	16	4	2	2	2	3	6	4	147	35	87
42	Balance of county	380	2	3	3	39	13	5	6	2	1	1	11	7	227	63	131
43	SOUTH DAKOTA	6,248	43	8	22	964	322	107	92	151	53	51	188	111	3,359	802	2,292
44	Metropolitan counties	736	2	2	1	110	38	12	14	9	4	7	26	10	430	92	305
45	Nonmetropolitan counties	5,512	41	6	21	854	284	95	78	142	49	44	162	101	2,929	710	1,987
46	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	Aurora	54	-	-	-	9	3	1	1	-	1	-	3	2	32	5	26
48	Beadle	182	-	-	1	28	6	3	5	6	3	1	4	6	109	26	70
49	Huron	125	-	-	1	21	4	3	5	4	3	1	1	2	74	16	47
50	Balance of county	57	-	-	-	7	2	-	-	2	-	-	3	4	35	10	23
51	Bennett	41	-	-	-	5	1	1	1	-	-	1	1	1	14	6	7
52	Bon Homme	91	-	-	-	19	9	3	3	-	-	1	3	-	57	10	42
53	Brookings	136	-	-	-	28	5	1	3	7	2	2	8	2	72	20	41
54	Brown	306	-	-	1	54	14	9	6	9	5	2	9	7	166	35	120
55	Aberdeen	187	-	-	-	33	7	6	4	7	4	1	4	4	107	22	78
56	Balance of county	119	-	-	1	21	7	3	2	2	1	1	5	3	59	13	42
57	Brule	61	1	-	-	6	2	-	2	2	-	-	-	-	41	13	28
58	Buffalo	12	1	-	-	2	-	1	-	-	1	-	-	1	3	-	3
59	Butte	86	-	1	1	15	5	4	2	1	-	1	2	3	41	10	25
60	Campbell	24	-	-	-	4	1	1	-	1	-	-	1	-	16	3	13
61	Charles Mix	115	1	-	-	18	7	2	-	4	1	-	4	-	73	14	48
62	Clark	57	2	-	-	10	1	3	-	2	1	1	2	-	33	7	23
63	Clay	99	-	-	-	14	4	-	3	3	1	1	2	1	64	26	35
64	Codington	176	-	-	-	35	18	2	2	4	2	-	7	6	100	33	61
65	Watertown	133	-	-	-	31	16	1	2	4	1	-	7	5	73	22	48
66	Balance of county	43	-	-	-	4	2	1	-	-	1	-	-	1	27	11	13
67	Corson	46	3	-	-	8	1	1	2	1	-	-	3	-	15	4	10
68	Custer	63	1	-	-	9	5	1	-	2	-	-	1	-	32	5	25
69	Davison	201	2	1	-	34	12	1	2	2	2	5	10	3	116	19	87
70	Mitchell	160	2	1	-	26	10	1	1	1	2	2	9	2	92	13	69
71	Balance of county	41	-	-	-	8	2	-	1	1	-	3	1	1	24	6	18
72	Day	111	2	-	-	11	7	2	1	1	-	-	-	3	72	26	40
73	Deuel	76	-	-	-	11	4	-	1	2	1	-	3	1	43	12	29
74	Dewey	48	2	1	1	5	3	-	-	1	-	-	1	3	22	6	15
75	Douglas	47	-	-	-	6	3	-	-	-	-	-	3	-	29	5	22
76	Edmunds	42	-	-	1	3	-	-	-	1	-	-	2	-	29	8	20
77	Fall River	118	1	-	-	14	6	2	1	4	-	-	1	4	58	10	45
78	Faulk	55	-	-	-	7	1	-	1	-	1	1	3	1	32	9	19

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	135	33	61	12	3	4	15	32	5	12	2	1	13	56	8	21	41	5	12	60	1
-	58	10	28	6	2	1	7	10	1	7	2	-	3	20	1	5	14	3	4	24	2
-	77	23	33	6	1	3	8	22	4	5	-	1	10	36	7	16	27	2	8	36	3
2	45	23	23	12	4	1	4	23	1	1	1	2	9	15	12	10	12	2	1	13	4
13	361	97	89	8	32	23	16	61	6	8	6	1	27	85	18	50	76	12	8	144	5
6	123	41	32	2	10	7	7	29	2	4	3	-	9	35	10	11	32	4	3	58	6
7	238	56	57	6	22	16	9	32	4	4	3	1	18	50	8	39	44	8	5	86	7
-	107	39	31	4	8	5	5	13	3	4	2	-	6	16	5	10	11	7	10	27	8
-	42	15	12	3	3	2	1	6	-	2	1	-	4	10	4	4	2	4	7	14	9
-	65	24	19	1	5	3	4	7	3	2	1	-	2	6	1	6	9	3	3	13	10
1	43	21	8	-	4	1	6	9	1	1	-	1	-	7	4	8	10	-	-	8	11
2	92	36	44	4	2	5	19	25	1	8	4	2	4	39	17	20	29	6	7	30	12
-	17	7	7	-	-	-	1	8	-	-	-	-	-	4	7	4	7	-	4	3	13
1	56	26	22	-	10	5	10	18	-	-	1	1	5	13	1	7	19	6	3	17	14
3	79	26	10	3	8	1	1	12	2	1	1	2	7	23	1	7	14	5	-	16	15
1	102	22	27	3	10	5	4	18	3	2	-	3	6	16	17	7	17	1	2	33	16
3	32	37	7	2	1	-	1	6	1	1	-	-	1	10	23	8	10	1	-	15	17
3	93	19	55	4	7	7	4	17	2	6	3	1	6	19	13	11	28	9	3	24	18
2	12	3	6	2	1	-	1	6	-	1	1	-	1	4	12	-	2	4	2	7	19
4	64	21	7	2	4	1	3	15	1	3	1	1	2	20	10	8	13	1	5	19	20
-	71	36	22	6	8	4	2	21	1	6	3	3	2	29	3	12	17	2	4	32	21
2	79	9	19	3	2	1	-	6	-	3	1	1	3	10	1	6	10	-	3	23	22
1	64	18	17	2	1	5	5	11	2	2	-	1	4	19	-	8	9	1	1	14	23
2	102	58	34	4	11	5	8	28	1	7	-	1	9	13	23	21	33	2	8	38	24
-	21	17	11	1	1	1	1	4	-	-	-	-	-	3	3	5	4	-	3	7	25
2	81	41	23	3	10	4	7	24	1	7	-	1	9	10	20	16	29	2	5	31	26
4	64	17	19	3	3	2	-	8	4	-	-	2	7	17	6	6	19	3	-	24	27
6	319	118	44	12	26	19	18	65	8	10	8	4	17	72	17	31	55	9	21	103	28
5	222	77	26	8	21	9	11	42	6	7	6	3	9	46	15	15	37	7	9	74	29
1	97	41	18	4	5	10	7	23	2	3	2	1	8	26	2	16	18	2	12	29	30
-	30	8	5	2	3	1	2	4	1	-	-	-	1	1	4	3	6	1	2	11	31
8	337	89	61	13	22	11	11	65	5	9	11	-	22	51	22	45	37	12	14	89	32
2	111	36	17	4	6	3	7	18	3	4	4	-	6	21	7	10	12	-	5	22	33
6	226	53	44	9	16	8	4	47	2	5	7	-	16	30	15	35	25	12	9	67	34
9	76	67	37	8	6	3	16	23	1	14	-	2	10	50	25	17	24	1	9	38	35
1	44	26	15	5	-	1	7	3	-	1	-	1	5	20	4	6	6	1	5	12	36
8	32	41	22	3	6	2	9	20	1	13	-	1	5	30	21	11	18	-	4	26	37
-	58	19	16	2	8	1	2	10	-	1	1	1	5	16	3	9	11	2	3	12	38
1	63	36	19	16	11	2	8	19	-	2	2	2	2	22	23	13	21	1	1	20	39
12	142	39	25	5	35	5	13	22	2	10	2	1	7	23	7	16	28	9	3	37	40
5	54	20	8	2	17	3	3	10	-	2	1	-	2	10	6	4	12	4	2	15	41
7	88	19	17	3	18	2	10	12	2	8	1	1	5	13	1	12	16	5	1	22	42
62	1,721	174	335	43	150	44	28	220	29	34	32	5	85	251	74	221	230	80	6	474	43
6	248	18	33	4	19	5	5	20	1	4	4	-	7	27	5	20	20	14	-	59	44
56	1,473	156	302	39	131	39	23	200	28	30	28	5	78	224	69	201	210	66	6	415	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	19	3	2	-	1	-	-	3	1	-	-	-	1	-	-	2	-	-	-	4	47
-	54	7	9	1	11	1	-	5	2	-	-	-	2	2	-	6	8	1	-	12	48
-	36	3	8	1	9	1	-	4	2	-	-	-	1	-	-	3	6	1	-	10	49
-	18	4	1	-	2	-	-	1	-	-	-	-	1	2	-	3	2	-	-	2	50
-	5	-	2	-	1	-	-	4	-	-	-	-	1	3	1	1	5	-	-	6	51
1	31	1	9	-	3	1	1	3	-	1	1	-	-	1	-	-	2	2	-	5	52
1	38	1	1	1	7	3	-	1	1	-	-	-	1	10	-	6	4	2	-	9	53
5	87	10	18	2	6	2	1	8	2	2	4	-	7	12	1	9	8	4	-	21	54
3	58	6	11	2	3	1	1	3	2	-	2	-	6	7	1	4	5	2	-	11	55
2	29	4	7	-	3	1	-	5	-	2	2	-	1	5	-	5	3	2	-	10	56
1	22	2	3	-	-	-	-	-	1	-	-	-	-	1	-	2	2	-	-	7	57
-	3	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	1	58
1	14	5	5	3	3	-	-	3	2	-	1	-	1	3	2	3	2	2	-	6	59
1	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	60
1	38	2	7	1	4	3	3	2	1	-	-	-	-	5	-	1	5	-	-	9	61
2	17	1	3	-	-	2	1	-	-	1	2	-	-	2	1	-	3	1	-	2	62
-	33	-	2	2	1	-	-	4	1	-	-	-	1	4	1	2	3	-	-	4	63
1	45	7	8	1	3	2	-	2	3	-	1	-	5	5	-	4	4	3	-	8	64
-	37	5	6	-	2	1	-	1	2	-	1	-	3	2	-	4	2	3	-	6	65
1	8	2	2	1	1	1	-	1	1	-	-	-	2	3	-	-	2	-	-	2	66
-	7	1	2	1	-	-	-	4	-	-	-	-	1	3	-	3	4	-	-	5	67
1	17	4	3	-	1	1	-	3	-	-	-	-	1	4	2	3	2	2	-	4	68
4	68	3	12	2	8	-	-	8	-	-	-	-	5	7	3	5	7	2	1	7	69
3	55	3	8	2	8	-	-	8	-	-	-	-	4	5	3	4	5	2	1	5	70
1	13	-	4	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	2	71
-	38	1	1	2	3	-	1	3	-	1	-	-	1	2	-	1	5	2	-	8	72
1	22	3	3	-	-	2	-	1	-	-	1	-	-	2	2	7	3	1	-	4	73
-	13	1	1	1	-	1	-	3	-	-	-	1	-	1	2	2	2	-	-	3	74
-	10	4	8	-	2	-	-	-	1	1	-	-	-	-	1	3	2	-	-	4	75
-	17	1	2	-	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	5	76
-	35	2	8	-	2	1	-	7	-	-	1	-	-	6	8	3	3	2	-	11	77
-	12	-	7	1	-	3	-	6	-	-	-	-	2	2	-	-	2	1	-	2	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	SOUTH DAKOTA—Continued																
1	Grant	86	1	-	-	12	3	3	-	2	1	1	2	2	48	17	31
2	Gregory	85	1	-	2	12	8	-	1	2	-	-	1	1	43	7	34
3	Haakon	29	-	-	-	4	2	1	-	-	-	-	1	1	17	4	12
4	Hamlin	79	-	-	-	18	4	3	1	3	2	1	4	1	42	8	33
5	Hand	65	-	-	1	9	2	2	-	1	1	1	2	1	32	7	24
6	Hanson	44	1	-	-	6	1	2	-	2	-	-	1	2	25	5	18
7	Harding	23	-	1	-	3	1	1	-	-	-	-	1	2	12	2	10
8	Hughes	78	-	-	1	11	3	1	1	3	1	-	2	1	42	7	32
9	Hutchinson	93	-	-	-	15	3	4	1	3	2	-	2	2	52	16	32
10	Hyde	27	1	-	-	3	1	-	-	-	-	1	1	-	16	2	13
11	Jackson	28	-	-	-	6	1	1	-	3	-	-	1	-	12	4	8
12	Jerauld	47	-	-	-	6	2	1	-	2	-	-	1	-	21	7	12
13	Jones	22	-	-	-	4	1	-	-	-	-	1	2	-	16	3	13
14	Kingsbury	85	-	-	2	14	5	1	-	4	1	-	3	-	47	9	36
15	Lake	121	-	-	-	26	5	3	3	9	1	2	3	4	58	14	42
16	Lawrence	158	2	-	-	18	6	2	1	4	2	1	2	2	89	20	61
17	Lincoln	131	3	-	-	22	7	1	4	6	-	3	1	1	76	24	48
18	Lyman	45	2	-	-	7	3	-	-	1	1	-	2	-	24	7	14
19	McCook	85	-	-	-	15	4	1	1	4	2	1	2	1	51	10	35
20	McPherson	80	-	-	1	7	1	2	-	2	-	-	2	-	29	5	23
21	Marshall	76	-	-	-	18	7	-	4	1	2	1	3	-	39	13	21
22	Meade	102	1	-	1	21	3	4	3	5	1	2	3	1	38	6	25
23	Mellette	41	1	-	-	7	4	-	-	1	-	-	2	1	10	3	5
24	Miner	55	-	1	-	9	2	3	-	1	-	1	2	1	30	10	17
25	Minnehaha	736	2	2	1	110	38	12	14	9	4	7	26	10	430	92	305
26	Sioux Falls	566	2	2	1	81	24	8	12	8	1	6	22	5	327	70	236
27	Balance of county	170	-	-	-	29	14	4	2	1	3	1	4	5	103	22	69
28	Moody	80	-	-	-	16	4	2	-	3	2	2	3	2	49	5	42
29	Pennington	364	-	-	3	44	15	5	6	10	2	2	4	7	155	45	98
30	Rapid City	270	-	-	2	31	11	4	3	7	1	2	3	5	120	41	69
31	Balance of county	94	-	-	1	13	4	1	3	3	1	-	1	2	35	4	29
32	Perkins	49	-	-	-	3	2	-	-	1	-	-	-	2	25	2	18
33	Potter	52	-	-	-	12	7	-	-	3	-	-	2	1	18	7	11
34	Roberts	139	2	-	-	15	4	2	2	2	1	-	4	6	72	15	49
35	Sanborn	49	-	-	-	5	2	1	1	-	-	-	1	-	31	8	22
36	Shannon	77	8	-	-	7	4	1	-	1	-	-	1	-	17	-	14
37	Spink	130	-	-	-	21	7	1	-	3	2	-	8	3	83	23	48
38	Stanley	25	-	-	-	1	-	1	-	-	-	-	-	-	8	2	6
39	Sully	18	-	-	-	1	1	-	-	-	-	-	-	-	12	1	11
40	Todd	57	2	-	1	6	1	-	-	1	-	-	4	1	18	4	13
41	Tripp	78	-	-	-	11	5	1	1	1	-	1	2	1	38	10	25
42	Turner	118	-	1	2	27	10	1	2	1	-	4	9	3	59	8	45
43	Union	122	-	-	1	17	6	1	5	-	2	2	1	3	64	16	42
44	Walworth	59	-	-	1	8	4	2	1	1	-	-	-	1	34	10	22
45	Washabaugh	15	-	-	-	2	1	-	1	-	-	-	-	1	5	-	5
46	Yankton	162	-	-	-	30	14	3	3	3	2	1	4	2	101	32	62
47	Ziebach	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
48	TENNESSEE	32,385	361	49	177	4,268	1,328	589	350	727	180	219	875	364	17,221	4,711	10,856
49	Metropolitan counties	14,222	156	31	75	1,941	563	292	181	315	82	100	408	163	7,236	2,010	4,469
50	Nonmetropolitan counties	18,163	205	18	102	2,327	765	297	169	412	98	119	467	201	9,985	2,701	6,387
51	Anderson	364	4	1	3	43	12	6	3	6	3	4	9	4	162	42	108
52	Bedford	197	4	-	1	24	7	3	-	5	2	2	5	3	122	34	80
53	Benton	123	1	-	-	23	10	3	-	3	-	2	5	1	71	17	48
54	Bledsoe	79	-	-	1	11	3	1	1	4	-	1	1	1	48	15	25
55	Blount	393	4	1	-	62	17	8	7	8	2	7	13	5	208	68	119
56	Bradley	334	2	1	3	58	16	5	7	11	3	3	13	5	162	47	99
57	Cleveland	174	2	1	-	29	8	1	2	3	3	3	9	4	82	27	52
58	Balance of county	160	-	-	3	29	8	4	5	8	-	-	4	1	80	20	47
59	Campbell	261	5	1	2	42	18	2	4	8	1	-	9	1	112	24	78
60	Cannon	82	1	-	-	8	1	1	1	2	-	1	2	-	55	8	45
61	Carroll	262	2	-	1	28	9	3	3	6	1	-	6	5	171	52	100
62	Carter	329	7	-	3	34	12	4	3	4	-	3	8	11	186	51	119
63	Elizabethton	93	1	-	-	11	4	2	2	-	-	2	1	4	52	14	33
64	Balance of county	236	6	-	3	23	8	2	1	4	-	1	7	7	134	37	86
65	Cheatham	90	3	-	-	13	5	1	2	2	1	1	1	1	51	12	37
66	Chester	105	-	-	-	15	5	3	1	3	1	-	2	-	62	24	31
67	Claiborne	202	4	-	4	24	9	5	2	2	-	-	6	3	107	25	72
68	Clay	76	-	-	1	5	-	1	1	-	-	1	2	-	53	8	42
69	Cocke	232	3	-	-	41	17	2	5	4	1	1	11	3	108	21	63
70	Coffee	223	4	-	-	35	7	4	3	3	5	3	10	3	120	36	70
71	Crockett	162	5	-	-	22	6	3	2	-	-	2	9	2	109	31	70
72	Cumberland	137	1	-	-	21	5	2	1	6	-	1	6	2	52	14	31
73	Davidson	3,534	42	8	16	490	134	79	54	95	12	22	94	47	1,934	530	1,232
74	Nashville	2,247	33	7	8	301	89	51	33	59	6	15	48	33	1,217	340	764
75	Balance of county	1,287	9	1	8	189	45	28	21	36	6	7	46	14	717	190	468
76	Decatur	77	-	-	-	7	4	-	-	-	-	1	2	-	43	20	20
77	De Kalb	115	1	-	3	20	8	2	2	4	-	-	4	1	65	12	51

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	18	4	8	-	-	-	-	2	-	-	-	1	2	3	1	5	3	2	-	4	1
1	25	4	4	1	1	-	-	5	-	-	1	-	2	3	3	3	3	2	-	4	2
-	9	1	2	1	-	-	-	2	-	-	-	-	-	2	-	-	2	-	-	1	3
-	30	1	2	-	1	-	-	2	-	-	-	-	1	2	1	5	1	2	-	4	4
1	15	6	2	-	-	-	1	3	-	1	-	1	1	3	2	1	1	1	-	8	5
2	9	2	5	-	2	-	-	2	-	-	-	-	-	1	-	2	2	-	-	3	6
-	5	-	5	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	1	7
1	21	3	7	1	2	-	-	2	-	-	-	-	1	5	-	5	4	2	-	4	8
-	27	5	-	1	2	1	-	7	-	1	1	-	3	2	-	1	2	1	-	6	9
-	9	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	5	10
-	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-	3	4	-	-	2	11
-	9	1	2	1	1	-	-	3	-	-	-	-	1	2	-	2	3	2	-	7	12
-	4	3	6	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	13
-	31	1	4	-	1	-	1	4	-	-	-	-	1	3	-	2	3	1	-	8	14
2	34	4	2	-	1	-	1	7	1	1	2	-	-	3	3	4	3	1	1	7	15
9	31	6	15	1	2	3	2	6	1	-	-	-	5	6	-	1	7	3	-	18	16
-	29	7	12	2	2	-	-	3	1	-	1	-	2	1	2	3	4	1	-	11	17
-	7	3	4	-	3	-	-	1	-	-	-	-	-	2	-	3	1	-	-	5	18
2	24	2	7	-	4	2	-	5	-	-	-	-	1	2	1	2	1	-	-	6	19
1	21	-	1	-	-	-	1	-	-	-	-	-	1	3	-	11	2	-	-	6	20
-	17	-	4	1	3	1	-	2	-	1	-	-	1	1	-	6	5	-	-	3	21
1	19	-	5	-	3	2	2	3	-	1	-	-	1	13	1	8	3	-	-	10	22
-	3	-	2	-	-	1	1	2	1	-	2	-	2	1	4	5	1	1	-	3	23
1	15	-	1	-	3	-	-	4	1	-	-	-	1	2	2	-	1	-	-	3	24
6	248	18	33	4	19	5	5	20	1	4	4	-	7	27	5	20	20	14	-	59	25
3	194	16	23	3	12	2	4	15	1	4	4	-	7	26	5	16	13	12	-	45	26
3	54	2	10	1	7	3	1	5	-	-	-	-	-	1	-	4	7	2	-	14	27
-	21	11	10	-	1	1	-	3	1	-	-	-	-	1	1	-	1	1	-	5	28
3	78	6	11	2	7	2	1	11	2	-	3	1	7	45	2	20	21	5	-	38	29
3	53	5	8	2	5	2	1	7	2	-	3	1	6	39	2	10	13	2	-	27	30
-	25	1	3	-	2	-	-	4	-	-	-	-	1	6	-	10	8	3	-	11	31
-	15	-	3	-	4	-	1	3	-	-	-	-	1	1	-	6	2	1	-	5	32
1	6	-	4	-	-	-	-	4	-	2	1	-	2	3	-	2	1	1	-	5	33
1	36	6	6	2	5	1	-	11	-	-	1	-	1	3	4	5	6	1	-	12	34
-	14	1	7	-	1	-	-	2	1	-	-	-	2	2	-	-	3	1	-	2	35
-	10	-	4	-	1	-	2	5	-	8	-	-	1	7	5	3	4	1	1	10	36
-	42	2	4	1	9	1	1	3	1	-	-	-	1	6	2	1	4	1	-	4	37
1	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	7	1	1	3	38
-	7	1	3	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	39
-	12	-	1	1	-	-	-	2	-	5	-	-	2	-	4	3	5	1	-	7	40
-	20	2	3	-	1	2	-	6	1	1	-	1	-	-	-	7	3	3	1	5	41
1	36	2	6	-	5	-	1	-	-	1	-	-	1	2	-	7	4	1	-	10	42
2	28	3	9	3	3	-	-	5	1	-	1	-	3	3	4	2	6	2	-	10	43
1	15	4	2	1	1	-	-	3	-	1	1	-	-	3	-	-	2	-	-	5	44
-	3	-	2	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	3	45
2	54	1	5	1	5	-	1	1	1	1	1	-	1	5	1	3	3	1	1	10	46
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	47
288	7,094	1,643	1,831	323	642	378	311	1,356	186	129	207	38	413	1,452	1,516	779	1,046	363	285	2,175	48
137	2,950	660	722	137	306	213	101	583	90	47	134	15	201	759	685	316	457	132	165	1,036	49
151	4,144	983	1,109	186	336	165	210	773	96	82	73	23	212	693	831	463	589	231	120	1,139	50
5	76	11	16	1	7	2	2	6	2	-	4	2	10	19	22	16	20	6	9	31	51
2	50	12	16	4	2	-	2	6	1	-	2	-	-	9	2	2	8	3	-	10	52
2	28	4	14	2	3	1	-	2	1	-	-	-	2	4	4	3	3	1	-	7	53
1	22	1	1	3	3	1	1	2	-	-	-	-	-	2	3	5	2	1	1	2	54
4	86	22	7	7	7	3	4	14	1	2	4	-	3	24	19	5	9	4	1	27	55
1	68	24	6	3	6	2	5	15	2	4	1	-	5	10	15	15	9	5	2	20	56
-	37	13	2	-	-	2	1	4	1	4	-	-	1	6	3	14	4	4	2	13	57
1	31	11	4	3	6	-	4	11	1	-	1	-	4	4	12	1	5	1	-	7	58
1	54	10	13	-	3	2	5	16	1	-	1	-	6	14	24	5	11	1	2	17	59
1	35	9	-	1	-	-	1	4	-	-	-	-	1	2	1	2	1	-	1	6	60
-	74	10	16	3	12	2	2	13	-	-	1	-	3	7	5	5	7	4	1	9	61
2	88	9	20	3	7	2	4	5	2	2	3	-	3	15	13	11	10	4	1	19	62
-	25	3	5	1	1	1	2	-	-	1	1	-	1	3	3	5	6	-	-	5	63
2	63	6	15	2	6	1	2	5	2	1	2	-	2	12	10	6	4	4	1	14	64
-	24	5	8	-	1	1	-	2	-	-	-	-	1	1	1	4	1	1	1	10	65
-	28	-	3	5	1	-	1	6	2	-	-	-	1	6	3	1	2	3	-	4	66
3	45	5	19	3	2	2	3	7	-	2	1	1	1	5	11	5	8	2	1	16	67
-	20	14	8	-	1	1	1	3	1	-	-	1	-	-	1	3	3	-	1	4	68
3	29	21	10	4	16	2	2	10	3	1	2	-	2	10	17	14	6	1	1	10	69
4	51	3	12	3	9	-	2	10	3	1	-	1	4	7	2	5	7	8	-	13	70
3	41	18	8	3	2	3	-	7	-	1	-	-	2	2	1	5	1	-	-	5	71
-	26	3	2	1	2	1	3	5	-	1	-	-	4	6	11	7	11	1	-	15	72
30	828	134	240	21	60	55	36	149	20	15	25	3	52	173	29	70	117	34	66	244	73
17	469	100	178	16	34	34	29	107	16	11	15	2	25	98	22	38	78	18	59	159	74
13	359	34	62	5	26	21	7	42	4	4	10	1	27	75	7	32	39	16	7	85	75
3	15	1	1	1	1	1	-	5	-	-	1	-	1	3	10	3	-	-	1	3	76
-	24	9	18	-	-	2	-	4	1	-	-	-	2	5	1	-	6	1	1	4	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	TENNESSEE—Continued																
1	Dickson	218	-	1	2	26	10	5	3	2	1	1	4	3	131	38	80
2	Dyer	380	-	2	2	50	14	9	4	11	2	-	10	5	226	63	146
3	Dyersburg	180	-	2	1	22	6	4	1	7	1	-	3	-	107	26	70
4	Balance of county	200	-	-	1	28	8	5	3	4	1	-	7	5	119	37	76
5	Fayette	245	4	1	3	28	8	4	3	12	-	1	-	3	122	39	70
6	Fentress	126	1	-	-	10	3	1	-	3	-	-	3	1	62	21	34
7	Franklin	227	4	-	1	28	7	3	1	8	3	-	6	4	130	49	73
8	Gibson	503	2	-	3	78	30	5	7	14	2	5	15	2	289	93	174
9	Giles	293	5	1	1	29	11	5	3	5	-	2	3	3	176	53	108
10	Grainger	115	1	-	1	6	-	1	-	3	-	-	2	2	65	29	34
11	Greene	370	3	-	3	48	16	5	3	10	1	5	8	6	212	44	147
12	Grundy	97	6	-	-	8	2	1	-	-	2	1	2	-	53	12	38
13	Hamblen	267	6	2	-	34	11	5	-	5	1	-	12	3	129	33	81
14	Morristown	154	2	2	-	21	7	3	-	1	1	-	9	2	68	17	42
15	Balance of county	113	4	-	-	13	4	2	-	4	-	-	3	1	61	16	39
16	Hamilton	2,262	43	1	12	295	91	38	20	51	10	16	69	36	1,088	316	665
17	Chattanooga	1,623	35	1	6	201	61	28	16	34	8	9	45	30	781	232	470
18	Balance of county	639	8	-	6	94	30	10	4	17	2	7	24	6	305	84	195
19	Hancock	61	-	-	1	4	1	-	1	-	-	1	1	1	37	8	23
20	Hardeman	209	-	-	-	29	9	4	2	8	1	1	4	-	106	23	71
21	Hardin	138	3	-	2	17	3	3	1	3	1	3	3	1	71	22	43
22	Hawkins	250	4	-	2	20	9	3	-	2	-	1	5	4	152	34	101
23	Haywood	235	2	-	3	17	8	2	1	5	-	-	1	1	103	26	62
24	Henderson	168	-	-	-	28	12	4	1	3	2	-	6	1	101	28	54
25	Henry	279	2	-	1	38	15	3	1	6	5	3	5	4	162	31	113
26	Hickman	139	-	-	2	20	7	2	3	2	1	1	4	-	65	9	53
27	Houston	56	1	-	1	3	1	-	-	-	-	-	2	-	38	9	25
28	Humphreys	109	1	-	-	16	4	2	1	2	-	2	5	2	57	11	40
29	Jackson	101	-	-	-	19	5	1	2	4	1	-	6	1	51	10	29
30	Jefferson	187	3	1	-	25	7	4	1	4	-	-	9	6	98	33	50
31	Johnson	115	-	-	-	9	4	-	1	1	-	2	1	1	60	11	46
32	Knox	2,097	18	3	8	300	88	46	24	46	16	14	66	16	997	250	615
33	Knoxville	1,271	12	3	4	172	47	28	12	28	7	10	40	12	587	153	356
34	Balance of county	826	6	-	4	128	41	18	12	18	9	4	26	4	400	97	259
35	Lake	98	-	-	2	13	3	1	1	4	1	-	3	-	46	16	25
36	Lauderdale	220	1	-	2	24	6	4	1	8	1	1	3	4	118	27	80
37	Lawrence	210	3	-	1	26	8	3	3	2	2	2	6	3	123	40	78
38	Lewis	63	1	-	-	12	5	1	-	5	-	1	-	-	28	1	23
39	Lincoln	278	5	-	3	37	5	8	4	6	1	3	10	3	159	41	109
40	Loudon	199	2	-	-	21	8	4	1	1	2	-	5	5	101	17	77
41	McMinn	323	1	-	-	42	17	2	1	7	3	1	11	2	187	45	121
42	McNairy	156	-	-	-	18	10	1	1	2	1	2	1	-	93	34	52
43	Macon	124	3	-	1	14	3	2	2	2	-	-	5	1	73	12	58
44	Madison	642	5	-	4	97	26	10	10	18	3	8	22	4	343	119	199
45	Jackson	381	2	-	4	60	16	8	7	11	1	4	13	2	207	67	124
46	Balance of county	261	3	-	-	37	10	2	3	7	2	4	9	2	136	52	75
47	Marion	212	-	-	3	17	8	1	1	5	1	-	1	1	118	46	65
48	Marshall	193	2	-	1	30	7	6	3	6	2	1	5	2	116	33	74
49	Maury	421	5	1	1	49	17	5	4	9	4	2	8	6	257	71	162
50	Columbia	158	1	1	1	19	10	1	1	4	1	1	1	4	90	23	61
51	Balance of county	263	4	-	-	30	7	4	3	5	3	1	7	2	167	48	101
52	Meigs	50	-	-	-	6	3	2	-	-	-	-	1	1	23	2	17
53	Monroe	224	1	1	3	24	5	2	1	7	3	1	5	4	102	29	68
54	Montgomery	403	5	2	3	41	14	8	3	4	2	2	8	6	218	51	142
55	Clarksville	217	2	1	2	25	7	5	1	3	1	2	6	4	111	25	67
56	Balance of county	186	3	1	1	16	7	3	2	1	1	-	2	2	107	26	75
57	Moore	33	-	-	-	5	3	-	-	1	-	1	-	-	18	8	9
58	Morgan	139	3	-	1	13	3	3	-	3	1	1	2	3	68	20	40
59	Obion	280	1	-	1	37	9	5	5	8	-	2	8	3	174	43	114
60	Overton	159	1	-	-	17	4	3	2	4	1	1	2	1	79	11	67
61	Perry	60	-	-	1	8	3	1	1	-	1	1	1	-	33	16	15
62	Pickett	34	-	-	1	4	2	-	1	-	-	-	1	1	16	4	8
63	Polk	109	4	-	-	13	2	2	1	3	2	-	3	1	52	17	29
64	Putnam	252	6	-	1	52	18	7	1	7	5	2	12	2	124	20	89
65	Rhea	139	4	-	2	20	10	3	-	3	-	1	3	5	58	9	44
66	Roane	299	3	-	-	40	13	7	1	11	1	2	5	3	143	27	104
67	Robertson	288	3	-	2	38	13	4	4	8	1	1	7	5	147	33	100
68	Rutherford	401	6	-	4	33	11	1	3	5	1	6	6	6	230	85	126
69	Murfreesboro	165	-	-	2	18	5	1	2	4	-	3	3	2	103	34	61
70	Balance of county	236	6	-	2	15	6	-	1	1	1	3	3	4	127	51	65
71	Scott	141	1	-	1	13	8	3	1	1	-	-	-	-	75	15	52
72	Sequatchie	53	1	-	1	6	3	-	-	2	-	-	1	-	26	5	19
73	Sevier	186	3	-	1	27	11	2	-	7	1	1	5	1	96	24	58
74	Shelby	5,572	45	17	36	751	221	115	73	109	39	37	157	55	2,849	804	1,730
75	Memphis	4,774	36	15	27	660	193	98	62	97	36	34	140	53	2,495	696	1,528
76	Balance of county	798	9	2	9	91	28	17	11	12	3	3	17	2	354	108	202
77	Smith	141	1	-	-	17	6	4	-	2	2	1	2	2	92	22	65
78	Stewart	81	1	-	-	15	2	1	-	2	1	2	7	-	47	10	34

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	47	24	8	3	7	2	1	11	2	-	2	-	2	8	4	1	6	7	3	9	1
7	79	31	29	2	2	1	12	15	2	1	2	1	2	13	13	5	9	6	3	23	2
4	35	15	16	1	1	-	9	6	2	-	1	-	1	8	5	2	4	3	2	14	3
3	44	16	13	1	1	1	3	9	-	1	1	1	1	5	8	3	5	3	1	9	4
8	37	9	16	1	8	1	3	10	1	2	1	1	-	9	38	3	8	1	1	9	5
1	21	5	7	1	2	3	1	11	-	4	-	-	-	10	8	3	7	2	-	7	6
-	52	7	14	2	3	1	2	9	1	-	2	-	3	10	6	5	12	2	2	8	7
1	121	24	28	1	11	4	6	26	1	4	3	2	3	10	13	19	10	5	2	31	8
4	68	11	25	5	5	2	3	16	1	-	-	-	-	7	17	7	8	2	5	15	9
1	19	8	6	1	1	-	-	5	-	1	-	-	4	4	7	4	3	3	1	8	10
7	92	26	22	4	7	6	4	20	2	2	-	-	5	14	13	9	8	5	-	20	11
1	30	-	7	1	-	1	1	4	1	-	-	-	1	5	5	1	4	1	2	6	12
3	60	11	7	1	5	6	3	10	2	1	-	1	5	11	15	9	8	4	2	25	13
1	32	5	4	1	3	4	1	5	1	1	-	1	3	9	11	5	6	2	2	13	14
2	28	6	3	-	2	2	2	5	1	-	-	-	2	2	4	4	2	2	-	12	15
18	448	79	120	16	45	34	10	86	17	4	24	3	27	103	177	65	69	18	30	168	16
12	306	63	89	12	33	26	8	67	12	3	15	3	12	70	143	36	44	10	29	125	17
6	142	16	31	4	12	8	2	19	5	1	9	-	15	33	34	29	25	8	1	41	18
-	15	7	1	-	1	1	4	-	1	-	-	-	1	2	2	1	3	2	1	5	19
1	43	16	11	2	3	5	2	12	-	1	1	-	2	5	22	5	9	3	3	11	20
2	25	4	12	1	3	1	1	3	1	-	1	1	2	5	8	4	9	3	1	6	21
4	58	14	25	1	6	1	9	8	3	1	-	-	6	7	12	4	6	5	-	16	22
2	30	24	6	2	3	4	6	24	1	1	1	1	3	9	40	5	8	5	1	10	23
2	34	3	15	4	11	-	4	5	1	2	-	-	2	2	10	3	4	2	-	7	24
2	78	8	25	8	6	3	1	9	2	2	1	-	1	7	8	2	10	2	4	24	25
2	37	7	7	1	1	1	-	5	-	-	-	-	3	7	14	3	7	2	1	10	26
-	9	6	10	1	3	-	-	2	-	-	-	1	2	2	3	-	-	1	-	2	27
-	21	9	10	3	1	1	1	2	-	-	1	1	-	4	4	4	5	4	-	8	28
2	22	2	3	1	9	1	1	2	3	-	1	-	1	8	7	1	-	1	-	6	29
1	29	9	11	1	4	3	5	14	-	-	-	1	3	7	5	7	6	5	1	7	30
1	19	15	11	-	1	1	1	8	1	1	-	-	-	2	12	6	5	-	1	9	31
27	410	95	83	26	47	43	16	69	12	4	19	1	26	80	249	44	56	29	15	151	32
16	239	57	44	17	34	28	9	39	6	4	11	1	12	45	173	24	32	17	13	94	33
11	171	38	39	9	13	15	7	30	6	-	8	-	14	35	76	20	24	12	2	57	34
-	20	3	2	-	4	1	-	4	-	2	-	-	1	5	7	2	5	2	1	8	35
1	54	16	9	2	3	3	3	17	2	-	1	-	4	15	5	6	6	2	1	12	36
1	40	3	34	1	1	1	2	11	-	1	-	-	2	3	11	5	5	2	1	13	37
-	18	3	2	-	-	1	3	3	-	-	-	-	1	2	6	2	-	-	-	8	38
3	55	18	33	2	3	1	3	9	-	3	1	-	2	9	14	3	8	6	1	15	39
2	49	17	9	1	4	-	2	10	2	1	3	-	2	12	11	5	6	3	1	14	40
3	80	16	22	6	6	4	5	12	1	2	2	-	6	9	16	10	11	-	1	21	41
1	41	10	-	3	2	2	-	9	1	-	-	-	2	2	12	1	4	2	1	11	42
-	29	6	23	2	-	-	1	2	2	-	1	-	-	3	4	3	7	3	-	7	43
7	135	41	16	5	10	8	2	38	2	2	4	-	8	32	34	8	18	6	3	34	44
6	90	20	8	3	5	7	1	21	2	-	4	-	7	21	11	4	7	6	1	22	45
1	45	21	8	2	5	1	1	17	-	2	-	-	1	11	23	4	11	-	2	12	46
1	44	12	8	3	2	2	-	15	1	-	-	-	2	7	14	6	7	2	2	17	47
2	46	13	13	2	2	3	2	9	2	-	2	-	-	6	2	4	5	5	-	7	48
6	94	29	33	2	12	4	6	11	-	4	4	1	3	14	11	8	8	6	3	29	49
1	41	10	9	2	4	-	-	4	-	4	1	1	1	9	4	3	3	1	1	10	50
5	53	19	24	-	8	4	6	7	-	-	3	-	2	5	7	5	5	5	2	19	51
1	12	1	3	-	2	1	1	-	-	1	-	-	-	2	4	3	3	1	1	5	52
2	39	18	9	1	2	1	1	13	-	2	1	-	3	10	16	8	7	3	3	23	53
3	101	8	30	4	9	2	10	20	2	6	1	1	9	21	11	11	10	6	2	28	54
2	48	3	14	4	6	1	8	11	1	2	1	1	6	16	7	3	4	3	1	16	55
1	53	5	16	-	3	1	2	9	1	4	-	-	3	5	4	8	6	3	1	12	56
-	7	-	2	-	1	-	-	2	-	-	1	-	-	1	2	-	-	1	-	3	57
1	23	7	9	3	3	2	-	5	1	-	1	-	3	4	14	8	6	1	-	8	58
-	85	17	12	-	8	3	6	13	3	-	-	-	2	4	4	6	10	2	1	19	59
2	40	11	14	-	1	-	-	12	-	1	-	-	-	6	10	5	11	5	2	9	60
-	12	-	3	1	-	-	1	2	-	-	-	1	-	-	1	2	5	2	-	5	61
-	3	5	-	-	-	3	1	2	-	-	-	-	-	-	3	-	3	1	1	2	62
-	16	7	6	1	1	1	3	3	1	-	1	1	2	2	4	5	4	1	3	12	63
-	57	17	15	1	6	5	3	6	1	-	5	-	3	6	7	4	12	3	2	18	64
1	26	3	14	1	1	2	1	8	1	-	-	-	-	10	4	4	7	3	2	11	65
3	66	21	14	3	5	1	3	8	1	3	-	-	6	20	12	17	9	2	1	31	66
-	78	3	19	3	2	3	6	17	4	-	1	1	3	12	5	11	10	6	1	22	67
1	72	26	27	5	7	4	3	17	1	1	2	1	9	27	4	8	13	4	4	31	68
-	40	11	10	3	2	2	1	5	1	-	2	-	3	8	1	2	3	-	1	14	69
1	32	15	17	2	5	2	2	12	-	1	-	1	6	19	3	6	10	4	3	17	70
-	43	3	6	1	4	1	2	5	1	2	-	-	1	10	5	10	6	-	1	10	71
-	14	1	4	-	-	1	1	2	-	-	-	-	-	5	3	1	2	2	-	4	72
1	37	12	8	3	4	1	6	8	2	-	-	-	2	4	15	7	6	4	-	10	73
53	1,102	319	256	66	140	76	33	259	38	22	58	6	83	360	189	116	186	41	44	417	74
46	980	277	225	56	123	68	24	207	33	18	51	5	71	300	145	88	145	36	35	354	75
7	122	42	31	10	17	8	9	52	5	4	7	1	12	60	44	28	41	5	9	63	76
1	42	12	10	3	1	-	1	2	2	-	-	-	1	-	6	4	7	2	-	5	77
-	17	4	13	1	2	-	-	4	-	-	-	-	2	-	4	1	1	-	1	5	78

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	TENNESSEE—Continued																
1	Sullivan	711	7	1	1	95	27	22	5	15	2	4	20	7	390	97	257
2	Bristol[6]	173	1	-	-	28	8	6	2	5	1	2	4	3	107	24	75
3	Kingsport	179	5	1	-	26	7	5	1	6	1	2	4	2	86	22	58
4	Balance of county	359	1	-	1	41	12	11	2	4	-	-	12	2	197	51	124
5	Sumner	357	6	-	5	54	16	7	3	10	1	5	12	1	214	55	135
6	Tipton	294	3	-	1	28	10	4	1	3	1	2	7	-	149	54	80
7	Trousdale	56	-	-	-	11	2	1	1	4	1	-	2	1	23	-	18
8	Unicoi	120	-	-	-	10	4	3	-	-	1	1	1	-	62	23	33
9	Union	51	-	-	-	5	2	-	-	1	-	-	2	-	29	9	18
10	Van Buren	38	-	-	-	6	4	-	-	1	1	-	-	-	24	7	17
11	Warren	222	1	-	3	23	10	4	1	3	1	-	4	2	125	45	74
12	Washington	570	8	2	3	91	29	14	8	18	4	4	14	6	299	88	190
13	Johnson City	292	5	1	3	57	19	8	5	10	4	2	9	1	145	37	98
14	Balance of county	278	3	1	-	34	10	6	3	8	-	2	5	5	154	51	92
15	Wayne	100	4	-	-	16	6	3	1	2	-	1	3	1	43	11	29
16	Weakley	343	6	-	1	44	16	5	2	9	1	3	8	4	230	54	159
17	White	143	1	-	-	18	6	1	3	4	-	-	4	-	92	28	57
18	Williamson	286	1	1	1	27	9	4	3	3	2	1	5	4	160	36	119
19	Wilson	307	5	-	-	49	19	6	8	6	2	1	7	4	171	61	102
20	TEXAS	73,351	724	216	659	10,482	3,217	1,676	858	1,689	513	576	1,953	1,031	36,240	8,617	24,474
21	Metropolitan counties	35,852	406	120	286	5,400	1,646	895	451	828	268	284	1,028	518	17,109	3,940	11,687
22	Nonmetropolitan counties	37,499	318	96	373	5,082	1,571	781	407	861	245	292	925	513	19,131	4,677	12,787
23	Anderson	332	2	2	5	49	23	9	4	6	1	3	3	4	181	45	127
24	Palestine	193	-	2	3	27	11	7	2	5	-	1	1	1	114	28	79
25	Balance of county	139	2	-	2	22	12	2	2	1	1	2	2	3	67	17	48
26	Andrews	49	-	-	-	5	-	3	-	1	1	-	-	1	17	3	12
27	Angelina	333	-	-	2	59	17	9	8	12	1	1	11	7	184	46	122
28	Lufkin	159	-	-	1	30	11	6	3	5	-	1	4	6	80	22	51
29	Balance of county	174	-	-	1	29	6	3	5	7	1	-	7	1	104	24	71
30	Aransas	61	-	-	1	10	4	3	-	2	1	-	-	-	23	6	16
31	Archer	40	-	-	1	10	5	2	-	1	1	-	1	-	18	3	15
32	Armstrong	21	-	-	-	3	1	-	-	-	-	1	1	1	12	1	9
33	Atascosa	186	4	1	1	15	-	2	3	2	2	1	5	1	92	22	61
34	Austin	175	2	-	-	22	8	2	2	2	3	2	3	3	108	36	59
35	Bailey	46	-	-	-	7	3	-	-	2	-	-	2	-	19	5	12
36	Bandera	42	1	-	-	10	1	1	2	1	-	1	4	1	18	6	10
37	Bastrop	211	1	1	4	26	9	10	1	2	-	2	2	4	113	16	87
38	Baylor	56	-	-	1	9	4	-	1	2	-	-	2	-	33	9	19
39	Bee	176	5	-	1	26	5	10	3	5	1	1	1	3	78	26	45
40	Bell	616	5	1	5	92	29	15	8	9	6	6	19	4	320	62	230
41	Temple	274	3	-	1	48	12	10	2	6	3	5	10	2	140	22	99
42	Balance of county	342	2	1	4	44	17	5	6	3	3	1	9	2	180	40	131
43	Bexar	5,021	79	18	44	770	249	101	73	115	36	42	154	76	2,257	517	1,517
44	San Antonio	4,569	73	18	41	705	228	90	65	106	34	37	145	66	2,049	470	1,381
45	Balance of county	452	6	-	3	65	21	11	8	9	2	5	9	10	208	47	136
46	Blanco	50	-	-	-	8	2	2	-	2	-	-	2	1	27	11	13
47	Borden	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
48	Bosque	135	2	1	1	22	9	3	2	1	3	2	2	2	81	25	50
49	Bowie	551	7	1	2	69	18	13	4	18	7	2	7	4	301	98	180
50	Texarkana[7]	284	2	1	2	34	10	7	3	8	3	1	2	2	162	54	98
51	Balance of county	267	5	-	-	35	8	6	1	10	4	1	5	2	139	44	82
52	Brazoria	415	2	2	4	53	15	12	2	6	4	4	10	7	199	37	144
53	Brazos	314	1	2	2	36	6	7	6	6	1	2	8	1	158	31	111
54	Bryan	214	1	1	2	26	4	6	4	3	-	2	7	1	107	24	76
55	Balance of county	100	-	1	-	10	2	1	2	3	1	-	1	-	51	7	35
56	Brewster	54	-	1	2	6	4	-	-	-	-	1	1	1	27	8	18
57	Briscoe	32	-	-	-	4	2	-	-	-	-	1	1	-	14	2	11
58	Brooks	49	1	-	1	5	3	-	-	-	-	-	2	1	27	5	20
59	Brown	268	1	2	1	44	11	5	5	8	4	1	10	2	154	35	109
60	Brownwood	193	1	2	-	30	7	4	4	4	4	-	7	2	109	23	78
61	Balance of county	75	-	-	1	14	4	1	1	4	-	1	3	-	45	12	31
62	Burleson	148	2	-	5	18	9	2	1	2	-	1	3	1	73	18	50
63	Burnet	95	-	-	-	14	10	1	2	-	-	-	1	-	60	14	40
64	Caldwell	217	4	-	8	18	6	-	2	6	-	-	4	4	108	23	78
65	Calhoun	91	-	-	1	6	3	-	-	1	-	-	2	1	38	10	27
66	Callahan	91	-	-	1	17	6	-	4	2	-	-	5	3	45	7	32
67	Cameron	1,070	22	3	26	110	32	22	10	16	-	4	26	16	379	68	267
68	Brownsville	350	7	-	6	35	5	9	6	7	-	2	6	4	133	25	92
69	Harlingen	238	8	1	9	22	6	6	-	4	-	-	6	6	79	7	60
70	San Benito	136	3	2	1	20	7	3	2	2	-	2	4	-	44	10	32
71	Balance of county	346	4	-	10	33	14	4	2	3	-	-	10	6	123	26	83
72	Camp	92	-	-	1	14	4	1	2	5	-	-	2	1	49	16	24
73	Carson	59	-	-	-	4	1	-	1	-	-	-	2	-	35	8	24
74	Cass	218	2	-	1	37	9	8	3	4	3	3	7	1	120	24	80
75	Castro	56	-	-	2	5	1	-	1	-	1	1	1	-	22	6	15
76	Chambers	89	1	-	-	18	4	5	2	1	-	2	4	2	37	6	27
77	Cherokee	346	6	2	1	54	11	7	4	13	4	4	11	2	195	61	120
78	Childress	104	-	-	-	16	7	-	-	3	-	4	2	1	57	24	31
79	Clay	80	2	-	-	14	5	3	-	1	1	1	3	-	46	13	25
80	Cochran	40	-	-	1	4	3	-	-	-	-	-	1	3	15	2	11

[6] Includes data for Bristol, Tenn., only.
[7] Includes data for Texarkana, Tex., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12	184	25	36	11	7	7	11	18	2	3	5	-	7	50	15	17	21	6	3	63	1
5	56	8	6	2	2	2	2	1	-	1	1	-	2	7	2	3	3	-	-	14	2
1	42	5	10	1	-	3	2	3	1	-	2	-	2	17	4	4	5	1	2	18	3
6	86	12	20	8	5	2	7	14	1	2	2	-	3	26	9	10	13	5	1	31	4
2	100	19	14	4	14	3	3	8	4	2	-	-	5	15	5	5	12	2	2	17	5
1	49	25	5	5	2	6	2	16	3	3	1	1	6	14	29	7	11	1	5	16	6
-	8	6	4	1	2	1	1	-	1	1	-	-	-	2	1	-	6	-	-	10	7
-	25	3	5	1	4	1	-	6	2	1	3	-	2	6	3	3	5	2	2	13	8
-	10	2	6	1	1	-	-	2	-	-	-	-	1	2	5	1	-	-	-	6	9
-	10	1	6	-	-	-	-	1	-	1	-	-	1	1	-	1	2	-	1	-	10
3	45	10	16	2	1	3	-	6	1	-	-	-	1	10	13	6	6	3	3	19	11
6	127	37	20	3	8	5	5	20	3	1	3	1	12	21	28	9	14	5	7	37	12
3	70	20	5	2	4	4	-	13	-	-	2	1	7	10	12	4	6	3	3	19	13
3	57	17	15	1	4	1	5	7	3	1	1	-	5	11	16	5	8	2	4	18	14
1	19	3	6	1	-	1	1	3	-	1	-	-	3	3	11	2	5	1	1	6	15
3	129	14	13	7	6	1	3	15	1	2	-	1	1	5	7	3	7	5	-	11	16
-	45	5	7	3	3	1	-	2	1	1	-	-	2	5	6	2	4	3	1	5	17
1	70	6	42	-	2	1	2	17	-	-	1	-	2	11	3	10	14	3	3	8	18
-	60	26	16	1	4	2	1	7	2	-	1	1	2	10	17	9	7	3	4	15	19
467	17,324	2,660	4,023	561	1,130	746	712	3,014	366	767	657	119	1,155	4,356	1,301	2,469	2,761	858	730	5,446	20
257	8,675	1,302	1,453	250	517	376	339	1,441	202	294	427	53	677	2,602	324	1,036	1,254	462	461	2,780	21
210	8,649	1,358	2,570	311	613	370	373	1,573	164	473	230	66	478	1,754	977	1,433	1,507	396	269	2,666	22
2	77	12	36	1	3	2	3	16	2	2	4	1	2	7	10	4	8	3	3	27	23
-	45	9	25	-	2	2	3	10	1	1	2	1	-	3	2	-	5	3	2	16	24
2	32	3	11	1	1	-	-	6	1	1	2	-	2	4	8	4	3	-	1	11	25
-	11	-	1	-	-	2	-	1	1	1	-	-	2	10	1	2	5	2	-	1	26
2	86	12	22	2	7	5	2	16	1	-	4	-	3	12	-	14	14	1	1	15	27
-	36	5	10	1	3	1	2	7	1	-	1	-	2	8	-	7	6	1	-	9	28
2	50	7	12	1	4	4	-	9	-	-	3	-	1	4	-	7	8	-	1	6	29
-	13	-	3	-	-	-	1	5	-	1	1	-	3	3	-	4	7	1	-	2	30
1	11	1	2	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	-	3	31
-	6	1	2	-	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	32
1	41	7	12	2	6	1	-	11	-	5	2	-	2	5	7	9	10	4	1	16	33
2	31	7	19	2	6	3	2	4	-	-	3	-	-	1	4	6	7	3	1	11	34
-	10	1	1	-	1	-	1	-	1	1	1	1	1	4	1	4	2	-	-	4	35
-	9	-	1	-	2	-	-	1	-	3	-	-	-	-	1	2	-	1	-	4	36
-	59	16	12	5	3	-	-	11	1	1	2	1	4	9	8	3	7	1	-	14	37
-	9	6	4	-	1	4	-	-	-	-	-	-	-	4	2	1	2	-	-	4	38
-	22	5	18	-	3	1	3	14	-	3	2	-	3	17	4	3	7	1	3	6	39
4	159	22	45	9	10	5	4	18	3	5	4	-	11	46	15	22	19	7	4	35	40
2	65	12	20	5	8	4	2	13	2	2	2	-	1	16	9	7	5	2	4	17	41
2	94	10	25	4	2	1	2	5	1	3	2	-	10	30	6	15	14	5	-	18	42
40	1,080	150	247	26	89	54	54	272	35	61	75	7	107	397	33	125	164	60	49	392	43
36	977	141	227	22	77	51	48	246	33	58	69	7	97	373	29	100	147	49	44	365	44
4	103	9	20	4	12	3	6	26	2	3	6	-	10	24	4	25	17	11	5	27	45
-	8	4	1	1	2	-	-	2	1	1	-	-	-	2	2	2	-	1	-	3	46
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	32	5	12	2	1	-	3	4	-	-	1	-	-	2	7	1	3	1	-	7	48
8	106	27	39	4	10	3	6	28	2	6	3	1	4	19	16	15	19	10	9	35	49
5	56	12	25	2	3	1	4	16	2	3	2	-	2	8	7	8	9	7	4	13	50
3	50	15	14	2	7	2	2	12	-	3	1	1	2	11	9	7	10	3	5	22	51
4	90	27	23	4	4	7	3	17	-	4	3	-	6	27	6	22	19	4	2	38	52
-	51	31	29	3	4	5	4	8	-	1	2	2	2	21	22	12	17	3	2	22	53
-	41	18	17	-	2	2	3	6	-	1	-	-	1	17	8	7	13	2	2	19	54
-	10	13	12	3	2	3	1	2	-	-	2	2	1	4	14	5	4	1	-	3	55
1	9	5	3	-	1	-	-	2	-	-	-	1	-	3	-	3	2	1	-	5	56
-	10	-	1	-	1	-	-	1	-	2	-	-	-	2	1	2	2	1	-	3	57
-	16	1	3	-	-	2	-	1	-	-	-	-	-	3	1	2	3	-	-	4	58
3	73	5	28	1	6	3	-	14	1	2	1	-	2	6	4	6	5	2	-	21	59
1	56	4	17	-	6	2	-	10	1	1	-	-	1	6	3	4	5	1	-	17	60
2	17	1	11	1	-	1	-	4	-	1	1	-	1	-	1	2	-	1	-	4	61
-	38	2	10	1	1	2	1	7	-	-	-	-	1	7	11	5	8	-	1	9	62
1	26	5	8	1	1	2	2	3	-	-	1	-	1	5	5	2	-	-	-	4	63
-	40	18	20	1	1	2	3	9	-	5	1	-	3	9	9	10	8	3	3	15	64
-	23	2	2	-	1	-	-	4	-	2	3	-	7	10	2	4	4	1	-	8	65
1	19	3	9	1	4	1	-	5	1	-	-	-	-	2	1	3	4	1	-	8	66
7	185	15	60	2	14	17	11	88	5	58	6	4	16	104	50	54	40	15	7	67	67
4	63	6	19	-	4	6	6	20	1	27	2	2	7	25	18	18	14	4	1	26	68
1	38	1	20	1	6	3	2	25	-	6	3	-	5	27	4	13	8	7	2	13	69
2	20	2	8	-	-	2	-	18	2	6	-	-	2	15	10	-	4	-	1	8	70
-	64	6	13	1	4	6	3	25	2	19	1	2	2	37	18	23	14	4	3	20	71
-	18	3	3	2	6	-	1	3	1	-	-	-	1	-	5	4	6	1	1	5	72
-	22	1	1	1	1	1	-	1	-	-	2	-	-	5	1	2	3	1	1	4	73
1	43	15	21	6	6	1	3	9	-	-	1	-	2	5	6	12	9	2	2	9	74
-	14	-	1	1	-	-	-	-	-	5	-	-	2	8	1	3	3	-	2	3	75
2	16	3	6	-	2	2	-	4	1	-	1	-	1	6	1	4	3	1	1	8	76
1	89	15	15	3	5	3	3	14	2	1	3	-	6	11	5	9	7	5	1	22	77
-	25	2	4	-	1	-	1	6	2	-	1	-	-	3	3	3	1	1	-	10	78
-	21	1	3	2	2	4	-	2	-	-	-	-	1	-	1	2	6	-	1	5	79
-	9	-	2	1	-	1	-	2	-	3	-	1	1	3	2	-	2	-	-	3	80

546125 O - 60 - 44

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	TEXAS—Continued																
1	Coke	31	-	-	-	4	1	1	1	1	-	-	-	-	17	6	11
2	Coleman	164	-	-	2	21	3	4	2	2	-	2	8	2	96	25	63
3	Collin	460	7	-	2	64	17	12	6	8	4	4	13	11	251	69	168
4	McKinney	156	3	-	-	27	7	8	2	4	1	2	3	3	72	17	52
5	Balance of county	304	4	-	2	37	10	4	4	4	3	2	10	8	179	52	116
6	Collingsworth	71	-	-	1	12	4	2	-	1	3	-	2	-	41	22	18
7	Colorado	192	1	1	1	28	12	4	2	5	2	-	3	4	99	26	60
8	Comal	174	2	-	6	25	7	3	2	3	3	3	4	1	91	31	55
9	New Braunfels	139	2	-	3	19	5	2	1	2	3	3	3	-	73	27	41
10	Balance of county	35	-	-	3	6	2	1	1	1	-	-	1	1	18	4	14
11	Comanche	153	-	-	-	19	6	2	2	7	-	-	2	2	87	29	51
12	Concho	42	3	-	-	7	3	2	-	-	-	-	2	-	24	4	19
13	Cooke	214	-	1	-	25	10	3	4	5	1	1	1	6	135	31	98
14	Gainesville	147	-	1	-	18	9	2	2	4	1	-	-	4	92	25	63
15	Balance of county	67	-	-	-	7	1	1	2	1	-	1	1	2	43	6	35
16	Coryell	157	1	-	1	28	10	6	1	-	2	1	8	5	85	24	51
17	Cottle	46	1	-	-	5	-	1	1	1	-	-	2	1	24	7	14
18	Crane	25	-	-	-	2	-	2	-	-	-	-	-	-	12	-	11
19	Crockett	14	-	-	1	2	2	-	-	-	-	-	-	-	9	1	8
20	Crosby	93	-	1	3	11	2	1	2	1	1	1	3	-	41	9	25
21	Culberson	22	-	-	-	3	2	1	-	-	-	-	-	-	6	2	4
22	Dallam	55	-	-	-	11	4	1	2	-	2	2	-	2	30	7	21
23	Dallas	6,244	54	10	38	980	284	157	87	161	41	58	192	90	3,142	748	2,177
24	Dallas	5,008	48	7	31	782	228	128	70	132	32	45	147	73	2,515	596	1,757
25	Garland	106	1	-	-	19	6	4	2	2	-	1	4	-	43	15	25
26	Grand Prairie (part)	145	-	1	1	19	6	1	-	1	-	3	8	4	66	12	48
27	Grand Prairie (total)	147	-	1	1	20	6	1	-	2	-	3	8	4	67	12	49
28	Highland Park	120	-	-	-	24	4	3	2	6	2	-	7	3	70	16	44
29	University Park	179	-	1	-	41	14	10	3	5	3	2	4	2	102	28	67
30	Balance of county	686	5	1	6	85	26	11	10	15	4	7	22	8	346	81	236
31	Dawson	147	-	-	1	10	4	2	1	2	-	-	1	2	64	17	46
32	Lamesa	108	-	-	1	7	3	2	-	1	-	-	1	1	48	14	33
33	Balance of county	39	-	-	-	3	1	-	1	1	-	-	-	1	16	3	13
34	Deaf Smith	85	1	1	-	10	3	2	1	1	1	-	2	1	20	7	10
35	Delta	72	1	-	-	17	9	1	1	4	-	2	-	2	40	9	28
36	Denton	380	-	2	1	59	22	9	3	10	-	3	12	8	214	59	132
37	Denton	168	-	1	1	26	8	4	2	6	-	2	4	7	97	29	61
38	Balance of county	212	-	1	-	33	14	5	1	4	-	1	8	1	117	30	71
39	De Witt	282	3	-	2	44	12	6	4	4	5	4	9	-	143	34	94
40	Dickens	55	1	-	1	11	5	1	-	2	-	1	2	-	30	5	24
41	Dimmit	74	2	1	-	13	4	1	1	2	2	2	1	3	33	10	20
42	Donley	55	-	-	1	4	2	-	-	2	-	-	-	-	39	5	30
43	Duval	104	1	-	4	13	3	3	1	4	-	1	1	7	39	5	29
44	Eastland	272	-	-	-	47	15	5	4	5	3	3	12	4	163	36	114
45	Ector	354	1	1	7	46	13	5	7	4	1	1	15	4	130	28	90
46	Odessa	332	1	1	7	45	13	5	7	3	1	1	15	4	117	26	80
47	Balance of county	22	-	-	-	1	-	-	-	1	-	-	-	-	13	2	10
48	Edwards	27	-	-	-	2	-	-	-	1	-	-	1	-	11	3	6
49	Ellis	453	3	-	4	62	17	5	3	17	3	2	15	4	248	64	164
50	Waxahachie	125	2	-	2	21	1	1	2	7	2	-	8	1	70	21	44
51	Balance of county	328	1	-	2	41	16	4	1	10	1	2	7	3	178	43	120
52	El Paso	1,890	33	9	35	238	74	28	28	30	9	16	53	29	731	182	466
53	El Paso	1,754	31	9	33	226	69	28	28	27	8	14	52	28	677	167	433
54	Balance of county	136	2	-	2	12	5	-	-	3	1	2	1	1	54	15	33
55	Erath	216	2	1	1	36	4	7	7	5	2	4	9	2	126	36	78
56	Falls	251	2	1	1	35	13	1	3	5	1	3	9	4	139	45	83
57	Fannin	280	2	1	2	41	12	6	3	12	2	2	4	4	160	48	93
58	Fayette	256	-	1	2	32	9	5	-	9	2	5	2	6	142	45	86
59	Fisher	70	1	1	-	10	2	1	-	2	3	-	2	2	34	5	26
60	Floyd	93	-	-	1	17	3	6	-	5	-	1	2	-	44	13	31
61	Foard	36	1	-	1	10	2	2	-	3	-	1	2	-	20	5	13
62	Fort Bend	298	4	2	3	50	22	5	2	8	1	3	9	6	127	36	80
63	Franklin	51	-	-	-	8	2	2	1	1	-	1	1	1	34	5	24
64	Freestone	141	1	-	-	25	8	4	1	3	1	1	7	1	80	18	60
65	Frio	87	1	-	1	14	4	3	-	2	1	1	3	3	38	9	27
66	Gaines	74	-	-	3	10	3	1	-	3	-	1	2	-	29	4	22
67	Galveston	1,213	15	11	7	168	43	42	11	20	10	11	31	16	657	180	432
68	Galveston	812	11	11	5	116	32	28	8	12	8	6	22	13	454	141	278
69	Texas City	161	3	-	1	23	7	5	2	3	-	1	5	3	74	15	56
70	Balance of county	240	1	-	1	29	4	9	1	5	2	4	4	-	129	24	98
71	Garza	51	-	-	1	7	4	-	1	-	1	1	-	1	24	3	16
72	Gillespie	117	-	-	-	20	7	5	4	2	1	-	1	2	69	17	43
73	Glasscock	6	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2
74	Goliad	55	3	-	-	5	1	2	1	-	1	-	-	-	29	11	17
75	Gonzales	206	3	-	3	29	13	4	1	4	1	3	3	3	107	40	56
76	Gray	179	-	1	-	24	4	2	3	4	2	2	7	3	88	19	64
77	Pampa	141	-	1	-	21	3	2	3	4	1	2	6	1	69	13	52
78	Balance of county	38	-	-	-	3	1	-	-	-	1	-	1	2	19	6	12
79	Grayson	793	3	1	3	107	35	17	9	20	3	8	15	12	443	131	282
80	Denison	268	1	1	2	36	11	9	4	5	1	3	3	5	147	41	93
81	Sherman	228	-	-	-	33	9	5	2	11	-	1	5	3	131	37	91
82	Balance of county	297	2	-	1	38	15	3	3	4	2	4	7	4	165	53	98

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	11	-	-	-	-	-	-	3	-	-	-	-	1	2	1	1	1	-	-	1	1
-	39	8	16	1	2	3	2	7	1	1	-	-	2	2	1	4	9	-	-	16	2
2	127	13	26	4	5	5	-	21	6	4	2	1	3	15	7	15	10	4	-	37	3
1	38	3	10	3	-	-	-	11	1	3	-	-	2	7	3	2	3	1	-	18	4
1	89	10	16	1	5	5	-	10	5	1	2	1	1	8	4	13	7	3	-	19	5
-	12	1	5	-	1	-	-	-	-	-	-	-	-	3	-	1	4	1	1	7	6
-	42	3	15	2	6	3	2	3	1	2	1	-	-	7	14	6	13	1	3	7	7
1	42	4	8	-	4	1	-	10	1	1	-	-	1	4	3	4	4	3	1	17	8
1	31	4	5	-	4	1	-	9	1	1	-	-	1	4	3	4	4	2	1	12	9
-	11	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	5	10
-	43	1	7	1	4	1	1	6	1	2	1	-	-	1	4	6	5	2	-	17	11
1	9	-	9	1	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	1	12
2	63	9	24	1	1	1	3	9	1	1	2	-	3	4	4	4	9	2	1	7	13
-	41	6	16	-	1	1	2	5	1	1	2	-	1	3	3	3	5	1	1	6	14
2	22	3	8	1	-	-	1	4	-	-	-	-	2	1	1	1	4	1	-	1	15
1	33	7	10	1	7	1	1	2	-	1	-	-	2	9	5	3	3	1	-	11	16
-	12	-	2	1	-	1	1	4	-	-	1	-	-	1	-	5	1	-	1	2	17
1	4	6	-	1	-	-	-	-	-	1	-	-	-	2	-	4	2	1	1	-	18
-	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	19
2	19	2	2	-	3	3	1	2	1	4	1	-	3	9	3	2	1	-	2	9	20
-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	-	4	21
-	13	2	6	-	1	1	-	-	-	-	-	-	-	4	-	4	1	-	-	3	22
35	1,733	208	201	51	61	63	42	210	35	31	69	7	115	378	53	169	214	81	96	472	23
29	1,414	162	152	38	44	45	35	179	24	25	59	7	77	307	42	126	171	63	85	387	24
-	19	3	3	-	-	2	1	4	2	1	1	-	8	6	-	5	6	1	1	8	25
-	34	2	12	2	1	2	1	1	2	-	1	-	6	8	4	8	5	3	1	15	26
-	35	2	12	2	1	2	1	1	2	-	1	-	6	8	4	8	5	3	1	15	27
-	34	5	5	3	4	3	-	2	2	-	1	-	-	1	-	1	5	4	1	6	28
2	54	6	5	1	3	3	-	-	1	-	2	-	3	2	2	6	2	2	-	13	29
4	178	30	24	7	9	8	5	24	4	5	5	-	21	54	5	23	25	8	8	43	30
1	30	6	9	-	1	-	-	4	2	10	1	-	-	16	1	11	6	2	3	14	31
-	22	4	7	-	1	-	-	3	1	5	1	-	-	9	1	10	5	2	3	11	32
1	8	2	2	-	-	-	-	1	1	5	-	-	-	7	-	1	1	-	-	3	33
-	9	-	1	-	2	-	1	6	-	7	-	-	2	10	3	9	5	2	-	8	34
-	23	1	2	1	4	-	-	1	-	-	-	-	-	1	1	-	4	-	-	5	35
3	97	13	19	6	7	4	6	12	1	1	4	1	3	16	6	10	10	4	2	26	36
1	46	6	8	2	4	-	1	3	-	-	1	1	2	9	1	4	3	1	1	10	37
2	51	7	11	4	3	4	5	9	1	1	3	-	1	7	5	6	7	3	1	16	38
1	54	12	27	3	9	1	2	12	2	10	1	1	4	8	9	5	8	4	1	27	39
-	21	1	2	-	1	-	-	-	1	-	-	-	1	2	-	1	1	-	-	6	40
-	12	3	5	-	1	1	1	1	-	3	-	1	-	4	4	1	2	-	1	5	41
-	20	1	9	1	2	1	-	2	-	-	-	-	1	1	1	1	4	-	-	1	42
-	19	1	9	1	1	-	3	3	1	2	1	-	1	4	4	4	6	-	1	13	43
1	82	-	31	3	2	4	4	6	3	3	-	-	1	2	7	8	13	3	-	12	44
5	73	5	7	2	3	2	5	8	2	1	-	-	12	38	10	31	17	6	12	28	45
5	69	2	4	2	2	2	5	8	2	1	-	-	9	38	9	31	16	6	11	26	46
-	4	3	3	-	1	-	-	-	-	-	-	-	3	-	1	-	1	-	1	2	47
-	5	-	1	-	-	-	2	3	-	1	-	-	-	3	1	2	1	1	1	1	48
4	111	16	33	3	3	5	9	22	2	3	-	-	4	16	12	13	22	-	6	32	49
3	31	4	6	2	-	2	1	3	-	1	-	-	2	4	7	1	5	-	1	5	50
1	80	12	27	1	3	3	8	19	2	2	-	-	2	12	5	12	17	-	5	27	51
31	319	53	63	11	27	20	25	84	11	24	29	6	55	226	21	61	70	26	12	190	52
27	299	51	56	11	23	19	24	75	9	21	28	6	47	211	20	54	67	22	12	178	53
4	20	2	7	-	4	1	1	9	2	3	1	-	8	15	1	7	3	4	-	12	54
-	54	2	22	1	7	4	-	5	-	1	1	1	3	2	5	4	5	1	-	18	55
-	56	8	19	4	1	-	6	15	-	5	1	-	2	9	9	4	6	2	1	15	56
2	60	6	25	3	3	3	10	7	1	-	2	-	2	6	6	6	8	3	1	28	57
2	55	3	26	1	6	1	3	12	1	1	2	-	2	2	12	10	6	6	-	19	58
-	17	1	8	-	2	1	-	2	1	3	-	1	-	5	1	2	-	-	-	7	59
-	22	-	9	-	-	-	-	5	1	2	-	-	-	6	1	3	5	2	2	4	60
-	9	2	2	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	2	61
-	51	13	16	1	6	3	1	17	1	4	2	-	3	20	7	19	9	3	4	17	62
-	20	-	4	1	2	1	1	-	-	-	-	-	1	-	1	-	1	2	-	3	63
2	31	10	17	-	2	-	-	5	-	-	1	-	-	6	7	3	3	-	1	8	64
-	22	1	4	-	-	-	2	6	1	4	-	1	2	2	4	2	1	2	-	5	65
1	19	2	-	-	1	-	2	3	1	2	-	-	3	5	3	5	4	3	1	2	66
8	305	43	76	5	17	9	14	68	8	2	14	3	18	52	8	25	36	10	18	77	67
4	193	23	58	3	15	6	11	53	3	1	10	-	9	27	4	9	21	8	9	48	68
3	41	7	5	-	1	2	-	6	3	1	2	1	4	9	3	3	6	-	5	14	69
1	71	13	13	2	1	1	3	9	2	-	2	2	5	16	1	13	9	2	4	15	70
1	13	1	1	-	3	1	1	2	-	2	-	-	-	4	-	4	2	1	-	3	71
1	26	6	10	1	5	3	-	2	-	1	2	1	2	3	1	3	2	1	-	8	72
-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	73
2	11	-	4	-	1	-	-	1	-	1	-	-	-	1	2	2	2	3	-	6	74
-	30	9	17	-	3	5	3	14	1	-	1	-	3	7	5	7	5	2	3	13	75
1	51	10	2	1	2	2	-	5	2	-	1	-	2	12	1	14	8	1	4	13	76
1	40	9	2	1	2	1	-	5	2	-	1	-	1	12	1	12	6	-	3	6	77
-	11	1	-	-	-	1	-	-	-	-	-	-	1	-	-	2	2	1	1	7	78
9	200	23	50	6	14	5	5	31	2	3	6	-	6	27	21	19	37	9	3	60	79
4	61	10	18	3	7	3	-	6	-	1	5	-	2	11	6	4	11	3	2	25	80
2	68	5	16	-	2	1	-	12	-	1	-	-	1	4	5	8	7	5	-	18	81
3	71	8	16	3	5	1	5	13	2	1	1	-	3	12	10	7	19	1	1	17	82

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	TEXAS—Continued																
1	Gregg	575	6	3	5	75	14	14	12	17	3	3	12	10	288	75	187
2	Longview	259	3	3	2	32	4	8	5	5	2	2	6	5	131	36	78
3	Balance of county	316	3	-	3	43	10	6	7	12	1	1	6	5	157	39	109
4	Grimes	198	1	1	1	34	6	7	3	10	2	3	3	3	110	21	74
5	Guadalupe	242	-	-	-	38	17	3	3	4	-	3	8	3	124	37	73
6	Hale	215	1	1	6	34	11	3	2	8	1	1	8	3	88	23	57
7	Plainview	131	-	1	3	26	10	3	1	6	1	-	5	1	58	18	34
8	Balance of county	84	1	-	3	8	1	-	1	2	-	1	3	2	30	5	23
9	Hall	76	-	-	-	7	2	-	-	2	-	1	2	-	50	10	39
10	Hamilton	122	-	-	-	24	5	4	3	5	-	1	6	1	68	15	50
11	Hansford	39	-	-	1	6	2	-	-	2	-	2	-	-	21	4	16
12	Hardeman	110	1	-	1	20	4	-	2	5	1	4	4	1	60	15	40
13	Hardin	201	1	-	1	27	7	5	3	4	-	3	5	3	92	18	63
14	Harris	8,425	103	31	66	1,274	406	252	85	211	64	51	205	107	4,003	824	2,833
15	Houston	6,605	89	25	51	1,015	315	209	66	169	47	41	168	83	3,112	659	2,178
16	Baytown	202	-	2	1	31	11	6	4	5	-	-	5	2	117	22	91
17	Bellaire	108	1	-	-	17	7	1	2	3	1	-	3	1	60	17	37
18	Pasadena	203	1	1	1	26	9	6	2	5	1	1	2	1	86	19	59
19	West University Place	78	-	-	-	13	5	1	1	1	1	-	4	2	41	6	29
20	Balance of county	1,229	12	3	13	172	59	29	10	28	14	9	23	18	587	101	439
21	Harrison	439	2	-	2	56	19	10	3	10	-	4	10	4	265	69	171
22	Marshall	229	1	-	1	28	10	6	2	3	-	2	5	-	149	40	97
23	Balance of county	210	1	-	1	28	9	4	1	7	-	2	5	4	116	29	74
24	Hartley	13	-	-	-	1	-	-	-	1	-	-	-	-	7	2	5
25	Haskell	103	2	-	-	22	4	4	4	4	2	-	4	3	45	13	28
26	Hays	163	2	-	1	26	9	-	-	8	2	3	4	2	78	16	52
27	Hemphill	28	-	-	-	3	1	-	1	-	-	-	1	-	14	4	9
28	Henderson	260	3	-	6	36	12	2	1	10	2	2	7	3	151	42	95
29	Hidalgo	1,117	25	2	35	135	35	29	8	29	6	5	23	12	408	72	301
30	Edinburg	109	2	-	2	12	4	1	1	1	1	-	4	2	42	9	29
31	McAllen	187	5	-	3	29	9	8	3	4	2	1	2	4	70	16	50
32	Mercedes	84	3	-	5	8	1	1	1	2	-	2	1	-	26	7	14
33	Mission	79	1	-	-	13	3	6	-	2	1	-	1	1	28	3	19
34	Balance of county	658	14	2	25	73	18	13	3	20	2	2	15	5	242	37	189
35	Hill	314	2	-	3	53	23	7	4	5	3	2	9	7	154	43	98
36	Hockley	146	1	-	4	13	3	4	-	5	-	-	1	1	59	18	37
37	Hood	67	-	-	1	13	3	1	1	3	1	1	3	1	39	10	28
38	Hopkins	250	2	1	3	34	10	8	5	2	-	3	6	1	152	42	92
39	Houston	206	-	2	-	16	7	3	-	2	2	-	2	4	119	25	81
40	Howard	289	1	1	2	33	11	10	5	-	2	3	2	5	128	28	89
41	Big Spring	221	-	1	2	23	7	8	4	-	2	1	1	4	98	24	66
42	Balance of county	68	1	-	-	10	4	2	1	-	-	2	1	1	30	4	23
43	Hudspeth	14	-	-	-	-	-	-	-	-	-	-	-	-	8	5	3
44	Hunt	419	-	-	1	62	24	5	3	12	3	7	8	9	247	55	167
45	Greenville	212	-	-	1	36	15	3	1	6	3	2	6	2	124	25	85
46	Balance of county	207	-	-	-	26	9	2	2	6	-	5	2	7	123	30	82
47	Hutchinson	171	1	-	-	22	7	2	2	3	1	1	6	3	71	13	52
48	Borger	120	1	-	-	14	5	1	1	2	-	1	4	3	46	10	32
49	Balance of county	51	-	-	-	8	2	1	1	1	1	-	2	-	25	3	20
50	Irion	15	-	-	-	1	-	1	-	-	-	-	-	-	7	2	5
51	Jack	79	-	-	-	9	3	2	1	-	-	-	3	-	48	10	34
52	Jackson	117	-	1	4	17	4	2	1	4	1	1	4	3	59	5	44
53	Jasper	209	1	1	3	32	12	6	2	5	1	-	6	4	101	28	64
54	Jeff Davis	8	-	-	-	2	-	1	-	-	-	-	1	-	1	1	-
55	Jefferson	1,724	15	5	12	282	87	55	23	42	14	11	50	32	816	186	545
56	Beaumont	922	13	4	3	150	46	32	12	28	6	5	21	16	456	103	300
57	Port Arthur	491	2	-	6	88	33	13	8	7	6	2	19	9	212	54	143
58	Balance of county	311	-	1	3	44	8	10	3	7	2	4	10	7	148	29	102
59	Jim Hogg	37	1	-	-	7	3	1	1	2	-	-	-	-	18	1	13
60	Jim Wells	248	3	1	6	30	10	11	2	3	-	1	3	2	109	29	62
61	Alice	151	3	1	4	22	6	10	1	3	-	-	2	-	63	14	39
62	Balance of county	97	-	-	2	8	4	1	1	-	-	1	1	2	46	15	23
63	Johnson	375	1	-	2	56	16	7	9	6	3	2	15	6	213	60	138
64	Cleburne	196	1	-	2	23	6	3	3	2	1	-	8	2	120	35	75
65	Balance of county	179	-	-	-	35	10	4	6	4	2	2	7	4	93	25	63
66	Jones	214	1	-	-	26	5	-	1	8	2	3	7	4	115	32	76
67	Karnes	148	6	-	3	22	6	3	3	3	-	2	5	-	78	16	55
68	Kaufman	321	1	1	4	35	17	4	3	5	1	-	5	6	183	41	129
69	Terrell	129	-	1	3	12	5	1	2	3	-	-	1	1	71	17	49
70	Balance of county	192	1	-	1	23	12	3	1	2	1	-	4	5	112	24	80
71	Kendall	54	1	-	-	11	6	2	-	-	1	-	2	-	26	7	15
72	Kenedy	5	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1
73	Kent	18	-	-	-	1	-	-	-	-	1	-	-	-	9	5	4
74	Kerr	162	5	1	-	24	11	2	2	2	1	1	5	2	105	26	67
75	Kimble	43	-	-	-	9	4	3	-	1	-	-	1	-	19	5	12
76	King	5	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
77	Kinney	24	-	-	-	2	1	-	-	-	-	1	-	-	13	3	10
78	Kleberg	168	1	-	4	20	6	2	-	4	2	-	6	5	59	15	40
79	Kingsville	143	1	-	2	17	5	2	-	3	2	-	5	4	56	13	39
80	Balance of county	25	-	-	2	3	1	-	-	1	-	-	1	1	3	2	1
81	Knox	70	1	1	-	14	2	6	1	1	1	1	2	-	35	11	23

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	129	23	34	6	7	10	3	13	2	7	3	3	4	32	15	23	24	11	7	44	1
1	52	8	17	4	4	7	2	5	-	1	1	-	3	15	9	7	12	4	3	23	2
-	77	15	17	2	3	3	1	8	2	6	2	3	1	17	6	16	12	7	4	21	3
-	34	8	32	3	3	2	7	7	-	1	1	-	1	7	8	3	7	1	1	11	4
1	52	5	15	5	4	1	4	9	1	1	1	-	5	17	7	7	12	4	1	12	5
1	45	3	8	1	1	4	2	5	2	3	-	-	8	20	1	12	9	1	-	21	6
-	28	1	5	1	1	4	-	2	1	1	-	-	6	10	1	3	6	-	-	12	7
1	17	2	3	-	-	-	2	3	1	2	-	-	2	10	-	9	3	1	-	9	8
-	26	4	9	-	-	1	-	5	-	1	-	-	-	2	1	1	-	1	-	8	9
-	33	10	7	1	1	-	1	4	-	1	1	1	-	-	1	5	1	1	-	14	10
-	12	2	2	-	1	-	-	1	1	-	-	-	-	2	-	3	1	-	-	3	11
1	33	-	6	-	2	2	1	1	-	1	-	-	1	1	2	8	6	2	-	5	12
2	46	9	6	4	3	4	-	6	-	3	2	1	4	12	11	13	9	1	3	12	13
48	2,044	432	309	70	105	95	76	315	36	47	123	6	146	665	33	242	294	124	154	656	14
42	1,564	337	235	56	82	80	57	247	32	32	107	4	114	529	23	170	226	96	129	521	15
-	63	15	13	-	2	-	2	4	-	2	2	-	4	9	1	2	9	1	2	13	16
-	29	3	5	-	2	4	-	5	-	2	-	-	4	5	-	3	2	2	1	5	17
-	44	6	9	1	4	-	3	8	-	1	2	-	4	24	2	15	8	6	1	16	18
-	25	3	1	1	2	3	-	2	1	-	-	-	-	2	1	1	2	5	-	8	19
6	319	68	46	12	13	8	14	48	3	10	12	2	20	96	6	51	47	14	21	93	20
3	109	19	40	2	6	2	15	24	-	4	1	1	4	8	4	14	17	5	8	20	21
2	63	9	23	-	5	1	6	12	-	2	-	-	4	5	1	4	8	3	4	7	22
1	46	10	17	2	1	1	9	12	-	2	1	1	-	3	3	10	9	2	4	13	23
-	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	24
-	18	1	9	-	3	-	1	3	2	3	-	-	1	1	3	7	5	-	1	5	25
3	32	4	13	1	2	2	5	10	-	1	1	-	2	10	3	6	9	1	-	11	26
1	8	-	-	-	-	1	-	1	-	-	-	-	-	-	-	4	1	1	-	4	27
5	53	10	27	5	1	2	6	9	3	1	1	1	4	13	2	3	8	2	2	12	28
8	170	43	80	7	11	9	8	72	3	57	12	6	30	107	32	35	32	9	5	100	29
-	12	6	11	-	2	2	-	6	-	3	2	1	5	11	4	1	3	2	2	9	30
2	31	9	8	1	-	1	2	9	-	2	5	-	9	17	3	6	7	3	-	15	31
-	9	2	3	1	3	1	-	10	-	5	2	1	3	7	2	1	1	-	-	10	32
1	12	1	5	1	3	1	1	2	-	6	1	1	4	7	4	4	2	-	-	5	33
5	106	25	53	4	3	4	5	45	3	41	2	3	9	65	19	23	19	4	3	61	34
2	61	9	26	1	5	3	4	15	4	1	-	-	2	9	10	8	18	3	3	22	35
1	27	6	3	-	1	2	1	7	-	7	1	-	7	14	4	10	8	-	2	8	36
1	16	4	7	-	1	-	-	5	1	-	-	-	1	1	-	1	2	-	-	2	37
-	61	18	13	3	10	2	3	8	5	1	1	-	-	6	6	1	7	3	-	19	38
-	56	11	14	3	4	1	5	19	-	1	1	1	-	3	6	9	14	3	-	8	39
1	71	4	13	2	4	4	1	9	3	10	1	-	5	27	4	14	18	3	10	15	40
1	52	2	11	1	3	3	1	6	2	6	1	-	5	21	3	11	15	3	9	11	41
-	19	2	2	1	1	1	-	3	1	4	-	-	-	6	1	3	3	-	1	4	42
-	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1	1	43
3	122	16	26	2	14	5	4	14	2	3	3	-	4	10	7	12	16	4	1	24	44
-	62	7	16	2	9	2	1	5	1	1	3	-	2	1	1	7	11	1	1	15	45
3	60	9	10	-	5	3	3	9	1	2	-	-	2	9	6	5	5	3	-	9	46
1	38	4	9	2	-	2	2	5	3	-	3	1	5	17	1	15	4	2	2	16	47
1	25	2	4	1	-	2	1	4	3	-	2	-	4	13	-	13	2	1	2	12	48
-	13	2	5	1	-	-	1	1	-	-	1	1	1	4	1	2	2	1	-	4	49
-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	50
-	19	5	10	1	1	2	-	1	-	-	-	-	-	2	2	7	2	-	-	8	51
2	35	1	6	2	5	-	3	2	1	1	1	1	2	5	1	7	3	1	-	8	52
2	48	1	13	3	3	2	1	5	-	2	1	-	2	8	3	21	8	1	3	13	53
-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-	54
9	393	71	72	11	29	21	24	66	8	12	16	3	29	113	26	49	67	21	11	141	55
6	213	44	37	8	18	13	14	41	3	9	8	2	15	55	14	16	29	9	8	71	56
3	102	16	22	-	6	3	6	14	4	2	5	1	5	40	6	16	24	8	3	46	57
-	78	11	13	3	5	5	4	11	1	1	3	-	9	18	6	17	14	4	-	24	58
-	7	1	5	3	1	-	-	2	-	-	1	-	-	1	1	1	-	-	1	4	59
1	47	5	9	7	6	-	5	15	-	7	2	-	6	14	4	16	12	4	2	15	60
-	31	2	6	6	3	-	1	9	-	3	2	-	4	10	3	9	7	2	1	8	61
1	16	3	3	1	3	-	4	6	-	4	-	-	2	4	1	7	5	2	1	7	62
2	89	11	36	3	8	3	1	14	2	-	2	-	4	6	11	7	16	4	1	28	63
-	48	10	17	3	4	2	1	5	1	-	1	-	-	2	4	2	9	3	-	21	64
2	41	1	19	-	4	1	-	9	1	-	1	-	4	4	7	5	7	1	1	7	65
-	53	7	16	-	4	2	1	7	-	5	-	-	-	8	5	7	9	2	2	23	66
1	34	2	18	1	1	1	4	6	1	4	1	-	1	9	-	7	2	2	1	5	67
-	89	14	26	4	2	4	3	11	-	1	-	1	2	14	3	9	15	1	2	32	68
-	33	8	8	1	2	1	1	6	-	1	-	1	-	6	1	2	8	1	1	14	69
-	56	6	18	3	-	3	2	5	-	-	-	-	2	8	2	7	7	-	1	18	70
-	12	1	2	2	-	1	1	1	-	1	1	1	-	1	1	2	-	2	-	6	71
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	72
-	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	1	1	73
1	52	4	10	3	3	5	1	5	3	-	2	-	-	5	3	8	6	2	-	11	74
-	9	-	3	-	2	-	-	-	-	-	-	-	-	1	3	2	2	1	-	6	75
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	76
-	9	-	1	-	-	-	-	2	-	-	-	-	-	-	3	-	2	-	-	2	77
1	19	9	11	-	3	1	-	7	-	3	2	-	5	17	10	8	11	1	3	12	78
1	19	9	10	-	3	1	-	5	-	2	2	-	4	15	8	5	7	1	3	11	79
-	-	-	1	-	-	-	-	2	-	1	-	-	1	2	2	3	4	-	-	1	80
1	6	10	6	-	1	-	-	1	-	-	1	-	1	2	3	1	5	-	-	5	81

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	TEXAS—Continued																
1	Lamar	477	1	1	3	57	23	9	7	11	1	1	5	4	282	79	186
2	Paris	323	1	-	2	43	20	4	6	9	1	-	3	3	188	50	127
3	Balance of county	154	-	1	1	14	3	5	1	2	-	1	2	1	94	29	59
4	Lamb	171	1	1	4	22	7	4	1	2	-	2	6	2	84	16	62
5	Lampasas	115	4	-	-	16	2	2	4	6	-	-	2	2	68	10	47
6	La Salle	46	1	-	2	5	1	-	-	1	1	1	1	-	17	1	15
7	Lavaca	228	3	-	3	25	6	3	1	5	2	1	7	8	138	23	105
8	Lee	98	-	-	-	19	5	4	1	5	1	-	3	-	56	13	40
9	Leon	132	-	-	2	18	1	5	1	6	-	1	4	3	78	22	52
10	Liberty	323	-	2	1	44	16	5	2	12	1	3	5	5	154	27	113
11	Limestone	249	2	-	1	24	10	2	1	1	2	2	6	4	156	35	108
12	Lipscomb	34	-	-	1	4	2	-	1	1	-	-	-	-	20	4	10
13	Live Oak	56	-	-	-	6	2	2	-	2	-	-	-	-	28	6	19
14	Llano	51	1	-	-	9	4	1	1	1	1	-	1	1	30	7	22
15	Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	Lubbock	871	3	3	12	126	40	18	20	12	4	9	23	8	365	77	254
17	Lubbock	667	3	3	10	101	31	13	17	10	2	8	20	8	286	56	211
18	Balance of county	204	-	-	2	25	9	5	3	2	2	1	3	-	79	21	43
19	Lynn	95	-	-	1	13	5	3	2	2	-	1	-	-	43	13	29
20	McCulloch	129	-	-	2	23	10	3	-	3	2	1	4	1	61	17	43
21	McLennan	1,208	13	4	9	173	51	28	12	23	13	9	37	18	642	165	416
22	Waco	826	10	3	6	126	40	24	7	14	7	6	28	12	434	118	272
23	Balance of county	382	3	1	3	47	11	4	5	9	6	3	9	6	208	47	144
24	McMullen	11	-	-	-	3	-	-	1	-	1	-	1	-	5	1	3
25	Madison	77	-	-	1	7	2	1	-	3	-	-	1	1	41	12	26
26	Marion	85	2	-	-	10	1	3	2	-	1	1	2	1	52	13	32
27	Martin	37	-	-	-	4	1	1	1	-	-	-	1	1	12	3	8
28	Mason	46	-	-	-	5	1	-	2	-	1	-	1	-	30	5	23
29	Matagorda	219	1	-	2	32	11	4	-	6	1	1	9	2	104	17	75
30	Maverick	101	1	-	5	4	2	1	-	-	-	-	1	2	42	13	23
31	Medina	166	5	1	2	26	9	2	1	6	1	-	7	1	79	25	47
32	Menard	19	-	-	-	3	2	-	-	1	-	-	-	-	12	4	8
33	Midland	270	3	3	4	28	9	6	3	5	1	1	3	1	89	20	57
34	Midland	261	3	3	4	26	9	5	3	5	1	1	2	1	85	20	54
35	Balance of county	9	-	-	-	2	-	1	-	-	-	-	1	-	4	-	3
36	Milam	245	1	1	1	31	7	6	1	9	4	1	3	5	134	30	100
37	Mills	51	-	-	-	5	-	1	-	1	-	1	2	-	35	5	22
38	Mitchell	122	1	-	2	13	3	1	-	1	-	2	6	3	59	18	33
39	Montague	182	3	1	1	20	6	3	1	3	1	2	4	-	109	22	78
40	Montgomery	264	1	2	4	40	12	4	3	6	4	3	8	2	138	35	90
41	Moore	73	1	-	-	9	-	3	-	1	-	2	3	2	26	5	18
42	Morris	93	2	-	-	19	11	3	2	3	-	-	-	1	49	20	28
43	Motley	31	-	-	-	6	-	3	1	2	-	-	-	-	15	4	8
44	Nacogdoches	280	5	1	3	31	13	2	4	2	-	4	6	4	159	46	98
45	Nacogdoches	110	2	-	-	15	8	1	4	-	-	2	-	2	61	19	36
46	Balance of county	170	3	1	3	16	5	1	-	2	-	2	6	2	98	27	62
47	Navarro	423	2	-	5	61	18	11	5	3	3	1	20	4	247	86	142
48	Corsicana	262	2	-	5	37	11	7	3	2	2	-	12	2	158	60	86
49	Balance of county	161	-	-	-	24	7	4	2	1	1	1	8	2	89	26	56
50	Newton	73	-	-	1	10	2	2	1	3	-	-	2	1	34	6	25
51	Nolan	182	1	-	1	25	10	5	-	4	-	1	5	4	97	16	74
52	Sweetwater	125	-	-	-	19	6	5	-	4	-	-	4	3	65	9	52
53	Balance of county	57	1	-	1	6	4	-	-	-	-	1	1	1	32	7	22
54	Nueces	1,301	19	10	12	181	52	23	18	29	8	11	40	23	556	100	395
55	Corpus Christi	988	8	9	10	145	45	17	16	23	6	9	29	16	435	71	317
56	Balance of county	313	11	1	2	36	7	6	2	6	2	2	11	7	121	29	78
57	Ochiltree	46	1	-	-	8	3	-	-	3	-	-	2	1	19	4	12
58	Oldham	11	-	-	-	1	-	-	1	-	-	-	-	-	7	1	4
59	Orange	325	2	2	2	50	12	10	1	5	4	3	15	5	158	31	110
60	Orange	188	2	1	1	24	5	5	-	3	3	-	8	1	103	23	72
61	Balance of county	137	-	1	1	26	7	5	1	2	1	3	7	4	55	8	38
62	Palo Pinto	236	2	-	1	37	9	7	3	5	3	5	5	-	131	35	90
63	Pancla	170	-	-	1	32	8	4	3	10	-	1	6	-	86	32	49
64	Parker	243	2	-	2	43	8	7	4	9	2	2	11	2	136	31	98
65	Parmer	51	2	-	-	2	1	-	-	-	-	-	1	2	22	6	13
66	Pecos	73	1	-	1	8	1	-	2	3	1	-	1	1	36	2	31
67	Polk	158	1	1	-	19	10	1	1	2	-	-	5	-	75	25	39
68	Potter	748	5	3	5	117	35	22	10	16	6	5	23	13	350	77	233
69	Amarillo (part)	704	5	2	5	110	34	21	10	16	5	5	19	12	331	75	218
70	Amarillo (total)	761	5	2	5	122	37	22	11	19	5	6	22	12	356	80	236
71	Balance of county	44	-	1	-	7	1	1	-	-	1	-	4	1	19	2	15
72	Presidio	32	1	-	-	3	-	2	-	-	-	-	1	-	17	4	10
73	Rains	36	1	-	-	6	3	1	-	-	1	-	1	-	19	2	15
74	Randall	96	-	-	-	22	5	1	3	5	1	1	6	1	41	9	29
75	Amarillo (part)	57	-	-	-	12	3	1	1	3	-	1	3	-	25	5	18
76	Balance of county	39	-	-	-	10	2	-	2	2	1	-	3	1	16	4	11
77	Reagan	24	-	-	-	7	1	1	-	2	-	-	3	-	4	-	3
78	Real	17	-	-	-	2	-	2	-	-	-	-	-	-	7	1	6
79	Red River	211	1	-	2	21	7	4	-	4	2	2	2	-	142	41	94
80	Reeves	102	1	-	1	8	5	1	-	1	-	1	-	1	45	4	40
81	Refugio	84	3	-	-	9	3	2	1	1	-	1	1	2	42	10	31
82	Roberts	8	-	-	-	1	-	-	-	1	-	-	-	-	3	1	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital mal formations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	125	27	32	2	4	4	7	32	2	2	2	2	1	19	7	4	19	6	3	30	1
-	88	21	18	1	2	3	5	19	1	2	2	1	-	16	5	1	14	4	1	20	2
2	37	6	14	1	2	1	2	13	1	-	-	1	1	3	2	3	5	2	2	10	3
1	43	4	14	3	2	1	-	5	-	1	2	-	6	14	1	8	6	-	1	13	4
-	32	5	10	3	6	2	-	4	2	-	-	-	-	3	2	3	5	-	-	6	5
-	9	2	4	-	-	1	-	4	-	1	2	-	1	3	-	4	2	1	-	3	6
-	77	11	17	1	4	2	3	11	-	-	1	-	2	4	9	2	5	2	-	15	7
1	24	6	9	-	2	1	-	5	-	1	-	-	-	4	3	-	1	1	1	7	8
-	36	7	9	-	-	2	2	3	1	-	1	-	2	1	3	7	7	-	2	4	9
1	83	8	21	2	8	1	3	14	3	1	1	1	4	16	6	24	18	1	-	28	10
-	63	21	24	6	2	-	5	11	1	5	-	1	1	4	11	6	11	1	1	9	11
1	7	1	1	1	2	3	-	3	-	-	1	-	-	-	-	1	-	-	-	4	12
-	15	1	3	-	2	1	-	3	1	1	3	-	-	2	-	2	6	1	1	2	13
-	16	2	4	-	1	-	-	3	-	1	-	-	-	1	-	1	-	1	1	2	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
8	164	31	51	6	11	9	8	15	3	30	7	3	19	78	8	41	53	10	17	70	16
7	136	27	41	3	6	5	5	13	3	14	7	2	11	55	7	29	41	7	17	50	17
1	28	4	10	3	5	4	3	2	-	16	-	1	8	23	1	12	12	3	-	20	18
-	20	2	7	-	-	1	-	6	-	4	-	-	1	7	2	6	5	1	-	6	19
1	32	3	7	-	1	-	-	6	1	1	-	-	-	5	5	6	2	1	-	15	20
8	321	37	50	11	27	13	10	52	4	9	4	2	17	56	27	39	30	10	8	91	21
7	213	25	27	9	20	10	5	36	3	7	3	1	13	35	16	25	20	9	7	60	22
1	108	12	23	2	7	3	5	16	1	2	1	1	4	21	11	14	10	1	1	31	23
-	3	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	24
-	15	6	5	-	1	-	2	3	-	1	-	-	-	2	7	2	5	1	-	6	25
-	18	2	12	-	2	3	2	1	-	-	-	-	-	1	4	4	5	-	-	5	26
-	5	2	1	-	1	-	-	2	-	-	-	-	-	1	3	4	6	2	-	2	27
-	17	3	3	-	2	-	-	2	-	-	-	-	1	-	-	3	1	1	1	2	28
-	42	20	13	4	2	5	1	13	-	2	1	-	5	13	9	8	9	1	1	16	29
-	19	1	3	-	5	-	1	11	-	2	1	4	1	8	-	3	4	2	1	10	30
-	32	7	8	-	6	-	1	12	1	-	1	-	3	12	-	5	7	1	2	8	31
1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	32
3	44	4	6	2	2	5	3	13	1	6	4	-	7	34	-	18	14	8	3	34	33
3	41	4	6	2	2	5	2	13	1	6	4	-	7	34	-	17	12	8	3	34	34
-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	35
1	50	10	38	1	2	-	1	12	-	2	-	-	-	10	9	8	8	3	-	20	36
-	16	1	5	1	6	-	1	3	-	-	-	-	2	-	1	-	1	-	-	4	37
1	25	2	5	-	6	1	1	4	-	3	-	-	2	5	5	9	5	1	1	9	38
3	50	13	12	4	2	3	-	2	1	1	-	-	2	4	5	11	6	3	-	13	39
1	57	10	22	3	5	4	1	6	-	1	2	2	2	7	15	10	8	4	3	17	40
2	12	1	3	-	1	-	2	-	1	-	2	-	4	8	1	9	5	1	-	4	41
-	23	2	3	-	-	1	-	2	2	-	-	-	1	-	1	1	4	2	-	9	42
-	8	-	-	-	-	2	1	1	-	-	-	-	1	2	-	1	1	-	1	3	43
-	77	6	15	3	5	3	4	15	1	-	1	1	5	5	6	6	9	5	2	21	44
-	29	1	6	2	1	1	2	5	1	-	-	-	5	1	-	1	7	1	2	7	45
-	48	5	9	1	4	2	2	10	-	-	1	1	-	4	6	5	2	4	-	14	46
2	92	13	35	2	7	7	3	6	2	2	4	1	3	9	13	7	14	3	3	37	47
2	49	7	28	1	5	4	2	2	2	2	2	1	3	5	5	2	9	2	1	22	48
-	43	6	7	1	2	3	1	4	-	-	2	-	-	4	8	5	5	1	2	15	49
1	20	1	3	1	1	-	1	6	-	-	-	1	-	3	2	4	3	1	1	6	50
3	58	5	8	2	1	1	3	4	2	1	1	-	2	6	10	4	8	4	-	12	51
3	42	4	3	1	1	1	1	2	1	1	1	-	1	5	6	4	6	3	-	8	52
-	16	1	5	1	-	-	2	2	1	-	-	-	1	1	4	-	2	1	-	4	53
12	300	32	51	10	19	13	19	60	11	24	13	5	32	115	18	54	55	15	11	87	54
12	243	27	35	9	10	12	16	41	10	13	11	3	25	80	12	41	43	13	8	65	55
-	57	5	16	1	9	1	3	19	1	11	2	2	7	35	6	13	12	2	3	22	56
-	10	-	2	-	2	-	1	1	-	1	-	-	3	4	-	2	5	-	-	1	57
-	3	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	1	58
-	60	9	41	2	6	4	5	11	-	-	-	1	5	21	4	17	13	5	5	24	59
-	36	7	29	2	2	3	1	7	-	-	-	1	3	13	3	7	7	-	2	13	60
-	24	2	12	-	4	1	4	4	-	-	-	-	2	8	1	10	6	5	3	11	61
2	54	16	18	5	-	1	-	8	2	-	2	-	2	4	10	6	10	4	2	15	62
1	32	7	9	-	2	1	2	10	2	-	3	-	1	4	3	5	6	2	-	15	63
5	72	7	14	-	4	1	2	6	-	-	1	-	2	8	4	7	13	-	1	16	64
-	10	1	2	1	-	1	1	3	-	-	1	1	1	5	-	7	3	-	-	2	65
-	17	6	8	1	1	-	1	2	-	1	1	-	1	5	2	4	2	2	-	6	66
-	22	10	7	2	4	4	1	5	-	-	1	-	1	9	14	5	11	1	3	12	67
6	177	17	33	5	16	8	11	29	5	6	8	2	9	59	4	25	26	11	10	61	68
6	168	16	28	4	15	8	11	27	5	6	8	2	9	53	4	22	26	10	9	58	69
6	183	17	30	4	17	8	11	28	5	6	8	2	11	58	4	22	28	12	10	65	70
-	9	1	5	1	1	-	-	2	-	-	-	-	-	6	-	3	-	1	1	3	71
-	10	-	-	-	3	-	-	2	1	-	-	-	-	1	1	1	2	-	-	3	72
-	13	1	1	-	1	1	-	-	1	-	-	-	-	1	1	2	-	1	-	4	73
-	21	2	6	-	3	-	-	4	-	-	-	-	2	10	-	-	4	2	1	9	74
-	15	1	2	-	2	-	-	1	-	-	-	-	2	5	-	-	2	2	1	7	75
-	6	1	4	-	1	-	-	3	-	-	-	-	-	5	-	-	2	-	-	2	76
-	3	-	-	-	-	1	-	-	-	-	-	1	1	3	-	4	1	-	-	3	77
-	4	1	1	-	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	3	78
2	64	24	4	3	1	2	1	9	-	3	3	1	1	7	1	1	10	1	-	8	79
-	29	7	4	-	-	1	-	4	-	6	-	2	1	6	2	9	4	3	-	9	80
1	28	-	2	-	1	-	-	1	-	-	2	-	3	6	2	6	4	2	-	2	81
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	82

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	TEXAS—Continued																
1	Robertson	189	-	-	1	24	5	2	4	6	-	4	3	1	101	21	73
2	Rockwall	71	-	-	-	8	3	1	1	-	-	2	1	1	41	8	27
3	Runnels	194	-	-	1	21	7	3	2	2	-	2	5	3	107	36	67
4	Rusk	316	2	1	1	50	18	3	5	10	3	3	8	4	159	32	118
5	Sabine	80	1	-	-	15	5	3	-	2	-	-	5	-	43	10	27
6	San Augustine	83	-	3	1	9	5	1	-	-	1	-	2	2	37	7	26
7	San Jacinto	62	-	-	-	10	6	2	-	-	-	-	2	-	29	3	25
8	San Patricio	312	3	-	8	36	10	2	5	9	-	-	10	5	125	37	79
9	San Saba	73	2	-	1	8	2	1	1	1	1	1	1	2	35	8	23
10	Schleicher	15	-	-	-	2	1	-	-	1	-	-	-	-	9	2	6
11	Scurry	147	1	1	-	17	3	8	2	1	-	1	2	3	60	13	40
12	Snyder	91	-	1	-	10	1	5	-	1	-	1	2	3	35	7	25
13	Balance of county	56	1	-	-	7	2	3	2	-	-	-	-	-	25	6	15
14	Shackelford	41	-	-	-	7	-	2	1	-	2	-	2	1	23	6	15
15	Shelby	198	2	2	2	11	5	2	-	2	1	-	1	1	117	20	86
16	Sherman	19	-	-	-	6	2	1	-	2	-	1	-	-	9	2	5
17	Smith	709	6	6	4	93	32	9	10	17	6	6	13	10	383	82	259
18	Tyler	377	3	5	3	54	15	6	4	12	5	6	6	4	203	41	139
19	Balance of county	332	3	1	1	39	17	3	6	5	1	-	7	6	180	41	120
20	Somervell	41	-	-	-	8	4	1	-	1	-	1	1	1	19	7	10
21	Starr	106	2	-	2	10	3	-	-	3	1	-	3	5	51	9	35
22	Stephens	101	1	1	-	20	5	2	2	5	2	1	3	1	61	10	46
23	Sterling	9	-	-	-	2	-	-	-	1	1	-	-	-	5	2	3
24	Stonewall	27	-	-	-	2	1	1	-	-	-	-	-	-	17	3	12
25	Sutton	33	-	-	-	4	-	1	-	1	-	-	2	-	15	6	8
26	Swisher	94	1	1	3	15	3	4	-	3	3	-	2	3	44	6	35
27	Tarrant	3,889	32	8	24	582	170	87	50	93	36	37	109	56	1,962	473	1,340
28	Fort Worth	3,084	24	7	18	442	140	65	39	70	27	25	76	43	1,553	364	1,070
29	Grand Prairie (part)	2	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1
30	White Settlement	35	-	-	1	4	-	2	-	-	1	-	1	1	14	3	10
31	Balance of county	768	8	1	5	135	30	20	11	22	8	12	32	12	394	106	259
32	Taylor	555	4	1	3	86	21	18	8	13	5	3	18	10	268	58	196
33	Abilene	444	3	-	3	72	18	16	7	12	5	2	12	8	206	45	149
34	Balance of county	111	1	1	-	14	3	2	1	1	-	1	6	2	62	13	47
35	Terrell	20	-	-	-	2	2	-	-	-	-	-	-	-	13	3	7
36	Terry	134	-	-	1	18	2	3	3	5	1	2	2	2	53	15	34
37	Throckmorton	37	-	-	1	7	1	-	-	2	2	1	1	-	16	2	14
38	Titus	171	1	1	-	23	5	4	4	5	1	1	3	-	92	19	64
39	Tom Green	533	5	-	2	81	26	14	5	7	5	3	21	7	259	64	157
40	San Angelo	484	5	-	2	73	21	11	5	7	5	3	21	5	243	61	148
41	Balance of county	49	-	-	-	8	5	3	-	-	-	-	-	2	16	3	9
42	Travis	1,442	14	5	7	212	68	32	14	29	13	11	45	21	738	207	493
43	Austin	1,303	13	5	7	196	61	28	14	28	12	11	42	20	666	186	446
44	Balance of county	139	1	-	-	16	7	4	-	1	1	-	3	1	72	21	47
45	Trinity	94	-	-	1	9	2	1	2	3	-	-	1	2	53	17	33
46	Tyler	118	1	-	2	12	4	2	-	3	-	1	2	-	67	21	40
47	Upshur	200	2	1	1	22	8	3	2	4	-	2	3	6	114	32	76
48	Upton	30	-	-	2	3	-	-	1	1	-	-	1	1	11	2	7
49	Uvalde	146	4	1	3	16	4	2	-	6	-	1	3	4	67	17	42
50	Val Verde	164	3	-	-	17	5	4	2	2	2	1	1	2	61	16	40
51	Del Rio	144	3	-	-	13	4	3	2	2	2	-	-	1	54	14	35
52	Balance of county	20	-	-	-	4	1	1	-	-	-	1	1	1	7	2	5
53	Van Zandt	251	1	1	3	31	13	4	1	5	3	-	5	4	148	33	100
54	Victoria	366	3	1	4	37	9	7	6	3	4	2	6	4	176	31	130
55	Victoria	260	1	-	3	24	5	5	3	2	2	2	5	3	120	22	89
56	Balance of county	106	2	1	1	13	4	2	3	1	2	-	1	1	56	9	41
57	Walker	169	-	-	2	19	6	4	-	3	-	2	4	2	93	14	69
58	Waller	109	1	-	-	9	2	1	1	2	1	1	1	3	61	21	30
59	Ward	86	2	1	1	13	2	1	1	2	-	2	5	2	37	12	21
60	Washington	253	1	-	-	39	10	3	6	7	5	3	5	6	129	30	85
61	Webb	480	11	1	10	71	26	11	4	11	5	2	12	11	160	36	103
62	Laredo	458	11	1	10	68	25	11	4	10	5	1	12	11	155	36	99
63	Balance of county	22	-	-	-	3	1	-	-	1	-	1	-	-	5	-	4
64	Wharton	308	4	1	3	45	12	8	2	8	1	3	11	7	150	32	104
65	Wheeler	80	-	1	1	12	5	-	-	4	-	-	3	2	36	8	26
66	Wichita	787	5	2	3	123	30	24	8	24	3	7	27	10	430	95	297
67	Wichita Falls	558	5	2	3	90	20	18	7	18	1	4	22	9	293	69	200
68	Balance of county	229	-	-	-	33	10	6	1	6	2	3	5	1	137	26	97
69	Wilbarger	179	1	1	-	30	18	-	1	3	1	2	5	3	93	22	62
70	Vernon	135	1	1	-	21	13	-	1	3	-	2	2	3	71	21	44
71	Balance of county	44	-	-	-	9	5	-	-	-	1	-	3	-	22	1	18
72	Willacy	132	-	1	6	14	4	2	-	3	1	1	3	-	51	8	39
73	Williamson	390	3	-	4	58	23	7	3	13	3	3	6	4	226	49	159
74	Wilson	114	2	-	-	16	6	4	-	1	2	1	2	2	56	14	38
75	Winkler	77	-	-	2	15	2	-	2	2	1	2	6	1	31	9	21
76	Wise	158	-	-	1	27	11	4	-	5	1	2	4	2	93	19	65
77	Wood	191	1	1	-	24	8	5	1	4	2	-	4	3	104	30	60
78	Yoakum	44	1	-	-	4	2	1	-	1	-	-	-	-	10	1	9
79	Young	144	-	-	2	15	1	8	-	2	1	-	3	3	76	19	54
80	Zapata	24	-	-	-	2	2	-	-	-	-	-	-	-	5	1	4
81	Zavala	86	4	-	4	6	2	-	1	1	-	1	1	3	31	6	20

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of disease of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	34	9	29	4	1	1	1	4	1	4	-	-	4	5	11	3	6	2	-	22	1
-	22	4	1	2	2	1	1	4	-	-	-	-	-	1	-	3	6	1	2	4	2
1	53	3	10	-	3	1	-	7	1	2	-	-	2	7	5	15	3	2	1	17	3
1	82	20	15	5	2	1	1	10	2	3	1	-	2	11	17	8	12	1	5	27	4
-	20	4	3	1	3	1	1	3	-	-	-	-	2	1	-	3	5	1	-	6	5
-	12	7	7	1	2	1	-	3	-	-	-	1	-	4	5	6	6	1	-	5	6
2	14	2	7	-	-	-	1	4	-	-	-	-	1	2	4	4	4	-	-	4	7
3	53	9	14	-	4	2	3	14	3	12	2	1	8	26	5	22	20	2	2	18	8
-	8	5	10	3	-	-	1	6	-	2	-	-	1	3	4	1	2	-	1	5	9
-	5	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	10
-	33	5	2	2	4	1	-	2	1	4	4	-	4	8	5	11	8	1	2	15	11
-	20	3	2	1	2	-	-	1	1	3	2	-	4	5	3	8	6	-	1	8	12
-	13	2	-	1	2	1	-	1	-	1	2	-	-	3	2	3	2	1	1	7	13
-	12	1	2	1	1	-	-	1	1	-	-	-	1	1	-	-	3	1	-	2	14
3	69	8	6	-	4	3	4	7	1	-	1	-	1	3	11	13	10	2	1	11	15
-	4	-	1	-	1	1	-	-	-	-	-	-	1	1	-	-	1	1	-	-	16
7	164	35	53	10	15	8	9	23	4	6	3	-	8	39	11	25	29	6	5	48	17
1	95	20	23	7	7	5	4	11	3	3	2	-	6	21	1	6	17	2	3	30	18
6	69	15	30	3	8	3	5	12	1	3	1	-	2	18	10	19	12	4	2	18	19
-	7	1	2	-	1	1	-	2	-	-	-	-	-	2	-	2	1	-	-	6	20
-	31	-	4	1	4	1	1	7	-	-	-	1	2	6	4	1	8	3	1	3	21
2	30	-	14	-	2	3	-	3	-	-	-	-	1	-	2	1	4	-	-	6	22
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	23
-	8	2	2	1	-	1	-	2	-	1	-	-	-	-	1	3	-	-	-	1	24
-	7	-	1	1	-	-	-	3	-	-	-	-	-	3	2	1	1	2	-	2	25
2	22	2	9	-	-	1	2	4	-	4	-	-	-	3	2	3	3	1	-	7	26
29	1,014	133	164	25	51	34	39	119	26	10	38	6	58	243	39	105	135	59	54	313	27
27	807	114	122	22	39	28	30	99	23	8	31	5	46	198	30	80	100	53	49	255	28
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	8	2	-	-	1	-	-	-	-	-	-	-	1	2	2	3	3	1	-	3	30
2	198	17	42	3	12	5	9	20	3	2	7	1	11	43	7	22	32	5	5	55	31
2	145	30	19	-	7	6	1	16	2	4	2	1	9	28	15	28	23	11	7	37	32
2	113	21	13	-	6	5	1	13	2	3	2	1	9	25	10	23	21	8	5	30	33
-	32	9	6	-	1	1	-	3	-	1	-	-	-	3	5	5	2	3	2	7	34
1	5	-	1	1	2	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-	35
-	22	5	7	-	2	1	1	5	1	6	-	1	1	13	9	5	7	2	-	10	36
-	11	-	3	-	-	-	-	-	2	1	-	-	-	-	1	4	3	1	-	1	37
-	38	4	22	2	1	2	4	11	1	2	1	-	1	4	4	2	9	2	1	16	38
6	121	12	18	1	24	10	3	15	2	8	5	2	10	26	17	26	18	7	1	42	39
6	114	11	17	1	22	8	3	12	2	6	5	2	10	21	14	23	16	7	1	37	40
-	7	1	1	-	2	2	-	3	-	2	-	-	-	5	3	3	2	-	-	5	41
8	380	39	66	6	15	10	7	59	13	14	14	1	31	93	7	37	49	15	13	99	42
7	342	35	62	6	13	9	6	52	13	14	13	1	28	85	5	30	40	13	12	90	43
1	38	4	4	-	2	1	1	7	-	-	1	-	3	8	2	7	9	2	1	9	44
-	17	8	8	-	-	2	1	6	1	1	1	-	1	2	2	2	3	-	2	8	45
-	32	2	6	1	1	1	3	9	1	-	-	-	3	1	2	3	5	1	-	11	46
-	54	10	12	1	1	1	3	8	-	2	-	-	4	9	3	4	7	2	-	15	47
-	5	2	-	1	1	-	-	-	-	-	-	-	3	1	-	4	2	-	-	3	48
1	31	1	9	-	3	2	3	8	-	2	3	-	2	7	5	4	5	2	1	12	49
-	33	3	4	-	3	1	1	19	-	4	1	-	6	15	-	4	12	1	1	18	50
-	30	1	4	-	3	1	1	18	-	4	1	-	6	13	-	3	10	1	1	16	51
-	3	2	-	-	-	-	-	1	-	-	-	-	-	2	-	1	2	-	-	2	52
-	76	4	20	2	5	3	5	15	1	2	-	-	3	4	3	7	7	1	1	19	53
1	97	14	18	4	5	3	3	11	-	4	6	-	8	41	8	8	16	2	8	29	54
-	67	8	14	2	4	2	1	7	-	2	5	-	5	36	6	4	13	1	6	24	55
1	30	6	4	2	1	1	2	4	-	2	1	-	3	5	2	4	3	1	2	5	56
1	44	3	21	2	4	3	1	6	2	-	1	-	1	6	6	8	8	4	5	6	57
-	19	1	10	6	2	-	2	5	-	1	1	-	2	5	6	3	6	2	1	3	58
-	15	2	4	-	2	2	-	2	1	1	1	-	2	8	1	3	7	2	3	9	59
-	44	16	25	-	5	4	5	12	-	-	3	-	2	13	9	9	8	3	1	18	60
2	80	15	6	5	8	7	1	47	3	11	7	-	13	45	23	10	15	6	-	36	61
2	77	14	6	5	8	6	1	46	3	9	7	-	12	42	23	8	14	4	-	34	62
-	3	1	-	-	-	1	-	1	-	2	-	-	1	3	-	2	1	2	-	2	63
3	75	4	22	5	4	1	4	11	3	2	-	-	6	14	5	9	22	3	1	22	64
-	20	4	2	-	1	1	-	5	-	-	-	-	-	9	1	3	2	-	-	8	65
7	223	27	40	7	15	10	6	26	2	5	5	-	16	46	7	28	24	5	6	44	66
7	149	19	25	5	8	7	4	19	1	4	2	-	13	32	5	21	15	5	4	35	67
-	74	8	15	2	7	3	2	7	1	1	3	-	3	14	2	7	9	-	2	9	68
-	52	1	9	3	3	1	2	6	-	2	1	-	5	4	2	7	3	3	1	17	69
-	40	-	4	2	2	1	1	5	-	2	-	-	4	3	2	4	3	3	1	11	70
-	12	1	5	1	1	-	1	1	-	-	1	-	1	1	-	3	-	-	-	6	71
1	22	5	11	-	-	1	3	7	-	9	1	1	5	7	2	7	8	-	2	11	72
2	103	26	28	2	10	2	4	25	-	2	4	-	5	9	3	12	12	2	1	20	73
-	22	1	15	-	-	-	4	7	-	-	-	-	3	3	5	4	3	1	3	9	74
1	19	-	1	-	-	1	-	2	1	2	-	-	3	9	2	7	1	1	-	-	75
-	48	2	15	3	3	3	-	10	1	-	4	-	1	3	4	3	3	-	-	6	76
2	41	2	15	1	6	2	5	6	-	-	-	-	2	6	2	11	9	3	1	18	77
-	7	1	1	-	-	-	-	2	-	2	-	1	2	6	-	3	8	1	1	3	78
2	39	7	6	1	2	-	-	4	2	2	3	-	2	1	5	9	8	-	-	12	79
-	4	-	-	-	-	-	-	5	-	1	-	1	-	2	3	2	1	1	-	1	80
1	9	3	7	2	3	-	-	4	1	5	2	1	3	3	1	4	3	1	1	9	81

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuber-culosis, all forms 001-019	Syph-ilis and its seque-lae 020-029	All other infec-tive and para-sitic dis-eases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum, not spec-ified as secondary 150-156A, 157-159	Malignant neoplasm of respir-atory system, not specified as secondary 160-164	Malig-nant neo-plasm of breast 170	Malig-nant neo-plasm of genital organs 171-179	Malig-nant neo-plasm of urinary organs 180,181	Leu-kemia and aleu-kemia 204	Other malig-nant neo-plasms 140-148, 156B, 165, 190-203, 205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Vascular lesions af-fecting central nervous system 330-334	Diseases of heart 400-402, 410-443
1	UTAH	5,842	21	10	43	773	246	81	72	130	37	45	162	94	2,768	578	1,959
2	Metropolitan counties	3,293	17	7	23	454	150	51	46	68	21	25	93	55	1,555	321	1,094
3	Nonmetropolitan counties	2,549	4	3	20	319	96	30	26	62	16	20	69	39	1,213	257	865
4	Beaver	38	-	-	1	5	1	1	-	1	-	1	1	-	21	4	14
5	Box Elder	158	1	-	2	18	4	-	4	5	1	2	2	4	78	23	50
6	Cache	264	-	-	-	42	13	5	3	10	3	2	6	5	144	30	108
7	Logan	127	-	-	-	15	4	2	1	6	-	-	2	2	72	16	52
8	Balance of county	137	-	-	-	27	9	3	2	4	3	2	4	3	72	14	56
9	Carbon	158	-	1	1	31	9	4	2	8	3	1	4	2	60	14	40
10	Daggett	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
11	Davis	257	-	-	-	34	13	3	2	5	-	4	7	1	113	24	85
12	Duchesne	49	-	-	-	2	1	-	-	-	-	-	1	1	27	2	23
13	Emery	56	-	-	1	7	2	-	1	1	1	1	1	1	22	6	15
14	Garfield	31	-	-	-	2	1	1	-	-	-	-	-	-	16	5	10
15	Grand	28	-	-	1	3	-	-	1	1	-	-	1	-	8	4	4
16	Iron	69	-	-	2	11	5	1	2	-	1	1	1	-	33	8	21
17	Juab	49	-	-	-	6	1	1	-	2	-	-	2	2	26	3	22
18	Kane	29	-	-	2	3	-	-	-	-	-	-	3	1	8	3	4
19	Millard	68	-	-	-	14	3	-	1	3	1	1	5	2	32	10	14
20	Morgan	18	-	-	-	-	-	-	-	-	-	-	-	1	10	2	8
21	Piute	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
22	Rich	6	-	-	-	1	1	-	-	-	-	-	-	-	4	1	3
23	Salt Lake	2,612	14	7	14	352	123	42	38	48	14	22	65	48	1,192	250	848
24	Salt Lake City	1,826	8	6	9	251	79	34	30	37	13	12	46	33	865	190	610
25	Balance of county	786	6	1	5	101	44	8	8	11	1	10	19	15	327	60	238
26	San Juan	51	1	-	2	2	1	-	-	-	-	-	1	-	12	2	9
27	Sanpete	133	-	-	-	18	2	1	2	5	1	-	7	2	76	9	62
28	Sevier	88	-	-	-	11	6	1	1	2	-	-	1	-	39	12	24
29	Summit	56	1	-	-	5	2	1	-	2	-	-	-	2	27	3	22
30	Tooele	104	-	1	1	8	2	1	-	-	1	-	4	3	49	10	35
31	Uintah	86	-	-	2	7	2	-	1	1	-	-	3	-	41	14	25
32	Utah	604	-	1	4	68	17	9	5	13	3	5	16	10	298	50	223
33	Provo	195	-	-	-	18	4	5	1	3	-	1	4	4	101	17	76
34	Balance of county	409	-	1	4	50	13	4	4	10	3	4	12	6	197	33	147
35	Wasatch	52	1	-	-	7	3	1	-	1	1	1	-	1	24	2	21
36	Washington	82	-	-	1	12	6	-	1	2	-	1	2	1	39	13	20
37	Wayne	7	-	-	-	2	1	-	-	-	-	-	1	-	2	1	1
38	Weber	681	3	-	9	102	27	9	8	20	7	3	28	7	363	71	246
39	Ogden	554	3	-	8	86	24	9	6	16	6	3	22	5	294	55	197
40	Balance of county	127	-	-	1	16	3	-	2	4	1	-	6	2	69	16	49
41	VERMONT	4,295	29	2	12	674	239	89	60	117	35	26	108	49	2,449	553	1,674
42	Nonmetropolitan counties	4,295	29	2	12	674	239	89	60	117	35	26	108	49	2,449	553	1,674
43	Addison	223	-	-	-	26	10	2	3	3	1	-	7	4	155	31	107
44	Bennington	292	-	-	-	44	14	11	4	6	3	1	5	6	167	43	111
45	Caledonia	293	-	-	-	36	15	1	6	8	3	2	1	2	179	50	114
46	Chittenden	605	2	-	-	100	28	21	8	17	3	7	16	10	339	66	248
47	Burlington	348	2	-	-	59	17	13	5	11	2	5	6	4	190	36	139
48	Balance of county	257	-	-	-	41	11	8	3	6	1	2	10	6	149	30	109
49	Essex	70	-	-	-	9	4	1	1	2	1	-	-	1	36	9	21
50	Franklin	328	1	1	-	52	16	6	3	12	4	2	9	2	187	45	126
51	Grand Isle	43	-	-	-	5	2	1	1	-	-	-	1	-	22	9	12
52	Lamoille	127	-	-	-	25	11	4	3	3	-	-	4	1	72	20	44
53	Orange	194	-	-	1	22	9	1	1	4	-	1	6	1	122	33	81
54	Orleans	276	-	-	1	35	12	5	3	9	1	2	3	4	158	41	98
55	Rutland	570	5	-	2	102	36	11	12	14	8	2	19	5	306	61	221
56	Rutland	246	2	-	2	44	13	5	8	3	3	2	10	3	136	29	96
57	Balance of county	324	3	-	-	58	23	6	4	11	5	-	9	2	170	32	125
58	Washington	423	12	-	6	72	33	7	3	15	4	-	10	4	226	46	163
59	Barre	132	9	-	-	25	12	4	2	4	-	-	3	1	65	12	48
60	Balance of county	291	3	-	6	47	21	3	1	11	4	-	7	3	161	34	115
61	Windham	394	1	-	1	73	29	12	4	11	3	4	10	3	219	47	140
62	Windsor	457	8	1	1	73	20	6	8	13	4	5	17	6	261	52	188
63	VIRGINIA[a]	33,131	289	78	185	4,405	1,377	633	389	693	212	193	908	436	17,721	4,241	11,888
64	Metropolitan counties	12,231	99	41	55	1,795	538	280	170	259	101	89	358	160	6,308	1,426	4,337
65	Nonmetropolitan counties	20,900	190	37	130	2,610	839	353	219	434	111	104	550	276	11,413	2,815	7,551
66	Accomack	462	2	3	3	48	16	7	5	9	2	1	8	8	277	61	192
67	Albemarle	281	1	-	4	41	11	8	-	6	3	1	12	3	138	35	92
68	Alleghany	110	4	-	-	16	4	1	2	2	1	-	6	3	56	10	41
69	Amelia	121	2	2	-	12	4	3	-	3	-	-	2	-	78	32	35
70	Amherst	198	1	-	3	22	6	5	2	4	1	1	3	4	105	26	71
71	Appomattox	96	-	-	-	9	2	-	2	2	1	-	2	3	66	13	50
72	Arlington[3]	945	4	-	1	185	52	28	27	19	8	13	38	10	476	110	324
73	Augusta	305	4	-	1	42	11	4	3	3	3	4	14	2	177	48	113
74	Bath	68	1	-	1	9	3	1	-	2	-	-	3	1	40	6	32
75	Bedford	312	5	1	1	28	11	1	3	4	-	1	8	4	199	59	115
76	Bland	50	-	-	-	6	2	1	1	-	1	-	1	1	30	9	20
77	Botetourt	181	1	-	1	25	9	5	1	2	1	-	7	3	103	28	66

[3]Classified as urban under a special rule.
[a]Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592,594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
128	1,309	205	317	21	86	72	52	202	60	24	53	8	137	346	258	200	295	61	12	477	1
83	747	98	166	13	52	44	31	106	34	9	38	3	74	166	178	99	141	34	8	292	2
45	562	107	151	8	34	28	21	96	26	15	15	5	63	180	80	101	154	27	4	185	3
-	10	2	2	1	-	1	1	2	-	-	-	-	1	3	1	1	1	-	-	2	4
1	33	7	9	-	1	3	1	4	1	1	-	-	4	9	7	7	8	3	-	11	5
2	68	20	18	-	1	4	1	7	1	2	-	-	5	12	11	5	9	1	-	20	6
-	34	7	11	-	-	3	1	2	-	1	-	-	3	10	4	1	3	-	-	14	7
2	34	13	7	-	1	1	-	5	1	1	-	-	2	2	7	4	6	1	-	6	8
6	26	4	4	3	2	1	-	5	2	-	3	-	2	13	3	4	17	2	2	10	9
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
8	54	15	8	-	2	-	2	9	3	1	2	1	6	28	5	13	19	3	-	19	11
1	14	3	5	-	1	1	-	2	-	1	-	-	-	5	-	1	4	1	-	5	12
2	8	1	4	-	-	-	1	4	1	-	-	-	-	1	6	1	5	2	-	5	13
-	9	1	-	-	1	-	-	-	-	-	-	-	2	-	1	2	6	-	-	2	14
-	2	1	1	-	-	-	-	1	-	-	-	-	-	3	1	-	8	-	-	3	15
1	17	1	2	-	2	1	1	-	-	2	1	-	3	3	1	4	4	-	-	5	16
1	16	1	4	-	1	-	-	2	-	-	-	-	1	2	1	3	1	-	-	5	17
-	4	-	-	-	1	-	-	1	-	1	1	-	-	6	-	3	2	1	-	-	18
-	8	2	4	1	3	2	2	1	-	-	1	-	1	4	5	1	1	2	-	4	19
-	5	1	2	-	-	-	-	1	-	-	-	-	1	3	-	1	-	-	-	1	20
-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	21
-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	22
70	590	79	109	9	30	32	23	81	30	9	33	2	55	134	167	78	113	28	8	247	23
52	423	60	75	8	19	24	14	60	22	4	25	2	30	79	130	49	71	18	4	160	24
18	167	19	34	1	11	8	9	21	8	5	8	-	25	55	37	29	42	10	4	87	25
-	5	-	4	-	-	-	1	4	-	2	1	-	3	4	8	5	4	-	-	3	26
2	30	16	14	-	-	2	3	4	2	-	-	-	4	3	7	2	5	-	1	9	27
1	16	1	6	-	2	-	1	6	4	-	2	1	1	2	3	2	2	1	-	14	28
1	17	2	2	-	2	-	-	1	-	-	-	-	2	4	1	2	7	-	-	4	29
3	27	2	3	-	1	1	2	3	1	-	-	2	2	11	-	5	7	2	-	9	30
1	16	5	3	-	1	1	-	4	2	-	-	-	2	7	4	3	4	-	1	9	31
12	148	18	45	3	10	9	3	31	6	5	4	1	16	48	11	28	28	7	-	38	32
3	58	7	8	-	3	5	-	8	3	2	1	-	6	15	5	10	10	1	-	11	33
9	90	11	37	3	7	4	3	23	3	3	3	1	10	33	6	18	18	6	-	27	34
3	16	-	2	-	-	1	-	2	1	-	-	-	-	5	1	4	4	-	-	2	35
-	10	2	8	-	3	1	2	2	2	-	-	-	5	3	1	4	8	1	-	3	36
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	37
13	157	19	57	4	22	12	8	25	4	-	5	1	19	32	11	21	28	6	-	45	38
10	130	17	40	3	20	12	7	19	4	-	5	1	15	24	11	13	24	5	-	37	39
3	27	2	17	1	2	-	1	6	-	-	-	-	4	8	-	8	4	1	-	8	40
59	1,297	131	187	39	113	52	18	156	26	20	25	2	39	138	81	83	148	59	7	296	41
59	1,297	131	187	39	113	52	18	156	26	20	25	2	39	138	81	83	148	59	7	296	42
4	74	3	26	1	10	5	1	5	-	-	1	-	1	5	2	4	3	4	-	13	43
4	86	11	10	8	2	2	1	12	3	-	3	-	3	9	1	9	9	3	1	22	44
2	96	9	7	1	12	-	2	6	3	1	1	-	2	10	14	4	6	6	1	22	45
14	204	11	19	2	7	13	3	14	4	1	4	-	11	25	11	13	14	6	-	51	46
9	116	5	9	2	4	7	2	8	2	-	1	-	8	11	10	8	10	4	-	31	47
5	88	6	10	-	3	6	1	6	2	1	3	-	3	14	1	5	4	2	-	20	48
-	16	1	4	2	2	1	1	5	-	2	1	-	-	1	3	-	4	1	-	7	49
3	95	14	14	3	10	1	2	24	2	1	1	-	3	10	3	7	10	-	-	24	50
-	11	-	1	1	-	-	-	4	-	-	-	-	1	-	-	2	5	-	-	4	51
-	39	2	3	-	6	1	1	2	-	1	-	-	1	2	1	2	10	-	-	10	52
2	55	9	15	-	5	3	-	6	2	2	-	-	1	6	7	5	3	5	1	10	53
5	76	8	9	2	14	2	1	13	2	2	2	1	3	12	1	9	5	5	-	23	54
9	180	9	23	4	13	5	2	22	4	1	5	1	6	16	25	12	19	7	1	31	55
6	78	3	9	2	8	-	1	4	1	-	-	1	4	10	9	7	6	2	1	14	56
3	102	6	14	2	5	5	1	18	3	1	5	-	2	6	16	5	13	5	-	17	57
4	130	13	16	2	12	3	-	15	2	3	2	-	1	18	3	3	25	11	2	18	58
1	40	2	5	-	4	1	-	1	-	-	1	-	-	10	-	2	8	4	2	4	59
3	90	11	11	2	8	2	-	14	2	3	1	-	1	8	3	1	17	7	-	14	60
4	98	19	19	11	13	5	3	12	1	3	2	-	3	12	5	7	21	5	-	26	61
8	137	22	21	2	7	11	1	16	3	3	3	-	3	12	5	6	14	6	1	35	62
318	7,851	1,943	1,776	294	564	395	339	1,253	170	162	283	46	486	1,855	371	774	1,364	426	301	2,526	63
99	3,071	693	474	105	183	156	101	424	60	51	140	18	206	784	95	228	446	173	123	1,025	64
219	4,780	1,250	1,302	189	381	239	238	829	110	111	143	28	280	1,071	276	546	918	253	178	1,501	65
5	120	27	40	2	3	9	10	22	2	5	4	2	8	13	3	8	26	2	2	24	66
5	55	11	21	1	3	3	4	13	1	-	1	-	8	14	4	6	9	10	3	25	67
2	25	5	9	-	2	2	1	3	2	-	1	-	3	2	-	10	2	2	-	6	68
1	27	4	3	1	5	3	2	5	-	-	-	-	2	2	-	1	8	1	-	8	69
2	50	12	7	2	1	3	2	2	1	2	4	-	4	6	1	11	6	4	5	17	70
1	25	18	6	-	2	1	-	2	-	-	1	-	-	1	-	3	1	1	-	9	71
10	265	28	21	12	10	13	7	23	8	6	12	1	20	61	5	11	25	24	3	70	72
-	73	23	17	2	8	4	2	7	1	2	-	-	1	11	6	7	17	4	2	21	73
-	18	6	8	-	1	-	1	5	-	-	-	-	-	2	-	2	3	-	1	3	74
12	65	19	19	-	10	3	12	17	2	1	2	-	5	10	-	6	9	3	1	18	75
1	11	2	6	-	1	-	-	1	-	-	-	-	-	-	1	6	-	-	1	4	76
3	37	9	17	1	1	5	2	3	1	-	2	1	4	6	1	8	6	1	-	15	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	VIRGINIA[a]—Continued																
1	Brunswick	191	-	-	3	28	7	7	3	4	2	4	1	3	112	26	74
2	Buchanan	243	2	-	6	21	5	5	2	3	1	-	5	2	114	12	91
3	Buckingham	126	-	-	3	12	3	2	2	3	1	-	1	2	75	19	52
4	Campbell	256	-	1	1	26	9	3	1	4	2	-	7	5	146	43	92
5	Caroline	155	1	-	1	18	12	1	3	-	1	1	-	2	89	23	60
6	Carroll	223	2	-	3	28	11	5	2	3	-	1	6	4	118	23	87
7	Charles City	52	1	-	3	7	2	1	-	2	-	1	1	-	21	8	9
8	Charlotte	145	-	-	1	19	6	3	2	2	1	-	5	1	75	25	41
9	Chesterfield	381	3	2	3	65	17	12	6	13	2	4	11	4	202	55	133
10	Clarke	97	-	-	-	15	6	3	1	1	-	-	4	-	54	13	37
11	Craig	35	-	-	-	7	3	-	-	-	-	-	4	-	20	6	13
12	Culpeper	174	-	-	1	22	12	2	-	4	-	-	4	1	113	21	89
13	Cumberland	77	-	1	-	9	1	-	-	1	1	1	5	-	38	9	24
14	Dickenson	137	1	-	-	14	5	2	-	3	1	-	3	1	62	9	47
15	Dinwiddie	149	2	-	1	22	7	-	1	5	2	1	6	2	84	22	56
16	Essex	92	-	-	-	11	1	1	1	6	-	-	2	2	45	8	32
17	Fairfax	904	4	2	8	124	33	21	11	17	10	5	27	13	420	82	298
18	Fauquier	254	-	-	-	26	12	1	1	3	1	2	6	10	134	30	90
19	Floyd	129	-	-	1	17	8	1	1	1	-	1	5	2	77	29	38
20	Fluvanna	88	-	-	-	6	3	-	-	1	-	-	2	-	58	10	43
21	Franklin	218	1	-	1	27	14	1	4	5	-	-	3	3	120	33	78
22	Frederick	198	-	1	1	23	8	2	3	3	1	2	4	2	111	28	75
23	Giles	151	1	1	2	18	6	1	1	4	-	-	6	-	79	15	61
24	Gloucester	128	1	1	-	18	7	2	1	3	2	1	2	1	77	14	55
25	Goochland	74	-	-	-	13	1	5	1	3	-	1	2	-	38	10	22
26	Grayson	166	1	-	-	26	9	2	2	2	-	2	9	1	97	28	65
27	Greene	57	1	-	1	4	2	1	-	-	1	-	-	-	37	10	23
28	Greensville	137	3	-	-	8	3	-	-	2	-	-	3	-	73	21	44
29	Halifax	338	2	-	2	35	12	4	2	5	-	2	10	4	195	47	132
30	Hanover	234	5	-	2	23	5	5	1	5	1	-	6	5	124	31	83
31	Henrico	651	5	-	5	108	31	23	9	11	5	7	22	7	332	69	233
32	Henry	261	2	-	2	33	8	9	-	4	-	2	10	3	121	27	85
33	Highland	34	-	-	-	2	1	-	-	-	1	-	-	-	25	6	18
34	Isle of Wight	155	2	-	-	18	4	4	1	2	1	2	4	2	72	17	52
35	James City	86	2	-	2	11	5	1	2	2	-	-	1	1	34	8	23
36	King and Queen	52	-	-	-	7	2	-	1	3	-	-	1	1	30	9	18
37	King George	55	1	-	-	8	5	1	-	1	-	-	1	-	31	8	22
38	King William	89	2	-	-	12	3	4	-	1	1	1	2	2	45	15	25
39	Lancaster	100	-	-	-	19	7	3	2	3	1	-	3	-	57	13	37
40	Lee	238	7	-	1	33	12	3	2	9	-	3	4	3	118	29	80
41	Loudoun	285	-	-	3	44	17	5	6	8	2	1	5	2	143	29	102
42	Louisa	168	4	-	1	14	2	-	2	2	1	2	5	2	100	28	63
43	Lunenburg	159	-	-	1	21	3	2	5	5	1	2	3	3	86	25	55
44	Madison	82	1	-	1	9	2	-	2	2	-	-	3	-	55	11	32
45	Mathews	117	2	-	-	21	9	1	2	3	1	1	4	1	74	11	50
46	Mecklenburg	319	-	-	2	47	10	5	2	12	1	3	14	5	177	56	110
47	Middlesex	88	1	-	-	13	6	3	1	-	1	-	2	3	44	8	27
48	Montgomery	257	4	1	1	27	8	6	4	6	-	-	3	5	140	26	97
49	Nansemond	300	6	-	2	34	8	6	5	8	1	1	5	3	144	49	80
50	Nelson	143	-	-	2	17	6	1	1	3	2	-	4	2	85	23	58
51	New Kent	42	1	-	-	2	1	1	-	-	-	-	-	2	28	6	19
52	Norfolk	510	4	-	-	77	22	12	8	11	3	8	13	4	248	61	167
53	Northampton	212	3	-	1	21	6	3	1	6	-	1	4	2	127	38	70
54	Northumberland	122	4	-	-	18	6	3	1	3	1	-	4	2	69	25	35
55	Nottoway	178	-	-	1	14	7	-	-	3	-	-	4	1	100	37	50
56	Orange	160	-	-	2	24	6	2	1	4	3	1	7	2	92	22	63
57	Page	153	1	-	1	18	4	6	4	1	-	-	3	3	84	13	65
58	Patrick	129	-	-	-	14	6	-	1	3	1	1	2	1	66	20	39
59	Pittsylvania	479	3	-	2	52	16	7	5	7	3	2	12	5	264	80	169
60	Powhatan	63	-	-	1	11	2	2	2	1	1	-	3	1	33	11	21
61	Prince Edward	166	2	-	-	18	7	2	-	5	-	-	4	6	95	27	56
62	Prince George	89	1	1	-	10	1	1	2	1	-	-	5	1	45	16	24
63	Prince William	235	-	-	-	28	13	3	1	1	-	1	9	-	106	23	72
64	Princess Anne	464	2	1	3	56	22	5	6	4	4	1	14	3	230	46	166
65	Pulaski	230	5	1	-	33	10	6	6	2	-	1	8	7	132	30	93
66	Rappahannock	62	1	-	1	8	2	-	-	-	2	1	3	-	33	7	24
67	Richmond	79	-	-	2	7	2	1	-	3	-	1	-	1	46	13	26
68	Roanoke	404	-	2	2	56	16	4	4	10	3	3	16	11	207	57	138
69	Rockbridge	201	4	1	-	34	13	3	2	3	2	-	11	8	106	11	81
70	Rockingham	351	5	-	6	36	12	3	1	6	1	3	10	8	224	42	156
71	Russell	218	1	-	-	34	8	4	3	9	2	1	7	1	108	25	73
72	Scott	211	4	-	1	27	6	5	2	5	2	3	4	-	128	21	95
73	Shenandoah	260	3	-	2	42	17	2	4	5	5	1	8	2	141	26	106
74	Smyth	295	3	-	4	39	13	11	2	4	1	1	7	10	156	44	102
75	Southampton	305	2	4	4	22	9	3	1	5	-	1	3	3	149	37	103
76	Spotsylvania	103	-	-	1	11	2	-	2	2	1	-	4	2	50	13	32
77	Stafford	92	1	-	1	10	2	1	-	3	-	-	4	-	47	12	33
78	Surry	68	1	-	3	6	4	-	-	1	1	-	-	-	38	6	26
79	Sussex	147	1	1	2	14	8	-	1	1	2	-	2	1	77	23	47
80	Tazewell	407	5	-	1	43	13	8	3	6	2	1	10	8	211	47	144

[a] Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	43	17	10	5	4	1	2	5	-	1	2	1	2	7	3	7	4	-	2	11	1
2	52	20	17	1	4	3	3	7	1	-	-	1	7	24	8	8	16	6	5	15	2
3	33	4	12	1	3	-	-	7	-	2	-	-	2	4	3	2	8	-	2	4	3
1	51	17	23	2	3	2	4	10	2	3	1	-	4	18	3	7	8	1	4	16	4
-	35	11	14	3	1	1	1	6	-	-	-	-	1	6	2	4	5	1	7	12	5
5	56	9	17	-	3	3	2	9	-	-	1	-	3	6	4	5	14	4	2	20	6
-	6	1	2	-	1	-	3	2	-	-	-	-	-	4	-	1	2	3	1	7	7
-	22	6	13	4	3	-	2	10	2	-	-	-	-	9	11	4	2	1	1	9	8
2	98	24	9	2	4	7	1	3	-	2	3	-	3	21	2	16	11	7	2	32	9
1	22	2	12	1	2	1	-	6	-	-	1	-	1	5	-	1	3	3	-	8	10
-	2	3	8	1	-	-	-	-	-	-	1	-	-	1	-	2	3	-	-	1	11
3	45	12	29	1	1	-	1	6	-	1	1	-	1	5	3	4	1	1	-	14	12
-	16	4	4	1	2	1	1	6	-	1	-	-	1	6	2	-	5	1	-	7	13
1	31	7	8	-	3	2	1	12	1	3	-	-	1	11	3	5	11	2	1	9	14
1	37	10	8	2	1	3	-	6	2	1	-	-	-	6	2	5	4	3	1	8	15
-	20	5	7	-	3	-	2	3	-	-	-	-	-	7	3	6	2	2	2	9	16
11	221	34	30	8	13	16	5	39	6	1	9	-	25	71	17	26	30	24	5	80	17
1	69	12	8	4	4	3	3	14	2	1	2	-	8	13	1	7	15	5	-	16	18
1	22	11	4	1	4	2	3	6	1	-	2	-	1	2	-	2	5	3	1	9	19
-	24	1	18	1	3	-	1	5	-	-	-	-	-	2	-	3	5	2	1	6	20
-	48	6	24	2	2	2	3	11	3	1	-	-	4	9	4	7	9	5	1	12	21
5	53	8	9	1	3	3	1	6	3	1	1	-	5	11	1	9	5	5	1	12	22
3	33	11	14	-	-	3	-	8	-	4	3	-	1	8	2	5	9	-	-	10	23
1	31	11	12	2	1	3	2	1	-	-	1	-	1	4	-	5	5	2	3	8	24
2	10	2	8	1	4	1	-	3	1	-	-	-	1	1	-	2	3	-	-	12	25
1	33	5	26	-	1	3	-	4	2	-	-	1	-	6	1	4	9	2	-	12	26
1	11	1	10	-	3	1	-	-	-	-	-	-	-	1	1	3	5	2	-	2	27
2	29	7	6	5	2	1	-	8	3	1	-	1	-	3	9	3	9	-	2	14	28
3	83	27	19	2	7	6	1	25	-	-	2	-	3	17	6	7	12	2	2	24	29
1	39	11	32	4	3	2	1	9	-	-	1	1	3	19	3	12	8	2	-	17	30
10	160	42	21	9	12	5	4	14	2	1	8	3	15	37	6	17	28	13	5	45	31
1	56	16	12	4	-	2	3	5	2	-	1	2	9	28	4	18	12	2	3	14	32
-	14	2	2	-	-	1	-	1	-	-	-	-	1	3	-	1	-	-	-	1	33
-	26	18	8	1	2	-	-	7	2	2	1	1	2	8	2	5	13	-	2	16	34
-	14	7	2	1	1	-	1	4	-	-	-	-	1	5	-	3	8	-	3	12	35
1	9	2	6	2	1	-	-	5	-	-	-	-	1	-	3	1	1	-	-	3	36
-	15	4	3	-	-	-	1	-	-	-	-	1	1	5	-	2	2	-	-	4	37
-	9	5	11	-	2	1	2	4	-	1	4	-	-	3	4	1	1	2	-	8	38
-	24	7	6	1	5	1	-	2	-	-	-	-	-	5	-	3	9	-	2	3	39
5	54	5	16	2	-	3	4	8	2	3	2	1	5	13	2	1	13	3	2	21	40
3	69	14	16	-	9	3	-	14	-	1	2	-	1	19	3	7	13	10	1	22	41
-	40	4	19	1	3	2	3	3	-	-	-	-	3	11	1	6	8	3	1	11	42
1	37	7	10	4	2	-	-	6	1	1	-	-	1	6	-	3	10	3	1	16	43
-	20	8	4	4	4	4	-	3	-	-	-	-	-	4	-	2	3	1	1	2	44
-	37	4	9	7	3	1	2	5	1	-	-	-	-	1	1	2	5	-	1	3	45
4	70	14	22	-	3	4	4	16	2	1	2	-	1	13	10	8	13	2	2	18	46
-	16	8	3	1	3	2	3	4	2	-	-	-	-	5	1	4	5	1	-	5	47
3	69	15	10	3	5	2	7	8	1	4	3	-	4	14	2	7	10	2	1	23	48
1	39	24	16	4	1	6	4	23	1	9	1	2	3	14	2	8	16	-	6	26	49
1	42	4	11	-	1	2	1	4	1	1	2	1	5	5	1	4	9	1	-	3	50
-	11	6	2	-	2	-	1	1	1	-	-	-	-	1	-	3	2	-	-	1	51
5	120	30	12	2	4	9	3	24	3	2	5	-	10	42	2	11	23	5	8	44	52
-	49	14	7	2	5	2	10	6	1	2	1	1	2	16	8	1	9	-	2	9	53
1	17	7	10	1	7	1	-	-	1	-	-	1	1	7	2	4	3	4	-	6	54
2	39	4	5	3	7	2	1	9	1	-	-	-	1	11	1	9	6	2	5	17	55
1	42	8	12	-	5	2	-	4	-	1	-	-	3	5	1	5	9	3	-	9	56
-	37	10	18	1	4	1	-	6	3	1	-	2	4	2	3	4	5	2	1	13	57
-	24	12	3	-	4	3	-	5	-	-	-	-	2	10	1	2	9	2	-	17	58
7	93	44	25	3	6	4	2	29	6	3	3	-	6	24	6	10	17	7	3	39	59
1	15	1	4	-	1	-	-	3	1	-	-	-	-	2	-	1	3	2	1	4	60
2	34	10	10	2	7	2	1	10	-	-	1	-	2	5	2	3	10	-	-	12	61
1	14	4	5	-	-	2	3	3	-	-	-	-	3	6	1	1	-	2	1	14	62
1	57	6	8	2	4	3	2	7	-	2	1	-	7	24	2	21	14	8	3	12	63
4	114	15	33	4	7	2	5	16	4	2	6	1	16	52	3	10	19	2	5	33	64
2	54	18	19	1	5	3	-	7	-	1	4	-	1	11	2	4	10	2	1	9	65
1	13	5	5	-	-	-	2	2	2	1	1	-	-	1	-	1	7	-	1	3	66
-	21	2	3	1	4	1	1	4	-	-	3	-	1	3	1	2	3	-	-	6	67
5	103	15	15	2	5	4	1	6	1	2	5	-	6	25	2	10	15	12	5	37	68
3	49	11	18	2	4	3	5	8	-	1	2	-	4	4	2	5	6	1	1	14	69
5	84	34	33	4	7	4	11	9	-	-	1	-	3	14	1	9	13	5	2	15	70
2	49	16	6	3	6	-	1	8	2	-	4	-	1	11	5	6	12	4	1	20	71
2	65	8	20	3	7	-	2	6	2	-	-	-	1	7	2	4	7	3	1	18	72
2	65	29	10	1	2	2	4	9	2	2	1	-	4	5	3	8	8	3	-	25	73
2	73	13	14	1	3	4	2	14	2	4	-	1	3	18	3	6	6	2	1	23	74
2	62	24	15	2	2	2	3	16	-	1	1	-	5	26	4	7	17	4	7	33	75
-	23	4	5	1	3	-	1	4	-	-	-	-	2	9	6	4	6	-	-	8	76
-	23	3	7	2	-	-	-	1	1	-	1	-	-	8	2	3	3	3	-	11	77
-	8	7	11	1	4	1	-	1	-	-	-	-	2	4	2	3	3	-	1	4	78
-	31	11	5	-	3	2	2	10	1	1	-	1	1	13	2	3	6	1	1	11	79
4	100	25	15	4	7	4	5	17	1	1	4	1	6	23	1	11	37	6	1	30	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	VIRGINIA[8]—Continued																
1	Warren	116	-	1	1	19	5	1	4	6	1	1	1	3	61	10	47
2	Washington	339	5	-	2	45	16	3	5	9	-	4	8	2	209	53	132
3	Westmoreland	123	2	1	-	17	4	1	3	5	1	1	2	1	60	15	40
4	Wise	390	3	1	3	52	19	8	3	6	3	1	12	4	199	40	141
5	Wythe	234	-	-	2	27	10	3	1	7	2	1	3	2	139	37	85
6	York	128	-	1	1	14	4	4	4	2	-	-	-	-	73	21	41
	Independent Cities[9]																
7	Alexandria	662	6	1	3	118	34	18	15	5	5	6	35	8	314	55	228
8	Bristol[10]	148	2	-	1	27	10	6	2	1	1	1	6	1	83	16	57
9	Buena Vista	33	-	-	-	5	2	-	-	1	-	1	1	-	18	3	13
10	Charlottesville	336	5	1	2	38	13	4	2	7	2	1	9	4	197	49	135
11	Clifton Forge	53	-	-	-	13	6	1	2	1	-	2	1	-	32	9	23
12	Colonial Heights	61	1	-	-	14	2	2	3	3	-	-	4	-	27	4	18
13	Covington[11]	95	1	-	-	17	7	1	3	1	-	1	4	1	56	8	42
14	Danville	435	2	-	1	71	20	6	8	14	1	4	18	3	237	64	157
15	Falls Church	112	-	-	1	27	9	4	5	6	1	1	1	-	40	9	28
16	Fredericksburg	107	-	-	2	23	2	5	3	2	1	2	8	4	43	13	27
17	Galax[12]	31	-	-	-	2	1	-	-	1	-	-	-	-	16	4	12
18	Hampton[13]	552	3	3	2	70	24	13	5	12	1	4	11	3	259	58	164
19	Harrisonburg	114	2	-	1	17	5	3	-	5	1	1	2	1	59	9	43
20	Hopewell	142	-	1	-	18	6	1	2	5	1	-	3	2	81	23	53
21	Lynchburg	561	1	-	-	71	17	7	10	12	5	3	17	9	330	80	221
22	Martinsville	136	-	-	-	21	6	4	1	4	-	1	5	2	61	15	42
23	Newport News[14]	851	14	3	4	102	28	25	4	20	7	5	13	18	410	102	272
24	Norfolk	2,328	19	13	12	314	82	54	26	51	17	15	69	28	1,187	269	817
25	Norton[15]	57	1	1	2	7	2	-	-	-	-	-	5	-	27	6	19
26	Petersburg	455	6	1	4	64	21	6	6	16	5	1	9	3	235	69	143
27	Portsmouth	796	8	5	2	93	27	15	5	17	9	3	17	7	432	106	292
28	Radford	81	1	1	-	13	5	-	1	3	1	-	3	5	48	12	31
29	Richmond	2,896	32	9	11	396	137	57	34	68	19	14	67	44	1,583	361	1,091
30	Roanoke	977	7	6	4	160	53	26	14	18	13	9	27	14	532	120	350
31	South Norfolk	201	5	-	-	16	3	1	-	9	2	-	1	7	107	26	74
32	Staunton	218	3	1	1	23	7	5	3	1	-	2	5	3	148	31	102
33	Suffolk	154	5	1	-	14	1	2	1	6	1	1	2	2	80	23	49
34	Virginia Beach[16]	71	-	-	-	11	3	5	1	1	-	-	1	-	36	6	24
35	Waynesboro	115	-	-	-	17	5	5	1	1	2	-	3	2	61	14	43
36	Williamsburg	52	1	-	-	8	6	1	-	-	-	-	1	-	27	9	14
37	Winchester	179	2	-	-	23	9	4	4	3	-	-	3	1	110	39	63
38	WASHINGTON	25,500	101	50	96	4,066	1,354	598	377	619	182	209	727	372	13,911	3,229	9,658
39	Metropolitan counties	14,820	72	31	52	2,414	824	347	225	366	102	121	429	190	8,037	1,739	5,723
40	Nonmetropolitan counties	10,680	29	19	44	1,652	530	251	152	253	80	88	298	182	5,874	1,490	3,935
41	Adams	61	-	-	-	7	3	1	2	1	-	-	-	1	32	3	23
42	Asotin	125	-	1	-	19	7	2	-	2	-	3	5	-	68	18	44
43	Benton	305	-	-	2	42	20	8	2	1	1	3	7	3	151	25	113
44	Kennewick	86	-	-	1	10	5	3	1	-	-	-	1	1	48	9	35
45	Balance of county	219	-	-	1	32	15	5	1	1	1	3	6	2	103	16	78
46	Chelan	398	-	-	5	64	19	10	11	5	4	5	10	6	199	50	134
47	Wenatchee	183	-	-	3	29	5	4	8	2	1	1	8	3	101	26	65
48	Balance of county	215	-	-	2	35	14	6	3	3	3	4	2	3	98	24	69
49	Clallam	272	-	-	1	43	14	5	4	4	1	1	14	4	140	31	103
50	Port Angeles	141	-	-	-	21	6	2	3	1	1	-	8	2	84	20	60
51	Balance of county	131	-	-	1	22	8	3	1	3	-	1	6	2	56	11	43
52	Clark	847	2	-	3	147	55	15	15	20	5	8	29	14	482	97	353
53	Vancouver	381	1	-	1	71	28	9	6	8	4	6	10	8	214	49	149
54	Balance of county	466	1	-	2	76	27	6	9	12	1	2	19	6	268	48	204
55	Columbia	61	-	-	1	10	3	1	-	1	2	-	3	2	30	8	21
56	Cowlitz	447	2	-	1	81	27	16	6	15	3	2	12	7	230	68	147
57	Longview	163	-	-	1	30	11	5	2	7	1	1	3	6	74	23	48
58	Balance of county	284	2	-	-	51	16	11	4	8	2	1	9	1	156	45	99
59	Douglas	86	-	-	1	9	2	-	2	-	-	2	3	-	49	15	30
60	Ferry	38	-	1	-	4	2	-	-	1	-	-	1	-	20	8	12
61	Franklin	138	1	-	-	17	5	3	-	2	1	4	2	2	66	10	49
62	Pasco	95	-	-	-	14	4	2	-	2	1	3	2	2	47	8	33
63	Balance of county	43	1	-	-	3	1	1	-	-	-	1	-	-	19	2	16
64	Garfield	38	-	-	-	10	-	-	1	2	-	1	6	-	19	3	14
65	Grant	214	-	-	1	28	4	7	2	7	1	2	5	3	88	20	64
66	Grays Harbor	630	4	-	3	100	34	17	9	16	7	1	16	11	355	85	239
67	Aberdeen	258	3	-	-	44	19	6	5	5	3	-	6	4	154	30	109
68	Hoquiam	125	1	-	1	23	9	6	1	2	2	1	2	4	67	21	42
69	Balance of county	247	-	-	2	33	6	5	3	9	2	-	8	3	134	34	88
70	Island	118	-	-	-	20	6	5	2	2	-	2	3	-	66	19	44
71	Jefferson	100	-	1	1	16	3	5	-	4	-	1	3	2	54	9	41

[8] Independent cities have the same status as counties and are listed after counties.

[9] Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Waynesboro, and Winchester.

[10] Includes data for Bristol, Va., only.

[11] Covington, formerly a town in Alleghany County, shown as an independent city beginning with 1953.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	25	9	13	-	3	1	-	-	2	-	-	-	-	7	3	2	7	2	-	8	1
11	91	10	20	2	13	6	3	11	2	5	-	-	4	14	-	3	13	3	-	21	2
1	22	5	12	1	-	2	2	6	2	2	1	-	-	6	1	1	8	4	2	9	3
9	102	12	18	2	8	5	3	10	1	3	2	-	6	22	16	7	23	3	3	32	4
2	58	6	19	-	13	4	-	8	-	-	3	1	4	10	-	5	11	3	2	17	5
5	27	4	5	3	3	3	2	7	1	1	-	-	1	6	1	6	8	-	1	7	6
4	174	29	21	2	10	13	6	24	4	2	13	1	9	49	1	14	30	12	4	49	7
3	48	1	5	3	4	3	-	4	1	-	-	-	2	4	2	2	4	1	-	14	8
1	9	-	3	-	1	-	1	-	-	-	1	-	2	1	-	-	1	1	-	4	9
4	89	15	27	3	2	4	4	9	2	3	3	-	3	15	6	1	13	5	2	27	10
1	13	7	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	6	11
-	14	2	2	1	1	3	-	1	-	1	2	-	-	3	1	4	6	-	1	-	12
1	27	6	8	1	-	2	3	1	-	-	3	-	-	4	-	-	3	2	-	7	13
7	82	43	25	3	4	1	8	17	1	4	5	-	6	19	5	12	16	4	4	28	14
2	21	2	3	-	-	3	-	1	-	-	-	-	6	15	2	5	5	2	-	8	15
-	19	3	5	1	-	-	2	3	1	-	3	-	2	7	1	2	2	-	-	14	16
1	8	1	2	-	-	-	-	3	-	-	-	-	-	1	1	2	-	1	-	5	17
2	126	24	12	10	5	10	12	21	5	5	8	-	15	49	4	18	31	8	13	35	18
1	29	12	1	-	3	-	4	5	-	-	2	-	1	7	-	-	1	6	-	12	19
1	33	8	11	-	2	-	3	1	-	1	-	1	5	9	-	3	4	2	3	11	20
1	142	41	37	3	11	8	7	28	4	2	6	1	6	16	11	7	19	4	8	38	21
2	20	13	7	3	1	-	-	9	-	-	2	-	5	4	11	3	4	2	2	10	22
12	205	41	14	10	11	9	6	34	3	3	12	2	17	72	10	21	38	6	11	51	23
11	594	113	99	18	38	24	21	94	7	8	31	5	41	175	15	44	101	23	22	189	24
3	10	5	1	-	1	1	-	4	-	-	1	-	-	2	2	1	4	2	-	3	25
5	80	52	6	5	10	5	3	23	4	2	1	-	3	31	7	6	13	5	6	41	26
2	184	76	30	7	7	13	7	44	6	4	4	3	5	47	2	6	31	5	17	75	27
1	20	5	5	1	4	-	-	1	1	-	-	-	-	5	-	1	4	-	1	-	28
21	729	213	128	28	48	29	26	107	15	11	31	3	36	130	19	40	101	24	38	266	29
12	240	52	46	10	24	18	10	22	4	10	11	1	11	42	16	16	22	18	7	74	30
-	48	20	6	1	1	-	5	7	-	-	2	-	3	17	3	2	5	2	2	23	31
6	70	16	10	2	5	4	4	6	-	2	-	-	-	7	-	3	7	1	1	12	32
-	28	10	11	3	3	1	1	7	1	-	4	-	3	9	-	1	10	1	1	15	33
1	17	2	4	-	4	1	1	1	1	-	1	-	3	6	-	2	2	2	1	5	34
1	36	4	2	-	2	2	-	3	1	3	1	-	1	14	2	1	3	-	1	5	35
-	10	3	1	2	2	-	-	2	1	-	-	-	2	3	1	3	-	-	-	4	36
2	46	9	6	1	3	2	2	7	1	-	2	-	1	4	-	5	7	3	1	12	37
342	7,231	985	1,100	126	493	283	122	868	171	92	257	10	361	1,016	182	667	1,042	367	63	1,808	38
212	4,236	653	622	66	263	170	76	533	107	51	184	7	207	604	92	361	553	232	39	1,054	39
130	2,995	332	478	60	230	113	46	335	64	41	73	3	154	412	90	306	489	135	24	754	40
1	15	3	4	-	6	-	-	3	-	-	-	-	1	3	-	3	5	1	-	5	41
1	32	5	6	-	4	2	-	4	2	-	1	-	3	1	-	6	9	2	-	9	42
4	95	6	8	-	8	2	3	6	-	-	4	-	5	33	1	9	18	6	1	24	43
-	33	-	2	-	4	-	-	1	-	-	1	-	1	8	1	1	5	3	-	5	44
4	62	6	6	-	4	2	3	5	-	-	3	-	4	25	-	8	13	3	1	19	45
7	101	10	16	3	5	5	2	12	2	3	-	-	3	18	-	25	17	7	-	37	46
1	52	6	6	3	4	2	1	6	1	2	-	-	1	10	-	2	4	4	-	17	47
6	49	4	10	-	1	3	1	6	1	1	-	-	2	8	-	23	13	3	-	20	48
1	84	11	7	2	2	2	-	11	2	1	-	-	5	11	3	11	12	5	2	21	49
1	51	7	1	-	2	2	-	3	1	-	-	-	2	4	2	1	6	1	1	13	50
-	33	4	6	2	-	-	-	8	1	1	-	-	3	7	1	10	6	4	1	8	51
16	248	51	38	1	15	9	7	25	7	3	9	-	7	23	4	17	25	15	1	63	52
7	111	14	17	1	7	4	4	8	4	2	3	-	2	9	1	8	11	8	1	29	53
9	137	37	21	-	8	5	3	17	3	1	6	-	5	14	3	9	14	7	-	34	54
-	18	2	1	-	-	-	1	2	-	-	-	-	-	-	1	3	5	2	1	4	55
11	115	9	12	3	7	2	3	9	2	1	3	-	12	24	7	10	27	2	-	29	56
7	35	2	4	1	1	-	1	2	1	-	2	-	7	12	2	3	6	1	-	16	57
4	80	7	8	2	6	2	2	7	1	1	1	-	5	12	5	7	21	1	-	13	58
2	27	1	-	1	2	-	1	5	1	-	1	-	3	5	-	2	7	-	-	3	59
-	11	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	-	-	4	60
5	38	3	3	-	4	3	-	5	-	-	4	-	1	5	2	8	11	1	-	15	61
4	25	2	2	-	4	2	-	2	-	-	4	-	-	3	1	3	7	1	-	11	62
1	13	1	1	-	-	1	-	3	-	-	-	-	1	2	1	5	4	-	-	4	63
-	11	1	2	-	-	2	-	1	-	-	-	-	-	3	1	-	1	-	-	3	64
2	50	8	4	1	1	2	-	2	-	2	2	-	9	27	-	17	11	5	-	19	65
7	192	16	24	4	12	10	5	21	3	2	3	-	8	18	8	8	28	5	3	50	66
4	80	11	14	-	6	6	3	6	1	-	1	-	2	4	5	2	10	1	1	20	67
-	35	2	5	1	2	-	1	6	-	1	-	-	2	3	1	1	5	-	1	9	68
3	77	3	5	3	4	4	1	9	2	1	2	-	4	11	2	5	13	4	1	21	69
-	40	2	2	-	1	-	2	6	-	-	2	-	-	3	2	5	3	2	-	9	70
2	30	7	2	-	2	2	-	2	1	1	2	-	2	7	-	1	7	-	-	3	71

[12] Galax, formerly a town in Carroll and Grayson Counties, shown as an independent city beginning with 1955.
[13] Elizabeth City County annexed to the independent city of Hampton in 1952.
[14] Warwick, formerly an independent city, annexed to Newport News in 1958.
[15] Norton, formerly a town in Wise County, shown as an independent city beginning with 1955.
[16] Virginia Beach, formerly a town in Princess Anne County, shown as an independent city beginning with 1955.

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	WASHINGTON—Continued																
1	King	8,571	49	23	29	1,432	494	210	140	204	63	77	244	103	4,539	973	3,232
2	Seattle	6,538	38	22	20	1,089	387	155	113	152	50	56	176	76	3,514	770	2,470
3	Renton	161	-	-	1	24	10	3	2	4	-	4	1	2	80	20	54
4	Balance of county	1,872	11	1	8	319	97	52	25	48	13	17	67	25	945	183	708
5	Kitsap	703	1	-	3	106	15	28	9	19	4	9	22	8	422	76	308
6	Bremerton	235	-	-	-	44	6	11	4	6	2	3	12	4	131	21	101
7	Balance of county	468	1	-	3	62	9	17	5	13	2	6	10	4	291	55	207
8	Kittitas	232	-	-	1	28	9	6	2	3	1	1	6	5	142	42	85
9	Klickitat	115	-	-	-	14	9	-	1	3	-	-	1	4	63	11	45
10	Lewis	494	2	2	-	82	25	17	6	13	3	5	13	16	299	96	179
11	Lincoln	105	1	1	-	13	4	-	1	4	1	1	2	3	63	21	38
12	Mason	183	-	-	-	32	11	3	4	4	1	2	7	3	90	20	65
13	Okanogan	237	2	-	3	25	14	3	-	4	1	1	2	4	120	32	82
14	Pacific	182	1	-	1	33	10	7	3	3	2	2	6	6	90	17	67
15	Pend Oreille	67	-	-	1	6	3	-	2	-	-	-	1	2	31	6	21
16	Pierce	2,613	14	4	9	425	141	73	28	69	13	21	80	38	1,580	349	1,111
17	Tacoma	1,756	12	2	5	276	82	49	21	47	10	14	53	22	1,009	229	708
18	Puyallup	151	-	-	-	20	6	5	-	5	1	1	2	1	97	18	71
19	Balance of county	906	2	2	4	129	53	19	7	17	2	6	25	15	474	102	332
20	San Juan	30	-	-	-	2	-	-	-	1	-	-	1	-	18	4	13
21	Skagit	495	1	3	2	59	25	6	4	8	3	4	9	13	280	75	185
22	Skamania	36	-	-	-	4	3	-	-	-	1	-	-	1	19	1	17
23	Snohomish	1,386	6	3	2	220	71	27	28	33	12	8	41	26	789	234	510
24	Everett	427	3	1	1	62	24	6	10	8	1	2	13	10	271	84	169
25	Balance of county	959	3	2	1	158	47	21	18	27	11	6	28	16	518	150	341
26	Spokane	2,589	7	4	11	410	134	49	42	73	21	15	76	35	1,436	320	1,027
27	Spokane	2,035	5	3	7	325	111	38	36	55	15	11	59	26	1,149	252	827
28	Balance of county	554	2	1	4	85	23	11	6	18	6	4	17	9	287	68	200
29	Stevens	176	-	-	1	23	6	4	2	3	-	-	8	4	103	30	70
30	Thurston	477	1	-	2	83	19	13	9	11	11	5	15	7	256	51	184
31	Olympia	216	1	-	1	37	13	4	4	3	5	3	5	4	117	26	82
32	Balance of county	261	-	-	1	46	6	9	5	8	6	2	10	3	139	25	102
33	Wahkiakum	36	-	-	-	5	3	1	1	-	-	-	-	1	19	6	11
34	Walla Walla	419	2	-	2	69	26	9	7	8	2	3	14	4	247	81	144
35	Walla Walla	299	2	-	1	48	19	8	5	5	2	1	8	2	176	59	100
36	Balance of county	120	-	-	1	21	7	1	2	3	-	2	6	2	71	22	44
37	Whatcom	749	1	2	2	134	47	11	15	28	6	6	21	7	437	95	310
38	Bellingham	466	-	-	1	89	36	7	11	14	4	5	12	5	283	59	201
39	Balance of county	283	1	2	1	45	11	4	4	14	2	1	9	2	154	36	109
40	Whitman	221	-	-	3	38	15	4	4	6	2	3	4	3	107	28	69
41	Pullman	38	-	-	1	6	1	-	-	1	1	-	3	-	15	4	11
42	Balance of county	183	-	-	2	32	14	4	4	5	1	3	1	3	92	24	58
43	Yakima	1,306	4	5	5	206	66	32	13	39	10	11	35	24	712	192	454
44	Yakima	542	1	4	1	93	25	19	7	18	3	3	18	11	309	87	197
45	Balance of county	764	3	1	4	113	41	13	6	21	7	8	17	13	403	105	257
46	WEST VIRGINIA	17,714	163	47	92	2,455	783	370	188	372	110	117	515	280	9,632	2,126	6,590
47	Metropolitan counties	5,641	44	13	22	837	266	147	56	122	42	34	170	78	3,186	657	2,244
48	Nonmetropolitan counties	12,073	119	34	70	1,618	517	223	132	250	68	83	345	202	6,446	1,469	4,346
49	Barbour	164	-	2	1	30	10	5	2	7	-	2	4	1	84	31	47
50	Berkeley	301	3	1	-	48	19	6	5	8	2	-	8	9	155	38	105
51	Martinsburg	183	2	-	-	28	11	3	2	6	2	-	4	5	98	24	64
52	Balance of county	118	1	1	-	20	8	3	3	2	-	-	4	4	57	14	41
53	Boone	228	2	-	7	31	8	7	3	3	2	2	6	5	105	19	71
54	Braxton	151	-	-	1	27	9	3	3	7	-	3	2	2	79	19	49
55	Brooke	242	1	-	-	32	13	8	1	3	2	-	5	2	146	30	105
56	Weirton (part)	24	-	-	-	3	1	1	-	-	-	-	1	-	14	1	13
57	Balance of county	218	1	-	-	29	12	7	1	3	2	-	4	2	132	29	92
58	Cabell	1,038	11	2	5	160	47	27	17	24	7	5	33	19	574	107	431
59	Huntington (part)	818	10	2	3	127	36	24	17	18	5	4	23	16	457	88	342
60	Huntington (total)	855	10	2	3	134	37	26	20	19	5	4	23	18	474	91	354
61	Balance of county	220	1	-	2	33	11	3	-	6	2	1	10	3	117	19	89
62	Calhoun	86	1	-	2	9	3	-	1	4	-	1	-	4	38	13	24
63	Clay	93	1	-	1	7	2	-	-	2	-	1	2	1	42	10	26
64	Doddridge	77	1	-	-	7	4	1	-	-	-	1	1	-	53	9	40
65	Fayette	618	6	2	2	90	30	20	2	10	6	5	17	8	344	59	248
66	Gilmer	78	1	-	-	8	8	-	-	-	-	-	-	-	44	10	25
67	Grant	71	-	-	1	6	2	-	-	2	-	-	2	-	36	7	23
68	Greenbrier	352	3	1	-	45	17	7	1	6	2	3	9	2	194	42	125
69	Hampshire	122	3	-	-	15	9	-	1	1	-	1	3	2	75	23	46
70	Hancock	279	1	-	1	41	11	10	6	9	1	-	4	6	146	35	95
71	Weirton (part)	171	1	-	-	24	6	4	4	6	1	-	3	4	86	25	53
72	Weirton (total)	195	1	-	-	27	7	5	4	6	1	-	4	4	100	26	66
73	Balance of county	108	-	-	1	17	5	6	2	3	-	-	1	2	60	10	42
74	Hardy	82	2	-	-	10	4	1	2	1	1	-	1	1	40	12	25
75	Harrison	842	3	4	5	136	47	11	13	18	5	5	37	16	498	103	354
76	Clarksburg	379	2	1	4	58	25	7	4	8	2	4	8	9	229	47	161
77	Balance of county	463	1	3	1	78	22	4	9	10	3	1	29	7	269	56	193
78	Jackson	167	-	-	2	24	9	6	3	-	1	-	5	1	93	20	60
79	Jefferson	216	3	-	-	28	8	2	3	6	2	1	6	7	118	25	75

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
132	2,388	339	373	37	153	102	42	312	59	30	127	6	123	334	51	201	338	135	23	657	1
93	1,827	269	281	30	130	84	30	233	47	24	109	5	83	217	44	135	243	101	20	518	2
3	39	3	9	2	1	-	3	3	1	2	2	-	4	12	1	8	8	4	1	8	3
36	522	67	83	5	22	18	9	76	11	4	16	1	36	105	6	58	87	30	2	131	4
18	252	18	20	6	22	7	3	13	2	1	7	-	10	28	3	14	33	9	-	43	5
3	85	9	4	-	7	2	-	4	1	-	2	-	3	11	1	3	12	3	-	16	6
15	167	9	16	6	15	5	3	9	1	1	5	-	7	17	2	11	21	6	-	27	7
4	56	8	17	4	6	4	1	11	-	-	4	-	2	5	2	4	11	3	-	14	8
-	34	2	9	1	4	2	-	3	1	-	-	-	2	5	3	3	9	1	-	7	9
5	134	12	28	2	15	7	-	9	2	2	2	-	5	7	3	9	19	6	-	29	10
-	27	6	5	1	1	2	-	2	-	-	-	-	2	2	1	3	7	1	-	6	11
-	56	4	5	-	3	2	-	10	1	1	1	1	2	7	2	4	7	6	1	15	12
2	60	4	16	-	4	1	1	7	-	4	1	-	3	12	4	18	12	2	-	20	13
-	46	5	16	-	2	3	1	5	1	-	1	-	3	6	3	3	7	1	-	21	14
-	15	3	3	1	-	3	-	6	1	-	-	-	2	4	-	3	4	1	1	5	15
28	902	81	100	13	67	26	14	94	15	8	25	1	40	147	23	68	97	35	5	185	16
14	582	48	64	9	39	14	10	64	5	5	16	1	19	78	15	33	53	26	5	110	17
2	52	9	8	-	3	4	1	3	-	1	2	-	2	7	3	1	1	3	-	10	18
12	268	24	28	4	25	8	3	27	10	2	7	-	19	62	5	34	43	6	-	65	19
-	10	1	2	-	1	-	-	1	2	-	-	-	-	-	-	-	2	2	-	3	20
2	135	19	29	3	11	3	3	18	5	3	3	1	8	15	3	15	20	7	2	37	21
-	14	1	2	-	1	-	-	3	2	-	-	-	1	2	-	-	2	-	-	2	22
17	391	50	52	8	24	8	5	38	13	4	11	-	13	43	8	34	56	25	3	92	23
6	128	17	18	3	9	5	1	10	4	1	4	-	5	8	3	6	10	5	-	23	24
11	263	33	34	5	15	3	4	28	9	3	7	-	8	35	5	28	46	20	3	69	25
36	698	182	111	15	28	33	13	102	26	10	23	-	37	100	14	75	93	47	10	149	26
26	549	153	99	12	19	27	12	76	22	8	20	-	28	71	14	55	67	39	8	112	27
10	149	29	12	3	9	6	1	26	4	2	3	-	9	29	-	20	26	8	2	37	28
1	45	8	16	1	-	2	-	5	1	1	-	-	2	5	2	3	13	1	-	12	29
3	127	25	29	3	11	5	2	12	4	2	8	-	5	20	13	8	20	3	1	32	30
-	51	14	17	3	3	2	1	5	1	1	5	-	3	11	3	5	5	1	1	15	31
3	76	11	12	-	8	3	1	7	3	1	3	-	2	9	10	3	15	2	-	17	32
2	7	-	2	-	2	-	-	2	1	-	-	-	-	1	-	-	3	-	1	3	33
5	115	11	13	2	14	4	2	9	2	1	4	1	3	12	3	8	15	3	-	34	34
4	81	6	9	2	9	4	2	5	2	1	4	1	1	8	2	5	11	1	-	29	35
1	34	5	4	-	5	-	-	4	-	-	-	-	2	4	1	3	4	2	-	5	36
12	235	26	37	1	25	5	1	29	4	1	2	-	7	20	5	13	28	10	2	45	37
8	152	11	30	1	18	3	1	17	3	1	1	-	3	12	3	4	11	6	1	26	38
4	83	15	7	-	7	2	-	12	1	-	1	-	4	8	2	9	17	4	1	19	39
3	50	5	11	4	5	1	-	8	3	1	-	-	3	12	3	6	11	3	-	20	40
1	6	1	3	-	-	-	-	-	1	-	-	-	1	7	1	2	2	-	-	2	41
2	44	4	8	4	5	1	-	8	2	1	-	-	2	5	2	4	9	3	-	18	42
13	327	39	75	9	25	22	10	55	6	10	7	-	28	47	6	47	46	13	6	79	43
6	127	26	38	4	10	9	2	15	2	2	3	-	10	21	2	11	15	3	2	37	44
7	200	13	37	5	15	13	8	40	4	8	4	-	18	26	4	36	31	10	4	42	45
174	4,521	840	1,055	186	376	175	179	637	99	53	139	19	236	670	387	405	800	194	98	1,308	46
55	1,582	256	351	44	115	57	69	204	31	21	53	7	68	180	68	125	222	50	28	404	47
119	2,939	584	704	142	261	118	110	433	68	32	86	12	168	490	319	280	578	144	70	904	48
2	37	3	5	2	3	-	1	7	1	1	1	-	3	5	3	7	6	3	-	9	49
2	53	17	33	3	4	1	4	11	2	1	4	-	7	8	10	5	9	2	-	26	50
2	33	10	19	2	4	-	4	6	1	1	3	-	4	4	7	4	3	1	-	16	51
-	20	7	14	1	-	1	-	5	1	-	1	-	3	4	3	1	6	1	-	10	52
3	48	10	10	1	6	2	6	8	3	1	1	1	2	15	10	7	10	-	-	20	53
3	26	11	9	2	7	1	1	8	-	-	-	-	-	2	16	2	7	1	-	6	54
1	73	9	22	2	5	3	1	4	-	1	6	-	4	6	1	3	12	2	1	21	55
-	10	1	2	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	4	56
1	63	8	20	2	5	3	1	4	-	1	5	-	4	5	1	2	12	2	1	17	57
11	271	40	109	8	9	10	9	43	7	1	8	2	13	42	12	23	39	11	4	62	58
9	221	30	82	8	7	7	5	26	4	1	6	2	10	39	9	15	24	6	4	57	59
10	228	32	84	8	8	7	6	27	5	1	6	2	12	39	10	16	27	6	4	59	60
2	50	10	27	-	2	3	4	17	3	-	2	-	3	3	3	8	15	5	-	5	61
-	11	-	13	-	-	1	-	6	-	-	-	-	-	1	12	1	3	2	-	7	62
-	14	3	9	1	4	1	-	3	-	-	-	-	2	9	1	9	10	-	-	7	63
1	28	1	10	2	1	-	1	1	-	-	-	-	2	-	4	1	2	1	3	2	64
5	167	28	48	3	15	7	12	23	3	1	5	1	4	16	11	11	30	7	3	51	65
2	15	-	8	2	4	1	2	1	1	-	-	-	-	1	6	1	2	4	-	9	66
1	17	3	2	-	3	2	1	6	-	-	3	-	2	2	2	2	5	1	1	4	67
5	90	15	15	9	14	3	1	10	3	1	1	-	8	17	3	6	22	3	2	31	68
1	26	6	13	-	4	1	1	5	-	-	-	-	-	2	-	3	6	-	-	11	69
3	77	6	9	4	6	2	4	13	5	-	8	-	4	11	7	5	9	2	1	19	70
1	47	1	4	1	5	2	-	9	4	-	7	-	3	5	6	4	4	2	-	12	71
1	57	2	6	1	5	2	-	9	4	-	8	-	3	6	6	5	4	2	-	16	72
2	30	5	5	3	1	-	4	4	1	-	1	-	1	6	1	1	5	-	1	7	73
-	18	3	4	1	-	1	1	1	1	1	2	-	1	7	4	2	4	-	-	6	74
4	229	40	81	6	19	5	11	22	5	-	4	-	12	16	11	25	18	6	4	57	75
2	104	23	32	1	11	3	6	6	2	-	2	-	5	9	2	9	7	4	1	29	76
2	125	17	49	5	8	2	5	16	3	-	2	-	7	7	9	16	11	2	3	28	77
-	31	8	21	2	3	1	7	6	1	1	1	-	2	7	3	2	7	2	2	13	78
1	55	9	10	2	13	2	1	15	3	1	2	-	2	9	-	6	6	-	-	16	79

546125 O - 60 - 45

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	WEST VIRGINIA—Con.																
1	Kanawha	1,964	17	5	10	287	87	50	14	43	15	16	62	26	1,067	216	760
2	Charleston	880	7	4	4	134	43	20	11	20	8	6	26	13	503	89	364
3	South Charleston	133	2	-	-	24	8	4	2	2	-	2	6	1	66	13	49
4	Balance of county	951	8	1	6	129	36	26	1	21	7	8	30	12	498	114	347
5	Lewis	237	1	-	1	24	10	2	-	1	2	1	8	5	143	39	92
6	Lincoln	152	1	2	-	18	6	3	-	3	-	1	5	3	89	11	57
7	Logan	480	10	4	5	51	15	12	3	6	4	-	11	7	185	50	118
8	McDowell	658	16	3	5	71	22	14	3	10	2	3	17	6	318	57	231
9	Marion	737	4	2	2	111	35	10	11	18	7	5	25	9	414	95	280
10	Fairmont	329	2	1	1	49	16	4	6	6	4	4	9	2	184	43	128
11	Balance of county	408	2	1	1	62	19	6	5	12	3	1	16	7	230	52	162
12	Marshall	386	2	2	1	62	20	6	5	5	5	1	20	7	218	51	148
13	Moundsville	146	-	1	-	23	5	1	3	1	1	1	11	4	88	21	62
14	Balance of county	240	2	1	1	39	15	5	2	4	4	-	9	3	130	30	86
15	Mason	205	2	-	3	24	7	4	1	5	1	1	5	3	97	20	69
16	Mercer	722	4	2	3	88	24	14	8	15	3	5	19	16	406	89	274
17	Bluefield[17]	226	-	-	-	29	7	7	5	3	1	1	5	8	135	30	91
18	Balance of county	496	4	2	3	59	17	7	3	12	2	4	14	8	271	59	183
19	Mineral	232	1	-	2	25	9	4	4	4	1	1	2	3	142	31	97
20	Mingo	366	9	3	3	51	10	11	5	8	5	3	9	7	153	37	98
21	Monongalia	524	7	1	3	90	24	16	8	12	5	6	19	14	272	74	177
22	Morgantown	258	5	-	1	43	12	7	3	5	3	4	9	6	145	46	88
23	Balance of county	266	2	1	2	47	12	9	5	7	2	2	10	8	127	28	89
24	Monroe	148	-	-	-	22	6	2	3	6	1	1	3	1	84	26	48
25	Morgan	95	-	-	-	14	5	1	1	4	-	1	2	1	55	17	35
26	Nicholas	250	1	-	-	22	2	4	3	2	2	2	7	8	111	26	71
27	Ohio	810	3	2	3	121	45	21	7	23	5	4	16	6	525	127	342
28	Wheeling	702	3	2	2	109	42	18	7	21	4	3	14	5	454	112	298
29	Balance of county	108	-	-	1	12	3	3	-	2	1	1	2	1	71	15	44
30	Pendleton	71	1	-	-	8	2	2	1	-	-	1	-	3	44	7	34
31	Pleasants	79	-	-	-	12	3	2	3	-	-	-	4	2	51	11	30
32	Pocahontas	110	1	1	-	12	3	3	1	1	1	-	3	2	61	14	44
33	Preston	285	4	-	1	37	10	3	2	9	1	4	8	3	155	22	116
34	Putnam	166	1	-	2	25	6	4	-	5	1	-	9	2	95	24	62
35	Raleigh	666	18	3	2	93	27	15	6	19	2	3	21	9	348	66	245
36	Beckley	179	3	1	1	28	8	3	3	3	2	1	8	-	104	20	75
37	Balance of county	487	15	2	1	65	19	12	3	16	-	2	13	9	244	46	170
38	Randolph	272	1	1	2	38	7	4	3	8	1	3	12	3	159	43	96
39	Ritchie	144	-	-	1	19	6	3	-	2	2	-	6	-	82	21	51
40	Roane	152	2	-	-	20	6	2	1	2	-	2	7	5	76	13	48
41	Summers	181	1	-	2	28	12	3	-	5	-	3	5	3	99	16	78
42	Taylor	221	1	-	-	27	7	7	2	3	4	-	4	5	127	29	79
43	Tucker	101	-	-	-	15	6	3	-	2	-	1	3	4	58	15	40
44	Tyler	112	2	-	-	9	3	2	1	-	-	1	2	4	68	17	45
45	Upshur	236	-	-	3	41	17	5	3	7	-	2	7	2	126	34	83
46	Wayne	304	3	-	-	44	13	5	4	5	1	3	13	4	166	32	115
47	Huntington (part)	37	-	-	-	7	1	2	3	1	-	-	-	2	17	3	12
48	Balance of county	267	3	-	-	37	12	3	1	4	1	3	13	2	149	29	103
49	Webster	133	-	-	2	20	5	-	2	3	2	2	6	2	70	12	53
50	Wetzel	234	1	2	2	42	16	4	3	6	2	3	8	5	125	20	100
51	Wirt	40	-	-	-	9	3	1	2	1	1	1	-	-	17	1	16
52	Wood	824	6	2	5	100	36	10	15	14	2	4	19	12	487	124	316
53	Parkersburg	563	3	2	4	67	25	5	9	10	-	3	15	9	332	77	222
54	Balance of county	261	3	-	1	33	11	5	6	4	2	1	4	3	155	47	94
55	Wyoming	210	1	-	1	23	8	4	-	4	1	3	3	2	95	27	60
56	WISCONSIN	37,280	145	35	139	6,218	2,367	654	573	892	362	318	1,052	748	21,220	4,703	14,616
57	Metropolitan counties	14,752	76	22	49	2,637	948	340	249	363	163	126	448	279	8,132	1,677	5,691
58	Nonmetropolitan counties	22,528	69	13	90	3,581	1,419	314	324	529	199	192	604	469	13,088	3,026	8,925
59	Adams	104	-	-	-	17	8	1	-	3	1	-	4	2	69	17	47
60	Ashland	219	-	1	1	29	13	3	4	2	1	-	6	5	124	24	87
61	Ashland	120	-	1	1	16	8	2	4	1	-	-	1	2	69	12	48
62	Balance of county	99	-	-	-	13	5	1	-	1	1	-	5	3	55	12	39
63	Barron	338	1	-	2	46	19	5	4	5	1	1	11	14	189	64	111
64	Bayfield	167	1	-	-	18	9	2	-	2	1	-	4	3	105	19	79
65	Brown	1,023	8	-	3	148	52	21	9	24	11	11	20	33	533	139	339
66	Green Bay	597	4	-	-	90	28	16	7	12	8	5	14	20	313	80	205
67	Balance of county	426	4	-	3	58	24	5	2	12	3	6	6	13	220	59	134
68	Buffalo	155	-	-	-	25	11	1	6	4	-	-	3	3	74	19	50
69	Burnett	111	1	-	-	21	10	-	3	4	1	-	3	3	60	14	44
70	Calumet	164	-	-	-	24	11	3	4	1	1	1	3	4	94	28	60
71	Chippewa	429	-	-	1	57	20	4	5	12	5	5	6	10	257	68	176
72	Eau Claire (part)	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2
73	Chippewa Falls	132	-	-	-	18	6	2	2	3	2	1	2	1	86	23	61
74	Balance of county	293	-	-	1	39	14	2	3	9	3	4	4	9	168	44	113
75	Clark	327	2	-	1	55	23	11	2	7	2	2	8	6	199	49	129
76	Columbia	438	1	-	1	52	22	5	2	8	4	4	7	4	280	64	192
77	Crawford	170	-	-	1	21	9	3	2	1	1	-	5	1	98	20	72

[17] Includes data for Bluefield, W. Va., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
14	548	120	78	14	40	18	19	86	12	8	13	3	28	68	20	51	85	15	14	149	1
6	261	57	40	8	17	13	12	32	5	4	9	-	6	26	13	12	29	4	6	69	2
-	33	10	6	-	3	1	-	4	4	-	-	-	2	7	1	6	7	1	-	8	3
8	254	53	32	6	20	4	7	50	3	4	4	3	20	35	6	33	49	10	8	72	4
-	66	10	16	3	2	3	4	9	2	-	2	1	1	9	2	8	12	3	3	11	5
2	43	5	7	-	1	-	-	10	2	1	2	-	1	9	2	3	9	4	2	14	6
4	76	13	25	3	5	6	3	12	1	1	7	-	10	36	45	18	32	7	5	44	7
5	151	48	27	9	11	5	5	28	4	3	3	2	9	39	10	15	55	10	10	51	8
6	205	52	27	8	16	4	1	25	7	2	5	2	7	38	2	10	30	13	3	51	9
-	95	16	17	4	8	1	-	14	4	1	3	-	4	18	-	3	13	5	2	23	10
6	110	36	10	4	8	3	1	11	3	1	2	2	3	20	2	7	17	8	1	28	11
8	108	10	22	4	8	2	5	12	1	1	4	-	3	8	2	7	17	7	3	29	12
4	46	2	10	1	3	-	1	4	1	-	2	-	-	2	-	2	5	3	1	10	13
4	62	8	12	3	5	2	4	8	-	1	2	-	3	6	2	5	12	4	2	19	14
2	44	10	13	-	3	3	2	10	3	-	-	1	1	11	6	10	13	2	-	19	15
6	183	48	37	19	11	4	9	27	3	4	5	2	12	22	19	13	27	8	5	56	16
-	68	14	9	5	5	2	2	5	1	1	1	-	5	5	5	2	8	2	1	18	17
6	115	34	28	14	6	2	7	22	2	3	4	2	7	17	14	11	19	6	4	38	18
3	60	8	26	5	6	2	1	7	2	-	3	1	6	3	3	8	11	4	1	10	19
5	66	11	14	9	4	6	1	10	1	3	4	-	8	18	19	8	27	-	8	34	20
9	143	15	10	5	8	6	2	12	3	2	3	-	8	10	10	18	20	7	2	42	21
5	73	7	3	4	2	5	-	8	1	-	1	-	2	6	2	6	9	4	-	19	22
4	70	8	7	1	6	1	2	4	2	2	2	-	6	4	8	12	11	3	2	23	23
-	30	8	10	2	6	2	-	4	3	-	-	-	1	4	2	2	7	2	-	16	24
2	19	1	13	1	1	1	-	1	-	-	-	-	2	6	-	1	6	-	-	9	25
1	47	12	11	1	8	5	-	9	-	-	1	1	6	22	10	9	26	2	1	21	26
10	266	27	39	6	25	12	13	14	-	7	6	1	9	17	3	16	19	6	1	51	27
8	235	23	32	5	17	10	12	12	-	7	5	-	8	13	3	11	15	5	1	47	28
2	31	4	7	1	8	2	1	2	-	-	1	1	1	4	-	5	4	1	-	4	29
2	26	-	6	-	2	-	1	-	-	-	-	-	-	4	-	-	5	1	1	6	30
1	24	2	3	1	4	3	2	-	-	-	1	-	2	3	1	1	-	2	1	3	31
-	34	10	-	-	2	-	1	4	-	-	1	-	2	3	1	4	3	5	-	10	32
5	70	17	24	5	8	1	3	8	-	1	1	-	5	13	11	4	18	5	1	18	33
3	39	10	10	-	5	-	4	4	-	-	1	-	1	8	2	3	7	2	1	12	34
8	158	50	29	5	13	7	12	15	4	1	4	-	6	27	10	14	37	10	5	60	35
3	45	17	10	-	4	3	2	3	1	-	1	-	1	5	1	5	6	3	2	14	36
5	113	33	19	5	9	4	10	12	3	1	3	-	5	22	9	9	31	7	3	46	37
2	66	17	11	2	13	3	2	8	1	2	2	-	5	10	5	5	5	4	-	21	38
-	40	5	6	4	5	1	-	9	-	1	2	-	-	1	9	3	6	3	2	6	39
-	28	5	15	-	10	1	4	11	-	1	2	-	-	6	2	2	11	1	-	13	40
1	57	8	12	2	3	-	-	10	-	-	1	1	2	6	2	4	5	-	-	17	41
2	56	5	16	7	5	5	2	12	-	-	1	-	3	16	2	1	11	2	-	13	42
3	31	4	2	-	1	2	-	3	-	-	-	-	2	2	-	2	2	4	-	9	43
1	36	2	6	-	3	1	2	8	-	1	-	-	1	-	2	1	7	1	-	8	44
2	65	10	6	3	3	1	2	2	2	-	2	-	3	5	17	3	12	5	1	12	45
3	72	16	24	3	7	3	6	9	3	2	3	-	3	12	12	9	11	-	1	22	46
1	7	2	2	-	1	-	1	1	1	-	-	-	2	-	1	1	3	-	-	2	47
2	65	14	22	3	6	3	5	8	2	2	3	-	1	12	11	8	8	-	1	20	48
2	36	-	15	-	3	2	-	5	1	-	1	-	1	8	1	4	12	-	-	6	49
4	60	19	17	2	-	2	1	7	1	-	2	-	1	6	15	4	3	2	-	16	50
-	11	2	3	-	-	-	-	3	1	-	1	-	-	2	2	2	-	1	-	2	51
10	235	35	36	12	12	16	7	35	7	-	7	-	17	31	16	17	23	5	2	52	52
8	170	21	23	9	10	10	4	25	5	-	6	-	9	25	13	8	13	2	2	38	53
2	65	14	13	3	2	6	3	10	2	-	1	-	8	6	3	9	10	3	-	14	54
3	36	13	8	1	2	4	1	15	-	2	3	-	2	11	6	4	19	4	4	18	55
450	10,865	1,364	1,937	290	953	407	251	1,032	237	160	355	31	507	1,385	231	815	1,119	441	42	2,420	56
214	4,487	495	495	126	341	214	85	411	120	72	202	12	220	657	50	266	360	179	23	985	57
236	6,378	869	1,442	164	612	193	168	621	117	88	153	19	287	728	161	549	759	262	19	1,455	58
1	39	4	3	-	2	3	-	1	1	1	-	-	-	1	-	1	3	1	-	7	59
3	59	13	12	1	9	1	2	6	3	-	-	-	-	8	1	4	14	3	1	19	60
1	31	9	7	1	6	1	1	4	2	-	-	-	-	2	1	2	5	3	1	11	61
2	28	4	5	-	3	-	1	2	1	-	-	-	-	6	-	2	9	-	-	8	62
5	86	10	10	4	5	1	4	5	2	1	3	-	6	14	1	12	11	4	-	27	63
2	49	16	12	1	2	4	-	8	2	-	1	-	1	1	-	4	11	1	-	11	64
13	256	31	39	10	30	7	8	25	6	3	14	-	19	56	8	34	37	17	2	77	65
3	163	16	23	5	17	2	4	13	3	1	8	-	12	31	5	18	21	9	2	47	66
10	93	15	16	5	13	5	4	12	3	2	6	-	7	25	3	16	16	8	-	30	67
2	40	1	7	-	2	3	-	17	-	1	-	2	2	12	3	4	6	-	-	6	68
1	30	3	10	-	1	1	-	-	1	1	1	-	-	5	2	2	1	3	-	10	69
-	47	10	3	-	3	-	3	2	-	2	1	-	3	9	2	4	6	2	-	11	70
2	146	12	16	3	7	3	-	17	2	1	3	-	5	15	3	8	24	5	-	21	71
-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	72
1	56	3	1	-	-	2	-	3	-	-	-	-	1	8	-	-	4	2	-	9	73
1	89	8	15	3	7	1	-	14	2	1	3	-	4	6	3	8	20	3	-	12	74
1	103	6	19	2	14	5	-	16	1	-	1	-	1	8	2	8	7	2	-	18	75
2	149	14	27	2	13	4	5	17	1	2	4	-	-	14	2	15	14	5	-	26	76
-	39	23	10	2	2	2	1	6	3	1	-	-	4	4	-	5	12	-	-	13	77

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	WISCONSIN--Continued																
1	Dane	1,531	5	2	8	250	83	37	28	38	9	16	39	20	831	170	591
2	Madison	858	2	1	7	149	48	22	16	27	4	7	25	11	460	95	337
3	Balance of county	673	3	1	1	101	35	15	12	11	5	9	14	9	371	75	254
4	Dodge	655	1	-	2	112	35	6	11	23	11	5	21	6	398	69	310
5	Beaver Dam	148	-	-	1	25	9	2	3	4	2	1	4	-	94	14	75
6	Watertown (part)	31	-	-	-	7	2	-	1	2	1	-	1	1	13	1	12
7	Balance of county	476	1	-	1	80	24	4	7	17	8	4	16	5	291	54	223
8	Door	233	-	-	1	40	15	5	2	8	1	1	8	9	137	25	98
9	Douglas	557	2	2	-	85	31	9	5	14	5	4	17	17	334	54	254
10	Superior	439	2	1	-	66	23	8	5	10	4	3	13	10	267	42	205
11	Balance of county	118	-	1	-	19	8	1	-	4	1	1	4	7	67	12	49
12	Dunn	314	1	-	5	37	12	3	5	8	1	3	5	7	183	63	113
13	Eau Claire	587	5	1	4	73	24	5	8	12	2	3	19	9	353	71	253
14	Eau Claire (part)	415	4	1	3	52	15	4	5	8	2	3	15	5	255	56	177
15	Eau Claire (total)	419	4	1	3	52	15	4	5	8	2	3	15	5	258	57	179
16	Balance of county	172	1	-	1	21	9	1	3	4	-	-	4	4	98	15	76
17	Florence	46	1	-	-	11	6	-	-	3	-	2	-	1	21	3	16
18	Fond du Lac	747	2	-	-	124	41	13	21	16	10	8	15	18	420	93	289
19	Fond du Lac	373	1	-	-	61	20	7	6	11	5	2	10	7	222	49	158
20	Balance of county	374	1	-	-	63	21	6	15	5	5	6	5	11	198	44	131
21	Forest	115	1	-	5	12	5	1	2	2	1	1	-	-	66	20	45
22	Grant	510	1	-	1	78	25	7	4	18	6	4	14	13	308	75	200
23	Green	289	1	-	-	43	19	3	3	5	4	1	8	7	181	43	119
24	Green Lake	165	-	-	-	26	8	2	5	6	-	2	3	4	100	21	73
25	Iowa	236	1	-	1	24	10	2	1	3	-	2	6	4	152	55	87
26	Iron	88	1	-	-	16	6	2	-	6	-	-	2	1	52	15	32
27	Jackson	164	-	-	-	22	8	3	1	2	2	1	5	2	101	33	58
28	Jefferson	570	5	-	2	82	33	5	5	8	7	6	18	16	350	57	257
29	Watertown (part)	152	-	-	-	20	9	2	2	2	2	2	1	3	96	24	64
30	Watertown (total)	183	-	-	-	27	11	2	3	4	3	2	2	4	109	25	76
31	Balance of county	418	5	-	2	62	24	3	3	6	5	4	17	13	254	33	193
32	Juneau	195	-	-	-	26	9	2	2	4	2	3	4	1	121	23	87
33	Kenosha	944	1	1	2	184	53	19	16	40	9	16	31	23	535	110	367
34	Kenosha	702	1	-	2	137	43	12	12	31	6	9	24	18	395	84	269
35	Balance of county	242	-	1	-	47	10	7	4	9	3	7	7	5	140	26	98
36	Kewaunee	182	1	-	-	31	12	-	3	4	1	1	10	4	98	16	65
37	La Crosse	678	1	1	2	121	33	14	10	24	13	7	20	13	390	121	239
38	La Crosse	498	-	1	1	92	26	9	9	19	10	6	13	8	296	84	185
39	Balance of county	180	1	-	1	29	7	5	1	5	3	1	7	5	94	37	54
40	Lafayette	189	-	-	-	22	13	1	-	1	1	-	6	2	120	25	80
41	Langlade	235	-	-	1	41	18	2	2	3	1	3	12	3	131	23	92
42	Lincoln	246	1	-	2	34	16	1	7	4	3	-	3	7	142	27	100
43	Manitowoc	675	2	-	4	121	49	9	13	18	2	9	21	15	377	83	258
44	Manitowoc	333	2	-	1	54	21	2	2	9	1	5	14	7	204	50	137
45	Two Rivers	78	-	-	-	15	6	-	5	3	-	-	1	7	33	5	23
46	Balance of county	264	-	-	3	52	22	7	6	6	1	4	6	1	140	28	98
47	Marathon	671	1	1	2	121	54	8	9	15	8	6	21	19	377	80	263
48	Wausau	310	-	-	2	49	20	4	4	8	2	1	10	7	185	35	128
49	Balance of county	361	1	1	-	72	34	4	5	7	6	5	11	12	192	45	135
50	Marinette	399	-	1	1	74	42	4	6	10	2	2	8	5	252	54	181
51	Marinette	183	-	-	1	35	18	3	4	7	1	-	2	3	115	26	81
52	Balance of county	216	-	1	-	39	24	1	2	3	1	2	6	2	137	28	100
53	Marquette	138	1	-	-	23	9	1	3	4	1	1	4	4	90	17	64
54	Milwaukee	9,514	55	17	26	1,727	634	227	168	217	108	71	302	175	5,226	1,050	3,679
55	Milwaukee	7,455	47	13	20	1,335	495	181	138	164	81	50	226	143	4,054	833	2,858
56	Wauwatosa	529	4	-	2	100	34	8	7	19	10	8	14	6	330	62	224
57	West Allis	545	3	-	-	92	35	16	7	9	5	3	17	10	318	53	224
58	Cudahy	132	-	-	1	22	8	5	3	2	-	1	3	2	75	18	47
59	Shorewood	161	-	1	1	29	13	1	3	4	3	-	5	1	96	21	64
60	South Milwaukee	152	1	1	1	31	11	3	2	4	3	-	8	2	81	10	61
61	Whitefish Bay	107	-	-	-	25	11	5	2	3	2	2	-	5	54	12	41
62	Balance of county	453	-	2	1	93	27	8	6	12	4	7	29	6	218	41	160
63	Monroe	325	1	-	2	48	13	4	4	6	2	5	14	5	196	35	140
64	Oconto	294	-	-	2	43	21	3	2	6	1	3	7	4	164	37	114
65	Oneida	230	1	-	1	53	25	5	1	11	2	2	7	4	100	15	74
66	Outagamie	781	3	1	4	126	47	9	13	15	16	6	20	28	415	101	272
67	Appleton	402	1	1	3	71	26	7	9	7	7	1	14	14	205	39	140
68	Balance of county	379	2	-	1	55	21	2	4	8	9	5	6	14	210	62	132
69	Ozaukee	292	-	-	2	54	17	6	6	9	-	5	11	5	157	39	103
70	Pepin	69	-	-	-	13	7	2	-	1	-	-	3	1	36	12	20
71	Pierce	231	1	-	-	27	12	4	3	3	-	-	5	1	141	41	91
72	Polk	250	-	-	2	38	17	3	2	5	3	4	4	6	152	45	95
73	Portage	348	1	-	3	48	21	4	3	7	2	4	7	7	212	47	149
74	Stevens Point	164	1	-	1	22	8	4	-	5	1	2	2	3	104	22	73
75	Balance of county	182	-	-	2	26	13	-	3	2	1	2	5	4	108	25	76
76	Price	182	-	-	2	35	17	3	2	3	3	-	7	6	103	28	68
77	Racine	1,183	5	-	10	243	95	27	23	30	21	8	39	11	673	154	461
78	Racine	837	5	-	6	169	69	22	15	20	11	5	27	10	488	117	324
79	Balance of county	346	-	-	4	74	26	5	8	10	10	3	12	1	185	37	137
80	Richland	214	1	1	1	25	9	2	2	6	1	1	4	4	130	24	95

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
19	451	61	60	17	33	11	9	49	12	7	9	-	24	79	15	31	57	26	-	106	1
7	274	32	24	9	9	6	4	31	7	3	5	-	12	43	7	17	24	18	-	61	2
12	177	29	36	8	24	5	5	18	5	4	4	-	12	36	8	14	33	8	-	45	3
2	209	37	62	2	9	6	2	16	4	2	3	-	14	17	3	15	14	8	-	40	4
-	52	13	10	1	3	1	-	3	2	-	1	-	4	6	1	1	-	2	-	8	5
-	9	2	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	1	-	4	6
2	148	22	51	1	6	5	2	12	2	1	2	-	9	11	1	13	14	5	-	28	7
10	62	8	18	-	10	2	2	5	1	1	-	-	2	4	2	4	8	2	-	17	8
5	211	17	21	8	6	11	1	9	3	3	4	2	6	16	5	8	21	4	-	36	9
3	169	13	20	6	4	9	1	9	2	3	3	1	5	14	2	4	18	4	-	28	10
2	42	4	1	2	2	2	-	-	1	-	1	1	1	2	3	4	3	-	-	8	11
5	87	8	13	1	3	1	2	8	1	1	1	1	4	9	2	5	25	4	-	20	12
5	187	26	35	2	20	4	3	18	4	3	4	-	8	19	7	12	21	6	3	37	13
3	134	16	24	1	15	3	3	12	4	3	3	-	3	11	6	9	13	3	2	26	14
3	135	17	24	1	15	3	3	12	4	3	3	-	3	12	6	9	13	3	2	26	15
2	53	10	11	1	5	1	-	6	-	-	1	-	5	8	1	3	8	3	1	11	16
-	12	1	3	-	1	-	1	1	-	-	-	-	-	1	1	2	5	-	-	2	17
7	191	29	62	2	26	3	7	26	5	-	7	1	13	20	14	10	19	13	1	54	18
-	107	16	35	1	10	1	3	12	4	-	4	-	3	11	8	4	9	2	1	24	19
7	84	13	27	1	16	2	4	14	1	-	3	1	10	9	6	6	10	11	-	30	20
1	32	2	10	-	-	-	1	5	-	-	2	-	2	2	-	5	4	1	-	10	21
5	136	15	44	2	24	2	5	11	6	2	1	2	4	13	4	15	14	10	-	27	22
2	74	9	34	2	12	4	1	6	-	-	2	-	6	6	-	7	7	5	-	18	23
3	45	7	18	2	3	1	-	7	-	-	-	-	-	3	3	5	4	2	-	11	24
3	66	9	9	2	6	1	1	6	1	1	1	-	1	9	-	5	11	3	-	16	25
1	25	4	2	3	-	2	-	-	1	-	2	-	-	2	1	3	1	1	-	7	26
2	50	2	4	4	5	-	1	8	-	1	-	-	1	3	7	5	2	2	1	9	27
11	136	28	61	7	21	6	2	12	5	1	5	1	5	15	6	11	13	6	-	35	28
2	28	16	18	1	6	1	-	4	2	1	2	-	4	3	1	4	1	2	-	9	29
2	37	18	19	1	6	1	-	5	2	2	2	-	5	3	2	5	1	3	-	13	30
9	108	13	63	6	15	5	2	8	3	-	3	1	1	12	5	7	12	4	-	26	31
1	60	6	20	1	9	1	-	5	1	1	1	-	2	7	3	1	12	2	2	10	32
12	299	29	27	9	19	21	9	14	8	1	9	-	15	31	1	30	19	6	2	62	33
8	214	24	23	7	13	16	6	8	8	-	8	-	12	23	1	18	13	6	2	50	34
4	85	5	4	2	6	5	3	6	-	1	1	-	3	8	-	12	6	-	-	12	35
7	37	8	13	3	10	4	-	1	1	1	1	1	4	5	2	6	5	6	-	15	36
12	195	18	14	4	12	7	7	22	3	2	9	-	8	20	3	9	19	6	1	48	37
9	153	10	13	3	12	6	6	16	3	1	6	-	3	12	3	8	12	5	1	30	38
3	42	8	1	1	-	1	1	6	-	1	3	-	5	8	-	1	7	1	-	18	39
-	53	10	17	3	10	1	1	5	1	3	4	-	2	8	2	3	5	4	-	8	40
2	53	13	24	4	3	2	7	5	-	3	1	-	1	10	3	3	8	2	1	22	41
4	60	13	23	2	8	2	3	7	-	4	2	2	4	8	-	5	7	7	1	13	42
4	204	16	34	10	10	7	9	21	4	2	6	2	9	18	1	23	29	4	-	37	43
3	115	6	13	6	3	4	4	10	2	1	1	-	5	12	-	6	12	1	-	15	44
-	18	1	4	-	2	1	2	5	-	1	1	1	1	4	-	3	5	-	-	2	45
1	71	9	17	4	5	2	3	6	2	-	4	1	3	2	1	14	12	3	-	20	46
7	195	20	41	7	17	5	5	12	3	1	3	-	9	23	4	20	20	10	1	44	47
1	99	11	17	4	12	2	4	6	2	-	2	-	4	6	-	9	10	3	1	24	48
6	98	9	24	3	5	3	1	6	1	1	1	-	5	17	4	11	10	7	-	20	49
4	128	9	40	3	9	2	3	13	1	-	1	-	6	5	1	7	15	1	-	16	50
1	53	4	23	1	5	2	-	8	-	-	1	-	2	2	-	2	6	-	-	8	51
3	75	5	17	2	4	-	3	5	1	-	-	-	4	3	1	5	9	1	-	8	52
-	48	6	12	1	4	3	1	2	-	-	-	-	2	3	-	2	6	-	-	5	53
147	2,892	318	322	71	220	153	53	293	84	55	155	9	142	415	19	141	197	113	16	649	54
119	2,235	249	255	53	158	112	40	242	66	42	136	8	107	326	16	112	162	81	13	512	55
4	191	14	15	6	27	9	2	15	3	2	4	-	5	7	1	4	6	4	2	34	56
7	179	19	19	3	19	15	4	9	4	4	7	-	12	23	1	9	8	8	-	37	57
-	38	5	4	2	3	4	1	4	3	1	-	-	2	8	-	2	1	6	-	5	58
3	49	6	6	2	3	5	1	4	-	1	2	-	3	4	-	2	2	4	-	11	59
6	41	9	5	2	1	4	3	3	2	2	3	-	5	13	-	-	1	3	-	3	60
2	35	4	-	-	1	-	-	1	2	1	-	-	-	4	1	2	3	2	-	7	61
6	124	12	18	3	8	4	2	15	4	2	3	1	8	30	-	10	14	5	1	40	62
3	106	20	11	3	4	1	13	11	2	3	1	-	4	9	8	8	11	2	-	14	63
1	70	13	30	-	6	-	7	10	5	2	2	-	3	14	5	12	10	4	1	13	64
2	61	3	8	1	7	2	1	11	1	4	2	-	4	8	-	8	12	1	-	20	65
12	219	22	19	3	27	7	5	16	2	5	7	-	13	49	9	18	25	9	-	51	66
7	114	13	6	1	16	6	3	9	1	2	5	-	10	28	4	4	11	5	-	28	67
5	105	9	13	2	11	1	2	7	1	3	2	-	3	21	5	14	14	4	-	23	68
2	80	14	7	3	8	2	2	8	2	-	4	-	6	18	-	6	14	3	-	13	69
-	16	2	2	1	2	1	-	1	1	-	2	-	1	2	-	5	1	2	-	4	70
1	74	6	10	3	4	2	-	8	-	1	1	-	5	9	6	3	8	1	-	19	71
2	69	5	19	2	5	2	3	8	-	-	1	-	2	5	2	9	10	-	-	15	72
9	121	9	10	11	1	3	1	9	4	1	1	-	3	11	-	15	5	-	-	26	73
1	61	6	5	6	-	2	1	3	2	1	-	-	2	6	-	2	2	-	-	15	74
8	60	3	5	5	1	1	-	6	2	-	1	-	1	5	-	13	3	-	-	11	75
5	54	3	6	1	4	1	1	3	2	2	-	-	-	4	3	1	8	3	-	10	76
18	378	39	26	11	33	11	3	21	7	3	11	1	14	60	2	22	29	13	3	55	77
15	269	25	15	10	25	9	3	14	2	3	7	-	7	42	2	13	20	8	2	39	78
3	109	14	11	1	8	2	-	7	5	-	4	1	7	18	-	9	9	5	1	16	79
1	71	8	15	-	8	-	3	6	4	1	2	-	5	6	-	2	9	2	-	15	80

Table 84. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	All other infective and parasitic diseases 030-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Leukemia and aleukemia 204	Other malignant neoplasms 140-148, 156B, 165, 190-203, 205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Vascular lesions affecting central nervous system 330-334	Diseases of heart 400-402, 410-443
	WISCONSIN--Continued																
1	Rock	1,012	3	-	5	179	79	17	17	24	12	7	23	18	549	123	373
2	Beloit	350	-	-	3	61	26	7	6	6	6	3	7	9	198	47	127
3	Janesville	281	2	-	-	44	14	4	8	6	3	2	7	1	159	39	109
4	Balance of county	381	1	-	2	74	39	6	3	12	3	2	9	8	192	37	137
5	Rusk	182	-	-	-	26	7	4	3	1	1	2	8	3	110	23	79
6	St. Croix	281	-	-	3	47	21	4	5	6	1	1	9	4	160	53	93
7	Sauk	425	2	-	3	55	13	8	10	7	4	3	10	12	283	67	194
8	Sawyer	108	-	1	-	25	11	1	3	3	3	1	3	3	57	5	47
9	Shawano	379	1	-	1	54	28	2	2	8	2	2	10	11	222	50	156
10	Sheboygan	893	6	2	4	137	53	7	12	24	9	5	27	16	542	122	374
11	Sheboygan	534	3	2	4	86	32	5	4	16	7	2	20	12	319	65	223
12	Balance of county	359	3	-	-	51	21	2	8	8	2	3	7	4	223	57	151
13	Taylor	182	-	-	1	24	8	4	2	2	-	2	6	5	110	24	80
14	Trempealeau	290	1	-	-	49	17	3	5	9	3	3	9	5	161	49	102
15	Vernon	285	1	-	-	44	15	2	4	7	3	2	11	4	179	34	130
16	Vilas	108	-	-	1	18	10	2	-	1	2	2	1	3	52	4	46
17	Walworth	554	1	-	1	108	35	17	4	25	6	8	13	9	329	64	216
18	Washburn	143	1	-	1	22	9	-	2	4	-	4	3	2	90	32	45
19	Washington	393	1	1	2	58	19	8	6	3	4	6	12	13	209	51	141
20	Waukesha	1,031	1	1	2	190	84	24	16	21	8	9	28	24	581	127	415
21	Waukesha	246	1	1	-	39	18	8	3	5	1	2	2	6	148	30	113
22	Balance of county	785	-	-	2	151	66	16	13	16	7	7	26	18	433	97	302
23	Waupaca	399	1	-	1	64	28	4	10	8	4	2	8	4	231	60	148
24	Waushara	173	2	-	-	28	10	2	2	8	1	1	4	3	96	27	65
25	Winnebago	1,003	7	-	3	172	70	16	20	23	8	10	25	27	577	128	388
26	Oshkosh	535	2	-	2	89	39	14	10	9	2	4	11	10	322	64	227
27	Menasha	121	2	-	-	28	6	-	3	9	3	1	6	6	65	16	35
28	Neenah	140	2	-	1	20	8	1	2	2	1	3	3	7	72	18	47
29	Balance of county	207	1	-	-	35	17	1	5	3	2	2	5	4	118	30	79
30	Wood	524	-	1	3	92	39	7	8	17	1	8	12	7	274	61	186
31	Marshfield	105	-	-	1	21	8	2	2	5	-	2	2	3	54	15	34
32	Wisconsin Rapids	188	-	1	1	38	22	1	3	2	-	2	8	2	93	13	66
33	Balance of county	231	-	-	1	33	9	4	3	10	1	4	2	2	127	33	86
34	WYOMING	2,536	10	7	20	330	97	50	38	49	20	15	61	39	1,282	324	860
35	Nonmetropolitan counties	2,536	10	7	20	330	97	50	38	49	20	15	61	39	1,282	324	860
36	Albany	133	1	-	1	13	4	2	1	2	-	-	4	1	72	16	49
37	Laramie	108	1	-	1	9	4	2	1	1	-	-	1	-	65	14	44
38	Balance of county	25	-	-	-	4	-	-	-	1	-	-	3	1	7	2	5
39	Big Horn	103	1	1	-	8	3	1	-	1	1	-	2	-	60	19	37
40	Campbell	50	-	-	-	6	2	-	-	1	3	-	-	1	33	7	22
41	Carbon	141	-	2	-	14	2	-	2	6	3	-	1	4	61	12	47
42	Converse	64	-	-	1	6	2	1	1	1	-	-	1	-	34	7	25
43	Crook	31	-	-	-	7	2	1	2	2	-	-	-	-	13	4	6
44	Fremont	194	1	-	2	30	8	4	5	4	1	2	6	1	89	24	60
45	Goshen	98	2	-	1	17	7	1	1	2	1	1	4	5	42	12	27
46	Hot Springs	61	-	1	1	9	5	1	1	1	-	-	1	-	32	8	20
47	Johnson	65	-	-	-	8	1	2	-	2	2	1	-	1	34	11	21
48	Laramie	332	1	-	3	40	11	11	6	5	1	2	4	4	166	33	121
49	Cheyenne	264	1	-	2	34	10	9	5	5	1	1	3	3	137	29	97
50	Balance of county	68	-	-	1	6	1	2	1	-	-	1	1	1	29	4	24
51	Lincoln	74	-	-	-	8	4	-	-	1	1	-	2	2	36	12	21
52	Natrona	332	3	1	5	46	11	7	9	6	4	1	8	3	150	45	96
53	Casper	279	3	1	4	38	10	4	6	6	4	1	7	3	125	37	80
54	Balance of county	53	-	-	1	8	1	3	3	-	-	-	1	-	25	8	16
55	Niobrara	47	-	-	-	8	1	2	3	1	-	-	1	1	31	3	24
56	Park	121	-	-	-	22	4	1	1	5	1	3	7	3	59	10	40
57	Platte	80	-	-	-	11	3	1	1	1	-	2	3	4	41	15	23
58	Sheridan	216	1	2	-	27	8	8	1	3	2	-	5	-	129	37	84
59	Sheridan	171	1	1	-	22	7	7	1	3	1	-	3	-	107	30	70
60	Balance of county	45	-	1	-	5	1	1	-	-	1	-	2	-	22	7	14
61	Sublette	30	-	-	-	1	-	-	-	-	-	-	1	1	12	3	8
62	Sweetwater	180	-	-	2	28	11	3	3	2	-	1	6	5	95	22	66
63	Rock Springs	122	-	-	2	18	9	1	1	2	-	-	5	2	69	15	49
64	Balance of county	58	-	-	-	8	2	2	2	-	-	1	1	3	26	7	17
65	Teton	18	-	-	-	4	2	1	-	-	-	-	1	-	8	3	5
66	Uinta	60	-	-	1	10	3	1	1	1	-	1	3	1	28	6	21
67	Washakie	45	-	-	1	4	2	1	-	1	-	-	-	1	22	5	15
68	Weston	61	-	-	2	5	1	1	-	1	-	1	1	1	35	10	22
69	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	Yellowstone Nat. Park (total)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

The category "metropolitan counties" includes all counties within a State that are in "standard metropolitan areas" as defined by the U.S. Bureau of the Census in 1950, except in New England, where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Urban places of 10,000 or more listed in this table include incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1958—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rheumatic fever and chronic rheumatic heart disease 400-402, 410-416	Arteriosclerotic heart disease, including coronary disease 420	Hypertensive heart disease 440-443	Other forms of diseases of heart 421-434	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	285	40	32	10	25	12	6	30	9	3	9	-	17	33	5	34	36	12	-	70	1
7	96	9	15	4	14	3	3	8	6	-	2	-	-	16	2	11	10	4	-	20	2
4	83	14	8	2	4	5	-	10	2	-	2	-	10	9	1	6	10	5	-	20	3
5	106	17	9	4	7	4	3	12	1	3	5	-	7	8	2	17	16	3	-	30	4
1	72	2	4	1	7	-	-	6	-	1	1	1	3	4	6	2	10	1	-	8	5
1	68	7	17	3	7	3	1	8	-	3	4	1	2	8	1	7	11	2	-	20	6
2	115	38	39	1	13	4	4	7	-	4	-	-	5	10	4	2	17	4	1	16	7
-	30	14	3	-	3	-	2	4	-	2	-	-	1	1	1	3	4	1	-	5	8
6	108	13	29	5	6	2	3	8	1	4	3	-	2	8	2	15	9	4	1	33	9
6	257	45	66	2	27	9	8	13	2	1	8	1	15	23	6	22	25	14	-	56	10
5	145	36	37	1	18	6	6	7	1	-	6	-	8	14	5	10	15	8	-	34	11
1	112	9	29	1	9	3	2	6	1	1	2	1	7	9	1	12	10	6	-	22	12
4	34	4	38	-	3	2	1	8	-	-	2	-	1	4	5	4	4	6	-	8	13
3	77	10	12	-	5	4	1	9	1	1	4	1	2	7	-	7	16	3	-	23	14
-	83	10	37	1	9	2	3	4	4	-	4	-	5	5	-	4	5	7	-	19	15
1	40	1	4	-	1	1	-	4	-	1	-	-	2	1	-	3	9	5	-	9	16
8	171	11	26	3	35	6	5	8	2	2	4	2	7	19	1	16	10	5	-	30	17
1	35	4	5	-	8	3	2	5	2	-	1	-	-	5	1	1	3	1	-	8	18
5	99	11	26	4	7	2	4	9	2	-	-	-	6	25	2	15	7	3	-	40	19
9	316	40	50	2	24	8	5	31	3	2	5	-	14	41	9	31	30	7	-	59	20
3	87	11	12	1	1	3	-	11	2	1	1	-	1	10	-	2	4	2	-	17	21
6	229	29	38	1	23	5	5	20	1	1	4	-	13	31	9	29	26	5	-	42	22
3	106	8	31	3	13	5	2	9	3	1	2	-	3	9	7	10	17	7	1	29	23
2	51	4	8	1	2	-	1	8	2	1	2	-	-	4	3	1	6	1	-	16	24
10	247	61	70	12	34	11	4	25	3	3	6	1	17	36	8	25	28	13	2	50	25
5	137	40	45	3	20	6	2	18	1	2	1	-	8	17	5	14	10	8	2	24	26
2	26	1	6	6	5	2	1	-	-	-	1	1	1	3	-	4	6	-	-	4	27
-	34	7	6	1	3	2	1	3	1	1	2	-	3	10	2	3	3	1	-	9	28
3	50	13	13	2	6	1	-	4	1	-	2	-	5	6	1	4	9	4	-	13	29
3	113	24	46	6	15	5	1	17	2	1	5	-	10	29	2	10	16	8	1	46	30
1	26	3	4	1	3	1	-	2	-	-	2	-	2	8	-	1	2	2	-	7	31
1	39	10	16	2	9	2	1	10	1	-	-	-	4	15	1	2	2	2	-	16	32
1	48	11	26	3	3	2	-	5	1	1	3	-	4	6	1	7	12	4	1	23	33
41	610	70	139	10	40	31	17	82	20	16	23	3	40	141	19	110	126	50	9	209	34
41	610	70	139	10	40	31	17	82	20	16	23	3	40	141	19	110	126	50	9	209	35
1	29	6	13	1	4	1	1	3	-	1	1	-	3	10	4	2	5	2	2	12	36
1	26	5	12	1	4	1	1	3	-	1	1	-	2	7	4	1	3	1	-	9	37
-	3	1	1	-	-	-	-	-	-	-	-	-	1	3	-	1	2	1	2	3	38
2	31	3	1	-	3	1	-	7	-	-	1	-	-	5	2	4	6	3	1	4	39
1	15	2	4	-	1	3	-	-	1	-	-	-	-	3	-	1	2	1	-	2	40
1	31	2	13	-	-	1	1	5	3	1	2	1	-	11	-	9	11	5	-	12	41
2	20	1	2	-	2	-	-	1	-	1	-	-	-	5	-	4	3	3	1	5	42
-	4	-	2	-	1	1	1	3	-	-	1	-	-	2	-	2	1	-	-	2	43
6	36	4	14	1	1	-	3	11	1	4	1	-	2	7	-	10	16	5	-	14	44
-	24	1	2	1	2	-	-	2	1	2	-	-	2	4	-	3	3	-	-	14	45
-	17	1	2	-	2	2	-	3	2	-	-	-	1	1	-	4	2	-	-	5	46
4	13	1	3	-	2	-	-	1	1	-	-	-	2	2	-	3	6	-	-	7	47
7	90	9	15	1	4	5	2	15	5	4	3	1	7	30	-	10	10	5	-	28	48
5	74	7	11	1	3	5	2	12	5	4	2	-	5	20	-	7	9	4	-	19	49
2	16	2	4	-	1	-	-	3	-	-	1	1	2	10	-	3	1	1	-	9	50
-	8	7	6	-	1	1	1	1	-	3	2	-	2	4	3	5	4	1	-	3	51
8	65	7	16	1	2	6	-	11	1	-	3	1	9	27	-	17	17	9	5	24	52
8	52	6	14	1	1	6	-	8	1	-	2	1	9	26	-	13	11	8	5	21	53
-	13	1	2	-	1	-	-	3	-	-	1	-	-	1	-	4	6	1	-	3	54
-	11	8	5	-	-	3	1	1	-	-	-	-	1	1	-	-	-	-	-	4	55
1	33	1	5	2	4	1	2	3	3	-	-	-	2	5	1	2	11	-	-	10	56
-	16	2	5	-	-	1	2	-	-	-	1	-	2	1	-	10	3	1	-	6	57
-	67	4	13	-	7	1	-	5	1	-	2	-	2	5	4	5	9	5	-	19	58
-	56	2	12	-	6	1	-	4	-	-	2	-	1	3	4	2	6	3	-	15	59
-	11	2	1	-	1	-	-	1	1	-	-	-	1	2	-	3	3	2	-	4	60
-	8	-	-	-	-	-	1	3	-	-	-	-	1	4	-	3	-	1	-	4	61
2	46	7	11	2	1	2	2	4	-	-	2	-	2	6	3	6	8	7	-	14	62
1	33	7	8	1	1	1	2	2	-	-	1	-	2	4	2	2	6	3	-	9	63
1	13	-	3	1	-	1	-	2	-	-	1	-	-	2	1	4	2	4	-	5	64
2	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	2	65
1	13	2	5	-	1	-	-	-	-	-	1	-	1	3	2	2	2	1	-	8	66
1	12	1	1	-	1	1	-	1	1	-	1	-	-	2	-	4	2	1	-	5	67
2	18	1	1	1	1	1	-	2	-	-	2	-	-	3	-	4	2	-	-	5	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Grand Prairie, Tex., under Dallas County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

Table 85A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1958

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there were one or more deaths from the specified cause. Includes data for urban places shown in table 85B. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
United States	23
California	3
Alameda	1
San Diego	1
Shasta	1
Colorado	1
Conejos	1
Delaware	1
Sussex	1
Indiana	1
Allen	1
Iowa	1
Crawford	1
Kentucky	1
Pulaski	1
Louisiana[1]	2
Beauregard	1
Caddo	1
Missouri	2
Phelps	1
St. Louis	1
Ohio	2
Cuyahoga	1
Marion	1
Oklahoma	1
Tulsa	1
Pennsylvania	1
Susquehanna	1
South Carolina	1
Greenville	1
Tennessee	1
Hancock	1
Texas	4
Callahan	1
Hidalgo	1
Midland	1
Nueces	1
West Virginia	1
Webster	1
DYSENTERY, ALL FORMS (045-048)	
United States	407
Alabama	10
Baldwin	1
Calhoun	1
Colbert	1
Jefferson	1
Lee	1
Limestone	1
Mobile	1
Montgomery	1
St. Clair	1
Wilcox	1
Arizona	14
Apache	2
Gila	1
Greenlee	1
Maricopa	4
Mohave	1
Navajo	2
Pinal	2
Yuma	1
Arkansas	10
Crawford	2
Crittenden	1
Johnson	1
Lee	1
Mississippi	2
Pulaski	1
Union	1
White	1
California	25
Alameda	1
El Dorado	1
Fresno	1
Imperial	2
Los Angeles	10
Merced	1
Monterey	1
Napa	1
Sacramento	1
San Bernardino	2
San Diego	2
Santa Clara	1
Tulare	1
Colorado	1
Pueblo	1
Delaware	1
Kent	1
District of Columbia	1
Florida	11
Dade	2
Duval	1
Escambia	1
Franklin	1
Hillsborough	2
Jackson	2
Seminole	2
Georgia	17
Bleckley	1
Burke	1
Cook	1
Dougherty	3
Fulton	1
Lanier	1
Laurens	1
Long	1
Mitchell	1
Oglethorpe	1
Stewart	1
Tattnall	1
Terrell	2
Wilcox	1
Illinois	7
Coles	1
Cook	3
Grundy	1
Morgan	1
Will	1
Indiana	3
Jennings	1
Vanderburgh	1
Vigo	1
Iowa	6
Bremer	1
Dubuque	1
Muscatine	1
Polk	1
Winneshiek	1
Woodbury	1
Kentucky	10
Adair	1
Cumberland	1
Jefferson	1
Johnson	2
Laurel	1
McCracken	1
Muhlenberg	1
Pike	1
Spencer	1
Louisiana[1]	11
Calcasieu	3
Orleans	2
Sabine	1
St. Landry	3
Tangipahoa	1
Vernon	1
Maryland	8
Baltimore	2
Baltimore (independent city)	2
Cecil	1
Harford	1
Howard	1
Prince Georges	1
Massachusetts[2]	1
Michigan	9
Arenac	1
Baraga	3
Houghton	1
Tuscola	1
Washtenaw	1
Wayne	2
Minnesota	3
Hennepin	1
Mower	1
Stearns	1
Mississippi	34
Coahoma	1
De Soto	1
Forrest	1
Hinds	3
Holmes	1
Jones	1
Lamar	1
Lauderdale	2
Leake	2
Leflore	3
Lowndes	1
Panola	3
Pike	1
Rankin	1
Sharkey	2
Sunflower	1
Tallahatchie	1
Tate	2
Tunica	1
Washington	2
Webster	1
Yalobusha	1
Yazoo	1
Missouri	9
Butler	1
Jackson	2
Jasper	1
Mississippi	1
Pemiscot	2
St. Francois	1
St. Louis (independent city)	1
New Jersey	9
Bergen	1
Middlesex	1
Monmouth	2
Morris	2
Ocean	1
Union	2
New Mexico	21
Bernalillo	1
Dona Ana	1
Eddy	1
Guadalupe	1
Lea	2
McKinley	1
Otero	3
Sandoval	1
San Juan	2
San Miguel	1
Socorro	1
Taos	6
New York	7
Albany	1
Erie	1
Jefferson	1
New York City[3]	3
Ulster	1
North Carolina	7
Buncombe	1
Cumberland	1
Currituck	1
Gaston	1
Mecklenburg	1
Nash	1
Pitt	1
North Dakota	1
Mountrail	1
Ohio	2
Hamilton	1
Marion	1
Oklahoma	4
Carter	1
Greer	1
McCurtain	1
Seminole	1
Oregon	1
Yamhill	1
Pennsylvania	2
Adams	1
Philadelphia	1
South Carolina	11
Berkeley	2
Charleston	1
Darlington	2
Greenville	1
Marion	2
Richland	2
Sumter	1
South Dakota	1
Walworth	1
Tennessee	6
Hamilton	1
Haywood	1
Robertson	1
Shelby	2
Warren	1
Texas	120
Anderson	2
Atascosa	1
Bastrop	2
Baylor	1
Bee	1
Bell	1
Bexar	4
Brazos	1
Brewster	2
Burleson	2
Caldwell	3
Cameron	7
Castro	2
Collin	1
Crockett	1
Crosby	3
Dallas	6
Denton	1
Duval	2
Ellis	1
El Paso	4
Floyd	1
Fort Bend	1
Hale	4
Harris	3
Henderson	1
Hidalgo	11
Hill	1
Hockley	3
Jim Wells	2
Kaufman	2
Kleberg	1
Lamb	2
Lavaca	1
Leon	1
Lubbock	1
McLennan	2
Maverick	4
Medina	1
Montgomery	2
Nacogdoches	2
Nueces	2
Parker	1
Runnels	1
San Augustine	1
San Patricio	1
Shelby	1
Starr	1
Swisher	1
Terry	1
Travis	1
Uvalde	2
Walker	1
Webb	5
Wichita	1
Willacy	2
Williamson	1
Zavala	3
Virginia	10
Amherst	2
Campbell	1
Charles City	1
Halifax	1
Lunenburg	1
Independent cities:	
Bristol[4]	1
Newport News[5]	1
Richmond	2

See footnotes at end of table.

Table 85A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there were one or more deaths from the specified cause. Includes data for urban places shown in table 85B. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
Washington	4
King	1
Okanogan	2
Whitman	1
West Virginia	6
Boone	1
Harrison	1
Kanawha	1
McDowell	1
Mercer	1
Summers	1
Wisconsin	4
Clark	1
Marinette	1
Milwaukee	1
St. Croix	1
DIPHTHERIA (055)	
United States	74
Alabama	3
Escambia	1
Madison	1
Winston	1
Arkansas	4
Craighead	1
Mississippi	1
Nevada	1
Newton	1
California	2
Los Angeles	1
Modoc	1
Colorado	2
Denver	2
Connecticut	1
New Haven	1
District of Columbia	1
Florida	3
Escambia	1
Hillsborough	2
Georgia	9
Bulloch	1
Burke	1
Clayton	1
Coweta	1
Floyd	1
Fulton	1
Monroe	1
Sumter	1
Worth	1
Illinois	4
Cook	3
Du Page	1
Indiana	1
Marion	1
Iowa	1
Woodbury	1
Louisiana	3
Avoyelles	1
Calcasieu	1
Washington	1
Maine	1
Washington	1
Maryland	1
Baltimore (independent city)	1
Minnesota	4
Koochiching	1
Pennington	1
Polk	1
St. Louis	1
Mississippi	7
Bolivar	1
Covington	1
Jackson	1
Scott	1
Simpson	2
Yazoo	1
Missouri	1
Pike	1
Nebraska	1
Thurston	1
New Mexico	2
Bernalillo	1
Sandoval	1
North Carolina	3
Cleveland	1
Cumberland	1
Franklin	1
Ohio	3
Hamilton	3
Oregon	1
Clackamas	1
South Carolina	3
Charleston	1
Chesterfield	1
Sumter	1
South Dakota	1
Edmunds	1
Tennessee	1
Carter	1
Texas	8
Comal	1
Duval	1
Ector	1
Hidalgo	4
Nueces	1
Virginia	1
Nansemond	1
West Virginia	2
Calhoun	1
McDowell	1
WHOOPING COUGH (056)	
United States	177
Alabama	6
Blount	1
Clay	2
Fayette	1
Limestone	1
Mobile	1
Arizona	4
Cochise	1
Pima	3
Arkansas	8
Conway	1
Crittenden	1
Ouachita	1
Poinsett	1
Pulaski	1
St. Francis	2
Union	1
California	15
Butte	2
Humboldt	1
Los Angeles	10
Mono	1
Tulare	1
Colorado	1
Eagle	1
Florida	2
Broward	1
Hillsborough	1
Georgia	6
Dodge	1
Franklin	1
Lowndes	1
Screven	1
Stewart	1
Warren	1
Illinois	5
Cook	3
Madison	1
Peoria	1
Indiana	7
Bartholomew	1
Delaware	1
Floyd	1
Marion	1
Noble	1
Posey	1
Steuben	1
Iowa	1
Black Hawk	1
Kentucky	11
Casey	1
Clay	2
Floyd	1
Greenup	1
Jefferson	1
Kenton	1
Madison	1
Magoffin	1
Menifee	1
Shelby	1
Louisiana[1]	5
East Carroll	1
Rapides	3
West Carroll	1
Maine	1
Penobscot	1
Maryland	1
Cecil	1
Massachusetts[2]	2
Michigan	1
Huron	1
Minnesota	1
Hennepin	1
Mississippi	12
Adams	1
Bolivar	1
Claiborne	1
Copiah	1
De Soto	1
Hinds	1
Pike	1
Scott	3
Tunica	2
Missouri	6
Callaway	1
New Madrid	1
Saline	1
Scott	2
Washington	1
New Mexico	4
McKinley	1
San Juan	1
Santa Fe	1
Taos	1
New York	1
Albany	1
North Carolina	2
Watauga	1
Wilson	1
Ohio	8
Clark	1
Fayette	1
Hamilton	3
Lawrence	1
Trumbull	1
Warren	1
Oklahoma	3
Delaware	1
Oklahoma	1
Seminole	1
Oregon	1
Linn	1
Pennsylvania	5
Erie	2
Philadelphia	1
Union	1
Westmoreland	1
South Carolina	14
Bamberg	1
Charleston	7
Clarendon	2
Lee	1
Oconee	1
Orangeburg	1
York	1
Tennessee	7
Carter	1
Dyer	1
Greene	1
Rutherford	1
Shelby	3
Texas	24
Bexar	3
Brazoria	1
Caldwell	1
Dallas	1
El Paso	1
Fayette	1
Gonzales	2
Harrison	1
Henderson	1
Hidalgo	2
Jackson	1
Karnes	1
Lamb	1
Lynn	1
Pecos	1
Red River	1
San Patricio	1
Taylor	1
Winkler	1
Wise	1
Virginia	9
Charles City	2
Southampton	1
Surry	1
Sussex	1
Independent cities:	
Newport News[5]	1
Norfolk	1
Richmond	2
Washington	2
Douglas	1
Grant	1
Wisconsin	2
Eau Claire	2
MENINGOCOCCAL INFECTIONS (057)	
United States	746
Alabama	21
Barbour	1
Choctaw	1
Coffee	2
Dallas	2
Henry	1
Jefferson	3
Lauderdale	1
Macon	2
Madison	1
Mobile	3
Montgomery	1
Russell	1
Talladega	1
Tuscaloosa	1
Arizona	7
Apache	2
Cochise	1
Maricopa	1
Navajo	1
Pima	1
Yavapai	1
Arkansas	9
Craighead	1
Jefferson	3
Lincoln	1
Phillips	1
St. Francis	1
Searcy	1
Union	1
California	47
Alameda	3
Butte	1
Contra Costa	1

See footnotes at end of table.

Table 85A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there were one or more deaths from the specified cause. Includes data for urban places shown in table 85B. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
California—Continued	
Kern	1
Los Angeles	20
Mendocino	1
Riverside	1
San Bernardino	1
San Diego	2
San Francisco	2
San Joaquin	1
San Luis Obispo	1
San Mateo	1
Santa Clara	3
Santa Cruz	2
Solano	1
Sonoma	1
Stanislaus	1
Tulare	1
Ventura	1
Yuba	1
Colorado	5
Delta	1
Denver	2
El Paso	1
Mesa	1
Connecticut	13
Fairfield	2
Hartford	5
Middlesex	1
New Haven	2
New London	1
Tolland	2
Delaware	1
Sussex	1
District of Columbia	11
Florida	23
Alachua	1
Brevard	1
Dade	3
Duval	3
Hillsborough	4
Lee	2
Orange	3
Palm Beach	1
Pinellas	1
Polk	2
Taylor	1
Volusia	1
Georgia	15
Bibb	2
Cobb	2
Fulton	4
Hall	1
Lincoln	1
Oconee	2
Richmond	1
Rockdale	1
Upson	1
Illinois	41
Coles	1
Cook	23
Du Page	2
Edgar	1
Jo Daviess	1
Kane	1
Lake	2
Lawrence	1
McHenry	3
Madison	1
Morgan	1
Peoria	1
Rock Island	1
St. Clair	1
Whiteside	1
Indiana	25
Allen	1
Cass	1
Clark	1
Clinton	1
Fountain	1
Knox	1
Lake	3
La Porte	1
Lawrence	1
Marion	4
Indiana—Continued	
Morgan	2
St. Joseph	1
Steuben	1
Sullivan	1
Tippecanoe	1
Vanderburgh	1
Vigo	1
Wayne	1
Whitley	1
Iowa	9
Emmet	1
Linn	2
Pocahontas	1
Polk	1
Pottawattamie	2
Warren	1
Woodbury	1
Kansas	6
Lyon	1
Neosho	1
Reno	1
Sedgwick	2
Wyandotte	1
Kentucky	18
Bell	1
Calloway	1
Clark	1
Daviess	1
Fulton	1
Garrard	1
Greenup	2
Hardin	1
Hart	1
Kenton	2
Lincoln	1
McCreary	1
Pike	3
Pulaski	1
Louisiana[1]	25
Acadia	1
Ascension	1
Avoyelles	1
Bossier	1
Caddo	1
Calcasieu	1
East Baton Rouge	3
Franklin	1
Jefferson	1
Morehouse	1
Orleans	3
Ouachita	3
Plaquemines	1
St. John the Baptist	1
St. Landry	1
St. Martin	1
St. Mary	2
Vermilion	1
Maine	3
Androscoggin	1
Aroostook	1
Cumberland	1
Maryland	11
Baltimore	2
Baltimore (independent city)	3
Howard	1
Montgomery	1
Prince Georges	2
Washington	1
Wicomico	1
Massachusetts[2]	25
Michigan	30
Allegan	1
Alpena	1
Berrien	1
Chippewa	1
Delta	1
Genesee	4
Ingham	1
Iosco	1
Isabella	1
Kent	1
Macomb	2
Oakland	2
Ontonagon	1
Saginaw	1
Wayne	10
Wexford	1
Minnesota	13
Anoka	1
Cook	1
Crow Wing	1
Hennepin	5
Houston	1
Otter Tail	1
Ramsey	2
St. Louis	1
Mississippi	20
Benton	1
Bolivar	1
Chickasaw	1
Clay	1
Covington	1
Hancock	1
Harrison	2
Hinds	1
Holmes	1
Humphreys	1
Jones	1
Lauderdale	1
Marshall	1
Neshoba	1
Pearl River	1
Tallahatchie	1
Tippah	1
Wayne	2
Missouri	22
Adair	1
Buchanan	2
Clay	1
Dunklin	1
Greene	1
Iron	1
Jackson	4
Jefferson	1
Pettis	1
St. Charles	1
St. Louis	2
St. Louis (independent city)	3
Ste. Genevieve	1
Scott	1
Stoddard	1
Montana	4
Flathead	1
Missoula	1
Park	1
Silver Bow	1
Nebraska	1
Sarpy	1
Nevada	3
Clark	2
Washoe	1
New Hampshire	4
Merrimack	3
Rockingham	1
New Jersey	22
Bergen	1
Camden	1
Cape May	1
Cumberland	2
Essex	2
Gloucester	1
Hudson	1
Mercer	1
Middlesex	2
Monmouth	3
Morris	2
Passaic	3
Union	2
New Mexico	5
Chaves	2
Mora	1
San Juan	1
Santa Fe	1
New York	52
Broome	1
Chemung	1
Clinton	2
Dutchess	2
Erie	6
Monroe	1
Nassau	1
New York City[3]	25
Oneida	1
New York—Continued	
Onondaga	3
Orange	2
St. Lawrence	1
Saratoga	1
Suffolk	3
Wayne	1
Westchester	1
North Carolina	22
Burke	1
Cabarrus	2
Caldwell	1
Catawba	1
Cleveland	1
Craven	1
Franklin	1
Graham	1
Haywood	1
Johnston	1
Jones	1
Mecklenburg	2
Nash	1
Onslow	1
Pitt	1
Richmond	1
Warren	1
Wilkes	1
Wilson	2
North Dakota	1
Barnes	1
Ohio	45
Butler	3
Champaign	1
Clark	1
Columbiana	1
Cuyahoga	8
Darke	1
Defiance	1
Franklin	3
Greene	1
Hamilton	5
Jefferson	1
Lake	2
Licking	2
Lucas	4
Mahoning	1
Montgomery	2
Portage	1
Shelby	3
Summit	2
Tuscarawas	1
Vinton	1
Oklahoma	10
Beckham	1
Comanche	1
Oklahoma	2
Okmulgee	1
Osage	2
Ottawa	1
Tulsa	2
Oregon	10
Clackamas	1
Linn	1
Marion	1
Multnomah	6
Washington	1
Pennsylvania	38
Adams	1
Allegheny	5
Beaver	1
Bucks	2
Cambria	1
Clearfield	2
Cumberland	1
Delaware	5
Lackawanna	1
Lancaster	2
Luzerne	1
Mercer	1
Montgomery	1
Philadelphia	11
Potter	1
Venango	1
York	1
Rhode Island	5
Providence	4
Washington	1

See footnotes at end of table.

Table 85A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there were one or more deaths from the specified cause. Includes data for urban places shown in table 85B. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
South Carolina	8
Berkeley	1
Charleston	2
Florence	1
Lexington	1
Orangeburg	1
Spartanburg	1
York	1
South Dakota	2
Hughes	1
Pennington	1
Tennessee	22
Bradley	1
Claiborne	2
Clay	1
Davidson	3
Gibson	2
Greene	1
Hamilton	2
Hawkins	1
Knox	1
Marion	2
Rhea	1
Sequatchie	1
Shelby	3
Sumner	1
Texas	29
Bexar	3
Brazoria	1
Caldwell	1
Cass	1
Coryell	1
Dallas	4
El Paso	5
Foard	1
Harris	5
Hidalgo	1
Nueces	1
Orange	1
Shelby	1
Tarrant	2
Winkler	1
Utah	2
Salt Lake	1
Tooele	1
Virginia	27
Albemarle	1
Bedford	1
Brunswick	1
Buchanan	2
Fairfax	1
Floyd	1
Halifax	1
Henrico	1
Loudoun	1
Page	1
Pittsylvania	1
Princess Anne	1
Scyth	2
Southampton	1
Surry	1
Wise	1
Independent cities:	
Alexandria	1
Charlottesville	1
Falls Church	1
Hampton	1
Norfolk	1
Petersburg	1
Portsmouth	1
Roanoke	1
Staunton	1
Washington	8
Benton	1
Chelan	1
King	2
Kitsap	1
Pend Oreille	1
Spokane	1
Whatcom	1
West Virginia	12
Calhoun	1
Clay	1
Kanawha	2
West Virginia—Continued	
Logan	1
Mineral	2
Mingo	1
Monongalia	2
Raleigh	1
Wood	1
Wisconsin	12
Barron	1
Brown	1
Dunn	1
Lincoln	1
Manitowoc	1
Milwaukee	2
Oconto	1
Outagamie	1
Polk	1
Racine	2
Wyoming	2
Hot Springs	1
Weston	1
ACUTE POLIOMYELITIS (080)	
United States	255
Alabama	3
Bibb	1
Lamar	1
Morgan	1
Arizona	2
Cochise	1
Maricopa	1
Arkansas	1
Jefferson	1
California	12
Alameda	2
Contra Costa	1
Los Angeles	4
Napa	1
Sacramento	2
San Diego	2
Colorado	2
Otero	1
Weld	1
Connecticut	3
Fairfield	2
Litchfield	1
Florida	6
Dade	1
Hillsborough	1
Orange	2
Polk	1
Seminole	1
Georgia	2
Chatham	1
Clinch	1
Idaho	1
Bonner	1
Illinois	12
Cook	2
Franklin	1
Jefferson	1
Jersey	1
Macon	2
Mercer	1
Peoria	1
St. Clair	2
Vermilion	1
Indiana	9
Allen	2
Elkhart	1
Jefferson	1
Marion	1
St. Joseph	2
Vigo	1
Washington	1
Iowa	1
Appanoose	1
Kansas	3
Butler	1
Lincoln	1
Sedgwick	1
Kentucky	10
Bell	1
Boyd	1
Calloway	1
Greenup	1
Harlan	1
Jefferson	1
Kenton	2
Knox	1
Warren	1
Louisiana[1]	2
Orleans	1
West Feliciana	1
Maryland	1
Carroll	1
Massachusetts[2]	3
Michigan	36
Hillsdale	2
Ingham	1
Isabella	1
Jackson	1
Lapeer	1
Lenawee	1
Macomb	5
Oakland	1
St. Clair	2
Wayne	21
Minnesota	1
Cass	1
Mississippi	1
Marion	1
Missouri	12
Jackson	1
Jasper	1
Jefferson	1
New Madrid	1
Pulaski	1
St. Louis	4
St. Louis (independent city)	3
Montana	5
Big Horn	1
Glacier	1
Lewis and Clark	1
Ravalli	1
Yellowstone	1
New Hampshire	1
Rockingham	1
New Jersey	9
Atlantic	1
Bergen	1
Essex	2
Middlesex	3
Morris	1
Passaic	1
New Mexico	2
Dona Ana	1
Valencia	1
New York	13
Cattaraugus	1
Columbia	1
Erie	1
Genesee	1
New York City[3]	6
Orange	1
Oswego	1
Rockland	1
North Carolina	3
Bladen	1
Gaston	1
Henderson	1
North Dakota	4
Benson	1
McLean	1
Rolette	1
Williams	1
Ohio	20
Auglaize	1
Carroll	2
Crawford	1
Cuyahoga	2
Franklin	1
Greene	1
Ohio—Continued	
Lorain	1
Lucas	1
Mahoning	1
Miami	1
Montgomery	3
Pike	1
Summit	1
Tuscarawas	2
Wayne	1
Oregon	2
Douglas	1
Multnomah	1
Pennsylvania	10
Beaver	1
Berks	1
Blair	1
Erie	1
Jefferson	1
Lancaster	1
Luzerne	1
McKean	1
Philadelphia	2
Rhode Island	1
Providence	1
South Carolina	1
Lee	1
South Dakota	4
Brown	1
Dewey	1
McPherson	1
Pennington	1
Tennessee	2
Rutherford	1
Shelby	1
Texas	20
Bexar	3
Cameron	1
Dallas	1
Ector	1
Galveston	1
Harris	3
Hopkins	1
Kleberg	2
Newton	1
Travis	2
Uvalde	1
Webb	1
Wheeler	1
Willacy	1
Vermont	1
Rutland	1
Virginia	11
Carroll	3
Fairfax	1
Rockingham	1
Scott	1
Wise	2
Independent cities:	
Fredericksburg	1
Norton[2]	1
Richmond	1
Washington	4
Benton	1
Walla Walla	1
Whitman	1
Yakima	1
West Virginia	12
Boone	3
Grant	1
Jackson	1
Kanawha	2
Logan	1
McDowell	1
Mercer	1
Ritchie	1
Wood	1
Wisconsin	3
La Crosse	1
Racine	2
Wyoming	4
Laramie	3
Weston	1

See footnotes at end of table.

Table 85A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there were one or more deaths from the specified cause. Includes data for urban places shown in table 85B. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)	
United States	552
Alabama	12
Baldwin	1
Bullock	1
Geneva	1
Lauderdale	1
Lawrence	1
Lee	1
Mobile	1
St. Clair	2
Tuscaloosa	2
Walker	1
Arizona	10
Apache	3
Cochise	1
Coconino	2
Mohave	1
Navajo	3
Arkansas	5
Benton	1
Cross	1
Dallas	1
Phillips	1
Polk	1
California	12
Del Norte	1
Kern	1
Los Angeles	3
Orange	1
Riverside	1
Sacramento	1
San Diego	1
Sonoma	1
Stanislaus	1
Ventura	1
Colorado	8
Arapahoe	2
El Paso	1
Jefferson	1
Pueblo	1
Saguache	2
Weld	1
Connecticut	4
Fairfield	1
Hartford	1
New London	1
Tolland	1
Delaware	3
New Castle	1
Sussex	2
District of Columbia	6
Florida	13
Broward	1
Charlotte	1
Dade	2
Duval	1
Escambia	1
Lake	1
Leon	1
Monroe	1
Orange	1
Palm Beach	1
Pinellas	1
St. Lucie	1
Georgia	13
Brooks	1
Chatham	1
Cherokee	1
Coffee	1
Colquitt	3
Dodge	1
Hall	2
Laurens	1
Oconee	1
Ware	1
Idaho	2
Bear Lake	1
Canyon	1
Illinois	36
Cook	23
Du Page	1
Hamilton	1
Kane	1
Lake	2
La Salle	1
Macon	1
Peoria	1
Pulaski	1
St. Clair	1
Saline	1
Warren	1
Whiteside	1
Indiana	20
Clinton	1
Delaware	1
Harrison	1
Howard	1
Huntington	1
Lake	7
Marion	5
Porter	1
Vanderburgh	1
Vigo	1
Iowa	3
Monona	1
Monroe	1
Wapello	1
Kansas	3
Montgomery	2
Saline	1
Kentucky	20
Boyd	1
Campbell	1
Daviess	1
Fayette	1
Garrard	1
Hardin	2
Jefferson	3
Lawrence	1
Logan	1
Lyon	1
McCracken	2
McCreary	1
Madison	1
Monroe	1
Taylor	1
Webster	1
Louisiana[1]	12
Ascension	1
Caddo	1
Calcasieu	1
East Baton Rouge	3
Lafayette	1
Lincoln	1
Morehouse	1
St. Landry	1
West Carroll	2
Maine	1
Cumberland	1
Maryland	18
Anne Arundel	2
Baltimore	2
Baltimore (independent city)	4
Carroll	1
Harford	1
Howard	1
Montgomery	2
Prince Georges	2
Washington	2
Wicomico	1
Massachusetts[2]	4
Michigan	18
Calhoun	1
Kent	1
Macomb	3
Oakland	1
Otsego	1
Saginaw	1
Wayne	10
Minnesota	1
Lake	1
Mississippi	17
Copiah	2
De Soto	1
George	1
Greene	1
Jackson	1
Lauderdale	2
Leake	1
Madison	1
Panola	1
Simpson	1
Sunflower	1
Tate	1
Warren	1
Washington	2
Missouri	10
Buchanan	2
Butler	1
Dunklin	1
Jackson	1
Perry	1
Pulaski	1
Randolph	1
St. Louis	1
Ste. Genevieve	1
Montana	2
Lewis and Clark	1
Roosevelt	1
Nebraska	6
Douglas	1
Furnas	1
Gage	1
Holt	1
Madison	1
Seward	1
New Hampshire	2
Grafton	1
Hillsborough	1
New Jersey	3
Essex	1
Monmouth	1
Passaic	1
New Mexico	11
Bernalillo	2
Colfax	1
McKinley	3
Otero	2
Sandoval	1
Taos	1
Union	1
New York	28
Chautauqua	1
Clinton	1
Erie	2
Jefferson	1
New York City[3]	15
Niagara	1
Ontario	1
Schenectady	3
Steuben	1
Warren	1
Westchester	1
North Carolina	29
Beaufort	2
Cabarrus	2
Carteret	1
Columbus	4
Duplin	2
Durham	2
Forsyth	1
Gaston	2
Halifax	1
Lenoir	1
Mecklenburg	1
New Hanover	1
Northampton	2
Person	1
Robeson	4
Stanly	1
Wayne	1
North Dakota	1
Williams	1
Ohio	37
Adams	1
Butler	1
Cuyahoga	4
Erie	1
Franklin	3
Hamilton	2
Hancock	1
Holmes	1
Lawrence	1
Licking	1
Lucas	1
Mahoning	1
Meigs	1
Monroe	1
Montgomery	1
Morrow	1
Muskingum	1
Portage	1
Ross	2
Seneca	2
Summit	2
Trumbull	3
Tuscarawas	1
Washington	1
Wayne	1
Wyandot	1
Oklahoma	6
Comanche	1
Craig	1
McClain	1
Oklahoma	1
Tulsa	1
Washington	1
Oregon	5
Coos	1
Lane	1
Multnomah	2
Washington	1
Pennsylvania	27
Allegheny	2
Beaver	2
Carbon	1
Centre	1
Clarion	1
Clearfield	1
Crawford	1
Dauphin	1
Delaware	1
Erie	2
Franklin	1
Lancaster	2
Luzerne	1
Lycoming	2
McKean	1
Montgomery	1
Northumberland	1
Philadelphia	3
York	2
Rhode Island	3
Providence	3
South Carolina	12
Abbeville	1
Charleston	1
Chesterfield	1
Darlington	2
Kershaw	1
Marlboro	1
Oconee	2
Richland	1
Saluda	1
Sumter	1
Tennessee	17
Bradley	1
Claiborne	1
Davidson	4
Fayette	1
Hamilton	2
Lincoln	1
Pickett	1
Robertson	1
Scott	1
Shelby	2
Tipton	1
Weakley	1
Texas	52
Aransas	1
Bexar	3
Caldwell	1
Cameron	7

See footnotes at end of table.

Table 85A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1958—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there were one or more deaths from the specified cause. Includes data for urban places shown in table 85B. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
Texas—Continued	
Camp	1
Dallas	3
El Paso	6
Fannin	1
Grayson	1
Hardeman	1
Hardin	1
Harris	6
Henderson	1
Hidalgo	2
Jefferson	1
Karnes	1
Lamar	1
Milam	1
Montgomery	1
Reeves	1
San Patricio	1
Tarrant	4
Throckmorton	1
Travis	1
Trinity	1
Upshur	1
Victoria	1
Williamson	1
Utah	2
Emery	1
San Juan	1
Vermont	2
Orleans	1
Washington	1
Virginia	18
Albemarle	1
Amherst	1
Buchanan	2
Buckingham	1
Charlotte	1
Culpeper	1
Fairfax	3
Lee	1
Mecklenburg	1
Richmond	1
Rockingham	3
Independent cities:	
Norton[6]	1
Petersburg	1
Washington	7
Chelan	1
King	1
Okanogan	1
Spokane	4
West Virginia	12
Cabell	2
Kanawha	1
Logan	2
Marshall	1
Mason	1
Mingo	1
Ohio	1
Putnam	1
Upshur	2
Wisconsin	18
Barron	1
Crawford	1
Dodge	1
Forest	4
Iowa	1
Lincoln	1
Manitowoc	1
Milwaukee	4
Outagamie	1
Ozaukee	1
Shawano	1
Sheboygan	1
Wyoming	1
Fremont	1

[1]Divisions are designated as parishes.
[2]Data are shown only for the State as a whole; for explanation, see "Massachusetts data" in section 1 of text in Volume I.
[3]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[4]Includes data for Bristol, Va., only.
[5]Warwick, formerly an independent city, annexed to Newport News in 1958.
[6]Norton, formerly a town in Wise County, shown as an independent city beginning with 1955.

Table 85B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1958

(By place of residence. Includes only deaths occurring within the continental United States. Urban places with populations of 10,000 or more in 1950 are listed in which there were one or more deaths from the specified cause. Counties in which urban places are located are shown in parentheses. Data for Massachusetts are excluded; for explanation, see "Massachusetts data" in section 1 of text in Volume I. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
California:	
San Diego (San Diego)	1
Indiana:	
Fort Wayne (Allen)	1
Louisiana:	
Shreveport (Caddo)	1
Missouri:	
Overland (St. Louis)	1
Ohio:	
Cleveland (Cuyahoga)	1
Marion (Marion)	1
Oklahoma:	
Tulsa (Tulsa)	1
South Carolina:	
Greenville (Greenville)	1
Texas:	
Corpus Christi (Nueces)	1
Midland (Midland)	1
DYSENTERY, ALL FORMS (045-048)	
Alabama:	
Anniston (Calhoun)	1
Mobile (Mobile)	1
Montgomery (Montgomery)	1
Arizona:	
Phoenix (Maricopa)	1
Arkansas:	
Blytheville (Mississippi)	1
El Dorado (Union)	1
California:	
Hawthorne (Los Angeles)	1
Long Beach (Los Angeles)	1
Los Angeles (Los Angeles)	7
National City (San Diego)	1
Oakland (Alameda)	1
Sacramento (Sacramento)	1
San Bernardino (San Bernardino)	1
San Diego (San Diego)	1
San Jose (Santa Clara)	1
Colorado:	
Pueblo (Pueblo)	1
District of Columbia:	
Washington, D.C.	1
Florida:	
Jacksonville (Duval)	1
Miami Beach (Dade)	1
Sanford (Seminole)	1
Tampa (Hillsborough)	1
Georgia:	
Albany (Dougherty)	3
Atlanta (Fulton)	1
Illinois:	
Chicago (Cook)	2
Jacksonville (Morgan)	1
Maywood (Cook)	1
Indiana:	
Terre Haute (Vigo)	1
Iowa:	
Des Moines (Polk)	1
Dubuque (Dubuque)	1
Sioux City (Woodbury)	1
Kentucky:	
Louisville (Jefferson)	1
Paducah (McCracken)	1
Louisiana:	
Lake Charles (Calcasieu)	2
New Orleans (Orleans)	2
Opelousas (St. Landry)	1
Maryland:	
Baltimore (independent city)	2
Michigan:	
Dearborn (Wayne)	1
Detroit (Wayne)	1
Minnesota:	
Richfield (Hennepin)	1
St. Cloud (Stearns)	1
Mississippi:	
Hattiesburg (Forrest)	1
Jackson (Hinds)	1
Laurel (Jones)	1
McComb (Pike)	1
Meridian (Lauderdale)	1
Missouri:	
Joplin (Jasper)	1
Kansas City (Jackson)	2
St. Louis (independent city)	1
Poplar Bluff (Butler)	1
New Jersey:	
Elizabeth (Union)	2
Perth Amboy (Middlesex)	1
New Mexico:	
Albuquerque (Bernalillo)	1
Hobbs (Lea)	2
Las Cruces (Dona Ana)	1
New York:	
Albany (Albany)	1
Buffalo (Erie)	1
Kingston (Ulster)	1
New York City[1]	3
Watertown (Jefferson)	1
North Carolina:	
Asheville (Buncombe)	1
Fayetteville (Cumberland)	1
Greenville (Pitt)	1
Ohio:	
Cincinnati (Hamilton)	1
Marion (Marion)	1
Pennsylvania:	
Philadelphia (Philadelphia)	1
South Carolina:	
Columbia (Richland)	2
Tennessee:	
Chattanooga (Hamilton)	1
Memphis (Shelby)	1
Texas:	
Alice (Jim Wells)	1
Austin (Travis)	1
Brownsville (Cameron)	1
Bryan (Brazos)	1
Corpus Christi (Nueces)	1
Dallas (Dallas)	5
Denton (Denton)	1
Edinburg (Hidalgo)	1
El Paso (El Paso)	3
Harlingen (Cameron)	4
Houston (Harris)	2
Kingsville (Kleberg)	1
Laredo (Webb)	5
Lubbock (Lubbock)	1
Mercedes (Hidalgo)	3
Palestine (Anderson)	1
Plainview (Hale)	2
San Antonio (Bexar)	4
Terrell (Kaufman)	1
Waco (McLennan)	1
Wichita Falls (Wichita)	1
Virginia:	
Bristol (independent city)[2]	1
Newport News (independent city)[3]	1
Richmond (independent city)	2
Washington:	
Seattle (King)	1
West Virginia:	
Charleston (Kanawha)	1
Clarksburg (Harrison)	1
Wisconsin:	
Marinette (Marinette)	1
Milwaukee (Milwaukee)	1
DIPHTHERIA (055)	
California:	
Los Angeles (Los Angeles)	1
Colorado:	
Denver (Denver)	2
Connecticut:	
Waterbury (New Haven)	1
District of Columbia:	
Washington, D.C.	1
Georgia:	
Americus (Sumter)	1
Atlanta (Fulton)	1
College Park (Clayton)	1
Rome (Floyd)	1
Illinois:	
Chicago (Cook)	2
Iowa:	
Sioux City (Woodbury)	1
Louisiana:	
Bogalusa (Washington)	1
Maryland:	
Baltimore (independent city)	1
Ohio:	
Cincinnati (Hamilton)	3
Texas:	
Corpus Christi (Nueces)	1
Odessa (Ector)	1
WHOOPING COUGH (056)	
Alabama:	
Prichard (Mobile)	1
Arizona:	
Tucson (Pima)	1
Arkansas:	
Camden (Ouachita)	1
Little Rock (Pulaski)	1
California:	
Los Angeles (Los Angeles)	4
Georgia:	
Valdosta (Lowndes)	1
Illinois:	
Chicago (Cook)	1
Peoria (Peoria)	1
Indiana:	
Muncie (Delaware)	1
Iowa:	
Waterloo (Black Hawk)	1
Kentucky:	
Louisville (Jefferson)	1
Louisiana:	
Alexandria (Rapides)	2
Minnesota:	
Minneapolis (Hennepin)	1
Mississippi:	
McComb (Pike)	1
Natchez (Adams)	1
Missouri:	
Sikeston (Scott)	1
New Mexico:	
Santa Fe (Santa Fe)	1
New York:	
Albany (Albany)	1
Ohio:	
Cincinnati (Hamilton)	3
Springfield (Clark)	1
Warren (Trumbull)	1
Pennsylvania:	
Philadelphia (Philadelphia)	1
South Carolina:	
Charleston (Charleston)	2
Rock Hill (York)	1
Tennessee:	
Dyersburg (Dyer)	1
Memphis (Shelby)	3
Murfreesboro (Rutherford)	1
Texas:	
Abilene (Taylor)	1
Dallas (Dallas)	1
El Paso (El Paso)	1
Marshall (Harrison)	1
San Antonio (Bexar)	3
Virginia:	
Newport News (independent city)[3]	1
Norfolk (independent city)	1
Richmond (independent city)	2
Wisconsin:	
Eau Claire (Eau Claire)	1
MENINGOCOCCAL INFECTIONS (057)	
Alabama:	
Birmingham (Jefferson)	2
Florence (Lauderdale)	1
Mobile (Mobile)	1
Montgomery (Montgomery)	1
Prichard (Mobile)	1
Selma (Dallas)	2
Tuscaloosa (Tuscaloosa)	1
Arizona:	
Phoenix (Maricopa)	1
California:	
Alameda (Alameda)	1
Belvedere (twp.)(Los Angeles)[4 5]	1
Daly City (San Mateo)	1
Hawthorne (Los Angeles)	1
Inglewood (Los Angeles)	1
Long Beach (Los Angeles)	1
Los Angeles (Los Angeles)	8
Monterey Park (Los Angeles)	1
Oakland (Alameda)	1
Petaluma (Sonoma)	1
Pittsburg (Contra Costa)	1
San Diego (San Diego)	1
San Francisco (San Francisco)	2
San Jose (Santa Clara)	2
Santa Cruz (Santa Cruz)	1
Colorado:	
Colorado Springs (El Paso)	1
Denver (Denver)	2
Grand Junction (Mesa)	1
Connecticut:	
Bridgeport (Fairfield)	2
East Hartford (town)(Hartford)[4]	1
Hartford (Hartford)	4
District of Columbia:	
Washington, D. C.	11
Florida:	
Fort Myers (Lee)	2
Jacksonville (Duval)	1
Lakeland (Polk)	1
Miami (Dade)	1
Orlando (Orange)	2
Tampa (Hillsborough)	3
West Palm Beach (Palm Beach)	1
Georgia:	
Atlanta (Fulton)	3
Augusta (Richmond)	1
Illinois:	
Chicago (Cook)	21
East St. Louis (St. Clair)	1
Elmhurst (Du Page)	1
Jacksonville (Morgan)	1
Moline (Rock Island)	1
Indiana:	
Bedford (Lawrence)	1
Fort Wayne (Allen)	1
Hammond (Lake)	1
Indianapolis (Marion)	4
Lafayette (Tippecanoe)	1
Logansport (Cass)	1
Michigan City (La Porte)	1
Terre Haute (Vigo)	1

See footnotes at end of table.

Table 85B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1958—Continued

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
Iowa:	
Cedar Rapids (Linn)	1
Council Bluffs (Pottawattamie)	2
Des Moines (Polk)	1
Sioux City (Woodbury)	1
Kansas:	
Chanute (Neosho)	1
Emporia (Lyon)	1
Hutchinson (Reno)	1
Kansas City (Wyandotte)	1
Wichita (Sedgwick)	1
Kentucky:	
Covington (Kenton)	2
Owensboro (Daviess)	1
Louisiana:	
Baton Rouge (East Baton Rouge)	2
Lake Charles (Calcasieu)	1
Monroe (Ouachita)	3
New Orleans (Orleans)	3
Maine:	
Lewiston (Androscoggin)	1
Portland (Cumberland)	1
Maryland:	
Baltimore (independent city)	3
District 12 (Baltimore)[4 5]	1
Hagerstown (Washington)	1
Michigan:	
Cadillac (Wexford)	1
Detroit (Wayne)	8
Flint (Genesee)	3
Hamtramck (Wayne)	2
Niles (Berrien)	1
Royal Oak (Oakland)	1
Saginaw (Saginaw)	1
Minnesota:	
Duluth (St. Louis)	1
Fergus Falls (Otter Tail)	1
Minneapolis (Hennepin)	5
St. Paul (Ramsey)	2
Mississippi:	
Gulfport (Harrison)	1
Jackson (Hinds)	1
Missouri:	
Kansas City (Clay)	1
Kansas City (Jackson)	4
Sedalia (Pettis)	1
Sikeston (Scott)	1
St. Charles (St. Charles)	1
St. Joseph (Buchanan)	1
St. Louis (independent city)	3
Montana:	
Butte (Silver Bow)	1
Missoula (Missoula)	1
Nevada:	
Las Vegas (Clark)	1
Reno (Washoe)	1
New Jersey:	
Bridgeton (Cumberland)	1
Camden (Camden)	1
Cranford (twp.) (Union)[4 5]	1
East Orange (Essex)	1
Elizabeth (Union)	1
Newark (Essex)	1
Paterson (Passaic)	2
Red Bank (Monmouth)	2
West New York (Hudson)	1
Woodbridge (twp.) (Middlesex)[4 5]	1
New Mexico:	
Roswell (Chaves)	1
Santa Fe (Santa Fe)	1
New York:	
Binghamton (Broome)	1
Buffalo (Erie)	5
Massena (St. Lawrence)	1
Newburgh (Orange)	1
New York City[1]	25
Rochester (Monroe)	1
Syracuse (Onondaga)	2
Utica (Oneida)	1
North Carolina:	
Charlotte (Mecklenburg)	1
Concord (Cabarrus)	2
Ohio:	
Akron (Summit)	1
Cincinnati (Hamilton)	4
Cleveland (Cuyahoga)	7
Columbus (Franklin)	3
East Liverpool (Columbiana)	1
Kent (Portage)	1
Middletown (Butler)	1
Newark (Licking)	1
Sidney (Shelby)	1
Springfield (Clark)	1
Steubenville (Jefferson)	1
Toledo (Lucas)	2
Youngstown (Mahoning)	1
Oklahoma:	
Lawton (Comanche)	1
Oklahoma City (Oklahoma)	1
Okmulgee (Okmulgee)	1
Tulsa (Tulsa)	2
Oregon:	
Portland (Multnomah)	2
Salem (Marion)	1
Pennsylvania:	
Abington (twp.) (Montgomery)[4 5]	1
Aliquippa (Beaver)	1
Chester (Delaware)	1
Du Bois (Clearfield)	1
Dunmore (Lackawanna)	1
Franklin (Venango)	1
Lancaster (Lancaster)	1
Philadelphia (Philadelphia)	11
Pittsburgh (Allegheny)	1
West Mifflin (Allegheny)	1
York (York)	1
Rhode Island:	
Pawtucket (Providence)	2
Providence (Providence)	1
Woonsocket (Providence)	1
South Carolina:	
Charleston (Charleston)	1
Tennessee:	
Chattanooga (Hamilton)	1
Knoxville (Knox)	1
Memphis (Shelby)	2
Nashville (Davidson)	1
Texas:	
Corpus Christi (Nueces)	1
Dallas (Dallas)	3
El Paso (El Paso)	5
Fort Worth (Tarrant)	1
Houston (Harris)	5
San Antonio (Bexar)	2
Utah:	
Salt Lake City (Salt Lake)	1
Virginia:	
Alexandria (independent city)	1
Charlottesville (independent city)	1
Hampton (independent city)	1
Norfolk (independent city)	1
Petersburg (independent city)	1
Portsmouth (independent city)	1
Roanoke (independent city)	1
Staunton (independent city)	1
Washington:	
Seattle (King)	2
Wenatchee (Chelan)	1
Wisconsin:	
Appleton (Outagamie)	1
Manitowoc (Manitowoc)	1
Milwaukee (Milwaukee)	1
Racine (Racine)	1
South Milwaukee (Milwaukee)	1
ACUTE POLIOMYELITIS (080)	
Arizona:	
Phoenix (Maricopa)	1
Arkansas:	
Pine Bluff (Jefferson)	1
California:	
Hayward (Alameda)	1
Los Angeles (Los Angeles)	2
Napa (Napa)	1
Oakland (Alameda)	1
Richmond (Contra Costa)	1
San Diego (San Diego)	1
Torrance (Los Angeles)	1
Connecticut:	
Bridgeport (Fairfield)	2
Torrington (Litchfield)	1
Florida:	
Miami (Dade)	1
Orlando (Orange)	1
Tampa (Hillsborough)	1
Georgia:	
Savannah (Chatham)	1
Illinois:	
Chicago (Cook)	2
Peoria (Peoria)	1
Indiana:	
Elkhart (Elkhart)	1
Fort Wayne (Allen)	1
South Bend (St. Joseph)	2
Terre Haute (Vigo)	1
Kansas:	
Wichita (Sedgwick)	1
Kentucky:	
Ashland (Boyd)	1
Bowling Green (Warren)	1
Covington (Kenton)	1
Louisville (Jefferson)	1
Louisiana:	
New Orleans (Orleans)	1
Michigan:	
Detroit (Wayne)	19
Lincoln Park (Wayne)	1
Port Huron (St. Clair)	1
St. Clair Shores (Macomb)	1
Missouri:	
Independence (Jackson)	1
Jennings (St. Louis)	1
Joplin (Jasper)	1
St. Louis (independent city)	3
University City (St. Louis)	1
Montana:	
Helena (Lewis and Clark)	1
New Jersey:	
Atlantic City (Atlantic)	1
Englewood (Bergen)	1
Newark (Essex)	2
New York:	
Buffalo (Erie)	1
Fulton (Oswego)	1
New York City[1]	6
North Carolina:	
Gastonia (Gaston)	1
Ohio:	
Akron (Summit)	1
Bucyrus (Crawford)	1
Cleveland (Cuyahoga)	1
Columbus (Franklin)	1
Dayton (Montgomery)	3
Piqua (Miami)	1
Toledo (Lucas)	1
Xenia (Greene)	1
Youngstown (Mahoning)	1
Oregon:	
Portland (Multnomah)	1
Pennsylvania:	
Philadelphia (Philadelphia)	2
Wilkes-Barre (Luzerne)	1
Rhode Island:	
Pawtucket (Providence)	1
South Dakota:	
Rapid City (Pennington)	1
Tennessee:	
Memphis (Shelby)	1
Texas:	
Austin (Travis)	2
Dallas (Dallas)	1
Galveston (Galveston)	1
Houston (Harris)	2
Kingsville (Kleberg)	1
Laredo (Webb)	1
Odessa (Ector)	1
San Antonio (Bexar)	3
Vermont:	
Rutland City (Rutland)	1
Virginia:	
Fredericksburg (independent city)	1
Richmond (independent city)	1
Washington:	
Kennewick (Benton)	1
Pullman (Whitman)	1
Walla Walla (Walla Walla)	1
West Virginia:	
Charleston (Kanawha)	1
Parkersburg (Wood)	1
Wyoming:	
Cheyenne (Laramie)	2
MEASLES (085)	
Alabama:	
Auburn (Lee)	1
Prichard (Mobile)	1
Tuscaloosa (Tuscaloosa)	2
California:	
Los Angeles (Los Angeles)	1
San Diego (San Diego)	1
Santa Rosa (Sonoma)	1
Torrance (Los Angeles)	1
Colorado:	
Colorado Springs (El Paso)	1
Englewood (Arapahoe)	1
Pueblo (Pueblo)	1
Connecticut:	
Hartford (Hartford)	1
Norwalk (Fairfield)	1
District of Columbia:	
Washington, D.C.	6
Florida:	
Fort Pierce (St. Lucie)	1
Jacksonville (Duval)	1
Key West (Monroe)	1
Miami Beach (Dade)	1
St. Petersburg (Pinellas)	1
Tallahassee (Leon)	1
Georgia:	
Dublin (Laurens)	1
Gainesville (Hall)	1
Moultrie (Colquitt)	2
Savannah (Chatham)	1
Waycross (Ware)	1
Illinois:	
Aurora (Kane)	1
Chicago (Cook)	20
Chicago Heights (Cook)	1
Decatur (Macon)	1
Monmouth (Warren)	1
Indiana:	
East Chicago (Lake)	3
Evansville (Vanderburgh)	1
Frankfort (Clinton)	1
Gary (Lake)	2
Huntington (Huntington)	1
Indianapolis (Marion)	4
Kokomo (Howard)	1
Muncie (Delaware)	1
Valparaiso (Porter)	1
Iowa:	
Ottumwa (Wapello)	1
Kansas:	
Coffeyville (Montgomery)	2
Kentucky:	
Ashland (Boyd)	1
Lexington (Fayette)	1
Louisville (Jefferson)	1
Paducah (McCracken)	1

See footnotes at end of table.

Table 85B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1958—Continued

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
Louisiana:	
Bastrop (Morehouse)	1
Baton Rouge (East Baton Rouge)	3
Lake Charles (Calcasieu)	1
Maine:	
Portland (Cumberland)	1
Maryland:	
Baltimore (independent city)	4
Michigan:	
Detroit (Wayne)	4
Ecorse (Wayne)	1
Grand Rapids (Kent)	1
Grosse Pointe Woods (Wayne)	1
Mount Clemens (Macomb)	2
Saginaw (Saginaw)	1
Mississippi:	
Greenville (Washington)	2
Meridian (Lauderdale)	1
Pascagoula (Jackson)	1
Vicksburg (Warren)	1
Missouri:	
Kansas City (Jackson)	1
Kirkwood (St. Louis)	1
St. Joseph (Buchanan)	1
Montana:	
Helena (Lewis and Clark)	1
Nebraska:	
Beatrice (Gage)	1
Norfolk (Madison)	1
Omaha (Douglas)	1
New Jersey:	
Newark (Essex)	1
Paterson (Passaic)	1
New Mexico:	
Albuquerque (Bernalillo)	2
New York:	
Buffalo (Erie)	1
Lackawanna (Erie)	1
New York City[1]	15
Plattsburg (Clinton)	1
Schenectady (Schenectady)	2
Yonkers (Westchester)	1
North Carolina:	
Albemarle (Stanly)	1
Charlotte (Mecklenburg)	1
Concord (Cabarrus)	1
Durham (Durham)	1
Gastonia (Gaston)	2
Winston-Salem (Forsyth)	1
Ohio:	
Barberton (Summit)	1
Chillicothe (Ross)	1
Cincinnati (Hamilton)	2
Cleveland (Cuyahoga)	2
Columbus (Franklin)	3
Ohio—Continued	
Dayton (Montgomery)	1
Fostoria (Seneca)	1
Hamilton (Butler)	1
New Philadelphia (Tuscarawas)	1
Newark (Licking)	1
Sandusky (Erie)	1
Shaker Heights (Cuyahoga)	1
Oklahoma:	
Lawton (Comanche)	1
Oklahoma City (Oklahoma)	1
Tulsa (Tulsa)	1
Oregon:	
Portland (Multnomah)	2
Pennsylvania:	
Beaver Falls (Beaver)	1
Bethel (Allegheny)	1
Cheltenham (twp.) (Montgomery)[4 5]	1
Chester (Delaware)	1
Erie (Erie)	2
Philadelphia (Philadelphia)	3
Pittsburgh (Allegheny)	1
Williamsport (Lycoming)	1
Rhode Island:	
Pawtucket (Providence)	1
Providence (Providence)	1
Woonsocket (Providence)	1
South Carolina:	
Sumter (Sumter)	1
Tennessee:	
Chattanooga (Hamilton)	1
Memphis (Shelby)	1
Nashville (Davidson)	1
Texas:	
Austin (Travis)	1
Brownsville (Cameron)	3
Dallas (Dallas)	1
Edinburg (Hidalgo)	1
El Paso (El Paso)	6
Fort Worth (Tarrant)	4
Grand Prairie (Dallas)	1
Harlingen (Cameron)	3
Houston (Harris)	3
Mercedes (Hidalgo)	1
San Antonio (Bexar)	3
San Benito (Cameron)	1
Victoria (Victoria)	1
Virginia:	
Petersburg (independent city)	1
Washington:	
Spokane (Spokane)	2
Wenatchee (Chelan)	1
West Virginia:	
Wheeling (Ohio)	1
Wisconsin:	
Milwaukee (Milwaukee)	4
Sheboygan (Sheboygan)	1

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties.
[2]Includes data for Bristol, Va., only.
[3]Warwick, formerly an independent city, annexed to Newport News in 1958.
[4]Classified as urban under a special rule.
[5]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

NOTES:

Urban places listed in this table are incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures are shown for that part of the city to which the death was allocated. These cities are: Atlanta, Ga.; College Park, Ga.; Eau Claire, Wis.; Fostoria, Ohio; Grand Prairie, Tex.; Joplin, Mo.; Kansas City, Mo.; St. Cloud, Minn.; Salem, Oreg.; Sikeston, Mo.; and Youngstown, Ohio.

U. S. GOVERNMENT PRINTING OFFICE : 1960 O - 546215