Health Data
Interactive

Explore, customize, download: pre-tabulated national health statistics

Objectives

- By the end of today's workshop, you should:

  - Know how to navigate to and through the Health Data Interactive website

  - Understand the website's general benefits and limitations

  - Be able to locate tables of interest

  - Be able to customize and retrieve data in a useful form

What is Health Data Interactive (HDI)?

- HDI is a collection of online, interactive tables on the health and well-being of the US population

- HDI provides pre-tabulated statistics for several covariates:
  - Age
  - Race and ethnicity
  - Gender
  - Year
  - Geographic location (when available)
  - Income (when available)
 - Urbanicity (when available)

Data sources fall into 3 categories

1. Data systems with total counts of events
   – Births and Deaths from the National Vital Statistics System
2. Population surveys
   – National Health Interview Survey
   – National Health and Nutrition Examination Survey
3. Administrative data
   – National Hospital Ambulatory Medical Care Survey
   – National Hospital Discharge Survey
   – Medicare Current Beneficiary Survey

# Before demonstrating how to use HDI, we'll show two examples of HDI data in use

- Exploring patterns in injury death rates
- Leading causes of emergency department visits by age group

Pretabulated data on injury mortality

CDC SAFER · HEALTHIER · PEOPLE

Health Data *Interactive*

Reports | Table | Chart | Map

Beyond 20/2 WEB DATA SERV

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: | Measure - Rate per 100000 | State - U.S. | Sex - All | Race/Ethnicity - All | Year - 2004-2006 |

Age		All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	45-64	65+ (rates age adjusted)	65+ (crude)	65-74	75-84	85+
Intent	Mechanism																		
All intents	All mechanisms	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	67.9	118.2	119.8	61.9	127.1	332.0
	Cut/pierce	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	1.2	0.8	0.8	0.8	0.7	0.9
	Drowning	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	1.5	1.6	1.6	1.3	1.7	2.3
	Fall	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	4.4	43.8	44.7	12.9	47.0	165.7
	Fire/hot object or substance	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	1.6	3.3	3.4	2.3	3.9	6.2
	Firearm	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	11.6	11.9	11.9	10.4	13.6	13.2
	Motor vehicle traffic	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	15.6	19.5	19.6	15.7	22.7	26.5
	Poisoning	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	19.6	4.6	4.6	4.3	4.4	6.3
	Suffocation	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	4.4	10.8	11.0	4.7	11.4	34.7
Unintentional	All mechanisms	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	43.5	100.0	101.6	45.9	107.1	309.7
	Cut/pierce	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2
	Drowning	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	1.1	1.3	1.3	1.1	1.4	1.8
	Fall	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	4.1	43.4	44.3	12.7	46.7	165.1
	Fire/hot object or substance	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	1.4	3.2	3.2	2.1	3.8	6.0
	Firearm	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	Motor vehicle traffic	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	15.5	19.2	19.3	15.5	22.3	25.9
	Poisoning	8.3	8.3	0.4	0.2	0.5	0.1	1.7	11.0	11.0	12.1	8.3	13.4	13.6	2.7	2.7	2.4	2.5	4.0
	Suffocation	2.0	2.0	1.4	4.6	0.3	0.3	0.3	2.3	2.3	0.6	0.4	0.6	1.4	9.1	9.2	3.3	9.6	32.0
Suicide	All mechanisms	11.3	11.4	1.4	§	1.9	0.6	6.0	14.8	14.8	13.4	12.3	13.7	17.1	14.8	14.9	12.8	16.7	18.3
	Cut/pierce	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.2	0.4	0.3	0.3	0.2	0.2	0.4
	Drowning	0.1	0.1	*	§	*	*	*	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4
	Fall	0.2	0.2	0.0	§	0.0	*	0.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.5
	Fire/hot object or substance	0.1	0.1	*	§	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*

A custom-made chart from the injury mortality HDI table: Suicide per 100,000, by age group and mechanism-- United States, 2004-2006

Looking more in depth at patterns by sex: Suicide per 100,000, by sex, age group and mechanism--United States, 2004-2006

Another example of subgroup patterns:
Suicide per 100,000, by race/ethnicity and age group--
United States, 2004-2006

Comparing injury death intents: Suicide and homicide per 100,000, by race/ethnicity and age group--United States, 2004-2006

Looking at geographic detail:
Suicide by firearm per 100,000 by state — 2004-2006

Another geographic perspective:
Suicide by firearm per 100,000 by state — 2004-2006

Legend:
14.1
9.1
7.6
6.6
5.2
1.3

Switching to examining emergency department use: Top 10 causes of emergency department visits, by age, 2005-2007

0-17 years	45-64 years	85+ years
Unintentional injury	Unintentional injury	Unintentional injury
Upper resp infection	Chest pain	Heart disease
Ear infection	Abdominal pain	Pneumonia
Fever	Spinal disorders	Urinary tract infection
Sore throat	Adverse effects of med tx	Chest pain
Abdominal pain	Cellulitis and abscess	Abdominal pain
Asthma	Heart disease	Stroke
Noninfectious enteritis	Rheumatism	Adverse effects of med tx
Adverse effects of med tx	COPD	Spinal disorders
Cellulitis and abscess	Alcohol and drug	COPD

Top 10 causes of emergency department visits, by age, 2005-2007

0-17 years	45-64 years	85+ years
Unintentional injury	**Unintentional injury**	**Unintentional injury**
Upper resp infection	Chest pain	Heart disease
Ear infection	Abdominal pain	Pneumonia
Fever	Spinal disorders	Urinary tract infection
Sore throat	Adverse effects of med tx	Chest pain
Abdominal pain	Cellulitis and abscess	Abdominal pain
Asthma	Heart disease	Stroke
Noninfectious enteritis	Rheumatism	Adverse effects of med tx
Adverse effects of med tx	COPD	Spinal disorders
Cellulitis and abscess	Alcohol and drug	COPD

Top 10 causes of emergency department visits, by age, 2005-2007

0-17 years	45-64 years	85+ years
Unintentional injury	Unintentional injury	Unintentional injury
Upper resp infection	Chest pain	Heart disease
Ear infection	Abdominal pain	Pneumonia
Fever	Spinal disorders	Urinary tract infection
Sore throat	Adverse effects of med tx	Chest pain
Abdominal pain	Cellulitis and abscess	Abdominal pain
Asthma	Heart disease	Stroke
Noninfectious enteritis	Rheumatism	Adverse effects of med tx
Adverse effects of med tx	COPD	Spinal disorders
Cellulitis and abscess	Alcohol and drug	COPD

Top 10 causes of emergency department visits, by age, 2005-2007

0-17 years	45-64 years	85+ years
Unintentional injury	Unintentional injury	Unintentional injury
Upper resp infection	**Chest pain**	Heart disease
Ear infection	**Abdominal pain**	Pneumonia
Fever	Spinal disorders	Urinary tract infection
Sore throat	Adverse effects of med tx	Chest pain
Abdominal pain	Cellulitis and abscess	Abdominal pain
Asthma	Heart disease	Stroke
Noninfectious enteritis	Rheumatism	Adverse effects of med tx
Adverse effects of med tx	COPD	Spinal disorders
Cellulitis and abscess	Alcohol and drug	COPD

Top 10 causes of emergency department visits, by age, 2005-2007

0-17 years	45-64 years	85+ years
Unintentional injury	Unintentional injury	Unintentional injury
Upper resp infection	Chest pain	**Heart disease**
Ear infection	Abdominal pain	**Pneumonia**
Fever	Spinal disorders	Urinary tract infection
Sore throat	Adverse effects of med tx	Chest pain
Abdominal pain	Cellulitis and abscess	Abdominal pain
Asthma	Heart disease	Stroke
Noninfectious enteritis	Rheumatism	Adverse effects of med tx
Adverse effects of med tx	COPD	Spinal disorders
Cellulitis and abscess	Alcohol and drug	COPD

Some overall considerations before showing the nuts and bolts of HDI

- Estimates may be single year or multiple-year, depending on the topic
  - Examples in the previous slides used three-year annual estimates
  - Pooled years yield greater precision (e.g., statistics on children)
  - Pooled years give the ability to show estimates for smaller population sub-groups
- Trend vs. detail
  - Some tables will have time trends, but less detailed covariates (and vice versa)
- Data suppression
  - Estimates with a relative standard error>30% are suppressed (relative standard error=standard error ÷ estimate)
  - Estimates based on insufficient sample sizes are suppressed (depends on data source)

We will show how to…

- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- Download

We will show how to…

- **Find tables**   Reports | Table | Chart
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- Download

HDI homepage:
www.cdc.gov/nchs/hdi.htm

CDC SAFER · HEALTHIER · PEOPLE

Health Data *Interactive*

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ◀▶ | Sex - All ◀▶ | Race/Ethnicity ⓘ - All ⓘ ◀▶ | Year ⓘ - 2004-2006 ◀

Age ⓘ	Intent ⓘ	Mechanism ⓘ	All ages (rates age adjusted) ⓘ ⇧⇩	All ages (crude) ⇧⇩	0-17 ⇧⇩	0-4 ⇧⇩	5-17 ⇧⇩	5-14 ⇧⇩	15-17 ⇧⇩	18+ (rates age adjusted) ⓘ ⇧⇩	18+ (crude) ⇧⇩	18-44 ⇧⇩	18-24 ⇧⇩	25-44 ⇧⇩
All intents ⓘ		All mechanisms ⓘ	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2
		Cut/pierce ⓘ	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3
		Drowning ⓘ	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3
		Fall ⓘ	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5
		Fire/hot object or substance ⓘ	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8
		Firearm ⓘ	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2
		Motor vehicle traffic ⓘ	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9
		Poisoning ⓘ	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1
		Suffocation ⓘ	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8
Unintentional ⓘ		All mechanisms ⓘ	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6
		Cut/pierce ⓘ	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0
		Drowning ⓘ	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0
		Fall ⓘ	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1
		Fire/hot object or substance ⓘ	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6
		Firearm ⓘ	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2

CDC
SAFER · HEALTHIER · PEOPLE

Health Data
Interactive

Reports

[   ] [Search]

Folders ✕	Name ⇧⇩
📁 All reports	📁 Health and functional status
⊞ 📁 Public reports	📁 Health care use and expenditures
	📁 Health conditions
	📁 Health insurance and access
	📁 Mortality and life expectancy
	📁 Pregnancy and birth
	📁 Risk factors and disease prevention

We will show how to…

- Find tables
- **Manipulate interactive tables**
  - **Scroll through variables** `⚏ Sex - All ◀▶`
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- Download

CDC — SAFER · HEALTHIER · PEOPLE

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ◀▶ | Sex - All ◀▶ | Race/Ethnicity ⓘ - All ⓘ ◀▶ | Year ⓘ - 2004-2006 ◀▶

Age ⓘ		All ages (rates age adjusted) ⓘ	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted) ⓘ	18+ (crude)	18-44	18-24	25-44	6
Intent ⓘ	Mechanism ⓘ	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧
All intents ⓘ	All mechanisms ⓘ	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	6
	Cut/pierce ⓘ	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	
	Drowning ⓘ	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	
	Fall ⓘ	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	
	Fire/hot object or substance ⓘ	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	
	Firearm ⓘ	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	1
	Motor vehicle traffic ⓘ	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	1
	Poisoning ⓘ	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	1
	Suffocation ⓘ	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	
Unintentional ⓘ	All mechanisms ⓘ	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	4
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	
	Drowning ⓘ	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	
	Fall ⓘ	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	
	Fire/hot object or substance ⓘ	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	
	Firearm ⓘ	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	
	Motor vehicle traffic ⓘ	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	1

Health Data Interactive

Reports | **Table** | **Chart** | **Map**

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: | Measure - Rate per 100000 ◀▶ | State - U.S. ◀▶ | Sex - Male ◀▶ | Race/Ethnicity - All ◀▶ | Year - 2004-2006 ◀▶

Intent	Mechanism	All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
All intents	All mechanisms	87.4	84.4	19.9	20.7	19.6	9.3	54.0	110.8	107.4	99.4	117.3	93.3	99.3
	Cut/pierce	1.5	1.5	0.2	0.1	0.3	0.1	0.9	1.9	1.9	2.1	2.5	2.0	1.9
	Drowning	2.2	2.2	1.9	3.5	1.3	0.9	2.5	2.4	2.4	2.4	3.1	2.1	2.3
	Fall	9.5	7.7	0.3	0.4	0.2	0.1	0.6	12.7	10.3	2.2	1.8	2.4	6.6
	Fire/hot object or substance	1.6	1.6	0.8	1.5	0.6	0.6	0.4	1.9	1.8	1.0	0.8	1.1	2.1
	Firearm	18.7	18.6	3.4	0.4	4.5	1.2	15.4	24.0	24.0	26.0	35.7	22.6	19.7
	Motor vehicle traffic	21.4	21.3	6.8	3.4	8.0	3.7	22.6	26.4	26.4	28.4	42.8	23.4	22.5
	Poisoning	15.0	15.1	0.8	0.5	0.9	0.2	3.2	19.9	20.2	21.7	15.6	23.8	24.5
	Suffocation	7.1	6.8	2.9	5.9	1.8	1.1	4.4	8.6	8.2	7.6	7.7	7.6	6.7
Unintentional	All mechanisms	56.5	53.5	13.8	15.9	13.0	7.2	32.6	71.3	67.7	56.9	66.8	53.5	62.5
	Cut/pierce	0.1	0.1	*	*	*	*	*	0.1	0.1	0.0	0.0	0.0	0.1
	Drowning	1.9	1.9	1.8	3.3	1.3	0.9	2.4	2.0	2.0	2.0	2.7	1.7	1.8
	Fall	9.1	7.3	0.2	0.4	0.2	0.1	0.4	12.1	9.8	1.7	1.2	1.8	6.1
	Fire/hot object or substance	1.4	1.4	0.8	1.4	0.5	0.6	0.3	1.7	1.6	0.8	0.6	0.9	1.8
	Firearm	0.4	0.4	0.3	0.1	0.3	0.2	0.7	0.5	0.5	0.6	0.9	0.4	0.4
	Motor vehicle traffic	21.2	21.0	6.6	3.2	7.8	3.6	22.2	26.2	26.2	28.1	42.3	23.2	22.4

We will show how to…

- Navigate to the site
- Find tables
- **Manipulate interactive tables**
  - Scroll through variables
  - **Select variable categories to view** [Sex - All ◀▶] **or** [⊞]
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- Download

CDC SAFER · HEALTHIER · PEOPLE

Health Data *Interactive*

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ◀ | **Sex - All** ◀▶ | Race/Ethnicity ⓘ - All ⓘ ◀▶ | Year ⓘ - 2004-2006 ◀▶

Age ⓘ		All ages (rates age adjusted) ⓘ ⇧⇩	All ages (crude) ⇧⇩	0-17 ⇧⇩	0-4 ⇧⇩	5-17 ⇧⇩	5-14 ⇧⇩	15-17 ⇧⇩	18+ (rates age adjusted) ⓘ ⇧⇩	18+ (crude) ⇧⇩	18-44 ⇧⇩	18-24 ⇧⇩	25-44 ⇧⇩	6 ⇧
Intent ⓘ	Mechanism ⓘ													
All intents ⓘ	All mechanisms ⓘ	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	6
	Cut/pierce ⓘ	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	
	Drowning ⓘ	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	
	Fall ⓘ	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	
	Fire/hot object or substance ⓘ	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	
	Firearm ⓘ	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	1
	Motor vehicle traffic ⓘ	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	1
	Poisoning ⓘ	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	1
	Suffocation ⓘ	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	
Unintentional ⓘ	All mechanisms ⓘ	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	4
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	
	Drowning ⓘ	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	
	Fall ⓘ	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	
	Fire/hot object or substance ⓘ	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	
	Firearm ⓘ	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	
	Motor vehicle traffic ⓘ	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	1

CDC SAFER · HEALTHIER · PEOPLE

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: | Measure - Rate per 100000 | State - U.S. | **Sex - Female** | Race/Ethnicity - All | Year - 2004-2006

Intent	Mechanism	All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
All intents	All mechanisms	34.4	36.8	11.3	15.8	9.6	5.8	22.5	42.5	44.9	30.7	30.2	30.8	38.1
	Cut/pierce	0.5	0.5	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.7	0.7	0.7	0.6
	Drowning	0.7	0.7	0.8	2.2	0.3	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.7
	Fall	5.4	6.6	0.1	0.3	0.1	0.1	0.2	7.2	8.7	0.5	0.4	0.6	2.3
	Fire/hot object or substance	1.0	1.0	0.7	1.2	0.5	0.6	0.3	1.1	1.1	0.5	0.5	0.6	1.1
	Firearm	2.8	2.8	0.7	0.2	0.8	0.4	2.2	3.5	3.5	3.8	3.7	3.8	3.9
	Motor vehicle traffic	9.0	9.2	4.9	3.1	5.5	2.9	14.5	10.5	10.6	10.2	15.6	8.5	9.1
	Poisoning	8.2	8.2	0.5	0.4	0.5	0.2	1.4	10.8	10.7	10.5	5.1	12.3	15.0
	Suffocation	2.8	3.0	1.8	4.5	0.9	0.5	2.0	3.1	3.4	2.0	2.1	1.9	2.3
Unintentional	All mechanisms	25.9	28.2	8.7	12.0	7.5	4.7	17.1	31.9	34.5	20.0	21.4	19.6	25.5
	Cut/pierce	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	
	Drowning	0.5	0.5	0.8	2.0	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.5
	Fall	5.2	6.5	0.1	0.2	0.1	0.1	0.1	7.0	8.5	0.3	0.2	0.4	2.1
	Fire/hot object or substance	0.9	0.9	0.6	1.1	0.4	0.5	0.3	1.0	1.0	0.4	0.4	0.4	1.0
	Firearm	0.1	0.1	0.0	*	0.0	0.0	*	0.1	0.1	0.1	0.1	0.1	0.1
	Motor vehicle traffic	8.9	9.0	4.8	3.0	5.4	2.8	14.1	10.3	10.4	10.1	15.4	8.3	8.9

CDC SAFER · HEALTHIER · PEOPLE™

Health Data *Interactive*

Reports | **Table** | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ℹ️

Other: | Measure - Rate per 100000 ℹ️ ◀▶ | State - U.S. ◀▶ | Sex - Female | Race/Ethnicity ℹ️ - All ℹ️ ◀▶ | Year ℹ️ - 2004-2006 ◀▶

Age ℹ️		All ages (rates age adjusted) ℹ️ ⇧⇩	All ages (crude) ⇧⇩	0-17 ⇧⇩	0-4 ⇧⇩	5-17 ⇧⇩	5-14 ⇧⇩	15-17 ⇧⇩	18+ (rates age adjusted) ℹ️ ⇧⇩	18+ (crude) ⇧⇩	18-44 ⇧⇩	18-24 ⇧⇩	25-44 ⇧⇩	45-64 ⇧⇩
Intent ℹ️	Mechanism ℹ️													
All intents ℹ️	All mechanisms ℹ️	34.4	36.8	11.3	15.8	9.6	5.8	22.5	42.5	44.9	30.7	30.2	30.8	38.1
	Cut/pierce ℹ️	0.5	0.5	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.7	0.7	0.7	0.6
	Drowning ℹ️	0.7	0.7	0.8	2.2	0.3	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.7
	Fall ℹ️	5.4	6.6	0.1	0.3	0.1	0.1	0.2	7.2	8.7	0.5	0.4	0.6	2.3
	Fire/hot object or substance ℹ️	1.0	1.0	0.7	1.2	0.5	0.6	0.3	1.1	1.1	0.5	0.5	0.6	1.1
	Firearm ℹ️	2.8	2.8	0.7	0.2	0.8	0.4	2.2	3.5	3.5	3.8	3.7	3.8	3.9
	Motor vehicle traffic ℹ️	9.0	9.2	4.9	3.1	5.5	2.9	14.5	10.5	10.6	10.2	15.6	8.5	9.1
	Poisoning ℹ️	8.2	8.2	0.5	0.4	0.5	0.2	1.4	10.8	10.7	10.5	5.1	12.3	15.0
	Suffocation ℹ️	2.8	3.0	1.8	4.5	0.9	0.5	2.0	3.1	3.4	2.0	2.1	1.9	2.3
Unintentional ℹ️	All mechanisms ℹ️	25.9	28.2	8.7	12.0	7.5	4.7	17.1	31.9	34.5	20.0	21.4	19.6	25.5
	Cut/pierce ℹ️	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	
	Drowning ℹ️	0.5	0.5	0.8	2.0	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.5
	Fall ℹ️	5.2	6.5	0.1	0.2	0.1	0.1	0.1	7.0	8.5	0.3	0.2	0.4	2.1
	Fire/hot object or substance ℹ️	0.9	0.9	0.6	1.1	0.4	0.5	0.3	1.0	1.0	0.4	0.4	0.4	1.0
	Firearm ℹ️	0.1	0.1	0.0	*	0.0	0.0	*	0.1	0.1	0.1	0.1	0.1	0.1
	Motor vehicle traffic ℹ️	8.9	9.0	4.8	3.0	5.4	2.8	14.1	10.3	10.4	10.1	15.4	8.3	8.9

Health Data Interactive

Reports | **Table** | **Chart** | **Map**

Dropdown menu:
- Measure
- State
- ✓ Sex
- Race/Ethnicity
- Year
- Intent
- Mechanism
- Age

: US/State, 2001-2006 (Source:NVSS)

| ...re - Rate per 100000 ◀▶ | State - U.S. ◀▶ | Sex - Female | Race/Ethnicity - All ◀▶ | Year - 2004-2006 ◀▶ |

	Mechanism	All ages (rates age adjusted) ⇧⇩	All ages (crude) ⇧⇩	0-17 ⇧⇩	0-4 ⇧⇩	5-17 ⇧⇩	5-14 ⇧⇩	15-17 ⇧⇩	18+ (rates age adjusted) ⇧⇩	18+ (crude) ⇧⇩	18-44 ⇧⇩	18-24 ⇧⇩	25-44 ⇧⇩	45-64 ⇧⇩
All intents	All mechanisms	34.4	36.8	11.3	15.8	9.6	5.8	22.5	42.5	44.9	30.7	30.2	30.8	38.1
	Cut/pierce	0.5	0.5	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.7	0.7	0.7	0.6
	Drowning	0.7	0.7	0.8	2.2	0.3	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.7
	Fall	5.4	6.6	0.1	0.3	0.1	0.1	0.2	7.2	8.7	0.5	0.4	0.6	2.3
	Fire/hot object or substance	1.0	1.0	0.7	1.2	0.5	0.6	0.3	1.1	1.1	0.5	0.5	0.6	1.1
	Firearm	2.8	2.8	0.7	0.2	0.8	0.4	2.2	3.5	3.5	3.8	3.7	3.8	3.9
	Motor vehicle traffic	9.0	9.2	4.9	3.1	5.5	2.9	14.5	10.5	10.6	10.2	15.6	8.5	9.1
	Poisoning	8.2	8.2	0.5	0.4	0.5	0.2	1.4	10.8	10.7	10.5	5.1	12.3	15.0
	Suffocation	2.8	3.0	1.8	4.5	0.9	0.5	2.0	3.1	3.4	2.0	2.1	1.9	2.3
Unintentional	All mechanisms	25.9	28.2	8.7	12.0	7.5	4.7	17.1	31.9	34.5	20.0	21.4	19.6	25.5
	Cut/pierce	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	*
	Drowning	0.5	0.5	0.8	2.0	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.5
	Fall	5.2	6.5	0.1	0.2	0.1	0.1	0.1	7.0	8.5	0.3	0.2	0.4	2.1
	Fire/hot object or substance	0.9	0.9	0.6	1.1	0.4	0.5	0.3	1.0	1.0	0.4	0.4	0.4	1.0
	Firearm	0.1	0.1	0.0	*	0.0	0.0	*	0.1	0.1	0.1	0.1	0.1	0.1
	Motor vehicle traffic	8.9	9.0	4.8	3.0	5.4	2.8	14.1	10.3	10.4	10.1	15.4	8.3	8.9

Health Data
Interactive

Item selection

Show table

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

| **Table size** |
| 45 rows by 18 columns |

Search Show all

☑
☒   ☐ Select range

COLUMNS:

Age ⓘ

ROWS:

Intent ⓘ

Mechanism ⓘ

Other:

Measure

State

Sex

Race/Ethnicity ⓘ

Year ⓘ

☑ U.S.
☑ Alabama
☑ Alaska
☑ Arizona
☑ Arkansas
☑ California
☑ Colorado
☑ Connecticut
☑ Delaware
☑ District of Columbia
☑ Florida
☑ Georgia
☑ Hawaii
☑ Idaho
☑ Illinois
☑ Indiana
☑ Iowa
☑ Kansas
☑ Kentucky
☑ Louisiana
☑ Maine
☑ Maryland

We will show how to...

- Navigate to the site
- Find tables
- **Manipulate interactive tables**
  - Scroll through variables
  - Select variable categories to view
  - **Sort** All ages (crude) ⇧⇩
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- Download

CDC SAFER • HEALTHIER • PEOPLE

Health Data *Interactive*

Reports | **Table** | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | ▦ Measure - Rate per 100000 ⓘ ◀▶ | ▦ State - U.S. ◀▶ | ▦ Sex - Female | ▦ Race/Ethnicity ⓘ - All ⓘ ◀▶ | ▦ Year ⓘ - 2004-2006 ◀▶

Age ⓘ		All ages (rates age adjusted) ⓘ ⇧⇩	All ages (crude) ⇧⇩	0-17 ⇧⇩	0-4 ⇧⇩	5-17 ⇧⇩	5-14 ⇧⇩	15-17 ⇧⇩	18+ (rates age adjusted) ⓘ ⇧⇩	18+ (crude) ⇧⇩	18-44 ⇧⇩	18-24 ⇧⇩	25-44 ⇧⇩	45-64 ⇧⇩
Intent ⓘ	Mechanism ⓘ													
All intents ⓘ	All mechanisms ⓘ	34.4	36.8	11.3	15.8	9.6	5.8	22.5	42.5	44.9	30.7	30.2	30.8	38.1
	Cut/pierce ⓘ	0.5	0.5	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.7	0.7	0.7	0.6
	Drowning ⓘ	0.7	0.7	0.8	2.2	0.3	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.7
	Fall ⓘ	5.4	6.6	0.1	0.3	0.1	0.1	0.2	7.2	8.7	0.5	0.4	0.6	2.3
	Fire/hot object or substance ⓘ	1.0	1.0	0.7	1.2	0.5	0.6	0.3	1.1	1.1	0.5	0.5	0.6	1.1
	Firearm ⓘ	2.8	2.8	0.7	0.2	0.8	0.4	2.2	3.5	3.5	3.8	3.7	3.8	3.9
	Motor vehicle traffic ⓘ	9.0	9.2	4.9	3.1	5.5	2.9	14.5	10.5	10.6	10.2	15.6	8.5	9.1
	Poisoning ⓘ	8.2	8.2	0.5	0.4	0.5	0.2	1.4	10.8	10.7	10.5	5.1	12.3	15.0
	Suffocation ⓘ	2.8	3.0	1.8	4.5	0.9	0.5	2.0	3.1	3.4	2.0	2.1	1.9	2.3
Unintentional ⓘ	All mechanisms ⓘ	25.9	28.2	8.7	12.0	7.5	4.7	17.1	31.9	34.5	20.0	21.4	19.6	25.5
	Cut/pierce ⓘ	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	
	Drowning ⓘ	0.5	0.5	0.8	2.0	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.5
	Fall ⓘ	5.2	6.5	0.1	0.2	0.1	0.1	0.1	7.0	8.5	0.3	0.2	0.4	2.1
	Fire/hot object or substance ⓘ	0.9	0.9	0.6	1.1	0.4	0.5	0.3	1.0	1.0	0.4	0.4	0.4	1.0
	Firearm ⓘ	0.1	0.1	0.0	*	0.0	0.0	*	0.1	0.1	0.1	0.1	0.1	0.1
	Motor vehicle traffic ⓘ	8.9	9.0	4.8	3.0	5.4	2.8	14.1	10.3	10.4	10.1	15.4	8.3	8.9

CDC SAFER · HEALTHIER · PEOPLE

Health Data
Interactive

Reports | **Table** | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: Measure - Rate per 100000 | State - U.S. | Sex - Female | Race/Ethnicity - All | Year - 2004-2006

Intent	Mechanism	All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
All intents	All mechanisms	34.4	36.8	11.3	15.8	9.6	5.8	22.5	42.5	44.9	30.7	30.2	30.8	38.1
	Motor vehicle traffic	9.0	9.2	4.9	3.1	5.5	2.9	14.5	10.5	10.6	10.2	15.6	8.5	9.1
	Poisoning	8.2	8.2	0.5	0.4	0.5	0.2	1.4	10.8	10.7	10.5	5.1	12.3	15.0
	Fall	5.4	6.6	0.1	0.3	0.1	0.1	0.2	7.2	8.7	0.5	0.4	0.6	2.3
	Firearm	2.8	2.8	0.7	0.2	0.8	0.4	2.2	3.5	3.5	3.8	3.7	3.8	3.9
	Suffocation	2.8	3.0	1.8	4.5	0.9	0.5	2.0	3.1	3.4	2.0	2.1	1.9	2.3
	Fire/hot object or substance	1.0	1.0	0.7	1.2	0.5	0.6	0.3	1.1	1.1	0.5	0.5	0.6	1.1
	Drowning	0.7	0.7	0.8	2.2	0.3	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.7
	Cut/pierce	0.5	0.5	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.7	0.7	0.7	0.6
Unintentional	All mechanisms	25.9	28.2	8.7	12.0	7.5	4.7	17.1	31.9	34.5	20.0	21.4	19.6	25.5
	Motor vehicle traffic	8.9	9.0	4.8	3.0	5.4	2.8	14.1	10.3	10.4	10.1	15.4	8.3	8.9
	Poisoning	5.4	5.4	0.3	0.2	0.3	0.1	0.9	7.1	7.0	7.2	3.6	8.4	9.6
	Fall	5.2	6.5	0.1	0.2	0.1	0.1	0.1	7.0	8.5	0.3	0.2	0.4	2.1
	Firearm	0.1	0.1	0.0	*	0.0	0.0	*	0.1	0.1	0.1	0.1	0.1	0.1
	Suffocation	1.6	1.8	1.2	4.0	0.1	0.1	0.1	1.7	2.0	0.3	0.2	0.3	1.0
	Fire/hot object or substance	0.9	0.9	0.6	1.1	0.4	0.5	0.3	1.0	1.0	0.4	0.4	0.4	1.0

We will show how to…

- Find tables
- **Manipulate interactive tables**
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - **Move variables around** [Sex - All] **and reset**
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- Download

CDC
SAFER • HEALTHIER • PEOPLE

Health Data *Interactive*

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: | Measure - Rate per 100000 ↔ | State - U.S. ↔ | Sex - Female | Race/Ethnicity - All ↔ | Year - 2004-2006 ↔

Intent	Mechanism	All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
All intents	All mechanisms	34.4	36.8	11.3	15.8	9.6	5.8	22.5	42.5	44.9	30.7	30.2	30.8	38.1
	Cut/pierce	0.5	0.5	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.7	0.7	0.7	0.6
	Drowning	0.7	0.7	0.8	2.2	0.3	0.4	0.3	0.6	0.6	0.5	0.4	0.5	0.7
	Fall	5.4	6.6	0.1	0.3	0.1	0.1	0.2	7.2	8.7	0.5	0.4	0.6	2.3
	Fire/hot object or substance	1.0	1.0	0.7	1.2	0.5	0.6	0.3	1.1	1.1	0.5	0.5	0.6	1.1
	Firearm	2.8	2.8	0.7	0.2	0.8	0.4	2.2	3.5	3.5	3.8	3.7	3.8	3.9
	Motor vehicle traffic	9.0	9.2	4.9	3.1	5.5	2.9	14.5	10.5	10.6	10.2	15.6	8.5	9.1
	Poisoning	8.2	8.2	0.5	0.4	0.5	0.2	1.4	10.8	10.7	10.5	5.1	12.3	15.0
	Suffocation	2.8	3.0	1.8	4.5	0.9	0.5	2.0	3.1	3.4	2.0	2.1	1.9	2.3
Unintentional	All mechanisms	25.9	28.2	8.7	12.0	7.5	4.7	17.1	31.9	34.5	20.0	21.4	19.6	25.5
	Cut/pierce	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	*
	Drowning	0.5	0.5	0.8	2.0	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.5
	Fall	5.2	6.5	0.1	0.2	0.1	0.1	0.1	7.0	8.5	0.3	0.2	0.4	2.1
	Fire/hot object or substance	0.9	0.9	0.6	1.1	0.4	0.5	0.3	1.0	1.0	0.4	0.4	0.4	1.0
	Firearm	0.1	0.1	0.0	*	0.0	0.0	*	0.1	0.1	0.1	0.1	0.1	0.1
	Motor vehicle traffic	8.9	9.0	4.8	3.0	5.4	2.8	14.1	10.3	10.4	10.1	15.4	8.3	8.9

CDC
SAFER • HEALTHIER • PEOPLE™

Health Data
Interactive

Reports | **Table** | **Chart** | **Map**

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: ▦ Measure - Rate per 100000 ⓘ ◀▶ | ▦ State - U.S. ◀ | ▦ **Sex - All** ◀▶ | ▦ Race/Ethnicity ⓘ - All ⓘ ◀▶ | ▦ Year ⓘ - 2004-2006 ◀▶

Age ⓘ		All ages (rates age adjusted) ⓘ ⇧⇩	All ages (crude) ⇧⇩	0-17 ⇧⇩⇩	0-4 ⇧⇩	5-17 ⇧⇩	5-14 ⇧⇩	15-17 ⇧⇩	18+ (rates age adjusted) ⓘ ⇧⇩	18+ (crude) ⇧⇩	18-44 ⇧⇩	18-24 ⇧⇩	25-44 ⇧⇩	6 ⇧
Intent ⓘ	**Mechanism** ⓘ													
All intents ⓘ	All mechanisms ⓘ	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	6
	Cut/pierce ⓘ	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	
	Drowning ⓘ	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	
	Fall ⓘ	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	
	Fire/hot object or substance ⓘ	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	
	Firearm ⓘ	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	1
	Motor vehicle traffic ⓘ	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	1
	Poisoning ⓘ	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	1
	Suffocation ⓘ	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	
Unintentional ⓘ	All mechanisms ⓘ	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	4
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	
	Drowning ⓘ	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	
	Fall ⓘ	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	
	Fire/hot object or substance ⓘ	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	
	Firearm ⓘ	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	
	Motor vehicle traffic ⓘ	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	1

CDC SAFER · HEALTHIER · PEOPLE

Health Data *Interactive*

Reports \ **Table** \ Chart \ Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Hold down the mouse button

Other: | Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ↔ | Race/Ethnicity ⓘ - All ⓘ ◀▶ | Year ⓘ - 2004-2006 ◀▶

Sex

Age ⓘ	Intent ⓘ	Mechanism ⓘ	All ages (rates age adjusted) ⓘ	All ages (crude) ⓘ	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted) ⓘ	18+ (crude)	18-44	18-24	25-44	45-64
	All intents ⓘ	All mechanisms ⓘ	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	67
		Cut/pierce ⓘ	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	1
		Drowning ⓘ	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	1
		Fall ⓘ	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	4
		Fire/hot object or substance ⓘ	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	1
		Firearm ⓘ	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	11
		Motor vehicle traffic ⓘ	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	15
		Poisoning ⓘ	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	19
		Suffocation ⓘ	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	4
	Unintentional ⓘ	All mechanisms ⓘ	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	43
		Cut/pierce ⓘ	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	0
		Drowning ⓘ	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	1
		Fall ⓘ	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	4
		Fire/hot object or substance ⓘ	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	1
		Firearm ⓘ	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	0
		Motor vehicle traffic ⓘ	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	15

CDC SAFER • HEALTHIER • PEOPLE

Health Data *Interactive*

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Drag, then release the mouse button

Other: | Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ◀▶ | Race/Ethnicity ⓘ - All ⓘ ◀▶ | Year ⓘ - 2004-2006 ◀▶

Age ⓘ / Sex		All ages (rates age adjusted) ⓘ	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted) ⓘ	18+ (crude)	18-44	18-24	25-44	45-64
Intent ⓘ	Mechanism ⓘ	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩
All intents ⓘ	All mechanisms ⓘ	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	67
	Cut/pierce ⓘ	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	1
	Drowning ⓘ	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	1
	Fall ⓘ	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	4
	Fire/hot object or substance ⓘ	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	1
	Firearm ⓘ	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	11
	Motor vehicle traffic ⓘ	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	15
	Poisoning ⓘ	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	19
	Suffocation ⓘ	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	4
Unintentional ⓘ	All mechanisms ⓘ	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	43
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	0
	Drowning ⓘ	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	1
	Fall ⓘ	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	4
	Fire/hot object or substance ⓘ	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	1
	Firearm ⓘ	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	0
	Motor vehicle traffic ⓘ	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	15

Health Data Interactive

Reports | **Table** | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | Measure - Rate per 100000 ⓘ ◄► | State - U.S. ◄► | Age ⓘ - All ages (rates age adjusted) ⓘ ◄► | Race/Ethnicity ⓘ - All ⓘ ◄

Sex		All	Male	Female
		⇧⇩	⇧⇩	⇧⇩
Intent ⓘ	**Mechanism** ⓘ			
All intents ⓘ	All mechanisms ⓘ	59.8	87.4	34.4
	Cut/pierce ⓘ	1.0	1.5	0.5
	Drowning ⓘ	1.4	2.2	0.7
	Fall ⓘ	7.1	9.5	5.4
	Fire/hot object or substance ⓘ	1.3	1.6	1.0
	Firearm ⓘ	10.5	18.7	2.8
	Motor vehicle traffic ⓘ	15.0	21.4	9.0
	Poisoning ⓘ	11.5	15.0	8.2
	Suffocation ⓘ	4.9	7.1	2.8
Unintentional ⓘ	All mechanisms ⓘ	40.5	56.5	25.9
	Cut/pierce ⓘ	0.0	0.1	0.0
	Drowning ⓘ	1.2	1.9	0.5
	Fall ⓘ	6.8	9.1	5.2
	Fire/hot object or substance ⓘ	1.1	1.4	0.9
	Firearm ⓘ	0.2	0.4	0.1
	Motor vehicle traffic ⓘ	14.8	21.2	8.9
	Poisoning ⓘ	8.3	11.3	5.4
	Suffocation ⓘ	2.0	2.7	1.6
	All mechanisms ⓘ	11.3	18.7	4.6

Health Data *Interactive*

| Reports | Table | Chart | Map |

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ◀▶ | Age ⓘ - All ages (rates age adjusted) ⓘ ◀▶ | Race/Ethn...

Sex		All	Male	Female
Intent ⓘ	Mechanism ⓘ	⇧⇩	⇧⇩	⇧⇩
All intents ⓘ	All mechanisms ⓘ	59.8	87.4	34.4
	Cut/pierce ⓘ	1.0	1.5	0.5
	Drowning ⓘ	1.4	2.2	0.7
	Fall ⓘ	7.1	9.5	5.4
	Fire/hot object or substance ⓘ	1.3	1.6	1.0
	Firearm ⓘ	10.5	18.7	2.8
	Motor vehicle traffic ⓘ	15.0	21.4	9.0
	Poisoning ⓘ	11.5	15.0	8.2
	Suffocation ⓘ	4.9	7.1	2.8
Unintentional ⓘ	All mechanisms ⓘ	40.5	56.5	25.9
	Cut/pierce ⓘ	0.0	0.1	0.0
	Drowning ⓘ	1.2	1.9	0.5
	Fall ⓘ	6.8	9.1	5.2
	Fire/hot object or substance ⓘ	1.1	1.4	0.9
	Firearm ⓘ	0.2	0.4	0.1
	Motor vehicle traffic ⓘ	14.8	21.2	8.9
	Poisoning ⓘ	8.3	11.3	5.4
	Suffocation ⓘ	2.0	2.7	1.6
	All mechanisms ⓘ	11.3	18.7	4.6
	Cut/pierce ⓘ	0.2	0.4	0.1

Health Data Interactive

Reports | **Table** | **Chart** | **Map**

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | Measure - Rate per 100000 ⓘ ◀▶ | State - U.S. ◀▶ | Age ⓘ - All ages (rates age adjusted) ⓘ ◀▶

Sex		All	Male	Female
	Race/Ethn...			
Intent ⓘ	Mechanism ⓘ	⇧⇩	⇧⇩	⇧⇩
All intents ⓘ	All mechanisms ⓘ	59.8	87.4	34.4
	Cut/pierce ⓘ	1.0	1.5	0.5
	Drowning ⓘ	1.4	2.2	0.7
	Fall ⓘ	7.1	9.5	5.4
	Fire/hot object or substance ⓘ	1.3	1.6	1.0
	Firearm ⓘ	10.5	18.7	2.8
	Motor vehicle traffic ⓘ	15.0	21.4	9.0
	Poisoning ⓘ	11.5	15.0	8.2
	Suffocation ⓘ	4.9	7.1	2.8
Unintentional ⓘ	All mechanisms ⓘ	40.5	56.5	25.9
	Cut/pierce ⓘ	0.0	0.1	0.0
	Drowning ⓘ	1.2	1.9	0.5
	Fall ⓘ	6.8	9.1	5.2
	Fire/hot object or substance ⓘ	1.1	1.4	0.9
	Firearm ⓘ	0.2	0.4	0.1
	Motor vehicle traffic ⓘ	14.8	21.2	8.9
	Poisoning ⓘ	8.3	11.3	5.4
	Suffocation ⓘ	2.0	2.7	1.6
	All mechanisms ⓘ	11.3	18.7	4.6
	Cut/pierce ⓘ	0.2	0.4	0.1

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other:	Measure - Rate per 100000 ⓘ ◄►	State - U.S. ◄►	Age ⓘ - All ages (rates age adjusted) ⓘ ◄►	Race/Ethnicity ⓘ - All ⓘ ◄

Sex		All	Male	Female
Intent ⓘ	**Mechanism** ⓘ	⇧⇩	⇧⇩	⇧⇩
All intents ⓘ	All mechanisms ⓘ	59.8	87.4	34.4
	Cut/pierce ⓘ	1.0	1.5	0.5
	Drowning ⓘ	1.4	2.2	0.7
	Fall ⓘ	7.1	9.5	5.4
	Fire/hot object or substance ⓘ	1.3	1.6	1.0
	Firearm ⓘ	10.5	18.7	2.8
	Motor vehicle traffic ⓘ	15.0	21.4	9.0
	Poisoning ⓘ	11.5	15.0	8.2
	Suffocation ⓘ	4.9	7.1	2.8
Unintentional ⓘ	All mechanisms ⓘ	40.5	56.5	25.9
	Cut/pierce ⓘ	0.0	0.1	0.0
	Drowning ⓘ	1.2	1.9	0.5
	Fall ⓘ	6.8	9.1	5.2
	Fire/hot object or substance ⓘ	1.1	1.4	0.9
	Firearm ⓘ	0.2	0.4	0.1
	Motor vehicle traffic ⓘ	14.8	21.2	8.9
	Poisoning ⓘ	8.3	11.3	5.4
	Suffocation ⓘ	2.0	2.7	1.6
	All mechanisms ⓘ	11.3	18.7	4.6

CDC
SAFER • HEALTHIER • PEOPLE

Health Data
Interactive

Set dimension order

Columns

Sex

Rows

Intent
Mechanism
Race/Ethnicity

Other

Measure
Location
Age
Year

Apply   Cancel

CDC SAFER • HEALTHIER • PEOPLE™

Health Data *Interactive*

Set dimension order

Columns

Sex
Race/Ethnicity

◀

▶

▲ ▼

Rows

Intent
Mechanism

◀

▶

▲ ▼

Other

Measure
Location
Age
Year

◀

▶

▲ ▼

Apply | Cancel

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: Measure - Rate per 100000 ◆▸ | State - U.S. ◆▸ | Age - All ages (rates age adjusted) ◆▸ | Year - 2004-2006 ◆▸

Sex			All									Male									Female
Race/Ethnicity			All	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic	Non-Hispanic White	Non-Hispanic Black	All	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic	Non-Hispanic White	Non-Hispanic Black	All
Intent	Mechanism																				
All intents	All mechanisms		59.8	59.2	69.5	83.0	30.1	51.0	60.5	59.5	71.1	87.4	85.4	112.3	118.2	40.5	77.0	88.1	85.1	114.9	34.4
	Cut/pierce		1.0	0.8	2.4	1.8	0.7	1.3	0.9	0.6	2.4	1.5	1.2	3.7	3.0	1.0	2.1	1.4	0.9	3.8	0.5
	Drowning		1.4	1.4	1.7	2.2	1.7	1.3	1.4	1.4	1.8	2.2	2.1	3.0	3.6	2.3	2.1	2.2	2.1	3.0	0.7
	Fall		7.1	7.4	4.1	6.7	5.7	6.2	7.1	7.4	4.2	9.5	9.8	6.2	9.1	7.6	8.5	9.5	9.8	6.3	5.4
	Fire/hot object or substance		1.3	1.1	2.7	2.2	0.6	0.9	1.3	1.1	2.8	1.6	1.4	3.7	2.8	0.7	1.2	1.7	1.5	3.8	1.0
	Firearm		10.5	9.1	20.1	9.2	3.3	8.3	10.6	8.8	20.7	18.7	16.0	37.9	16.0	5.7	14.5	19.0	15.4	39.1	2.8
	Motor vehicle traffic		15.0	15.3	15.1	26.6	8.4	15.9	14.8	15.0	15.4	21.4	21.6	23.4	36.1	10.4	23.1	21.0	21.0	23.9	9.0
	Poisoning		11.5	12.3	10.5	13.2	2.4	7.2	12.2	13.1	10.7	15.0	15.7	15.2	16.2	3.1	10.4	15.7	16.7	15.5	8.2
	Suffocation		4.9	4.9	4.6	7.6	4.0	3.9	5.0	5.0	4.7	7.1	7.3	6.2	11.2	5.2	5.9	7.3	7.5	6.3	2.8
Unintentional	All mechanisms		40.5	41.3	40.0	59.8	20.1	35.4	40.8	41.7	40.7	56.5	57.2	60.4	82.4	26.1	51.6	56.7	57.4	61.5	25.9
	Cut/pierce		0.0	0.0	0.0	*	*	0.0	0.0	0.0	0.0	0.1	0.1	0.1	*	*	0.0	0.1	0.1	0.1	0.0
	Drowning		1.2	1.2	1.4	1.9	1.3	1.2	1.2	1.1	1.4	1.9	1.8	2.4	3.0	1.9	1.9	1.9	1.8	2.5	0.5
	Fall		6.8	7.1	3.9	6.5	5.2	6.0	6.8	7.1	3.9	9.1	9.4	5.8	8.7	6.9	8.1	9.0	9.4	5.9	5.2
	Fire/hot object or substance		1.1	1.0	2.4	1.8	0.4	0.8	1.2	1.0	2.5	1.4	1.3	3.3	2.2	0.4	1.0	1.5	1.3	3.4	0.9
	Firearm		0.2	0.2	0.4	0.3	0.1	0.2	0.2	0.2	0.4	0.4	0.4	0.7	0.5	0.2	0.3	0.4	0.4	0.7	0.1
	Motor vehicle traffic		14.8	15.1	14.9	26.2	8.2	15.7	14.6	14.8	15.2	21.2	21.4	23.1	35.8	10.2	22.8	20.8	20.8	23.6	8.9
	Poisoning		8.3	8.7	8.7	10.1	1.4	5.9	8.7	9.2	8.9	11.3	11.7	12.8	12.9	2.1	9.0	11.7	12.3	13.0	5.4
	Suffocation		2.0	2.0	2.7	2.5	1.1	1.4	2.1	2.1	2.7	2.7	2.6	3.4	3.6	1.2	1.8	2.8	2.7	3.4	1.6
Suicide	All mechanisms		11.3	12.4	5.5	12.6	6.2	6.3	11.9	13.1	5.6	18.7	20.3	9.9	19.9	8.9	10.7	19.7	21.6	10.1	4.6
	Cut/pierce		0.2	0.2	0.1	*	0.3	0.2	0.2	0.2	0.1	0.4	0.4	0.2	*	0.4	0.3	0.4	0.4	0.2	0.1

We will show how to…

- Navigate to the site
- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- **Read the metadata**
- Create charts
- Create maps
- Print
- Export
- Download

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Other: | Measure - Rate per 100000 ⓘ ◄► | State - U.S. ⓘ ◄► | Age ⓘ - All ages (rates age adjusted) ⓘ ◄► | Year ⓘ - 2004-2006 ◄►

Sex		All									Male									Female
Race/Ethnicity ⓘ		All ⓘ	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic	Non-Hispanic White	Non-Hispanic Black	All ⓘ	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic	Non-Hispanic White	Non-Hispanic Black	All ⓘ
Intent ⓘ	Mechanism ⓘ																			
All intents ⓘ	All mechanisms ⓘ	59.8	59.2	69.5	83.0	30.1	51.0	60.5	59.5	71.1	87.4	85.4	112.3	118.2	40.5	77.0	88.1	85.1	114.9	34.4
	Cut/pierce ⓘ	1.0	0.8	2.4	1.8	0.7	1.3	0.9	0.6	2.4	1.5	1.2	3.7	3.0	1.0	2.1	1.4	0.9	3.8	0.5
	Drowning ⓘ	1.4	1.4	1.7	2.2	1.7	1.3	1.4	1.4	1.8	2.2	2.1	3.0	3.6	2.3	2.1	2.2	2.1	3.0	0.7
	Fall ⓘ	7.1	7.4	4.1	6.7	5.7	6.2	7.1	7.4	4.2	9.5	9.8	6.2	9.1	7.6	8.5	9.5	9.8	6.3	5.4
	Fire/hot object or substance ⓘ	1.3	1.1	2.7	2.2	0.6	0.9	1.3	1.1	2.8	1.6	1.4	3.7	2.8	0.7	1.2	1.7	1.5	3.8	1.0
	Firearm ⓘ	10.5	9.1	20.1	9.2	3.3	8.3	10.6	8.8	20.7	18.7	16.0	37.9	16.0	5.7	14.5	19.0	15.4	39.1	2.8
	Motor vehicle traffic ⓘ	15.0	15.3	15.1	26.6	8.4	15.9	14.8	15.0	15.4	21.4	21.6	23.4	36.1	10.4	23.1	21.0	21.0	23.9	9.0
	Poisoning ⓘ	11.5	12.3	10.5	13.2	2.4	7.2	12.2	13.1	10.7	15.0	15.7	15.2	16.2	3.1	10.4	15.7	16.7	15.5	8.2
	Suffocation ⓘ	4.9	4.9	4.6	7.6	4.0	3.9	5.0	5.0	4.7	7.1	7.3	6.2	11.2	5.2	5.9	7.3	7.5	6.3	2.8
Unintentional ⓘ	All mechanisms ⓘ	40.5	41.3	40.0	59.8	20.1	35.4	40.8	41.7	40.7	56.5	57.2	60.4	82.4	26.1	51.6	56.7	57.4	61.5	25.9
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	0.0	0.0	0.0	0.0	0.1	0.1	0.1	*	*	0.0	0.1	0.1	0.1	0.0
	Drowning ⓘ	1.2	1.2	1.4	1.9	1.3	1.2	1.2	1.1	1.4	1.9	1.8	2.4	3.0	1.9	1.9	1.9	1.8	2.5	0.5
	Fall ⓘ	6.8	7.1	3.9	6.5	5.2	6.0	6.8	7.1	3.9	9.1	9.4	5.8	8.7	6.9	8.1	9.0	9.4	5.9	5.2
	Fire/hot object or substance ⓘ	1.1	1.0	2.4	1.8	0.4	0.8	1.2	1.0	2.5	1.4	1.3	3.3	2.2	0.4	1.0	1.5	1.3	3.4	0.9
	Firearm ⓘ	0.2	0.2	0.4	0.3	0.1	0.2	0.2	0.2	0.4	0.4	0.4	0.7	0.5	0.2	0.3	0.4	0.4	0.7	0.1
	Motor vehicle traffic ⓘ	14.8	15.1	14.9	26.2	8.2	15.7	14.6	14.8	15.2	21.2	21.4	23.1	35.8	10.2	22.8	20.8	20.8	23.6	8.9
	Poisoning ⓘ	8.3	8.7	8.7	10.1	1.4	5.9	8.7	9.2	8.9	11.3	11.7	12.8	12.9	2.1	9.0	11.7	12.3	13.0	5.4
	Suffocation ⓘ	2.0	2.0	2.7	2.5	1.1	1.4	2.1	2.1	2.7	2.7	2.6	3.4	3.6	1.2	1.8	2.8	2.7	3.4	1.6
Suicide ⓘ	All mechanisms ⓘ	11.3	12.4	5.5	12.6	6.2	6.3	11.9	13.1	5.6	18.7	20.3	9.9	19.9	8.9	10.7	19.7	21.6	10.1	4.6
	Cut/pierce ⓘ	0.2	0.2	0.1	*	0.3	0.2	0.2	0.2	0.1	0.4	0.4	0.2	*	0.4	0.3	0.4	0.4	0.2	0.1

Health Data *Interactive*

Summary

[Back] [View printable version]

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Title:	Injury mortality: US/State, 2001-2006 (Source:NVSS)
Author:	CDC/NCHS
Category:	Mortality
Keywords:	Injuries, assault, accident, intentional, self-harm, automobile, infant, toddler, child, adolescent, adult, vital statistics

Notes:

This table presents data on U.S. death rates and numbers of deaths from injury by intent and mechanism by age, sex, race/ethnicity and state. Rates are presented as three-year annual averages to obtain stable estimates.

ABOUT THE DATA SOURCE FOR THIS TABLE:

This table presents tabulations based on information reported on death certificates and on estimates of the resident population obtained from the U.S. Census Bureau.

In the United States, state laws require death certificates to be completed for all deaths, and Federal law mandates national collection and publication of deaths and other vital statistics data. The National Vital Statistics System, the Federal compilation of these data, is the result of the cooperation between the National Center for Health Statistics (NCHS) and the states to provide access to national statistical information from death certificates. For more information on mortality data from the National Vital Statistics System go to: http://www.cdc.gov/nchs/deaths.htm .

For the purpose of national mortality statistics, every death is attributed to one underlying condition based on information reported on the death certificate and utilizing the international rules for selecting the underlying cause of death from the reported conditions. The underlying cause is defined by the World Health Organization as "the disease or injury which initiated the train of events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury." Beginning in 1999, the causes of death were coded using the Tenth Revision of the International Classification of Diseases (ICD-10). For more information see International Classification of Diseases, Tenth Revision .

Injury deaths are classified by 1) mechanism and 2) intent:

1) For injury deaths, the mechanism or external cause rather than the injury diagnosis is always selected as the underlying cause of death because public health efforts are generally directed at preventing the incident that led to the death (e.g., motor vehicle traffic crash) rather than toward the injury diagnosis (e.g., skull fracture) that could result from a variety of external causes. The external cause of injury, or mechanism, of death is recorded by attending physicians, medical examiners, and coroners on death certificates filed in state vital statistics offices.

The external cause-of-injury mortality matrix is based on the underlying cause of death (see ICD-10 Framework: External Cause of Injury Mortality Matrix .) The eight causes (mechanisms) shown in

We will show how to…

- Navigate to the site
- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- **Create charts**
- Create maps
- Print
- Export
- Download

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: Measure - Rate per 100000 | State - U.S. | Sex - All | Race/Ethnicity - All | Year - 2004-2006

| Intent	Mechanism	All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	
All intents	All mechanisms	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	6
	Cut/pierce	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	
	Drowning	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	
	Fall	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	
	Fire/hot object or substance	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	
	Firearm	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	1
	Motor vehicle traffic	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	1
	Poisoning	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	1
	Suffocation	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	
Unintentional	All mechanisms	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	4
	Cut/pierce	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	
	Drowning	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	
	Fall	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	
	Fire/hot object or substance	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	
	Firearm	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	
	Motor vehicle traffic	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	1

Health Data **Interactive**

Reports | Table | **Chart** | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Year : 2004-2006
Race/Ethnicity : All
Sex: All
State: U.S.
Measure: Rate per 100000
Intent : Suicide

Age

Mechanism

- All mechanisms
- Cut/pierce
- Drowning
- Fall
- Fire/hot object or substance
- Firearm
- Motor vehicle traffic
- Poisoning
- Suffocation

Health Data
Interactive

Reports | **Table** | **Chart** | **Map**

Measure
State
Sex
Race/Ethnicity
Year
Intent
Mechanism
Age

...ity: US/State, 2001-2006 (Source:NVSS) ⓘ

Year ⓘ: 2004-2006
Race/Ethnicity ⓘ: All ⓘ
Sex: All
State: U.S.
Measure: Rate per 100000 ⓘ
Intent ⓘ: Suicide ⓘ

Age

Mechanism

▪ All mechanisms	▪ Fall	▪ Motor vehicle traffic
▪ Cut/pierce	▪ Fire/hot object or substance	▪ Poisoning
▪ Drowning	▪ Firearm	▪ Suffocation

Health Data Interactive

Reports | Table | **Chart** | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Year ⓘ: 2004-2006
Race/Ethnicity ⓘ: All ⓘ
Sex: All
State: U.S.
Measure: Rate per 100000 ⓘ
Intent ⓘ: Suicide ⓘ

Age

Mechanism

☐ Cut/pierce ☐ Firearm ☐ Poisoning ☐ Suffocation

CDC SAFER • HEALTHIER • PEOPLE™

Health Data *Interactive*

Reports | Table | **Chart** | Map

Inju... ...te, 2001-2006 (Source:NVSS) ⓘ

- Pie
- 3D pie
- Doughnut
- 3D doughnut
- Bar
- 3D bar
- Stacked bar
✓ Column
- 3D column
- Stacked column
- Line
- Spline
- Pyramid

Year ⓘ: 2004-2006
Race/Ethnicity ⓘ: All ⓘ
Sex: All
State: U.S.
Measure: Rate per 100000 ⓘ
Intent ⓘ: Suicide ⓘ

Age

Mechanism

■ Cut/pierce   ■ Firearm   ■ Poisoning   ■ Suffocation

Health Data
Interactive

Reports | Table | **Chart** | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Year ⓘ: 2004-2006
Race/Ethnicity ⓘ: All ⓘ
Sex: All
State: U.S.
Measure: Rate per 100000 ⓘ
Intent ⓘ: Suicide ⓘ

Age

Mechanism

☐ Cut/pierce   ☐ Firearm   ☐ Poisoning   ☐ Suffocation

How to …

- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- **Create maps**
- Print:
- Export
- Download

Health Data Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Other: | Measure - Rate per 100000 ◀▶ | State - U.S. ◀▶ | Sex - All ◀▶ | Race/Ethnicity - All ◀▶ | Year - 2004-2006 ◀▶

Intent	Mechanism	All ages (rates age adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (rates age adjusted)	18+ (crude)	18-44	18-24	25-44	6...
All intents	All mechanisms	59.8	60.2	15.7	18.3	14.7	7.6	38.7	75.1	75.2	65.4	75.0	62.2	6
	Cut/pierce	1.0	1.0	0.2	0.1	0.2	0.1	0.6	1.2	1.2	1.4	1.6	1.3	
	Drowning	1.4	1.4	1.4	2.8	0.8	0.7	1.4	1.5	1.5	1.4	1.8	1.3	
	Fall	7.1	7.1	0.2	0.3	0.2	0.1	0.4	9.5	9.5	1.4	1.1	1.5	
	Fire/hot object or substance	1.3	1.3	0.8	1.4	0.5	0.6	0.4	1.5	1.5	0.8	0.6	0.8	
	Firearm	10.5	10.5	2.0	0.3	2.7	0.8	9.0	13.4	13.4	15.0	20.2	13.2	1
	Motor vehicle traffic	15.0	15.1	5.8	3.2	6.8	3.3	18.6	18.2	18.3	19.4	29.6	15.9	1
	Poisoning	11.5	11.6	0.6	0.5	0.7	0.2	2.4	15.3	15.3	16.1	10.5	18.1	1
	Suffocation	4.9	4.9	2.4	5.2	1.4	0.8	3.2	5.7	5.7	4.8	5.0	4.8	
Unintentional	All mechanisms	40.5	40.7	11.3	14.0	10.3	6.0	25.1	50.5	50.6	38.7	44.7	36.6	4
	Cut/pierce	0.0	0.0	0.0	*	*	*	*	0.0	0.0	0.0	0.0	0.0	
	Drowning	1.2	1.2	1.3	2.7	0.8	0.6	1.4	1.2	1.2	1.2	1.6	1.0	
	Fall	6.8	6.9	0.2	0.3	0.1	0.1	0.3	9.1	9.1	1.0	0.7	1.1	
	Fire/hot object or substance	1.1	1.1	0.7	1.2	0.5	0.5	0.3	1.3	1.3	0.6	0.5	0.6	
	Firearm	0.2	0.2	0.2	0.1	0.2	0.1	0.4	0.3	0.3	0.3	0.5	0.2	
	Motor vehicle traffic	14.8	14.9	5.7	3.1	6.6	3.2	18.3	18.0	18.0	19.2	29.2	15.8	1

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Select: ⬚ ⊘ **View:** 🔍 ✋ 🔄 🎨 📊 🖨

Selection ✖

Alabama
Alaska
Arizona
Arkansas
California

Legend

Sex: All ◀▶
Race/Ethnicity: Black ◀▶
Year: 2004-2006 ◀▶
Intent: All intents ◀▶
Mechanism: All mechanisms ◀▶
Age: All ages (rates age adjusted ◀▶
Measure: Rate per 100000 ◀▶

|	
105.7	(8)
84.7	(9)
76.7	(9)
67.8	(9)
58.9	(9)
41.3	
Missing	(7)

Total: 51

How to …

- Navigate to the site
- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- **Print:**
- Export
- Download

How to …

- Navigate to the site
- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- **Export**
- Download

CDC
SAFER • HEALTHIER • PEOPLE™

Health Data
Interactive

Reports | Table | Chart | Map

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Year ⓘ: 2004-2006
Race/Ethnicity ⓘ: All ⓘ
Sex: All
State: U.S.
Measure: Rate per 100000 ⓘ
Intent ⓘ: Suicide ⓘ

Age

Mechanism

■ Cut/pierce   ■ Firearm   ■ Poisoning   ■ Suffocation

CDC
SAFER · HEALTHIER · PEOPLE™

Health Data
Interactive

Reports | **Table** | Chart

Inju[...] Source:NVSS)

Microsoft Excel format (*.xls)
Comma-delimited ASCII format (*.csv)
Semicolon-delimited ASCII format (*.csv)

| Oth[...] | Location - U.S. | Sex - All | Race/Ethnicity - All | Year - 2003-2005 |

Age			5-14	15-17	18-24	25-44	45-64	65-74	75-84	85+
Intent	Mechanism		⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩	⇧⇩
Suicide	Cut/pierce		*						.3	0.4
	Firearm		0.2						.6	12.2
	Poisoning		0.0						.6	1.9
	Suffocation		0.4						.6	2.3

File Download ✕

Do you want to open or save this file?

Name: injury_mortality_1043.xls
Type: Microsoft Excel Worksheet, 12.3KB
From: 209.217.72.34

[Open] [Save] [Cancel]

☑ Always ask before opening this type of file

While files from the Internet can be useful, some files can potentially harm your computer. If you do not trust the source, do not open or save this file. What's the risk?

Injury mortality: US/State, 2001-2006 (Source:NVSS)

Measure	Rate per 1	State	U.S.	Sex	All	Race/Ethn	All	Year	2004-2006
Age		5-14	15-17	18-24	25-44	45-64	65-74	75-84	85+
Intent	Mechanism								
Suicide	Cut/pierce	*	*	0.1	0.2	0.4	0.2	0.2	0.4
	Firearm	0.2	2.6	5.9	6	8.8	9.1	12.5	12.4
	Poisoning	0	0.4	1.1	2.7	4	1.5	1.6	1.9
	Suffocation	0.4	2.7	4.2	3.8	2.8	1.3	1.5	2.4

How to …

- Navigate to the site
- Find tables
- Manipulate interactive tables
  - Scroll through variables
  - Select variable categories to view
  - Sort
  - Move variables around and reset
- Read the metadata
- Create charts
- Create maps
- Print
- Export
- **Download**

Name ⇧⇩

- Infant mortality by cause: US/State 2001-2006 (Source: NVSS) ⓘ
- Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ
- Life Expectancy at Birth, 65 and 85 Years of Age, US, Selected Years 1900-2007 (Source: NVSS) ⓘ
- Mortality by underlying and multiple cause, ages 18+: US, 1981-2007 (Source: NVSS) ⓘ
- Mortality by underlying cause among children: US/State, 1990-2007 (Source: NVSS) ⓘ
- Mortality by underlying cause, ages 18+: US/State, 1999-2007 (Source: NVSS) ⓘ
- Health Data Interactive – Data Table Download

CDC
SAFER · HEALTHIER · PEOPLE

Health Data *Interactive*

Reports | **Table** | **Chart** | **Map**

[ ] Search

Folders ×

Name ⇧⇩

- All reports
  - Public reports
    - Health and functional
    - Health care use and e
    - Health conditions
    - Health insurance and
    - Mortality and life exp
    - Pregnancy and birth
    - Risk factors and disea

Infant mortality by cause: US/State 2001-2006 (Source: NVSS) ⓘ

Injury mortality: US/State, 2001-2006 (Source:NVSS) ⓘ

Life Expectancy at Birth, 65 and 85 Years of Age, US, Selected Years 1900-2007 (Source: NVSS) ⓘ

Mortality by underlying and multiple cause, ages 18+: US, 1981-2007 (Source: NVSS) ⓘ

Mortality by underlying cause among children: US/State, 1990-2007 (Source: NVSS) ⓘ

Mortality by underlying cause, ages 18+: US/State, 1999-2007 (Source: NVSS) ⓘ

Health Data Interactive – Data Table Download

File   Edit   View   Dimension   Item   Data   Window   Help

Cause of Death

Age: Infant (0-364 days) | Measure: Rate per 100,000 | Location: U.S. | Sex: All | Year: 2004-2006

Race/Ethnicity / Cause of Death	All	White	Black	American Indian/ Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic White	Non-Hispanic Black
All causes	677.1	565.2	1,312.8	825.8	470.0	552.2	566.7	1,352.3
Septicemia	6.7	5.0	16.2	*	4.3	6.4	4.5	16.8
Diseases of the circulat...	13.2	10.9	24.5	15.6	13.3	10.2	11.3	25.5
Pneumonia	5.9	4.6	12.8	17.1	3.7	4.4	4.6	13.5
Gastritis, duodenitis, no...	7.8	5.4	20.9	*	5.3	6.5	5.0	21.8
Maternal complications ...	41.2	31.4	96.9	23.6	27.7	28.4	32.0	99.3
Incompetent cervix	11.0	7.9	29.0	*	7.7	8.6	7.4	29.5
Premature rupture of...	19.4	14.6	46.6	*	12.9	13.0	15.0	48.5
Mulitple pregnancy	5.8	4.9	11.5	*	3.6	3.2	5.6	11.4
Complications of placen...	26.1	21.8	51.0	31.2	16.0	20.5	22.0	52.2
Complications of pla...	13.6	12.1	22.6	15.5	8.2	10.2	12.7	22.9
Chorioamnionitis	11.3	8.5	26.6	*	7.1	9.2	8.1	27.5
Prematurity and low birt...	113.1	81.0	291.6	88.6	76.5	87.4	76.5	301.3
Intrauterine hypoxia and...	11.1	10.0	17.3	14.8	8.4	8.7	10.4	17.8
Respiratory distress	20.5	16.4	45.0	*	11.6	16.9	16.3	46.0
Bacterial sepsis	19.8	15.7	42.9	17.1	14.9	16.9	15.1	44.9
Hemorrhage	15.3	13.4	25.4	*	13.5	13.1	13.5	26.3
Necrotizing enterocolitis	12.1	8.9	29.5	*	9.2	9.5	8.8	30.4
Birth defects	136.3	131.6	167.9	171.7	108.4	139.9	127.0	169.9
Anencephaly	7.6	8.0	6.5	*	5.4	9.9	7.1	6.0
Heart defect	33.3	32.6	40.0	35.6	25.4	31.4	32.9	40.6
Respiratory defect	13.5	12.6	18.4	16.3	11.0	12.1	12.7	18.9
Genitourinary defect	9.8	9.6	11.7	*	5.8	10.9	9.1	11.6
Musculoskeletal sys...	13.7	13.0	17.1	20.7	12.6	13.3	12.8	17.5
Trisomy 18	11.3	10.9	14.1	*	9.6	11.5	10.6	14.2
Trisomy 13	7.5	7.3	9.1	*	6.1	8.0	6.9	9.3
Sudden infant death syn...	54.4	47.0	99.6	110.6	23.5	27.6	55.0	104.7
Unintentional injury	26.2	22.7	47.1	59.3	12.0	15.8	25.7	49.0
Homicide	7.5	6.3	14.1	17.8	3.6	6.6	6.1	14.2

Exporting and downloading points

- Exporting to Excel (for example)
  - What you see is what you get (allows you to manipulate a small data table in Excel)
  - Only displayed information is downloaded
  - To export the entire table, you must nest all the variable tiles in the table
  - Not all the metadata are exported

- Downloading
  - You must first download the "Browser" software
  - Downloading to your computer includes the whole table, not just what you see in the table view
  - Downloaded tables include metadata and mapping features

Help / Contact Us

To receive technical support with Beyond 20/20 software and the tables

e-mail: hdi@cdc.gov