


# Health Data Interactive

National Center for Health Statistics



A banner image for 'Health Data Interactive' featuring a blue background with a circular graphic on the left containing binary code (0s and 1s) and a keyboard key on the right. The text 'Health Data' is in a large, bold, orange font, and 'Interactive' is in a smaller, white, italicized font below it.

# Health Data *Interactive*

[www.cdc.gov/nchs/hdi.htm](http://www.cdc.gov/nchs/hdi.htm)

*Explore, customize, download:  
pre-tabulated national health  
statistics*

# Objectives

By the end of today's workshop, you should:

- Know how to navigate to and through the Health Data Interactive website
- Understand the website's general benefits and limitations
- Be able to locate tables of interest
- Be able to customize and retrieve data in a useful form

# What is Health Data Interactive (HDI)?

- Online, interactive tables on the health and well-being of the US population
- Pre-tabulated measures by several covariates:
  - Age
  - Race and ethnicity
  - Gender
  - Year
  - Geographic location (when available)
  - Income (when available)
  - Urbanicity (when available)
- Standard errors and upper and lower bounds of the 95% confidence interval for users who would like to perform additional statistical tests

# Data sources

## Surveillance system (total counts)

- Births and Deaths (NVSS)

## Population surveys

- National Health Interview Survey (NHIS)
- National Health and Nutrition Examination Survey (NHANES)

## Health Care Surveys

- National Ambulatory Medical Care Survey (NAMCS)
- National Hospital Ambulatory Medical Care Survey (NHAMCS)
- National Hospital Discharge Survey (NHDS)

# Starting with the ending

## Examples of data needs:

- National and state benchmarks for deaths from suicide
- Percentage with no usual source of health care

# Pre-tabulated data on injury mortality

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility




Reports Table Chart Map

Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other:		Measure	Statistic	State	Race/Ethnicity	Sex	Year											
		Rate per 100000	Estimate	U.S.	All	All	2011-2013											
Age	Intent	Mechanism	All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	18+ (crude)	18-44	18-24	25-44	45-64	65+ (age-adjusted)	65+ (crude)	74+
			↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents	All mechanisms		58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0	63.6	69.3	121.2	122.3	
	Cut/pierce		0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1	1.2	1.1	0.7	0.7	
	Drowning		1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5	1.2	1.4	1.5	1.5	
	Fall		8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0	1.4	4.7	55.5	56.4	
	Fire/hot object or substance		0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4	0.6	1.3	2.6	2.6	
	Firearm		10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3	13.7	11.9	12.4	12.3	
	Motor vehicle traffic		10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6	14.8	14.7	
	Poisoning		14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8	23.3	25.2	6.1	6.2	
Suffocation		5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	5.7	5.4	9.7	9.8		
Unintentional	All mechanisms		39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1	37.5	44.0	102.4	103.6	
	Cut/pierce		0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*	0.0	0.0	0.1	0.1	
	Drowning		1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3	1.0	1.1	1.3	1.3	
	Fall		8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6	1.0	4.3	55.3	56.1	
	Fire/hot object or substance		0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3	0.4	1.1	2.5	2.5	
	Firearm		0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	
	Motor vehicle traffic		10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6	14.8	14.7	
	Poisoning		11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0	19.3	19.4	3.8	3.9	
Suffocation		1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	0.5	1.4	8.0	8.1		
Suicide	All mechanisms		12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8	15.5	18.9	15.7	15.6	
	Cut/pierce		0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.2	0.5	0.3	0.3	
	Drowning		0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	
	Fall		0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	
	Fire/hot object or substance		0.0	0.1	*	§	*	*	*	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	
	Firearm		6.3	6.6	0.6	§	0.9	0.3	2.8	8.3	8.4	6.6	5.9	6.9	9.4	11.3	11.2	
	Motor vehicle traffic		§	§	§	§	§	§	§	§	§	§	§	§	§	§	§	
	Poisoning		2.0	2.1	0.1	§	0.1	0.0	0.3	2.7	2.7	2.1	1.1	2.5	4.1	1.9	1.9	
Suffocation		3.2	3.2	0.8	§	1.1	0.5	3.2	4.0	3.9	4.8	4.7	4.9	3.8	1.6	1.6		
Homicide	All mechanisms		5.3	5.2	2.0	3.2	1.6	0.7	4.5	6.4	6.2	9.4	12.6	8.3	3.8	2.0	2.0	
	Cut/pierce		0.6	0.6	0.1	0.1	0.1	0.1	0.4	0.7	0.7	0.8	1.0	0.9	0.6	0.3	0.3	



# Death rates from suicide by age group and mechanism--United States, 2011-2013, NVSS






# Death rates from suicide by sex, age group, and mechanism--United States, 2011-2013, NVSS


— Cut/pierce — Firearm — Poisoning — Suffocation




# Death rates from suicide by race/ethnicity and age group--United States, 2011-2013, NVSS




# Death rates from suicide and homicide by race/Ethnicity and age group--United States, 2011-2013, NVSS




# Trend in age-adjusted death rates from suicide and homicide by race--United States, 1981-2013, NVSS



# Age-adjusted death rates from suicide by firearm by State and District of Columbia — United States, 2011-2013, NVSS



# Age-adjusted death rates from suicide by firearm — United States, 2011-2013, NVSS



# Pre-tabulated data on persons with no usual source of health care, 2011-2013 (NHIS)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports Table **Chart**




No usual source of health care: US, 1999-2013 (Source: NHIS) <sup>i</sup>

Other: **Health Care - No usual source** <sup>i</sup> Measure **Percent** <sup>i</sup>  $\updownarrow$  **Statistic** **Estimate** <sup>i</sup>  $\updownarrow$  **Race/Ethnicity** <sup>i</sup>  $\nabla$  **All** <sup>i</sup>  $\updownarrow$  **Location** <sup>i</sup>  $\nabla$  **U.S.**  $\updownarrow$  **Urbanicity** <sup>i</sup>  $\nabla$  **All**  $\updownarrow$  **Year** <sup>i</sup>  $\nabla$  **2011-2013**  $\updownarrow$


Sex	All				Male				Female			
Income <sup>i</sup>	All	Poor <sup>i</sup>	Near poor <sup>i</sup>	Nonpoor <sup>i</sup>	All	Poor <sup>i</sup>	Near poor <sup>i</sup>	Nonpoor <sup>i</sup>	All	Poor <sup>i</sup>	Near poor <sup>i</sup>	Nonpoor <sup>i</sup>
Age	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$	$\updownarrow$
All ages (age-adjusted) <sup>i</sup>	14.0	22.0	20.2	10.2	17.1	27.7	24.5	12.8	11.0	17.7	16.4	7.4
All ages (crude)	13.6	21.4	19.2	9.9	16.7	26.1	23.5	12.6	10.6	17.5	15.4	7.1
0-17	4.1	6.0	5.6	2.6	4.1	6.3	5.5	2.6	4.0	5.8	5.8	2.5
0-4 years	2.4	3.8	3.0	1.4	2.3	3.8	2.6	1.3	2.5	3.8	3.5	1.4
5-17 years	4.7	7.1	6.6	3.0	4.8	7.5	6.6	3.1	4.6	6.7	6.6	2.9
5-9 years	3.7	5.5	5.4	2.2	3.7	5.2	5.6	2.2	3.7	5.7	5.2	2.2
10-17 years	5.3	8.3	7.4	3.5	5.5	9.2	7.2	3.6	5.1	7.5	7.5	3.3
18+ (age-adjusted) <sup>i</sup>	17.4	27.6	25.3	12.8	21.5	35.2	31.1	16.3	13.4	21.8	20.1	9.0
18+ (crude)	16.6	29.4	24.3	11.8	20.9	38.3	31.2	15.3	12.6	22.8	18.7	8.2
18-44 years	25.0	36.1	34.6	18.6	31.2	46.3	43.3	23.9	19.0	28.3	26.7	12.8
18-24 years	28.1	33.2	35.3	21.5	33.1	39.2	41.9	26.0	23.1	28.2	29.2	16.1
25-44 years	23.9	38.1	34.3	17.8	30.5	51.8	44.0	23.2	17.5	28.5	25.6	12.0
45-64 years	11.7	23.9	20.4	8.3	14.3	29.9	23.8	10.5	9.3	18.9	17.3	6.1
45-54 years	13.7	26.3	24.1	9.7	17.3	33.0	29.4	12.7	10.4	20.6	19.4	6.8
55-64 years	9.4	20.9	15.9	6.6	10.9	25.7	17.2	7.9	8.0	16.9	14.8	5.4
65+ years (age-adjusted) <sup>i</sup>	3.6	7.6	4.9	2.7	4.2	9.8	6.0	3.1	3.2	6.4	4.2	2.3
65+ years (crude)	3.7	7.5	4.8	2.8	4.3	10.3	5.9	3.3	3.2	6.2	4.1	2.3
65-74 years	4.4	9.6	6.1	3.4	5.2	12.4	7.2	4.1	3.8	7.9	5.5	2.7
75-84 years	2.7	5.9	3.4	1.8	3.1	8.2	4.8	2.0	2.3	4.9	2.6	1.6
85 and over	3.0	3.9	3.9	2.3	2.9	*	*	*	3.0	*	3.6	2.4

# Percentage with no usual source of health care by age, 1999-2001 and 2011-2013






# Percentage of children aged 0-17 with no usual source of health care by race and Hispanic origin, 1999-2001 and 2011-2013



# Percentage of adults aged 18-44 with no usual source of health care by sex and poverty, 2011-2013



# Percentage of noninstitutionalized persons with no usual source of care by age and geographic location, 2011-2013

Age	0-17 years	18-44 years	45-64 years	≥65 years
U.S.	4.1	25.0	11.7	3.7
Northeast	1.8	17.3	7.7	3.1
New England	1.4	15.5	6.4	3.2
Middle Atlantic	2.0	18.0	8.3	3.1
Midwest	3.3	22.6	10.1	3.7
East North Central	3.2	22.8	10.4	4.0
West North Central	3.7	22.0	9.6	3.2
South	4.8	28.1	13.4	3.7
South Atlantic	4.2	26.0	13.3	2.5
East South Central	3.0	25.9	10.5	3.5
West South Central	6.3	32.3	15.1	6.2
West	5.1	28.1	14.1	4.2
Mountain	6.0	28.0	14.6	5.3
Pacific	4.7	28.1	13.9	3.7

# Some considerations

Estimates may be a single year or multiple-year, depending on table

- Pooled years for greater precision (e.g., statistics on children)
- Ability to show estimates for sub-groups

Trend vs. detail

- Some tables will have time trends, but less detailed covariates (and vice versa)

Data suppression

- Relative standard error ( $RSE = SE/estimate$ )  $> 30\%$
- Sample size (depends on data source)

Missing values with footnotes

- \* - unreliable data (e.g.  $RSE = 35\%$ )
- ~ - data not available (e.g. life expectancy for Hispanic in 2005)
- § - not applicable (death from ovarian cancer among men)

# How to ...

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Sort
- Move variables around and reset

Read the metadata

Create charts

Create maps

Print

Export

Download

# How to ... Find tables

## Find tables



## Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort

Read the metadata

Create charts

Create maps

Print

Export

Download

# HDI homepage <http://www.cdc.gov/nchs/hdi.htm>

CDC Home



Centers for Disease Control and Prevention  
CDC 24/7: Saving Lives. Protecting People.™

SEARCH

SEARCH

A-Z Index [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) <#>

## Data Access

### Data Access

[Data Linkage](#)

[Data Visualization Gallery](#)

[Interactive Tables and Databases](#)

[NCHS DOQS](#)

### ► Health Data Interactive

[Getting Started](#)

[Data Sources](#)

[Related Resources](#)

[Frequently Asked Questions](#)

[VitalStats](#)

[National Death Index](#)

[Public-Use Data Files](#)

[Research Data Center](#)

[NCHS Home](#) > [Data Access](#) > [Interactive Tables and Databases](#)



## Health Data Interactive

Welcome! Health Data Interactive presents tables with national health statistics for infants, children, adolescents, adults, and older adults. Tables can be customized by age, gender, race/ethnicity, and geographic location to explore different trends and patterns.

### Table Topics

[Health and functional status](#)

[Mortality and life expectancy](#)

[Health care use and expenditures](#)

[Pregnancy and birth](#)

[Health conditions](#)

[Risk factors and disease prevention](#)

[Health insurance and access](#)

Search Tables



Print page



HDI RSS Feed



Subscribe to RSS



### Contact Us:



National Center for Health Statistics  
3311 Toledo Rd  
Room 5419  
Hyattsville, MD 20782-2064




1 (800) 232-4636  
TTY: 1 (888) 232-6348  
[Contact CDC-INFO](#)

## Video Tutorial

This three part video tutorial guides users through the Health Data Interactive website, demonstrating how to use the detailed tables, drill into data, and display information you need.

- Part One - Accessing the website, opening tables, overview of table orientation
- Part Two - Advanced features (selecting categories, changing row and column variables)
- Part Three - Sorting columns and nesting variables



# How to...Find tables (cont.)

[CDC Home](#) | [NCHS Home](#) | [Contact NCHS](#) | [HDI Home](#) | [Contact HDI](#) | [Privacy Policy](#) | [Accessibility](#)



Health Data  
Interactive

Reports

Search within current folder

Folders	Name
All reports	Infant mortality by cause: US/State 2001-2012 (Source: NVSS) ⓘ
Public reports	Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ
Health and functional status	Life Expectancy at Birth, 65 and 85 Years of Age, US, Selected Years 1900-2013 (Source: NVSS) ⓘ
Health care use and expenditure	Mortality by underlying and multiple cause, ages 18+: US, 1981-2013 (Source: NVSS) ⓘ
Health conditions	Mortality by underlying cause among children: US/State, 1990-2013 (Source: NVSS) ⓘ
Health insurance and access to care	Mortality by underlying cause, ages 18+: US/State, 1999-2013 (Source: NVSS) ⓘ
Mortality and life expectancy	Health Data Interactive - Data Table Download
Pregnancy and birth outcomes	
Risk factors and diseases	





# Finding tables through search box

A-Z Index [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) <#>

## Data Access

### Data Access

Data Linkage

Data Visualization Gallery

Interactive Tables and Databases

NCHS DOQS

### ► Health Data Interactive

Getting Started

Data Sources

Related Resources

Frequently Asked Questions

VitalStats

National Death Index

Public-Use Data Files

Research Data Center

[NCHS Home](#) > [Data Access](#) > [Interactive Tables and Databases](#)



## Health Data Interactive

Welcome! Health Data Interactive presents tables with national health statistics for infants, children, adolescents, adults, and older adults. Tables can be customized by age, gender, race/ethnicity, and geographic location to explore different trends and patterns.

### Table Topics

[Health and functional status](#)

[Health care use and expenditures](#)

[Health conditions](#)

[Health insurance and access](#)

[Mortality and life expectancy](#)

[Pregnancy and birth](#)

[Risk factors and disease prevention](#)

Search Tables


 Print page


 HDI RSS Feed

 Subscribe to RSS



### Contact Us:

 National Center for Health Statistics  
3311 Toledo Rd  
Room 5419  
Hyattsville, MD 20782-2064

 1 (800) 232-4636  
TTY: 1 (888) 232-6348

[Contact CDC-INFO](#)

## Video Tutorial

This three part video tutorial guides users through the Health Data Interactive website, demonstrating how to use the detailed tables, drill into data, and display information you need.

Drill. Decide. Display.

# Finding tables through search box - results

[CDC Home](#) | [NCHS Home](#) | [Contact NCHS](#) | [HDI Home](#) | [Contact HDI](#) | [Privacy Policy](#) | [Accessibility](#)



Health Data  
Interactive



Reports  
   Search within current folder

Search results for 'injury' in 'Public reports'


Name	In folder
Hospital discharges by first-listed diagnosis among children: US, 1990-2010 (Source: NHDS)	Public reports/Health care use and expenditures
Hospital discharges by first- and any-listed listed diagnosis: US, 1990-2010 (Source: NHDS)	Public reports/Health care use and expenditures
Emergency department visits: US, 1996-2010 (Source: NHAMCS)	Public reports/Health care use and expenditures
Injury visits to emergency departments by intent and mechanism, US, 2002-2010 (Source: NHAMCS)	Public reports/Health care use and expenditures
Physician offices and hospital outpatient department visits: US, 2002-2010 (Source: NAMCS, NHAMCS)	Public reports/Health care use and expenditures
Mortality by underlying and multiple cause, ages 18+: US, 1981-2013 (Source: NVSS)	Public reports/Mortality and life expectancy
Injury mortality: US/State, 1999-2013 (Source: NVSS)	Public reports/Mortality and life expectancy
Mortality by underlying cause, ages 18+: US/State, 1999-2013 (Source: NVSS)	Public reports/Mortality and life expectancy
Mortality by underlying cause among children: US/State, 1990-2013 (Source: NVSS)	Public reports/Mortality and life expectancy
Infant mortality by cause: US/State 2001-2012 (Source: NVSS)	Public reports/Mortality and life expectancy

10 Results

# How to ... manipulate tables by scrolling

Find tables

## Manipulate interactive tables

- **Scroll through variables** 
- Select variable categories to view
- Move variables around and reset
- Sort

Read the metadata

Create charts

Create maps

Print

Export

Download

# How to...manipulate tables by scrolling (cont.)




Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Measure ▼ Rate per 100000 ⓘ ◀ ▶ | Statistic ▼ Estimate ▶ | State ▼ U.S. ▶ | Race/Ethnicity ⓘ ▼ All ⓘ ◀ ▶ | **Sex ▼ All ⓘ ◀ ▶** | Year ⓘ ▼ 2011-2013 ▶

Age ⓘ		All ages (age-adjusted) ⓘ	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted) ⓘ	18+ (crude)	18-44	18-24	25-44	45-64
Intent ⓘ	Mechanism ⓘ	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents ⓘ	All mechanisms ⓘ	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0	63.6	69.3
	Cut/pierce ⓘ	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1	1.2	1.1
	Drowning ⓘ	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5	1.2	1.4
	Fall ⓘ	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0	1.4	4.7
	Fire/hot object or substance ⓘ	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4	0.6	1.3
	Firearm ⓘ	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3	13.7	11.9
	Motor vehicle traffic ⓘ	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning ⓘ	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8	23.3	25.2
	Suffocation ⓘ	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	5.7	5.4
Unintentional ⓘ	All mechanisms ⓘ	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1	37.5	44.0
	Cut/pierce ⓘ	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*	0.0	0.0
	Drowning ⓘ	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3	1.0	1.1
	Fall ⓘ	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6	1.0	4.3
	Fire/hot object or substance ⓘ	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3	0.4	1.1
	Firearm ⓘ	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2
	Motor vehicle traffic ⓘ	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning ⓘ	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0	19.3	19.4
	Suffocation ⓘ	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	0.5	1.4
Suicide ⓘ	All mechanisms ⓘ	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8	15.5	18.9
	Cut/pierce ⓘ	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.2	0.5
	Drowning ⓘ	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1	0.2	0.2
	Fall ⓘ	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4	0.4	0.4
	Fire/hot object or substance ⓘ	0.0	0.1	*	§	*	*	*	0.1	0.1	0.1	0.0	0.1	0.1
	Firearm ⓘ	6.3	6.6	0.6	§	0.9	0.3	2.8	8.3	8.4	6.6	5.9	6.9	9.4



# How to...manipulate tables by scrolling (cont.)




Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other: Measure ▼ Rate per 100000 Statistic ▼ Estimate State ▼ U.S. Race/Ethnicity ▼ All Sex ▼ All Year ▼ 2011-2013

Age		All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	8-	18-24	25-44	45-64
Intent	Mechanism	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents	All mechanisms	58.6	60.6	11.7	16.6	9.9	5.5	24.4					
	Cut/pierce	0.8	0.8	0.1	0.1	0.1	0.1	0.4					
	Drowning	1.3	1.3	1.2	2.4	0.7	0.6	1.1					
	Fall	8.6	9.5	0.1	0.2	0.1	0.1	0.3					
	Fire/hot object or substance	0.9	1.0	0.4	0.8	0.3	0.4	0.2					
	Firearm	10.4	10.6	1.7	0.4	2.2	0.8	7.0					
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4					
	Poisoning	14.8	14.9	0.5	0.5	0.6	0.2	1.8					
	Suffocation	5.3	5.4	2.7	5.9	1.4	0.8	3.5					
Unintentional	All mechanisms	39.2	40.9	7.7	12.6	5.9	3.8	12.7					
	Cut/pierce	0.0	0.0	*	*	*	*	*					
	Drowning	1.1	1.1	1.1	2.3	0.7	0.6	1.1					
	Fall	8.3	9.2	0.1	0.2	0.1	0.1	0.2					
	Fire/hot object or substance	0.8	0.9	0.4	0.7	0.3	0.3	0.2					
	Firearm	0.2	0.2	0.1	0.1	0.1	0.1	0.2					
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4					
	Poisoning	11.8	11.8	0.3	0.2	0.4	0.1	1.4					
	Suffocation	1.9	2.0	1.6	5.5	0.2	0.2	0.2					
Suicide	All mechanisms	12.5	12.9	1.6	§	2.2	0.8	6.8					
	Cut/pierce	0.2	0.2	*	§	*	*	*					
	Drowning	0.1	0.1	*	§	*	*	*					
	Fall	0.3	0.3	0.0	§	0.0	*	0.1					
	Fire/hot object or substance	0.0	0.1	*	§	*	*	*					
	Firearm	6.3	6.6	0.6	§	0.9	0.3	2.8					
	Motor vehicle traffic	§	§	§	§	§	§	§					
	Poisoning	2.0	2.1	0.1	§	0.1	0.0	0.3					
	Suffocation	3.2	3.2	0.8	§	1.1	0.5	3.2					
Homicide	All mechanisms	5.3	5.2	2.0	3.2	1.6	0.7	4.5					



# How to...manipulate tables by scrolling (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports | **Table** | Chart | Map



Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other: **Measure** ▼ Rate per 100000 | **Statistic** ▼ Estimate | **State** ▼ U.S. | **Race/Ethnicity** ▼ All | **Sex** ▼ Male | **Year** ▼ 2011-2013

Age		All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
Intent	Mechanism	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents	All mechanisms	83.6	83.0	14.9	19.1	13.3	6.8	34.3	107.2	105.0	93.9	92.9	94.2	99.0
	Cut/pierce	1.3	1.3	0.2	0.1	0.2	0.1	0.6	1.6	1.6	1.8	1.8	1.8	1.7
	Drowning	2.1	2.1	1.6	3.1	1.1	0.8	1.9	2.2	2.2	2.2	2.6	2.0	2.1
	Fall	10.7	9.8	0.2	0.2	0.2	0.1	0.5	14.4	12.9	2.0	1.6	2.2	6.9
	Fire/hot object or substance	1.2	1.2	0.5	0.9	0.4	0.4	0.3	1.4	1.4	0.7	0.5	0.7	1.7
	Firearm	18.3	18.4	2.8	0.5	3.7	1.1	11.9	23.6	23.5	25.3	30.3	23.3	20.1
	Motor vehicle traffic	15.4	15.6	3.5	2.2	4.0	2.1	10.1	19.5	19.5	20.5	26.2	18.3	17.5
	Poisoning	18.6	18.8	0.6	0.5	0.7	0.2	2.3	24.8	24.7	26.6	17.0	30.3	30.1
	Suffocation	7.8	7.7	3.2	6.8	1.8	1.0	4.5	9.4	9.1	8.6	7.9	8.9	8.4
Unintentional	All mechanisms	52.9	52.0	9.4	14.5	7.5	4.7	16.5	67.8	65.8	52.1	48.6	53.5	61.0
	Cut/pierce	0.1	0.1	*	*	*	*	*	0.1	0.1	0.0	*	0.0	0.1
	Drowning	1.7	1.8	1.6	3.0	1.0	0.8	1.8	1.8	1.8	1.8	2.2	1.6	1.8
	Fall	10.3	9.4	0.2	0.2	0.1	0.1	0.3	13.8	12.3	1.4	0.9	1.6	6.3
	Fire/hot object or substance	1.0	1.0	0.4	0.7	0.3	0.3	0.2	1.2	1.2	0.5	0.4	0.6	1.4
	Firearm	0.3	0.3	0.2	0.2	0.2	0.1	0.4	0.3	0.3	0.4	0.5	0.3	0.3
	Motor vehicle traffic	15.4	15.6	3.5	2.2	4.0	2.1	10.1	19.5	19.5	20.5	26.2	18.3	17.5
	Poisoning	15.3	15.5	0.4	0.3	0.5	0.1	1.8	20.5	20.3	22.8	14.7	25.9	24.0
	Suffocation	2.4	2.3	1.9	6.2	0.3	0.3	0.3	2.6	2.4	0.7	0.5	0.7	1.8
Suicide	All mechanisms	20.2	20.5	2.3	§	3.1	1.1	9.7	26.4	26.3	23.2	20.6	24.2	29.1
	Cut/pierce	0.4	0.4	*	§	*	*	*	0.5	0.5	0.3	0.1	0.4	0.8
	Drowning	0.2	0.2	*	§	*	*	*	0.2	0.2	0.2	0.2	0.2	0.2
	Fall	0.4	0.4	0.0	§	0.0	*	0.2	0.6	0.6	0.6	0.6	0.6	0.6
	Fire/hot object or	0.1	0.1	*	§	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1

# How to...manipulate tables by selecting categories

Navigate to the site

Find tables

## Manipulate interactive tables

- Scroll through variables
- **Select variable categories to view**
- Move variables around and reset
- Sort

Read the metadata


Create charts

Create maps

Print

Export

Download





# How to...manipulated tables by selecting categories (cont.)

**CDC Health Data Interactive**

Reports | Tab | Chart | Map

Measure: **U.S./State, 1999-2013 (Source: NVSS)**

Statistic: **Rate per 100000** | Estimate | State: **U.S.** | Race/Ethnicity: **All** | Sex: **Male** | Year: **2011-2013**




Mechanism	All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	18+ (crude)	18-44	18-24	25-44	45-64	65+ (age-adjusted)	65+ (crude)	65-74	75-84
<b>All intents</b>																	
All mechanisms	83.6	83.0	14.9	19.1	13.3	6.8	34.3	107.2	105.0	93.9	92.9	94.2	99.0	163.2	152.1	88.9	173.3
Cut/pierce	1.3	1.3	0.2	0.1	0.2	0.1	0.6	1.6	1.6	1.8	1.8	1.8	1.7	1.1	1.1	1.0	1.2
Drowning	2.1	2.1	1.6	3.1	1.1	0.8	1.9	2.2	2.2	2.2	2.6	2.0	2.1	2.4	2.3	2.0	2.6
Fall	10.7	9.8	0.2	0.2	0.2	0.1	0.5	14.4	12.9	2.0	1.6	2.2	6.9	66.5	59.4	18.7	70.6
Fire/hot object or substance	1.2	1.2	0.5	0.9	0.4	0.4	0.3	1.4	1.4	0.7	0.5	0.7	1.7	3.4	3.3	2.3	4.1
Firearm	18.3	18.4	2.8	0.5	3.7	1.1	11.9	23.6	23.5	25.3	30.3	23.3	20.1	25.8	25.0	20.5	29.6
Motor vehicle traffic	15.4	15.6	3.5	2.2	4.0	2.1	10.1	19.5	19.5	20.5	26.2	18.3	17.5	21.2	20.5	17.0	23.3
Poisoning	18.6	18.8	0.6	0.5	0.7	0.2	2.3	24.8	24.7	26.6	17.0	30.3	30.1	7.1	7.3	8.1	5.2
Suffocation	7.8	7.7	3.2	6.8	1.8	1.0	4.5	9.4	9.1	8.6	7.9	8.9	8.4	13.3	12.3	6.6	13.9
<b>Unintentional</b>																	
All mechanisms	52.9	52.0	9.4	14.5	7.5	4.7	16.5	67.8	65.8	52.1	48.6	53.5	61.0	128.2	118.0	59.8	135.3
Cut/pierce	0.1	0.1	*	*	*	*	*	0.1	0.1	0.0	*	0.0	0.1	0.3	0.3	0.2	0.3
Drowning	1.7	1.8	1.6	3.0	1.0	0.8	1.8	1.8	1.8	1.8	2.2	1.6	1.8	2.0	2.0	1.8	2.2
Fall	10.3	9.4	0.2	0.2	0.1	0.1	0.3	13.8	12.3	1.4	0.9	1.6	6.3	66.0	58.9	18.2	70.2
Fire/hot object or substance	1.0	1.0	0.4	0.7	0.3	0.3	0.2	1.2	1.2	0.5	0.4	0.6	1.4	3.3	3.1	2.1	4.0
Firearm	0.3	0.3	0.2	0.2	0.2	0.1	0.4	0.3	0.3	0.4	0.5	0.3	0.3	0.4	0.4	0.4	0.4
Motor vehicle traffic	15.4	15.6	3.5	2.2	4.0	2.1	10.1	19.5	19.5	20.5	26.2	18.3	17.5	21.2	20.5	17.0	23.3
Poisoning	15.3	15.5	0.4	0.3	0.5	0.1	1.8	20.5	20.3	22.8	14.7	25.9	24.0	4.6	4.8	5.4	3.3
Suffocation	2.4	2.3	1.9	6.2	0.3	0.3	0.3	2.6	2.4	0.7	0.5	0.7	1.8	10.2	9.3	3.9	11.1
<b>Suicide</b>																	
All mechanisms	20.2	20.5	2.3	§	3.1	1.1	9.7	26.4	26.3	23.2	20.6	24.2	29.1	30.9	30.0	24.9	34.3
Cut/pierce	0.4	0.4	§	§	§	§	§	0.5	0.5	0.3	0.1	0.4	0.8	0.5	0.5	0.5	0.5
Drowning	0.2	0.2	§	§	§	§	§	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Fall	0.4	0.4	0.0	§	0.0	§	0.2	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.4	0.4	0.4
Fire/hot object or substance	0.1	0.1	§	§	§	§	§	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	§
Firearm	11.4	11.5	1.1	§	1.5	0.5	4.7	15.0	14.9	11.2	10.3	11.6	16.2	24.3	23.4	18.6	28.4
Motor vehicle traffic	§	§	§	§	§	§	§	§	§	§	§	§	§	§	§	§	§
Poisoning	2.2	2.3	0.1	§	0.1	§	0.3	2.9	3.0	2.3	1.3	2.7	4.3	2.1	2.1	2.2	1.7
Suffocation	5.1	5.1	1.0	§	1.4	0.6	4.1	6.6	6.5	7.7	7.3	7.9	6.4	2.9	2.9	2.6	2.7
<b>Homicide</b>																	
All mechanisms	8.3	8.3	2.7	3.7	2.4	0.8	7.5	10.2	10.2	15.7	21.3	13.5	5.7	2.7	2.7	2.9	2.6

# How to...manipulated tables by selecting categories (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility

**CDC** Health Data Interactive  
SAFER • HEALTHIER • PEOPLE

### Item selection

   **Show table**

Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Table size  
45 rows by 18 columns

**COLUMNS:**

- Age ⓘ

**ROWS:**

- Intent ⓘ
- Mechanism ⓘ

**Other:**

- Measure
- Statistic
- State
- Race/Ethnicity ⓘ
- Sex
- Year ⓘ

Search Show all Show selected

Select range

- All
- Male
- Female

# How to...manipulated tables by selecting categories (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) [?](#)

Other: Measure **Rate per 100000** [?](#) [↔](#) | Statistic **Estimate** [?](#) [↔](#) | State **U.S.** [?](#) [↔](#) | Race/Ethnicity **All** [?](#) [↔](#) | **Sex - Female** [?](#) | Year **2011-2013** [?](#) [↔](#)

Age <a href="#">?</a>		All ages (age-adjusted) <a href="#">?</a>	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted) <a href="#">?</a>	18+ (crude)	18-44	18-24	25-44	45-64
Intent <a href="#">?</a>	Mechanism <a href="#">?</a>	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕
All intents <a href="#">?</a>	All mechanisms <a href="#">?</a>	35.2	38.9	8.4	13.9	6.4	4.1	14.0	44.5	47.8	30.8	25.5	32.8	41.0
	Cut/pierce <a href="#">?</a>	0.4	0.4	0.1	0.1	0.1	0.1	0.2	0.5	0.5	0.5	0.4	0.5	0.5
	Drowning <a href="#">?</a>	0.6	0.6	0.7	1.7	0.3	0.3	0.3	0.6	0.6	0.4	0.4	0.5	0.7
	Fall <a href="#">?</a>	6.9	9.2	0.1	0.1	0.1	0.0	0.2	9.2	11.8	0.5	0.4	0.6	2.7
	Fire/hot object or substance <a href="#">?</a>	0.7	0.8	0.4	0.7	0.3	0.3	0.2	0.8	0.9	0.4	0.3	0.4	0.9
	Firearm <a href="#">?</a>	2.9	3.0	0.6	0.3	0.8	0.4	1.9	3.7	3.6	3.9	3.7	4.0	4.0
	Motor vehicle traffic <a href="#">?</a>	6.1	6.3	2.5	1.9	2.8	1.6	6.7	7.4	7.5	7.4	10.0	6.4	6.0
	Poisoning <a href="#">?</a>	11.0	11.2	0.4	0.4	0.4	0.2	1.3	14.7	14.3	13.6	6.4	16.2	20.5
	Suffocation <a href="#">?</a>	3.0	3.3	2.1	5.1	1.0	0.6	2.5	3.4	3.6	2.5	2.4	2.5	2.7
Unintentional <a href="#">?</a>	All mechanisms <a href="#">?</a>	26.5	30.0	5.9	10.5	4.2	2.9	8.6	33.6	37.1	20.2	16.8	21.4	27.9
	Cut/pierce <a href="#">?</a>	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	*
	Drowning <a href="#">?</a>	0.5	0.5	0.6	1.6	0.3	0.3	0.2	0.4	0.5	0.3	0.3	0.3	0.5
	Fall <a href="#">?</a>	6.7	9.0	0.1	0.1	0.0	0.0	*	9.0	11.6	0.3	0.2	0.4	2.4
	Fire/hot object or substance <a href="#">?</a>	0.6	0.7	0.3	0.6	0.2	0.2	0.1	0.7	0.8	0.3	0.2	0.3	0.8
	Firearm <a href="#">?</a>	0.0	0.0	0.0	*	0.0	0.0	*	0.0	0.0	0.1	0.1	0.0	0.1
	Motor vehicle traffic <a href="#">?</a>	6.1	6.3	2.5	1.9	2.8	1.6	6.7	7.4	7.5	7.4	10.0	6.4	6.0
	Poisoning <a href="#">?</a>	8.3	8.3	0.2	0.2	0.3	0.1	0.9	11.1	10.7	10.6	5.1	12.7	15.0
	Suffocation <a href="#">?</a>	1.5	1.8	1.4	4.7	0.1	0.1	*	1.5	1.9	0.3	0.1	0.3	1.0
Intentional <a href="#">?</a>	All mechanisms <a href="#">?</a>	5.4	5.5	0.9	§	1.3	0.5	3.7	6.9	6.9	6.2	4.6	6.8	9.1
	Cut/pierce <a href="#">?</a>	0.1	0.1	*	§	*	*	*	0.1	0.1	0.1	*	0.1	0.2
	Drowning <a href="#">?</a>	0.1	0.1	*	§	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1

# How to...manipulated tables by selecting categories (cont.)

[CDC Home](#) | [NCHS Home](#) | [Contact NCHS](#) | [HDI Home](#) | [Contact HDI](#) | [Privacy Policy](#) | [Accessibility](#)



Health Data  
Interactive

## Item selection



Show table

Injury mortality: US/State, 1999-2013 (Source: NVSS) [?](#)

Table size  
45 rows by 18 columns

Search

Show all

Show selected

Select range

- U.S.
- Alabama
- Alaska
- Arizona
- Arkansas
- California
- Colorado
- Connecticut
- Delaware
- District of Columbia
- Florida
- Georgia
- Hawaii
- Idaho
- Illinois
- Indiana
- Iowa
- Kansas
- Kentucky
- Louisiana

### COLUMNS:

Age [?](#)

### ROWS:

Intent [?](#)

Mechanism [?](#)

### Other:

Measure

Statistic

State

Race/Ethnicity [?](#)

Sex

Year [?](#)

# How to...manipulate tables by moving and resetting variables

Find tables

## Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- **Move variables around**
- Sort



**and reset** 

Read the metadata

Create charts

Create maps

Print

Export

Download

# How to...manipulate tables by resetting to original view



Injury mortality US/State, 1999-2013 (Source: NVSS) [?](#)

Other: Measure ▼ Rate per 100000 [?](#) ◀ ▶ | Statistic ▼ Estimate ◀ ▶ | State ▼ U.S. ◀ ▶ | Race/Ethnicity [?](#) ▼ All [?](#) ◀ ▶ | Sex - Female | Year [?](#) ▼ 2011-2013 ◀ ▶

Age <a href="#">?</a>		All ages (age-adjusted) <a href="#">?</a>	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted) <a href="#">?</a>	18+ (crude)	18-44	18-24	25-44	45-64
Intent <a href="#">?</a>	Mechanism <a href="#">?</a>	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕
All intents <a href="#">?</a>	All mechanisms <a href="#">?</a>	35.2	38.9	8.4	13.9	6.4	4.1	14.0	44.5	47.8	30.8	25.5	32.8	41.0
	Cut/pierce <a href="#">?</a>	0.4	0.4	0.1	0.1	0.1	0.1	0.2	0.5	0.5	0.5	0.4	0.5	0.5
	Drowning <a href="#">?</a>	0.6	0.6	0.7	1.7	0.3	0.3	0.3	0.6	0.6	0.4	0.4	0.5	0.7
	Fall <a href="#">?</a>	6.9	9.2	0.1	0.1	0.1	0.0	0.2	9.2	11.8	0.5	0.4	0.6	2.7
	Fire/hot object or substance <a href="#">?</a>	0.7	0.8	0.4	0.7	0.3	0.3	0.2	0.8	0.9	0.4	0.3	0.4	0.9
	Firearm <a href="#">?</a>	2.9	3.0	0.6	0.3	0.8	0.4	1.9	3.7	3.6	3.9	3.7	4.0	4.0
	Motor vehicle traffic <a href="#">?</a>	6.1	6.3	2.5	1.9	2.8	1.6	6.7	7.4	7.5	7.4	10.0	6.4	6.0
	Poisoning <a href="#">?</a>	11.0	11.2	0.4	0.4	0.4	0.2	1.3	14.7	14.3	13.6	6.4	16.2	20.5
	Suffocation <a href="#">?</a>	3.0	3.3	2.1	5.1	1.0	0.6	2.5	3.4	3.6	2.5	2.4	2.5	2.7
Unintentional <a href="#">?</a>	All mechanisms <a href="#">?</a>	26.5	30.0	5.9	10.5	4.2	2.9	8.6	33.6	37.1	20.2	16.8	21.4	27.9
	Cut/pierce <a href="#">?</a>	0.0	0.0	*	*	*	*	*	0.0	0.0	*	*	*	*
	Drowning <a href="#">?</a>	0.5	0.5	0.6	1.6	0.3	0.3	0.2	0.4	0.5	0.3	0.3	0.3	0.5
	Fall <a href="#">?</a>	6.7	9.0	0.1	0.1	0.0	0.0	*	9.0	11.6	0.3	0.2	0.4	2.4
	Fire/hot object or substance <a href="#">?</a>	0.6	0.7	0.3	0.6	0.2	0.2	0.1	0.7	0.8	0.3	0.2	0.3	0.8
	Firearm <a href="#">?</a>	0.0	0.0	0.0	*	0.0	0.0	*	0.0	0.0	0.1	0.1	0.0	0.1
	Motor vehicle traffic <a href="#">?</a>	6.1	6.3	2.5	1.9	2.8	1.6	6.7	7.4	7.5	7.4	10.0	6.4	6.0
	Poisoning <a href="#">?</a>	8.3	8.3	0.2	0.2	0.3	0.1	0.9	11.1	10.7	10.6	5.1	12.7	15.0
	Suffocation <a href="#">?</a>	1.5	1.8	1.4	4.7	0.1	0.1	*	1.5	1.9	0.3	0.1	0.3	1.0
Intentional <a href="#">?</a>	All mechanisms <a href="#">?</a>	5.4	5.5	0.9	§	1.3	0.5	3.7	6.9	6.9	6.2	4.6	6.8	9.1
	Cut/pierce <a href="#">?</a>	0.1	0.1	*	§	*	*	*	0.1	0.1	0.1	*	0.1	0.2
	Drowning <a href="#">?</a>	0.1	0.1	*	§	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1

# How to...manipulate tables by moving variables



Hold down the mouse button

Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other: Measure ▼ Rate per 100000 Statistic ▼ Estimate State ▼ U.S. Race/Ethnicity ▼ All Sex ▼ All Year ▼ 2011-2013

Age		All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
Intent	Mechanism	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents	All mechanisms	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0	63.6	69.3
	Cut/pierce	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1	1.2	1.1
	Drowning	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5	1.2	1.4
	Fall	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0	1.4	4.7
	Fire/hot object or substance	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4	0.6	1.3
	Firearm	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3	13.7	11.9
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8	23.3	25.2
Unintentional	Suffocation	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	5.7	5.4
	All mechanisms	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1	37.5	44.0
	Cut/pierce	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*	0.0	0.0
	Drowning	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3	1.0	1.1
	Fall	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6	1.0	4.3
	Fire/hot object or substance	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3	0.4	1.1
	Firearm	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
Suicide	Poisoning	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0	19.3	19.4
	Suffocation	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	0.5	1.4
	All mechanisms	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8	15.5	18.9
	Cut/pierce	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.2	0.5
	Drowning	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1	0.2	0.2
	Fall	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4	0.4	0.4
	Fire/hot object or substance	0.0	0.1	*	§	*	*	*	0.1	0.1	0.1	0.0	0.1	0.1
	Firearm	6.3	6.6	0.6	§	0.9	0.3	2.8	8.3	8.4	6.6	5.9	6.9	9.4

# How to...manipulate tables by moving variables (cont.)



Reports Table Chart Map

Hold down the mouse button and drag




Injury mortality: US/State, 1999-2013 (Source: NVSS) [i](#)

Other: Measure ▼ Rate per 100000 [i](#) [↔](#) | Statistic ▼ Estimate [↔](#) | State ▼ U.S. [↔](#) | Race/Ethnicity [i](#) ▼ All [i](#) [↔](#) | Year [i](#) ▼ 2011-2013 [↔](#)

Age <a href="#">i</a>		All ages (age-adjusted) <a href="#">i</a>	All ages (crude) <a href="#">i</a>	0-17 <a href="#">↕</a>	0-4 <a href="#">↕</a>	5-17 <a href="#">↕</a>	5-14 <a href="#">↕</a>	15- <a href="#">↕</a>	18+ (age-adjusted) <a href="#">i</a>	18+ (crude) <a href="#">i</a>	18-44 <a href="#">↕</a>	18-24 <a href="#">↕</a>	25-44 <a href="#">↕</a>
Intent <a href="#">i</a>	Mechanism <a href="#">i</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>	<a href="#">↕</a>
All intents <a href="#">i</a>	All mechanisms <a href="#">i</a>	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0	63.0
	Cut/pierce <a href="#">i</a>	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1	1.0
	Drowning <a href="#">i</a>	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5	1.0
	Fall <a href="#">i</a>	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0	1.0
	Fire/hot object or substance <a href="#">i</a>	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4	0.0
	Firearm <a href="#">i</a>	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3	13.0
	Motor vehicle traffic <a href="#">i</a>	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.0
	Poisoning <a href="#">i</a>	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8	23.0
	Suffocation <a href="#">i</a>	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	5.0
Unintentional <a href="#">i</a>	All mechanisms <a href="#">i</a>	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1	37.0
	Cut/pierce <a href="#">i</a>	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*	0.0
	Drowning <a href="#">i</a>	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3	1.0
	Fall <a href="#">i</a>	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6	1.0
	Fire/hot object or substance <a href="#">i</a>	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3	0.0
	Firearm <a href="#">i</a>	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.0
	Motor vehicle traffic <a href="#">i</a>	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.0
	Poisoning <a href="#">i</a>	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0	19.0
	Suffocation <a href="#">i</a>	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	0.0
Intentional <a href="#">i</a>	All mechanisms <a href="#">i</a>	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8	15.0
	Cut/pierce <a href="#">i</a>	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.0
	Drowning <a href="#">i</a>	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1	0.0
	Fall <a href="#">i</a>	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4	0.0
	Fire/hot object or substance <a href="#">i</a>	0.0	0.0	*	§	*	*	*	0.0	0.0	0.0	0.0	0.0



# How to...manipulate tables by moving variables (cont.)



Drag, then release the mouse button



Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other: Measure ▼ Rate per 100000 Statistic ▼ Estimate State ▼ U.S. Race/Ethnicity ▼ All Year ▼ 2011-2013

Age		All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	18+ (crude)	18-44	18-24	25-44	45-64
Intent	Mechanism													
All intents	All mechanisms	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0	63.6	69.3
	Cut/pierce	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1	1.2	1.1
	Drowning	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5	1.2	1.4
	Fall	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0	1.4	4.7
	Fire/hot object or substance	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4	0.6	1.3
	Firearm	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3	13.7	11.9
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8	23.3	25.2
	Suffocation	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	5.7	5.4
Unintentional	All mechanisms	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1	37.5	44.0
	Cut/pierce	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*	0.0	0.0
	Drowning	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3	1.0	1.1
	Fall	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6	1.0	4.3
	Fire/hot object or substance	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3	0.4	1.1
	Firearm	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0	19.3	19.4
	Suffocation	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	0.5	1.4
Suicide	All mechanisms	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8	15.5	18.9
	Cut/pierce	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.2	0.5
	Drowning	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1	0.2	0.2
	Fall	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4	0.4	0.4
	Fire/hot object or substance	0.0	0.1	*	§	*	*	*	0.1	0.1	0.1	0.0	0.1	0.1

# How to...manipulate tables by moving variables (cont.)



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) [i](#)

Other: Measure [v](#) Rate per 100000 [i](#) [↔](#) Statistic [v](#) Estimate [↔](#) State [v](#) U.S. [↔](#) Race/Ethnicity [i](#) [v](#) All [↔](#) [↔](#) Age [i](#) [v](#) All ages (age-adjusted) [i](#) [↔](#) Year [i](#) [v](#) 2011-2013 [↔](#)

Sex		All	Male	Female
Intent	Mechanism	↕↕	↕↕	↕↕
All intents <a href="#">i</a>	All mechanisms <a href="#">i</a>	58.6	83.6	35.2
	Cut/pierce <a href="#">i</a>	0.8	1.3	0.4
	Drowning <a href="#">i</a>	1.3	2.1	0.6
	Fall <a href="#">i</a>	8.6	10.7	6.9
	Fire/hot object or substance <a href="#">i</a>	0.9	1.2	0.7
	Firearm <a href="#">i</a>	10.4	18.3	2.9
	Motor vehicle traffic <a href="#">i</a>	10.7	15.4	6.1
	Poisoning <a href="#">i</a>	14.8	18.6	11.0
Unintentional <a href="#">i</a>	All mechanisms <a href="#">i</a>	39.2	52.9	26.5
	Cut/pierce <a href="#">i</a>	0.0	0.1	0.0
	Drowning <a href="#">i</a>	1.1	1.7	0.5
	Fall <a href="#">i</a>	8.3	10.3	6.7
	Fire/hot object or substance <a href="#">i</a>	0.8	1.0	0.6
	Firearm <a href="#">i</a>	0.2	0.3	0.0
	Motor vehicle traffic <a href="#">i</a>	10.7	15.4	6.1
	Poisoning <a href="#">i</a>	11.8	15.3	8.3
Suicide <a href="#">i</a>	All mechanisms <a href="#">i</a>	12.5	20.2	5.4
	Cut/pierce <a href="#">i</a>	0.2	0.4	0.1
	Drowning <a href="#">i</a>	0.1	0.2	0.1
	Fall <a href="#">i</a>	0.3	0.4	0.1
	Fire/hot object or substance <a href="#">i</a>	0.0	0.1	0.0
Firearm <a href="#">i</a>	6.3	11.4	1.7	

# How to...manipulate tables by moving variables (cont.)



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) [i](#)

Other: Measure ▼ Rate per 100000 [i](#) ◀ ▶ Statistic ▼ Estimate ◀ ▶ State ▼ U.S. ◀ ▶ Race/Ethnicity [i](#) ▼ All [i](#) ◀ ▶ Age [i](#) ▼ All ages (age-adjusted) [i](#) ◀ ▶ Year [i](#) ▼ 2011-2013 ◀ ▶

Sex		All	Male	Female
<a href="#">Intent</a> <a href="#">i</a>	<a href="#">Mechanism</a> <a href="#">i</a>	↕↕	↕↕	↕↕
All intents <a href="#">i</a>	All mechanisms <a href="#">i</a>	58.6	83.6	35.2
	Cut/pierce <a href="#">i</a>	0.8	1.3	0.4
	Drowning <a href="#">i</a>	1.3	2.1	0.6
	Fall <a href="#">i</a>	8.6	10.7	6.9
	Fire/hot object or substance <a href="#">i</a>	0.9	1.2	0.7
	Firearm <a href="#">i</a>	10.4	18.3	2.9
	Motor vehicle traffic <a href="#">i</a>	10.7	15.4	6.1
	Poisoning <a href="#">i</a>	14.8	18.6	11.0
	Suffocation <a href="#">i</a>	5.3	7.8	3.0
Unintentional <a href="#">i</a>	All mechanisms <a href="#">i</a>	39.2	52.9	26.5
	Cut/pierce <a href="#">i</a>	0.0	0.1	0.0
	Drowning <a href="#">i</a>	1.1	1.7	0.5
	Fall <a href="#">i</a>	8.3	10.3	6.7
	Fire/hot object or substance <a href="#">i</a>	0.8	1.0	0.6
	Firearm <a href="#">i</a>	0.2	0.3	0.0
	Motor vehicle traffic <a href="#">i</a>	10.7	15.4	6.1
	Poisoning <a href="#">i</a>	11.8	15.3	8.3
	Suffocation <a href="#">i</a>	1.9	2.4	1.5
Suicide <a href="#">i</a>	All mechanisms <a href="#">i</a>	12.5	20.2	5.4
	Cut/pierce <a href="#">i</a>	0.2	0.4	0.1
	Drowning <a href="#">i</a>	0.1	0.2	0.1
	Fall <a href="#">i</a>	0.3	0.4	0.1
	Fire/hot object or substance <a href="#">i</a>	0.0	0.1	0.0
	Firearm <a href="#">i</a>	6.3	11.4	1.7

# How to...manipulate tables by moving variables (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) [i](#)

Other: Measure ▼ Rate per 100000 [i](#) [↔](#) Statistic ▼ Estimate [↔](#) State ▼ U.S. [↔](#) Age [i](#) ▼ All ages (age-adjusted) [i](#) [↔](#) Year [i](#) ▼ 2011-2013 [↔](#)

Sex		All	Male	Female
Race/Ethnicity				
Intent <a href="#">i</a>	Mechanism <a href="#">i</a>	↕↕	↕↕	↕↕
All intents <a href="#">i</a>	All mechanisms <a href="#">i</a>	58.6	83.6	35.2
	Cut/pierce <a href="#">i</a>	0.8	1.3	0.4
	Drowning <a href="#">i</a>	1.3	2.1	0.6
	Fall <a href="#">i</a>	8.6	10.7	6.9
	Fire/hot object or substance <a href="#">i</a>	0.9	1.2	0.7
	Firearm <a href="#">i</a>	10.4	18.3	2.9
	Motor vehicle traffic <a href="#">i</a>	10.7	15.4	6.1
	Poisoning <a href="#">i</a>	14.8	18.6	11.0
Unintentional <a href="#">i</a>	Suffocation <a href="#">i</a>	5.3	7.8	3.0
	All mechanisms <a href="#">i</a>	39.2	52.9	26.5
	Cut/pierce <a href="#">i</a>	0.0	0.1	0.0
	Drowning <a href="#">i</a>	1.1	1.7	0.5
	Fall <a href="#">i</a>	8.3	10.3	6.7
	Fire/hot object or substance <a href="#">i</a>	0.8	1.0	0.6
	Firearm <a href="#">i</a>	0.2	0.3	0.0
	Motor vehicle traffic <a href="#">i</a>	10.7	15.4	6.1
	Poisoning <a href="#">i</a>	11.8	15.3	8.3
	Suffocation <a href="#">i</a>	1.9	2.4	1.5
	All mechanisms <a href="#">i</a>	12.5	20.2	5.4
	Cut/pierce <a href="#">i</a>	0.2	0.4	0.1
	Drowning <a href="#">i</a>	0.1	0.2	0.1
	Fall <a href="#">i</a>	0.3	0.4	0.1

# How to...manipulate tables by moving variables (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Measure ▼ Rate per 100000 ⓘ ⌵ ⌶ | Statistic ▼ Estimate ⌵ ⌶ | State ▼ U.S. ⌵ ⌶ | Age ⓘ ▼ All ages (age-adjusted) ⓘ ⌵ ⌶ | Year ⓘ ▼ 2011-2013 ⓘ

Sex		All								Male					
Race/Ethnicity ⓘ		All ⓘ	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic White	Non-Hispanic Black	All ⓘ	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic
Intent ⓘ	Mechanism ⓘ	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️	⬆️⬆️
All intents ⓘ	All mechanisms ⓘ	58.6	60.6	56.9	67.2	23.7	38.0	64.2	59.4	83.6	84.8	90.7	92.6	33.5	56.8
	Cut/pierce ⓘ	0.8	0.7	1.7	1.4	0.4	0.8	0.6	1.7	1.3	1.0	2.7	2.2	0.6	1.3
	Drowning ⓘ	1.3	1.3	1.6	1.7	1.3	0.9	1.3	1.6	2.1	1.9	2.7	2.7	1.9	1.5
	Fall ⓘ	8.6	9.2	4.1	7.3	5.5	5.9	9.4	4.2	10.7	11.3	6.0	9.4	7.3	7.9
	Fire/hot object or substance ⓘ	0.9	0.9	1.6	1.4	0.3	0.6	0.9	1.7	1.2	1.1	2.1	1.9	0.4	0.8
	Firearm ⓘ	10.4	9.5	17.4	7.4	2.4	5.6	10.0	18.4	18.3	16.4	32.3	12.8	4.2	9.8
	Motor vehicle traffic ⓘ	10.7	11.0	10.8	15.3	4.5	9.2	11.2	11.3	15.4	15.8	16.7	20.3	6.1	13.5
	Poisoning ⓘ	14.8	16.7	9.7	16.6	2.8	7.4	18.7	10.0	18.6	20.7	13.3	19.5	4.0	10.3
	Suffocation ⓘ	5.3	5.6	4.2	6.6	3.9	3.6	6.0	4.4	7.8	8.2	5.9	9.5	5.7	5.4
Unintentional ⓘ	All mechanisms ⓘ	39.2	41.6	31.9	48.3	15.3	26.6	44.1	33.1	52.9	55.6	46.8	63.9	21.1	38.3
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	0.0	0.0	0.0	0.1	0.1	0.0	*	*	0.0
	Drowning ⓘ	1.1	1.1	1.3	1.6	1.0	0.8	1.1	1.3	1.7	1.6	2.2	2.5	1.6	1.3
	Fall ⓘ	8.3	8.8	3.9	7.1	5.1	5.6	9.0	4.0	10.3	10.8	5.7	9.1	6.7	7.6
	Fire/hot object or substance ⓘ	0.8	0.8	1.4	1.3	0.2	0.5	0.8	1.5	1.0	1.0	1.9	1.8	0.3	0.6
	Firearm ⓘ	0.2	0.2	0.2	0.2	*	0.1	0.2	0.2	0.3	0.3	0.4	*	*	0.2
	Motor vehicle traffic ⓘ	10.7	11.0	10.8	15.3	4.5	9.2	11.2	11.3	15.4	15.8	16.7	20.3	6.1	13.5
	Poisoning ⓘ	11.8	13.2	8.3	14.4	1.9	6.3	14.8	8.6	15.3	17.0	11.6	17.6	2.9	9.2
	Suffocation ⓘ	1.9	1.9	2.4	1.8	0.9	1.1	2.0	2.5	2.4	2.4	3.0	2.3	1.3	1.5

# How to...manipulate tables by moving variables (cont.)



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Measure ▼ Rate per 100000 ⓘ ◀ ▶ | Statistic ▼ Estimate ◀ ▶ | State ▼ U.S. ◀ ▶ | Race/Ethnicity ⓘ ▼ All ⓘ ◀ ▶ | Sex ▼ All ◀ ▶ | Year ⓘ ▼ 2011-2013 ◀ ▶

Age ⓘ		All ages (age-adjusted) ⓘ	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted) ⓘ	18+ (crude)	18-44	18-24	25-44	45-64
Intent ⓘ	Mechanism ⓘ	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents ⓘ	All mechanisms ⓘ	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0	63.6	69.3
	Cut/pierce ⓘ	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1	1.2	1.1
	Drowning ⓘ	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5	1.2	1.4
	Fall ⓘ	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0	1.4	4.7
	Fire/hot object or substance ⓘ	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4	0.6	1.3
	Firearm ⓘ	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3	13.7	11.9
	Motor vehicle traffic ⓘ	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning ⓘ	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8	23.3	25.2
	Suffocation ⓘ	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	5.7	5.4
Unintentional ⓘ	All mechanisms ⓘ	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1	37.5	44.0
	Cut/pierce ⓘ	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*	0.0	0.0
	Drowning ⓘ	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3	1.0	1.1
	Fall ⓘ	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6	1.0	4.3
	Fire/hot object or substance ⓘ	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3	0.4	1.1
	Firearm ⓘ	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2
	Motor vehicle traffic ⓘ	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3	12.4	11.6
	Poisoning ⓘ	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0	19.3	19.4
	Suffocation ⓘ	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	0.5	1.4
Suicide ⓘ	All mechanisms ⓘ	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8	15.5	18.9
	Cut/pierce ⓘ	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1	0.2	0.5
	Drowning ⓘ	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1	0.2	0.2
	Fall ⓘ	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4	0.4	0.4
	Fire/hot object or substance ⓘ	0.0	0.1	*	§	*	*	*	0.1	0.1	0.1	0.0	0.1	0.1
	Firearm ⓘ	6.3	6.6	0.6	§	0.9	0.3	2.8	8.3	8.4	6.6	5.9	6.9	9.4

# How to...manipulate tables by setting dimension order

[CDC Home](#) | [NCHS Home](#) | [Contact NCHS](#) | [HDI Home](#) | [Contact HDI](#) | [Privacy Policy](#) | [Accessibility](#)



Health Data  
Interactive

## Set dimension order

### Columns

Age



### Rows

Intent  
Mechanism




### Other

Measure  
Statistic  
State  
Race/Ethnicity  
Sex  
Year



Apply

Cancel



# How to...manipulate tables by setting dimension order (cont.)

[CDC Home](#) | [NCHS Home](#) | [Contact NCHS](#) | [HDI Home](#) | [Contact HDI](#) | [Privacy Policy](#) | [Accessibility](#)



Health Data  
Interactive

## Set dimension order

### Columns

Age



### Rows

Intent  
Mechanism  
Sex



### Other

Measure  
Statistic  
State  
Race/Ethnicity  
Year



Apply

Cancel



# How to...manipulate tables by setting dimension order (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility

**CDC**  
SAFER • HEALTHIER • PEOPLE

**Health Data**  
*Interactive*

### Set dimension order

**Columns**

- Sex
- Race/Ethnicity**

▲ ▼

**Rows**

- Intent
- Mechanism

▲ ▼

**Other**


- Measure
- Location
- Age
- Year

▲ ▼

**Apply** **Cancel**

# How to...manipulate tables by setting dimension order (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Measure ▼ Rate per 100000 ⓘ ⏪ ⏩ Statistic ▼ Estimate ⏪ ⏩ State ▼ U.S. ⏪ ⏩ Year ⓘ ▼ 2011-2013 ⏪ ⏩ Age ⓘ ▼ All ages

Sex		All								Male				
Race/Ethnicity ⓘ		All ⓘ	White	Black	American Indian/Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic White	Non-Hispanic Black	All ⓘ	White	Black	American Indian/Alaska Native	Asian/Pacific Islander
Intent ⓘ	Mechanism ⓘ	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents ⓘ	All mechanisms ⓘ	58.6	60.6	56.9	67.2	23.7	38.0	64.2	59.4	83.6	84.8	90.7	92.6	33.5
	Cut/pierce ⓘ	0.8	0.7	1.7	1.4	0.4	0.8	0.6	1.7	1.3	1.0	2.7	2.2	0.6
	Drowning ⓘ	1.3	1.3	1.6	1.7	1.3	0.9	1.3	1.6	2.1	1.9	2.7	2.7	1.9
	Fall ⓘ	8.6	9.2	4.1	7.3	5.5	5.9	9.4	4.2	10.7	11.3	6.0	9.4	7.3
	Fire/hot object or substance ⓘ	0.9	0.9	1.6	1.4	0.3	0.6	0.9	1.7	1.2	1.1	2.1	1.9	0.4
	Firearm ⓘ	10.4	9.5	17.4	7.4	2.4	5.6	10.0	18.4	18.3	16.4	32.3	12.8	4.2
	Motor vehicle traffic ⓘ	10.7	11.0	10.8	15.3	4.5	9.2	11.2	11.3	15.4	15.8	16.7	20.3	6.1
	Poisoning ⓘ	14.8	16.7	9.7	16.6	2.8	7.4	18.7	10.0	18.6	20.7	13.3	19.5	4.0
	Suffocation ⓘ	5.3	5.6	4.2	6.6	3.9	3.6	6.0	4.4	7.8	8.2	5.9	9.5	5.7
Unintentional ⓘ	All mechanisms ⓘ	39.2	41.6	31.9	48.3	15.3	26.6	44.1	33.1	52.9	55.6	46.8	63.9	21.1
	Cut/pierce ⓘ	0.0	0.0	0.0	*	*	0.0	0.0	0.0	0.1	0.1	0.0	*	*
	Drowning ⓘ	1.1	1.1	1.3	1.6	1.0	0.8	1.1	1.3	1.7	1.6	2.2	2.5	1.6
	Fall ⓘ	8.3	8.8	3.9	7.1	5.1	5.6	9.0	4.0	10.3	10.8	5.7	9.1	6.7
	Fire/hot object or substance ⓘ	0.8	0.8	1.4	1.3	0.2	0.5	0.8	1.5	1.0	1.0	1.9	1.8	0.3
	Firearm ⓘ	0.2	0.2	0.2	0.2	*	0.1	0.2	0.2	0.3	0.3	0.4	*	*
	Motor vehicle traffic ⓘ	10.7	11.0	10.8	15.3	4.5	9.2	11.2	11.3	15.4	15.8	16.7	20.3	6.1

# How to...manipulate tables by sorting dimensions

Navigate to the site

Find tables

## Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset

- **Sort**



Read the metadata

Create charts

Create maps



Print

Export

Download

# How to...manipulate tables by sorting dimensions (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports Table Chart Map

Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Intent ⓘ ▼ Suicide ⓘ ◀▶ Mechanism ⓘ ▼ Firearm ⓘ ◀▶ Race/Ethnicity ⓘ ▼ All ⓘ ◀▶ Age ⓘ ▼ All ages (age-adjusted) ⓘ ◀▶ Measure ▼ Ra

Sex	All	Male	Female
State	↑↓	↑↓	↑↓
U.S.	6.3	11.4	1.7
Alabama	9.6	16.8	3.3
Alaska	14.7	24.6	4.3
Arizona	9.8	17.5	2.6
Arkansas	10.3	18.2	3.0
California	4.0	7.5	0.9
Colorado	9.1	16.3	2.3
Connecticut	2.7	5.3	0.4
Delaware	5.2	9.2	1.7
District of Columbia	1.2	2.6	*
Florida	7.1	12.4	2.3
Georgia	7.5	13.2	2.5
Hawaii	2.5	4.6	*
Idaho	11.4	20.4	2.7
Illinois	3.6	6.8	0.7
Indiana	7.2	13.1	1.9
Iowa	6.2	11.2	1.4
Kansas	8.8	15.8	2.2
Kentucky	10.0	17.4	3.3
Louisiana	8.4	14.6	2.9
Maine	8.2	15.1	2.0
Maryland	4.2	8.2	0.7

# How to...manipulate tables by sorting dimensions (cont.)



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Intent ⓘ ▼ Suicide ⓘ ◀▶ Mechanism ⓘ ▼ Firearm ⓘ ◀▶ Race/Ethnicity ⓘ ▼ All ⓘ ◀▶ Age ⓘ ▼ All ages (age-adjusted) ⓘ ◀▶ Meas ⓘ

Sex	All	Male	Female
State	↑↓	↑↓	↑↓
Wyoming	15.5	27.2	4.0
Alaska	14.7	24.6	4.3
Montana	14.5	24.3	4.8
Idaho	11.4	20.4	2.7
Oklahoma	11.1	18.9	3.8
Utah	10.9	19.3	2.7
New Mexico	10.6	18.8	2.7
West Virginia	10.5	18.7	2.8
Arkansas	10.3	18.2	3.0
Kentucky	10.0	17.4	3.3
Arizona	9.8	17.5	2.6
Nevada	9.8	16.7	3.1
Alabama	9.6	16.8	3.3
Mississippi	9.4	16.1	3.5
Tennessee	9.3	16.6	2.8
Colorado	9.1	16.3	2.3
North Dakota	8.9	15.8	*
Oregon	8.9	16.0	2.2
Kansas	8.8	15.8	2.2
South Carolina	8.8	15.7	2.8
Vermont	8.8	16.3	*
Missouri	8.6	15.6	2.2

Sex	All	Male	Female
State	↑↓	↑↓	↑↓
Vermont	8.8	6.3	*
Missouri	8.6	5.6	2.2
Louisiana	8.4	4.6	2.9
Maine	8.2	5.1	2.0
South Dakota	8.2	4.7	1.8
Georgia	7.5	4.2	2.5
Indiana	7.2	4.1	1.9
North Carolina	7.2	4.0	2.2
Florida	7.1	4.4	2.3
Virginia	7.1	4.7	2.0
Washington	7.0	4.4	1.9
Texas	6.8	4.1	2.0
Pennsylvania	6.4	4.7	1.5
Wisconsin	6.4	4.8	1.1
U.S.	6.3	4.4	1.7
Ohio	6.3	4.6	1.6
Iowa	6.2	4.2	1.4
Michigan	6.2	4.6	1.2
Nebraska	6.0	4.4	1.0
Minnesota	5.8	4.8	1.1
New Hampshire	5.8	4.6	1.2
Delaware	5.2	4.2	1.7
Maryland	4.2	4.2	0.7
California	4.0	4.5	0.9
Illinois	3.6	4.8	0.7
Connecticut	2.7	4.3	0.4
Hawaii	2.5	4.6	*
Rhode Island	2.5	4.6	*
New York	2.4	4.7	0.3
New Jersey	1.9	3.7	0.3
Massachusetts	1.8	3.5	0.3
District of Columbia	1.2	2.6	*

# How to ...read the metadata

Navigate to the site

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort

**Read the metadata** 

Create charts

Create maps

Print

Export

Download

# How to...read the metadata (cont.)



Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Other: Intent ⓘ ▼ Suicide ⓘ ⓘ Mechanism ⓘ ▼ Firearm ⓘ ⓘ Race/Ethnicity ⓘ ▼ All ⓘ ⓘ Age ⓘ ▼ All ages (age-adjusted) ⓘ ⓘ Meas

Sex	All	Male	Female
State	↑↓	↑↓	↑↓
Wyoming	15.5	27.2	4.0
Alaska	14.7	24.6	4.3
Montana	14.5	24.3	4.8
Idaho	11.4	20.4	2.7
Oklahoma	11.1	18.9	3.8
Utah	10.9	19.3	2.7
New Mexico	10.6	18.8	2.7
West Virginia	10.5	18.7	2.8
Arkansas	10.3	18.2	3.0
Kentucky	10.0	17.4	3.3
Arizona	9.8	17.5	2.6
Nevada	9.8	16.7	3.1
Alabama	9.6	16.8	3.3
Mississippi	9.4	16.1	3.5
Tennessee	9.3	16.6	2.8
Colorado	9.1	16.3	2.3
North Dakota	8.9	15.8	*
Oregon	8.9	16.0	2.2
Kansas	8.8	15.8	2.2
South Carolina	8.8	15.7	2.8
Vermont	8.8	16.3	*
Missouri	8.6	15.6	2.2

# How to...read the metadata (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Summary



[Back](#) [View printable version](#)

## Injury mortality: US/State, 1999-2013 (Source: NVSS)

**Title:** Injury mortality: US/State, 1999-2013 (Source: NVSS)  
**Author:** CDC/NCHS  
**Category:** Mortality and life expectancy  
**Keywords:** Injuries, assault, accident, intentional, self-harm, automobile, infant, toddler, child, adolescent, adult, vital statistics

**Notes:**  
This table presents data on U.S. death rates and numbers of deaths from injury by intent and three-year annual averages to obtain stable estimates.

### ABOUT THE DATA SOURCE FOR THIS TABLE:

This table presents tabulations based on information reported on death certificates and on

In the United States, state laws require death certificates to be completed for all deaths, as other vital statistics data. The National Vital Statistics System, the Federal compilation of Health Statistics (NCHS) and the states to provide access to national statistical information National Vital Statistics System go to: <http://www.cdc.gov/nchs/deaths.htm>.

Cause of death is recorded by attending physicians, medical examiners, and coroners on national mortality statistics, every death is attributed to one underlying condition based on rules for selecting the underlying cause of death from the reported conditions. The underlying injury which initiated the train of events leading directly to death, or the circumstances of the causes of death were coded using the Tenth Revision of the International Classification of Diseases, Tenth Revision.

Injury deaths are classified by 1) mechanism and 2) intent:

1) For injury deaths, the mechanism or external cause rather than the injury diagnosis is a

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy



Summary

[Back](#) [View printable version](#)

## Injury mortality: US/State, 1999-2013 (Source: NVSS)

**Item:** Suicide  
**Item code:** 2

**Notes:**  
ICD-10 codes: \*U03, X60-X84, Y87.0

Intentional self-harm



# How to ... create charts

Navigate to the site

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort

Read the metadata

**Create charts**



Create maps

Print

Export

Download

# How to ... create charts (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility

**CDC** Health Data Interactive


Reports | Table | **Chart** | Map

Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other: Measure ▼ Rate per 100000 | Statistic ▼ Estimate | State ▼ U.S. | Race/Ethnicity ▼ All | Sex ▼ All | Year ▼ 2011

Age		All ages (age-adjusted)	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted)	18+ (crude)	18-44	18-24
Intent	Mechanism	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents	All mechanisms	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0
	Cut/pierce	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1
	Drowning	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5
	Fall	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0
	Fire/hot object or substance	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4
	Firearm	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3
	Poisoning	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8
	Suffocation	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2
Unintentional	All mechanisms	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1
	Cut/pierce	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*
	Drowning	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3
	Fall	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6
	Fire/hot object or substance	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3
	Firearm	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3
	Motor vehicle traffic	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3
	Poisoning	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0
	Suffocation	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3
	All mechanisms	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8
	Cut/pierce	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1
	Drowning	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1
	Fall	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4

# How to ... create charts (cont.)




# How to ... create charts (cont.)



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Year ⓘ: 2011-2013  
 Sex: All  
 Race/Ethnicity ⓘ: All ⓘ  
 State: U.S.  
 Statistic: Estimate  
 Measure: Rate per 100000 ⓘ  
 Intent ⓘ: Suicide ⓘ



Cells in this chart contain metadata. Please refer to the [table view](#) for more detailed information.



# How to ... create charts (cont.)



- Measure
- Statistic
- Race/Ethnicity
- Sex
- State
- Year
- Age
- Intent
- Mechanism

Locality: US/State, 1999-2013 (Source: NVSS) ⓘ

Year ⓘ: 2011-2013  
 Sex: All  
 Race/Ethnicity ⓘ: All ⓘ  
 State: U.S.  
 Statistic: Estimate  
 Measure: Rate per 100000 ⓘ  
 Intent ⓘ: Suicide ⓘ



Cells in this chart contain metadata. Please refer to the [table view](#) for more detailed information.

# How to ... create charts (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Health Data  
Interactive

## Item selection



Show chart

Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Table size  
45 rows by 9 columns

### COLUMNS:

Age ⓘ

### ROWS:

Intent ⓘ

Mechanism ⓘ

### Other:

Measure

Statistic

State

Race/Ethnicity ⓘ

Sex

Year ⓘ

Search

Show all

Show selected

Select range

- All ages (age-adjusted) ⓘ
- All ages (crude)
- 0-17
- 0-4
- 5-17
- 5-14
- 15-17
- 18+ (age-adjusted) ⓘ
- 18+ (crude)
- 18-44
- 18-24
- 25-44
- 45-64
- 65+ (age-adjusted) ⓘ
- 65+ (crude)
- 65-74
- 75-84
- 85+

# How to ... create charts (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Health Data  
Interactive

## Item selection



Show chart

Injury mortality: US/State, 1999-2013 (Source: NVSS) [?](#)

Table size  
25 rows by 8 columns

### COLUMNS:

Age [?](#)

### ROWS:

Intent [?](#)

Mechanism [?](#)

### Other:

Measure

Statistic

State

Race/Ethnicity [?](#)

Sex

Year [?](#)

Search

Show all

Show selected

Select range


- All mechanisms [?](#)
- Cut/pierce [?](#)
- Drowning [?](#)
- Fall [?](#)
- Fire/hot object or substance [?](#)
- Firearm [?](#)
- Motor vehicle traffic [?](#)
- Poisoning [?](#)
- Suffocation [?](#)

# How to ... create charts (cont.)




Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Year ⓘ: 2011-2013  
Sex: All  
Race/Ethnicity ⓘ: All ⓘ  
State: U.S.  
Statistic: Estimate  
Measure: Rate per 100000 ⓘ  
Intent ⓘ: Suicide ⓘ





# How to ... create charts (cont.)



# How to ... create charts (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility




Health Data  
Interactive

Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Year ⓘ: 2011-2013  
Sex: All  
Race/Ethnicity ⓘ: All ⓘ  
State: U.S.  
Statistic: Estimate  
Measure: Rate per 100000 ⓘ  
Intent ⓘ: Suicide ⓘ



# How to ... create maps

Navigate to the site

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort

Read the metadata

Create charts

**Create maps**

Print

Export

Download



# How to ... create maps (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



[Reports](#)
[Table](#)
[Chart](#)
[Map](#)

Injury mortality: US/State, 1999-2013 (Source: NVSS) [?](#)

Other: [Measure](#) ▼ Rate per 100000 [?](#) [?](#) | [Statistic](#) ▼ Estimate [?](#) | [State](#) ▼ U.S. [?](#) | [Race/Ethnicity](#) [?](#) ▼ All [?](#) [?](#) | [Sex](#) ▼ All [?](#) | [Year](#) [?](#) ▼ 2011-

<a href="#">Age</a> <a href="#">?</a>		All ages (age-adjusted) <a href="#">?</a>	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted) <a href="#">?</a>	18+ (crude)	18-44	18-24
<a href="#">Intent</a> <a href="#">?</a>   <a href="#">Mechanism</a> <a href="#">?</a>		↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
All intents <a href="#">?</a>	All mechanisms <a href="#">?</a>	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0
	Cut/pierce <a href="#">?</a>	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1
	Drowning <a href="#">?</a>	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5
	Fall <a href="#">?</a>	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0
	Fire/hot object or substance <a href="#">?</a>	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4
	Firearm <a href="#">?</a>	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3
	Motor vehicle traffic <a href="#">?</a>	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3
	Poisoning <a href="#">?</a>	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8
	Suffocation <a href="#">?</a>	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2
Unintentional <a href="#">?</a>	All mechanisms <a href="#">?</a>	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1
	Cut/pierce <a href="#">?</a>	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*
	Drowning <a href="#">?</a>	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3
	Fall <a href="#">?</a>	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6
	Fire/hot object or substance <a href="#">?</a>	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3
	Firearm <a href="#">?</a>	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3
	Motor vehicle traffic <a href="#">?</a>	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3
	Poisoning <a href="#">?</a>	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0
	Suffocation <a href="#">?</a>	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3
	All mechanisms <a href="#">?</a>	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8
	Cut/pierce <a href="#">?</a>	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1
	Drowning <a href="#">?</a>	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1
	Fall <a href="#">?</a>	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4

# How to ... create maps (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility




Reports Table Chart Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Select: [Map icon] [Layers icon] View: [Full screen icon] [Hand icon] [Refresh icon] [Home icon] [Bar chart icon] [Table icon]



**Selection**

- Alabama
- Alaska
- Arizona
- Arkansas
- California

**Legend**

Statistic: Estimate

Race/Ethnicity: All

Sex: All


Year: 2011-2013

Age: All ages (age-adjusted)


Intent: All intents

Mechanism: All mechanisms

Measure: Rate per 100000



# How to ... create maps (cont.)



# How to ... print

Navigate to the site

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort

Read the metadata

Create charts

Create maps

**Print:** 

Export

Download

# How to ... print (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



Reports | Table | **Chart** | Map



Injury mortality: US/State, 1999-2013 (Source: NVSS) [?](#)

Other: Measure ▼ Rate per 100000 [?](#) [↔](#) | Statistic ▼ Estimate [?](#) [↔](#) | State ▼ U.S. [?](#) [↔](#) | Race/Ethnicity [?](#) ▼ All [?](#) [↔](#) | Sex ▼ All [?](#) [↔](#) | Year [?](#) ▼ 2011- [?](#) [↔](#)

Age <a href="#">?</a>		All ages (age-adjusted) <a href="#">?</a>	All ages (crude)	0-17	0-4	5-17	5-14	15-17	18+ (age-adjusted) <a href="#">?</a>	18+ (crude)	18-44	18-24
Intent <a href="#">?</a>	Mechanism <a href="#">?</a>	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕
All intents <a href="#">?</a>	All mechanisms <a href="#">?</a>	58.6	60.6	11.7	16.6	9.9	5.5	24.4	74.8	75.6	62.6	60.0
	Cut/pierce <a href="#">?</a>	0.8	0.8	0.1	0.1	0.1	0.1	0.4	1.1	1.0	1.2	1.1
	Drowning <a href="#">?</a>	1.3	1.3	1.2	2.4	0.7	0.6	1.1	1.4	1.4	1.3	1.5
	Fall <a href="#">?</a>	8.6	9.5	0.1	0.2	0.1	0.1	0.3	11.5	12.4	1.3	1.0
	Fire/hot object or substance <a href="#">?</a>	0.9	1.0	0.4	0.8	0.3	0.4	0.2	1.1	1.2	0.5	0.4
	Firearm <a href="#">?</a>	10.4	10.6	1.7	0.4	2.2	0.8	7.0	13.3	13.3	14.7	17.3
	Motor vehicle traffic <a href="#">?</a>	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3
	Poisoning <a href="#">?</a>	14.8	14.9	0.5	0.5	0.6	0.2	1.8	19.7	19.4	20.1	11.8
Suffocation <a href="#">?</a>	5.3	5.4	2.7	5.9	1.4	0.8	3.5	6.3	6.3	5.6	5.2	
Unintentional <a href="#">?</a>	All mechanisms <a href="#">?</a>	39.2	40.9	7.7	12.6	5.9	3.8	12.7	50.1	51.0	36.3	33.1
	Cut/pierce <a href="#">?</a>	0.0	0.0	*	*	*	*	*	0.0	0.0	0.0	*
	Drowning <a href="#">?</a>	1.1	1.1	1.1	2.3	0.7	0.6	1.1	1.1	1.1	1.1	1.3
	Fall <a href="#">?</a>	8.3	9.2	0.1	0.2	0.1	0.1	0.2	11.1	12.0	0.9	0.6
	Fire/hot object or substance <a href="#">?</a>	0.8	0.9	0.4	0.7	0.3	0.3	0.2	1.0	1.0	0.4	0.3
	Firearm <a href="#">?</a>	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3
	Motor vehicle traffic <a href="#">?</a>	10.7	10.9	3.0	2.1	3.4	1.9	8.4	13.3	13.3	14.0	18.3
	Poisoning <a href="#">?</a>	11.8	11.8	0.3	0.2	0.4	0.1	1.4	15.7	15.4	16.8	10.0
Suffocation <a href="#">?</a>	1.9	2.0	1.6	5.5	0.2	0.2	0.2	2.0	2.1	0.5	0.3	
	All mechanisms <a href="#">?</a>	12.5	12.9	1.6	§	2.2	0.8	6.8	16.3	16.3	14.8	12.8
	Cut/pierce <a href="#">?</a>	0.2	0.2	*	§	*	*	*	0.3	0.3	0.2	0.1
	Drowning <a href="#">?</a>	0.1	0.1	*	§	*	*	*	0.2	0.2	0.2	0.1
	Fall <a href="#">?</a>	0.3	0.3	0.0	§	0.0	*	0.1	0.4	0.4	0.4	0.4





# How to ... export

Navigate to the site

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort

Read the metadata

Create charts

Print

**Export**



Download

# How to ... export (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility

**CDC** Health Data Interactive  
SAFER • HEALTHIER • PEOPLE

Reports **Table** Chart Map

Injury mortality: US/State, 1999-2013 (Source: NVSS)

Other: Measure ▼ Rate per 100000 ◀ ▶ | Statistic ▼ Estimate ◀ ▶ | Intent ▼ All intents ◀ ▶ | State ▼ U.S. ◀ ▶ | Race/Ethnicity ▼ All

Age	5-14	15-17	18-24	25-44	45-64	65-74	75-84	85+
Mechanism	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓	↑↓
Cut/pierce	0.1	0.4	1.1	1.2	1.1	0.7	0.7	0.7
Firearm	0.8	7.0	17.3	13.7	11.9	11.0	14.0	13.5
Poisoning	0.2	1.8	11.8	23.3	25.2	7.1	4.6	6.0
Suffocation	0.8	3.5	5.2	5.7	5.4	4.8	10.3	28.9

# How to ... export (cont.)

The screenshot shows a web browser window with the URL <http://205.207.175.93/HDI/TableView/tableView.aspx>. The page header includes navigation links for CDC Home, NCHS Home, and Contact NCHS, along with the CDC logo and the text "Health Data Interactive".

The main content area features a table with columns for age groups (5-14, 15-24, 18-24, 25-44, 45-64, 65-74, 75-84, 85+) and rows for injury mechanisms (Cut/pierce, Firearm, Poisoning, Suffocation). The table is titled "3 (Source: NVSS)".

A red circle highlights the export options menu, which includes the following options:

- Microsoft Excel format (\*.xls)
- Comma-delimited ASCII format (\*.csv)
- Semicolon-delimited ASCII format (\*.csv)

The table data is as follows:

Mechanism	5-14	15-24	18-24	25-44	45-64	65-74	75-84	85+
Cut/pierce	0.1	0.4	1.1	1.2	1.1	0.7	0.7	0.7
Firearm	0.8	7.0	17.3	13.7	11.9	11.0	14.0	13.5
Poisoning	0.2	1.8	11.8	23.3	25.2	7.1	4.6	6.0
Suffocation	0.8	3.5	5.2	5.7	5.4	4.8	10.3	28.9



# How to ... download

Navigate to the site

Find tables

Manipulate interactive tables

- Scroll through variables
- Select variable categories to view
- Move variables around and reset
- Sort













Read the metadata

Create charts

Print

Export

**Download**

Name 
 Infant mortality by cause: US/State 2001-2012 (Source: NVSS) 
 Injury mortality: US/State, 1999-2013 (Source: NVSS) 
 Life Expectancy at Birth, 65 and 85 Years of Age, US, Selected Years 1900-2013 (Source: NVSS) 
 Mortality by underlying and multiple cause, ages 18+: US, 1981-2013 (Source: NVSS) 
 Mortality by underlying cause among children: US/State, 1990-2013 (Source: NVSS) 
 Mortality by underlying cause, ages 18+: US/State, 1999-2013 (Source: NVSS) 
 Health Data Interactive - Data Table Download

# How to ... download (cont.)

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility



## Health Data Interactive

### Reports

  Search within current folder

### Folders

### Name

All reports

Public reports

Health and functional status

Health care use and expenditure

Health conditions

Health insurance and access

Mortality and life expectancy

Pregnancy and birth

Risk factors and diseases

Infant mortality by cause: US/State 2001-2012 (Source: NVSS) ⓘ

Injury mortality: US/State, 1999-2013 (Source: NVSS) ⓘ

Life Expectancy at Birth, 65 and 85 Years of Age, US, Selected Years 1900-2013 (Source: NVSS) ⓘ

Mortality by underlying and multiple cause, ages 18+: US, 1981-2013 (Source: NVSS) ⓘ

Mortality by underlying cause among children: US/State, 1990-2013 (Source: NVSS) ⓘ

Mortality by underlying cause, ages 18+: US/State, 1999-2013 (Source: NVSS) ⓘ

Health Data Interactive - Data Table Download

# How to ... download (cont.)

[CDC Home](#) | [NCHS Home](#) | [Contact NCHS](#) | [HDI Home](#) | [Contact HDi](#) | [Privacy Policy](#) | [Accessibility](#)



## Health Data Interactive Table Download

Click on a link below to download tables to your computer for offline access. To view a downloaded table you must have installed the Beyond 20/20 Browser.

[Click here](#) to download the Browser.

You may want to review the [General Instructions for using tables in the Beyond 20/20 Browser.](#)

[Return to Online Tables](#)



## Mortality and life expectancy

[Infant mortality by cause: US/State 2001-2012 \(Source: NVSS\)](#)

[Injury mortality: US/State, 1999-2013 \(Source: NVSS\)](#)

[Life expectancy at birth, 65 and 85 Years of Age, US, Selected Years 1900-2013 \(Source: NVSS\)](#)

[Mortality by underlying and multiple cause, ages 18+: US, 1981-2013 \(Source: NVSS\)](#)

[Mortality by underlying cause among children: US/State, 1990-2013 \(Source: NVSS\)](#)

[Mortality by underlying cause, ages 18+: US/State, 1999-2013 \(Source: NVSS\)](#)

Do you want to open or save **infant\_mortality\_1042.ivt** (7.36 MB) from **205.207.175.93** x

Open

Save



Cancel



# How to ... download (cont.)

Beyond 20/20 Professional Browser - [Infant mortality by cause: US/State 2001-2012 (Source: NVSS)]

File Edit View Dimension Item Data Window Help

Cause of Death

Measure: Rate per 100000    Statistic: Estimate    Age: Infant (0-364 days)    Sex: All    Location: U.S.    Year: 2010-2012

Cause of Death	All	White	Black	American Indian/ Alaska Native	Asian/Pacific Islander	Hispanic	Non-Hispanic White	Non-Hispanic Black
All causes	606.6	513.9	1,107.9	829.0	422.5	517.3	509.7	1,107.9
Septicemia	4.8	3.4	11.8	*	4.1	3.8	3.3	
Diseases of the circulatory system	12.6	10.7	23.3	*	8.8	10.5	10.7	
Pneumonia	4.3	3.2	9.4	*	2.9	2.9	3.3	
Gastritis, duodenitis, noninfective enteritis & colitis	0.8	0.7	1.5	*	*	*	0.7	
Maternal complications of pregnancy	39.3	31.3	79.8	37.8	34.1	34.0	29.4	
Incompetent cervix	10.9	7.8	25.4	*	11.4	10.8	6.6	
Premature rupture of membranes	19.8	16.3	38.6	20.4	14.4	16.4	15.8	
Multiple pregnancy	3.9	3.2	7.6	*	3.8	2.8	3.2	
Complications of placenta, cord and membrane	25.3	20.6	49.5	35.5	19.3	22.0	19.7	
Complications of placenta	12.1	10.8	18.7	23.1	9.2	10.0	10.9	
Chorioamnionitis	12.2	8.9	29.3	*	9.6	11.2	7.8	
Prematurity and low birthweight	104.8	76.5	253.2	99.9	73.6	84.6	72.5	
Intrauterine hypoxia and birth asphyxia	7.9	7.2	12.3	*	5.4	6.7	7.3	
Respiratory distress	13.0	10.6	25.7	*	10.0	9.2	11.0	
Bacterial sepsis	14.2	11.6	28.5	*	9.3	12.2	11.3	
Hemorrhage	11.4	10.7	16.4	*	7.4	11.6	10.1	
Necrotizing enterocolitis	10.2	7.8	22.8	*	7.3	8.7	7.5	
Birth defects	126.8	123.5	153.3	172.0	91.8	136.2	117.2	
Anencephaly	7.6	8.2	6.0	*	4.6	10.5	7.2	
Heart defect	29.1	28.0	36.5	39.9	22.1	30.2	26.9	
Respiratory defect	9.3	8.7	13.4	*	5.3	8.5	8.8	
Genitourinary defect	11.6	11.5	13.6	19.5	6.8	12.2	11.2	
Musculoskeletal system defect	13.8	13.7	15.9	16.7	9.5	13.3	13.8	

For Help, press F1      29/29      All causes

# Exporting and downloading points

## Exporting to Excel (for example)

- What you see is what you get (allows you to manipulate a small data table in Excel)
- Only displayed information is downloaded
- Nest all the variables to export the entire table
- Not all metadata are exported

## Downloading

- Must first download the "Browser" software
- Downloading the \*.ivt version includes the whole table
- Includes metadata and mapping features

# Sample problems

- Find the current asthma prevalence among non-Hispanic white and non-Hispanic black boys ages 0-17 years in the Northeast in 2011-2013.
- Graph the trend in life expectancy at birth by sex for 1970-2013.
- Rank neonatal mortality by state for 2010-2012 and create a map.

# Sample problems

- Find the current asthma prevalence among non-Hispanic white and non-Hispanic black boys ages 0-17 years in the Northeast in 2011-2013

CDC Home | NCHS Home | Contact NCHS | HDI Home | Contact HDI | Privacy Policy | Accessibility

**CDC** Health Data Interactive  
SAFER • HEALTHIER • PEOPLE

Reports Table Chart


Asthma and chronic obstructive pulmonary disease: US, 1999-2013 (Source: NHIS) [i](#)

Other: Measure ▼ Percent [i](#) ◀ ▶ Sex ▼ Male ◀ ▶ Income [i](#) ▼ All ◀ ▶ Age - 0-17 Urban

Prevalence		Current Asthma Prevalence <a href="#">i</a>		
Statistic		Estimate <a href="#">i</a>	Lower Bound <a href="#">i</a>	Upper Bound <a href="#">i</a>
Location <a href="#">i</a>	Race/Ethnicity <a href="#">i</a>	↑↓	↑↓	↑↓
U.S.	Non-Hispanic White	8.1	7.5	8.9
	Non-Hispanic Black	17.3	15.7	19.1
Northeast <a href="#">i</a>	Non-Hispanic White	9.8	8.1	11.9
	Non-Hispanic Black	17.0	13.1	21.8
Midwest <a href="#">i</a>	Non-Hispanic White	7.0	6.0	8.3
	Non-Hispanic Black	17.1	13.1	22.1
South <a href="#">i</a>	Non-Hispanic White	8.2	7.0	9.5
	Non-Hispanic Black	17.1	15.1	19.4
West <a href="#">i</a>	Non-Hispanic White	8.3	6.8	10.1
	Non-Hispanic Black	20.0	15.0	26.1

# Sample problems

- Graph the trend in life expectancy at birth by sex for 1970-2013.



# Sample problems

- Rank neonatal mortality by state for 2010- 2012

Reports Table Chart Map


Infant mortality by cause: US/State 2001-2012 (Source: NVSS) ⓘ

Other: Measure ▼ Rate per 100000 ◀ ▶ Year ⓘ ▼ 2010-2012 ◀ ▶ Race/Ethnicity ⓘ ▼ All ⓘ ◀ ▶ Sex ▼ All ◀ ▶

Age	Neonatal (0-27 days) ⓘ	Age	Neonatal (0-27 days) ⓘ
Location	↑ ↓	Location	↑ ↓
District of Columbia	596.0	Maine	421.1
Delaware	585.7	Kansas	418.9
Mississippi	556.9	West Virginia	414.2
Alabama	546.7	Missouri	412.4
Ohio	523.3	Georgia	408.3
North Carolina	494.6	North Dakota	407.3
Rhode Island	490.0	Wisconsin	406.8
Indiana	489.1	U.S.	404.4
Pennsylvania	488.3	Kentucky	401.3
Maryland	487.8	Arizona	387.0
Louisiana	467.5	Connecticut	386.5
South Dakota	467.4	Wyoming	386.3
Virginia	465.2	Colorado	382.6
Michigan	464.7	New Mexico	380.8
Illinois	459.8	Texas	378.7
South Carolina	457.2	Montana	378.0
Tennessee	451.8	Hawaii	372.5
Oklahoma	440.7	Utah	351.8
Arkansas	435.8	Nebraska	350.4
Florida	421.8	New York	347.7
Maine	421.1	New Jersey	338.4
Kansas	418.9	Oregon	336.7
West Virginia	414.2	Nevada	330.8
Missouri	412.4	California	327.8
Georgia	408.3	Minnesota	326.6
North Dakota	407.3	Idaho	316.7
Wisconsin	406.8	Washington	315.8
U.S.	404.4	Massachusetts	313.9
Kentucky	401.3	Iowa	293.4
Arizona	387.0	New Hampshire	283.8
Connecticut	386.5	Vermont	273.2
Wyoming	386.3	Alaska	237.6
Colorado	382.6		
New Mexico	380.8		
Texas	378.7		
Montana	378.0		
Hawaii	372.5		
Utah	351.8		
Nebraska	350.4		
New York	347.7		
New Jersey	338.4		
Oregon	336.7		
Nevada	330.8		
California	327.8		
Minnesota	326.6		
Idaho	316.7		
Washington	315.8		
Massachusetts	313.9		
Iowa	293.4		
New Hampshire	283.8		
Vermont	273.2		
Alaska	237.6		

# Sample problems

- and create a map



# Help / Contact Us

To receive technical support with Beyond  
20/20 software and the tables

e-mail: [hdi@cdc.gov](mailto:hdi@cdc.gov)

**THANK YOU !**