

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,426,264	100.0	810.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	631,636	26.0	211.0
2	Malignant neoplasms (C00-C97)	559,888	23.1	187.0
3	Cerebrovascular diseases (I60-I69)	137,119	5.7	45.8
4	Chronic lower respiratory diseases (J40-J47)	124,583	5.1	41.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	121,599	5.0	40.6
6	Diabetes mellitus (E10-E14)	72,449	3.0	24.2
7	Alzheimer's disease (G30)	72,432	3.0	24.2
8	Influenza and pneumonia (J10-J18)	56,326	2.3	18.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45,344	1.9	15.1
10	Septicemia (A40-A41)	34,234	1.4	11.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	33,300	1.4	11.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	27,555	1.1	9.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	23,855	1.0	8.0
14	Parkinson's disease (G20-G21)	19,566	0.8	6.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	18,573	0.8	6.2
...	All other causes (Residual)	447,805	18.5	149.6
Alabama				
...	All causes	46,977	100.0	1,021.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,583	26.8	273.6
2	Malignant neoplasms (C00-C97)	9,899	21.1	215.2
3	Cerebrovascular diseases (I60-I69)	2,740	5.8	59.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,506	5.3	54.5
5	Chronic lower respiratory diseases (J40-J47)	2,309	4.9	50.2
6	Alzheimer's disease (G30)	1,497	3.2	32.6
7	Diabetes mellitus (E10-E14)	1,453	3.1	31.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,104	2.4	24.0
9	Influenza and pneumonia (J10-J18)	918	2.0	20.0
10	Septicemia (A40-A41)	836	1.8	18.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	580	1.2	12.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	489	1.0	10.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	456	1.0	9.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	445	0.9	9.7
15	Parkinson's disease (G20-G21)	291	0.6	6.3
...	All other causes (Residual)	8,871	18.9	192.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,354	100.0	500.6
1	Malignant neoplasms (C00-C97)	790	23.6	117.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	645	19.2	96.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	316	9.4	47.2
4	Cerebrovascular diseases (I60-I69)	177	5.3	26.4
5	Chronic lower respiratory diseases (J40-J47)	140	4.2	20.9
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	135	4.0	20.1
7	Diabetes mellitus (E10-E14)	109	3.2	16.3
8	Alzheimer's disease (G30)	73	2.2	10.9
9	Influenza and pneumonia (J10-J18)	49	1.5	7.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	46	1.4	6.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	1.3	6.6
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	43	1.3	6.4
13	Certain conditions originating in the perinatal period (P00-P96)	30	0.9	4.5
14	Parkinson's disease (G20-G21)	29	0.9	4.3
15	Septicemia (A40-A41)	25	0.7	3.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	0.7	3.7
...	All other causes (Residual)	678	20.2	101.2
Arizona				
...	All causes	46,365	100.0	751.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,607	22.9	172.0
2	Malignant neoplasms (C00-C97)	9,919	21.4	160.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,352	7.2	54.4
4	Chronic lower respiratory diseases (J40-J47)	2,799	6.0	45.4
5	Cerebrovascular diseases (I60-I69)	2,226	4.8	36.1
6	Alzheimer's disease (G30)	2,066	4.5	33.5
7	Diabetes mellitus (E10-E14)	1,206	2.6	19.6
8	Influenza and pneumonia (J10-J18)	1,166	2.5	18.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	979	2.1	15.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	716	1.5	11.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	565	1.2	9.2
12	Septicemia (A40-A41)	557	1.2	9.0
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	549	1.2	8.9
14	Parkinson's disease (G20-G21)	493	1.1	8.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	469	1.0	7.6
...	All other causes (Residual)	8,696	18.8	141.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	27,901	100.0	992.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,431	26.6	264.4
2	Malignant neoplasms (C00-C97)	6,177	22.1	219.8
3	Cerebrovascular diseases (I60-I69)	1,884	6.8	67.0
4	Chronic lower respiratory diseases (J40-J47)	1,498	5.4	53.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,415	5.1	50.3
6	Diabetes mellitus (E10-E14)	839	3.0	29.8
7	Alzheimer's disease (G30)	783	2.8	27.9
8	Influenza and pneumonia (J10-J18)	772	2.8	27.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	616	2.2	21.9
10	Septicemia (A40-A41)	499	1.8	17.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	376	1.3	13.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	259	0.9	9.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	234	0.8	8.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	230	0.8	8.2
15	Pneumonitis due to solids and liquids (J69)	191	0.7	6.8
...	All other causes (Residual)	4,697	16.8	167.1
California				
...	All causes	237,126	100.0	650.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	64,871	27.4	177.9
2	Malignant neoplasms (C00-C97)	54,140	22.8	148.5
3	Cerebrovascular diseases (I60-I69)	15,039	6.3	41.3
4	Chronic lower respiratory diseases (J40-J47)	12,829	5.4	35.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,375	4.8	31.2
6	Alzheimer's disease (G30)	8,146	3.4	22.3
7	Diabetes mellitus (E10-E14)	7,376	3.1	20.2
8	Influenza and pneumonia (J10-J18)	7,338	3.1	20.1
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3,840	1.6	10.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,334	1.4	9.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,162	1.3	8.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,676	1.1	7.3
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,616	1.1	7.2
14	Parkinson's disease (G20-G21)	1,948	0.8	5.3
15	Certain conditions originating in the perinatal period (P00-P96)	1,427	0.6	3.9
...	All other causes (Residual)	37,009	15.6	101.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	29,521	100.0	621.1
1	Malignant neoplasms (C00-C97)	6,550	22.2	137.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,124	20.7	128.8
3	Chronic lower respiratory diseases (J40-J47)	1,932	6.5	40.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,917	6.5	40.3
5	Cerebrovascular diseases (I60-I69)	1,532	5.2	32.2
6	Alzheimer's disease (G30)	1,058	3.6	22.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	730	2.5	15.4
8	Diabetes mellitus (E10-E14)	677	2.3	14.2
9	Influenza and pneumonia (J10-J18)	614	2.1	12.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	472	1.6	9.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	463	1.6	9.7
12	Atherosclerosis (I70)	341	1.2	7.2
13	Septicemia (A40-A41)	327	1.1	6.9
14	Pneumonitis due to solids and liquids (J69)	249	0.8	5.2
15	Parkinson's disease (G20-G21)	244	0.8	5.1
...	All other causes (Residual)	6,291	21.3	132.3
Connecticut				
...	All causes	29,260	100.0	834.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,490	25.6	213.7
2	Malignant neoplasms (C00-C97)	7,044	24.1	201.0
3	Cerebrovascular diseases (I60-I69)	1,547	5.3	44.1
4	Chronic lower respiratory diseases (J40-J47)	1,458	5.0	41.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,302	4.4	37.1
6	Influenza and pneumonia (J10-J18)	800	2.7	22.8
7	Diabetes mellitus (E10-E14)	782	2.7	22.3
8	Alzheimer's disease (G30)	728	2.5	20.8
9	Septicemia (A40-A41)	585	2.0	16.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	567	1.9	16.2
11	Pneumonitis due to solids and liquids (J69)	327	1.1	9.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	311	1.1	8.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	292	1.0	8.3
14	Chronic liver disease and cirrhosis (K70,K73-K74)	273	0.9	7.8
15	Parkinson's disease (G20-G21)	264	0.9	7.5
...	All other causes (Residual)	5,490	18.8	156.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,204	100.0	844.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,866	25.9	218.6
2	Malignant neoplasms (C00-C97)	1,780	24.7	208.6
3	Cerebrovascular diseases (I60-I69)	384	5.3	45.0
4	Chronic lower respiratory diseases (J40-J47)	344	4.8	40.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	329	4.6	38.5
6	Diabetes mellitus (E10-E14)	191	2.7	22.4
7	Alzheimer's disease (G30)	189	2.6	22.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	152	2.1	17.8
9	Influenza and pneumonia (J10-J18)	138	1.9	16.2
10	Septicemia (A40-A41)	117	1.6	13.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	91	1.3	10.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	74	1.0	8.7
13	Certain conditions originating in the perinatal period (P00-P96)	57	0.8	6.7
14	Human immunodeficiency virus (HIV) disease (B20-B24)	54	0.7	6.3
15	Pneumonitis due to solids and liquids (J69)	50	0.7	5.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	50	0.7	5.9
...	All other causes (Residual)	1,338	18.6	156.8
District of Columbia				
...	All causes	5,344	100.0	919.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,566	29.3	269.3
2	Malignant neoplasms (C00-C97)	1,178	22.0	202.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	224	4.2	38.5
4	Cerebrovascular diseases (I60-I69)	221	4.1	38.0
5	Human immunodeficiency virus (HIV) disease (B20-B24)	217	4.1	37.3
6	Diabetes mellitus (E10-E14)	184	3.4	31.6
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	150	2.8	25.8
8	Chronic lower respiratory diseases (J40-J47)	126	2.4	21.7
9	Alzheimer's disease (G30)	117	2.2	20.1
10	Septicemia (A40-A41)	109	2.0	18.7
11	Influenza and pneumonia (J10-J18)	76	1.4	13.1
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	68	1.3	11.7
13	Certain conditions originating in the perinatal period (P00-P96)	58	1.1	10.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	56	1.0	9.6
15	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.0	9.3
...	All other causes (Residual)	940	17.6	161.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	170,066	100.0	940.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,305	26.1	244.9
2	Malignant neoplasms (C00-C97)	40,415	23.8	223.4
3	Cerebrovascular diseases (I60-I69)	8,925	5.2	49.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,917	5.2	49.3
5	Chronic lower respiratory diseases (J40-J47)	8,912	5.2	49.3
6	Diabetes mellitus (E10-E14)	5,172	3.0	28.6
7	Alzheimer's disease (G30)	4,689	2.8	25.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,620	1.5	14.5
9	Influenza and pneumonia (J10-J18)	2,454	1.4	13.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,440	1.4	13.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,185	1.3	12.1
12	Septicemia (A40-A41)	1,949	1.1	10.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,830	1.1	10.1
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,753	1.0	9.7
15	Parkinson's disease (G20-G21)	1,433	0.8	7.9
...	All other causes (Residual)	32,067	18.9	177.3
Georgia				
...	All causes	67,808	100.0	724.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,478	24.3	176.0
2	Malignant neoplasms (C00-C97)	14,474	21.3	154.6
3	Cerebrovascular diseases (I60-I69)	3,889	5.7	41.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,879	5.7	41.4
5	Chronic lower respiratory diseases (J40-J47)	3,387	5.0	36.2
6	Alzheimer's disease (G30)	1,820	2.7	19.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,668	2.5	17.8
8	Diabetes mellitus (E10-E14)	1,657	2.4	17.7
9	Influenza and pneumonia (J10-J18)	1,463	2.2	15.6
10	Septicemia (A40-A41)	1,426	2.1	15.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	942	1.4	10.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	923	1.4	9.9
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	687	1.0	7.3
14	Human immunodeficiency virus (HIV) disease (B20-B24)	684	1.0	7.3
15	Chronic liver disease and cirrhosis (K70,K73-K74)	664	1.0	7.1
...	All other causes (Residual)	13,767	20.3	147.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,432	100.0	733.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,244	23.8	174.6
2	Malignant neoplasms (C00-C97)	2,171	23.0	168.9
3	Cerebrovascular diseases (I60-I69)	665	7.1	51.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	441	4.7	34.3
5	Chronic lower respiratory diseases (J40-J47)	293	3.1	22.8
6	Diabetes mellitus (E10-E14)	271	2.9	21.1
7	Influenza and pneumonia (J10-J18)	257	2.7	20.0
8	Alzheimer's disease (G30)	201	2.1	15.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	179	1.9	13.9
10	Septicemia (A40-A41)	178	1.9	13.8
11	Pneumonitis due to solids and liquids (J69)	123	1.3	9.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	120	1.3	9.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	115	1.2	8.9
14	Parkinson's disease (G20-G21)	96	1.0	7.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	91	1.0	7.1
...	All other causes (Residual)	1,987	21.1	154.6
Idaho				
...	All causes	10,613	100.0	723.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,399	22.6	163.6
2	Malignant neoplasms (C00-C97)	2,306	21.7	157.2
3	Cerebrovascular diseases (I60-I69)	725	6.8	49.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	682	6.4	46.5
5	Chronic lower respiratory diseases (J40-J47)	644	6.1	43.9
6	Alzheimer's disease (G30)	400	3.8	27.3
7	Diabetes mellitus (E10-E14)	320	3.0	21.8
8	Influenza and pneumonia (J10-J18)	225	2.1	15.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	222	2.1	15.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	130	1.2	8.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	124	1.2	8.5
12	Parkinson's disease (G20-G21)	113	1.1	7.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	110	1.0	7.5
14	Certain conditions originating in the perinatal period (P00-P96)	81	0.8	5.5
15	Aortic aneurysm and dissection (I71)	71	0.7	4.8
...	All other causes (Residual)	2,061	19.4	140.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	102,171	100.0	796.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	27,007	26.4	210.5
2	Malignant neoplasms (C00-C97)	24,084	23.6	187.7
3	Cerebrovascular diseases (I60-I69)	5,989	5.9	46.7
4	Chronic lower respiratory diseases (J40-J47)	4,731	4.6	36.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,451	4.4	34.7
6	Diabetes mellitus (E10-E14)	2,795	2.7	21.8
7	Alzheimer's disease (G30)	2,794	2.7	21.8
8	Influenza and pneumonia (J10-J18)	2,668	2.6	20.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,502	2.4	19.5
10	Septicemia (A40-A41)	1,999	2.0	15.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,071	1.0	8.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,010	1.0	7.9
13	Pneumonitis due to solids and liquids (J69)	899	0.9	7.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	896	0.9	7.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	865	0.8	6.7
...	All other causes (Residual)	18,410	18.0	143.5
Indiana				
...	All causes	55,622	100.0	881.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,375	25.8	227.7
2	Malignant neoplasms (C00-C97)	12,903	23.2	204.4
3	Chronic lower respiratory diseases (J40-J47)	3,291	5.9	52.1
4	Cerebrovascular diseases (I60-I69)	3,238	5.8	51.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,480	4.5	39.3
6	Alzheimer's disease (G30)	1,696	3.0	26.9
7	Diabetes mellitus (E10-E14)	1,682	3.0	26.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,372	2.5	21.7
9	Influenza and pneumonia (J10-J18)	1,129	2.0	17.9
10	Septicemia (A40-A41)	832	1.5	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	824	1.5	13.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	533	1.0	8.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	510	0.9	8.1
14	Pneumonitis due to solids and liquids (J69)	464	0.8	7.3
15	Parkinson's disease (G20-G21)	433	0.8	6.9
...	All other causes (Residual)	9,860	17.7	156.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable



LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	27,362	100.0	917.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,172	26.2	240.5
2	Malignant neoplasms (C00-C97)	6,359	23.2	213.2
3	Cerebrovascular diseases (I60-I69)	1,718	6.3	57.6
4	Chronic lower respiratory diseases (J40-J47)	1,655	6.0	55.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,188	4.3	39.8
6	Alzheimer's disease (G30)	1,121	4.1	37.6
7	Diabetes mellitus (E10-E14)	804	2.9	27.0
8	Influenza and pneumonia (J10-J18)	770	2.8	25.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	334	1.2	11.2
10	Parkinson's disease (G20-G21)	301	1.1	10.1
11	Pneumonitis due to solids and liquids (J69)	283	1.0	9.5
12	Septicemia (A40-A41)	260	1.0	8.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	252	0.9	8.5
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	225	0.8	7.5
15	Aortic aneurysm and dissection (I71)	187	0.7	6.3
...	All other causes (Residual)	4,733	17.3	158.7
Kansas				
...	All causes	24,553	100.0	888.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,849	23.8	211.6
2	Malignant neoplasms (C00-C97)	5,343	21.8	193.3
3	Chronic lower respiratory diseases (J40-J47)	1,501	6.1	54.3
4	Cerebrovascular diseases (I60-I69)	1,489	6.1	53.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,198	4.9	43.3
6	Alzheimer's disease (G30)	830	3.4	30.0
7	Diabetes mellitus (E10-E14)	749	3.1	27.1
8	Influenza and pneumonia (J10-J18)	647	2.6	23.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	594	2.4	21.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	379	1.5	13.7
11	Atherosclerosis (I70)	321	1.3	11.6
12	Septicemia (A40-A41)	292	1.2	10.6
13	Parkinson's disease (G20-G21)	245	1.0	8.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	224	0.9	8.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	203	0.8	7.3
...	All other causes (Residual)	4,689	19.1	169.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	40,102	100.0	953.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,353	25.8	246.1
2	Malignant neoplasms (C00-C97)	9,394	23.4	223.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,446	6.1	58.2
4	Chronic lower respiratory diseases (J40-J47)	2,407	6.0	57.2
5	Cerebrovascular diseases (I60-I69)	2,197	5.5	52.2
6	Alzheimer's disease (G30)	1,153	2.9	27.4
7	Diabetes mellitus (E10-E14)	1,141	2.8	27.1
8	Influenza and pneumonia (J10-J18)	927	2.3	22.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	922	2.3	21.9
10	Septicemia (A40-A41)	630	1.6	15.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	622	1.6	14.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	359	0.9	8.5
13	Pneumonitis due to solids and liquids (J69)	350	0.9	8.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	326	0.8	7.8
15	Parkinson's disease (G20-G21)	265	0.7	6.3
...	All other causes (Residual)	6,610	16.5	157.2
Louisiana				
...	All causes	40,045	100.0	933.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,026	25.0	233.8
2	Malignant neoplasms (C00-C97)	8,853	22.1	206.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,422	6.0	56.5
4	Cerebrovascular diseases (I60-I69)	2,195	5.5	51.2
5	Chronic lower respiratory diseases (J40-J47)	1,687	4.2	39.3
6	Diabetes mellitus (E10-E14)	1,536	3.8	35.8
7	Alzheimer's disease (G30)	1,282	3.2	29.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,074	2.7	25.0
9	Influenza and pneumonia (J10-J18)	833	2.1	19.4
10	Septicemia (A40-A41)	771	1.9	18.0
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	554	1.4	12.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	492	1.2	11.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	382	1.0	8.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	342	0.9	8.0
15	Human immunodeficiency virus (HIV) disease (B20-B24)	338	0.8	7.9
...	All other causes (Residual)	7,258	18.1	169.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,294	100.0	930.3
1	Malignant neoplasms (C00-C97)	3,089	25.1	233.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,815	22.9	213.0
3	Chronic lower respiratory diseases (J40-J47)	783	6.4	59.2
4	Cerebrovascular diseases (I60-I69)	670	5.4	50.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	572	4.7	43.3
6	Alzheimer's disease (G30)	477	3.9	36.1
7	Diabetes mellitus (E10-E14)	343	2.8	26.0
8	Influenza and pneumonia (J10-J18)	269	2.2	20.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	252	2.0	19.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	158	1.3	12.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	147	1.2	11.1
12	Septicemia (A40-A41)	138	1.1	10.4
13	Parkinson's disease (G20-G21)	108	0.9	8.2
14	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	94	0.8	7.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	91	0.7	6.9
15	Pneumonitis due to solids and liquids (J69)	91	0.7	6.9
...	All other causes (Residual)	2,197	17.9	166.2
Maryland				
...	All causes	43,582	100.0	776.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,268	25.9	200.7
2	Malignant neoplasms (C00-C97)	10,350	23.7	184.3
3	Cerebrovascular diseases (I60-I69)	2,365	5.4	42.1
4	Chronic lower respiratory diseases (J40-J47)	1,832	4.2	32.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,456	3.3	25.9
6	Diabetes mellitus (E10-E14)	1,237	2.8	22.0
7	Influenza and pneumonia (J10-J18)	1,082	2.5	19.3
8	Septicemia (A40-A41)	972	2.2	17.3
9	Alzheimer's disease (G30)	915	2.1	16.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	767	1.8	13.7
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	568	1.3	10.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	495	1.1	8.8
13	Human immunodeficiency virus (HIV) disease (B20-B24)	483	1.1	8.6
14	Chronic liver disease and cirrhosis (K70,K73-K74)	408	0.9	7.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	378	0.9	6.7
...	All other causes (Residual)	9,006	20.7	160.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	53,450	100.0	830.3
1	Malignant neoplasms (C00-C97)	13,407	25.1	208.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,947	24.2	201.1
3	Cerebrovascular diseases (I60-I69)	2,880	5.4	44.7
4	Chronic lower respiratory diseases (J40-J47)	2,535	4.7	39.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,214	4.1	34.4
6	Influenza and pneumonia (J10-J18)	1,750	3.3	27.2
7	Alzheimer's disease (G30)	1,560	2.9	24.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,406	2.6	21.8
9	Diabetes mellitus (E10-E14)	1,132	2.1	17.6
10	Septicemia (A40-A41)	900	1.7	14.0
11	Pneumonitis due to solids and liquids (J69)	529	1.0	8.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	508	1.0	7.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	450	0.8	7.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	424	0.8	6.6
15	Parkinson's disease (G20-G21)	421	0.8	6.5
...	All other causes (Residual)	10,387	19.4	161.4
Michigan				
...	All causes	86,042	100.0	852.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,255	28.2	240.3
2	Malignant neoplasms (C00-C97)	20,192	23.5	200.0
3	Cerebrovascular diseases (I60-I69)	4,752	5.5	47.1
4	Chronic lower respiratory diseases (J40-J47)	4,474	5.2	44.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,590	4.2	35.6
6	Diabetes mellitus (E10-E14)	2,830	3.3	28.0
7	Alzheimer's disease (G30)	2,331	2.7	23.1
8	Influenza and pneumonia (J10-J18)	1,679	2.0	16.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,673	1.9	16.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,139	1.3	11.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	981	1.1	9.7
12	Septicemia (A40-A41)	938	1.1	9.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	768	0.9	7.6
14	Parkinson's disease (G20-G21)	738	0.9	7.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	722	0.8	7.2
...	All other causes (Residual)	14,980	17.4	148.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	37,028	100.0	716.6
1	Malignant neoplasms (C00-C97)	9,079	24.5	175.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,525	20.3	145.6
3	Cerebrovascular diseases (I60-I69)	2,219	6.0	42.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,919	5.2	37.1
5	Chronic lower respiratory diseases (J40-J47)	1,770	4.8	34.3
6	Alzheimer's disease (G30)	1,299	3.5	25.1
7	Diabetes mellitus (E10-E14)	1,158	3.1	22.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	711	1.9	13.8
9	Influenza and pneumonia (J10-J18)	630	1.7	12.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	554	1.5	10.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	457	1.2	8.8
12	Parkinson's disease (G20-G21)	433	1.2	8.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	325	0.9	6.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	266	0.7	5.1
15	Septicemia (A40-A41)	262	0.7	5.1
...	All other causes (Residual)	8,421	22.7	163.0
Mississippi				
...	All causes	28,564	100.0	981.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,097	28.3	278.2
2	Malignant neoplasms (C00-C97)	6,236	21.8	214.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,856	6.5	63.8
4	Cerebrovascular diseases (I60-I69)	1,585	5.5	54.5
5	Chronic lower respiratory diseases (J40-J47)	1,378	4.8	47.3
6	Alzheimer's disease (G30)	744	2.6	25.6
7	Diabetes mellitus (E10-E14)	707	2.5	24.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	673	2.4	23.1
9	Influenza and pneumonia (J10-J18)	621	2.2	21.3
10	Septicemia (A40-A41)	537	1.9	18.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	385	1.3	13.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	325	1.1	11.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	318	1.1	10.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	267	0.9	9.2
15	Certain conditions originating in the perinatal period (P00-P96)	217	0.8	7.5
...	All other causes (Residual)	4,618	16.2	158.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	54,681	100.0	935.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,749	27.0	252.4
2	Malignant neoplasms (C00-C97)	12,519	22.9	214.3
3	Cerebrovascular diseases (I60-I69)	3,247	5.9	55.6
4	Chronic lower respiratory diseases (J40-J47)	3,017	5.5	51.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,009	5.5	51.5
6	Alzheimer's disease (G30)	1,632	3.0	27.9
7	Diabetes mellitus (E10-E14)	1,493	2.7	25.6
8	Influenza and pneumonia (J10-J18)	1,285	2.3	22.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,118	2.0	19.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	799	1.5	13.7
11	Septicemia (A40-A41)	725	1.3	12.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	458	0.8	7.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	430	0.8	7.4
14	Pneumonitis due to solids and liquids (J69)	418	0.8	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	412	0.8	7.1
...	All other causes (Residual)	9,370	17.1	160.4
Montana				
...	All causes	8,472	100.0	896.9
1	Malignant neoplasms (C00-C97)	1,943	22.9	205.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,869	22.1	197.9
3	Chronic lower respiratory diseases (J40-J47)	579	6.8	61.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	558	6.6	59.1
5	Cerebrovascular diseases (I60-I69)	461	5.4	48.8
6	Diabetes mellitus (E10-E14)	249	2.9	26.4
7	Alzheimer's disease (G30)	226	2.7	23.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	189	2.2	20.0
9	Influenza and pneumonia (J10-J18)	169	2.0	17.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	132	1.6	14.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	113	1.3	12.0
12	Septicemia (A40-A41)	73	0.9	7.7
13	Pneumonitis due to solids and liquids (J69)	72	0.8	7.6
14	Parkinson's disease (G20-G21)	68	0.8	7.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	62	0.7	6.6
...	All other causes (Residual)	1,709	20.2	180.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	14,899	100.0	842.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,445	23.1	194.8
2	Malignant neoplasms (C00-C97)	3,430	23.0	194.0
3	Cerebrovascular diseases (I60-I69)	922	6.2	52.1
4	Chronic lower respiratory diseases (J40-J47)	878	5.9	49.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	683	4.6	38.6
6	Alzheimer's disease (G30)	500	3.4	28.3
7	Diabetes mellitus (E10-E14)	437	2.9	24.7
8	Influenza and pneumonia (J10-J18)	345	2.3	19.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	249	1.7	14.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	202	1.4	11.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	163	1.1	9.2
12	Parkinson's disease (G20-G21)	157	1.1	8.9
13	Septicemia (A40-A41)	130	0.9	7.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	123	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	111	0.7	6.3
...	All other causes (Residual)	3,124	21.0	176.7
Nevada				
...	All causes	18,872	100.0	756.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,013	26.6	200.9
2	Malignant neoplasms (C00-C97)	4,226	22.4	169.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,091	5.8	43.7
4	Chronic lower respiratory diseases (J40-J47)	1,066	5.6	42.7
5	Cerebrovascular diseases (I60-I69)	847	4.5	33.9
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	486	2.6	19.5
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	475	2.5	19.0
8	Influenza and pneumonia (J10-J18)	426	2.3	17.1
9	Septicemia (A40-A41)	403	2.1	16.1
10	Diabetes mellitus (E10-E14)	294	1.6	11.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	291	1.5	11.7
12	Alzheimer's disease (G30)	281	1.5	11.3
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	219	1.2	8.8
14	Atherosclerosis (I70)	141	0.7	5.7
15	Certain conditions originating in the perinatal period (P00-P96)	120	0.6	4.8
...	All other causes (Residual)	3,493	18.5	140.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,060	100.0	765.1
1	Malignant neoplasms (C00-C97)	2,534	25.2	192.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,501	24.9	190.2
3	Chronic lower respiratory diseases (J40-J47)	603	6.0	45.9
4	Cerebrovascular diseases (I60-I69)	494	4.9	37.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	460	4.6	35.0
6	Alzheimer's disease (G30)	372	3.7	28.3
7	Diabetes mellitus (E10-E14)	296	2.9	22.5
8	Influenza and pneumonia (J10-J18)	212	2.1	16.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	160	1.6	12.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	151	1.5	11.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	100	1.0	7.6
12	Parkinson's disease (G20-G21)	92	0.9	7.0
13	Septicemia (A40-A41)	91	0.9	6.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	83	0.8	6.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	71	0.7	5.4
...	All other causes (Residual)	1,840	18.3	139.9
New Jersey				
...	All causes	70,356	100.0	806.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	19,548	27.8	224.1
2	Malignant neoplasms (C00-C97)	17,180	24.4	196.9
3	Cerebrovascular diseases (I60-I69)	3,468	4.9	39.7
4	Chronic lower respiratory diseases (J40-J47)	2,862	4.1	32.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,590	3.7	29.7
6	Diabetes mellitus (E10-E14)	2,454	3.5	28.1
7	Septicemia (A40-A41)	1,871	2.7	21.4
8	Alzheimer's disease (G30)	1,649	2.3	18.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,645	2.3	18.9
10	Influenza and pneumonia (J10-J18)	1,315	1.9	15.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	674	1.0	7.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	585	0.8	6.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	557	0.8	6.4
14	Human immunodeficiency virus (HIV) disease (B20-B24)	539	0.8	6.2
14	Parkinson's disease (G20-G21)	539	0.8	6.2
...	All other causes (Residual)	12,880	18.3	147.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable



LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	15,296	100.0	782.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,411	22.3	174.5
2	Malignant neoplasms (C00-C97)	3,147	20.6	161.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,297	8.5	66.4
4	Chronic lower respiratory diseases (J40-J47)	888	5.8	45.4
5	Cerebrovascular diseases (I60-I69)	739	4.8	37.8
6	Diabetes mellitus (E10-E14)	606	4.0	31.0
7	Influenza and pneumonia (J10-J18)	353	2.3	18.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	352	2.3	18.0
9	Alzheimer's disease (G30)	348	2.3	17.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	308	2.0	15.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	262	1.7	13.4
12	Parkinson's disease (G20-G21)	180	1.2	9.2
13	Septicemia (A40-A41)	165	1.1	8.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	135	0.9	6.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	101	0.7	5.2
...	All other causes (Residual)	3,004	19.6	153.7
New York				
...	All causes	148,806	100.0	770.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	50,470	33.9	261.4
2	Malignant neoplasms (C00-C97)	35,284	23.7	182.8
3	Cerebrovascular diseases (I60-I69)	6,398	4.3	33.1
4	Chronic lower respiratory diseases (J40-J47)	6,329	4.3	32.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,235	3.5	27.1
6	Influenza and pneumonia (J10-J18)	4,892	3.3	25.3
7	Diabetes mellitus (E10-E14)	3,848	2.6	19.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,351	1.6	12.2
9	Septicemia (A40-A41)	2,309	1.6	12.0
10	Alzheimer's disease (G30)	2,021	1.4	10.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,613	1.1	8.4
12	Human immunodeficiency virus (HIV) disease (B20-B24)	1,471	1.0	7.6
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,326	0.9	6.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,223	0.8	6.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	962	0.6	5.0
...	All other causes (Residual)	23,074	15.5	119.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	74,716	100.0	843.6
1	Malignant neoplasms (C00-C97)	17,318	23.2	195.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,271	23.1	195.0
3	Cerebrovascular diseases (I60-I69)	4,572	6.1	51.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,156	5.6	46.9
5	Chronic lower respiratory diseases (J40-J47)	4,017	5.4	45.4
6	Alzheimer's disease (G30)	2,265	3.0	25.6
7	Diabetes mellitus (E10-E14)	2,234	3.0	25.2
8	Influenza and pneumonia (J10-J18)	1,705	2.3	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,661	2.2	18.8
10	Septicemia (A40-A41)	1,193	1.6	13.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,106	1.5	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	804	1.1	9.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	715	1.0	8.1
14	Pneumonitis due to solids and liquids (J69)	656	0.9	7.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	622	0.8	7.0
...	All other causes (Residual)	14,421	19.3	162.8
North Dakota				
...	All causes	5,868	100.0	922.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,527	26.0	240.1
2	Malignant neoplasms (C00-C97)	1,387	23.6	218.1
3	Cerebrovascular diseases (I60-I69)	428	7.3	67.3
4	Alzheimer's disease (G30)	318	5.4	50.0
5	Chronic lower respiratory diseases (J40-J47)	283	4.8	44.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	275	4.7	43.2
7	Diabetes mellitus (E10-E14)	208	3.5	32.7
8	Influenza and pneumonia (J10-J18)	138	2.4	21.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	90	1.5	14.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	61	1.0	9.6
11	Parkinson's disease (G20-G21)	60	1.0	9.4
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	59	1.0	9.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	51	0.9	8.0
14	Pneumonitis due to solids and liquids (J69)	50	0.9	7.9
15	Septicemia (A40-A41)	39	0.7	6.1
15	Aortic aneurysm and dissection (I71)	39	0.7	6.1
...	All other causes (Residual)	855	14.6	134.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	106,825	100.0	930.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	27,886	26.1	243.0
2	Malignant neoplasms (C00-C97)	24,975	23.4	217.6
3	Chronic lower respiratory diseases (J40-J47)	6,054	5.7	52.7
4	Cerebrovascular diseases (I60-I69)	5,828	5.5	50.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,821	4.5	42.0
6	Diabetes mellitus (E10-E14)	3,761	3.5	32.8
7	Alzheimer's disease (G30)	3,565	3.3	31.1
8	Influenza and pneumonia (J10-J18)	1,947	1.8	17.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,758	1.6	15.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,325	1.2	11.5
11	Septicemia (A40-A41)	1,254	1.2	10.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,164	1.1	10.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,096	1.0	9.5
14	Parkinson's disease (G20-G21)	901	0.8	7.8
15	Pneumonitis due to solids and liquids (J69)	805	0.8	7.0
...	All other causes (Residual)	19,685	18.4	171.5
Oklahoma				
...	All causes	35,427	100.0	989.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,798	27.7	273.7
2	Malignant neoplasms (C00-C97)	7,491	21.1	209.3
3	Chronic lower respiratory diseases (J40-J47)	2,192	6.2	61.2
4	Cerebrovascular diseases (I60-I69)	2,085	5.9	58.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,039	5.8	57.0
6	Diabetes mellitus (E10-E14)	1,166	3.3	32.6
7	Alzheimer's disease (G30)	928	2.6	25.9
8	Influenza and pneumonia (J10-J18)	879	2.5	24.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	594	1.7	16.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	537	1.5	15.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	445	1.3	12.4
12	Septicemia (A40-A41)	412	1.2	11.5
13	Parkinson's disease (G20-G21)	272	0.8	7.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	244	0.7	6.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	226	0.6	6.3
...	All other causes (Residual)	6,119	17.3	171.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	31,380	100.0	847.9
1	Malignant neoplasms (C00-C97)	7,309	23.3	197.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,620	21.1	178.9
3	Cerebrovascular diseases (I60-I69)	1,978	6.3	53.4
4	Chronic lower respiratory diseases (J40-J47)	1,828	5.8	49.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,586	5.1	42.9
6	Alzheimer's disease (G30)	1,231	3.9	33.3
7	Diabetes mellitus (E10-E14)	1,139	3.6	30.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	579	1.8	15.6
9	Influenza and pneumonia (J10-J18)	522	1.7	14.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	422	1.3	11.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	363	1.2	9.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	353	1.1	9.5
13	Parkinson's disease (G20-G21)	346	1.1	9.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	222	0.7	6.0
15	Aortic aneurysm and dissection (I71)	210	0.7	5.7
...	All other causes (Residual)	6,672	21.3	180.3
Pennsylvania				
...	All causes	125,539	100.0	1,009.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	33,744	26.9	271.2
2	Malignant neoplasms (C00-C97)	29,172	23.2	234.5
3	Cerebrovascular diseases (I60-I69)	7,151	5.7	57.5
4	Chronic lower respiratory diseases (J40-J47)	5,621	4.5	45.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,299	4.2	42.6
6	Diabetes mellitus (E10-E14)	3,466	2.8	27.9
7	Alzheimer's disease (G30)	3,311	2.6	26.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,084	2.5	24.8
9	Influenza and pneumonia (J10-J18)	2,716	2.2	21.8
10	Septicemia (A40-A41)	2,466	2.0	19.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,396	1.1	11.2
12	Parkinson's disease (G20-G21)	1,184	0.9	9.5
13	Pneumonitis due to solids and liquids (J69)	1,129	0.9	9.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,057	0.8	8.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	971	0.8	7.8
...	All other causes (Residual)	23,772	18.9	191.1

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,690	100.0	907.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,718	28.0	254.6
2	Malignant neoplasms (C00-C97)	2,250	23.2	210.8
3	Chronic lower respiratory diseases (J40-J47)	485	5.0	45.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	434	4.5	40.7
5	Cerebrovascular diseases (I60-I69)	421	4.3	39.4
6	Alzheimer's disease (G30)	297	3.1	27.8
7	Influenza and pneumonia (J10-J18)	268	2.8	25.1
8	Diabetes mellitus (E10-E14)	206	2.1	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	167	1.7	15.6
10	Septicemia (A40-A41)	122	1.3	11.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	106	1.1	9.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	90	0.9	8.4
13	Pneumonitis due to solids and liquids (J69)	86	0.9	8.1
14	Parkinson's disease (G20-G21)	80	0.8	7.5
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	71	0.7	6.7
...	All other causes (Residual)	1,889	19.5	176.9
South Carolina				
...	All causes	38,761	100.0	897.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,030	23.3	209.0
2	Malignant neoplasms (C00-C97)	8,853	22.8	204.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,315	6.0	53.6
4	Cerebrovascular diseases (I60-I69)	2,291	5.9	53.0
5	Chronic lower respiratory diseases (J40-J47)	1,935	5.0	44.8
6	Alzheimer's disease (G30)	1,364	3.5	31.6
7	Diabetes mellitus (E10-E14)	1,136	2.9	26.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	846	2.2	19.6
9	Influenza and pneumonia (J10-J18)	724	1.9	16.8
10	Septicemia (A40-A41)	602	1.6	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	524	1.4	12.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	479	1.2	11.1
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	391	1.0	9.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	378	1.0	8.7
15	Parkinson's disease (G20-G21)	279	0.7	6.5
...	All other causes (Residual)	7,614	19.6	176.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,084	100.0	906.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,757	24.8	224.7
2	Malignant neoplasms (C00-C97)	1,570	22.2	200.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	452	6.4	57.8
4	Cerebrovascular diseases (I60-I69)	442	6.2	56.5
5	Chronic lower respiratory diseases (J40-J47)	376	5.3	48.1
6	Alzheimer's disease (G30)	329	4.6	42.1
7	Diabetes mellitus (E10-E14)	262	3.7	33.5
8	Influenza and pneumonia (J10-J18)	173	2.4	22.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	125	1.8	16.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	82	1.2	10.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	81	1.1	10.4
12	Parkinson's disease (G20-G21)	74	1.0	9.5
13	Septicemia (A40-A41)	66	0.9	8.4
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	62	0.9	7.9
15	Aortic aneurysm and dissection (I71)	49	0.7	6.3
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	49	0.7	6.3
...	All other causes (Residual)	1,135	16.0	145.2
Tennessee				
...	All causes	56,838	100.0	941.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,642	25.8	242.5
2	Malignant neoplasms (C00-C97)	13,051	23.0	216.1
3	Cerebrovascular diseases (I60-I69)	3,407	6.0	56.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,307	5.8	54.8
5	Chronic lower respiratory diseases (J40-J47)	2,980	5.2	49.3
6	Alzheimer's disease (G30)	2,115	3.7	35.0
7	Diabetes mellitus (E10-E14)	1,715	3.0	28.4
8	Influenza and pneumonia (J10-J18)	1,535	2.7	25.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	874	1.5	14.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	768	1.4	12.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	636	1.1	10.5
12	Septicemia (A40-A41)	624	1.1	10.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	544	1.0	9.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	486	0.9	8.0
15	Pneumonitis due to solids and liquids (J69)	453	0.8	7.5
...	All other causes (Residual)	9,701	17.1	160.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	157,150	100.0	668.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,782	24.7	165.0
2	Malignant neoplasms (C00-C97)	34,939	22.2	148.6
3	Cerebrovascular diseases (I60-I69)	9,366	6.0	39.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,140	5.8	38.9
5	Chronic lower respiratory diseases (J40-J47)	7,639	4.9	32.5
6	Diabetes mellitus (E10-E14)	5,201	3.3	22.1
7	Alzheimer's disease (G30)	4,887	3.1	20.8
8	Influenza and pneumonia (J10-J18)	3,342	2.1	14.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,995	1.9	12.7
10	Septicemia (A40-A41)	2,672	1.7	11.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,385	1.5	10.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,347	1.5	10.0
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,467	0.9	6.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,427	0.9	6.1
15	Parkinson's disease (G20-G21)	1,246	0.8	5.3
...	All other causes (Residual)	29,315	18.7	124.7
Utah				
...	All causes	13,764	100.0	539.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,932	21.3	115.0
2	Malignant neoplasms (C00-C97)	2,615	19.0	102.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	715	5.2	28.0
4	Cerebrovascular diseases (I60-I69)	674	4.9	26.4
5	Chronic lower respiratory diseases (J40-J47)	591	4.3	23.2
6	Diabetes mellitus (E10-E14)	496	3.6	19.5
7	Alzheimer's disease (G30)	390	2.8	15.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	362	2.6	14.2
9	Influenza and pneumonia (J10-J18)	343	2.5	13.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	210	1.5	8.2
11	Parkinson's disease (G20-G21)	168	1.2	6.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	134	1.0	5.3
13	Certain conditions originating in the perinatal period (P00-P96)	126	0.9	4.9
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	118	0.9	4.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	112	0.8	4.4
...	All other causes (Residual)	3,778	27.4	148.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,048	100.0	809.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,244	24.6	199.4
2	Malignant neoplasms (C00-C97)	1,214	24.0	194.6
3	Chronic lower respiratory diseases (J40-J47)	320	6.3	51.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	301	6.0	48.2
5	Cerebrovascular diseases (I60-I69)	264	5.2	42.3
6	Alzheimer's disease (G30)	186	3.7	29.8
7	Diabetes mellitus (E10-E14)	175	3.5	28.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	81	1.6	13.0
9	Influenza and pneumonia (J10-J18)	77	1.5	12.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	55	1.1	8.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	52	1.0	8.3
12	Parkinson's disease (G20-G21)	51	1.0	8.2
13	Pneumonitis due to solids and liquids (J69)	37	0.7	5.9
14	Aortic aneurysm and dissection (I71)	36	0.7	5.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	31	0.6	5.0
...	All other causes (Residual)	924	18.3	148.1
Virginia				
...	All causes	57,690	100.0	754.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,021	24.3	183.5
2	Malignant neoplasms (C00-C97)	13,829	24.0	180.9
3	Cerebrovascular diseases (I60-I69)	3,523	6.1	46.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,703	4.7	35.4
5	Chronic lower respiratory diseases (J40-J47)	2,697	4.7	35.3
6	Diabetes mellitus (E10-E14)	1,632	2.8	21.4
7	Alzheimer's disease (G30)	1,574	2.7	20.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,400	2.4	18.3
9	Influenza and pneumonia (J10-J18)	1,281	2.2	16.8
10	Septicemia (A40-A41)	1,264	2.2	16.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	876	1.5	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	567	1.0	7.4
13	Pneumonitis due to solids and liquids (J69)	564	1.0	7.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	500	0.9	6.5
15	Parkinson's disease (G20-G21)	436	0.8	5.7
...	All other causes (Residual)	10,823	18.8	141.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable



LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	46,120	100.0	721.1
1	Malignant neoplasms (C00-C97)	11,055	24.0	172.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,604	23.0	165.8
3	Cerebrovascular diseases (I60-I69)	2,725	5.9	42.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,679	5.8	41.9
5	Chronic lower respiratory diseases (J40-J47)	2,662	5.8	41.6
6	Alzheimer's disease (G30)	2,470	5.4	38.6
7	Diabetes mellitus (E10-E14)	1,543	3.3	24.1
8	Influenza and pneumonia (J10-J18)	814	1.8	12.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	809	1.8	12.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	601	1.3	9.4
11	Parkinson's disease (G20-G21)	466	1.0	7.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	446	1.0	7.0
13	Pneumonitis due to solids and liquids (J69)	438	0.9	6.8
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	423	0.9	6.6
15	Septicemia (A40-A41)	369	0.8	5.8
...	All other causes (Residual)	8,016	17.4	125.3
West Virginia				
...	All causes	20,672	100.0	1,136.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,311	25.7	292.1
2	Malignant neoplasms (C00-C97)	4,613	22.3	253.7
3	Chronic lower respiratory diseases (J40-J47)	1,267	6.1	69.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,177	5.7	64.7
5	Cerebrovascular diseases (I60-I69)	1,072	5.2	59.0
6	Diabetes mellitus (E10-E14)	743	3.6	40.9
7	Alzheimer's disease (G30)	496	2.4	27.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	468	2.3	25.7
9	Influenza and pneumonia (J10-J18)	459	2.2	25.2
10	Septicemia (A40-A41)	338	1.6	18.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	269	1.3	14.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	237	1.1	13.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	228	1.1	12.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	132	0.6	7.3
14	Aortic aneurysm and dissection (I71)	132	0.6	7.3
...	All other causes (Residual)	3,730	18.0	205.1

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2006

[Rates per 100,000 population. The title for Essential hypertension and hypertensive renal disease was changed in 2006 to reflect the addition of Secondary hypertension (ICD code I15); see the "Technical Notes" of *Deaths: Final Data for 2006*]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	46,153	100.0	830.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,451	24.8	206.1
2	Malignant neoplasms (C00-C97)	10,925	23.7	196.6
3	Cerebrovascular diseases (I60-I69)	2,829	6.1	50.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,524	5.5	45.4
5	Chronic lower respiratory diseases (J40-J47)	2,354	5.1	42.4
6	Alzheimer's disease (G30)	1,596	3.5	28.7
7	Diabetes mellitus (E10-E14)	1,212	2.6	21.8
8	Influenza and pneumonia (J10-J18)	1,014	2.2	18.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	962	2.1	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	670	1.5	12.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	452	1.0	8.1
12	Parkinson's disease (G20-G21)	445	1.0	8.0
13	Septicemia (A40-A41)	430	0.9	7.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	398	0.9	7.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	359	0.8	6.5
...	All other causes (Residual)	8,532	18.5	153.5
Wyoming				
...	All causes	4,311	100.0	837.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	994	23.1	193.0
2	Malignant neoplasms (C00-C97)	927	21.5	180.0
3	Chronic lower respiratory diseases (J40-J47)	345	8.0	67.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	306	7.1	59.4
5	Cerebrovascular diseases (I60-I69)	236	5.5	45.8
6	Diabetes mellitus (E10-E14)	126	2.9	24.5
7	Influenza and pneumonia (J10-J18)	117	2.7	22.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	116	2.7	22.5
9	Alzheimer's disease (G30)	112	2.6	21.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	69	1.6	13.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	58	1.3	11.3
12	Septicemia (A40-A41)	31	0.7	6.0
12	Parkinson's disease (G20-G21)	31	0.7	6.0
14	Aortic aneurysm and dissection (I71)	30	0.7	5.8
15	Pneumonitis due to solids and liquids (J69)	29	0.7	5.6
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	29	0.7	5.6
...	All other causes (Residual)	755	17.5	146.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable