

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,468,435	100.0	799.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	597,689	24.2	193.6
2	Malignant neoplasms (C00-C97)	574,743	23.3	186.2
3	Chronic lower respiratory diseases (J40-J47)	138,080	5.6	44.7
4	Cerebrovascular diseases (I60-I69)	129,476	5.2	41.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	120,859	4.9	39.1
6	Alzheimer's disease (G30)	83,494	3.4	27.0
7	Diabetes mellitus (E10-E14)	69,071	2.8	22.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50,476	2.0	16.3
9	Influenza and pneumonia (J09-J18)	50,097	2.0	16.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	38,364	1.6	12.4
11	Septicemia (A40-A41)	34,812	1.4	11.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	31,903	1.3	10.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	26,634	1.1	8.6
14	Parkinson's disease (G20-G21)	22,032	0.9	7.1
15	Pneumonitis due to solids and liquids (J69)	17,011	0.7	5.5
...	All other causes (Residual)	483,694	19.6	156.7
Alabama				
...	All causes	48,038	100.0	1,005.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,083	25.2	252.8
2	Malignant neoplasms (C00-C97)	10,196	21.2	213.3
3	Chronic lower respiratory diseases (J40-J47)	2,866	6.0	60.0
4	Cerebrovascular diseases (I60-I69)	2,619	5.5	54.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,394	5.0	50.1
6	Alzheimer's disease (G30)	1,523	3.2	31.9
7	Diabetes mellitus (E10-E14)	1,302	2.7	27.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,184	2.5	24.8
9	Influenza and pneumonia (J09-J18)	942	2.0	19.7
10	Septicemia (A40-A41)	869	1.8	18.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	679	1.4	14.2
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	549	1.1	11.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	504	1.0	10.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	391	0.8	8.2
15	Parkinson's disease (G20-G21)	342	0.7	7.2
...	All other causes (Residual)	9,595	20.0	200.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,728	100.0	524.9
1	Malignant neoplasms (C00-C97)	884	23.7	124.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	707	19.0	99.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	366	9.8	51.5
4	Chronic lower respiratory diseases (J40-J47)	176	4.7	24.8
5	Cerebrovascular diseases (I60-I69)	167	4.5	23.5
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	164	4.4	23.1
7	Diabetes mellitus (E10-E14)	86	2.3	12.1
8	Alzheimer's disease (G30)	85	2.3	12.0
9	Chronic liver disease and cirrhosis (K70,K73-K74)	70	1.9	9.9
10	Influenza and pneumonia (J09-J18)	64	1.7	9.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.5	7.9
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	44	1.2	6.2
13	Septicemia (A40-A41)	36	1.0	5.1
14	Parkinson's disease (G20-G21)	32	0.9	4.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	26	0.7	3.7
...	All other causes (Residual)	765	20.5	107.7
Arizona				
...	All causes	46,762	100.0	731.6
1	Malignant neoplasms (C00-C97)	10,678	22.8	167.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,954	21.3	155.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,018	6.5	47.2
4	Chronic lower respiratory diseases (J40-J47)	2,926	6.3	45.8
5	Alzheimer's disease (G30)	2,327	5.0	36.4
6	Cerebrovascular diseases (I60-I69)	2,138	4.6	33.4
7	Diabetes mellitus (E10-E14)	1,389	3.0	21.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,093	2.3	17.1
9	Chronic liver disease and cirrhosis (K70,K73-K74)	870	1.9	13.6
10	Influenza and pneumonia (J09-J18)	768	1.6	12.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	537	1.1	8.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	508	1.1	7.9
13	Parkinson's disease (G20-G21)	489	1.0	7.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	451	1.0	7.1
15	Septicemia (A40-A41)	446	1.0	7.0
...	All other causes (Residual)	9,170	19.6	143.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	28,916	100.0	991.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,274	25.2	249.5
2	Malignant neoplasms (C00-C97)	6,475	22.4	222.1
3	Chronic lower respiratory diseases (J40-J47)	1,773	6.1	60.8
4	Cerebrovascular diseases (I60-I69)	1,741	6.0	59.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,461	5.1	50.1
6	Alzheimer's disease (G30)	955	3.3	32.8
7	Diabetes mellitus (E10-E14)	850	2.9	29.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	737	2.5	25.3
9	Influenza and pneumonia (J09-J18)	647	2.2	22.2
10	Septicemia (A40-A41)	492	1.7	16.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	447	1.5	15.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	327	1.1	11.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	221	0.8	7.6
14	Parkinson's disease (G20-G21)	206	0.7	7.1
15	Pneumonitis due to solids and liquids (J69)	192	0.7	6.6
...	All other causes (Residual)	5,118	17.7	175.5
California				
...	All causes	234,012	100.0	628.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	58,641	25.1	157.4
2	Malignant neoplasms (C00-C97)	56,453	24.1	151.5
3	Cerebrovascular diseases (I60-I69)	13,662	5.8	36.7
4	Chronic lower respiratory diseases (J40-J47)	12,987	5.5	34.9
5	Alzheimer's disease (G30)	10,856	4.6	29.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,435	4.5	28.0
7	Diabetes mellitus (E10-E14)	7,061	3.0	19.0
8	Influenza and pneumonia (J09-J18)	5,882	2.5	15.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,287	1.8	11.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,913	1.7	10.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,733	1.6	10.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,112	1.3	8.4
13	Parkinson's disease (G20-G21)	2,238	1.0	6.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,954	0.8	5.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,367	0.6	3.7
...	All other causes (Residual)	37,431	16.0	100.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	31,465	100.0	625.6
1	Malignant neoplasms (C00-C97)	7,035	22.4	139.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,038	19.2	120.1
3	Chronic lower respiratory diseases (J40-J47)	2,199	7.0	43.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,106	6.7	41.9
5	Cerebrovascular diseases (I60-I69)	1,607	5.1	32.0
6	Alzheimer's disease (G30)	1,334	4.2	26.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	865	2.7	17.2
8	Diabetes mellitus (E10-E14)	721	2.3	14.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	599	1.9	11.9
10	Influenza and pneumonia (J09-J18)	550	1.7	10.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	426	1.4	8.5
12	Septicemia (A40-A41)	343	1.1	6.8
13	Parkinson's disease (G20-G21)	305	1.0	6.1
14	Pneumonitis due to solids and liquids (J69)	268	0.9	5.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	261	0.8	5.2
...	All other causes (Residual)	6,808	21.6	135.4
Connecticut				
...	All causes	28,692	100.0	802.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,127	24.8	199.4
2	Malignant neoplasms (C00-C97)	6,954	24.2	194.6
3	Cerebrovascular diseases (I60-I69)	1,349	4.7	37.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,337	4.7	37.4
5	Chronic lower respiratory diseases (J40-J47)	1,289	4.5	36.1
6	Alzheimer's disease (G30)	820	2.9	22.9
7	Diabetes mellitus (E10-E14)	662	2.3	18.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	599	2.1	16.8
9	Septicemia (A40-A41)	595	2.1	16.6
10	Influenza and pneumonia (J09-J18)	568	2.0	15.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	353	1.2	9.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	321	1.1	9.0
13	Pneumonitis due to solids and liquids (J69)	318	1.1	8.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	303	1.1	8.5
15	Parkinson's disease (G20-G21)	237	0.8	6.6
...	All other causes (Residual)	5,860	20.4	164.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,706	100.0	858.2
1	Malignant neoplasms (C00-C97)	1,909	24.8	212.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,776	23.0	197.8
3	Chronic lower respiratory diseases (J40-J47)	441	5.7	49.1
4	Cerebrovascular diseases (I60-I69)	407	5.3	45.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	357	4.6	39.8
6	Alzheimer's disease (G30)	215	2.8	23.9
7	Diabetes mellitus (E10-E14)	196	2.5	21.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	158	2.1	17.6
9	Influenza and pneumonia (J09-J18)	138	1.8	15.4
10	Septicemia (A40-A41)	111	1.4	12.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	106	1.4	11.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	93	1.2	10.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	62	0.8	6.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	61	0.8	6.8
15	Parkinson's disease (G20-G21)	57	0.7	6.3
...	All other causes (Residual)	1,619	21.0	180.3
District of Columbia				
...	All causes	4,672	100.0	776.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,306	28.0	217.0
2	Malignant neoplasms (C00-C97)	1,041	22.3	173.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	212	4.5	35.2
4	Cerebrovascular diseases (I60-I69)	196	4.2	32.6
5	Chronic lower respiratory diseases (J40-J47)	147	3.1	24.4
6	Diabetes mellitus (E10-E14)	145	3.1	24.1
7	Human immunodeficiency virus (HIV) disease (B20-B24)	121	2.6	20.1
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	119	2.5	19.8
9	Alzheimer's disease (G30)	114	2.4	18.9
10	Septicemia (A40-A41)	90	1.9	15.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	84	1.8	14.0
12	Influenza and pneumonia (J09-J18)	80	1.7	13.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	57	1.2	9.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.2	9.0
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	41	0.9	6.8
...	All other causes (Residual)	865	18.5	143.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	173,791	100.0	924.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	41,737	24.0	222.0
2	Malignant neoplasms (C00-C97)	41,467	23.9	220.6
3	Chronic lower respiratory diseases (J40-J47)	10,337	5.9	55.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,875	5.1	47.2
5	Cerebrovascular diseases (I60-I69)	8,432	4.9	44.8
6	Diabetes mellitus (E10-E14)	5,024	2.9	26.7
7	Alzheimer's disease (G30)	4,831	2.8	25.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,297	1.9	17.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,789	1.6	14.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,480	1.4	13.2
11	Influenza and pneumonia (J09-J18)	2,259	1.3	12.0
12	Septicemia (A40-A41)	1,862	1.1	9.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,821	1.0	9.7
14	Parkinson's disease (G20-G21)	1,755	1.0	9.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,213	0.7	6.5
...	All other causes (Residual)	35,612	20.5	189.4
Georgia				
...	All causes	71,263	100.0	735.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,987	22.4	165.0
2	Malignant neoplasms (C00-C97)	15,435	21.7	159.3
3	Chronic lower respiratory diseases (J40-J47)	3,816	5.4	39.4
4	Cerebrovascular diseases (I60-I69)	3,762	5.3	38.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,745	5.3	38.7
6	Alzheimer's disease (G30)	2,080	2.9	21.5
7	Diabetes mellitus (E10-E14)	1,996	2.8	20.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,753	2.5	18.1
9	Influenza and pneumonia (J09-J18)	1,456	2.0	15.0
10	Septicemia (A40-A41)	1,387	1.9	14.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,133	1.6	11.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,076	1.5	11.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	743	1.0	7.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	640	0.9	6.6
15	Human immunodeficiency virus (HIV) disease (B20-B24)	495	0.7	5.1
...	All other causes (Residual)	15,759	22.1	162.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,617	100.0	707.0
1	Malignant neoplasms (C00-C97)	2,266	23.6	166.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,239	23.3	164.6
3	Cerebrovascular diseases (I60-I69)	605	6.3	44.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	432	4.5	31.8
5	Chronic lower respiratory diseases (J40-J47)	296	3.1	21.8
6	Influenza and pneumonia (J09-J18)	289	3.0	21.2
7	Diabetes mellitus (E10-E14)	272	2.8	20.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	208	2.2	15.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	207	2.2	15.2
10	Alzheimer's disease (G30)	189	2.0	13.9
11	Septicemia (A40-A41)	127	1.3	9.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	102	1.1	7.5
13	Pneumonitis due to solids and liquids (J69)	101	1.1	7.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	98	1.0	7.2
15	Parkinson's disease (G20-G21)	84	0.9	6.2
...	All other causes (Residual)	2,102	21.9	154.5
Idaho				
...	All causes	11,429	100.0	729.1
1	Malignant neoplasms (C00-C97)	2,530	22.1	161.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,495	21.8	159.2
3	Chronic lower respiratory diseases (J40-J47)	727	6.4	46.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	654	5.7	41.7
5	Cerebrovascular diseases (I60-I69)	642	5.6	41.0
6	Alzheimer's disease (G30)	410	3.6	26.2
7	Diabetes mellitus (E10-E14)	353	3.1	22.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	290	2.5	18.5
9	Influenza and pneumonia (J09-J18)	208	1.8	13.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	186	1.6	11.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	150	1.3	9.6
12	Parkinson's disease (G20-G21)	123	1.1	7.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	121	1.1	7.7
14	Pneumonitis due to solids and liquids (J69)	91	0.8	5.8
15	Septicemia (A40-A41)	72	0.6	4.6
...	All other causes (Residual)	2,377	20.8	151.6

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	99,931	100.0	778.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,959	25.0	194.5
2	Malignant neoplasms (C00-C97)	24,070	24.1	187.6
3	Cerebrovascular diseases (I60-I69)	5,349	5.4	41.7
4	Chronic lower respiratory diseases (J40-J47)	5,231	5.2	40.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,997	4.0	31.2
6	Alzheimer's disease (G30)	2,927	2.9	22.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,612	2.6	20.4
8	Diabetes mellitus (E10-E14)	2,507	2.5	19.5
9	Influenza and pneumonia (J09-J18)	2,212	2.2	17.2
10	Septicemia (A40-A41)	1,858	1.9	14.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,178	1.2	9.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,123	1.1	8.8
13	Parkinson's disease (G20-G21)	909	0.9	7.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	871	0.9	6.8
15	Pneumonitis due to solids and liquids (J69)	827	0.8	6.4
...	All other causes (Residual)	19,301	19.3	150.4
Indiana				
...	All causes	56,743	100.0	875.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,388	23.6	206.5
2	Malignant neoplasms (C00-C97)	13,164	23.2	203.0
3	Chronic lower respiratory diseases (J40-J47)	3,794	6.7	58.5
4	Cerebrovascular diseases (I60-I69)	3,082	5.4	47.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,534	4.5	39.1
6	Alzheimer's disease (G30)	1,940	3.4	29.9
7	Diabetes mellitus (E10-E14)	1,587	2.8	24.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,516	2.7	23.4
9	Influenza and pneumonia (J09-J18)	1,175	2.1	18.1
10	Septicemia (A40-A41)	874	1.5	13.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	864	1.5	13.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	634	1.1	9.8
13	Parkinson's disease (G20-G21)	485	0.9	7.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	454	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	445	0.8	6.9
...	All other causes (Residual)	10,807	19.0	166.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable



## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	27,745	100.0	910.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,880	24.8	225.8
2	Malignant neoplasms (C00-C97)	6,358	22.9	208.7
3	Chronic lower respiratory diseases (J40-J47)	1,698	6.1	55.7
4	Cerebrovascular diseases (I60-I69)	1,537	5.5	50.5
5	Alzheimer's disease (G30)	1,411	5.1	46.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,273	4.6	41.8
7	Diabetes mellitus (E10-E14)	733	2.6	24.1
8	Influenza and pneumonia (J09-J18)	560	2.0	18.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	372	1.3	12.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	323	1.2	10.6
11	Parkinson's disease (G20-G21)	320	1.2	10.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	318	1.1	10.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	277	1.0	9.1
14	Pneumonitis due to solids and liquids (J69)	240	0.9	7.9
15	Septicemia (A40-A41)	224	0.8	7.4
...	All other causes (Residual)	5,221	18.8	171.4
Kansas				
...	All causes	24,502	100.0	858.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,433	22.2	190.4
2	Malignant neoplasms (C00-C97)	5,377	21.9	188.5
3	Chronic lower respiratory diseases (J40-J47)	1,580	6.4	55.4
4	Cerebrovascular diseases (I60-I69)	1,370	5.6	48.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,317	5.4	46.2
6	Alzheimer's disease (G30)	825	3.4	28.9
7	Diabetes mellitus (E10-E14)	655	2.7	23.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	577	2.4	20.2
9	Influenza and pneumonia (J09-J18)	550	2.2	19.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	401	1.6	14.1
11	Atherosclerosis (I70)	392	1.6	13.7
12	Septicemia (A40-A41)	329	1.3	11.5
13	Parkinson's disease (G20-G21)	256	1.0	9.0
14	Chronic liver disease and cirrhosis (K70,K73-K74)	244	1.0	8.6
15	Pneumonitis due to solids and liquids (J69)	162	0.7	5.7
...	All other causes (Residual)	5,034	20.5	176.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	41,983	100.0	967.5
1	Malignant neoplasms (C00-C97)	9,930	23.7	228.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,662	23.0	222.7
3	Chronic lower respiratory diseases (J40-J47)	2,779	6.6	64.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,632	6.3	60.7
5	Cerebrovascular diseases (I60-I69)	1,992	4.7	45.9
6	Alzheimer's disease (G30)	1,464	3.5	33.7
7	Diabetes mellitus (E10-E14)	1,212	2.9	27.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,079	2.6	24.9
9	Influenza and pneumonia (J09-J18)	943	2.2	21.7
10	Septicemia (A40-A41)	709	1.7	16.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	631	1.5	14.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	463	1.1	10.7
13	Pneumonitis due to solids and liquids (J69)	330	0.8	7.6
14	Parkinson's disease (G20-G21)	296	0.7	6.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	295	0.7	6.8
...	All other causes (Residual)	7,566	18.0	174.4
Louisiana				
...	All causes	40,667	100.0	897.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,282	25.3	226.8
2	Malignant neoplasms (C00-C97)	9,203	22.6	203.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,999	4.9	44.1
4	Cerebrovascular diseases (I60-I69)	1,977	4.9	43.6
5	Chronic lower respiratory diseases (J40-J47)	1,939	4.8	42.8
6	Alzheimer's disease (G30)	1,295	3.2	28.6
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,218	3.0	26.9
8	Diabetes mellitus (E10-E14)	1,205	3.0	26.6
9	Influenza and pneumonia (J09-J18)	878	2.2	19.4
10	Septicemia (A40-A41)	836	2.1	18.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	557	1.4	12.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	541	1.3	11.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	390	1.0	8.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	390	1.0	8.6
15	Parkinson's disease (G20-G21)	265	0.7	5.8
...	All other causes (Residual)	7,692	18.9	169.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,750	100.0	959.8
1	Malignant neoplasms (C00-C97)	3,248	25.5	244.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,628	20.6	197.8
3	Chronic lower respiratory diseases (J40-J47)	809	6.3	60.9
4	Cerebrovascular diseases (I60-I69)	602	4.7	45.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	540	4.2	40.7
6	Alzheimer's disease (G30)	502	3.9	37.8
7	Diabetes mellitus (E10-E14)	376	2.9	28.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	272	2.1	20.5
9	Influenza and pneumonia (J09-J18)	234	1.8	17.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	186	1.5	14.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	154	1.2	11.6
12	Septicemia (A40-A41)	139	1.1	10.5
13	Parkinson's disease (G20-G21)	137	1.1	10.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	95	0.7	7.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	87	0.7	6.5
...	All other causes (Residual)	2,741	21.5	206.3
Maryland				
...	All causes	43,325	100.0	750.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,915	25.2	189.1
2	Malignant neoplasms (C00-C97)	10,269	23.7	177.9
3	Cerebrovascular diseases (I60-I69)	2,279	5.3	39.5
4	Chronic lower respiratory diseases (J40-J47)	2,039	4.7	35.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,446	3.3	25.0
6	Diabetes mellitus (E10-E14)	1,191	2.7	20.6
7	Alzheimer's disease (G30)	986	2.3	17.1
8	Influenza and pneumonia (J09-J18)	925	2.1	16.0
9	Septicemia (A40-A41)	888	2.0	15.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	803	1.9	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	502	1.2	8.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	453	1.0	7.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	438	1.0	7.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	433	1.0	7.5
15	Parkinson's disease (G20-G21)	389	0.9	6.7
...	All other causes (Residual)	9,369	21.6	162.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	52,583	100.0	803.1
1	Malignant neoplasms (C00-C97)	12,993	24.7	198.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,043	22.9	183.9
3	Cerebrovascular diseases (I60-I69)	2,516	4.8	38.4
4	Chronic lower respiratory diseases (J40-J47)	2,383	4.5	36.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,060	3.9	31.5
6	Alzheimer's disease (G30)	1,773	3.4	27.1
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,381	2.6	21.1
8	Influenza and pneumonia (J09-J18)	1,291	2.5	19.7
9	Diabetes mellitus (E10-E14)	1,028	2.0	15.7
10	Septicemia (A40-A41)	765	1.5	11.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	598	1.1	9.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	584	1.1	8.9
13	Parkinson's disease (G20-G21)	459	0.9	7.0
14	Pneumonitis due to solids and liquids (J69)	458	0.9	7.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	433	0.8	6.6
...	All other causes (Residual)	11,818	22.5	180.5
Michigan				
...	All causes	88,021	100.0	890.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,326	26.5	236.0
2	Malignant neoplasms (C00-C97)	20,620	23.4	208.6
3	Chronic lower respiratory diseases (J40-J47)	5,079	5.8	51.4
4	Cerebrovascular diseases (I60-I69)	4,474	5.1	45.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,770	4.3	38.1
6	Alzheimer's disease (G30)	2,736	3.1	27.7
7	Diabetes mellitus (E10-E14)	2,697	3.1	27.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,720	2.0	17.4
9	Influenza and pneumonia (J09-J18)	1,529	1.7	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,263	1.4	12.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,130	1.3	11.4
12	Septicemia (A40-A41)	964	1.1	9.8
13	Parkinson's disease (G20-G21)	816	0.9	8.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	815	0.9	8.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	610	0.7	6.2
...	All other causes (Residual)	16,472	18.7	166.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	38,972	100.0	734.8
1	Malignant neoplasms (C00-C97)	9,612	24.7	181.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,185	18.4	135.5
3	Cerebrovascular diseases (I60-I69)	2,167	5.6	40.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,103	5.4	39.6
5	Chronic lower respiratory diseases (J40-J47)	2,016	5.2	38.0
6	Alzheimer's disease (G30)	1,451	3.7	27.4
7	Diabetes mellitus (E10-E14)	1,037	2.7	19.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	897	2.3	16.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	606	1.6	11.4
10	Influenza and pneumonia (J09-J18)	595	1.5	11.2
11	Parkinson's disease (G20-G21)	512	1.3	9.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	439	1.1	8.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	414	1.1	7.8
14	Septicemia (A40-A41)	338	0.9	6.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	303	0.8	5.7
...	All other causes (Residual)	9,297	23.9	175.3
Mississippi				
...	All causes	28,965	100.0	976.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,542	26.0	254.2
2	Malignant neoplasms (C00-C97)	6,271	21.7	211.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,685	5.8	56.8
4	Chronic lower respiratory diseases (J40-J47)	1,661	5.7	56.0
5	Cerebrovascular diseases (I60-I69)	1,520	5.2	51.2
6	Alzheimer's disease (G30)	927	3.2	31.2
7	Diabetes mellitus (E10-E14)	926	3.2	31.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	738	2.5	24.9
9	Influenza and pneumonia (J09-J18)	567	2.0	19.1
10	Septicemia (A40-A41)	546	1.9	18.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	531	1.8	17.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	388	1.3	13.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	291	1.0	9.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	284	1.0	9.6
15	Certain conditions originating in the perinatal period (P00-P96)	178	0.6	6.0
...	All other causes (Residual)	4,910	17.0	165.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	55,281	100.0	923.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,840	25.0	231.1
2	Malignant neoplasms (C00-C97)	12,626	22.8	210.8
3	Chronic lower respiratory diseases (J40-J47)	3,557	6.4	59.4
4	Cerebrovascular diseases (I60-I69)	3,001	5.4	50.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,975	5.4	49.7
6	Alzheimer's disease (G30)	1,986	3.6	33.2
7	Diabetes mellitus (E10-E14)	1,425	2.6	23.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,305	2.4	21.8
9	Influenza and pneumonia (J09-J18)	1,188	2.1	19.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	856	1.5	14.3
11	Septicemia (A40-A41)	709	1.3	11.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	530	1.0	8.8
13	Pneumonitis due to solids and liquids (J69)	481	0.9	8.0
14	Parkinson's disease (G20-G21)	477	0.9	8.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	438	0.8	7.3
...	All other causes (Residual)	9,887	17.9	165.1
Montana				
...	All causes	8,827	100.0	892.1
1	Malignant neoplasms (C00-C97)	1,923	21.8	194.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,849	20.9	186.9
3	Chronic lower respiratory diseases (J40-J47)	602	6.8	60.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	548	6.2	55.4
5	Cerebrovascular diseases (I60-I69)	494	5.6	49.9
6	Alzheimer's disease (G30)	302	3.4	30.5
7	Diabetes mellitus (E10-E14)	227	2.6	22.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	227	2.6	22.9
9	Influenza and pneumonia (J09-J18)	168	1.9	17.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	133	1.5	13.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	124	1.4	12.5
12	Parkinson's disease (G20-G21)	94	1.1	9.5
13	Septicemia (A40-A41)	79	0.9	8.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	76	0.9	7.7
15	Pneumonitis due to solids and liquids (J69)	72	0.8	7.3
...	All other causes (Residual)	1,909	21.6	192.9

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,171	100.0	830.7
1	Malignant neoplasms (C00-C97)	3,438	22.7	188.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,355	22.1	183.7
3	Chronic lower respiratory diseases (J40-J47)	1,008	6.6	55.2
4	Cerebrovascular diseases (I60-I69)	876	5.8	48.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	700	4.6	38.3
6	Alzheimer's disease (G30)	565	3.7	30.9
7	Diabetes mellitus (E10-E14)	452	3.0	24.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	290	1.9	15.9
9	Influenza and pneumonia (J09-J18)	266	1.8	14.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	193	1.3	10.6
11	Parkinson's disease (G20-G21)	183	1.2	10.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	176	1.2	9.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	160	1.1	8.8
14	Pneumonitis due to solids and liquids (J69)	129	0.9	7.1
15	Septicemia (A40-A41)	123	0.8	6.7
...	All other causes (Residual)	3,257	21.5	178.3
Nevada				
...	All causes	19,623	100.0	726.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,811	24.5	178.1
2	Malignant neoplasms (C00-C97)	4,529	23.1	167.7
3	Chronic lower respiratory diseases (J40-J47)	1,186	6.0	43.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,088	5.5	40.3
5	Cerebrovascular diseases (I60-I69)	796	4.1	29.5
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	547	2.8	20.3
7	Influenza and pneumonia (J09-J18)	471	2.4	17.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	471	2.4	17.4
9	Diabetes mellitus (E10-E14)	350	1.8	13.0
10	Septicemia (A40-A41)	322	1.6	11.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	316	1.6	11.7
12	Alzheimer's disease (G30)	296	1.5	11.0
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	164	0.8	6.1
14	Parkinson's disease (G20-G21)	149	0.8	5.5
15	Pneumonitis due to solids and liquids (J69)	131	0.7	4.9
...	All other causes (Residual)	3,996	20.4	148.0

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,201	100.0	774.9
1	Malignant neoplasms (C00-C97)	2,525	24.8	191.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,290	22.4	174.0
3	Chronic lower respiratory diseases (J40-J47)	609	6.0	46.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	517	5.1	39.3
5	Cerebrovascular diseases (I60-I69)	500	4.9	38.0
6	Alzheimer's disease (G30)	396	3.9	30.1
7	Diabetes mellitus (E10-E14)	236	2.3	17.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	206	2.0	15.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	196	1.9	14.9
10	Influenza and pneumonia (J09-J18)	191	1.9	14.5
11	Parkinson's disease (G20-G21)	116	1.1	8.8
12	Septicemia (A40-A41)	108	1.1	8.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	103	1.0	7.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	80	0.8	6.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	79	0.8	6.0
...	All other causes (Residual)	2,049	20.1	155.6
New Jersey				
...	All causes	69,495	100.0	790.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,730	27.0	213.0
2	Malignant neoplasms (C00-C97)	16,815	24.2	191.3
3	Cerebrovascular diseases (I60-I69)	3,402	4.9	38.7
4	Chronic lower respiratory diseases (J40-J47)	3,106	4.5	35.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,486	3.6	28.3
6	Diabetes mellitus (E10-E14)	2,098	3.0	23.9
7	Alzheimer's disease (G30)	1,878	2.7	21.4
8	Septicemia (A40-A41)	1,658	2.4	18.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,580	2.3	18.0
10	Influenza and pneumonia (J09-J18)	1,128	1.6	12.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	750	1.1	8.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	732	1.1	8.3
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	719	1.0	8.2
14	Parkinson's disease (G20-G21)	645	0.9	7.3
15	Pneumonitis due to solids and liquids (J69)	512	0.7	5.8
...	All other causes (Residual)	13,256	19.1	150.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable



## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	15,931	100.0	773.7
1	Malignant neoplasms (C00-C97)	3,358	21.1	163.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,224	20.2	156.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,233	7.7	59.9
4	Chronic lower respiratory diseases (J40-J47)	1,022	6.4	49.6
5	Cerebrovascular diseases (I60-I69)	806	5.1	39.1
6	Diabetes mellitus (E10-E14)	643	4.0	31.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	413	2.6	20.1
8	Chronic liver disease and cirrhosis (K70,K73-K74)	377	2.4	18.3
9	Alzheimer's disease (G30)	343	2.2	16.7
10	Influenza and pneumonia (J09-J18)	294	1.8	14.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	276	1.7	13.4
12	Septicemia (A40-A41)	187	1.2	9.1
13	Parkinson's disease (G20-G21)	171	1.1	8.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	152	1.0	7.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	122	0.8	5.9
...	All other causes (Residual)	3,310	20.8	160.7
New York				
...	All causes	146,432	100.0	755.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,981	30.7	232.1
2	Malignant neoplasms (C00-C97)	35,431	24.2	182.8
3	Chronic lower respiratory diseases (J40-J47)	6,847	4.7	35.3
4	Cerebrovascular diseases (I60-I69)	6,213	4.2	32.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,004	3.4	25.8
6	Influenza and pneumonia (J09-J18)	4,642	3.2	24.0
7	Diabetes mellitus (E10-E14)	3,642	2.5	18.8
8	Alzheimer's disease (G30)	2,616	1.8	13.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,439	1.7	12.6
10	Septicemia (A40-A41)	2,210	1.5	11.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,048	1.4	10.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,547	1.1	8.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,434	1.0	7.4
14	Human immunodeficiency virus (HIV) disease (B20-B24)	990	0.7	5.1
15	Parkinson's disease (G20-G21)	972	0.7	5.0
...	All other causes (Residual)	25,416	17.4	131.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	78,773	100.0	826.1
1	Malignant neoplasms (C00-C97)	18,061	22.9	189.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,154	21.8	179.9
3	Chronic lower respiratory diseases (J40-J47)	4,495	5.7	47.1
4	Cerebrovascular diseases (I60-I69)	4,298	5.5	45.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,144	5.3	43.5
6	Alzheimer's disease (G30)	2,817	3.6	29.5
7	Diabetes mellitus (E10-E14)	2,042	2.6	21.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,892	2.4	19.8
9	Influenza and pneumonia (J09-J18)	1,700	2.2	17.8
10	Septicemia (A40-A41)	1,333	1.7	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,174	1.5	12.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	932	1.2	9.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	844	1.1	8.9
14	Parkinson's disease (G20-G21)	636	0.8	6.7
15	Pneumonitis due to solids and liquids (J69)	630	0.8	6.6
...	All other causes (Residual)	16,621	21.1	174.3
North Dakota				
...	All causes	5,944	100.0	883.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,395	23.5	207.4
2	Malignant neoplasms (C00-C97)	1,269	21.3	188.7
3	Cerebrovascular diseases (I60-I69)	382	6.4	56.8
4	Alzheimer's disease (G30)	361	6.1	53.7
5	Chronic lower respiratory diseases (J40-J47)	356	6.0	52.9
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	285	4.8	42.4
7	Diabetes mellitus (E10-E14)	192	3.2	28.5
8	Influenza and pneumonia (J09-J18)	128	2.2	19.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	106	1.8	15.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	104	1.7	15.5
11	Pneumonitis due to solids and liquids (J69)	81	1.4	12.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	70	1.2	10.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	64	1.1	9.5
14	Parkinson's disease (G20-G21)	61	1.0	9.1
15	Septicemia (A40-A41)	49	0.8	7.3
...	All other causes (Residual)	1,041	17.5	154.8

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	108,711	100.0	942.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,164	24.1	226.8
2	Malignant neoplasms (C00-C97)	25,083	23.1	217.4
3	Chronic lower respiratory diseases (J40-J47)	6,717	6.2	58.2
4	Cerebrovascular diseases (I60-I69)	5,755	5.3	49.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,124	4.7	44.4
6	Alzheimer's disease (G30)	4,109	3.8	35.6
7	Diabetes mellitus (E10-E14)	3,470	3.2	30.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,066	1.9	17.9
9	Influenza and pneumonia (J09-J18)	1,975	1.8	17.1
10	Septicemia (A40-A41)	1,504	1.4	13.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,439	1.3	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,244	1.1	10.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,220	1.1	10.6
14	Parkinson's disease (G20-G21)	920	0.8	8.0
15	Pneumonitis due to solids and liquids (J69)	835	0.8	7.2
...	All other causes (Residual)	21,086	19.4	182.8
Oklahoma				
...	All causes	36,529	100.0	973.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,426	25.8	251.3
2	Malignant neoplasms (C00-C97)	7,831	21.4	208.8
3	Chronic lower respiratory diseases (J40-J47)	2,720	7.4	72.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,288	6.3	61.0
5	Cerebrovascular diseases (I60-I69)	1,980	5.4	52.8
6	Diabetes mellitus (E10-E14)	1,089	3.0	29.0
7	Alzheimer's disease (G30)	1,015	2.8	27.1
8	Influenza and pneumonia (J09-J18)	778	2.1	20.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	618	1.7	16.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	595	1.6	15.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	501	1.4	13.4
12	Septicemia (A40-A41)	382	1.0	10.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	343	0.9	9.1
14	Pneumonitis due to solids and liquids (J69)	251	0.7	6.7
15	Parkinson's disease (G20-G21)	249	0.7	6.6
...	All other causes (Residual)	6,463	17.7	172.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	31,890	100.0	832.4
1	Malignant neoplasms (C00-C97)	7,638	24.0	199.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,198	19.4	161.8
3	Chronic lower respiratory diseases (J40-J47)	1,971	6.2	51.4
4	Cerebrovascular diseases (I60-I69)	1,793	5.6	46.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,566	4.9	40.9
6	Alzheimer's disease (G30)	1,300	4.1	33.9
7	Diabetes mellitus (E10-E14)	1,052	3.3	27.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	685	2.1	17.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	509	1.6	13.3
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	444	1.4	11.6
11	Influenza and pneumonia (J09-J18)	417	1.3	10.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	400	1.3	10.4
13	Parkinson's disease (G20-G21)	356	1.1	9.3
14	Septicemia (A40-A41)	226	0.7	5.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	225	0.7	5.9
...	All other causes (Residual)	7,110	22.3	185.6
Pennsylvania				
...	All causes	124,596	100.0	980.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,556	25.3	248.4
2	Malignant neoplasms (C00-C97)	29,055	23.3	228.7
3	Cerebrovascular diseases (I60-I69)	6,701	5.4	52.8
4	Chronic lower respiratory diseases (J40-J47)	6,202	5.0	48.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,751	4.6	45.3
6	Alzheimer's disease (G30)	3,591	2.9	28.3
7	Diabetes mellitus (E10-E14)	3,242	2.6	25.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,982	2.4	23.5
9	Influenza and pneumonia (J09-J18)	2,324	1.9	18.3
10	Septicemia (A40-A41)	2,232	1.8	17.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,576	1.3	12.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,200	1.0	9.4
13	Parkinson's disease (G20-G21)	1,184	1.0	9.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	977	0.8	7.7
15	Pneumonitis due to solids and liquids (J69)	966	0.8	7.6
...	All other causes (Residual)	25,057	20.1	197.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i> , Second Edition, 2004) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,579	100.0	910.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,322	24.2	220.6
2	Malignant neoplasms (C00-C97)	2,266	23.7	215.3
3	Chronic lower respiratory diseases (J40-J47)	507	5.3	48.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	475	5.0	45.1
5	Cerebrovascular diseases (I60-I69)	431	4.5	40.9
6	Alzheimer's disease (G30)	338	3.5	32.1
7	Diabetes mellitus (E10-E14)	211	2.2	20.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	199	2.1	18.9
9	Influenza and pneumonia (J09-J18)	197	2.1	18.7
10	Septicemia (A40-A41)	150	1.6	14.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	1.3	12.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	123	1.3	11.7
13	Parkinson's disease (G20-G21)	96	1.0	9.1
14	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	90	0.9	8.6
15	Pneumonitis due to solids and liquids (J69)	83	0.9	7.9
...	All other causes (Residual)	1,962	20.5	186.4
South Carolina				
...	All causes	41,614	100.0	899.7
1	Malignant neoplasms (C00-C97)	9,356	22.5	202.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,295	22.3	201.0
3	Cerebrovascular diseases (I60-I69)	2,293	5.5	49.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,274	5.5	49.2
5	Chronic lower respiratory diseases (J40-J47)	2,264	5.4	48.9
6	Alzheimer's disease (G30)	1,570	3.8	33.9
7	Diabetes mellitus (E10-E14)	1,128	2.7	24.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	963	2.3	20.8
9	Influenza and pneumonia (J09-J18)	747	1.8	16.2
10	Septicemia (A40-A41)	714	1.7	15.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	637	1.5	13.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	571	1.4	12.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	417	1.0	9.0
14	Parkinson's disease (G20-G21)	381	0.9	8.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	322	0.8	7.0
...	All other causes (Residual)	8,682	20.9	187.7

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,100	100.0	872.0
1	Malignant neoplasms (C00-C97)	1,655	23.3	203.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,616	22.8	198.5
3	Chronic lower respiratory diseases (J40-J47)	451	6.4	55.4
4	Cerebrovascular diseases (I60-I69)	416	5.9	51.1
5	Alzheimer's disease (G30)	398	5.6	48.9
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	393	5.5	48.3
7	Diabetes mellitus (E10-E14)	240	3.4	29.5
8	Influenza and pneumonia (J09-J18)	169	2.4	20.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	140	2.0	17.2
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	96	1.4	11.8
11	Parkinson's disease (G20-G21)	86	1.2	10.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	85	1.2	10.4
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	74	1.0	9.1
14	Septicemia (A40-A41)	70	1.0	8.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	44	0.6	5.4
...	All other causes (Residual)	1,167	16.4	143.3
Tennessee				
...	All causes	59,578	100.0	938.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,582	24.5	229.8
2	Malignant neoplasms (C00-C97)	13,593	22.8	214.2
3	Chronic lower respiratory diseases (J40-J47)	3,551	6.0	56.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,539	5.9	55.8
5	Cerebrovascular diseases (I60-I69)	3,205	5.4	50.5
6	Alzheimer's disease (G30)	2,440	4.1	38.4
7	Diabetes mellitus (E10-E14)	1,687	2.8	26.6
8	Influenza and pneumonia (J09-J18)	1,352	2.3	21.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	983	1.6	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	943	1.6	14.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	735	1.2	11.6
12	Septicemia (A40-A41)	704	1.2	11.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	594	1.0	9.4
14	Pneumonitis due to solids and liquids (J69)	540	0.9	8.5
15	Parkinson's disease (G20-G21)	435	0.7	6.9
...	All other causes (Residual)	10,695	18.0	168.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	166,527	100.0	662.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,253	23.0	152.1
2	Malignant neoplasms (C00-C97)	36,717	22.0	146.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,212	5.5	36.6
4	Cerebrovascular diseases (I60-I69)	9,180	5.5	36.5
5	Chronic lower respiratory diseases (J40-J47)	8,921	5.4	35.5
6	Alzheimer's disease (G30)	5,209	3.1	20.7
7	Diabetes mellitus (E10-E14)	4,744	2.8	18.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,878	2.3	15.4
9	Septicemia (A40-A41)	3,172	1.9	12.6
10	Influenza and pneumonia (J09-J18)	3,022	1.8	12.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,891	1.7	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	2,873	1.7	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,722	1.0	6.8
14	Parkinson's disease (G20-G21)	1,492	0.9	5.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,363	0.8	5.4
...	All other causes (Residual)	33,878	20.3	134.7
Utah				
...	All causes	14,776	100.0	534.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,889	19.6	104.5
2	Malignant neoplasms (C00-C97)	2,810	19.0	101.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	970	6.6	35.1
4	Cerebrovascular diseases (I60-I69)	739	5.0	26.7
5	Chronic lower respiratory diseases (J40-J47)	671	4.5	24.3
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	473	3.2	17.1
7	Diabetes mellitus (E10-E14)	471	3.2	17.0
8	Alzheimer's disease (G30)	375	2.5	13.6
9	Influenza and pneumonia (J09-J18)	348	2.4	12.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	263	1.8	9.5
11	Parkinson's disease (G20-G21)	170	1.2	6.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	167	1.1	6.0
13	Septicemia (A40-A41)	139	0.9	5.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	125	0.8	4.5
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	125	0.8	4.5
...	All other causes (Residual)	4,041	27.3	146.2

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,380	100.0	859.8
1	Malignant neoplasms (C00-C97)	1,392	25.9	222.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,172	21.8	187.3
3	Chronic lower respiratory diseases (J40-J47)	335	6.2	53.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	298	5.5	47.6
5	Cerebrovascular diseases (I60-I69)	265	4.9	42.3
6	Alzheimer's disease (G30)	238	4.4	38.0
7	Diabetes mellitus (E10-E14)	151	2.8	24.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	106	2.0	16.9
9	Parkinson's disease (G20-G21)	70	1.3	11.2
10	Influenza and pneumonia (J09-J18)	60	1.1	9.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	55	1.0	8.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50	0.9	8.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	49	0.9	7.8
14	Aortic aneurysm and dissection (I71)	43	0.8	6.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	39	0.7	6.2
...	All other causes (Residual)	1,057	19.6	168.9
Virginia				
...	All causes	59,032	100.0	737.8
1	Malignant neoplasms (C00-C97)	14,080	23.9	176.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,404	22.7	167.5
3	Cerebrovascular diseases (I60-I69)	3,293	5.6	41.2
4	Chronic lower respiratory diseases (J40-J47)	2,969	5.0	37.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,527	4.3	31.6
6	Alzheimer's disease (G30)	1,848	3.1	23.1
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,595	2.7	19.9
8	Diabetes mellitus (E10-E14)	1,530	2.6	19.1
9	Septicemia (A40-A41)	1,364	2.3	17.0
10	Influenza and pneumonia (J09-J18)	1,195	2.0	14.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	963	1.6	12.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	693	1.2	8.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	588	1.0	7.3
14	Parkinson's disease (G20-G21)	520	0.9	6.5
15	Pneumonitis due to solids and liquids (J69)	513	0.9	6.4
...	All other causes (Residual)	11,950	20.2	149.4

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable



## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	48,146	100.0	716.0
1	Malignant neoplasms (C00-C97)	11,874	24.7	176.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,602	22.0	157.7
3	Alzheimer's disease (G30)	3,025	6.3	45.0
4	Chronic lower respiratory diseases (J40-J47)	2,737	5.7	40.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,609	5.4	38.8
6	Cerebrovascular diseases (I60-I69)	2,548	5.3	37.9
7	Diabetes mellitus (E10-E14)	1,499	3.1	22.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	957	2.0	14.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	783	1.6	11.6
10	Influenza and pneumonia (J09-J18)	578	1.2	8.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	552	1.1	8.2
12	Parkinson's disease (G20-G21)	514	1.1	7.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	506	1.1	7.5
14	Septicemia (A40-A41)	416	0.9	6.2
15	Pneumonitis due to solids and liquids (J69)	407	0.8	6.1
...	All other causes (Residual)	8,539	17.7	127.0
West Virginia				
...	All causes	21,275	100.0	1,148.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,897	23.0	264.3
2	Malignant neoplasms (C00-C97)	4,685	22.0	252.8
3	Chronic lower respiratory diseases (J40-J47)	1,482	7.0	80.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,234	5.8	66.6
5	Cerebrovascular diseases (I60-I69)	1,104	5.2	59.6
6	Diabetes mellitus (E10-E14)	776	3.6	41.9
7	Alzheimer's disease (G30)	594	2.8	32.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	475	2.2	25.6
9	Influenza and pneumonia (J09-J18)	436	2.0	23.5
10	Septicemia (A40-A41)	320	1.5	17.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	279	1.3	15.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	264	1.2	14.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	244	1.1	13.2
14	Parkinson's disease (G20-G21)	142	0.7	7.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	112	0.5	6.0
...	All other causes (Residual)	4,231	19.9	228.3

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2010

[Rates per 100,000 population]

Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i> ) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	47,308	100.0	831.9
1	Malignant neoplasms (C00-C97)	11,279	23.8	198.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,115	23.5	195.4
3	Cerebrovascular diseases (I60-I69)	2,609	5.5	45.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,525	5.3	44.4
5	Chronic lower respiratory diseases (J40-J47)	2,474	5.2	43.5
6	Alzheimer's disease (G30)	1,762	3.7	31.0
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,163	2.5	20.5
8	Diabetes mellitus (E10-E14)	1,158	2.4	20.4
9	Influenza and pneumonia (J09-J18)	904	1.9	15.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	793	1.7	13.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	528	1.1	9.3
12	Parkinson's disease (G20-G21)	492	1.0	8.7
13	Septicemia (A40-A41)	421	0.9	7.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	399	0.8	7.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	365	0.8	6.4
...	All other causes (Residual)	9,321	19.7	163.9
Wyoming				
...	All causes	4,438	100.0	787.4
1	Malignant neoplasms (C00-C97)	1,016	22.9	180.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	962	21.7	170.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	346	7.8	61.4
4	Chronic lower respiratory diseases (J40-J47)	332	7.5	58.9
5	Cerebrovascular diseases (I60-I69)	204	4.6	36.2
6	Alzheimer's disease (G30)	146	3.3	25.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	131	3.0	23.2
8	Influenza and pneumonia (J09-J18)	109	2.5	19.3
9	Diabetes mellitus (E10-E14)	105	2.4	18.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	75	1.7	13.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	69	1.6	12.2
12	Septicemia (A40-A41)	53	1.2	9.4
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	0.8	6.6
13	Parkinson's disease (G20-G21)	37	0.8	6.6
15	Pneumonitis due to solids and liquids (J69)	30	0.7	5.3
...	All other causes (Residual)	786	17.7	139.5

Source: CDC/NCHS, National Vital Statistics System

<sup>1</sup> Rank based on number of deaths

... Category not applicable