5/3/2017 Page i

A revised mortality data file for 2014 was released on April 3, 2017 to include corrections from Tennessee and Massachusetts affecting 125 records previously coded to Accidental discharge of firearms (W32-W34). After the revision, 50% of the changed records are now classified as Assault (homicide) by discharge of firearms (\*U01.4 and X93-X95); 42% as Intentional self-harm (suicide) by discharge of firearms (X72-X74); 4% as Discharge of firearms, undetermined intent (Y22-Y24); and the remaining 4% to various other causes. Data by state of residence are impacted in Connecticut, Florida, Georgia, Kentucky, North Carolina, and Virginia for records where the death occurred in Tennessee or Massachusetts but the decedent was a resident of another state. For more information, please see "Deaths: Final Data for 2014." This table was updated on May 3, 2017 to correct errors. The shaded areas in this table indicate the changes that were made.

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	_
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	United States			
•••	All causes	2,626,418	100.0	823.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	614,348	23.4	192.7
2	Malignant neoplasms (C00-C97)	591,700	22.5	185.6
3	Chronic lower respiratory diseases (J40-J47)	147,101	5.6	46.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	135,928	5.2	42.6
5	Cerebrovascular diseases (I60-I69)	133,103	5.1	41.7
6	Alzheimer's disease (G30)	93,541	3.6	29.3
7	Diabetes mellitus (E10-E14)	76,488	2.9	24.0
8	Influenza and pneumonia (J09-J18)	55,227	2.1	17.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	48,146	1.8	15.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	42,826	1.6	13.4
11	Septicemia (A40-A41)	38,940	1.5	12.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	38,170	1.5	12.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	30,221	1.2	9.5
14	Parkinson's disease (G20-G21)	26,150	1.0	8.2
15	Pneumonitis due to solids and liquids (J69)	18,792	0.7	5.9
	All other causes (residual)	535,737	20.4	168.0
	Alabama			
	All causes	50,215	100.0	1,035.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,461	24.8	257.0
2	Malignant neoplasms (C00-C97)	10,286	20.5	212.1
3	Chronic lower respiratory diseases (J40-J47)	3,050	6.1	62.9
4	Cerebrovascular diseases (I60-I69)	2,663	5.3	54.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,463	4.9	50.8
6	Alzheimer's disease (G30)	1,885	3.8	38.9
7	Diabetes mellitus (E10-E14)	1,281	2.6	26.4
8	Influenza and pneumonia (J09-J18)	1,031	2.1	21.3
9	Septicemia (A40-A41)	1,027	2.0	21.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,011	2.0	20.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	715	1.4	14.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	683	1.4	14.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	553	1.1	11.4
14	Parkinson's disease (G20-G21)	450	0.9	9.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	374	0.7	7.7
	All other causes (residual)	10,282	20.5	212.0

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Alaska			
	All causes	4,128	100.0	560.3
1	Malignant neoplasms (C00-C97)	972	23.5	131.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	782	18.9	106.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	379	9.2	51.4
4	Chronic lower respiratory diseases (J40-J47)	192	4.7	26.1
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	167	4.0	22.7
6	Cerebrovascular diseases (I60-I69)	157	3.8	21.3
7	Diabetes mellitus (E10-E14)	113	2.7	15.3
8	Chronic liver disease and cirrhosis (K70,K73-K74)	84	2.0	11.4
9	Alzheimer's disease (G30)	68	1.6	9.2
9	Influenza and pneumonia (J09-J18)	68	1.6	9.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45	1.1	6.1
12	Septicemia (A40-A41)	43	1.0	5.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	37	0.9	5.0
14	Viral hepatitis (B15-B19)	36	0.9	4.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	33	0.8	4.5
	All other causes (residual)	952	23.1	129.2
	Arizona			
	All causes	51,538	100.0	765.6
1	Malignant neoplasms (C00-C97)	11,455	22.2	170.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,805	21.0	160.5
3	Chronic lower respiratory diseases (J40-J47)	3,396	6.6	50.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,322	6.4	49.4
5	Alzheimer's disease (G30)	2,485	4.8	36.9
6	Cerebrovascular diseases (I60-I69)	2,235	4.3	33.2
7	Diabetes mellitus (E10-E14)	1,936	3.8	28.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,244	2.4	18.5
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,084	2.1	16.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	883	1.7	13.1
11	Influenza and pneumonia (J09-J18)	779	1.5	11.6
12	Parkinson's disease (G20-G21)	622	1.2	9.2
13	Septicemia (A40-A41)	371	0.7	5.5
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	325	0.6	4.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	322	0.6	4.8
	All other causes (residual)	10,274	19.9	152.6

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Arkansas			
	All causes	30,467	100.0	1,027.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,581	24.9	255.6
2	Malignant neoplasms (C00-C97)	6,546	21.5	220.7
3	Chronic lower respiratory diseases (J40-J47)	2,092	6.9	70.5
4	Cerebrovascular diseases (I60-I69)	1,583	5.2	53.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,458	4.8	49.2
6	Alzheimer's disease (G30)	1,193	3.9	40.2
7	Diabetes mellitus (E10-E14)	828	2.7	27.9
8	Influenza and pneumonia (J09-J18)	710	2.3	23.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	672	2.2	22.7
10	Septicemia (A40-A41)	550	1.8	18.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	515	1.7	17.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	369	1.2	12.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	269	0.9	9.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	217	0.7	7.3
15	Parkinson's disease (G20-G21)	212	0.7	7.1
	All other causes (residual)	5,672	18.6	191.2
	California			
	All causes	245,929	100.0	633.8
1	Malignant neoplasms (C00-C97)	58,412	23.8	150.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	58,189	23.7	150.0
3	Cerebrovascular diseases (I60-I69)	13,731	5.6	35.4
4	Chronic lower respiratory diseases (J40-J47)	12,780	5.2	32.9
5	Alzheimer's disease (G30)	12,644	5.1	32.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,804	4.8	30.4
7	Diabetes mellitus (E10-E14)	8,249	3.4	21.3
8	Influenza and pneumonia (J09-J18)	5,970	2.4	15.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	5,013	2.0	12.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,573	1.9	11.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,214	1.7	10.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,119	1.3	8.0
13	Parkinson's disease (G20-G21)	2,641	1.1	6.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,813	0.7	4.7
15	Pneumonitis due to solids and liquids (J69)	1,370	0.6	3.5
	All other causes (residual)	41,407	16.8	106.7

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Colorado			
	All causes	35,237	100.0	657.9
1	Malignant neoplasms (C00-C97)	7,405	21.0	138.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,900	19.6	128.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,517	7.1	47.0
4	Chronic lower respiratory diseases (J40-J47)	2,451	7.0	45.8
5	Cerebrovascular diseases (I60-I69)	1,714	4.9	32.0
6	Alzheimer's disease (G30)	1,364	3.9	25.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,083	3.1	20.2
8	Diabetes mellitus (E10-E14)	835	2.4	15.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	743	2.1	13.9
10	Influenza and pneumonia (J09-J18)	701	2.0	13.1
11	Septicemia (A40-A41)	459	1.3	8.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	448	1.3	8.4
13	Parkinson's disease (G20-G21)	431	1.2	8.0
14	Pneumonitis due to solids and liquids (J69)	296	0.8	5.5
15	Atherosclerosis (I70)	234	0.7	4.4
•••	All other causes (residual)	7,656	21.7	142.9
	Connecticut			
	All causes	29,860	100.0	830.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,018	23.5	195.1
2	Malignant neoplasms (C00-C97)	6,621	22.2	184.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,641	5.5	45.6
4	Chronic lower respiratory diseases (J40-J47)	1,368	4.6	38.0
5	Cerebrovascular diseases (I60-I69)	1,266	4.2	35.2
6	Alzheimer's disease (G30)	923	3.1	25.7
7	Diabetes mellitus (E10-E14)	685	2.3	19.0
8	Influenza and pneumonia (J09-J18)	644	2.2	17.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	605	2.0	16.8
10	Septicemia (A40-A41)	578	1.9	16.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	379	1.3	10.5
12	Pneumonitis due to solids and liquids (J69)	378	1.3	10.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	375	1.3	10.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	356	1.2	9.9
15	Parkinson's disease (G20-G21)	294	1.0	8.2
•••	All other causes (residual)	6,729	22.5	187.1

<sup>1</sup> Rank based on number of deaths SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014.

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

			Percent	
Rank <sup>1</sup>	Cause of death (based on the International Classification of Diseases,  Tenth Revision) and State	Number	of total deaths	Rate
Ttank	Tenut Nevision) and State	rambor	dodino	rate
	Delaware			
	All causes	8,260	100.0	882.8
1	Malignant neoplasms (C00-C97)	1,972	23.9	210.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,921	23.3	205.3
3	Chronic lower respiratory diseases (J40-J47)	458	5.5	49.0
4	Cerebrovascular diseases (I60-I69)	439	5.3	46.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	425	5.1	45.4
6	Diabetes mellitus (E10-E14)	226	2.7	24.2
7	Alzheimer's disease (G30)	188	2.3	20.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	173	2.1	18.5
9	Influenza and pneumonia (J09-J18)	156	1.9	16.7
10	Septicemia (A40-A41)	136	1.6	14.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	126	1.5	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	110	1.3	11.8
13	Parkinson's disease (G20-G21)	82	1.0	8.8
14	Pneumonitis due to solids and liquids (J69)	60	0.7	6.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	57	0.7	6.1
	All other causes (residual)	1,731	21.0	185.0
	District of Columbia			
	All causes	4,723	100.0	716.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,324	28.0	200.9
2	Malignant neoplasms (C00-C97)	1,116	23.6	169.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	217	4.6	32.9
4	Cerebrovascular diseases (I60-I69)	214	4.5	32.5
5	Chronic lower respiratory diseases (J40-J47)	136	2.9	20.6
6	Diabetes mellitus (E10-E14)	119	2.5	18.1
6	Alzheimer's disease (G30)	119	2.5	18.1
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	97	2.1	14.7
9	Septicemia (A40-A41)	77	1.6	11.7
10	Human immunodeficiency virus (HIV) disease (B20-B24)	74	1.6	11.2
10	Influenza and pneumonia (J09-J18)	74	1.6	11.2
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	64	1.4	9.7
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	52	1.1	7.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	50	1.1	7.6
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	49	1.0	7.4
	All other causes (residual)	941	19.9	142.8

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (hazard on the International Classification of Discoses		Percent	
Rank <sup>1</sup>	Cause of death (based on the International Classification of Diseases,  Tenth Revision) and State	Number	of total deaths	Rate
	Florida			
	All causes	185,956	100.0	934.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,511	23.9	223.7
2	Malignant neoplasms (C00-C97)	43,212	23.2	217.2
3	Chronic lower respiratory diseases (J40-J47)	11,178	6.0	56.2
4	Cerebrovascular diseases (I60-I69)	9,770	5.3	49.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,432	5.1	47.4
6	Alzheimer's disease (G30)	5,874	3.2	29.5
7	Diabetes mellitus (E10-E14)	5,371	2.9	27.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,076	1.7	15.5
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3,037	1.6	15.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,035	1.6	15.3
11	Influenza and pneumonia (J09-J18)	2,719	1.5	13.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,206	1.2	11.1
13	Septicemia (A40-A41)	2,197	1.2	11.0
14	Parkinson's disease (G20-G21)	2,054	1.1	10.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	1,418	0.8	7.1
	All other causes (residual)	36,866	19.8	185.3
	Georgia			
	All causes	76,887	100.0	761.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,107	22.2	169.4
2	Malignant neoplasms (C00-C97)	16,684	21.7	165.2
3	Chronic lower respiratory diseases (J40-J47)	4,332	5.6	42.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,963	5.2	39.2
5	Cerebrovascular diseases (I60-I69)	3,948	5.1	39.1
6	Alzheimer's disease (G30)	2,670	3.5	26.4
7	Diabetes mellitus (E10-E14)	2,230	2.9	22.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,742	2.3	17.3
9	Influenza and pneumonia (J09-J18)	1,510	2.0	15.0
10	Septicemia (A40-A41)	1,491	1.9	14.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,295	1.7	12.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,070	1.4	10.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	935	1.2	9.3
14	Parkinson's disease (G20-G21)	716	0.9	7.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	658	0.9	6.5
	All other causes (residual)	16,536	21.5	163.8

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Hawaii			
	All causes	10,767	100.0	758.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,528	23.5	178.1
2	Malignant neoplasms (C00-C97)	2,493	23.2	175.6
3	Cerebrovascular diseases (I60-I69)	655	6.1	46.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	476	4.4	33.5
5	Influenza and pneumonia (J09-J18)	438	4.1	30.9
6	Alzheimer's disease (G30)	326	3.0	23.0
7	Chronic lower respiratory diseases (J40-J47)	313	2.9	22.0
8	Diabetes mellitus (E10-E14)	276	2.6	19.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	220	2.0	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	204	1.9	14.4
11	Parkinson's disease (G20-G21)	133	1.2	9.4
12	Septicemia (A40-A41)	121	1.1	8.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	114	1.1	8.0
14	Pneumonitis due to solids and liquids (J69)	110	1.0	7.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	95	0.9	6.7
	All other causes (residual)	2,265	21.0	159.6
	Idaho			
	All causes	12,613	100.0	771.7
1	Malignant neoplasms (C00-C97)	2,795	22.2	171.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,676	21.2	163.7
3	Chronic lower respiratory diseases (J40-J47)	819	6.5	50.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	765	6.1	46.8
5	Cerebrovascular diseases (I60-I69)	640	5.1	39.2
6	Diabetes mellitus (E10-E14)	409	3.2	25.0
7	Alzheimer's disease (G30)	376	3.0	23.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	320	2.5	19.6
9	Influenza and pneumonia (J09-J18)	200	1.6	12.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	197	1.6	12.1
11	Parkinson's disease (G20-G21)	155	1.2	9.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	145	1.1	8.9
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	137	1.1	8.4
14	Pneumonitis due to solids and liquids (J69)	101	0.8	6.2
15	Septicemia (A40-A41)	93	0.7	5.7
	All other causes (residual)	2,785	22.1	170.4

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Illinois			
	All causes	105,293	100.0	817.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,024	23.8	194.3
2	Malignant neoplasms (C00-C97)	24,501	23.3	190.2
3	Chronic lower respiratory diseases (J40-J47)	5,631	5.3	43.7
4	Cerebrovascular diseases (I60-I69)	5,489	5.2	42.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,644	4.4	36.1
6	Alzheimer's disease (G30)	3,266	3.1	25.4
7	Diabetes mellitus (E10-E14)	2,712	2.6	21.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,517	2.4	19.5
9	Influenza and pneumonia (J09-J18)	2,485	2.4	19.3
10	Septicemia (A40-A41)	1,804	1.7	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,398	1.3	10.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,323	1.3	10.3
13	Parkinson's disease (G20-G21)	1,116	1.1	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,046	1.0	8.1
15	Pneumonitis due to solids and liquids (J69)	921	0.9	7.2
	All other causes (residual)	21,416	20.3	166.3
	Indiana			
	All causes	60,940	100.0	923.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,764	22.6	208.6
2	Malignant neoplasms (C00-C97)	13,519	22.2	204.9
3	Chronic lower respiratory diseases (J40-J47)	4,029	6.6	61.1
4	Cerebrovascular diseases (I60-I69)	3,107	5.1	47.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,974	4.9	45.1
6	Alzheimer's disease (G30)	2,204	3.6	33.4
7	Diabetes mellitus (E10-E14)	1,819	3.0	27.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,392	2.3	21.1
9	Influenza and pneumonia (J09-J18)	1,063	1.7	16.1
10	Septicemia (A40-A41)	1,018	1.7	15.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	948	1.6	14.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	781	1.3	11.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	669	1.1	10.1
14	Parkinson's disease (G20-G21)	606	1.0	9.2
15	Pneumonitis due to solids and liquids (J69)	423	0.7	6.4
	All other causes (residual)	12,624	20.7	191.4

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	_
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	lowa			
	All causes	29,190	100.0	939.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,615	22.7	212.9
2	Malignant neoplasms (C00-C97)	6,504	22.3	209.3
3	Chronic lower respiratory diseases (J40-J47)	1,915	6.6	61.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,517	5.2	48.8
5	Cerebrovascular diseases (I60-I69)	1,433	4.9	46.1
6	Alzheimer's disease (G30)	1,313	4.5	42.3
7	Diabetes mellitus (E10-E14)	1,019	3.5	32.8
8	Influenza and pneumonia (J09-J18)	582	2.0	18.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	407	1.4	13.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	339	1.2	10.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	319	1.1	10.3
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	313	1.1	10.1
13	Parkinson's disease (G20-G21)	301	1.0	9.7
14	Septicemia (A40-A41)	254	0.9	8.2
15	Pneumonitis due to solids and liquids (J69)	233	0.8	7.5
	All other causes (residual)	6,126	21.0	197.2
	Kansas			
	All causes	25,793	100.0	888.2
1	Malignant neoplasms (C00-C97)	5,587	21.7	192.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,479	21.2	188.7
3	Chronic lower respiratory diseases (J40-J47)	1,673	6.5	57.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,377	5.3	47.4
5	Cerebrovascular diseases (I60-I69)	1,363	5.3	46.9
6	Alzheimer's disease (G30)	790	3.1	27.2
7	Diabetes mellitus (E10-E14)	643	2.5	22.1
8	Influenza and pneumonia (J09-J18)	637	2.5	21.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	569	2.2	19.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	455	1.8	15.7
11	Atherosclerosis (I70)	441	1.7	15.2
12	Septicemia (A40-A41)	355	1.4	12.2
13	Parkinson's disease (G20-G21)	323	1.3	11.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	286	1.1	9.8
15	Pneumonitis due to solids and liquids (J69)	212	0.8	7.3
	All other causes (residual)	5,603	21.7	192.9
	•			

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Kentucky			
	All causes	44,838	100.0	1,015.9
1	Malignant neoplasms (C00-C97)	10,263	22.9	232.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,013	22.3	226.9
3	Chronic lower respiratory diseases (J40-J47)	3,214	7.2	72.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,621	5.8	59.4
5	Cerebrovascular diseases (I60-I69)	2,050	4.6	46.4
6	Alzheimer's disease (G30)	1,523	3.4	34.5
7	Diabetes mellitus (E10-E14)	1,175	2.6	26.6
8	Influenza and pneumonia (J09-J18)	1,017	2.3	23.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	968	2.2	21.9
10	Septicemia (A40-A41)	800	1.8	18.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	728	1.6	16.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	604	1.3	13.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	354	0.8	8.0
14	Parkinson's disease (G20-G21)	337	0.8	7.6
15	Pneumonitis due to solids and liquids (J69)	323	0.7	7.3
•••	All other causes (residual)	8,848	19.7	200.5
	Louisiana			
	All causes	43,869	100.0	943.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,647	24.3	229.0
2	Malignant neoplasms (C00-C97)	9,455	21.6	203.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,344	5.3	50.4
4	Chronic lower respiratory diseases (J40-J47)	2,237	5.1	48.1
5	Cerebrovascular diseases (I60-I69)	2,230	5.1	48.0
6	Alzheimer's disease (G30)	1,670	3.8	35.9
7	Diabetes mellitus (E10-E14)	1,238	2.8	26.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,217	2.8	26.2
9	Septicemia (A40-A41)	960	2.2	20.6
10	Influenza and pneumonia (J09-J18)	854	1.9	18.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	679	1.5	14.6
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	538	1.2	11.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	515	1.2	11.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	395	0.9	8.5
15	Parkinson's disease (G20-G21)	338	0.8	7.3
•••	All other causes (residual)	8,552	19.5	183.9

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Maine			
	All causes	13,510	100.0	1,015.7
1	Malignant neoplasms (C00-C97)	3,209	23.8	241.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,776	20.5	208.7
3	Chronic lower respiratory diseases (J40-J47)	896	6.6	67.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	690	5.1	51.9
5	Cerebrovascular diseases (I60-I69)	628	4.6	47.2
6	Alzheimer's disease (G30)	434	3.2	32.6
7	Diabetes mellitus (E10-E14)	414	3.1	31.1
8	Influenza and pneumonia (J09-J18)	258	1.9	19.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	223	1.7	16.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	220	1.6	16.5
11	Septicemia (A40-A41)	164	1.2	12.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	161	1.2	12.1
13	Parkinson's disease (G20-G21)	151	1.1	11.4
14	Pneumonitis due to solids and liquids (J69)	102	0.8	7.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	92	0.7	6.9
•••	All other causes (residual)	3,092	22.9	232.5
	Maryland			
	All causes	45,867	100.0	767.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,135	24.3	186.3
2	Malignant neoplasms (C00-C97)	10,759	23.5	180.0
3	Cerebrovascular diseases (I60-I69)	2,469	5.4	41.3
4	Chronic lower respiratory diseases (J40-J47)	1,909	4.2	31.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,674	3.6	28.0
6	Diabetes mellitus (E10-E14)	1,305	2.8	21.8
7	Septicemia (A40-A41)	1,021	2.2	17.1
8	Influenza and pneumonia (J09-J18)	1,019	2.2	17.1
9	Alzheimer's disease (G30)	934	2.0	15.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	751	1.6	12.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	606	1.3	10.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	484	1.1	8.1
13	Parkinson's disease (G20-G21)	469	1.0	7.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	466	1.0	7.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	387	0.8	6.5
	All other causes (residual)	10,479	22.8	175.3

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Massachusetts			
	All causes	55,200	100.0	818.3
1	Malignant neoplasms (C00-C97)	12,787	23.2	189.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,817	21.4	175.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,668	4.8	39.6
4	Chronic lower respiratory diseases (J40-J47)	2,592	4.7	38.4
5	Cerebrovascular diseases (I60-I69)	2,460	4.5	36.5
6	Alzheimer's disease (G30)	1,688	3.1	25.0
7	Influenza and pneumonia (J09-J18)	1,370	2.5	20.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,228	2.2	18.2
9	Diabetes mellitus (E10-E14)	1,202	2.2	17.8
10	Septicemia (A40-A41)	820	1.5	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	671	1.2	9.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	596	1.1	8.8
13	Parkinson's disease (G20-G21)	571	1.0	8.5
14	Pneumonitis due to solids and liquids (J69)	507	0.9	7.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	483	0.9	7.2
	All other causes (residual)	13,740	24.9	203.7
	Michigan			
	All causes	93,914	100.0	947.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,692	26.3	249.2
2	Malignant neoplasms (C00-C97)	21,169	22.5	213.6
3	Chronic lower respiratory diseases (J40-J47)	5,345	5.7	53.9
4	Cerebrovascular diseases (I60-I69)	4,596	4.9	46.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,422	4.7	44.6
6	Alzheimer's disease (G30)	3,349	3.6	33.8
7	Diabetes mellitus (E10-E14)	2,844	3.0	28.7
8	Influenza and pneumonia (J09-J18)	1,875	2.0	18.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,853	2.0	18.7
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,354	1.4	13.7
11	Septicemia (A40-A41)	1,220	1.3	12.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,198	1.3	12.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	919	1.0	9.3
14	Parkinson's disease (G20-G21)	853	0.9	8.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	599	0.6	6.0
	All other causes (residual)	17,626	18.8	177.9

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Minnesota			
	All causes	41,445	100.0	759.5
1	Malignant neoplasms (C00-C97)	9,649	23.3	176.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,659	18.5	140.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,385	5.8	43.7
4	Chronic lower respiratory diseases (J40-J47)	2,277	5.5	41.7
5	Cerebrovascular diseases (I60-I69)	2,202	5.3	40.4
6	Alzheimer's disease (G30)	1,628	3.9	29.8
7	Diabetes mellitus (E10-E14)	1,193	2.9	21.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	686	1.7	12.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	676	1.6	12.4
10	Influenza and pneumonia (J09-J18)	638	1.5	11.7
11	Parkinson's disease (G20-G21)	573	1.4	10.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	501	1.2	9.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	469	1.1	8.
14	Septicemia (A40-A41)	412	1.0	7.
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	306	0.7	5.0
	All other causes (residual)	10,191	24.6	186.
	Mississippi			
	All causes	30,557	100.0	1,020.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,538	24.7	251.8
2	Malignant neoplasms (C00-C97)	6,534	21.4	218.
3	Chronic lower respiratory diseases (J40-J47)	1,738	5.7	58.
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,712	5.6	57.
5	Cerebrovascular diseases (I60-I69)	1,584	5.2	52.
6	Alzheimer's disease (G30)	1,098	3.6	36.
7	Diabetes mellitus (E10-E14)	1,015	3.3	33.
8	Influenza and pneumonia (J09-J18)	763	2.5	25.
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	701	2.3	23.
10	Septicemia (A40-A41)	641	2.1	21.
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	476	1.6	15.
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	380	1.2	12.
13	Chronic liver disease and cirrhosis (K70,K73-K74)	347	1.1	11.
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	332	1.1	11.
15	Parkinson's disease (G20-G21)	198	0.6	6.
	All other causes (residual)	5,500	18.0	183.

<sup>1</sup> Rank based on number of deaths SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014.

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Missouri			
	All causes	58,320	100.0	961.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,338	24.6	236.5
2	Malignant neoplasms (C00-C97)	13,067	22.4	215.5
3	Chronic lower respiratory diseases (J40-J47)	3,762	6.5	62.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,110	5.3	51.3
5	Cerebrovascular diseases (I60-I69)	3,030	5.2	50.0
6	Alzheimer's disease (G30)	2,053	3.5	33.9
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,452	2.5	23.9
8	Diabetes mellitus (E10-E14)	1,423	2.4	23.5
9	Influenza and pneumonia (J09-J18)	1,321	2.3	21.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,017	1.7	16.8
11	Septicemia (A40-A41)	790	1.4	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	623	1.1	10.3
13	Parkinson's disease (G20-G21)	591	1.0	9.7
14	Pneumonitis due to solids and liquids (J69)	571	1.0	9.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	469	0.8	7.7
	All other causes (residual)	10,703	18.4	176.5
	Montana			
	All causes	9,381	100.0	916.5
1	Malignant neoplasms (C00-C97)	2,066	22.0	201.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,957	20.9	191.2
3	Chronic lower respiratory diseases (J40-J47)	668	7.1	65.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	581	6.2	56.8
5	Cerebrovascular diseases (I60-I69)	480	5.1	46.9
6	Alzheimer's disease (G30)	253	2.7	24.7
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	251	2.7	24.5
8	Diabetes mellitus (E10-E14)	250	2.7	24.4
9	Influenza and pneumonia (J09-J18)	179	1.9	17.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	150	1.6	14.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	125	1.3	12.2
12	Septicemia (A40-A41)	99	1.1	9.7
13	Parkinson's disease (G20-G21)	82	0.9	8.0
14	Pneumonitis due to solids and liquids (J69)	66	0.7	6.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	65	0.7	6.4
	All other causes (residual)	2,109	22.5	206.0

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

		Percent		
	Cause of death (based on the International Classification of Diseases,		of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Nebraska			
	All causes	15,978	100.0	849.2
1	Malignant neoplasms (C00-C97)	3,459	21.6	183.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,296	20.6	175.2
3	Chronic lower respiratory diseases (J40-J47)	1,123	7.0	59.7
4	Cerebrovascular diseases (I60-I69)	798	5.0	42.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	781	4.9	41.5
6	Alzheimer's disease (G30)	515	3.2	27.4
7	Diabetes mellitus (E10-E14)	473	3.0	25.1
8	Influenza and pneumonia (J09-J18)	351	2.2	18.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	265	1.7	14.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	255	1.6	13.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	251	1.6	13.3
12	Parkinson's disease (G20-G21)	199	1.2	10.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	165	1.0	8.8
14	Septicemia (A40-A41)	129	0.8	6.9
15	Pneumonitis due to solids and liquids (J69)	126	0.8	6.7
	All other causes (residual)	3,792	23.7	201.5
	Nevada			
	All causes	21,793	100.0	767.6
 1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,761	26.4	202.9
2	Malignant neoplasms (C00-C97)	5,015	23.0	176.6
3	Chronic lower respiratory diseases (J40-J47)	1,522	7.0	53.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,166	5.4	41.1
5	Cerebrovascular diseases (I60-I69)	948	4.4	33.4
6	Influenza and pneumonia (J09-J18)	687	3.2	24.2
7	Alzheimer's disease (G30)	606	2.8	21.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	573	2.6	20.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	392	1.8	13.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	365	1.7	12.9
11	Diabetes mellitus (E10-E14)	350	1.6	12.3
12	Septicemia (A40-A41)	219	1.0	7.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	176	0.8	6.2
14	Parkinson's disease (G20-G21)	159	0.7	5.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	140	0.6	4.9
	All other causes (residual)	3,714	17.0	130.8

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	New Hampshire			
	All causes	11,516	100.0	867.9
1	Malignant neoplasms (C00-C97)	2,698	23.4	203.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,464	21.4	185.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	716	6.2	54.0
4	Chronic lower respiratory diseases (J40-J47)	680	5.9	51.3
5	Cerebrovascular diseases (I60-I69)	474	4.1	35.7
6	Alzheimer's disease (G30)	396	3.4	29.8
7	Diabetes mellitus (E10-E14)	300	2.6	22.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	247	2.1	18.6
9	Influenza and pneumonia (J09-J18)	194	1.7	14.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	180	1.6	13.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	167	1.5	12.6
12	Parkinson's disease (G20-G21)	127	1.1	9.6
13	Septicemia (A40-A41)	122	1.1	9.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	96	0.8	7.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	85	0.7	6.4
	All other causes (residual)	2,570	22.3	193.7
	New Jersey			
	All causes	71,316	100.0	797.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,319	25.7	205.0
2	Malignant neoplasms (C00-C97)	16,591	23.3	185.6
3	Cerebrovascular diseases (I60-I69)	3,419	4.8	38.3
4	Chronic lower respiratory diseases (J40-J47)	3,046	4.3	34.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,970	4.2	33.2
6	Diabetes mellitus (E10-E14)	2,062	2.9	23.1
7	Alzheimer's disease (G30)	1,962	2.8	22.0
8	Septicemia (A40-A41)	1,764	2.5	19.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,502	2.1	16.8
10	Influenza and pneumonia (J09-J18)	1,234	1.7	13.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	794	1.1	8.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	786	1.1	8.8
13	Parkinson's disease (G20-G21)	751	1.1	8.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	709	1.0	7.9
15	Pneumonitis due to solids and liquids (J69)	576	0.8	6.4
	All other causes (residual)	14,831	20.8	165.9

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	New Mexico			
	All causes	17,579	100.0	842.9
1	Malignant neoplasms (C00-C97)	3,478	19.8	166.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,424	19.5	164.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,534	8.7	73.6
4	Chronic lower respiratory diseases (J40-J47)	1,127	6.4	54.0
5	Cerebrovascular diseases (I60-I69)	822	4.7	39.4
6	Diabetes mellitus (E10-E14)	671	3.8	32.2
7	Chronic liver disease and cirrhosis (K70,K73-K74)	509	2.9	24.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	449	2.6	21.5
9	Alzheimer's disease (G30)	442	2.5	21.2
10	Influenza and pneumonia (J09-J18)	376	2.1	18.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	267	1.5	12.8
12	Septicemia (A40-A41)	208	1.2	10.0
13	Parkinson's disease (G20-G21)	204	1.2	9.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	140	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	135	0.8	6.5
	All other causes (residual)	3,793	21.6	181.9
	New York			
	All causes	149,944	100.0	759.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	43,116	28.8	218.4
2	Malignant neoplasms (C00-C97)	35,392	23.6	179.2
3	Chronic lower respiratory diseases (J40-J47)	6,806	4.5	34.5
4	Cerebrovascular diseases (I60-I69)	6,212	4.1	31.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,945	4.0	30.1
6	Influenza and pneumonia (J09-J18)	4,702	3.1	23.8
7	Diabetes mellitus (E10-E14)	4,064	2.7	20.6
8	Alzheimer's disease (G30)	2,639	1.8	13.4
9	Septicemia (A40-A41)	2,568	1.7	13.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,207	1.5	11.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,117	1.4	10.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,700	1.1	8.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,575	1.1	8.0
14	Parkinson's disease (G20-G21)	1,239	0.8	6.3
15	Pneumonitis due to solids and liquids (J69)	911	0.6	4.6
	All other causes (residual)	28,751	19.2	145.6

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	North Carolina			
	All causes	85,367	100.0	858.5
1	Malignant neoplasms (C00-C97)	19,342	22.7	194.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,592	20.6	176.9
3	Chronic lower respiratory diseases (J40-J47)	5,023	5.9	50.5
4	Cerebrovascular diseases (I60-I69)	4,702	5.5	47.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,557	5.3	45.8
6	Alzheimer's disease (G30)	3,246	3.8	32.6
7	Diabetes mellitus (E10-E14)	2,687	3.1	27.0
8	Influenza and pneumonia (J09-J18)	1,874	2.2	18.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,791	2.1	18.0
10	Septicemia (A40-A41)	1,384	1.6	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,352	1.6	13.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,184	1.4	11.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	877	1.0	8.8
14	Parkinson's disease (G20-G21)	754	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	747	0.9	7.5
	All other causes (residual)	18,255	21.4	183.6
	North Dakota			
	All causes	6,184	100.0	836.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,381	22.3	186.8
2	Malignant neoplasms (C00-C97)	1,304	21.1	176.3
3	Alzheimer's disease (G30)	364	5.9	49.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	349	5.6	47.2
5	Cerebrovascular diseases (I60-I69)	325	5.3	43.9
6	Chronic lower respiratory diseases (J40-J47)	317	5.1	42.9
7	Diabetes mellitus (E10-E14)	176	2.8	23.8
8	Influenza and pneumonia (J09-J18)	174	2.8	23.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	137	2.2	18.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	104	1.7	14.1
11	Septicemia (A40-A41)	78	1.3	10.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	76	1.2	10.3
13	Pneumonitis due to solids and liquids (J69)	69	1.1	9.3
14	Parkinson's disease (G20-G21)	63	1.0	8.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	61	1.0	8.2
	All other causes (residual)	1,206	19.5	163.1

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	,
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Ohio			
	All causes	114,509	100.0	987.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	27,000	23.6	232.9
2	Malignant neoplasms (C00-C97)	25,433	22.2	219.4
3	Chronic lower respiratory diseases (J40-J47)	6,765	5.9	58.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,178	5.4	53.3
5	Cerebrovascular diseases (I60-I69)	5,791	5.1	49.9
6	Alzheimer's disease (G30)	4,083	3.6	35.2
7	Diabetes mellitus (E10-E14)	3,641	3.2	31.4
8	Influenza and pneumonia (J09-J18)	2,443	2.1	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,002	1.7	17.3
10	Septicemia (A40-A41)	1,729	1.5	14.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,491	1.3	12.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,456	1.3	12.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,361	1.2	11.7
14	Parkinson's disease (G20-G21)	1,094	1.0	9.4
15	Pneumonitis due to solids and liquids (J69)	826	0.7	7.1
	All other causes (residual)	23,216	20.3	200.2
	Oklahoma			
	All causes	38,464	100.0	991.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,868	25.7	254.5
2	Malignant neoplasms (C00-C97)	7,934	20.6	204.6
3	Chronic lower respiratory diseases (J40-J47)	2,772	7.2	71.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,421	6.3	62.4
5	Cerebrovascular diseases (I60-I69)	1,847	4.8	47.6
6	Diabetes mellitus (E10-E14)	1,261	3.3	32.5
7	Alzheimer's disease (G30)	1,227	3.2	31.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	736	1.9	19.0
9	Influenza and pneumonia (J09-J18)	723	1.9	18.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	604	1.6	15.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	589	1.5	15.2
12	Septicemia (A40-A41)	499	1.3	12.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	447	1.2	11.5
14	Parkinson's disease (G20-G21)	303	8.0	7.8
15	Pneumonitis due to solids and liquids (J69)	262	0.7	6.8
	All other causes (residual)	6,971	18.1	179.8

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Oregon			
	All causes	34,151	100.0	860.2
1	Malignant neoplasms (C00-C97)	7,863	23.0	198.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,524	19.1	164.3
3	Chronic lower respiratory diseases (J40-J47)	1,955	5.7	49.2
4	Cerebrovascular diseases (I60-I69)	1,821	5.3	45.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,803	5.3	45.4
6	Alzheimer's disease (G30)	1,411	4.1	35.5
7	Diabetes mellitus (E10-E14)	1,083	3.2	27.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	782	2.3	19.7
9	Chronic liver disease and cirrhosis (K70,K73-K74)	599	1.8	15.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	497	1.5	12.5
11	Influenza and pneumonia (J09-J18)	450	1.3	11.3
12	Parkinson's disease (G20-G21)	381	1.1	9.6
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	378	1.1	9.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	248	0.7	6.2
15	Viral hepatitis (B15-B19)	210	0.6	5.3
	All other causes (residual)	8,146	23.9	205.2
	Pennsylvania			
	All causes	128,434	100.0	1,004.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,353	24.4	245.2
2	Malignant neoplasms (C00-C97)	28,692	22.3	224.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,640	5.2	51.9
4	Cerebrovascular diseases (I60-I69)	6,576	5.1	51.4
5	Chronic lower respiratory diseases (J40-J47)	6,422	5.0	50.2
6	Diabetes mellitus (E10-E14)	3,765	2.9	29.4
7	Alzheimer's disease (G30)	3,486	2.7	27.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,798	2.2	21.9
9	Influenza and pneumonia (J09-J18)	2,541	2.0	19.9
10	Septicemia (A40-A41)	2,259	1.8	17.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,817	1.4	14.2
12	Parkinson's disease (G20-G21)	1,396	1.1	10.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,301	1.0	10.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,064	0.8	8.3
15	Pneumonitis due to solids and liquids (J69)	1,017	8.0	8.0
	All other causes (residual)	27,307	21.3	213.5

<sup>1</sup> Rank based on number of deaths SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014.

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Rhode Island			
	All causes	9,770	100.0	925.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,341	24.0	221.9
2	Malignant neoplasms (C00-C97)	2,242	22.9	212.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	592	6.1	56.1
4	Chronic lower respiratory diseases (J40-J47)	505	5.2	47.9
5	Alzheimer's disease (G30)	403	4.1	38.2
6	Cerebrovascular diseases (I60-I69)	373	3.8	35.3
7	Diabetes mellitus (E10-E14)	252	2.6	23.9
8	Influenza and pneumonia (J09-J18)	176	1.8	16.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	135	1.4	12.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	116	1.2	11.0
11	Septicemia (A40-A41)	114	1.2	10.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	113	1.2	10.7
13	Parkinson's disease (G20-G21)	92	0.9	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	85	0.9	8.1
15	Pneumonitis due to solids and liquids (J69)	78	0.8	7.4
	All other causes (residual)	2,153	22.0	204.0
	South Carolina			
	All causes	45,454	100.0	940.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,964	21.9	206.2
2	Malignant neoplasms (C00-C97)	9,930	21.8	205.5
3	Chronic lower respiratory diseases (J40-J47)	2,715	6.0	56.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,436	5.4	50.4
5	Cerebrovascular diseases (I60-I69)	2,393	5.3	49.5
6	Alzheimer's disease (G30)	1,938	4.3	40.1
7	Diabetes mellitus (E10-E14)	1,239	2.7	25.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	837	1.8	17.3
9	Septicemia (A40-A41)	813	1.8	16.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	753	1.7	15.6
11	Influenza and pneumonia (J09-J18)	751	1.7	15.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	689	1.5	14.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	462	1.0	9.6
14	Parkinson's disease (G20-G21)	399	0.9	8.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	363	8.0	7.5
	All other causes (residual)	9,772	21.5	202.2

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	South Dakota			
	All causes	7,507	100.0	879.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,704	22.7	199.7
2	Malignant neoplasms (C00-C97)	1,698	22.6	199.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	462	6.2	54.2
4	Chronic lower respiratory diseases (J40-J47)	441	5.9	51.7
5	Cerebrovascular diseases (I60-I69)	439	5.8	51.5
6	Alzheimer's disease (G30)	434	5.8	50.9
7	Diabetes mellitus (E10-E14)	224	3.0	26.3
8	Influenza and pneumonia (J09-J18)	181	2.4	21.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	141	1.9	16.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	130	1.7	15.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	96	1.3	11.3
12	Septicemia (A40-A41)	83	1.1	9.7
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	72	1.0	8.4
14	Pneumonitis due to solids and liquids (J69)	69	0.9	8.1
15	Parkinson's disease (G20-G21)	62	0.8	7.3
	All other causes (residual)	1,271	16.9	149.0
	Tennessee			
	All causes	64,661	100.0	987.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,223	23.5	232.4
2	Malignant neoplasms (C00-C97)	14,173	21.9	216.4
3	Chronic lower respiratory diseases (J40-J47)	3,969	6.1	60.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,686	5.7	56.3
5	Cerebrovascular diseases (I60-I69)	3,326	5.1	50.8
6	Alzheimer's disease (G30)	2,672	4.1	40.8
7	Diabetes mellitus (E10-E14)	1,727	2.7	26.4
8	Influenza and pneumonia (J09-J18)	1,602	2.5	24.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,036	1.6	15.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	997	1.5	15.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	917	1.4	14.0
12	Septicemia (A40-A41)	840	1.3	12.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	637	1.0	9.7
14	Pneumonitis due to solids and liquids (J69)	556	0.9	8.5
15	Parkinson's disease (G20-G21)	529	0.8	8.1
	All other causes (residual)	12,771	19.8	195.0

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Texas			
	All causes	183,912	100.0	682.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	41,479	22.6	153.9
2	Malignant neoplasms (C00-C97)	38,847	21.1	144.1
3	Cerebrovascular diseases (I60-I69)	9,898	5.4	36.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,723	5.3	36.1
5	Chronic lower respiratory diseases (J40-J47)	9,668	5.3	35.9
6	Alzheimer's disease (G30)	6,772	3.7	25.1
7	Diabetes mellitus (E10-E14)	5,348	2.9	19.8
8	Septicemia (A40-A41)	4,121	2.2	15.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,008	2.2	14.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,680	2.0	13.7
11	Influenza and pneumonia (J09-J18)	3,452	1.9	12.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,254	1.8	12.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,032	1.1	7.5
14	Parkinson's disease (G20-G21)	1,781	1.0	6.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,389	8.0	5.2
	All other causes (residual)	38,460	20.9	142.7
	Utah			
	All causes	16,719	100.0	568.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,431	20.5	116.6
2	Malignant neoplasms (C00-C97)	3,043	18.2	103.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,167	7.0	39.7
4	Cerebrovascular diseases (I60-I69)	856	5.1	29.1
5	Chronic lower respiratory diseases (J40-J47)	757	4.5	25.7
6	Alzheimer's disease (G30)	584	3.5	19.8
7	Diabetes mellitus (E10-E14)	570	3.4	19.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	559	3.3	19.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	393	2.4	13.4
10	Influenza and pneumonia (J09-J18)	366	2.2	12.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	223	1.3	7.6
12	Parkinson's disease (G20-G21)	207	1.2	7.0
13	Septicemia (A40-A41)	158	0.9	5.4
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	132	8.0	4.5
15	Pneumonitis due to solids and liquids (J69)	126	0.8	4.3
	All other causes (residual)	4,147	24.8	140.9

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

	Course of death (hased on the International Classification of Discours		Percent	
Rank <sup>1</sup>	Cause of death (based on the International Classification of Diseases, Tenth Revision) and State	Number	of total deaths	Rate
	Vermont			
	All causes	5,623	100.0	897.4
1	Malignant neoplasms (C00-C97)	1,379	24.5	220.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,311	23.3	209.2
3	Chronic lower respiratory diseases (J40-J47)	333	5.9	53.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	322	5.7	51.4
5	Alzheimer's disease (G30)	266	4.7	42.5
5	Cerebrovascular diseases (I60-I69)	266	4.7	42.5
7	Diabetes mellitus (E10-E14)	154	2.7	24.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	124	2.2	19.8
9	Influenza and pneumonia (J09-J18)	74	1.3	11.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	69	1.2	11.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	61	1.1	9.7
12	Parkinson's disease (G20-G21)	54	1.0	8.6
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	37	0.7	5.9
14	Pneumonitis due to solids and liquids (J69)	32	0.6	5.1
15	Aortic aneurysm and dissection (I71)	29	0.5	4.6
	All other causes (residual)	1,112	19.8	177.5
	Virginia			
	All causes	63,598	100.0	763.8
1	Malignant neoplasms (C00-C97)	14,749	23.2	177.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,874	21.8	166.6
3	Cerebrovascular diseases (I60-I69)	3,229	5.1	38.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,146	4.9	37.8
5	Chronic lower respiratory diseases (J40-J47)	3,108	4.9	37.3
6	Alzheimer's disease (G30)	1,775	2.8	21.3
7	Diabetes mellitus (E10-E14)	1,683	2.6	20.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,553	2.4	18.7
9	Influenza and pneumonia (J09-J18)	1,498	2.4	18.0
10	Septicemia (A40-A41)	1,341	2.1	16.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,123	1.8	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	837	1.3	10.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	666	1.0	8.0
14	Parkinson's disease (G20-G21)	600	0.9	7.2
15	Pneumonitis due to solids and liquids (J69)	560	0.9	6.7
	All other causes (residual)	13,856	21.8	166.4

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

		Percent		
Rank <sup>1</sup>	Cause of death (based on the <i>International Classification of Diseases,</i> Tenth Revision) and State	Number	of total deaths	Rate
Nank	Tenin Revision) and State	Number	ueatris	Nate
	Washington			
•••	All causes	52,099	100.0	737.8
1	Malignant neoplasms (C00-C97)	12,205	23.4	172.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,710	20.6	151.7
3	Alzheimer's disease (G30)	3,344	6.4	47.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,997	5.8	42.4
5	Chronic lower respiratory diseases (J40-J47)	2,916	5.6	41.3
6	Cerebrovascular diseases (I60-I69)	2,649	5.1	37.5
7	Diabetes mellitus (E10-E14)	1,668	3.2	23.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,119	2.1	15.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	901	1.7	12.8
10	Influenza and pneumonia (J09-J18)	729	1.4	10.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	581	1.1	8.2
12	Pneumonitis due to solids and liquids (J69)	566	1.1	8.0
13	Parkinson's disease (G20-G21)	560	1.1	7.9
14	Septicemia (A40-A41)	520	1.0	7.4
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	481	0.9	6.8
	All other causes (residual)	10,153	19.5	143.8
	West Virginia			
	All causes	22,186	100.0	1,199.0
1	Malignant neoplasms (C00-C97)	4,880	22.0	263.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,692	21.1	253.6
3	Chronic lower respiratory diseases (J40-J47)	1,578	7.1	85.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,380	6.2	74.6
5	Cerebrovascular diseases (I60-I69)	1,103	5.0	59.6
6	Diabetes mellitus (E10-E14)	818	3.7	44.2
7	Alzheimer's disease (G30)	620	2.8	33.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	479	2.2	25.9
9	Influenza and pneumonia (J09-J18)	473	2.1	25.6
10	Septicemia (A40-A41)	372	1.7	20.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	359	1.6	19.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	345	1.6	18.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	244	1.1	13.2
14	Parkinson's disease (G20-G21)	179	0.8	9.7
15	Pneumonitis due to solids and liquids (J69)	141	0.6	7.6
	All other causes (residual)	4,523	20.4	244.4

<sup>...</sup> Category not applicable

<sup>&</sup>lt;sup>1</sup> Rank based on number of deaths

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2014

-	Cause of death (based on the International Classification of Diseases,	Percent of total		
Rank <sup>1</sup>	Tenth Revision) and State	Number	deaths	Rate
	Wisconsin			
	All causes	50,291	100.0	873.5
1	Malignant neoplasms (C00-C97)	11,393	22.7	197.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,229	22.3	195.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,015	6.0	52.4
4	Chronic lower respiratory diseases (J40-J47)	2,759	5.5	47.9
5	Cerebrovascular diseases (I60-I69)	2,511	5.0	43.6
6	Alzheimer's disease (G30)	1,876	3.7	32.6
7	Diabetes mellitus (E10-E14)	1,352	2.7	23.5
8	Influenza and pneumonia (J09-J18)	1,002	2.0	17.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	980	1.9	17.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	769	1.5	13.4
11	Parkinson's disease (G20-G21)	616	1.2	10.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	612	1.2	10.6
13	Septicemia (A40-A41)	533	1.1	9.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	463	0.9	8.0
15	Pneumonitis due to solids and liquids (J69)	399	0.8	6.9
	All other causes (residual)	10,782	21.4	187.3
	Wyoming			
	All causes	4,666	100.0	798.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,035	22.2	177.2
2	Malignant neoplasms (C00-C97)	922	19.8	157.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	361	7.7	61.8
4	Chronic lower respiratory diseases (J40-J47)	343	7.4	58.7
5	Cerebrovascular diseases (I60-I69)	189	4.1	32.4
6	Alzheimer's disease (G30)	162	3.5	27.7
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	120	2.6	20.5
8	Influenza and pneumonia (J09-J18)	113	2.4	19.3
9	Diabetes mellitus (E10-E14)	110	2.4	18.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	89	1.9	15.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	78	1.7	13.4
12	Septicemia (A40-A41)	59	1.3	10.1
13	Parkinson's disease (G20-G21)	47	1.0	8.0
14	Pneumonitis due to solids and liquids (J69)	38	8.0	6.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	35	8.0	6.0
	All other causes (residual)	965	20.7	165.2

<sup>...</sup> Category not applicable