

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,397,615	100.0	816.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	652,486	27.2	222.2
2	Malignant neoplasms (C00-C97)	553,888	23.1	188.6
3	Cerebrovascular diseases (I60-I69)	150,074	6.3	51.1
4	Chronic lower respiratory diseases (J40-J47)	121,987	5.1	41.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	112,012	4.7	38.1
6	Diabetes mellitus (E10-E14)	73,138	3.1	24.9
7	Alzheimer's disease (G30)	65,965	2.8	22.5
8	Influenza and pneumonia (J10-J18)	59,664	2.5	20.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	42,480	1.8	14.5
10	Septicemia (A40-A41)	33,373	1.4	11.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	32,439	1.4	11.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	27,013	1.1	9.2
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	23,076	1.0	7.9
14	Parkinson's disease (G20-G21)	17,989	0.8	6.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	17,357	0.7	5.9
...	All other causes (Residual)	414,674	17.3	141.2
Alabama				
...	All causes	46,121	100.0	1,018.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,774	27.7	282.0
2	Malignant neoplasms (C00-C97)	9,756	21.2	215.4
3	Cerebrovascular diseases (I60-I69)	2,986	6.5	65.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,403	5.2	53.0
5	Chronic lower respiratory diseases (J40-J47)	2,361	5.1	52.1
6	Diabetes mellitus (E10-E14)	1,449	3.1	32.0
7	Alzheimer's disease (G30)	1,385	3.0	30.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,049	2.3	23.2
9	Influenza and pneumonia (J10-J18)	994	2.2	21.9
10	Septicemia (A40-A41)	756	1.6	16.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	541	1.2	11.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	477	1.0	10.5
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	413	0.9	9.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	369	0.8	8.1
15	Pneumonitis due to solids and liquids (J69)	287	0.6	6.3
...	All other causes (Residual)	8,121	17.6	179.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,051	100.0	465.5
1	Malignant neoplasms (C00-C97)	728	23.9	111.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	589	19.3	89.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	326	10.7	49.7
4	Cerebrovascular diseases (I60-I69)	172	5.6	26.2
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	155	5.1	23.6
6	Chronic lower respiratory diseases (J40-J47)	139	4.6	21.2
7	Diabetes mellitus (E10-E14)	93	3.0	14.2
8	Alzheimer's disease (G30)	48	1.6	7.3
9	Chronic liver disease and cirrhosis (K70,K73-K74)	47	1.5	7.2
10	Influenza and pneumonia (J10-J18)	42	1.4	6.4
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	41	1.3	6.3
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	27	0.9	4.1
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	23	0.8	3.5
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	23	0.8	3.5
15	Certain conditions originating in the perinatal period (P00-P96)	22	0.7	3.4
...	All other causes (Residual)	576	18.9	87.9
Arizona				
...	All causes	43,198	100.0	752.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,539	24.4	183.5
2	Malignant neoplasms (C00-C97)	9,618	22.3	167.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,770	6.4	48.2
4	Cerebrovascular diseases (I60-I69)	2,446	5.7	42.6
5	Chronic lower respiratory diseases (J40-J47)	2,416	5.6	42.1
6	Alzheimer's disease (G30)	1,675	3.9	29.2
7	Diabetes mellitus (E10-E14)	1,196	2.8	20.8
8	Influenza and pneumonia (J10-J18)	1,111	2.6	19.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	880	2.0	15.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	655	1.5	11.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	634	1.5	11.0
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	509	1.2	8.9
13	Septicemia (A40-A41)	456	1.1	7.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	408	0.9	7.1
15	Parkinson's disease (G20-G21)	390	0.9	6.8
...	All other causes (Residual)	7,495	17.4	130.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	27,528	100.0	1,000.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,534	27.4	273.7
2	Malignant neoplasms (C00-C97)	6,304	22.9	229.0
3	Cerebrovascular diseases (I60-I69)	1,948	7.1	70.8
4	Chronic lower respiratory diseases (J40-J47)	1,428	5.2	51.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,406	5.1	51.1
6	Diabetes mellitus (E10-E14)	838	3.0	30.4
7	Influenza and pneumonia (J10-J18)	759	2.8	27.6
8	Alzheimer's disease (G30)	622	2.3	22.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	562	2.0	20.4
10	Septicemia (A40-A41)	470	1.7	17.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	361	1.3	13.1
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	239	0.9	8.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	231	0.8	8.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	211	0.8	7.7
15	Pneumonitis due to solids and liquids (J69)	195	0.7	7.1
...	All other causes (Residual)	4,420	16.1	160.6
California				
...	All causes	232,525	100.0	647.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	64,999	28.0	181.1
2	Malignant neoplasms (C00-C97)	53,700	23.1	149.6
3	Cerebrovascular diseases (I60-I69)	16,882	7.3	47.0
4	Chronic lower respiratory diseases (J40-J47)	12,522	5.4	34.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,633	4.6	29.6
6	Influenza and pneumonia (J10-J18)	7,323	3.1	20.4
7	Diabetes mellitus (E10-E14)	7,117	3.1	19.8
8	Alzheimer's disease (G30)	6,964	3.0	19.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3,703	1.6	10.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,368	1.4	9.4
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	2,859	1.2	8.0
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,490	1.1	6.9
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,373	1.0	6.6
14	Parkinson's disease (G20-G21)	1,832	0.8	5.1
15	Certain conditions originating in the perinatal period (P00-P96)	1,423	0.6	4.0
...	All other causes (Residual)	34,337	14.8	95.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	28,309	100.0	615.2
1	Malignant neoplasms (C00-C97)	6,196	21.9	134.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,079	21.5	132.1
3	Chronic lower respiratory diseases (J40-J47)	1,899	6.7	41.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,810	6.4	39.3
5	Cerebrovascular diseases (I60-I69)	1,638	5.8	35.6
6	Alzheimer's disease (G30)	912	3.2	19.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	797	2.8	17.3
8	Diabetes mellitus (E10-E14)	696	2.5	15.1
9	Influenza and pneumonia (J10-J18)	637	2.3	13.8
10	Atherosclerosis (I70)	445	1.6	9.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	427	1.5	9.3
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	406	1.4	8.8
13	Septicemia (A40-A41)	301	1.1	6.5
14	Parkinson's disease (G20-G21)	256	0.9	5.6
15	Pneumonitis due to solids and liquids (J69)	255	0.9	5.5
...	All other causes (Residual)	5,555	19.6	120.7
Connecticut				
...	All causes	29,314	100.0	836.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,868	26.8	224.6
2	Malignant neoplasms (C00-C97)	7,175	24.5	204.8
3	Cerebrovascular diseases (I60-I69)	1,635	5.6	46.7
4	Chronic lower respiratory diseases (J40-J47)	1,432	4.9	40.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,261	4.3	36.0
6	Influenza and pneumonia (J10-J18)	868	3.0	24.8
7	Diabetes mellitus (E10-E14)	767	2.6	21.9
8	Alzheimer's disease (G30)	684	2.3	19.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	604	2.1	17.2
10	Septicemia (A40-A41)	516	1.8	14.7
11	Pneumonitis due to solids and liquids (J69)	337	1.1	9.6
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	313	1.1	8.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	294	1.0	8.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	293	1.0	8.4
15	Parkinson's disease (G20-G21)	236	0.8	6.7
...	All other causes (Residual)	5,031	17.2	143.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,143	100.0	860.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,015	28.2	242.7
2	Malignant neoplasms (C00-C97)	1,827	25.6	220.0
3	Cerebrovascular diseases (I60-I69)	350	4.9	42.2
4	Chronic lower respiratory diseases (J40-J47)	345	4.8	41.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	294	4.1	35.4
6	Diabetes mellitus (E10-E14)	210	2.9	25.3
7	Alzheimer's disease (G30)	155	2.2	18.7
8	Influenza and pneumonia (J10-J18)	145	2.0	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	128	1.8	15.4
10	Septicemia (A40-A41)	121	1.7	14.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	93	1.3	11.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	78	1.1	9.4
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	75	1.0	9.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	58	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	55	0.8	6.6
...	All other causes (Residual)	1,194	16.7	143.8
District of Columbia				
...	All causes	5,454	100.0	985.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,544	28.3	278.9
2	Malignant neoplasms (C00-C97)	1,152	21.1	208.1
3	Human immunodeficiency virus (HIV) disease (B20-B24)	236	4.3	42.6
4	Diabetes mellitus (E10-E14)	224	4.1	40.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	219	4.0	39.6
6	Cerebrovascular diseases (I60-I69)	218	4.0	39.4
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	174	3.2	31.4
8	Chronic lower respiratory diseases (J40-J47)	165	3.0	29.8
9	Alzheimer's disease (G30)	119	2.2	21.5
10	Septicemia (A40-A41)	106	1.9	19.2
11	Influenza and pneumonia (J10-J18)	91	1.7	16.4
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	79	1.4	14.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	71	1.3	12.8
14	Certain conditions originating in the perinatal period (P00-P96)	69	1.3	12.5
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	53	1.0	9.6
...	All other causes (Residual)	934	17.1	168.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	169,008	100.0	971.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	47,160	27.9	271.1
2	Malignant neoplasms (C00-C97)	39,840	23.6	229.0
3	Cerebrovascular diseases (I60-I69)	9,715	5.7	55.8
4	Chronic lower respiratory diseases (J40-J47)	8,971	5.3	51.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,229	4.9	47.3
6	Diabetes mellitus (E10-E14)	4,809	2.8	27.6
7	Alzheimer's disease (G30)	4,307	2.5	24.8
8	Influenza and pneumonia (J10-J18)	3,044	1.8	17.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,389	1.4	13.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,252	1.3	12.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,122	1.3	12.2
12	Septicemia (A40-A41)	1,981	1.2	11.4
13	Human immunodeficiency virus (HIV) disease (B20-B24)	1,719	1.0	9.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,703	1.0	9.8
15	Parkinson's disease (G20-G21)	1,339	0.8	7.7
...	All other causes (Residual)	29,428	17.4	169.2
Georgia				
...	All causes	65,818	100.0	745.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,557	25.2	187.5
2	Malignant neoplasms (C00-C97)	14,313	21.7	162.1
3	Cerebrovascular diseases (I60-I69)	4,063	6.2	46.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,667	5.6	41.5
5	Chronic lower respiratory diseases (J40-J47)	3,125	4.7	35.4
6	Alzheimer's disease (G30)	1,710	2.6	19.4
7	Diabetes mellitus (E10-E14)	1,623	2.5	18.4
8	Influenza and pneumonia (J10-J18)	1,547	2.4	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,458	2.2	16.5
10	Septicemia (A40-A41)	1,305	2.0	14.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	973	1.5	11.0
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	864	1.3	9.8
13	Human immunodeficiency virus (HIV) disease (B20-B24)	700	1.1	7.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	676	1.0	7.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	659	1.0	7.5
...	All other causes (Residual)	12,578	19.1	142.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,030	100.0	715.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,457	27.2	194.6
2	Malignant neoplasms (C00-C97)	2,088	23.1	165.3
3	Cerebrovascular diseases (I60-I69)	714	7.9	56.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	390	4.3	30.9
5	Chronic lower respiratory diseases (J40-J47)	307	3.4	24.3
6	Influenza and pneumonia (J10-J18)	236	2.6	18.7
7	Diabetes mellitus (E10-E14)	194	2.1	15.4
8	Septicemia (A40-A41)	188	2.1	14.9
9	Alzheimer's disease (G30)	171	1.9	13.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	164	1.8	13.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	116	1.3	9.2
12	Pneumonitis due to solids and liquids (J69)	113	1.3	8.9
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	105	1.2	8.3
14	Parkinson's disease (G20-G21)	87	1.0	6.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	87	1.0	6.9
...	All other causes (Residual)	1,613	17.9	127.7
Idaho				
...	All causes	10,028	100.0	719.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,450	24.4	175.8
2	Malignant neoplasms (C00-C97)	2,227	22.2	159.8
3	Cerebrovascular diseases (I60-I69)	712	7.1	51.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	593	5.9	42.6
5	Chronic lower respiratory diseases (J40-J47)	572	5.7	41.1
6	Diabetes mellitus (E10-E14)	344	3.4	24.7
7	Alzheimer's disease (G30)	343	3.4	24.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	236	2.4	16.9
9	Influenza and pneumonia (J10-J18)	219	2.2	15.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	111	1.1	8.0
11	Parkinson's disease (G20-G21)	110	1.1	7.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	109	1.1	7.8
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	73	0.7	5.2
14	Pneumonitis due to solids and liquids (J69)	71	0.7	5.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	70	0.7	5.0
...	All other causes (Residual)	1,788	17.8	128.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	102,670	100.0	807.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	28,284	27.5	222.5
2	Malignant neoplasms (C00-C97)	24,289	23.7	191.0
3	Cerebrovascular diseases (I60-I69)	6,489	6.3	51.0
4	Chronic lower respiratory diseases (J40-J47)	4,723	4.6	37.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,133	4.0	32.5
6	Diabetes mellitus (E10-E14)	3,069	3.0	24.1
7	Influenza and pneumonia (J10-J18)	2,779	2.7	21.9
8	Alzheimer's disease (G30)	2,595	2.5	20.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,339	2.3	18.4
10	Septicemia (A40-A41)	1,997	1.9	15.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,058	1.0	8.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,028	1.0	8.1
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	932	0.9	7.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	871	0.8	6.9
15	Parkinson's disease (G20-G21)	841	0.8	6.6
...	All other causes (Residual)	17,243	16.8	135.6
Indiana				
...	All causes	54,211	100.0	869.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,636	27.0	234.6
2	Malignant neoplasms (C00-C97)	12,552	23.2	201.2
3	Cerebrovascular diseases (I60-I69)	3,454	6.4	55.4
4	Chronic lower respiratory diseases (J40-J47)	3,145	5.8	50.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,395	4.4	38.4
6	Diabetes mellitus (E10-E14)	1,673	3.1	26.8
7	Alzheimer's disease (G30)	1,552	2.9	24.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,244	2.3	19.9
9	Influenza and pneumonia (J10-J18)	1,136	2.1	18.2
10	Septicemia (A40-A41)	820	1.5	13.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	704	1.3	11.3
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	523	1.0	8.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	509	0.9	8.2
14	Parkinson's disease (G20-G21)	413	0.8	6.6
15	Pneumonitis due to solids and liquids (J69)	404	0.7	6.5
...	All other causes (Residual)	9,051	16.7	145.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable



## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	26,897	100.0	910.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,299	27.1	247.1
2	Malignant neoplasms (C00-C97)	6,340	23.6	214.6
3	Cerebrovascular diseases (I60-I69)	1,960	7.3	66.3
4	Chronic lower respiratory diseases (J40-J47)	1,547	5.8	52.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,108	4.1	37.5
6	Alzheimer's disease (G30)	968	3.6	32.8
7	Influenza and pneumonia (J10-J18)	890	3.3	30.1
8	Diabetes mellitus (E10-E14)	700	2.6	23.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	343	1.3	11.6
10	Pneumonitis due to solids and liquids (J69)	269	1.0	9.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	266	1.0	9.0
12	Atherosclerosis (I70)	257	1.0	8.7
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	239	0.9	8.1
14	Septicemia (A40-A41)	228	0.8	7.7
15	Parkinson's disease (G20-G21)	225	0.8	7.6
...	All other causes (Residual)	4,258	15.8	144.1
Kansas				
...	All causes	23,818	100.0	870.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,048	25.4	221.1
2	Malignant neoplasms (C00-C97)	5,312	22.3	194.2
3	Cerebrovascular diseases (I60-I69)	1,611	6.8	58.9
4	Chronic lower respiratory diseases (J40-J47)	1,316	5.5	48.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,144	4.8	41.8
6	Alzheimer's disease (G30)	769	3.2	28.1
7	Diabetes mellitus (E10-E14)	690	2.9	25.2
8	Influenza and pneumonia (J10-J18)	562	2.4	20.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	554	2.3	20.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	370	1.6	13.5
11	Atherosclerosis (I70)	317	1.3	11.6
12	Septicemia (A40-A41)	280	1.2	10.2
13	Parkinson's disease (G20-G21)	249	1.0	9.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	206	0.9	7.5
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	186	0.8	6.8
...	All other causes (Residual)	4,204	17.7	153.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	38,646	100.0	932.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,465	27.1	252.4
2	Malignant neoplasms (C00-C97)	9,159	23.7	220.9
3	Cerebrovascular diseases (I60-I69)	2,339	6.1	56.4
4	Chronic lower respiratory diseases (J40-J47)	2,265	5.9	54.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,260	5.8	54.5
6	Diabetes mellitus (E10-E14)	1,195	3.1	28.8
7	Alzheimer's disease (G30)	982	2.5	23.7
8	Influenza and pneumonia (J10-J18)	965	2.5	23.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	827	2.1	19.9
10	Septicemia (A40-A41)	573	1.5	13.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	560	1.4	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	355	0.9	8.6
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	310	0.8	7.5
14	Pneumonitis due to solids and liquids (J69)	303	0.8	7.3
15	Parkinson's disease (G20-G21)	254	0.7	6.1
...	All other causes (Residual)	5,834	15.1	140.7
Louisiana				
...	All causes	42,215	100.0	934.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,852	25.7	240.3
2	Malignant neoplasms (C00-C97)	9,434	22.3	208.9
3	Cerebrovascular diseases (I60-I69)	2,489	5.9	55.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,300	5.4	50.9
5	Diabetes mellitus (E10-E14)	1,717	4.1	38.0
6	Chronic lower respiratory diseases (J40-J47)	1,615	3.8	35.8
7	Alzheimer's disease (G30)	1,267	3.0	28.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,110	2.6	24.6
9	Influenza and pneumonia (J10-J18)	913	2.2	20.2
10	Septicemia (A40-A41)	837	2.0	18.5
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	602	1.4	13.3
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	537	1.3	11.9
13	Human immunodeficiency virus (HIV) disease (B20-B24)	393	0.9	8.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	363	0.9	8.0
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	351	0.8	7.8
...	All other causes (Residual)	7,435	17.6	164.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,443	100.0	944.6
1	Malignant neoplasms (C00-C97)	3,124	25.1	237.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,948	23.7	223.8
3	Cerebrovascular diseases (I60-I69)	801	6.4	60.8
4	Chronic lower respiratory diseases (J40-J47)	766	6.2	58.2
5	Alzheimer's disease (G30)	512	4.1	38.9
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	480	3.9	36.4
7	Diabetes mellitus (E10-E14)	382	3.1	29.0
8	Influenza and pneumonia (J10-J18)	308	2.5	23.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	264	2.1	20.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	171	1.4	13.0
11	Septicemia (A40-A41)	139	1.1	10.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	121	1.0	9.2
13	Parkinson's disease (G20-G21)	116	0.9	8.8
14	Aortic aneurysm and dissection (I71)	90	0.7	6.8
15	Pneumonitis due to solids and liquids (J69)	89	0.7	6.8
...	All other causes (Residual)	2,132	17.1	161.9
Maryland				
...	All causes	43,232	100.0	777.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,346	26.2	204.1
2	Malignant neoplasms (C00-C97)	10,168	23.5	182.9
3	Cerebrovascular diseases (I60-I69)	2,718	6.3	48.9
4	Chronic lower respiratory diseases (J40-J47)	1,910	4.4	34.4
5	Diabetes mellitus (E10-E14)	1,417	3.3	25.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,412	3.3	25.4
7	Influenza and pneumonia (J10-J18)	1,111	2.6	20.0
8	Septicemia (A40-A41)	1,063	2.5	19.1
9	Alzheimer's disease (G30)	905	2.1	16.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	699	1.6	12.6
11	Human immunodeficiency virus (HIV) disease (B20-B24)	557	1.3	10.0
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	533	1.2	9.6
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	500	1.2	9.0
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	443	1.0	8.0
15	Chronic liver disease and cirrhosis (K70,K73-K74)	419	1.0	7.5
...	All other causes (Residual)	8,031	18.6	144.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	54,511	100.0	849.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,824	25.4	215.4
2	Malignant neoplasms (C00-C97)	13,337	24.5	207.9
3	Cerebrovascular diseases (I60-I69)	3,254	6.0	50.7
4	Chronic lower respiratory diseases (J40-J47)	2,574	4.7	40.1
5	Influenza and pneumonia (J10-J18)	1,959	3.6	30.5
6	Alzheimer's disease (G30)	1,673	3.1	26.1
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,366	2.5	21.3
8	Diabetes mellitus (E10-E14)	1,329	2.4	20.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,250	2.3	19.5
10	Septicemia (A40-A41)	963	1.8	15.0
11	Pneumonitis due to solids and liquids (J69)	562	1.0	8.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	536	1.0	8.4
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	455	0.8	7.1
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	425	0.8	6.6
15	Parkinson's disease (G20-G21)	419	0.8	6.5
...	All other causes (Residual)	10,585	19.4	165.0
Michigan				
...	All causes	85,169	100.0	842.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,825	29.1	245.5
2	Malignant neoplasms (C00-C97)	19,653	23.1	194.3
3	Cerebrovascular diseases (I60-I69)	5,290	6.2	52.3
4	Chronic lower respiratory diseases (J40-J47)	4,252	5.0	42.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,312	3.9	32.8
6	Diabetes mellitus (E10-E14)	2,953	3.5	29.2
7	Alzheimer's disease (G30)	2,232	2.6	22.1
8	Influenza and pneumonia (J10-J18)	1,957	2.3	19.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,507	1.8	14.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,098	1.3	10.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	983	1.2	9.7
12	Septicemia (A40-A41)	852	1.0	8.4
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	740	0.9	7.3
14	Parkinson's disease (G20-G21)	691	0.8	6.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	673	0.8	6.7
...	All other causes (Residual)	14,151	16.6	139.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	37,034	100.0	726.0
1	Malignant neoplasms (C00-C97)	9,093	24.6	178.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,891	21.3	154.7
3	Cerebrovascular diseases (I60-I69)	2,542	6.9	49.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,867	5.0	36.6
5	Chronic lower respiratory diseases (J40-J47)	1,839	5.0	36.1
6	Alzheimer's disease (G30)	1,231	3.3	24.1
7	Diabetes mellitus (E10-E14)	1,130	3.1	22.2
8	Influenza and pneumonia (J10-J18)	750	2.0	14.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	669	1.8	13.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	524	1.4	10.3
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	477	1.3	9.4
12	Parkinson's disease (G20-G21)	403	1.1	7.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	333	0.9	6.5
14	Aortic aneurysm and dissection (I71)	300	0.8	5.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	299	0.8	5.9
...	All other causes (Residual)	7,686	20.8	150.7
Mississippi				
...	All causes	27,871	100.0	960.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,282	29.7	285.3
2	Malignant neoplasms (C00-C97)	5,983	21.5	206.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,703	6.1	58.7
4	Cerebrovascular diseases (I60-I69)	1,651	5.9	56.9
5	Chronic lower respiratory diseases (J40-J47)	1,350	4.8	46.5
6	Diabetes mellitus (E10-E14)	665	2.4	22.9
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	662	2.4	22.8
8	Influenza and pneumonia (J10-J18)	637	2.3	21.9
9	Alzheimer's disease (G30)	630	2.3	21.7
10	Septicemia (A40-A41)	500	1.8	17.2
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	353	1.3	12.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	350	1.3	12.1
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	283	1.0	9.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	267	1.0	9.2
15	Certain conditions originating in the perinatal period (P00-P96)	193	0.7	6.6
...	All other causes (Residual)	4,362	15.7	150.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	53,950	100.0	937.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,500	28.7	269.3
2	Malignant neoplasms (C00-C97)	12,450	23.1	216.3
3	Cerebrovascular diseases (I60-I69)	3,503	6.5	60.9
4	Chronic lower respiratory diseases (J40-J47)	2,731	5.1	47.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,728	5.1	47.4
6	Diabetes mellitus (E10-E14)	1,461	2.7	25.4
7	Influenza and pneumonia (J10-J18)	1,389	2.6	24.1
8	Alzheimer's disease (G30)	1,381	2.6	24.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,083	2.0	18.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	715	1.3	12.4
11	Septicemia (A40-A41)	669	1.2	11.6
12	Pneumonitis due to solids and liquids (J69)	439	0.8	7.6
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	432	0.8	7.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	432	0.8	7.5
15	Parkinson's disease (G20-G21)	401	0.7	7.0
...	All other causes (Residual)	8,636	16.0	150.1
Montana				
...	All causes	8,094	100.0	873.3
1	Malignant neoplasms (C00-C97)	1,867	23.1	201.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,838	22.7	198.3
3	Chronic lower respiratory diseases (J40-J47)	578	7.1	62.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	535	6.6	57.7
5	Cerebrovascular diseases (I60-I69)	484	6.0	52.2
6	Diabetes mellitus (E10-E14)	237	2.9	25.6
7	Alzheimer's disease (G30)	228	2.8	24.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	175	2.2	18.9
9	Influenza and pneumonia (J10-J18)	165	2.0	17.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	108	1.3	11.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	95	1.2	10.2
12	Septicemia (A40-A41)	70	0.9	7.6
13	Pneumonitis due to solids and liquids (J69)	67	0.8	7.2
14	Parkinson's disease (G20-G21)	59	0.7	6.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	55	0.7	5.9
...	All other causes (Residual)	1,533	18.9	165.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	14,657	100.0	838.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,738	25.5	213.9
2	Malignant neoplasms (C00-C97)	3,270	22.3	187.2
3	Cerebrovascular diseases (I60-I69)	978	6.7	56.0
4	Chronic lower respiratory diseases (J40-J47)	815	5.6	46.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	743	5.1	42.5
6	Alzheimer's disease (G30)	459	3.1	26.3
7	Diabetes mellitus (E10-E14)	395	2.7	22.6
8	Influenza and pneumonia (J10-J18)	347	2.4	19.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	283	1.9	16.2
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	175	1.2	10.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	166	1.1	9.5
12	Parkinson's disease (G20-G21)	136	0.9	7.8
13	Septicemia (A40-A41)	133	0.9	7.6
14	Pneumonitis due to solids and liquids (J69)	132	0.9	7.6
15	Chronic liver disease and cirrhosis (K70,K73-K74)	116	0.8	6.6
...	All other causes (Residual)	2,771	18.9	158.6
Nevada				
...	All causes	17,929	100.0	767.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,693	26.2	201.0
2	Malignant neoplasms (C00-C97)	4,119	23.0	176.4
3	Chronic lower respiratory diseases (J40-J47)	1,124	6.3	48.1
4	Cerebrovascular diseases (I60-I69)	1,030	5.7	44.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,021	5.7	43.7
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	440	2.5	18.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	425	2.4	18.2
8	Influenza and pneumonia (J10-J18)	402	2.2	17.2
9	Septicemia (A40-A41)	395	2.2	16.9
10	Alzheimer's disease (G30)	292	1.6	12.5
11	Diabetes mellitus (E10-E14)	290	1.6	12.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	286	1.6	12.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	186	1.0	8.0
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	131	0.7	5.6
15	Atherosclerosis (I70)	121	0.7	5.2
...	All other causes (Residual)	2,974	16.6	127.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,111	100.0	778.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,639	26.1	203.1
2	Malignant neoplasms (C00-C97)	2,554	25.3	196.5
3	Chronic lower respiratory diseases (J40-J47)	600	5.9	46.2
4	Cerebrovascular diseases (I60-I69)	586	5.8	45.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	445	4.4	34.2
6	Alzheimer's disease (G30)	331	3.3	25.5
7	Diabetes mellitus (E10-E14)	313	3.1	24.1
8	Influenza and pneumonia (J10-J18)	271	2.7	20.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	163	1.6	12.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	133	1.3	10.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	100	1.0	7.7
12	Septicemia (A40-A41)	91	0.9	7.0
13	Parkinson's disease (G20-G21)	87	0.9	6.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	78	0.8	6.0
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	77	0.8	5.9
...	All other causes (Residual)	1,643	16.2	126.4
New Jersey				
...	All causes	71,371	100.0	820.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	20,560	28.8	236.4
2	Malignant neoplasms (C00-C97)	17,208	24.1	197.8
3	Cerebrovascular diseases (I60-I69)	3,781	5.3	43.5
4	Chronic lower respiratory diseases (J40-J47)	3,031	4.2	34.8
5	Diabetes mellitus (E10-E14)	2,595	3.6	29.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,324	3.3	26.7
7	Septicemia (A40-A41)	1,903	2.7	21.9
8	Alzheimer's disease (G30)	1,711	2.4	19.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,624	2.3	18.7
10	Influenza and pneumonia (J10-J18)	1,586	2.2	18.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	704	1.0	8.1
12	Human immunodeficiency virus (HIV) disease (B20-B24)	671	0.9	7.7
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	597	0.8	6.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	542	0.8	6.2
15	Parkinson's disease (G20-G21)	529	0.7	6.1
...	All other causes (Residual)	12,005	16.8	138.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable



## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	14,298	100.0	751.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,264	22.8	171.5
2	Malignant neoplasms (C00-C97)	3,036	21.2	159.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,223	8.6	64.3
4	Chronic lower respiratory diseases (J40-J47)	753	5.3	39.6
5	Cerebrovascular diseases (I60-I69)	721	5.0	37.9
6	Diabetes mellitus (E10-E14)	590	4.1	31.0
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	356	2.5	18.7
8	Alzheimer's disease (G30)	328	2.3	17.2
9	Influenza and pneumonia (J10-J18)	308	2.2	16.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	289	2.0	15.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	227	1.6	11.9
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	173	1.2	9.1
13	Septicemia (A40-A41)	144	1.0	7.6
14	Parkinson's disease (G20-G21)	138	1.0	7.3
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	102	0.7	5.4
...	All other causes (Residual)	2,646	18.5	139.0
New York				
...	All causes	152,681	100.0	794.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	52,480	34.4	272.9
2	Malignant neoplasms (C00-C97)	36,100	23.6	187.8
3	Cerebrovascular diseases (I60-I69)	6,927	4.5	36.0
4	Chronic lower respiratory diseases (J40-J47)	6,786	4.4	35.3
5	Influenza and pneumonia (J10-J18)	5,499	3.6	28.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,530	3.0	23.6
7	Diabetes mellitus (E10-E14)	3,913	2.6	20.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,383	1.6	12.4
9	Septicemia (A40-A41)	2,278	1.5	11.8
10	Alzheimer's disease (G30)	1,989	1.3	10.3
11	Human immunodeficiency virus (HIV) disease (B20-B24)	1,722	1.1	9.0
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,616	1.1	8.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,296	0.8	6.7
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,187	0.8	6.2
15	Certain conditions originating in the perinatal period (P00-P96)	864	0.6	4.5
...	All other causes (Residual)	23,111	15.1	120.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	72,384	100.0	847.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,607	24.3	206.1
2	Malignant neoplasms (C00-C97)	16,477	22.8	192.9
3	Cerebrovascular diseases (I60-I69)	4,955	6.8	58.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,019	5.6	47.1
5	Chronic lower respiratory diseases (J40-J47)	3,625	5.0	42.4
6	Diabetes mellitus (E10-E14)	2,253	3.1	26.4
7	Alzheimer's disease (G30)	2,188	3.0	25.6
8	Influenza and pneumonia (J10-J18)	1,686	2.3	19.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,470	2.0	17.2
10	Septicemia (A40-A41)	1,200	1.7	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,027	1.4	12.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	781	1.1	9.1
13	Pneumonitis due to solids and liquids (J69)	750	1.0	8.8
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	734	1.0	8.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	613	0.8	7.2
...	All other causes (Residual)	12,999	18.0	152.2
North Dakota				
...	All causes	5,601	100.0	882.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,470	26.2	231.7
2	Malignant neoplasms (C00-C97)	1,265	22.6	199.4
3	Cerebrovascular diseases (I60-I69)	475	8.5	74.9
4	Alzheimer's disease (G30)	313	5.6	49.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	274	4.9	43.2
6	Chronic lower respiratory diseases (J40-J47)	273	4.9	43.0
7	Diabetes mellitus (E10-E14)	209	3.7	32.9
8	Influenza and pneumonia (J10-J18)	148	2.6	23.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	73	1.3	11.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	58	1.0	9.1
11	Parkinson's disease (G20-G21)	55	1.0	8.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	55	1.0	8.7
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	52	0.9	8.2
14	Aortic aneurysm and dissection (I71)	36	0.6	5.7
15	Septicemia (A40-A41)	33	0.6	5.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	33	0.6	5.2
...	All other causes (Residual)	779	13.9	122.8

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	106,288	100.0	927.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	29,078	27.4	253.8
2	Malignant neoplasms (C00-C97)	24,940	23.5	217.6
3	Cerebrovascular diseases (I60-I69)	6,501	6.1	56.7
4	Chronic lower respiratory diseases (J40-J47)	5,896	5.5	51.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,234	4.0	36.9
6	Diabetes mellitus (E10-E14)	3,615	3.4	31.5
7	Alzheimer's disease (G30)	2,927	2.8	25.5
8	Influenza and pneumonia (J10-J18)	2,204	2.1	19.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,896	1.8	16.5
10	Septicemia (A40-A41)	1,488	1.4	13.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,319	1.2	11.5
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,143	1.1	10.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,063	1.0	9.3
14	Parkinson's disease (G20-G21)	776	0.7	6.8
15	Pneumonitis due to solids and liquids (J69)	740	0.7	6.5
...	All other causes (Residual)	18,468	17.4	161.2
Oklahoma				
...	All causes	34,483	100.0	978.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,335	30.0	293.3
2	Malignant neoplasms (C00-C97)	7,269	21.1	206.3
3	Cerebrovascular diseases (I60-I69)	2,183	6.3	62.0
4	Chronic lower respiratory diseases (J40-J47)	1,985	5.8	56.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,947	5.6	55.3
6	Diabetes mellitus (E10-E14)	1,139	3.3	32.3
7	Alzheimer's disease (G30)	867	2.5	24.6
8	Influenza and pneumonia (J10-J18)	810	2.3	23.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	565	1.6	16.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	506	1.5	14.4
11	Septicemia (A40-A41)	414	1.2	11.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	386	1.1	11.0
13	Atherosclerosis (I70)	259	0.8	7.4
14	Pneumonitis due to solids and liquids (J69)	248	0.7	7.0
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	236	0.7	6.7
...	All other causes (Residual)	5,334	15.5	151.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	30,313	100.0	843.3
1	Malignant neoplasms (C00-C97)	7,236	23.9	201.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,725	22.2	187.1
3	Cerebrovascular diseases (I60-I69)	2,328	7.7	64.8
4	Chronic lower respiratory diseases (J40-J47)	1,778	5.9	49.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,444	4.8	40.2
6	Alzheimer's disease (G30)	1,262	4.2	35.1
7	Diabetes mellitus (E10-E14)	1,073	3.5	29.9
8	Influenza and pneumonia (J10-J18)	558	1.8	15.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	555	1.8	15.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	390	1.3	10.8
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	358	1.2	10.0
12	Parkinson's disease (G20-G21)	320	1.1	8.9
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	308	1.0	8.6
14	Aortic aneurysm and dissection (I71)	199	0.7	5.5
15	Septicemia (A40-A41)	198	0.7	5.5
...	All other causes (Residual)	5,581	18.4	155.3
Pennsylvania				
...	All causes	127,640	100.0	1,028.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	36,434	28.5	293.7
2	Malignant neoplasms (C00-C97)	29,424	23.1	237.2
3	Cerebrovascular diseases (I60-I69)	7,792	6.1	62.8
4	Chronic lower respiratory diseases (J40-J47)	5,978	4.7	48.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,200	4.1	41.9
6	Diabetes mellitus (E10-E14)	3,579	2.8	28.8
7	Alzheimer's disease (G30)	3,277	2.6	26.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,067	2.4	24.7
9	Influenza and pneumonia (J10-J18)	2,938	2.3	23.7
10	Septicemia (A40-A41)	2,491	2.0	20.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,410	1.1	11.4
12	Pneumonitis due to solids and liquids (J69)	1,218	1.0	9.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,101	0.9	8.9
14	Parkinson's disease (G20-G21)	1,019	0.8	8.2
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	960	0.8	7.7
...	All other causes (Residual)	21,752	17.0	175.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,769	100.0	904.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,969	30.4	274.7
2	Malignant neoplasms (C00-C97)	2,418	24.8	223.8
3	Cerebrovascular diseases (I60-I69)	522	5.3	48.3
4	Chronic lower respiratory diseases (J40-J47)	463	4.7	42.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	298	3.1	27.6
6	Alzheimer's disease (G30)	283	2.9	26.2
7	Diabetes mellitus (E10-E14)	280	2.9	25.9
8	Influenza and pneumonia (J10-J18)	260	2.7	24.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	131	1.3	12.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	129	1.3	11.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	85	0.9	7.9
12	Septicemia (A40-A41)	83	0.8	7.7
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	74	0.8	6.8
14	Pneumonitis due to solids and liquids (J69)	55	0.6	5.1
15	Atherosclerosis (I70)	53	0.5	4.9
...	All other causes (Residual)	1,666	17.1	154.2
South Carolina				
...	All causes	37,276	100.0	887.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,182	24.6	218.7
2	Malignant neoplasms (C00-C97)	8,348	22.4	198.9
3	Cerebrovascular diseases (I60-I69)	2,643	7.1	63.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,094	5.6	49.9
5	Chronic lower respiratory diseases (J40-J47)	1,792	4.8	42.7
6	Alzheimer's disease (G30)	1,245	3.3	29.7
7	Diabetes mellitus (E10-E14)	1,165	3.1	27.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	818	2.2	19.5
9	Influenza and pneumonia (J10-J18)	770	2.1	18.3
10	Septicemia (A40-A41)	625	1.7	14.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	482	1.3	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	457	1.2	10.9
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	387	1.0	9.2
14	Pneumonitis due to solids and liquids (J69)	339	0.9	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	323	0.9	7.7
...	All other causes (Residual)	6,606	17.7	157.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	6,833	100.0	886.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,783	26.1	231.3
2	Malignant neoplasms (C00-C97)	1,555	22.8	201.7
3	Cerebrovascular diseases (I60-I69)	469	6.9	60.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	416	6.1	54.0
5	Chronic lower respiratory diseases (J40-J47)	391	5.7	50.7
6	Alzheimer's disease (G30)	243	3.6	31.5
7	Diabetes mellitus (E10-E14)	229	3.4	29.7
8	Influenza and pneumonia (J10-J18)	179	2.6	23.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	112	1.6	14.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	95	1.4	12.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	92	1.3	11.9
12	Parkinson's disease (G20-G21)	64	0.9	8.3
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	58	0.8	7.5
14	Aortic aneurysm and dissection (I71)	57	0.8	7.4
15	Pneumonitis due to solids and liquids (J69)	49	0.7	6.4
...	All other causes (Residual)	1,041	15.2	135.0
Tennessee				
...	All causes	55,829	100.0	946.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,038	26.9	254.8
2	Malignant neoplasms (C00-C97)	12,586	22.5	213.3
3	Cerebrovascular diseases (I60-I69)	3,680	6.6	62.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,156	5.7	53.5
5	Chronic lower respiratory diseases (J40-J47)	2,987	5.4	50.6
6	Diabetes mellitus (E10-E14)	1,882	3.4	31.9
7	Alzheimer's disease (G30)	1,615	2.9	27.4
8	Influenza and pneumonia (J10-J18)	1,571	2.8	26.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	792	1.4	13.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	680	1.2	11.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	637	1.1	10.8
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	545	1.0	9.2
13	Septicemia (A40-A41)	538	1.0	9.1
14	Pneumonitis due to solids and liquids (J69)	465	0.8	7.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	417	0.7	7.1
...	All other causes (Residual)	9,240	16.6	156.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	152,870	100.0	679.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	40,196	26.3	178.7
2	Malignant neoplasms (C00-C97)	33,937	22.2	150.9
3	Cerebrovascular diseases (I60-I69)	9,853	6.4	43.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,323	5.4	37.0
5	Chronic lower respiratory diseases (J40-J47)	7,402	4.8	32.9
6	Diabetes mellitus (E10-E14)	5,435	3.6	24.2
7	Alzheimer's disease (G30)	4,336	2.8	19.3
8	Influenza and pneumonia (J10-J18)	3,209	2.1	14.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,561	1.7	11.4
10	Septicemia (A40-A41)	2,424	1.6	10.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,300	1.5	10.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	2,281	1.5	10.1
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,416	0.9	6.3
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,361	0.9	6.1
15	Certain conditions originating in the perinatal period (P00-P96)	1,138	0.7	5.1
...	All other causes (Residual)	26,698	17.5	118.7
Utah				
...	All causes	13,331	100.0	558.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,942	22.1	123.1
2	Malignant neoplasms (C00-C97)	2,445	18.3	102.3
3	Cerebrovascular diseases (I60-I69)	790	5.9	33.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	697	5.2	29.2
5	Chronic lower respiratory diseases (J40-J47)	595	4.5	24.9
6	Diabetes mellitus (E10-E14)	485	3.6	20.3
7	Influenza and pneumonia (J10-J18)	384	2.9	16.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	377	2.8	15.8
9	Alzheimer's disease (G30)	376	2.8	15.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	235	1.8	9.8
11	Parkinson's disease (G20-G21)	162	1.2	6.8
12	Certain conditions originating in the perinatal period (P00-P96)	121	0.9	5.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	117	0.9	4.9
14	Septicemia (A40-A41)	112	0.8	4.7
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	109	0.8	4.6
...	All other causes (Residual)	3,384	25.4	141.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	4,995	100.0	803.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,289	25.8	207.4
2	Malignant neoplasms (C00-C97)	1,212	24.3	195.0
3	Cerebrovascular diseases (I60-I69)	302	6.0	48.6
4	Chronic lower respiratory diseases (J40-J47)	296	5.9	47.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	253	5.1	40.7
6	Alzheimer's disease (G30)	173	3.5	27.8
7	Diabetes mellitus (E10-E14)	150	3.0	24.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	93	1.9	15.0
9	Influenza and pneumonia (J10-J18)	86	1.7	13.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	57	1.1	9.2
11	Parkinson's disease (G20-G21)	53	1.1	8.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	47	0.9	7.6
13	Aortic aneurysm and dissection (I71)	39	0.8	6.3
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	35	0.7	5.6
15	Septicemia (A40-A41)	31	0.6	5.0
15	Pneumonitis due to solids and liquids (J69)	31	0.6	5.0
...	All other causes (Residual)	848	17.0	136.5
Virginia				
...	All causes	56,550	100.0	758.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,284	25.3	191.5
2	Malignant neoplasms (C00-C97)	13,385	23.7	179.4
3	Cerebrovascular diseases (I60-I69)	3,788	6.7	50.8
4	Chronic lower respiratory diseases (J40-J47)	2,730	4.8	36.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,630	4.7	35.3
6	Diabetes mellitus (E10-E14)	1,602	2.8	21.5
7	Alzheimer's disease (G30)	1,480	2.6	19.8
8	Influenza and pneumonia (J10-J18)	1,449	2.6	19.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,249	2.2	16.7
10	Septicemia (A40-A41)	1,195	2.1	16.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	828	1.5	11.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	545	1.0	7.3
13	Pneumonitis due to solids and liquids (J69)	532	0.9	7.1
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	505	0.9	6.8
15	Parkinson's disease (G20-G21)	441	0.8	5.9
...	All other causes (Residual)	9,907	17.5	132.8

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable



## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	44,770	100.0	721.7
1	Malignant neoplasms (C00-C97)	10,989	24.5	177.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,644	23.8	171.6
3	Cerebrovascular diseases (I60-I69)	3,243	7.2	52.3
4	Chronic lower respiratory diseases (J40-J47)	2,549	5.7	41.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,341	5.2	37.7
6	Alzheimer's disease (G30)	2,233	5.0	36.0
7	Diabetes mellitus (E10-E14)	1,508	3.4	24.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	830	1.9	13.4
9	Influenza and pneumonia (J10-J18)	738	1.6	11.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	568	1.3	9.2
11	Parkinson's disease (G20-G21)	505	1.1	8.1
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	395	0.9	6.4
13	Pneumonitis due to solids and liquids (J69)	352	0.8	5.7
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	348	0.8	5.6
15	Atherosclerosis (I70)	315	0.7	5.1
...	All other causes (Residual)	7,212	16.1	116.3
West Virginia				
...	All causes	20,793	100.0	1,145.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,674	27.3	312.6
2	Malignant neoplasms (C00-C97)	4,694	22.6	258.6
3	Chronic lower respiratory diseases (J40-J47)	1,225	5.9	67.5
4	Cerebrovascular diseases (I60-I69)	1,178	5.7	64.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,110	5.3	61.1
6	Diabetes mellitus (E10-E14)	840	4.0	46.3
7	Alzheimer's disease (G30)	493	2.4	27.2
8	Influenza and pneumonia (J10-J18)	474	2.3	26.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	450	2.2	24.8
10	Septicemia (A40-A41)	323	1.6	17.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	285	1.4	15.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	258	1.2	14.2
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	211	1.0	11.6
14	Parkinson's disease (G20-G21)	139	0.7	7.7
15	Atherosclerosis (I70)	135	0.6	7.4
...	All other causes (Residual)	3,304	15.9	182.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

## LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2004

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	45,600	100.0	827.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,909	26.1	216.2
2	Malignant neoplasms (C00-C97)	10,861	23.8	197.1
3	Cerebrovascular diseases (I60-I69)	3,071	6.7	55.7
4	Chronic lower respiratory diseases (J40-J47)	2,312	5.1	42.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,303	5.1	41.8
6	Alzheimer's disease (G30)	1,419	3.1	25.8
7	Diabetes mellitus (E10-E14)	1,310	2.9	23.8
8	Influenza and pneumonia (J10-J18)	1,141	2.5	20.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	925	2.0	16.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	662	1.5	12.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	421	0.9	7.6
12	Septicemia (A40-A41)	416	0.9	7.6
12	Parkinson's disease (G20-G21)	416	0.9	7.6
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	371	0.8	6.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	352	0.8	6.4
...	All other causes (Residual)	7,711	16.9	140.0
Wyoming				
...	All causes	3,955	100.0	780.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	950	24.0	187.6
2	Malignant neoplasms (C00-C97)	875	22.1	172.7
3	Chronic lower respiratory diseases (J40-J47)	308	7.8	60.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	243	6.1	48.0
5	Cerebrovascular diseases (I60-I69)	214	5.4	42.2
6	Diabetes mellitus (E10-E14)	110	2.8	21.7
7	Influenza and pneumonia (J10-J18)	109	2.8	21.5
8	Alzheimer's disease (G30)	105	2.7	20.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	88	2.2	17.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	45	1.1	8.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45	1.1	8.9
12	Aortic aneurysm and dissection (I71)	44	1.1	8.7
13	Septicemia (A40-A41)	40	1.0	7.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	28	0.7	5.5
15	Certain conditions originating in the perinatal period (P00-P96)	27	0.7	5.3
...	All other causes (Residual)	724	18.3	142.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable