

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending October 26, 2013 (43rd week)*


Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	63	1	81	137	75	55	62	
Eastern equine encephalitis virus disease	—	6	0	15	4	10	4	4	
Powassan virus disease	—	7	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	20	1,164	9	940	1,128	NN	NN	NN	RI (3), NY (17)
Botulism, total	1	103	3	168	153	112	118	145	
foodborne	—	3	0	27	24	7	10	17	
infant	1	89	2	123	97	80	83	109	OH (1)
other (wound and unspecified)	—	11	1	18	32	25	25	19	
Brucellosis	2	67	1	114	79	115	115	80	FL (1), CA (1)
Chancroid	—	12	0	15	8	24	28	25	
Cholera	—	1	0	17	40	13	10	5	
Cyclosporiasis [§]	8	650	2	123	151	179	141	139	TX (8)
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	14	0	30	14	23	35	30	
nonsertotype b	—	139	3	205	145	200	236	244	
unknown serotype	1	180	4	210	226	223	178	163	OK (1)
Hansen disease [§]	1	39	2	82	82	98	103	80	IN (1)
Hantavirus pulmonary syndrome [§]	—	10	0	30	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	2	173	7	274	290	266	242	330	TN (1), OK (1)
Influenza-associated pediatric mortality ^{§, ††}	—	151	4	52	118	61	358	90	
Listeriosis	6	510	16	727	870	821	851	759	NY (2), PA (1), OH (2), CA (1)
Measles ^{§§}	—	158	0	55	220	63	71	140	
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	99	4	161	257	280	301	330	
serogroup B	—	58	2	110	159	135	174	188	
other serogroup	—	9	0	20	20	12	23	38	
unknown serogroup	4	258	7	260	323	406	482	616	NE (1), DC (1), VA (1), FL (1)
Novel influenza A virus infections ^{***}	—	21	742	313	14	4	43,774	2	
Plague	—	3	—	4	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	4	0	2	2	4	9	8	
Q fever, total [§]	1	110	2	135	134	131	113	120	
acute	—	83	2	113	110	106	93	106	
chronic	1	27	0	22	24	25	20	14	NE (1)
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	6	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	3	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	1	120	2	194	168	142	161	157	VA (1)
Syphilis, congenital (age <1 yr) ^{§§§}	—	126	6	322	360	377	423	431	
Tetanus	—	14	0	37	36	26	18	19	
Toxic-shock syndrome (staphylococcal) [§]	—	50	2	65	78	82	74	71	
Trichinellosis	1	14	0	18	15	7	13	39	NE (1)
Tularemia	1	168	2	149	166	124	93	123	OK (1)
Typhoid fever	1	245	6	354	390	467	397	449	PA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	2	150	2	134	82	91	78	63	MI (1), MD (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	—	2	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	12	878	16	1,111	832	846	789	588	SC (1), FL (6), WA (3), CA (2)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending October 26, 2013 (43rd week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, no influenza-associated pediatric deaths occurring during the 2013–14 influenza season have been reported. Since September 30, 2012, 167 influenza-associated pediatric deaths occurring during the 2012–13 influenza season have been reported.
 ‡‡ No measles cases were reported for the current week.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals October 26, 2013, with historical data



* No measles cases were reported for the current 4-week period yielding a ratio for week 43 of zero (0).
 † Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Umed Ajani
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	Dengue Virus Infection									
	Dengue Fever [†]					Dengue Hemorrhagic Fever [§]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
United States	—	9	34	395	419	—	0	1	2	1
New England	—	0	4	24	13	—	0	0	—	—
Connecticut	—	0	2	14	12	—	0	0	—	—
Maine	—	0	1	1	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	2	6	—	—	0	0	—	—
Vermont	—	0	1	2	1	—	0	0	—	—
Mid. Atlantic	—	2	10	110	99	—	0	1	1	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	1	—	13	—	0	0	—	—
New York City	—	2	8	91	68	—	0	1	1	—
Pennsylvania	—	0	2	19	18	—	0	0	—	—
E.N. Central	—	1	4	41	44	—	0	0	—	1
Illinois	—	0	3	15	16	—	0	0	—	1
Indiana	—	0	2	6	5	—	0	0	—	—
Michigan	—	0	1	7	8	—	0	0	—	—
Ohio	—	0	2	7	5	—	0	0	—	—
Wisconsin	—	0	1	6	10	—	0	0	—	—
W.N. Central	—	0	2	11	15	—	0	1	—	—
Iowa	—	0	0	—	2	—	0	0	—	—
Kansas	—	0	1	6	1	—	0	0	—	—
Minnesota	—	0	1	—	6	—	0	0	—	—
Missouri	—	0	1	3	4	—	0	1	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	1	1	2	—	0	0	—	—
S. Atlantic	—	2	13	108	135	—	0	1	1	—
Delaware	—	0	1	2	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	1	9	61	99	—	0	0	—	—
Georgia	—	0	2	5	9	—	0	0	—	—
Maryland	—	0	1	4	8	—	0	0	—	—
North Carolina	—	0	2	13	6	—	0	0	—	—
South Carolina	—	0	4	8	2	—	0	0	—	—
Virginia	—	0	4	14	11	—	0	1	1	—
West Virginia	—	0	1	1	—	—	0	0	—	—
E.S. Central	—	0	2	15	8	—	0	0	—	—
Alabama	—	0	1	5	3	—	0	0	—	—
Kentucky	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	1	—	0	0	—	—
Tennessee	—	0	2	9	3	—	0	0	—	—
W.S. Central	—	0	7	31	21	—	0	0	—	—
Arkansas	—	0	1	1	—	—	0	0	—	—
Louisiana	—	0	1	5	6	—	0	0	—	—
Oklahoma	—	0	2	3	1	—	0	0	—	—
Texas	—	0	7	22	14	—	0	0	—	—
Mountain	—	0	1	6	13	—	0	0	—	—
Arizona	—	0	1	—	8	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	1	1	—	0	0	—	—
Montana	—	0	1	2	2	—	0	0	—	—
Nevada	—	0	1	2	2	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	1	1	—	—	0	0	—	—
Pacific	—	1	4	49	71	—	0	1	—	—
Alaska	—	0	1	1	1	—	0	0	—	—
California	—	1	4	35	52	—	0	0	—	—
Hawaii	—	0	2	8	5	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	1	5	13	—	0	1	—	—
Territories										
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	195	406	6,849	3,167	—	1	9	43	62
U.S. Virgin Islands	—	0	42	—	39	—	0	0	—	1

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

[§] DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	Ehrlichiosis/Anaplasmosis [†]														
	<i>Ehrlichia chaffeensis</i>					<i>Anaplasma phagocytophilum</i>					Undetermined				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	9	8	160	1,025	930	9	19	73	1,086	2,148	3	3	21	168	171
New England	2	0	7	24	44	1	4	16	172	590	—	0	1	2	—
Connecticut	—	0	0	—	—	—	0	2	7	136	—	0	0	—	—
Maine	—	0	1	2	2	1	1	8	63	43	—	0	1	2	—
Massachusetts	—	0	1	—	24	—	0	9	27	286	—	0	0	—	—
New Hampshire	—	0	1	1	3	—	0	3	12	46	—	0	0	—	—
Rhode Island	2	0	7	19	15	—	0	14	44	70	—	0	0	—	—
Vermont	—	0	1	2	—	—	0	3	19	9	—	0	0	—	—
Mid. Atlantic	4	2	28	93	87	7	7	50	395	388	—	0	7	21	20
New Jersey	—	0	1	—	56	—	0	4	—	130	—	0	0	—	1
New York (Upstate)	4	1	28	60	14	7	6	49	353	232	—	0	5	19	7
New York City	—	0	5	32	11	—	0	4	42	20	—	0	1	2	—
Pennsylvania	—	0	1	1	6	—	0	1	—	6	—	0	2	—	12
E.N. Central	—	0	8	64	60	—	4	41	465	574	1	2	16	118	95
Illinois	—	0	7	34	36	—	0	2	7	10	—	0	0	—	1
Indiana	—	0	0	—	—	—	0	0	—	—	1	1	13	90	35
Michigan	—	0	0	—	2	—	0	0	—	6	—	0	3	6	—
Ohio	—	0	1	9	3	—	0	1	4	1	—	0	1	2	1
Wisconsin	—	0	4	21	19	—	4	40	454	557	—	0	3	20	58
W.N. Central	—	1	42	386	232	—	0	12	15	514	—	0	2	9	26
Iowa	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Kansas	—	1	8	66	40	—	0	1	4	7	—	0	0	—	—
Minnesota	—	0	0	—	9	—	0	12	—	479	—	0	0	—	17
Missouri	—	0	39	313	183	—	0	2	9	23	—	0	2	9	8
Nebraska	—	0	1	6	—	—	0	1	2	2	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	3	—	0	0	—	—
South Dakota	—	0	1	1	—	—	0	0	—	—	—	0	0	—	1
S. Atlantic	2	1	20	140	307	1	0	3	25	47	1	0	2	5	11
Delaware	—	0	2	12	15	—	0	0	—	1	—	0	1	1	—
District of Columbia	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Florida	—	0	3	20	19	—	0	2	3	3	—	0	0	—	—
Georgia	—	0	3	8	23	—	0	1	2	5	—	0	0	—	2
Maryland	1	0	4	27	35	1	0	1	5	3	—	0	1	1	—
North Carolina	—	0	12	61	96	—	0	3	10	20	—	0	0	—	2
South Carolina	—	0	1	4	2	—	0	0	—	—	—	0	0	—	—
Virginia	1	0	2	5	117	—	0	2	2	14	1	0	1	2	6
West Virginia	—	0	1	3	—	—	0	1	3	1	—	0	1	1	1
E.S. Central	—	1	14	149	99	—	0	1	8	25	—	0	3	5	11
Alabama	—	0	2	11	10	—	0	1	3	11	—	0	0	—	5
Kentucky	—	0	7	59	29	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	2	—	0	0	—	1	—	0	1	1	—
Tennessee	—	1	9	78	58	—	0	1	5	12	—	0	3	4	6
W.S. Central	1	2	116	169	101	—	0	13	6	10	—	0	0	—	1
Arkansas	—	1	16	119	81	—	0	1	4	7	—	0	0	—	—
Louisiana	1	0	1	2	1	—	0	1	1	—	—	0	0	—	1
Oklahoma	—	0	115	43	15	—	0	13	1	2	—	0	0	—	—
Texas	—	0	1	5	4	—	0	0	—	1	—	0	0	—	—
Mountain	—	0	0	—	—	—	0	0	—	—	—	0	1	2	1
Arizona	—	0	0	—	—	—	0	0	—	—	—	0	1	2	1
Colorado	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Idaho	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Montana	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Nevada	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Utah	—	0	0	—	—	—	0	0	—	—	—	0	1	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Pacific	—	0	0	—	—	—	0	0	—	—	1	0	1	6	6
Alaska	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
California	—	0	0	—	—	—	0	0	—	—	1	0	1	6	6
Hawaii	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Oregon	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	N	—	—	N	N	N	—	—	N	N	N	—	—	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Puerto Rico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Cumulative total *E. ewingii* cases reported for year 2012 = 17, and 20 cases reported for 2013.

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	Giardiasis					Gonorrhea					<i>Haemophilus influenzae</i> , invasive† All ages, all serotypes				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	193	256	384	11,137	12,628	3,469	6,165	7,237	257,389	277,042	24	68	190	2,786	2,697
New England	22	24	50	1,130	1,174	85	124	192	5,485	4,852	—	4	21	181	184
Connecticut	—	4	9	170	186	16	51	104	2,298	1,718	—	1	4	31	50
Maine	7	4	12	180	141	—	6	16	212	366	—	0	2	20	17
Massachusetts	8	13	25	556	584	68	56	103	2,511	2,148	—	2	5	99	92
New Hampshire	—	1	6	60	92	—	2	9	98	117	—	0	3	22	11
Rhode Island	—	0	7	32	40	—	6	25	286	422	—	0	11	—	8
Vermont	7	2	14	132	131	1	1	12	80	81	—	0	1	9	6
Mid. Atlantic	42	49	89	2,220	2,417	424	785	1,084	32,859	37,547	4	12	58	513	506
New Jersey	—	6	13	220	346	32	130	181	5,560	6,373	—	2	10	92	97
New York (Upstate)	22	18	67	818	771	127	129	519	5,274	6,088	2	3	35	142	136
New York City	8	14	24	608	743	—	256	332	10,598	12,391	—	2	6	95	99
Pennsylvania	12	12	28	574	557	265	273	334	11,427	12,695	2	5	13	184	174
E.N. Central	11	36	63	1,507	1,910	291	983	1,439	40,007	49,059	4	11	21	452	460
Illinois	—	6	11	211	290	—	255	428	9,641	14,896	—	3	10	129	125
Indiana	—	3	10	131	194	41	147	180	5,981	6,050	—	3	6	105	85
Michigan	3	10	27	418	477	136	196	378	8,369	10,384	1	2	5	72	67
Ohio	7	10	26	437	498	101	313	383	13,076	13,750	3	3	8	124	126
Wisconsin	1	7	15	310	451	13	82	122	2,940	3,979	—	0	4	22	57
W.N. Central	10	18	46	782	1,468	56	297	408	12,112	14,728	2	5	11	184	198
Iowa	1	4	15	209	222	—	28	51	1,155	1,696	—	0	0	—	—
Kansas	1	2	5	86	117	15	39	66	1,695	1,897	—	1	3	35	23
Minnesota	—	0	18	—	502	—	50	92	1,449	2,440	—	0	3	31	72
Missouri	6	5	14	216	280	41	147	184	6,075	6,669	2	2	7	89	66
Nebraska	1	3	9	142	165	—	24	49	869	1,175	—	0	3	20	23
North Dakota	—	1	4	34	53	—	7	14	253	262	—	0	1	6	14
South Dakota	1	2	9	95	129	—	15	27	616	589	—	0	1	3	—
S. Atlantic	24	42	85	1,831	2,047	1,096	1,373	1,755	58,927	62,091	9	16	37	698	655
Delaware	—	0	2	11	21	20	23	55	1,054	695	—	0	2	6	6
District of Columbia	—	1	3	39	72	34	40	92	1,872	2,022	—	0	2	11	2
Florida	19	21	56	949	901	219	401	472	16,934	16,300	6	5	13	224	191
Georgia	—	8	38	491	471	232	258	328	10,992	12,950	3	3	12	128	136
Maryland	1	4	9	183	206	90	109	193	4,376	4,596	—	2	4	87	73
North Carolina	N	0	0	N	N	247	264	544	11,288	12,685	—	2	12	118	84
South Carolina	—	2	7	104	106	119	145	207	6,111	6,436	—	2	11	96	57
Virginia	4	0	16	20	220	117	124	239	5,385	5,733	—	0	8	5	77
West Virginia	—	1	3	34	50	18	20	34	915	674	—	0	3	23	29
E.S. Central	1	3	9	133	146	127	485	634	19,848	24,804	1	5	12	215	169
Alabama	1	3	9	133	146	—	158	257	6,382	7,727	—	1	7	63	45
Kentucky	N	0	0	N	N	80	86	143	3,653	3,574	—	1	4	39	31
Mississippi	N	0	0	N	N	—	102	199	4,055	5,807	—	0	2	23	22
Tennessee	N	0	0	N	N	47	151	202	5,758	7,696	1	2	7	90	71
W.S. Central	3	7	15	278	266	650	927	2,555	40,126	40,126	3	3	20	146	158
Arkansas	1	2	8	91	79	64	73	122	3,092	3,670	—	0	3	22	25
Louisiana	2	4	11	187	187	31	112	657	4,649	7,062	—	1	4	32	51
Oklahoma	—	0	0	—	—	17	77	1,325	4,095	2,935	3	2	17	89	80
Texas	N	0	0	N	N	538	660	1,044	28,311	26,459	—	0	1	3	2
Mountain	10	19	37	811	1,033	193	262	344	10,847	11,152	1	6	14	241	254
Arizona	1	2	7	90	98	101	102	160	4,271	4,824	—	2	7	90	95
Colorado	—	4	18	172	312	22	54	100	2,231	2,306	1	1	4	57	49
Idaho	—	3	9	111	134	4	2	8	95	130	—	0	2	13	14
Montana	—	1	5	67	55	7	4	10	178	75	—	0	1	3	5
Nevada	2	1	6	71	80	39	46	79	2,047	1,843	—	0	1	11	18
New Mexico	—	2	6	80	76	5	32	55	1,354	1,573	—	1	3	32	41
Utah	7	5	9	195	244	15	15	26	643	363	—	1	2	30	28
Wyoming	—	0	6	25	34	—	0	3	28	38	—	0	1	5	4
Pacific	70	54	121	2,445	2,167	547	859	991	37,157	32,683	—	3	9	156	113
Alaska	—	1	7	73	80	7	18	40	817	569	—	0	2	16	12
California	51	34	78	1,659	1,401	417	720	853	30,811	27,630	—	1	5	38	24
Hawaii	—	1	3	37	25	1	14	26	571	663	—	0	2	23	18
Oregon	3	6	17	292	310	43	32	55	1,462	1,209	—	1	5	74	59
Washington	16	10	61	384	351	79	78	113	3,496	2,612	—	0	3	5	—
Territories															
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	1	—	1	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	4	31	2	10	6	21	266	266	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	1	5	26	118	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/ndds/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Data for *H. influenzae* (age <5 yrs for serotype b, nonserotype b, and unknown serotype) are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	Legionellosis					Lyme disease					Malaria				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	33	64	253	3,823	3,052	212	341	1,947	25,484	27,373	9	23	87	1,045	1,258
New England	1	6	25	282	246	31	99	766	8,276	10,110	—	1	11	73	82
Connecticut	—	1	10	49	47	—	29	231	2,286	2,392	—	0	1	—	18
Maine	—	0	2	14	11	3	13	99	1,125	990	—	0	2	7	4
Massachusetts	1	3	20	164	142	—	35	377	3,257	4,762	—	1	4	56	44
New Hampshire	—	0	3	16	16	—	9	43	451	1,350	—	0	1	5	8
Rhode Island	—	0	6	26	21	16	3	49	438	170	—	0	10	—	4
Vermont	—	0	2	13	9	12	8	89	719	446	—	0	3	5	4
Mid. Atlantic	8	16	121	1,197	823	153	159	978	13,080	10,118	4	7	21	328	333
New Jersey	—	3	18	163	146	—	45	214	2,908	3,230	—	1	4	63	61
New York (Upstate)	5	7	40	392	254	119	43	268	3,447	1,891	—	1	7	50	33
New York City	—	3	47	273	159	—	2	33	221	485	3	3	13	158	192
Pennsylvania	3	5	26	369	264	34	72	529	6,504	4,512	1	1	5	57	47
E.N. Central	7	15	96	1,074	728	3	13	188	1,879	2,133	2	2	8	110	127
Illinois	—	2	29	214	204	—	1	30	279	198	—	1	4	48	39
Indiana	—	3	10	148	40	—	1	12	92	71	—	0	2	17	21
Michigan	1	3	21	212	148	1	1	15	163	88	—	0	1	14	21
Ohio	6	6	66	458	244	—	1	6	90	57	2	0	2	24	36
Wisconsin	—	0	9	42	92	2	8	150	1,255	1,719	—	0	3	7	10
W.N. Central	—	2	13	113	142	—	6	29	269	1,648	—	1	3	32	95
Iowa	—	0	2	8	11	—	1	24	182	159	—	0	2	7	6
Kansas	—	0	3	13	11	—	0	4	26	18	—	0	1	6	6
Minnesota	—	0	2	15	45	—	0	11	—	1,451	—	0	1	—	55
Missouri	—	1	11	54	57	—	0	3	12	2	—	0	2	4	17
Nebraska	—	0	3	15	10	—	0	3	22	14	—	0	2	6	4
North Dakota	—	0	1	2	2	—	0	14	23	—	—	0	1	2	2
South Dakota	—	0	2	6	6	—	0	1	4	4	—	0	3	7	5
S. Atlantic	13	10	36	504	508	23	36	234	1,659	3,095	1	5	14	247	311
Delaware	—	0	4	14	16	4	7	22	336	582	—	0	1	5	2
District of Columbia	N	0	0	N	N	N	0	0	N	N	—	0	1	4	6
Florida	7	4	12	192	165	1	2	14	125	89	1	1	3	46	53
Georgia	—	1	5	55	50	—	0	4	10	28	—	1	5	45	58
Maryland	4	2	14	132	102	9	18	85	907	1,392	—	2	9	114	101
North Carolina	—	1	9	68	58	—	0	33	130	88	—	0	8	18	26
South Carolina	—	0	3	15	23	—	0	2	16	39	—	0	2	8	8
Virginia	2	0	6	10	62	9	0	183	43	797	—	0	3	6	55
West Virginia	—	0	4	18	32	—	2	18	92	80	—	0	1	1	2
E.S. Central	—	3	13	147	115	—	1	9	70	61	—	1	4	28	31
Alabama	—	0	10	34	19	—	0	2	19	22	—	0	1	2	9
Kentucky	—	1	4	37	31	—	0	9	36	11	—	0	2	9	8
Mississippi	—	0	2	14	16	—	0	0	—	1	—	0	1	2	3
Tennessee	—	1	7	62	49	—	0	2	15	27	—	0	3	15	11
W.S. Central	3	3	39	145	169	—	1	27	43	41	1	1	41	63	93
Arkansas	—	0	3	17	15	—	0	0	—	—	—	0	1	1	4
Louisiana	—	0	3	25	25	—	0	1	—	4	—	0	1	8	11
Oklahoma	1	0	8	9	14	—	0	4	1	—	1	0	3	11	22
Texas	2	2	27	94	115	—	1	23	42	37	—	1	39	43	56
Mountain	1	3	10	124	104	—	1	9	71	41	—	2	6	59	53
Arizona	—	1	4	46	35	—	0	3	21	13	—	0	3	28	13
Colorado	—	0	3	18	20	—	0	0	—	—	—	0	2	16	18
Idaho	—	0	2	9	3	—	0	3	14	3	—	0	1	4	8
Montana	—	0	2	8	3	—	0	2	12	5	—	0	0	—	—
Nevada	—	0	3	16	15	—	0	1	10	10	—	0	1	7	4
New Mexico	—	0	2	9	9	—	0	0	—	1	—	0	0	—	2
Utah	1	0	5	18	16	—	0	2	11	5	—	0	2	4	8
Wyoming	—	0	1	—	3	—	0	1	3	4	—	0	0	—	—
Pacific	—	5	24	237	217	2	3	8	137	126	1	2	8	105	133
Alaska	—	0	1	1	1	—	0	4	24	8	—	0	1	2	6
California	—	4	22	194	178	—	1	4	44	64	1	1	7	67	98
Hawaii	—	0	1	4	3	N	0	0	N	N	—	0	1	1	4
Oregon	—	0	3	15	19	1	1	5	56	42	—	0	2	11	8
Washington	—	0	7	23	16	1	0	2	13	12	—	0	3	24	17
Territories															
American Samoa	N	—	—	N	N	N	—	—	N	N	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	2	14	—	N	0	0	N	N	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	4	10	32	424	440	—	6	43	383	186	271	469	1,211	18,939	40,729
New England	—	0	3	23	11	—	0	24	68	5	2	24	92	893	1,980
Connecticut	—	0	1	2	2	—	0	2	4	—	—	1	5	32	159
Maine	—	0	1	3	3	—	0	1	1	—	2	7	23	266	599
Massachusetts	—	0	3	12	5	—	0	24	59	4	—	7	23	296	526
New Hampshire	—	0	1	2	—	—	0	0	—	—	—	2	9	97	235
Rhode Island	—	0	1	1	—	—	0	1	3	1	—	1	13	93	92
Vermont	—	0	1	3	1	—	0	1	1	—	—	3	42	109	369
Mid. Atlantic	—	1	7	64	64	—	1	20	109	26	20	35	169	1,392	5,611
New Jersey	—	0	2	13	11	—	0	19	58	—	—	7	39	246	1,212
New York (Upstate)	—	0	3	19	17	—	0	2	9	5	9	14	120	582	2,305
New York City	—	0	2	9	19	—	0	4	25	17	—	2	8	87	415
Pennsylvania	—	0	3	23	17	—	0	5	17	4	11	13	41	477	1,679
E.N. Central	—	1	4	37	61	—	1	6	45	50	46	79	191	3,108	9,664
Illinois	—	0	2	9	14	—	0	4	24	26	—	13	37	500	1,787
Indiana	—	0	1	12	6	—	0	1	3	4	—	8	22	325	325
Michigan	—	0	1	3	12	—	0	1	5	8	5	13	31	624	712
Ohio	—	0	2	9	21	—	0	2	12	4	41	17	39	864	730
Wisconsin	—	0	1	4	8	—	0	1	1	8	—	20	109	795	6,110
W.N. Central	1	1	3	30	33	—	0	2	13	19	17	35	172	1,362	7,073
Iowa	—	0	1	1	2	—	0	2	2	3	—	5	40	209	1,549
Kansas	—	0	1	3	6	—	0	1	—	3	—	5	30	200	726
Minnesota	—	0	2	8	7	—	0	1	1	7	—	9	67	336	3,713
Missouri	—	0	1	8	14	—	0	2	8	5	13	9	25	351	692
Nebraska	1	0	1	3	3	—	0	0	—	1	4	4	10	168	186
North Dakota	—	0	1	3	1	—	0	1	2	—	—	1	29	67	144
South Dakota	—	0	1	4	—	—	0	0	—	—	—	1	3	31	63
S. Atlantic	3	1	6	82	72	—	0	26	94	17	75	42	73	1,669	2,388
Delaware	—	0	1	1	1	—	0	0	—	—	1	0	4	23	43
District of Columbia	1	0	1	3	2	—	0	1	1	2	—	0	4	34	20
Florida	1	1	3	48	38	—	0	1	1	4	65	11	27	579	504
Georgia	—	0	2	12	10	—	0	1	—	1	—	5	11	187	274
Maryland	—	0	1	3	4	—	0	26	87	—	1	4	19	159	299
North Carolina	—	0	2	10	5	—	0	1	3	1	—	11	28	472	467
South Carolina	—	0	1	2	5	—	0	1	2	1	—	4	11	180	198
Virginia	1	0	2	1	3	—	0	1	—	6	8	0	39	24	505
West Virginia	—	0	1	2	4	—	0	0	—	2	—	0	2	11	78
E.S. Central	—	0	2	10	11	—	0	3	10	6	3	16	40	646	1,017
Alabama	—	0	1	2	3	—	0	1	2	2	—	3	8	150	178
Kentucky	—	0	1	1	1	—	0	1	1	2	2	6	27	260	540
Mississippi	—	0	1	3	2	—	0	0	—	—	—	1	4	44	64
Tennessee	—	0	1	4	5	—	0	3	7	2	1	5	14	192	235
W.S. Central	—	1	5	34	48	—	0	3	12	15	87	75	342	3,343	1,821
Arkansas	—	0	1	6	7	—	0	1	2	1	1	8	27	296	95
Louisiana	—	0	1	2	3	—	0	1	1	2	—	3	11	139	60
Oklahoma	—	0	2	6	6	—	0	3	1	1	12	0	36	133	106
Texas	—	0	4	20	32	—	0	2	8	11	74	58	288	2,775	1,560
Mountain	—	0	4	31	33	—	0	2	10	15	13	107	175	4,092	4,992
Arizona	—	0	3	10	2	—	0	1	1	3	—	24	70	1,063	931
Colorado	—	0	1	5	6	—	0	1	2	7	4	25	49	814	1,199
Idaho	—	0	1	4	4	—	0	0	—	—	6	4	10	170	205
Montana	—	0	1	1	10	—	0	0	—	1	11	29	546	470	
Nevada	—	0	1	1	2	—	0	2	5	—	2	2	12	150	89
New Mexico	—	0	2	1	3	—	0	0	—	—	11	33	407	733	
Utah	—	0	2	7	4	—	0	1	2	3	—	22	49	879	1,305
Wyoming	—	0	1	2	2	—	0	0	—	1	—	0	12	63	60
Pacific	—	2	16	113	107	—	0	3	22	33	8	58	298	2,434	6,183
Alaska	—	0	1	—	—	—	0	1	1	—	2	7	31	297	201
California	—	2	7	94	75	—	0	3	16	26	1	22	52	1,087	658
Hawaii	—	0	1	1	2	—	0	1	1	1	—	1	3	34	67
Oregon	—	0	2	10	20	—	0	1	3	5	—	9	26	432	852
Washington	—	0	12	8	10	—	0	1	1	1	5	14	256	584	4,405
Territories															
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	4	—	0	0	—	1
Puerto Rico	—	0	0	—	—	—	0	1	2	4	—	0	6	21	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/ndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF) [†]														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	170	188	388	7,953	12,519	—	2	10	152	168	8	43	420	2,223	3,629
New England	2	4	94	459	156	—	0	1	1	1	—	0	3	7	18
Connecticut	—	1	5	45	31	—	0	0	—	—	—	0	0	—	—
Maine	—	0	1	5	6	—	0	0	—	—	—	0	1	2	3
Massachusetts	1	2	12	151	101	—	0	0	—	—	—	0	1	2	6
New Hampshire	—	0	1	5	7	—	0	1	1	—	—	0	1	1	2
Rhode Island	1	0	86	250	7	—	0	0	—	—	—	0	3	2	7
Vermont	—	0	1	3	4	—	0	0	—	1	—	0	0	—	—
Mid. Atlantic	6	18	75	697	2,144	—	0	1	4	5	—	2	11	82	172
New Jersey	—	2	10	93	911	—	0	0	—	—	—	1	4	33	118
New York (Upstate)	5	5	61	216	608	—	0	1	2	4	—	0	7	14	12
New York City	1	6	14	270	513	—	0	0	—	—	—	0	1	9	7
Pennsylvania	—	3	8	118	112	—	0	1	2	1	—	0	3	26	35
E.N. Central	9	26	114	1,005	1,892	—	0	2	17	10	1	2	14	160	208
Illinois	—	4	11	171	240	—	0	1	5	8	—	1	8	77	140
Indiana	—	1	6	59	151	—	0	1	8	2	—	1	4	49	27
Michigan	—	3	8	132	226	—	0	1	2	—	—	0	1	4	2
Ohio	8	14	103	611	1,191	—	0	1	1	—	1	0	2	21	21
Wisconsin	1	1	13	32	84	—	0	1	1	—	—	0	2	9	18
W.N. Central	2	6	37	251	791	—	0	1	8	5	—	2	26	242	335
Iowa	1	2	9	81	68	—	0	0	—	—	—	0	1	6	7
Kansas	—	1	4	40	112	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	12	—	317	—	0	0	—	—	—	0	0	—	15
Missouri	—	1	5	56	68	—	0	1	2	4	—	1	25	220	303
Nebraska	1	1	21	49	209	—	0	1	5	1	—	0	2	9	8
North Dakota	—	0	2	15	6	—	0	0	—	—	—	0	1	2	1
South Dakota	—	0	3	10	11	—	0	1	1	—	—	0	1	5	1
S. Atlantic	86	37	88	1,698	2,585	—	2	5	75	108	3	7	55	454	1,004
Delaware	—	0	1	2	20	—	0	0	—	—	—	0	2	9	27
District of Columbia	—	0	2	11	24	—	0	1	1	1	—	0	0	—	1
Florida	61	16	46	756	1,548	—	0	2	4	3	—	0	4	19	24
Georgia	20	14	28	607	569	—	1	5	56	83	—	0	0	—	—
Maryland	3	2	6	84	206	—	0	1	1	—	—	0	4	24	9
North Carolina	—	2	10	123	107	—	0	2	10	10	—	2	47	346	462
South Carolina	1	2	6	97	26	—	0	1	2	7	—	1	2	28	50
Virginia	1	0	5	14	78	—	0	0	—	4	3	0	7	24	430
West Virginia	—	0	1	4	7	—	0	1	1	—	—	0	2	4	1
E.S. Central	10	17	61	759	1,015	—	0	3	15	13	4	10	48	751	900
Alabama	1	5	13	198	276	—	0	1	2	3	—	3	15	197	151
Kentucky	—	2	21	55	333	—	0	1	2	3	—	1	6	61	57
Mississippi	—	4	13	149	243	—	0	1	2	2	—	0	4	23	23
Tennessee	9	5	46	357	163	—	0	2	9	5	4	6	30	470	669
W.S. Central	16	41	159	1,625	2,193	—	0	5	14	8	—	6	366	503	919
Arkansas	3	3	11	175	69	—	0	2	4	5	—	4	25	303	796
Louisiana	—	6	18	246	169	—	0	0	—	—	—	0	1	3	8
Oklahoma	2	4	60	150	415	—	0	5	9	1	—	0	351	172	52
Texas	11	26	95	1,054	1,540	—	0	1	1	2	—	0	8	25	63
Mountain	8	12	30	524	655	—	0	4	16	11	—	0	3	19	60
Arizona	7	7	21	309	351	—	0	4	15	10	—	0	2	13	38
Colorado	—	1	3	36	106	—	0	0	—	1	—	0	1	—	4
Idaho	—	0	2	7	8	—	0	1	1	—	—	0	0	—	4
Montana	—	0	10	59	9	—	0	0	—	—	—	0	1	2	3
Nevada	—	0	7	45	51	—	0	0	—	—	—	0	1	1	—
New Mexico	—	1	5	43	94	—	0	0	—	—	—	0	1	2	4
Utah	1	0	2	21	31	—	0	0	—	—	—	0	1	1	5
Wyoming	—	0	2	4	5	—	0	0	—	—	—	0	0	—	2
Pacific	31	24	45	935	1,088	—	0	1	2	7	—	0	1	5	13
Alaska	—	0	1	1	7	N	0	0	N	N	N	0	0	N	N
California	22	17	43	760	888	—	0	1	1	7	—	0	1	5	12
Hawaii	—	0	6	31	24	N	0	0	N	N	N	0	0	N	N
Oregon	1	1	4	45	76	—	0	1	1	—	—	0	0	—	1
Washington	8	1	19	98	93	—	0	1	—	—	—	0	0	—	—
Territories															
American Samoa	—	—	—	—	5	N	—	—	N	N	N	—	—	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	1	N	0	0	N	N	N	0	0	N	N
Puerto Rico	—	0	1	4	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending October 26, 2013, and October 27, 2012 (43rd week)*

Reporting area	<i>Streptococcus pneumoniae</i> , [†] invasive disease										Syphilis, primary and secondary				
	All ages					Age <5									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	97	308	966	12,039	11,872	11	22	55	804	975	112	310	393	12,762	12,850
New England	2	14	68	497	922	1	1	4	33	56	—	8	19	380	397
Connecticut	—	5	21	232	244	—	0	2	10	14	—	1	6	43	45
Maine	2	2	8	91	79	1	0	1	5	2	—	0	1	6	16
Massachusetts	—	0	18	18	445	—	0	4	16	33	—	6	18	279	268
New Hampshire	—	1	5	63	65	—	0	1	2	6	—	1	4	21	22
Rhode Island	—	0	29	49	42	—	0	0	—	1	—	0	3	26	41
Vermont	—	1	6	44	47	—	0	0	—	—	—	0	2	5	5
Mid. Atlantic	15	43	198	1,754	1,684	—	2	13	89	92	9	40	59	1,586	1,553
New Jersey	—	11	30	406	449	—	0	3	26	30	—	4	9	153	184
New York (Upstate)	12	19	147	797	726	—	1	9	38	45	5	4	32	198	168
New York City	3	12	36	551	509	—	0	3	25	17	—	21	32	879	804
Pennsylvania	N	—	—	N	N	N	0	0	N	N	4	9	16	356	397
E.N. Central	17	59	132	2,361	2,282	1	3	9	136	184	4	35	54	1,418	1,543
Illinois	N	0	0	N	N	—	1	3	32	38	—	13	26	499	669
Indiana	—	13	50	498	555	—	0	3	21	27	3	4	10	193	191
Michigan	3	13	30	571	427	—	1	3	31	25	—	8	15	334	249
Ohio	13	21	63	957	920	1	1	4	33	72	1	8	14	331	359
Wisconsin	1	8	26	335	380	—	0	3	19	22	—	1	5	61	75
W.N. Central	2	11	35	438	640	—	1	4	61	80	3	10	20	424	313
Iowa	N	0	0	N	N	N	0	0	N	N	—	1	5	56	55
Kansas	N	0	0	N	N	N	0	0	N	N	—	1	3	34	19
Minnesota	—	7	24	240	382	—	0	3	19	28	—	2	7	84	92
Missouri	N	0	0	N	N	—	0	3	24	31	3	4	11	204	125
Nebraska	2	2	7	118	110	—	0	1	9	12	—	0	3	22	4
North Dakota	—	0	7	—	78	—	0	0	—	—	—	0	2	4	4
South Dakota	—	2	6	80	70	—	0	2	9	9	—	0	2	20	14
S. Atlantic	24	67	145	2,814	2,487	4	5	14	198	215	62	71	184	3,027	3,034
Delaware	—	0	3	21	27	—	0	0	—	2	—	0	9	31	30
District of Columbia	1	1	7	68	49	—	0	1	—	3	1	3	8	146	142
Florida	16	22	59	906	774	2	2	5	75	61	2	26	43	1,104	1,140
Georgia	2	21	56	864	710	—	1	6	67	63	19	13	110	604	685
Maryland	5	7	26	365	369	1	0	4	22	28	9	8	16	341	348
North Carolina	N	0	0	N	N	N	0	0	N	N	18	4	34	315	295
South Carolina	—	7	21	357	294	—	0	3	19	17	7	5	13	233	183
Virginia	N	0	0	N	N	1	0	4	2	26	6	5	24	243	204
West Virginia	—	5	25	233	264	—	0	2	13	15	—	0	1	10	7
E.S. Central	6	29	60	1,118	976	1	2	5	75	76	1	10	21	420	666
Alabama	1	3	10	140	81	—	0	3	17	8	—	3	6	121	185
Kentucky	4	4	12	206	156	1	0	1	10	8	1	2	9	92	113
Mississippi	1	4	12	182	138	—	0	2	15	24	—	1	8	66	139
Tennessee	—	14	41	590	601	—	0	5	33	36	—	4	8	141	229
W.S. Central	17	35	368	1,483	1,292	4	3	24	119	138	18	42	57	1,783	1,871
Arkansas	—	3	24	149	125	—	0	1	7	12	1	3	13	138	140
Louisiana	—	5	14	226	186	—	0	4	14	20	—	7	19	279	280
Oklahoma	N	0	0	N	N	1	0	2	16	22	—	2	8	97	70
Texas	17	27	340	1,108	981	3	2	23	82	84	17	30	42	1,269	1,381
Mountain	9	31	76	1,430	1,427	—	2	6	78	116	2	14	26	577	566
Arizona	4	12	42	657	569	—	0	4	31	45	1	4	12	197	178
Colorado	1	9	22	342	358	—	0	3	18	25	—	3	12	124	160
Idaho	N	0	0	N	N	—	0	1	4	1	—	0	2	9	20
Montana	2	0	2	22	26	—	0	1	2	2	—	0	1	5	—
Nevada	1	2	7	106	86	—	0	1	4	9	1	3	14	144	87
New Mexico	1	5	17	234	216	—	0	2	11	15	—	1	5	57	90
Utah	—	1	11	52	145	—	0	2	7	18	—	1	4	40	28
Wyoming	—	0	3	17	27	—	0	1	1	1	—	0	1	1	3
Pacific	5	4	10	144	162	—	0	2	15	18	13	74	106	3,147	2,907
Alaska	5	2	6	89	111	—	0	1	13	14	—	0	2	17	9
California	N	0	0	N	N	N	0	0	N	N	9	62	94	2,658	2,439
Hawaii	—	1	5	55	51	—	0	2	2	4	—	1	3	33	16
Oregon	N	0	0	N	N	N	0	0	N	N	1	4	11	213	183
Washington	N	0	0	N	N	N	0	0	N	N	3	5	14	226	260
Territories															
American Samoa	N	—	—	N	N	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	14	7	30	305	234
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	1	1	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

