

The tables below illustrate the unweighted percentage of NCHS survey participants who were linked to Medicare administrative data and were enrolled for at least one month in Medicare Advantage (MA), also referred to as Medicare Part C plan, by survey and age at interview. The unweighted percentages from the tables can be used by researchers, in combination with the feasibility file, to approximate the sample size for their analytic sample. There are some differences in Medicare Advantage enrollment by gender and race/ethnicity; tables assessing these variables are available upon request. CMS generally does not receive claims data for Medicare beneficiaries who enroll in Medicare Advantage plans (including private fee-for-service plans paid on a capitation basis). However, linked Medicare Advantage encounter data are available for 2016. See The Linkage of National Center for Health Statistics Survey Data to Medicare Enrollment, Claims/Encounters and Assessment Data (2014-2018): Linkage Methodology and Analytic Considerations for more information. In general, when assessing claims data researchers may want to consider excluding Medicare Advantage plan enrollees from their beneficiary samples for years when Medicare Advantage encounter data are not available.

**Table 1. Unweighted percent of linked NCHS survey participants enrolled in a Medicare Advantage plan by survey and age at interview: National Health Interview Survey (NHIS)**

	2014	2015	2016	2017	2018
<b>NHIS 2018</b>	32.0	33.4	34.4	36.0	38.3
18-64	26.6	27.5	31.8	34.3	34.8
>=65	32.8	34.3	34.8	36.3	38.9
<b>NHIS 2017</b>	31.8	33.3	33.8	35.7	37.8
18-64	24.3	27.6	28.2	31.3	33.7
>=65	33.0	34.3	34.7	36.6	39.0
<b>NHIS 2016</b>	30.8	32.3	33.1	34.3	36.2
18-64	24.7	27.9	28.4	29.2	31.8
>=65	31.7	33.0	34.0	35.7	37.8
<b>NHIS 2015</b>	29.5	31.2	32.7	34.2	36.4
18-64	24.0	26.0	28.6	30.4	33.3
>=65	30.5	32.4	33.9	35.6	37.9
<b>NHIS 2014</b>	29.8	31.5	32.9	34.5	36.5
18-64	24.6	27.3	30.0	32.0	34.5
>=65	31.0	32.7	34.0	35.7	37.6
<b>NHIS 2013</b>	31.3	32.5	33.6	35.8	37.7
18-64	26.9	28.6	30.1	32.3	35.2
>=65	32.7	34.2	35.4	37.8	39.5
<b>NHIS 2012</b>	32.0	33.1	34.4	35.7	38.2
18-64	26.1	28.0	29.7	31.5	34.5
>=65	34.6	35.9	37.4	38.9	41.5
<b>NHIS 2011</b>	32.8	34.2	34.8	36.5	38.6
18-64	26.6	29.1	29.9	32.4	35.7
>=65	36.0	37.4	38.5	40.1	41.5
<b>NHIS 2010</b>	33.4	35.5	36.3	38.3	40.5
18-64	29.5	32.9	33.8	36.0	38.5
>=65	36.0	37.5	38.6	40.6	42.9
<b>NHIS 2009</b>	32.8	35.1	35.8	37.1	39.3
18-64	28.6	31.5	33.4	34.7	37.3
>=65	35.9	38.2	38.2	40.0	41.9
<b>NHIS 2008</b>	33.7	34.6	35.6	37.2	39.6
18-64	31.5	32.7	34.3	35.9	39.0
>=65	35.6	36.5	37.0	38.9	40.5
<b>NHIS 2007</b>	31.9	34.3	35.2	37.2	40.4
18-64	30.1	32.6	33.9	36.4	40.0
>=65	33.8	36.3	37.1	38.4	41.1

**Table 1. Unweighted percent of linked NCHS survey participants enrolled in a Medicare Advantage plan by survey and age at interview: NHIS**

	2014	2015	2016	2017	2018
<b>NHIS 2006</b>	33.2	34.8	34.9	36.4	38.7
18-64	31.9	33.6	33.4	35.1	37.7
>=65	35.2	36.9	38.0	39.5	41.6
<b>NHIS 2005</b>	33.4	35.0	36.3	38.0	39.8
18-64	32.9	34.7	35.8	37.5	39.4
>=65	34.3	35.7	37.4	39.3	41.1
<b>NHIS 2004</b>	33.2	34.8	35.7	37.1	38.8
18-64	32.2	34.1	35.2	36.7	38.4
>=65	35.1	36.5	36.9	38.3	40.4
<b>NHIS 2003</b>	32.9	34.6	35.2	36.8	39.1
18-64	32.4	34.4	35.0	36.7	39.1
>=65	33.8	35.3	35.6	37.2	39.2
<b>NHIS 2002</b>	32.9	34.1	34.8	36.7	38.6
18-64	31.9	33.4	33.9	35.8	37.8
>=65	35.4	36.4	37.9	40.2	42.3
<b>NHIS 2001</b>	33.5	35.0	35.5	37.7	39.7
18-64	33.2	34.6	35.2	37.4	39.5
>=65	34.3	36.2	36.5	38.7	40.8
<b>NHIS 2000</b>	33.2	34.8	35.3	37.4	39.3
18-64	32.6	34.4	34.9	37.1	39.1
>=65	35.3	36.7	37.2	39.0	40.7
<b>NHIS 1999</b>	33.0	34.8	36.0	37.2	39.2
18-64	33.7	35.5	36.6	37.6	39.4
>=65	30.5	31.5	32.6	34.7	37.7
<b>NHIS 1998</b>	33.3	35.0	35.6	37.6	39.4
18-64	33.3	35.1	35.8	37.7	39.4
>=65	33.3	34.3	34.6	36.7	39.0
<b>NHIS 1997</b>	33.6	34.7	35.6	36.6	38.8
18-64	34.0	34.8	35.8	36.7	38.8
>=65	31.9	34.2	34.9	35.8	38.6
<b>NHIS 1996</b>	32.7	34.3	34.9	36.5	38.4
18-64	33.2	34.9	35.4	36.9	38.8
>=65	29.8	30.4	31.1	32.7	34.6
<b>NHIS 1995</b>	33.7	34.9	35.9	37.5	39.5
18-64	34.2	35.3	36.1	37.8	39.8
>=65	31.0	32.2	33.5	34.3	35.6
<b>NHIS 1994</b>	31.8	33.6	34.2	35.6	37.5
18-64	32.0	33.8	34.4	35.7	37.6
>=65	30.4	31.6	32.6	34.6	36.1

**Table 2. Unweighted percent of linked NCHS survey participants enrolled in a Medicare Advantage plan by survey and age at interview: National Health and Nutrition Examination Survey (NHANES)**

	2014	2015	2016	2017	2018
<b>NHANES 2017-2018</b>	35.5	37.0	38.6	41.3	44.6
18-64	34.1	37.2	38.6	41.0	42.9
>=65	35.8	36.9	38.6	41.4	45.1
<b>NHANES 2015-2016</b>	36.9	38.6	40.5	42.4	44.9
18-64	27.7	30.5	33.0	36.6	39.3
>=65	38.7	40.3	42.4	44.5	47.4
<b>NHANES 2013-2014</b>	39.8	40.9	42.0	43.6	45.4
18-64	30.3	32.8	34.3	37.6	41.6
>=65	42.6	44.0	45.7	47.0	47.9
<b>NHANES 2011-2012</b>	33.4	35.7	36.9	38.6	41.9
18-64	29.7	33.6	35.4	37.3	42.5
>=65	35.2	37.0	38.0	39.7	41.3
<b>NHANES 2009-2010</b>	35.0	36.4	37.9	40.1	42.1
18-64	33.9	34.9	36.7	39.6	41.2
>=65	35.7	37.5	38.8	40.7	43.0
<b>NHANES 2007-2008</b>	38.5	41.7	43.2	45.4	48.0
18-64	38.1	40.1	42.1	43.9	46.3
>=65	39.0	43.3	44.6	47.3	50.4
<b>NHANES 2005-2006</b>	32.4	34.7	35.2	37.0	39.1
18-64	29.8	33.1	32.6	34.7	37.2
>=65	34.9	36.4	38.6	40.4	42.6
<b>NHANES 2003-2004</b>	36.8	38.8	38.9	41.2	43.9
18-64	36.0	38.8	39.2	40.8	43.7
>=65	37.8	38.8	38.3	41.7	44.2
<b>NHANES 2001-2002</b>	38.2	39.4	41.0	41.6	43.3
18-64	37.0	38.7	40.0	40.2	41.7
>=65	40.1	40.8	43.3	45.3	48.2
<b>NHANES 1999-2000</b>	39.8	41.6	44.0	44.6	46.2
18-64	39.4	41.2	43.8	44.7	45.8
>=65	40.7	42.8	44.5	44.2	47.6
<b>NHANES III</b>	36.8	39.8	41.1	42.9	45.5
18-64	37.5	40.5	41.7	43.3	45.9
>=65	30.6	33.3	33.5	35.7	36.9

**Table 3. Unweighted percent of linked NCHS survey participants enrolled in a Medicare Advantage plan by survey and age at interview: National Nursing Home Survey (NNHS) 2004**

	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>NNHS 2004</b>	16.3	17.9	18.2	20.1	22.2
18-64	13.7	15.8	15.9	17.6	19.5
>=65	18.1	19.8	20.8	23.1	25.9