

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Shigellosis and amebiasis (A03,A06)													
All races, both sexes.....	7	-	-	-	-	-	3	-	2	1	1	-	-
Male.....	5	-	-	-	-	-	2	-	1	1	1	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	2	-	2	1	1	-	-
Male.....	4	-	-	-	-	-	1	-	1	1	1	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All races, both sexes.....	3,090	10	4	7	4	8	14	64	176	444	1,192	1,167	-
Male.....	1,109	6	4	2	2	4	5	32	82	185	478	309	-
Female.....	1,981	4	-	5	2	4	9	32	94	259	714	858	-
White, both sexes.....	2,877	5	3	6	3	6	11	50	150	413	1,120	1,110	-
Male.....	1,036	2	3	2	2	3	5	26	68	173	455	297	-
Female.....	1,841	3	-	4	1	3	6	24	82	240	665	813	-
Black, both sexes.....	186	5	1	1	1	1	2	11	23	25	64	52	-
Male.....	66	4	1	-	-	1	-	5	12	9	23	11	-
Female.....	120	1	-	1	1	-	2	6	11	16	41	41	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	1	2	3	2	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	6	-	-	-	-	-	-	1	1	2	2	-	-
Asian or Pacific Islander 2/, both sexes	19	-	-	-	-	1	1	2	1	3	6	5	-
Male.....	5	-	-	-	-	-	-	1	1	2	-	1	-
Female.....	14	-	-	-	-	1	1	1	-	1	6	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Tuberculosis (A16-A19)													
All races, both sexes.....	711	-	1	2	10	18	35	105	102	114	217	107	-
Male.....	427	-	1	2	3	13	25	79	71	72	116	45	-
Female.....	284	-	-	-	7	5	10	26	31	42	101	62	-
White, both sexes.....	437	-	1	2	6	8	11	45	60	76	150	78	-
Male.....	255	-	1	2	3	5	9	37	43	46	77	32	-
Female.....	182	-	-	-	3	3	2	8	17	30	73	46	-
Black, both sexes.....	172	-	-	-	4	6	16	47	31	20	33	15	-
Male.....	114	-	-	-	-	5	11	35	21	15	20	7	-
Female.....	58	-	-	-	4	1	5	12	10	5	13	8	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	2	6	-	1	4	2	-
Male.....	6	-	-	-	-	-	1	3	-	-	1	1	-
Female.....	9	-	-	-	-	-	1	3	-	1	3	1	-
Asian or Pacific Islander 2/, both sexes	87	-	-	-	-	4	6	7	11	17	30	12	-
Male.....	52	-	-	-	-	3	4	4	7	11	18	5	-
Female.....	35	-	-	-	-	1	2	3	4	6	12	7	-
Respiratory tuberculosis (A16)													
All races, both sexes.....	562	-	1	2	9	6	26	86	81	88	177	86	-
Male.....	344	-	1	2	3	6	17	64	57	61	97	36	-
Female.....	218	-	-	-	6	-	9	22	24	27	80	50	-
White, both sexes.....	347	-	1	2	6	4	9	35	48	57	125	60	-
Male.....	208	-	1	2	3	4	7	29	35	39	64	24	-
Female.....	139	-	-	-	3	-	2	6	13	18	61	36	-
Black, both sexes.....	138	-	-	-	3	2	11	41	25	17	26	13	-
Male.....	93	-	-	-	-	2	7	29	18	13	17	7	-
Female.....	45	-	-	-	3	-	4	12	7	4	9	6	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	1	5	-	-	3	1	-
Male.....	4	-	-	-	-	-	-	3	-	-	1	-	-
Female.....	6	-	-	-	-	-	1	2	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes	67	-	-	-	-	-	5	5	8	14	23	12	-
Male.....	39	-	-	-	-	-	3	3	4	9	15	5	-
Female.....	28	-	-	-	-	-	2	2	4	5	8	7	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Measles (B05)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	5,431	1	-	-	14	64	652	2,259	1,085	698	543	115	-
Male.....	3,546	-	-	-	7	42	461	1,666	729	352	249	40	-
Female.....	1,885	1	-	-	7	22	191	593	356	346	294	75	-
White, both sexes.....	4,295	-	-	-	9	49	531	1,833	795	533	447	98	-
Male.....	2,848	-	-	-	3	30	379	1,371	549	275	205	36	-
Female.....	1,447	-	-	-	6	19	152	462	246	258	242	62	-
Black, both sexes.....	854	-	-	-	4	11	98	357	222	92	59	11	-
Male.....	544	-	-	-	3	9	64	254	145	43	22	4	-
Female.....	310	-	-	-	1	2	34	103	77	49	37	7	-
American Indian 1/, both sexes.....	62	-	-	-	1	3	9	27	16	5	1	-	-
Male.....	32	-	-	-	1	2	6	9	10	3	1	-	-
Female.....	30	-	-	-	-	1	3	18	6	2	-	-	-
Asian or Pacific Islander 2/, both sexes	220	1	-	-	-	1	14	42	52	68	36	6	-
Male.....	122	-	-	-	-	1	12	32	25	31	21	-	-
Female.....	98	1	-	-	-	-	2	10	27	37	15	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All races, both sexes.....	7,427	174	85	51	88	140	447	1,185	1,136	1,344	1,715	1,062	-
Male.....	3,964	86	43	25	52	83	284	792	689	711	816	383	-
Female.....	3,463	88	42	26	36	57	163	393	447	633	899	679	-
White, both sexes.....	6,182	110	53	39	63	97	334	939	909	1,161	1,497	980	-
Male.....	3,289	51	26	19	40	57	220	640	553	608	720	355	-
Female.....	2,893	59	27	20	23	40	114	299	356	553	777	625	-
Black, both sexes.....	960	53	25	9	18	33	101	208	168	119	159	67	-
Male.....	523	30	13	5	9	20	57	127	98	76	66	22	-
Female.....	437	23	12	4	9	13	44	81	70	43	93	45	-
American Indian 1/, both sexes.....	72	4	4	2	2	2	5	19	14	8	8	4	-
Male.....	33	1	2	1	-	2	2	10	8	3	3	1	-
Female.....	39	3	2	1	2	-	3	9	6	5	5	3	-
Asian or Pacific Islander 2/, both sexes	213	7	3	1	5	8	7	19	45	56	51	11	-
Male.....	119	4	2	-	3	4	5	15	30	24	27	5	-
Female.....	94	3	1	1	2	4	2	4	15	32	24	6	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	556,902	75	392	1,076	1,651	3,741	15,509	49,843	95,692	141,248	167,617	80,046	12
Male.....	287,990	34	227	591	979	1,804	6,825	25,542	51,927	77,793	87,382	34,878	8
Female.....	268,912	41	165	485	672	1,937	8,684	24,301	43,765	63,455	80,235	45,168	4
White, both sexes.....	481,556	64	317	853	1,324	2,868	12,066	39,259	80,298	122,223	149,848	72,425	11
Male.....	249,053	29	182	472	790	1,432	5,422	20,158	43,526	67,430	78,084	31,520	8
Female.....	232,503	35	135	381	534	1,436	6,644	19,101	36,772	54,793	71,764	40,905	3
Black, both sexes.....	62,660	7	57	173	247	667	2,817	8,903	13,015	15,816	14,606	6,352	-
Male.....	32,442	4	31	96	143	269	1,127	4,590	7,190	8,680	7,602	2,710	-
Female.....	30,218	3	26	77	104	398	1,690	4,313	5,825	7,136	7,004	3,642	-
American Indian 1/, both sexes.....	2,154	-	7	8	19	24	101	303	465	557	494	176	-
Male.....	1,092	-	7	2	13	11	44	153	239	301	234	88	-
Female.....	1,062	-	-	6	6	13	57	150	226	256	260	88	-
Asian or Pacific Islander 2/, both sexes	10,532	4	11	42	61	182	525	1,378	1,914	2,652	2,669	1,093	1
Male.....	5,403	1	7	21	33	92	232	641	972	1,382	1,462	560	-
Female.....	5,129	3	4	21	28	90	293	737	942	1,270	1,207	533	1

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	7,778	-	4	8	30	59	274	1,131	1,826	1,874	1,692	879	1
Male.....	5,298	-	2	4	21	39	195	921	1,423	1,304	999	389	1
Female.....	2,480	-	2	4	9	20	79	210	403	570	693	490	-
White, both sexes.....	6,409	-	3	5	19	41	196	824	1,467	1,561	1,483	809	1
Male.....	4,282	-	1	2	13	25	153	675	1,126	1,068	862	356	1
Female.....	2,127	-	2	3	6	16	43	149	341	493	621	453	-
Black, both sexes.....	1,107	-	1	3	9	11	63	244	309	264	150	53	-
Male.....	837	-	1	2	6	10	32	199	260	204	99	24	-
Female.....	270	-	-	1	3	1	31	45	49	60	51	29	-
American Indian 1/, both sexes.....	33	-	-	-	-	-	-	6	9	6	10	2	-
Male.....	17	-	-	-	-	-	-	5	4	4	3	1	-
Female.....	16	-	-	-	-	-	-	1	5	2	7	1	-
Asian or Pacific Islander 2/, both sexes	229	-	-	-	2	7	15	57	41	43	49	15	-
Male.....	162	-	-	-	2	4	10	42	33	28	35	8	-
Female.....	67	-	-	-	-	3	5	15	8	15	14	7	-
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	12,860	-	-	-	5	29	288	1,407	2,940	3,619	3,392	1,180	-
Male.....	9,921	-	-	-	4	23	240	1,202	2,483	2,851	2,464	654	-
Female.....	2,939	-	-	-	1	6	48	205	457	768	928	526	-
White, both sexes.....	11,058	-	-	-	5	25	239	1,088	2,424	3,115	3,065	1,097	-
Male.....	8,617	-	-	-	4	21	204	950	2,088	2,476	2,264	610	-
Female.....	2,441	-	-	-	1	4	35	138	336	639	801	487	-
Black, both sexes.....	1,591	-	-	-	-	3	47	290	467	437	274	73	-
Male.....	1,133	-	-	-	-	2	36	226	354	315	163	37	-
Female.....	458	-	-	-	-	1	11	64	113	122	111	36	-
American Indian 1/, both sexes.....	49	-	-	-	-	-	-	11	12	15	11	-	-
Male.....	38	-	-	-	-	-	-	10	7	13	8	-	-
Female.....	11	-	-	-	-	-	-	1	5	2	3	-	-
Asian or Pacific Islander 2/, both sexes	162	-	-	-	-	1	2	18	37	52	42	10	-
Male.....	133	-	-	-	-	-	-	16	34	47	29	7	-
Female.....	29	-	-	-	-	1	2	2	3	5	13	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	12,110	-	-	1	19	127	480	1,210	1,874	2,793	3,549	2,057	-
Male.....	7,055	-	-	1	7	63	262	767	1,282	1,826	1,980	867	-
Female.....	5,055	-	-	-	12	64	218	443	592	967	1,569	1,190	-
White, both sexes.....	9,282	-	-	1	15	88	323	827	1,410	2,149	2,823	1,646	-
Male.....	5,428	-	-	1	7	46	183	529	967	1,404	1,592	699	-
Female.....	3,854	-	-	-	8	42	140	298	443	745	1,231	947	-
Black, both sexes.....	2,041	-	-	-	1	22	103	275	350	463	533	294	-
Male.....	1,187	-	-	-	-	10	55	184	241	313	282	102	-
Female.....	854	-	-	-	1	12	48	91	109	150	251	192	-
American Indian 1/, both sexes.....	84	-	-	-	1	4	7	16	10	22	16	8	-
Male.....	50	-	-	-	-	2	2	10	6	17	8	5	-
Female.....	34	-	-	-	1	2	5	6	4	5	8	3	-
Asian or Pacific Islander 2/, both sexes	703	-	-	-	2	13	47	92	104	159	177	109	-
Male.....	390	-	-	-	-	5	22	44	68	92	98	61	-
Female.....	313	-	-	-	2	8	25	48	36	67	79	48	-
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	55,958	-	-	4	40	291	1,315	4,442	8,304	12,934	17,331	11,296	1
Male.....	28,007	-	-	3	25	158	714	2,509	4,831	7,346	8,471	3,949	1
Female.....	27,951	-	-	1	15	133	601	1,933	3,473	5,588	8,860	7,347	-
White, both sexes.....	47,711	-	-	4	29	217	965	3,370	6,734	10,910	15,330	10,151	1
Male.....	24,013	-	-	3	20	118	539	1,941	3,975	6,298	7,552	3,566	1
Female.....	23,698	-	-	1	9	99	426	1,429	2,759	4,612	7,778	6,585	-
Black, both sexes.....	6,943	-	-	-	8	50	288	899	1,329	1,716	1,688	965	-
Male.....	3,335	-	-	-	4	25	141	487	725	894	755	304	-
Female.....	3,608	-	-	-	4	25	147	412	604	822	933	661	-
American Indian 1/, both sexes.....	205	-	-	-	-	-	10	33	38	49	51	24	-
Male.....	111	-	-	-	-	-	5	17	20	30	24	15	-
Female.....	94	-	-	-	-	-	5	16	18	19	27	9	-
Asian or Pacific Islander 2/, both sexes	1,099	-	-	-	3	24	52	140	203	259	262	156	-
Male.....	548	-	-	-	1	15	29	64	111	124	140	64	-
Female.....	551	-	-	-	2	9	23	76	92	135	122	92	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	14,706	6	23	14	36	89	395	2,223	2,765	3,630	3,949	1,576	-
Male.....	9,482	2	18	9	20	53	288	1,779	1,995	2,330	2,301	687	-
Female.....	5,224	4	5	5	16	36	107	444	770	1,300	1,648	889	-
White, both sexes.....	11,660	4	19	8	23	45	264	1,556	2,080	2,903	3,390	1,368	-
Male.....	7,489	2	15	7	13	23	183	1,242	1,513	1,900	1,995	596	-
Female.....	4,171	2	4	1	10	22	81	314	567	1,003	1,395	772	-
Black, both sexes.....	1,877	2	1	3	7	25	78	470	450	391	307	143	-
Male.....	1,234	-	-	2	4	15	59	379	319	238	157	61	-
Female.....	643	2	1	1	3	10	19	91	131	153	150	82	-
American Indian 1/, both sexes.....	105	-	2	1	-	1	4	28	27	22	16	4	-
Male.....	71	-	2	-	-	1	4	22	15	14	12	1	-
Female.....	34	-	-	1	-	-	-	6	12	8	4	3	-
Asian or Pacific Islander 2/, both sexes	1,064	-	1	2	6	18	49	169	208	314	236	61	-
Male.....	688	-	1	-	3	14	42	136	148	178	137	29	-
Female.....	376	-	-	2	3	4	7	33	60	136	99	32	-
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	30,777	-	-	1	10	60	548	2,540	5,320	8,104	9,708	4,486	-
Male.....	15,060	-	-	1	6	35	329	1,548	3,106	4,251	4,402	1,382	-
Female.....	15,717	-	-	-	4	25	219	992	2,214	3,853	5,306	3,104	-
White, both sexes.....	26,418	-	-	-	7	48	421	1,986	4,399	6,936	8,601	4,020	-
Male.....	13,033	-	-	-	3	26	251	1,218	2,611	3,711	3,959	1,254	-
Female.....	13,385	-	-	-	4	22	170	768	1,788	3,225	4,642	2,766	-
Black, both sexes.....	3,616	-	-	1	3	10	103	481	754	963	914	387	-
Male.....	1,675	-	-	1	3	8	64	294	409	449	347	100	-
Female.....	1,941	-	-	-	-	2	39	187	345	514	567	287	-
American Indian 1/, both sexes.....	103	-	-	-	-	1	7	11	29	30	19	6	-
Male.....	51	-	-	-	-	-	3	6	17	15	8	2	-
Female.....	52	-	-	-	-	1	4	5	12	15	11	4	-
Asian or Pacific Islander 2/, both sexes	640	-	-	-	-	1	17	62	138	175	174	73	-
Male.....	301	-	-	-	-	1	11	30	69	76	88	26	-
Female.....	339	-	-	-	-	-	6	32	69	99	86	47	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,792	-	-	-	-	1	79	420	956	1,136	891	308	1
Male.....	3,020	-	-	-	-	1	60	354	777	899	708	221	-
Female.....	772	-	-	-	-	-	19	66	179	237	183	87	1
White, both sexes.....	3,052	-	-	-	-	1	62	292	744	923	764	265	1
Male.....	2,410	-	-	-	-	1	49	248	605	718	599	190	-
Female.....	642	-	-	-	-	-	13	44	139	205	165	75	1
Black, both sexes.....	693	-	-	-	-	-	16	121	206	197	115	38	-
Male.....	571	-	-	-	-	-	10	100	167	169	99	26	-
Female.....	122	-	-	-	-	-	6	21	39	28	16	12	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	5	2	3	3	1	-
Male.....	11	-	-	-	-	-	-	4	2	1	3	1	-
Female.....	3	-	-	-	-	-	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes	33	-	-	-	-	-	1	2	4	13	9	4	-
Male.....	28	-	-	-	-	-	1	2	3	11	7	4	-
Female.....	5	-	-	-	-	-	-	-	1	2	2	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races, both sexes.....	158,086	-	2	2	25	154	2,478	12,374	30,956	49,386	48,619	14,088	2
Male.....	89,964	-	1	1	14	78	1,344	7,313	18,347	28,935	27,064	6,865	2
Female.....	68,122	-	1	1	11	76	1,134	5,061	12,609	20,451	21,555	7,223	-
White, both sexes.....	138,743	-	2	1	22	127	1,950	9,786	26,435	43,558	43,988	12,872	2
Male.....	78,215	-	1	-	12	62	1,041	5,724	15,426	25,364	24,330	6,253	2
Female.....	60,528	-	1	1	10	65	909	4,062	11,009	18,194	19,658	6,619	-
Black, both sexes.....	16,372	-	-	1	3	19	442	2,272	3,979	4,932	3,761	963	-
Male.....	9,988	-	-	1	2	13	252	1,411	2,586	3,035	2,206	482	-
Female.....	6,384	-	-	-	1	6	190	861	1,393	1,897	1,555	481	-
American Indian 1/, both sexes.....	556	-	-	-	-	-	11	62	134	191	130	28	-
Male.....	301	-	-	-	-	-	7	32	85	99	67	11	-
Female.....	255	-	-	-	-	-	4	30	49	92	63	17	-
Asian or Pacific Islander 2/, both sexes	2,415	-	-	-	-	8	75	254	408	705	740	225	-
Male.....	1,460	-	-	-	-	3	44	146	250	437	461	119	-
Female.....	955	-	-	-	-	5	31	108	158	268	279	106	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant melanoma of skin (C43)													
All races, both sexes.....	7,818	-	1	2	38	191	561	1,179	1,547	1,593	1,875	831	-
Male.....	4,963	-	-	-	24	119	336	753	1,042	1,050	1,203	436	-
Female.....	2,855	-	1	2	14	72	225	426	505	543	672	395	-
White, both sexes.....	7,648	-	1	2	36	186	549	1,151	1,513	1,564	1,834	812	-
Male.....	4,887	-	-	-	24	117	332	739	1,024	1,038	1,183	430	-
Female.....	2,761	-	1	2	12	69	217	412	489	526	651	382	-
Black, both sexes.....	121	-	-	-	1	3	11	16	23	26	28	13	-
Male.....	50	-	-	-	-	2	4	8	12	12	10	2	-
Female.....	71	-	-	-	1	1	7	8	11	14	18	11	-
American Indian 1/, both sexes.....	14	-	-	-	1	-	-	2	4	2	5	-	-
Male.....	5	-	-	-	-	-	-	1	2	-	2	-	-
Female.....	9	-	-	-	1	-	-	1	2	2	3	-	-
Asian or Pacific Islander 2/, both sexes	35	-	-	-	-	2	1	10	7	1	8	6	-
Male.....	21	-	-	-	-	-	-	5	4	-	8	4	-
Female.....	14	-	-	-	-	2	1	5	3	1	-	2	-
Malignant neoplasm of breast (C50)													
All races, both sexes.....	42,000	-	-	-	16	407	2,716	6,365	8,267	8,338	9,644	6,245	2
Male.....	380	-	-	-	-	2	9	48	71	89	104	56	1
Female.....	41,620	-	-	-	16	405	2,707	6,317	8,196	8,249	9,540	6,189	1
White, both sexes.....	35,358	-	-	-	11	269	1,981	4,875	6,786	7,158	8,638	5,639	1
Male.....	326	-	-	-	-	1	4	39	59	76	95	51	1
Female.....	35,032	-	-	-	11	268	1,977	4,836	6,727	7,082	8,543	5,588	-
Black, both sexes.....	5,746	-	-	-	5	119	640	1,270	1,254	1,013	891	554	-
Male.....	51	-	-	-	-	1	5	8	12	13	7	5	-
Female.....	5,695	-	-	-	5	118	635	1,262	1,242	1,000	884	549	-
American Indian 1/, both sexes.....	148	-	-	-	-	4	9	28	36	24	33	14	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	147	-	-	-	-	4	9	28	36	24	32	14	-
Asian or Pacific Islander 2/, both sexes	748	-	-	-	-	15	86	192	191	143	82	38	1
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	746	-	-	-	-	15	86	191	191	143	81	38	1

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,919	-	-	-	16	201	633	890	793	564	552	270	-
Male.....
Female.....	3,919	-	-	-	16	201	633	890	793	564	552	270	-
White, both sexes.....	2,953	-	-	-	13	139	478	675	613	414	411	210	-
Male.....
Female.....	2,953	-	-	-	13	139	478	675	613	414	411	210	-
Black, both sexes.....	794	-	-	-	2	50	127	175	153	126	111	50	-
Male.....
Female.....	794	-	-	-	2	50	127	175	153	126	111	50	-
American Indian 1/, both sexes.....	31	-	-	-	-	2	7	5	8	3	4	2	-
Male.....
Female.....	31	-	-	-	-	2	7	5	8	3	4	2	-
Asian or Pacific Islander 2/, both sexes	141	-	-	-	1	10	21	35	19	21	26	8	-
Male.....
Female.....	141	-	-	-	1	10	21	35	19	21	26	8	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	6,899	-	-	-	4	27	154	534	1,301	1,851	1,951	1,077	-
Male.....
Female.....	6,899	-	-	-	4	27	154	534	1,301	1,851	1,951	1,077	-
White, both sexes.....	5,641	-	-	-	3	16	108	428	1,016	1,452	1,650	968	-
Male.....
Female.....	5,641	-	-	-	3	16	108	428	1,016	1,452	1,650	968	-
Black, both sexes.....	1,107	-	-	-	1	8	31	84	248	359	273	103	-
Male.....
Female.....	1,107	-	-	-	1	8	31	84	248	359	273	103	-
American Indian 1/, both sexes.....	11	-	-	-	-	1	1	2	1	4	2	-	-
Male.....
Female.....	11	-	-	-	-	1	1	2	1	4	2	-	-
Asian or Pacific Islander 2/, both sexes	140	-	-	-	-	2	14	20	36	36	26	6	-
Male.....
Female.....	140	-	-	-	-	2	14	20	36	36	26	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All races, both sexes.....	12,286	1	14	39	24	56	321	1,201	2,498	3,090	3,475	1,567	-
Male.....	7,667	1	4	19	16	36	231	859	1,787	1,975	2,036	703	-
Female.....	4,619	-	10	20	8	20	90	342	711	1,115	1,439	864	-
White, both sexes.....	10,930	1	14	30	16	35	247	1,018	2,175	2,772	3,183	1,439	-
Male.....	6,840	1	4	14	11	20	180	736	1,574	1,773	1,873	654	-
Female.....	4,090	-	10	16	5	15	67	282	601	999	1,310	785	-
Black, both sexes.....	1,116	-	-	9	8	19	64	154	262	250	234	116	-
Male.....	677	-	-	5	5	14	44	108	170	158	131	42	-
Female.....	439	-	-	4	3	5	20	46	92	92	103	74	-
American Indian 1/, both sexes.....	79	-	-	-	-	-	5	12	20	23	17	2	-
Male.....	48	-	-	-	-	-	3	6	16	16	7	-	-
Female.....	31	-	-	-	-	-	2	6	4	7	10	2	-
Asian or Pacific Islander 2/, both sexes	161	-	-	-	-	2	5	17	41	45	41	10	-
Male.....	102	-	-	-	-	2	4	9	27	28	25	7	-
Female.....	59	-	-	-	-	-	1	8	14	17	16	3	-
Malignant neoplasm of bladder (C67)													
All races, both sexes.....	12,483	-	-	-	1	4	98	522	1,391	2,736	4,679	3,052	-
Male.....	8,576	-	-	-	1	2	64	401	1,049	1,998	3,254	1,807	-
Female.....	3,907	-	-	-	-	2	34	121	342	738	1,425	1,245	-
White, both sexes.....	11,409	-	-	-	1	4	75	433	1,253	2,496	4,310	2,837	-
Male.....	7,965	-	-	-	1	2	49	344	962	1,848	3,047	1,712	-
Female.....	3,444	-	-	-	-	2	26	89	291	648	1,263	1,125	-
Black, both sexes.....	914	-	-	-	-	-	21	79	109	205	317	183	-
Male.....	502	-	-	-	-	-	13	49	66	124	173	77	-
Female.....	412	-	-	-	-	-	8	30	43	81	144	106	-
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	2	10	4	11	3	-
Male.....	16	-	-	-	-	-	-	-	6	3	5	2	-
Female.....	14	-	-	-	-	-	-	2	4	1	6	1	-
Asian or Pacific Islander 2/, both sexes	130	-	-	-	-	-	2	8	19	31	41	29	-
Male.....	93	-	-	-	-	-	2	8	15	23	29	16	-
Female.....	37	-	-	-	-	-	-	-	4	8	12	13	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	12,901	18	104	336	236	405	1,079	1,962	2,698	2,836	2,510	717	-
Male.....	7,122	9	56	175	136	232	639	1,233	1,530	1,556	1,267	289	-
Female.....	5,779	9	48	161	100	173	440	729	1,168	1,280	1,243	428	-
White, both sexes.....	11,849	15	85	271	197	355	976	1,775	2,496	2,637	2,375	667	-
Male.....	6,543	8	48	139	112	206	572	1,120	1,423	1,448	1,196	271	-
Female.....	5,306	7	37	132	85	149	404	655	1,073	1,189	1,179	396	-
Black, both sexes.....	811	2	17	48	34	36	83	147	153	152	103	36	-
Male.....	447	1	6	27	21	19	56	89	82	85	54	7	-
Female.....	364	1	11	21	13	17	27	58	71	67	49	29	-
American Indian 1/, both sexes.....	45	-	1	4	2	1	3	11	9	8	3	3	-
Male.....	26	-	1	2	1	-	2	8	4	3	3	2	-
Female.....	19	-	-	2	1	1	1	3	5	5	-	1	-
Asian or Pacific Islander 2/, both sexes	196	1	1	13	3	13	17	29	40	39	29	11	-
Male.....	106	-	1	7	2	7	9	16	21	20	14	9	-
Female.....	90	1	-	6	1	6	8	13	19	19	15	2	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	55,679	31	138	394	606	865	1,728	3,785	7,471	12,885	18,442	9,334	-
Male.....	30,076	10	80	225	375	535	1,043	2,294	4,557	7,550	9,524	3,883	-
Female.....	25,603	21	58	169	231	330	685	1,491	2,914	5,335	8,918	5,451	-
White, both sexes.....	49,420	29	115	314	483	670	1,366	3,055	6,429	11,362	16,892	8,705	-
Male.....	26,943	8	67	184	301	419	836	1,869	3,967	6,783	8,857	3,652	-
Female.....	22,477	21	48	130	182	251	530	1,186	2,462	4,579	8,035	5,053	-
Black, both sexes.....	5,103	1	14	57	88	156	301	624	858	1,250	1,238	516	-
Male.....	2,537	1	8	31	52	88	172	369	493	618	528	177	-
Female.....	2,566	-	6	26	36	68	129	255	365	632	710	339	-
American Indian 1/, both sexes.....	210	-	3	3	12	5	12	19	41	48	50	17	-
Male.....	99	-	3	-	9	5	6	11	18	25	16	6	-
Female.....	111	-	-	3	3	-	6	8	23	23	34	11	-
Asian or Pacific Islander 2/, both sexes	946	1	6	20	23	34	49	87	143	225	262	96	-
Male.....	497	1	2	10	13	23	29	45	79	124	123	48	-
Female.....	449	-	4	10	10	11	20	42	64	101	139	48	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hodgkin's disease (C81)													
All races, both sexes.....	1,347	-	-	5	64	167	154	154	198	216	277	112	-
Male.....	725	-	-	4	30	88	95	91	119	128	132	38	-
Female.....	622	-	-	1	34	79	59	63	79	88	145	74	-
White, both sexes.....	1,192	-	-	5	51	134	132	139	170	196	258	107	-
Male.....	638	-	-	4	24	74	84	81	101	112	123	35	-
Female.....	554	-	-	1	27	60	48	58	69	84	135	72	-
Black, both sexes.....	120	-	-	-	10	31	18	14	21	17	9	-	-
Male.....	68	-	-	-	5	12	10	9	15	13	4	-	-
Female.....	52	-	-	-	5	19	8	5	6	4	5	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	1	-	2	1	4	1	-
Male.....	4	-	-	-	-	-	1	-	1	1	1	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	3	1	-
Asian or Pacific Islander 2/, both sexes	26	-	-	-	3	2	3	1	5	2	6	4	-
Male.....	15	-	-	-	1	2	-	1	2	2	4	3	-
Female.....	11	-	-	-	2	-	3	-	3	-	2	1	-
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	21,475	-	5	45	140	252	630	1,548	3,007	4,919	7,217	3,712	-
Male.....	11,399	-	5	26	88	165	406	972	1,848	2,829	3,563	1,497	-
Female.....	10,076	-	-	19	52	87	224	576	1,159	2,090	3,654	2,215	-
White, both sexes.....	19,598	-	4	31	112	177	499	1,278	2,681	4,478	6,793	3,545	-
Male.....	10,447	-	4	17	72	120	327	805	1,664	2,620	3,384	1,434	-
Female.....	9,151	-	-	14	40	57	172	473	1,017	1,858	3,409	2,111	-
Black, both sexes.....	1,371	-	-	10	23	58	108	230	246	311	278	107	-
Male.....	687	-	-	8	12	34	63	144	138	145	110	33	-
Female.....	684	-	-	2	11	24	45	86	108	166	168	74	-
American Indian 1/, both sexes.....	69	-	1	-	-	2	3	8	17	20	15	3	-
Male.....	34	-	1	-	-	2	2	3	10	10	6	-	-
Female.....	35	-	-	-	-	-	1	5	7	10	9	3	-
Asian or Pacific Islander 2/, both sexes	437	-	-	4	5	15	20	32	63	110	131	57	-
Male.....	231	-	-	1	4	9	14	20	36	54	63	30	-
Female.....	206	-	-	3	1	6	6	12	27	56	68	27	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Leukemia (C91-C95)													
All races, both sexes.....	21,535	30	133	342	402	433	796	1,365	2,605	4,706	6,937	3,786	-
Male.....	12,073	9	75	195	257	274	444	801	1,593	2,930	3,880	1,615	-
Female.....	9,462	21	58	147	145	159	352	564	1,012	1,776	3,057	2,171	-
White, both sexes.....	19,353	28	111	276	320	349	631	1,145	2,285	4,224	6,433	3,551	-
Male.....	10,938	7	63	163	205	218	351	682	1,412	2,659	3,650	1,528	-
Female.....	8,415	21	48	113	115	131	280	463	873	1,565	2,783	2,023	-
Black, both sexes.....	1,762	1	14	47	55	65	132	178	264	395	408	203	-
Male.....	918	1	8	23	35	41	75	100	151	221	189	74	-
Female.....	844	-	6	24	20	24	57	78	113	174	219	129	-
American Indian 1/, both sexes.....	77	-	2	3	12	3	7	8	10	14	12	6	-
Male.....	38	-	2	-	9	3	3	6	3	7	4	1	-
Female.....	39	-	-	3	3	-	4	2	7	7	8	5	-
Asian or Pacific Islander 2/, both sexes	343	1	6	16	15	16	26	34	46	73	84	26	-
Male.....	179	1	2	9	8	12	15	13	27	43	37	12	-
Female.....	164	-	4	7	7	4	11	21	19	30	47	14	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	11,267	-	-	1	-	12	147	711	1,659	3,029	3,997	1,711	-
Male.....	5,848	-	-	-	-	7	97	426	995	1,654	1,941	728	-
Female.....	5,419	-	-	1	-	5	50	285	664	1,375	2,056	983	-
White, both sexes.....	9,227	-	-	1	-	9	103	488	1,291	2,450	3,395	1,490	-
Male.....	4,892	-	-	-	-	6	73	299	788	1,383	1,693	650	-
Female.....	4,335	-	-	1	-	3	30	189	503	1,067	1,702	840	-
Black, both sexes.....	1,847	-	-	-	-	2	43	201	327	526	543	205	-
Male.....	863	-	-	-	-	1	24	115	189	239	225	70	-
Female.....	984	-	-	-	-	1	19	86	138	287	318	135	-
American Indian 1/, both sexes.....	55	-	-	-	-	-	1	3	12	13	19	7	-
Male.....	23	-	-	-	-	-	-	2	4	7	5	5	-
Female.....	32	-	-	-	-	-	1	1	8	6	14	2	-
Asian or Pacific Islander 2/, both sexes	138	-	-	-	-	1	-	19	29	40	40	9	-
Male.....	70	-	-	-	-	-	-	10	14	25	18	3	-
Female.....	68	-	-	-	-	1	-	9	15	15	22	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All races, both sexes.....	55	1	-	1	-	1	1	7	2	15	14	13	-
Male.....	31	1	-	-	-	1	1	4	2	9	8	5	-
Female.....	24	-	-	1	-	-	-	3	-	6	6	8	-
White, both sexes.....	50	1	-	1	-	1	1	5	2	14	13	12	-
Male.....	28	1	-	-	-	1	1	2	2	9	7	5	-
Female.....	22	-	-	1	-	-	-	3	-	5	6	7	-
Black, both sexes.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All races, both sexes.....	62,639	19	106	274	516	690	1,885	5,611	9,820	14,277	18,880	10,556	5
Male.....	31,845	12	66	152	329	427	1,046	3,143	5,573	7,800	9,321	3,973	3
Female.....	30,794	7	40	122	187	263	839	2,468	4,247	6,477	9,559	6,583	2
White, both sexes.....	54,660	15	78	216	422	532	1,476	4,444	8,250	12,442	17,078	9,702	5
Male.....	27,830	10	46	121	268	344	829	2,495	4,703	6,835	8,505	3,671	3
Female.....	26,830	5	32	95	154	188	647	1,949	3,547	5,607	8,573	6,031	2
Black, both sexes.....	6,618	2	24	51	71	124	333	993	1,332	1,508	1,473	707	-
Male.....	3,324	2	16	27	46	62	176	554	753	791	665	232	-
Female.....	3,294	-	8	24	25	62	157	439	579	717	808	475	-
American Indian 1/, both sexes.....	275	-	1	-	3	5	23	37	48	68	58	32	-
Male.....	147	-	1	-	3	3	12	20	25	38	28	17	-
Female.....	128	-	-	-	-	2	11	17	23	30	30	15	-
Asian or Pacific Islander 2/, both sexes	1,086	2	3	7	20	29	53	137	190	259	271	115	-
Male.....	544	-	3	4	12	18	29	74	92	136	123	53	-
Female.....	542	2	-	3	8	11	24	63	98	123	148	62	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	13,563	62	51	79	96	178	339	682	1,238	2,354	4,689	3,795	-
Male.....	6,687	32	31	43	54	98	195	366	685	1,334	2,379	1,470	-
Female.....	6,876	30	20	36	42	80	144	316	553	1,020	2,310	2,325	-
White, both sexes.....	12,181	48	39	55	78	144	262	549	1,061	2,081	4,331	3,533	-
Male.....	6,036	25	22	30	46	77	158	302	583	1,200	2,215	1,378	-
Female.....	6,145	23	17	25	32	67	104	247	478	881	2,116	2,155	-
Black, both sexes.....	1,123	11	9	18	16	29	67	118	144	223	290	198	-
Male.....	525	5	8	9	7	18	31	55	83	115	130	64	-
Female.....	598	6	1	9	9	11	36	63	61	108	160	134	-
American Indian 1/, both sexes.....	39	-	-	1	-	2	2	1	8	9	9	7	-
Male.....	20	-	-	1	-	1	-	1	5	3	6	3	-
Female.....	19	-	-	-	-	1	2	-	3	6	3	4	-
Asian or Pacific Islander 2/, both sexes	220	3	3	5	2	3	8	14	25	41	59	57	-
Male.....	106	2	1	3	1	2	6	8	14	16	28	25	-
Female.....	114	1	2	2	1	1	2	6	11	25	31	32	-
Anemias (D50-D64)													
All races, both sexes.....	4,594	22	24	47	105	157	183	241	276	484	1,136	1,919	-
Male.....	1,832	11	14	23	52	83	91	125	156	251	477	549	-
Female.....	2,762	11	10	24	53	74	92	116	120	233	659	1,370	-
White, both sexes.....	3,476	9	10	21	23	39	45	90	153	374	985	1,727	-
Male.....	1,319	4	5	11	11	22	22	51	85	189	424	495	-
Female.....	2,157	5	5	10	12	17	23	39	68	185	561	1,232	-
Black, both sexes.....	1,037	6	12	25	79	114	134	145	116	95	142	169	-
Male.....	487	4	7	12	40	58	69	74	67	56	53	47	-
Female.....	550	2	5	13	39	56	65	71	49	39	89	122	-
American Indian 1/, both sexes.....	15	-	-	-	-	1	2	2	2	5	2	1	-
Male.....	4	-	-	-	-	1	-	-	1	2	-	-	-
Female.....	11	-	-	-	-	-	2	2	1	3	2	1	-
Asian or Pacific Islander 2/, both sexes	66	7	2	1	3	3	2	4	5	10	7	22	-
Male.....	22	3	2	-	1	2	-	-	3	4	-	7	-
Female.....	44	4	-	1	2	1	2	4	2	6	7	15	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diabetes mellitus (E10-E14)													
All races, both sexes.....	74,219	3	8	31	160	657	2,049	5,658	10,731	16,656	23,299	14,964	3
Male.....	35,438	-	6	16	96	379	1,264	3,341	6,044	8,687	10,679	4,923	3
Female.....	38,781	3	2	15	64	278	785	2,317	4,687	7,969	12,620	10,041	-
White, both sexes.....	59,099	2	6	22	111	431	1,439	4,003	7,987	12,934	19,358	12,803	3
Male.....	28,939	-	5	13	67	246	917	2,465	4,654	7,002	9,210	4,357	3
Female.....	30,160	2	1	9	44	185	522	1,538	3,333	5,932	10,148	8,446	-
Black, both sexes.....	12,892	1	2	7	46	208	549	1,445	2,367	3,160	3,299	1,808	-
Male.....	5,425	-	1	3	27	122	310	748	1,182	1,401	1,196	435	-
Female.....	7,467	1	1	4	19	86	239	697	1,185	1,759	2,103	1,373	-
American Indian 1/, both sexes.....	783	-	-	-	-	12	42	115	162	206	173	73	-
Male.....	367	-	-	-	-	8	26	67	74	95	72	25	-
Female.....	416	-	-	-	-	4	16	48	88	111	101	48	-
Asian or Pacific Islander 2/, both sexes	1,445	-	-	2	3	6	19	95	215	356	469	280	-
Male.....	707	-	-	-	2	3	11	61	134	189	201	106	-
Female.....	738	-	-	2	1	3	8	34	81	167	268	174	-
Nutritional deficiencies (E40-E64)													
All races, both sexes.....	3,338	10	2	2	7	10	35	100	168	340	992	1,672	-
Male.....	1,176	7	2	2	4	7	19	48	79	166	400	442	-
Female.....	2,162	3	-	-	3	3	16	52	89	174	592	1,230	-
White, both sexes.....	2,826	6	2	2	5	8	29	65	127	277	848	1,457	-
Male.....	969	5	2	2	3	6	16	31	54	132	331	387	-
Female.....	1,857	1	-	-	2	2	13	34	73	145	517	1,070	-
Black, both sexes.....	455	3	-	-	1	2	4	33	39	54	130	189	-
Male.....	185	1	-	-	-	1	2	17	24	31	63	46	-
Female.....	270	2	-	-	1	1	2	16	15	23	67	143	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	1	2	-	4	7	7	-
Male.....	4	-	-	-	-	-	-	-	-	2	2	-	-
Female.....	17	-	-	-	-	-	1	2	-	2	5	7	-
Asian or Pacific Islander 2/, both sexes	36	1	-	-	1	-	1	-	2	5	7	19	-
Male.....	18	1	-	-	1	-	1	-	1	1	4	9	-
Female.....	18	-	-	-	-	-	-	-	1	4	3	10	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Meningitis (G00,G03)													
All races, both sexes.....	730	77	24	17	37	44	67	117	108	96	90	52	1
Male.....	387	38	12	10	20	28	40	73	61	45	40	19	1
Female.....	343	39	12	7	17	16	27	44	47	51	50	33	-
White, both sexes.....	524	52	18	13	25	26	43	78	72	76	78	42	1
Male.....	293	32	9	9	16	17	26	50	43	37	37	16	1
Female.....	231	20	9	4	9	9	17	28	29	39	41	26	-
Black, both sexes.....	187	23	5	3	12	18	22	33	35	18	9	9	-
Male.....	84	6	2	1	4	11	12	18	18	8	2	2	-
Female.....	103	17	3	2	8	7	10	15	17	10	7	7	-
American Indian 1/, both sexes.....	8	1	1	-	-	-	1	3	1	1	-	-	-
Male.....	5	-	1	-	-	-	1	3	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	11	1	-	1	-	-	1	3	-	1	3	1	-
Male.....	5	-	-	-	-	-	1	2	-	-	1	1	-
Female.....	6	1	-	1	-	-	-	1	-	1	2	-	-
Parkinson's disease (G20-G21)													
All races, both sexes.....	17,997	1	-	1	-	2	11	64	352	2,330	8,723	6,513	-
Male.....	10,180	1	-	-	-	-	6	33	219	1,517	5,191	3,213	-
Female.....	7,817	-	-	1	-	2	5	31	133	813	3,532	3,300	-
White, both sexes.....	17,045	1	-	-	-	2	10	55	307	2,158	8,295	6,217	-
Male.....	9,630	1	-	-	-	-	6	29	189	1,411	4,946	3,048	-
Female.....	7,415	-	-	-	-	2	4	26	118	747	3,349	3,169	-
Black, both sexes.....	628	-	-	1	-	-	1	7	33	120	285	181	-
Male.....	351	-	-	-	-	-	-	3	21	73	161	93	-
Female.....	277	-	-	1	-	-	1	4	12	47	124	88	-
American Indian 1/, both sexes.....	60	-	-	-	-	-	-	-	4	13	26	17	-
Male.....	32	-	-	-	-	-	-	-	3	7	12	10	-
Female.....	28	-	-	-	-	-	-	-	1	6	14	7	-
Asian or Pacific Islander 2/, both sexes	264	-	-	-	-	-	-	2	8	39	117	98	-
Male.....	167	-	-	-	-	-	-	1	6	26	72	62	-
Female.....	97	-	-	-	-	-	-	1	2	13	45	36	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alzheimer's disease (G30)													
All races, both sexes.....	63,457	-	-	-	-	-	11	78	554	3,836	21,157	37,821	-
Male.....	18,335	-	-	-	-	-	4	34	243	1,684	7,606	8,764	-
Female.....	45,122	-	-	-	-	-	7	44	311	2,152	13,551	29,057	-
White, both sexes.....	59,184	-	-	-	-	-	11	74	518	3,452	19,625	35,504	-
Male.....	17,086	-	-	-	-	-	4	32	224	1,522	7,068	8,236	-
Female.....	42,098	-	-	-	-	-	7	42	294	1,930	12,557	27,268	-
Black, both sexes.....	3,718	-	-	-	-	-	-	4	29	328	1,356	2,001	-
Male.....	1,087	-	-	-	-	-	-	2	17	144	483	441	-
Female.....	2,631	-	-	-	-	-	-	2	12	184	873	1,560	-
American Indian 1/, both sexes.....	122	-	-	-	-	-	-	-	1	15	41	65	-
Male.....	22	-	-	-	-	-	-	-	-	4	9	9	-
Female.....	100	-	-	-	-	-	-	-	1	11	32	56	-
Asian or Pacific Islander 2/, both sexes	433	-	-	-	-	-	-	-	6	41	135	251	-
Male.....	140	-	-	-	-	-	-	-	2	14	46	78	-
Female.....	293	-	-	-	-	-	-	-	4	27	89	173	-
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	902,443	555	234	347	1,447	4,089	16,930	46,279	79,497	137,220	279,358	336,449	38
Male.....	423,810	310	116	204	893	2,609	11,302	32,260	52,804	81,512	135,868	105,903	29
Female.....	478,633	245	118	143	554	1,480	5,628	14,019	26,693	55,708	143,490	230,546	9
White, both sexes.....	780,020	343	148	234	951	2,663	11,819	33,491	61,975	113,130	247,328	307,907	31
Male.....	365,390	184	67	140	593	1,754	8,258	24,303	42,278	68,570	121,648	97,573	22
Female.....	414,630	159	81	94	358	909	3,561	9,188	19,697	44,560	125,680	210,334	9
Black, both sexes.....	104,181	173	73	95	438	1,251	4,535	11,455	15,368	20,631	26,636	23,521	5
Male.....	48,853	105	43	53	271	732	2,653	7,032	9,143	10,958	11,578	6,280	5
Female.....	55,328	68	30	42	167	519	1,882	4,423	6,225	9,673	15,058	17,241	-
American Indian 1/, both sexes.....	3,488	9	5	3	14	52	176	385	592	759	839	652	2
Male.....	1,882	5	2	-	10	38	115	258	369	433	399	251	2
Female.....	1,606	4	3	3	4	14	61	127	223	326	440	401	-
Asian or Pacific Islander 2/, both sexes	14,754	30	8	15	44	123	400	948	1,562	2,700	4,555	4,369	-
Male.....	7,685	16	4	11	19	85	276	667	1,014	1,551	2,243	1,799	-
Female.....	7,069	14	4	4	25	38	124	281	548	1,149	2,312	2,570	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	685,089	439	186	264	1,133	3,250	13,600	37,732	65,060	107,263	207,331	248,796	35
Male.....	336,095	247	89	155	718	2,129	9,463	27,304	44,522	65,568	104,646	81,227	27
Female.....	348,994	192	97	109	415	1,121	4,137	10,428	20,538	41,695	102,685	167,569	8
White, both sexes.....	594,842	273	117	174	736	2,120	9,780	28,057	51,648	89,233	184,357	228,319	28
Male.....	291,560	150	52	105	464	1,449	7,093	21,062	36,294	55,619	94,151	75,101	20
Female.....	303,282	123	65	69	272	671	2,687	6,995	15,354	33,614	90,206	153,218	8
Black, both sexes.....	77,372	133	57	76	354	991	3,428	8,704	11,821	15,605	19,261	16,937	5
Male.....	37,466	81	32	42	232	580	2,087	5,502	7,155	8,495	8,603	4,652	5
Female.....	39,906	52	25	34	122	411	1,341	3,202	4,666	7,110	10,658	12,285	-
American Indian 1/, both sexes.....	2,712	9	4	2	11	44	135	308	492	592	623	490	2
Male.....	1,529	5	1	-	7	32	95	218	315	349	308	197	2
Female.....	1,183	4	3	2	4	12	40	90	177	243	315	293	-
Asian or Pacific Islander 2/, both sexes	10,163	24	8	12	32	95	257	663	1,099	1,833	3,090	3,050	-
Male.....	5,540	11	4	8	15	68	188	522	758	1,105	1,584	1,277	-
Female.....	4,623	13	4	4	17	27	69	141	341	728	1,506	1,773	-
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,624	1	1	6	11	25	99	224	367	693	1,233	964	-
Male.....	1,153	1	-	4	7	14	44	78	146	241	384	234	-
Female.....	2,471	-	1	2	4	11	55	146	221	452	849	730	-
White, both sexes.....	3,226	1	1	4	5	18	61	149	277	611	1,172	927	-
Male.....	1,023	1	-	3	4	9	26	56	107	216	375	226	-
Female.....	2,203	-	1	1	1	9	35	93	170	395	797	701	-
Black, both sexes.....	308	-	-	2	4	6	29	63	72	66	40	26	-
Male.....	110	-	-	1	2	4	15	20	33	21	8	6	-
Female.....	198	-	-	1	2	2	14	43	39	45	32	20	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	1	1	3	4	1	1	-
Male.....	3	-	-	-	-	-	-	-	2	1	-	-	-
Female.....	8	-	-	-	-	-	1	1	1	3	1	1	-
Asian or Pacific Islander 2/, both sexes	79	-	-	-	2	1	8	11	15	12	20	10	-
Male.....	17	-	-	-	1	1	3	2	4	3	1	2	-
Female.....	62	-	-	-	1	-	5	9	11	9	19	8	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hypertensive heart disease (I11)													
All races, both sexes.....	28,345	-	1	-	53	305	1,306	3,230	3,651	4,045	6,565	9,189	-
Male.....	12,536	-	1	-	40	208	877	2,157	2,308	2,264	2,627	2,054	-
Female.....	15,809	-	-	-	13	97	429	1,073	1,343	1,781	3,938	7,135	-
White, both sexes.....	20,904	-	-	-	27	157	734	1,828	2,335	2,753	5,181	7,889	-
Male.....	8,948	-	-	-	21	121	556	1,334	1,554	1,560	2,078	1,724	-
Female.....	11,956	-	-	-	6	36	178	494	781	1,193	3,103	6,165	-
Black, both sexes.....	6,843	-	1	-	25	137	544	1,339	1,234	1,184	1,240	1,139	-
Male.....	3,298	-	1	-	19	79	302	776	703	656	486	276	-
Female.....	3,545	-	-	-	6	58	242	563	531	528	754	863	-
American Indian 1/, both sexes.....	112	-	-	-	-	6	8	20	25	18	14	21	-
Male.....	54	-	-	-	-	4	5	11	17	8	6	3	-
Female.....	58	-	-	-	-	2	3	9	8	10	8	18	-
Asian or Pacific Islander 2/, both sexes	486	-	-	-	1	5	20	43	57	90	130	140	-
Male.....	236	-	-	-	-	4	14	36	34	40	57	51	-
Female.....	250	-	-	-	1	1	6	7	23	50	73	89	-
Hypertensive heart and renal disease (I13)													
All races, both sexes.....	3,108	-	1	-	5	28	93	201	267	401	903	1,209	-
Male.....	1,326	-	1	-	4	13	62	130	159	189	382	386	-
Female.....	1,782	-	-	-	1	15	31	71	108	212	521	823	-
White, both sexes.....	2,103	-	1	-	2	7	21	53	111	229	685	994	-
Male.....	865	-	1	-	1	2	14	37	68	118	307	317	-
Female.....	1,238	-	-	-	1	5	7	16	43	111	378	677	-
Black, both sexes.....	913	-	-	-	3	20	71	142	149	154	192	182	-
Male.....	413	-	-	-	3	10	47	88	87	63	67	48	-
Female.....	500	-	-	-	-	10	24	54	62	91	125	134	-
American Indian 1/, both sexes.....	8	-	-	-	-	1	-	-	2	1	2	2	-
Male.....	6	-	-	-	-	1	-	-	1	1	1	2	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	84	-	-	-	-	-	1	6	5	17	24	31	-
Male.....	42	-	-	-	-	-	1	5	3	7	7	19	-
Female.....	42	-	-	-	-	-	-	1	2	10	17	12	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	480,028	22	12	24	160	1,082	7,547	25,361	47,377	78,880	149,370	170,164	29
Male.....	246,342	13	6	10	107	813	5,679	19,481	33,767	49,999	78,573	57,872	22
Female.....	233,686	9	6	14	53	269	1,868	5,880	13,610	28,881	70,797	112,292	7
White, both sexes.....	421,482	16	6	15	112	796	5,886	19,896	38,649	66,539	133,245	156,299	23
Male.....	216,751	9	3	7	76	608	4,542	15,711	28,222	42,966	70,935	53,656	16
Female.....	204,731	7	3	8	36	188	1,344	4,185	10,427	23,573	62,310	102,643	7
Black, both sexes.....	49,274	4	5	8	43	234	1,425	4,765	7,545	10,515	13,380	11,346	4
Male.....	24,273	3	3	3	28	162	948	3,204	4,702	5,879	6,186	3,151	4
Female.....	25,001	1	2	5	15	72	477	1,561	2,843	4,636	7,194	8,195	-
American Indian 1/, both sexes.....	1,905	-	-	-	2	16	82	215	340	450	465	333	2
Male.....	1,133	-	-	-	1	11	63	163	229	281	248	135	2
Female.....	772	-	-	-	1	5	19	52	111	169	217	198	-
Asian or Pacific Islander 2/, both sexes	7,367	2	1	1	3	36	154	485	843	1,376	2,280	2,186	-
Male.....	4,185	1	-	-	2	32	126	403	614	873	1,204	930	-
Female.....	3,182	1	1	1	1	4	28	82	229	503	1,076	1,256	-
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	170,564	9	6	12	73	413	3,094	10,420	19,767	30,923	53,108	52,734	5
Male.....	89,515	4	2	6	46	300	2,301	7,984	13,972	19,290	27,350	18,256	4
Female.....	81,049	5	4	6	27	113	793	2,436	5,795	11,633	25,758	34,478	1
White, both sexes.....	149,915	7	3	9	53	310	2,452	8,359	16,569	26,495	47,440	48,214	4
Male.....	79,157	3	1	4	35	229	1,876	6,592	12,004	16,861	24,701	16,848	3
Female.....	70,758	4	2	5	18	81	576	1,767	4,565	9,634	22,739	31,366	1
Black, both sexes.....	17,441	1	2	3	19	88	580	1,797	2,725	3,761	4,711	3,753	1
Male.....	8,472	-	1	2	11	59	374	1,175	1,642	2,011	2,128	1,068	1
Female.....	8,969	1	1	1	8	29	206	622	1,083	1,750	2,583	2,685	-
American Indian 1/, both sexes.....	706	-	-	-	-	5	27	85	152	172	172	93	-
Male.....	430	-	-	-	-	3	22	70	101	105	90	39	-
Female.....	276	-	-	-	-	2	5	15	51	67	82	54	-
Asian or Pacific Islander 2/, both sexes	2,502	1	1	-	1	10	35	179	321	495	785	674	-
Male.....	1,456	1	-	-	-	9	29	147	225	313	431	301	-
Female.....	1,046	-	1	-	1	1	6	32	96	182	354	373	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	3,158	4	1	1	5	11	98	277	403	579	837	941	1
Male.....	1,621	2	1	-	5	7	73	197	278	361	414	282	1
Female.....	1,537	2	-	1	-	4	25	80	125	218	423	659	-
White, both sexes.....	2,663	2	-	1	4	6	69	205	311	473	729	862	1
Male.....	1,338	1	-	-	4	5	56	148	213	302	351	257	1
Female.....	1,325	1	-	1	-	1	13	57	98	171	378	605	-
Black, both sexes.....	436	1	1	-	1	3	27	62	82	94	97	68	-
Male.....	256	1	1	-	1	1	16	43	59	54	57	23	-
Female.....	180	-	-	-	-	2	11	19	23	40	40	45	-
American Indian 1/, both sexes.....	37	-	-	-	-	1	2	6	8	9	6	5	-
Male.....	15	-	-	-	-	-	1	4	5	3	1	1	-
Female.....	22	-	-	-	-	1	1	2	3	6	5	4	-
Asian or Pacific Islander 2/, both sexes	22	1	-	-	-	1	-	4	2	3	5	6	-
Male.....	12	-	-	-	-	1	-	2	1	2	5	1	-
Female.....	10	1	-	-	-	-	-	2	1	1	-	5	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	306,306	9	5	11	82	658	4,355	14,664	27,207	47,378	95,425	116,489	23
Male.....	155,206	7	3	4	56	506	3,305	11,300	19,517	30,348	50,809	39,334	17
Female.....	151,100	2	2	7	26	152	1,050	3,364	7,690	17,030	44,616	77,155	6
White, both sexes.....	268,904	7	3	5	55	480	3,365	11,332	21,769	39,571	85,076	107,223	18
Male.....	136,256	5	2	3	37	374	2,610	8,971	16,005	25,803	45,883	36,551	12
Female.....	132,648	2	1	2	18	106	755	2,361	5,764	13,768	39,193	70,672	6
Black, both sexes.....	31,397	2	2	5	23	143	818	2,906	4,738	6,660	8,572	7,525	3
Male.....	15,545	2	1	1	16	102	558	1,986	3,001	3,814	4,001	2,060	3
Female.....	15,852	-	1	4	7	41	260	920	1,737	2,846	4,571	5,465	-
American Indian 1/, both sexes.....	1,162	-	-	-	2	10	53	124	180	269	287	235	2
Male.....	688	-	-	-	1	8	40	89	123	173	157	95	2
Female.....	474	-	-	-	1	2	13	35	57	96	130	140	-
Asian or Pacific Islander 2/, both sexes	4,843	-	-	1	2	25	119	302	520	878	1,490	1,506	-
Male.....	2,717	-	-	-	2	22	97	254	388	558	768	628	-
Female.....	2,126	-	-	1	-	3	22	48	132	320	722	878	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	67,232	2	-	-	16	211	1,488	5,684	9,110	11,494	18,339	20,874	14
Male.....	36,042	2	-	-	12	181	1,157	4,552	6,694	7,422	9,333	6,677	12
Female.....	31,190	-	-	-	4	30	331	1,132	2,416	4,072	9,006	14,197	2
White, both sexes.....	55,760	1	-	-	12	156	1,144	4,262	6,927	8,976	15,572	18,700	10
Male.....	29,560	1	-	-	9	133	899	3,503	5,194	5,845	7,974	5,994	8
Female.....	26,200	-	-	-	3	23	245	759	1,733	3,131	7,598	12,706	2
Black, both sexes.....	9,923	1	-	-	3	47	285	1,234	1,926	2,190	2,372	1,862	3
Male.....	5,543	1	-	-	2	40	207	897	1,306	1,352	1,175	560	3
Female.....	4,380	-	-	-	1	7	78	337	620	838	1,197	1,302	-
American Indian 1/, both sexes.....	358	-	-	-	-	2	18	53	61	94	70	59	1
Male.....	227	-	-	-	-	2	15	40	42	66	37	24	1
Female.....	131	-	-	-	-	-	3	13	19	28	33	35	-
Asian or Pacific Islander 2/, both sexes	1,191	-	-	-	1	6	41	135	196	234	325	253	-
Male.....	712	-	-	-	1	6	36	112	152	159	147	99	-
Female.....	479	-	-	-	-	-	5	23	44	75	178	154	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	239,074	7	5	11	66	447	2,867	8,980	18,097	35,884	77,086	95,615	9
Male.....	119,164	5	3	4	44	325	2,148	6,748	12,823	22,926	41,476	32,657	5
Female.....	119,910	2	2	7	22	122	719	2,232	5,274	12,958	35,610	62,958	4
White, both sexes.....	213,144	6	3	5	43	324	2,221	7,070	14,842	30,595	69,504	88,523	8
Male.....	106,696	4	2	3	28	241	1,711	5,468	10,811	19,958	37,909	30,557	4
Female.....	106,448	2	1	2	15	83	510	1,602	4,031	10,637	31,595	57,966	4
Black, both sexes.....	21,474	1	2	5	20	96	533	1,672	2,812	4,470	6,200	5,663	-
Male.....	10,002	1	1	1	14	62	351	1,089	1,695	2,462	2,826	1,500	-
Female.....	11,472	-	1	4	6	34	182	583	1,117	2,008	3,374	4,163	-
American Indian 1/, both sexes.....	804	-	-	-	2	8	35	71	119	175	217	176	1
Male.....	461	-	-	-	1	6	25	49	81	107	120	71	1
Female.....	343	-	-	-	1	2	10	22	38	68	97	105	-
Asian or Pacific Islander 2/, both sexes	3,652	-	-	1	1	19	78	167	324	644	1,165	1,253	-
Male.....	2,005	-	-	-	1	16	61	142	236	399	621	529	-
Female.....	1,647	-	-	1	-	3	17	25	88	245	544	724	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other heart diseases (I26-I51)													
All races, both sexes.....	169,984	416	171	234	904	1,810	4,555	8,716	13,398	23,244	49,260	67,270	6
Male.....	74,738	233	81	141	560	1,081	2,801	5,458	8,142	12,875	22,680	20,681	5
Female.....	95,246	183	90	93	344	729	1,754	3,258	5,256	10,369	26,580	46,589	1
White, both sexes.....	147,127	256	109	155	590	1,142	3,078	6,131	10,276	19,101	44,074	62,210	5
Male.....	63,973	140	48	95	362	709	1,955	3,924	6,343	10,759	20,456	19,178	4
Female.....	83,154	116	61	60	228	433	1,123	2,207	3,933	8,342	23,618	43,032	1
Black, both sexes.....	20,034	129	51	66	279	594	1,359	2,395	2,821	3,686	4,409	4,244	1
Male.....	9,372	78	28	38	180	325	775	1,414	1,630	1,876	1,856	1,171	1
Female.....	10,662	51	23	28	99	269	584	981	1,191	1,810	2,553	3,073	-
American Indian 1/, both sexes.....	676	9	4	2	9	21	44	72	122	119	141	133	-
Male.....	333	5	1	-	6	16	27	44	66	58	53	57	-
Female.....	343	4	3	2	3	5	17	28	56	61	88	76	-
Asian or Pacific Islander 2/, both sexes	2,147	22	7	11	26	53	74	118	179	338	636	683	-
Male.....	1,060	10	4	8	12	31	44	76	103	182	315	275	-
Female.....	1,087	12	3	3	14	22	30	42	76	156	321	408	-
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,245	1	-	1	16	33	112	183	209	232	318	140	-
Male.....	682	1	-	1	6	19	63	125	123	119	166	59	-
Female.....	563	-	-	-	10	14	49	58	86	113	152	81	-
White, both sexes.....	990	-	-	1	14	25	78	118	149	187	284	134	-
Male.....	541	-	-	1	6	14	46	77	91	97	151	58	-
Female.....	449	-	-	-	8	11	32	41	58	90	133	76	-
Black, both sexes.....	225	1	-	-	2	5	32	61	53	38	29	4	-
Male.....	122	1	-	-	-	4	15	44	27	18	13	-	-
Female.....	103	-	-	-	2	1	17	17	26	20	16	4	-
American Indian 1/, both sexes.....	12	-	-	-	-	2	2	2	2	2	1	1	-
Male.....	7	-	-	-	-	1	2	2	-	-	1	1	-
Female.....	5	-	-	-	-	1	-	-	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes	18	-	-	-	-	1	-	2	5	5	4	1	-
Male.....	12	-	-	-	-	-	-	2	5	4	1	-	-
Female.....	6	-	-	-	-	1	-	-	-	1	3	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	868	33	22	28	55	48	86	111	104	151	153	77	-
Male.....	449	15	8	12	34	29	52	71	57	84	65	22	-
Female.....	419	18	14	16	21	19	34	40	47	67	88	55	-
White, both sexes.....	677	15	13	17	38	24	55	84	90	133	136	72	-
Male.....	359	9	4	7	25	13	36	56	49	77	61	22	-
Female.....	318	6	9	10	13	11	19	28	41	56	75	50	-
Black, both sexes.....	168	14	9	9	15	22	30	23	12	16	13	5	-
Male.....	81	4	4	5	9	15	16	13	7	5	3	-	-
Female.....	87	10	5	4	6	7	14	10	5	11	10	5	-
American Indian 1/, both sexes.....	6	3	-	-	-	-	-	1	1	1	-	-	-
Male.....	5	2	-	-	-	-	-	1	1	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	1	-	2	2	2	1	3	1	1	4	-	-
Male.....	4	-	-	-	-	1	-	1	-	1	1	-	-
Female.....	13	1	-	2	2	1	1	2	1	-	3	-	-
Heart failure (I50)													
All races, both sexes.....	57,448	38	5	12	38	97	315	981	2,469	6,138	17,136	30,219	-
Male.....	22,427	28	3	7	24	60	193	587	1,454	3,313	7,658	9,100	-
Female.....	35,021	10	2	5	14	37	122	394	1,015	2,825	9,478	21,119	-
White, both sexes.....	51,454	20	4	7	20	58	178	635	1,859	5,118	15,442	28,113	-
Male.....	19,987	13	2	4	12	38	116	390	1,112	2,820	6,976	8,504	-
Female.....	31,467	7	2	3	8	20	62	245	747	2,298	8,466	19,609	-
Black, both sexes.....	5,330	15	-	5	18	37	131	328	569	928	1,476	1,823	-
Male.....	2,150	13	-	3	12	20	73	183	324	449	581	492	-
Female.....	3,180	2	-	2	6	17	58	145	245	479	895	1,331	-
American Indian 1/, both sexes.....	180	1	-	-	-	1	2	9	24	30	56	57	-
Male.....	75	1	-	-	-	1	1	6	13	14	18	21	-
Female.....	105	-	-	-	-	-	1	3	11	16	38	36	-
Asian or Pacific Islander 2/, both sexes	484	2	1	-	-	1	4	9	17	62	162	226	-
Male.....	215	1	1	-	-	1	3	8	5	30	83	83	-
Female.....	269	1	-	-	-	-	1	1	12	32	79	143	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	110,423	344	144	193	795	1,632	4,042	7,441	10,616	16,723	31,653	36,834	6
Male.....	51,180	189	70	121	496	973	2,493	4,675	6,508	9,359	14,791	11,500	5
Female.....	59,243	155	74	72	299	659	1,549	2,766	4,108	7,364	16,862	25,334	1
White, both sexes.....	94,006	221	92	130	518	1,035	2,767	5,294	8,178	13,663	28,212	33,891	5
Male.....	43,086	118	42	83	319	644	1,757	3,401	5,091	7,765	13,268	10,594	4
Female.....	50,920	103	50	47	199	391	1,010	1,893	3,087	5,898	14,944	23,297	1
Black, both sexes.....	14,311	99	42	52	244	530	1,166	1,983	2,187	2,704	2,891	2,412	1
Male.....	7,019	60	24	30	159	286	671	1,174	1,272	1,404	1,259	679	1
Female.....	7,292	39	18	22	85	244	495	809	915	1,300	1,632	1,733	-
American Indian 1/, both sexes.....	478	5	4	2	9	18	40	60	95	86	84	75	-
Male.....	246	2	1	-	6	14	24	35	52	43	34	35	-
Female.....	232	3	3	2	3	4	16	25	43	43	50	40	-
Asian or Pacific Islander 2/, both sexes	1,628	19	6	9	24	49	69	104	156	270	466	456	-
Male.....	829	9	3	8	12	29	41	65	93	147	230	192	-
Female.....	799	10	3	1	12	20	28	39	63	123	236	264	-
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	21,940	1	2	2	22	98	372	1,031	1,755	3,104	6,649	8,904	-
Male.....	8,213	1	2	1	12	58	215	660	989	1,535	2,522	2,218	-
Female.....	13,727	-	-	1	10	40	157	371	766	1,569	4,127	6,686	-
White, both sexes.....	16,927	-	1	1	12	43	186	566	1,039	2,065	5,309	7,705	-
Male.....	6,108	-	1	-	7	21	118	370	600	1,062	2,030	1,899	-
Female.....	10,819	-	-	1	5	22	68	196	439	1,003	3,279	5,806	-
Black, both sexes.....	4,489	1	1	-	10	53	176	446	667	930	1,173	1,032	-
Male.....	1,895	1	1	-	5	35	93	282	361	430	424	263	-
Female.....	2,594	-	-	-	5	18	83	164	306	500	749	769	-
American Indian 1/, both sexes.....	88	-	-	-	-	-	3	7	17	27	15	19	-
Male.....	39	-	-	-	-	-	-	3	12	11	9	4	-
Female.....	49	-	-	-	-	-	3	4	5	16	6	15	-
Asian or Pacific Islander 2/, both sexes	436	-	-	1	-	2	7	12	32	82	152	148	-
Male.....	171	-	-	1	-	2	4	5	16	32	59	52	-
Female.....	265	-	-	-	-	-	3	7	16	50	93	96	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cerebrovascular diseases (I60-I69)													
All races, both sexes.....	157,689	101	46	69	221	583	2,460	6,127	9,946	20,708	52,847	64,579	2
Male.....	61,426	57	25	41	116	314	1,283	3,350	5,478	10,668	22,234	17,859	1
Female.....	96,263	44	21	28	105	269	1,177	2,777	4,468	10,040	30,613	46,720	1
White, both sexes.....	134,705	63	30	51	152	388	1,508	3,859	7,019	16,465	46,329	58,839	2
Male.....	51,646	32	14	31	87	210	802	2,160	3,855	8,571	19,588	16,295	1
Female.....	83,059	31	16	20	65	178	706	1,699	3,164	7,894	26,741	42,544	1
Black, both sexes.....	18,806	32	15	16	59	168	793	1,968	2,481	3,438	5,213	4,623	-
Male.....	7,866	20	10	9	26	87	387	1,039	1,381	1,687	2,088	1,132	-
Female.....	10,940	12	5	7	33	81	406	929	1,100	1,751	3,125	3,491	-
American Indian 1/, both sexes.....	552	-	1	1	1	5	34	58	63	113	167	109	-
Male.....	242	-	1	-	1	4	18	29	33	54	66	36	-
Female.....	310	-	-	1	-	1	16	29	30	59	101	73	-
Asian or Pacific Islander 2/, both sexes	3,626	6	-	1	9	22	125	242	383	692	1,138	1,008	-
Male.....	1,672	5	-	1	2	13	76	122	209	356	492	396	-
Female.....	1,954	1	-	-	7	9	49	120	174	336	646	612	-
Atherosclerosis (I70)													
All races, both sexes.....	13,053	3	-	-	3	7	47	190	466	1,211	3,837	7,288	1
Male.....	4,859	2	-	-	2	5	35	131	298	649	1,734	2,002	1
Female.....	8,194	1	-	-	1	2	12	59	168	562	2,103	5,286	-
White, both sexes.....	11,885	1	-	-	2	5	39	148	385	1,031	3,484	6,789	1
Male.....	4,368	-	-	-	1	4	28	102	249	549	1,562	1,872	1
Female.....	7,517	1	-	-	1	1	11	46	136	482	1,922	4,917	-
Black, both sexes.....	995	2	-	-	1	2	5	39	72	158	301	415	-
Male.....	410	2	-	-	1	1	4	27	44	88	143	100	-
Female.....	585	-	-	-	-	1	1	12	28	70	158	315	-
American Indian 1/, both sexes.....	34	-	-	-	-	-	2	2	5	8	6	11	-
Male.....	17	-	-	-	-	-	2	1	2	5	4	3	-
Female.....	17	-	-	-	-	-	-	1	3	3	2	8	-
Asian or Pacific Islander 2/, both sexes	139	-	-	-	-	-	1	1	4	14	46	73	-
Male.....	64	-	-	-	-	-	1	1	3	7	25	27	-
Female.....	75	-	-	-	-	-	-	-	1	7	21	46	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	24,672	11	-	12	68	151	451	1,199	2,270	4,934	8,694	6,882	-
Male.....	13,217	3	-	7	45	103	306	815	1,517	3,092	4,732	2,597	-
Female.....	11,455	8	-	5	23	48	145	384	753	1,842	3,962	4,285	-
White, both sexes.....	21,661	6	-	8	49	107	306	861	1,884	4,336	7,849	6,255	-
Male.....	11,708	2	-	4	34	70	217	609	1,280	2,769	4,317	2,406	-
Female.....	9,953	4	-	4	15	37	89	252	604	1,567	3,532	3,849	-
Black, both sexes.....	2,519	5	-	3	14	37	133	298	327	500	688	514	-
Male.....	1,216	1	-	2	7	29	82	182	202	258	320	133	-
Female.....	1,303	4	-	1	7	8	51	116	125	242	368	381	-
American Indian 1/, both sexes.....	102	-	-	-	2	3	2	10	15	19	28	23	-
Male.....	55	-	-	-	2	2	-	7	7	14	12	11	-
Female.....	47	-	-	-	-	1	2	3	8	5	16	12	-
Asian or Pacific Islander 2/, both sexes	390	-	-	1	3	4	10	30	44	79	129	90	-
Male.....	238	-	-	1	2	2	7	17	28	51	83	47	-
Female.....	152	-	-	-	1	2	3	13	16	28	46	43	-
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	14,810	1	-	3	41	112	316	820	1,477	3,271	5,471	3,298	-
Male.....	8,976	-	-	2	31	83	246	616	1,107	2,174	3,192	1,525	-
Female.....	5,834	1	-	1	10	29	70	204	370	1,097	2,279	1,773	-
White, both sexes.....	13,246	-	-	1	33	77	214	586	1,243	2,949	5,063	3,080	-
Male.....	8,074	-	-	-	25	54	174	455	949	1,997	2,982	1,438	-
Female.....	5,172	-	-	1	8	23	40	131	294	952	2,081	1,642	-
Black, both sexes.....	1,230	1	-	1	4	29	95	203	197	247	294	159	-
Male.....	686	-	-	1	3	26	66	141	133	128	139	49	-
Female.....	544	1	-	-	1	3	29	62	64	119	155	110	-
American Indian 1/, both sexes.....	46	-	-	-	1	2	1	5	6	8	16	7	-
Male.....	26	-	-	-	1	1	-	4	4	5	7	4	-
Female.....	20	-	-	-	-	1	1	1	2	3	9	3	-
Asian or Pacific Islander 2/, both sexes	288	-	-	1	3	4	6	26	31	67	98	52	-
Male.....	190	-	-	1	2	2	6	16	21	44	64	34	-
Female.....	98	-	-	-	1	2	-	10	10	23	34	18	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	9,862	10	-	9	27	39	135	379	793	1,663	3,223	3,584	-
Male.....	4,241	3	-	5	14	20	60	199	410	918	1,540	1,072	-
Female.....	5,621	7	-	4	13	19	75	180	383	745	1,683	2,512	-
White, both sexes.....	8,415	6	-	7	16	30	92	275	641	1,387	2,786	3,175	-
Male.....	3,634	2	-	4	9	16	43	154	331	772	1,335	968	-
Female.....	4,781	4	-	3	7	14	49	121	310	615	1,451	2,207	-
Black, both sexes.....	1,289	4	-	2	10	8	38	95	130	253	394	355	-
Male.....	530	1	-	1	4	3	16	41	69	130	181	84	-
Female.....	759	3	-	1	6	5	22	54	61	123	213	271	-
American Indian 1/, both sexes.....	56	-	-	-	1	1	1	5	9	11	12	16	-
Male.....	29	-	-	-	1	1	-	3	3	9	5	7	-
Female.....	27	-	-	-	-	-	1	2	6	2	7	9	-
Asian or Pacific Islander 2/, both sexes	102	-	-	-	-	-	4	4	13	12	31	38	-
Male.....	48	-	-	-	-	-	1	1	7	7	19	13	-
Female.....	54	-	-	-	-	-	3	3	6	5	12	25	-
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,737	36	4	4	50	139	342	555	569	744	1,161	1,133	-
Male.....	1,966	21	3	2	20	60	167	312	320	348	437	276	-
Female.....	2,771	15	1	2	30	79	175	243	249	396	724	857	-
White, both sexes.....	3,843	28	4	3	30	87	224	423	442	605	993	1,004	-
Male.....	1,569	16	3	1	11	36	129	230	252	282	367	242	-
Female.....	2,274	12	1	2	19	51	95	193	190	323	626	762	-
Black, both sexes.....	824	6	-	-	19	49	112	124	119	129	151	115	-
Male.....	368	5	-	-	9	23	36	76	64	62	62	31	-
Female.....	456	1	-	-	10	26	76	48	55	67	89	84	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	2	3	3	1	4	2	-
Male.....	7	-	-	-	-	-	1	3	1	-	2	-	-
Female.....	8	-	-	-	-	-	1	-	2	1	2	2	-
Asian or Pacific Islander 2/, both sexes	55	2	-	1	1	3	4	5	5	9	13	12	-
Male.....	22	-	-	1	-	1	1	3	3	4	6	3	-
Female.....	33	2	-	-	1	2	3	2	2	5	7	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Influenza and pneumonia (J10-J18)													
All races, both sexes.....	65,163	322	163	147	224	373	992	2,140	3,130	6,831	19,442	31,397	2
Male.....	28,778	192	91	70	124	229	560	1,279	1,771	3,882	9,629	10,950	1
Female.....	36,385	130	72	77	100	144	432	861	1,359	2,949	9,813	20,447	1
White, both sexes.....	57,645	209	115	106	173	258	709	1,579	2,452	5,703	17,422	28,918	1
Male.....	25,009	127	67	50	95	165	396	949	1,347	3,212	8,577	10,024	-
Female.....	32,636	82	48	56	78	93	313	630	1,105	2,491	8,845	18,894	1
Black, both sexes.....	5,872	93	28	30	42	102	252	497	569	927	1,530	1,801	1
Male.....	2,906	54	14	15	24	59	143	292	358	556	775	615	1
Female.....	2,966	39	14	15	18	43	109	205	211	371	755	1,186	-
American Indian 1/, both sexes.....	390	12	5	3	4	6	21	35	49	56	82	117	-
Male.....	184	7	2	2	2	1	14	21	27	31	40	37	-
Female.....	206	5	3	1	2	5	7	14	22	25	42	80	-
Asian or Pacific Islander 2/, both sexes	1,256	8	15	8	5	7	10	29	60	145	408	561	-
Male.....	679	4	8	3	3	4	7	17	39	83	237	274	-
Female.....	577	4	7	5	2	3	3	12	21	62	171	287	-
Influenza (J10-J11)													
All races, both sexes.....	1,792	31	59	46	30	13	24	61	85	183	457	803	-
Male.....	699	18	33	19	12	9	10	33	42	89	189	245	-
Female.....	1,093	13	26	27	18	4	14	28	43	94	268	558	-
White, both sexes.....	1,653	23	42	30	20	10	20	49	76	170	439	774	-
Male.....	640	14	25	12	7	8	6	27	36	84	182	239	-
Female.....	1,013	9	17	18	13	2	14	22	40	86	257	535	-
Black, both sexes.....	97	7	6	11	7	3	1	12	7	10	13	20	-
Male.....	37	3	3	4	3	1	1	6	5	4	4	3	-
Female.....	60	4	3	7	4	2	-	6	2	6	9	17	-
American Indian 1/, both sexes.....	17	1	3	1	2	-	1	-	-	1	3	5	-
Male.....	7	1	1	-	1	-	1	-	-	1	1	1	-
Female.....	10	-	2	1	1	-	-	-	-	-	2	4	-
Asian or Pacific Islander 2/, both sexes	25	-	8	4	1	-	2	-	2	2	2	4	-
Male.....	15	-	4	3	1	-	2	-	1	-	2	2	-
Female.....	10	-	4	1	-	-	-	-	1	2	-	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)													
All races, both sexes.....	126,382	31	55	118	191	282	950	3,537	12,077	29,919	49,286	29,934	2
Male.....	60,714	23	38	75	114	156	429	1,826	6,243	15,333	23,963	12,512	2
Female.....	65,668	8	17	43	77	126	521	1,711	5,834	14,586	25,323	17,422	-
White, both sexes.....	116,917	23	24	54	101	169	675	2,873	10,770	27,606	46,331	28,289	2
Male.....	55,397	20	14	31	59	79	305	1,495	5,511	14,002	22,192	11,687	2
Female.....	61,520	3	10	23	42	90	370	1,378	5,259	13,604	24,139	16,602	-
Black, both sexes.....	7,709	8	26	63	82	104	247	601	1,118	1,934	2,316	1,210	-
Male.....	4,247	3	21	43	49	72	108	295	622	1,102	1,355	577	-
Female.....	3,462	5	5	20	33	32	139	306	496	832	961	633	-
American Indian 1/, both sexes.....	512	-	1	-	2	3	14	35	92	130	163	72	-
Male.....	269	-	-	-	2	1	8	19	47	67	91	34	-
Female.....	243	-	1	-	-	2	6	16	45	63	72	38	-
Asian or Pacific Islander 2/, both sexes	1,244	-	4	1	6	6	14	28	97	249	476	363	-
Male.....	801	-	3	1	4	4	8	17	63	162	325	214	-
Female.....	443	-	1	-	2	2	6	11	34	87	151	149	-
Bronchitis, chronic and unspecified (J40-J42)													
All races, both sexes.....	850	20	13	6	7	10	17	35	47	104	246	345	-
Male.....	351	15	6	3	6	3	9	23	26	46	113	101	-
Female.....	499	5	7	3	1	7	8	12	21	58	133	244	-
White, both sexes.....	751	15	8	3	6	6	13	24	38	94	225	319	-
Male.....	309	12	5	1	5	2	7	17	23	40	102	95	-
Female.....	442	3	3	2	1	4	6	7	15	54	123	224	-
Black, both sexes.....	75	5	3	3	1	3	4	11	8	6	12	19	-
Male.....	30	3	-	2	1	1	2	6	3	2	7	3	-
Female.....	45	2	3	1	-	2	2	5	5	4	5	16	-
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	-	1	-	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	1	-	-	-	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes	19	-	1	-	-	1	-	-	-	4	7	6	-
Male.....	11	-	1	-	-	-	-	-	-	4	4	2	-
Female.....	8	-	-	-	-	1	-	-	-	-	3	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Emphysema (J43)													
All races, both sexes.....	14,861	-	1	-	4	5	87	450	1,755	4,063	5,920	2,574	2
Male.....	7,549	-	1	-	2	3	49	279	932	2,141	2,995	1,145	2
Female.....	7,312	-	-	-	2	2	38	171	823	1,922	2,925	1,429	-
White, both sexes.....	13,856	-	1	-	4	3	70	387	1,595	3,795	5,574	2,425	2
Male.....	6,915	-	1	-	2	1	39	234	831	1,980	2,774	1,051	2
Female.....	6,941	-	-	-	2	2	31	153	764	1,815	2,800	1,374	-
Black, both sexes.....	810	-	-	-	-	2	15	56	142	221	268	106	-
Male.....	498	-	-	-	-	2	8	38	90	129	163	68	-
Female.....	312	-	-	-	-	-	7	18	52	92	105	38	-
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	4	8	9	18	7	-
Male.....	28	-	-	-	-	-	-	4	5	4	13	2	-
Female.....	18	-	-	-	-	-	-	-	3	5	5	5	-
Asian or Pacific Islander 2/, both sexes	149	-	-	-	-	-	2	3	10	38	60	36	-
Male.....	108	-	-	-	-	-	2	3	6	28	45	24	-
Female.....	41	-	-	-	-	-	-	-	4	10	15	12	-
Asthma (J45-J46)													
All races, both sexes.....	4,099	7	37	110	158	227	411	632	562	532	752	671	-
Male.....	1,493	4	29	71	91	127	160	236	214	173	234	154	-
Female.....	2,606	3	8	39	67	100	251	396	348	359	518	517	-
White, both sexes.....	2,888	4	13	49	78	131	242	377	379	389	619	607	-
Male.....	961	4	8	29	44	60	91	139	136	127	184	139	-
Female.....	1,927	-	5	20	34	71	151	238	243	262	435	468	-
Black, both sexes.....	1,030	3	22	60	75	90	157	232	141	120	89	41	-
Male.....	445	-	20	41	43	63	63	87	52	38	31	7	-
Female.....	585	3	2	19	32	27	94	145	89	82	58	34	-
American Indian 1/, both sexes.....	38	-	-	-	1	3	5	9	8	3	7	2	-
Male.....	18	-	-	-	1	1	4	2	5	-	4	1	-
Female.....	20	-	-	-	-	2	1	7	3	3	3	1	-
Asian or Pacific Islander 2/, both sexes	143	-	2	1	4	3	7	14	34	20	37	21	-
Male.....	69	-	1	1	3	3	2	8	21	8	15	7	-
Female.....	74	-	1	-	1	-	5	6	13	12	22	14	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	17,335	13	10	16	46	69	166	392	773	1,754	5,789	8,307	-
Male.....	8,702	8	5	9	31	42	89	239	471	1,069	3,181	3,558	-
Female.....	8,633	5	5	7	15	27	77	153	302	685	2,608	4,749	-
White, both sexes.....	15,395	7	8	13	29	55	124	326	615	1,478	5,135	7,605	-
Male.....	7,731	4	5	7	21	33	71	201	375	905	2,832	3,277	-
Female.....	7,664	3	3	6	8	22	53	125	240	573	2,303	4,328	-
Black, both sexes.....	1,607	4	1	3	14	12	41	61	142	235	534	560	-
Male.....	781	3	-	2	8	9	17	36	87	139	276	204	-
Female.....	826	1	1	1	6	3	24	25	55	96	258	356	-
American Indian 1/, both sexes.....	70	2	1	-	-	1	-	1	7	13	22	23	-
Male.....	33	1	-	-	-	-	-	-	3	5	11	13	-
Female.....	37	1	1	-	-	1	-	1	4	8	11	10	-
Asian or Pacific Islander 2/, both sexes	263	-	-	-	3	1	1	4	9	28	98	119	-
Male.....	157	-	-	-	2	-	1	2	6	20	62	64	-
Female.....	106	-	-	-	1	1	-	2	3	8	36	55	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	25,520	279	86	60	136	210	495	1,335	2,442	5,156	8,810	6,510	1
Male.....	12,391	163	49	38	76	115	251	704	1,367	2,849	4,395	2,384	-
Female.....	13,129	116	37	22	60	95	244	631	1,075	2,307	4,415	4,126	1
White, both sexes.....	22,706	169	53	46	88	147	334	992	2,040	4,605	8,137	6,094	1
Male.....	11,014	92	28	29	46	83	181	547	1,151	2,564	4,065	2,228	-
Female.....	11,692	77	25	17	42	64	153	445	889	2,041	4,072	3,866	1
Black, both sexes.....	2,233	99	27	8	41	56	141	306	336	413	499	307	-
Male.....	1,097	62	18	6	27	28	60	139	186	219	243	109	-
Female.....	1,136	37	9	2	14	28	81	167	150	194	256	198	-
American Indian 1/, both sexes.....	166	2	-	2	2	-	7	18	26	40	43	26	-
Male.....	74	2	-	1	1	-	3	7	13	17	21	9	-
Female.....	92	-	-	1	1	-	4	11	13	23	22	17	-
Asian or Pacific Islander 2/, both sexes	415	9	6	4	5	7	13	19	40	98	131	83	-
Male.....	206	7	3	2	2	4	7	11	17	49	66	38	-
Female.....	209	2	3	2	3	3	6	8	23	49	65	45	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Peptic ulcer (K25-K28)													
All races, both sexes.....	3,913	2	1	3	7	25	101	281	383	587	1,279	1,244	-
Male.....	1,880	-	1	1	6	13	60	192	237	346	606	418	-
Female.....	2,033	2	-	2	1	12	41	89	146	241	673	826	-
White, both sexes.....	3,408	1	1	2	4	20	72	206	312	514	1,130	1,146	-
Male.....	1,592	-	1	1	3	10	42	138	191	299	528	379	-
Female.....	1,816	1	-	1	1	10	30	68	121	215	602	767	-
Black, both sexes.....	383	1	-	1	1	5	23	71	61	54	108	58	-
Male.....	223	-	-	-	1	3	13	51	42	37	57	19	-
Female.....	160	1	-	1	-	2	10	20	19	17	51	39	-
American Indian 1/, both sexes.....	16	-	-	-	1	-	3	2	1	2	5	2	-
Male.....	7	-	-	-	1	-	2	1	-	2	1	-	-
Female.....	9	-	-	-	-	-	1	1	1	-	4	2	-
Asian or Pacific Islander 2/, both sexes	106	-	-	-	1	-	3	2	9	17	36	38	-
Male.....	58	-	-	-	1	-	3	2	4	8	20	20	-
Female.....	48	-	-	-	-	-	-	-	5	9	16	18	-
Diseases of appendix (K35-K38)													
All races, both sexes.....	439	4	5	11	11	16	25	50	43	64	132	78	-
Male.....	258	2	2	5	9	9	16	30	30	46	75	34	-
Female.....	181	2	3	6	2	7	9	20	13	18	57	44	-
White, both sexes.....	355	3	3	6	7	10	14	38	32	53	117	72	-
Male.....	213	2	2	1	6	5	12	24	23	38	67	33	-
Female.....	142	1	1	5	1	5	2	14	9	15	50	39	-
Black, both sexes.....	70	-	2	5	4	5	11	8	10	9	11	5	-
Male.....	37	-	-	4	3	3	4	4	6	7	5	1	-
Female.....	33	-	2	1	1	2	7	4	4	2	6	4	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	1	-	-	-	1	-	3	-	2	4	1	-
Male.....	7	-	-	-	-	1	-	2	-	1	3	-	-
Female.....	5	1	-	-	-	-	-	1	-	1	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hernia (K40-K46)													
All races, both sexes.....	1,613	37	6	6	3	5	28	105	161	237	462	563	-
Male.....	668	20	4	4	1	4	16	59	72	111	199	178	-
Female.....	945	17	2	2	2	1	12	46	89	126	263	385	-
White, both sexes.....	1,421	29	3	3	2	3	20	85	131	208	415	522	-
Male.....	585	16	3	2	1	2	11	49	62	96	180	163	-
Female.....	836	13	-	1	1	1	9	36	69	112	235	359	-
Black, both sexes.....	164	8	3	3	-	2	8	18	28	24	39	31	-
Male.....	72	4	1	2	-	2	5	9	10	13	15	11	-
Female.....	92	4	2	1	-	-	3	9	18	11	24	20	-
American Indian 1/, both sexes.....	15	-	-	-	1	-	-	2	1	4	1	6	-
Male.....	6	-	-	-	-	-	-	1	-	1	-	4	-
Female.....	9	-	-	-	1	-	-	1	1	3	1	2	-
Asian or Pacific Islander 2/, both sexes	13	-	-	-	-	-	-	-	1	1	7	4	-
Male.....	5	-	-	-	-	-	-	-	-	1	4	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	3	4	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races, both sexes.....	27,503	2	-	-	16	358	3,020	7,466	6,428	5,406	3,858	946	3
Male.....	17,912	2	-	-	8	252	2,033	5,514	4,537	3,265	1,901	397	3
Female.....	9,591	-	-	-	8	106	987	1,952	1,891	2,141	1,957	549	-
White, both sexes.....	24,005	1	-	-	9	286	2,540	6,241	5,519	4,883	3,635	888	3
Male.....	15,662	1	-	-	5	205	1,748	4,667	3,914	2,962	1,786	371	3
Female.....	8,343	-	-	-	4	81	792	1,574	1,605	1,921	1,849	517	-
Black, both sexes.....	2,621	1	-	-	3	41	326	948	713	406	141	42	-
Male.....	1,727	1	-	-	2	25	191	674	503	237	73	21	-
Female.....	894	-	-	-	1	16	135	274	210	169	68	21	-
American Indian 1/, both sexes.....	570	-	-	-	4	25	127	203	134	50	23	4	-
Male.....	317	-	-	-	1	17	72	118	72	26	9	2	-
Female.....	253	-	-	-	3	8	55	85	62	24	14	2	-
Asian or Pacific Islander 2/, both sexes	307	-	-	-	-	6	27	74	62	67	59	12	-
Male.....	206	-	-	-	-	5	22	55	48	40	33	3	-
Female.....	101	-	-	-	-	1	5	19	14	27	26	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcoholic liver disease (K70)													
All races, both sexes.....	12,360	-	-	-	6	243	1,971	4,288	3,247	1,788	729	86	2
Male.....	9,104	-	-	-	3	182	1,317	3,228	2,459	1,343	518	52	2
Female.....	3,256	-	-	-	3	61	654	1,060	788	445	211	34	-
White, both sexes.....	10,625	-	-	-	4	198	1,658	3,619	2,797	1,586	682	79	2
Male.....	7,905	-	-	-	2	149	1,131	2,750	2,143	1,198	482	48	2
Female.....	2,720	-	-	-	2	49	527	869	654	388	200	31	-
Black, both sexes.....	1,222	-	-	-	-	19	188	473	345	159	33	5	-
Male.....	865	-	-	-	-	14	111	351	247	114	24	4	-
Female.....	357	-	-	-	-	5	77	122	98	45	9	1	-
American Indian 1/, both sexes.....	403	-	-	-	2	21	108	156	81	27	7	1	-
Male.....	241	-	-	-	1	14	61	92	51	17	5	-	-
Female.....	162	-	-	-	1	7	47	64	30	10	2	1	-
Asian or Pacific Islander 2/, both sexes	110	-	-	-	-	5	17	40	24	16	7	1	-
Male.....	93	-	-	-	-	5	14	35	18	14	7	-	-
Female.....	17	-	-	-	-	-	3	5	6	2	-	1	-
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	15,143	2	-	-	10	115	1,049	3,178	3,181	3,618	3,129	860	1
Male.....	8,808	2	-	-	5	70	716	2,286	2,078	1,922	1,383	345	1
Female.....	6,335	-	-	-	5	45	333	892	1,103	1,696	1,746	515	-
White, both sexes.....	13,380	1	-	-	5	88	882	2,622	2,722	3,297	2,953	809	1
Male.....	7,757	1	-	-	3	56	617	1,917	1,771	1,764	1,304	323	1
Female.....	5,623	-	-	-	2	32	265	705	951	1,533	1,649	486	-
Black, both sexes.....	1,399	1	-	-	3	22	138	475	368	247	108	37	-
Male.....	862	1	-	-	2	11	80	323	256	123	49	17	-
Female.....	537	-	-	-	1	11	58	152	112	124	59	20	-
American Indian 1/, both sexes.....	167	-	-	-	2	4	19	47	53	23	16	3	-
Male.....	76	-	-	-	-	3	11	26	21	9	4	2	-
Female.....	91	-	-	-	2	1	8	21	32	14	12	1	-
Asian or Pacific Islander 2/, both sexes	197	-	-	-	-	1	10	34	38	51	52	11	-
Male.....	113	-	-	-	-	-	8	20	30	26	26	3	-
Female.....	84	-	-	-	-	1	2	14	8	25	26	8	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	2,948	-	-	1	4	25	40	126	182	489	1,054	1,027	-
Male.....	1,318	-	-	-	4	11	21	64	106	265	519	328	-
Female.....	1,630	-	-	1	-	14	19	62	76	224	535	699	-
White, both sexes.....	2,573	-	-	1	3	18	28	85	142	421	942	933	-
Male.....	1,150	-	-	-	3	6	13	47	82	232	466	301	-
Female.....	1,423	-	-	1	-	12	15	38	60	189	476	632	-
Black, both sexes.....	286	-	-	-	1	7	11	35	33	50	78	71	-
Male.....	127	-	-	-	1	5	8	15	18	23	37	20	-
Female.....	159	-	-	-	-	2	3	20	15	27	41	51	-
American Indian 1/, both sexes.....	29	-	-	-	-	-	1	2	4	6	9	7	-
Male.....	12	-	-	-	-	-	-	-	4	4	4	-	-
Female.....	17	-	-	-	-	-	1	2	-	2	5	7	-
Asian or Pacific Islander 2/, both sexes	60	-	-	-	-	-	-	4	3	12	25	16	-
Male.....	29	-	-	-	-	-	-	2	2	6	12	7	-
Female.....	31	-	-	-	-	-	-	2	1	6	13	9	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	42,453	181	14	22	95	282	796	2,001	3,806	7,345	14,093	13,816	2
Male.....	20,481	106	7	9	59	147	459	1,193	2,065	3,785	7,049	5,600	2
Female.....	21,972	75	7	13	36	135	337	808	1,741	3,560	7,044	8,216	-
White, both sexes.....	33,707	117	10	15	56	157	417	1,149	2,517	5,378	11,768	12,122	1
Male.....	16,408	71	5	7	36	80	253	683	1,378	2,848	6,033	5,013	1
Female.....	17,299	46	5	8	20	77	164	466	1,139	2,530	5,735	7,109	-
Black, both sexes.....	7,855	60	3	7	34	119	356	785	1,183	1,765	2,032	1,510	1
Male.....	3,642	32	1	2	20	64	192	471	634	856	872	497	1
Female.....	4,213	28	2	5	14	55	164	314	549	909	1,160	1,013	-
American Indian 1/, both sexes.....	255	1	-	-	3	2	11	32	42	46	76	42	-
Male.....	127	1	-	-	1	1	6	18	21	19	43	17	-
Female.....	128	-	-	-	2	1	5	14	21	27	33	25	-
Asian or Pacific Islander 2/, both sexes	636	3	1	-	2	4	12	35	64	156	217	142	-
Male.....	304	2	1	-	2	2	8	21	32	62	101	73	-
Female.....	332	1	-	-	-	2	4	14	32	94	116	69	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)													
All races, both sexes.....	148	8	2	1	4	2	4	7	14	30	50	26	-
Male.....	65	7	1	-	4	1	2	3	7	15	20	5	-
Female.....	83	1	1	1	-	1	2	4	7	15	30	21	-
White, both sexes.....	120	6	1	1	3	1	3	7	9	26	42	21	-
Male.....	47	5	-	-	3	-	2	3	3	12	14	5	-
Female.....	73	1	1	1	-	1	1	4	6	14	28	16	-
Black, both sexes.....	18	1	-	-	-	1	1	-	3	4	6	2	-
Male.....	12	1	-	-	-	1	-	-	2	3	5	-	-
Female.....	6	-	-	-	-	-	1	-	1	1	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	9	1	1	-	1	-	-	-	2	-	2	2	-
Male.....	6	1	1	-	1	-	-	-	2	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)													
All races, both sexes.....	537	3	-	-	8	14	20	45	50	102	165	130	-
Male.....	269	1	-	-	5	5	14	35	22	48	80	59	-
Female.....	268	2	-	-	3	9	6	10	28	54	85	71	-
White, both sexes.....	430	3	-	-	3	8	16	31	42	79	137	111	-
Male.....	214	1	-	-	1	3	12	25	19	38	65	50	-
Female.....	216	2	-	-	2	5	4	6	23	41	72	61	-
Black, both sexes.....	76	-	-	-	4	4	4	12	6	15	19	12	-
Male.....	39	-	-	-	3	1	2	9	2	7	10	5	-
Female.....	37	-	-	-	1	3	2	3	4	8	9	7	-
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	1	-	2	2	-	-
Male.....	5	-	-	-	-	-	-	1	-	2	2	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	-	-	-	1	1	-	1	2	6	7	7	-
Male.....	11	-	-	-	1	1	-	-	1	1	3	4	-
Female.....	14	-	-	-	-	-	-	1	1	5	4	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Renal failure (N17-N19)													
All races, both sexes.....	41,737	170	11	21	82	266	771	1,944	3,741	7,206	13,870	13,653	2
Male.....	20,135	98	5	9	49	141	443	1,151	2,036	3,719	6,947	5,535	2
Female.....	21,602	72	6	12	33	125	328	793	1,705	3,487	6,923	8,118	-
White, both sexes.....	33,133	108	8	14	50	148	397	1,107	2,465	5,270	11,582	11,983	1
Male.....	16,139	65	4	7	32	77	239	652	1,356	2,797	5,952	4,957	1
Female.....	16,994	43	4	7	18	71	158	455	1,109	2,473	5,630	7,026	-
Black, both sexes.....	7,755	59	3	7	29	114	351	772	1,174	1,743	2,006	1,496	1
Male.....	3,587	31	1	2	16	62	190	461	630	844	857	492	1
Female.....	4,168	28	2	5	13	52	161	311	544	899	1,149	1,004	-
American Indian 1/, both sexes.....	248	1	-	-	3	1	11	31	42	44	74	41	-
Male.....	122	1	-	-	1	1	6	17	21	17	41	17	-
Female.....	126	-	-	-	2	-	5	14	21	27	33	24	-
Asian or Pacific Islander 2/, both sexes	601	2	-	-	-	3	12	34	60	149	208	133	-
Male.....	287	1	-	-	-	1	8	21	29	61	97	69	-
Female.....	314	1	-	-	-	2	4	13	31	88	111	64	-
Other disorders of kidney (N25,N27)													
All races, both sexes.....	31	-	1	-	1	-	1	5	1	7	8	7	-
Male.....	12	-	1	-	1	-	-	4	-	3	2	1	-
Female.....	19	-	-	-	-	-	1	1	1	4	6	6	-
White, both sexes.....	24	-	1	-	-	-	1	4	1	3	7	7	-
Male.....	8	-	1	-	-	-	-	3	-	1	2	1	-
Female.....	16	-	-	-	-	-	1	1	1	2	5	6	-
Black, both sexes.....	6	-	-	-	1	-	-	1	-	3	1	-	-
Male.....	4	-	-	-	1	-	-	1	-	2	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	125	1	-	1	6	3	14	14	10	16	29	31	-
Male.....
Female.....	125	1	-	1	6	3	14	14	10	16	29	31	-
White, both sexes.....	101	-	-	1	3	2	10	9	8	13	25	30	-
Male.....
Female.....	101	-	-	1	3	2	10	9	8	13	25	30	-
Black, both sexes.....	20	1	-	-	2	1	4	5	2	2	2	1	-
Male.....
Female.....	20	1	-	-	2	1	4	5	2	2	2	1	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All races, both sexes.....	545	1	116	229	166	30	2	1	-	-	-
Male.....
Female.....	545	1	116	229	166	30	2	1	-	-	-
White, both sexes.....	317	-	66	132	94	23	1	1	-	-	-
Male.....
Female.....	317	-	66	132	94	23	1	1	-	-	-
Black, both sexes.....	193	1	44	83	58	7	-	-	-	-	-
Male.....
Female.....	193	1	44	83	58	7	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	1	2	5	-	-	-	-	-	-
Male.....
Female.....	8	-	1	2	5	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	27	-	5	12	9	-	1	-	-	-	-
Male.....
Female.....	27	-	5	12	9	-	1	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	40	-	11	19	9	1	-	-	-	-	-
Male.....
Female.....	40	-	11	19	9	1	-	-	-	-	-
White, both sexes.....	18	-	3	11	4	-	-	-	-	-	-
Male.....
Female.....	18	-	3	11	4	-	-	-	-	-	-
Black, both sexes.....	18	-	8	5	4	1	-	-	-	-	-
Male.....
Female.....	18	-	8	5	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	3	-	-	-	-	-	-	-
Male.....
Female.....	3	-	-	3	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	505	1	105	210	157	29	2	1	-	-	-
Male.....
Female.....	505	1	105	210	157	29	2	1	-	-	-
White, both sexes.....	299	-	63	121	90	23	1	1	-	-	-
Male.....
Female.....	299	-	63	121	90	23	1	1	-	-	-
Black, both sexes.....	175	1	36	78	54	6	-	-	-	-	-
Male.....
Female.....	175	1	36	78	54	6	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	1	2	4	-	-	-	-	-	-
Male.....
Female.....	7	-	1	2	4	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	24	-	5	9	9	-	1	-	-	-	-
Male.....
Female.....	24	-	5	9	9	-	1	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,378	14,254	79	19	16	3	3	2	-	2	-	-	-
Male.....	8,197	8,129	43	11	8	2	1	1	-	2	-	-	-
Female.....	6,181	6,125	36	8	8	1	2	1	-	-	-	-	-
White, both sexes.....	8,975	8,891	45	16	15	3	3	1	-	1	-	-	-
Male.....	5,134	5,087	25	10	8	2	1	-	-	1	-	-	-
Female.....	3,841	3,804	20	6	7	1	2	1	-	-	-	-	-
Black, both sexes.....	4,879	4,844	30	2	1	-	-	1	-	1	-	-	-
Male.....	2,775	2,756	16	1	-	-	-	1	-	1	-	-	-
Female.....	2,104	2,088	14	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	108	107	-	1	-	-	-	-	-	-	-	-	-
Male.....	69	69	-	-	-	-	-	-	-	-	-	-	-
Female.....	39	38	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	416	412	4	-	-	-	-	-	-	-	-	-	-
Male.....	219	217	2	-	-	-	-	-	-	-	-	-	-
Female.....	197	195	2	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,518	5,621	541	386	451	426	564	667	666	413	464	319	-
Male.....	5,460	3,020	275	198	272	233	304	349	336	198	178	97	-
Female.....	5,058	2,601	266	188	179	193	260	318	330	215	286	222	-
White, both sexes.....	8,378	4,292	392	288	342	343	477	569	596	360	424	295	-
Male.....	4,288	2,282	198	146	206	189	260	293	298	169	157	90	-
Female.....	4,090	2,010	194	142	136	154	217	276	298	191	267	205	-
Black, both sexes.....	1,700	1,039	120	74	92	76	70	79	60	40	30	20	-
Male.....	923	574	62	39	55	38	33	42	33	25	16	6	-
Female.....	777	465	58	35	37	38	37	37	27	15	14	14	-
American Indian 1/, both sexes.....	118	72	10	11	6	1	6	4	3	3	-	2	-
Male.....	58	35	4	5	4	1	4	3	2	-	-	-	-
Female.....	60	37	6	6	2	-	2	1	1	3	-	2	-
Asian or Pacific Islander 2/, both sexes	322	218	19	13	11	6	11	15	7	10	10	2	-
Male.....	191	129	11	8	7	5	7	11	3	4	5	1	-
Female.....	131	89	8	5	4	1	4	4	4	6	5	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	31,444	3,318	256	178	837	1,327	2,382	2,874	2,067	2,522	5,006	10,565	112
Male.....	14,583	1,974	143	92	563	907	1,526	1,840	1,294	1,431	2,160	2,570	83
Female.....	16,861	1,344	113	86	274	420	856	1,034	773	1,091	2,846	7,995	29
White, both sexes.....	26,147	2,125	166	118	659	1,014	1,849	2,173	1,645	2,095	4,488	9,719	96
Male.....	11,802	1,313	91	61	453	706	1,189	1,416	1,021	1,194	1,935	2,352	71
Female.....	14,345	812	75	57	206	308	660	757	624	901	2,553	7,367	25
Black, both sexes.....	4,708	1,051	80	51	154	271	487	644	391	400	445	723	11
Male.....	2,459	574	44	27	94	176	300	391	250	223	186	186	8
Female.....	2,249	477	36	24	60	95	187	253	141	177	259	537	3
American Indian 1/, both sexes.....	231	76	4	4	10	12	28	30	16	5	14	30	2
Male.....	135	44	3	3	8	9	21	17	11	2	9	6	2
Female.....	96	32	1	1	2	3	7	13	5	3	5	24	-
Asian or Pacific Islander 2/, both sexes	358	66	6	5	14	30	18	27	15	22	59	93	3
Male.....	187	43	5	1	8	16	16	16	12	12	30	26	2
Female.....	171	23	1	4	6	14	2	11	3	10	29	67	1
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)													
All races, both sexes.....	201,676	1,190	635	927	2,023	3,330	8,407	15,883	18,734	26,475	52,955	71,100	17
Male.....	81,907	711	342	541	1,189	1,885	4,932	9,456	10,274	12,993	21,393	18,178	13
Female.....	119,769	479	293	386	834	1,445	3,475	6,427	8,460	13,482	31,562	52,922	4
White, both sexes.....	174,660	796	461	687	1,530	2,356	6,238	12,140	15,207	22,548	47,374	65,310	13
Male.....	69,977	502	241	406	953	1,414	3,808	7,393	8,395	11,064	19,078	16,714	9
Female.....	104,683	294	220	281	577	942	2,430	4,747	6,812	11,484	28,296	48,596	4
Black, both sexes.....	23,223	342	137	186	410	827	1,900	3,340	3,077	3,365	4,714	4,921	4
Male.....	10,126	186	80	100	188	393	958	1,824	1,629	1,660	1,930	1,174	4
Female.....	13,097	156	57	86	222	434	942	1,516	1,448	1,705	2,784	3,747	-
American Indian 1/, both sexes.....	1,243	10	12	16	36	59	159	221	189	165	196	180	-
Male.....	606	3	8	11	24	32	91	141	99	83	75	39	-
Female.....	637	7	4	5	12	27	68	80	90	82	121	141	-
Asian or Pacific Islander 2/, both sexes	2,550	42	25	38	47	88	110	182	261	397	671	689	-
Male.....	1,198	20	13	24	24	46	75	98	151	186	310	251	-
Female.....	1,352	22	12	14	23	42	35	84	110	211	361	438	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	109,277	945	1,717	2,618	15,272	12,541	16,766	15,837	9,170	8,081	13,108	13,146	76
Male.....	70,532	539	1,048	1,662	11,291	9,534	12,003	11,196	6,324	4,921	6,851	5,093	70
Female.....	38,745	406	669	956	3,981	3,007	4,763	4,641	2,846	3,160	6,257	8,053	6
White, both sexes.....	93,381	624	1,304	1,954	12,990	10,400	14,016	13,020	7,701	6,952	11,960	12,390	70
Male.....	59,912	359	807	1,233	9,596	7,964	10,088	9,220	5,308	4,259	6,235	4,779	64
Female.....	33,469	265	497	721	3,394	2,436	3,928	3,800	2,393	2,693	5,725	7,611	6
Black, both sexes.....	12,351	287	343	523	1,618	1,635	2,224	2,324	1,169	862	812	549	5
Male.....	8,385	160	204	334	1,227	1,221	1,565	1,652	836	528	437	216	5
Female.....	3,966	127	139	189	391	414	659	672	333	334	375	333	-
American Indian 1/, both sexes.....	1,573	20	33	68	315	264	313	241	128	84	62	44	1
Male.....	1,043	14	19	48	228	177	215	161	82	51	29	18	1
Female.....	530	6	14	20	87	87	98	80	46	33	33	26	-
Asian or Pacific Islander 2/, both sexes	1,972	14	37	73	349	242	213	252	172	183	274	163	-
Male.....	1,192	6	18	47	240	172	135	163	98	83	150	80	-
Female.....	780	8	19	26	109	70	78	89	74	100	124	83	-
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,071	148	649	1,765	11,432	7,280	7,594	6,754	4,441	3,210	3,377	1,401	20
Male.....	33,291	81	366	1,084	8,171	5,511	5,497	4,865	3,087	1,975	1,885	751	18
Female.....	14,780	67	283	681	3,261	1,769	2,097	1,889	1,354	1,235	1,492	650	2
White, both sexes.....	40,282	111	491	1,397	9,643	5,885	6,253	5,607	3,753	2,777	3,048	1,298	19
Male.....	27,925	63	285	851	6,867	4,489	4,540	4,057	2,633	1,733	1,700	690	17
Female.....	12,357	48	206	546	2,776	1,396	1,713	1,550	1,120	1,044	1,348	608	2
Black, both sexes.....	5,771	28	129	278	1,242	1,056	1,054	870	510	311	220	72	1
Male.....	4,119	12	66	175	933	799	768	643	359	189	133	41	1
Female.....	1,652	16	63	103	309	257	286	227	151	122	87	31	-
American Indian 1/, both sexes.....	915	7	18	46	263	178	154	123	65	36	16	9	-
Male.....	595	5	8	31	185	121	107	75	37	17	5	4	-
Female.....	320	2	10	15	78	57	47	48	28	19	11	5	-
Asian or Pacific Islander 2/, both sexes	1,103	2	11	44	284	161	133	154	113	86	93	22	-
Male.....	652	1	7	27	186	102	82	90	58	36	47	16	-
Female.....	451	1	4	17	98	59	51	64	55	50	46	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	44,757	145	621	1,642	10,972	6,833	6,961	6,074	3,958	2,967	3,210	1,358	16
Male.....	30,655	80	353	1,009	7,806	5,156	4,984	4,303	2,683	1,778	1,767	722	14
Female.....	14,102	65	268	633	3,166	1,677	1,977	1,771	1,275	1,189	1,443	636	2
White, both sexes.....	37,424	108	467	1,294	9,257	5,507	5,705	5,030	3,319	2,564	2,901	1,257	15
Male.....	25,660	62	273	794	6,562	4,189	4,096	3,582	2,270	1,560	1,596	663	13
Female.....	11,764	46	194	500	2,695	1,318	1,609	1,448	1,049	1,004	1,305	594	2
Black, both sexes.....	5,431	28	125	263	1,189	1,007	987	792	471	291	206	71	1
Male.....	3,834	12	65	161	887	759	714	575	324	172	124	40	1
Female.....	1,597	16	60	102	302	248	273	217	147	119	82	31	-
American Indian 1/, both sexes.....	865	7	18	44	254	164	145	116	61	32	16	8	-
Male.....	557	5	8	30	177	109	101	71	35	13	5	3	-
Female.....	308	2	10	14	77	55	44	45	26	19	11	5	-
Asian or Pacific Islander 2/, both sexes	1,037	2	11	41	272	155	124	136	107	80	87	22	-
Male.....	604	1	7	24	180	99	73	75	54	33	42	16	-
Female.....	433	1	4	17	92	56	51	61	53	47	45	6	-
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,357	2	17	60	264	204	239	234	147	81	80	25	4
Male.....	1,044	-	9	38	205	166	186	192	113	63	52	16	4
Female.....	313	2	8	22	59	38	53	42	34	18	28	9	-
White, both sexes.....	1,121	2	14	49	227	165	194	180	126	67	70	23	4
Male.....	856	-	8	29	177	134	154	144	95	52	45	14	4
Female.....	265	2	6	20	50	31	40	36	31	15	25	9	-
Black, both sexes.....	190	-	3	8	27	30	39	46	19	10	7	1	-
Male.....	155	-	1	7	21	25	28	42	17	9	4	1	-
Female.....	35	-	2	1	6	5	11	4	2	1	3	-	-
American Indian 1/, both sexes.....	28	-	-	2	7	9	4	3	1	1	-	1	-
Male.....	21	-	-	1	6	7	2	2	1	1	-	1	-
Female.....	7	-	-	1	1	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	18	-	-	1	3	-	2	5	1	3	3	-	-
Male.....	12	-	-	1	1	-	2	4	-	1	3	-	-
Female.....	6	-	-	-	2	-	-	1	1	2	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,957	1	11	63	196	243	394	446	336	162	87	18	-
Male.....	1,592	1	4	37	160	189	327	370	291	134	66	13	-
Female.....	365	-	7	26	36	54	67	76	45	28	21	5	-
White, both sexes.....	1,737	1	10	54	159	213	354	397	308	146	77	18	-
Male.....	1,409	1	4	28	128	166	290	331	268	121	59	13	-
Female.....	328	-	6	26	31	47	64	66	40	25	18	5	-
Black, both sexes.....	150	-	1	7	26	19	28	32	20	10	7	-	-
Male.....	130	-	-	7	25	15	26	26	18	8	5	-	-
Female.....	20	-	1	-	1	4	2	6	2	2	2	-	-
American Indian 1/, both sexes.....	22	-	-	-	2	5	5	4	3	3	-	-	-
Male.....	17	-	-	-	2	5	4	2	1	3	-	-	-
Female.....	5	-	-	-	-	-	1	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	48	-	-	2	9	6	7	13	5	3	3	-	-
Male.....	36	-	-	2	5	3	7	11	4	2	2	-	-
Female.....	12	-	-	-	4	3	-	2	1	1	1	-	-
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	61,206	797	1,068	853	3,840	5,261	9,172	9,083	4,729	4,871	9,731	11,745	56
Male.....	37,241	458	682	578	3,120	4,023	6,506	6,331	3,237	2,946	4,966	4,342	52
Female.....	23,965	339	386	275	720	1,238	2,666	2,752	1,492	1,925	4,765	7,403	4
White, both sexes.....	53,099	513	813	557	3,347	4,515	7,763	7,413	3,948	4,175	8,912	11,092	51
Male.....	31,987	296	522	382	2,729	3,475	5,548	5,163	2,675	2,526	4,535	4,089	47
Female.....	21,112	217	291	175	618	1,040	2,215	2,250	1,273	1,649	4,377	7,003	4
Black, both sexes.....	6,580	259	214	245	376	579	1,170	1,454	659	551	592	477	4
Male.....	4,266	148	138	159	294	422	797	1,009	477	339	304	175	4
Female.....	2,314	111	76	86	82	157	373	445	182	212	288	302	-
American Indian 1/, both sexes.....	658	13	15	22	52	86	159	118	63	48	46	35	1
Male.....	448	9	11	17	43	56	108	86	45	34	24	14	1
Female.....	210	4	4	5	9	30	51	32	18	14	22	21	-
Asian or Pacific Islander 2/, both sexes	869	12	26	29	65	81	80	98	59	97	181	141	-
Male.....	540	5	11	20	54	70	53	73	40	47	103	64	-
Female.....	329	7	15	9	11	11	27	25	19	50	78	77	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,306	58	456	268	567	356	462	397	265	202	162	83	30
Male.....	2,632	34	301	199	525	323	392	320	211	145	104	48	30
Female.....	674	24	155	69	42	33	70	77	54	57	58	35	-
White, both sexes.....	2,622	44	386	160	419	269	372	326	224	178	145	70	29
Male.....	2,067	24	252	117	389	242	314	257	175	129	96	43	29
Female.....	555	20	134	43	30	27	58	69	49	49	49	27	-
Black, both sexes.....	480	13	54	89	101	61	51	47	34	16	8	5	1
Male.....	407	9	39	67	95	56	48	44	30	10	5	3	1
Female.....	73	4	15	22	6	5	3	3	4	6	3	2	-
American Indian 1/, both sexes.....	62	1	6	8	10	2	21	11	1	1	1	-	-
Male.....	51	1	4	7	9	2	16	9	1	1	1	-	-
Female.....	11	-	2	1	1	-	5	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	142	-	10	11	37	24	18	13	6	7	8	8	-
Male.....	107	-	6	8	32	23	14	10	5	5	2	2	-
Female.....	35	-	4	3	5	1	4	3	1	2	6	6	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,369	30	224	215	199	252	395	526	392	419	460	253	4
Male.....	1,948	8	131	112	121	154	257	329	254	244	228	107	3
Female.....	1,421	22	93	103	78	98	138	197	138	175	232	146	1
White, both sexes.....	2,526	22	144	115	156	195	317	395	303	320	356	199	4
Male.....	1,480	7	85	58	100	120	214	253	196	189	168	87	3
Female.....	1,046	15	59	57	56	75	103	142	107	131	188	112	1
Black, both sexes.....	775	7	76	94	39	47	68	124	79	90	100	51	-
Male.....	433	1	42	50	19	28	39	73	53	53	57	18	-
Female.....	342	6	34	44	20	19	29	51	26	37	43	33	-
American Indian 1/, both sexes.....	33	-	4	3	2	5	7	3	4	5	-	-	-
Male.....	16	-	4	2	1	2	4	1	1	1	-	-	-
Female.....	17	-	-	1	1	3	3	2	3	4	-	-	-
Asian or Pacific Islander 2/, both sexes	35	1	-	3	2	5	3	4	6	4	4	3	-
Male.....	19	-	-	2	1	4	-	2	4	1	3	2	-
Female.....	16	1	-	1	1	1	3	2	2	3	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	19,457	20	49	61	1,999	3,435	6,230	5,434	1,370	403	284	166	6
Male.....	13,176	9	27	31	1,562	2,514	4,166	3,598	841	223	142	58	5
Female.....	6,281	11	22	30	437	921	2,064	1,836	529	180	142	108	1
White, both sexes.....	16,690	12	31	35	1,880	3,038	5,336	4,490	1,137	316	263	148	4
Male.....	11,333	8	16	20	1,472	2,248	3,594	2,958	672	163	131	48	3
Female.....	5,357	4	15	15	408	790	1,742	1,532	465	153	132	100	1
Black, both sexes.....	2,396	7	16	18	87	312	777	861	209	70	20	17	2
Male.....	1,609	1	9	7	64	208	504	582	158	54	10	10	2
Female.....	787	6	7	11	23	104	273	279	51	16	10	7	-
American Indian 1/, both sexes.....	231	-	-	3	20	49	85	51	14	9	-	-	-
Male.....	141	-	-	2	16	29	48	35	6	5	-	-	-
Female.....	90	-	-	1	4	20	37	16	8	4	-	-	-
Asian or Pacific Islander 2/, both sexes	140	1	2	5	12	36	32	32	10	8	1	1	-
Male.....	93	-	2	2	10	29	20	23	5	1	1	-	-
Female.....	47	1	-	3	2	7	12	9	5	7	-	1	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,115	675	278	215	645	813	1,331	1,591	1,420	1,760	3,539	4,833	15
Male.....	9,919	398	177	160	544	685	1,061	1,206	1,045	1,095	1,798	1,737	13
Female.....	7,196	277	101	55	101	128	270	385	375	665	1,741	3,096	2
White, both sexes.....	14,820	425	210	170	540	681	1,103	1,280	1,174	1,501	3,197	4,525	14
Male.....	8,483	251	136	127	467	581	887	980	862	943	1,618	1,619	12
Female.....	6,337	174	74	43	73	100	216	300	312	558	1,579	2,906	2
Black, both sexes.....	1,881	230	52	32	82	98	186	259	201	218	271	251	1
Male.....	1,164	136	36	23	59	77	139	188	146	130	141	88	1
Female.....	717	94	16	9	23	21	47	71	55	88	130	163	-
American Indian 1/, both sexes.....	199	12	5	6	13	23	28	29	28	17	23	15	-
Male.....	145	8	3	4	10	17	25	23	24	13	11	7	-
Female.....	54	4	2	2	3	6	3	6	4	4	12	8	-
Asian or Pacific Islander 2/, both sexes	215	8	11	7	10	11	14	23	17	24	48	42	-
Male.....	127	3	2	6	8	10	10	15	13	9	28	23	-
Female.....	88	5	9	1	2	1	4	8	4	15	20	19	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	31,484	250	3,988	5,065	6,602	6,481	3,843	2,335	2,115	798	7
Male.....	25,203	194	3,381	4,156	5,138	4,887	2,987	1,954	1,809	690	7
Female.....	6,281	56	607	909	1,464	1,594	856	381	306	108	-
White, both sexes.....	28,485	193	3,318	4,305	5,983	6,064	3,618	2,198	2,029	770	7
Male.....	22,830	152	2,828	3,530	4,651	4,588	2,816	1,845	1,741	672	7
Female.....	5,655	41	490	775	1,332	1,476	802	353	288	98	-
Black, both sexes.....	1,955	44	447	509	416	269	137	77	44	12	-
Male.....	1,597	35	385	432	329	202	107	59	40	8	-
Female.....	358	9	62	77	87	67	30	18	4	4	-
American Indian 1/, both sexes.....	322	7	103	86	77	26	12	6	4	1	-
Male.....	265	6	80	76	66	19	9	5	3	1	-
Female.....	57	1	23	10	11	7	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes	722	6	120	165	126	122	76	54	38	15	-
Male.....	511	1	88	118	92	78	55	45	25	9	-
Female.....	211	5	32	47	34	44	21	9	13	6	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	16,907	74	2,075	2,381	2,927	3,279	2,317	1,700	1,595	559	-
Male.....	14,827	63	1,879	2,099	2,470	2,768	2,001	1,538	1,480	529	-
Female.....	2,080	11	196	282	457	511	316	162	115	30	-
White, both sexes.....	15,587	65	1,728	2,018	2,716	3,114	2,221	1,632	1,543	550	-
Male.....	13,649	56	1,566	1,765	2,284	2,626	1,918	1,479	1,433	522	-
Female.....	1,938	9	162	253	432	488	303	153	110	28	-
Black, both sexes.....	1,004	7	269	281	151	119	75	56	39	7	-
Male.....	902	5	248	262	131	105	63	47	35	6	-
Female.....	102	2	21	19	20	14	12	9	4	1	-
American Indian 1/, both sexes.....	127	1	39	35	26	13	6	4	2	1	-
Male.....	117	1	35	31	25	12	6	4	2	1	-
Female.....	10	-	4	4	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	189	1	39	47	34	33	15	8	11	1	-
Male.....	159	1	30	41	30	25	14	8	10	-	-
Female.....	30	-	9	6	4	8	1	-	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	14,577	176	1,913	2,684	3,675	3,202	1,526	635	520	239	7
Male.....	10,376	131	1,502	2,057	2,668	2,119	986	416	329	161	7
Female.....	4,201	45	411	627	1,007	1,083	540	219	191	78	-
White, both sexes.....	12,898	128	1,590	2,287	3,267	2,950	1,397	566	486	220	7
Male.....	9,181	96	1,262	1,765	2,367	1,962	898	366	308	150	7
Female.....	3,717	32	328	522	900	988	499	200	178	70	-
Black, both sexes.....	951	37	178	228	265	150	62	21	5	5	-
Male.....	695	30	137	170	198	97	44	12	5	2	-
Female.....	256	7	41	58	67	53	18	9	-	3	-
American Indian 1/, both sexes.....	195	6	64	51	51	13	6	2	2	-	-
Male.....	148	5	45	45	41	7	3	1	1	-	-
Female.....	47	1	19	6	10	6	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes	533	5	81	118	92	89	61	46	27	14	-
Male.....	352	-	58	77	62	53	41	37	15	9	-
Female.....	181	5	23	41	30	36	20	9	12	5	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	17,732	341	376	324	5,368	4,516	3,110	2,017	786	432	317	104	41
Male.....	13,882	205	202	215	4,624	3,741	2,308	1,488	568	285	171	46	29
Female.....	3,850	136	174	109	744	775	802	529	218	147	146	58	12
White, both sexes.....	8,709	216	204	159	2,171	1,911	1,653	1,195	530	304	244	86	36
Male.....	6,337	129	96	106	1,781	1,487	1,147	841	364	194	128	39	25
Female.....	2,372	87	108	53	390	424	506	354	166	110	116	47	11
Black, both sexes.....	8,392	106	156	149	3,006	2,475	1,345	740	223	106	65	17	4
Male.....	7,083	60	96	99	2,689	2,156	1,087	584	182	79	41	7	3
Female.....	1,309	46	60	50	317	319	258	156	41	27	24	10	1
American Indian 1/, both sexes.....	237	10	7	4	78	51	44	32	4	5	1	1	-
Male.....	175	8	5	2	58	41	29	26	2	4	-	-	-
Female.....	62	2	2	2	20	10	15	6	2	1	1	1	-
Asian or Pacific Islander 2/, both sexes	394	9	9	12	113	79	68	50	29	17	7	-	1
Male.....	287	8	5	8	96	57	45	37	20	8	2	-	1
Female.....	107	1	4	4	17	22	23	13	9	9	5	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	11,920	8	40	187	4,410	3,540	1,941	1,110	394	161	88	23	18
Male.....	10,126	7	20	134	3,977	3,125	1,535	860	292	115	35	10	16
Female.....	1,794	1	20	53	433	415	406	250	102	46	53	13	2
White, both sexes.....	5,173	2	20	81	1,634	1,331	966	653	268	116	68	20	14
Male.....	4,108	1	8	58	1,426	1,117	705	477	188	81	25	9	13
Female.....	1,065	1	12	23	208	214	261	176	80	35	43	11	1
Black, both sexes.....	6,397	6	19	95	2,647	2,125	915	416	109	42	17	3	3
Male.....	5,740	6	11	67	2,443	1,937	786	352	92	33	10	1	2
Female.....	657	-	8	28	204	188	129	64	17	9	7	2	1
American Indian 1/, both sexes.....	109	-	-	4	49	25	17	10	3	-	1	-	-
Male.....	81	-	-	2	38	22	10	8	1	-	-	-	-
Female.....	28	-	-	2	11	3	7	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	241	-	1	7	80	59	43	31	14	3	2	-	1
Male.....	197	-	1	7	70	49	34	23	11	1	-	-	1
Female.....	44	-	-	-	10	10	9	8	3	2	2	-	-
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,812	333	336	137	958	976	1,169	907	392	271	229	81	23
Male.....	3,756	198	182	81	647	616	773	628	276	170	136	36	13
Female.....	2,056	135	154	56	311	360	396	279	116	101	93	45	10
White, both sexes.....	3,536	214	184	78	537	580	687	542	262	188	176	66	22
Male.....	2,229	128	88	48	355	370	442	364	176	113	103	30	12
Female.....	1,307	86	96	30	182	210	245	178	86	75	73	36	10
Black, both sexes.....	1,995	100	137	54	359	350	430	324	114	64	48	14	1
Male.....	1,343	54	85	32	246	219	301	232	90	46	31	6	1
Female.....	652	46	52	22	113	131	129	92	24	18	17	8	-
American Indian 1/, both sexes.....	128	10	7	-	29	26	27	22	1	5	-	1	-
Male.....	94	8	5	-	20	19	19	18	1	4	-	-	-
Female.....	34	2	2	-	9	7	8	4	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes	153	9	8	5	33	20	25	19	15	14	5	-	-
Male.....	90	8	4	1	26	8	11	14	9	7	2	-	-
Female.....	63	1	4	4	7	12	14	5	6	7	3	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	423	-	-	2	93	135	117	51	19	4	2	-	-
Male.....	405	-	-	1	89	131	114	46	18	4	2	-	-
Female.....	18	-	-	1	4	4	3	5	1	-	-	-	-
White, both sexes.....	284	-	-	1	54	76	90	41	17	4	1	-	-
Male.....	271	-	-	-	52	74	87	37	16	4	1	-	-
Female.....	13	-	-	1	2	2	3	4	1	-	-	-	-
Black, both sexes.....	120	-	-	1	35	53	22	7	1	-	1	-	-
Male.....	117	-	-	1	33	52	22	7	1	-	1	-	-
Female.....	3	-	-	-	2	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	3	4	3	1	1	-	-	-	-
Male.....	12	-	-	-	3	4	3	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	1	2	2	2	-	-	-	-	-
Male.....	5	-	-	-	1	1	2	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All races, both sexes.....	5,072	75	31	55	563	835	1,581	1,267	368	131	96	52	18
Male.....	3,295	50	17	41	412	580	1,013	811	222	65	49	21	14
Female.....	1,777	25	14	14	151	255	568	456	146	66	47	31	4
White, both sexes.....	4,255	52	21	37	488	719	1,333	1,057	299	103	85	50	11
Male.....	2,709	30	11	29	351	489	848	656	171	51	45	20	8
Female.....	1,546	22	10	8	137	230	485	401	128	52	40	30	3
Black, both sexes.....	687	21	9	14	51	96	216	190	53	21	7	2	7
Male.....	498	19	5	8	43	77	144	141	40	12	2	1	6
Female.....	189	2	4	6	8	19	72	49	13	9	5	1	1
American Indian 1/, both sexes.....	64	2	-	2	8	11	21	11	7	1	1	-	-
Male.....	47	1	-	2	7	7	16	6	7	1	-	-	-
Female.....	17	1	-	-	1	4	5	5	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	66	-	1	2	16	9	11	9	9	6	3	-	-
Male.....	41	-	1	2	11	7	5	8	4	1	2	-	-
Female.....	25	-	-	-	5	2	6	1	5	5	1	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	232	-	1	12	69	38	43	31	20	8	9	1	-
Male.....	186	-	1	12	60	33	26	22	16	7	8	1	-
Female.....	46	-	-	-	9	5	17	9	4	1	1	-	-
White, both sexes.....	183	-	-	7	47	27	38	29	17	8	9	1	-
Male.....	144	-	-	7	40	23	22	21	15	7	8	1	-
Female.....	39	-	-	-	7	4	16	8	2	1	1	-	-
Black, both sexes.....	35	-	1	4	17	7	3	2	1	-	-	-	-
Male.....	32	-	1	4	16	7	2	1	1	-	-	-	-
Female.....	3	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	1	2	4	2	-	-	-	-	-	-
Male.....	8	-	-	1	2	3	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	3	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	2	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,840	75	30	43	494	797	1,538	1,236	348	123	87	51	18
Male.....	3,109	50	16	29	352	547	987	789	206	58	41	20	14
Female.....	1,731	25	14	14	142	250	551	447	142	65	46	31	4
White, both sexes.....	4,072	52	21	30	441	692	1,295	1,028	282	95	76	49	11
Male.....	2,565	30	11	22	311	466	826	635	156	44	37	19	8
Female.....	1,507	22	10	8	130	226	469	393	126	51	39	30	3
Black, both sexes.....	652	21	8	10	34	89	213	188	52	21	7	2	7
Male.....	466	19	4	4	27	70	142	140	39	12	2	1	6
Female.....	186	2	4	6	7	19	71	48	13	9	5	1	1
American Indian 1/, both sexes.....	55	2	-	1	6	7	19	11	7	1	1	-	-
Male.....	39	1	-	1	5	4	14	6	7	1	-	-	-
Female.....	16	1	-	-	1	3	5	5	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	61	-	1	2	13	9	11	9	7	6	3	-	-
Male.....	39	-	1	2	9	7	5	8	4	1	2	-	-
Female.....	22	-	-	-	4	2	6	1	3	5	1	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	14	-	-	-	1	-	-	1	5	2	5	-	-
Male.....	14	-	-	-	1	-	-	1	5	2	5	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	13	-	-	-	1	-	-	1	4	2	5	-	-
Male.....	13	-	-	-	1	-	-	1	4	2	5	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,855	15	24	12	44	69	179	273	380	534	794	530	1
Male.....	1,333	8	16	4	26	36	96	146	195	264	355	186	1
Female.....	1,522	7	8	8	18	33	83	127	185	270	439	344	-
White, both sexes.....	2,356	9	13	8	37	48	141	192	297	445	696	469	1
Male.....	1,121	5	9	3	22	25	81	99	157	229	323	167	1
Female.....	1,235	4	4	5	15	23	60	93	140	216	373	302	-
Black, both sexes.....	432	5	10	3	6	16	34	68	74	78	86	52	-
Male.....	177	3	6	1	3	8	12	40	35	28	27	14	-
Female.....	255	2	4	2	3	8	22	28	39	50	59	38	-
American Indian 1/, both sexes.....	24	1	-	-	1	3	1	5	4	3	3	3	-
Male.....	10	-	-	-	1	2	1	3	-	1	-	2	-
Female.....	14	1	-	-	-	1	-	2	4	2	3	1	-
Asian or Pacific Islander 2/, both sexes	43	-	1	1	-	2	3	8	5	8	9	6	-
Male.....	25	-	1	-	-	1	2	4	3	6	5	3	-
Female.....	18	-	-	1	-	1	1	4	2	2	4	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	20,687	-	-	5	124	596	3,572	7,063	5,168	2,771	1,183	194	11
Male.....	15,630	-	-	3	101	472	2,534	5,414	3,997	2,120	866	113	10
Female.....	5,057	-	-	2	23	124	1,038	1,649	1,171	651	317	81	1
White, both sexes.....	17,437	-	-	4	96	483	2,964	5,878	4,340	2,413	1,074	177	8
Male.....	13,218	-	-	3	82	383	2,133	4,512	3,364	1,853	779	102	7
Female.....	4,219	-	-	1	14	100	831	1,366	976	560	295	75	1
Black, both sexes.....	2,406	-	-	1	8	60	389	885	670	289	87	14	3
Male.....	1,824	-	-	-	6	48	259	693	520	218	67	10	3
Female.....	582	-	-	1	2	12	130	192	150	71	20	4	-
American Indian 1/, both sexes.....	664	-	-	-	17	36	185	239	122	51	13	1	-
Male.....	431	-	-	-	11	26	111	155	84	33	11	-	-
Female.....	233	-	-	-	6	10	74	84	38	18	2	1	-
Asian or Pacific Islander 2/, both sexes	180	-	-	-	3	17	34	61	36	18	9	2	-
Male.....	157	-	-	-	2	15	31	54	29	16	9	1	-
Female.....	23	-	-	-	1	2	3	7	7	2	-	1	-
Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/													
All races, both sexes.....	28,723	25	35	41	2,619	4,845	9,158	8,174	2,239	755	537	283	12
Male.....	18,426	17	21	20	1,955	3,361	5,873	5,153	1,266	384	253	112	11
Female.....	10,297	8	14	21	664	1,484	3,285	3,021	973	371	284	171	1
White, both sexes.....	24,683	16	22	31	2,451	4,276	7,809	6,767	1,871	653	513	267	7
Male.....	15,824	14	14	17	1,844	3,005	5,039	4,215	1,011	317	240	102	6
Female.....	8,859	2	8	14	607	1,271	2,770	2,552	860	336	273	165	1
Black, both sexes.....	3,527	9	13	9	114	446	1,196	1,291	323	85	22	14	5
Male.....	2,303	3	7	3	78	279	749	863	234	61	12	9	5
Female.....	1,224	6	6	6	36	167	447	428	89	24	10	5	-
American Indian 1/, both sexes.....	295	-	-	1	27	64	109	66	22	6	-	-	-
Male.....	168	-	-	-	18	38	59	41	10	2	-	-	-
Female.....	127	-	-	1	9	26	50	25	12	4	-	-	-
Asian or Pacific Islander 2/, both sexes	218	-	-	-	27	59	44	50	23	11	2	2	-
Male.....	131	-	-	-	15	39	26	34	11	4	1	1	-
Female.....	87	-	-	-	12	20	18	16	12	7	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,136	8	48	324	6,846	6,188	5,118	4,550	2,804	1,912	1,731	589	18
Male.....	26,124	7	28	256	6,186	5,472	4,222	3,761	2,378	1,694	1,558	546	16
Female.....	4,012	1	20	68	660	716	896	789	426	218	173	43	2
White, both sexes.....	21,763	2	24	192	3,610	3,521	3,894	3,908	2,575	1,794	1,654	575	14
Male.....	18,647	1	12	156	3,216	3,040	3,173	3,219	2,187	1,598	1,496	536	13
Female.....	3,116	1	12	36	394	481	721	689	388	196	158	39	1
Black, both sexes.....	7,659	6	23	116	3,017	2,488	1,095	547	189	103	60	12	3
Male.....	6,882	6	15	86	2,786	2,279	941	467	159	83	49	9	2
Female.....	777	-	8	30	231	209	154	80	30	20	11	3	1
American Indian 1/, both sexes.....	269	-	-	8	96	70	50	27	9	4	4	1	-
Male.....	229	-	-	6	81	61	42	24	7	4	3	1	-
Female.....	40	-	-	2	15	9	8	3	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	445	-	1	8	123	109	79	68	31	11	13	1	1
Male.....	366	-	1	8	103	92	66	51	25	9	10	-	1
Female.....	79	-	-	-	20	17	13	17	6	2	3	1	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.