













Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82, A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</b>													
All origins, both sexes.....	6,707	224	61	84	97	169	453	916	889	1,223	1,594	997	-
Male.....	3,622	125	39	40	52	96	291	626	532	663	785	373	-
Female.....	3,085	99	22	44	45	73	162	290	357	560	809	624	-
Hispanic, both sexes.....	593	41	11	17	19	51	67	127	85	75	68	32	-
Male.....	363	27	7	11	7	31	48	95	52	40	30	15	-
Female.....	230	14	4	6	12	20	19	32	33	35	38	17	-
Non-Hispanic 1/, both sexes.....	6,097	181	49	67	77	117	384	787	801	1,148	1,522	964	-
Male.....	3,250	97	31	29	44	65	242	530	479	623	753	357	-
Female.....	2,847	84	18	38	33	52	142	257	322	525	769	607	-
Non-Hispanic white, both sexes.....	4,939	113	34	49	47	66	243	582	606	973	1,344	882	-
Male.....	2,608	57	21	24	27	33	161	398	358	537	665	327	-
Female.....	2,331	56	13	25	20	33	82	184	248	436	679	555	-
Non-Hispanic black, both sexes.....	927	58	13	10	25	46	121	179	151	122	130	72	-
Male.....	516	33	9	3	13	28	68	117	99	62	58	26	-
Female.....	411	25	4	7	12	18	53	62	52	60	72	46	-
Origin not stated 2/, both sexes.....	17	2	1	-	1	1	2	2	3	-	4	1	-
Male.....	9	1	1	-	1	-	1	1	1	-	2	1	-
Female.....	8	1	-	-	-	1	1	1	2	-	2	-	-
<b>Malignant neoplasms (C00-C97)</b>													
All origins, both sexes.....	557,271	74	402	1,072	1,730	3,872	16,085	49,637	93,391	144,757	167,062	79,182	7
Male.....	288,768	42	216	600	1,016	1,868	7,056	25,192	51,115	80,085	86,952	34,621	5
Female.....	268,503	32	186	472	714	2,004	9,029	24,445	42,276	64,672	80,110	44,561	2
Hispanic, both sexes.....	23,141	18	72	210	304	502	1,346	2,859	4,247	5,857	5,365	2,361	-
Male.....	12,235	10	35	108	191	252	557	1,430	2,377	3,256	2,902	1,117	-
Female.....	10,906	8	37	102	113	250	789	1,429	1,870	2,601	2,463	1,244	-
Non-Hispanic 1/, both sexes.....	532,712	55	329	861	1,418	3,350	14,693	46,628	88,886	138,545	161,303	76,639	5
Male.....	275,770	31	181	492	821	1,610	6,475	23,682	48,587	76,621	83,839	33,427	4
Female.....	256,942	24	148	369	597	1,740	8,218	22,946	40,299	61,924	77,464	43,212	1
Non-Hispanic white, both sexes.....	458,754	37	236	642	1,097	2,483	11,234	36,609	73,809	119,464	143,957	69,184	2
Male.....	237,323	24	134	355	639	1,218	5,041	18,699	40,210	66,250	74,639	30,112	2
Female.....	221,431	13	102	287	458	1,265	6,193	17,910	33,599	53,214	69,318	39,072	-
Non-Hispanic black, both sexes.....	61,996	12	71	168	242	663	2,870	8,376	12,693	16,084	14,518	6,296	3
Male.....	32,287	4	33	103	137	287	1,158	4,203	7,106	8,835	7,669	2,750	2
Female.....	29,709	8	38	65	105	376	1,712	4,173	5,587	7,249	6,849	3,546	1
Origin not stated 2/, both sexes.....	1,418	1	1	1	8	20	46	150	258	355	394	182	2
Male.....	763	1	-	-	4	6	24	80	151	208	211	77	1
Female.....	655	-	1	1	4	14	22	70	107	147	183	105	1
<b>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</b>													
All origins, both sexes.....	7,737	-	3	8	23	57	258	1,101	1,811	1,898	1,721	857	-
Male.....	5,184	-	2	3	11	39	179	870	1,392	1,317	997	374	-
Female.....	2,553	-	1	5	12	18	79	231	419	581	724	483	-
Hispanic, both sexes.....	284	-	-	2	3	4	17	47	66	62	54	29	-
Male.....	215	-	-	-	1	3	14	39	53	51	36	18	-
Female.....	69	-	-	2	2	1	3	8	13	11	18	11	-
Non-Hispanic 1/, both sexes.....	7,431	-	3	6	20	53	238	1,049	1,739	1,830	1,666	827	-
Male.....	4,950	-	2	3	10	36	162	826	1,335	1,261	960	355	-
Female.....	2,481	-	1	3	10	17	76	223	404	569	706	472	-
Non-Hispanic white, both sexes.....	6,141	-	2	3	12	35	164	744	1,358	1,565	1,504	754	-
Male.....	4,035	-	2	2	7	25	114	587	1,042	1,067	867	322	-
Female.....	2,106	-	-	1	5	10	50	157	316	498	637	432	-
Non-Hispanic black, both sexes.....	1,034	-	-	2	6	11	63	254	318	213	114	53	-
Male.....	757	-	-	1	3	7	41	203	257	157	64	24	-
Female.....	277	-	-	1	3	4	22	51	61	56	50	29	-
Origin not stated 2/, both sexes.....	22	-	-	-	-	-	3	5	6	6	1	1	-
Male.....	19	-	-	-	-	-	3	5	4	5	1	1	-
Female.....	3	-	-	-	-	-	-	-	2	1	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of esophagus (C15)</b>													
All origins, both sexes.....	12,701	-	-	1	6	19	311	1,390	2,763	3,691	3,389	1,130	1
Male.....	9,789	-	-	-	3	14	257	1,185	2,321	2,952	2,454	603	-
Female.....	2,912	-	-	1	3	5	54	205	442	739	935	527	1
Hispanic, both sexes.....	411	-	-	-	1	23	53	80	120	91	42	-	-
Male.....	329	-	-	-	1	19	49	75	96	66	22	-	-
Female.....	82	-	-	-	-	4	4	5	24	25	20	-	-
Non-Hispanic 1/, both sexes.....	12,254	-	-	1	5	17	287	1,334	2,671	3,560	3,296	1,082	1
Male.....	9,431	-	-	-	2	12	237	1,133	2,235	2,848	2,386	578	-
Female.....	2,823	-	-	1	3	5	50	201	436	712	910	504	1
Non-Hispanic white, both sexes.....	10,484	-	-	1	5	15	227	1,076	2,173	3,027	2,961	999	-
Male.....	8,469	-	-	-	2	11	196	938	1,849	2,465	2,171	537	-
Female.....	2,315	-	-	1	3	4	31	138	324	562	790	462	-
Non-Hispanic black, both sexes.....	1,572	-	-	-	-	2	56	234	454	475	282	68	1
Male.....	1,118	-	-	-	-	1	38	175	351	340	178	35	-
Female.....	454	-	-	-	-	1	18	59	103	135	104	33	1
Origin not stated 2/, both sexes.....	36	-	-	-	-	1	1	3	12	11	2	6	-
Male.....	29	-	-	-	-	1	1	3	11	8	2	3	-
Female.....	7	-	-	-	-	-	-	-	1	3	-	3	-
<b>Malignant neoplasm of stomach (C16)</b>													
All origins, both sexes.....	12,198	-	1	-	29	138	436	1,106	1,831	2,816	3,656	2,185	-
Male.....	7,133	-	1	-	8	80	239	725	1,215	1,867	2,064	934	-
Female.....	5,065	-	-	-	21	58	197	381	616	949	1,592	1,251	-
Hispanic, both sexes.....	1,185	-	-	-	6	38	97	154	218	259	283	130	-
Male.....	671	-	-	-	2	26	44	85	128	172	150	64	-
Female.....	514	-	-	-	4	12	53	69	90	87	133	66	-
Non-Hispanic 1/, both sexes.....	10,974	-	1	-	23	99	337	950	1,609	2,548	3,363	2,044	-
Male.....	6,438	-	1	-	6	54	194	639	1,084	1,688	1,908	864	-
Female.....	4,536	-	-	-	17	45	143	311	525	860	1,455	1,180	-
Non-Hispanic white, both sexes.....	8,124	-	1	-	15	55	205	616	1,137	1,861	2,613	1,621	-
Male.....	4,864	-	1	-	3	31	123	431	791	1,265	1,523	696	-
Female.....	3,260	-	-	-	12	24	82	185	346	596	1,090	925	-
Non-Hispanic black, both sexes.....	2,112	-	-	-	8	33	90	248	339	518	545	331	-
Male.....	1,184	-	-	-	3	20	49	165	223	323	276	125	-
Female.....	928	-	-	-	5	13	41	83	116	195	269	206	-
Origin not stated 2/, both sexes.....	39	-	-	-	-	1	2	2	4	9	10	11	-
Male.....	24	-	-	-	-	-	1	1	3	7	6	6	-
Female.....	15	-	-	-	-	1	1	1	1	2	4	5	-
<b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>													
All origins, both sexes.....	56,741	1	-	1	50	290	1,425	4,573	8,421	13,392	17,498	11,089	1
Male.....	28,501	1	-	1	34	161	797	2,564	5,035	7,580	8,504	3,823	1
Female.....	28,240	-	-	-	16	129	628	2,009	3,386	5,812	8,994	7,266	-
Hispanic, both sexes.....	2,364	-	-	1	2	27	121	282	454	605	573	299	-
Male.....	1,287	-	-	1	-	13	62	170	291	351	295	104	-
Female.....	1,077	-	-	-	2	14	59	112	163	254	278	195	-
Non-Hispanic 1/, both sexes.....	54,244	1	-	-	48	259	1,299	4,281	7,948	12,758	16,882	10,767	1
Male.....	27,140	1	-	-	34	146	730	2,388	4,731	7,208	8,188	3,713	1
Female.....	27,104	-	-	-	14	113	569	1,893	3,217	5,550	8,694	7,054	-
Non-Hispanic white, both sexes.....	46,147	1	-	-	36	206	947	3,271	6,401	10,782	14,821	9,681	1
Male.....	23,119	1	-	-	24	114	534	1,853	3,859	6,189	7,211	3,333	1
Female.....	23,028	-	-	-	12	92	413	1,418	2,542	4,593	7,610	6,348	-
Non-Hispanic black, both sexes.....	6,817	-	-	-	10	38	283	857	1,297	1,656	1,756	920	-
Male.....	3,322	-	-	-	8	23	156	452	717	840	822	304	-
Female.....	3,495	-	-	-	2	15	127	405	580	816	934	616	-
Origin not stated 2/, both sexes.....	133	-	-	-	-	4	5	10	19	29	43	23	-
Male.....	74	-	-	-	-	2	5	6	13	21	21	6	-
Female.....	59	-	-	-	-	2	-	4	6	8	22	17	-



Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>													
All origins, both sexes.....	14,047	3	28	18	27	105	414	1,976	2,558	3,581	3,728	1,609	-
Male.....	9,011	2	19	12	18	62	308	1,611	1,858	2,367	2,112	642	-
Female.....	5,036	1	9	6	9	43	106	365	700	1,214	1,616	967	-
Hispanic, both sexes.....	1,363	-	3	-	1	8	48	217	310	403	265	108	-
Male.....	891	-	2	-	1	4	33	179	225	256	146	45	-
Female.....	472	-	1	-	-	4	15	38	85	147	119	63	-
Non-Hispanic 1/, both sexes.....	12,638	3	25	18	26	96	365	1,751	2,234	3,171	3,452	1,497	-
Male.....	8,085	2	17	12	17	57	274	1,426	1,621	2,106	1,957	596	-
Female.....	4,553	1	8	6	9	39	91	325	613	1,065	1,495	901	-
Non-Hispanic white, both sexes.....	9,878	2	19	13	18	49	227	1,167	1,613	2,504	2,970	1,296	-
Male.....	6,215	2	12	7	9	23	168	951	1,167	1,672	1,681	523	-
Female.....	3,663	-	7	6	9	26	59	216	446	832	1,289	773	-
Non-Hispanic black, both sexes.....	1,708	1	4	3	4	26	83	400	385	384	292	126	-
Male.....	1,143	-	3	3	4	16	60	321	279	261	158	38	-
Female.....	565	1	1	-	-	10	23	79	106	123	134	88	-
Origin not stated 2/, both sexes.....	46	-	-	-	-	1	1	8	14	7	11	4	-
Male.....	35	-	-	-	-	1	1	6	12	5	9	1	-
Female.....	11	-	-	-	-	-	-	2	2	2	2	3	-
<b>Malignant neoplasm of pancreas (C25)</b>													
All origins, both sexes.....	30,264	1	-	-	7	39	596	2,433	5,105	8,187	9,555	4,340	1
Male.....	14,877	-	-	-	5	26	364	1,526	3,012	4,270	4,270	1,403	1
Female.....	15,387	1	-	-	2	13	232	907	2,093	3,917	5,285	2,937	-
Hispanic, both sexes.....	1,363	-	-	-	1	4	51	148	273	410	333	143	-
Male.....	667	-	-	-	1	2	35	96	147	214	136	36	-
Female.....	696	-	-	-	-	2	16	52	126	196	197	107	-
Non-Hispanic 1/, both sexes.....	28,839	1	-	-	6	35	545	2,278	4,821	7,763	9,200	4,189	1
Male.....	14,181	-	-	-	4	24	329	1,428	2,856	4,051	4,126	1,362	1
Female.....	14,658	1	-	-	2	11	216	850	1,965	3,712	5,074	2,827	-
Non-Hispanic white, both sexes.....	24,647	-	-	-	6	25	424	1,789	3,971	6,533	8,134	3,765	-
Male.....	12,242	-	-	-	4	17	257	1,141	2,392	3,480	3,715	1,236	-
Female.....	12,405	-	-	-	2	8	167	648	1,579	3,053	4,419	2,529	-
Non-Hispanic black, both sexes.....	3,466	1	-	-	-	6	101	399	726	1,016	858	358	1
Male.....	1,606	-	-	-	-	5	58	242	399	475	332	94	1
Female.....	1,860	1	-	-	-	1	43	157	327	541	526	264	-
Origin not stated 2/, both sexes.....	62	-	-	-	-	-	-	7	11	14	22	8	-
Male.....	29	-	-	-	-	-	-	2	9	5	8	5	-
Female.....	33	-	-	-	-	-	-	5	2	9	14	3	-
<b>Malignant neoplasm of larynx (C32)</b>													
All origins, both sexes.....	3,723	-	-	-	-	11	76	425	904	1,084	969	253	1
Male.....	2,922	-	-	-	-	6	58	349	738	832	755	183	1
Female.....	801	-	-	-	-	5	18	76	166	252	214	70	-
Hispanic, both sexes.....	165	-	-	-	-	1	8	19	43	48	33	13	-
Male.....	139	-	-	-	-	-	7	16	40	42	27	7	-
Female.....	26	-	-	-	-	1	1	3	3	6	6	6	-
Non-Hispanic 1/, both sexes.....	3,548	-	-	-	-	10	68	405	857	1,033	934	240	1
Male.....	2,775	-	-	-	-	6	51	332	695	788	726	176	1
Female.....	773	-	-	-	-	4	17	73	162	245	208	64	-
Non-Hispanic white, both sexes.....	2,838	-	-	-	-	6	40	276	653	850	793	220	-
Male.....	2,205	-	-	-	-	3	30	230	518	645	619	160	-
Female.....	633	-	-	-	-	3	10	46	135	205	174	60	-
Non-Hispanic black, both sexes.....	674	-	-	-	-	4	27	123	198	174	131	16	1
Male.....	541	-	-	-	-	3	20	96	172	135	101	13	1
Female.....	133	-	-	-	-	1	7	27	26	39	30	3	-
Origin not stated 2/, both sexes.....	10	-	-	-	-	-	-	1	4	3	2	-	-
Male.....	8	-	-	-	-	-	-	1	3	2	2	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>													
All origins, both sexes.....	157,713	-	1	4	21	165	2,698	12,150	30,684	50,256	48,082	13,652	-
Male.....	90,171	-	1	3	16	90	1,386	7,194	18,415	29,543	26,821	6,702	-
Female.....	67,542	-	-	1	5	75	1,312	4,956	12,269	20,713	21,261	6,950	-
Hispanic, both sexes.....	4,038	-	-	2	4	27	90	362	808	1,303	1,101	341	-
Male.....	2,617	-	-	1	2	14	45	229	567	846	729	184	-
Female.....	1,421	-	-	1	2	13	45	133	241	457	372	157	-
Non-Hispanic 1/, both sexes.....	153,292	-	1	2	17	135	2,601	11,752	29,802	48,836	46,862	13,284	-
Male.....	87,335	-	1	2	14	76	1,337	6,942	17,806	28,628	26,026	6,503	-
Female.....	65,957	-	-	-	3	59	1,264	4,810	11,996	20,208	20,836	6,781	-
Non-Hispanic white, both sexes.....	134,435	-	1	1	13	97	2,026	9,335	25,218	43,104	42,506	12,134	-
Male.....	75,754	-	1	1	11	58	1,016	5,415	14,818	25,102	23,408	5,924	-
Female.....	58,681	-	-	-	2	39	1,010	3,920	10,400	18,002	19,098	6,210	-
Non-Hispanic black, both sexes.....	16,170	-	-	1	4	23	503	2,165	3,994	4,930	3,641	909	-
Male.....	9,983	-	-	1	3	14	287	1,378	2,606	3,083	2,163	448	-
Female.....	6,187	-	-	-	1	9	216	787	1,388	1,847	1,478	461	-
Origin not stated 2/, both sexes.....	383	-	-	-	-	3	7	36	74	117	119	27	-
Male.....	219	-	-	-	-	-	4	23	42	69	66	15	-
Female.....	164	-	-	-	-	3	3	13	32	48	53	12	-
<b>Malignant melanoma of skin (C43)</b>													
All origins, both sexes.....	7,514	-	3	1	41	194	604	1,135	1,351	1,616	1,748	820	1
Male.....	4,725	-	2	1	20	119	363	746	915	1,075	1,078	406	-
Female.....	2,789	-	1	-	21	75	241	389	436	541	670	414	1
Hispanic, both sexes.....	147	-	-	-	2	7	21	27	24	19	29	18	-
Male.....	77	-	-	-	1	6	13	13	16	11	13	4	-
Female.....	70	-	-	-	1	1	8	14	8	8	16	14	-
Non-Hispanic 1/, both sexes.....	7,349	-	3	1	38	186	581	1,106	1,323	1,596	1,714	801	-
Male.....	4,640	-	2	1	19	113	350	732	896	1,063	1,062	402	-
Female.....	2,709	-	1	-	19	73	231	374	427	533	652	399	-
Non-Hispanic white, both sexes.....	7,190	-	3	1	37	184	568	1,085	1,291	1,554	1,687	780	-
Male.....	4,555	-	2	1	18	111	344	719	876	1,039	1,050	395	-
Female.....	2,635	-	1	-	19	73	224	366	415	515	637	385	-
Non-Hispanic black, both sexes.....	102	-	-	-	1	9	12	12	21	25	18	15	-
Male.....	52	-	-	-	1	4	7	13	13	12	8	6	-
Female.....	50	-	-	-	-	5	5	8	8	13	10	9	-
Origin not stated 2/, both sexes.....	18	-	-	-	1	1	2	2	4	1	5	1	1
Male.....	8	-	-	-	-	-	1	1	3	1	3	-	-
Female.....	10	-	-	-	1	1	2	1	1	-	2	1	1
<b>Malignant neoplasm of breast (C50)</b>													
All origins, both sexes.....	41,883	-	-	-	10	425	2,722	6,454	7,838	8,505	9,748	6,181	-
Male.....	369	-	-	-	-	3	12	44	67	84	112	47	-
Female.....	41,514	-	-	-	10	422	2,710	6,410	7,771	8,421	9,636	6,134	-
Hispanic, both sexes.....	1,736	-	-	-	2	54	218	401	348	323	262	128	-
Male.....	12	-	-	-	-	1	-	5	-	3	2	1	-
Female.....	1,724	-	-	-	2	53	218	396	348	320	260	127	-
Non-Hispanic 1/, both sexes.....	40,037	-	-	-	8	368	2,495	6,033	7,470	8,161	9,464	6,038	-
Male.....	355	-	-	-	-	2	12	38	66	81	110	46	-
Female.....	39,682	-	-	-	8	366	2,483	5,995	7,404	8,080	9,354	5,992	-
Non-Hispanic white, both sexes.....	33,611	-	-	-	4	230	1,733	4,559	6,145	7,001	8,456	5,483	-
Male.....	288	-	-	-	-	1	9	27	51	65	94	41	-
Female.....	33,323	-	-	-	4	229	1,724	4,532	6,094	6,936	8,362	5,442	-
Non-Hispanic black, both sexes.....	5,579	-	-	-	3	123	670	1,247	1,122	1,005	900	509	-
Male.....	62	-	-	-	-	1	3	10	14	16	13	5	-
Female.....	5,517	-	-	-	3	122	667	1,237	1,108	989	887	504	-
Origin not stated 2/, both sexes.....	110	-	-	-	-	3	9	20	20	21	22	15	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	108	-	-	-	-	3	9	19	19	21	22	15	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of cervix uteri (C53)</b>													
All origins, both sexes.....	3,952	-	-	-	17	208	666	894	725	630	528	284	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,952	-	-	-	17	208	666	894	725	630	528	284	-
Hispanic, both sexes.....	388	-	-	-	2	30	86	87	71	55	40	17	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	388	-	-	-	2	30	86	87	71	55	40	17	-
Non-Hispanic 1/, both sexes.....	3,551	-	-	-	15	177	577	805	650	573	487	267	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,551	-	-	-	15	177	577	805	650	573	487	267	-
Non-Hispanic white, both sexes.....	2,580	-	-	-	10	129	417	581	480	399	370	194	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2,580	-	-	-	10	129	417	581	480	399	370	194	-
Non-Hispanic black, both sexes.....	820	-	-	-	3	43	144	188	131	152	101	58	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	820	-	-	-	3	43	144	188	131	152	101	58	-
Origin not stated 2/, both sexes.....	13	-	-	-	-	1	3	2	4	2	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	13	-	-	-	-	1	3	2	4	2	1	-	-
<b>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</b>													
All origins, both sexes.....	6,853	-	-	-	-	23	146	565	1,199	1,835	1,957	1,128	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6,853	-	-	-	-	23	146	565	1,199	1,835	1,957	1,128	-
Hispanic, both sexes.....	337	-	-	-	-	5	20	39	64	106	66	37	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	337	-	-	-	-	5	20	39	64	106	66	37	-
Non-Hispanic 1/, both sexes.....	6,487	-	-	-	-	17	126	524	1,124	1,725	1,884	1,087	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6,487	-	-	-	-	17	126	524	1,124	1,725	1,884	1,087	-
Non-Hispanic white, both sexes.....	5,213	-	-	-	-	11	97	403	861	1,312	1,580	949	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5,213	-	-	-	-	11	97	403	861	1,312	1,580	949	-
Non-Hispanic black, both sexes.....	1,107	-	-	-	-	5	21	88	221	373	268	131	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,107	-	-	-	-	5	21	88	221	373	268	131	-
Origin not stated 2/, both sexes.....	29	-	-	-	-	1	-	2	11	4	7	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	29	-	-	-	-	1	-	2	11	4	7	4	-
<b>Malignant neoplasm of ovary (C56)</b>													
All origins, both sexes.....	14,682	1	1	2	37	97	469	1,717	2,748	3,601	4,259	1,750	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	14,682	1	1	2	37	97	469	1,717	2,748	3,601	4,259	1,750	-
Hispanic, both sexes.....	622	-	-	2	3	10	47	116	111	145	145	43	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	622	-	-	2	3	10	47	116	111	145	145	43	-
Non-Hispanic 1/, both sexes.....	14,031	1	1	-	34	87	421	1,596	2,633	3,445	4,107	1,706	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	14,031	1	1	-	34	87	421	1,596	2,633	3,445	4,107	1,706	-
Non-Hispanic white, both sexes.....	12,560	1	1	-	27	67	343	1,369	2,329	3,082	3,766	1,575	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12,560	1	1	-	27	67	343	1,369	2,329	3,082	3,766	1,575	-
Non-Hispanic black, both sexes.....	1,155	-	-	-	7	13	59	158	237	287	277	117	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,155	-	-	-	7	13	59	158	237	287	277	117	-
Origin not stated 2/, both sexes.....	29	-	-	-	-	-	1	5	4	11	7	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	29	-	-	-	-	-	1	5	4	11	7	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of prostate (C61)</b>													
All origins, both sexes.....	30,446	-	-	-	1	1	32	382	2,020	6,300	12,753	8,957	-
Male.....	30,446	-	-	-	1	1	32	382	2,020	6,300	12,753	8,957	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Hispanic, both sexes.....	1,209	-	-	-	-	1	1	29	106	292	472	308	-
Male.....	1,209	-	-	-	-	1	1	29	106	292	472	308	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Non-Hispanic 1/, both sexes.....	29,151	-	-	-	1	-	31	351	1,906	5,983	12,251	8,628	-
Male.....	29,151	-	-	-	1	-	31	351	1,906	5,983	12,251	8,628	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Non-Hispanic white, both sexes.....	23,690	-	-	-	-	-	24	226	1,361	4,561	10,091	7,427	-
Male.....	23,690	-	-	-	-	-	24	226	1,361	4,561	10,091	7,427	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Non-Hispanic black, both sexes.....	5,085	-	-	-	1	-	7	118	500	1,352	2,005	1,102	-
Male.....	5,085	-	-	-	1	-	7	118	500	1,352	2,005	1,102	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Origin not stated 2/, both sexes.....	86	-	-	-	-	-	-	2	8	25	30	21	-
Male.....	86	-	-	-	-	-	-	2	8	25	30	21	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
<b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>													
All origins, both sexes.....	12,165	4	8	30	20	48	306	1,322	2,340	3,239	3,355	1,493	-
Male.....	7,587	1	-	19	7	31	217	947	1,658	2,087	1,924	696	-
Female.....	4,578	3	8	11	13	17	89	375	682	1,152	1,431	797	-
Hispanic, both sexes.....	659	2	3	2	1	6	37	103	160	152	146	47	-
Male.....	426	-	-	2	-	4	26	72	106	97	95	24	-
Female.....	233	2	3	-	1	2	11	31	54	55	51	23	-
Non-Hispanic 1/, both sexes.....	11,477	2	5	28	19	42	268	1,216	2,173	3,079	3,200	1,445	-
Male.....	7,141	1	-	17	7	27	190	873	1,546	1,984	1,825	671	-
Female.....	4,336	1	5	11	12	15	78	343	627	1,095	1,375	774	-
Non-Hispanic white, both sexes.....	10,179	2	5	23	15	24	211	1,011	1,898	2,754	2,903	1,333	-
Male.....	6,363	1	-	14	5	15	150	741	1,355	1,785	1,668	629	-
Female.....	3,816	1	5	9	10	9	61	270	543	969	1,235	704	-
Non-Hispanic black, both sexes.....	1,062	-	-	5	3	17	45	163	226	260	250	93	-
Male.....	626	-	-	3	2	11	31	103	164	151	125	36	-
Female.....	436	-	-	2	1	6	14	60	62	109	125	57	-
Origin not stated 2/, both sexes.....	29	-	-	-	-	-	1	3	7	8	9	1	-
Male.....	20	-	-	-	-	-	1	2	6	6	4	1	-
Female.....	9	-	-	-	-	-	-	1	1	2	5	-	-
<b>Malignant neoplasm of bladder (C67)</b>													
All origins, both sexes.....	12,628	-	-	3	1	14	123	503	1,310	2,907	4,707	3,059	1
Male.....	8,504	-	-	1	-	9	78	352	984	2,089	3,199	1,791	1
Female.....	4,124	-	-	2	1	5	45	151	326	818	1,508	1,268	-
Hispanic, both sexes.....	387	-	-	1	-	-	5	24	57	91	110	99	-
Male.....	252	-	-	-	-	-	2	16	39	67	68	60	-
Female.....	135	-	-	1	-	-	3	8	18	24	42	39	-
Non-Hispanic 1/, both sexes.....	12,211	-	-	2	1	14	118	476	1,248	2,809	4,591	2,952	-
Male.....	8,235	-	-	1	-	9	76	335	941	2,019	3,128	1,726	-
Female.....	3,976	-	-	1	1	5	42	141	307	790	1,463	1,226	-
Non-Hispanic white, both sexes.....	11,109	-	-	2	-	10	100	416	1,112	2,531	4,232	2,706	-
Male.....	7,649	-	-	1	-	6	66	302	866	1,864	2,921	1,623	-
Female.....	3,460	-	-	1	-	4	34	114	246	667	1,311	1,083	-
Non-Hispanic black, both sexes.....	931	-	-	-	-	4	13	49	116	242	295	212	-
Male.....	475	-	-	-	-	3	7	26	63	128	164	84	-
Female.....	456	-	-	-	-	1	6	23	53	114	131	128	-
Origin not stated 2/, both sexes.....	30	-	-	-	-	-	-	3	5	7	6	8	1
Male.....	17	-	-	-	-	-	-	1	4	3	3	5	1
Female.....	13	-	-	-	-	-	-	2	1	4	3	3	-



Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Non-Hodgkin's lymphoma (C82-C85)</b>													
All origins, both sexes.....	21,910	2	15	57	142	281	687	1,581	3,049	5,264	7,283	3,549	-
Male.....	11,538	1	6	40	93	178	439	978	1,838	2,986	3,594	1,385	-
Female.....	10,372	1	9	17	49	103	248	603	1,211	2,278	3,689	2,164	-
Hispanic, both sexes.....	1,068	-	2	7	25	41	78	108	186	268	262	91	-
Male.....	549	-	-	3	19	25	45	65	109	136	111	36	-
Female.....	519	-	2	4	6	16	33	43	77	132	151	55	-
Non-Hispanic 1/, both sexes.....	20,780	2	13	50	115	240	603	1,466	2,857	4,983	6,999	3,452	-
Male.....	10,953	1	6	37	73	153	389	910	1,725	2,838	3,472	1,349	-
Female.....	9,827	1	7	13	42	87	214	556	1,132	2,145	3,527	2,103	-
Non-Hispanic white, both sexes.....	18,901	1	12	38	80	162	463	1,198	2,517	4,523	6,597	3,310	-
Male.....	9,961	-	6	29	55	106	297	763	1,526	2,600	3,287	1,292	-
Female.....	8,940	1	6	9	25	56	166	435	991	1,923	3,310	2,018	-
Non-Hispanic black, both sexes.....	1,446	1	1	10	24	63	112	215	277	356	284	103	-
Male.....	767	1	-	7	10	40	76	119	159	193	122	40	-
Female.....	679	-	1	3	14	23	36	96	118	163	162	63	-
Origin not stated 2/, both sexes.....	62	-	-	-	2	-	6	7	6	13	22	6	-
Male.....	36	-	-	-	1	-	5	3	4	12	11	-	-
Female.....	26	-	-	-	1	-	1	4	2	1	11	6	-
<b>Leukemia (C91-C95)</b>													
All origins, both sexes.....	21,498	21	104	316	472	471	767	1,459	2,611	4,818	6,763	3,696	-
Male.....	12,016	11	57	172	282	280	429	821	1,558	3,010	3,804	1,592	-
Female.....	9,482	10	47	144	190	191	338	638	1,053	1,808	2,959	2,104	-
Hispanic, both sexes.....	1,088	2	26	82	109	80	121	93	143	183	164	85	-
Male.....	601	1	12	41	73	57	69	51	67	97	94	39	-
Female.....	487	1	14	41	36	23	52	42	76	86	70	46	-
Non-Hispanic 1/, both sexes.....	20,363	18	78	234	362	390	645	1,360	2,464	4,622	6,586	3,604	-
Male.....	11,386	9	45	131	208	223	360	765	1,489	2,904	3,702	1,550	-
Female.....	8,977	9	33	103	154	167	285	595	975	1,718	2,884	2,054	-
Non-Hispanic white, both sexes.....	18,162	13	60	174	286	289	524	1,102	2,099	4,169	6,087	3,359	-
Male.....	10,218	8	36	95	167	168	294	626	1,290	2,631	3,446	1,457	-
Female.....	7,944	5	24	79	119	121	230	476	809	1,538	2,641	1,902	-
Non-Hispanic black, both sexes.....	1,752	4	13	40	53	68	89	197	295	372	405	216	-
Male.....	914	1	6	24	30	37	48	109	161	220	198	80	-
Female.....	838	3	7	16	23	31	41	88	134	152	207	136	-
Origin not stated 2/, both sexes.....	47	1	-	-	1	1	1	6	4	13	13	7	-
Male.....	29	1	-	-	1	-	-	5	2	9	8	3	-
Female.....	18	-	-	-	-	1	1	1	2	4	5	4	-
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>													
All origins, both sexes.....	11,392	2	-	-	2	12	138	736	1,669	3,176	3,971	1,686	-
Male.....	5,953	-	-	-	6	78	433	966	1,746	2,018	2,018	706	-
Female.....	5,439	2	-	-	2	60	303	703	1,430	1,953	1,953	980	-
Hispanic, both sexes.....	572	1	-	-	1	3	14	66	98	169	160	60	-
Male.....	314	-	-	-	3	10	38	62	92	77	77	32	-
Female.....	258	1	-	-	1	4	28	36	77	83	83	28	-
Non-Hispanic 1/, both sexes.....	10,787	1	-	-	1	9	124	669	1,566	2,998	3,798	1,621	-
Male.....	5,623	-	-	-	3	68	394	902	1,649	1,934	1,934	673	-
Female.....	5,164	1	-	-	1	6	56	275	664	1,349	1,864	948	-
Non-Hispanic white, both sexes.....	8,843	-	-	-	1	7	78	456	1,179	2,419	3,283	1,420	-
Male.....	4,708	-	-	-	2	45	287	699	1,371	1,703	1,703	601	-
Female.....	4,135	-	-	-	1	5	33	169	480	1,048	1,580	819	-
Non-Hispanic black, both sexes.....	1,750	-	-	-	2	40	192	343	524	465	184	184	-
Male.....	830	-	-	-	1	21	99	182	257	205	65	65	-
Female.....	920	-	-	-	1	19	93	161	267	260	119	119	-
Origin not stated 2/, both sexes.....	33	-	-	-	-	-	-	1	5	9	13	5	-
Male.....	16	-	-	-	-	-	-	1	2	5	7	1	-
Female.....	17	-	-	-	-	-	-	-	3	4	6	4	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</b>													
All origins, both sexes.....	73	3	-	-	1	-	-	7	3	18	25	16	-
Male.....	44	3	-	-	1	-	-	4	2	15	12	7	-
Female.....	29	-	-	-	-	-	-	3	1	3	13	9	-
Hispanic, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	71	3	-	-	-	-	-	7	3	17	25	16	-
Male.....	43	3	-	-	-	-	-	4	2	15	12	7	-
Female.....	28	-	-	-	-	-	-	3	1	2	13	9	-
Non-Hispanic white, both sexes.....	59	1	-	-	-	-	-	6	3	16	20	13	-
Male.....	37	1	-	-	-	-	-	4	2	14	10	6	-
Female.....	22	-	-	-	-	-	-	2	1	2	10	7	-
Non-Hispanic black, both sexes.....	6	-	-	-	-	-	-	-	-	1	3	2	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	2	2	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31, C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</b>													
All origins, both sexes.....	62,969	24	124	288	527	734	2,043	5,493	9,723	14,757	18,685	10,570	1
Male.....	32,122	15	65	152	340	459	1,110	3,131	5,521	8,141	9,146	4,041	1
Female.....	30,847	9	59	136	187	275	933	2,362	4,202	6,616	9,539	6,529	-
Hispanic, both sexes.....	3,005	11	17	55	107	107	176	346	502	712	676	296	-
Male.....	1,566	7	9	30	69	69	94	189	277	362	338	122	-
Female.....	1,439	4	8	25	38	38	82	157	225	350	338	174	-
Non-Hispanic 1/, both sexes.....	59,797	13	106	233	419	625	1,867	5,129	9,192	14,005	17,965	10,242	1
Male.....	30,463	8	56	122	270	389	1,016	2,929	5,225	7,755	8,782	3,910	1
Female.....	29,334	5	50	111	149	236	851	2,200	3,967	6,250	9,183	6,332	-
Non-Hispanic white, both sexes.....	51,731	11	73	171	319	465	1,433	4,032	7,635	12,071	16,159	9,361	1
Male.....	26,457	8	40	88	201	295	769	2,332	4,362	6,790	7,966	3,605	1
Female.....	25,274	3	33	83	118	170	664	1,700	3,273	5,281	8,193	5,756	-
Non-Hispanic black, both sexes.....	6,756	2	26	52	79	125	362	924	1,329	1,612	1,507	738	-
Male.....	3,340	-	12	28	54	67	200	509	739	813	675	243	-
Female.....	3,416	2	14	24	25	58	162	415	590	799	832	495	-
Origin not stated 2/, both sexes.....	167	-	1	-	1	2	-	18	29	40	44	32	-
Male.....	93	-	-	-	1	1	-	13	19	24	26	9	-
Female.....	74	-	1	-	-	1	-	5	10	16	18	23	-
<b>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</b>													
All origins, both sexes.....	13,299	69	60	89	87	163	366	714	1,193	2,348	4,597	3,613	-
Male.....	6,536	30	30	49	50	84	196	365	680	1,315	2,332	1,405	-
Female.....	6,763	39	30	40	37	79	170	349	513	1,033	2,265	2,208	-
Hispanic, both sexes.....	563	17	7	26	8	16	34	54	60	105	148	88	-
Male.....	282	9	4	15	5	8	15	26	35	54	77	34	-
Female.....	281	8	3	11	3	8	19	28	25	51	71	54	-
Non-Hispanic 1/, both sexes.....	12,708	52	53	63	78	147	328	659	1,131	2,241	4,436	3,520	-
Male.....	6,237	21	26	34	44	76	179	339	645	1,260	2,245	1,368	-
Female.....	6,471	31	27	29	34	71	149	320	486	981	2,191	2,152	-
Non-Hispanic white, both sexes.....	11,332	42	36	41	59	105	251	530	962	1,985	4,063	3,258	-
Male.....	5,607	18	17	22	32	62	149	283	547	1,135	2,069	1,273	-
Female.....	5,725	24	19	19	27	43	102	247	415	850	1,994	1,985	-
Non-Hispanic black, both sexes.....	1,134	9	14	18	15	31	67	112	144	211	300	213	-
Male.....	496	2	8	9	9	8	25	46	83	98	134	74	-
Female.....	638	7	6	9	6	23	42	66	61	113	166	139	-
Origin not stated 2/, both sexes.....	28	-	-	-	1	-	4	1	2	2	13	5	-
Male.....	17	-	-	-	1	-	2	-	-	1	10	3	-
Female.....	11	-	-	-	-	-	2	1	2	1	3	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Anemias (D50-D64)</b>													
All origins, both sexes.....	4,614	18	21	53	111	180	196	250	264	508	1,161	1,852	-
Male.....	1,781	12	9	26	67	101	96	109	131	244	454	532	-
Female.....	2,833	6	12	27	44	79	100	141	133	264	707	1,320	-
Hispanic, both sexes.....	208	2	3	4	8	11	11	12	14	37	44	62	-
Male.....	106	1	1	3	5	5	9	7	8	17	18	32	-
Female.....	102	1	2	1	3	6	2	5	6	20	26	30	-
Non-Hispanic 1/, both sexes.....	4,391	14	17	49	103	167	182	237	250	470	1,114	1,788	-
Male.....	1,671	9	8	23	62	96	86	102	123	227	435	500	-
Female.....	2,720	5	9	26	41	71	96	135	127	243	679	1,288	-
Non-Hispanic white, both sexes.....	3,253	5	10	19	23	33	34	90	147	361	944	1,587	-
Male.....	1,164	2	4	8	13	20	18	45	75	172	371	436	-
Female.....	2,089	3	6	11	10	13	16	45	72	189	573	1,151	-
Non-Hispanic black, both sexes.....	1,048	5	7	26	78	127	142	141	94	100	153	175	-
Male.....	472	4	4	14	49	72	66	55	46	51	58	53	-
Female.....	576	1	3	12	29	55	76	86	48	49	95	122	-
Origin not stated 2/, both sexes.....	15	2	1	-	-	2	3	1	-	1	3	2	-
Male.....	4	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	11	-	1	-	-	2	2	1	-	1	2	2	-
<b>Diabetes mellitus (E10-E14)</b>													
All origins, both sexes.....	73,249	1	3	34	171	642	2,164	5,496	10,022	16,709	23,282	14,724	1
Male.....	34,301	-	1	22	98	385	1,330	3,225	5,683	8,417	10,295	4,844	1
Female.....	38,948	1	2	12	73	257	834	2,271	4,339	8,292	12,987	9,880	-
Hispanic, both sexes.....	5,912	-	-	1	15	56	205	513	1,029	1,591	1,712	790	-
Male.....	2,779	-	-	1	10	34	124	305	551	752	748	254	-
Female.....	3,133	-	-	-	5	22	81	208	478	839	964	536	-
Non-Hispanic 1/, both sexes.....	67,112	1	3	33	155	584	1,946	4,961	8,958	15,070	21,499	13,901	1
Male.....	31,399	-	1	21	87	349	1,196	2,906	5,112	7,639	9,511	4,576	1
Female.....	35,713	1	2	12	68	235	750	2,055	3,846	7,431	11,988	9,325	-
Non-Hispanic white, both sexes.....	52,463	1	3	19	95	382	1,345	3,385	6,403	11,337	17,692	11,801	-
Male.....	25,273	-	1	16	51	231	849	2,054	3,815	6,041	8,151	4,064	-
Female.....	27,190	1	2	3	44	151	496	1,331	2,588	5,296	9,541	7,737	-
Non-Hispanic black, both sexes.....	12,583	-	-	14	57	194	554	1,393	2,204	3,152	3,213	1,801	1
Male.....	5,158	-	-	5	34	112	316	744	1,104	1,320	1,135	387	1
Female.....	7,425	-	-	9	23	82	238	649	1,100	1,832	2,078	1,414	-
Origin not stated 2/, both sexes.....	225	-	-	-	1	2	13	22	35	48	71	33	-
Male.....	123	-	-	-	1	2	10	14	20	26	36	14	-
Female.....	102	-	-	-	-	-	3	8	15	22	35	19	-
<b>Nutritional deficiencies (E40-E64)</b>													
All origins, both sexes.....	3,779	4	1	1	7	16	60	102	168	382	1,132	1,906	-
Male.....	1,321	3	1	-	4	7	31	48	93	186	434	514	-
Female.....	2,458	1	-	1	3	9	29	54	75	196	698	1,392	-
Hispanic, both sexes.....	141	2	-	-	3	1	3	5	4	21	49	53	-
Male.....	61	1	-	-	1	1	3	3	2	13	19	18	-
Female.....	80	1	-	-	2	-	-	2	2	8	30	35	-
Non-Hispanic 1/, both sexes.....	3,621	2	1	1	4	15	56	97	164	358	1,077	1,846	-
Male.....	1,255	2	1	-	3	6	28	45	91	173	412	494	-
Female.....	2,366	-	-	1	1	9	28	52	73	185	665	1,352	-
Non-Hispanic white, both sexes.....	3,064	1	1	-	3	12	37	76	117	280	922	1,615	-
Male.....	1,039	1	1	-	2	5	19	31	57	137	348	438	-
Female.....	2,025	-	-	-	1	7	18	45	60	143	574	1,177	-
Non-Hispanic black, both sexes.....	495	-	-	1	1	3	16	20	46	70	139	199	-
Male.....	185	-	-	-	1	1	7	14	33	31	56	42	-
Female.....	310	-	-	1	-	2	9	6	13	39	83	157	-
Origin not stated 2/, both sexes.....	17	-	-	-	-	1	-	-	-	3	6	7	-
Male.....	5	-	-	-	-	-	-	-	-	-	3	2	-
Female.....	12	-	-	-	-	-	1	-	-	3	3	5	-



Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malnutrition (E40-E46)</b>													
All origins, both sexes.....	3,510	2	1	1	6	13	55	91	156	354	1,067	1,764	-
Male.....	1,233	1	1	-	4	5	28	42	84	174	406	488	-
Female.....	2,277	1	-	1	2	8	27	49	72	180	661	1,276	-
Hispanic, both sexes.....	136	1	-	-	2	1	3	4	4	21	49	51	-
Male.....	58	-	-	-	1	1	3	2	2	13	19	17	-
Female.....	78	1	-	-	1	-	-	2	2	8	30	34	-
Non-Hispanic 1/, both sexes.....	3,358	1	1	1	4	12	51	87	152	330	1,013	1,706	-
Male.....	1,171	1	1	-	3	4	25	40	82	161	385	469	-
Female.....	2,187	-	-	1	1	8	26	47	70	169	628	1,237	-
Non-Hispanic white, both sexes.....	2,836	1	1	-	3	9	34	67	108	262	864	1,487	-
Male.....	970	1	1	-	2	3	17	27	51	129	325	414	-
Female.....	1,866	-	-	-	1	6	17	40	57	133	539	1,073	-
Non-Hispanic black, both sexes.....	465	-	-	1	1	3	14	19	44	60	134	189	-
Male.....	172	-	-	-	1	1	6	13	31	27	52	41	-
Female.....	293	-	-	1	-	2	8	6	13	33	82	148	-
Origin not stated 2/, both sexes.....	16	-	-	-	-	-	1	-	-	3	5	7	-
Male.....	4	-	-	-	-	-	-	-	-	-	2	2	-
Female.....	12	-	-	-	-	-	1	-	-	3	3	5	-
<b>Other nutritional deficiencies (E50-E64)</b>													
All origins, both sexes.....	269	2	-	-	1	3	5	11	12	28	65	142	-
Male.....	88	2	-	-	-	2	3	6	9	12	28	26	-
Female.....	181	-	-	-	1	1	2	5	3	16	37	116	-
Hispanic, both sexes.....	5	1	-	-	1	-	-	1	-	-	-	2	-
Male.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	263	1	-	-	-	3	5	10	12	28	64	140	-
Male.....	84	1	-	-	-	2	3	5	9	12	27	25	-
Female.....	179	-	-	-	-	1	2	5	3	16	37	115	-
Non-Hispanic white, both sexes.....	228	-	-	-	-	3	3	9	9	18	58	128	-
Male.....	69	-	-	-	-	2	2	4	6	8	23	24	-
Female.....	159	-	-	-	-	1	1	5	3	10	35	104	-
Non-Hispanic black, both sexes.....	30	-	-	-	-	-	2	1	2	10	5	10	-
Male.....	13	-	-	-	-	-	1	1	2	4	4	1	-
Female.....	17	-	-	-	-	-	1	-	-	6	1	9	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Meningitis (G00,G03)</b>													
All origins, both sexes.....	700	74	19	31	26	36	61	116	88	109	84	55	1
Male.....	389	41	13	16	15	19	43	71	48	62	41	19	1
Female.....	311	33	6	15	11	17	18	45	40	47	43	36	-
Hispanic, both sexes.....	70	8	5	-	6	5	9	8	8	11	9	1	-
Male.....	42	6	4	-	5	3	5	5	4	6	3	1	-
Female.....	28	2	1	-	1	2	4	3	4	5	6	-	-
Non-Hispanic 1/, both sexes.....	625	66	14	31	20	31	51	107	79	98	73	54	1
Male.....	344	35	9	16	10	16	37	66	43	56	37	18	1
Female.....	281	31	5	15	10	15	14	41	36	42	36	36	-
Non-Hispanic white, both sexes.....	427	44	10	20	12	15	30	62	49	77	58	49	1
Male.....	227	23	6	11	5	6	20	37	27	45	32	14	1
Female.....	200	21	4	9	7	9	10	25	22	32	26	35	-
Non-Hispanic black, both sexes.....	175	20	4	10	6	15	19	40	23	21	13	4	-
Male.....	105	11	3	5	5	9	15	26	12	11	5	3	-
Female.....	70	9	1	5	1	6	4	14	11	10	8	1	-
Origin not stated 2/, both sexes.....	5	-	-	-	-	-	1	1	1	-	2	-	-
Male.....	3	-	-	-	-	-	1	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Parkinson's disease (G20-G21)</b>													
All origins, both sexes.....	16,959	-	-	-	-	-	6	58	318	2,226	8,139	6,212	-
Male.....	9,593	-	-	-	-	-	3	40	193	1,487	4,811	3,059	-
Female.....	7,366	-	-	-	-	-	3	18	125	739	3,328	3,153	-
Hispanic, both sexes.....	491	-	-	-	-	-	1	6	21	102	223	138	-
Male.....	281	-	-	-	-	-	1	3	16	71	122	68	-
Female.....	210	-	-	-	-	-	-	3	5	31	101	70	-
Non-Hispanic 1/, both sexes.....	16,435	-	-	-	-	-	5	52	296	2,120	7,899	6,063	-
Male.....	9,290	-	-	-	-	-	2	37	176	1,413	4,677	2,985	-
Female.....	7,145	-	-	-	-	-	3	15	120	707	3,222	3,078	-
Non-Hispanic white, both sexes.....	15,626	-	-	-	-	-	2	48	269	1,959	7,545	5,803	-
Male.....	8,838	-	-	-	-	-	1	33	163	1,312	4,473	2,856	-
Female.....	6,788	-	-	-	-	-	1	15	106	647	3,072	2,947	-
Non-Hispanic black, both sexes.....	547	-	-	-	-	-	1	3	18	111	243	171	-
Male.....	306	-	-	-	-	-	-	3	9	76	138	80	-
Female.....	241	-	-	-	-	-	1	-	9	35	105	91	-
Origin not stated 2/, both sexes.....	33	-	-	-	-	-	-	-	1	4	17	11	-
Male.....	22	-	-	-	-	-	-	-	1	3	12	6	-
Female.....	11	-	-	-	-	-	-	-	-	1	5	5	-
<b>Alzheimer's disease (G30)</b>													
All origins, both sexes.....	58,866	-	-	1	-	2	12	52	510	3,602	20,135	34,552	-
Male.....	16,989	-	-	-	-	2	8	27	228	1,547	7,227	7,950	-
Female.....	41,877	-	-	1	-	-	4	25	282	2,055	12,908	26,602	-
Hispanic, both sexes.....	1,474	-	-	-	-	-	1	-	20	127	535	791	-
Male.....	464	-	-	-	-	-	1	-	8	55	196	204	-
Female.....	1,010	-	-	-	-	-	-	-	12	72	339	587	-
Non-Hispanic 1/, both sexes.....	57,246	-	-	1	-	2	11	52	488	3,463	19,552	33,677	-
Male.....	16,491	-	-	-	-	2	7	27	220	1,487	7,015	7,733	-
Female.....	40,755	-	-	1	-	-	4	25	268	1,976	12,537	25,944	-
Non-Hispanic white, both sexes.....	53,486	-	-	1	-	1	6	49	448	3,149	18,227	31,605	-
Male.....	15,399	-	-	-	-	1	4	24	203	1,353	6,544	7,270	-
Female.....	38,087	-	-	1	-	2	25	25	245	1,796	11,683	24,335	-
Non-Hispanic black, both sexes.....	3,303	-	-	-	-	1	4	3	31	277	1,173	1,814	-
Male.....	940	-	-	-	-	1	3	3	14	122	418	379	-
Female.....	2,363	-	-	-	-	-	1	-	17	155	755	1,435	-
Origin not stated 2/, both sexes.....	146	-	-	-	-	-	-	-	2	12	48	84	-
Male.....	34	-	-	-	-	-	-	-	-	5	16	13	-
Female.....	112	-	-	-	-	-	-	-	2	7	32	71	-
<b>Major cardiovascular diseases (I00-I78)</b>													
All origins, both sexes.....	918,628	640	223	358	1,283	3,986	16,962	45,800	78,430	144,071	287,415	339,409	51
Male.....	429,682	343	122	194	845	2,568	11,356	31,928	52,037	85,319	138,770	106,164	36
Female.....	488,946	297	101	164	438	1,418	5,606	13,872	26,393	58,752	148,645	233,245	15
Hispanic, both sexes.....	36,543	109	36	51	176	445	1,184	2,690	4,460	7,342	10,362	9,687	1
Male.....	18,824	52	16	21	122	322	829	1,876	2,958	4,304	5,039	3,284	1
Female.....	17,719	57	20	30	54	123	355	814	1,502	3,038	5,323	6,403	-
Non-Hispanic 1/, both sexes.....	879,170	528	187	307	1,105	3,522	15,707	42,913	73,650	136,175	276,232	328,806	38
Male.....	409,343	289	106	173	721	2,234	10,477	29,901	48,851	80,666	133,303	102,597	25
Female.....	469,827	239	81	134	384	1,288	5,230	13,012	24,799	55,509	142,929	226,209	13
Non-Hispanic white, both sexes.....	758,738	314	125	195	695	2,121	10,838	30,798	56,865	112,288	244,074	300,399	26
Male.....	352,520	177	77	111	462	1,387	7,559	22,435	38,736	68,016	119,331	94,211	18
Female.....	406,218	137	48	84	233	734	3,279	8,363	18,129	44,272	124,743	206,188	8
Non-Hispanic black, both sexes.....	103,054	183	50	93	356	1,252	4,363	10,923	14,834	20,461	26,932	23,596	11
Male.....	47,656	96	24	50	217	739	2,551	6,635	8,862	10,770	11,323	6,383	6
Female.....	55,398	87	26	43	139	513	1,812	4,288	5,972	9,691	15,609	17,213	5
Origin not stated 2/, both sexes.....	2,915	3	-	-	2	19	71	197	320	554	821	916	12
Male.....	1,515	2	-	-	2	12	50	151	228	349	428	283	10
Female.....	1,400	1	-	-	-	7	21	46	92	205	393	633	2

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>													
All origins, both sexes.....	696,947	500	165	255	1,022	3,165	13,688	37,570	64,234	112,547	213,581	250,173	47
Male.....	340,933	267	87	141	686	2,131	9,638	27,239	43,900	68,658	107,217	80,935	34
Female.....	356,014	233	78	114	336	1,034	4,050	10,331	20,334	43,889	106,364	169,238	13
Hispanic, both sexes.....	27,887	85	24	30	128	321	852	2,020	3,492	5,719	7,779	7,436	1
Male.....	14,798	41	11	14	94	242	625	1,467	2,393	3,441	3,898	2,571	1
Female.....	13,089	44	13	16	34	79	227	553	1,099	2,278	3,881	4,865	-
Non-Hispanic 1/, both sexes.....	666,690	413	141	225	892	2,827	12,780	35,376	60,465	106,351	205,156	242,030	34
Male.....	324,848	225	76	127	590	1,878	8,972	25,636	41,305	64,912	102,972	78,132	23
Female.....	341,842	188	65	98	302	949	3,808	9,740	19,160	41,439	102,184	163,898	11
Non-Hispanic white, both sexes.....	577,761	249	91	146	547	1,718	9,114	26,206	47,494	88,528	181,975	221,670	23
Male.....	281,442	139	54	85	370	1,177	6,657	19,774	33,313	55,265	92,616	71,976	16
Female.....	296,319	110	37	61	177	541	2,457	6,432	14,181	33,263	89,359	149,694	7
Non-Hispanic black, both sexes.....	76,694	142	40	65	299	993	3,312	8,318	11,554	15,411	19,520	17,030	10
Male.....	36,596	76	18	33	185	612	2,031	5,214	7,028	8,247	8,428	4,718	6
Female.....	40,098	66	22	32	114	381	1,281	3,104	4,526	7,164	11,092	12,312	4
Origin not stated 2/, both sexes.....	2,370	2	-	-	2	17	56	174	277	477	646	707	12
Male.....	1,287	1	-	-	2	11	41	136	202	305	347	232	10
Female.....	1,083	1	-	-	-	6	15	38	75	172	299	475	2
<b>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</b>													
All origins, both sexes.....	3,579	4	1	6	18	36	95	237	433	703	1,227	819	-
Male.....	1,078	3	1	2	8	18	45	95	156	245	341	164	-
Female.....	2,501	1	-	4	10	18	50	142	277	458	886	655	-
Hispanic, both sexes.....	198	-	-	-	2	11	11	24	35	54	42	19	-
Male.....	55	-	-	-	1	5	4	9	13	15	4	4	-
Female.....	143	-	-	-	1	6	7	15	22	39	38	15	-
Non-Hispanic 1/, both sexes.....	3,375	4	1	6	16	25	84	212	397	647	1,183	800	-
Male.....	1,021	3	1	2	7	13	41	85	142	230	337	160	-
Female.....	2,354	1	-	4	9	12	43	127	255	417	846	640	-
Non-Hispanic white, both sexes.....	3,007	4	1	3	8	14	57	156	313	575	1,109	767	-
Male.....	897	3	1	2	3	7	26	63	113	205	319	155	-
Female.....	2,110	1	-	1	5	7	31	93	200	370	790	612	-
Non-Hispanic black, both sexes.....	249	-	-	2	5	9	20	44	62	48	42	17	-
Male.....	91	-	-	-	3	4	12	17	21	20	11	3	-
Female.....	158	-	-	2	2	5	8	27	41	28	31	14	-
Origin not stated 2/, both sexes.....	6	-	-	-	-	-	-	1	1	2	2	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	2	2	-	-
<b>Hypertensive heart disease (I11)</b>													
All origins, both sexes.....	26,551	-	-	2	30	297	1,213	2,882	3,320	3,895	6,321	8,587	4
Male.....	11,660	-	-	1	26	215	849	1,938	2,159	2,088	2,509	1,871	4
Female.....	14,891	-	-	1	4	82	364	944	1,161	1,807	3,812	6,716	-
Hispanic, both sexes.....	1,424	-	-	-	4	31	97	180	241	264	308	299	-
Male.....	781	-	-	-	4	25	78	135	159	149	149	82	-
Female.....	643	-	-	-	-	6	19	45	82	115	159	217	-
Non-Hispanic 1/, both sexes.....	24,976	-	-	2	26	265	1,109	2,679	3,060	3,591	5,985	8,257	2
Male.....	10,790	-	-	1	22	190	765	1,784	1,988	1,916	2,344	1,778	2
Female.....	14,186	-	-	1	4	75	344	895	1,072	1,675	3,641	6,479	-
Non-Hispanic white, both sexes.....	18,060	-	-	1	10	110	587	1,519	1,832	2,380	4,574	7,046	1
Male.....	7,427	-	-	1	9	83	436	1,088	1,239	1,294	1,793	1,483	1
Female.....	10,633	-	-	-	1	27	151	431	593	1,086	2,781	5,563	-
Non-Hispanic black, both sexes.....	6,385	-	-	1	15	149	491	1,115	1,158	1,124	1,267	1,065	-
Male.....	3,089	-	-	-	12	101	307	662	707	574	484	242	-
Female.....	3,296	-	-	1	3	48	184	453	451	550	783	823	-
Origin not stated 2/, both sexes.....	151	-	-	-	-	1	7	23	19	40	28	31	2
Male.....	89	-	-	-	-	-	6	19	12	23	16	11	2
Female.....	62	-	-	-	-	1	1	4	7	17	12	20	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hypertensive heart and renal disease (I13)</b>													
All origins, both sexes.....	2,895	-	-	-	5	28	77	165	273	402	866	1,079	-
Male.....	1,205	-	-	-	3	19	44	105	158	198	357	321	-
Female.....	1,690	-	-	-	2	9	33	60	115	204	509	758	-
Hispanic, both sexes.....	172	-	-	-	2	3	4	11	26	34	51	41	-
Male.....	80	-	-	-	1	1	2	5	18	18	20	15	-
Female.....	92	-	-	-	1	2	2	6	8	16	31	26	-
Non-Hispanic 1/, both sexes.....	2,714	-	-	-	3	25	73	153	247	365	812	1,036	-
Male.....	1,120	-	-	-	2	18	42	99	140	178	336	305	-
Female.....	1,594	-	-	-	1	7	31	54	107	187	476	731	-
Non-Hispanic white, both sexes.....	1,752	-	-	-	-	8	17	29	82	184	604	828	-
Male.....	679	-	-	-	-	5	13	19	47	96	256	243	-
Female.....	1,073	-	-	-	-	3	4	10	35	88	348	585	-
Non-Hispanic black, both sexes.....	897	-	-	-	2	17	54	124	159	165	187	189	-
Male.....	402	-	-	-	1	13	27	80	88	70	66	57	-
Female.....	495	-	-	-	1	4	27	44	71	95	121	132	-
Origin not stated 2/, both sexes.....	9	-	-	-	-	-	-	1	-	3	3	2	-
Male.....	5	-	-	-	-	-	-	1	-	2	1	1	-
Female.....	4	-	-	-	-	-	-	-	-	1	2	1	-
<b>Ischemic heart diseases (I20-I25)</b>													
All origins, both sexes.....	494,382	23	7	20	133	996	7,683	25,575	47,262	83,867	155,391	173,388	37
Male.....	252,760	15	4	13	92	741	5,840	19,551	33,656	53,136	81,239	58,446	27
Female.....	241,622	8	3	7	41	255	1,843	6,024	13,606	30,731	74,152	114,942	10
Hispanic, both sexes.....	20,941	4	1	3	18	88	442	1,389	2,683	4,510	6,060	5,742	1
Male.....	11,295	2	-	2	12	76	346	1,058	1,907	2,775	3,099	2,017	1
Female.....	9,646	2	1	1	6	12	96	331	776	1,735	2,961	3,725	-
Non-Hispanic 1/, both sexes.....	471,655	19	6	17	114	900	7,214	24,069	44,359	78,987	148,834	167,107	29
Male.....	240,462	13	4	11	79	658	5,475	18,400	31,581	50,116	77,866	56,240	19
Female.....	231,193	6	2	6	35	242	1,739	5,669	12,778	28,871	70,968	110,867	10
Non-Hispanic white, both sexes.....	413,230	11	4	12	76	650	5,565	18,799	35,799	66,553	132,548	153,193	20
Male.....	211,391	8	2	8	54	493	4,346	14,856	26,108	43,205	70,370	51,928	13
Female.....	201,839	3	2	4	22	157	1,219	3,943	9,691	23,348	62,178	101,265	7
Non-Hispanic black, both sexes.....	49,522	7	2	5	31	210	1,441	4,665	7,504	10,598	13,541	11,509	9
Male.....	23,976	4	2	3	18	131	947	3,053	4,722	5,811	6,013	3,266	6
Female.....	25,546	3	-	2	13	79	494	1,612	2,782	4,787	7,528	8,243	3
Origin not stated 2/, both sexes.....	1,786	-	-	-	1	8	27	117	220	370	497	539	7
Male.....	1,003	-	-	-	1	7	19	93	168	245	274	189	7
Female.....	783	-	-	-	-	1	8	24	52	125	223	350	-
<b>Acute myocardial infarction (I21-I22)</b>													
All origins, both sexes.....	179,514	11	5	7	62	400	3,161	10,619	19,933	34,003	56,590	54,718	5
Male.....	93,830	7	2	2	41	292	2,347	7,995	13,966	21,264	28,919	18,991	4
Female.....	85,684	4	3	5	21	108	814	2,624	5,967	12,739	27,671	35,727	1
Hispanic, both sexes.....	7,631	3	1	1	7	34	177	518	1,089	1,726	2,184	1,891	-
Male.....	4,125	2	-	-	5	29	126	382	755	1,043	1,121	662	-
Female.....	3,506	1	1	1	2	5	51	136	334	683	1,063	1,229	-
Non-Hispanic 1/, both sexes.....	171,441	8	4	6	55	365	2,975	10,076	18,801	32,172	54,285	52,689	5
Male.....	89,480	5	2	2	36	262	2,215	7,597	13,183	20,161	27,736	18,277	4
Female.....	81,961	3	2	4	19	103	760	2,479	5,618	12,011	26,549	34,412	1
Non-Hispanic white, both sexes.....	150,051	6	4	4	36	267	2,345	8,094	15,624	27,467	48,317	47,883	4
Male.....	79,037	4	2	2	25	200	1,793	6,306	11,266	17,673	25,306	16,727	3
Female.....	71,014	2	2	2	11	67	552	1,788	4,358	9,794	23,281	31,156	1
Non-Hispanic black, both sexes.....	18,162	2	-	2	15	88	556	1,756	2,800	3,993	4,939	4,010	1
Male.....	8,607	1	-	-	7	54	359	1,109	1,651	2,086	2,154	1,185	1
Female.....	9,555	1	-	2	8	34	197	647	1,149	1,907	2,785	2,825	-
Origin not stated 2/, both sexes.....	442	-	-	-	-	1	9	25	43	105	121	138	-
Male.....	225	-	-	-	-	1	6	16	28	60	62	52	-
Female.....	217	-	-	-	-	-	3	9	15	45	59	86	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other acute ischemic heart diseases (I24)</b>													
All origins, both sexes.....	3,407	2	-	1	4	18	77	345	460	631	898	971	-
Male.....	1,767	1	-	1	1	12	50	250	320	390	444	298	-
Female.....	1,640	1	-	-	3	6	27	95	140	241	454	673	-
Hispanic, both sexes.....	64	-	-	1	1	1	1	10	12	14	15	9	-
Male.....	40	-	-	1	-	1	1	8	9	10	7	3	-
Female.....	24	-	-	-	1	-	-	2	3	4	8	6	-
Non-Hispanic 1/, both sexes.....	3,339	2	-	-	2	17	75	335	447	617	883	961	-
Male.....	1,725	1	-	-	-	11	49	242	311	380	437	294	-
Female.....	1,614	1	-	-	2	6	26	93	136	237	446	667	-
Non-Hispanic white, both sexes.....	2,843	1	-	-	1	11	54	251	356	510	782	877	-
Male.....	1,454	1	-	-	-	7	41	179	251	313	390	272	-
Female.....	1,389	-	-	-	1	4	13	72	105	197	392	605	-
Non-Hispanic black, both sexes.....	443	1	-	-	1	6	19	78	78	100	89	71	-
Male.....	242	-	-	-	-	4	6	58	50	64	40	20	-
Female.....	201	1	-	-	1	2	13	20	28	36	49	51	-
Origin not stated 2/, both sexes.....	4	-	-	-	1	-	1	-	1	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
<b>Other forms of chronic ischemic heart disease (I20,I25)</b>													
All origins, both sexes.....	311,461	10	2	12	67	578	4,445	14,611	26,869	49,233	97,903	117,699	32
Male.....	157,163	7	2	10	50	437	3,443	11,306	19,370	31,482	51,876	39,157	23
Female.....	154,298	3	-	2	17	141	1,002	3,305	7,499	17,751	46,027	78,542	9
Hispanic, both sexes.....	13,246	1	-	1	10	53	264	861	1,582	2,770	3,861	3,842	1
Male.....	7,130	-	-	1	7	46	219	668	1,143	1,722	1,971	1,352	1
Female.....	6,116	1	-	-	3	7	45	193	439	1,048	1,890	2,490	-
Non-Hispanic 1/, both sexes.....	296,875	9	2	11	57	518	4,164	13,658	25,111	46,198	93,666	113,457	24
Male.....	149,257	7	2	9	43	385	3,211	10,561	18,087	29,575	49,693	37,669	15
Female.....	147,618	2	-	2	14	133	953	3,097	7,024	16,623	43,973	75,788	9
Non-Hispanic white, both sexes.....	260,336	4	-	8	39	372	3,166	10,454	19,819	38,576	83,449	104,433	16
Male.....	130,900	3	-	6	29	286	2,512	8,371	14,591	25,219	44,944	34,929	10
Female.....	129,436	1	-	2	10	86	654	2,083	5,228	13,357	38,505	69,504	6
Non-Hispanic black, both sexes.....	30,917	4	2	3	15	116	866	2,831	4,626	6,505	8,513	7,428	8
Male.....	15,127	3	2	3	11	73	582	1,886	3,021	3,661	3,819	2,061	5
Female.....	15,790	1	-	-	4	43	284	945	1,605	2,844	4,694	5,367	3
Origin not stated 2/, both sexes.....	1,340	-	-	-	-	7	17	92	176	265	376	400	7
Male.....	776	-	-	-	-	6	13	77	140	185	212	136	7
Female.....	564	-	-	-	-	1	4	15	36	80	164	264	-
<b>Atherosclerotic cardiovascular disease, so described (I25.0)</b>													
All origins, both sexes.....	68,129	2	-	1	17	181	1,515	5,366	8,793	11,817	18,618	21,796	23
Male.....	36,047	1	-	-	13	144	1,216	4,239	6,549	7,617	9,416	6,835	17
Female.....	32,082	1	-	1	4	37	299	1,127	2,244	4,200	9,202	14,961	6
Hispanic, both sexes.....	3,166	1	-	-	4	26	108	327	586	722	744	647	1
Male.....	1,946	-	-	-	3	24	89	270	461	475	375	248	1
Female.....	1,220	1	-	-	1	2	19	57	125	247	369	399	-
Non-Hispanic 1/, both sexes.....	64,528	1	-	1	13	152	1,403	4,987	8,109	10,992	17,771	21,082	17
Male.....	33,809	1	-	-	10	118	1,124	3,927	6,004	7,076	8,977	6,561	11
Female.....	30,719	-	-	1	3	34	279	1,060	2,105	3,916	8,794	14,521	6
Non-Hispanic white, both sexes.....	53,161	1	-	1	11	105	1,020	3,703	6,043	8,444	14,972	18,851	10
Male.....	27,493	1	-	-	8	84	844	3,008	4,559	5,526	7,583	5,874	6
Female.....	25,668	-	-	1	3	21	176	695	1,484	2,918	7,389	12,977	4
Non-Hispanic black, both sexes.....	10,024	-	-	-	2	39	333	1,156	1,844	2,258	2,466	1,919	7
Male.....	5,483	-	-	-	2	27	233	806	1,278	1,357	1,223	552	5
Female.....	4,541	-	-	-	-	12	100	350	566	901	1,243	1,367	2
Origin not stated 2/, both sexes.....	435	-	-	-	-	3	4	52	98	103	103	67	5
Male.....	292	-	-	-	-	2	3	42	84	66	64	26	5
Female.....	143	-	-	-	-	1	1	10	14	37	39	41	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All origins, both sexes.....	243,332	8	2	11	50	397	2,930	9,245	18,076	37,416	79,285	95,903	9
Male.....	121,116	6	2	10	37	293	2,227	7,067	12,821	23,865	42,460	32,322	6
Female.....	122,216	2	-	1	13	104	703	2,178	5,255	13,551	36,825	63,581	3
Hispanic, both sexes.....	10,080	-	-	1	6	27	156	534	996	2,048	3,117	3,195	-
Male.....	5,184	-	-	1	4	22	130	398	682	1,247	1,596	1,104	-
Female.....	4,896	-	-	-	2	5	26	136	314	801	1,521	2,091	-
Non-Hispanic 1/, both sexes.....	232,347	8	2	10	44	366	2,761	8,671	17,002	35,206	75,895	92,375	7
Male.....	115,448	6	2	9	33	267	2,087	6,634	12,083	22,499	40,716	31,108	4
Female.....	116,899	2	-	1	11	99	674	2,037	4,919	12,707	35,179	61,267	3
Non-Hispanic white, both sexes.....	207,175	3	-	7	28	267	2,146	6,751	13,776	30,132	68,477	85,582	6
Male.....	103,407	2	-	6	21	202	1,668	5,363	10,032	19,693	37,361	29,055	4
Female.....	103,768	1	-	1	7	65	478	1,388	3,744	10,439	31,116	56,527	2
Non-Hispanic black, both sexes.....	20,893	4	2	3	13	77	533	1,675	2,782	4,247	6,047	5,509	1
Male.....	9,644	3	2	3	9	46	349	1,080	1,743	2,304	2,596	1,509	-
Female.....	11,249	1	-	-	4	31	184	595	1,039	1,943	3,451	4,000	1
Origin not stated 2/, both sexes.....	905	-	-	-	-	4	13	40	78	162	273	333	2
Male.....	484	-	-	-	-	4	10	35	56	119	148	110	2
Female.....	421	-	-	-	-	-	3	5	22	43	125	223	-
Other heart diseases (I26-I51)													
All origins, both sexes.....	169,540	473	157	227	836	1,808	4,620	8,711	12,946	23,680	49,776	66,300	6
Male.....	74,230	249	82	125	557	1,138	2,860	5,550	7,771	12,991	22,771	20,133	3
Female.....	95,310	224	75	102	279	670	1,760	3,161	5,175	10,689	27,005	46,167	3
Hispanic, both sexes.....	5,152	81	23	27	102	188	298	416	507	857	1,318	1,335	-
Male.....	2,587	39	11	12	76	135	195	260	296	484	626	453	-
Female.....	2,565	42	12	15	26	53	103	156	211	373	692	882	-
Non-Hispanic 1/, both sexes.....	163,970	390	134	200	733	1,612	4,300	8,263	12,402	22,761	48,342	64,830	3
Male.....	71,455	209	71	113	480	999	2,649	5,268	7,454	12,472	22,089	19,649	2
Female.....	92,515	181	63	87	253	613	1,651	2,995	4,948	10,289	26,253	45,181	1
Non-Hispanic white, both sexes.....	141,712	234	86	130	453	936	2,888	5,703	9,468	18,836	43,140	59,836	2
Male.....	61,048	128	51	74	304	589	1,836	3,748	5,806	10,465	19,878	18,167	2
Female.....	80,664	106	35	56	149	347	1,052	1,955	3,662	8,371	23,262	41,669	-
Non-Hispanic black, both sexes.....	19,641	135	38	57	246	608	1,306	2,370	2,671	3,476	4,483	4,250	1
Male.....	9,038	72	16	30	151	363	738	1,402	1,490	1,772	1,854	1,150	-
Female.....	10,603	63	22	27	95	245	568	968	1,181	1,704	2,629	3,100	1
Origin not stated 2/, both sexes.....	418	2	-	-	1	8	22	32	37	62	116	135	3
Male.....	188	1	-	-	1	4	16	22	21	35	56	31	1
Female.....	230	1	-	-	-	4	6	10	16	27	60	104	2
Acute and subacute endocarditis (I33)													
All origins, both sexes.....	1,154	2	2	2	7	44	90	174	168	238	306	121	-
Male.....	643	1	1	1	6	31	60	117	91	133	153	49	-
Female.....	511	1	1	1	1	13	30	57	77	105	153	72	-
Hispanic, both sexes.....	69	1	1	-	-	7	5	13	12	14	13	3	-
Male.....	45	-	-	-	-	6	5	11	7	9	6	1	-
Female.....	24	1	1	-	-	1	-	2	5	5	7	2	-
Non-Hispanic 1/, both sexes.....	1,082	1	1	2	7	37	85	159	155	224	293	118	-
Male.....	596	1	1	1	6	25	55	105	83	124	147	48	-
Female.....	486	-	-	1	1	12	30	54	72	100	146	70	-
Non-Hispanic white, both sexes.....	862	-	1	-	6	27	62	95	113	179	270	109	-
Male.....	481	-	1	-	5	20	41	68	61	102	139	44	-
Female.....	381	-	-	-	1	7	21	27	52	77	131	65	-
Non-Hispanic black, both sexes.....	197	-	-	1	1	10	22	57	41	38	19	8	-
Male.....	104	-	-	-	1	5	14	33	22	19	6	4	-
Female.....	93	-	-	1	-	5	8	24	19	19	13	4	-
Origin not stated 2/, both sexes.....	3	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>													
All origins, both sexes.....	848	26	22	22	36	46	75	107	118	143	157	96	-
Male.....	434	9	11	7	24	32	49	69	69	71	60	33	-
Female.....	414	17	11	15	12	14	26	38	49	72	97	63	-
Hispanic, both sexes.....	64	4	2	3	5	3	6	10	14	7	5	5	-
Male.....	35	3	-	-	3	3	3	7	9	3	1	3	-
Female.....	29	1	2	3	2	-	3	3	5	4	4	2	-
Non-Hispanic 1/, both sexes.....	783	22	20	19	31	43	69	97	103	136	152	91	-
Male.....	398	6	11	7	21	29	46	62	59	68	59	30	-
Female.....	385	16	9	12	10	14	23	35	44	68	93	61	-
Non-Hispanic white, both sexes.....	601	9	11	9	21	30	49	69	76	116	126	85	-
Male.....	308	3	7	3	14	21	33	43	45	60	51	28	-
Female.....	293	6	4	6	7	9	16	26	31	56	75	57	-
Non-Hispanic black, both sexes.....	154	12	7	8	8	10	17	26	22	19	20	5	-
Male.....	75	3	3	3	5	6	10	17	13	7	7	1	-
Female.....	79	9	4	5	3	4	7	9	9	12	13	4	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Heart failure (I50)</b>													
All origins, both sexes.....	56,494	23	11	10	27	101	282	993	2,342	6,168	16,910	29,627	-
Male.....	21,698	14	6	5	15	60	173	617	1,345	3,254	7,573	8,636	-
Female.....	34,796	9	5	5	12	41	109	376	997	2,914	9,337	20,991	-
Hispanic, both sexes.....	1,412	4	-	2	-	3	13	43	91	235	451	570	-
Male.....	593	2	-	2	-	2	6	20	54	121	209	177	-
Female.....	819	2	-	-	-	1	7	23	37	114	242	393	-
Non-Hispanic 1/, both sexes.....	54,932	19	11	8	27	97	268	943	2,245	5,914	16,416	28,984	-
Male.....	21,050	12	6	3	15	58	166	592	1,288	3,124	7,344	8,442	-
Female.....	33,882	7	5	5	12	39	102	351	957	2,790	9,072	20,542	-
Non-Hispanic white, both sexes.....	49,162	11	8	5	16	49	160	593	1,719	4,914	14,725	26,962	-
Male.....	18,705	8	5	2	7	28	105	387	1,000	2,620	6,663	7,880	-
Female.....	30,457	3	3	3	9	21	55	206	719	2,294	8,062	19,082	-
Non-Hispanic black, both sexes.....	5,143	8	3	3	9	45	104	331	487	891	1,495	1,767	-
Male.....	2,055	4	1	1	6	27	59	192	266	450	602	447	-
Female.....	3,088	4	2	2	3	18	45	139	221	441	893	1,320	-
Origin not stated 2/, both sexes.....	150	-	-	-	-	1	1	7	6	19	43	73	-
Male.....	55	-	-	-	-	-	1	5	3	9	20	17	-
Female.....	95	-	-	-	-	1	-	2	3	10	23	56	-
<b>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</b>													
All origins, both sexes.....	111,044	422	122	193	766	1,617	4,173	7,437	10,318	17,131	32,403	36,456	6
Male.....	51,455	225	64	112	512	1,015	2,578	4,747	6,266	9,533	14,985	11,415	3
Female.....	59,589	197	58	81	254	602	1,595	2,690	4,052	7,598	17,418	25,041	3
Hispanic, both sexes.....	3,607	72	20	22	97	175	274	350	390	601	849	757	-
Male.....	1,914	34	11	10	73	124	181	222	226	351	410	272	-
Female.....	1,693	38	9	12	24	51	93	128	164	250	439	485	-
Non-Hispanic 1/, both sexes.....	107,173	348	102	171	668	1,435	3,878	7,064	9,899	16,487	31,481	35,637	3
Male.....	49,411	190	53	102	438	887	2,382	4,509	6,024	9,156	14,539	11,129	2
Female.....	57,762	158	49	69	230	548	1,496	2,555	3,875	7,331	16,942	24,508	1
Non-Hispanic white, both sexes.....	91,087	214	66	116	410	830	2,617	4,946	7,560	13,627	28,019	32,680	2
Male.....	41,554	117	38	69	278	520	1,657	3,250	4,700	7,683	13,025	10,215	2
Female.....	49,533	97	28	47	132	310	960	1,696	2,860	5,944	14,994	22,465	2
Non-Hispanic black, both sexes.....	14,147	115	28	45	228	543	1,163	1,956	2,121	2,528	2,949	2,470	1
Male.....	6,804	65	12	26	139	325	655	1,160	1,189	1,296	1,239	698	-
Female.....	7,343	50	16	19	89	218	508	796	932	1,232	1,710	1,772	1
Origin not stated 2/, both sexes.....	264	2	-	-	1	7	21	23	29	43	73	62	3
Male.....	130	1	-	-	1	4	15	16	16	26	36	14	1
Female.....	134	1	-	-	-	3	6	7	13	17	37	48	2

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</b>													
All origins, both sexes.....	20,261	5	1	1	21	85	354	923	1,526	2,922	6,138	8,285	-
Male.....	7,647	2	1	1	11	47	219	560	850	1,419	2,405	2,132	-
Female.....	12,614	3	-	-	10	38	135	363	676	1,503	3,733	6,153	-
Hispanic, both sexes.....	942	2	-	-	5	9	30	39	123	183	283	268	-
Male.....	385	1	-	-	1	5	18	22	66	80	113	79	-
Female.....	557	1	-	-	4	4	12	17	57	103	170	189	-
Non-Hispanic 1/, both sexes.....	19,254	3	1	1	16	75	322	881	1,400	2,725	5,840	7,990	-
Male.....	7,232	1	1	1	10	42	200	536	781	1,328	2,285	2,047	-
Female.....	12,022	2	-	-	6	33	122	345	619	1,397	3,555	5,943	-
Non-Hispanic white, both sexes.....	14,617	2	1	1	9	26	126	449	805	1,838	4,570	6,790	-
Male.....	5,325	1	1	1	7	16	82	290	477	920	1,784	1,746	-
Female.....	9,292	1	-	-	2	10	44	159	328	918	2,786	5,044	-
Non-Hispanic black, both sexes.....	4,165	1	-	-	7	44	189	413	550	795	1,133	1,033	-
Male.....	1,701	-	-	-	3	24	112	234	274	359	442	253	-
Female.....	2,464	1	-	-	4	20	77	179	276	436	691	780	-
Origin not stated 2/, both sexes.....	65	-	-	-	-	1	2	3	3	14	15	27	-
Male.....	30	-	-	-	-	-	1	2	3	11	7	6	-
Female.....	35	-	-	-	-	1	1	1	-	3	8	21	-
<b>Cerebrovascular diseases (I60-I69)</b>													
All origins, both sexes.....	162,672	117	53	91	171	567	2,425	6,055	9,897	21,992	54,889	66,412	3
Male.....	62,622	67	30	47	103	284	1,178	3,278	5,456	11,207	22,655	18,316	1
Female.....	100,050	50	23	44	68	283	1,247	2,777	4,441	10,785	32,234	48,096	2
Hispanic, both sexes.....	6,451	20	12	20	29	93	256	560	708	1,215	1,918	1,620	-
Male.....	3,003	9	5	7	17	61	154	340	421	652	825	512	-
Female.....	3,448	11	7	13	12	32	102	220	287	563	1,093	1,108	-
Non-Hispanic 1/, both sexes.....	155,852	96	41	71	142	474	2,161	5,477	9,160	20,731	52,850	64,646	3
Male.....	59,470	57	25	40	86	223	1,019	2,926	5,018	10,532	21,773	17,770	1
Female.....	96,382	39	16	31	56	251	1,142	2,551	4,142	10,199	31,077	46,876	2
Non-Hispanic white, both sexes.....	133,118	51	29	44	101	285	1,288	3,320	6,432	16,355	46,327	58,884	2
Male.....	49,908	32	18	23	62	136	617	1,797	3,511	8,368	19,181	16,162	1
Female.....	83,210	19	11	21	39	149	671	1,523	2,921	7,987	27,146	42,722	1
Non-Hispanic black, both sexes.....	18,691	36	10	23	38	166	741	1,874	2,303	3,600	5,277	4,622	1
Male.....	7,754	19	6	15	22	72	331	986	1,288	1,826	2,031	1,158	-
Female.....	10,937	17	4	8	16	94	410	888	1,015	1,774	3,246	3,464	1
Origin not stated 2/, both sexes.....	369	1	-	-	-	-	8	18	29	46	121	146	-
Male.....	149	1	-	-	-	-	5	12	17	23	57	34	-
Female.....	220	-	-	-	-	-	3	6	12	23	64	112	-
<b>Atherosclerosis (I70)</b>													
All origins, both sexes.....	13,821	4	-	-	3	9	50	182	487	1,300	4,062	7,723	1
Male.....	5,171	1	-	-	2	5	30	119	305	728	1,803	2,177	1
Female.....	8,650	3	-	-	1	4	20	63	182	572	2,259	5,546	-
Hispanic, both sexes.....	416	1	-	-	2	-	2	9	20	50	136	196	-
Male.....	175	1	-	-	2	-	1	6	12	27	65	61	-
Female.....	241	-	-	-	-	-	1	3	8	23	71	135	-
Non-Hispanic 1/, both sexes.....	13,369	3	-	-	1	9	48	173	466	1,248	3,911	7,509	1
Male.....	4,984	-	-	-	-	5	29	113	292	700	1,733	2,111	1
Female.....	8,385	3	-	-	1	4	19	60	174	548	2,178	5,398	-
Non-Hispanic white, both sexes.....	12,191	2	-	-	1	6	38	121	376	1,082	3,518	7,046	1
Male.....	4,508	-	-	-	-	4	23	79	237	613	1,561	1,990	1
Female.....	7,683	2	-	-	1	2	15	42	139	469	1,957	5,056	-
Non-Hispanic black, both sexes.....	1,009	1	-	-	-	3	9	46	77	134	349	390	-
Male.....	409	-	-	-	-	1	6	30	49	70	153	100	-
Female.....	600	1	-	-	-	2	3	16	28	64	196	290	-
Origin not stated 2/, both sexes.....	36	-	-	-	-	-	-	-	1	2	15	18	-
Male.....	12	-	-	-	-	-	-	-	1	1	5	5	-
Female.....	24	-	-	-	-	-	-	-	-	1	10	13	-



Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other diseases of circulatory system (I71-I78)</b>													
All origins, both sexes.....	24,927	14	4	11	66	160	445	1,070	2,286	5,310	8,745	6,816	-
Male.....	13,309	6	4	5	43	101	291	732	1,526	3,307	4,690	2,604	-
Female.....	11,618	8	-	6	23	59	154	338	760	2,003	4,055	4,212	-
Hispanic, both sexes.....	847	1	-	1	12	22	44	62	117	175	246	167	-
Male.....	463	-	-	-	8	14	31	41	66	104	138	61	-
Female.....	384	1	-	1	4	8	13	21	51	71	108	106	-
Non-Hispanic 1/, both sexes.....	24,005	13	4	10	54	137	396	1,006	2,159	5,120	8,475	6,631	-
Male.....	12,809	6	4	5	35	86	257	690	1,455	3,194	4,540	2,537	-
Female.....	11,196	7	-	5	19	51	139	316	704	1,926	3,935	4,094	-
Non-Hispanic white, both sexes.....	21,051	10	4	4	37	86	272	702	1,758	4,485	7,684	6,009	-
Male.....	11,337	5	4	2	23	54	180	495	1,198	2,850	4,189	2,337	-
Female.....	9,714	5	-	2	14	32	92	207	560	1,635	3,495	3,672	-
Non-Hispanic black, both sexes.....	2,495	3	-	5	12	46	112	272	350	521	653	521	-
Male.....	1,196	1	-	2	7	30	71	171	223	268	269	154	-
Female.....	1,299	2	-	3	5	16	41	101	127	253	384	367	-
Origin not stated 2/, both sexes.....	75	-	-	-	-	1	5	2	10	15	24	18	-
Male.....	37	-	-	-	-	1	3	1	5	9	12	6	-
Female.....	38	-	-	-	-	-	2	1	5	6	12	12	-
<b>Aortic aneurysm and dissection (I71)</b>													
All origins, both sexes.....	14,818	2	-	5	39	110	305	710	1,460	3,482	5,518	3,187	-
Male.....	9,013	-	-	3	32	82	229	540	1,092	2,369	3,185	1,481	-
Female.....	5,805	2	-	2	7	28	76	170	368	1,113	2,333	1,706	-
Hispanic, both sexes.....	431	-	-	-	8	16	24	36	75	89	127	56	-
Male.....	284	-	-	-	5	12	20	29	51	63	78	26	-
Female.....	147	-	-	-	3	4	4	7	24	26	49	30	-
Non-Hispanic 1/, both sexes.....	14,341	2	-	5	31	93	277	672	1,379	3,384	5,373	3,125	-
Male.....	8,701	-	-	3	27	69	207	510	1,036	2,299	3,099	1,451	-
Female.....	5,640	2	-	2	4	24	70	162	343	1,085	2,274	1,674	-
Non-Hispanic white, both sexes.....	12,831	2	-	2	23	57	192	457	1,156	3,057	4,988	2,897	-
Male.....	7,834	-	-	1	19	43	142	355	875	2,105	2,917	1,377	-
Female.....	4,997	2	-	1	4	14	50	102	281	952	2,071	1,520	-
Non-Hispanic black, both sexes.....	1,200	-	-	3	5	33	79	192	192	244	285	167	-
Male.....	664	-	-	2	5	24	61	138	138	132	119	45	-
Female.....	536	-	-	1	-	9	18	54	54	112	166	122	-
Origin not stated 2/, both sexes.....	46	-	-	-	-	1	4	2	6	9	18	6	-
Male.....	28	-	-	-	-	1	2	1	5	7	8	4	-
Female.....	18	-	-	-	-	-	2	1	1	2	10	2	-
<b>Other diseases of arteries, arterioles and capillaries (I72-I78)</b>													
All origins, both sexes.....	10,109	12	4	6	27	50	140	360	826	1,828	3,227	3,629	-
Male.....	4,296	6	4	2	11	19	62	192	434	938	1,505	1,123	-
Female.....	5,813	6	-	4	16	31	78	168	392	890	1,722	2,506	-
Hispanic, both sexes.....	416	1	-	1	4	6	20	26	42	86	119	111	-
Male.....	179	-	-	-	3	2	11	12	15	41	60	35	-
Female.....	237	1	-	1	1	4	9	14	27	45	59	76	-
Non-Hispanic 1/, both sexes.....	9,664	11	4	5	23	44	119	334	780	1,736	3,102	3,506	-
Male.....	4,108	6	4	2	8	17	50	180	419	895	1,441	1,086	-
Female.....	5,556	5	-	3	15	27	69	154	361	841	1,661	2,420	-
Non-Hispanic white, both sexes.....	8,220	8	4	2	14	29	80	245	602	1,428	2,696	3,112	-
Male.....	3,503	5	4	1	4	11	38	140	323	745	1,272	960	-
Female.....	4,717	3	-	1	10	18	42	105	279	683	1,424	2,152	-
Non-Hispanic black, both sexes.....	1,295	3	-	2	7	13	33	80	158	277	368	354	-
Male.....	532	1	-	2	6	10	33	85	136	150	150	109	-
Female.....	763	2	-	2	5	7	23	47	73	141	218	245	-
Origin not stated 2/, both sexes.....	29	-	-	-	-	-	1	-	4	6	6	12	-
Male.....	9	-	-	-	-	-	1	-	-	2	4	2	-
Female.....	20	-	-	-	-	-	-	-	4	4	2	10	-





Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Unspecified acute lower respiratory infection (J22)</b>													
All origins, both sexes.....	107	3	-	-	1	-	2	1	5	10	27	58	-
Male.....	32	2	-	-	-	-	-	1	1	3	9	16	-
Female.....	75	1	-	-	1	-	2	-	4	7	18	42	-
Hispanic, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	105	2	-	-	1	-	2	1	5	10	27	57	-
Male.....	32	2	-	-	-	-	-	1	1	3	9	16	-
Female.....	73	-	-	-	1	-	2	-	4	7	18	41	-
Non-Hispanic white, both sexes.....	95	2	-	-	1	-	1	1	4	7	23	56	-
Male.....	30	2	-	-	-	-	-	1	-	3	8	16	-
Female.....	65	-	-	-	1	-	1	-	4	4	15	40	-
Non-Hispanic black, both sexes.....	9	-	-	-	-	-	1	-	1	3	4	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	7	-	-	-	-	-	1	-	-	3	3	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Chronic lower respiratory diseases (J40-J47)</b>													
All origins, both sexes.....	124,816	39	65	136	192	301	1,008	3,475	11,280	29,788	49,241	29,284	7
Male.....	60,713	23	44	74	120	165	497	1,795	5,783	15,339	24,432	12,436	5
Female.....	64,103	16	21	62	72	136	511	1,680	5,497	14,449	24,809	16,848	2
Hispanic, both sexes.....	3,058	4	9	13	15	31	70	127	274	635	1,055	825	-
Male.....	1,625	2	4	8	12	19	31	70	164	362	593	360	-
Female.....	1,433	2	5	5	3	12	39	57	110	273	462	465	-
Non-Hispanic 1/, both sexes.....	121,424	34	56	121	176	267	930	3,335	10,975	29,069	48,058	28,397	6
Male.....	58,896	20	40	64	107	143	460	1,719	5,604	14,924	23,761	12,050	4
Female.....	62,528	14	16	57	69	124	470	1,616	5,371	14,145	24,297	16,347	2
Non-Hispanic white, both sexes.....	112,128	20	23	42	94	157	624	2,686	9,757	26,808	45,117	26,796	4
Male.....	53,662	13	17	23	48	81	304	1,383	4,909	13,615	22,034	11,232	3
Female.....	58,466	7	6	19	46	76	320	1,303	4,848	13,193	23,083	15,564	1
Non-Hispanic black, both sexes.....	7,730	14	29	74	78	102	292	589	1,067	1,892	2,366	1,226	1
Male.....	4,282	7	20	39	58	56	150	304	607	1,093	1,350	597	1
Female.....	3,448	7	9	35	20	46	142	285	460	799	1,016	629	-
Origin not stated 2/, both sexes.....	334	1	-	2	1	3	8	13	31	84	128	62	1
Male.....	192	1	-	2	1	3	6	6	15	53	78	26	1
Female.....	142	-	-	-	-	-	2	7	16	31	50	36	-
<b>Bronchitis, chronic and unspecified (J40-J42)</b>													
All origins, both sexes.....	955	24	13	5	6	6	18	36	54	135	286	372	-
Male.....	420	15	8	2	3	2	12	27	28	74	127	122	-
Female.....	535	9	5	3	3	4	6	9	26	61	159	250	-
Hispanic, both sexes.....	51	3	1	-	2	1	3	3	2	2	14	20	-
Male.....	20	1	1	-	1	1	2	3	1	1	4	5	-
Female.....	31	2	-	-	1	-	1	-	1	1	10	15	-
Non-Hispanic 1/, both sexes.....	900	20	12	5	4	5	15	33	52	132	271	351	-
Male.....	398	13	7	2	2	1	10	24	27	73	122	117	-
Female.....	502	7	5	3	2	4	5	9	25	59	149	234	-
Non-Hispanic white, both sexes.....	821	12	6	3	2	4	13	26	44	124	252	335	-
Male.....	354	9	2	2	1	1	8	17	22	67	113	112	-
Female.....	467	3	4	1	1	3	5	9	22	57	139	223	-
Non-Hispanic black, both sexes.....	66	8	6	2	2	1	2	7	5	6	13	14	-
Male.....	35	4	5	-	1	-	2	7	2	4	5	5	-
Female.....	31	4	1	2	1	1	-	-	3	2	8	9	-
Origin not stated 2/, both sexes.....	4	1	-	-	-	-	-	-	-	1	1	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Emphysema (J43)</b>													
All origins, both sexes.....	15,489	1	3	-	2	10	94	454	1,703	4,388	6,109	2,724	1
Male.....	8,084	-	3	-	-	8	66	267	925	2,335	3,228	1,251	1
Female.....	7,405	1	-	-	2	2	28	187	778	2,053	2,881	1,473	-
Hispanic, both sexes.....	295	-	-	-	-	2	1	5	29	79	113	66	-
Male.....	168	-	-	-	-	1	1	4	17	48	65	32	-
Female.....	127	-	-	-	-	1	-	1	12	31	48	34	-
Non-Hispanic 1/, both sexes.....	15,161	1	3	-	2	8	93	448	1,672	4,298	5,986	2,650	-
Male.....	7,895	-	3	-	-	7	65	262	907	2,281	3,156	1,214	-
Female.....	7,266	1	-	-	2	1	28	186	765	2,017	2,830	1,436	-
Non-Hispanic white, both sexes.....	14,157	1	1	-	1	6	66	385	1,529	3,992	5,663	2,513	-
Male.....	7,241	-	1	-	-	5	47	219	810	2,081	2,946	1,132	-
Female.....	6,916	1	-	-	1	1	19	166	719	1,911	2,717	1,381	-
Non-Hispanic black, both sexes.....	842	-	1	-	2	26	26	56	117	267	266	106	-
Male.....	538	-	1	-	-	2	18	38	77	173	169	60	-
Female.....	304	-	-	-	1	-	8	18	40	94	97	46	-
Origin not stated 2/, both sexes.....	33	-	-	-	-	-	-	1	2	11	10	8	1
Male.....	21	-	-	-	-	-	-	1	1	6	7	5	1
Female.....	12	-	-	-	-	-	-	-	1	5	3	3	-
<b>Asthma (J45-J46)</b>													
All origins, both sexes.....	4,261	4	43	123	169	235	472	608	536	583	812	675	1
Male.....	1,580	3	30	69	110	129	198	233	202	198	256	152	-
Female.....	2,681	1	13	54	59	106	274	375	334	385	556	523	1
Hispanic, both sexes.....	287	1	6	13	11	23	42	44	38	45	42	22	-
Male.....	114	1	3	8	9	14	14	22	15	10	15	3	-
Female.....	173	-	3	5	2	9	28	22	23	35	27	19	-
Non-Hispanic 1/, both sexes.....	3,950	3	37	108	157	210	425	561	495	536	767	650	1
Male.....	1,448	2	27	59	100	113	179	209	187	186	239	147	-
Female.....	2,502	1	10	49	57	97	246	352	308	350	528	503	1
Non-Hispanic white, both sexes.....	2,720	1	14	34	79	121	222	316	311	377	659	586	-
Male.....	895	-	12	20	43	59	80	117	113	125	196	130	-
Female.....	1,825	1	2	14	36	62	142	199	198	252	463	456	-
Non-Hispanic black, both sexes.....	1,083	2	21	69	74	84	196	222	169	132	75	39	-
Male.....	488	2	14	37	56	50	96	83	67	51	23	9	-
Female.....	595	-	7	32	18	34	100	139	102	81	52	30	-
Origin not stated 2/, both sexes.....	24	-	-	2	1	2	5	3	3	2	3	3	-
Male.....	18	-	-	2	1	2	5	2	-	2	2	2	-
Female.....	6	-	-	-	-	-	1	1	3	-	1	1	-
<b>Other chronic lower respiratory diseases (J44,J47)</b>													
All origins, both sexes.....	104,111	10	6	8	15	50	424	2,377	8,987	24,682	42,034	25,513	5
Male.....	50,629	5	3	3	7	26	221	1,268	4,628	12,732	20,821	10,911	4
Female.....	53,482	5	3	5	8	24	203	1,109	4,359	11,950	21,213	14,602	1
Hispanic, both sexes.....	2,425	-	2	-	2	5	24	75	205	509	886	717	-
Male.....	1,323	-	-	-	2	3	14	41	131	303	509	320	-
Female.....	1,102	-	2	-	-	2	10	34	74	206	377	397	-
Non-Hispanic 1/, both sexes.....	101,413	10	4	8	13	44	397	2,293	8,756	24,103	41,034	24,746	5
Male.....	49,155	5	3	3	5	22	206	1,224	4,483	12,384	20,244	10,572	4
Female.....	52,258	5	1	5	8	22	191	1,069	4,273	11,719	20,790	14,174	1
Non-Hispanic white, both sexes.....	94,430	6	2	5	12	26	323	1,959	7,873	22,315	38,543	23,362	4
Male.....	45,172	4	2	1	4	16	169	1,030	3,964	11,342	18,779	9,858	3
Female.....	49,258	2	-	4	8	10	154	929	3,909	10,973	19,764	13,504	1
Non-Hispanic black, both sexes.....	5,739	4	1	3	1	15	68	304	776	1,487	2,012	1,067	1
Male.....	3,221	1	-	2	1	4	34	176	461	865	1,153	523	1
Female.....	2,518	3	1	1	-	11	34	128	315	622	859	544	-
Origin not stated 2/, both sexes.....	273	-	-	-	-	1	3	9	26	70	114	50	-
Male.....	151	-	-	-	-	1	1	3	14	45	68	19	-
Female.....	122	-	-	-	-	-	2	6	12	25	46	31	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumoconioses and chemical effects (J60-J66,J68)</b>													
All origins, both sexes.....	1,114	2	-	-	-	-	5	17	75	223	480	312	-
Male.....	1,057	-	-	-	-	-	4	13	69	214	457	300	-
Female.....	57	2	-	-	-	-	1	4	6	9	23	12	-
Hispanic, both sexes.....	33	-	-	-	-	-	1	2	4	12	5	9	-
Male.....	31	-	-	-	-	-	1	1	4	11	5	9	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	1,078	2	-	-	-	-	4	15	70	211	473	303	-
Male.....	1,023	-	-	-	-	-	3	12	64	203	450	291	-
Female.....	55	2	-	-	-	-	1	3	6	8	23	12	-
Non-Hispanic white, both sexes.....	1,014	1	-	-	-	-	3	13	62	201	445	289	-
Male.....	966	-	-	-	-	-	2	10	59	193	424	278	-
Female.....	48	1	-	-	-	-	1	3	3	8	21	11	-
Non-Hispanic black, both sexes.....	56	1	-	-	-	-	1	2	6	10	22	14	-
Male.....	50	-	-	-	-	-	1	2	4	10	20	13	-
Female.....	6	1	-	-	-	-	-	-	2	-	2	1	-
Origin not stated 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	2	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pneumonitis due to solids and liquids (J69)</b>													
All origins, both sexes.....	17,593	2	7	16	44	74	192	351	671	1,793	5,900	8,543	-
Male.....	8,876	-	3	9	27	42	119	226	393	1,083	3,243	3,731	-
Female.....	8,717	2	4	7	17	32	73	125	278	710	2,657	4,812	-
Hispanic, both sexes.....	547	1	-	3	7	3	10	15	35	62	174	237	-
Male.....	282	-	-	1	5	2	5	8	24	32	105	100	-
Female.....	265	1	-	2	2	1	5	7	11	30	69	137	-
Non-Hispanic 1/, both sexes.....	17,006	1	7	13	36	71	182	336	634	1,723	5,717	8,286	-
Male.....	8,565	-	3	8	21	40	114	218	367	1,045	3,130	3,619	-
Female.....	8,441	1	4	5	15	31	68	118	267	678	2,587	4,667	-
Non-Hispanic white, both sexes.....	15,203	1	5	11	27	56	138	262	519	1,437	5,131	7,616	-
Male.....	7,654	-	3	7	15	33	86	168	303	874	2,822	3,343	-
Female.....	7,549	1	2	4	12	23	52	94	216	563	2,309	4,273	-
Non-Hispanic black, both sexes.....	1,528	-	2	2	8	14	38	64	98	250	499	553	-
Male.....	755	-	-	1	5	6	23	42	56	152	253	217	-
Female.....	773	-	2	1	3	8	15	22	42	98	246	336	-
Origin not stated 2/, both sexes.....	40	-	-	-	1	-	-	-	2	8	9	20	-
Male.....	29	-	-	-	1	-	-	-	2	6	8	12	-
Female.....	11	-	-	-	-	-	-	-	-	2	1	8	-
<b>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</b>													
All origins, both sexes.....	25,039	278	85	84	126	185	528	1,288	2,440	5,237	8,658	6,130	-
Male.....	12,057	164	56	39	68	88	281	656	1,339	2,929	4,261	2,176	-
Female.....	12,982	114	29	45	58	97	247	632	1,101	2,308	4,397	3,954	-
Hispanic, both sexes.....	1,273	43	18	14	11	27	39	99	164	308	348	202	-
Male.....	635	21	14	8	9	18	23	48	92	181	156	65	-
Female.....	638	22	4	6	2	9	16	51	72	127	192	137	-
Non-Hispanic 1/, both sexes.....	23,706	235	67	70	115	158	487	1,177	2,268	4,916	8,296	5,917	-
Male.....	11,397	143	42	31	59	70	258	602	1,243	2,743	4,098	2,108	-
Female.....	12,309	92	25	39	56	88	229	575	1,025	2,173	4,198	3,809	-
Non-Hispanic white, both sexes.....	20,879	109	39	43	70	105	339	859	1,850	4,329	7,619	5,517	-
Male.....	10,043	67	26	19	39	45	178	446	1,023	2,448	3,782	1,970	-
Female.....	10,836	42	13	24	31	60	161	413	827	1,881	3,837	3,547	-
Non-Hispanic black, both sexes.....	2,257	112	28	25	41	47	133	278	353	446	494	300	-
Male.....	1,076	67	16	10	19	23	73	136	187	222	229	94	-
Female.....	1,181	45	12	15	22	24	60	142	166	224	265	206	-
Origin not stated 2/, both sexes.....	60	-	-	-	-	-	2	12	8	13	14	11	-
Male.....	25	-	-	-	-	-	-	6	4	5	7	3	-
Female.....	35	-	-	-	-	-	2	6	4	8	7	8	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Peptic ulcer (K25-K28)</b>													
All origins, both sexes.....	4,079	1	1	1	-	22	113	272	411	665	1,291	1,302	-
Male.....	1,951	-	1	1	-	14	72	177	247	378	622	439	-
Female.....	2,128	1	-	-	-	8	41	95	164	287	669	863	-
Hispanic, both sexes.....	187	-	-	-	-	1	5	20	32	39	53	37	-
Male.....	115	-	-	-	-	1	3	17	23	28	27	16	-
Female.....	72	-	-	-	-	-	2	3	9	11	26	21	-
Non-Hispanic 1/, both sexes.....	3,879	1	1	1	-	21	108	251	374	625	1,235	1,262	-
Male.....	1,829	-	1	1	-	13	69	159	222	349	594	421	-
Female.....	2,050	1	-	-	-	8	39	92	152	276	641	841	-
Non-Hispanic white, both sexes.....	3,394	1	1	-	-	11	72	192	288	537	1,123	1,169	-
Male.....	1,569	-	1	-	-	9	47	116	169	296	539	392	-
Female.....	1,825	1	-	-	-	2	25	76	119	241	584	777	-
Non-Hispanic black, both sexes.....	376	-	-	1	-	10	35	56	68	69	75	62	-
Male.....	209	-	-	1	-	4	21	41	45	41	38	18	-
Female.....	167	-	-	-	-	6	14	15	23	28	37	44	-
Origin not stated 2/, both sexes.....	13	-	-	-	-	-	-	1	5	1	3	3	-
Male.....	7	-	-	-	-	-	-	1	2	1	1	2	-
Female.....	6	-	-	-	-	-	-	-	3	-	2	1	-
<b>Diseases of appendix (K35-K38)</b>													
All origins, both sexes.....	480	3	-	7	12	10	27	54	64	89	120	94	-
Male.....	275	1	-	3	7	9	17	39	45	56	67	31	-
Female.....	205	2	-	4	5	1	10	15	19	33	53	63	-
Hispanic, both sexes.....	28	1	-	2	3	1	5	1	6	3	4	2	-
Male.....	16	-	-	2	1	1	2	1	5	2	2	-	-
Female.....	12	1	-	-	2	-	3	-	1	1	2	2	-
Non-Hispanic 1/, both sexes.....	451	2	-	5	9	9	22	53	57	86	116	92	-
Male.....	258	1	-	1	6	8	15	38	39	54	65	31	-
Female.....	193	1	-	4	3	1	7	15	18	32	51	61	-
Non-Hispanic white, both sexes.....	377	1	-	2	4	7	13	39	50	69	108	84	-
Male.....	210	-	-	-	2	6	11	28	35	43	60	25	-
Female.....	167	1	-	2	2	1	2	11	15	26	48	59	-
Non-Hispanic black, both sexes.....	61	1	-	3	5	2	5	13	6	13	5	8	-
Male.....	40	1	-	1	4	2	1	10	3	8	4	6	-
Female.....	21	-	-	2	1	-	4	3	3	5	1	2	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Hernia (K40-K46)</b>													
All origins, both sexes.....	1,595	29	3	7	5	11	35	77	126	225	489	588	-
Male.....	599	18	3	5	4	7	17	35	56	103	189	162	-
Female.....	996	11	-	2	1	4	18	42	70	122	300	426	-
Hispanic, both sexes.....	81	3	-	2	2	1	5	6	14	14	19	15	-
Male.....	35	2	-	2	2	1	2	4	7	4	7	4	-
Female.....	46	1	-	-	-	-	3	2	7	10	12	11	-
Non-Hispanic 1/, both sexes.....	1,504	26	3	5	3	10	29	71	111	209	465	572	-
Male.....	558	16	3	3	2	6	14	31	49	98	178	158	-
Female.....	946	10	-	2	1	4	15	40	62	111	287	414	-
Non-Hispanic white, both sexes.....	1,343	21	2	5	3	5	20	52	88	176	431	540	-
Male.....	493	12	2	3	2	2	11	26	41	81	167	146	-
Female.....	850	9	-	2	1	3	9	26	47	95	264	394	-
Non-Hispanic black, both sexes.....	137	4	1	-	-	3	8	17	21	27	30	26	-
Male.....	56	3	1	-	-	2	3	5	7	15	11	9	-
Female.....	81	1	-	-	-	1	5	12	14	12	19	17	-
Origin not stated 2/, both sexes.....	10	-	-	-	-	-	1	-	1	2	5	1	-
Male.....	6	-	-	-	-	-	1	-	-	1	4	-	-
Female.....	4	-	-	-	-	-	-	-	1	1	1	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>													
All origins, both sexes.....	27,257	6	3	6	31	374	3,154	7,216	6,097	5,381	4,000	985	4
Male.....	17,401	6	1	3	14	236	2,079	5,285	4,228	3,197	1,953	395	4
Female.....	9,856	-	2	3	17	138	1,075	1,931	1,869	2,184	2,047	590	-
Hispanic, both sexes.....	3,409	1	1	2	9	81	507	983	758	663	321	82	1
Male.....	2,437	1	-	1	5	62	410	805	561	407	157	27	1
Female.....	972	-	1	1	4	19	97	178	197	256	164	55	-
Non-Hispanic 1/, both sexes.....	23,733	5	2	4	22	291	2,632	6,198	5,307	4,700	3,668	902	2
Male.....	14,876	5	1	2	9	172	1,658	4,452	3,641	2,778	1,788	368	2
Female.....	8,857	-	1	2	13	119	974	1,746	1,666	1,922	1,880	534	-
Non-Hispanic white, both sexes.....	20,353	4	2	3	17	204	2,148	5,023	4,483	4,205	3,417	845	2
Male.....	12,800	4	1	2	8	130	1,371	3,670	3,097	2,489	1,681	345	2
Female.....	7,553	-	1	1	9	74	777	1,353	1,386	1,716	1,736	500	-
Non-Hispanic black, both sexes.....	2,545	1	-	1	5	49	313	956	649	358	173	40	-
Male.....	1,592	1	-	-	1	26	180	637	436	221	75	15	-
Female.....	953	-	-	1	4	23	133	319	213	137	98	25	-
Origin not stated 2/, both sexes.....	115	-	-	-	-	2	15	35	32	18	11	1	1
Male.....	88	-	-	-	-	2	11	28	26	12	8	-	1
Female.....	27	-	-	-	-	-	4	7	6	6	3	1	-
<b>Alcoholic liver disease (K70)</b>													
All origins, both sexes.....	12,121	-	1	-	8	242	1,971	4,137	3,083	1,849	730	98	2
Male.....	8,814	-	1	-	6	162	1,305	3,074	2,337	1,367	495	65	2
Female.....	3,307	-	-	-	2	80	666	1,063	746	482	235	33	-
Hispanic, both sexes.....	1,679	-	-	-	4	53	321	587	392	246	63	12	1
Male.....	1,418	-	-	-	4	47	271	493	339	211	44	8	1
Female.....	261	-	-	-	4	6	50	94	53	35	19	4	-
Non-Hispanic 1/, both sexes.....	10,377	-	1	-	4	188	1,639	3,527	2,671	1,597	663	86	1
Male.....	7,342	-	1	-	2	114	1,027	2,562	1,981	1,150	447	57	1
Female.....	3,035	-	-	-	2	74	612	965	690	447	219	29	-
Non-Hispanic white, both sexes.....	8,713	-	1	-	1	133	1,335	2,907	2,255	1,403	601	76	1
Male.....	6,242	-	1	-	1	87	838	2,143	1,701	1,012	409	49	1
Female.....	2,471	-	-	-	-	46	497	764	554	391	192	27	-
Non-Hispanic black, both sexes.....	1,173	-	-	-	3	26	169	461	315	143	48	8	-
Male.....	783	-	-	-	1	14	103	314	212	103	30	6	-
Female.....	390	-	-	-	2	12	66	147	103	40	18	2	-
Origin not stated 2/, both sexes.....	65	-	-	-	-	1	11	23	20	6	4	-	-
Male.....	54	-	-	-	-	1	7	19	17	6	4	-	-
Female.....	11	-	-	-	-	-	4	4	3	-	-	-	-
<b>Other chronic liver disease and cirrhosis (K73-K74)</b>													
All origins, both sexes.....	15,136	6	2	6	23	132	1,183	3,079	3,014	3,532	3,270	887	2
Male.....	8,587	6	-	3	8	74	774	2,211	1,891	1,830	1,458	330	2
Female.....	6,549	-	2	3	15	58	409	868	1,123	1,702	1,812	557	-
Hispanic, both sexes.....	1,730	1	1	2	5	28	186	396	366	417	258	70	-
Male.....	1,019	1	-	1	1	15	139	312	222	196	113	19	-
Female.....	711	-	1	1	4	13	47	84	144	221	145	51	-
Non-Hispanic 1/, both sexes.....	13,356	5	1	4	18	103	993	2,671	2,636	3,103	3,005	816	1
Male.....	7,534	5	-	2	7	58	631	1,890	1,660	1,628	1,341	311	1
Female.....	5,822	-	1	2	11	45	362	781	976	1,475	1,664	505	-
Non-Hispanic white, both sexes.....	11,640	4	1	3	16	71	813	2,116	2,228	2,802	2,816	769	1
Male.....	6,558	4	-	2	7	43	533	1,527	1,396	1,477	1,272	296	1
Female.....	5,082	-	1	1	9	28	280	589	832	1,325	1,544	473	1
Non-Hispanic black, both sexes.....	1,372	1	-	1	2	23	144	495	334	215	125	32	-
Male.....	809	1	-	-	1	12	77	323	224	118	45	9	-
Female.....	563	-	-	1	2	11	67	172	110	97	80	23	-
Origin not stated 2/, both sexes.....	50	-	-	-	-	1	4	12	12	12	7	1	1
Male.....	34	-	-	-	-	1	4	9	9	6	4	-	1
Female.....	16	-	-	-	-	-	-	3	3	6	3	1	-







Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Infections of kidney (N10-N12,N13.6,N15.1)</b>													
All origins, both sexes.....	788	2	-	3	5	13	28	40	59	110	238	290	-
Male.....	251	2	-	1	1	6	12	15	21	47	72	74	-
Female.....	537	-	-	2	4	7	16	25	38	63	166	216	-
Hispanic, both sexes.....	47	1	-	2	-	3	2	3	2	12	14	8	-
Male.....	19	1	-	-	-	2	1	2	1	4	5	3	-
Female.....	28	-	-	2	-	1	1	1	1	8	9	5	-
Non-Hispanic 1/, both sexes.....	740	1	-	1	5	10	26	37	57	98	224	281	-
Male.....	232	1	-	1	1	4	11	13	20	43	67	71	-
Female.....	508	-	-	-	4	6	15	24	37	55	157	210	-
Non-Hispanic white, both sexes.....	645	1	-	-	1	7	20	23	44	89	203	257	-
Male.....	200	1	-	-	1	4	9	10	16	36	58	65	-
Female.....	445	-	-	-	-	3	11	13	28	53	145	192	-
Non-Hispanic black, both sexes.....	73	-	-	-	3	2	6	8	10	8	15	21	-
Male.....	22	-	-	-	-	2	2	1	3	6	5	5	-
Female.....	51	-	-	-	3	2	4	7	7	2	10	16	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
<b>Hyperplasia of prostate (N40)</b>													
All origins, both sexes.....	437	-	-	-	-	-	1	-	10	41	164	220	1
Male.....	437	-	-	-	-	-	1	-	10	41	164	220	1
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Hispanic, both sexes.....	14	-	-	-	-	-	-	-	1	3	9	1	-
Male.....	14	-	-	-	-	-	-	-	1	3	9	1	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Non-Hispanic 1/, both sexes.....	417	-	-	-	-	-	1	-	8	36	155	216	1
Male.....	417	-	-	-	-	-	1	-	8	36	155	216	1
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Non-Hispanic white, both sexes.....	370	-	-	-	-	-	-	-	5	29	137	199	-
Male.....	370	-	-	-	-	-	-	-	5	29	137	199	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Non-Hispanic black, both sexes.....	38	-	-	-	-	-	1	-	3	7	13	13	1
Male.....	38	-	-	-	-	-	1	-	3	7	13	13	1
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Origin not stated 2/, both sexes.....	6	-	-	-	-	-	-	-	1	2	-	3	-
Male.....	6	-	-	-	-	-	-	-	1	2	-	3	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
<b>Inflammatory diseases of female pelvic organs (N70-N76)</b>													
All origins, both sexes.....	114	1	-	-	2	4	17	11	6	8	29	36	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	114	1	-	-	2	4	17	11	6	8	29	36	-
Hispanic, both sexes.....	3	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	-	-	-	1	2	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	110	1	-	-	2	3	15	11	6	8	28	36	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	110	1	-	-	2	3	15	11	6	8	28	36	-
Non-Hispanic white, both sexes.....	88	1	-	-	-	2	7	7	5	7	27	32	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	88	1	-	-	-	2	7	7	5	7	27	32	-
Non-Hispanic black, both sexes.....	20	-	-	-	2	1	8	3	1	1	1	3	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	-	-	-	2	1	8	3	1	1	1	3	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pregnancy, childbirth and the puerperium (000-099)</b>													
All origins, both sexes.....	379	...	...	1	89	175	105	8	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	379	...	...	1	89	175	105	8	-	-	-	1	...
Hispanic, both sexes.....	70	...	...	-	19	28	21	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	70	...	...	-	19	28	21	2	-	-	-	-	...
Non-Hispanic 1/, both sexes.....	305	...	...	1	69	145	83	6	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	305	...	...	1	69	145	83	6	-	-	-	1	-
Non-Hispanic white, both sexes.....	133	...	...	-	21	69	39	3	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	133	...	...	-	21	69	39	3	-	-	-	1	-
Non-Hispanic black, both sexes.....	153	...	...	1	45	64	41	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	153	...	...	1	45	64	41	2	-	-	-	-	-
Origin not stated 2/, both sexes.....	4	...	...	-	1	2	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	-	1	2	1	-	-	-	-	-	-
<b>Pregnancy with abortive outcome (000-007)</b>													
All origins, both sexes.....	22	...	...	1	4	9	7	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	22	...	...	1	4	9	7	1	-	-	-	-	-
Hispanic, both sexes.....	1	...	...	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	-	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	20	...	...	1	4	8	6	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	...	...	1	4	8	6	1	-	-	-	-	-
Non-Hispanic white, both sexes.....	6	...	...	-	1	4	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	-	1	4	1	-	-	-	-	-	-
Non-Hispanic black, both sexes.....	11	...	...	1	2	4	4	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	...	...	1	2	4	4	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	1	...	...	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	-	-	-	1	-	-	-	-	-	-
<b>Other complications of pregnancy, childbirth and the puerperium (010-099)</b>													
All origins, both sexes.....	357	...	...	-	85	166	98	7	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	357	...	...	-	85	166	98	7	-	-	-	1	...
Hispanic, both sexes.....	69	...	...	-	19	27	21	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	69	...	...	-	19	27	21	2	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	285	...	...	-	65	137	77	5	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	285	...	...	-	65	137	77	5	-	-	-	1	-
Non-Hispanic white, both sexes.....	127	...	...	-	20	65	38	3	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	127	...	...	-	20	65	38	3	-	-	-	1	-
Non-Hispanic black, both sexes.....	142	...	...	-	43	60	37	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	142	...	...	-	43	60	37	2	-	-	-	-	-
Origin not stated 2/, both sexes.....	3	...	...	-	1	2	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	-	1	2	-	-	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Certain conditions originating in the perinatal period (P00-P96)</b>													
All origins, both sexes.....	14,254	14,106	65	31	21	10	10	2	1	3	2	1	2
Male.....	8,047	7,960	40	19	12	4	5	2	1	1	1	-	2
Female.....	6,207	6,146	25	12	9	6	5	-	-	2	1	1	-
Hispanic, both sexes.....	2,402	2,375	14	6	3	1	2	-	-	-	-	1	-
Male.....	1,352	1,335	9	5	2	1	-	-	-	-	-	-	-
Female.....	1,050	1,040	5	1	1	-	2	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	11,673	11,553	50	25	18	9	8	2	1	3	2	-	2
Male.....	6,596	6,527	30	14	10	3	5	2	1	1	1	-	2
Female.....	5,077	5,026	20	11	8	6	3	-	-	2	1	-	-
Non-Hispanic white, both sexes.....	6,384	6,313	22	15	14	6	6	2	1	2	2	-	1
Male.....	3,663	3,628	10	7	7	3	3	2	1	-	1	-	1
Female.....	2,721	2,685	12	8	7	3	3	-	-	2	1	-	-
Non-Hispanic black, both sexes.....	4,777	4,735	26	8	3	2	1	-	-	1	-	-	1
Male.....	2,640	2,611	18	6	2	-	1	-	-	1	-	-	1
Female.....	2,137	2,124	8	2	1	2	-	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	179	178	1	-	-	-	-	-	-	-	-	-	-
Male.....	99	98	1	-	-	-	-	-	-	-	-	-	-
Female.....	80	80	-	-	-	-	-	-	-	-	-	-	-
<b>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</b>													
All origins, both sexes.....	10,687	5,623	530	417	492	475	572	709	634	440	489	305	1
Male.....	5,515	2,942	282	215	282	284	296	381	321	213	201	97	1
Female.....	5,172	2,681	248	202	210	191	276	328	313	227	288	208	-
Hispanic, both sexes.....	1,715	1,257	111	70	67	53	40	42	25	18	23	9	-
Male.....	903	653	60	35	39	36	19	23	15	6	13	4	-
Female.....	812	604	51	35	28	17	21	19	10	12	10	5	-
Non-Hispanic 1/, both sexes.....	8,904	4,316	415	347	422	422	530	662	608	421	465	295	1
Male.....	4,577	2,262	221	180	241	248	276	355	306	206	188	93	1
Female.....	4,327	2,054	194	167	181	174	254	307	302	215	277	202	-
Non-Hispanic white, both sexes.....	6,830	3,068	281	253	315	331	423	562	527	374	420	275	1
Male.....	3,510	1,643	151	125	178	195	223	295	263	183	165	88	1
Female.....	3,320	1,425	130	128	137	136	200	267	264	191	255	187	-
Non-Hispanic black, both sexes.....	1,716	1,015	113	81	98	75	92	83	69	40	32	18	-
Male.....	887	506	58	47	59	43	45	47	40	21	16	5	-
Female.....	829	509	55	34	39	32	47	36	29	19	16	13	-
Origin not stated 2/, both sexes.....	68	50	4	-	3	-	2	5	1	1	1	1	-
Male.....	35	27	1	-	2	-	1	3	-	1	-	-	-
Female.....	33	23	3	-	1	-	1	2	1	-	1	1	-
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</b>													
All origins, both sexes.....	29,975	3,456	248	139	740	1,319	2,402	2,672	2,002	2,398	4,936	9,554	109
Male.....	14,269	2,032	145	82	501	905	1,540	1,723	1,273	1,324	2,228	2,439	77
Female.....	15,706	1,424	103	57	239	414	862	949	729	1,074	2,708	7,115	32
Hispanic, both sexes.....	1,548	472	40	11	91	149	177	144	95	83	112	165	9
Male.....	926	283	26	7	62	116	120	85	59	50	57	53	8
Female.....	622	189	14	4	29	33	57	59	36	33	55	112	1
Non-Hispanic 1/, both sexes.....	28,211	2,968	207	126	643	1,162	2,206	2,504	1,890	2,307	4,804	9,351	43
Male.....	13,206	1,739	119	74	434	783	1,408	1,619	1,198	1,267	2,156	2,376	33
Female.....	15,005	1,229	88	52	209	379	798	885	692	1,040	2,648	6,975	10
Non-Hispanic white, both sexes.....	23,099	1,777	124	71	468	849	1,664	1,822	1,493	1,934	4,275	8,591	31
Male.....	10,432	1,056	66	44	326	581	1,071	1,177	945	1,065	1,897	2,180	24
Female.....	12,667	721	58	27	142	268	593	645	548	869	2,378	6,411	7
Non-Hispanic black, both sexes.....	4,556	1,070	66	50	152	275	490	626	356	335	471	655	10
Male.....	2,482	615	44	28	92	174	305	407	229	180	234	167	7
Female.....	2,074	455	22	22	60	101	185	219	127	155	237	488	3
Origin not stated 2/, both sexes.....	216	16	1	2	6	8	19	24	17	8	20	38	57
Male.....	137	10	-	1	5	6	12	19	16	7	15	10	36
Female.....	79	6	1	1	1	2	7	5	1	1	5	28	21

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12, G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39, N41-N64,N80-N98)													
All origins, both sexes.....	194,591	1,144	661	868	1,853	3,136	8,506	15,151	17,378	25,689	51,618	68,574	13
Male.....	79,007	690	363	486	1,072	1,837	5,019	9,115	9,528	12,667	20,667	17,552	11
Female.....	115,584	454	298	382	781	1,299	3,487	6,036	7,850	13,022	30,951	51,022	2
Hispanic, both sexes.....	8,377	209	120	151	250	409	757	1,006	958	1,313	1,632	1,571	1
Male.....	4,221	116	66	89	148	261	517	647	527	659	707	483	1
Female.....	4,156	93	54	62	102	148	240	359	431	654	925	1,088	-
Non-Hispanic 1/, both sexes.....	185,608	927	538	715	1,600	2,714	7,711	14,060	16,347	24,307	49,835	66,846	8
Male.....	74,500	572	294	396	923	1,568	4,475	8,410	8,953	11,964	19,905	17,033	7
Female.....	111,108	355	244	319	677	1,146	3,236	5,650	7,394	12,343	29,930	49,813	1
Non-Hispanic white, both sexes.....	159,945	578	352	505	1,102	1,831	5,545	10,567	13,116	20,530	44,489	61,325	5
Male.....	63,109	376	191	279	677	1,113	3,386	6,464	7,230	10,109	17,748	15,531	5
Female.....	96,836	202	161	226	425	718	2,159	4,103	5,886	10,421	26,741	45,794	-
Non-Hispanic black, both sexes.....	22,297	298	146	172	416	775	1,935	3,147	2,827	3,247	4,559	4,772	3
Male.....	9,722	167	80	95	205	388	948	1,733	1,501	1,591	1,795	1,217	2
Female.....	12,575	131	66	77	211	387	987	1,414	1,326	1,656	2,764	3,555	1
Origin not stated 2/, both sexes.....	606	8	3	2	3	13	38	85	73	69	151	157	4
Male.....	286	2	3	1	1	8	27	58	48	44	55	36	3
Female.....	320	6	-	1	2	5	11	27	25	25	96	121	1
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All origins, both sexes.....	106,742	946	1,641	2,718	15,412	12,569	16,710	14,675	8,345	8,086	12,904	12,651	85
Male.....	69,257	553	1,024	1,713	11,438	9,635	12,012	10,492	5,781	5,031	6,687	4,817	74
Female.....	37,485	393	617	1,005	3,974	2,934	4,698	4,183	2,564	3,055	6,217	7,834	11
Hispanic, both sexes.....	10,106	127	341	389	2,413	2,027	1,841	1,168	566	466	464	276	28
Male.....	7,698	83	215	244	1,958	1,709	1,468	888	407	307	258	134	27
Female.....	2,408	44	126	145	455	318	373	280	159	159	206	142	1
Non-Hispanic 1/, both sexes.....	96,175	816	1,296	2,318	12,956	10,489	14,792	13,422	7,728	7,584	12,394	12,347	33
Male.....	61,201	468	806	1,461	9,448	7,882	10,482	9,537	5,325	4,693	6,398	4,671	30
Female.....	34,974	348	490	857	3,508	2,607	4,310	3,885	2,403	2,891	5,996	7,676	3
Non-Hispanic white, both sexes.....	80,605	462	865	1,581	10,664	8,344	12,035	10,859	6,393	6,481	11,316	11,579	26
Male.....	50,652	279	527	997	7,746	6,273	8,550	7,745	4,374	3,991	5,805	4,342	23
Female.....	29,953	183	338	584	2,918	2,071	3,485	3,114	2,019	2,490	5,511	7,237	3
Non-Hispanic black, both sexes.....	12,285	324	350	607	1,680	1,676	2,227	2,145	1,075	818	799	580	4
Male.....	8,428	172	231	391	1,260	1,279	1,562	1,523	791	527	448	240	4
Female.....	3,857	152	119	216	420	397	665	622	284	291	351	340	-
Origin not stated 2/, both sexes.....	461	3	4	11	43	53	77	85	51	36	46	28	24
Male.....	358	2	3	8	32	44	62	67	49	31	31	12	17
Female.....	103	1	1	3	11	9	15	18	2	5	15	16	7
Transport accidents (V01-V99,Y85)													
All origins, both sexes.....	48,366	127	640	1,738	11,816	7,484	7,688	6,563	4,165	3,351	3,433	1,322	39
Male.....	33,533	72	381	1,039	8,471	5,676	5,499	4,727	2,877	2,101	1,917	737	36
Female.....	14,833	55	259	699	3,345	1,808	2,189	1,836	1,288	1,250	1,516	585	3
Hispanic, both sexes.....	5,921	26	182	277	1,875	1,340	930	554	300	217	157	46	17
Male.....	4,481	16	113	173	1,479	1,094	722	394	207	149	91	27	16
Female.....	1,440	10	69	104	396	246	208	160	93	68	66	19	1
Non-Hispanic 1/, both sexes.....	42,268	101	457	1,456	9,912	6,120	6,730	5,975	3,844	3,120	3,264	1,274	15
Male.....	28,906	45	267	862	6,970	4,562	4,755	4,305	2,651	1,940	1,816	708	14
Female.....	13,362	56	190	594	2,942	1,558	1,975	1,670	1,193	1,180	1,448	566	1
Non-Hispanic white, both sexes.....	34,689	59	300	1,076	8,146	4,703	5,389	4,909	3,246	2,695	2,974	1,182	10
Male.....	23,628	35	168	643	5,707	3,501	3,816	3,750	2,240	1,661	1,630	648	9
Female.....	11,061	24	132	433	2,439	1,202	1,573	1,339	1,006	1,034	1,344	534	1
Non-Hispanic black, both sexes.....	5,665	36	121	302	1,275	1,089	1,033	810	444	284	206	62	3
Male.....	4,051	18	79	177	917	837	733	582	327	196	139	43	3
Female.....	1,614	18	42	125	358	252	300	228	117	88	67	19	-
Origin not stated 2/, both sexes.....	177	-	1	5	29	24	28	34	21	14	12	2	7
Male.....	146	-	1	4	22	20	22	28	19	12	10	2	6
Female.....	31	-	-	1	7	4	6	6	2	2	2	-	1







Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental drowning and submersion (W65-W74)</b>													
All origins, both sexes.....	3,447	63	454	321	629	433	526	374	212	169	167	79	20
Male.....	2,761	40	312	244	578	380	439	301	161	132	106	50	18
Female.....	686	23	142	77	51	53	87	73	51	37	61	29	2
Hispanic, both sexes.....	464	18	65	29	143	80	55	30	15	12	10	2	5
Male.....	409	13	48	23	137	78	48	28	10	10	7	2	5
Female.....	55	5	17	6	6	2	7	2	5	2	3	-	-
Non-Hispanic 1/, both sexes.....	2,952	45	387	289	485	347	467	342	195	156	155	77	7
Male.....	2,326	27	262	219	440	298	387	271	149	121	97	48	7
Female.....	626	18	125	70	45	49	80	71	46	35	58	29	-
Non-Hispanic white, both sexes.....	2,143	32	303	134	316	245	360	260	165	126	131	64	7
Male.....	1,669	18	203	96	284	209	294	205	125	99	85	44	7
Female.....	474	14	100	38	32	36	66	55	40	27	46	20	-
Non-Hispanic black, both sexes.....	604	10	62	134	126	74	74	57	21	18	17	11	-
Male.....	502	6	43	107	122	65	66	47	18	15	9	4	-
Female.....	102	4	19	27	4	9	8	10	3	3	8	7	-
Origin not stated 2/, both sexes.....	31	-	2	3	1	6	4	2	2	1	2	-	8
Male.....	26	-	2	2	1	4	4	2	2	1	2	-	6
Female.....	5	-	-	1	-	2	-	-	-	-	-	-	2
<b>Accidental exposure to smoke, fire and flames (X00-X09)</b>													
All origins, both sexes.....	3,159	36	221	253	193	266	361	448	340	385	432	221	3
Male.....	1,935	21	126	151	132	170	251	292	219	242	231	97	3
Female.....	1,224	15	95	102	61	96	110	156	121	143	201	124	-
Hispanic, both sexes.....	223	5	36	27	25	17	27	22	17	20	16	10	1
Male.....	144	3	18	17	19	9	21	18	12	14	8	4	1
Female.....	79	2	18	10	6	8	6	4	5	6	8	6	-
Non-Hispanic 1/, both sexes.....	2,918	31	184	225	168	247	334	424	317	362	414	211	1
Male.....	1,780	18	108	133	113	159	230	274	201	227	223	93	1
Female.....	1,138	13	76	92	55	88	104	150	116	135	191	118	-
Non-Hispanic white, both sexes.....	2,055	16	90	112	113	171	258	317	227	268	325	157	1
Male.....	1,271	12	52	73	78	115	173	204	146	166	182	69	1
Female.....	784	4	38	39	35	56	85	113	81	102	143	88	-
Non-Hispanic black, both sexes.....	765	13	88	95	48	61	60	98	84	83	82	53	-
Male.....	454	6	53	53	31	35	45	64	52	53	38	24	-
Female.....	311	7	35	42	17	26	15	34	32	30	44	29	-
Origin not stated 2/, both sexes.....	18	-	1	1	-	2	-	2	6	3	2	-	1
Male.....	11	-	-	1	-	2	-	-	6	1	-	-	1
Female.....	7	-	1	-	-	-	-	2	-	2	2	-	-
<b>Accidental poisoning and exposure to noxious substances (X40-X49)</b>													
All origins, both sexes.....	17,550	26	31	43	1,679	3,116	6,007	4,682	1,098	383	295	181	9
Male.....	12,059	21	14	28	1,306	2,319	4,122	3,136	690	209	136	71	7
Female.....	5,491	5	17	15	373	797	1,885	1,546	408	174	159	110	2
Hispanic, both sexes.....	1,652	6	4	9	195	364	586	368	79	26	13	2	-
Male.....	1,324	5	-	4	161	312	466	288	60	18	9	1	-
Female.....	328	1	4	5	34	52	120	80	19	8	4	1	-
Non-Hispanic 1/, both sexes.....	15,789	20	27	34	1,476	2,735	5,382	4,290	1,011	351	280	179	4
Male.....	10,649	16	14	24	1,140	1,993	3,626	2,831	622	185	125	70	3
Female.....	5,140	4	13	10	336	742	1,756	1,459	389	166	155	109	1
Non-Hispanic white, both sexes.....	13,165	7	15	28	1,357	2,375	4,496	3,402	772	299	250	162	2
Male.....	8,849	7	6	21	1,048	1,737	3,045	2,225	436	150	108	65	1
Female.....	4,316	-	9	7	309	638	1,451	1,177	336	149	142	97	1
Non-Hispanic black, both sexes.....	2,326	12	11	6	86	299	786	825	221	41	26	12	1
Male.....	1,601	8	8	3	66	213	517	564	174	31	15	1	1
Female.....	725	4	3	3	20	86	269	261	47	10	11	11	-
Origin not stated 2/, both sexes.....	109	-	-	-	8	17	39	24	8	6	2	-	5
Male.....	86	-	-	-	5	14	30	17	8	6	2	-	4
Female.....	23	-	-	-	3	3	9	7	-	-	-	-	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All origins, both sexes.....	17,201	677	247	273	638	820	1,341	1,496	1,385	1,795	3,665	4,851	13
Male.....	9,839	389	156	185	545	692	1,081	1,180	1,013	1,113	1,827	1,648	10
Female.....	7,362	288	91	88	93	128	260	316	372	682	1,838	3,203	3
Hispanic, both sexes.....	954	68	42	36	100	139	144	101	67	73	92	87	5
Male.....	726	43	28	21	92	133	127	87	52	44	52	42	5
Female.....	228	25	14	15	8	6	17	14	15	29	40	45	-
Non-Hispanic 1/, both sexes.....	16,183	606	205	235	534	677	1,193	1,383	1,311	1,717	3,566	4,750	6
Male.....	9,070	344	128	163	450	555	950	1,084	954	1,065	1,771	1,601	5
Female.....	7,113	262	77	72	84	122	243	299	357	652	1,795	3,149	1
Non-Hispanic white, both sexes.....	13,865	339	136	172	446	565	969	1,131	1,081	1,414	3,190	4,416	6
Male.....	7,669	203	83	120	382	466	786	898	786	882	1,580	1,478	5
Female.....	6,196	136	53	52	64	99	183	233	295	532	1,610	2,938	1
Non-Hispanic black, both sexes.....	1,951	250	59	55	68	90	179	214	189	257	311	279	-
Male.....	1,162	132	40	38	52	71	126	157	138	151	159	98	-
Female.....	789	118	19	17	16	19	53	57	51	106	152	181	-
Origin not stated 2/, both sexes.....	64	3	-	2	4	4	4	12	7	5	7	14	2
Male.....	43	2	-	1	3	4	4	9	7	4	4	5	-
Female.....	21	1	-	1	1	-	-	3	-	1	3	9	2
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All origins, both sexes.....	31,655	...	...	264	4,010	5,046	6,851	6,308	3,618	2,463	2,259	826	10
Male.....	25,409	...	...	199	3,432	4,135	5,305	4,796	2,837	2,053	1,938	704	10
Female.....	6,246	...	...	65	578	911	1,546	1,512	781	410	321	122	-
Hispanic, both sexes.....	1,954	...	...	37	455	484	407	260	142	89	55	23	2
Male.....	1,651	...	...	21	388	426	340	206	123	77	47	21	2
Female.....	303	...	...	16	67	58	67	54	19	12	8	2	-
Non-Hispanic 1/, both sexes.....	29,543	...	...	226	3,536	4,538	6,413	6,015	3,455	2,360	2,199	797	4
Male.....	23,623	...	...	177	3,026	3,689	4,941	4,563	2,696	1,963	1,887	677	4
Female.....	5,920	...	...	49	510	849	1,472	1,452	759	397	312	120	-
Non-Hispanic white, both sexes.....	26,691	...	...	177	2,951	3,809	5,795	5,603	3,254	2,228	2,105	765	4
Male.....	21,323	...	...	138	2,527	3,065	4,462	4,252	2,546	1,865	1,812	652	4
Female.....	5,368	...	...	39	424	744	1,333	1,351	708	363	293	113	-
Non-Hispanic black, both sexes.....	1,896	...	...	35	392	497	432	265	125	80	51	19	-
Male.....	1,595	...	...	29	342	441	345	212	97	66	46	17	-
Female.....	301	...	...	6	50	56	87	53	28	14	5	2	-
Origin not stated 2/, both sexes.....	158	...	...	1	19	24	31	33	21	14	5	6	4
Male.....	135	...	...	1	18	20	24	27	18	13	4	6	4
Female.....	23	...	...	-	1	4	7	6	3	1	1	-	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All origins, both sexes.....	17,108	...	...	86	2,088	2,399	3,157	3,136	2,234	1,776	1,680	550	2
Male.....	15,045	...	...	68	1,897	2,078	2,672	2,677	1,930	1,620	1,576	525	2
Female.....	2,063	...	...	18	191	321	485	459	304	156	104	25	-
Hispanic, both sexes.....	834	...	...	10	224	198	145	98	67	52	28	12	-
Male.....	763	...	...	5	208	183	128	88	62	49	28	12	-
Female.....	71	...	...	5	16	15	17	10	5	3	-	-	-
Non-Hispanic 1/, both sexes.....	16,213	...	...	76	1,855	2,195	3,002	3,024	2,159	1,716	1,649	536	1
Male.....	14,226	...	...	63	1,680	1,890	2,536	2,576	1,861	1,563	1,545	511	1
Female.....	1,987	...	...	13	175	305	466	448	298	153	104	25	-
Non-Hispanic white, both sexes.....	14,865	...	...	63	1,521	1,853	2,749	2,846	2,063	1,653	1,595	521	1
Male.....	13,014	...	...	53	1,375	1,573	2,319	2,423	1,774	1,507	1,493	496	1
Female.....	1,851	...	...	10	146	280	430	423	289	146	102	25	-
Non-Hispanic black, both sexes.....	1,041	...	...	9	250	272	199	130	71	54	41	15	-
Male.....	945	...	...	8	229	258	170	115	63	48	39	15	-
Female.....	96	...	...	1	21	14	29	15	8	6	2	-	-
Origin not stated 2/, both sexes.....	61	...	...	-	9	6	10	14	8	8	3	2	1
Male.....	56	...	...	-	9	5	8	13	7	8	3	2	1
Female.....	5	...	...	-	-	1	2	1	1	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)</b>													
All origins, both sexes.....	14,547	...	...	178	1,922	2,647	3,694	3,172	1,384	687	579	276	8
Male.....	10,364	...	...	131	1,535	2,057	2,633	2,119	907	433	362	179	8
Female.....	4,183	...	...	47	387	590	1,061	1,053	477	254	217	97	-
Hispanic, both sexes.....	1,120	...	...	27	231	286	262	162	75	37	27	11	2
Male.....	888	...	...	16	180	243	212	118	61	28	19	9	2
Female.....	232	...	...	11	51	43	50	44	14	9	8	2	-
Non-Hispanic 1/, both sexes.....	13,330	...	...	150	1,681	2,343	3,411	2,991	1,296	644	550	261	3
Male.....	9,397	...	...	114	1,346	1,799	2,405	1,987	835	400	342	166	3
Female.....	3,933	...	...	36	335	544	1,006	1,004	461	244	208	95	-
Non-Hispanic white, both sexes.....	11,826	...	...	114	1,430	1,956	3,046	2,757	1,191	575	510	244	3
Male.....	8,309	...	...	85	1,152	1,492	2,143	1,829	772	358	319	156	3
Female.....	3,517	...	...	29	278	464	903	928	419	217	191	88	-
Non-Hispanic black, both sexes.....	855	...	...	26	142	225	233	135	54	26	10	4	-
Male.....	650	...	...	21	113	183	175	97	34	18	7	2	-
Female.....	205	...	...	5	29	42	58	38	20	8	3	2	-
Origin not stated 2/, both sexes.....	97	...	...	1	10	18	21	19	13	6	2	4	3
Male.....	79	...	...	1	9	15	16	14	11	5	1	4	3
Female.....	18	...	...	-	1	3	5	5	2	1	1	-	-
<b>Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)</b>													
All origins, both sexes.....	17,638	303	423	356	5,219	4,489	3,239	1,915	841	421	296	95	41
Male.....	13,640	164	234	197	4,474	3,669	2,386	1,394	614	277	158	41	32
Female.....	3,998	139	189	159	745	820	853	521	227	144	138	54	9
Hispanic, both sexes.....	3,129	52	81	64	1,200	903	464	216	87	29	19	3	11
Male.....	2,635	28	49	37	1,081	789	367	166	72	25	9	2	10
Female.....	494	24	32	27	119	114	97	50	15	4	10	1	1
Non-Hispanic 1/, both sexes.....	14,346	246	340	289	3,983	3,548	2,746	1,682	747	388	273	92	12
Male.....	10,881	131	184	157	3,362	2,852	2,002	1,213	536	248	148	39	9
Female.....	3,465	115	156	132	621	696	744	469	211	140	125	53	3
Non-Hispanic white, both sexes.....	5,571	117	169	133	958	977	1,268	898	496	275	197	73	10
Male.....	3,661	70	89	61	685	660	874	586	332	166	99	32	7
Female.....	1,910	47	80	72	273	317	394	312	164	109	98	41	3
Non-Hispanic black, both sexes.....	8,147	114	156	132	2,854	2,425	1,357	710	216	95	69	17	2
Male.....	6,780	54	89	84	2,540	2,092	1,042	572	180	72	47	6	2
Female.....	1,367	60	67	48	314	333	315	138	36	23	22	11	-
Origin not stated 2/, both sexes.....	163	5	2	3	36	38	29	17	7	4	4	-	18
Male.....	124	5	1	3	31	28	17	15	6	4	1	-	13
Female.....	39	-	1	-	5	10	12	2	1	-	3	-	5
<b>Assault (homicide) by discharge of firearms (*U01.4,X93-X95)</b>													
All origins, both sexes.....	11,829	9	49	205	4,317	3,465	2,042	1,025	409	161	115	19	13
Male.....	9,899	3	30	127	3,851	3,017	1,623	761	301	101	64	9	12
Female.....	1,930	6	19	78	466	448	419	264	108	60	51	10	1
Hispanic, both sexes.....	2,168	2	12	40	976	679	294	116	31	9	4	1	4
Male.....	1,942	-	8	29	909	619	245	91	26	7	3	1	4
Female.....	226	2	4	11	67	60	49	25	5	2	1	-	-
Non-Hispanic 1/, both sexes.....	9,575	7	37	164	3,309	2,760	1,735	902	376	151	110	18	6
Male.....	7,884	3	22	97	2,913	2,378	1,367	664	274	93	60	8	5
Female.....	1,691	4	15	67	396	382	368	238	102	58	50	10	1
Non-Hispanic white, both sexes.....	3,052	1	22	66	642	636	735	483	253	107	87	16	4
Male.....	2,139	1	12	34	488	465	531	321	174	58	44	8	3
Female.....	913	-	10	32	154	171	204	162	79	49	43	8	1
Non-Hispanic black, both sexes.....	6,181	6	14	80	2,547	2,048	931	385	107	39	20	2	2
Male.....	5,482	2	9	54	2,325	1,854	784	317	88	32	15	-	2
Female.....	699	4	5	26	222	194	147	68	19	7	5	2	-
Origin not stated 2/, both sexes.....	86	-	-	1	32	26	13	7	2	1	1	-	3
Male.....	73	-	-	1	29	20	11	6	1	1	1	-	3
Female.....	13	-	-	-	3	6	2	1	1	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)</b>													
All origins, both sexes.....	5,809	294	374	151	902	1,024	1,197	890	432	260	181	76	28
Male.....	3,741	161	204	70	623	652	763	633	313	176	94	32	20
Female.....	2,068	133	170	81	279	372	434	257	119	84	87	44	8
Hispanic, both sexes.....	961	50	69	24	224	224	170	100	56	20	15	2	7
Male.....	693	28	41	8	172	170	122	75	46	18	6	1	6
Female.....	268	22	28	16	52	54	48	25	10	2	9	1	1
Non-Hispanic 1/, both sexes.....	4,771	239	303	125	674	788	1,011	780	371	237	163	74	6
Male.....	2,997	128	162	60	449	474	635	549	262	155	88	31	4
Female.....	1,774	111	141	65	225	314	376	231	109	82	75	43	2
Non-Hispanic white, both sexes.....	2,519	116	147	67	316	341	533	415	243	168	110	57	6
Male.....	1,522	69	77	27	197	195	343	265	158	108	55	24	4
Female.....	997	47	70	40	119	146	190	150	85	60	55	33	2
Non-Hispanic black, both sexes.....	1,966	108	142	52	307	377	426	325	109	56	49	15	-
Male.....	1,298	52	80	30	215	238	258	255	92	40	32	6	-
Female.....	668	56	62	22	92	139	168	70	17	16	17	9	-
Origin not stated 2/, both sexes.....	77	5	2	2	4	12	16	10	5	3	3	-	15
Male.....	51	5	1	2	2	8	6	9	5	3	-	-	10
Female.....	26	-	1	-	2	4	10	1	-	-	3	-	5
<b>Legal intervention (Y35,Y89.0)</b>													
All origins, both sexes.....	384	-	-	3	91	102	109	56	16	6	1	-	-
Male.....	369	-	-	3	87	99	105	52	16	6	1	-	-
Female.....	15	-	-	-	4	3	4	4	-	-	-	-	-
Hispanic, both sexes.....	68	-	-	1	22	22	14	7	1	1	-	-	-
Male.....	67	-	-	1	22	21	14	7	1	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	315	-	-	2	69	80	94	49	15	5	1	-	-
Male.....	301	-	-	2	65	78	90	45	15	5	1	-	-
Female.....	14	-	-	-	4	2	4	4	-	-	-	-	-
Non-Hispanic white, both sexes.....	191	-	-	-	28	48	64	34	12	4	1	-	-
Male.....	181	-	-	-	25	47	62	30	12	4	1	-	-
Female.....	10	-	-	-	3	1	2	4	-	-	-	-	-
Non-Hispanic black, both sexes.....	109	-	-	2	37	28	28	11	2	1	-	-	-
Male.....	105	-	-	2	36	27	26	11	2	1	-	-	-
Female.....	4	-	-	-	1	1	2	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)</b>													
All origins, both sexes.....	4,830	101	57	68	487	828	1,516	1,140	320	139	95	65	14
Male.....	3,114	52	28	38	358	585	981	696	203	83	46	31	13
Female.....	1,716	49	29	30	129	243	535	444	117	56	49	34	1
Hispanic, both sexes.....	320	14	11	4	51	73	90	49	15	9	2	-	2
Male.....	242	6	7	1	45	58	64	40	14	4	1	-	2
Female.....	78	8	4	3	6	15	26	9	1	5	1	-	-
Non-Hispanic 1/, both sexes.....	4,470	87	44	63	432	749	1,420	1,086	301	128	93	62	5
Male.....	2,836	46	21	36	310	521	912	651	185	77	45	28	4
Female.....	1,634	41	23	27	122	228	508	435	116	51	48	34	1
Non-Hispanic white, both sexes.....	3,627	43	33	44	370	607	1,160	873	253	105	77	58	4
Male.....	2,265	23	16	24	264	419	739	504	151	57	38	27	3
Female.....	1,362	20	17	20	106	188	421	369	102	48	39	31	1
Non-Hispanic black, both sexes.....	738	37	7	15	52	118	240	195	39	16	16	3	-
Male.....	504	18	3	11	39	84	161	136	30	15	7	-	-
Female.....	234	19	4	4	13	34	79	59	9	1	9	3	-
Origin not stated 2/, both sexes.....	40	-	2	1	4	6	6	5	4	2	-	3	7
Male.....	36	-	1	1	3	6	5	5	4	2	-	3	7
Female.....	4	-	2	-	1	-	1	-	-	-	-	-	-



Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Complications of medical and surgical care (Y40-Y84,Y88)</b>													
All origins, both sexes.....	2,843	15	19	35	35	79	171	265	351	560	792	521	-
Male.....	1,236	8	11	26	19	47	82	127	169	256	320	171	-
Female.....	1,607	7	8	9	16	32	89	138	182	304	472	350	-
Hispanic, both sexes.....	137	2	7	5	6	8	13	14	19	28	29	6	-
Male.....	57	2	4	4	3	1	5	8	6	11	13	-	-
Female.....	80	-	3	1	3	7	8	6	13	17	16	6	-
Non-Hispanic 1/, both sexes.....	2,695	13	12	30	29	71	158	249	332	530	758	513	-
Male.....	1,175	6	7	22	16	46	77	117	163	244	306	171	-
Female.....	1,520	7	5	8	13	25	81	132	169	286	452	342	-
Non-Hispanic white, both sexes.....	2,188	6	7	16	21	49	107	169	252	440	664	457	-
Male.....	966	3	5	12	13	34	60	85	129	200	276	149	-
Female.....	1,222	3	2	4	8	15	47	84	123	240	388	308	-
Non-Hispanic black, both sexes.....	445	7	5	14	5	17	48	75	70	77	80	47	-
Male.....	182	3	2	10	2	9	16	29	30	37	25	19	-
Female.....	263	4	3	4	3	8	32	46	40	40	55	28	-
Origin not stated 2/, both sexes.....	11	-	-	-	-	-	-	2	-	2	5	2	-
Male.....	4	-	-	-	-	-	-	2	-	1	1	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	4	2	-
<b>Alcohol-induced causes (F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65, Y15) 3/</b>													
All origins, both sexes.....	19,928	1	2	3	101	581	3,579	6,643	4,820	2,808	1,183	199	8
Male.....	15,036	-	1	2	83	439	2,527	5,087	3,778	2,136	841	134	8
Female.....	4,892	1	1	1	18	142	1,052	1,556	1,042	672	342	65	-
Hispanic, both sexes.....	2,381	-	-	1	33	140	500	767	518	315	87	19	1
Male.....	2,040	-	-	-	30	127	425	656	451	272	65	13	1
Female.....	341	-	-	1	3	13	75	111	67	43	22	6	-
Non-Hispanic 1/, both sexes.....	17,401	1	2	2	67	438	3,051	5,824	4,266	2,477	1,090	179	4
Male.....	12,870	-	1	2	52	309	2,082	4,385	3,296	1,848	771	120	4
Female.....	4,531	1	1	-	15	129	969	1,439	970	629	319	59	-
Non-Hispanic white, both sexes.....	14,297	-	1	1	51	321	2,461	4,763	3,469	2,102	966	159	3
Male.....	10,625	-	1	1	42	230	1,698	3,618	2,693	1,552	684	103	3
Female.....	3,672	-	-	-	9	91	763	1,145	776	550	282	56	-
Non-Hispanic black, both sexes.....	2,336	1	1	-	8	64	378	828	639	297	103	16	1
Male.....	1,720	-	-	-	6	47	247	605	488	240	73	13	1
Female.....	616	1	1	-	2	17	131	223	151	57	30	3	-
Origin not stated 2/, both sexes.....	146	-	-	-	1	3	28	52	36	16	6	1	3
Male.....	126	-	-	-	1	3	20	46	31	16	5	1	3
Female.....	20	-	-	-	-	-	8	6	5	-	1	-	-
<b>Drug-induced causes (F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9, F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5, F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3-F17.5,F17.7-F17.9, F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85, Y10-Y14) 3/</b>													
All origins, both sexes.....	26,018	29	30	42	2,215	4,449	8,857	7,181	1,825	647	477	256	10
Male.....	16,724	20	9	24	1,622	3,139	5,728	4,516	1,039	308	211	101	7
Female.....	9,294	9	21	18	593	1,310	3,129	2,665	786	339	266	155	3
Hispanic, both sexes.....	2,137	5	4	4	217	456	777	505	111	36	20	2	-
Male.....	1,647	4	-	1	172	371	601	385	81	18	13	1	-
Female.....	490	1	4	3	45	85	176	120	30	18	7	1	-
Non-Hispanic 1/, both sexes.....	23,734	24	26	38	1,989	3,973	8,028	6,638	1,702	602	454	253	7
Male.....	14,968	16	9	23	1,445	2,751	5,089	4,106	947	282	196	99	5
Female.....	8,766	8	17	15	544	1,222	2,939	2,532	755	320	258	154	2
Non-Hispanic white, both sexes.....	19,929	9	14	32	1,819	3,429	6,721	5,327	1,383	536	422	232	5
Male.....	12,468	7	3	19	1,325	2,393	4,276	3,229	707	238	175	93	3
Female.....	7,461	2	11	13	494	1,036	2,445	2,098	676	298	247	139	2
Non-Hispanic black, both sexes.....	3,402	13	10	5	127	451	1,181	1,229	300	48	24	13	1
Male.....	2,264	8	6	3	90	300	740	833	231	34	16	2	1
Female.....	1,138	5	4	2	37	151	441	396	69	14	8	11	-
Origin not stated 2/, both sexes.....	147	-	-	-	9	20	52	38	12	9	3	1	3
Male.....	109	-	-	-	5	17	38	25	11	8	2	1	2
Female.....	38	-	-	-	4	3	14	13	1	1	1	-	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population and sex: United States, 2002

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All origins, both sexes.....	30,242	10	61	348	6,780	6,140	5,446	4,321	2,719	1,993	1,833	576	15
Male.....	26,098	4	38	242	6,096	5,347	4,503	3,579	2,296	1,768	1,671	540	14
Female.....	4,144	6	23	106	684	793	943	742	423	225	162	36	1
Hispanic, both sexes.....	3,143	2	15	56	1,260	920	459	220	99	62	33	13	4
Male.....	2,834	-	9	38	1,173	844	390	185	89	57	32	13	4
Female.....	309	2	6	18	87	76	69	35	10	5	1	-	-
Non-Hispanic 1/, both sexes.....	26,944	8	46	290	5,476	5,187	4,963	4,080	2,609	1,922	1,795	561	7
Male.....	23,127	4	29	202	4,882	4,477	4,093	3,375	2,198	1,702	1,634	525	6
Female.....	3,817	4	17	88	594	710	870	705	411	220	161	36	1
Non-Hispanic white, both sexes.....	18,762	2	28	163	2,356	2,639	3,662	3,457	2,380	1,812	1,714	544	5
Male.....	15,881	2	16	114	2,038	2,169	2,998	2,855	2,005	1,608	1,562	510	4
Female.....	2,881	-	12	49	318	470	664	602	375	204	152	34	1
Non-Hispanic black, both sexes.....	7,494	6	17	102	2,904	2,393	1,172	535	186	95	65	17	2
Male.....	6,681	2	12	74	2,657	2,182	991	450	156	82	58	15	2
Female.....	813	4	5	28	247	211	181	85	30	13	7	2	-
Origin not stated 2/, both sexes.....	155	-	-	2	44	33	24	21	11	9	5	2	4
Male.....	137	-	-	2	41	26	20	19	9	9	5	2	4
Female.....	18	-	-	-	3	7	4	2	2	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Includes deaths for which Hispanic origin was not reported on the death certificate.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.