

IDLH

IMMEDIATELY DANGEROUS to LIFE or HEALTH VALUE PROFILE

Furan
CAS[®] No. 110-00-9

DEPARTMENT OF HEALTH AND HUMAN SERVICES
Center for Disease Control and Prevention
National Institute of Occupational Safety and Health




This page intentionally left blank.

Immediately Dangerous to Life or Health (IDLH) Value Profile

Furan

[CAS[®] No. 110-00-9]



DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Institute for Occupational Safety and Health

This document is in the public domain and may be freely copied or reprinted.

Disclaimer

Mention of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health (NIOSH). In addition, citations to websites external to NIOSH do not constitute NIOSH endorsement of the sponsoring organizations or their programs or products. Furthermore, NIOSH is not responsible for the content of these websites.

Ordering Information

To receive this document or information about other occupational safety and health topics, contact NIOSH:

Telephone: 1-800-CDC-INFO (1-800-232-4636)

TTY: 1-888-232-6348

E-mail: cdcinfo@cdc.gov

or visit the NIOSH Website at: www.cdc.gov/niosh

For a monthly update on news at NIOSH, subscribe to *NIOSH eNews* by visiting www.cdc.gov/niosh/eNews.

Suggested Citation

NIOSH [2016]. Immediately dangerous to life or health (IDLH) value profile: furan. By Dotson GS, Maier A, Parker A, Haber L. Cincinnati, OH: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication 2016-171.

DHHS (NIOSH) Publication No. 2016-171

September 2016

Foreword

Chemicals are a ubiquitous component of the modern workplace. Occupational exposures to chemicals have the potential to adversely affect the health and lives of workers. Acute or short-term exposures to high concentrations of some airborne chemicals have the ability to quickly overwhelm workers, resulting in a spectrum of undesirable health outcomes that may inhibit the ability to escape from the exposure environment (e.g., irritation of the eyes and respiratory tract or cognitive impairment), cause severe irreversible effects (e.g., damage to the respiratory tract or reproductive toxicity), and in extreme cases, cause death. Airborne concentrations of chemicals capable of causing such adverse health effects or of impeding escape from high-risk conditions may arise from a variety of nonroutine workplace situations, including special work procedures (e.g., in confined spaces), industrial accidents (e.g., chemical spills or explosions), and chemical releases into the community (e.g., during transportation incidents or other uncontrolled-release scenarios).

The immediately dangerous to life or health (IDLH) air concentration values developed by the National Institute for Occupational Safety and Health (NIOSH) characterize these high-risk exposure concentrations and conditions [NIOSH 2013]. IDLH values are based on a 30-minute exposure duration and have traditionally served as a key component of the decision logic for the selection of respiratory protection devices [NIOSH 2004].

Occupational health professionals have employed these values beyond their initial purpose as a component of the NIOSH Respirator Selection Logic to assist in developing risk management plans for nonroutine work practices governing operations in high-risk environments (e.g., confined spaces) and the development of emergency preparedness plans.

The approach used to derive IDLH values for high-priority chemicals is outlined in the *NIOSH Current Intelligence Bulletin (CIB) 66: Derivation of Immediately Dangerous to Life or Health Values* [NIOSH 2013]. CIB 66 provides (1) an update on the scientific basis and risk assessment methodology used to derive IDLH values, (2) the rationale and derivation process for IDLH values, and (3) a demonstration of the derivation of scientifically credible IDLH values, using available data resources.

The purpose of this technical report is to present the IDLH value for furan (CAS® #110-00-9). The scientific basis, toxicologic data, and risk assessment approach used to derive the IDLH value are summarized to ensure transparency and scientific credibility.

John Howard, M.D.
Director
National Institute for Occupational
Safety and Health
Centers for Disease Control and Prevention

This page intentionally left blank.

Contents

Foreword	iii
Contents	v
Abbreviations	vi
Glossary	vii
Acknowledgments	xi
1 Introduction	1
1.1 Overview of the IDLH Value for Furan	1
1.2 Purpose	1
1.3 General Substance Information	1
2 Animal Toxicity Data	4
3 Human Data	7
4 Summary	7
5 References	7

Abbreviations

ACGIH®	American Conference of Governmental Industrial Hygienists
AEGLs	Acute Exposure Guideline Levels
AIHA®	American Industrial Hygiene Association
BMC	benchmark concentration
BMD	benchmark dose
BMCL	benchmark concentration lower confidence limit
C	ceiling value
°C	degrees Celsius
CAS®	Chemical Abstracts Service, a division of the American Chemical Society
ERPGs™	Emergency Response Planning Guidelines
°F	degrees Fahrenheit
IDLH	immediately dangerous to life or health
LC₅₀	median lethal concentration
LC_{Lo}	lowest concentration that caused death in humans or animals
LEL	lower explosive limit
LOAEL	lowest observed adverse effect level
mg/m³	milligram(s) per cubic meter
min	minutes
mmHg	millimeter(s) of mercury
NAC	National Advisory Committee
NAS	National Academy of Sciences
NIOSH	National Institute for Occupational Safety and Health
NOAEL	no observed adverse effect level
NR	not recommended
OSHA	Occupational Safety and Health Administration
PEL	permissible exposure limit
ppm	parts per million
RD₅₀	concentration of a chemical in the air that is estimated to cause a 50% decrease in the respiratory rate
REL	recommended exposure limit
SCP	Standards Completion Program (joint effort of NIOSH and OSHA)
STEL	short-term exposure limit
TLV®	Threshold Limit Value
TWA	time-weighted average
UEL	upper explosive limit
WEELs®	Workplace Environmental Exposure Levels
µg/kg	microgram(s) per kilogram of body weight

Glossary

Acute exposure: Exposure by the oral, dermal, or inhalation route for 24 hours or less.

Acute Exposure Guideline Levels (AEGs): Threshold exposure limits for the general public, applicable to emergency exposure periods ranging from 10 minutes to 8 hours. AEG-1, AEG-2, and AEG-3 are developed for five exposure periods (10 and 30 minutes, 1 hour, 4 hours, and 8 hours) and are distinguished by varying degrees of severity of toxic effects, ranging from transient, reversible effects to life-threatening effects [NAS 2001]. AEGs are intended to be guideline levels used during rare events or single once-in-a-lifetime exposures to airborne concentrations of acutely toxic, high-priority chemicals [NAS 2001]. The threshold exposure limits are designed to protect the general population, including the elderly, children, and other potentially sensitive groups that are generally not considered in the development of workplace exposure recommendations (additional information available at <http://www.epa.gov/oppt/aegl/>).

Acute reference concentration (Acute RfC): An estimate (with uncertainty spanning perhaps an order of magnitude) of a continuous inhalation exposure for an acute duration (24 hours or less) of the human population (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious effects during a lifetime. It can be derived from a NOAEL, LOAEL, or benchmark concentration, with uncertainty factors (UFs) generally applied to reflect limitations of the data used. Generally used in U.S. EPA noncancer health assessments [U.S. EPA 2016].

Acute toxicity: Any poisonous effect produced within a short period of time following an exposure, usually 24 to 96 hours [U.S. EPA 2016].

Adverse effect: A substance-related biochemical change, functional impairment, or pathologic lesion that affects the performance of an organ or system or alters the ability to respond to additional environmental challenges.

Benchmark dose/concentration (BMD/BMC): A dose or concentration that produces a pre-determined change in response rate of an effect (called the benchmark response, or BMR) compared to background [U.S. EPA 2016] (additional information available at <http://www.epa.gov/ncea/bmds/>).

Benchmark response (BMR): A predetermined change in response rate of an effect. Common defaults for the BMR are 10% or 5%, reflecting study design, data variability, and sensitivity limits used.

BMCL: A statistical lower confidence limit on the concentration at the BMC [U.S. EPA 2016].

Bolus exposure: A single, relatively large dose.

Ceiling value ("C"): U.S. term in occupational exposure indicating the airborne concentration of a potentially toxic substance that should never be exceeded in a worker's breathing zone.

Chronic exposure: Repeated exposure for an extended period of time. Typically exposures are more than approximately 10% of life span for humans and >90 days to 2 years for laboratory species.

Critical study: The study that contributes most significantly to the qualitative and quantitative assessment of risk [U.S. EPA 2016].

Dose: The amount of a substance available for interactions with metabolic processes or biologically significant receptors after crossing the outer boundary of an organism [U.S. EPA 2016].

EC₅₀: A combination of the effective concentration of a substance in the air and the exposure duration that is predicted to cause an effect in 50% (one half) of the experimental test subjects.

Emergency Response Planning Guidelines (ERPGs™): Maximum airborne concentrations below which nearly all individuals can be exposed without experiencing health effects for 1-hour exposure. ERPGs are presented in a tiered fashion, with health effects ranging from mild or transient to serious, irreversible, or life threatening (depending on the tier). ERPGs are developed by the American Industrial Hygiene Association [AIHA 2006].

Endpoint: An observable or measurable biological event or sign of toxicity, ranging from biomarkers of initial response to gross manifestations of clinical toxicity.

Exposure: Contact made between a chemical, physical, or biological agent and the outer boundary of an organism. Exposure is quantified as the amount of an agent available at the exchange boundaries of the organism (e.g., skin, lungs, gut).

Extrapolation: An estimate of the response at a point outside the range of the experimental data, generally through the use of a mathematical model, although qualitative extrapolation may also be conducted. The model may then be used to extrapolate to response levels that cannot be directly observed.

Hazard: A potential source of harm. Hazard is distinguished from risk, which is the probability of harm under specific exposure conditions.

Immediately dangerous to life or health (IDLH) condition: A condition that poses a threat of exposure to airborne contaminants when that exposure is likely to cause death or immediate or delayed permanent adverse health effects or prevent escape from such an environment [NIOSH 2004, 2013].

IDLH value: A maximum (airborne concentration) level above which only a highly reliable breathing apparatus providing maximum worker protection is permitted [NIOSH 2004, 2013]. IDLH values are based on a 30-minute exposure duration.

LC₀₁: The statistically determined concentration of a substance in the air that is estimated to cause death in 1% of the test animals.

LC₅₀: The statistically determined concentration of a substance in the air that is estimated to cause death in 50% (one half) of the test animals; median lethal concentration.

LC₁₀: The lowest lethal concentration of a substance in the air reported to cause death, usually for a small percentage of the test animals.

LD₅₀: The statistically determined lethal dose of a substance that is estimated to cause death in 50% (one half) of the test animals; median lethal concentration.

LD₁₀: The lowest dose of a substance that causes death, usually for a small percentage of the test animals.

LEL: The minimum concentration of a gas or vapor in air, below which propagation of a flame does not occur in the presence of an ignition source.

Lethality: Pertaining to or causing death; fatal; referring to the deaths resulting from acute toxicity studies. May also be used in lethality threshold to describe the point of sufficient substance concentration to begin to cause death.

Lowest observed adverse effect level (LOAEL): The lowest tested dose or concentration of a substance that has been reported to cause harmful (adverse) health effects in people or animals.

Mode of action: The sequence of significant events and processes that describes how a substance causes a toxic outcome. By contrast, the term mechanism of action implies a more detailed understanding on a molecular level.

No observed adverse effect level (NOAEL): The highest tested dose or concentration of a substance that has been reported to cause no harmful (adverse) health effects in people or animals.

Occupational exposure limit (OEL): Workplace exposure recommendations developed by governmental agencies and nongovernmental organizations. OELs are intended to represent the maximum airborne concentrations of a chemical substance below which workplace exposures should not cause adverse health effects. OELs may apply to ceiling limits, STELs, or TWA limits.

Peak concentration: Highest concentration of a substance recorded during a certain period of observation.

Permissible exposure limits (PELs): Occupational exposure limits developed by OSHA (29 CFR 1910.1000) or MSHA (30 CFR 57.5001) for allowable occupational airborne exposure concentrations. PELs are legally enforceable and may be designated as ceiling limits, STELs, or TWA limits.

Point of departure (POD): The point on the dose–response curve from which dose extrapolation is initiated. This point can be the lower bound on dose for an estimated incidence or a change in response level from a concentration–response model (BMC), or it can be a NOAEL or LOAEL for an observed effect selected from a dose evaluated in a health effects or toxicology study.

RD₅₀: The statistically determined concentration of a substance in the air that is estimated to cause a 50% (one half) decrease in the respiratory rate.

Recommended exposure limit (REL): Recommended maximum exposure limit to prevent adverse health effects, based on human and animal studies and established for occupational (up to 10-hour shift, 40-hour week) inhalation exposure by NIOSH. RELs may be designated as ceiling limits, STELs, or TWA limits.

Short-term exposure limit (STEL): A worker's 15-minute time-weighted average exposure concentration that shall not be exceeded at any time during a work day.

Target organ: Organ in which the toxic injury manifests in terms of dysfunction or overt disease.

Threshold Limit Values (TLVs®): Recommended guidelines for occupational exposure to airborne contaminants, published by the American Conference of Governmental Industrial Hygienists (ACGIH®). TLVs refer to airborne concentrations of chemical substances and represent conditions under which it is believed that nearly all workers may be repeatedly exposed, day after day, over a working lifetime, without adverse effects. TLVs may be designated as ceiling limits, STELs, or 8-hr TWA limits.

Time-weighted average (TWA): A worker's 8-hour (or up to 10-hour) time-weighted average exposure concentration that shall not be exceeded during an 8-hour (or up to 10-hour) work shift of a 40-hour week. The average concentration is weighted to take into account the duration of different exposure concentrations.

Toxicity: The degree to which a substance is able to cause an adverse effect on an exposed organism.

Uncertainty factors (UFs): Mathematical adjustments applied to the POD when developing IDLH values. The UFs for IDLH value derivation are determined by considering the study and effect used for the POD, with further modification based on the overall database.

Workplace Environmental Exposure Levels (WEELs®): Exposure levels developed by the American Industrial Hygiene Association (AIHA®) that provide guidance for protecting most workers from adverse health effects related to occupational chemical exposures, expressed as TWA or ceiling limits.

Acknowledgments

This document was developed by the Education and Information Division (Paul Schulte, Ph.D., Director). G. Scott Dotson, Ph.D., was the project officer and lead NIOSH author. The basis for this document was a report contracted by NIOSH and prepared by Andrew Maier, Ph.D., Ann Parker, and Lynn Haber, Ph.D. (Toxicology Excellence for Risk Assessment [TERA]).

The following NIOSH staff are acknowledged for providing technical and editorial review of the report:

Education and Information Division

Devin Baker, M.Ed.

Charles L. Geraci, Ph.D.

Thomas J. Lentz, Ph.D.

Richard W. Niemeier, Ph.D. (retired)

Chris Whittaker, Ph.D.

NIOSH Office of the Director

John Decker, M.S., R. Ph.

NIOSH acknowledges the following subject matter experts for their critical technical reviews:

Michael S. Bisesi, Ph.D., R.E.H.S., C.I.H., Senior Associate Dean for Academic Affairs; Director, Center for Public Health Practice; Interim Chair & Associate Professor, Division of Environmental Health Science, College of Public Health, Ohio State University, Columbus, OH

Jeremy Brower, Ph.D., Associate Research Scientist, Lovelace Respiratory Research Institute, Albuquerque, NM

Mary A. Fox, Ph.D., Assistant Professor, Co-Director, Risk Sciences and Public Policy Institute, Department of Health Policy and Management, Bloomberg School of Public Health, Johns Hopkins University, Baltimore, MD

Mattias U. L. Öberg, Ph.D., Associate Professor, Institute of Environmental Medicine, Division of Work Environment Toxicology, Director of Risk Assessment, Swedish Toxicology Research Center (Swetox), Södertälje, Sweden

Leslie Stayner, M.Sc., Ph.D., Professor of Epidemiology and Biostatistics, School of Public Health, and Director of Occupational and Environmental Epidemiology, Occupational and Environmental Health and Safety Education and Research Center, University of Illinois at Chicago, Chicago, IL; Adjunct Research Professor, Center for Research on Environmental Epidemiology (CREAL), Barcelona, Spain

This page intentionally left blank.

1 Introduction

1.1 Overview of the IDLH Value for Furan

IDLH value: 13 ppm (35.1 mg/m³)

Basis for IDLH value: The IDLH value for furan is based on a rat LOAEL of 1,014 ppm for a 1-hour exposure reported by Terrill et al. [1989] for potential escape-impairing effects, such as respiratory distress, decreased blood pressure, convulsions, and complete anesthesia. The 30-minute duration adjusted concentration for the LOAEL is 1,278 ppm. Applying a composite uncertainty factor of 100 to account for extrapolation from a concentration that causes an escape-impairing effect in animals, adjustment from LOAEL to NOAEL, severity of effects, interspecies differences, and human variability results in an IDLH value of 13 ppm.

1.2 Purpose

This *IDLH Value Profile* presents (1) a brief summary of technical data associated with

acute inhalation exposures to furan and (2) the rationale behind the immediately dangerous to life or health (IDLH) value for furan. IDLH values are developed on the basis of the scientific rationale and logic outlined in the *NIOSH Current Intelligence Bulletin (CIB) 66: Derivation of Immediately Dangerous to Life or Health (IDLH) Values* [NIOSH 2013]. As described in CIB 66, NIOSH performs in-depth literature searches to ensure that all relevant data from human and animal studies with acute exposures to the substance are identified. Information included in CIB 66 on the literature search includes pertinent databases, key terms, and guides for evaluating data quality and relevance for the establishment of an IDLH value. The information that is identified in the in-depth literature search is evaluated with general considerations that include description of studies (i.e., species, study protocol, exposure concentration and duration), health endpoint evaluated, and critical effect levels (e.g., NOAELs, LOAELs, and LC₅₀ values). For furan, the in-depth literature search was conducted through May 2016.

1.3 General Substance Information


Chemical: Furan

CAS No: 110-00-9

Synonyms: 1,4-Epoxy-1,3-butadiene; Axole; Oxole; Divinylene oxide*

Chemical category: Oxygen heterocycles†

Structural formula:



References: *NLM [2016]; †IFA [2016]

Table 1 highlights selected physiochemical properties of furan relevant to IDLH conditions. Table 2 provides alternative exposure guidelines for furan. Table 3 summarizes the Acute Exposure Guidelines Level (AEL) values for furan.

Table 1: Physiochemical properties of furan

Property	Value
Molecular weight	68.07 [‡]
Chemical formula	C ₄ H ₄ O
Description	Colorless liquid
Odor	Strong, ethereal; chloroform-like
Odor threshold	Not available
UEL	14.3% [†]
LEL	2.3% [†]
Vapor pressure	600 mmHg at 25°C (77°F) [‡]
Flash point	-35.56°C (-32°F) [‡]
Ignition temperature	390°C (734°F) [†]
Solubility	Sparingly soluble in water [†]

References: [†]IFA [2016]; [‡]HSDB [2016]

Table 2: Alternative exposure guidelines for furan

Guideline	Value
Original (SCP) IDLH value [*]	None
NIOSH REL [†]	None
OSHA PEL [§]	None
ACGIH TLV ^{®‡}	None
AIHA ERPGs ^{TM†}	None
AIHA WEELS ^{®¶}	None

References: ^{*}NIOSH [1994]; [§]OSHA [2016]; [†]NIOSH [2016]; [‡]ACGIH [2015]; [¶]AIHA [2014]

Table 3: AEGL values for furan

Classification	10-min	30-min	1-hour	4-hour	8-hour	Endpoint [reference]
AEGL-1	NR	NR	NR	NR	NR	Not applicable
AEGL-2	12.0 ppm 33.0 mg/m ³	8.5 ppm 24.0 mg/m ³	6.8 ppm 19.0 mg/m ³	1.7 ppm 4.7 mg/m ³	0.85 ppm 2.4 mg/m ³	1,014 ppm for 1 hour: threshold for adverse effects in rats; clinical signs: although the severity of respiratory distress and increased secretory response was not reported, no decrease in body weight occurred (Terrill et al. 1989)
AEGL-3	35.0 ppm 97.0 mg/m ³	24.0 ppm 67.0 mg/m ³	19.0 ppm 53.0 mg/m ³	4.8 ppm 13.0 mg/m ³	2.4 ppm 6.7 mg/m ³	2,851 ppm for 1 hour: threshold for lethality in rats (Terrill et al. 1989)

Reference: NAS [2010]

2 Animal Toxicity Data

Lethality studies were conducted in three different species. Koch and Cahan [1926] exposed a single rat and rabbit via inhalation of furan from saturated cotton held over the nose. Both animals struggled; the rat died the following day and the rabbit died shortly after collapsing from the exposure. There was no information available on the exposure concentration because of the nonstandard exposure method. Egle and Gochberg [1979] reported a 1-hour LC_{50} value of 42 ppm in mice exposed to furan vapor; no individual concentrations were reported and hypoxia contributed to the mortality observed. Terrill et al. [1989] evaluated lethal and nonlethal effects of multiple chemicals, including furan. Male and female rats were exposed to nominal airborne concentrations of furan ranging from 1,152 to 5,112 ppm. The 60-minute LC_{50} value for both sexes was reported at 3,464 ppm. Terrill et al. [1989] also reported a LOAEL of 1,014 ppm for a 1-hour exposure in rats, based on observed respiratory distress. Symptoms of

intoxication were seen at concentrations between the LOAEL and reported lethal concentrations. These symptoms included increased respiratory rate, decreased blood pressure, convulsions, complete anesthesia, and death from asphyxia. In a 2-year NTP [1993] study, there was clear evidence of carcinogenic activity in rats (based on liver neoplasms and leukemia) and in mice (based on liver and adrenal gland tumors). However, no cancer potency values have been developed for furan.

Table 4 summarizes the LC data identified in animal studies and provides 30-minute-equivalent derived values for furan. Table 5 provides nonlethal-concentration data reported from animal studies with 30-minute-equivalent derived values. Information in these tables includes species of test animals, toxicological metrics (i.e., LC, NOAEL, and LOAEL), adjusted 30-minute concentration, and the justification for the composite uncertainty factors applied to calculate the derived values.

Table 4: Lethal concentration data for furan

Reference	Species (sex)	LC ₅₀ (ppm)	LC _{Lo} (ppm)	Time (min)	Adjusted 30-minute concentration* (ppm)	Composite uncertainty factor	30-min Equivalent derived value (ppm) [†]	Final value (ppm) [‡]
Terrill et al. [1989]	Rat (males)	3,398	—	60	4,281	100 [§]	42.81	43
Terrill et al. [1989]	Rat (females)	3,550	—	60	4,473	100 [§]	44.73	45
Terrill et al. [1989]	Rat (both sexes)	3,464	—	60	4,364	100 [§]	43.64	44

*For exposures other than 30 minutes, the ten Berge et al. [1986] relationship was used for duration adjustment ($C_n \times t = k$). No empirically estimated n values were available; therefore, the default values were used (n = 3 for exposures greater than 30 minutes and n = 1 for exposures less than 30 minutes). Additional information on the calculation of duration-adjusted concentrations can be found in NIOSH [2013].

[†]The derived value is the result of the adjusted 30-minute concentration divided by the composite uncertainty factor.

[‡]Values rounded to the appropriate significant figure.

[§]Composite uncertainty factor to account for adjustment of LC₅₀ values to LC₀₁ values, use of lethal concentration threshold in animals, interspecies differences, and human variability.

Table 5: Nonlethal concentration data for furan

Reference	Species (reference)	Critical nonlethal effect	NOAEL (ppm)	LOAEL (ppm)	Time (min)	Adjusted 30-minute concentration* (ppm)	Composite uncertainty factor	30-min equivalent derived value (ppm) [†]	Final value (ppm) [‡]
Terrill et al. [1989] [§]	Rat (both sexes)	Respiratory distress, decreased blood pressure, convulsions, and complete anesthesia	–	1,014	60	1,278	100 [†]	12.78	13

*For exposures other than 30 minutes, the ten Berge et al. [1986] relationship is used for duration adjustment ($C_n \times t = k$). No empirically estimated n values were available; therefore the default values were used (n = 3 for exposures greater than 30 minutes and n = 1 for exposures less than 30 minutes). Additional information on the calculation of duration-adjusted concentrations can be found in NIOSH [2013].

†The derived value is the result of the adjusted 30-minute concentration divided by the composite uncertainty factor.

‡Value rounded to the appropriate significant figure.

§Identified study is the primary basis of the IDLH value for furan.

†Composite uncertainty factor assigned to account for adjusting from a LOAEL to NOAEL, severity of effect, interspecies differences, and human variability.

3 Human Data

No human studies for furan were found.

4 Summary

A single acute lethality study in the rat provides the only adequate toxicity data for development of an IDLH value. The study investigators reported a 1-hour LC₅₀ value of 3,464 ppm for both sexes combined [Terrill et al. 1989]. This study also identified a LOAEL of 1,014 ppm for a 1-hour exposure for potential escape-impairing effects, such as respiratory distress, decreased blood pressure, convulsions, and complete anesthesia. This LOAEL is more appropriate as the basis

of the IDLH value because it protects against potential escape-impairing effects such as respiratory distress. The 30-minute-duration adjusted concentration for the LOAEL is 1,278 ppm. Applying a composite uncertainty factor of 100 to account for extrapolation from a concentration that causes an escape-impairing effect in animals, severity of effects, interspecies differences, and human variability results in an IDLH value of 13 ppm.

5 References

ACGIH [2015]. Annual TLVs® (Threshold Limit Values) and BEIs® (Biological Exposure Indices) booklet. Cincinnati, OH: ACGIH Signature Publications.

AIHA [2006]. AIHA Emergency Response Planning (ERP) Committee procedures and responsibilities. Fairfax, VA: American Industrial Hygiene Association, <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/ERP-SOPs2006.pdf>.

AIHA [2014]. Emergency response planning guidelines (ERPG) and workplace environmental exposure levels (WEEL) handbook. Fairfax, VA: American Industrial Hygiene Association Press, <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanning>

Guidelines/Documents/2014%20ERPG%20Values.pdf.

Egle JL, Gochberg BJ [1979]. Respiratory retention and acute toxicity of furan. *Am Ind Hyg Assoc J* 40:310–314.

HSDB [2016]. Hazardous Substances Data Bank. Bethesda, MD: National Library of Medicine, <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>.

IFA (Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung) [2016]. GESTIS: database on hazardous substances, <http://gestis-en.itrust.de/nxt/gateway.dll?f=templates&fn=default.htm&vid=gestiseng:sdbeng>.

Koch EM, Cahan MH [1926]. Physiologic action of furane. *J Pharmacol Exp Ther* 26:281–285.

- NAS [2001]. Standing operating procedures for developing Acute Exposure Guideline Levels for hazardous chemicals. National Academy of Sciences, National Research Council (NRC), Committee on Toxicology, Subcommittee on Acute Exposure Guideline Levels. Washington, DC: National Academy Press, ISBN: 0-309-07553-X, http://www.epa.gov/sites/production/files/2015-09/documents/sop_final_standing_operating_procedures_2001.pdf.
- NAS [2010]. Acute Exposure Guideline Levels (AEGs) for selected airborne chemicals. Vol. 9. Chapter 3: Furan. National Academy of Sciences, Committee on Toxicology and Committee on Acute Exposure Guideline Levels, Board on Environmental Studies and Toxicology, National Research Council. Washington, DC: National Academy Press, http://www.epa.gov/sites/production/files/2014-11/documents/furan_final_volume9_2010.pdf.
- NIOSH [1994]. Documentation for immediately dangerous to life or health concentrations (IDLHs). Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, <http://www.cdc.gov/niosh/idlh/intridl4.html>.
- NIOSH [2004]. NIOSH respirator selection logic. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2005-100, <http://www.cdc.gov/niosh/docs/2005-100/pdfs/2005-100.pdf>.
- NIOSH [2013]. NIOSH Current Intelligence Bulletin 66: derivation of immediately dangerous to life or health (IDLH) values. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2014-100, <http://www.cdc.gov/niosh/docs/2014-100/pdfs/2014-100.pdf>.
- NIOSH [2016]. NIOSH pocket guide to chemical hazards. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2005-149, <http://www.cdc.gov/niosh/npg/>.
- NLM [2016]. ChemIDplus lite. Bethesda, MD: National Library of Medicine, <http://chem.sis.nlm.nih.gov/chemidplus/ProxyServlet?objectHandle=DBMaint&actionHandle=default&nextPage=jsp/chemidlite/ResultScreen.jsp&TXTSUPERLISTID=0000110009>.
- NTP [1993]. Toxicology and carcinogenesis studies of furan (CAS no. 110-00-9) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program, NIH Publication No. 93-2857, NTP TR 402.
- OSHA [2016]. Occupational safety and health standards. 29 CFR 1910. Subpart Z: toxic and hazardous substances. Washington, DC: OSHA, http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9992.
- ten Berge WF, Zwart A, Appelman LM [1986]. Concentration-time mortality response relationship of irritant and systematically acting vapors and gases. *J Haz Mat* 13:301–309.
- Terrill JB, Van Horn WE, Robinson D, Thomas DL [1989]. Acute inhalation toxicity of furan, 2 methylfuran, furfuryl alcohol, and furfural in the rat. *Am Ind Hyg Assoc J* 50:A359–A361.
- U.S. EPA [2016]. Integrated Risk Information System (IRIS). Washington, DC: U.S. Environmental Protection Agency, <http://www.epa.gov/iris/>.

This page intentionally left blank.



Delivering on the Nation's promise:
safety and health at work for all people
through research and prevention

To receive NIOSH documents or more information about
occupational safety and health topics, contact NIOSH at

1-800-CDC-INFO (1-800-232-4636)

TTY: 1-888-232-6348

E-mail: cdcinfo@cdc.gov

or visit the NIOSH Website at www.cdc.gov/niosh.

For a monthly update on news at NIOSH, subscribe to
NIOSH eNews by visiting www.cdc.gov/niosh/eNews.

DHHS (NIOSH) Publication No. 2016-171