

## DES Research

Adachi T, Koh KB, Tainaka H, Matsuno Y, Ono Y, Sakurai K, et al. Toxicogenomic difference between diethylstilbestrol and 17beta-estradiol in mouse testicular gene expression by neonatal exposure. *Mol Reprod Dev* Jan 2004;67(1):19-25.

Adachi T, Komiyama M, Ono Y, Koh KB, Sakurai K, Shibayama T, et al. Toxicogenomic effects of neonatal exposure to diethylstilbestrol on mouse testicular gene expression in the long term: A study using cDNA microarray analysis. *Mol Reprod Dev* 2002;63(1):17-23.

Adachi T, Matsuno Y, Sugimura A, Koh KB, Sakurai K, Shibayama T, et al. ADAM7 (A disintegrin and metalloprotease 7) mRNA is suppressed in mouse epididymis by neonatal exposure to diethylstilbestrol. *Mol Reprod Dev* 01 Apr 2003;64(4):414-421.

Adamsson NA, Brokken LJS, Paranko J, Toppari J. In vivo and in vitro effects of flutamide and diethylstilbestrol on fetal testicular steroidogenesis in the rat. *Reprod Toxicol* Jan 2008;25(1):76-83.

Alwis ID and Maroni DM. Neonatal diethylstilbestrol exposure disrupts female reproductive tract structure/function via both direct and indirect mechanisms in the hamster. *Reprod Toxicol* 2011;32(4):472-483.

Alworth LC, Howdeshell KL, Ruhlen RL, Day JK, Lubahn DB, Huang TH, et al. Uterine responsiveness to estradiol and DNA methylation are altered by fetal exposure to diethylstilbestrol and methoxychlor in CD-1 mice: Effects of low versus high doses. *Toxicol App Pharmacol*. 2002;183(1):10-22.

Anahara R, Yoshida M, Toyama Y, Maekawa M, Kai M, Ishino F, et al. Estrogen agonists, 17beta-estradiol, bisphenol A, and diethylstilbestrol, decrease cortactin expression in the mouse testis. *Arch Histol Cytol* Jun 2006;69(2):101-107.

Atanassova N, McKinnell C, Fisher J, Sharpe RM. Neonatal treatment of rats with diethylstilboestrol (DES) induces stromal-epithelial abnormalities of the vas deferens and cauda epididymis in adulthood following delayed basal cell development. *Reproduction* May 2005;129(5):589-601.

Begum M, Tashiro H, Katabuchi H, Suzuki A, Kurman RJ, Okamura H. Neonatal estrogenic exposure suppresses PTEN-related endometrial carcinogenesis in recombinant mice. *Lab Invest* Mar 2006;86(3):286-296.

Besteman EG, Zimmerman KL, Holladay SD. Diethylstilbestrol (DES)-induced fetal thymic atrophy in C57BL/6 mice: Inhibited thymocyte differentiation and increased apoptotic cell death. *Int J Toxicol* Jul 2005;24(4):231-239.

Besteman EG, Zimmerman KL, Huckle WR, Prater MR, Gogal Jr RM, Holladay SD. 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) or diethylstilbestrol (DES) cause similar hematopoietic hypocellularity and hepatocellular changes in murine fetal liver, but differentially affect gene expression. *Toxicol Pathol* 2007;35(6):788-794.

Bianco JJ, McPherson SJ, Wang H, Prins GS, Risbridger GP. Transient neonatal estrogen exposure to estrogen-deficient mice (aromatase knockout) reduces prostate weight and induces inflammation in late life. *Am J Pathol* Jun 2006;168(6):1869-1878.

Bovet C, Wortmann A, Eiler S, Grainger F, Ruff M, Gerrits B, et al. Estrogen receptor-ligand complexes measured by chip-based nanoelectrospray mass spectrometry: An approach for the screening of endocrine disruptors. *Prot Sc* May 2007;16(5):938-946.

Bromer JG, Wu J, Zhou Y, Taylor HS. Hypermethylation of homeobox A10 by in utero diethylstilbestrol

exposure: An epigenetic mechanism for altered developmental programming. *Endocrinology* July 2009;150(7):3376-3382.

Brown N, Nagarkatti M, Nagarkatti PS. Diethylstilbestrol alters positive and negative selection of T cells in the thymus and modulates T-cell repertoire in the periphery. *Toxicol Appl Pharmacol* 15 Apr 2006;212(2):119-126.

Brown N, Nagarkatti M, Nagarkatti P. Induction of apoptosis in murine fetal thymocytes following perinatal exposure to diethylstilbestrol. *Int J Toxicol* 2006;25(1):9-15.

Calemine JB, Gogal Jr RM, Lengi A, Sponenberg P, Ahmed SA. Immunomodulation by diethylstilbestrol is dose and gender related: Effects on thymocyte apoptosis and mitogen-induced proliferation. *Toxicology* 02 Sep 2002;178(2):101-118.

Cemeli E and Anderson D. Mechanistic investigation of ROS-induced DNA damage by oestrogenic compounds in lymphocytes and sperm using the comet assay. *Int J Mol Sci* 2011;12(5):2783-2796.

Chuanlai X, Huting W, Chifang P, Zhengyu J, Liqiang L. Colloidal gold-based immunochromatographic assay for detection of diethylstilbestrol residues. *Biomed Chromatogr* Dec 2006;20(12):1390-1394.

Cook JD, Davis BJ, Cai S-L, Barrett JC, Conti CJ, Walker CL. Interaction between genetic susceptibility and early-life environmental exposure determines tumor-suppressor-gene penetrance. *Proceedings of the National Academy of Sciences of the United States of America* Jun 14 2005;102(24):8644-8649.

Cook JD, Davis BJ, Goewey JA, Berry TD, Walker CL. Identification of a sensitive period for developmental programming that increases risk for uterine leiomyoma in Eker rats. *Reprod Sci (Thousand Oaks, CA)* Feb 2007;14(2):121-136.

Dang VH, Choi KC, Hyun SH, Jeung EB. Analysis of gene expression profiles in the offspring of rats following maternal exposure to xenoestrogens. *Reprod Toxicol* Jan 2007;23(1):42-54.

Derfoul A, Lin FJ, Awumey EM, Kolodzeski T, Hall DJ, Tuan RS. Estrogenic endocrine disruptive components interfere with calcium handling and differentiation of human trophoblast cells. *J Cell Biochem* Jul 1 2003;89(4):755-770.

DES update. Research still underway. *Mayo Clin Womens Healthsource* Mar 2004;8(3):6.

Dobrydneva Y, Williams RL, Blackmore PF. Diethylstilbestrol and other nonsteroidal estrogens: Novel class of store-operated calcium channel modulators. *J Cardiovasc Pharmacol* May 2010;55(5):522-530.

Dobrydneva Y, Williams RL, Katzenellenbogen JA, Ratz PH, Blackmore PF. Diethylstilbestrol and tetrahydrochrysenes are calcium channel blockers in human platelets: Relationship to the stilbene pharmacophore. *Thromb Res* 15 Apr 2003;110(1):23-31.

Eda Akbas G, Song J, Taylor HS. A HOXA10 estrogen response element (ERE) is differentially regulated by 17 beta-estradiol and diethylstilbestrol (DES). *J Mol Biol* 23 Jul 2004;340(5):1013-1023.

Fenaux JB, Gogal Jr RM, Ahmed SA. Diethylstilbestrol exposure during fetal development affects thymus: Studies in fourteen-month-old mice. *J Reprod Immunol* Dec 2004;64(1-2):75-90.

Fenaux JB, Gogal Jr RM, Lindsay D, Hardy C, Ward DL, Saunders G, et al. Altered splenocyte function in aged C57BL/6 mice prenatally exposed to diethylstilbestrol. *J Immunotoxicol* Oct 2005;2(4):221-229.

Fielden MR, Halgren RG, Fong CJ, Staub C, Johnson L, Chou K, et al. Gestational and lactational exposure of male mice to diethylstilbestrol causes long-term effects on the testis, sperm fertilizing ability in vitro, and testicular gene expression. *Endocrinology* 2002;143(8):3044-3059.

Filipiak E, Walczak-Jedrzejowska R, Oszukowska E, Guminska A, Marchlewska K, Kula K, et al. Xenoestrogens diethylstilbestrol and zearalenone negatively influence pubertal rat's testis. *Folia Histochem Cytobiol* 01 Jan 2009;47(5):S113-S120.

Folmar LC, Hemmer MJ, Denslow ND, Kroll K, Chen J, Cheek A, et al. A comparison of the estrogenic potencies of estradiol, ethynylestradiol, diethylstilbestrol, nonylphenol and methoxychlor in vivo and in vitro. *Aquat Toxicol* 02 Oct 2002;60(1-2):101-110.

Frawley R., White Jr K, Brown R, Musgrove D, Walker N, Germolec D. Gene expression alterations in immune system pathways in the thymus after exposure to immunosuppressive chemicals. *Environ Health Perspect* 2011;119(3):371-376.

Fritz WA, Cotroneo MS, Wang J, Eltoum IE, Lamartiniere CA. Dietary diethylstilbestrol but not genistein adversely affects rat testicular development. *J Nutr* 01 Jul 2003;133(7):2287-2293.

Fucic A, Stojkovic R, Katic J, Markovic D, Ferencic Z, Koršic M, et al. Animal model for age- and sex-related genotoxicity of diethylstilbestrol. *Braz J Med Biol Res* 2009;42(11):1090-1096.

Gould KA, Strecker TE, Hansen KK, Bynote KK, Peterson KA, Shull JD. Genetic mapping of loci controlling diethylstilbestrol-induced thymic atrophy in the Brown Norway rat. *Mamm Genome* May 2006;17(5):451-464.

Goyal HO, Braden TD, Williams CS, Dalvi P, Mansour MM, Mansour M, et al. Abnormal morphology of the penis in male rats exposed neonatally to diethylstilbestrol is associated with altered profile of estrogen receptor-alpha protein, but not of androgen receptor protein: Developmental and immunocytochemical study. *Biol Reprod* May 2004;70(5):1504-1517.

Goyal HO, Braden TD, Williams CS, Dalvi P, Mansour MM, Williams JW. Permanent induction of morphological abnormalities in the penis and penile skeletal muscles in adult rats treated neonatally with diethylstilbestrol or estradiol valerate: A dose-response study. *J Androl* Jan 2005;26(1):32-43.

Goyal HO, Braden TD, Williams CS, Dalvi P, Williams JW, Srivastava KK. Exposure of neonatal male rats to estrogen induces abnormal morphology of the penis and loss of fertility. *Reprod Toxicol* Mar-Apr 2004;18(2):265-274.

Goyal HO, Braden TD, Williams CS, Williams JW. Estrogen-induced developmental disorders of the rat penis involve both estrogen receptor (ESR)- and androgen receptor (AR)-mediated pathways. *Biol Reprod* September 2009;81(3):507-516.

Goyal HO, Robateau A, Braden TD, Williams CS, Srivastava KK, Ali K. Neonatal estrogen exposure of male rats alters reproductive functions at adulthood. *Biol Reprod* 01 Jun 2003;68(6):2081-2091.

Greathouse KL, Cook JD, Lin K, Davis BJ, Berry TD, Bredfeldt TG, et al. Identification of uterine leiomyoma genes developmentally reprogrammed by neonatal exposure to diethylstilbestrol. *Reprod Sci* October 2008;15(8):765-778.

Green M, Newell O, Aboyade-Cole A, Darling-Reed S, Thomas RD. Diallyl sulfide induces the expression of estrogen metabolizing genes in the presence and/or absence of diethylstilbestrol in the breast of female ACI rats. *Toxicol Lett* 10 Jan 2007;168(1):7-12.

Green M, Wilson C, Newell O, Sadrud-Din S, Thomas R. Diallyl sulfide inhibits diethylstilbestrol-induced DNA adducts in the breast of female ACI rats. *Food Chem Toxicol* Sep 2005;43(9):1323-1331.

Gued LR, Thomas RD, Green M. Diallyl sulfide inhibits diethylstilbestrol-induced lipid peroxidation in breast tissue of female ACI rats: Implications in breast cancer prevention. *Oncol Rep* 2003;10(3):739-743.

Hendry IWJ, Branham WS, Sheehan DM. Diethylstilbestrol V versus estradiol as neonatal disruptors of the hamster (*Mesocricetus auratus*) Cervix. *Biol Reprod* May 2004;70(5):1306-1316.

Hendry IWJ, Sheehan DM, Khan SA, May JV. Developing a laboratory animal model for perinatal endocrine disruption: The hamster chronicles. *Exp Biol Med* Oct 2002;227(9):709-723.

Hendry IWJ, Weaver BP, Naccarato TR, Khan SA. Differential progression of neonatal diethylstilbestrol-induced disruption of the hamster testis and seminal vesicle. *Reprod Toxicol* Apr 2006;21(3):225-240.

Henley DV and Korach KS. Physiological effects and mechanisms of action of endocrine disrupting chemicals that alter estrogen signaling. *Hormones* July - September 2010;9(3):191-205.

Hinrichs B, Zahid M, Ali MF, Cavalieri EL, Rogan EG. Formation of diethylstilbestrol-DNA adducts in human breast epithelial cells and inhibition by resveratrol. *J Steroid Biochem Mol Biol* 2011;127(3-5):276-281.

Hixon ML, Larocca J, Boyajian A, Brown C, Duncan SS. Effects of bisphenol a and diethylstilbestrol on the adult male reproductive system following oral administration to pregnant C57BL6 mice on gestational days 10 through 16. *Birth Defects Res Part A - Clin Mol Teratol* May 2010;88(5):358.

Honma S, Suzuki A, Buchanan DL, Katsu Y, Watanabe H, Iguchi T. Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. *Reprod Toxicol* (Elmsford, N.Y.) 2002;16(2):117-122.

Hosoi I, Toyama Y, Maekawa M, Ito H, Yuasa S. Development of the blood-testis barrier in the mouse is delayed by neonatally administered diethylstilbestrol but not by beta-estradiol 3-benzoate. *Andrologia* 2002;34(4):255-262.

Jeng YJ, Kochukov M, Nauduri D, Kaphalia BS, Watson CS. Subchronic exposure to phytoestrogens alone and in combination with diethylstilbestrol - Pituitary tumor induction in Fischer 344 rats. *Nutrition and Metabolism* 2010;7(40).

Jiang XW, Li JH, Huang TH, Deng WD. Effect of prenatal exposure to diethylstilbestrol on gubernacular development in fetal male mice. *Asian J Androl* Dec 2004;6(4):325-329.

Johnson GE, Jenkins GJ, Thomas AD, Doak SH. Vinblastine and diethylstilboestrol tested in the in vitro mammalian cell micronucleus test (MNvit) at Swansea University UK in support of OECD draft Test Guideline 487. *Mutat Res* October 2010;702(2):189-192.

Kabbarah O, Mallon MA, Pfeifer JP, Goodfellow PJ. Transcriptional profiling endometrial carcinomas microdissected from DES-treated mice identifies changes in gene expression associated with estrogenic tumor promotion. *Int J Cancer* 15 Oct 2006;119(8):1843-1849.

Kadoma Y and Fujisawa S. Radical-scavenging activity of estrogen and estrogen-like compounds using the induction period method. *Int J Mol Sci* Apr 2007;8(4):295-303.

Kaitsuka T, Fukunaga K, Soeda F, Shirasaki T, Miyamoto E, Takahama K. Changes in  $Ca^{2+}$ /calmodulin-dependent protein kinase II activity and its relation to performance in passive avoidance response and long-term potentiation formation in mice prenatally exposed to diethylstilbestrol. *Neuroscience* 23 Feb 2007;144(4):1415-1424.

Kaludjerovic J and Ward WE. Diethylstilbestrol has gender-specific effects on weight gain and bone development in mice. *J Toxicol Environ Health - Part A* January 2008;71(15):1032-1042.

Karlsson S. Histopathology and histomorphometry of the urogenital tract in 15-month old male and female

rats treated neonatally with SERMs and estrogens. *Exp Toxicol Pathol* 15 Aug 2006;58(1):1-12.

Kawaguchi H, Miyoshi N, Miyamoto Y, Souda M, Umekita Y, Yasuda N, et al. Effects of exposure period and dose of diethylstilbestrol on pregnancy in rats. *J Vet Med Sci* 2009;71(10):1309-1315.

Kawaguchi H, Miyoshi N, Miyamoto Y, Souda M, Umekita Y, Yasuda N, et al. Effects of fetal exposure to diethylstilbestrol on mammary tumorigenesis in rats. *J Vet Med Sci* 2009;71(12):1599-1608.

Kawamura H, Nonogaki T, Yoshikawa K, Kimura M, Nakano T. Morphology of accessory sex organs from neonatally DES- and DES-dp-injected mouse. *Okajimas folia anat Jpn* Mar 2002;78(6):245-252.

Kawashima H, Kawaguchi H, Umekita Y, Souda M, Gejima K, Komokata T, et al. Effects of neonatal administration of diethylstilbestrol on aberrant crypt foci induced by 7,12-dimethylbenz[alpha] anthracene in rats. *In Vivo* November/December 2008;22(6):699-706.

Kawato S. Endocrine disrupters as disrupters of brain function: A neurosteroid viewpoint. *Environmental Sciences: Int J Environ Physiol Toxicol* 2004;11(1):1-14.

Kim H, Hayashi S, Chambon P, Watanabe H, Iguchi T, Sato T. Effects of diethylstilbestrol on ovarian follicle development in neonatal mice. *Reprod Toxicol* January 2009;27(1):55-62.

Kim H, Nakajima T, Hayashi S, Chambon P, Watanabe H, Iguchi T, et al. *Biol Reprod* 2009;81(5):1002-1009.

Kirigaya A, Kim H, Hayashi S, Chambon P, Watanabe H, Iguchi T, et al. Involvement of estrogen receptor beta in the induction of polyovular follicles in mouse ovaries exposed neonatally to diethylstilbestrol. *Zool Sci* Oct 2009;26(10):704-712.

Kocken M, Baalbergen A, Snijders PJ, Bulten J, Quint WG, Smedts F, et al. High-risk human papillomavirus seems not involved in DES-related and of limited importance in non-DES related clear-cell carcinoma of the cervix. *Gynecol Oncol* 2011;122(2):297-302.

Kondo T, Goto S, Ihara Y, Urata Y, Ikeda S, Hishikawa Y, et al. Diethylstilbestrol attenuates antioxidant activities in testis from male mice. *Free Radic Res* 2002;36(9):957-966.

Kurita T, Mills AA, Cunha GR. Roles of p63 in the diethylstilbestrol-induced cervicovaginal adenosis. *Development* Apr 2004;131(7):1639-1649.

Lassarguere J, Livera G, Habert R, Jegou B. Time- and dose-related effects of estradiol and diethylstilbestrol on the morphology and function of the fetal rat testis in culture. *Toxicol Sci* 01 May 2003;73(1):160-169.

Li S, Hansman R, Newbold R, Davis B, McLachlan JA, Barrett JC. Neonatal diethylstilbestrol exposure induces persistent elevation of c-fos expression and hypomethylation in its Exon-4 in mouse uterus. *Mol Carcinog* Oct 2003;38(2):78-84.

Li Y, Okumura K, Maeda N, Miyasho T, Yokota H. Oxidatively damaged proteins in the early stage of testicular toxicities in male rats by orally administered with a synthetic oestrogen, diethylstilbestrol. *Reprod Toxicol* 2011;31(1):26-34.

Liu J, Yu L, Coppin JF, Tokar EJ, Diwan BA, Waalkes MP. Fetal arsenic exposure appears to facilitate endocrine disruption by postnatal diethylstilbestrol in neonatal mouse adrenal. *Chem Biol Interact* 10 Dec 2009;182(2-3):253-258.

Longhurst PA. In vitro rat bladder function after neonatal estrogenization. *J Urol* 01 Dec 2002;168(6):2695-2699.

Loutradis D, Stefanidis K, Kiapekou E, Zapanti E, Panitsa-Fafia C, Antsaklis A. Estradiol and progesterone supplementation during luteal phase improved the receptivity of the endometrium in a patient with a history of diethylstilboestrol exposure in-utero. *Hormones (Athens, Greece)* 2006;5(2):147-150.

Mansour MM, Goyal HO, Braden TD, Dennis JC, Schwartz DD, Judd RL, et al. Activation of penile proadipogenic peroxisome proliferator-activated receptor with an estrogen: Interaction with estrogen receptor alpha during postnatal development. *PPAR Res* 2008(651419).

Maranghi F, Tassinari R, Moracci G, Macri C, Mantovani A. Effects of a low oral dose of diethylstilbestrol (DES) on reproductive tract development in F1 female CD-1 mice. *Reprod Toxicol* October 2008;26(2):146-150.

Martin B, Maudsley S, McNeilly J, Nicol L, Crawford J, Millar M, et al. Neonatal estrogenic effects upon the male rat pituitary: Early gonadotrophin attenuation precedes long-term recovery. *NeuroMolecular Med* June 2009;11(2):76-86.

Martin OV, Shialis T, Lester JN, Scrimshaw MD, Boobis AR, Voulvoulis N. Testicular dysgenesis syndrome and the estrogen hypothesis: A quantitative meta-analysis. *Environ Health Perspect* 2008;116(2):149-157.

Massey ED and Hinchliffe S. 2-Aminoanthracene, diethylstilboestrol and vinblastine tested in the in vitro mammalian cell micronucleus test at British American Tobacco UK in support of the OECD draft Test Guideline 487. *Mutation research* 2010;702(2):208-211.

Mathews E, Braden TD, Williams CS, Williams JW, Bolden-Tiller O, Goyal HO. Mal-development of the penis and loss of fertility in male rats treated neonatally with female contraceptive 17alpha-ethinyl estradiol: A dose-response study and a comparative study with a known estrogenic teratogen diethylstilbestrol. *Toxicol Sci* December 2009;112(2):331-343.

Mikkila TFM, Toppari J, Paranko J. Effects of neonatal exposure to 4-tert-octylphenol, diethylstilbestrol, and flutamide on steroidogenesis in infantile rat testis. *Toxicol Sc* Jun 2006;91(2):456-466.

Miyagawa S, Katsu Y, Watanabe H, Iguchi T. Estrogen-independent activation of erbBs signaling and estrogen receptor alpha in the mouse vagina exposed neonatally to diethylstilbestrol. *Oncogene* 15 Jan 2004;23(2):340-349.

Miyagawa S, Suzuki A, Katsu Y, Kobayashi M, Goto M, Handa H, et al. Persistent gene expression in mouse vagina exposed neonatally to diethylstilbestrol. *J Mol Endocrinol* Jun 2004;32(3):663-677.

Moggs JG, Ashby J, Tinwell H, Lim FL, Moore DJ, Kimber I, et al. The need to decide if all estrogens are intrinsically similar. *Environ Health Perspect* Aug 2004;112(11):1137-1142.

Myllymaki S, Haavisto T, Vainio M, Toppari J, Paranko J. In vitro effects of diethylstilbestrol, genistein, 4-tert-butylphenol, and 4-tert-octylphenol on steroidogenic activity of isolated immature rat ovarian follicles. *Toxicol Appl Pharm* 01 Apr 2005;204(1):69-80.

Nagai A, Ikeda Y, Aso T, Eto K, Ikeda MA. Exposure of neonatal rats to diethylstilbestrol affects the expression of genes involved in ovarian differentiation. *J Med Dent Sci* Mar 2003;50(1):35-40.

Nagao T and Yoshimura S. Early embryonic losses in mice induced by diethylstilbestrol. *Congen Anom* December 2009;49(4):269-273.

Nakajima T, Iguchi T, Sato T. Involvement of activin signaling in abnormalities of mouse vagina exposed

neonataly to diethylstilbestrol. *Cell Tissue Res* 2011;344(3):527-538.

Newbold RR, Jefferson WN, Grissom SF, Padilla-Banks E, Snyder RJ, Lobenhofer EK. Developmental exposure to diethylstilbestrol alters uterine gene expression that may be associated with uterine neoplasia later in life. *Mol Carcinog* Sep 2007;46(9):783-796.

Newbold RR, Jefferson WN, Padilla-Banks E, Haseman J. Developmental exposure to diethylstilbestrol (DES) alters uterine response to estrogens in prepubescent mice: Low versus high dose effects. *Reprod Toxicol* May 2004;18(3):399-406.

Newbold RR, Moore AB, Dixon D. Characterization of uterine leiomyomas in CD-1 mice following developmental exposure to diethylstilbestrol (DES). *Toxicol Pathol* Sep 2002;30(5):611-616.

Nikaido Y, Yoshizawa K, Danbara N, Tsujita-Kyutoku M, Yuri T, Uehara N, et al. Effects of maternal xenoestrogen exposure on development of the reproductive tract and mammary gland in female CD-1 mouse offspring. *Reprod Toxicol* Aug 2004;18(6):803-811.

Ninomiya K, Kawaguchi H, Souda M, Taguchi S, Funato M, Umekita Y, et al. Effects of neonatally administered diethylstilbestrol on induction of mammary carcinomas induced by 7, 12-dimethylbenz(a)anthracene in female rats. *Toxicol Pathol* 2007;35(6):811-818.

Okada A, Ohta Y, Buchanan DL, Sato T, Iguchi T. Effect of estrogens on ontogenetic expression of progesterone receptor in the fetal female rat reproductive tract. *Mol Cell Endocrinol* 30 Sep 2002;195(1-2):55-64.

Paul-Prasanth B, Shibata Y, Horiguchi R, Nagahama Y. Exposure to diethylstilbestrol during embryonic and larval stages of medaka fish (*Oryzias latipes*) leads to sex reversal in genetic males and reduced gonad weight in genetic females. *Endocrinology*. 2011 Feb;152(2):707-17.

Piersma AH, Verhoef A, Sweep CGJ, De Jong WH, Van Loveren H. Developmental toxicity but no immunotoxicity in the rat after prenatal exposure to diethylstilbestrol. *Toxicology* 05 Jun 2002;174(3):173-181.

Qua YQ, Fang ZZ, Yanga L, Gao ZM, Liang R, Zhua, LL, et al. Reversible inhibition of four important human liver cytochrome P450 enzymes by diethylstilbestrol. *Pharmazie* 2011;66(3):216-221.

Radosevic K, Tonkovic T, Slivac I, Kniewald Z, Gaurina Srček V. Comparison of cytotoxicity induced by 17alpha-ethynylestradiol and diethylstilbestrol in fish CCO and mammalian CHO-K1 cell lines. *B Environ Contam Tox* 2011;86(3):252-257.

Ramesh A, Inyang F, Knuckles ME. Modulation of adult rat benzo(a)pyrene (BaP) metabolism and DNA adduct formation by neonatal diethylstilbestrol (DES) exposure. *Exp Toxicol Pathol* Dec 2004;56(3):129-138.

Ramos JG, Varayoud J, Monje L, Moreno-Piovanio G, Munoz-de-Toro M, Luque EH. Diethylstilbestrol alters the population dynamic of neural precursor cells in the neonatal male rat dentate gyrus. *Brain Res Bull* 30 Mar 2007;71(6):619-627.

Rivera OE, Varayoud J, Rodríguez HA, Muñoz-de-Toro M, Luque EH. Neonatal exposure to bisphenol A or diethylstilbestrol alters the ovarian follicular dynamics in the lamb. *Reprod Toxicol* 2011;32(3):304-312.

Ruden DM, Xiao L, Garfinkel MD, Lu X. Hsp90 and environmental impacts on epigenetic states: A model for the trans-generational effects of diethylstilbestrol on uterine development and cancer. *Hum Mol Genet* 15 Apr 2005;14(SPEC. ISS. 1):R149-R155.

Saeed M, Rogan E, Cavalieri E. Mechanism of metabolic activation and DNA adduct formation by the

human carcinogen diethylstilbestrol: The defining link to natural estrogens. *Int J Cancer* 15 Mar 2009;124(6):1276-1284.

Samadi A, Cenedella RJ, Carlson CG. Diethylstilbestrol increases intracellular calcium in lens epithelial cells. *Pflug Arch Jun* 2005;450(3):145-154.

Sasanami T, Pan J, Mori M. Expression of perivitelline membrane glycoprotein ZP1 in the liver of Japanese quail (*Coturnix japonica*) after in vivo treatment with diethylstilbestrol. *J Steroid Biochem Mol Biol Jan* 2003;84(1):109-116.

Sato K, Fukata H, Kogo Y, Ohgane J, Shiota K, Mori C. Neonatal exposure to diethylstilbestrol alters the expression of DNA methyltransferases and methylation of genomic DNA in the epididymis of mice. *Endocr J* 2006;53(3):331-337

Sato K, Fukata H, Kogo Y, Ohgane J, Shiota K, Mori C. Neonatal exposure to diethylstilbestrol alters expression of DNA methyltransferases and methylation of genomic DNA in the mouse uterus. *Endocr J* 2009;56(1):131-139.

Sato T, Fukazawa Y, Ohta Y, Iguchi T. Involvement of growth factors in induction of persistent proliferation of vaginal epithelium of mice exposed neonatally to diethylstilbestrol. *Reprod Toxicol Nov* 2004;19(1):43-51.

Schechter T, Finkelstein Y, Koren G. Motherisk update: Pregnant "DES daughters" and their offspring. *Can Fam Physician Apr* 2005;51(APR.):493-494.

Shadab GGHA, Ahmad ME, Azfer MA. Anticlastogenic action of vitamin C against genotoxicity of estrogenic drug diethylstilbestrol (DES) in the human lymphocyte chromosomes. *J Environ Biol Jan* 2006;27(1):85-88.

Soeda F, Nagata M, Kaitsuka T, Shirasaki T, Takahama K. The effect of aging and an ovariectomy operation on the level of phosphorylated CaM kinase II in the hippocampus of female mice prenatally exposed to diethylstilbestrol. *Environ Toxicol Pharmacol* 2011;31(3):496-499.

Soeda F, Tanaka A, Shirasaki T, Takahama K. An enriched environment mitigates the brain-disruptive effects of prenatal diethylstilbestrol exposure in mice. *Neuroscience August* 2010;169(1):223-228.

Suzuki A, Sugihara A, Uchida K, Sato T, Ohta Y, Katsu Y, et al. Developmental effects of perinatal exposure to bisphenol-A and diethylstilbestrol on reproductive organs in female mice. *Reprod Toxicol (Elmsford, N.Y.)* 2002;16(2):107-116.

Suzuki A, Urushitani H, Sato T, , Kobayashi T, Watanabe H, Ohta Y, et al. Gene expression change in the Mullerian duct of the mouse fetus exposed to diethylstilbestrol in utero. *Exp Biol Med Apr* 2007;232(4):503-514.

Suzuki A, Watanabe H, Mizutani T, Sato T, Ohta Y, Iguchi T. Global gene expression in mouse vaginae exposed to diethylstilbestrol at different ages. *Exp Biol Med (Maywood, NJ)* 2006;231(5):632-640.

Takahama K, Kaitsuka T, Shirasaki T, Soeda F. Brain disrupting actions of prenatal diethylstilbestrol exposure in mice - Behavioral, neurochemical and electrophysiological studies. *J Health Sci Dec* 2003;49(6):423-428.

Tanaka M, Ohtani-Kaneko R, Yokosuka M, Watanabe C. Low-dose perinatal diethylstilbestrol exposure affected behaviors and hypothalamic estrogen receptor-alpha-positive cells in the mouse. *Neurotoxicol Teratol Mar* 2004;26(2):261-269.

Tang WY, Newbold R, Mardilovich K, Jefferson W, Cheng RY, Medvedovic M, et al. Persistent



hypomethylation in the promoter of nucleosomal binding protein 1 (Nsbp1) correlates with overexpression of Nsbp1 in mouse uteri neonatally exposed to diethylstilbestrol or genistein. *Endocrinology* December 2008;149(12):5922-5931.

Tomihara K, Kaitsuka T, Soga T, Korach KS, Pfaff DW, Takahama K, et al. Abolition of sex-dependent effects of prenatal exposure to diethylstilbestrol on emotional behavior in estrogen receptor-alpha knockout mice. *NeuroReport* Jul 2006;17(11):1169-1173.

Twombly, R. Estrogen's dual nature? Studies highlight effects on breast cancer." *J Nat Cancer I* 2011;103(12):920-921.

Vitale AM, Gonzalez OM, Parborell F, Irusta G, Campo S, Tesone M. Inhibin A increases apoptosis in early ovarian antral follicles of diethylstilbestrol-treated rats. *Biol Reprod* Dec 2002;67(6):1989-1995.

Wellejus A, Jensen HE, Loft S, Jonassen TE. Expression of aquaporin 9 in rat liver and efferent ducts of the male reproductive system after neonatal diethylstilbestrol exposure. *J Histochem Cytochem* May 2008;56(5):425-432.

Witorsch RJ. Low-dose in utero effects of xenoestrogens in mice and their relevance to humans: An analytical review of the literature. *Food Chem Toxicol* 2002;40(7):905-912.

Xu Q, Wang M, Yu S, Tao Q, Tang M. Trace analysis of diethylstilbestrol, dienestrol and hexestrol in environmental water by Nylon 6 nanofibers mat-based solid-phase extraction coupled with liquid chromatography-mass spectrometry. *Analyst* 2011;136(23):5030-5037.

Yamamoto M, Kohara S, Kobayashi T, Shirai M, Nisikawa O, Arishima K. Effects of maternal exposure to diethylstilbestrol on epididymal development in rat offspring. *J Vet Med Sci* 2009;71(3):375-378.

Yamamoto M, Shirai M, Sugita K, Nagai N, Miura Y, Mogi R, et al. Effects of maternal exposure to diethylstilbestrol on the development of the reproductive system and thyroid function in male and female rat offspring. *J Toxicol Sci* Dec 2003;28(5):385-394.

Yamamoto M, Shirai M, Tamura A, Kobayashi T, Kohara S, Murakami M, et al. Effects of maternal exposure to a low dose of diethylstilbestrol on sexual dimorphic nucleus volume and male reproductive system in rat offspring. *J Toxicol Sci* Feb 2005;30(1):7-18.

Yamashita S. Ontogenic expression of estrogen receptor coactivators in the reproductive tract of female mice neonatally exposed to diethylstilbestrol. *Reprod Toxicol* Mar 2004;18(2):275-284.

Yamashita S. Expression of estrogen-regulated genes during development in the mouse uterus exposed to diethylstilbestrol neonatally. *Curr Pharm Des* Apr 2006;12(12):1505-1520.

Yamashita S, Takayanagi A, Shimizu N. Expression of c-fos and c-jun protooncogenes in the uteri of immature mice neonatally exposed to diethylstilbestrol. *Histol Histopathol* Jan 2003;18(1):83-92.

Yamazaki K, Fukata H, Adachi T, Tainaka H, Kohda M, Yamazaki M, et al. Association of increased type I collagen expression and relative stromal overgrowth in mouse epididymis neonatally exposed to diethylstilbestrol. *Mol Reprod Dev* Nov 2005;72(3):291-298.

Yigit F and Daglioglu S. Histological changes in the uterus of the hens after embryonic exposure to bisphenol A and diethylstilbestrol. *Protoplasma* Nov 2010;247(1-2):57-63.

Yin Y, Lin C, Ma L. Msx2 promotes vaginal epithelial differentiation and Wolffian duct regression and dampens the vaginal response to diethylstilbestrol. *Mol Endocrinology* 2006;20(7):1535-1546.

Yin Y and Ma L. Development of the mammalian female reproductive tract. *J Biochem Jun*

2005;137(6):677-683.

Yin Y, Lin C, Ma L. Msx2 promotes vaginal epithelial differentiation and Wolffian duct regression and dampens the vaginal response to diethylstilbestrol. *Mol Endocrinol* 2006;20(7):1535-1546

Yoshida M, Takahashi M, Inoue K, Hayashi S, Maekawa A, Nishikawa A. Delayed adverse effects of neonatal exposure to diethylstilbestrol and their dose dependency in female rats. *Toxicol Pathol* 2011;39(5):823-834.

Yoshikawa T, Kawaguchi H, Umekita Y, Souda M, Gejima K, Kawashima H, et al. Effects of neonatally administered low-dose diethylstilbestrol on the induction of mammary carcinomas and dysplasias induced by 7,12-dimethylbenz[a]anthracene in female rats. *In Vivo* Mar 2008;22(2):207-214.

Zhang L, Zheng XM, Hubert J, Zheng H, Yang ZW, Li SW. Prenatal exposure to diethylstilbestrol in the rat inhibits transabdominal testicular descent with involvement of the INSL3/LGR8 system and HOXA10. *Chin Med J (Engl)* 20 Apr 2009;122(8):967-971.